

TABLE 1. Demographic Information on Prevalent HIV/AIDS Cases Living in GENESEE CO. at Diagnosis

	<i>EST PREV*</i>		<i>REPORTED PREVALENCE[†]</i>				<i>CENSUS 2006 ESTIMATES</i>		
	Number		HIV, not AIDS		AIDS		Total	Rate per 100,000 [§]	Number Percent
		Number Percent	Number Percent	Number Percent	Number Percent				
RACE/ ETHNICITY[¶]									
White	300	105 (44%)	118 (48%)	223 (46%)	67.6	329,962 (75%)			
Black	320	125 (52%)	117 (47%)	242 (50%)	275.6	87,806 (20%)			
Hispanic	20	7 (3%)	10 (4%)	17 (3%)	162.3	10,477 (2%)			
Asian/PI	10	<5 **	<5 **	<5 **	**	4,075 (1%)			
Am Indian/AN	0	0 (0%)	0 (0%)	0 (0%)	**	2,095 (<1%)			
Multi/Unk	10	<5 **	<5 **	5 (1%)	N/A	8,271 (2%)			
SEX & RACE									
Males	500	171 (71%)	205 (83%)	376 (77%)	176.8	212,688 (48%)			
White Males	250	83 (35%)	106 (43%)	189 (39%)	117.6	160,734 (36%)			
Black Males	230	83 (35%)	90 (36%)	173 (35%)	433.6	39,902 (9%)			
Hispanic Males	20	<5 **	8 (3%)	12 (2%)	231.4	5,186 (1%)			
Other Males	10	<5 **	<5 **	<5 **	**	6,866 (2%)			
Females	150	69 (29%)	43 (17%)	112 (23%)	48.8	229,278 (52%)			
White Females	50	22 (9%)	12 (5%)	34 (7%)	20.1	169,228 (38%)			
Black Females	90	42 (18%)	27 (11%)	69 (14%)	146.2	47,184 (11%)			
Hispanic Fmls	10	<5 **	<5 **	5 (1%)	94.5	5,291 (1%)			
Other Females	10	<5 **	<5 **	<5 **	**	7,575 (2%)			
RISK*									
Male-Male Sex	300	94 (39%)	132 (53%)	226 (46%)	N/A	N/A N/A			
Injection Drug Use	50	22 (9%)	15 (6%)	37 (8%)	N/A	N/A N/A			
MSM/IDU	20	6 (3%)	10 (4%)	16 (3%)	N/A	N/A N/A			
Blood Products	10	<5 **	<5 **	<5 **	N/A	N/A N/A			
Heterosexual	110	47 (20%)	35 (14%)	82 (17%)	N/A	N/A N/A			
HRH	60	26 (11%)	22 (9%)	48 (10%)	N/A	N/A N/A			
PH-Female	50	21 (9%)	13 (5%)	34 (7%)	N/A	N/A N/A			
Perinatal	10	5 (2%)	0 (0%)	5 (1%)	N/A	N/A N/A			
Undetermined	160	65 (27%)	55 (22%)	120 (25%)	N/A	N/A N/A			
PH-Male	70	23 (10%)	31 (13%)	54 (11%)	N/A	N/A N/A			
Unknown	90	42 (18%)	24 (10%)	66 (14%)	N/A	N/A N/A			
AGE AT HIV DIAGNOSIS									
0 - 12 years	10	5 (2%)	0 (0%)	5 (1%)	N/A	N/A N/A			
13 - 19 years	40	20 (8%)	8 (3%)	28 (6%)	N/A	N/A N/A			
20 - 24 years	80	41 (17%)	22 (9%)	63 (13%)	N/A	N/A N/A			
25 - 29 years	110	41 (17%)	44 (18%)	85 (17%)	N/A	N/A N/A			
30 - 39 years	230	68 (28%)	105 (42%)	173 (35%)	N/A	N/A N/A			
40 - 49 years	120	45 (19%)	48 (19%)	93 (19%)	N/A	N/A N/A			
50 - 59 years	40	18 (8%)	15 (6%)	33 (7%)	N/A	N/A N/A			
60 years and over	10	<5 **	6 (2%)	8 (2%)	N/A	N/A N/A			
Unspecified	0	0 (0%)	0 (0%)	0 (0%)	N/A	N/A N/A			
TOTAL	650	240 (100%)	248 (100%)	488 (100%)	110	441,966 (100%)			

*See page 4 for descriptions of prevalence estimate calculations and new risk category groupings. Risk categories used in Michigan are newly defined as of the July 2007 quarter.

[†] Includes reports that contain patient name or are otherwise unduplicated. <5 and ** = 1, 2, 3, or 4 cases.

[§] To calculate "1 out of x" statements, divide the census number by total reported prevalence. For example, for non-Hispanic whites: 329,962 / 223 = 1,480. Thus, 1 out of every 1,480 non-Hispanic white persons in GENESEE CO. are living with HIV.

[¶] In this report, persons described as white, black, Asian/Pacific Islander (PI), or American Indian/Alaska Native (AN) are all non-Hispanic; persons described as Hispanic might be of any race.

TABLE 2. Sex, Race, and Risk Among Prevalent HIV/AIDS Cases in GENESEE CO.

MALES	White		Black		Hispanic		Other or Unknown		Male Subtotal	
Male-Male sex	123	(65%)	94	(54%)	8	(67%)	<5	**	226	(60%)
Injecting Drug Use	10	(5%)	9	(5%)	0	(0%)	0	(0%)	19	(5%)
Male-Male Sex/IDU	9	(5%)	6	(3%)	<5	**	0	(0%)	16	(4%)
Blood Products	<5	**	0	(0%)	0	(0%)	0	(0%)	<5	**
Heterosexual*	5	(3%)	7	(4%)	<5	**	0	(0%)	13	(3%)
Perinatal	<5	**	<5	**	0	(0%)	0	(0%)	<5	**
Undetermined	39	(21%)	55	(32%)	<5	**	<5	**	97	(26%)
<i>PH-Male</i>	19	(10%)	33	(19%)	<5	**	0	(0%)	54	(14%)
<i>Unknown</i>	20	(11%)	22	(13%)	0	(0%)	<5	**	43	(11%)
Male Subtotal	189	(50%)	173	(46%)	12	(3%)	<5	**	376	(100%)
FEMALES	White		Black		Hispanic		Other or Unknown		Female Subtotal	
Injecting Drug Use	<5	**	15	(22%)	0	(0%)	0	(0%)	18	(16%)
Blood Products	0	(0%)	0	(0%)	0	(0%)	0	(0%)	0	(0%)
Heterosexual	23	(68%)	37	(54%)	5	(100%)	<5	**	69	(62%)
<i>HRH</i>	13	(38%)	19	(28%)	<5	**	<5	**	35	(31%)
<i>PH-Female</i>	10	(29%)	18	(26%)	<5	**	<5	**	34	(30%)
Perinatal	0	(0%)	<5	**	0	(0%)	0	(0%)	<5	**
Undetermined*	8	(24%)	15	(22%)	0	(0%)	0	(0%)	23	(21%)
Female Subtotal	34	(30%)	69	(62%)	5	(4%)	<5	**	112	(100%)
TOTAL	White		Black		Hispanic		Other or Unknown		Risk Total	
Male-Male sex	123	(55%)	94	(39%)	8	(47%)	<5	**	226	(46%)
Injecting Drug Use	13	(6%)	24	(10%)	0	(0%)	0	(0%)	37	(8%)
Male-Male Sex/IDU	9	(4%)	6	(2%)	<5	**	0	(0%)	16	(3%)
Blood Products	<5	**	0	(0%)	0	(0%)	0	(0%)	<5	**
Heterosexual	28	(13%)	44	(18%)	<5	**	<5	**	82	(17%)
<i>HRH</i>	18	(8%)	26	(11%)	<5	**	<5	**	48	(10%)
<i>PH-Female</i>	10	(4%)	18	(7%)	<5	**	<5	**	34	(7%)
Perinatal	<5	**	<5	**	0	(0%)	0	(0%)	5	(1%)
Undetermined	47	(21%)	70	(29%)	<5	**	<5	**	120	(25%)
<i>PH-Male</i>	19	(9%)	33	(14%)	<5	**	0	(0%)	54	(11%)
<i>Unknown</i>	28	(13%)	37	(15%)	0	(0%)	<5	**	66	(14%)
RACE TOTAL	223	(46%)	242	(50%)	17	(3%)	6	(1%)	488	(100%)

*In the male subset all cases in the heterosexual category are HRH because the PH-Female category is not applicable to males and, likewise, in the female subset, all cases in the undetermined category are of unknown risk because the PH-Male category is not applicable to females. See page 4 for additional details about the changes to Michigan's risk categories.

**TABLE 3. Prevalent HIV/AIDS Cases in GENESEE CO.
According to City of Residence at Diagnosis**

<i>CITY OF RESIDENCE AT DIAGNOSIS</i>	<i>EST PREV*</i>	<i>REPORTED PREVALENCE[†]</i>			
		<i>HIV, not AIDS</i>	<i>AIDS</i>	<i>Total</i>	
				<i>Number</i>	<i>Percent</i>
Atlas	10	0	<5	<5	**
Burton	20	11	6	17	(3%)
Clio	10	<5	<5	5	(1%)
Davison	20	<5	11	15	(3%)
Fenton	20	6	8	14	(3%)
Flint	410	184	171	355	(73%)
Flushing	10	<5	6	9	(2%)
Gaines	10	<5	<5	<5	**
Genesee	10	0	<5	<5	**
Goodrich	10	<5	<5	<5	**
Grand Blanc	30	10	14	24	(5%)
Holly	10	0	<5	<5	**
Lennon	10	<5	<5	<5	**
Linden	10	<5	<5	<5	**
Montrose	10	<5	0	<5	**
Mount Morris	30	8	15	23	(5%)
Swartz Creek	10	<5	5	8	(2%)
UNKNOWN	10	<5	<5	<5	**
TOTAL	650	240	248	488	(100%)

*See page 5 for descriptions of prevalence estimate calculations.

[†] Includes reports that contain patient name or are otherwise unduplicated. <5 and ** = 1, 2, 3, or 4 cases.

TABLE 3. New Diagnoses, Deaths, and Prevalence of HIV/AIDS in GENESEE CO. by Year


Year	<i>HIV/AIDS</i>			<i>AIDS</i>		
	New HIV Diagnoses	Deaths	Prevalence	New AIDS Diagnoses	Deaths	Prevalence
1983	1	0	1	1	0	1
1984	3	0	4	1	0	2
1985	15	1	18	2	1	3
1986	23	4	37	5	4	4
1987	33	8	62	19	7	16
1988	35	15	82	20	13	23
1989	53	10	125	30	10	43
1990	41	18	148	29	18	54
1991	30	25	153	23	25	52
1992	53	30	176	31	28	55
1993	36	26	186	24	22	57
1994	30	25	191	27	19	65
1995	42	21	212	29	15	79
1996	38	19	231	28	16	91
1997	38	11	258	26	10	107
1998	28	11	275	24	11	120
1999	20	7	288	19	5	134
2000	40	17	311	20	15	139
2001	38	15	334	13	9	143
2002	32	10	356	25	9	159
2003	31	13	374	16	9	166
2004	29	11	392	11	4	173
2005	40	10	422	27	7	193
2006	34	6	450	27	6	214
2007	36	8	478	32	5	241
2008	13	3	488	9	2	248
TOTAL	812	324		518	270	

The prevalence of HIV in Michigan has steadily increased, since persons with HIV are living longer. This is largely due to improved anti-retroviral therapy.

The increase in HIV prevalence is also reflected in Figure 1 on page 5, which shows that the number of persons diagnosed, while stable for the last several years, is greater than the number of deaths each year. This directly contributes to the increase in prevalence. The current reported prevalence of HIV/AIDS in GENESEE CO. is 488. The prevalence of AIDS, which is a subset of HIV/AIDS prevalence, is 248.

As implied, the HIV/AIDS section displays data on all persons with HIV, including those with AIDS, as well as those who have not been diagnosed with AIDS. Thus, persons represented in the AIDS section are also represented in the HIV/AIDS section. The number of reported deaths includes deaths directly attributable to presence of HIV/AIDS as well as deaths due to other causes.

NOTE: Reporting for recent years may not be complete. Data are not adjusted to account for reporting delays.

FIGURE 1. New Diagnoses, Deaths, and Prevalence of HIV/AIDS in GENESEE CO. by Year**TABLE 4. Comparison of HIV/AIDS Prevalence in GENESEE CO. to State**

<i>Residence at Diagnosis</i>	<i>Estimated Prevalence</i>	<i>Reported Prevalence</i>			<i>Rate</i>	<i>Cumulative AIDS</i>
		<i>HIV, not AIDS</i>	<i>AIDS</i>	<i>Total</i>		
Genesee Co.	650	240	248	488	110	518
Michigan Total	18,000	6,352	7,259	13,611	135	15,934

ADDITIONAL NOTES

Prevalence Estimate Calculations

HIV prevalence estimates include all persons living in GENESEE CO. at diagnosis of HIV or AIDS and incorporates an approximation of those not reported or not yet diagnosed. All estimates are rounded to the nearest ten, and the minimum estimate given is 10. Prevalence estimates were most recently revised in January 2008, so the estimates in this report may vary in comparison to reports published before the revision.

Risk Groups

In June 2007, the CSTE issued a position statement proposing the creation of a "presumed heterosexual" category. As a result, the following changes were made to Michigan's HIV risk categories.

Heterosexual risk is made up of two sub-categories, (1) HRH [High Risk Heterosexual]: Males and females whose sexual partners are known to be HIV-infected or at high risk for HIV. The partners meet one of the following criteria: a history of sexual contact with bi-sexual males (for females), IDU, hemophiliacs, HIV+ transfusion recipients or other HIV+ persons of unknown risk and (2) PH [Presumed Heterosexual]-female: Females who are not injection drug users and whose only reported risk is heterosexual contact, but their male partners' risk and HIV status are unknown.

Undetermined risk is made up of two sub-categories, (1) PH [Presumed Heterosexual]-Male: Males whose only reported risk is heterosexual contact, and their female partners' risk and HIV status are unknown and (2) Unknown: Males and Females with no identified risk.



Michigan Department of Community Health
HIV/STD/VH/TB Epidemiology Section
Division of Communicable Disease
Bureau of Epidemiology

Jennifer M. Granholm, Governor
Janet Olszewski, Director
<http://www.michigan.gov/hivstd>

Lansing Office 201 Townsend St., 5th Floor
Lansing, MI 48913
517-335-8165

Detroit Office 1151 Taylor St., Room 211B
Detroit, MI 48202
313-876-0353