

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
101	179	90.5	0.0	5.0	0.0	0.0	4.5	0.0
102	703	91.3	0.3	3.3	0.3	0.0	4.8	0.0
103	678	88.3	0.0	4.6	0.0	0.0	7.1	0.0
104	201	94.5	0.0	2.0	0.5	0.0	3.0	0.0
1051	2,001	85.1	0.9	5.5	0.6	0.3	7.2	0.2
1101	2,698	30.3	54.7	7.3	0.1	0.5	7.0	0.1
1102	1,373	67.1	11.7	8.0	0.1	1.4	11.4	0.2
1106	192	76.6	1.6	13.0	0.0	0.5	7.8	0.5
1250	1,612	80.0	0.5	15.0	0.0	0.1	4.4	0.0
1251	1,410	85.5	0.1	7.4	0.1	0.0	6.8	0.1
1252	774	50.9	1.0	43.4	0.0	0.4	4.3	0.0
1253	1,456	73.8	5.8	9.6	0.0	0.1	10.7	0.1
1350	3,774	47.1	19.7	10.6	0.3	6.8	15.3	0.1
1351	260	87.3	2.3	3.8	0.0	1.2	5.4	0.0
1352	597	53.9	26.8	7.7	0.0	0.2	11.2	0.2
1401	389	85.6	0.3	9.5	0.0	0.0	4.6	0.0
1402	247	43.3	0.8	33.6	6.1	0.4	15.0	0.8

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
1403	39	*	*	*	*	*	*	*
1404	17	*	*	*	*	*	*	*
1501	1,636	42.7	7.2	43.1	0.1	0.0	5.1	1.8
1503	1,955	50.1	6.6	32.0	0.2	0.2	9.5	1.5
1504	3,621	41.1	4.2	47.0	0.0	2.9	4.7	0.1
1505	1,298	82.7	1.8	11.4	0.0	0.4	3.7	0.1
1506	1,127	75.2	1.3	18.3	0.1	0.0	4.2	0.9
1507	977	82.1	1.9	7.0	0.1	1.3	7.3	0.3
1508	176	1.7	0.0	95.5	0.0	0.0	0.0	2.8
1509	881	46.4	2.7	46.1	0.1	0.0	3.2	1.5
1511	1,108	89.4	1.1	3.8	0.0	0.1	5.5	0.1
1512	631	83.2	0.3	8.2	0.2	0.0	7.8	0.3
1701	1,166	47.3	0.4	3.6	16.8	0.6	31.2	0.1
1950	940	89.0	0.1	7.0	0.2	0.1	3.4	0.1
1952	200	87.0	0.0	6.5	0.0	0.0	6.0	0.5
1953	547	82.4	0.2	11.3	0.0	0.2	5.7	0.2
1954	959	78.7	0.2	18.1	0.0	0.2	2.7	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
1955	206	71.4	0.0	25.7	0.0	0.0	2.9	0.0
1957	972	77.7	1.0	13.9	0.1	0.3	7.0	0.0
2150	1,096	84.6	0.0	3.7	0.1	0.1	11.5	0.0
2151	384	89.3	0.3	4.4	0.0	0.0	6.0	0.0
2251	724	87.0	0.1	2.6	0.0	0.1	9.4	0.7
2252	325	94.5	0.3	0.9	0.3	0.0	4.0	0.0
250	245	85.3	0.0	0.8	2.0	0.0	11.8	0.0
251	170	85.9	0.6	0.6	4.7	1.2	7.1	0.0
252	203	36.9	0.5	1.0	4.4	0.0	57.1	0.0
253	252	72.2	0.0	0.8	6.7	0.8	19.4	0.0
2554	192	83.3	4.7	6.3	0.0	0.0	5.7	0.0
2555	11,253	41.5	37.7	7.2	0.0	0.3	13.2	0.0
3001	1,556	11.2	63.2	19.1	0.1	0.6	5.7	0.1
3002	469	14.3	46.7	30.7	0.0	0.0	8.3	0.0
3004	236	0.8	0.0	98.7	0.0	0.0	0.0	0.4
3007	34	*	*	*	*	*	*	*
3009	6	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
3201	779	88.3	0.5	7.1	0.1	0.0	3.6	0.4
3301	5,266	29.3	27.8	21.8	0.0	6.0	15.0	0.1
3302	1	*	*	*	*	*	*	*
3304	263	42.2	14.4	7.6	0.0	27.8	8.0	0.0
3305	331	56.8	11.5	13.3	0.0	4.8	13.6	0.0
3306	570	81.6	3.9	8.1	0.0	0.2	6.3	0.0
3308	138	86.2	0.7	5.1	0.7	0.0	7.2	0.0
3309	68	*	*	*	*	*	*	*
3312	782	23.7	30.9	26.0	0.1	2.4	16.6	0.3
3550	138	0.0	0.0	4.3	88.4	0.0	7.2	0.0
3551	43	*	*	*	*	*	*	*
3552	88	*	*	*	*	*	*	*
3701	1,739	83.6	0.3	10.8	0.0	0.1	5.2	0.0
3850	4,907	61.9	13.4	8.7	0.0	0.3	15.6	0.0
3950	2,943	54.5	18.4	11.9	0.0	1.1	13.8	0.1
3954	48	*	*	*	*	*	*	*
4001	1,961	21.1	57.2	8.8	0.3	1.1	11.6	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
4002	1,775	42.7	23.5	19.7	0.1	0.4	13.6	0.0
401	756	92.1	0.0	2.5	0.0	0.0	5.4	0.0
402	564	82.3	0.2	2.1	0.5	0.5	14.2	0.2
403	180	95.6	0.6	0.6	0.0	0.0	3.3	0.0
404	217	83.9	0.9	4.1	0.0	0.5	10.6	0.0
4103	131	4.6	76.3	5.3	0.0	7.6	6.1	0.0
4106	3,363	10.6	36.9	43.8	0.1	0.7	7.9	0.1
4107	5,202	39.1	22.7	21.9	0.1	1.5	14.6	0.1
4109	1,793	80.9	1.3	9.0	0.0	0.2	8.6	0.0
4110	1	*	*	*	*	*	*	*
4112	801	0.0	0.2	98.8	0.0	0.9	0.1	0.0
4113	1,165	5.7	15.5	74.5	0.0	1.8	2.6	0.0
4115	1,249	37.2	20.7	24.2	0.1	8.9	8.9	0.0
4120	2,622	40.4	8.7	35.9	0.0	2.7	12.2	0.1
4160	2,660	26.2	34.4	14.3	0.1	15.2	9.8	0.0
4351	906	85.9	0.7	6.7	0.1	0.0	6.6	0.0
4352	306	68.0	10.8	5.6	0.0	0.0	15.7	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
4353	753	56.3	0.1	37.8	0.3	0.0	5.3	0.1
4354	1,181	84.5	3.8	3.2	0.2	0.3	8.0	0.1
4355	501	75.8	0.6	8.8	0.6	0.0	14.2	0.0
4356	806	74.9	0.9	16.7	0.0	0.1	7.2	0.1
4358	258	18.2	0.4	77.9	0.0	0.0	2.3	1.2
4359	857	67.4	0.2	31.6	0.0	0.0	0.7	0.0
4360	381	89.2	0.0	8.4	0.0	0.3	2.1	0.0
4361	344	93.6	0.0	1.5	0.0	0.0	4.4	0.6
4362	471	91.9	0.2	4.0	0.0	0.0	3.8	0.0
4363	1,449	91.2	0.3	3.7	0.1	0.1	4.6	0.0
4401	1,953	85.2	0.6	7.9	0.2	0.1	6.1	0.0
4501	1,547	85.9	0.5	8.4	0.1	0.0	5.1	0.0
4601	2,214	62.2	1.9	27.4	0.0	0.0	8.4	0.1
4701	1,901	88.1	0.7	5.1	0.1	0.6	5.4	0.1
501	802	93.1	0.4	1.6	0.5	0.5	3.9	0.0
502	6	*	*	*	*	*	*	*
503	240	87.9	0.0	4.6	0.4	0.0	7.1	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
504	712	79.6	2.4	4.1	10.3	0.8	2.8	0.0
505	478	83.9	0.4	4.8	1.0	1.0	8.8	0.0
5050	2,564	53.3	27.9	4.0	0.0	1.2	13.5	0.0
5051	3,456	51.5	30.3	4.9	0.0	1.7	11.5	0.1
5052	3,434	46.0	26.9	2.8	0.0	13.9	10.3	0.1
5055	1,635	94.0	1.3	0.9	0.0	3.4	0.4	0.0
506	340	93.2	0.6	1.5	0.0	0.0	4.4	0.3
507	258	84.5	0.0	2.7	0.0	0.0	12.8	0.0
508	114	82.5	0.9	1.8	2.6	0.0	12.3	0.0
5101	3,005	67.4	8.7	12.7	0.0	1.9	9.4	0.0
5202	922	82.1	0.2	3.6	0.4	0.3	13.3	0.0
5203	160	80.6	0.0	2.5	0.0	0.0	16.9	0.0
5204	141	70.9	0.0	7.1	1.4	0.0	20.6	0.0
5601	1,863	90.2	0.9	3.4	0.1	0.3	5.0	0.1
5801	2,672	76.6	5.4	8.5	0.0	0.1	9.0	0.3
5803	350	89.1	0.0	6.3	0.3	0.0	4.3	0.0
5804	111	86.5	2.7	4.5	0.0	0.0	6.3	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
6101	125	83.2	2.4	6.4	0.0	0.0	8.0	0.0
6102	384	78.9	1.3	9.6	0.0	0.0	10.2	0.0
6103	5,574	50.3	23.0	13.3	0.1	0.2	12.9	0.1
6104	549	21.3	60.1	9.1	0.2	0.2	9.1	0.0
6105	92	*	*	*	*	*	*	*
6301	6,055	39.2	27.1	22.4	0.1	2.8	8.4	0.0
6312	3,641	40.2	46.7	3.8	0.0	1.5	7.7	0.0
6316	2,069	68.3	14.4	9.3	0.1	2.3	5.6	0.0
6320	269	68.4	20.4	1.5	0.0	2.2	7.4	0.0
6325	228	90.4	2.2	3.5	0.0	0.9	3.1	0.0
6330	1,253	16.5	58.4	17.4	0.1	1.0	6.6	0.0
6335	929	80.9	9.0	1.7	0.0	3.1	5.2	0.0
6340	147	23.1	10.9	55.8	0.0	4.8	5.4	0.0
6345	32	*	*	*	*	*	*	*
6350	371	57.1	28.0	2.7	0.0	0.5	11.6	0.0
650	1,531	80.0	3.7	5.1	1.0	1.4	8.7	0.1
651	957	86.1	0.0	7.2	0.0	0.2	6.4	0.1

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
652	476	92.2	0.0	3.2	0.0	0.0	4.6	0.0
653	734	95.5	0.1	1.8	0.1	0.0	2.5	0.0
654	582	93.1	0.7	2.1	0.2	0.2	3.8	0.0
655	558	87.5	0.0	3.9	0.0	0.4	8.2	0.0
657	111	91.9	0.9	6.3	0.0	0.0	0.9	0.0
701	679	85.6	0.6	1.8	0.3	2.9	8.8	0.0
702	140	80.0	0.0	1.4	2.9	0.0	15.7	0.0
703	350	86.9	0.3	4.9	0.6	0.3	7.1	0.0
704	96	*	*	*	*	*	*	*
705	163	96.3	0.0	0.6	0.0	0.0	3.1	0.0
7304	288	86.1	1.7	8.0	0.0	0.0	4.2	0.0
7306	3,726	37.6	30.0	22.5	0.1	0.3	9.4	0.1
7308	307	78.8	1.3	10.7	0.0	0.0	9.1	0.0
7310	47	*	*	*	*	*	*	*
7401	3,584	71.7	5.0	9.2	0.0	0.1	13.9	0.1
7601	918	88.3	0.4	8.4	0.0	0.1	2.7	0.0
7850	1,814	84.8	0.2	7.3	0.0	0.1	7.3	0.2

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
7852	133	91.0	0.0	2.3	0.0	0.0	6.8	0.0
8101	2,203	5.6	88.2	1.2	0.0	0.7	4.1	0.1
8102	972	9.2	4.7	83.4	0.0	0.0	2.7	0.0
8105	1,821	37.7	52.4	3.3	0.2	1.0	5.1	0.3
8106	639	19.2	58.8	11.1	0.3	0.2	10.2	0.2
8150	149	40.3	21.5	20.8	0.0	12.1	5.4	0.0
8151	4,898	31.0	38.0	12.2	0.2	4.3	14.1	0.2
8152	260	24.2	48.1	9.6	0.4	0.8	16.9	0.0
8153	64	*	*	*	*	*	*	*
8155	164	49.4	24.4	9.1	0.0	8.5	8.5	0.0
8157	56	*	*	*	*	*	*	*
8201	4,000	49.7	28.4	6.0	0.1	3.2	12.4	0.1
8202	5,600	88.8	6.2	3.3	0.0	0.4	1.3	0.1
8203	616	60.6	26.9	5.5	0.0	1.1	5.8	0.0
8250	1,586	23.5	59.9	7.3	0.0	0.8	8.4	0.1
8252	193	2.6	94.3	0.0	0.0	0.0	3.1	0.0
8255	4,127	50.3	29.2	9.2	0.1	1.9	9.2	0.1

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
8257	1,438	52.5	12.8	1.1	0.1	32.2	1.3	0.0
8258	42	*	*	*	*	*	*	*
8263	1,152	65.3	10.5	13.5	0.0	0.7	10.0	0.1
8264	18	*	*	*	*	*	*	*
850	1,521	79.6	3.8	8.9	0.0	0.6	7.0	0.1
851	1,286	91.7	0.4	3.8	0.0	0.0	4.0	0.2
8901	1,583	1.2	95.9	0.5	0.1	0.6	1.7	0.0
8902	1,483	3.0	92.6	1.1	0.0	0.2	3.2	0.0
8903	1,690	1.0	95.4	1.1	0.0	0.3	2.1	0.1
8904	1,853	2.9	88.8	0.6	0.2	4.0	3.4	0.1
8905	3,273	50.1	28.9	15.6	0.0	1.3	4.1	0.0
901	2,516	70.2	2.6	14.9	0.0	0.2	11.8	0.2
9012	87	*	*	*	*	*	*	*
9013	55	*	*	*	*	*	*	*
9015	15	*	*	*	*	*	*	*
9016	364	0.3	94.8	1.1	0.0	0.0	3.8	0.0
9017	92	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
9018	252	0.8	90.9	2.8	0.0	0.0	5.6	0.0
9019	18	*	*	*	*	*	*	*
902	91	*	*	*	*	*	*	*
9021	33	*	*	*	*	*	*	*
9041	40	*	*	*	*	*	*	*
9045	3,190	5.0	41.4	51.7	0.0	0.1	1.7	0.1
9050	1,923	10.0	59.0	26.9	0.0	0.6	3.5	0.0
9051	2,204	5.2	7.8	83.7	0.0	0.0	3.2	0.0
9053	3,224	1.7	94.5	1.1	0.3	1.0	1.4	0.0
9055	309	3.9	90.6	5.2	0.0	0.3	0.0	0.0
9058	1,806	45.7	36.5	1.8	0.1	14.0	1.9	0.0
9066	2,058	1.2	96.8	1.1	0.0	0.0	0.9	0.0
9068	1,977	1.1	96.0	0.6	0.1	0.2	2.1	0.0
9069	4,005	0.7	96.2	0.6	0.0	0.1	2.3	0.0
9070	2,251	2.2	85.3	0.8	0.1	8.7	2.9	0.0
9072	2,408	1.0	95.6	0.6	0.1	1.0	1.7	0.0
9080	3,427	23.5	70.9	2.7	0.0	0.1	2.6	0.1

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 4A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
9081	216	19.0	49.5	25.0	0.5	0.0	6.0	0.0
Michigan	250,091	49.4	26.9	13.4	0.3	1.8	8.1	0.1
Nation (Prior Year)	668,017	48.5	24.6	12.0	0.7	2.7	7.7	3.9

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
101	179	39.1	20.1	45.3
102	703	37.0	23.3	43.0
103	678	33.8	22.9	45.9
104	201	31.3	23.9	48.3
1051	2,001	32.7	26.6	44.0
1101	2,698	33.6	25.5	44.7
1102	1,373	35.0	25.6	42.5
1106	192	35.9	20.3	46.9
1250	1,612	28.0	26.7	48.1
1251	1,410	36.5	24.2	41.8
1252	774	32.2	26.5	44.4
1253	1,456	36.1	24.6	41.8
1350	3,774	33.0	26.0	44.4
1351	260	33.1	23.8	46.9
1352	597	31.0	24.6	46.7
1401	389	34.7	26.2	40.1
1402	247	30.8	23.5	48.6
1403	39	*	*	*
1404	17	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
1501	1,636	27.1	26.3	50.2
1503	1,955	30.4	26.3	46.9
1504	3,621	27.2	28.4	46.9
1505	1,298	28.4	28.6	45.9
1506	1,127	28.2	28.0	48.8
1507	977	30.4	26.7	45.0
1508	176	22.2	22.7	60.2
1509	881	27.0	24.5	52.6
1511	1,108	32.6	24.2	45.6
1512	631	26.6	29.3	48.0
1701	1,166	34.3	22.8	45.7
1950	940	34.7	24.0	44.6
1952	200	36.5	27.5	39.5
1953	547	32.4	24.5	45.7
1954	959	35.3	24.9	42.0
1955	206	24.3	27.2	51.5
1957	972	34.6	23.7	45.6
2150	1,096	34.0	25.4	43.5
2151	384	34.1	27.3	41.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
2251	724	34.4	25.1	45.2
2252	325	29.5	23.7	50.2
250	245	29.8	22.9	50.2
251	170	28.2	27.1	48.8
252	203	24.6	29.1	48.8
253	252	29.4	26.2	48.4
2554	192	27.6	24.0	51.0
2555	11,253	38.9	23.4	40.3
3001	1,556	32.0	23.1	47.9
3002	469	28.6	22.2	50.7
3004	236	30.1	20.3	53.8
3007	34	*	*	*
3009	6	*	*	*
3201	779	32.6	20.8	48.7
3301	5,266	38.1	23.4	41.2
3302	1	*	*	*
3304	263	32.7	22.4	48.7
3305	331	37.2	21.5	44.1
3306	570	31.8	24.9	45.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3308	138	44.2	24.6	34.1
3309	68	*	*	*
3312	782	27.2	25.7	50.3
3550	138	26.1	30.4	47.1
3551	43	*	*	*
3552	88	*	*	*
3701	1,739	32.5	25.6	44.5
3850	4,907	31.5	25.4	45.7
3950	2,943	37.4	23.1	41.9
3954	48	*	*	*
4001	1,961	31.7	22.9	47.7
4002	1,775	33.4	21.3	47.5
401	756	32.8	24.1	46.2
402	564	34.8	24.1	44.3
403	180	33.3	23.9	46.1
404	217	29.0	27.2	48.8
4103	131	29.0	19.1	52.7
4106	3,363	30.0	24.1	49.0
4107	5,202	36.1	22.5	44.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
4109	1,793	31.7	26.9	45.7
4110	1	*	*	*
4112	801	25.3	24.7	53.1
4113	1,165	34.8	23.7	45.0
4115	1,249	48.7	15.0	37.9
4120	2,622	30.9	26.1	45.8
4160	2,660	31.2	25.3	46.5
4351	906	28.5	25.7	47.8
4352	306	28.1	30.4	46.4
4353	753	27.9	25.1	49.1
4354	1,181	30.0	28.0	44.9
4355	501	27.1	31.5	45.3
4356	806	31.0	25.2	47.1
4358	258	22.9	25.2	55.8
4359	857	28.2	24.7	49.6
4360	381	33.1	24.1	46.2
4361	344	33.7	25.0	44.8
4362	471	28.5	27.8	47.3
4363	1,449	32.5	27.1	43.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
4401	1,953	33.4	26.9	42.8
4501	1,547	31.6	25.7	46.3
4601	2,214	36.3	25.5	41.6
4701	1,901	32.1	28.2	43.4
501	802	33.5	22.9	46.8
502	6	*	*	*
503	240	33.3	21.3	50.4
504	712	34.4	26.7	41.6
505	478	34.7	21.8	46.0
5050	2,564	38.8	24.8	39.5
5051	3,456	39.6	24.9	38.8
5052	3,434	35.4	25.2	41.9
5055	1,635	34.1	22.0	47.4
506	340	36.8	22.4	43.5
507	258	20.2	34.5	51.6
508	114	21.1	28.9	56.1
5101	3,005	35.3	25.9	41.7
5202	922	34.2	25.8	43.3
5203	160	20.6	38.8	46.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
5204	141	21.3	33.3	47.5
5601	1,863	33.9	22.4	46.9
5801	2,672	34.0	26.2	43.9
5803	350	26.9	24.6	53.1
5804	111	27.0	24.3	53.2
6101	125	24.8	28.8	47.2
6102	384	27.1	26.8	49.7
6103	5,574	30.0	25.9	46.7
6104	549	38.1	25.5	38.1
6105	92	*	*	*
6301	6,055	40.3	21.5	40.4
6312	3,641	39.1	23.0	40.2
6316	2,069	35.6	24.2	43.1
6320	269	29.4	27.9	46.5
6325	228	38.2	16.2	48.7
6330	1,253	39.1	19.3	44.4
6335	929	34.4	18.3	49.8
6340	147	33.3	18.4	50.3
6345	32	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
6350	371	30.5	24.0	47.4
650	1,531	33.0	27.6	42.8
651	957	30.9	25.2	47.2
652	476	30.5	24.8	47.5
653	734	29.3	26.4	48.2
654	582	25.9	28.2	49.5
655	558	31.2	24.4	47.8
657	111	23.4	23.4	55.0
701	679	31.1	25.9	45.7
702	140	32.9	21.4	48.6
703	350	34.6	18.9	48.6
704	96	*	*	*
705	163	33.7	17.8	51.5
7304	288	34.0	19.8	49.0
7306	3,726	36.4	23.5	42.4
7308	307	33.6	23.1	45.9
7310	47	*	*	*
7401	3,584	33.5	25.8	43.9
7601	918	35.2	24.2	42.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
7850	1,814	35.0	24.2	44.4
7852	133	25.6	21.1	56.4
8101	2,203	42.4	22.5	38.0
8102	972	29.9	22.8	50.6
8105	1,821	45.6	21.9	34.3
8106	639	34.7	22.2	45.1
8150	149	23.5	28.2	53.7
8151	4,898	32.8	24.9	45.6
8152	260	35.0	27.3	40.0
8153	64	*	*	*
8155	164	22.6	21.3	57.9
8157	56	*	*	*
8201	4,000	40.4	23.7	38.6
8202	5,600	33.2	21.5	48.0
8203	616	42.4	22.1	39.0
8250	1,586	40.2	19.6	42.3
8252	193	31.1	20.7	49.7
8255	4,127	38.7	24.7	39.0
8257	1,438	34.1	18.9	48.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
8258	42	*	*	*
8263	1,152	46.2	20.7	35.6
8264	18	*	*	*
850	1,521	35.8	24.7	43.3
851	1,286	31.2	26.4	47.4
8901	1,583	31.0	23.5	48.9
8902	1,483	39.5	21.8	40.8
8903	1,690	34.6	20.3	48.0
8904	1,853	34.1	21.4	47.7
8905	3,273	36.4	21.1	45.4
901	2,516	30.5	28.0	44.8
9012	87	*	*	*
9013	55	*	*	*
9015	15	*	*	*
9016	364	31.0	19.5	52.5
9017	92	*	*	*
9018	252	29.0	19.8	54.8
9019	18	*	*	*
902	91	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Age Distribution				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
9021	33	*	*	*
9041	40	*	*	*
9045	3,190	41.5	19.4	41.5
9050	1,923	34.7	23.0	44.8
9051	2,204	31.8	21.7	49.8
9053	3,224	40.8	22.7	39.2
9055	309	99.0	0.0	1.0
9058	1,806	25.8	24.7	51.7
9066	2,058	35.9	22.4	44.1
9068	1,977	40.1	20.3	41.6
9069	4,005	40.9	22.4	39.4
9070	2,251	36.9	22.2	43.7
9072	2,408	40.0	22.1	40.3
9080	3,427	28.6	23.9	50.2
9081	216	60.2	13.9	27.8
Michigan	250,091	34.6	21.1	44.2
Nation (Prior Year)	668,017	34.8	20.3	45.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
101	35	*	*	177	3.4	2.8	8.5	80	*	*	123	10.6
102	167	4.8	9.0	684	6.3	3.2	12.9	286	20.3	15.4	466	14.4
103	153	7.2	9.2	657	5.9	2.7	11.7	292	16.4	15.1	476	14.7
104	38	*	*	195	5.6	3.1	12.8	91	*	*	140	16.4
1051	481	10.2	9.6	1,889	3.9	4.6	10.0	838	16.7	13.5	1,241	16.3
1101	640	11.4	6.7	2,585	5.2	4.6	8.7	1,139	14.6	12.6	1,787	14.2
1102	338	6.8	8.6	1,334	5.0	2.2	10.3	561	16.4	13.9	873	6.3
1106	44	*	*	189	4.8	0.5	7.9	87	*	*	126	4.8
1250	326	8.3	6.1	1,555	7.8	2.1	13.4	733	18.6	16.4	1,072	3.0
1251	322	5.0	8.7	1,382	7.3	1.9	11.3	570	19.8	14.6	868	2.6
1252	168	6.5	5.4	753	6.4	2.4	13.8	323	17.6	20.1	523	8.0
1253	371	10.2	6.2	1,409	7.2	1.8	10.8	576	17.7	16.3	967	8.3
1350	880	9.4	6.6	3,679	7.3	2.3	13.8	1,622	18.6	15.9	2,591	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1351	57	*	*	255	7.1	3.9	11.8	118	11.0	14.4	183	10.4
1352	122	7.4	8.2	574	8.0	1.7	13.2	263	21.3	14.8	419	11.5
1401	96	*	*	378	3.2	4.8	10.6	151	13.9	19.2	264	6.8
1402	47	*	*	240	3.3	3.3	8.3	115	15.7	11.3	166	10.2
1403	4	*	*	39	*	*	*	27	*	*	28	*
1404	3	*	*	17	*	*	*	11	*	*	13	*
1501	293	3.4	8.9	1,582	3.5	2.1	12.8	774	18.2	18.6	1,171	15.6
1503	412	7.0	8.3	1,924	4.3	1.9	10.0	889	16.9	15.2	1,333	15.5
1504	786	6.0	7.3	3,518	5.1	1.9	12.2	1,623	18.2	16.0	2,466	35.8
1505	251	9.6	12.4	1,262	5.1	2.6	7.3	569	14.9	8.8	912	31.0
1506	208	5.3	9.1	1,092	6.7	3.0	11.8	515	18.6	15.3	779	18.6
1507	202	8.9	8.9	949	4.5	3.9	9.4	421	15.4	12.4	664	26.4
1508	31	*	*	173	4.0	1.2	20.2	102	23.5	25.5	135	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1509	161	7.5	10.6	863	4.1	3.2	13.7	446	17.9	19.3	637	18.7
1511	246	10.6	10.6	1,087	4.1	2.4	9.8	493	17.4	14.8	733	23.7
1512	137	8.8	5.1	615	4.9	3.4	11.5	292	18.5	13.7	443	15.8
1701	268	4.5	12.7	1,133	4.8	2.5	11.7	506	18.0	13.4	697	13.3
1950	203	4.4	6.9	909	7.7	1.0	10.5	391	21.2	16.4	652	6.4
1952	47	*	*	196	5.1	0.0	8.7	76	*	*	121	3.3
1953	110	5.5	5.5	530	6.6	0.9	12.6	238	16.4	15.1	389	2.1
1954	210	8.1	12.9	935	5.3	1.9	10.9	387	17.1	15.8	631	5.7
1955	33	*	*	198	4.0	3.0	12.6	99	*	*	154	1.9
1957	187	7.5	9.1	952	6.9	1.8	10.8	426	20.4	11.7	668	1.6
2150	272	9.2	12.9	1,063	6.0	1.7	9.8	446	15.5	15.0	722	2.9
2151	84	*	*	374	6.4	1.1	9.9	152	19.1	14.5	256	2.3
2251	158	4.4	8.9	707	7.5	1.0	10.2	308	14.6	13.3	491	7.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
2252	69	*	*	315	4.4	1.3	12.1	157	22.3	14.6	227	4.0
250	59	*	*	238	3.8	2.1	9.2	118	17.8	12.7	166	7.8
251	26	*	*	166	3.6	1.8	10.8	80	*	*	105	18.1
252	36	*	*	200	3.0	2.0	9.5	97	*	*	149	6.7
253	48	*	*	248	0.4	10.9	4.0	117	12.0	4.3	167	16.8
2554	47	*	*	188	4.8	0.5	10.1	95	*	*	126	6.3
2555	2,833	12.2	4.8	11,022	8.4	1.9	10.4	4,399	16.2	13.5	7,193	21.0
3001	332	12.7	4.2	1,488	8.6	1.8	12.2	707	16.5	14.7	1,081	3.8
3002	85	*	*	454	6.2	3.1	16.7	229	21.4	15.7	342	17.8
3004	44	*	*	223	5.4	1.3	20.6	121	31.4	25.6	169	4.1
3007	7	*	*	34	*	*	*	15	*	*	25	*
3009	0	*	*	6	*	*	*	5	*	*	5	*
3201	147	7.5	12.2	770	5.2	1.9	14.8	372	15.6	21.5	556	5.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3301	1,405	9.0	7.0	5,147	6.0	2.1	9.2	2,081	17.3	11.6	3,405	13.0
3302	0	*	*	1	*	*	*	1	*	*	0	*
3304	57	*	*	258	4.7	1.2	11.2	124	12.1	12.9	176	6.3
3305	83	*	*	328	5.8	2.1	9.1	143	16.8	9.8	217	7.8
3306	109	4.6	11.0	560	5.9	1.1	8.9	254	20.1	9.8	400	8.3
3308	33	*	*	135	11.9	0.7	10.4	46	*	*	92	*
3309	15	*	*	66	*	*	*	26	*	*	50	*
3312	139	7.9	1.4	769	6.9	2.0	15.1	382	13.4	20.2	568	9.7
3550	25	*	*	134	3.0	2.2	21.6	61	*	*	93	*
3551	5	*	*	43	*	*	*	27	*	*	23	*
3552	17	*	*	87	*	*	*	42	*	*	49	*
3701	389	6.4	5.1	1,698	5.1	3.2	9.2	746	16.5	14.9	1,202	8.1
3850	1,098	7.8	6.8	4,774	4.6	4.7	9.8	2,152	21.3	15.8	3,299	18.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3950	716	10.8	9.4	2,830	6.1	3.4	10.8	1,179	17.0	13.4	1,911	26.2
3954	2	*	*	45	*	*	*	31	*	*	36	*
4001	416	12.5	6.0	1,901	5.3	2.8	10.0	898	17.1	12.5	1,377	34.9
4002	391	10.7	6.1	1,725	7.7	1.4	14.1	810	17.3	15.6	1,224	16.5
401	165	8.5	7.3	738	6.9	1.4	13.6	334	19.2	18.0	515	14.8
402	126	7.1	4.8	553	5.6	2.0	11.4	240	19.2	15.4	330	13.6
403	45	*	*	173	4.6	1.2	13.3	78	*	*	118	22.0
404	48	*	*	213	4.2	1.4	12.7	101	15.8	19.8	144	18.1
4103	24	*	*	125	8.8	9.6	6.4	67	*	*	63	*
4106	660	12.9	6.1	3,269	8.7	1.7	12.1	1,587	16.9	14.2	2,336	14.3
4107	1,244	10.2	8.3	5,055	7.6	1.2	10.6	2,195	17.4	13.0	3,429	13.2
4109	369	8.9	6.5	1,756	5.1	2.1	8.9	787	14.1	13.2	1,235	6.6
4110	0	*	*	1	*	*	*	1	*	*	1	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4112	156	2.6	9.6	786	7.5	3.7	20.2	408	19.1	21.3	633	8.5
4113	287	10.1	5.9	1,130	6.5	2.5	11.7	499	20.2	17.8	757	4.8
4115	569	9.1	7.2	1,180	8.3	1.6	9.0	456	15.1	12.9	654	11.2
4120	421	9.5	7.6	2,528	5.7	1.5	10.2	1,142	14.4	13.1	1,784	8.4
4160	418	9.8	8.9	2,533	6.5	2.6	11.0	1,175	16.2	13.3	1,859	10.4
4351	195	5.6	9.2	886	4.5	2.0	9.9	422	18.0	13.5	615	16.6
4352	55	*	*	295	5.8	2.0	11.9	133	18.8	21.8	217	11.1
4353	166	12.0	3.0	717	5.4	2.8	13.9	355	20.8	20.3	527	14.0
4354	252	7.1	8.7	1,156	6.7	1.2	9.0	508	19.3	13.2	823	10.0
4355	100	5.0	13.0	472	4.7	3.0	10.4	208	15.4	18.8	347	12.7
4356	180	8.3	10.6	767	7.3	2.1	10.8	351	20.2	14.8	535	19.3
4358	41	*	*	244	8.6	1.6	21.7	134	29.9	26.1	198	21.7
4359	171	3.5	11.7	833	6.2	1.2	15.2	405	16.5	18.5	595	10.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4360	93	*	*	374	4.5	1.3	7.8	170	20.6	12.9	256	8.2
4361	82	*	*	332	7.2	0.6	13.0	145	27.6	14.5	235	10.6
4362	101	5.0	6.9	459	5.9	0.4	13.1	212	20.3	21.2	324	15.7
4363	333	8.4	8.1	1,411	6.3	1.1	8.3	604	19.0	14.1	982	12.3
4401	455	6.2	7.5	1,906	5.6	1.6	9.2	799	20.0	14.0	1,314	9.9
4501	357	8.7	6.7	1,504	6.4	2.2	10.0	676	17.3	14.5	1,034	4.8
4601	565	7.3	6.5	2,160	6.5	1.9	12.0	878	16.7	18.2	1,358	11.7
4701	458	7.9	9.4	1,852	5.5	1.6	7.9	783	18.4	12.0	1,305	6.0
501	189	5.3	9.5	785	3.8	5.6	12.2	361	21.1	15.0	534	7.7
502	0	*	*	6	*	*	*	1	*	*	6	*
503	44	*	*	235	9.8	2.1	10.6	115	19.1	13.0	169	5.9
504	166	7.2	11.4	691	6.9	2.3	11.6	281	16.7	15.3	504	10.1
505	114	6.1	7.9	461	6.5	3.3	6.9	214	22.4	12.1	331	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5050	694	9.7	7.2	2,518	6.6	1.8	10.3	982	17.8	11.3	1,594	18.2
5051	929	10.5	7.3	3,381	6.5	1.4	11.0	1,293	14.8	13.8	2,126	19.1
5052	848	9.0	5.8	3,360	5.6	1.7	11.4	1,385	15.3	15.3	2,244	16.0
5055	323	8.4	4.0	1,597	3.7	2.0	11.8	740	17.3	15.3	1,137	30.6
506	64	*	*	327	5.5	6.4	8.9	139	18.7	12.2	224	4.9
507	26	*	*	247	4.5	2.4	9.7	127	14.2	14.2	205	6.8
508	10	*	*	113	9.7	1.8	18.6	63	*	*	86	*
5101	744	9.9	7.5	2,925	6.0	1.8	10.3	1,190	18.7	15.5	1,955	14.1
5202	255	6.3	8.2	877	6.6	1.5	10.4	381	20.5	11.8	483	7.9
5203	25	*	*	150	1.3	2.0	15.3	71	*	*	98	*
5204	18	*	*	130	6.2	1.5	11.5	61	*	*	89	*
5601	382	12.0	8.4	1,824	8.2	1.2	12.0	845	18.5	15.4	1,190	9.3
5801	610	7.4	7.7	2,614	7.7	2.1	11.2	1,123	16.5	14.7	1,781	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5803	64	*	*	343	6.1	0.9	10.2	178	13.5	15.2	252	7.5
5804	9	*	*	108	3.7	2.8	9.3	55	*	*	86	*
6101	25	*	*	119	3.4	1.7	7.6	54	*	*	85	*
6102	73	*	*	372	5.1	3.2	9.9	181	17.7	13.3	271	7.0
6103	1,225	11.8	6.7	5,399	5.9	2.5	10.9	2,494	15.4	14.0	3,859	17.2
6104	153	15.0	5.9	531	7.3	3.6	7.9	200	15.0	9.5	336	22.9
6105	18	*	*	88	*	*	*	46	*	*	68	*
6301	1,490	10.9	6.4	5,908	8.0	1.7	9.9	2,367	15.8	13.2	3,843	15.7
6312	891	11.6	6.1	3,556	7.8	2.1	9.2	1,411	15.0	10.3	2,415	18.4
6316	476	10.5	6.9	2,032	5.6	1.4	10.5	863	15.8	14.0	1,367	9.6
6320	48	*	*	264	6.1	4.2	9.1	121	13.2	7.4	191	15.2
6325	50	*	*	220	4.5	2.3	8.6	106	17.9	13.2	145	7.6
6330	299	15.1	2.7	1,208	6.0	3.6	9.1	538	16.9	10.2	781	19.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
6335	218	6.9	8.3	896	3.2	4.8	8.1	438	12.1	12.8	634	12.3
6340	35	*	*	139	4.3	5.0	10.1	69	*	*	97	*
6345	3	*	*	31	*	*	*	16	*	*	28	*
6350	58	*	*	358	3.6	3.1	10.9	165	14.5	16.4	267	15.4
650	377	6.1	9.3	1,501	6.9	3.3	11.5	625	18.9	19.2	1,023	6.5
651	218	10.6	6.4	929	6.6	2.6	10.0	428	15.7	15.7	668	13.2
652	107	9.3	1.9	465	6.5	1.9	10.3	219	18.3	12.8	320	10.3
653	152	9.2	10.5	722	6.8	1.9	10.1	345	17.4	13.9	498	6.2
654	107	7.5	12.1	571	6.1	2.1	9.6	278	15.1	14.4	426	10.6
655	126	7.1	7.9	543	5.3	3.3	8.5	255	18.8	11.8	377	5.0
657	17	*	*	110	5.5	0.9	8.2	60	*	*	79	*
701	135	7.4	8.1	660	6.1	2.6	6.1	295	14.2	7.1	485	11.5
702	29	*	*	134	8.2	1.5	11.2	61	*	*	92	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
703	75	*	*	340	5.0	4.4	12.4	164	12.2	18.3	220	13.6
704	15	*	*	93	*	*	*	55	*	*	66	*
705	41	*	*	157	7.0	2.5	8.9	79	*	*	99	*
7304	53	*	*	276	6.2	3.3	14.9	135	25.9	21.5	217	11.5
7306	902	10.2	7.4	3,626	6.1	2.0	11.3	1,521	16.6	15.0	2,476	19.2
7308	69	*	*	302	4.6	2.0	10.3	138	18.8	13.0	215	16.3
7310	7	*	*	47	*	*	*	24	*	*	37	*
7401	855	7.1	8.5	3,475	5.4	1.9	10.3	1,479	16.6	17.0	2,482	8.1
7601	219	8.2	7.3	901	5.5	1.6	9.5	380	22.1	16.8	614	7.7
7850	409	8.1	8.8	1,757	5.7	4.1	8.9	767	19.3	12.8	1,226	13.7
7852	20	*	*	133	2.3	3.0	9.8	75	*	*	97	*
8101	617	18.3	3.1	2,118	6.8	5.2	8.7	799	13.8	10.6	1,368	29.7
8102	182	7.1	12.6	929	5.7	4.1	18.2	462	19.7	24.0	712	27.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8105	538	15.8	5.0	1,777	5.4	4.5	8.6	603	14.3	10.6	1,031	46.8
8106	159	15.7	5.0	565	6.5	0.9	11.5	283	23.3	14.1	408	26.2
8150	23	*	*	145	4.8	3.4	8.3	76	*	*	112	23.2
8151	1,090	10.1	7.3	4,766	6.0	1.9	11.6	2,136	18.0	16.6	3,371	15.1
8152	59	*	*	252	7.1	1.6	13.1	99	*	*	177	24.9
8153	8	*	*	60	*	*	*	34	*	*	50	*
8155	25	*	*	162	2.5	1.9	13.0	93	*	*	130	27.7
8157	6	*	*	54	*	*	*	37	*	*	48	*
8201	1,046	9.5	7.6	3,907	7.1	1.5	12.5	1,494	19.5	16.5	2,449	18.9
8202	1,175	7.4	4.6	5,480	4.2	2.2	9.3	2,599	12.1	10.7	3,867	21.8
8203	186	7.0	8.6	603	4.3	0.8	8.0	234	14.5	9.0	332	22.6
8250	411	10.7	5.6	1,550	7.9	2.4	10.2	647	13.3	11.4	843	26.3
8252	28	*	*	172	6.4	4.7	10.5	91	*	*	123	39.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8255	1,053	9.2	7.2	4,061	5.5	1.6	8.5	1,560	17.6	11.7	2,586	19.3
8257	306	11.4	3.9	1,399	3.7	4.6	11.7	660	14.1	17.0	970	17.9
8258	0	*	*	42	*	*	*	17	*	*	32	*
8263	387	10.1	7.8	1,133	8.0	1.4	10.5	400	13.0	14.0	630	17.1
8264	12	*	*	18	*	*	*	3	*	*	6	*
850	354	6.8	9.0	1,490	4.8	3.2	10.6	632	19.1	13.8	1,015	7.3
851	278	5.0	6.5	1,246	4.5	2.9	9.6	580	17.4	13.1	897	9.9
8901	311	10.9	3.5	1,540	5.9	5.3	8.7	750	14.4	10.0	1,106	37.0
8902	361	14.7	2.5	1,429	7.2	6.1	8.0	575	10.8	12.5	945	36.0
8903	374	12.8	4.8	1,625	6.7	4.6	11.1	770	14.8	14.4	1,123	39.4
8904	376	9.6	4.8	1,799	3.8	5.1	9.4	854	12.5	12.6	1,244	35.3
8905	698	9.9	6.3	3,148	6.0	5.1	12.4	1,412	15.8	14.7	2,205	29.8
901	538	8.2	8.6	2,453	7.1	1.7	11.4	1,070	17.6	16.3	1,735	8.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance (1)
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
9012	12	*	*	86	*	*	*	50	*	*	46	*
9013	9	*	*	54	*	*	*	26	*	*	20	*
9015	0	*	*	15	*	*	*	6	*	*	10	*
9016	79	*	*	350	6.6	3.4	10.9	186	19.9	11.8	202	46.0
9017	13	*	*	88	*	*	*	50	*	*	60	*
9018	34	*	*	247	2.8	3.2	9.7	134	14.9	14.9	30	*
9019	1	*	*	18	*	*	*	8	*	*	5	*
902	14	*	*	90	*	*	*	51	*	*	64	*
9021	6	*	*	33	*	*	*	17	*	*	11	*
9041	6	*	*	39	*	*	*	21	*	*	4	*
9045	1,035	11.7	5.1	3,009	5.3	5.1	13.4	1,212	18.7	18.1	1,814	18.1
9050	360	11.1	6.1	1,875	5.4	2.5	10.3	829	16.3	14.4	1,323	17.6
9051	377	8.8	11.1	2,021	7.8	1.1	20.4	954	20.0	25.3	1,338	24.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
9053	764	13.9	2.9	3,122	6.3	4.0	5.9	1,202	15.5	9.1	2,138	22.8
9055	306	6.5	4.6	277	5.4	12.6	2.5	2	*	*	4	*
9058	262	14.5	5.3	1,762	4.6	3.2	9.5	904	14.8	10.8	1,297	19.0
9066	466	14.2	4.1	1,988	5.4	3.9	8.0	868	12.4	11.1	1,404	17.2
9068	544	13.8	4.2	1,900	7.1	3.3	9.4	792	12.2	10.6	1,252	26.8
9069	1,006	14.0	4.9	3,910	6.7	3.6	7.8	1,515	14.0	11.5	2,561	21.6
9070	549	16.4	3.3	2,173	5.1	4.6	7.7	951	12.7	11.9	1,493	35.1
9072	606	10.7	3.8	2,343	6.4	3.0	7.9	932	13.6	10.5	1,538	29.0
9080	634	13.1	4.3	3,262	5.8	2.1	10.8	1,652	14.0	11.9	2,414	26.0
9081	108	14.8	4.6	202	9.9	7.4	12.9	57	*	*	66	*
Michigan	57,712	9.8	6.8	242,743	6.2	2.6	10.6	105,879	16.7	14.2	165,188	17.0
Nation (Prior Year)	145,658	9.6	7.8	652,055	6.6	2.6	10.8	284,258	16.1	13.2	410,327	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
101	35	*	36	*	30	*	31	*	34	*	87	*	177	8.5
102	167	55.1	125	18.4	114	14.0	115	16.5	124	4.8	339	88.2	700	4.7
103	153	70.6	125	16.8	103	10.7	98	*	120	5.0	340	86.8	676	6.2
104	39	*	33	*	30	*	26	*	33	*	108	83.3	201	7.0
1051	483	84.3	357	31.7	358	18.2	287	28.2	349	11.7	947	90.8	1,983	3.4
1101	644	58.9	478	14.0	449	8.7	381	13.9	444	4.5	1,294	78.1	2,684	6.6
1102	339	61.1	270	20.0	233	7.7	223	20.2	262	7.3	640	82.0	1,365	5.6
1106	44	*	38	*	31	*	32	*	36	*	95	*	191	3.7
1250	330	72.4	298	25.5	312	12.5	252	23.0	284	12.3	828	82.7	1,609	5.6
1251	328	78.7	269	24.2	236	13.1	238	21.0	256	12.5	650	82.0	1,405	6.9
1252	169	81.1	142	26.1	132	12.9	108	17.6	121	7.4	380	82.1	772	3.0
1253	374	78.6	265	25.7	244	11.5	214	18.7	217	6.9	662	84.1	1,448	3.0
1350	886	65.8	673	12.9	688	9.4	501	9.6	587	5.3	1,827	90.1	3,736	3.5
1351	58	*	49	*	31	*	46	*	47	*	141	96.5	260	2.7
1352	124	57.3	96	*	107	3.7	75	*	83	*	313	96.8	596	0.7
1401	96	*	78	*	60	*	58	*	77	*	171	87.1	387	9.3
1402	47	*	41	*	40	*	41	*	38	*	128	86.7	244	2.5
1403	4	*	4	*	2	*	3	*	4	*	28	*	39	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
1404	3	*	1	*	1	*	3	*	1	*	11	*	17	*
1501	301	70.8	248	23.8	270	14.8	209	13.4	234	8.1	878	95.8	1,603	1.9
1503	416	70.2	349	24.9	338	16.9	308	22.1	330	14.2	1,008	92.5	1,938	1.8
1504	806	76.2	451	25.5	650	10.2	271	22.1	386	8.5	1,798	87.2	3,575	1.8
1505	271	83.0	214	30.8	239	17.2	171	33.9	183	16.4	647	94.6	1,282	1.6
1506	217	71.9	184	21.7	215	14.9	165	23.6	172	7.0	587	96.1	1,117	1.8
1507	211	76.8	169	30.8	171	15.2	140	33.6	160	18.1	475	92.4	967	2.6
1508	32	*	9	*	21	*	3	*	6	*	105	88.6	174	0.0
1509	170	68.2	129	21.7	130	4.6	89	*	87	*	480	88.8	871	3.4
1511	246	80.1	204	22.1	184	11.4	184	20.7	192	10.4	539	94.1	1,099	2.5
1512	145	76.6	60	*	104	12.5	40	*	55	*	335	91.0	630	2.5
1701	271	63.1	211	29.4	164	14.6	179	29.6	203	19.2	588	88.4	1,154	13.6
1950	206	79.1	190	26.3	145	16.6	134	23.1	179	12.8	457	86.9	936	7.8
1952	47	*	41	*	30	*	33	*	37	*	89	*	197	3.0
1953	111	78.4	98	*	76	*	81	*	92	*	274	86.5	541	6.3
1954	210	85.2	185	24.9	158	11.4	156	19.9	179	8.9	451	88.5	947	4.0
1955	33	*	29	*	28	*	22	*	28	*	120	89.2	205	3.4
1957	193	83.4	178	28.1	133	15.0	137	23.4	170	11.2	470	90.0	962	4.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
2150	272	76.8	195	18.5	206	9.7	184	17.4	190	10.5	529	88.7	1,084	4.0
2151	85	*	71	*	87	*	62	*	69	*	172	94.8	383	4.4
2251	158	68.4	146	30.1	129	19.4	114	28.9	143	16.1	350	91.1	722	1.9
2252	69	*	42	*	52	*	47	*	42	*	175	88.6	324	5.2
250	59	*	48	*	39	*	42	*	48	*	133	87.2	245	6.5
251	26	*	23	*	35	*	18	*	23	*	91	*	168	10.1
252	36	*	26	*	44	*	16	*	25	*	104	85.6	202	5.9
253	48	*	41	*	41	*	37	*	41	*	131	75.6	249	12.9
2554	48	*	25	*	26	*	17	*	25	*	103	84.5	191	6.3
2555	2,840	56.2	2,342	14.2	1,895	7.2	1,775	10.9	2,056	5.4	4,887	78.4	11,101	5.3
3001	335	57.9	250	10.4	240	5.0	227	4.8	244	3.3	817	84.5	1,547	6.9
3002	86	*	79	*	64	*	66	*	78	*	261	97.7	469	3.0
3004	45	*	36	*	28	*	31	*	35	*	136	77.9	231	0.0
3007	7	*	2	*	4	*	2	*	2	*	20	*	34	*
3009	0	*	1	*	0	*	1	*	1	*	5	*	6	*
3201	148	71.6	127	23.6	96	*	104	16.3	122	4.1	412	86.4	777	6.2
3301	1,408	77.0	954	23.8	881	13.2	747	15.0	887	6.3	2,374	84.0	5,216	4.4
3302	0	*	0	*	0	*	0	*	0	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
3304	60	*	43	*	41	*	32	*	35	*	139	84.2	261	0.0
3305	84	*	58	*	50	*	44	*	56	*	158	93.7	330	2.7
3306	110	81.8	87	*	93	*	57	*	77	*	289	94.5	566	3.7
3308	33	*	31	*	21	*	23	*	28	*	57	*	136	4.4
3309	15	*	14	*	12	*	8	*	13	*	31	*	68	*
3312	143	67.1	122	18.0	110	10.0	101	9.9	115	5.2	435	84.6	774	3.4
3550	25	*	23	*	26	*	14	*	22	*	73	*	138	1.4
3551	5	*	5	*	3	*	3	*	5	*	30	*	43	*
3552	17	*	13	*	16	*	11	*	12	*	45	*	86	*
3701	390	76.9	334	18.6	351	11.1	290	16.6	327	7.0	839	84.3	1,731	6.3
3850	1,101	69.8	996	16.5	874	8.4	685	14.9	928	6.1	2,472	84.9	4,904	5.2
3950	723	68.6	577	23.6	475	10.7	461	18.7	532	9.6	1,340	88.1	2,908	2.1
3954	2	*	1	*	4	*	2	*	1	*	35	*	48	*
4001	423	59.6	345	16.5	301	10.3	265	12.1	313	6.4	1,017	65.1	1,948	4.6
4002	394	64.2	303	21.5	235	12.8	291	18.9	293	10.6	909	80.5	1,767	4.6
401	165	61.8	149	18.1	139	8.6	139	20.1	145	10.3	374	91.4	753	5.6
402	127	70.1	112	25.9	99	*	83	*	106	11.3	266	82.0	556	7.2
403	45	*	31	*	27	*	33	*	30	*	96	*	178	17.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
404	48	*	31	*	28	*	31	*	31	*	117	93.2	217	15.2
4103	24	*	16	*	17	*	11	*	16	*	75	*	131	6.1
4106	670	65.4	622	12.9	543	8.5	478	7.7	589	5.4	1,790	88.5	3,319	3.7
4107	1,250	70.6	998	20.9	768	12.8	809	17.8	941	12.6	2,476	87.5	5,117	2.3
4109	374	72.7	347	24.5	314	11.8	281	18.5	330	10.6	886	85.4	1,764	2.8
4110	0	*	0	*	0	*	0	*	0	*	1	*	1	*
4112	156	30.1	120	17.5	119	8.4	99	*	117	7.7	480	96.7	801	2.1
4113	287	80.1	176	19.9	160	12.5	182	5.5	170	5.3	594	89.1	1,159	1.5
4115	574	76.0	225	23.6	147	12.9	159	27.0	200	12.0	469	85.9	1,247	1.2
4120	425	76.2	556	17.3	438	9.1	429	13.8	510	5.9	1,309	89.2	2,572	1.9
4160	423	72.1	514	28.2	392	18.6	390	19.2	475	11.4	1,358	87.2	2,602	1.4
4351	197	79.7	132	17.4	162	15.4	117	20.5	127	11.0	467	91.4	899	4.6
4352	55	*	50	*	63	*	52	*	49	*	160	80.6	305	12.8
4353	166	71.1	112	13.4	116	8.6	94	*	105	2.9	410	88.3	750	4.1
4354	254	66.9	201	22.4	214	12.6	182	23.1	200	17.0	591	94.2	1,180	2.6
4355	100	77.0	85	*	96	*	66	*	81	*	261	95.4	496	5.0
4356	182	73.1	121	21.5	132	11.4	114	21.9	120	9.2	410	95.1	799	4.0
4358	42	*	42	*	44	*	35	*	41	*	155	89.0	256	2.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
4359	171	76.6	126	33.3	142	15.5	92	*	115	10.4	463	79.0	851	2.9
4360	94	*	72	*	65	*	73	*	71	*	192	89.1	380	7.4
4361	82	*	72	*	62	*	65	*	71	*	162	87.7	343	1.7
4362	101	84.2	77	*	89	*	69	*	76	*	245	93.5	470	7.4
4363	332	80.7	269	24.5	296	12.5	229	16.6	264	6.8	699	86.7	1,442	6.2
4401	454	71.6	368	23.1	338	13.0	306	22.9	352	10.5	928	90.3	1,937	3.0
4501	359	73.8	251	19.1	246	11.8	208	14.4	241	5.8	792	94.1	1,536	4.2
4601	568	74.3	474	17.5	401	9.2	373	16.9	454	5.7	1,020	80.1	2,176	4.4
4701	458	77.3	341	22.6	357	12.0	267	22.1	331	9.1	891	94.6	1,897	2.1
501	192	67.7	133	27.1	125	16.8	111	24.3	130	18.5	393	90.6	796	4.8
502	0	*	0	*	4	*	0	*	0	*	1	*	6	*
503	44	*	50	*	40	*	37	*	50	*	125	88.8	238	4.2
504	169	81.7	125	39.2	124	17.7	115	40.9	121	21.5	334	91.0	706	5.2
505	118	75.4	72	*	58	*	65	*	70	*	249	87.1	477	4.8
5050	694	61.4	512	16.2	466	7.9	471	13.0	480	7.7	1,086	86.2	2,527	2.8
5051	929	67.1	693	16.6	628	6.8	602	11.6	658	7.6	1,426	85.0	3,418	3.1
5052	850	58.1	590	12.9	600	6.3	526	8.0	560	4.1	1,549	83.7	3,390	2.7
5055	358	19.6	292	12.0	250	5.6	239	1.7	281	1.8	870	39.8	1,617	5.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
506	76	*	73	*	52	*	49	*	70	*	166	84.3	337	10.4
507	28	*	28	*	46	*	26	*	28	*	146	91.8	255	5.1
508	12	*	18	*	21	*	16	*	18	*	68	*	113	2.7
5101	748	66.0	611	23.4	566	9.0	485	16.1	566	9.7	1,350	83.3	2,987	3.0
5202	257	80.2	146	27.4	146	17.8	131	26.7	139	11.5	438	92.0	919	3.8
5203	27	*	19	*	33	*	10	*	17	*	84	*	160	8.1
5204	18	*	16	*	36	*	8	*	14	*	75	*	141	6.4
5601	383	77.8	371	27.5	289	15.2	329	23.4	358	11.5	950	89.6	1,835	4.0
5801	611	62.5	486	13.0	487	9.2	432	13.0	466	5.6	1,280	89.4	2,634	6.1
5803	65	*	49	*	55	*	34	*	49	*	197	95.9	349	4.0
5804	9	*	25	*	26	*	15	*	23	*	63	*	108	5.6
6101	25	*	15	*	17	*	15	*	14	*	69	*	124	9.7
6102	73	*	51	*	66	*	43	*	48	*	210	92.4	379	4.0
6103	1,231	61.6	774	15.1	979	8.5	776	11.9	731	5.2	2,781	88.3	5,529	6.2
6104	153	54.2	88	*	98	*	87	*	83	*	232	72.8	547	8.8
6105	18	*	13	*	14	*	13	*	13	*	51	*	92	*
6301	1,506	59.2	1,330	16.2	944	7.2	1,094	10.7	1,286	6.2	2,640	86.3	5,996	2.4
6312	896	66.4	784	23.6	550	16.7	660	19.1	756	11.8	1,594	84.5	3,606	2.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
6316	477	67.9	415	23.1	316	9.5	337	15.4	401	10.5	983	85.1	2,056	5.7
6320	49	*	48	*	43	*	36	*	47	*	137	94.9	267	1.9
6325	53	*	43	*	28	*	35	*	40	*	114	94.7	227	5.3
6330	301	47.8	236	13.1	136	4.4	199	6.0	226	4.0	590	82.0	1,231	4.5
6335	233	48.5	138	21.0	104	11.5	135	14.1	134	6.0	497	96.2	926	1.0
6340	35	*	21	*	17	*	22	*	19	*	77	*	147	2.0
6345	3	*	4	*	3	*	2	*	4	*	18	*	32	*
6350	59	*	67	*	50	*	52	*	64	*	193	97.9	364	0.3
650	379	73.4	288	22.9	287	14.3	222	18.9	280	11.1	717	87.4	1,527	4.7
651	219	66.7	165	16.4	168	7.1	139	16.5	160	1.9	492	94.7	952	10.3
652	107	73.8	73	*	86	*	67	*	72	*	248	89.1	476	7.8
653	153	80.4	109	24.8	132	24.2	76	*	106	13.2	392	96.4	730	11.6
654	108	84.3	89	*	109	12.8	83	*	88	*	322	94.7	582	7.7
655	126	72.2	96	*	93	*	68	*	95	*	288	90.6	555	5.2
657	17	*	14	*	19	*	10	*	13	*	68	*	111	13.5
701	137	79.6	121	42.1	104	18.3	103	25.2	116	16.4	344	94.2	678	1.3
702	28	*	31	*	21	*	26	*	31	*	71	*	138	4.3
703	69	*	57	*	41	*	45	*	56	*	183	86.3	349	4.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
704	15	*	12	*	12	*	12	*	12	*	61	*	96	*
705	41	*	35	*	14	*	30	*	34	*	86	*	162	4.9
7304	53	*	38	*	40	*	27	*	34	*	147	90.5	286	2.8
7306	908	66.6	642	13.2	568	7.2	594	8.8	582	5.7	1,688	83.6	3,654	4.7
7308	69	*	50	*	41	*	37	*	34	*	143	87.4	298	3.4
7310	7	*	6	*	9	*	2	*	4	*	24	*	47	*
7401	855	60.8	789	12.9	686	5.4	576	12.7	758	5.1	1,731	93.5	3,556	7.0
7601	219	60.3	179	16.8	147	7.5	146	17.8	175	8.6	425	90.4	906	5.1
7850	408	71.8	387	21.2	313	15.7	291	11.3	351	3.7	838	88.7	1,779	3.9
7852	20	*	17	*	19	*	10	*	17	*	75	*	130	1.5
8101	628	45.9	420	10.0	325	3.1	438	5.3	413	3.6	910	73.3	2,189	8.0
8102	183	37.7	127	6.3	141	4.3	120	0.8	123	0.8	540	75.2	967	3.0
8105	537	54.0	342	15.8	306	8.5	333	10.2	328	6.7	678	85.1	1,795	2.2
8106	162	43.2	108	11.1	99	*	118	7.6	106	5.7	307	74.6	636	2.4
8150	23	*	14	*	28	*	13	*	14	*	85	*	146	1.4
8151	1,095	79.8	948	29.0	813	17.3	740	20.9	897	9.9	2,428	91.1	4,828	2.2
8152	59	*	48	*	54	*	40	*	46	*	119	83.2	257	0.8
8153	8	*	6	*	7	*	3	*	6	*	40	*	62	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
8155	26	*	17	*	24	*	13	*	16	*	102	92.2	163	0.6
8157	6	*	5	*	8	*	5	*	5	*	38	*	55	*
8201	1,057	58.2	896	16.0	700	7.6	769	11.2	872	5.4	1,677	89.0	3,957	3.4
8202	1,221	40.4	883	22.5	755	12.5	761	5.4	846	4.7	2,945	82.7	5,531	2.9
8203	189	57.1	141	22.0	85	*	115	17.4	137	7.3	257	92.6	601	3.3
8250	416	47.4	321	9.0	220	5.0	284	6.3	313	3.8	699	80.3	1,573	3.6
8252	28	*	30	*	27	*	20	*	30	*	100	79.0	185	5.9
8255	1,050	53.9	880	13.9	738	5.7	773	10.5	857	5.0	1,775	85.4	4,102	3.2
8257	322	75.5	244	30.7	194	16.0	189	4.2	207	2.9	725	75.9	1,415	1.3
8258	0	*	14	*	9	*	2	*	13	*	21	*	41	*
8263	388	58.2	301	16.6	180	8.3	269	10.0	291	7.2	439	82.0	1,147	3.1
8264	12	*	1	*	3	*	0	*	1	*	3	*	18	*
850	358	80.2	318	22.3	277	14.4	231	16.0	299	6.4	715	87.0	1,518	4.0
851	282	77.0	234	22.2	206	9.2	176	19.9	222	12.6	670	90.6	1,284	4.8
8901	319	39.5	242	5.8	216	3.2	238	3.4	239	1.7	836	68.4	1,575	8.3
8902	369	46.3	274	8.0	231	3.0	280	7.1	269	3.7	645	70.1	1,473	7.0
8903	372	37.1	248	10.9	234	1.7	261	5.0	239	2.9	860	68.0	1,677	7.8
8904	386	45.3	327	10.4	264	4.2	287	7.7	317	5.0	937	74.2	1,842	7.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
8905	699	49.6	606	12.7	460	5.7	515	7.2	601	5.0	1,628	75.9	3,258	2.9
901	544	61.2	439	15.0	470	8.1	413	16.7	428	2.8	1,247	95.9	2,514	4.9
9012	12	*	14	*	15	*	10	*	14	*	53	*	87	*
9013	9	*	6	*	10	*	6	*	6	*	30	*	54	*
9015	0	*	2	*	1	*	0	*	2	*	9	*	15	*
9016	79	*	52	*	50	*	54	*	51	*	204	66.7	363	9.6
9017	12	*	13	*	10	*	10	*	12	*	54	*	92	*
9018	34	*	47	*	31	*	38	*	47	*	149	71.8	251	8.8
9019	1	*	2	*	4	*	1	*	2	*	9	*	17	*
902	14	*	16	*	14	*	12	*	16	*	53	*	91	*
9021	6	*	5	*	5	*	3	*	5	*	17	*	33	*
9041	7	*	5	*	9	*	4	*	5	*	22	*	40	*
9045	1,041	35.9	559	6.8	401	1.5	545	4.2	554	1.6	1,449	79.0	3,159	5.1
9050	373	63.0	333	15.6	288	5.9	281	5.0	319	2.8	905	72.7	1,921	5.7
9051	404	58.4	382	14.7	303	6.9	301	3.3	366	1.9	1,176	72.2	2,186	3.7
9053	766	52.2	654	14.1	508	5.7	568	9.0	634	5.0	1,365	71.9	3,209	17.4
9055	306	30.4	33	*	0	*	79	*	33	*	3	*	309	3.9
9058	280	57.5	283	24.0	327	14.7	234	4.7	273	3.7	1,007	94.1	1,801	1.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Brestsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
9066	467	44.5	349	10.0	279	2.9	306	8.5	338	5.0	962	72.3	2,049	8.8
9068	544	35.5	314	11.1	232	3.9	373	7.5	308	3.9	900	72.4	1,971	13.2
9069	1,009	56.1	806	12.0	625	3.8	759	6.1	791	3.2	1,702	77.1	3,985	7.8
9070	553	42.5	388	10.8	298	4.4	390	4.6	376	4.8	1,067	62.4	2,243	13.1
9072	609	36.1	461	9.1	378	4.2	437	3.4	450	2.7	1,026	56.6	2,367	13.1
9080	642	49.7	594	14.8	560	7.3	478	7.5	584	2.6	1,828	74.0	3,405	4.8
9081	108	25.9	45	*	15	*	60	*	42	*	64	*	215	7.0
Michigan	58,296	62.9	45,723	18.5	40,540	9.9	38,441	13.7	43,316	7.0	119,895	84.2	247,817	4.7
Nation (Prior Year)	140,234	64.3	85,884	26.5	67,144	15.0	67,491	12.2	67,908	8.3	174,939	78.1	368,164	6.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾
Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0101	83	*	*	370	3.5	3.8	7.8	178	16.9	8.4	247	8.9
0102	330	6.1	9.4	1,295	6.9	3.2	12.7	517	17.6	15.9	846	13.9
0103	274	2.9	6.9	1,283	4.8	1.5	11.9	577	22.0	15.9	902	14.5
0104	100	8.0	8.0	440	6.4	2.7	11.1	196	18.4	13.3	282	13.1
0250	88	*	*	484	4.5	2.3	9.5	249	16.1	16.1	336	10.4
0251	78	*	*	352	3.7	0.6	9.9	175	21.7	15.4	231	5.2
0252	85	*	*	390	4.4	0.8	13.8	201	14.4	19.9	262	7.6
0253	111	7.2	9.0	555	1.3	9.9	4.5	273	8.8	5.1	364	8.8
0401	329	8.2	11.6	1,495	6.6	1.7	13.5	690	14.9	18.0	948	3.9
0402	248	7.3	8.1	1,105	4.7	1.9	11.9	502	18.7	16.5	668	13.5
0403	84	*	*	374	5.1	1.1	15.0	170	13.5	22.4	238	8.8
0404	90	*	*	429	2.6	1.9	10.3	199	19.1	17.1	269	14.5
0501	311	8.7	8.0	1,609	4.7	4.0	11.1	736	18.1	14.0	1,073	10.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
0502	4	*	*	11	*	*	*	5	*	*	3	*
0503	104	7.7	9.6	495	4.0	5.9	9.7	235	14.9	10.2	334	5.7
0504	308	5.8	8.8	1,578	5.4	1.6	10.7	683	19.9	13.5	1,065	8.5
0505	227	7.0	10.1	946	6.1	3.5	9.3	430	17.0	11.9	625	11.8
0506	108	6.5	14.8	636	5.5	3.1	9.6	322	18.6	11.5	436	7.3
0507	63	*	*	458	5.7	2.0	12.4	233	22.7	15.5	340	18.5
0508	7	*	*	24	*	*	*	11	*	*	16	*
0650	704	7.4	8.4	2,976	4.6	2.4	10.2	1,349	19.5	16.3	2,023	6.2
0651	398	6.8	6.0	1,941	5.5	2.8	12.0	927	17.3	16.5	1,353	10.9
0652	174	7.5	11.5	902	8.3	2.7	13.2	434	19.1	15.4	605	11.6
0653	287	3.1	8.7	1,427	3.8	1.8	11.8	747	16.9	14.9	1,015	10.4
0654	281	7.8	11.7	1,284	4.5	2.6	8.6	611	17.2	12.8	906	12.0
0655	253	6.7	10.7	1,156	6.0	2.3	9.3	512	18.0	14.3	795	3.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0657	49	*	*	233	8.6	2.1	11.2	113	21.2	18.6	170	12.4
0701	296	4.1	11.1	1,385	5.6	2.0	8.7	648	20.8	9.7	931	8.9
0702	59	*	*	285	7.7	2.5	8.4	138	17.4	12.3	185	6.5
0703	137	5.1	13.1	656	2.7	2.4	11.6	317	18.0	15.1	420	2.9
0704	45	*	*	242	4.5	1.2	11.6	132	27.3	12.9	173	3.5
0705	66	*	*	405	4.7	1.0	9.9	204	15.2	10.3	275	4.0
0850	770	8.7	8.4	3,197	5.5	3.0	11.0	1,372	18.7	14.8	2,072	5.6
0851	568	8.6	7.6	2,656	4.5	3.3	9.8	1,240	16.9	13.0	1,819	5.7
0901	1,111	8.9	9.5	5,160	6.9	1.7	11.4	2,380	17.6	15.6	3,607	6.8
0902	28	*	*	240	3.8	4.2	9.6	145	14.5	11.0	185	17.8
101	35	*	*	177	3.4	2.8	8.5	80	*	*	123	10.6
102	167	4.8	9.0	684	6.3	3.2	12.9	286	20.3	15.4	466	14.4
103	153	7.2	9.2	657	5.9	2.7	11.7	292	16.4	15.1	476	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
104	38	*	*	195	5.6	3.1	12.8	91	*	*	140	16.4
1051	1,546	8.4	11.6	5,890	4.4	5.1	9.8	2,598	18.1	12.9	3,769	14.4
1101	1,998	9.6	6.3	7,950	5.5	3.6	9.5	3,521	16.1	13.1	5,364	14.6
1102	1,009	8.6	8.3	3,915	5.1	1.8	10.4	1,668	16.1	13.5	2,558	7.1
1106	128	4.7	7.8	532	6.0	1.1	8.8	237	24.1	8.9	360	6.4
1250	1,032	7.8	8.4	4,861	7.0	2.1	13.6	2,310	17.3	15.9	3,321	5.0
1251	1,002	7.2	7.9	4,113	6.8	2.2	10.9	1,773	18.8	13.3	2,673	3.6
1252	388	10.8	7.2	1,848	6.4	2.1	13.5	859	18.5	19.1	1,326	7.9
1253	1,205	9.3	8.0	4,929	7.0	2.3	10.9	2,183	17.5	14.2	3,344	9.2
1350	2,686	9.2	7.0	11,259	7.2	2.5	13.5	5,105	17.6	16.2	7,744	16.8
1351	153	7.2	9.2	735	6.5	3.3	11.3	352	15.1	14.8	528	10.0
1352	375	9.1	6.1	1,869	6.6	2.1	12.4	880	20.9	14.7	1,309	15.4
1401	260	8.8	8.8	1,051	4.0	4.7	10.9	461	18.2	16.9	722	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1402	152	5.9	13.2	745	4.7	4.0	11.1	378	16.9	15.1	492	13.2
1403	17	*	*	134	3.0	5.2	13.4	84	*	*	93	*
1404	8	*	*	49	*	*	*	24	*	*	39	*
1501	998	7.2	10.0	4,927	4.0	2.1	13.8	2,430	18.3	18.4	3,569	21.3
1503	1,280	8.0	7.9	5,786	4.4	2.0	11.0	2,715	18.3	15.4	4,040	17.4
1504	2,450	7.7	7.8	10,857	4.7	2.8	11.6	5,091	17.2	14.6	7,534	34.7
1505	757	8.5	11.5	3,834	4.5	2.8	8.2	1,788	14.3	9.5	2,695	27.1
1506	678	7.4	8.6	3,237	5.7	2.8	12.1	1,540	17.7	14.7	2,311	19.7
1507	640	7.0	8.1	2,993	4.1	3.3	8.1	1,340	15.3	10.1	2,085	29.3
1508	75	*	*	486	4.3	0.6	17.9	276	21.0	21.7	377	18.6
1509	491	8.6	10.6	2,717	3.9	2.9	12.7	1,418	15.6	17.3	2,024	22.1
1511	781	6.8	11.7	3,369	3.8	2.8	9.9	1,519	18.1	14.9	2,266	23.7
1512	367	8.2	10.4	1,891	4.5	2.9	10.4	932	17.1	11.1	1,329	23.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1701	751	4.8	11.7	3,367	4.9	2.3	13.0	1,570	17.1	14.5	2,194	11.6
1950	635	6.9	6.6	2,744	6.7	1.4	10.3	1,185	19.4	14.9	1,869	6.7
1952	151	7.9	7.9	654	4.3	1.4	10.7	263	19.8	16.0	422	4.5
1953	339	8.8	5.9	1,572	7.4	1.5	12.4	701	15.5	14.8	1,105	2.7
1954	640	7.0	9.8	2,839	5.0	2.0	11.7	1,227	15.6	15.7	1,891	4.6
1955	117	7.7	9.4	661	5.6	1.7	12.3	317	18.3	14.8	482	4.1
1957	632	6.8	7.6	2,960	6.1	2.6	11.1	1,285	19.3	13.5	2,038	3.4
2150	761	7.4	13.3	3,243	6.0	1.2	11.1	1,416	16.0	15.7	2,136	2.8
2151	280	7.9	8.9	1,159	5.3	0.9	9.5	504	16.1	14.1	769	2.1
2251	485	11.3	8.2	2,068	6.4	1.3	10.2	906	15.9	13.1	1,418	7.3
2252	196	11.7	3.1	957	4.7	2.0	11.8	490	22.4	14.9	695	6.0
250	59	*	*	238	3.8	2.1	9.2	118	17.8	12.7	166	7.8
251	26	*	*	166	3.6	1.8	10.8	80	*	*	105	18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
252	36	*	*	200	3.0	2.0	9.5	97	*	*	149	6.7
253	48	*	*	248	0.4	10.9	4.0	117	12.0	4.3	167	16.8
2551	0	*	*	1	*	*	*	1	*	*	1	*
2552	10	*	*	19	*	*	*	3	*	*	5	*
2554	126	6.3	5.6	643	4.7	3.1	12.1	350	16.9	14.6	443	6.5
2555	8,656	11.8	5.4	32,635	7.4	2.2	10.6	13,011	16.0	13.5	20,940	19.2
3001	1,014	13.1	4.3	4,608	7.2	1.8	11.9	2,246	18.5	12.9	3,273	6.6
3002	275	10.2	8.7	1,332	5.0	1.9	15.5	685	20.0	15.0	979	17.8
3004	134	6.0	3.7	703	4.8	0.9	20.5	388	22.9	27.1	529	4.2
3007	22	*	*	139	4.3	1.4	16.5	79	*	*	103	14.6
3009	2	*	*	26	*	*	*	21	*	*	28	*
3201	493	7.9	10.8	2,487	6.4	2.1	14.5	1,219	16.1	18.2	1,761	6.6
3301	3,950	9.6	6.9	15,556	5.8	2.5	10.3	6,471	16.2	13.3	10,352	12.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
3302	0	*	*	3	*	*	*	3	*	*	2	*
3304	151	7.3	13.9	747	3.3	1.9	10.8	351	15.4	12.0	522	11.5
3305	193	6.7	11.9	853	4.7	2.8	9.1	378	13.2	10.1	578	8.7
3306	343	7.0	9.9	1,607	4.4	1.1	9.5	737	17.9	11.7	1,119	6.3
3308	100	9.0	6.0	382	9.7	1.3	9.7	143	16.8	10.5	245	5.7
3309	43	*	*	202	4.0	0.5	9.9	95	*	*	146	6.2
3312	419	9.3	5.0	2,273	7.1	1.5	14.5	1,141	15.6	19.2	1,627	11.0
3550	83	*	*	411	5.8	2.9	19.7	180	24.4	22.8	268	27.6
3551	17	*	*	138	2.2	4.3	26.8	74	*	*	83	*
3552	53	*	*	242	3.3	3.7	19.8	111	23.4	23.4	137	25.5
3701	1,205	7.6	6.9	5,240	4.5	3.1	9.4	2,368	16.3	14.2	3,674	8.0
3850	3,302	8.6	7.5	14,406	4.7	3.9	9.7	6,652	19.1	14.8	9,695	19.6
3950	2,177	9.0	8.7	8,576	5.4	3.3	10.9	3,762	18.1	13.7	5,662	26.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
3952	0	*	*	2	*	*	*	1	*	*	1	*
3954	22	*	*	215	3.3	0.5	13.5	130	21.5	15.4	162	22.8
4001	1,298	9.9	5.2	5,846	5.4	3.1	11.1	2,768	16.0	13.0	4,223	35.5
4002	1,136	9.0	6.6	5,186	6.2	1.9	13.3	2,427	16.5	15.1	3,720	18.2
401	165	8.5	7.3	738	6.9	1.4	13.6	334	19.2	18.0	515	14.8
402	126	7.1	4.8	553	5.6	2.0	11.4	240	19.2	15.4	330	13.6
403	45	*	*	173	4.6	1.2	13.3	78	*	*	118	22.0
404	48	*	*	213	4.2	1.4	12.7	101	15.8	19.8	144	18.1
4103	76	*	*	472	4.9	8.5	8.9	276	14.1	11.6	291	32.0
4106	2,180	12.1	5.6	10,704	7.5	1.6	11.7	5,188	17.0	15.0	7,573	16.2
4107	3,650	10.1	8.1	15,725	6.8	1.4	10.4	7,000	17.1	12.5	10,775	14.0
4109	1,160	9.5	9.0	5,413	5.0	2.5	8.1	2,551	14.9	11.3	3,727	6.0
4110	0	*	*	4	*	*	*	4	*	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4112	487	4.3	7.4	2,581	6.7	3.6	18.2	1,380	18.8	21.7	2,131	7.6
4113	833	8.9	6.6	3,508	4.6	2.3	12.0	1,568	19.5	19.8	2,388	6.1
4115	569	9.1	7.2	1,180	8.3	1.6	9.0	456	15.1	12.9	654	11.2
4120	1,964	8.2	8.9	9,185	5.9	1.4	10.8	4,146	15.4	12.5	6,287	7.8
4160	1,764	9.1	7.3	8,409	6.4	2.3	10.0	3,750	17.0	12.6	5,963	12.7
4351	553	7.2	8.0	2,713	5.6	2.0	10.2	1,360	18.8	13.5	1,941	14.9
4352	193	10.9	7.3	917	6.3	1.2	11.3	458	18.3	17.0	654	13.8
4353	462	10.4	7.8	2,273	6.2	2.6	13.6	1,142	20.8	18.9	1,672	13.5
4354	780	8.5	9.4	3,504	5.7	1.3	9.4	1,553	19.2	13.0	2,433	11.9
4355	329	6.4	9.7	1,461	4.7	3.3	9.4	666	16.5	17.0	1,029	13.3
4356	535	7.9	7.7	2,335	6.5	1.9	11.6	1,113	19.0	16.4	1,649	19.8
4358	135	12.6	8.9	781	9.3	1.5	23.2	424	25.9	30.2	607	24.1
4359	542	7.0	10.0	2,668	6.3	1.3	14.3	1,331	17.2	16.5	1,838	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4360	252	6.7	6.3	1,078	4.2	1.7	7.3	489	21.1	12.1	736	14.1
4361	232	8.6	6.0	1,024	6.9	1.0	12.2	474	22.2	13.3	721	14.1
4362	326	7.1	9.2	1,447	7.0	1.0	11.7	657	19.3	18.0	988	15.1
4363	966	7.5	8.6	4,194	5.5	1.4	9.3	1,892	18.8	14.1	2,929	14.8
4401	1,335	6.2	9.1	5,773	5.7	2.1	10.1	2,481	18.5	14.3	3,928	11.5
4501	1,003	7.6	7.4	4,510	6.5	2.0	9.5	2,080	16.7	13.7	3,138	6.5
4601	1,697	8.0	7.2	6,505	6.7	2.2	12.7	2,664	18.3	17.9	3,664	10.3
4701	1,424	8.8	9.6	5,868	6.0	1.5	9.5	2,446	16.9	14.1	3,963	6.4
501	189	5.3	9.5	785	3.8	5.6	12.2	361	21.1	15.0	534	7.7
502	0	*	*	6	*	*	*	1	*	*	6	*
503	44	*	*	235	9.8	2.1	10.6	115	19.1	13.0	169	5.9
504	166	7.2	11.4	691	6.9	2.3	11.6	281	16.7	15.3	504	10.1
505	114	6.1	7.9	461	6.5	3.3	6.9	214	22.4	12.1	331	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5050	1,935	11.0	6.3	7,313	6.5	1.6	10.6	2,965	16.1	11.9	4,700	18.7
5051	2,867	10.4	6.8	10,620	6.5	1.3	11.9	4,251	15.0	14.0	6,788	19.2
5052	2,690	9.6	6.4	10,406	6.0	1.7	11.5	4,299	15.7	15.1	6,859	17.6
5055	823	9.0	5.7	3,716	3.7	1.8	12.7	1,758	16.3	15.6	2,640	30.6
506	64	*	*	327	5.5	6.4	8.9	139	18.7	12.2	224	4.9
507	26	*	*	247	4.5	2.4	9.7	127	14.2	14.2	205	6.8
508	10	*	*	113	9.7	1.8	18.6	63	*	*	86	*
5101	2,271	9.0	7.5	9,116	6.5	1.7	10.9	3,782	18.4	15.8	6,022	12.8
5202	643	7.0	8.7	2,567	6.1	2.4	11.3	1,139	19.2	13.9	1,504	6.6
5203	123	6.5	6.5	541	6.3	1.1	12.9	267	15.4	15.4	324	7.4
5204	103	12.6	6.8	444	6.5	2.5	11.0	212	16.0	15.1	268	5.6
5601	1,184	8.8	7.8	5,700	5.7	1.4	11.4	2,693	17.6	14.5	3,725	10.2
5801	1,987	7.9	8.5	8,167	7.2	2.4	10.7	3,512	17.1	14.3	5,380	7.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5803	174	10.3	7.5	1,044	5.8	0.9	9.9	545	14.9	13.2	772	8.0
5804	41	*	*	338	5.0	3.3	10.7	180	16.7	8.9	252	5.2
6101	69	*	*	360	5.3	1.4	12.2	169	11.8	12.4	269	12.6
6102	240	6.7	8.8	1,213	5.8	2.8	9.5	611	15.1	11.8	873	10.9
6103	3,794	10.4	6.6	16,294	5.4	2.8	10.2	7,633	16.9	13.3	11,329	18.1
6104	484	14.9	4.3	1,728	6.9	3.4	8.4	645	16.0	10.2	1,083	23.3
6105	45	*	*	287	6.3	1.7	10.5	159	23.3	11.9	217	7.8
6301	4,633	10.9	6.2	18,251	7.1	1.8	9.6	7,340	16.0	13.3	11,692	15.5
6312	2,740	11.1	6.8	11,021	7.0	2.4	8.1	4,318	15.3	9.5	7,306	18.1
6316	1,595	8.7	8.1	6,528	5.1	1.6	10.1	2,673	15.8	13.7	4,153	11.5
6320	169	12.4	7.1	932	5.4	4.3	8.3	467	13.3	10.5	669	12.3
6325	142	5.6	6.3	713	6.5	2.7	10.1	370	18.1	14.1	486	10.9
6330	785	15.0	3.9	3,149	5.8	3.3	8.6	1,453	15.9	10.7	2,058	18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
6335	531	7.7	8.3	2,720	3.5	3.7	8.8	1,408	12.0	12.9	1,994	12.7
6340	79	*	*	450	3.3	2.9	9.8	241	16.6	13.3	332	11.4
6345	23	*	*	118	2.5	3.4	11.0	57	*	*	87	*
6350	228	10.1	10.5	1,140	3.7	4.4	11.1	546	13.2	16.3	810	13.2
650	377	6.1	9.3	1,501	6.9	3.3	11.5	625	18.9	19.2	1,023	6.5
651	218	10.6	6.4	929	6.6	2.6	10.0	428	15.7	15.7	668	13.2
652	107	9.3	1.9	465	6.5	1.9	10.3	219	18.3	12.8	320	10.3
653	152	9.2	10.5	722	6.8	1.9	10.1	345	17.4	13.9	498	6.2
654	107	7.5	12.1	571	6.1	2.1	9.6	278	15.1	14.4	426	10.6
655	126	7.1	7.9	543	5.3	3.3	8.5	255	18.8	11.8	377	5.0
657	17	*	*	110	5.5	0.9	8.2	60	*	*	79	*
6877	6	*	*	70	*	*	*	34	*	*	45	*
6895	1	*	*	29	*	*	*	17	*	*	26	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
701	135	7.4	8.1	660	6.1	2.6	6.1	295	14.2	7.1	485	11.5
702	29	*	*	134	8.2	1.5	11.2	61	*	*	92	*
703	75	*	*	340	5.0	4.4	12.4	164	12.2	18.3	220	13.6
704	15	*	*	93	*	*	*	55	*	*	66	*
705	41	*	*	157	7.0	2.5	8.9	79	*	*	99	*
7304	197	7.1	8.1	951	6.3	1.8	13.9	458	21.2	18.8	700	6.7
7306	2,717	9.4	7.3	11,344	5.9	1.8	13.0	4,990	15.5	16.2	7,850	16.9
7308	192	8.3	12.5	849	5.9	2.4	11.9	381	16.3	12.3	616	12.5
7310	28	*	*	147	4.8	1.4	10.9	61	*	*	102	5.9
7401	2,549	8.1	7.8	10,599	5.4	1.9	9.4	4,658	16.6	15.1	7,360	7.0
7601	666	9.5	8.4	2,868	4.5	2.3	9.6	1,285	20.9	14.7	1,973	6.3
7850	1,266	7.3	8.5	5,241	4.9	4.0	10.2	2,308	17.5	15.5	3,600	10.5
7852	73	*	*	426	2.1	2.6	8.0	221	16.3	12.2	327	6.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8101	1,731	17.3	3.6	5,386	6.8	5.6	9.7	1,772	12.8	12.1	3,250	30.6
8102	479	6.7	10.2	2,313	5.3	4.5	18.0	1,189	18.9	23.6	1,726	23.7
8105	1,195	12.7	5.9	3,597	6.5	4.3	9.9	1,232	16.0	12.7	1,774	36.9
8106	440	13.0	4.5	1,607	6.4	1.9	12.1	722	19.8	15.0	1,088	23.3
8150	74	*	*	429	4.0	2.8	6.5	220	16.4	10.0	324	20.1
8151	3,298	10.1	6.7	14,188	5.7	2.0	10.6	6,313	17.4	14.8	9,973	18.1
8152	242	12.4	7.0	859	6.6	2.3	11.9	290	16.9	15.9	553	27.8
8153	23	*	*	164	6.1	0.6	17.7	89	*	*	125	13.6
8154	10	*	*	88	*	*	*	51	*	*	50	*
8155	69	*	*	465	1.9	2.2	13.5	260	11.9	16.2	363	24.5
8156	0	*	*	4	*	*	*	1	*	*	2	*
8157	13	*	*	122	0.0	4.1	7.4	93	*	*	96	*
8201	3,110	9.6	7.0	11,112	6.5	2.2	11.9	4,118	18.5	15.6	6,266	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8202	3,367	7.6	5.9	15,889	4.4	2.1	10.1	7,522	13.3	11.6	11,009	24.0
8203	393	6.6	6.9	1,559	4.5	1.3	9.7	657	17.7	11.4	880	16.4
8250	1,071	11.3	5.0	4,076	6.4	2.6	9.7	1,650	13.2	11.7	2,420	25.7
8252	115	15.7	2.6	533	9.8	3.8	9.6	268	17.5	13.1	387	34.1
8255	3,171	9.1	7.3	11,927	6.6	1.5	10.1	4,492	16.9	12.0	6,979	12.3
8257	628	10.0	3.5	2,903	4.2	5.1	11.5	1,393	13.9	15.8	1,942	20.9
8258	819	10.5	7.7	3,260	5.7	2.5	11.1	1,364	20.6	16.3	1,928	18.4
8260	424	11.1	3.5	2,251	4.9	2.4	9.9	1,082	16.1	12.8	1,662	15.7
8263	461	10.2	7.4	1,307	7.7	1.5	10.7	470	14.3	13.8	729	17.1
8264	12	*	*	18	*	*	*	3	*	*	6	*
850	354	6.8	9.0	1,490	4.8	3.2	10.6	632	19.1	13.8	1,015	7.3
851	278	5.0	6.5	1,246	4.5	2.9	9.6	580	17.4	13.1	897	9.9
8901	991	11.7	2.8	4,806	5.7	4.8	9.4	2,262	15.0	10.8	3,385	36.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance ⁽¹⁾
Michigan
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Run Date: 05/13/2015

Combined 3 Years

Comparison of Growth and Anemia Indicators ⁽³⁾												
Clinic	Birth Weight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8902	1,009	15.2	3.6	4,132	6.1	5.9	8.2	1,696	11.6	10.3	2,695	35.0
8903	1,089	12.6	3.8	5,043	6.5	3.8	11.8	2,359	15.7	14.8	3,482	38.6
8904	1,138	10.5	3.8	5,302	3.8	5.1	9.4	2,394	13.4	12.1	3,665	34.1
8905	2,497	8.6	6.7	11,585	5.2	5.0	12.2	5,540	16.0	14.4	8,098	25.4
901	538	8.2	8.6	2,453	7.1	1.7	11.4	1,070	17.6	16.3	1,735	8.3
9010	171	12.3	4.7	150	6.0	15.3	1.3	0	*	*	0	*
9012	44	*	*	280	2.1	7.5	7.5	165	17.0	7.9	172	33.1
9013	41	*	*	283	3.5	4.9	5.7	144	12.5	4.2	124	37.1
9015	18	*	*	101	5.9	3.0	12.9	51	*	*	59	*
9016	191	19.4	3.1	988	5.8	2.5	9.4	495	20.8	9.5	622	38.1
9017	58	*	*	341	5.3	2.9	9.1	171	19.9	15.2	216	33.8
9018	122	17.2	2.5	798	4.5	3.4	9.5	426	17.4	14.6	120	26.7
9019	24	*	*	156	8.3	2.6	10.3	88	*	*	67	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
902	14	*	*	90	*	*	*	51	*	*	64	*
9021	18	*	*	111	11.7	7.2	9.9	58	*	*	63	*
9041	17	*	*	73	*	*	*	36	*	*	8	*
9045	2,607	10.7	5.8	8,483	5.1	4.1	13.6	3,663	17.8	18.4	5,445	18.8
9050	1,420	11.3	5.4	6,418	5.7	2.8	10.8	2,981	17.3	14.2	4,445	18.2
9051	1,489	8.0	8.2	6,782	7.4	1.2	20.0	3,184	20.4	23.1	4,666	24.8
9053	2,770	14.3	3.4	9,911	6.1	3.3	7.4	3,846	15.6	10.7	6,463	26.2
9055	525	8.0	5.1	475	6.5	12.6	3.8	3	*	*	5	*
9058	850	10.6	4.7	4,624	4.4	2.8	9.1	2,353	15.0	11.2	3,342	17.9
9066	1,673	12.6	3.6	6,987	5.9	3.9	8.7	3,133	12.6	10.5	4,697	15.6
9068	1,346	14.0	3.5	5,333	6.8	5.2	9.1	2,378	10.6	9.7	3,605	27.0
9069	3,134	13.2	4.3	11,493	6.6	3.6	8.1	4,527	14.0	11.2	7,353	23.2
9070	1,602	14.2	3.6	6,638	6.4	6.0	9.1	3,014	10.5	10.2	4,321	30.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
9072	1,813	12.3	3.5	6,780	6.7	3.1	8.1	2,867	13.8	10.6	4,325	29.3
9074	0	*	*	59	*	*	*	25	*	*	31	*
9080	2,173	12.6	4.2	10,788	5.2	2.6	9.6	5,292	15.0	11.8	8,019	31.4
9081	122	13.9	6.6	227	9.3	6.6	13.7	66	*	*	79	*
Michigan	174,849	9.7	7.0	739,044	5.9	2.6	10.8	327,713	16.7	14.0	496,440	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)**

Run Date: 05/13/2015

**Michigan
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
0101	85	*	55	*	56	*	44	*	51	*	191	83.8	371	5.1
0102	335	66.0	256	18.0	214	8.4	196	25.0	228	7.0	566	75.3	1,316	6.5
0103	276	63.4	246	21.1	196	7.7	194	21.1	226	5.8	633	79.6	1,303	6.2
0104	100	65.0	73	*	65	*	61	*	62	*	211	78.7	442	10.0
0250	88	*	102	16.7	83	*	66	*	91	*	278	82.0	503	6.4
0251	78	*	55	*	53	*	58	*	54	*	191	82.2	359	7.2
0252	86	*	49	*	63	*	29	*	40	*	219	77.6	399	5.8
0253	111	59.5	83	*	77	*	71	*	75	*	303	77.9	559	15.4
0401	329	52.3	260	16.2	266	9.0	203	16.3	219	9.1	773	85.5	1,523	4.2
0402	248	66.5	207	23.2	188	10.1	154	32.5	167	13.2	561	76.3	1,122	6.7
0403	83	*	67	*	72	*	51	*	56	*	191	84.8	382	8.6
0404	90	*	80	*	76	*	54	*	62	*	222	74.8	436	13.8
0501	362	74.9	290	21.7	277	12.6	228	20.2	278	12.9	804	82.5	1,621	13.7
0502	4	*	5	*	1	*	3	*	4	*	5	*	11	*
0503	105	84.8	89	*	59	*	65	*	79	*	264	81.8	500	3.4
0504	367	79.8	280	28.6	268	19.0	218	33.0	246	15.9	767	82.7	1,605	4.5
0505	242	80.2	145	19.3	143	16.8	130	35.4	129	9.3	471	84.9	981	7.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
0506	136	73.5	107	12.1	108	8.3	85	*	97	*	352	77.0	652	14.6
0507	68	*	84	*	87	*	64	*	79	*	256	88.7	469	7.0
0508	7	*	5	*	3	*	7	*	6	*	12	*	25	*
0650	709	77.4	569	23.9	537	14.5	402	25.9	509	13.9	1,480	77.5	3,026	6.1
0651	398	66.8	359	15.9	372	5.4	254	16.1	292	5.1	1,054	79.9	1,991	9.6
0652	175	65.7	142	12.0	154	4.5	104	15.4	114	5.3	482	83.6	914	7.3
0653	288	77.4	215	21.9	233	12.4	144	31.9	177	19.8	819	86.2	1,454	13.6
0654	280	76.8	207	29.0	247	10.9	172	29.7	192	15.1	673	83.5	1,311	8.3
0655	253	72.7	263	16.7	220	10.0	156	19.2	221	9.0	580	79.0	1,182	6.6
0657	49	*	34	*	39	*	28	*	27	*	122	86.9	237	13.9
0701	297	80.5	242	38.8	191	11.5	174	34.5	206	19.4	722	88.1	1,416	1.4
0702	59	*	45	*	45	*	29	*	35	*	154	77.3	292	3.8
0703	137	68.6	113	16.8	87	*	83	*	99	*	348	81.0	665	7.5
0704	45	*	28	*	38	*	12	*	25	*	146	88.4	243	10.3
0705	66	*	61	*	54	*	39	*	54	*	233	89.7	416	2.9
0850	782	75.4	657	21.9	555	8.8	454	20.3	582	11.2	1,523	77.5	3,264	4.0
0851	571	70.6	534	22.1	445	9.9	334	24.3	437	12.6	1,397	80.4	2,731	4.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
0901	1,126	54.4	950	15.2	974	7.6	638	16.1	761	4.6	2,650	86.3	5,249	5.9
0902	28	*	32	*	27	*	25	*	31	*	156	83.3	244	10.2
101	35	*	36	*	30	*	31	*	34	*	87	*	177	8.5
102	167	55.1	125	18.4	114	14.0	115	16.5	124	4.8	339	88.2	700	4.7
103	153	70.6	125	16.8	103	10.7	98	*	120	5.0	340	86.8	676	6.2
104	39	*	33	*	30	*	26	*	33	*	108	83.3	201	7.0
1051	1,550	83.9	1,094	31.3	1,110	19.2	773	30.7	1,009	13.4	2,875	86.9	6,158	3.4
1101	2,010	54.0	1,376	14.6	1,351	8.2	951	15.5	1,140	5.3	3,933	71.8	8,196	6.4
1102	1,014	57.8	790	16.3	685	8.8	566	18.4	665	6.5	1,870	77.1	4,007	5.5
1106	128	65.6	101	21.8	91	*	70	*	86	*	265	81.1	549	6.0
1250	1,040	72.7	858	22.7	871	12.5	681	23.2	776	11.2	2,598	76.9	4,999	5.7
1251	1,010	77.7	754	24.7	634	12.9	632	23.4	694	15.4	1,999	80.1	4,189	7.5
1252	389	76.9	368	23.1	323	14.2	274	16.1	320	9.4	975	80.6	1,905	3.3
1253	1,212	76.4	845	22.4	746	11.4	679	18.0	728	8.4	2,459	83.4	5,050	4.7
1350	2,696	63.2	1,991	13.9	1,908	8.1	1,419	11.8	1,555	5.3	5,652	83.5	11,443	4.2
1351	155	76.1	131	24.4	121	14.9	113	19.5	122	4.1	399	88.0	754	2.8
1352	378	56.1	289	7.3	310	5.8	211	10.4	246	3.7	992	81.0	1,922	5.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
1401	259	78.0	189	24.3	162	14.8	129	22.5	168	7.1	518	82.4	1,089	7.0
1402	153	88.2	121	45.5	104	28.8	97	*	114	17.5	418	85.4	761	2.6
1403	17	*	13	*	12	*	8	*	12	*	92	*	139	7.9
1404	8	*	10	*	7	*	6	*	9	*	25	*	49	*
1501	1,020	70.4	791	22.8	834	15.5	635	19.2	708	8.3	2,677	85.2	5,009	3.5
1503	1,292	70.9	995	25.3	978	14.6	816	23.4	896	13.4	3,044	85.6	5,854	3.0
1504	2,523	74.6	1,379	23.6	1,943	11.1	779	24.0	1,062	9.6	5,599	82.8	11,074	2.1
1505	827	80.2	643	33.4	681	17.5	493	30.6	555	16.9	2,005	86.8	3,892	2.1
1506	688	71.7	564	22.7	594	14.3	470	22.8	504	9.9	1,741	88.5	3,321	2.6
1507	673	80.4	508	27.2	561	13.4	408	28.9	465	15.1	1,487	85.4	3,051	4.0
1508	78	*	43	*	70	*	19	*	32	*	288	90.6	491	0.0
1509	519	70.5	395	24.6	449	10.2	255	14.1	285	8.4	1,556	81.4	2,776	5.3
1511	786	78.8	642	20.4	575	12.7	509	19.8	569	7.2	1,673	87.4	3,429	2.9
1512	398	77.6	262	22.9	314	10.8	160	27.5	213	11.3	1,027	86.3	1,936	3.9
1701	756	67.2	605	27.6	496	14.3	465	31.0	524	21.2	1,791	80.8	3,480	11.9
1950	640	76.7	514	24.1	396	12.9	398	26.1	469	11.7	1,351	83.9	2,798	8.2
1952	151	76.8	127	18.1	105	9.5	97	*	116	9.5	294	80.6	662	6.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
1953	341	75.7	280	24.6	220	7.7	218	26.6	252	13.1	791	82.8	1,606	7.8
1954	640	79.1	565	23.0	445	13.9	463	20.7	515	8.7	1,391	85.8	2,877	5.9
1955	117	73.5	118	32.2	114	22.8	77	*	104	12.5	363	84.6	674	6.2
1957	649	81.7	577	26.2	460	17.0	416	20.4	521	9.6	1,418	83.3	2,991	3.2
2150	761	72.0	591	16.9	618	9.9	493	16.2	541	7.0	1,635	83.4	3,295	4.9
2151	281	65.8	208	17.8	213	11.3	176	17.6	189	10.6	557	85.8	1,173	4.6
2251	489	70.6	428	25.7	376	15.7	315	28.3	383	12.3	1,019	86.9	2,121	2.5
2252	196	68.9	139	19.4	148	12.8	118	24.6	128	7.8	546	84.6	988	6.0
250	59	*	48	*	39	*	42	*	48	*	133	87.2	245	6.5
251	26	*	23	*	35	*	18	*	23	*	91	*	168	10.1
252	36	*	26	*	44	*	16	*	25	*	104	85.6	202	5.9
253	48	*	41	*	41	*	37	*	41	*	131	75.6	249	12.9
2551	0	*	0	*	0	*	0	*	0	*	1	*	1	*
2552	10	*	8	*	2	*	5	*	5	*	3	*	19	*
2554	128	37.5	81	*	100	3.0	50	*	63	*	373	85.8	650	7.4
2555	8,684	55.6	6,838	13.2	5,321	6.5	4,798	11.5	5,578	5.4	14,241	74.7	32,852	5.7
3001	1,018	57.4	767	9.3	697	4.7	627	5.3	698	2.6	2,526	78.5	4,741	7.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
3002	276	56.5	221	5.4	167	4.2	177	5.1	208	1.4	765	94.0	1,371	4.2
3004	135	74.1	99	*	95	*	76	*	96	*	441	70.3	739	1.1
3007	21	*	13	*	15	*	10	*	11	*	88	*	138	0.0
3009	3	*	6	*	4	*	3	*	5	*	21	*	33	*
3201	495	67.1	411	18.5	324	10.5	313	20.1	351	5.7	1,330	85.2	2,518	5.6
3301	3,992	74.6	2,972	22.2	2,689	12.6	2,055	13.7	2,497	5.9	7,213	79.0	15,726	4.3
3302	0	*	0	*	0	*	0	*	0	*	3	*	3	*
3304	156	91.0	126	65.1	120	42.5	87	*	110	20.9	395	83.3	754	0.4
3305	195	80.5	155	33.5	140	17.9	106	16.0	139	10.1	410	88.8	860	1.3
3306	348	75.9	274	24.5	264	12.9	204	17.2	241	5.4	816	90.2	1,619	3.7
3308	101	80.2	77	*	68	*	55	*	64	*	159	86.2	386	3.1
3309	43	*	33	*	34	*	20	*	31	*	109	87.2	205	3.9
3312	426	70.7	366	17.2	342	10.8	266	10.9	311	4.8	1,248	80.2	2,295	3.7
3550	83	*	65	*	74	*	60	*	62	*	205	87.3	416	1.7
3551	17	*	17	*	19	*	15	*	16	*	83	*	139	1.4
3552	53	*	35	*	38	*	27	*	33	*	128	81.3	244	2.9
3701	1,212	72.9	1,025	19.4	1,007	10.2	819	19.5	920	10.4	2,655	76.2	5,365	7.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
3850	3,320	65.8	2,999	16.9	2,578	8.8	1,948	15.9	2,554	6.9	7,435	80.4	14,861	6.3
3950	2,193	69.4	1,586	26.3	1,409	12.6	1,210	20.6	1,381	9.8	4,230	83.0	8,789	3.0
3952	0	*	0	*	0	*	0	*	0	*	2	*	2	*
3954	22	*	27	*	31	*	12	*	18	*	142	86.6	221	2.7
4001	1,323	61.6	1,025	16.9	889	9.6	780	14.4	864	7.5	3,065	59.7	5,997	6.6
4002	1,142	63.6	836	23.3	731	11.9	742	19.9	772	10.0	2,743	74.3	5,331	5.5
401	165	61.8	149	18.1	139	8.6	139	20.1	145	10.3	374	91.4	753	5.6
402	127	70.1	112	25.9	99	*	83	*	106	11.3	266	82.0	556	7.2
403	45	*	31	*	27	*	33	*	30	*	96	*	178	17.4
404	48	*	31	*	28	*	31	*	31	*	117	93.2	217	15.2
4103	77	*	55	*	61	*	40	*	49	*	308	76.9	483	6.8
4106	2,202	66.7	1,997	16.2	1,759	8.2	1,394	9.3	1,693	7.1	5,780	81.3	10,892	3.6
4107	3,662	69.6	3,029	20.8	2,498	10.8	2,164	19.6	2,573	12.9	7,888	82.2	15,948	2.6
4109	1,176	69.1	1,034	22.5	912	12.0	787	21.0	903	11.5	2,849	85.1	5,478	3.9
4110	0	*	0	*	0	*	0	*	0	*	4	*	4	*
4112	487	29.0	386	15.8	379	9.2	294	5.4	332	3.6	1,576	89.8	2,657	2.7
4113	833	78.4	571	18.7	555	12.3	504	7.1	512	5.5	1,787	81.3	3,582	1.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
4115	574	76.0	225	23.6	147	12.9	159	27.0	200	12.0	469	85.9	1,247	1.2
4120	1,974	72.0	1,910	18.5	1,511	9.4	1,380	14.1	1,633	7.3	4,624	84.1	9,340	1.7
4160	1,783	71.1	1,719	28.0	1,347	16.9	1,188	21.6	1,453	14.4	4,277	82.4	8,675	1.7
4351	551	74.6	404	18.8	440	12.5	342	21.9	374	13.6	1,497	89.3	2,765	6.5
4352	193	75.6	146	17.8	161	6.2	130	15.4	133	9.8	526	79.3	959	14.7
4353	463	73.7	344	16.3	369	11.1	275	13.8	303	5.9	1,294	82.1	2,360	5.4
4354	785	70.3	636	24.1	637	11.9	532	27.4	583	19.0	1,736	89.3	3,560	3.2
4355	330	74.2	241	17.8	285	8.1	186	20.4	209	2.9	769	89.1	1,518	5.7
4356	540	73.1	376	24.2	442	11.5	319	21.9	332	7.8	1,281	89.3	2,467	5.7
4358	137	81.8	131	25.2	137	17.5	100	5.0	123	3.3	487	81.5	817	1.6
4359	540	76.9	379	29.8	456	15.4	273	17.6	339	9.7	1,486	75.8	2,718	4.3
4360	253	83.0	209	21.5	188	12.2	182	15.9	206	6.8	552	82.8	1,097	8.0
4361	234	78.6	171	19.9	180	11.7	134	12.7	160	3.8	528	84.5	1,051	4.7
4362	327	83.2	235	26.4	275	16.0	172	19.8	219	5.5	745	85.8	1,476	7.7
4363	965	79.5	774	20.4	795	11.7	625	15.2	738	5.6	2,138	82.2	4,284	5.9
4401	1,334	68.7	1,080	22.9	1,052	11.3	838	22.3	989	9.6	2,774	87.5	5,847	3.5
4501	1,008	70.1	785	17.7	744	10.5	592	15.9	686	5.4	2,371	85.7	4,594	4.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
4601	1,706	72.2	1,358	19.2	1,192	10.6	1,065	16.9	1,268	6.6	2,990	75.6	6,507	5.0
4701	1,426	75.6	1,139	22.4	1,116	12.1	809	21.8	1,005	9.9	2,740	88.2	6,008	2.7
501	192	67.7	133	27.1	125	16.8	111	24.3	130	18.5	393	90.6	796	4.8
502	0	*	0	*	4	*	0	*	0	*	1	*	6	*
503	44	*	50	*	40	*	37	*	50	*	125	88.8	238	4.2
504	169	81.7	125	39.2	124	17.7	115	40.9	121	21.5	334	91.0	706	5.2
505	118	75.4	72	*	58	*	65	*	70	*	249	87.1	477	4.8
5050	1,938	60.0	1,316	14.5	1,304	7.7	1,081	11.7	1,150	6.3	3,266	79.4	7,372	3.2
5051	2,876	62.8	1,916	15.7	1,887	7.0	1,572	11.0	1,718	6.5	4,671	76.7	10,760	3.2
5052	2,698	56.3	1,779	12.9	1,830	6.7	1,450	8.5	1,600	4.2	4,777	77.1	10,530	2.8
5055	889	28.8	684	14.2	574	7.0	524	1.9	584	2.1	1,987	52.9	3,782	3.8
506	76	*	73	*	52	*	49	*	70	*	166	84.3	337	10.4
507	28	*	28	*	46	*	26	*	28	*	146	91.8	255	5.1
508	12	*	18	*	21	*	16	*	18	*	68	*	113	2.7
5101	2,299	66.2	1,757	22.3	1,736	10.1	1,386	16.0	1,579	8.4	4,218	81.4	9,284	2.7
5202	648	77.3	450	27.3	472	15.0	349	23.5	419	10.3	1,329	85.3	2,745	3.7
5203	126	71.4	73	*	108	7.4	49	*	62	*	312	88.5	592	5.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
5204	103	77.7	71	*	104	10.6	50	*	66	*	248	85.9	485	3.7
5601	1,185	78.6	1,071	25.3	898	14.5	964	25.1	1,013	11.1	2,985	85.7	5,731	4.0
5801	1,995	65.0	1,532	14.9	1,473	8.6	1,201	12.7	1,300	6.8	3,936	80.0	8,309	6.4
5803	173	67.6	165	26.1	178	11.2	106	23.6	146	13.0	593	85.8	1,057	3.8
5804	41	*	50	*	67	*	34	*	44	*	200	84.5	342	3.2
6101	69	*	53	*	66	*	45	*	48	*	210	88.1	381	11.8
6102	241	77.6	165	29.7	211	19.0	155	26.5	152	9.2	684	86.4	1,239	5.2
6103	3,813	58.8	2,428	13.7	2,782	6.9	2,179	11.8	2,118	5.4	8,411	82.9	16,675	6.4
6104	490	49.0	319	8.2	327	4.0	258	5.8	268	1.9	724	72.1	1,771	8.9
6105	45	*	41	*	48	*	41	*	41	*	173	83.2	297	5.7
6301	4,673	56.6	3,628	16.2	2,700	7.1	3,000	11.2	3,361	6.0	8,079	80.4	18,520	2.4
6312	2,753	65.6	2,394	23.1	1,722	14.5	1,867	17.9	2,190	10.9	4,807	78.0	11,142	2.2
6316	1,596	64.9	1,341	21.0	1,039	9.0	1,033	14.6	1,220	8.9	2,989	79.1	6,588	3.4
6320	177	59.3	167	28.1	126	21.4	114	14.0	146	12.3	519	92.9	961	1.8
6325	146	69.2	108	23.1	79	*	93	*	99	*	406	88.7	727	5.0
6330	793	51.1	594	10.9	369	3.3	467	5.4	511	3.1	1,575	76.7	3,230	5.7
6335	562	51.4	413	23.5	310	11.3	370	15.4	386	7.8	1,589	90.2	2,810	0.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
6340	81	*	66	*	53	*	54	*	56	*	263	88.2	459	1.7
6345	23	*	21	*	16	*	19	*	21	*	65	*	121	0.0
6350	237	54.9	185	18.9	140	8.6	157	12.7	171	8.8	614	88.3	1,168	1.8
650	379	73.4	288	22.9	287	14.3	222	18.9	280	11.1	717	87.4	1,527	4.7
651	219	66.7	165	16.4	168	7.1	139	16.5	160	1.9	492	94.7	952	10.3
652	107	73.8	73	*	86	*	67	*	72	*	248	89.1	476	7.8
653	153	80.4	109	24.8	132	24.2	76	*	106	13.2	392	96.4	730	11.6
654	108	84.3	89	*	109	12.8	83	*	88	*	322	94.7	582	7.7
655	126	72.2	96	*	93	*	68	*	95	*	288	90.6	555	5.2
657	17	*	14	*	19	*	10	*	13	*	68	*	111	13.5
6877	6	*	13	*	10	*	6	*	12	*	36	*	69	*
6895	1	*	3	*	9	*	0	*	2	*	17	*	29	*
701	137	79.6	121	42.1	104	18.3	103	25.2	116	16.4	344	94.2	678	1.3
702	28	*	31	*	21	*	26	*	31	*	71	*	138	4.3
703	69	*	57	*	41	*	45	*	56	*	183	86.3	349	4.0
704	15	*	12	*	12	*	12	*	12	*	61	*	96	*
705	41	*	35	*	14	*	30	*	34	*	86	*	162	4.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
7304	199	59.3	139	10.1	137	5.8	108	9.3	106	9.4	504	84.5	972	5.0
7306	2,731	65.3	1,849	14.0	1,738	6.4	1,599	10.7	1,543	6.2	5,516	78.4	11,451	6.0
7308	193	70.5	141	19.9	125	10.4	96	*	87	*	401	84.5	848	3.5
7310	29	*	34	*	23	*	14	*	21	*	65	*	145	6.2
7401	2,550	58.1	2,222	13.3	1,926	5.7	1,500	13.3	1,959	6.1	5,318	85.4	10,796	7.4
7601	666	65.8	542	18.1	429	6.8	433	15.9	506	7.3	1,410	83.2	2,905	6.1
7850	1,268	72.5	1,105	22.9	965	11.4	776	14.0	923	4.9	2,525	84.6	5,345	4.9
7852	73	*	63	*	69	*	47	*	55	*	238	91.2	432	3.0
8101	1,751	45.2	1,183	9.5	862	4.2	1,122	4.2	1,120	2.9	2,002	69.7	5,546	7.0
8102	484	38.6	329	8.2	293	3.8	308	2.3	319	1.3	1,364	71.6	2,417	3.1
8105	1,194	50.5	715	14.5	547	7.7	695	8.9	720	6.1	1,355	83.6	3,643	2.7
8106	446	46.0	259	10.0	260	4.6	295	6.1	253	3.2	777	65.9	1,703	3.7
8150	74	*	54	*	69	*	47	*	50	*	253	89.7	439	2.7
8151	3,315	78.4	2,719	30.4	2,502	17.1	2,089	19.2	2,474	10.8	7,073	82.2	14,395	3.2
8152	242	77.7	210	21.9	170	4.1	150	17.3	181	8.3	332	75.3	870	4.9
8153	23	*	19	*	28	*	12	*	17	*	99	*	166	3.0
8154	10	*	9	*	10	*	8	*	9	*	52	*	86	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
8155	70	*	64	*	69	*	50	*	60	*	285	89.8	466	2.1
8156	0	*	1	*	0	*	0	*	1	*	1	*	4	*
8157	13	*	12	*	10	*	13	*	12	*	96	*	122	5.7
8201	3,180	58.0	2,538	16.9	1,953	7.6	1,934	11.3	2,273	5.8	4,704	82.1	11,491	3.6
8202	3,512	50.4	2,524	27.5	2,204	10.7	1,957	5.2	2,240	4.2	8,366	77.9	16,011	3.0
8203	413	58.1	331	20.5	235	11.9	251	16.3	292	7.9	698	87.4	1,567	4.3
8250	1,080	46.7	807	10.5	696	5.5	591	7.6	630	5.2	1,803	80.9	4,083	3.6
8252	115	55.7	87	*	91	*	73	*	90	*	295	71.5	577	4.5
8255	3,190	54.7	2,596	14.3	2,078	6.9	2,100	9.7	2,426	5.4	5,020	79.4	12,108	4.1
8257	660	72.9	496	29.0	426	15.5	377	3.2	426	2.6	1,524	82.0	2,952	1.2
8258	878	53.6	566	12.7	456	8.3	444	7.9	518	4.1	1,498	79.1	3,325	4.4
8260	431	72.9	349	28.1	395	15.4	243	3.7	316	2.8	1,229	70.0	2,371	2.6
8263	466	58.4	337	16.3	204	8.3	310	9.4	329	7.3	510	81.4	1,323	3.1
8264	12	*	1	*	3	*	0	*	1	*	3	*	18	*
850	358	80.2	318	22.3	277	14.4	231	16.0	299	6.4	715	87.0	1,518	4.0
851	282	77.0	234	22.2	206	9.2	176	19.9	222	12.6	670	90.6	1,284	4.8
8901	1,002	38.1	756	6.2	673	1.9	659	3.2	667	1.2	2,503	61.2	4,932	10.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
8902	1,027	42.3	790	8.9	629	3.0	718	5.3	724	2.8	1,884	68.0	4,255	6.6
8903	1,089	36.4	737	8.0	654	2.4	716	3.1	704	1.4	2,605	67.6	5,181	7.5
8904	1,158	45.8	925	11.9	781	5.4	766	5.6	828	4.1	2,654	69.9	5,465	8.1
8905	2,512	44.4	1,787	12.3	1,500	4.6	1,533	4.9	1,679	3.4	6,238	73.3	11,965	4.2
901	544	61.2	439	15.0	470	8.1	413	16.7	428	2.8	1,247	95.9	2,514	4.9
9010	171	32.7	21	*	0	*	24	*	14	*	0	*	170	8.8
9012	44	*	39	*	37	*	24	*	35	*	179	62.6	287	13.2
9013	41	*	44	*	54	*	30	*	40	*	160	58.1	285	11.2
9015	17	*	12	*	16	*	11	*	12	*	57	*	104	9.6
9016	191	40.8	155	6.5	153	0.7	127	1.6	138	0.7	545	61.5	1,012	9.8
9017	57	*	58	*	42	*	36	*	52	*	191	60.7	355	11.8
9018	122	61.5	130	11.5	114	7.0	90	*	110	4.5	469	62.7	813	7.5
9019	24	*	19	*	20	*	14	*	15	*	96	*	159	11.9
902	14	*	16	*	14	*	12	*	16	*	53	*	91	*
9021	18	*	19	*	16	*	10	*	17	*	62	*	112	4.5
9041	18	*	11	*	16	*	9	*	11	*	37	*	75	*
9045	2,619	37.8	1,460	6.6	1,252	1.9	1,164	3.9	1,228	1.6	4,238	72.7	8,841	6.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2012 - 2014 Pediatric Nutrition Surveillance (1)
Michigan

Run Date: 05/13/2015

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)
Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
9050	1,462	52.7	1,076	13.1	863	4.6	872	4.6	949	2.4	3,282	64.6	6,624	6.8
9051	1,539	53.7	1,152	14.8	916	7.5	925	2.5	1,069	1.7	3,735	72.5	7,264	2.9
9053	2,776	45.9	1,968	13.0	1,486	5.7	1,718	7.9	1,813	4.7	4,265	71.1	10,217	16.5
9055	524	25.4	38	*	0	*	88	*	42	*	4	*	530	7.4
9058	882	59.1	750	24.1	795	12.5	640	5.9	716	3.2	2,595	89.0	4,743	3.0
9066	1,674	39.1	1,112	8.3	947	2.4	984	6.2	1,032	3.9	3,419	68.9	7,143	9.2
9068	1,348	38.6	900	10.9	691	4.8	851	9.0	834	4.4	2,643	64.1	5,510	15.9
9069	3,144	51.7	2,288	11.6	1,772	3.8	2,023	5.4	2,174	2.7	4,981	68.6	11,743	9.0
9070	1,616	43.4	1,046	9.8	912	3.4	905	5.9	933	3.9	3,340	60.1	6,806	10.4
9072	1,833	41.1	1,241	8.1	1,001	2.7	1,128	3.6	1,147	2.2	3,212	55.1	7,094	15.0
9074	0	*	9	*	5	*	0	*	9	*	28	*	60	*
9080	2,185	50.7	1,775	18.7	1,837	6.5	1,339	5.8	1,521	2.2	5,769	73.9	11,025	4.2
9081	122	27.9	50	*	18	*	65	*	47	*	73	*	241	8.3
	137	43.8	136	8.1	70	*	131	9.9	121	4.1	205	32.7	514	25.9
Michigan	176,744	62.0	134,673	18.4	120,527	9.5	105,034	14.0	119,125	7.2	365,531	79.2	754,822	5.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.