

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	Behavior measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
VEHICLE SAFETY																
8	Of students who rode bicycle during past 12 months, % who never/rarely wore a helmet	Bicycle no helmet (12 months)	88	89	87		92	91	87	86	90	88	90	85	95	94
9			88.1	89.4	86.8	N/A	92.4	90.6	87.4	86.2	89.5	87.6	90.3	85.4	94.5	93.8
			84.7-90.9	86.3-91.9	82.3-90.2		89.7-94.4	83.1-95.0	83.1-90.7	81.4-89.9	85.2-92.7	80.8-92.2	85.5-93.6	81.1-88.9	92.2-96.1	89.4-96.5
9	% of students who never/rarely wore seat belt when riding in a car driven by someone else	Car passenger no seat belt else	8	10	5		12	14	6	7	8	7	9	6	9	16
10			7.8	9.9	5.4	N/A	11.8	13.8	6.2	6.5	8.0	7.1	9.2	6.1	9.0	15.8
			6.2-9.9	8.1-11.9	3.8-7.7		8.4-16.3	9.0-20.7	4.8-8.0	4.9-8.7	5.3-11.9	4.4-11.2	6.8-12.4	4.6-8.2	6.3-12.6	10.7-22.7
10	% of students who during the past 30 days rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol	Car passenger with driver DUI (30 days)	28	27	28		39	36	24	23	25	31	31	24	33	39
11			27.5	26.7	28.1	N/A	38.5	35.8	23.8	23.4	25.0	31.4	30.7	24.3	33.2	38.7
			24.5-30.8	23.7-29.8	24.1-32.5		29.6-48.4	27.6-44.8	21.7-25.9	20.7-26.3	21.6-28.8	25.0-38.7	27.1-34.5	21.4-27.5	27.7-39.2	31.6-46.3
11	% of students who during the past 30 days drove a car or other vehicle one or more times when they had been drinking alcohol	DUI (30 days)	8	10	7		7	17	8	3	6	11	15	7	11	9
12			8.4	9.6	6.9	N/A	7.1	17.1	8.2	3.2	6.1	10.5	14.5	7.4	10.7	8.5
			7.0-10.0	7.7-12.0	5.6-8.5		4.8-10.4	11.4-25.0	6.6-10.1	1.9-5.2	4.7-8.0	8.4-13.2	10.8-19.1	6.0-9.2	8.5-13.4	5.1-13.8
VIOLENCE																
12	% of students who carried a weapon, such as a gun, knife or club, on one or more of the past 30 days	Weapon carry (30 days)	17	26	8		17	21	16	17	18	16	15	13	22	35
13			16.6	25.5	7.5	N/A	16.9	21.4	15.7	16.7	18.0	16.3	14.6	12.5	21.6	35.3
			15.3-18.1	22.9-28.3	6.1-9.2		13.1-21.6	15.5-28.7	13.9-17.8	14.4-19.4	15.7-20.6	13.7-19.2	11.3-18.6	10.8-14.4	19.3-24.2	29.5-41.5
13	% of students who carried a gun on one or more of the past 30 days	Gun carry (30 days)	6	10	2		7	11	5	5	7	6	5	4	6	12
14			5.8	9.5	1.9	N/A	6.7	10.6	4.9	5.4	6.5	5.7	5.1	4.4	6.2	12.3
			4.9-6.9	7.8-11.5	1.2-2.9		4.5-9.8	6.3-17.2	3.7-6.4	3.7-7.8	5.1-8.1	4.1-7.8	3.2-8.0	3.2-6.0	4.9-7.8	8.2-18.3
14	% of students who carried a weapon, such as a gun, knife or club, on school property on one or more of the past 30 days	Weapon on school property (30 days)	5	7	3		8	10	4	4	5	6	6	4	7	14
15			5.4	7.3	3.2	N/A	7.7	9.5	4.2	4.2	5.0	6.2	5.5	3.7	7.0	13.7
			4.7-6.1	6.2-8.6	2.3-4.3		5.6-10.5	5.8-15.2	3.5-5.0	3.2-6.4	3.6-7.1	5.0-7.7	4.0-7.4	3.2-4.2	5.1-9.5	9.8-18.8
15	% of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school	Missed school felt unsafe (30 days)	7	7	7		17	16	4	5	8	9	7	6	8	13
16			7.4	7.4	7.0	N/A	17.1	15.5	4.3	5.0	8.0	9.0	7.4	6.3	8.1	12.6
			5.0-10.8	5.0-10.9	4.6-10.5		9.6-28.7	10.8-21.8	3.6-5.1	3.8-6.5	5.1-12.4	3.9-19.5	5.4-9.9	3.6-10.6	5.6-11.6	7.2-21.1
16	% of students who had been threatened or injured with a weapon on school property one or more times during the past 12 months	Weapon threat/injury on school property	9	12	7		11	16	8	11	11	8	8	8	11	17
17			9.4	11.5	7.0	N/A	10.7	15.6	8.2	10.8	10.7	7.8	7.5	7.7	10.6	16.6
			8.2-10.8	9.8-13.4	5.5-9.0		6.8-16.5	10.7-22.2	6.7-10.1	8.5-13.6	8.9-12.7	5.7-10.4	5.7-9.9	6.6-8.9	8.4-13.4	12.4-21.9
17	% of students who were in a physical fight one or more times during the past 12 months	Physical fight (12 months)	32	40	23		45	42	28	35	32	34	26	24	44	59
18			31.6	40.0	22.9	N/A	44.5	42.4	27.5	34.8	32.1	33.5	25.5	24.4	43.9	58.9
			28.2-35.3	36.3-43.9	19.0-27.4		36.7-52.6	34.8-50.4	24.4-30.9	30.9-38.9	28.2-36.2	27.0-40.6	20.2-31.7	20.9-28.2	39.4-48.5	53.2-64.4
18	% of students who were injured in a physical fight and had to be treated by a doctor/nurse one or more times during the past 12 months	Fight injury requiring treatment (12 months)	5	5	3		7	8	4	4	6	5	4	3	7	11
19			4.5	5.4	3.3	N/A	6.7	7.7	3.5	3.7	5.6	4.9	3.6	3.0	6.8	10.6
			3.7-5.4	4.3-6.9	2.5-4.3		3.9-11.5	4.6-12.7	2.9-4.2	2.9-4.7	4.4-7.1	3.3-7.3	2.4-5.3	2.1-4.1	4.7-9.7	6.8-16.1

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
19	% of students who were in a physical fight on school property one or more times during the past 12 months	Physical fight on school property (12 months)	11	15	7		18	21	9	14	12	12	7	8	16	25
20			11.3	14.9	7.4	N/A	17.9	21.0	9.0	14.1	11.7	11.5	7.2	8.0	15.7	25.3
			9.4-13.6	12.6-17.6	5.6-9.8		11.0-27.6	14.5-29.2	7.6-10.6	11.5-17.3	9.8-13.9	6.5-19.6	5.5-9.5	5.6-11.4	12.7-19.2	19.7-31.9
20	% of students who were ever hit, slapped or physically hurt on purpose by their boyfriend/girlfriend during the past 12 months	Physical violence with boyfriend/girlfriend (12 months)	15	15	15		23	22	13	12	17	15	17	13	19	19
21			15.2	15.4	15.1	N/A	23.0	22.1	12.8	11.6	16.7	15.2	17.2	13.0	19.4	19.4
			13.5-17.1	13.4-17.6	12.5-18.0		18.3-28.6	16.3-29.2	11.1-14.7	9.8-13.8	13.7-20.2	12.6-18.1	12.9-22.7	11.3-14.9	16.1-23.0	14.7-25.3
22	% of students who had ever been bullied on school property during the past 12 months	Bullied on school property	24	21	27		18	30	25	30	25	23	16	23	25	26
23			24.0	21.3	26.6	N/A	18.3	30.2	25.0	29.7	25.3	22.9	16.3	23.4	25.2	25.8
			20.5-27.8	17.6-25.6	22.6-31.0		13.0-25.2	24.7-36.2	21.7-28.8	25.5-34.3	22.0-28.8	17.0-30.1	12.1-21.5	19.3-28.2	20.4-30.7	21.7-30.4
DEPRESSION & SUICIDE																
23	% of students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	Sad or hopeless two weeks (12 months)	27	20	35		28	36	27	27	28	28	27	22	36	47
24			27.4	20.3	34.7	N/A	28.3	36.1	26.5	27.4	27.5	27.6	26.8	22.1	35.9	46.7
			25.0-29.9	18.0-22.7	31.4-38.1		23.6-33.5	29.6-43.1	23.7-29.4	24.6-30.5	24.9-30.2	22.7-33.2	22.2-31.9	19.7-24.7	31.6-40.5	39.3-54.1
24	% of students who seriously considered attempting suicide during the past 12 months	Suicide considered (12 months)	16	13	19		17	23	15	18	15	17	13	13	19	31
25			16.0	12.8	19.2	N/A	17.0	22.5	15.0	18.1	15.3	16.8	13.4	13.0	19.4	31.4
			14.3-17.8	11.2-14.5	17.1-21.6		14.1-20.4	18.1-27.5	12.9-17.5	15.2-21.5	12.3-18.8	13.4-20.8	10.7-16.6	11.4-14.8	16.4-22.7	24.8-38.9
25	% of students who made a plan about how they would attempt suicide during the past 12 months	Suicide planned (12 months)	15	13	16		16	21	14	16	13	16	13	12	17	28
26			14.6	12.7	16.4	N/A	15.9	20.9	13.5	15.7	13.2	15.8	13.3	12.0	17.0	27.7
			13.3-16.1	11.3-14.3	14.6-18.3		11.7-21.3	15.3-27.9	11.7-15.5	12.9-19.0	11.1-15.6	12.9-19.1	10.7-16.5	10.6-13.6	13.5-21.1	22.4-33.8
26	% of students who actually attempted suicide one or more times during the past 12 months	Suicide attempted (12 months)	9	7	11		16	13	7	10	10	10	7	7	11	23
27			9.3	7.2	11.1	N/A	16.3	13.4	7.2	10.4	9.9	9.8	6.6	6.9	11.3	22.5
			7.4-11.6	5.5-9.4	8.8-14.0		11.7-22.3	8.3-20.8	5.7-9.0	7.8-13.6	7.5-13.0	6.1-15.3	4.2-10.1	5.2-9.0	8.0-15.7	17.1-29.1
27	% of students whose attempted suicide resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months	Suicide injury treated (12 months)	3	3	3		5	6	2	3	3	3	3	2	4	6
28			3.0	2.6	3.3	N/A	4.9	5.8	2.2	3.1	2.6	3.4	2.8	2.0	4.2	6.3
			2.4-3.9	1.7-4.0	2.5-4.4		2.9-8.2	2.9-11.4	1.6-2.9	2.1-4.7	1.8-3.8	2.0-5.6	1.5-5.1	1.4-3.0	2.8-6.3	3.5-10.9
TOBACCO																
28	% of students who ever tried cigarette smoking, even one or two puffs	Cigarettes Ever	46	45	47		45	58	45	37	44	52	52	39	60	72
29			46.0	45.2	46.8	N/A	45.4	58.4	45.4	37.0	44.4	51.9	52.4	38.5	59.5	72.4
			43.4-48.6	41.9-48.6	43.3-50.4		40.5-50.3	51.5-65.0	42.2-48.7	32.3-42.0	39.7-49.2	46.3-57.3	47.6-57.2	35.8-41.2	54.8-64.0	66.5-77.6
29	% of students who smoked a whole cigarette for the first time before age 13	Cigarettes before age 13	11	12	10		15	18	10	12	11	12	9	8	17	25
30			11.1	11.6	10.3	N/A	14.5	18.0	9.7	11.9	10.8	12.3	8.7	7.6	16.5	24.5
			9.6-12.7	10.1-13.2	8.3-12.8		12.1-17.3	12.6-25.2	7.8-11.9	9.3-15.1	9.2-12.5	8.9-16.8	6.2-12.1	6.1-9.3	13.2-20.4	19.4-30.4

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	Behavior measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #			M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs	
30	% of students who smoked cigarettes on one or more of the past 30 days	Cigarettes 1+ 30 days (Recent)	19	18	19		11	26	20	15	17	21	23	14	27	43
31			18.8	18.4	19.1	N/A	11.0	26.2	19.9	14.8	16.5	21.4	23.4	13.5	26.9	42.7
			16.5-21.4	15.9-21.2	16.3-22.2		7.9-15.2	19.5-34.3	17.7-22.4	12.0-18.1	13.5-20.2	17.3-26.0	17.8-30.2	11.6-15.6	22.5-31.8	36.4-49.3
FR CIG	% of students who smoked cigarettes on 20 or more of the past 30 days	Cigarettes 20+ days 30 days (Frequent)	8	7	9		4	11	8	6	6	9	11	5	12	23
31			7.8	7.1	8.5	N/A	4.1	11.4	8.3	5.5	6.1	9.2	11.1	4.7	12.0	23.0
			6.2-9.8	5.8-8.7	6.4-11.2		2.3-7.0	7.2-17.7	6.5-10.5	3.7-7.9	4.1-8.8	6.1-13.5	8.2-14.9	3.5-6.2	9.1-15.6	17.2-30.1
31	% of students who smoked 10 or more cigarettes per day on the days they smoked during the past 30 days	Cigarettes 10+ per day 30 days (Heavy)	10	13	7				9	7	9	11	12	7	6	
32			9.7	12.7	6.6	N/A	-	-	9.4	7.1	8.9	10.6	11.8	7.0	6.2	-
			7.2-13.0	8.9-17.7	3.8-11.2				6.8-13.0	3.6-13.4	5.0-15.4	5.8-18.6	8.6-15.9	7.5-15.9	3.3-11.3	
32	Among students who were less than 18 years of age and who reported current cigarette use, % who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	Bought cigarettes under 18 (30 days)	15	21	10				15	7	8	21		14	17	
33			15.2	21.2	9.7	N/A	-	-	14.5	6.8	8.0	21.3	-	13.8	16.7	-
			10.2-22.1	13.8-31.1	4.8-18.3				9.4-21.6	2.6-16.8	3.6-16.7	12.7-33.6		8.4-21.9	8.3-30.8	
33	% of students who smoked cigarettes on school property on one or more of the past 30 days	Cigarettes on school property (30 days)	6	6	6		5	11	6	4	5	7	8	4	8	15
34			5.9	6.0	5.7	N/A	5.3	11.3	5.6	4.4	4.7	6.5	8.2	3.7	8.4	14.5
			4.8-7.2	4.6-7.6	4.4-7.5		3.0-9.1	6.7-18.2	4.5-7.0	2.8-6.9	3.1-6.9	4.5-9.2	6.2-10.7	2.9-4.8	5.9-11.7	10.6-19.7
34	% of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days	Daily cigarettes ever	13	13	12		7	15	13	10	10	15	15	8	18	31
35			12.5	12.7	12.2	N/A	6.7	15.2	13.4	10.1	10.2	14.7	15.3	8.4	17.6	30.9
			10.2-15.1	10.6-15.1	9.5-15.6		4.2-10.5	10.6-21.4	11.1-16.0	7.6-13.3	7.8-13.3	10.6-20.0	11.4-20.2	6.7-10.5	13.9-21.9	25.2-37.2
35	Among students who reported current cigarette use, % of students who ever tried to quit smoking cigarettes during the past 12 months	Cigarettes tried to quit (12 months)	54	52	56				53	65	53	51	48	48	64	
36			53.6	51.5	55.7	N/A	-	-	52.8	65.1	52.8	51.4	48.0	48.0	63.7	-
			48.1-59.0	44.6-58.4	48.3-62.7				47.1-58.4	53.4-75.2	44.2-61.3	42.0-60.8	40.3-55.9	40.5-55.6	54.7-71.8	
89	% of students who have ever tried chewing tobacco, snuff, or dip	Chew, snuff, dip (Ever)	18	27	10		12	26	20	14	17	22	23	15	24	28
37			18.4	27.0	9.6	N/A	11.9	25.8	19.6	13.5	16.5	21.8	22.7	15.4	24.1	28.4
			15.7-21.5	22.5-32.1	7.7-12.0		9.6-14.7	18.4-34.9	16.9-22.6	9.8-18.2	12.8-21.1	17.7-26.6	17.7-28.6	12.6-18.7	20.4-28.2	21.2-36.9
36	% of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	Chew, snuff, dip (30 days)	11	15	6		9	19	10	8	9	13	13	9	14	18
38			10.6	15.3	5.6	N/A	8.7	18.9	10.1	8.0	8.8	12.6	12.5	8.6	13.9	17.6
			9.2-12.2	12.7-18.3	4.4-7.1		6.2-12.1	12.4-27.9	8.6-12.0	5.9-10.8	6.4-11.9	10.4-15.2	8.9-17.4	7.3-10.1	11.9-16.1	11.7-25.5
38	% of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	Cigars (30 days)	15	20	9		14	24	14	10	13	16	20	12	17	28
39			14.7	19.9	9.0	N/A	14.1	24.0	14.0	10.2	13.1	15.6	19.9	11.8	17.0	27.9
			13.0-16.5	17.2-22.9	7.4-10.9		10.5-18.7	17.4-32.1	12.2-16.0	7.9-13.1	10.8-15.9	12.7-18.9	14.9-25.9	10.0-14.0	14.5-19.9	22.3-34.3
ANY TOB	% of students who used any tobacco during the past 30 days	Any tobacco (30 days)	25	28	23		17	35	27	19	22	29	32	20	33	48
			25.2	27.6	22.9	N/A	16.9	35.3	26.5	19.1	22.2	29.4	31.7	20.1	33.1	48.0
			22.7-27.9	23.9-31.5	20.2-25.8		12.7-22.0	28.5-42.8	23.9-29.2	16.3-22.2	19.1-25.6	25.1-34.1	24.9-39.4	17.7-22.7	28.8-37.7	41.8-54.2

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
ALCOHOL																
39	% of students who had at least one drink of alcohol on one or more days during their life	Alcohol Ever	69	67	71		62	77	70	62	66	72	77	66	76	77
40			68.8	67.0	70.5	N/A	61.7	76.9	70.3	61.7	66.0	72.3	77.1	65.9	76.0	77.1
			65.8-71.7	63.1-70.6	66.6-74.2		57.8-65.6	69.2-83.1	66.8-73.5	55.0-67.9	60.5-71.1	68.8-75.4	70.7-82.5	62.1-69.5	71.8-79.9	70.5-82.6
40	% of students who had their first drink of alcohol, other than a few sips, before age 13	Alcohol before age 13	19	21	16		19	23	18	24	17	17	16	15	27	31
41			18.8	21.0	16.4	N/A	18.8	22.5	18.0	24.2	17.4	16.9	15.8	14.7	26.6	30.7
			16.7-21.1	18.0-24.3	14.0-19.1		14.7-23.8	17.3-28.8	15.4-20.8	19.4-29.6	15.1-19.9	13.7-20.7	12.9-19.2	12.7-16.9	22.1-31.5	22.8-39.9
41	% of students who had at least one drink of alcohol on one or more of the past 30 days	Recent alcohol use (30 days)	37	36	38		28	45	39	26	32	42	50	34	44	51
42			37.0	36.0	37.9	N/A	27.5	45.0	38.6	26.4	31.6	42.4	50.2	33.5	43.8	51.3
			34.4-39.7	32.5-39.5	34.1-41.7		22.9-32.6	36.8-53.4	35.4-41.9	21.9-31.4	26.9-36.6	39.3-45.6	44.9-55.4	30.4-36.8	38.7-49.0	45.6-56.9
42	% of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	Alcohol binge (30 days)	23	24	22		14	36	25	15	19	26	35	21	27	36
43			23.2	23.8	22.4	N/A	13.5	35.9	24.9	14.8	18.8	26.3	34.6	20.7	27.0	35.9
			20.9-25.6	20.6-27.4	19.6-25.5		10.2-17.8	28.1-44.6	22.6-27.3	11.7-18.6	16.2-21.7	22.3-30.8	29.2-40.5	18.2-23.3	23.1-31.3	30.3-41.9
44	% of students who had a least one drink of alcohol on school property on one or more of the past 30 days	Alcohol school property (30 days)	4	4	3		5	7	3	3	3	5	5	3	4	7
45			3.7	4.2	3.1	N/A	4.8	6.9	3.1	2.7	3.0	5.0	4.5	3.2	4.1	7.0
			3.0-4.7	3.0-5.7	2.3-4.4		3.2-7.2	3.9-12.0	2.4-4.1	1.7-4.2	2.3-4.0	3.2-7.7	3.1-6.5	2.4-4.4	3.0-5.6	4.0-12.1
43	Among students who reported current alcohol use, % who usually got the alcohol they drank from someone who gave it to them during the past 30 days	Got alcohol from someone else (30 days)	32	26	38				33	35	38	31	28	33	32	33
44			32.2	26.2	37.8	N/A	-	-	32.8	34.5	37.7	31.1	28.0	32.9	32.4	32.6
			28.7-36.0	21.6-31.4	33.0-42.8				28.5-37.5	28.2-41.3	33.5-42.2	26.4-36.1	22.8-33.9	28.0-38.3	25.5-40.1	26.8-38.9
OTHER DRUGS																
45	% of students who used marijuana one or more times during their life	Marijuana use Ever	37	38	35		39	44	36	23	32	45	47	31	47	55
46			36.5	38.4	34.7	N/A	39.2	44.0	35.6	23.4	32.1	45.4	47.4	31.1	47.2	55.1
			33.9-39.3	34.7-42.3	31.6-37.8		33.0-45.7	37.6-50.6	32.3-39.0	18.3-29.5	28.8-35.6	40.8-50.1	43.6-51.1	28.2-34.1	41.8-52.7	48.6-61.3
46	% of students who tried marijuana for the first time before age 13	Marijuana before age 13	8	10	6		15	13	6	9	7	8	7	5	12	18
47			7.9	9.9	5.8	N/A	14.9	12.7	5.8	8.6	6.9	8.1	7.4	5.3	11.8	18.2
			6.5-9.6	8.0-12.2	4.5-7.5		10.6-20.5	8.2-19.3	4.4-7.6	6.0-12.2	5.1-9.3	5.1-12.9	5.2-10.2	4.1-6.9	8.6-16.0	14.2-23.0
47	% of students who used marijuana one or more times during the past 30 days	Recent marijuana (30 days)	21	22	19		21	31	20	13	18	26	27	17	26	35
48			20.7	22.1	19.3	N/A	21.1	30.8	20.1	13.0	17.5	26.0	27.4	17.0	25.6	34.7
			18.9-22.6	19.4-25.1	16.8-22.1		14.9-28.9	25.9-36.3	17.6-22.8	9.8-17.0	14.9-20.5	22.7-29.5	22.1-33.5	15.3-18.9	21.9-29.7	28.2-42.0
48	% of students who used marijuana on school property one or more times during the past 30 days	Marijuana on school property (30 days)	5	6	4		9	9	4	3	4	6	7	4	6	9
49			4.8	5.7	4.0	N/A	8.6	9.0	3.5	3.3	3.8	5.5	6.5	3.8	6.1	9.0
			3.7-6.2	4.3-7.4	2.7-5.7		5.3-13.5	5.7-14.0	2.8-4.4	2.4-4.6	2.8-5.0	4.0-7.6	4.4-9.5	2.9-5.0	3.5-10.4	5.1-15.5
49	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life	Cocaine Ever	7	8	5		6	11	6	5	6	8	7	5	9	15
50			6.5	7.9	4.9	N/A	5.6	11.2	5.9	4.7	5.6	8.3	7.3	4.7	8.7	14.6
			5.3-7.9	6.4-9.8	3.7-6.4		3.1-9.9	7.4-16.7	4.7-7.4	3.1-7.1	4.2-7.5	5.8-11.7	5.0-10.5	3.6-6.0	6.9-10.9	9.7-21.3

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																	
8	←	CDC Code book number or variable	Behavior	92	Whole rounded percent	N/A	Not available for survey year										
9	←	Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth	NC	No comparison due to word change										
				90.7-93.6	95% Confidence interval	-	Suppressed due to fewer than 100 cases										
CB#	Indicator Description		Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #					M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
50	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during the past 30 days		Recent cocaine (30 days)	3	4	2		4	5	2	2	3	4	3	2	4	8
51			2.9	3.9	1.7	N/A	3.6	5.4	2.3	2.3	2.5	3.5	3.2	2.1	3.5	7.5	
			2.4-3.5	3.1-4.9	1.2-2.6		1.9-6.7	2.9-9.8	1.6-3.2	1.4-3.7	1.8-3.4	2.2-5.4	1.9-5.3	1.6-2.7	2.1-5.9	4.0-13.6	
51	% of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paint or spray to get high one or more times during their life		Inhalants Ever	14	14	14		15	14	14	15	14	15	13	12	17	27
60			14.4	14.1	14.4	N/A	14.7	14.2	14.0	14.9	14.2	14.6	13.1	11.6	17.4	27.0	
			12.6-16.5	12.0-16.5	12.2-16.9		9.7-21.5	9.7-20.3	12.0-16.2	12.4-17.8	11.4-17.5	11.6-18.1	9.9-17.2	10.2-13.2	14.3-20.9	20.2-35.0	
90	% of students who have taken barbiturates without a doctor's prescription one or more times during their life		Barbiturates Ever	10	11	10		8	16	10	8	9	13	11	8	12	22
52			10.4	10.5	9.9	N/A	8.1	16.0	10.1	7.9	9.1	13.0	11.2	8.4	11.9	22.3	
			8.7-12.3	8.7-12.7	7.9-12.3		5.5-11.6	10.7-23.4	8.4-12.2	6.2-10.1	6.9-11.9	9.8-17.0	8.0-15.6	6.8-10.3	9.3-15.0	15.8-30.5	
91	% of students who have taken barbiturates without a doctor's prescription during the past 30 days		Recent barbiturates (30 days)	6	6	5		6	11	5	4	5	8	5	5	6	15
53			5.5	5.9	5.0	N/A	5.5	10.8	5.0	4.0	5.0	7.6	5.4	4.5	5.7	15.1	
			4.5-6.9	4.5-7.6	3.9-6.3		3.4-8.9	6.8-16.7	3.9-6.3	2.8-5.6	3.5-7.0	5.4-10.5	3.4-8.7	3.4-5.8	4.2-7.6	9.5-23.3	
52	% of students who used heroin one or more times during their life		Heroin Ever	5	7	3		10	11	3	4	4	8	4	5	4	11
54			5.0	6.5	3.2	N/A	10.2	11.0	2.9	3.5	4.1	8.2	3.7	4.6	3.7	11.0	
			3.5-7.2	4.7-8.7	1.8-5.6		5.1-19.2	5.9-19.7	2.1-3.9	2.4-5.1	2.4-6.7	4.0-16.3	2.2-6.2	2.5-8.1	2.1-6.5	6.3-18.6	
92	% of students who used heroin one or more times during the past 30 days		Recent heroin (30 days)	3	5	2		6	8	2	3	3	5	3	3	2	8
55			3.4	4.7	1.8	N/A	5.8	8.1	2.2	2.6	2.8	4.7	3.0	3.1	2.3	8.2	
			2.7-4.2	3.7-5.9	1.1-3.0		3.4-9.7	4.0-15.8	1.7-2.9	1.7-4.0	1.6-4.6	2.9-7.7	1.7-5.3	2.4-4.0	1.4-3.7	4.4-14.8	
53	% of students who used methamphetamines one or more times during their life		Methamphetamines Ever	6	8	4		12	11	4	5	5	10	5	5	7	14
61			6.2	7.7	4.1	N/A	12.2	11.4	4.2	4.6	5.0	9.8	4.7	5.2	6.5	13.7	
			4.4-8.7	5.7-10.3	2.4-7.1		6.1-22.9	6.4-19.4	3.3-5.2	3.4-6.3	3.1-8.0	5.4-17.0	2.8-7.6	2.9-9.1	4.6-9.2	8.5-21.5	
93	% of students who have used club drugs one or more times during their life		Club drugs Ever	9	11	8		8	16	9	7	8	13	11	8	11	18
56			9.4	10.8	7.8	N/A	8.0	16.4	9.0	6.7	7.5	12.5	11.4	7.9	10.9	17.6	
			7.9-11.1	9.2-12.6	6.1-10.0		5.8-10.8	12.2-21.8	7.4-11.0	4.7-9.5	5.6-9.9	10.3-15.2	8.1-15.8	6.4-9.7	8.5-13.8	12.3-24.6	
94	% of students who have used club drugs one or more times during the past 30 days		Recent club drugs (30 days)	4	6	3		5	10	4	3	3	5	5	3	5	10
57			4.4	6.1	2.5	N/A	5.1	9.7	3.6	3.4	3.4	5.4	5.2	3.3	4.5	10.4	
			3.7-5.2	5.1-7.3	1.8-3.3		2.8-9.0	6.4-14.6	2.8-4.6	2.3-5.1	2.5-4.6	3.9-7.4	3.6-7.6	2.8-4.0	3.0-6.7	6.8-15.5	
55	% of students who took steroid pills or shots without a doctor's prescription one or more times during their life		Steroids Ever	4	6	2		7	8	3	3	3	5	4	3	4	11
58			4.1	5.7	2.0	N/A	7.4	8.4	2.7	3.2	3.4	4.9	4.0	3.1	3.8	10.5	
			3.4-4.9	4.5-7.2	1.2-3.4		4.7-11.4	4.4-15.5	2.2-3.4	2.0-5.1	2.2-5.2	3.3-7.3	2.5-6.5	2.2-4.2	2.6-5.6	6.6-16.5	
95	% of students who have taken steroid pills or shots without a doctor's prescription one or more times during the past 30 days		Recent steroids (30 days)	3	5	1		7	6	2	3	3	3	2	3	3	9
59			3.2	4.8	1.2	N/A	6.9	5.9	1.8	2.7	3.0	3.3	3.0	2.4	2.7	8.7	
			2.4-4.2	3.5-6.5	0.7-2.1		4.5-10.4	3.0-11.4	1.3-2.4	1.6-4.6	1.6-5.5	2.1-5.2	1.7-5.2	1.6-3.4	1.4-5.2	5.0-14.8	

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	Behavior measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
56 62	% of students who used a needle to inject any illegal drug into their body one or more times during their life	Illegal drug injection Ever	4 3.8 3.1-4.5	5 4.6 3.7-5.7	3 2.6 1.8-3.7	N/A	8 7.6 5.9-9.7	7 6.6 3.4-12.3	2 2.4 2.0-3.0	3 3.4 2.3-4.9	4 3.6 2.2-5.8	4 4.0 2.5-6.3	4 3.8 2.3-6.2	3 2.6 2.1-3.3	3 3.4 2.2-5.3	10 9.8 6.4-14.6
57 63	% of students who were offered, sold, or given an illegal drug on school property during the past 12 months	Illegal drug exchange on school property (12 months)	30 29.5 27.6-31.4	31 31.3 28.5-34.3	28 27.7 25.4-30.1	N/A	27 26.8 21.6-32.8	38 38.4 31.2-46.2	29 29.4 27.2-31.7	26 26.3 22.7-30.3	28 28.3 24.6-32.3	31 31.2 26.7-36.1	32 32.4 28.8-36.2	27 26.9 24.9-28.9	34 33.6 29.7-37.7	40 39.7 31.9-48.1
SEXUAL BEHAVIOR																
98 73	% of students whose parents or other adults in their family have ever talked with them about what they expected them to do or not to do when it comes to sex	Family discussion regarding sex Ever	71 70.9 68.5-73.1	68 67.8 64.8-70.6	74 74.2 71.1-77.0	N/A	79 79.0 75.6-81.9	71 71.0 62.8-78.0	70 69.7 67.0-72.3	70 69.8 65.1-74.2	73 73.0 69.3-76.4	72 71.8 68.3-75.0	69 69.3 64.1-74.0	72 72.4 69.6-75.0	69 68.5 64.8-72.1	66 65.5 58.7-71.8
21 22	% of students who have ever been physically forced to have sexual intercourse when they did not want to	Forced sex Ever	10 10.4 9.0-12.1	8 8.0 6.3-9.9	13 12.8 10.7-15.3	N/A	13 13.2 10.0-17.1	17 17.3 11.8-24.5	9 9.0 7.6-10.7	9 9.1 7.0-11.8	10 9.7 7.8-12.0	12 11.5 8.7-15.1	11 11.1 9.1-13.4	9 9.1 7.8-10.7	12 11.9 9.2-15.2	16 15.8 10.3-23.6
58 64	% of students who had sexual intercourse	Sexual intercourse Ever	46 45.6 41.1-50.1	47 46.9 42.5-51.4	44 44.3 38.9-49.8	N/A	66 65.9 57.5-73.3	49 48.5 40.1-57.0	41 41.2 37.5-45.0	27 27.1 22.7-32.1	40 39.8 35.2-44.7	54 53.8 45.9-61.6	65 65.0 60.3-69.3	41 40.6 35.3-46.2	56 55.8 50.3-61.1	66 65.5 60.4-70.4
59a 65	% of students who had sexual intercourse for the first time before age 16	Sexual intercourse before age 16	31 31.1 27.6-34.8	33 32.9 29.2-36.9	29 29.3 25.2-33.7	N/A	51 50.5 42.6-58.4	36 35.8 26.4-46.4	27 26.6 23.6-29.9	27 26.8 22.5-31.7	36 35.5 30.9-40.3	34 34.0 27.9-40.6	28 28.0 22.3-34.5	24 24.3 20.5-28.5	45 45.1 39.9-50.3	58 58.3 52.2-64.2
59 65	% of students who had sexual intercourse for the first time before age 13	Sexual intercourse before age 13	5 5.1 4.1-6.5	7 7.2 5.4-9.6	3 3.0 2.1-4.2	N/A	12 12.4 9.1-16.7	5 5.2 1.9-13.2	3 3.3 2.5-4.3	5 5.3 3.9-7.2	5 4.8 3.5-6.6	6 6.1 3.6-10.2	4 3.8 2.2-6.4	3 3.2 2.5-4.2	9 8.9 6.4-12.2	14 14.1 10.2-19.1
96a 66	Of students who ever had sexual intercourse, % whose first partner was 3 or more years older	First sex with someone 3+ yrs older	19 18.7 16.6-21.1	12 12.1 9.8-14.8	25 25.4 21.5-29.8	N/A	21 21.4 17.0-26.6	-	17 16.9 14.5-19.6	28 27.8 19.6-37.8	19 18.7 13.7-25.1	18 18.0 14.2-22.7	15 15.3 10.3-22.0	16 16.4 13.8-19.3	21 21.3 16.7-26.7	21 20.7 12.2-32.9
60 67	% of students who had sexual intercourse with four or more people during their lives	Sexual intercourse 4+ partners	14 13.6 10.9-16.7	16 15.7 12.0-20.3	12 11.5 9.1-14.4	N/A	28 27.6 21.6-34.6	16 15.5 10.4-22.6	10 10.2 8.4-12.4	6 6.4 4.8-8.4	10 10.1 7.9-12.8	17 16.9 11.8-23.7	22 22.2 17.2-28.2	10 10.3 8.1-13.0	19 19.3 13.9-26.1	29 29.4 23.5-36.1
61 68	% of students who had sexual intercourse during the last 3 months	Recent sexual intercourse (3 months)	34 34.1 30.2-38.3	33 32.6 28.6-36.9	36 35.6 30.6-40.8	N/A	49 49.1 38.2-60.2	37 36.6 29.0-45.0	31 30.9 27.6-34.4	16 16.2 13.2-19.9	29 29.0 25.5-32.9	41 41.3 33.6-49.3	53 53.0 49.4-56.7	31 30.6 26.2-35.3	41 40.7 35.4-46.3	51 50.9 43.9-57.9
61a 68	Of students who have ever had sexual intercourse, % not having sexual intercourse during the past 3 months	Abstinence (3 months)	25 25.3 22.4-28.5	31 30.7 26.9-34.7	20 19.9 16.5-23.7	N/A	26 26.0 16.5-38.6	-	25 25.2 22.2-28.5	40 40.0 34.8-45.5	27 27.4 23.5-31.8	24 24.3 17.7-32.4	18 17.8 14.8-21.3	25 24.7 21.4-28.4	28 27.5 23.5-31.9	23 23.2 17.3-30.5

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity¹				Grade Level				Academics/Grades in School²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
62	Of students who had sexual intercourse during the past 3 months, % who drank alcohol or used drugs before last sexual intercourse	Alcohol or drugs last intercourse (3 months)	25	29	21		19		26	28	19	23	28	23	27	29
69			24.7	29.2	20.9	N/A	18.9	-	25.7	28.3	19.4	22.7	27.8	22.9	27.2	29.4
			20.7-29.2	23.3-35.9	17.6-24.5		11.5-29.5		21.7-30.1	20.4-37.9	15.5-24.0	16.1-30.8	22.0-34.5	19.1-27.2	20.4-35.3	16.3-47.2
63	Of students who had sexual intercourse during the past 3 months, % who used a condom during last sexual intercourse	Condom last intercourse (3 months)	61	68	55		69		59	63	63	62	60	64	63	
70			61.4	68.2	55.2	N/A	68.5	-	59.0	63.0	62.7	61.8	59.9	64.3	62.5	-
			56.7-65.9	61.8-74.0	50.8-59.6		58.3-77.2		54.7-63.1	54.1-71.1	56.5-68.5	53.2-69.7	52.5-66.8	58.0-70.1	56.9-67.8	
64	Of students who had sexual intercourse during the past 3 months, % who used birth control pills during last sexual intercourse	Birth control pills last intercourse (3 months)	21	23	21		9		26	13	14	20	30	24	20	16
71			21.4	22.6	20.6	N/A	9.2	-	25.8	12.5	14.4	20.0	29.7	23.5	19.8	16.3
			17.1-26.5	16.8-29.5	16.2-25.9		4.2-19.3		22.5-29.4	6.7-22.1	10.0-20.4	13.2-29.0	21.0-40.2	18.2-29.7	13.5-28.0	9.6-26.3
97	% of students who had been pregnant or gotten someone pregnant one or more times	Pregnancy ever	6	6	6		14	11	4	5	5	8	7	4	8	15
72			6.2	6.4	5.8	N/A	13.9	11.4	4.1	5.1	5.0	7.5	6.6	4.4	8.2	15.2
			4.7-8.3	4.7-8.6	4.0-8.5		10.0-19.0	7.1-18.0	3.2-5.2	3.4-7.7	3.6-6.9	4.6-11.9	4.0-10.8	3.3-5.8	5.1-13.0	9.3-23.9
85	% of students who had ever been taught about AIDS or HIV infection in school	HIV/AIDS instruction in school Ever	89	87	91		86	83	90	88	89	92	88	91	89	80
95			88.9	87.2	91.0	N/A	85.7	83.4	90.3	88.3	89.0	91.6	87.8	90.6	88.5	80.2
			86.9-90.6	84.2-89.6	89.1-92.7		81.5-89.0	77.6-88.0	88.4-91.9	84.4-91.3	85.6-91.6	88.6-93.9	83.9-90.8	88.3-92.5	85.3-91.1	73.6-85.4
WEIGHT & NUTRITION																
ROW	% of students who are overweight, whose Body Mass Index is >85% and < 95%	Overweight	14	15	13		17	16	13	17	14	15	11	13	14	21
GT			14.2	15.2	13.2	N/A	17.3	15.9	13.1	16.5	13.8	14.7	11.1	13.3	14.1	21.2
6, 7			12.6-15.9	13.4-17.2	10.8-15.9		13.8-21.6	11.0-22.4	11.4-15.1	13.9-19.5	11.1-17.1	11.5-18.6	8.6-14.2	11.5-15.4	11.2-17.7	15.0-29.0
OBES	% of students who are obese, whose Body Mass Index is > or = 95%	Obese	12	16	8		18	11	10	11	13	13	11	10	16	22
E			11.9	15.7	8.0	N/A	18.2	10.9	10.3	10.6	13.4	12.9	10.5	10.0	16.0	21.6
6, 7			10.6-13.5	13.5-18.2	6.6-9.7		13.7-23.7	6.9-16.8	9.1-11.7	8.3-13.5	10.7-16.6	10.5-15.7	7.3-14.8	8.4-11.8	13.2-19.3	14.9-30.1
65	% of students who described themselves as slightly or very overweight	Overweight perception	28	24	32		25	28	28	26	28	30	27	27	29	39
74			27.9	24.3	31.6	N/A	25.1	27.8	28.3	26.4	28.1	29.9	27.3	26.8	28.5	39.0
			25.9-30.0	22.5-26.2	28.5-34.9		18.9-32.6	21.9-34.6	26.4-30.3	23.5-29.6	24.9-31.4	24.3-36.1	23.1-32.0	24.0-29.9	24.8-32.5	33.3-45.0
66	% of students were trying to lose weight	Trying to lose weight	45	31	59		38	48	46	48	44	42	45	44	47	48
75			44.8	31.1	58.7	N/A	38.2	47.8	46.0	47.6	44.2	42.4	44.6	43.6	47.2	47.8
			42.6-46.9	28.7-33.5	55.4-62.0		33.4-43.2	39.4-56.2	43.5-48.4	44.4-50.8	40.2-48.2	38.3-46.7	40.3-49.0	40.8-46.5	41.9-52.5	41.0-54.8
67	% of students who exercised to lose weight or keep from gaining weight during the past 30 days	Exercise (30 days)	63	56	69		49	64	66	68	63	58	60	63	63	62
76			62.5	56.3	68.8	N/A	48.7	63.8	66.0	68.4	63.2	57.8	59.7	62.9	62.6	61.8
			59.5-65.4	53.5-59.0	64.5-72.7		41.5-55.9	58.3-69.0	63.8-68.2	65.1-71.5	59.8-66.4	52.1-63.3	53.5-65.6	59.2-66.4	56.6-68.2	55.6-67.6

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
68	% of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	Diet (30 days)	39	27	51		31	45	41	39	38	40	38	39	37	39
77			38.7	27.0	50.6	N/A	30.6	45.3	40.8	38.9	37.7	39.8	38.2	39.0	36.7	39.3
			36.2-41.3	24.2-30.0	47.0-54.1		25.9-35.8	38.2-52.6	38.6-43.0	34.5-43.4	34.5-41.0	34.8-45.0	33.1-43.6	36.0-42.1	32.6-41.1	33.6-45.2
69	% of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	Fast (30 days)	13	10	16		16	17	12	13	13	13	12	10	19	19
78			13.1	9.9	16.0	N/A	15.6	17.2	12.1	13.1	13.4	13.4	11.5	10.0	18.5	18.6
			11.3-15.0	7.5-13.1	13.9-18.4		12.1-20.0	13.6-21.5	10.4-14.0	10.1-16.9	11.1-16.1	9.7-18.4	9.4-14.0	8.6-11.4	14.5-23.3	13.0-25.9
70	% of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	Diet pills (30 days)	7	7	7		10	14	6	6	7	8	8	6	8	13
79			7.3	7.1	7.4	N/A	9.9	14.4	6.4	6.4	6.6	7.7	7.8	6.1	7.8	13.2
			6.0-8.9	5.7-8.8	5.8-9.6		6.3-15.3	9.3-21.4	5.1-7.9	4.1-9.8	5.0-8.7	4.7-12.2	6.0-10.0	4.8-7.6	5.8-10.5	8.7-19.5
71	% of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	Vomit laxatives (30 days)	7	6	8		9	11	7	7	7	7	7	6	7	10
80			7.2	6.3	8.0	N/A	8.7	10.7	6.6	7.3	6.7	6.7	7.4	6.2	6.5	9.8
			6.2-8.4	4.5-8.7	6.6-9.6		6.2-12.1	6.6-16.7	5.7-7.6	5.4-9.7	5.3-8.4	4.9-9.0	5.7-9.6	5.2-7.3	4.8-8.6	5.6-16.5
72	% of students who drank 100% fruit juices one or more times during the past 7 days	Fruit juices (7 days)	79	78	79		80	75	78	78	79	80	78	80	78	73
81			78.5	78.3	78.9	N/A	80.2	74.7	78.3	78.4	78.9	79.5	77.5	80.0	78.2	72.6
			75.6-81.2	74.1-81.9	75.6-81.8		71.5-86.7	68.1-80.3	75.6-80.8	73.4-82.6	75.9-81.6	75.1-83.3	72.1-82.1	77.9-81.9	72.2-83.1	64.3-79.6
73	% of students ate fruit one or more times during the past 7 days	Fruit (7 days)	87	85	89		78	86	89	87	87	87	86	90	83	76
82			86.5	84.5	88.6	N/A	77.5	86.1	88.7	86.8	86.7	86.7	86.4	89.8	83.4	75.6
			84.3-88.4	81.4-87.1	86.1-90.7		71.1-82.8	79.3-90.9	87.0-90.3	83.7-89.4	84.5-88.6	81.7-90.5	83.1-89.2	88.1-91.3	78.2-87.5	67.5-82.2
74	% of students who ate green salad one or times during the past 7 days	Green salad (7 days)	64	59	68		56	58	66	61	62	68	65	68	57	45
83			63.5	58.8	68.3	N/A	55.5	58.3	65.8	60.5	61.8	67.5	65.1	67.8	57.0	44.6
			60.7-66.3	55.0-62.5	65.2-71.2		47.2-63.5	50.4-65.8	63.1-68.4	57.2-63.8	57.4-66.1	62.8-71.8	59.2-70.6	64.5-70.9	52.8-61.1	36.1-53.4
75	% of students who ate potatoes one or more times during the past 7 days	Potatoes (7 days)	72	72	72		67	62	74	74	72	71	73	75	71	63
84			72.3	72.4	72.1	N/A	67.2	62.4	74.1	74.0	71.6	70.7	72.6	74.5	71.0	63.2
			69.8-74.7	69.5-75.2	69.1-75.0		60.7-73.1	53.5-70.6	72.1-76.0	70.7-77.1	67.7-75.3	66.4-74.7	67.2-77.4	71.6-77.3	66.0-75.6	56.1-69.8
76	% of students who ate carrots one or more times during the past 7 days	Carrots (7 days)	51	49	52		36	53	53	51	51	52	48	54	44	38
85			50.5	49.0	51.9	N/A	36.1	52.7	53.3	50.6	50.8	52.2	47.9	54.2	43.9	37.6
			47.9-53.2	45.6-52.4	49.0-54.7		29.0-43.9	46.9-58.5	50.7-56.0	45.9-55.3	46.6-55.1	47.5-56.9	42.3-53.6	50.6-57.8	40.6-47.3	31.9-43.8
77	% of students who ate other vegetables one or more times during the past 7 days	Other vegetables (7 days)	82	78	86		71	79	84	82	81	83	81	85	76	72
86			81.7	77.7	85.9	N/A	70.7	78.5	84.4	82.0	81.4	82.8	81.0	85.1	76.1	71.6
			79.4-83.8	74.6-80.5	83.0-88.3		66.8-74.3	70.9-84.6	82.4-86.2	78.3-85.2	79.0-83.7	79.7-85.6	76.2-85.0	82.9-87.0	70.4-80.9	63.2-78.7
FRV G	% of students who ate 5 or more servings of fruits and vegetables per day during the past 7 days	5+ per day fruit/veggies (7 days)	20	20	19		24	25	18	20	18	21	19	20	17	16
			19.6	20.0	18.9	N/A	24.3	25.0	17.5	20.3	18.2	20.7	19.0	20.1	16.7	15.6
			16.3-23.3	17.0-23.5	14.9-23.8		12.9-41.1	18.0-33.6	15.8-19.4	17.5-23.3	14.4-22.8	15.1-27.8	13.6-26.0	16.9-23.8	13.3-20.9	9.9-23.5

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	Behavior measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
78 87	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	Soda consumption (7 days)	28 27.6 25.0-30.4	32 32.4 29.9-35.1	23 22.6 19.3-26.2	N/A	32 31.9 24.8-39.9	33 33.1 26.0-41.2	26 26.4 23.7-29.3	28 27.8 24.2-31.7	27 27.3 22.6-32.4	28 27.6 22.0-34.1	28 28.3 24.1-33.1	24 24.1 21.1-27.5	34 34.4 29.9-39.1	39 39.4 32.1-47.1
79 88	% of students who drank 3 or more glasses of milk per day during the past 7 days	Milk 3+ per day (7 days)	13 13.3 11.0-15.9	16 15.9 12.8-19.5	11 10.7 8.6-13.1	N/A	6 6.4 4.3-9.3	9 9.3 5.9-14.5	15 14.7 12.6-17.1	17 17.3 14.0-21.2	13 12.6 9.7-16.3	13 12.5 10.1-15.3	10 10.1 7.7-13.1	14 13.8 11.1-16.9	11 10.8 8.2-14.2	14 14.3 9.7-20.5
99 89	Percentage of students who ate breakfast on seven of the past seven days	Daily breakfast	35 35.3 31.3-39.4	37 37.1 31.9-42.7	34 33.7 30.0-37.5	N/A	20 19.9 15.9-24.6	27 27.3 20.9-34.9	39 39.3 36.3-42.5	42 41.7 36.8-46.8	33 33.2 28.7-38.1	35 34.7 27.4-42.8	31 30.7 26.0-35.8	41 40.7 36.8-44.8	25 25.3 19.2-32.5	19 19.4 14.2-25.9
99 89	Percentage of students who ate breakfast on none of the past seven days	No breakfast	13 13.4 N/A	14 13.8 N/A	13 13.1 N/A	N/A	21 20.6 N/A	19 19.4 N/A	12 11.6 N/A	12 12.2 N/A	13 13.0 N/A	13 13.2 N/A	16 15.5 N/A	N/A	N/A	N/A
PHYSICAL ACTIVITY																
80 90	% of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days ³	Current rec amount of physical activity ³	47 46.8 43.0-50.6	54 53.7 49.3-58.1	40 40.1 36.0-44.3	N/A	38 37.6 29.6-46.4	41 40.5 34.4-46.9	50 49.7 46.4-53.0	56 55.7 50.7-60.5	48 48.4 44.6-52.2	39 39.2 32.6-46.3	43 43.0 38.6-47.6	50 50.2 46.3-54.1	43 42.7 36.9-48.7	38 37.5 30.7-44.7
81 91	% of students who watched 3 hours or more of TV per day on an average school day	TV 3+ hours	30 29.6 26.2-33.3	34 34.2 31.1-37.5	25 25.2 21.1-29.9	N/A	48 47.7 40.5-55.0	33 32.9 25.7-41.0	25 25.2 22.9-27.7	31 30.6 26.6-35.0	29 28.9 23.9-34.4	29 28.5 23.1-34.6	31 30.8 24.7-37.7	26 26.1 22.2-30.6	36 36.4 31.2-41.9	39 39.2 32.0-47.0
82 92	% of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	Computer 3+ hours	23 23.3 21.1-25.7	28 27.8 25.3-30.4	19 18.8 16.0-21.8	N/A	28 27.8 23.6-32.4	24 24.2 18.7-30.8	22 21.9 19.8-24.3	26 25.5 22.3-29.0	23 22.9 19.5-26.7	22 22.2 17.7-27.4	22 22.0 18.9-25.5	20 20.4 17.7-23.4	28 27.7 24.7-30.9	32 32.2 26.9-38.0
83 93	% of students who attended physical education PE class one or more days during an average school week	Weekly PE	42 42.3 37.8-46.9	48 48.2 43.5-53.0	36 35.9 30.2-42.0	N/A	48 48.1 37.1-59.3	46 45.5 35.3-56.1	41 40.7 35.3-46.3	52 52.4 42.3-62.3	38 38.1 32.5-44.0	36 35.9 29.7-42.7	41 41.3 32.2-51.1	42 41.6 36.1-47.4	45 45.4 41.0-49.9	43 43.0 35.7-50.6
DLY PE 93	% of students who attended physical education PE class daily	Daily PE	31 31.0 26.5-36.0	36 36.0 30.7-41.6	26 26.1 21.1-31.8	N/A	31 31.2 23.0-40.9	32 31.5 23.2-41.1	31 31.1 25.9-36.8	40 40.0 30.2-50.5	28 27.8 22.7-33.7	25 24.6 18.3-32.2	31 31.4 23.5-40.4	32 31.8 26.2-38.0	33 32.7 26.5-39.7	26 25.9 20.5-32.1
100 94	Of students enrolled in physical education PE class, % who exercise or played sports more than 20 minutes during an average physical education class	PE-exercise/sport 20+ minutes avg. PE class	42 42.1 38.2-46.1	49 49.3 44.9-53.7	35 34.9 29.8-40.4	N/A	41 40.5 32.7-48.9	42 41.8 33.7-50.3	43 42.8 38.0-47.7	53 52.9 43.3-62.2	38 38.0 32.9-43.4	37 37.2 32.3-42.4	40 39.6 32.2-47.4	43 42.8 38.0-47.8	43 43.4 38.0-48.9	36 35.8 30.2-41.8
MEDICAL HEALTH																
102 99	% of students who saw a doctor or health care provider for a check-up or physical exam when they were not sick or injured during the past 12 months	Wellness visit (12 months)	62 61.8 59.6-64.0	61 60.9 58.2-63.5	63 63.0 60.1-65.8	N/A	59 58.7 49.0-67.8	65 64.9 58.1-71.2	63 63.2 60.4-65.9	67 66.5 62.0-70.7	61 61.0 56.8-65.0	59 58.7 53.3-63.9	61 61.0 56.8-65.1	65 65.1 62.2-67.8	57 56.8 53.0-60.5	50 49.8 41.7-58.0

2009 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE																
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year								
9	← Survey question # used for analysis	Behavior measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change								
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases								
CB#	Indicator Description	Behavior	MI 09	Gender		Race/Ethnicity ¹				Grade Level				Academics/Grades in School ²		
Q #				M	F	Am Ind	Black	Hispanic/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
86 96	% of students who have ever been told by a doctor or nurse that they have asthma.	Asthma Diagnosis	23	23	23		25	31	23	21	26	24	22	22	24	27
			23.3	23.4	23.2	N/A	25.2	30.5	22.6	20.9	26.3	23.9	21.7	22.0	24.2	26.5
			21.6-25.1	21.3-25.6	20.6-25.9		19.4-31.9	25.1-36.5	20.8-24.5	16.8-25.6	23.7-29.1	20.4-27.8	19.4-24.3	20.1-23.9	20.6-28.2	21.9-31.8
87 97	% of students who had been told by a doctor or nurse that they had asthma and still have asthma	Current asthma	12	10	14		12	12	12	11	13	11	12	11	11	16
			11.6	9.6	13.6	N/A	12.4	12.1	11.6	10.6	13.4	10.7	11.8	11.4	11.2	16.2
			10.6-12.7	8.3-11.2	11.9-15.5		9.2-16.6	7.4-19.2	10.3-13.0	7.7-14.4	11.7-15.2	8.6-13.3	10.0-14.0	10.1-12.8	9.3-13.5	11.3-22.7
101 98	Among students who currently have asthma, % who went to an emergency room/urgent care center because of their asthma one or more times during the past 12 months	Uncontrolled asthma	18	16	20				16		28			15		
			18.4	16.4	19.8	N/A	-	-	15.8	-	28.0	-	-	14.7	-	-
			14.9-22.4	10.7-24.3	14.6-26.2				11.6-21.2		21.6-35.5			11.0-19.3		

1 Race/ethnicity is determined through two questions on the Youth Risk Behavior Survey developed by the Centers for Disease Control and Prevention. Students are asked "Are you Hispanic or Latino?" and "What is your race?" in which multiple races may be selected. For this table, respondent race/ethnicity definitions are as follows: Black-Black, non-Hispanic students that selected "Black or African American" only for race and no to "Are you Hispanic or Latino?"; Hispanic/Latino-students that answered yes to "Are you Hispanic or Latino?" and choose any other race; American Indian-students that selected "American Indian" only for race and no to "Are you Hispanic or Latino?"; White-White, non-Hispanic students that selected "White" only for race and no to "Are you Hispanic or Latino?"

2 Academics/Grades in School is a self-report question that asks "During the past 12 months, how would you describe your grades in school?" Students may select one of the following: Mostly As, Mostly Bs, Mostly Cs, Mostly Ds, Mostly Fs, None, and Not Sure.

3 The 2005 Dietary Guidelines for Americans recommends that youth engage in at least 60 minutes of physical activity on most, preferably all, days of the week. This indicator was changed in the 2007 survey to reflect these recommendations and a new baseline for trend will be established. For dietary guidelines, go to www.health.gov/dietaryguidelines/dga2005.

Revised July 2010