

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE											
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval			-	Suppressed due to less than 100 cases			
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97	
Q #											
VEHICLE SAFETY											
8	Of students who rode bicycle during past 12 months, % who never/rarely wore a helmet	Bicycle no helmet (12 months)	89	88	92	90	92	89	93	95	
9			89.4	88.1	92.3	89.8	91.7	89.3	93.2	95.0	
			86.0-92.1	84.7-90.9	90.7-93.6	86.2-93.4	89.1-94.3	87.0-91.5	91.1-95.3	93.5-96.4	
9	% of students who never/rarely wore seat belt when riding in a car driven by someone else	Car passenger no seat belt	6	8	6	6	8	8	14	19	
10			5.9	7.8	6.2	6.3	7.9	8.3	13.8	18.5	
			4.8-7.2	6.2-9.9	5.0-7.8	4.8-7.7	6.6-9.1	7.0-9.7	11.3-16.3	16.3-20.8	
10	% of students who during the past 30 days rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol	Car passenger w/ DUI driver (30 days)	22	28	28	25	30	32	34	37	
11			21.7	27.5	27.6	24.9	29.6	32.1	33.6	37.1	
			19.7-23.8	24.5-30.8	24.3-31.1	22.2-27.7	27.5-31.8	28.6-35.6	30.9-36.3	33.4-40.9	
11	% of students who during the past 30 days drove a car or other vehicle one or more times when they had been drinking alcohol	DUI (30 days)	6	8	9	9	11	13	13	17	
12			6.0	8.4	9.1	8.5	10.7	12.9	13.0	16.5	
			5.0-7.1	7.0-10.0	7.2-11.6	6.9-10.0	9.0-12.4	10.7-15.1	11.1-14.9	13.8-19.2	
VIOLENCE											
12	% of students who carried a weapon, such as a gun, knife, or club on one or more of the past 30 days	Weapon carry (30 days)	16	17	18	16	15	13	16	19	
13			15.7	16.6	17.9	15.8	15.2	12.5	16.0	18.9	
			13.8-17.7	15.3-18.1	15.4-20.6	12.9-18.7	13.5-17.0	11.0-14.0	12.9-19.1	16.4-21.5	
13	% of students who carried a gun on one or more of the past 30 days	Gun carry (30 days)	5	6	6	6	4	5	6	7	
14			5.1	5.8	5.6	5.9	4.4	4.5	5.6	7.0	
			4.3-6.0	4.9-6.9	4.3-7.3	4.5-7.4	3.3-5.5	3.8-5.1	4.2-7.0	5.4-8.5	
14	% of students who carried a weapon, such as a gun, knife, or club on school property on one or more of the past 30 days	Weapon on school property (30 days)	4	5	5	5	5	5	8	8	
15			3.5	5.4	5.0	4.7	5.1	4.9	7.5	8.2	
			2.8-4.3	4.7-6.1	3.8-6.5	3.7-5.8	3.8-6.4	4.1-5.8	6.0-9.1	6.9-9.5	
15	% of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school	Missed school felt unsafe (30 days)	5	7	7	7	6	7	5	5	
16			5.3	7.4	6.5	7.0	5.5	7.2	5.4	5.1	
			4.1-6.9	5.0-10.8	4.3-9.8	4.9-9.1	4.2-6.7	5.5-8.9	4.3-6.5	4.0-6.3	
16	% of students who had been threatened or injured with a weapon on school property one or more times during the past 12 months	Weapon threat/injury on school property (12 months)	7	9	8	9	10	9	9	9	
17			6.8	9.4	8.1	8.6	9.7	9.0	9.2	9.2	
			5.8-7.9	8.2-10.8	6.7-9.8	7.0-10.2	8.6-10.8	8.1-10.0	8.3-10.1	8.0-10.5	
17	% of students who were in a physical fight one or more times during the past 12 months	Physical fight (12 months)	27	32	31	30	31	34	35	36	
18			27.4	31.6	30.7	30.1	30.8	33.8	35.1	36.4	
			24.7-30.2	28.2-35.3	27.1-34.6	26.1-34.1	27.8-33.7	30.9-36.6	32.0-38.2	33.8-39.0	
18	% of students who were injured in a physical fight and had to be treated by a doctor/nurse one or more times during the past 12 months	Fight require treatment (12 months)	3	5	3	4	3	4	3	4	
19			2.5	4.5	3.1	3.7	3.1	3.8	3.3	3.9	
			2.0-3.0	3.7-5.4	2.3-4.2	2.7-4.6	2.5-3.7	3.2-4.3	2.6-4.0	2.7-5.0	
19	% of students who were in a physical fight on school property one or more times during the past 12 months	Fight on school property (12 months)	9	11	11	11	12	11	14	15	
20			9.1	11.3	11.4	11.4	12.2	11.4	13.5	15.2	
			7.8-10.6	9.4-13.6	9.7-13.3	9.3-13.6	10.2-14.2	9.6-13.3	11.8-15.2	13.3-17.2	

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE										
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent		N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth		NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval		-	Suppressed due to less than 100 cases			
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
Q #										
20	% of students who were ever hit, slapped or physically hurt on purpose by their boyfriend/girlfriend during the past 12 months	Physical violence with boy/girlfr. (12 months)	12	15	12	11	11	12	13	
21			11.9	15.2	12.4	11.1	11.4	11.8	12.9	N/A
			10.3-13.7	13.5-17.1	11.1-13.9	9.9-12.4	9.8-13.0	10.5-13.1	11.7-14.0	
22	% of students who had ever been bullied on school property during the past 12 months	Bullied on school property	23	24						
23			22.7	24.0	N/A	N/A	N/A	N/A	N/A	N/A
			20.0-25.8	20.5-27.8						
23	% of students who had ever been electronically bullied during the past 12 months	Electronic Bullying	18							
24			18.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			16.2-19.9							
DEPRESSION & SUICIDE										
24	% of students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	Sad or hopeless two weeks (12 months)	26	27	27	26	30	27	27	
25			26.0	27.4	26.9	26.3	30.2	27.3	27.4	N/A
			24.1-27.9	25.0-29.9	24.6-29.2	23.6-28.9	27.3-33.1	25.5-29.0	25.2-29.6	
25	% of students who seriously considered attempting suicide during the past 12 months	Suicide considered (12 months)	16	16	15	16	18	18	20	24
26			15.7	16.0	15.3	15.8	18.1	18.1	20.1	23.8
			14.5-17.0	14.3-17.8	13.2-17.7	13.4-18.2	15.7-20.4	16.7-19.5	18.2-22.0	21.1-26.4
26	% of students who made a plan about how they would attempt suicide during the past 12 months	Suicide planned (12 months)	13	15	12	12	14	15	15	19
27			12.8	14.6	12.0	12.2	14.2	14.8	15.2	18.6
			11.6-14.0	13.3-16.1	10.4-13.7	9.9-14.6	12.3-16.0	13.8-15.8	13.9-16.5	17.0-20.3
27	% of students who actually attempted suicide one or more times during the past 12 months	Suicide attempted (12 months)	8	9	9	9	11	10	8	10
28			8.1	9.3	9.1	9.3	10.5	10.2	7.9	10.4
			7.0-9.3	7.4-11.6	7.4-11.2	7.5-11.1	9.2-11.8	8.7-11.6	6.9-8.8	9.0-11.8
28	% of students whose attempted suicide resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months	Suicide injury treated (12 months)	3	3	3	3	3	4	3	3
29			2.7	3.0	2.6	3.3	3.2	3.5	2.9	3.1
			2.0-3.6	2.4-3.9	1.9-3.5	2.2-4.4	2.5-3.9	2.8-4.2	2.1-3.6	2.5-3.7
TOBACCO										
29	% of students who ever tried cigarette smoking, even one or two puffs	Cigarettes Ever	40	46	51	52	60	64	72	75
30			40.1	46.0	51.2	52.4	60.2	63.5	72.2	75.0
			36.8-43.5	43.4-48.6	47.4-54.9	48.3-56.6	57.0-63.4	60.0-67.1	69.8-74.6	71.8-78.2
30	% of students who smoked a whole cigarette for the first time before age 13	Cigarettes before age 13	8	11	14	16	21	23	27	27
31			8.2	11.1	13.8	16.1	21.3	23.2	26.7	27.2
			6.7-9.9	9.6-12.7	11.7-16.3	12.9-19.3	17.7-24.8	20.6-25.7	23.4-30.0	24.4-30.0
31	% of students who smoked cigarettes on one or more of the past 30 days	Cigarettes 1+ 30 days (Recent)	14	19	18	17	23	26	34	38
32			14.0	18.8	18.0	17.0	22.6	25.7	34.1	38.2
			11.5-17.0	16.5-21.4	14.7-21.8	14.6-19.5	18.3-26.9	22.6-28.8	30.9-37.4	34.4-42.0
FR CIG	% of students who smoked cigarettes on 20 or more of the past 30 days	Cigarettes 20+ days 30 days (Frequent)	5	8	8	8	11	13	17	20
32			5.4	7.8	8.1	7.8	11.3	12.7	17.4	19.8
			4.0-7.2	6.2-9.8	6.2-10.7	6.0-9.6	6.8-15.8	10.1-15.4	14.4-20.5	16.6-23.0

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE

CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
8	← CDC Code book number or variable	Behavior measured by the indicator	92	Whole rounded percent		N/A	Not available for survey year			
9	← Survey question # used for analysis		92.3	Percent to the tenth		NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval		-	Suppressed due to less than 100 cases			
Q #	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
32	% of students who smoked 10 or more cigarettes per day on the days they smoked during the past 30 days	Cigarettes	8	10			4	3	5	7
33		10+ per day 30 days (Heavy)	7.8 6.0-10.0	9.7 7.2-13.0	N/A	N/A	4.1 1.2-6.9	3.2 2.3-4.2	5.1 4.1-6.2	6.9 5.5-8.3
33	Among students who were less than 18 years of age and who reported current cigarette use, % who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	Bought cigarettes under 18 (30 days)	16 15.7 12.5-19.5	15 15.2 10.2-22.1	15 15.0 10.3-21.5	16 16.0 9.8-22.2	18 18.2 14.4-22.1	25 25.1 20.0-30.1	NC	NC
34										
34	% of students who smoked cigarettes on school property on one or more of the past 30 days	Cigarettes on school property (30 days)	3 3.2 2.5-4.1	6 5.9 4.8-7.2	6 6.0 4.6-7.7	5 4.9 3.4-6.4	9 9.3 5.7-12.9	9 9.1 7.3-11.0	13 12.8 10.4-15.3	17 17.3 14.7-19.9
35										
35	% of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days	Daily cigarettes ever	9 9.1 7.2-11.5	13 12.5 10.2-15.1	13 12.7 10.3-15.6	12 12.2 9.7-14.7	18 18.4 13.4-23.3	20 20.4 17.1-23.7	27 27.0 23.5-30.4	N/A
36										
36	Among students who reported current cigarette use, % of students who ever tried to quit smoking cigarettes during the past 12 months	Cigarettes tried to quit (12 months)	56 55.9 50.7-61.1	54 53.6 48.1-59.0	58 57.6 52.5-62.5	57 57.1 52.2-62.0	58 58.4 55.2-61.6	64 64.0 59.7-68.4	NC	N/A
37										
37	% of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	Chew, snuff, dip (30 days)	8 7.6 6.0-9.6	18 18.4 15.7-21.5	19 19.2 15.8-23.2	15 15.4 12.5-18.3	17 16.6 14.1-19.2	20 19.6 16.6-22.6	24 23.7 20.7-26.8	N/A
38										
38	% of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	Chew, snuff, dip on school property (30 days)	4 4.0 3.1-5.3	11 10.6 9.2-12.2	9 8.9 6.7-11.9	7 6.9 5.1-8.6	7 6.5 5.2-7.9	8 7.7 5.9-9.5	8 8.2 6.6-9.8	8 8.4 6.0-10.9
39										
39	% of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	Cigars (30 days)	12 12.1 10.5-13.8	15 14.7 13.0-16.5	15 14.7 12.5-17.2	13 13.3 11.1-15.6	14 13.6 11.8-15.4	15 14.9 13.0-16.9	20 19.6 17.8-21.4	N/A
40										
ANYT OB	% of students who used any tobacco during the past 30 days	Any tobacco (30 days)	20 19.6 16.8-22.7	25 25.2 22.7-27.9	25 24.8 21.2-28.9	23 23.2 19.9-26.4	27 27.4 23.3-31.5	30 29.9 26.5-33.3	39 39.2 36.6-41.8	N/A
ALCOHOL										
40	% of students who had at least one drink of alcohol on one or more days during their life	Alcohol Ever	64 63.8 60.8-66.8	69 68.8 65.8-71.7	72 72.2 69.0-75.1	73 72.6 68.9-76.4	76 75.9 74.0-77.7	77 77.4 74.2-80.6	82 81.7 79.4-84.1	82 81.9 78.5-85.3
41										
41	% of students who had their first drink of alcohol, other than a few sips, before age 13	Alcohol before age 13	16 15.6 13.6-17.8	19 18.8 16.7-21.1	21 21.4 18.7-24.4	23 22.6 19.2-25.9	27 26.9 24.7-29.1	27 26.9 24.6-29.2	32 32.2 28.9-35.5	35 34.9 31.7-38.1
42										
42	% of students who had at least one drink of alcohol on one or more of the past 30 days	Recent alcohol use (30 days)	31 30.5 27.3-34.0	37 37.0 34.4-39.7	43 42.8 39.4-46.2	38 38.1 34.7-41.5	44 44.0 41.2-46.7	46 46.2 42.6-49.8	49 48.5 45.4-51.7	51 50.5 46.1-54.8
43										
43	% of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	Alcohol binge (30 days)	18 17.8 15.0-21.1	23 23.2 20.9-25.6	25 24.6 20.8-28.9	23 22.5 19.4-25.6	27 27.4 24.1-30.7	29 29.3 25.6-33.1	30 29.9 27.0-32.8	32 32.4 27.9-36.9
44										

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE										
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent		N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth		NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval		-	Suppressed due to less than 100 cases			
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
Q #										
45	% of students who had a least one drink of alcohol on school property on one or more of the past 30 days	Alcohol school property (30 days)	3	4	4	4	5	5	6	7
46			2.7	3.7	3.6	3.6	4.6	4.9	5.8	7.2
			2.0-3.5	3.0-4.7	2.7-4.8	2.7-4.5	4.0-5.3	3.9-6.0	4.7-6.9	6.1-8.4
44	Among students who reported current alcohol use, % who usually got the alcohol they drank from someone who gave it to them during the past 30 days	Got alcohol from someone else (30 days)	36	32						
45			35.6	32.2	N/A	N/A	N/A	N/A	N/A	N/A
			33.2-38.1	28.7-36.0						
OTHER DRUGS										
46	% of students who used marijuana one or more times during their life	Marijuana use Ever	35	37	35	37	44	44	46	48
47			34.5	36.5	35.4	37.4	44.1	44.0	46.4	48.1
			30.9-38.3	33.9-39.3	31.6-39.4	33.3-41.4	40.1-48.0	40.1-47.9	42.9-50.0	43.1-53.1
47	% of students who tried marijuana for the first time before age 13	Marijuana before age 13	7	8	9	9	12	12	12	12
48			6.8	7.9	9.0	8.7	11.5	11.6	12.3	12.2
			5.5-8.3	6.5-9.6	6.6-12.1	6.5-10.9	8.9-14.0	9.9-13.3	9.6-14.9	10.2-14.2
48	% of students who used marijuana one or more times during the past 30 days	Recent marijuana (30 days)	19	21	18	19	24	24	26	28
49			18.6	20.7	18.0	18.8	24.0	24.3	25.9	28.2
			16.3-21.1	18.9-22.6	15.9-20.3	16.2-21.3	20.1-27.8	21.7-26.8	22.4-29.4	24.8-31.6
49	% of students who used marijuana on school property one or more times during the past 30 days	Marijuana on school property (30 days)	3	5	4	4	7	6	6	9
50			3.3	4.8	4.0	3.7	7.0	5.6	6.0	8.9
			2.5-4.3	3.7-6.2	3.0-5.3	2.7-4.7	4.6-9.3	4.2-7.0	4.9-7.2	7.2-10.6
50	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life	Cocaine Ever	4	7	7	7	9	8	8	7
51			4.2	6.5	6.8	7.0	8.7	7.8	8.1	7.4
			3.6-4.9	5.3-7.9	5.5-8.4	5.6-8.4	5.2-12.2	6.0-9.5	6.6-9.6	5.6-9.1
51	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during the past 30 days	Recent cocaine (30 days)	2	3	3	4	4	4	3	4
52			1.9	2.9	2.5	3.6	3.9	3.6	3.4	3.5
			1.5-2.3	2.4-3.5	1.9-3.3	2.7-4.4	2.4-5.4	2.7-4.5	2.6-4.1	2.6-4.4
52	% of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paint or spray to get high one or more times during their life	Inhalants Ever	10	14	12	12	13	13	16	22
61			9.8	14.4	12.0	12.2	13.4	12.8	15.6	21.6
			8.5-11.3	12.6-16.5	10.4-13.9	10.5-13.8	11.2-15.5	10.7-14.9	13.5-17.7	19.0-24.3
88	% of students who have taken barbiturates without a doctor's prescription one or more times during their life	Barbiturates Ever	7	10	10	13	17	17		
53			6.5	10.4	9.6	12.5	17.2	16.9	NC	N/A
			5.5-7.6	8.7-12.3	7.9-11.7	10.5-14.5	12.8-21.6	13.5-20.2		
89	% of students who have taken barbiturates without a doctor's prescription during the past 30 days	Recent barbiturates (30 days)	4	6	5	6	9	10		
54			3.6	5.5	5.0	5.5	9.3	9.7	NC	N/A
			2.8-4.5	4.5-6.9	3.7-6.7	4.1-6.8	7.2-11.4	7.6-11.8		
53	% of students who used heroin one or more times during their life	Heroin Ever	3	5	2	4	4	3	4	
55			2.5	5.0	2.2	3.5	3.5	3.3	3.6	N/A
			1.8-3.5	3.5-7.2	1.4-3.5	2.5-4.6	2.2-4.7	2.7-3.9	2.4-4.8	
90	% of students who used heroin one or more times during the past 30 days	Recent heroin (30 days)	2	3	2	2	3	2	2	
56			1.7	3.4	1.9	2.3	2.6	2.2	1.9	N/A
			1.1-2.7	2.7-4.2	1.3-2.9	1.6-3.1	1.8-3.3	1.7-2.6	1.4-2.4	

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE

8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval			-	Suppressed due to less than 100 cases			
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97	
Q #											
54	% of students who used methamphetamines one or more times during their life	Methamphetamines Ever	3	6	4	4	8	8	9		
62			2.9	6.2	4.0	4.3	7.8	8.2	9.0	N/A	
			2.3-3.7	4.4-8.7	3.1-5.2	3.2-5.3	5.8-9.8	6.9-9.6	7.2-10.9		
91	% of students who have used club drugs one or more times during their life	Club drugs Ever	7	9	7	8	11	15			
57			7.4	9.4	6.7	8.4	10.8	15.0	N/A	N/A	
			6.4-8.6	7.9-11.1	5.0-9.0	6.7-10.1	7.4-14.3	12.8-17.3			
92	% of students who have used club drugs one or more times during the past 30 days	Recent club drugs (30 days)	3	4	3	3	5	8			
58			3.3	4.4	3.3	3.4	5.1	8.2	N/A	N/A	
			2.6-4.2	3.7-5.2	2.2-4.9	2.3-4.6	3.2-7.0	6.6-9.8			
56	% of students who took steroid pills or shots without a doctor's prescription one or more times during their life	Steroids Ever	2	4	3	3	4	4	4	5	
59			2.1	4.1	2.8	3.2	3.7	4.3	4.0	5.4	
			1.5-3.0	3.4-4.9	2.0-3.9	2.4-4.0	2.8-4.7	3.6-5.0	2.9-5.2	4.2-6.6	
93	% of students who have taken steroid pills or shots without a doctor's prescription one or more times during the past 30 days	Recent steroids (30 days)	2	3	2	2	3	3	3		
60			1.8	3.2	2.3	2.4	2.5	2.5	2.5	N/A	
			1.3-2.6	2.4-4.2	1.3-3.9	1.6-3.2	1.8-3.3	1.8-3.1	1.8-3.3		
58	% of students who used a needle to inject any illegal drug into their body one or more times during their life	Illegal drug injection Ever	3	4	3	3	2	2	2	3	
65			2.6	3.8	2.6	2.5	2.4	2.4	2.3	2.9	
			2.0-3.4	3.1-4.5	1.8-3.7	1.7-3.3	1.7-3.1	1.7-3.1	1.6-3.0	2.1-3.7	
59	% of students who were offered, sold, or given an illegal drug on school property during the past 12 months	Drug exchange on school prop. (12 months)	25	30	29	29	31	36	34	36	
66			25.4	29.5	29.1	28.8	31.3	35.6	33.7	36.2	
			23.6-27.3	27.6-31.4	27.0-31.3	26.1-31.5	28.4-34.3	32.9-38.2	30.3-37.1	32.8-39.5	
94	% of students who have taken a prescription drug without a doctor's prescription one or more times during the past 30 days	Prescription drug use	8								
63			8.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			6.8-10.0								
95	% of students who have taken painkillers one or more times without a doctor's prescription one or more times during the past 30 days	Painkiller use	13								
64			12.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			11.3-14.1								
SEXUAL BEHAVIOR											
98	% of students whose parents or other adults in their family have ever talked with them about what they expected them to do or not to do when it comes to sex	Family discussion regarding sex Ever	72	71	72	71	72	69	69		
76			71.8	70.9	72.1	70.9	71.7	69.4	69.1	NC	
			69.2-74.3	68.5-73.1	69.2-74.8	68.7-73.1	69.6-73.8	67.2-71.6	67.4-70.8		
21	% of students who have ever been physically forced to have sexual intercourse when they did not want to	Forced sex Ever	8	10	10	9	10	10			
22			7.9	10.4	10.3	9.0	9.9	9.5	NC	NC	
			6.7-9.3	9.0-12.1	9.0-11.9	7.4-10.5	8.4-11.4	8.2-10.8			
60	% of students who had sexual intercourse	Sexual intercourse Ever	41	46	42	42	44	40	45	49	
67			41.2	45.6	42.4	42.2	43.5	40.3	44.6	48.9	
			36.4-46.1	41.1-50.1	38.1-46.9	37.3-47.1	38.4-48.6	36.7-44.0	40.7-48.5	43.9-53.9	
61a	% of students who had sexual intercourse for the first time before age 16	Sexual intercourse before age 16	28	31	30	31	32				
68			27.6	31.1	30.4	30.9		N/A	N/A	N/A	
			23.6-32.1	27.6-34.8	26.2-34.9	25.4-36.4					

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE										
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent	N/A	Not available for survey year				
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth	NC	No comparison due to word change				
			90.7-93.6	95% Confidence interval	-	Suppressed due to less than 100 cases				
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
Q #										
61 68	% of students who had sexual intercourse for the first time before age 13	Sexual intercourse before age 13	4 4.4 3.1-6.2	5 5.1 4.1-6.5	5 5.3 3.9-7.2	6 6.2 4.0-8.5	7 6.9 4.8-9.1	5 4.9 3.5-6.3	7 6.9 5.5-8.2	8 8.3 7.1-9.5
96 69	Of students who ever had sexual intercourse, % whose first partner was 3 or more years older	First sex with someone 3+ yrs older	15 15.1 13.3-17.2	19 18.7 16.6-21.1	21 20.8 16.4-25.9	25 25.1 21.5-28.8	29 28.6 24.4-32.9	25 25.0 22.5-27.6	26 25.6 22.9-28.2	N/A
62 70	% of students who had sexual intercourse with four or more people during their lives	Sexual intercourse 4+ partners	11 10.7 8.6-13.1	14 13.6 10.9-16.7	12 12.2 9.7-15.3	12 11.8 9.4-14.2	14 13.5 10.6-16.4	11 10.5 8.5-12.5	14 13.7 10.5-16.9	16 16.4 14.1-18.7
63 71	% of students who had sexual intercourse during the last 3 months	Recent sexual intercourse (3 months)	29 29.1 25.8-32.6	34 34.1 30.2-38.3	30 30.0 26.8-33.4	29 29.4 26.0-32.8	31 31.1 26.6-35.7	30 29.9 27.0-32.8	31 31.4 27.8-35.1	34 34.4 30.2-38.7
63a 71	Of students who have ever had sexual intercourse, % not having sexual intercourse during the past 3 months	Abstinence (3 months)	29 29.1 26.4-31.9	25 25.3 22.4-28.5	29 29.4 26.6-32.3	30 30.3 26.2-34.4	29 28.5 24.2-32.8	26 25.5 22.6-28.3	30 29.7 25.6-33.8	30 29.7 26.8-32.6
64 72	Of students who had sexual intercourse during the past 3 months, % who drank alcohol or used drugs before last sexual intercourse	Alcohol or drugs last intercourse (3 months)	20 20.4 17.6-23.5	25 24.7 20.7-29.2	23 23.2 19.9-26.9	22 22.3 18.4-26.1	24 24.2 20.0-28.5	24 23.7 19.4-28.0	24 24.4 19.7-29.2	33 32.8 28.4-37.2
65 73	Of students who had sexual intercourse during the past 3 months, % who used a condom during last sexual intercourse	Condom last intercourse (3 months)	61 61.2 56.8-65.5	61 61.4 56.7-65.9	65 65.0 59.7-70.0	62 61.7 57.9-65.5	63 62.5 55.6-69.3	61 61.0 58.2-63.9	59 58.9 55.9-61.9	58 58.2 53.1-63.3
66 74	Of students who had sexual intercourse during the past 3 months, % who used birth control pills during last sexual intercourse	Birth control pills last intercourse (3 months)	21 21.2 17.8-25.0	21 21.4 17.1-26.5	19 19.3 15.9-23.2	19 18.5 14.7-22.2	17 17.1 14.0-20.2	22 21.7 17.2-26.2	20 20.4 16.4-24.4	22 22.3 18.1-26.6
84 95	% of students who had ever been taught about AIDS or HIV infection in school	HIV/AIDS instruction in school Ever	89 88.5 86.5-90.2	89 88.9 86.9-90.6	90 89.6 87.4-91.5	90 89.7 87.8-91.5	89 88.6 86.6-90.7	89 88.6 86.9-90.3	86 86.1 82.7-89.5	88 87.9 85.5-90.4
WEIGHT & NUTRITION										
ROW GT 6, 7	% of students who are overweight, whose Body Mass Index is >85% and < 95%	Overweight	15 15.3 13.1-17.8	14 14.2 12.6-15.9	17 16.5 14.6-18.6	14 13.5 11.5-15.5	15 15.0 13.6-16.4	13 13.3 12.0-14.6	13 12.7 11.3-14.3	N/A
OBES E 6, 7	% of students who are obese, whose Body Mass Index is > or = 95%	Obese	12 12.1 10.6-13.8	12 11.9 10.6-13.5	12 12.4 10.6-14.5	12 12.1 9.9-14.3	12 12.4 10.7-14.1	11 10.7 9.3-12.0	11 10.9 9.2-12.8	N/A
67 77	% of students who described themselves as slightly or very overweight	Overweight perception	28 28.2 26.3-30.2	28 27.9 25.9-30.0	29 28.9 27.2-30.7	29 29.3 27.1-31.6	31 31.4 29.6-33.2	31 30.7 28.8-32.7	32 31.7 29.5-33.9	30 30.4 28.1-32.8
68 78	% of students who were trying to lose weight	Trying to lose weight	45 45.2 42.6-47.8	45 44.8 42.6-46.9	45 44.6 43.1-46.2	45 44.8 42.0-47.5	46 46.4 43.9-48.9	46 45.8 43.5-48.1	45 44.5 42.4-46.6	45 44.8 42.6-46.9

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE

8	← CDC Code book number or variable	Behavior	92	Whole rounded percent		N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth		NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval		-	Suppressed due to less than 100 cases			
CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
Q #										
69	% of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	Fast (30 days)	12	13	14	11	13	14	13	
79			11.9	13.1	14.0	11.2	12.6	14.3	13.1	N/A
			10.7-13.3	11.3-15.0	12.2-16.0	9.5-13.0	10.8-14.4	12.7-15.9	11.6-14.6	
70	% of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	Diet pills (30 days)	5	7	7	5	9	10	8	
80			5.1	7.3	7.1	4.8	9.0	9.7	8.1	N/A
			4.3-6.1	6.0-8.9	5.7-8.7	3.8-5.8	7.5-10.5	8.5-11.0	7.2-9.1	
71	% of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	Vomit / laxatives (30 days)	5	7	6	5	7	8	6	6
81			4.6	7.2	6.0	4.7	6.6	7.6	5.7	6.1
			4.0-5.3	6.2-8.4	5.4-6.6	3.6-5.8	5.4-7.8	6.5-8.8	4.5-6.8	5.1-7.2
72	% of students who drank 100% fruit juices one or more times during the past 7 days	Fruit juices (7 days)	80	79	81	79	81	85	83	
82			79.8	78.5	80.6	79.4	81.0	84.8	83.4	N/A
			78.3-81.2	75.6-81.2	78.1-82.9	77.2-81.6	79.7-82.3	83.4-86.3	82.2-84.5	
73	% of students who ate fruit one or more times during the past 7 days	Fruit (7 days)	87	87	84	85	85	85	83	
83			87.4	86.5	84.3	84.5	85.1	85.1	83.4	N/A
			85.6-89.1	84.3-88.4	81.5-86.8	81.7-87.3	83.1-87.1	82.9-87.4	81.4-85.5	
74	% of students who ate green salad one or more times during the past 7 days	Green salad (7 days)	64	64	65	64	68	70	65	
84			63.8	63.5	64.7	64.1	68.0	70.4	64.5	N/A
			61.3-66.3	60.7-66.3	61.2-68.0	60.4-67.7	65.0-71.0	67.6-73.1	61.3-67.8	
75	% of students who ate potatoes one or more times during the past 7 days	Potatoes (7 days)	73	72	71	72	72	76	75	
85			73.0	72.3	71.4	71.6	72.1	76.1	75.2	N/A
			71.2-74.7	69.8-74.7	67.7-74.8	70.0-73.1	69.4-74.8	73.8-78.3	73.1-77.3	
76	% of students who ate carrots one or more times during the past 7 days	Carrots (7 days)	49	51	48	49	50	54	50	
86			48.9	50.5	48.3	48.9	49.5	54.2	49.5	N/A
			44.4-53.4	47.9-53.2	43.5-53.1	45.5-52.4	44.9-54.2	51.0-57.5	45.6-53.4	
77	% of students who ate other vegetables one or more times during the past 7 days	Other vegetables (7 days)	83	82	82	81	82	83	83	
87			83.3	81.7	82.2	80.6	82.0	82.7	82.5	N/A
			81.5-85.0	79.4-83.8	79.2-84.9	77.4-83.7	79.7-84.3	80.2-85.1	80.4-84.6	
FRVG	% of students who ate 5 or more servings of fruits and vegetables per day during the past 7 days	5+ per day fruit/veggies (7 days)	19	20	17	17	18	21	19	
			18.7	19.6	17.0	16.7	18.4	20.6	19.0	NC
			16.6-21.0	16.3-23.3	15.2-19.1	15.3-18.1	16.3-20.4	18.8-22.4	17.1-21.0	
78	% of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	Soda consumption (7 days)	24	28	29					
88			23.6	27.6	28.9	NC	NC	N/A	N/A	N/A
			21.2-26.2	25.0-30.4	25.7-32.2					
99	% of students who drank 3 or more glasses of milk per day during the past 7 days	Milk 3+ per day (7 days)	13	13	15	17	16	20	21	
89			12.9	13.3	14.5	16.7	15.5	20.4	20.8	N/A
			11.3-14.7	11.0-15.9	12.4-16.9	14.5-18.8	13.6-17.4	18.3-22.4	18.5-23.1	
100	% of students who ate breakfast on seven of the past seven days	Daily breakfast	37	35						
90			37.2	35.3	N/A	N/A	N/A	N/A	N/A	N/A
			34.2-40.3	31.3-39.4						

2011 Michigan Youth Risk Behavior Survey: Trend Results by Item

KEY TO THE DETAIL TABLE

8	← CDC Code book number or variable	Behavior	92	Whole rounded percent		N/A	Not available for survey year			
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth		NC	No comparison due to word change			
			90.7-93.6	95% Confidence interval		-	Suppressed due to less than 100 cases			

CB#	Indicator Description	Behavior	MI 11	MI 09	MI 07	MI 05	MI 03	MI 01	MI 99	MI 97
Q #										

PHYSICAL ACTIVITY

79 91	% of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days ³	Current rec amount of physical activity ³	49 49.4 44.7-54.1	47 46.8 43.0-50.6	44 44.0 40.4-47.8	N/A	N/A	N/A	N/A	N/A
80 92	% of students who watched 3 hours or more of TV per day on an average school day	TV 3+ hours	30 29.5 25.7-33.6	30 29.6 26.2-33.3	33 32.6 28.0-37.6	36 35.8 31.7-39.8	35 34.8 31.1-38.5	31 30.5 27.0-34.0	37 36.6 32.0-41.3	N/A
81 93	% of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	Computer 3+ hours	27 27.0 24.7-29.5	23 23.3 21.1-25.7	23 22.9 20.5-25.5	N/A	N/A	N/A	N/A	N/A
82 94	% of students who attended physical education PE class one or more days during an average school week	Weekly PE	34 33.9 29.1-39.0	42 42.3 37.8-46.9	45 44.8 38.4-51.3	38 38.4 33.5-43.3	39 39.4 33.7-45.0	44 44.1 39.3-48.9	35 34.5 29.7-39.3	37 37.2 32.5-41.8
DLY PE 94	% of students who attended physical education PE class daily	Daily PE	27 26.7 22.5-31.3	31 31.0 26.5-36.0	30 29.8 23.4-37.1	30 29.8 24.0-35.5	28 27.5 21.2-33.8	29 29.4 22.9-35.9	27 26.9 20.4-33.3	29 29.2 25.8-32.7

MEDICAL HEALTH

102 99	% of students who saw a doctor or health care provider for a check-up or physical exam when they were not sick or injured during the past 12 months	Wellness visit (12 months)	68 67.6 64.8-70.2	62 61.8 59.6-64.0	63 62.5 59.9-65.0	65 64.8 61.2-68.4	65 65.2 63.4-66.9	66 66.0 63.8-68.2	62 61.7 59.5-63.9	N/A
85 96	% of students who have ever been told by a doctor or nurse that they have asthma.	Asthma Diagnosis	25 24.6 22.7-26.5	23 23.3 21.6-25.1	24 23.5 21.6-25.5	20 19.6 17.5-21.8	21 21.1 19.2-23.1	N/A	N/A	N/A
86 97	% of students who had been told by a doctor or nurse that they had asthma and still have asthma	Current asthma	13 12.6 11.4-13.9	12 11.6 10.6-12.7	11 11.4 10.0-13.1	N/A	N/A	N/A	N/A	N/A
101 98	Among students who currently have asthma, % who went to an emergency room/urgent care center because of their asthma one or more times during the past 12 months	Uncontroll asthma	21 20.6 16.3-25.7	18 18.4 14.9-22.4	23 22.5 16.1-30.4	N/A	N/A	N/A	N/A	N/A

³ The 2005 Dietary Guidelines for Americans recommends that youth engage in at least 60 minutes of physical activity on most, preferably all, days of the week. This indicator was changed in the 2007 survey to reflect these recommendations and a new baseline for trend will be established. For dietary guidelines, go to www.health.gov/dietaryguidelines/dga2005.

Revised August 2012