

**Prevalence Estimates for Risk Factors and Health Indicators
by Race-Ethnicity**

State of Michigan

Selected Tables

Michigan Behavioral Risk Factor Survey

2015

Lifecourse Epidemiology and Genomics Division
Bureau of Epidemiology and Population Health
Michigan Department of Health and Human Services

*Prepared by: Chris Fussman
November 1, 2016*

Table of Contents

Introduction.....	2
Table 1: Fair or Poor General Health.....	3
Table 2: Poor Physical Health on at Least 14 Days in the Past Month.....	4
Table 3: Poor Mental Health on at Least 14 Days in the Past Month.....	5
Table 4: Activity Limitation on at Least 14 Days in the Past Month.....	6
Table 5: Disability.....	7
Table 6: Obesity.....	8
Table 7: No Health Care Coverage Among Those Aged 18-64 Years.....	9
Table 8: Medicaid Coverage Among All Adults.....	10
Table 9: Healthy Michigan Plan Coverage Among All Adults.....	11
Table 10: No Personal Health Care Provider.....	12
Table 11: No Health Care Access During Past 12 Months Due to Cost.....	13
Table 12: No Leisure Time Physical Activity.....	14
Table 13: Adequate Physical Activity.....	15
Table 14: Fruit Consumption (< 1 Time / Day).....	16
Table 15: Vegetable Consumption (< 1 Time / Day).....	17
Table 16: Fruit and Vegetable Consumption (≥ 5 Times / Day).....	18
Table 17: Current Smoking.....	19
Table 18: Current Hookah Use.....	20
Table 19: Any Alcohol Consumption.....	21
Table 20: Heavy Drinking.....	22
Table 21: Binge Drinking.....	23
Table 22: Seatbelt Use.....	24
Table 23: Ever Told High Blood Pressure.....	25
Table 24: Cholesterol Ever Checked.....	26
Table 25: Ever Told High Cholesterol.....	27
Table 26: No Routine Checkup in Past Year.....	28
Table 27: Appropriate Colorectal Cancer Screening Among Those Aged 65 Years and Older.....	29
Table 28: Had Flu Vaccine in Past Year Among Those Aged 65 Years and Older.....	30
Table 29: Ever Had Pneumonia Vaccine Among Those Aged 65 Years and Older.....	31
Table 30: Ever Had an HIV Test.....	32
Table 31: Lifetime Asthma Prevalence - Adults.....	33
Table 32: Current Asthma Prevalence - Adults.....	34
Table 33: Ever Told Chronic Obstructive Pulmonary Disease (COPD).....	35
Table 34: Ever Told Arthritis.....	36
Table 35: Ever Told Heart Attack.....	37
Table 36: Ever Told Angina or Coronary Heart Disease.....	38
Table 37: Ever Told Stroke.....	39
Table 38: Ever Told Any Cardiovascular Disease.....	40
Table 39: Ever Told Skin Cancer.....	41
Table 40: Ever Told Any Other Type of Cancer.....	42
Table 41: Ever Told Cancer.....	43
Table 42: Ever Told Diabetes.....	44
Table 43: Ever Told Kidney Disease.....	45
Table 44: Ever Told Depression.....	46

Introduction

The Michigan Behavioral Risk Factor Survey (MiBRFS) is an annual, statewide telephone survey of Michigan adults aged 18 years and older that is conducted through a collaborative effort among the Population Health Surveillance Branch (PHSB) of the Centers for Disease Control and Prevention (CDC), the Michigan State University Institute for Public Policy and Social Research (IPPSR), and the Michigan Department of Health and Human Services. Michigan BRFSS data contribute to the national [Behavioral Risk Factor Surveillance System](#) that is managed by the PHSB at the CDC.

In 2015, the total sample size of completed interviews for the core survey was 8,935 (land line = 4,215; cell phone = 4,720) which consisted of 7,188 White, non-Hispanics, 946 Black, non-Hispanics, 450 Other/Multiracial, non-Hispanics, and 206 Hispanics. Race/ethnicity was not available for 145 respondents, thus these individuals were excluded from this analysis. Due to relatively small racial-ethnic subgroup sample sizes we were required to combine demographic groups in this analysis. Some of the estimates for these racial-ethnic subgroups are relatively imprecise (i.e., have large confidence intervals) and should be used with caution. Furthermore, only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

For the 2015 Michigan BRFSS, the sample of land line telephone numbers that were utilized for data collection was selected using a list-assisted, random-digit-dialed methodology with a disproportionate stratification based on phone bank density, and whether or not the phone numbers were directory listed. The sample of cell phone numbers used within the 2015 Michigan BRFSS data collection process was randomly selected from dedicated cellular telephone banks sorted on the basis of area code and exchange within the State of Michigan.

Iterative proportional fitting or raking was the weighting methodology used to make the 2015 Michigan BRFSS data representative of the current Michigan adult population. Estimates based on this methodology were weighted to adjust for the probabilities of selection and a raking adjustment factor that adjusted for the distribution of Michigan adults by telephone source (land line vs. cell phone), detailed race/ethnicity, education level, marital status, age by gender, gender by race/ethnicity, age by race/ethnicity, and renter/owner status.

State-specific, population-based prevalence estimates and asymmetric confidence intervals were calculated for indicators of health status, health risk behaviors, clinical preventive practices, and chronic conditions among the adult population in Michigan. Respondents who refused to answer a question were removed from the denominator during the analysis of such questions. Those who responded "Don't Know/Not Sure" were also excluded from the denominator unless indicated otherwise. All analyses were performed in SAS-Callable SUDAAN®, a statistical computing program that was designed for complex sample surveys.

In an effort to provide the most reliable information possible, prevalence estimates are suppressed if they are based on a denominator of less than 50 respondents or have a relative standard error of greater than 30%.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to Michigan BRFSS estimates from 2011-2014 and not to Michigan BRFSS estimates from years prior to 2011.

If you have any questions regarding any of the estimates within the following tables, please contact Chris Fussman at FussmanC@michigan.gov.

**Table 1: Fair or Poor General Health^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	17.7	(16.7-18.7)	16.0	(15.0-17.1)	25.8	(22.5-29.4)	17.2	(13.1-22.2)	21.2	(15.3-28.6)
Age										
18 - 49	13.0	(11.6-14.4)	11.8	(10.4-13.4)	16.7	(12.8-21.5)	11.5	(7.6-17.0)	18.7	(12.2-27.7)
50 +	22.5	(21.1-24.0)	19.9	(18.5-21.4)	38.7	(33.5-44.2)	29.7	(21.3-39.6)	28.3	(17.2-42.7)
Gender										
Male	17.1	(15.7-18.7)	15.7	(14.3-17.3)	25.3	(20.1-31.2)	16.8	(11.0-25.0)	16.8	(9.7-27.6)
Female	18.1	(16.8-19.5)	16.3	(14.9-17.8)	26.2	(22.1-30.8)	17.6	(12.7-23.9)	24.7	(16.5-35.3)
Education										
High school graduate or less	24.7	(22.8-26.7)	22.5	(20.5-24.7)	32.8	(27.3-38.9)	28.4	(19.6-39.2)	27.6	(18.5-39.0)
Some college or more	12.6	(11.6-13.6)	11.7	(10.7-12.8)	18.8	(15.3-22.9)	11.5	(7.8-16.5)	14.2	(8.0-23.9)
Household Income										
< \$35,000	30.3	(28.1-32.6)	28.8	(26.4-31.4)	34.7	(29.4-40.3)	30.4	(21.3-41.2)	30.6	(20.8-42.7)
\$35,000 +	9.6	(8.7-10.7)	9.4	(8.4-10.5)	12.7	(9.2-17.4)	7.5	(4.2-12.9)	-- ^c	-- ^c

^a The proportion who reported that their health, in general, was either fair or poor.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 2: Poor Physical Health on at Least 14 Days in the Past Month^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	13.0	(12.1-13.9)	12.8	(11.9-13.8)	13.6	(11.2-16.3)	12.6	(9.2-17.2)	14.2	(9.3-21.0)
Age										
18 - 49	8.7	(7.6-9.9)	8.8	(7.5-10.3)	7.0	(4.8-10.1)	8.4	(5.2-13.3)	11.2	(6.2-19.3)
50 +	17.6	(16.3-18.9)	16.5	(15.3-17.9)	23.0	(18.6-28.0)	22.0	(14.7-31.7)	22.7	(12.6-37.5)
Gender										
Male	11.8	(10.7-13.1)	11.5	(10.3-12.9)	13.9	(10.2-18.6)	12.5	(7.5-20.1)	-- ^c	-- ^c
Female	14.1	(12.9-15.3)	14.1	(12.7-15.5)	13.3	(10.5-16.7)	12.8	(8.7-18.4)	17.0	(10.2-26.8)
Education										
High school graduate or less	17.4	(15.8-19.2)	-- ^c	-- ^c	18.7	(14.6-23.6)	21.5	(13.9-31.8)	18.6	(11.1-29.5)
Some college or more	9.8	(9.0-10.8)	10.2	(9.2-11.2)	8.4	(6.2-11.3)	8.1	(5.1-12.7)	-- ^c	-- ^c
Household Income										
< \$35,000	20.2	(18.3-22.2)	21.2	(19.0-23.6)	17.3	(13.6-21.8)	21.4	(13.6-32.1)	17.9	(10.1-29.7)
\$35,000 +	8.7	(7.8-9.7)	8.8	(7.8-9.8)	7.8	(5.1-11.9)	8.2	(4.6-14.1)	-- ^c	-- ^c

^a The proportion who reported 14 or more days of physical health that was not good, which includes physical illness and injury, during the past 30 days.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 3: Poor Mental Health on at Least 14 Days in the Past Month^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	11.9	(11.0-12.8)	10.8	(9.9-11.8)	15.0	(12.3-18.1)	13.7	(10.1-18.4)	20.3	(14.5-27.6)
Age										
18 - 49	13.4	(12.1-14.9)	13.0	(11.5-14.7)	14.0	(10.6-18.3)	10.8	(7.3-15.9)	19.8	(13.1-28.7)
50 +	10.4	(9.3-11.5)	8.9	(7.9-9.9)	16.4	(12.4-21.3)	20.1	(12.6-30.5)	21.6	(12.1-35.6)
Gender										
Male	9.4	(8.3-10.7)	8.3	(7.1-9.6)	12.3	(8.7-16.9)	12.4	(7.4-20.1)	16.7	(9.1-28.6)
Female	14.2	(12.9-15.5)	13.2	(11.9-14.6)	17.3	(13.6-21.8)	15.2	(10.4-21.5)	23.1	(15.5-33.1)
Education										
High school graduate or less	15.2	(13.6-17.0)	13.5	(11.8-15.4)	18.5	(14.0-24.0)	21.3	(13.6-31.8)	25.1	(16.2-36.7)
Some college or more	9.6	(8.7-10.6)	9.1	(8.1-10.1)	11.4	(8.8-14.8)	9.9	(6.5-14.8)	15.1	(9.2-23.9)
Household Income										
< \$35,000	19.2	(17.3-21.3)	18.2	(16.0-20.6)	20.5	(16.2-25.7)	22.5	(14.6-33.0)	23.6	(15.1-34.9)
\$35,000 +	7.4	(6.5-8.4)	7.3	(6.4-8.4)	5.4	(3.4-8.5)	8.7	(4.9-15.2)	-- ^c	-- ^c

^a The proportion who reported 14 or more days of mental health that was not good, which includes stress, depression, and problems with emotions, during the past 30 days.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 4: Activity Limitation on at Least 14 Days in the Past Month^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	9.0	(8.3-9.8)	8.4	(7.7-9.3)	11.6	(9.3-14.4)	9.9	(6.8-14.3)	8.9	(5.1-15.1)
Age										
18 - 49	6.8	(5.8-8.0)	6.7	(5.6-8.1)	7.8	(5.5-11.1)	7.1	(4.0-12.2)	-- ^c	-- ^c
50 +	11.3	(10.2-12.4)	10.0	(9.0-11.2)	17.0	(13.0-22.0)	16.3	(9.9-25.7)	-- ^c	-- ^c
Gender										
Male	7.9	(6.9-8.9)	7.1	(6.1-8.2)	10.7	(7.5-15.0)	11.0	(6.3-18.6)	-- ^c	-- ^c
Female	10.1	(9.0-11.2)	9.7	(8.6-11.0)	12.4	(9.3-16.3)	8.7	(5.4-13.7)	-- ^c	-- ^c
Education										
High school graduate or less	12.1	(10.7-13.7)	10.9	(9.4-12.6)	16.1	(12.1-21.2)	18.1	(11.1-28.1)	-- ^c	-- ^c
Some college or more	6.8	(6.1-7.6)	6.9	(6.1-7.8)	7.2	(5.2-10.0)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	15.8	(14.1-17.7)	15.7	(13.7-17.9)	16.4	(12.6-21.2)	18.7	(11.3-29.4)	-- ^c	-- ^c
\$35,000 +	4.7	(4.1-5.5)	4.7	(4.0-5.5)	4.8	(2.7-8.3)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported 14 or more days in the past 30 days in which either poor physical health or poor mental health kept respondents from doing their usual activities, such as self-care, work, and recreation.

^b Michigan estimates include all racial groups

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 5: Disability^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	25.1	(24.0-26.3)	24.9	(23.7-26.2)	27.4	(24.0-31.1)	23.0	(18.3-28.6)	22.0	(16.0-29.6)
Age										
18 - 49	15.8	(14.3-17.3)	15.8	(14.1-17.6)	15.1	(11.6-19.3)	14.8	(10.3-20.7)	18.4	(11.9-27.5)
50 +	34.8	(33.2-36.4)	33.3	(31.7-35.0)	44.1	(38.6-49.7)	40.7	(31.4-50.6)	32.7	(20.8-47.4)
Gender										
Male	23.6	(22.0-25.3)	22.9	(21.2-24.7)	27.5	(22.3-33.4)	23.4	(16.6-31.9)	19.1	(11.2-30.6)
Female	26.5	(25.0-28.1)	26.9	(25.2-28.6)	27.2	(23.0-32.0)	22.6	(16.7-29.9)	24.4	(16.2-35.1)
Education										
High school graduate or less	29.7	(27.6-31.8)	29.1	(26.9-31.5)	32.5	(27.0-38.6)	34.5	(24.6-46.0)	25.2	(16.5-36.6)
Some college or more	21.9	(20.7-23.2)	22.3	(21.0-23.7)	22.2	(18.3-26.5)	17.2	(12.7-22.8)	19.0	(11.4-30.0)
Household Income										
< \$35,000	38.8	(36.4-41.2)	40.2	(37.5-43.0)	37.7	(32.3-43.4)	39.1	(29.2-50.0)	27.5	(18.2-39.3)
\$35,000 +	16.8	(15.6-18.1)	17.6	(16.2-19.0)	11.2	(7.9-15.5)	15.8	(10.3-23.4)	-- ^c	-- ^c

^a The proportion who reported being limited in any activities because of physical, mental, or emotional problems, or reported that they required use of special equipment (such as a cane, a wheelchair, a special bed, or a special telephone) due to a health problem.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	31.2	(29.9-32.4)	29.8	(28.5-31.2)	40.2	(36.2-44.4)	22.7	(17.9-28.3)	41.0	(33.2-49.3)
Age										
18 - 49	29.8	(27.9-31.9)	27.6	(25.4-29.8)	42.0	(36.2-48.0)	18.0	(12.8-24.8)	38.9	(29.7-49.0)
50 +	33.0	(31.5-34.6)	32.0	(30.4-33.7)	37.9	(32.7-43.4)	32.3	(23.8-42.3)	46.5	(33.0-60.6)
Gender										
Male	31.7	(29.9-33.5)	31.8	(29.8-33.8)	34.2	(28.2-40.8)	22.0	(15.7-29.9)	39.4	(27.9-52.1)
Female	30.6	(29.0-32.4)	27.9	(26.1-29.7)	45.7	(40.5-51.0)	23.5	(16.8-31.9)	42.3	(32.1-53.4)
Education										
High school graduate or less	33.7	(31.5-36.0)	31.5	(29.1-34.0)	40.8	(34.5-47.4)	27.7	(18.6-39.1)	48.4	(36.7-60.3)
Some college or more	29.7	(28.2-31.2)	28.8	(27.2-30.4)	39.8	(34.7-45.0)	20.2	(15.1-26.5)	32.1	(23.0-42.8)
Household Income										
< \$35,000	35.7	(33.3-38.2)	33.3	(30.6-36.1)	41.7	(36.0-47.7)	24.8	(16.4-35.5)	48.7	(36.7-60.9)
\$35,000 +	30.5	(28.8-32.1)	29.6	(27.9-31.3)	39.5	(32.9-46.6)	24.2	(17.4-32.7)	39.1	(28.0-51.6)

Note: BMI, body mass index, is defined as weight (in kilograms) divided by height (in meters) squared [weight in kg/(height in meters)²]. Weight and height were self-reported. Pregnant women were excluded.

^a The proportion of respondents whose BMI was greater than or equal to 30.0.

^b Michigan estimates include all racial groups.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 7: No Health Care Coverage among Adults Aged 18 - 64 Years^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	12.0	(10.9-13.1)	10.9	(9.7-12.2)	12.5	(9.8-15.8)	14.2	(9.9-19.8)	20.7	(14.4-28.8)
Age										
18 - 49	13.6	(12.1-15.2)	12.5	(10.9-14.4)	14.7	(11.1-19.2)	15.6	(10.6-22.5)	22.0	(14.7-31.6)
50 - 64	8.4	(7.1-9.9)	8.3	(6.9-9.9)	7.5	(4.7-11.7)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	14.2	(12.6-16.0)	12.6	(10.9-14.5)	16.1	(11.6-21.8)	16.7	(10.6-25.3)	28.6	(18.3-41.9)
Female	9.7	(8.4-11.3)	9.0	(7.5-10.7)	9.1	(6.2-13.0)	10.9	(6.1-18.5)	14.2	(7.6-24.8)
Education										
High school graduate or less	17.1	(15.0-19.5)	16.3	(13.8-19.1)	15.2	(10.9-20.9)	20.1	(11.9-31.9)	29.3	(18.9-42.3)
Some college or more	8.2	(7.2-9.3)	7.5	(6.5-8.7)	9.8	(6.8-13.9)	11.2	(6.9-17.8)	11.6	(6.4-20.4)
Household Income										
< \$35,000	16.5	(14.3-18.9)	16.2	(13.6-19.2)	14.7	(10.7-19.8)	15.2	(8.7-25.1)	24.8	(15.2-37.8)
\$35,000 +	8.1	(6.9-9.4)	7.6	(6.4-9.0)	8.4	(5.0-13.7)	15.2	(9.0-24.4)	-- ^c	-- ^c

^a Among those aged 18-64 years, the proportion who reported having no health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.

^b Michigan estimates include all racial groups

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 8: Medicaid Coverage among All Adults^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	23.5	(22.4-24.7)	20.7	(19.5-22.0)	38.2	(34.2-42.4)	22.5	(17.8-28.1)	31.3	(24.4-39.1)
Age										
18 - 49	27.8	(25.9-29.8)	25.2	(23.1-27.4)	38.8	(33.1-44.9)	24.0	(17.6-31.8)	35.7	(27.1-45.4)
50 - 64	19.3	(18.0-20.7)	16.8	(15.5-18.2)	37.3	(32.0-43.0)	19.7	(13.9-27.3)	18.7	(10.7-30.5)
Gender										
Male	21.5	(19.8-23.2)	19.3	(17.7-21.1)	36.0	(29.7-42.9)	18.2	(12.8-25.2)	23.6	(14.8-35.6)
Female	25.4	(23.8-27.1)	22.1	(20.4-23.9)	40.0	(35.0-45.2)	27.3	(19.7-36.5)	37.1	(27.6-47.7)
Education										
High school graduate or less	26.7	(24.7-28.9)	21.4	(19.3-23.6)	48.8	(42.4-55.4)	30.4	(21.1-41.8)	33.5	(23.7-44.9)
Some college or more	21.3	(20.0-22.7)	20.3	(18.9-21.8)	27.7	(23.4-32.4)	18.2	(13.4-24.3)	28.6	(19.7-39.5)
Household Income										
< \$35,000	34.0	(31.5-36.5)	27.9	(25.2-30.7)	49.7	(43.8-55.6)	41.5	(31.0-52.9)	39.7	(28.7-51.9)
\$35,000 +	17.5	(16.2-18.9)	17.1	(15.8-18.6)	20.5	(15.7-26.3)	13.8	(9.2-20.3)	25.8	(16.3-38.2)

^a Among all adults, the proportion who reported having Medicaid health care coverage, which includes those who had Medicaid only as well as those who had both Medicaid and Medicare.

^b Michigan estimates include all racial groups

**Table 9: Healthy Michigan Plan Coverage among All Adults^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	2.9	(2.4-3.4)	2.5	(2.0-3.1)	5.2	(3.5-7.7)	1.8	(0.9-3.5)	-- ^c	-- ^c
Age										
18 - 49	3.5	(2.7-4.4)	3.4	(2.5-4.5)	5.2	(3.0-9.1)	-- ^c	-- ^c	-- ^c	-- ^c
50 - 64	2.2	(1.7-2.9)	1.8	(1.3-2.5)	5.2	(3.0-8.9)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	2.4	(1.8-3.3)	2.1	(1.4-3.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.3	(2.6-4.0)	2.9	(2.3-3.8)	4.4	(2.8-7.0)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	4.1	(3.1-5.3)	3.8	(2.8-5.2)	6.0	(3.3-10.7)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	2.0	(1.6-2.5)	1.7	(1.3-2.2)	4.5	(2.7-7.2)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	6.0	(4.9-7.4)	6.3	(4.9-8.0)	6.2	(4.0-9.6)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	1.0	(0.6-1.6)	0.8	(0.5-1.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a Among all adults, the proportion who reported having only Healthy Michigan Plan health care coverage.
^b Michigan estimates include all racial groups
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 10: No Personal Health Care Provider^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	14.8	(13.8-15.8)	13.3	(12.3-14.4)	18.1	(15.0-21.7)	22.5	(17.6-28.2)	21.5	(15.2-29.6)
Age										
18 - 49	22.4	(20.7-24.3)	20.8	(18.9-22.9)	25.2	(20.4-30.7)	29.8	(22.9-37.7)	27.1	(19.0-37.1)
50 +	6.9	(6.1-7.8)	6.7	(5.8-7.6)	8.3	(5.7-12.0)	8.3	(5.0-13.5)	-- ^c	-- ^c
Gender										
Male	20.2	(18.6-21.9)	18.2	(16.5-20.0)	26.3	(20.9-32.6)	29.6	(22.2-38.2)	28.0	(17.8-41.2)
Female	9.7	(8.6-10.9)	8.7	(7.5-10.0)	10.9	(8.0-14.8)	14.4	(9.3-21.7)	16.6	(9.6-27.2)
Education										
High school graduate or less	17.3	(15.5-19.3)	15.2	(13.3-17.3)	23.6	(18.4-29.8)	17.9	(11.0-27.8)	27.3	(17.5-39.8)
Some college or more	12.9	(11.8-14.1)	12.0	(10.9-13.3)	12.7	(9.6-16.7)	25.0	(19.0-32.3)	14.8	(8.7-24.1)
Household Income										
< \$35,000	19.6	(17.6-21.9)	17.2	(15.0-19.7)	24.0	(19.0-29.7)	29.7	(20.9-40.2)	23.0	(13.6-36.2)
\$35,000 +	11.6	(10.4-12.9)	11.5	(10.2-13.0)	8.5	(5.3-13.4)	17.3	(11.3-25.5)	-- ^c	-- ^c

^a The proportion who reported that they did not have anyone that they thought of as their personal doctor or health care provider.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 11: No Health Care Access during Past 12 Months Due to Cost^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	12.7	(11.8-13.7)	11.3	(10.3-12.3)	16.6	(13.8-19.8)	14.1	(9.9-19.7)	22.8	(16.7-30.3)
Age										
18 - 49	15.3	(13.8-16.9)	14.2	(12.5-16.0)	18.2	(14.2-22.9)	13.5	(8.4-21.2)	23.4	(16.2-32.6)
50 +	9.8	(8.8-11.0)	8.8	(7.7-9.9)	14.5	(10.9-18.9)	14.1	(8.7-22.3)	20.9	(11.6-34.6)
Gender										
Male	12.1	(10.8-13.5)	9.9	(8.7-11.4)	18.8	(14.2-24.4)	15.1	(9.8-22.5)	24.2	(15.5-35.7)
Female	13.3	(12.0-14.7)	12.5	(11.2-14.1)	14.7	(11.6-18.5)	13.0	(7.2-22.4)	21.6	(13.8-32.2)
Education										
High school graduate or less	15.0	(13.3-16.8)	13.9	(12.0-15.9)	17.9	(13.6-23.3)	12.9	(7.1-22.4)	22.7	(14.3-34.2)
Some college or more	10.9	(9.9-12.0)	9.5	(8.5-10.7)	15.5	(12.2-19.5)	14.0	(8.9-21.2)	23.4	(15.5-33.8)
Household Income										
< \$35,000	20.6	(18.6-22.8)	20.1	(17.7-22.6)	20.6	(16.4-25.7)	18.6	(11.7-28.3)	27.9	(18.7-39.4)
\$35,000 +	7.5	(6.6-8.6)	6.9	(6.0-8.0)	11.0	(7.4-16.1)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported that in the past 12 months, they could not see a doctor when they needed to due to the cost.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 12: No Leisure Time Physical Activity^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	25.5	(24.3-26.7)	24.2	(23.0-25.6)	30.2	(26.5-34.1)	25.7	(19.7-32.7)	33.2	(25.9-41.6)
Age										
18 - 49	22.1	(20.2-24.0)	20.6	(18.6-22.8)	25.5	(20.8-30.9)	23.7	(16.1-33.5)	29.6	(21.1-39.7)
50 +	28.9	(27.4-30.5)	27.5	(25.9-29.1)	36.6	(31.2-42.4)	28.8	(20.5-38.8)	43.6	(30.2-58.0)
Gender										
Male	23.7	(21.9-25.5)	23.7	(21.8-25.7)	23.7	(18.7-29.7)	18.9	(12.2-28.2)	26.8	(17.0-39.6)
Female	27.2	(25.6-28.9)	24.8	(23.1-26.6)	35.7	(30.8-41.0)	32.9	(23.6-43.8)	38.3	(28.3-49.5)
Education										
High school graduate or less	33.3	(31.1-35.6)	32.6	(30.1-35.1)	37.1	(31.0-43.6)	31.0	(20.7-43.5)	33.9	(23.3-46.4)
Some college or more	20.1	(18.8-21.4)	18.9	(17.6-20.3)	23.9	(19.8-28.5)	22.3	(15.4-31.3)	32.5	(23.0-43.8)
Household Income										
< \$35,000	33.8	(31.4-36.3)	33.0	(30.2-35.9)	36.6	(31.0-42.5)	31.1	(21.7-42.3)	35.0	(24.2-47.6)
\$35,000 +	20.0	(18.6-21.5)	19.3	(17.8-20.8)	23.4	(18.2-29.6)	20.1	(12.3-31.1)	32.9	(22.2-45.9)

^a The proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise in the past month.

^b Michigan estimates include all racial groups.

**Table 13: Adequate Physical Activity^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	19.5	(18.5-20.7)	19.3	(18.1-20.5)	21.2	(17.8-25.1)	20.8	(16.0-26.6)	18.8	(13.2-26.0)
Age										
18 - 49	22.4	(20.6-24.4)	22.0	(20.0-24.2)	25.0	(19.9-30.8)	24.0	(17.3-32.2)	19.9	(13.2-28.8)
50 +	16.7	(15.5-18.0)	16.9	(15.7-18.2)	15.9	(12.1-20.6)	15.1	(10.2-21.7)		
Gender										
Male	21.0	(19.4-22.8)	19.7	(18.0-21.6)	27.9	(22.0-34.7)	27.2	(19.6-36.3)	19.6	(11.2-32.1)
Female	18.1	(16.8-19.6)	18.8	(17.3-20.5)	15.6	(12.0-19.9)	13.8	(9.2-20.3)	18.1	(11.5-27.3)
Education										
High school graduate or less	14.9	(13.2-16.8)	14.4	(12.5-16.5)	16.7	(11.9-22.9)	14.6	(8.6-23.7)	17.6	(10.0-29.0)
Some college or more	22.6	(21.2-24.0)	22.3	(20.9-23.8)	24.6	(20.1-29.7)	24.1	(17.8-31.8)	20.1	(12.9-29.8)
Household Income										
< \$35,000	15.7	(13.9-17.7)	15.6	(13.6-17.9)	16.1	(12.0-21.2)	13.1	(7.4-22.2)	17.7	(10.1-29.2)
\$35,000 +	21.9	(20.4-23.5)	21.3	(19.7-22.9)	26.2	(20.1-33.4)	25.0	(17.7-34.0)	24.4	(15.0-37.1)

^a The proportion who reported that they do either moderate physical activities for at least 150 minutes per week, vigorous physical activities for at least 75 minutes per week, or an equivalent combination of moderate and vigorous physical activities **and** also participate in muscle strengthening activities on two or more days per week.

^b Michigan estimates include all racial groups.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 14: Fruit Consumption (< 1 Time / Day)^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	39.7	(38.4-41.1)	38.9	(37.4-40.4)	43.6	(39.4-47.8)	41.0	(34.5-47.9)	41.5	(33.6-49.9)
Age										
18 - 49	44.1	(41.9-46.3)	44.2	(41.7-46.7)	45.5	(39.5-51.5)	43.0	(34.4-52.1)	40.0	(30.7-50.2)
50 +	35.4	(33.8-37.0)	34.3	(32.6-36.0)	41.3	(35.7-47.0)	37.5	(28.4-47.4)	45.5	(31.9-59.9)
Gender										
Male	45.4	(43.4-47.5)	44.8	(42.6-47.0)	47.6	(40.9-54.3)	47.0	(38.0-56.1)	49.0	(36.6-61.4)
Female	34.4	(32.6-36.2)	33.3	(31.4-35.2)	40.1	(35.0-45.4)	34.5	(25.5-44.9)	35.6	(25.7-46.8)
Education										
High school graduate or less	45.5	(43.1-47.9)	45.0	(42.3-47.7)	49.0	(42.4-55.7)	44.8	(33.1-57.0)	43.5	(31.8-55.9)
Some college or more	35.7	(34.2-37.3)	35.0	(33.3-36.7)	38.4	(33.4-43.6)	39.2	(31.5-47.4)	39.3	(29.2-50.4)
Household Income										
< \$35,000	44.1	(41.5-46.6)	44.2	(41.3-47.2)	45.5	(39.7-51.5)	45.8	(35.1-56.9)	36.4	(25.4-49.2)
\$35,000 +	37.3	(35.6-39.1)	36.8	(34.9-38.7)	41.6	(34.8-48.7)	35.9	(27.5-45.2)	43.8	(31.8-56.5)

^a The proportion whose total reported consumption of fruits (including juice) was less than one time per day

^b Michigan estimates include all racial groups.

**Table 15: Vegetable Consumption (< 1 Time / Day)^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	24.7	(23.5-26.0)	22.9	(21.7-24.3)	35.1	(31.0-39.4)	22.3	(17.2-28.4)	29.8	(22.7-38.2)
Age										
18 - 49	27.1	(25.1-29.1)	25.1	(23.0-27.4)	37.1	(31.4-43.2)	22.4	(15.8-30.8)	31.4	(22.8-41.6)
50 +	22.5	(21.1-24.0)	21.2	(19.7-22.7)	32.4	(27.1-38.3)	23.0	(15.9-32.1)	25.4	(14.8-40.0)
Gender										
Male	28.8	(26.9-30.7)	27.4	(25.4-29.4)	38.9	(32.4-45.8)	20.8	(14.1-29.7)	34.6	(23.6-47.6)
Female	20.9	(19.4-22.5)	18.8	(17.2-20.4)	31.8	(26.9-37.1)	23.9	(16.6-33.0)	26.2	(17.4-37.3)
Education										
High school graduate or less	32.6	(30.4-35.0)	29.6	(27.1-32.1)	45.8	(39.1-52.7)	36.4	(25.1-49.4)	36.3	(25.5-48.8)
Some college or more	19.6	(18.3-21.0)	18.9	(17.5-20.4)	25.9	(21.4-31.0)	15.6	(11.1-21.5)	22.4	(14.4-33.3)
Household Income										
< \$35,000	30.6	(28.3-33.0)	29.1	(26.5-31.9)	37.2	(31.5-43.2)	23.0	(15.6-32.6)	30.3	(20.2-42.6)
\$35,000 +	20.5	(19.0-22.1)	19.0	(17.5-20.7)	34.2	(27.5-41.7)	19.6	(12.5-29.2)	25.7	(15.9-38.8)

^a The proportion whose total reported consumption of vegetables was less than one time per day.

^b Michigan estimates include all racial groups.

**Table 16: Fruit and Vegetable Consumption (≥ 5 Times / Day)^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	14.4	(13.5-15.3)	13.8	(12.9-14.8)	16.5	(13.7-19.7)	14.0	(10.3-18.9)	18.3	(13.0-25.3)
Age										
18 - 49	13.9	(12.5-15.5)	13.1	(11.6-14.8)	17.0	(13.1-21.9)	11.3	(7.2-17.3)	18.9	(12.6-27.4)
50 +	14.7	(13.6-15.9)	14.5	(13.3-15.7)	15.6	(12.1-20.1)	16.3	(10.3-25.0)	-- ^c	-- ^c
Gender										
Male	10.4	(9.2-11.7)	8.9	(7.7-10.2)	16.1	(11.8-21.6)	15.0	(9.7-22.7)	15.1	(8.2-26.2)
Female	18.2	(16.9-19.6)	18.6	(17.1-20.1)	16.8	(13.4-20.8)	13.0	(8.3-19.6)	20.9	(13.7-30.5)
Education										
High school graduate or less	10.6	(9.3-12.1)	9.5	(8.1-11.2)	14.8	(10.9-19.8)	-- ^c	-- ^c	16.1	(8.9-27.2)
Some college or more	16.9	(15.7-18.1)	16.6	(15.4-17.9)	18.2	(14.4-22.8)	16.4	(11.5-22.8)	20.9	(13.8-30.2)
Household Income										
< \$35,000	14.0	(12.4-15.8)	12.9	(11.2-14.9)	15.4	(11.7-20.1)	15.6	(8.8-26.2)	19.5	(11.5-31.1)
\$35,000 +	15.2	(14.0-16.5)	14.8	(13.6-16.2)	17.2	(12.7-22.8)	14.0	(9.0-21.1)	22.5	(14.1-33.8)

^a The proportion whose total reported consumption of fruits (including juice) and vegetables was five or more times per day.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 17: Current Smoking^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	20.7	(19.6-21.9)	19.8	(18.5-21.1)	26.0	(22.4-30.1)	25.1	(20.0-31.2)	19.3	(13.4-26.9)
Age										
18 - 49	24.2	(22.3-26.1)	24.4	(22.3-26.7)	23.6	(18.7-29.5)	23.1	(17.0-30.5)	23.3	(15.8-32.9)
50 +	17.6	(16.3-19.0)	15.8	(14.5-17.2)	29.5	(24.4-35.0)	30.7	(21.7-41.4)	-- ^c	-- ^c
Gender										
Male	22.4	(20.7-24.2)	21.2	(19.4-23.2)	28.8	(23.0-35.4)	29.4	(21.8-38.4)	19.1	(10.9-31.3)
Female	19.1	(17.6-20.6)	18.3	(16.7-20.1)	23.6	(19.3-28.6)	20.2	(14.2-28.0)	19.4	(12.0-30.0)
Education										
High school graduate or less	29.9	(27.7-32.2)	28.9	(26.5-31.4)	32.9	(26.9-39.4)	42.2	(31.5-53.8)	25.6	(16.3-37.7)
Some college or more	14.6	(13.5-15.8)	14.0	(12.7-15.3)	19.2	(15.3-23.7)	16.2	(11.4-22.6)	12.6	(7.0-21.8)
Household Income										
< \$35,000	32.2	(29.8-34.7)	31.3	(28.5-34.2)	33.9	(28.4-40.0)	42.2	(31.8-53.3)	28.2	(18.4-40.7)
\$35,000 +	15.4	(14.0-16.8)	15.3	(13.9-16.9)	14.8	(10.1-21.2)	21.6	(14.8-30.5)	-- ^c	-- ^c

^a The proportion who reported that they had ever smoked at least 100 cigarettes (5 packs) in their life and that they smoke cigarettes now, either every day or on some days.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 18: Current Hookah Use^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	4.5	(3.8-5.3)	3.9	(3.2-4.8)	7.2	(4.7-10.9)	5.2	(2.9-9.1)	-- ^c	-- ^c
Age										
18 - 49	6.5	(5.1-8.1)	5.7	(4.4-7.5)	11.6	(7.1-18.4)	-- ^c	-- ^c	-- ^c	-- ^c
50 +	2.2	(1.6-3.0)	2.1	(1.4-3.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	5.9	(4.8-7.3)	5.3	(4.1-7.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.2	(2.4-4.2)	2.3	(1.6-3.4)	7.4	(4.1-13.1)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	6.4	(4.9-8.3)	5.7	(4.1-7.8)	9.9	(5.6-17.0)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	2.9	(2.2-3.7)	2.5	(1.9-3.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	7.2	(5.5-9.4)	7.0	(5.1-9.6)	8.6	(4.9-14.6)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	2.7	(2.0-3.6)	2.5	(1.8-3.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a Among all adults, the proportion who reported smoking tobacco using a hookah, narghile, or water pipe on one or more days during the previous thirty days.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 19: Any Alcohol Consumption^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	57.0	(55.6-58.3)	59.0	(57.5-60.4)	50.8	(46.7-54.9)	46.2	(39.9-52.6)	56.6	(48.5-64.4)
Age										
18 - 49	61.7	(59.6-63.8)	63.6	(61.2-65.9)	59.6	(53.7-65.1)	47.5	(39.2-56.0)	59.2	(49.4-68.3)
50 +	52.7	(51.1-54.4)	55.0	(53.2-56.7)	39.3	(34.0-44.8)	44.1	(35.0-53.6)	49.0	(35.4-62.8)
Gender										
Male	63.6	(61.7-65.5)	65.5	(63.3-67.5)	57.7	(51.1-64.1)	48.1	(39.5-56.9)	70.3	(58.2-80.2)
Female	50.7	(48.9-52.4)	52.7	(50.8-54.7)	44.8	(39.8-49.9)	44.0	(35.1-53.4)	45.4	(35.2-56.1)
Education										
High school graduate or less	47.5	(45.2-49.9)	48.5	(45.8-51.1)	46.5	(40.1-53.0)	27.5	(18.7-38.4)	52.1	(40.4-63.6)
Some college or more	63.9	(62.4-65.4)	65.7	(64.0-67.3)	55.6	(50.4-60.6)	56.6	(48.5-64.4)	60.4	(49.5-70.4)
Household Income										
< \$35,000	47.8	(45.3-50.3)	46.9	(44.0-49.8)	51.9	(46.0-57.7)	40.3	(30.4-51.1)	49.4	(37.5-61.5)
\$35,000 +	66.6	(64.9-68.2)	68.0	(66.2-69.8)	56.9	(50.0-63.6)	55.1	(45.6-64.3)	68.0	(56.0-78.0)

^a The proportion who reported consuming at least one drink of any alcoholic beverage in the previous month.

^b Michigan estimates include all racial groups.

**Table 20: Heavy Drinking^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	6.5	(5.9-7.2)	7.3	(6.6-8.1)	3.4	(2.2-5.1)	-- ^c	-- ^c	-- ^c	-- ^c
Age										
18 - 49	6.9	(5.9-8.1)	7.7	(6.5-9.1)	4.4	(2.7-7.2)	-- ^c	-- ^c	-- ^c	-- ^c
50 +	6.2	(5.5-7.1)	7.0	(6.1-7.9)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	7.5	(6.5-8.7)	8.4	(7.2-9.8)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Female	5.6	(4.9-6.5)	6.3	(5.4-7.3)	3.3	(1.9-5.8)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	6.5	(5.5-7.8)	7.2	(5.9-8.7)	3.9	(2.2-6.9)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	6.6	(5.8-7.4)	7.4	(6.5-8.4)	3.0	(1.7-5.3)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	6.1	(5.0-7.3)	6.8	(5.5-8.4)	4.8	(3.0-7.7)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	7.6	(6.7-8.6)	8.3	(7.2-9.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported consuming on average more than two alcoholic beverages per day for men or more than one per day for women in the previous month.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 21: Binge Drinking^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	18.5	(17.5-19.6)	19.3	(18.1-20.5)	15.7	(12.8-19.0)	12.7	(9.0-17.4)	20.3	(14.3-27.9)
Age										
18 - 49	25.5	(23.6-27.4)	27.8	(25.7-30.1)	18.2	(14.1-23.2)	16.0	(10.8-22.9)	23.8	(16.3-33.5)
50 +	11.6	(10.6-12.7)	11.7	(10.6-12.9)	12.3	(9.1-16.6)	6.4	(3.5-11.4)	-- ^c	-- ^c
Gender										
Male	24.5	(22.8-26.3)	25.3	(23.4-27.3)	21.8	(16.9-27.6)	15.2	(9.6-23.1)	30.4	(20.2-42.9)
Female	12.9	(11.7-14.2)	13.6	(12.2-15.1)	10.4	(7.5-14.3)	9.9	(6.2-15.3)	-- ^c	-- ^c
Education										
High school graduate or less	18.0	(16.2-20.0)	18.5	(16.5-20.8)	17.3	(12.9-22.6)	-- ^c	-- ^c	21.9	(13.3-34.0)
Some college or more	19.0	(17.7-20.4)	19.8	(18.4-21.3)	14.3	(10.9-18.7)	16.5	(11.5-23.3)	18.3	(11.3-28.2)
Household Income										
< \$35,000	16.2	(14.4-18.2)	16.0	(13.8-18.3)	16.3	(12.4-21.2)	11.6	(6.6-19.6)	21.7	(12.8-34.5)
\$35,000 +	21.7	(20.2-23.3)	22.8	(21.1-24.5)	15.9	(11.3-22.0)	14.1	(8.7-22.0)	19.1	(11.4-30.2)

^a The proportion who reported consuming five or more drinks per occasion at least once in the previous month.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	90.3	(89.4-91.1)	90.9	(89.9-91.8)	88.3	(85.1-90.8)	88.8	(83.9-92.3)	87.3	(80.1-92.1)
Age										
18 - 49	87.4	(85.8-88.8)	88.0	(86.2-89.6)	84.6	(79.6-88.5)	88.7	(82.7-92.8)	85.1	(75.8-91.2)
50 +	93.2	(92.3-94.0)	93.4	(92.4-94.2)	93.3	(90.4-95.4)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	87.0	(85.6-88.4)	87.5	(85.9-89.0)	86.3	(81.1-90.2)	89.2	(81.9-93.8)	77.6	(64.0-87.0)
Female	93.3	(92.2-94.2)	94.1	(92.9-95.1)	90.0	(85.9-92.9)	88.4	(80.9-93.2)	-- ^c	-- ^c
Education										
High school graduate or less	89.4	(87.7-90.9)	89.6	(87.7-91.2)	91.8	(87.3-94.7)	82.2	(70.0-90.2)	-- ^c	-- ^c
Some college or more	90.9	(89.8-91.9)	91.7	(90.6-92.7)	84.9	(80.3-88.6)	91.9	(87.5-94.9)	-- ^c	-- ^c
Household Income										
< \$35,000	87.9	(86.0-89.5)	87.8	(85.5-89.8)	89.2	(85.0-92.3)	83.1	(73.3-89.7)	-- ^c	-- ^c
\$35,000 +	91.5	(90.3-92.5)	91.9	(90.7-93.0)	87.5	(81.5-91.7)	88.7	(80.4-93.8)	-- ^c	-- ^c

^a The proportion who reported always using a seatbelt when driving or riding in a car.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 23: Ever Told High Blood Pressure^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	33.1	(31.9-34.3)	32.3	(31.1-33.6)	43.0	(39.1-46.9)	27.1	(22.2-32.7)	23.6	(17.8-30.5)
Age										
18 - 49	15.8	(14.4-17.3)	14.3	(12.8-15.9)	25.3	(20.8-30.4)	13.7	(9.2-19.9)	12.8	(8.0-19.8)
50 +	51.1	(49.5-52.7)	48.6	(46.9-50.3)	67.4	(61.9-72.4)	55.7	(46.6-64.4)	54.0	(40.2-67.1)
Gender										
Male	34.3	(32.5-36.1)	33.2	(31.3-35.2)	42.9	(36.7-49.3)	32.2	(24.7-40.7)	26.6	(17.7-37.9)
Female	32.0	(30.5-33.5)	31.4	(29.8-33.1)	43.0	(38.3-47.9)	21.4	(15.9-28.1)	21.1	(14.2-30.2)
Education										
High school graduate or less	36.7	(34.7-38.9)	35.9	(33.6-38.2)	44.9	(38.8-51.1)	33.2	(23.7-44.1)	27.2	(18.6-37.9)
Some college or more	30.7	(29.4-32.1)	30.1	(28.6-31.5)	41.3	(36.5-46.3)	24.2	(18.7-30.6)	20.0	(13.1-29.3)
Household Income										
< \$35,000	38.7	(36.4-41.0)	37.3	(34.8-40.0)	46.3	(40.7-52.1)	38.5	(28.8-49.2)	27.2	(18.3-38.5)
\$35,000 +	29.9	(28.4-31.5)	29.6	(28.0-31.3)	41.9	(35.5-48.7)	21.1	(15.0-28.8)	17.1	(10.4-26.8)

^a The proportion who reported that they were ever told by a doctor that they had high blood pressure (HBP). Women who had HBP only during pregnancy and adults who were borderline hypertensive were considered to not have been diagnosed.

^b Michigan estimates include all racial groups.

**Table 24: Cholesterol Ever Checked^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	83.3	(82.2-84.4)	85.0	(83.7-86.1)	81.7	(78.1-84.9)	74.5	(67.9-80.1)	70.5	(62.0-77.8)
Age										
18 - 49	70.7	(68.6-72.7)	71.2	(68.8-73.5)	72.8	(67.2-77.8)	68.0	(59.3-75.6)	61.9	(51.6-71.2)
50 +	96.1	(95.3-96.7)	96.8	(96.0-97.4)	93.6	(90.1-96.0)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	81.1	(79.4-82.8)	82.5	(80.6-84.3)	78.7	(72.6-83.8)	74.1	(65.1-81.5)	70.5	(57.1-81.1)
Female	85.4	(83.8-86.9)	87.3	(85.5-88.8)	84.3	(79.8-87.9)	74.9	(64.7-83.0)	70.6	(59.2-79.8)
Education										
High school graduate or less	79.5	(77.3-81.6)	81.5	(79.1-83.8)	76.5	(70.3-81.7)	69.9	(57.6-79.8)	67.6	(54.8-78.2)
Some college or more	86.4	(85.1-87.5)	87.3	(85.9-88.6)	86.9	(82.9-90.0)	77.6	(69.5-84.0)	76.0	(65.3-84.2)
Household Income										
< \$35,000	78.4	(76.1-80.6)	80.9	(78.3-83.3)	77.9	(72.2-82.7)	69.7	(58.3-79.1)	60.3	(47.5-71.9)
\$35,000 +	88.2	(86.8-89.5)	88.3	(86.8-89.7)	92.2	(87.2-95.3)	79.7	(70.3-86.7)	-- ^c	-- ^c

^a The proportion who reported ever having had their blood cholesterol checked.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 25: Ever Told High Cholesterol^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	38.2	(36.8-39.5)	39.7	(38.3-41.2)	32.9	(29.1-37.0)	32.9	(26.9-39.5)	32.0	(24.3-41.0)
Age										
18 - 49	20.5	(18.6-22.4)	21.1	(18.9-23.4)	16.4	(12.2-21.6)	21.2	(14.9-29.3)	23.5	(15.1-34.7)
50 +	51.4	(49.8-53.0)	51.7	(49.9-53.4)	50.2	(44.6-55.9)	51.8	(42.3-61.2)	46.9	(33.3-60.9)
Gender										
Male	38.7	(36.7-40.7)	39.9	(37.7-42.1)	34.1	(27.9-41.0)	36.8	(28.2-46.3)	37.9	(25.3-52.4)
Female	37.7	(36.0-39.4)	39.6	(37.7-41.5)	32.0	(27.4-36.9)	28.6	(21.1-37.6)	27.2	(18.5-38.1)
Education										
High school graduate or less	41.7	(39.4-44.2)	44.3	(41.6-47.0)	30.2	(24.6-36.5)	40.5	(28.7-53.6)	39.3	(26.9-53.3)
Some college or more	36.1	(34.6-37.7)	37.0	(35.4-38.7)	35.5	(30.4-40.8)	29.4	(22.9-36.8)	24.8	(16.5-35.5)
Household Income										
< \$35,000	43.5	(40.8-46.1)	46.6	(43.5-49.7)	33.5	(28.1-39.5)	44.0	(32.1-56.6)	41.8	(28.1-57.0)
\$35,000 +	35.3	(33.6-37.0)	36.5	(34.7-38.3)	29.4	(23.6-36.0)	28.7	(20.8-38.3)	25.7	(16.9-37.1)

^a The proportion who reported that a doctor, nurse, or other health professional had told them that their cholesterol was high among those who ever had their blood cholesterol checked.

^b Michigan estimates include all racial groups.

**Table 26: No Routine Checkup in Past Year^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	28.0	(26.7-29.2)	29.1	(27.7-30.5)	21.6	(18.3-25.4)	29.2	(24.0-35.1)	25.8	(19.4-33.4)
Age										
18 - 49	36.7	(34.7-38.8)	39.7	(37.4-42.2)	26.8	(21.9-32.3)	33.3	(26.2-41.3)	29.1	(21.1-38.6)
50 +	19.0	(17.7-20.3)	19.6	(18.2-21.1)	14.5	(10.8-19.2)	21.4	(15.3-29.0)	16.1	(8.8-27.6)
Gender										
Male	32.7	(30.8-34.6)	33.5	(31.5-35.6)	27.3	(21.8-33.6)	33.1	(25.8-41.4)	29.9	(19.9-42.3)
Female	23.5	(21.9-25.1)	24.9	(23.1-26.8)	16.6	(12.9-21.0)	24.7	(17.8-33.1)	22.5	(14.9-32.5)
Education										
High school graduate or less	27.7	(25.5-29.9)	28.7	(26.3-31.2)	22.4	(17.2-28.5)	26.6	(18.1-37.2)	29.9	(20.1-42.0)
Some college or more	28.2	(26.8-29.7)	29.4	(27.8-31.0)	20.9	(16.9-25.6)	30.6	(24.3-37.8)	21.8	(14.8-31.0)
Household Income										
< \$35,000	27.0	(24.8-29.3)	29.3	(26.6-32.1)	21.5	(16.8-27.1)	27.4	(19.0-37.7)	21.0	(12.5-33.1)
\$35,000 +	28.9	(27.3-30.6)	29.7	(27.9-31.6)	21.9	(16.4-28.6)	30.8	(23.3-39.4)	23.4	(14.9-34.9)

^a The proportion who reported that they did not have a routine checkup in the past year.
^b Michigan estimates include all racial groups.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 27: Appropriate Colorectal Cancer Screening among Adults Aged 50 and Older^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	71.8	(70.2-73.3)	72.7	(71.0-74.3)	70.0	(64.3-75.3)	63.6	(52.9-73.1)	60.7	(45.6-74.0)
Gender										
Male	70.9	(68.4-73.2)	71.6	(69.0-74.1)	71.9	(62.4-79.8)	56.4	(41.8-70.1)	-- ^c	-- ^c
Female	72.5	(70.5-74.5)	73.6	(71.4-75.6)	68.6	(61.2-75.2)	74.5	(62.3-83.8)	-- ^c	-- ^c
Education										
High school graduate or less	67.5	(64.6-70.2)	68.7	(65.7-71.6)	63.6	(54.0-72.2)	65.6	(45.0-81.6)	-- ^c	-- ^c
Some college or more	75.1	(73.3-76.9)	75.5	(73.6-77.3)	76.0	(69.6-81.4)	62.5	(50.2-73.3)	-- ^c	-- ^c
Household Income										
< \$35,000	64.3	(61.1-67.3)	66.0	(62.6-69.2)	62.6	(53.8-70.6)	47.3	(30.1-65.1)	-- ^c	-- ^c
\$35,000 +	75.7	(73.7-77.7)	75.7	(73.5-77.7)	82.1	(74.8-87.7)	66.1	(51.8-78.0)	-- ^c	-- ^c

^a Among those aged 50 years and older, the proportion who had either a fecal occult blood test within the past year, a sigmoidoscopy within the past five years, or a colonoscopy within the past ten years.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 28: Had Flu Vaccine in Past Year among Adults 65 Years and Older^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	57.7	(55.3-60.0)	58.5	(56.1-60.9)	54.3	(45.5-62.8)	49.0	(33.9-64.4)	-- ^c	-- ^c
Gender										
Male	59.7	(56.0-63.3)	59.6	(55.8-63.4)	71.9	(57.1-83.2)	-- ^c	-- ^c	-- ^c	-- ^c
Female	56.1	(53.1-59.0)	57.6	(54.5-60.7)	42.5	(32.9-52.7)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	54.8	(51.1-58.5)	54.8	(50.8-58.7)	59.6	(47.6-70.6)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	60.6	(57.7-63.4)	62.0	(58.9-64.9)	46.4	(35.0-58.0)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	52.6	(48.5-56.6)	52.4	(48.0-56.8)	50.7	(38.7-62.6)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	61.1	(57.7-64.4)	61.5	(58.0-64.9)	62.7	(48.1-75.3)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion of those aged 65 years and older who reported that they had a flu vaccine, either by an injection in the arm or sprayed in the nose during the past 12 months.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 29: Ever Had Pneumonia Vaccine among Adults 65 Years and Older^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	72.8	(70.6-74.9)	73.7	(71.4-75.9)	63.0	(54.1-71.1)	72.4	(57.8-83.4)	-- ^c	-- ^c
Gender										
Male	71.4	(67.8-74.7)	71.6	(67.8-75.1)	71.7	(54.6-84.3)	-- ^c	-- ^c	-- ^c	-- ^c
Female	73.8	(71.0-76.5)	75.4	(72.4-78.2)	57.4	(47.2-67.1)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	71.7	(68.1-75.0)	72.4	(68.5-75.9)	61.5	(48.5-73.0)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	74.3	(71.5-76.8)	75.1	(72.3-77.8)	65.2	(53.8-75.1)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	72.7	(68.9-76.3)	73.3	(69.1-77.1)	67.6	(55.7-77.6)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	73.5	(70.3-76.5)	73.4	(70.0-76.6)	69.9	(55.5-81.2)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion of those aged 65 years and older who reported that they ever had a pneumococcal vaccine.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 30: Ever Had an HIV Test among Adults 18 – 64 Years of Age^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	41.5	(39.9-43.1)	36.4	(34.6-38.2)	66.5	(61.8-70.9)	37.6	(30.9-44.7)	50.2	(41.4-58.9)
Age										
18 - 49	46.7	(44.5-49.0)	42.8	(40.3-45.3)	68.6	(62.4-74.1)	36.6	(28.8-45.2)	50.7	(40.6-60.7)
50 - 64	31.8	(29.6-34.0)	26.4	(24.2-28.7)	62.0	(54.7-68.8)	40.6	(29.1-53.2)	-- ^c	-- ^c
Gender										
Male	37.7	(35.4-40.1)	31.6	(29.2-34.2)	64.4	(56.8-71.3)	39.7	(30.7-49.5)	51.9	(38.6-64.9)
Female	45.3	(43.0-47.5)	40.8	(38.4-43.4)	68.3	(62.4-73.7)	34.9	(25.8-45.3)	48.9	(37.4-60.4)
Education										
High school graduate or less	41.1	(38.1-44.1)	35.0	(31.7-38.4)	63.0	(55.1-70.2)	40.3	(27.9-54.1)	52.3	(39.2-65.2)
Some college or more	41.1	(39.3-43.0)	36.9	(34.9-39.0)	69.1	(63.4-74.2)	36.6	(29.0-44.9)	47.9	(36.8-59.2)
Household Income										
< \$35,000	51.0	(47.8-54.2)	43.9	(40.1-47.7)	69.8	(63.1-75.6)	46.6	(34.4-59.2)	55.1	(41.9-67.6)
\$35,000 +	37.9	(35.9-40.0)	34.5	(32.3-36.6)	65.5	(57.6-72.7)	38.6	(29.6-48.4)	52.0	(38.8-64.9)

^a The proportion of those aged 18-64 years who reported that they ever had been tested for HIV, apart from tests that were part of a blood donation.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 31: Lifetime Asthma Prevalence - Adult^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	15.7	(14.8-16.7)	15.3	(14.3-16.4)	17.7	(14.8-21.0)	17.1	(12.9-22.3)	16.8	(11.5-23.9)
Age										
18 - 49	18.5	(17.0-20.2)	18.3	(16.5-20.2)	19.4	(15.2-24.3)	19.7	(14.2-26.6)	18.4	(11.9-27.2)
50 +	13.0	(12.0-14.2)	12.8	(11.7-14.0)	15.4	(11.9-19.7)	12.6	(6.8-22.1)	-- ^c	-- ^c
Gender										
Male	14.2	(12.8-15.7)	13.5	(12.0-15.1)	16.1	(11.7-21.6)	19.0	(12.7-27.5)	17.3	(9.5-29.4)
Female	17.2	(15.9-18.5)	17.0	(15.6-18.6)	19.0	(15.5-23.2)	14.9	(10.2-21.2)	16.4	(10.0-25.8)
Education										
High school graduate or less	16.6	(14.9-18.5)	15.9	(14.0-17.9)	18.7	(14.2-24.3)	23.1	(15.4-33.2)	15.9	(9.3-25.9)
Some college or more	15.1	(14.0-16.3)	14.9	(13.7-16.2)	16.8	(13.4-20.7)	14.0	(9.4-20.5)	15.5	(8.8-25.7)
Household Income										
< \$35,000	19.0	(17.0-21.0)	18.3	(16.1-20.6)	19.6	(15.3-24.8)	26.9	(18.1-38.1)	18.1	(10.3-29.8)
\$35,000 +	13.9	(12.7-15.2)	14.1	(12.8-15.5)	13.6	(9.6-18.9)	12.0	(7.4-18.8)	-- ^c	-- ^c

^a The proportion who reported that they were told by a doctor, nurse, or other health care professional that they had asthma.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 32: Current Asthma Prevalence - Adult^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	10.2	(9.5-11.0)	9.9	(9.1-10.8)	11.8	(9.4-14.6)	11.6	(8.2-16.2)	11.5	(7.0-18.4)
Age										
18 - 49	11.2	(9.9-12.5)	10.5	(9.1-12.0)	13.3	(9.9-17.8)	13.0	(8.7-19.1)	11.9	(6.6-20.5)
50 +	9.4	(8.5-10.4)	9.4	(8.4-10.5)	9.6	(7.0-13.1)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	7.8	(6.8-9.0)	7.4	(6.3-8.5)	9.2	(5.9-14.1)	11.2	(6.4-19.0)	-- ^c	-- ^c
Female	12.5	(11.3-13.7)	12.3	(11.0-13.6)	14.0	(11.0-17.7)	12.1	(8.0-17.9)	13.1	(7.4-22.3)
Education										
High school graduate or less	10.6	(9.3-12.1)	10.1	(8.6-11.7)	11.4	(7.9-16.2)	18.4	(11.4-28.3)	-- ^c	-- ^c
Some college or more	10.0	(9.1-10.9)	9.7	(8.8-10.8)	12.2	(9.3-15.8)	8.1	(4.8-13.1)	-- ^c	-- ^c
Household Income										
< \$35,000	13.3	(11.7-15.1)	13.0	(11.3-15.0)	12.7	(9.2-17.2)	20.2	(12.5-30.9)	-- ^c	-- ^c
\$35,000 +	8.0	(7.1-8.9)	8.0	(7.1-9.0)	8.0	(5.0-12.6)	5.9	(3.3-10.4)	-- ^c	-- ^c

^a The proportion who reported that they still had asthma.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 33: Ever Told Chronic Obstructive Pulmonary Disease (COPD)^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	7.7	(7.0-8.3)	7.4	(6.8-8.1)	9.3	(7.3-11.7)	8.9	(6.2-12.7)	-- ^c	-- ^c
Age										
18 - 49	3.4	(2.8-4.3)	2.5	(1.9-3.4)	6.1	(4.1-9.1)	5.9	(3.4-10.3)	-- ^c	-- ^c
50 +	12.1	(11.0-13.2)	11.9	(10.8-13.0)	13.7	(10.4-18.0)	15.4	(9.7-23.6)	-- ^c	-- ^c
Gender										
Male	6.8	(5.9-7.8)	6.7	(5.7-7.7)	6.7	(4.3-10.3)	8.7	(5.0-14.7)	-- ^c	-- ^c
Female	8.5	(7.7-9.4)	8.2	(7.2-9.2)	11.5	(8.8-15.0)	9.2	(5.7-14.5)	-- ^c	-- ^c
Education										
High school graduate or less	10.7	(9.5-12.0)	10.6	(9.3-12.1)	12.3	(9.1-16.6)	16.7	(10.7-25.0)	-- ^c	-- ^c
Some college or more	5.6	(4.9-6.3)	5.4	(4.7-6.1)	6.4	(4.5-9.0)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	13.5	(12.0-15.1)	14.2	(12.4-16.2)	13.7	(10.4-17.8)	17.1	(10.6-26.4)	-- ^c	-- ^c
\$35,000 +	4.3	(3.7-4.9)	4.3	(3.7-5.1)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 34: Ever Told Arthritis^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	30.0	(28.9-31.1)	31.9	(30.6-33.2)	26.4	(23.2-29.8)	21.3	(17.0-26.3)	16.8	(12.1-22.9)
Age										
18 - 49	13.4	(12.1-14.8)	14.2	(12.6-15.9)	12.1	(9.1-15.9)	10.8	(7.0-16.2)	9.5	(5.5-15.7)
50 +	47.3	(45.7-48.9)	47.9	(46.2-49.6)	46.4	(41.0-51.8)	42.7	(33.8-52.0)	37.6	(25.5-51.5)
Gender										
Male	25.2	(23.7-26.8)	27.2	(25.4-29.1)	18.8	(14.6-23.9)	18.2	(12.7-25.5)	12.9	(7.5-21.5)
Female	34.5	(33.0-36.1)	36.4	(34.6-38.2)	33.0	(28.6-37.6)	24.7	(18.4-32.3)	19.9	(13.1-28.9)
Education										
High school graduate or less	34.5	(32.5-36.6)	37.4	(35.0-39.8)	29.0	(23.9-34.6)	28.2	(19.7-38.7)	16.3	(10.1-25.2)
Some college or more	27.0	(25.7-28.3)	28.4	(26.9-29.8)	23.9	(20.2-28.1)	17.6	(13.1-23.0)	17.8	(11.2-27.1)
Household Income										
< \$35,000	37.0	(34.8-39.3)	42.1	(39.4-44.8)	29.1	(24.4-34.2)	27.2	(19.1-37.3)	18.2	(11.3-28.0)
\$35,000 +	25.9	(24.5-27.4)	27.1	(25.5-28.7)	20.9	(16.3-26.4)	18.8	(13.1-26.3)	15.7	(9.1-25.9)

^a The proportion who had ever being told by a health care professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

^b Michigan estimates include all racial groups.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	4.7	(4.2-5.2)	4.8	(4.3-5.4)	4.4	(3.2-6.1)	3.1	(1.8-5.1)	-- ^c	-- ^c
Age										
18 - 49	1.2	(0.9-1.7)	1.4	(0.9-2.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	8.3	(7.4-9.2)	8.0	(7.1-9.0)	9.1	(6.5-12.7)	7.8	(4.5-13.2)	-- ^c	-- ^c
Gender										
Male	6.0	(5.2-6.8)	6.2	(5.4-7.2)	5.1	(3.2-8.3)	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.4	(2.9-4.1)	3.5	(2.9-4.2)	3.8	(2.4-5.8)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	6.2	(5.3-7.3)	6.5	(5.4-7.7)	6.0	(3.9-9.1)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	3.6	(3.1-4.1)	3.8	(3.3-4.4)	2.9	(1.8-4.7)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	6.8	(5.8-7.9)	7.4	(6.2-8.8)	5.9	(3.9-8.7)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	3.5	(2.9-4.1)	3.9	(3.2-4.6)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who had ever been told by a doctor that they had a heart attack or myocardial infarction.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 36: Ever Told Angina or Coronary Heart Disease^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	4.6	(4.1-5.1)	4.8	(4.3-5.4)	3.2	(2.2-4.7)	-- ^c	-- ^c	-- ^c	-- ^c
Age										
18 - 49	0.5	(0.3-0.8)	0.6	(0.3-1.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	8.8	(7.9-9.8)	8.7	(7.8-9.7)	7.3	(5.0-10.6)	13.8	(7.7-23.6)	-- ^c	-- ^c
Gender										
Male	5.4	(4.7-6.3)	5.7	(4.9-6.6)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.8	(3.2-4.4)	4.0	(3.3-4.7)	3.6	(2.4-5.5)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	5.7	(4.8-6.7)	5.8	(4.8-6.9)	4.9	(3.1-7.7)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	3.8	(3.3-4.4)	4.2	(3.6-4.8)	1.6	(0.9-2.9)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	6.0	(5.1-7.1)	6.4	(5.3-7.7)	4.2	(2.6-6.5)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	3.6	(3.0-4.2)	3.8	(3.2-4.5)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who had ever been told by a doctor that they had angina or coronary heart disease.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 37: Ever Told Stroke^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	3.3	(2.9-3.8)	3.1	(2.7-3.6)	4.4	(3.2-6.0)	-- ^c	-- ^c	-- ^c	-- ^c
Age										
18 - 49	1.0	(0.7-1.4)	1.0	(0.7-1.5)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	5.7	(5.0-6.5)	5.1	(4.3-5.9)	9.2	(6.6-12.6)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	2.8	(2.3-3.4)	2.5	(2.0-3.2)	3.8	(2.2-6.4)	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.8	(3.3-4.5)	3.7	(3.1-4.4)	4.9	(3.3-7.3)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	4.5	(3.7-5.4)	4.2	(3.4-5.2)	5.7	(3.7-8.7)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	2.4	(2.0-2.9)	2.4	(2.0-2.9)	2.9	(1.8-4.7)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	4.4	(3.6-5.3)	4.3	(3.4-5.3)	4.9	(3.2-7.4)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	2.1	(1.7-2.6)	2.1	(1.7-2.6)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who had ever been told by a doctor that they had a stroke.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 38: Ever Told Any Cardiovascular Disease^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	9.2	(8.5-9.9)	9.5	(8.7-10.2)	8.6	(6.9-10.8)	7.5	(5.0-11.1)	7.0	(4.1-11.8)
Age										
18 - 49	2.3	(1.8-2.9)	2.6	(2.0-3.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	16.4	(15.2-17.6)	15.8	(14.6-17.1)	18.5	(14.7-23.0)	21.0	(14.0-30.3)	22.5	(12.8-36.5)
Gender										
Male	10.1	(9.1-11.2)	10.4	(9.3-11.6)	8.6	(5.9-12.3)	9.8	(5.7-16.2)	-- ^c	-- ^c
Female	8.3	(7.5-9.2)	8.5	(7.6-9.6)	8.6	(6.5-11.4)	4.8	(2.8-8.3)	-- ^c	-- ^c
Education										
High school graduate or less	11.4	(10.2-12.7)	11.7	(10.3-13.2)	11.4	(8.4-15.2)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	7.6	(6.9-8.4)	8.1	(7.3-8.9)	5.9	(4.2-8.2)	7.3	(4.5-11.6)	-- ^c	-- ^c
Household Income										
< \$35,000	12.4	(11.0-13.9)	13.0	(11.5-14.8)	10.9	(8.1-14.4)	12.9	(7.6-21.1)	-- ^c	-- ^c
\$35,000 +	7.0	(6.2-7.8)	7.4	(6.6-8.4)	3.9	(2.2-6.7)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who had ever been told by a doctor that they had a heart attack, coronary heart disease or a stroke.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	6.1	(5.6-6.6)	7.6	(7.0-8.3)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Age										
18 - 49	1.1	(0.8-1.6)	1.3	(0.9-1.9)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	11.2	(10.3-12.2)	13.3	(12.2-14.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	6.2	(5.5-7.0)	7.7	(6.8-8.8)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Female	5.9	(5.3-6.6)	7.5	(6.7-8.4)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	5.4	(4.6-6.3)	6.8	(5.8-8.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	6.7	(6.0-7.3)	8.2	(7.4-9.0)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	5.2	(4.3-6.3)	7.1	(5.9-8.5)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	6.1	(5.5-6.8)	7.2	(6.4-8.1)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had skin cancer.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

**Table 40: Ever Told Any Other Type of Cancer^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	7.0	(6.4-7.6)	7.7	(7.0-8.3)	5.5	(4.3-7.1)	3.8	(2.4-6.0)	-- ^c	-- ^c
Age										
18 - 49	2.0	(1.5-2.6)	2.4	(1.9-3.2)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	12.3	(11.3-13.3)	12.4	(11.4-13.5)	12.3	(9.5-15.7)	10.1	(6.4-15.5)	-- ^c	-- ^c
Gender										
Male	5.8	(5.1-6.5)	6.3	(5.5-7.2)	3.6	(2.3-5.7)	-- ^c	-- ^c	-- ^c	-- ^c
Female	8.1	(7.3-9.0)	9.0	(8.0-10.0)	7.2	(5.3-9.6)	3.5	(2.0-6.0)	-- ^c	-- ^c
Education										
High school graduate or less	7.3	(6.4-8.4)	7.9	(6.8-9.2)	5.5	(3.8-8.0)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	6.8	(6.2-7.5)	7.4	(6.7-8.3)	5.6	(4.0-7.8)	2.4	(1.4-4.2)	-- ^c	-- ^c
Household Income										
< \$35,000	8.2	(7.1-9.5)	9.1	(7.7-10.7)	6.1	(4.3-8.7)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	6.4	(5.8-7.2)	6.9	(6.2-7.8)	5.2	(3.4-7.8)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had a form of cancer other than skin cancer.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.

**Table 41: Ever Told Cancer^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	11.8	(11.1-12.5)	13.7	(12.9-14.6)	5.7	(4.5-7.3)	5.2	(3.6-7.7)	-- ^c	-- ^c
Age										
18 - 49	2.9	(2.4-3.6)	3.6	(2.9-4.5)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c
50 +	21.2	(19.9-22.4)	22.9	(21.5-24.3)	12.7	(9.9-16.2)	13.6	(9.3-19.5)		
Gender										
Male	10.6	(9.7-11.6)	12.3	(11.2-13.6)	3.7	(2.4-5.8)	5.4	(3.0-9.5)	-- ^c	-- ^c
Female	12.9	(12.0-14.0)	15.1	(13.9-16.3)	7.5	(5.6-9.9)	5.1	(3.2-8.2)	-- ^c	-- ^c
Education										
High school graduate or less	11.6	(10.4-12.9)	13.5	(12.1-15.1)	5.9	(4.1-8.3)	9.2	(5.2-15.8)	-- ^c	-- ^c
Some college or more	12.1	(11.2-13.0)	13.9	(12.9-14.9)	5.7	(4.0-7.9)	3.2	(2.0-5.0)	-- ^c	-- ^c
Household Income										
< \$35,000	12.2	(10.8-13.6)	14.5	(12.8-16.4)	6.5	(4.6-9.1)	10.2	(6.0-16.9)	-- ^c	-- ^c
\$35,000 +	11.4	(10.5-12.4)	12.8	(11.8-13.9)	5.2	(3.4-7.8)	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had skin cancer or any other type of cancer.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

**Table 42: Ever Told Diabetes^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	10.7	(10.0-11.5)	10.4	(9.6-11.3)	13.3	(11.0-16.0)	7.8	(5.5-10.8)	10.1	(6.5-15.4)
Age										
18 - 49	4.4	(3.6-5.3)	4.4	(3.5-5.5)	5.0	(3.1-8.0)	-- ^c	-- ^c	-- ^c	-- ^c
50 +	17.2	(16.0-18.5)	15.9	(14.7-17.2)	24.7	(20.4-29.7)	17.8	(12.4-24.9)	26.9	(16.8-40.0)
Gender										
Male	11.5	(10.4-12.7)	11.1	(9.9-12.4)	13.9	(10.1-18.7)	7.9	(5.1-12.0)	15.4	(8.9-25.6)
Female	10.0	(9.1-11.0)	9.8	(8.8-11.0)	12.9	(10.2-16.0)	7.6	(4.5-12.7)	-- ^c	-- ^c
Education										
High school graduate or less	13.3	(11.9-14.8)	13.2	(11.6-14.9)	16.1	(12.3-20.8)	7.4	(4.1-13.1)	11.2	(6.1-19.4)
Some college or more	8.8	(8.0-9.6)	8.6	(7.8-9.5)	10.8	(8.3-13.8)	7.1	(4.7-10.5)		
Household Income										
< \$35,000	14.8	(13.3-16.5)	15.1	(13.3-17.1)	16.2	(12.7-20.3)	11.1	(6.9-17.4)	-- ^c	-- ^c
\$35,000 +	8.2	(7.3-9.1)	7.8	(6.9-8.8)	10.4	(6.9-15.5)	6.8	(4.0-11.3)	-- ^c	-- ^c

^a The proportion who reported that they were ever told by a doctor that they had diabetes. Adults who had been told they have prediabetes and women who had diabetes only during pregnancy were classified as not having been diagnosed.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

**Table 43: Ever Told Kidney Disease^a by Race-Ethnicity
2015 Michigan BRFSS**

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	3.4	(3.0-3.9)	3.4	(3.0-3.9)	4.6	(3.3-6.4)	2.3	(1.2-4.1)	-- ^c	-- ^c
Age										
18 - 49	1.6	(1.2-2.1)	1.4	(1.0-2.0)	2.7	(1.5-4.8)	-- ^c	-- ^c	-- ^c	-- ^c
50 +	5.3	(4.7-6.1)	5.1	(4.5-5.9)	7.3	(4.8-10.8)	-- ^c	-- ^c	-- ^c	-- ^c
Gender										
Male	3.1	(2.5-3.7)	2.9	(2.3-3.6)	5.3	(3.3-8.6)	-- ^c	-- ^c	-- ^c	-- ^c
Female	3.8	(3.2-4.4)	3.8	(3.2-4.5)	4.0	(2.5-6.2)	-- ^c	-- ^c	-- ^c	-- ^c
Education										
High school graduate or less	3.9	(3.2-4.7)	3.5	(2.8-4.3)	6.1	(3.9-9.4)	-- ^c	-- ^c	-- ^c	-- ^c
Some college or more	3.1	(2.6-3.6)	3.3	(2.8-3.9)	3.2	(2.0-5.2)	-- ^c	-- ^c	-- ^c	-- ^c
Household Income										
< \$35,000	5.1	(4.3-6.1)	5.2	(4.2-6.4)	5.8	(3.8-8.6)	-- ^c	-- ^c	-- ^c	-- ^c
\$35,000 +	2.5	(2.0-3.0)	2.6	(2.1-3.2)	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had kidney disease.

^b Michigan estimates include all racial groups.

^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

2015 Michigan BRFSS Estimates by Race-Ethnicity
November 1, 2016

Demographic Characteristics	Michigan ^b		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	19.7	(18.7-20.8)	19.6	(18.5-20.7)	19.3	(16.3-22.7)	20.6	(16.1-25.9)	21.9	(15.9-29.4)
Age										
18 - 49	19.8	(18.2-21.5)	20.0	(18.1-21.9)	19.1	(15.2-23.9)	17.7	(12.7-24.0)	21.9	(14.9-31.0)
50 +	19.8	(18.5-21.2)	19.5	(18.1-20.9)	19.6	(15.3-24.6)	27.5	(19.4-37.5)	22.0	(12.1-36.8)
Gender										
Male	14.4	(13.1-15.9)	13.7	(12.3-15.2)	16.6	(12.5-21.8)	18.7	(12.8-26.4)	14.6	(8.0-25.1)
Female	24.6	(23.1-26.2)	25.1	(23.5-26.9)	21.6	(17.6-26.2)	22.8	(16.5-30.5)	27.7	(19.0-38.5)
Education										
High school graduate or less	22.1	(20.2-24.0)	21.4	(19.4-23.6)	23.0	(18.2-28.7)	29.0	(19.9-40.1)	22.7	(14.4-33.7)
Some college or more	18.1	(16.9-19.4)	18.4	(17.1-19.8)	15.9	(12.6-19.8)	16.3	(12.0-22.0)	21.7	(13.7-32.7)
Household Income										
< \$35,000	27.8	(25.7-30.1)	28.8	(26.2-31.5)	24.3	(19.7-29.6)	34.1	(24.6-45.1)	25.6	(16.5-37.3)
\$35,000 +	15.4	(14.2-16.6)	15.8	(14.5-17.2)	11.3	(7.9-16.0)	13.6	(9.1-19.8)	-- ^c	-- ^c

^a The proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major depression, dysthymia, or minor depression.
^b Michigan estimates include all racial groups.
^c Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Due to significant BRFSS methodology changes that took place in 2011, the estimates within these tables should not be compared to Michigan BRFSS estimates from prior to 2011.