



STATE OF MICHIGAN
DEPARTMENT OF TRANSPORTATION
LANSING

RICK SNYDER
GOVERNOR

KIRK T. STEUDLE
DIRECTOR

May 8, 2015

Ms. Denise Donohue, Director
County Road Association of Michigan
417 Seymour, Suite 1
Lansing, Michigan 48933

Mr. John LaMacchia II, Legislative Associate
Michigan Municipal League
208 North Capitol Avenue, 1st Floor
Lansing, Michigan 48933-1354

Dear Ms. Donohue and Mr. LaMacchia:

Fiscal Year 2017 Federal Local Safety Program

The Michigan Department of Transportation (MDOT) is pleased to announce the solicitation of new applications for the fiscal year (FY) 2017 Local Safety Program. Federal funds for the Local Safety Program are to be used for highway safety improvements on the local roadway system. All locally controlled roadways, regardless of National Functional Classification, are eligible for the Local Safety Program. The FY 2017 federal budget for this program is estimated at \$15,000,000. This amount may be subject to revisions based on approval of the future federal highway bill. We are asking the County Road Association of Michigan and the Michigan Municipal League to distribute this notice to their member agencies.

Local Agencies may submit more than one project application for consideration. Federal safety funds shall not exceed \$600,000 per project or a maximum amount of \$2,000,000 per Local Agency for the fiscal year. FY 2017 projects are to be developed and obligated between October 1, 2016 and August 25, 2017.

FY 2017, Selected Safety Projects General Information:

Funded at 80 percent federal funds/20 percent local funds, unless the project scope fixes the roadway deficiency related to a fatality (K) and/or an incapacitating (A) injury within the limits of proposed work or is an approved systemic project (that supports the State Strategic Highway Safety Plan), then funded at 90 percent federal funds/10 percent local funds.

- Portion eligible for federal aid:
 - Project's Construction Phase ('A' Phase.)
 - Preliminary Engineering, **ONLY** if criteria of Preliminary Engineering Section outlined below is met.

- Portion not eligible for federal aid:
 - Right-of-way costs.
 - Preliminary engineering, unless criteria of Preliminary Engineering Section outlined below is met.
 - Construction engineering.
 - Decorative items, not safety related in nature.

- ‘Lump Summed’ at the lesser of the original estimate plus \$20,000, or the original estimate plus 20 percent. Projects may, at MDOT’s discretion, be funded by a “Pro-Rata” method.
- Let by MDOT or performed by Local Force Account, as approved by MDOT’s Local Agency Program (LAP) office: information found at www.michigan.gov/mdot ~ Doing Business ~ Local Agency Program ~ Force Account and Local Agency Reimbursement System (LARS) Information.
- All social, economic and environmental impacts within the project limits impacts must be mitigated before federal funds can be appropriated and obligated. Project applications which are expected to have significant public controversy and/or require an environmental assessment will not be considered until these outstanding issues have been resolved.
- Local Agencies within Metropolitan Planning Organization (MPO) areas must coordinate with their MPO to ensure inclusion of their project in the area’s Transportation Improvement Program for the fiscal year for which the project was selected. LAP will supply a list of selected projects to the MDOT Planning group, but it is the local agency’s responsibility to ensure these projects are included in the State Transportation Improvement Program.

FY 2017, Selected Safety Project Design Requirements:

- Meet current standards and warrants, current Americans with Disabilities Act and Buy America requirements.
- Designed in accordance with 3R, 4R, American Association of State Highway and Transportation Officials (AASHTO) Geometric Design of Highways and Streets, or the AASHTO Guidelines for Geometric Design of Very Low-Volume Local Roads Standards. Use of the Capital Preventative Maintenance guidelines and fixes will not be permitted.
- Traffic signal upgrade projects shall include the installation of signal back plates with reflectorized strips.
- High friction surface projects shall use or follow the intent/material requirements of the most current MDOT Special Provision.
- Corridor (or local agency-wide) permanent signing or pavement marking projects must be of a higher standard than the minimums required by the Michigan Manual of Uniform Traffic Control Devices and/or standards. These type projects shall include additional signing improvements beyond upgrading sign reflectivity requirements; i.e., adding reflective sheeting to sign posts, larger signs, etc., and permanent pavement markings shall include improvements such as being recessed or high quality ‘durable’ markings.

Refer to Attachment A for information regarding submitting candidate Safety Project Applications.

Applications are to be electronically submitted or postmarked by Friday August 14, 2015.

FY 2017, Safety Program Financial Goals*:

Project Type	Total Program
Road Safety Audits (RSA)	\$50,000
Non-motorized facility/Pedestrian improvements	\$100,000
High Friction Surface	\$100,000
Centerline and Shoulder Rumble Strip	\$200,000
Guardrail Upgrades and Clear Zone Improvements	\$1,500,000
Projects with scopes that directly correct areas with a concentration of Types "A" and "K" crashes	\$9,500,000
Safety Funds per MDOT Region	\$350,000

*The Safety Program Financial Goals allow for the submittal of systemic projects. Systemic safety projects involve the use of countermeasures that are widely implemented (corridor or area wide) based on similar roadway or intersection features that correlate with particular K/A crash types.

Preliminary Engineering

Preliminary engineering for selected safety projects may be programmed for one or more of the following:

- Design (up to 10 percent of the estimated eligible construction costs)
 - Transparency (5 percent) location - funded at 80 percent federal funds/20 percent local funds, unless project scope fixes roadway deficiency related to a fatality (K) within the limits of proposed work, then funded at 90 percent federal funds/10 percent local funds).
 - Identified in the 2009 through 2013 Transparency (5%) Reports.
 - Proposed scope of work must address the noted location deficiencies.
 - Projects that are on the Transparency (5%) Report must be clearly identified.

- MDOT Local Safety Initiative (LSI) identified location (funded at 50 percent federal funds/50 percent local funds)
 - Proposed scope of work must address the noted location deficiencies reviewed and identified by the LSI Program.
 - Copy of MDOT LSI written suggestion list must be included with application.

- Traffic Signal Optimization
 - Funded at 80 percent federal funds/20 percent local funds.
 - Must complete and implement traffic signal optimization study to analyze and adjust timing of signal controllers.
 - Signals should be studied to allow for a minimum of one second all red phase, and the yellow change interval phase evaluated to meet current guidelines.
 - Maximum of \$5,000 total cost will be allowed per signal location for the analysis and adjustment of signal controllers.
 - Signal component upgrades are not permitted under this category.
 - It is anticipated that this work would be done via force account work by the local agency. Physical adjustments of timing will be programmed under an 'A' Phase.

Ms. Denise Donohue and Mr. John LaMacchia II

Page 4

May 8, 2015

- Road Safety Audits (RSAs)
 - A RSA proposal may be submitted without an associated construction phase. It is anticipated that the construction phase would be submitted in the next call for projects
 - A maximum of \$10,000 in total project costs will be set up for an RSA, with the federal portion being at the same rate as the construction phase of the project, or 80% federal funds/20% local funds, if proposed as an independent RSA (not associated with a construction phase).
 - Must be conducted at a time no later than 30 percent design completion.
 - RSA Final Report/Findings must be submitted to the Safety Program Administrator for reimbursement.
 - It is anticipated that this work will be completed by a consultant or another agency other than the road owner.

Our goal is to maintain a fiscally constrained program while maximizing the use of available federal funds. If you have any questions, please feel free to contact Lynnette Firman at (517) 335-2224 or at firmant@michigan.gov.

Sincerely,



Larry Doyle, P.E.
Local Agency Programs Engineer

Enclosure



STATE OF MICHIGAN
DEPARTMENT OF TRANSPORTATION
LANSING

RICK SNYDER
GOVERNOR

KIRK T. STEUDLE
DIRECTOR

May 8, 2015

Attachment A - Submitting Candidate Safety Project Applications

Applications submitted electronically must be received no later than **Friday, August 14, 2015**.

- The Local Safety Program Call for Applications Funding Year 2017 Electronic Submittal Form located at www.michigan.gov/mdot ~ Doing Business ~ Local Agency Program ~ Safety Program ~ FY 2017 Call for Safety Electronic Submittal.
- Electronic submittals are limited to 15MB.

Applications sent hardcopy must be postmarked no later than **Friday, August 14, 2015**.

- Projects postmarked after Friday, August 14, 2015, at MDOT's discretion, may or may not be reviewed for selection.
- It is recommended that your application be submitted by certified mail or other traceable delivery service.

Applications are reviewed by a committee and selected based on criteria which include:

1. Cover Letter
 - Provide a brief overview discussion as to the proposed project, crash pattern that has been experienced and how the proposed scope of work will remedy the past crash history.
2. MDOT Form 1627
 - Located at www.michigan.gov/mdot ~ Doing Business ~ Forms. At drop-down menu, select Local Government ~ 1627 - Safety Project Submittal Form.
3. MDOT Time of Return (TOR) Analysis*
 - Only the MDOT TOR spreadsheet will be accepted*. A copy of the data input page and results page must be included in the application submittal.
 - Guardrail oriented projects and independent RSA submittals do not require a TOR analysis.
 - Crash Reduction factors are listed in the TOR Spreadsheet located at:
www.michigan.gov/mdot ~ Doing Business ~ Local Agency Program ~ Safety Program ~ Time of Return (TOR) Calculation Spreadsheet.
4. UD-10s
 - Include for all crashes that are used to compile the TOR or Highway Safety Manual analysis/computation. Note: The HSM requires all crashes to be input, including animal crashes. Animal crashes are NOT to be submitted with the application.
 - Use most current 3 to 5 year period of available data (2010-2012 through current availability).
 - Include only those UD-10 crash reports that relate to the proposed scope of work.

5. Detailed cost estimate or Michigan Engineers Resource Library estimate.
6. Map showing project location(s).

Applications, to provide additional support, may also include:

- Crash analysis to determine the proposed project's scope.
- Crash concentration maps in the proposed project's limits.
- MDOT LSI written suggestion list (required if requesting participation for Preliminary Engineering)
- Photos of existing project site conditions.
- Preliminary proposed plan view, cross-sections, and/or profiles.
- Ability to deliver a construction package for obligation within this fiscal year.
- Project coordination with other construction projects.
- Highway Safety Manual Analysis*

*Highway Safety Manual Analysis

A Highway Safety Analysis may replace or supplement the TOR Analysis. Guardrail oriented projects or independently submitted RSA locations do not require a Highway Safety Manual (HSM) analysis. For locations where little to no crash history exists, proposed systemic safety improvement or where additional support of the TOR is desired, Local Agencies are encouraged to utilize the HSM.

FY 2017, HSM Analysis Requirements:

- Use the MDOT HSM spreadsheet located at www.michigan.gov/mdot ~ Doing Business ~ Local Agency Program ~ Safety Program ~ Highway Safety Manual (HSM) Analysis Spreadsheet.
- An electronic copy of the analysis or screenshots of the input and output tabs must be included with the application submittal.
- Calibration factors for use as part of HSM analysis have been compiled by MDOT and are included in the spreadsheet. Local Agencies performing hand calculations will need to refer to the www.michigan.gov/highwaysafety website (see below) for calibration factors and distribution values.
- For any questions an agency might have regarding the HSM Calibration factors, please contact Dean Kanitz, MDOT Traffic and Safety Unit, at 517-335-2855.

Additional information for application development:

- Visit www.michigan.gov/highwaysafety or link to it from the MDOT Local Agency Safety Program Website
 - Traffic Crash Data (Maps) per Region (Traffic Crash Data)
 - HSM Calibration Factors/Distribution Values (Safety Links, Traffic Standards and Typicals, Safety Programs, Highway Safety Manual)
 - Safety Guides (Safety Links, Traffic Standards and Typicals, Safety Programs, Safety Guides)

Please send all eligible projects and supporting information by **Friday, August 14, 2015**, to the following:

Ms. Lynnette Firman, P.E.
Safety Engineer, Local Agency Programs
Development Services Division
425 W. Ottawa Street, P.O. Box 30050
Lansing, Michigan 48909-7550

Project Application Examples

- Systemic Safety Improvements such as corridor/area wide shoulder and center line rumble strips, improved permanent signing (such as chevrons on curves or intersection signing), pavement markings (such as the addition of edge line markings), clear vision corners or reflectorized backplates
- High Friction Surface applications at spot locations
- Elimination, replacement or installation of guardrail/Removal of fixed objects
- Traffic and pedestrian signal optimization, installation, and upgrades
- Access management
- Intersection safety improvements (Lighting, Stopping Sight Distance, Clear Vision Corners)
- Horizontal and vertical curve modifications
- Sight distance and drainage improvements
- Bridge railing replacement or retrofit
- Mid-block pedestrian crossings; improvements to school zones

This list is not all inclusive and other types of safety improvement projects can be submitted for consideration.