

## For Formatting Special Provisions in *Microsoft Word (2013)*

These step-by-step guidelines will help you format your Special Provision document.

### Before You Start

In the tab listing of the *Microsoft Word* toolbar:

1. **Turn off automatic numbering.** Open up a new blank document in Word. Choose **File** in the toolbar, select **Options** from the ribbon, then select **Proofing**, select **AutoCorrect Options**, then go to the **AutoFormat As You Type**.
2. In the middle of the menu under **AutoFormat As You Type** remove the check marks from **Automatic bulleted lists** and **Automatic numbered lists**. Click ok. Once this is done for Word 2013 it probably will not need to be repeated again.
3. Choose the tab **Page Layout**, then use the dropdown arrow to select Margins then click custom margins.
4. **Set all margins at 1"** (ignore gutter settings).
5. **Before leaving the window**, choose **Layout** tab (3rd tab at top).
6. In the small window next to **Section start** choose **New page**.
7. Under **Header and Footer** check **Different first page**.
8. Set header and footer margins to **0.5"**.
9. Click **ok** at the bottom of the tab.
10. Still in the **Page Layout** tab select **Paragraph extend menu button**.
11. Under **General/Alignment** choose **Justified**.
12. Under **General/Outline Level** choose **Body Text**.
13. Click **Tabs** in the bottom left and enter **0.25"** in **Default Tabs**(top right).
14. Click ok at the bottom of the pop up window.
16. Choose the **Home** tab then go to the styles and select **Normal**.

### Your Document

#### SP ID Code

1. The first-page Header should **only** include the SP Identification (ID) Code.
2. Choose the **Insert** tab on the toolbar. Click **Header**. A drop down menu will appear, select blank.
3. Type the SP ID Code in the box using X for unknown characters.
4. ID Codes (see *Design Manual, chapter 11 about populating ID Codes.*)
5. Choose the **Home** tab. On the ribbon choose **Paragraph** then under **Alignment** click **Right**; set **Spacing Before** and **After** to 0 pt, set **spacing** to single.
6. Click **Tabs** in the bottom left corner and then press **Clear All**.
7. Click **ok**.
8. This positions the **SP ID Code** properly on the page.
9. Highlight the **SP ID Code**. Click the arrow next to the font window in the toolbar. Choose **Arial**.
10. In the window next to font, choose **12** for font size.
11. Double left click on the body of the page outside the header.

#### Title Block

1. In the window next to font, choose **Arial** font and **12** for font size. Type and center your special provision **title block** following the information below.
2. All SPs should have  
First line -MICHIGAN  
Second line - DEPARTMENT OF TRANSPORTATION  
Third line - blank line  
Fourth line - SPECIAL PROVISION  
Fifth line - FOR  
Sixth line - TITLE OF SP (do not use abbreviations in title) (**BOLD**)
3. The Title Block should always be in Capital letters

#### Approval Header

1. The Approval Header contains the source code, page number and approval code.

2. See the Design Manual, Chapter 11 for more on populating **Source Code** and **Approval Code** fields.
3. Type **Source Code**, **Page Number**, and **Approval Code** with tabs between the parts.
4. Highlight them, select the **Home** tab and choose **Arial** as the font and **12** for font size.
5. Position them by choosing **Home** tab in the toolbar then **Paragraph** in the ribbon and then **Tab** in the lower left.
6. Clear any set tab stops by clicking **Clear All**.
7. Type **3.25** in the **Tab stop position** window. Under **Alignment** click **Center** then click **Set**.
8. Type **6.5** in the **Tab stop position** window. Under **Alignment** click **Right** then click **Set**.
9. In the same pop up window, click **ok** in the lower right.
10. This positions **Source Code**, **Page Number**, and **Approval Code** properly on the page.

### **Body Text**

1. Position cursor for body text. Leave one blank line after the Approval Header and the body text. Delete any blank spaces to the right of and below your cursor.
2. Choose **Arial** as the font and **11** as the font size.
3. Put **two spaces** between sentences.
4. See the Design Manual, Chapter 11 for an example of correct outline formatting. Each indent is **0.25"**.
5. To set new section indents, choose the **Home** tab, then select **Paragraph**.
6. Under **Indentation** increase **Left** indent by **0.25** for each new section or subsection indent in the outline after the first subsection.
7. Make sure **Special** is set to **First Line** and **By** is set to **0.25**. Click **ok**.
8. Capitalize **Contractor** and **Engineer** whenever they appear in the document.
9. Capitalize **Standard Specifications for Construction** only if you cite a section or subsection number, if not citing a section number then just use **standard specifications**.
10. Use active voice by putting the verb first in sentences, when possible.
11. "Shall" is passive; "must" is active and is used when the Contractor is going to do something, use "will" when the Engineer or the Department is going to do something. There are sample passages in the Road Design Manual, Chapter 11.
12. Use single spacing within an indented section.
13. **Spell out primary units in the text**, such as "inch" or "foot."
14. **Abbreviate compound units**, such as "pounds per square inch" (psi), when desired.
15. Use **italics** for **publication or standards names** other than MDOT's standard specifications for construction.
16. Most SPs should use the standard four sections - **Description, Materials, Construction, Measurement and Payment**. There are a few exceptions to this but normally we want to use these four sections.
17. Use the text "**None specified.**" for sections when there is no content required in the SP.

### **Measurement and Payment Section**

1. The **Pay Item** heading is indented to **0.5"** and **Pay Unit** is set at a right tab at **6.5"**.
2. **Pay Item** and **Pay Unit** headings are **bold**.
3. Actual pay items under the headings are not bold but are indented to **0.5"**.
4. To locate the pay unit and set the dotted line from pay item to pay unit, choose **Home** tab, then **Paragraph** from the ribbon.
5. Click **Tabs** then set **Tab stop position** at **6.5"** then under **Alignment** click **Right**.
6. In the same tab, under **Leader** click **2**. Click **Set** then **ok**.
7. In place of **Contract Item (Pay Item)** used with the 2003 spec book, use only **Pay Item** in the heading and text with the 2012 spec book.

### **Tables and Figures**

1. Minimize the use of tables and figures; **reference them in the text** when used.
2. **Center tables and figures** and separate them from the text above and below by a few lines.
3. Include an appropriately descriptive **table number and title in bold** above the content.
4. Put a **colon** and **two spaces between the table number and title** with no other punctuation.
5. **Align table subheads and column heads** to provide the best readability and do not bold them.
6. **Font size** is reduced to 10 point type.

## For Formatting Special Provisions in *Microsoft Word (2010)*

These step-by-step guidelines will help you format your Special Provision document.

### Before You Start

In the tab listing of the *Microsoft Word* toolbar:

1. Choose the tab **Page Layout**, then in the ribbon select **Page Setup**.
2. **Set all margins at 1"** (ignore gutter settings).
3. **Before leaving the window**, choose **Layout** tab (3rd tab at top).
4. In the small window next to **Section start** choose **New page**.
5. Under **Header and Footer** check **Different first page**.
6. Set header and footer margins to **0.5"**.
7. Click **ok** at the bottom of the tab.
8. Still in the **Page Layout** tab select **Paragraph**.
9. Under **General/Alignment** choose **Justified**.
10. Under **General/Outline Level** choose **Body Text**.
11. Click **Tabs** in the bottom left and enter **0.25"** in **Default Tabs**(top right).
12. Click ok at the bottom of the pop up window.
13. **Turn off automatic numbering**. Choose **File** in the toolbar, select **Options** from the ribbon, then select **Proofing**, select **AutoCorrect Options**, then go to the **AutoFormat As You Type**.
14. In the middle of the menu under **Apply As You Type** remove the check marks from **Automatic bulleted lists** and **Automatic numbered lists**. Once this is done for Word 2010 it probably will not need to be repeated again.
15. Click **ok** twice.
16. Choose the **Home** tab then go to the styles and select **Normal**.

### Your Document

#### SP ID Code

1. The first-page Header should **only** include the SP Identification (ID) Code.
2. Choose the **Insert** tab on the toolbar. Click **Header**. A drop down menu will appear, select blank.
3. Type the SP ID Code in the box using X for unknown characters.
4. ID Codes have 11 characters (*see Design Manual, chapter 11 about populating ID Codes.*)
5. Choose the **Home** tab. On the ribbon choose **Paragraph** then under **Alignment** click **Right**; set **Spacing Before** and **After** to 0 pt, set **spacing** to single.
6. Click **Tabs** in the bottom left corner and then press **Clear All**.
7. Click **ok**.
8. This positions the **SP ID Code** properly on the page.
9. Highlight the **SP ID Code**. Click the arrow next to the font window in the toolbar. Choose **Arial**.
10. In the window next to font, choose **12** for font size.
11. Double left click on the body of the page outside the header.

#### Title Block

1. In the window next to font, choose **Arial** font and **12** for font size. Type and center your special provision **title block** following the information below.
2. All SPs should have  
First line -MICHIGAN  
Second line - DEPARTMENT OF TRANSPORTATION  
Third line - blank line  
Fourth line - SPECIAL PROVISION  
Fifth line - FOR  
Sixth line - TITLE OF SP (do not use abbreviations in title)
3. The Title Block should always be in Capital letters

#### Approval Header

1. The Approval Header contains the source code, page number and approval code.
2. See the Design Manual, Chapter 11 for more on populating **Source Code** and **Approval Code** fields.

3. Type **Source Code**, **Page Number**, and **Approval Code** with tabs between the parts.
4. Highlight them, select the **Home** tab and choose **Arial** as the font and **12** for font size.
5. Position them by choosing **Home** tab in the toolbar then **Paragraph** in the ribbon and then **Tab** in the lower left.
6. Clear any set tab stops by clicking **Clear All**.
7. Type **3.25** in the **Tab stop position** window. Under **Alignment** click **Center** then click **Set**.
8. Type **6.5** in the **Tab stop position** window. Under **Alignment** click **Right** then click **Set**.
9. In the same pop up window, click **ok** in the lower right.
10. This positions **Source Code**, **Page Number**, and **Approval Code** properly on the page.

### **Body Text**

1. Position cursor for body text. Leave one blank line after the Approval Header and the body text. Delete any blank spaces to the right of and below your cursor.
2. Choose **Arial** as the font and **11** as the font size.
3. Put **two spaces** between sentences.
4. See the Design Manual, Chapter 11 for an example of correct outline formatting. Each indent is **0.25"**.
5. To set new section indents, choose the **Home** tab, then select **Paragraph**.
6. Under **Indentation** increase **Left** indent by **0.25** for each new section or subsection indent in the outline after the first subsection.
7. Make sure **Special** is set to **First Line** and **By** is set to **0.25**. Click **ok**.
8. Capitalize **Contractor** and **Engineer** whenever they appear in the document.
9. Capitalize **Standard Specifications for Construction** only if you cite a section or subsection number, if not citing a section number then just use **standard specifications**.
10. Use active voice by putting the verb first in sentences, when possible.
11. "Shall" is passive; "must" is active and is used when the Contractor is going to do something, use "will" when the Engineer or the Department is going to do something. There are sample passages in the Road Design Manual, Chapter 11.
12. Use single spacing within an indented section.
13. **Spell out primary units in the text**, such as "inch" or "foot."
14. **Abbreviate compound units**, such as "pounds per square inch" (psi), when desired.
15. Use **italics** for **publication or standards names** other than MDOT's standard specifications for construction.
16. Most SPs should use the standard four sections - **Description**, **Materials**, **Construction**, **Measurement and Payment**. There are a few exceptions to this but normally we want to use these four sections.
17. Use the text "**None specified.**" for sections when there is no content required in the SP.

### **Measurement and Payment Section**

1. The **Pay Item** heading is indented to **0.5"** and **Pay Unit** is set at a right tab at **6.5"**.
2. **Pay Item** and **Pay Unit** headings are **bold**.
3. Actual pay items under the headings are not bold but are indented to **0.5"**.
4. To locate the pay unit and set the dotted line from pay item to pay unit, choose **Home** tab, then **Paragraph** from the ribbon.
5. Click **Tabs** then set **Tab stop position** at **6.5"** then under **Alignment** click **Right**.
6. In the same tab, under **Leader** click **2**. Click **Set** then **ok**.
7. In place of **Contract Item (Pay Item)** used with the 2003 spec book, use only **Pay Item** in the heading and text with the 2012 spec book.

### **Tables and Figures**

1. Minimize the use of tables and figures; **reference them in the text** when used.
2. **Center tables and figures** and separate them from the text above and below by a few lines.
3. Include an appropriately descriptive **table number and title in bold** above the content.
4. Put a **colon** and **two spaces between the table number and title** with no other punctuation.
5. **Align table subheads and column heads** to provide the best readability and do not bold them.
6. **Font size** is reduced to 10 point type.