


Michigan Department of Health and Human Services'

Eat Safe Fish Guide



Some fish contain chemicals that can harm your health. MDHHS tests filets of fish taken from Michigan's lakes and rivers to learn which fish are safer to eat. The *Eat Safe Fish Guide* lists the fish that have been tested and how much is safe to eat.



Inside the Guide

About the Guide	5
Michigan DNR Fishing Laws.....	5
Questions About Eating Safe Fish?	5
Choosing Safer Fish	6
MI Serving Size.....	6
How much is a MI Serving?	6
Are you pregnant?.....	6
Special MI Serving Categories.....	7
Get to know the 3Cs.....	8
Statewide Safe Fish Guidelines	9
Frequently Asked Questions (FAQs)	10
Common Michigan Fish.....	12
Fish Eating Guidelines by County	14



This page left blank on purpose.

About the Guide

The *Eat Safe Fish Guide (ESF Guide)* is provided by the Michigan Department of Health and Human Services (MDHHS).

- The fish listed under each lake or river in the *ESF Guide* have been tested for chemicals.
- Scientists from MDHHS test only the part of the fish you would eat — typically the filet — to determine the guidelines included in the *ESF Guide*.
- MDHHS uses the test results from the edible portions to find the average amount of chemicals in the fish species from that lake or river. They use this information to determine how much fish is safe to eat per month.
- The *ESF Guide* is not a rulebook. These are only guidelines to help you make safer choices for you and your family. You are not required to use it.
- The *ESF Guide* does not include rules and regulations about catching or keeping legally-sized fish.
- The *ESF Guide* provides advice for the size range of fish that are typically caught and eaten.

Michigan DNR Fishing Laws



You should get a copy of the *DNR Michigan Fishing Guide* when you purchase your fishing license. If you lost your *Fishing Guide* or have other questions about fishing legally, please call the Michigan Department of Natural Resources (DNR) at 517-284-5830 or visit Michigan.gov/Fishing.

Questions About Eating Safe Fish?

If you have questions about choosing safer fish to eat or would like the *ESF Guide* for another region, please call the Michigan Department of Health and Human Services at 800-648-6942 or visit Michigan.gov/EatSafeFish.




*Choosing Safer Fish

The guidelines in the *ESF Guide* are set to be safe for everyone. **This includes children, people who are pregnant or breastfeedings and people who have health problems, like cancer or diabetes.**

But the *ESF Guide* is also for healthy adults who want to avoid getting too many chemicals in their bodies. Polychlorinated biphenyls (PCBs), dioxins and perfluorooctane sulfonate (PFOS) are linked to cancer and other illnesses. Mercury can cause damage to your brain and nerves. MDHHS uses chemical limits in the *ESF Guide* that will protect everyone who eats fish.

MI Serving Size

- ☑ 8 ounces of fish = size of an adult's hand (large oval)
- ☑ 4 ounces of fish = size of the palm of an adult's hand (small circle)
- ☑ 2 ounces of fish = size of half a palm of an adult's hand (rectangle)



How much is a MI Serving?

Weight of Person	MI Serving Size
45 pounds	2 ounces
90 pounds	4 ounces
180 pounds	8 ounces

Weigh Less?

For every 20 pounds less than the weight listed in the table, subtract 1 ounce of fish.

For example, a 70 pound child's *MI Serving* size is 3 ounces of fish.
 $90 \text{ pounds} - 20 \text{ pounds} = 70 \text{ pounds}$
 $4 \text{ ounces} - 1 \text{ ounce} = \text{a } MI \text{ Serving size of } 3 \text{ ounces}$

Weigh More?

For every 20 pounds more than the weight listed in the table, add 1 ounce of fish.

For example, a 110 pound person's *MI Serving* size is 5 ounces of fish.
 $90 \text{ pounds} + 20 \text{ pounds} = 110 \text{ pounds}$
 $4 \text{ ounces} + 1 \text{ ounce} = \text{a } MI \text{ Serving size of } 5 \text{ ounces}$




Are you pregnant?

Fish is good for you and your baby! Use your pre-pregnancy weight to find your *MI Serving* size. It is best to avoid eating fish labeled as "Limited" if you're pregnant or breastfeeding.

Special MI Serving Categories

Limited

MDHHS suggests you **avoid eating all fish listed as “Limited”** because of higher levels of chemicals if you:



- Are under the age of 15.
- **OR** -
- Have health problems, like cancer or diabetes.
- **OR** -
- Might have children in the next several years, are currently pregnant or are breastfeeding.

If **NONE** of the above apply to you, it is usually OK to eat fish listed as “Limited” **one or two times each year**.

Do Not Eat

No one should eat fish listed as Do Not Eat, regardless of age or health.

When these fish were tested, MDHHS found very high levels of chemicals. Eating even one meal of these fish could possibly lead to health problems in the future, regardless of age or health.



Finding a Balance

Sometimes a child might eat more than 2 ounces of fish or a 180 pound adult might eat more than 8 ounces of fish in one sitting. It's OK; count the number of *MI Servings* you eat in that meal.

For example, let's say the 180 pound adult ate 16 ounces of fish during one meal. That is two *MI Servings* of fish for a person of that size. If the fish is listed as two, four or twelve *MI Servings* in the *ESF Guide*, they're still within their recommended range. If the fish is listed as one *MI Serving* per month or “Limited”, they might want to avoid eating other meals of fish for a while to give their body time to process the chemicals.

No one should eat any amount of fish listed as Do Not Eat in the *ESF Guide*.



Get to know the 3Cs



Choose

If you eat fish often, you can use the *ESF Guide* to choose the safest fish to eat from any Michigan lake or river.



Clean

To help cut out some of the chemicals in your fish, clean away the fat, skin and organs of the fish. Some chemicals, like PCBs and dioxins, are stored in the fat and organs. Note, you can't remove mercury or PFOS from your fish by trimming. Mercury and PFOS are stored in the file.



Cook

Not only is grilling or broiling your fish healthier than frying, it also helps to get rid of more chemical-carrying fat. Cooking your fish on a grate lets the fat can drip away as it cooks. This removes even more chemicals.

If you follow the 3Cs carefully, you can remove up to half of the chemicals in your fish.

If you see the ^{2x} symbol, that means you can double the number of *MI Servings* per month, if:

- Mercury or PFOS are **not listed** in the “**Chemical of Concern**” column.
- The *MI Serving* is not listed as “**Limited**”.

For example:

Type of Fish	Chemical of Concern	Size of Fish (length in inches)	MI Servings per Month*	Can you double?
Brown Trout	Dioxins	Any Size	Limited [▲]	No, it is “Limited.”
Burbot	PCBs	Any Size	12 ^{2x}	Yes! 24 meals are OK, if you follow the 3Cs.
Carp	Mercury	Any Size	4	No, mercury is listed as a chemical in the fish.

 Fish with eight *MI Servings* or more are considered the best choice to eat.

Use the Statewide Safe Fish Guidelines ONLY if:



- Your lake or river is not listed in the regional *Eat Safe Fish Guide*.

OR

- Your lake or river is listed in the *Eat Safe Fish Guide*, but the fish species is not listed.

Statewide Safe Fish Guidelines

Type of Fish	Chemical of Concern	Size of Fish (length in inches)	MI Servings per Month*
Black Crappie	Mercury	Any Size	4
 Bluegill	Mercury	Any Size	8
Brown Trout	Mercury	Any Size	4
Bullhead	Mercury	Any Size	4
Carp	PCBs	Any Size	2 ^{2x}
Catfish	Mercury, PCBs	Any Size	4
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Muskellunge	Mercury	Any Size	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Any Size	4
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
 Suckers	Mercury	Any Size	8
 Sunfish	Mercury	Any Size	8
Walleye	Mercury	Under 20"	2
		Over 20"	1
White Crappie	Mercury	Any Size	4
Yellow Perch	Mercury	Any Size	4

These guidelines are based on the typical amount of chemicals found in fish filets tested from around the state. Some fish may be higher or lower. If any of these fish are listed in the guidelines for the lake or river you are fishing in, use **those** guidelines instead of statewide guidelines. The *MI Servings* recommendation will be more exact for that lake or river because those filets have been tested.

FAQs

How often is the Eat Safe Fish Guide (ESF Guide) updated?

The *ESF Guide* is updated regularly, but due to time and funding, not all fish from all bodies of water listed in the *ESF Guide* are tested every year. If there are special problems in the area, fish may be tested more often or sooner than planned.

PCBs, dioxins, mercury, PFOS and other chemicals that can be found in fish stay in our environment for a very long time. The amount of chemicals found in the fish is not expected to change a lot from year to year.



What part of the fish is tested for the ESF Guide?

While the entire headless, gutted smelt is tested for chemicals, for all other fish it is only the filets of the fish that are tested for chemicals. The skin is left on or taken off depending on common practice when cooking the fish. The organs and head are not tested for the *ESF Guide*. Internal organs (liver, fish eggs, etc.) typically have higher levels of chemicals than the filet and shouldn't be eaten.

Can I review the data myself?

Yes. All of the data, procedures and scientific reports used to create the *ESF Guide* are available online under Reports & Science at Michigan.gov/EatSafeFish. If you do not have internet access, call MDHHS at 800-648-6942 and we will provide you with the information.

Will I be able to tell if the fish are safe to eat by looking at them?

No. You will not be able to see any of the chemicals, even mercury or PFOS, in the fish. You also can't taste or smell the chemicals listed in the *ESF Guide*.

To find the chemicals, MDHHS tests the fish in a laboratory. MDHHS only tests the part of the fish that most people eat — typically the filets — for chemicals.

You can't see these chemicals in the water, either. Some very clear lakes or rivers can still have fish with higher levels of chemicals. If you eat a lot of Michigan fish, you can check the *ESF Guide* to find the safest options from the lake or river that you're fishing.



Is it safe to touch a fish that has chemicals in it?

Yes. You do not need to wear gloves or worry about getting the chemicals on you. They will not absorb into your skin from the fish.

Catch and release is almost always safe in Michigan regardless of where you're fishing. However, sometimes your local health department may issue a temporary warning against touching the water - including the fish that live in the water - because of problems like sewage overflow or harmful algae blooms.

You can contact your local health department or visit EGLE.state.mi.us/beach/ for local warnings about water quality.

Why should I use the Eat Safe Fish Guide?

If you eat fish, you might also be eating chemicals — like mercury, PCBs, PFOS or dioxins. These chemicals can stay in your body for a long time.

The *ESF Guide* is designed to protect everybody — men, women and children — who eats fish on a regular basis.

Using the *ESF Guide* and following the MI Serving suggestions will keep you from getting too many chemicals in your body at once. Scientists set the limits in the *ESF Guide* so that you are protected from possible health problems from the chemicals, no matter how long they stay in your body.

The *ESF Guide* is designed to protect any person who eats fish on a regular basis. If you are a healthy adult who is not pregnant and only eats Michigan fish once or twice a year from waters that are not posted with MDHHS signs, then you don't *need* to use the *ESF Guide*.

The 3Cs in the MDHHS *Eat Safe Fish in Michigan* brochure will help the occasional Michigan fish eater avoid eating too many chemicals. Call 800-648-6942 to get a free copy of the brochure.

You may choose to eat more fish than the *ESF Guide* recommends. These guidelines are not rules; it is your choice. Not everyone will get sick from eating too many of these chemicals. The chemicals in the fish won't make you sick right away, either. Some people will be fine after years of eating fish with these chemicals in them. Others can have health problems. It is difficult to know who might get sick from the chemicals in fish and who won't.

I don't see a fish species/fishing spot listed in the ESF Guide. What does this mean?

Michigan is lucky to have over 11,000 lakes, rivers and streams. Because of that huge number, it is not possible to test every fish species from every body of water in the state.

If you don't see the fish species you're planning to eat listed in the *ESF Guide* for your lake or river OR you don't see the lake or river listed at all, see page 9 for the **Statewide Safe Fish Guidelines**.

Common Michigan Fish

The fish listed here can be found in lakes and rivers around Michigan. Once you ID your fish, you can use the guidelines in this booklet to see how often the fish is safe to eat.



Black Crappie



Black Buffalo



Bluegill



Brook Trout



Brown Trout



Burbot



Carp



Channel Catfish



Chinook Salmon
(aka King Salmon)



Coho Salmon



Creek Chub



Gizzard Shad



Lake Herring



Lake Trout



Largemouth Bass
(aka Green Bass)

Fish are not to scale.

Common Michigan Fish

(continued)



Northern Pike



Muskellunge
(aka Muskie)



Pumpkinseed
(aka Sunfish)



Rainbow Trout



Rock Bass



Siscowet



Sheepshead
(aka Freshwater Drum)



Smallmouth Bass



Smelt



Sucker



Walleye



White Bass
(aka Silver Bass)



White Crappie



Whitefish



Yellow Perch

If you need more help finding out what kind of fish you caught, please visit Michigan.gov/FishID or call your local DNR Operations Center.

Fish are not to scale.

Fish Eating Guidelines by County

The fish species listed on the following pages have been tested for chemicals by the Michigan Department of Health and Human Services (MDHHS).

The guidelines issued by MDHHS are based only on the amount of chemicals in the filet of the fish — the part that you would eat.

All fish listed here are not tested every year. Because the chemicals found in fish don't break down quickly, the amount of chemicals in the fish will not change that much from year to year and neither will the guidelines.

If you would like to review the data collected to support these guidelines, they are available at Michigan.gov/EatSafeFish. If you do not have access to the internet or have additional questions, we are available at 800-648-6942, Monday-Friday, 8 a.m. to 5 p.m.



Michigan.gov/EatSafeFish



Contents

Lake Huron	16
Alcona County	19
Alpena County	21
Arenac County	27
Cheboygan County	29
Crawford County	32
Gladwin County	35
Iosco County	37
Montmorency County	42
Ogemaw County	46
Oscoda County	48
Otsego County	50
Presque Isle County	52
Roscommon County	55
What Are the Chemicals of Concern?	60

See page 57 for a list of all lakes and rivers
included in this booklet.

Special thanks to the Michigan Department of Environment, Great Lakes, and Energy and the Michigan Department of Natural Resources for providing technical support for the development of the *Eat Safe Fish Guides*.

Lake Huron






Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Atlantic Salmon	Dioxins	Any	2 ^{2x}
Brown Trout	PCBs	Any	6 Per Year ^{2x}
Carp	Dioxins, PCBs	Any	Do Not Eat [▲]
Catfish	Dioxins	Any	Limited [▲]
Chinook Salmon	PCBs	Any	6 Per Year ^{2x}
Coho Salmon	PCBs	Any	6 Per Year ^{2x}
Freshwater Drum	Mercury	Any	1
Lake Herring	PFOS	Any	2
Lake Trout	Dioxins, PCBs	Under 20"	1 ^{2x}
	PCBs	20" to 24"	6 Per Year ^{2x}
		Over 24"	Limited [▲]

(Continued on the next page.)

Lake Huron (continued)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Lake Whitefish	Dioxins	Any	6 Per Year ^{2x}
Northern Pike	PCBs	Any	1 ^{2x}
Rainbow Trout	PFOS	Any	1
Smelt	PFOS	Any	2
Steelhead	PFOS	Any	1
Suckers	PCBs	Any	2 ^{2x}
Walleye	Dioxins	Any	6 Per Year ^{2x}
White (Silver) Bass	Dioxins, PCBs	Any	Limited [▲]
White Perch	PCBs	Any	6 Per Year ^{2x}
Yellow Perch	Dioxins	Any	2 ^{2x}

Les Cheneaux Island Area and Thunder Bay

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
 Bluegill	Mercury	Any	12
Carp	Dioxins, PCBs	Any	Limited [▲]
Largemouth Bass	Mercury	Under 18" Over 18"	2 1
 Rock Bass	Mercury	Under 8" Over 8"	8 4
Smallmouth Bass	Mercury	Under 18" Over 18"	2 1
 Sunfish	Mercury	Any	12
Yellow Perch	Dioxins	Any	2 ^{2x}


Use the Lake Huron guidelines above for any fish species not listed above.

(Continued on the next page.)

Saginaw Bay

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Carp	Dioxins, PCBs	Any	Do Not Eat [▲]
Catfish	Dioxins	Any	Limited [▲]
Freshwater Drum	Mercury	Any	1
Lake Trout	Dioxins, PCBs	Under 20"	1 ^{2x}
	PCBs	20" to 24"	6 Per Year ^{2x}
		Over 24"	Limited [▲]
Walleye	Dioxins	Any	6 Per Year ^{2x}
White (Silver) Bass	Dioxins, PCBs	Any	Do Not Eat [▲]
Yellow Perch	Dioxins	Any	2 ^{2x}
All Other Species	Dioxins, PCBs	Any	6 Per Year ^{2x}

Alcona County





Au Sable River

(between Mio Dam in Oscoda Co. and Foote Dam in Iosco Co.)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year
Walleye	Mercury	Any	1

Cedar Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	16
Sunfish	Mercury	Any	16
Yellow Perch	PFOS	Any	1

(Continued on the next page.)

Crooked Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Walleye	Mercury	Under 20"	4
		Over 20"	2

Hubbard Lake


Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 28"	2
		Over 28"	1
Walleye	Mercury	Under 20"	1
		Over 20"	6 Per Year

McCollum Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year
Smallmouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year


See which fish are safe to eat from Lake Huron on Page 16.

Alpena County



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Beaver Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year
Smallmouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year

Fletcher Pond

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

(Continued on the next page.)

Four Mile Pond

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2

Lake Besser

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1

(Continued on the next page.)

Lake Besser

(continued from page 22)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2

Lake Winyah (aka Seven Mile Pond)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

(Continued on the next page.)

Lake Winyah (aka Seven Mile Pond)

(continued from page 23)



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2

Long Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bullhead	Mercury	Any	4
Largemouth Bass	Mercury	Under 18"	4
		Over 18"	2
Smallmouth Bass	Mercury	Under 18"	4
		Over 18"	2
Suckers	Mercury	Under 16"	16
		Over 16"	8

(Continued on the next page.)

Thunder Bay River (Main Branch)

(in Montmorency Co. to Lake Huron)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2

When fishing the river near Lake Huron, please check the lake guidelines on page 16 too.

(Continued on the next page.)

Thunder Bay River (Upper South Branch)

(downstream of Fletcher Pond and Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2




Thunder Bay River (Upper South Branch)

(upstream of Fletcher Pond and Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1


See which fish are safe to eat from Lake Huron on Page 16.

Arenac County



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Rifle River

(downstream of Devoe Lake Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Rock Bass	Mercury	Under 6"	8
		6" to 9"	4
		Over 9"	2
Suckers	Mercury	Any	4

When fishing the river near Lake Huron, please check the lake guidelines on page 16 too.

(Continued on the next page.)



Saginaw Bay

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Carp	Dioxins, PCBs	Any	Do Not Eat [▲]
Catfish	Dioxins	Any	Limited [▲]
Freshwater Drum	Mercury	Any	1
Lake Trout	Dioxins, PCBs	Under 20"	1 ^{2x}
	PCBs	20" to 24"	6 Per Year ^{2x}
		Over 24"	Limited [▲]
Walleye	Dioxins	Any	6 Per Year ^{2x}
White (Silver) Bass	Dioxins, PCBs	Any	Do Not Eat [▲]
Yellow Perch	Dioxins	Any	2 ^{2x}
All Other Species	Dioxins, PCBs	Any	6 Per Year ^{2x}

See which fish are safe to eat from Lake Huron on Page 16.


Cheboygan County

Map of Cheboygan County, Michigan



Filets of fish from the lakes listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Black Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Sturgeon	Mercury, PCBs	Any	2

Black River

(upstream of Tower Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

(Continued on the next page.)

Burt Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30" Over 30"	1 6 Per Year
Suckers	Mercury	Any	12
Walleye	Mercury	Under 20" Over 20"	2 1
Yellow Perch	Mercury	Any	4

Douglas Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30" Over 30"	1 6 Per Year

Maple River

(Including West and East Branches)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brook Trout	PFOS	Any	2

Mullett Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18" Over 18"	2 1
Northern Pike	Mercury	Any	1
Smallmouth Bass	Mercury	Under 18" Over 18"	2 1
Walleye	Mercury	Under 20" Over 20"	1 6 Per Year
Yellow Perch	Mercury	Any	4


(Continued on the next page.)

Twin Lakes

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year
Smallmouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year

See which fish are safe to eat from Lake Huron on Page 16.

Crawford County



Au Sable River (North Branch)

(upstream of Mio Dam in Oscoda Co., including the main river branch)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Any	4
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Au Sable River (South Branch)

(including Robinson Creek)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Under 16"	4
		Over 16"	2

(Continued on the next page.)

Guthrie Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Rock Bass	PFOS	Any	6 Per Year

Hardgrove Lake (aka Bear Lake)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	4
Sunfish	Mercury	Any	4

KP Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	8
Largemouth Bass	Mercury	Under 18" Over 18"	1 6 Per Year
Northern Pike	Mercury	Under 34" Over 34"	1 6 Per Year
Smallmouth Bass	Mercury	Under 18" Over 18"	1 6 Per Year
Sunfish	Mercury	Any	8



Lake Margrethe

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	PFOS	Any	2
Largemouth Bass	PFOS Mercury, PFOS	Under 18" Over 18"	1 1
Smallmouth Bass	PFOS Mercury, PFOS	Under 18" Over 18"	1 1

(Continued on the next page.)


Lake Margrethe

(continued from page 33)


Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Sunfish	PFOS	Any	2
Walleye	Mercury	Under 20"	1
		Over 20"	6 Per Year
Rock Bass	PFOS	Any	2
Yellow Perch	Mercury, PFOS	Any	4

Portage Creek

(upstream of Manistee River confluence)




Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	8
Rock Bass	Mercury	Under 8"	2
		Over 8"	1
Sunfish	Mercury	Any	8


Shupac Lake


Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Any	4

Gladwin County



Filets of fish from the lakes listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Pratt Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1

Ross Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Black Crappie	PFOS	Any	2
White Crappie	PFOS	Any	2


(Continued on the next page.)

Wixom Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Catfish	Mercury	Any	2
Northern Pike	Mercury	Under 30"	2
		Over 30"	1


Iosco County

Map of Iosco County, Michigan



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Allen Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	8
Largemouth Bass	Mercury	Any	6 Per Year
Smallmouth Bass	Mercury	Any	6 Per Year
Sunfish	Mercury	Any	8
All Other Species	PFOS	Any	Do Not Eat [▲]

(Continued on the next page.)

Au Sable River

(between Mio Dam in Oscoda Co. and Foote Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year
Walleye	Mercury	Any	1

Au Sable River

(downstream of Foote Dam; includes Van Etten Creek)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	PFOS	Any	Do Not Eat [▲]
Brown Trout	PCBs	Any	6 Per Year ^{2x}
Carp	PCBs	Any	Limited [▲]
Chinook Salmon	PCBs	Any	6 Per Year ^{2x}
Coho Salmon	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	PFOS	Any	Do Not Eat [▲]
Rainbow Trout	PCBs	Any	6 Per Year ^{2x}
Rock Bass	PFOS	Any	Do Not Eat [▲]
Smallmouth Bass	PFOS	Any	Do Not Eat [▲]
Steelhead	PCBs	Any	6 Per Year ^{2x}
Suckers	PFOS	Any	Do Not Eat [▲]
Sunfish	PFOS	Any	Do Not Eat [▲]
Walleye	Dioxins	Any	6 Per Year ^{2x}
Yellow Perch	PFOS	Any	Do Not Eat [▲]
All Other Species	PFOS	Any	Do Not Eat [▲]

(Continued on the next page.)

Cedar Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury	Any	16
Sunfish	Mercury	Any	16
Yellow Perch	PFOS	Any	1

Clark's Marsh

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	PFOS	Any	Do Not Eat [▲]
Sunfish	PFOS	Any	Do Not Eat [▲]
All Other Species	PFOS	Any	Do Not Eat [▲]

Floyd Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year
Smallmouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year

Jose Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

(Continued on the next page.)

Simpson Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	PFOS	Any	6 Per Year
Sunfish	PFOS	Any	6 Per Year

Tawas Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Black Crappie	Mercury	Any	2
White Crappie	Mercury	Any	2

Tawas River

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Suckers	Mercury	Any	2

When fishing the river near Lake Huron, please check the lake guidelines on page 16 too.

Van Etten Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Black Crappie	PFOS	Any	6 Per Year
Bluegill	PFOS	Any	Do Not Eat [▲]
Catfish	PCBs	Any	Limited [▲]
Largemouth Bass	PFOS	Any	Do Not Eat [▲]
Northern Pike	Mercury, PFOS	Any	1
Rock Bass	PFOS	Any	1
Smallmouth Bass	PFOS	Any	Do Not Eat [▲]
Suckers	Mercury, PFOS	Any	2
Sunfish	PFOS	Any	Do Not Eat [▲]

(Continued on the next page.)

Van Effen Lake


(continued from page 40)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Walleye	PFOS	Any	6 Per Year
White Crappie	PFOS	Any	6 Per Year
Yellow Perch	PFOS	Any	6 Per Year

See which fish are safe to eat from Lake Huron on Page 16.


Montmorency County

Map of Montmorency County, Michigan



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Avery Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year
Smallmouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year

Black River

(upstream of Tower Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

(Continued on the next page.)

Montmorency County (continued)

Ess Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Fletcher Pond

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

Gaylanta Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

Lake Fifteen

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year
Smallmouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year

Long Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year
Smallmouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year

(Continued on the next page.)

McCormick Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Under 14"	8
		14 to 18"	4
		Over 18"	2

Thunder Bay River (Main Branch)

(in Montmorency Co. to Lake Huron; also includes the stretch of the Upper South Branch downstream of Fletcher Dam in Alpena Co., page 25)



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	4
Bullhead	Mercury	Any	4
Carp	PCBs	Any	6 Per Year ^{2x}
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Northern Pike	Mercury	Under 30"	2
		Over 30"	1
Rock Bass	Mercury	Under 8"	4
		Over 8"	2
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Suckers	Mercury	Under 14"	8
		Over 14"	4
Sunfish	Mercury, PFOS	Any	4
Walleye	Mercury	Under 18"	2
		Over 18"	1
Yellow Perch	Mercury	Under 10"	4
		Over 10"	2

When fishing the river near Lake Huron, please check the lake guidelines on page 16 too.

(Continued on the next page.)

Thunder Bay River (Upper South Branch)


(upstream of Fletcher Dam, also includes Fletcher Pond in Alpena Co., page 21)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

Twin Tomahawk Lakes


Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year
Smallmouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year

Ogemaw County



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Hardwood Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 28"	2
		Over 28"	1

Horseshoe Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1

(Continued on the next page.)

Peach Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Rifle River


(downstream of Devoe Lake Dam)



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Rock Bass	Mercury	Under 6"	8
		6" to 9"	4
		Over 9"	2
Suckers	Mercury	Any	4


When fishing the river near Lake Huron, please check the lake guidelines on page 16 too.

Oscoda County



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Au Sable River

(upstream of Mio Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Any	4
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Au Sable River

(between Mio Dam and Foote Dam in Iosco Co.)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year
Walleye	Mercury	Any	1

(Continued on the next page.)

McCollum Lake


Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year
Smallmouth Bass	Mercury	Under 20"	1
		Over 20"	6 Per Year

Perry Creek

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brook Trout	Mercury	Any	4

Otsego County

Map of Otsego County, Michigan



Filets of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Au Sable River (North Branch)

(upstream of Mio Dam in Oscoda Co.)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Any	4
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Big Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1

(Continued on the next page.)

Black River

(upstream of Tower Dam)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	2
		Over 30"	1

Guthrie Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Rock Bass	PFOS	Any	6 Per Year

Otsego Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Walleye	Mercury	Any	2


Presque Isle County

Map of Presque Isle County, Michigan



Filets of fish from the lakes listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Black Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Sturgeon	Mercury, PCBs	Any	2

Grand Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Rock Bass	Mercury	Any	4
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1
Walleye	Mercury	Under 20"	2
		Over 20"	1

(Continued on the next page.)

Presque Isle County (continued)

Lake Emma

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 20"	2
		Over 20"	1

Lake Esau

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	4
		Over 18"	2
Smallmouth Bass	Mercury	Under 18"	4
		Over 18"	2

Lake Nettie

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	2
		Over 18"	1
Smallmouth Bass	Mercury	Under 18"	2
		Over 18"	1

Long Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bullhead	Mercury	Any	4
Largemouth Bass	Mercury	Under 18"	4
		Over 18"	2
Smallmouth Bass	Mercury	Under 18"	4
		Over 18"	2
Suckers	Mercury	Under 16"	16
		Over 16"	8



(Continued on the next page.)

Lost Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Largemouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year
Smallmouth Bass	Mercury	Under 18"	1
		Over 18"	6 Per Year


Ocqueoc Lake

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Northern Pike	Mercury	Under 30"	1
		Over 30"	6 Per Year

See which fish are safe to eat from Lake Huron on Page 16.


Roscommon County

Map of Roscommon County, Michigan



Files of fish from the lakes and rivers listed here have been tested for chemicals.

For all other lakes and rivers in this county and for any species not listed below, see page 9.

 Bluegill, yellow perch and other panfish are often a Best Choice. See page 9 for guidelines if these fish aren't listed below.

Au Sable River (South Branch)

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Under 16"	4
		Over 16"	2

Higgins Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	PCBs	Any	8 ^{2x}
Lake Herring	Mercury	Any	4
Lake Trout	DDT, Mercury, PCBs	Under 26"	2
	DDT, PCBs	26" to 32"	1 ^{2x}
	PCBs	Over 32"	6 Per Year ^{2x}
Northern Pike	Mercury	Any	1
Smelt	PFOS	Any	4

(Continued on the next page.)

Houghton Lake



Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Bluegill	Mercury, PFOS	Any	8
Carp	Mercury	Any	4
Sunfish	Mercury, PFOS	Any	8
Walleye	Mercury, PFOS	Under 20"	2
	Mercury	Over 20"	1

Lake St. Helen

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Walleye	Mercury	Under 18"	2
		Over 18"	1

Robinson Creek

Type of Fish	Chemicals of Concern	Size of Fish (length in inches)	MI Servings per Month*
Brown Trout	Mercury	Under 16"	4
		Over 16"	2



Northeast Michigan Lakes & Rivers

Don't see a certain lake or river listed?

For the guidelines to all other lakes and rivers in
Northeast Michigan, please see page 9. To get an *ESF Guide* for
another region, visit Michigan.gov/EatSafeFish
or call 800-648-6942.

Allen Lake	37
Au Sable River (Alcona Co.)	19
Au Sable River (Crawford Co.)	32
Au Sable River (Iosco Co.).....	38
Au Sable River (Oscoda Co.).....	48
Au Sable River (North Branch, Otsego Co.).....	50
Au Sable River (South Branch, Roscommon Co.)	55
Avery Lake	42
Beaver Lake	21
Big Lake.....	50
Black Lake (Cheboygan Co.)	29
Black Lake (Presque Isle Co.).....	52
Black River (Cheboygan Co.)	29
Black River (Montmorency Co.).....	42
Black River (Otsego Co.).....	51
Burt Lake	30
Cedar Lake (Alcona Co.).....	19
Cedar Lake (Iosco Co.)	39
Clark's Marsh	39
Crooked Lake	20
Douglas Lake.....	30
Ess Lake	43
Fletcher Pond (Alpena Co.)	21
Fletcher Pond (Montmorency Co.)	43
Floyd Lake.....	39
Four Mile Pond	22
Gaylanta Lake	43
Grand Lake.....	52

Guthrie Lake (Crawford Co.).....	33
Guthrie Lake (Otsego Co.).....	51
Hardgrove Lake (aka Bear Lake).....	33
Hardwood Lake.....	46
Higgins Lake.....	55
Horseshoe Lake	46
Houghton Lake	56
Hubbard Lake	20
Jose Lake.....	39
KP Lake	33
Lake Besser	22
Lake Emma	53
Lake Esau	53
Lake Fifteen	43
Lake Huron	16
Lake Margrethe	33
Lake Nettie.....	53
Lake St. Helen	56
Lake Winyah (aka Seven Mile Pond)	23
Les Cheneaux Island Area & Thunder Bay (Lake Huron).....	17
Long Lake (Alpena Co.)	24
Long Lake (Montmorency Co.).....	43
Long Lake (Presque Isle Co.).....	53
Lost Lake	54
Maple River	30
McCollum Lake (Alcona Co.)	20
McCollum Lake (Oscoda Co.)	49
McCormick Lake	44
Mullett Lake.....	30
Ocqueoc Lake	54
Otsego Lake	51
Peach Lake	47
Perry Creek.....	49
Portage Creek	34
Pratt Lake.....	35
Rifle River (Arenac Co.)	27
Rifle River (Ogemaw Co.)	47
Robinson Creek.....	56

Ross Lake 35

Saginaw Bay (Lake Huron)..... 18

Saginaw Bay (Arenac Co.) 28

Shupac Lake..... 34

Simpson Lake..... 40

Tawas Lake..... 40

Tawas River..... 40

Thunder Bay River (Main Branch, Alpena Co.) 25

Thunder Bay River (Main Branch, Montmorency Co.)..... 44

Thunder Bay River (Upper South Branch, Alpena Co.) 26

Thunder Bay River (Upper South Branch, Montmorency Co.)..... 45

Twin Lakes 31

Twin Tomahawk Lakes 45

Van Etten Creek (Au Sable River, Iosco Co.) 38

Van Etten Lake 40

Wixom Lake 36

What Are the Chemicals of Concern?

The chemicals that cause Michigan’s Eat Safe Fish guidelines are DDT, dioxins, mercury, PCBs, PFOS, selenium and toxaphene. Many of these chemicals were put into the environment - by accident or on purpose - before we knew the long-term health and environmental problems they can cause.

These chemicals can travel through the air, and they can be carried by rain run-off and storm drains into our lakes, rivers and wetlands. Once in the water, the chemicals sink to the bottom and become a part of the fish food chain. Some of these chemicals can stay in the environment, in the fish, and in the human body for a long time.

Efforts to reduce pollution under the U.S. Clean Water Act and U.S. Clean Air Act have cut the levels of these chemicals in the environment. In fact, the amount of DDT, dioxins, PCBs and toxaphene in our fish are slowly going down. However, mercury continues to be a worldwide problem and contaminants of emerging concern, like PFOS, are being monitored in fish.

Chemical of Concern	What is it?	Potential Health Problems
DDT (dichlorodiphenyl-trichloroethane)	<ul style="list-style-type: none">• was one of the first modern insecticides• was banned in 1972	<ul style="list-style-type: none">• linked to the development of cancer• linked to the development of diabetes
Dioxins	<ul style="list-style-type: none">• are not made on purpose• are created when chlorine chemicals are made or used• can be released when things that have chlorine in them - like paper or plastic - are burned• also can be released from old or poorly contained waste sites or intentional dumping	<ul style="list-style-type: none">• linked to the development of cancer• can harm fertility• can harm thyroid function

(continued on the next page)

Chemicals of Concern (continued from page 60)

Chemical of Concern	What is it?	Potential Health Problems
Mercury	<ul style="list-style-type: none"> • is a natural element • can be released from smokestacks of coal-fired power plants and other industry 	<ul style="list-style-type: none"> • brain development can be harmed in fetuses and children • heart function can be harmed in older adults • immune system can be harmed
PCBs (polychlorinated biphenyls)	<ul style="list-style-type: none"> • were used in electrical equipment - like transformers • were found in hydraulic oils 	<ul style="list-style-type: none"> • brain development can be harmed in fetuses and children • linked to the development of cancer • linked to the development of diabetes • immune system can be harmed
PFOS (perfluorooctane sulfonate)	<ul style="list-style-type: none"> • is used for waterproofing clothes, in fire-fighting foams, papers and packaging, cleaning products and pesticides • is now rarely used in the United States 	<ul style="list-style-type: none"> • fertility can be harmed • immune system can be harmed • linked to high cholesterol • linked to low birth weight • linked to pre-eclampsia in pregnant people • liver function can be harmed • thyroid function can be harmed
Selenium	<ul style="list-style-type: none"> • is a natural element • is needed for your body to function, but too much is harmful • through mining activities, selenium-rich rock and water got into lakes and rivers 	<ul style="list-style-type: none"> • hair loss • loss of fingernails • fatigue • irritability • mild nerve damage

(continued on the next page)

Chemicals of Concern (continued from page 61)

Chemical of Concern	What is it?	Potential Health Problems
Toxaphene	<ul style="list-style-type: none"> • was an insecticide for cotton and vegetables and on livestock and poultry • was sometimes added to lakes to kill unwanted fish • was banned in 1990 	<ul style="list-style-type: none"> • immune system can be harmed

NOTES

NOTES

This page left blank on purpose.

Other Regional Eat Safe Fish Guides

Call 800-648-6942 or visit
Michigan.gov/EatSafeFish
to get a free copy of the
Eat Safe Fish Guides
for other regions in Michigan.

