

STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 1

to

Contract Number <u>2000000374</u>

	NORIX GROUP	ROUP			
CO	1800 W. Hawthorne Lane, Suite N	40	Program Managei	517-241-6563	
Ň	West Chicago, IL 60185	STA	ž)	FrankJ4@Michigan.gov	
RA	Cori Kasper	\TE	Adn	Sarah Walter	DTMB
CTC	630-231-1331		Contrac	517-256-4237	
R	ckasper@norix.com		ct rator	walters6@michigan.gov	
	CV0017293				

CONTRACT SUMMARY						
ANTI-LIGA	TURE FURNI	SHING SERVICES	- STATEWII	DE		
INITIAL EFF	ECTIVE DATE	E INITIAL EXPIRATION DATE		INITIAL AVAILABLE OPTIONS	3	EXPIRATION DATE BEFORE
Februa	ry 1, 2020	January 31,	2025	5 - 1 Year		January 31, 2025
PAYMENT TERMS DELIVERY TIMEFRAME					AME	
	N/A					
	ALTERNATE PAYMENT OPTIONS EXTENDED PURCHASII				ENDED PURCHASING	
□ P-Ca	ırd	□ PRC	☐ Oth	er	× N	res □ No
MINIMUM DE	LIVERY REQUIF	REMENTS				
N/A						
		DI	SCRIPTION O	F CHANGE NOTICE		
OPTION	LENGTI	H OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED EXP. DATE
		N/A		N/A January 31, 202		January 31, 2025
CURRE	NT VALUE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGAT	E CON	ITRACT VALUE
\$2,00	0,000.00	\$0.00	-	\$2,000,000.00		
	DESCRIPTION					

Effective March 3, 2020, please note the Prodigy Bedroom Series is hereby added for Statewide use, please refer to the table below for item pricing, and the attached documents for Prodigy product line information.

Norix Prodigy Price List 2020 - State of Michigan Contract Pricing							
Mfr Item Number	Product Line	Product Description	List Price 2020	Discount	Contract Price		
PRD100	Prodigy	Prodigy, Bed Platform w/ Anchoring	\$2,720	35.0%	\$1,768.00		
PRD100B	Prodigy	Prodigy, Bed, Sealed Bottom, Free Standing	\$2,940	35.0%	\$1,911.00		
PRD240	Prodigy	Prodigy, Nightstand	\$820	35.0%	\$533.00		
PRD600	Prodigy	Prodigy, Desk, Floor Mount	\$1,110	35.0%	\$721.50		
PRD700	Prodigy	Prodigy, Open Chest	\$1,288	35.0%	\$837.20		
PRD-RR01K	Prodigy	Kit, Prodigy, Removable Restraint Ring- Set of 1	\$148	35.0%	\$96.20		
PRD-RR06K	Prodigy	Kit, Prodigy, Removable Restraint Ring- Set of 6	\$885	35.0%	\$575.25		

All other terms, conditions, specifications, and pricing remain the same, per Contractor and Agency agreement and DTMB Central Procurement Services approval.

Program Managers

for

Multi-Agency and Statewide Contracts

AGENCY	NAME	PHONE	EMAIL
	Jennifer C. Frank	517-241-6563	FrankJ4@michigan.gov



PRODIGYTM BEDROOM SERIES 2 0 2 0

NORIX

Prodigy[™] Bedroom

Warmth of Wood, Performance of Polymer

Prodigy[™] features the latest Norix innovations in an uncompromising line of high performing and aesthetically pleasing bedroom furniture. It is designed and engineered to overcome the daunting challenge of creating a humanized environment without sacrificing safety, security and long term performance. Prodigy[™] is at the vanguard of innovation and advances the Norix legacy of spearheading breakthroughs in behavioral healthcare.





Prodigy[™] Bedroom Series

Crafted in a specially formulated polymer with proprietary innovations to deliver superior durability, maintenance free cleanability and humanizing aesthetic appeal. Each piece is uniquely fashioned with specialized TruGrain™ polymer to replicate natural wood and deliver a residential, non-institutional appearance.

Therapeutically Attractive

Attractive wood grain appearance to enhance the calming familiarity of a home-like environment.

Designed for Safety

Superior to wood in infection-control and ligature, fluid, tamper, infestation and contraband resistance. Concealed anchoring.

Durable

Structurally reinforced for superior durability, impact resistance and security.

Maintenance-Free

Seamless one-piece construction delivers unmatched cleanability and long-term, maintenance-free performance.

Environmentally Responsible

Recyclable polymer is made responsibly with recycled content.



Panel Bed

Anti-ligature bed with inset panel design aesthetic creates a "classic" residential look yet allows placement flush against wall or in corners. Raised lip on bed deck with grooved sleep surface for fluid management. Select free-standing version with fully closed bottom or floor-anchor model (all anchoring hardware included.) Optional restraint rings.



Nightstand

The Prodigy™ Nightstand is the perfect complement to the Panel Bed. Smaller top cubby keeps essentials within easy reach; bottom cubby holds larger items. Includes all anchoring hardware for floor mounting and optional non-removable floor guide kit for a free-standing alternative.



Open Chest

Ideal anti-ligature solution - storage for larger items with no doors, drawers or hinges. Includes all anchoring hardware for floor mounting and optional non-removable floor guide kit for a free-standing alternative.



Desk

Classic table desk with modesty panel. Attractive inset panel design allows for placement flush against wall or in corners.







AT NORIX, WE DESIGN INNOVATIVE, ROBUST FURNITURE THAT MEETS THE REAL-WORLD NEED FOR HUMANIZING CHALLENGING ENVIRONMENTS.











Individual attributes vary by product. See specification sheet for details



1800 W. Hawthorne Lane, Suite N., West Chicago, Illinois 60185 Phone: 630-231-1331 | Toll Free: 800-234-4900 | Fax: 630-231-4343 1/20 | furniture@norix.com ©2020 Norix Group, Inc.

NORIX.COM



Prodigy[™] Open Chest

NORIX

SPECIFICATIONS





Model

PRD700 - Prodigy Open Chest with concealed anchoring for maximum security (anchoring mechanism and anchoring hardware included).

Weight

55 lbs

*Intended for indoor use only

Dimensions

Height 42"
Overall Length 30"
Overall Width 18"

Total Volume 6.9 cu. ft. Cubby Volume 2.3 cu. ft.

Note: Dimensional tolerances are +1% due to manufacturing process.











DETAILS

Colors

Harvest (light), Java (dark)

*Proprietary TruGrain™ aesthetic provides authentic texture and gradation that replicates natural wood. Variations in color and finish vary from product to product and lot to lot, just like natural wood. Due to differences in monitors, printers and materials, actual product colors may vary.

Options

Ballasting Available (50 lbs)

Patents

Patents Pending

Fabrication & Material

One-piece, 100% seamless, specially formulated polymer construction is structurally reinforced for superior durability, impact resistance and security. Rounded edges for added safety. Each piece is uniquely fashioned with proprietary TruGrain™ polymer formulation to replicate natural wood, and deliver a residential, non-institutional appearance. The seamless, one-piece construction delivers long-term, maintenance-free performance superior to wood in infection-control, fluid, tamper, infestation, contraband resistance and anti-ligature design. Contains a minimum of 30% recycled content. Made in the U.S.A.

Installation

Proprietary anti-ligature floor anchoring system with concealed hardware (mechanism and all anchoring hardware included). Anchoring mechanism and hardware intended for concrete floors. (Please consult contractor or facility management as necessary.) Tamperresistant non-removable steel encased floor glides are included and may be field installed. Security caulk may be applied to the perimeter after anchoring. Optional Norix Authorized Installation services reinforce Limited Warranty.

Warranty

10 year limited replacement warranty.

Cleaning & Maintenance

For routine and regular cleaning, Norix recommends the use of Simple Green® or an equivalent cleaning product. Prodigy products are bleach cleanable and suitable for use with hospital-grade disinfectants (such as Clorox® Clean-Up Cleaner + Bleach, Virex® or Wexcide®)

TESTING

Flammability Test Standards

- State of California, Technical Bulletin No.
 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL 1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

- Compliant with Healthier Hospitals guidelines
- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG

Performance Test Standards

Tested to 1,000 lbs static load

Prodigy[™] Desk

NORIX

SPECIFICATIONS



Model

PRD600 - Prodigy Desk with concealed anchoring for maximum security (anchoring mechanism and anchoring hardware included).

Weight

42 lbs

*Intended for indoor use only

Dimensions

Height 30" Overall Length 35.5" Overall Width 24"

Note: Dimensional tolerances are +1% due to manufacturing process.











DETAILS

Colors

Harvest (light), Java (dark)

*Proprietary TruGrain™ aesthetic provides authentic texture and gradation that replicates natural wood. Variations in color and finish vary from product to product and lot to lot, just like natural wood. Due to differences in monitors, printers and materials, actual product colors may vary.

Options

Ballasting Available (50 lbs)

Patents

Patents Pending

Fabrication & Material

One-piece, 100% seamless, specially formulated polymer construction is structurally reinforced for superior durability, impact resistance and security. Rounded edges for added safety. Each piece is uniquely fashioned with proprietary TruGrain™ polymer formulation to replicate natural wood, and deliver a residential, non-institutional appearance. The seamless, one-piece construction delivers long-term, maintenance-free performance superior to wood in infection-control, fluid, tamper, infestation, contraband resistance and anti-ligature design. Contains a minimum of 30% recycled content. Made in the U.S.A.

Installation

Proprietary anti-ligature floor anchoring system with concealed hardware (mechanism and all anchoring hardware included). Anchoring mechanism and hardware intended for concrete floors. (Please consult contractor or facility management as necessary.) Security caulk may be applied to the perimeter after anchoring. Optional Norix Authorized Installation services reinforce Limited Warranty.

Warranty

10 year limited replacement warranty.

Cleaning & Maintenance

For routine and regular cleaning, Norix recommends the use of Simple Green® or an equivalent cleaning product. Prodigy products are bleach cleanable and suitable for use with hospital-grade disinfectants (such as Clorox® Clean-Up Cleaner + Bleach, Virex® or Wexcide®)

TESTING

Flammability Test Standards

- State of California, Technical Bulletin No.
 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL 1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

- Compliant with Healthier Hospitals guidelines
- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG

Performance Test Standards

Tested to 1,000 lbs static load

Prodigy[™] Nightstand

NORIX

SPECIFICATIONS





Model

PRD240 - Prodigy Nightstand with concealed anchoring for maximum security (anchoring mechanism and anchoring hardware included).

Weight

29 lbs

*Intended for indoor use only

Dimensions

Height 23.5" Overall Length 20" Overall Width 20"

Top Cubby Volume 0.86 cu. ft.

Bottom Cubby Volume 1.28 cu. ft.

Note: Dimensional tolerances are +1% due to manufacturing process.











DETAILS

Colors

Harvest (light), Java (dark)

*Proprietary TruGrain™ aesthetic provides authentic texture and gradation that replicates natural wood. Variations in color and finish vary from product to product and lot to lot, just like natural wood. Due to differences in monitors, printers and materials, actual product colors may vary.

Options

Ballasting Available (50 lbs)

Patents

Patents Pending

Fabrication & Material

One-piece, 100% seamless, specially formulated polymer construction is structurally reinforced for superior durability, impact resistance and security. Rounded edges for added safety. Each piece is uniquely fashioned with proprietary TruGrain™ polymer formulation to replicate natural wood, and deliver a residential, non-institutional appearance. The seamless, one-piece construction delivers long-term, maintenance-free performance superior to wood in infection-control, fluid, tamper, infestation, contraband resistance and anti-ligature design. Contains a minimum of 30% recycled content. Made in the U.S.A.

Installation

Proprietary anti-ligature floor anchoring system with concealed hardware (mechanism and all anchoring hardware included). Anchoring mechanism and hardware intended for concrete floors. (Please consult contractor or facility management as necessary). Tamperresistant non-removable steel encased floor glides are included and may be field installed. Security caulk may be applied to the perimeter after anchoring. Optional Norix Authorized Installation services reinforce Limited Warranty.

Warranty

10 year limited replacement warranty.

Cleaning & Maintenance

For routine and regular cleaning, Norix recommends the use of Simple Green® or an equivalent cleaning product. Prodigy products are bleach cleanable and suitable for use with hospital-grade disinfectants (such as Clorox® Clean-Up Cleaner + Bleach, Virex® or Wexcide®)

TESTING

Flammability Test Standards

- State of California, Technical Bulletin No.
 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL 1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

- Compliant with Healthier Hospitals guidelines
- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG

Performance Test Standards

Tested to 1,000 lbs static load

Prodigy[™] Platform Bed

NORIX

SPECIFICATIONS



Model

<u>PRD100</u> - Anti-ligature bed with concealed anchoring for maximum security (Anchoring mechanism and anchoring hardware included).

<u>PRD100B</u> - Anti-ligature bed, free-standing with fully enclosed bottom, designed for applications where floor anchoring is not desirable (Non-removable glides included). Additional weight (100 lbs) may be added during manufacturing process (must be communicated at time of order).

Recommended Mattress

36"X80" Comfort Shield® Remedy Mattress

Dimensions

Overall Length 82"
Overall Width 38"
Height 18.5"
Bed Deck Length 80"
Bed Deck Width 36"

Weight

130 lbs

Note: Dimensional tolerances are +1% due to manufacturing process.











DETAILS

Colors

Harvest (light), Java (dark)

*Proprietary TruGrain™ aesthetic provides authentic texture and gradation that replicates natural wood. Variations in color and finish vary from product to product and lot to lot, just like natural wood. Due to differences in monitors, printers and materials, actual product colors may vary.

PRD100-Floor Mount Bed

<u>Options:</u> Removable Restraint Ring Kit <u>Options Not Available:</u> Ballasting, Postproduction sealed bottom

PRD100B- Free-standing Bed with Fully Enclosed Bottom

Options: Factory Ballasting of 100 lbs (must be communicated at time of order)

Options Not Available: Restraint Ring Kit, Bolt-

down, Post-production Ballasting

*Bed type must be specified at time of order. Factory ballasting option must be communicated at time of order; products are not field-ballastable.

Patents

Patents Pending

Fabrication & Material

One-piece, 100% seamless, specially formulated polymer construction is structurally reinforced for superior durability, impact resistance and security. Rounded edges for added safety, grooved sleep surface for fluid management. Each piece is uniquely fashioned with proprietary TruGrain™ polymer formulation to replicate natural wood, and deliver a residential, non-institutional appearance. The seamless, one-piece construction delivers long-term, maintenance-free performance superior to wood in infection-control, fluid, tamper, infestation, contraband resistance and anti-ligature design. Contains a minimun of 45% recycled content. Made in the U.S.A.

Installation for PRD100- Floor Mount Bed

Proprietary anti-ligature floor anchoring system with concealed hardware (mechanism and all anchoring hardware included). Anchoring mechanism and hardware intended for concrete floors and/or walls. (Please consult contractor or facility management as necessary.) Security caulk may be applied to the perimeter after anchoring. Optional Norix Authorized Installation services reinforce Limited Warranty.

PRD100B Free-standing Bed with Fully Enclosed Bottom: No installation necessary. Tamper-resistant non-removable steel encased floor glides are included and may be field installed.

Warranty

10 year limited replacement warranty.

Cleaning & Maintenance

For routine and regular cleaning, Norix recommends the use of Simple Green® or an equivalent cleaning product. Prodigy products are bleach cleanable and suitable for use with hospital-grade disinfectants (such as Clorox® Clean-Up Cleaner + Bleach, Virex® or Wexcide®)

TESTING -

Flammability Test Standards

- State of California, Technical Bulletin No.
 133, Flammability Test Procedure for Seating Furniture for Use in Public Occupancies
- UL 1056 Fire Test of Upholstered Furniture
- ASTM E1537 Test Method for Fire testing of Real Scale Upholstered Furniture Items
- NFPA 261 Cigarette Ignition Resistance of Upholstered Furniture

Environmental Test Standards

- Compliant with Healthier Hospitals guidelines
- GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG

Performance Test Standards

- PRD100 Floor Mount Bed Tested to 1,500 lbs static load
- PRD100B Free-standing Bed with Fully Enclosed Bottom Tested to 1,500 lbs static load


^{*}Intended for indoor use only

PRODIGY™

BEDROOM SERIES

Warmth of Wood, Performance of Polymer

Prodigy™ features the latest Norix innovations in an uncompromising line of high performing and aesthetically pleasing bedroom furniture. It is designed and engineered to overcome the daunting challenge of creating a humanized environment without sacrificing safety, security and long term performance. Prodigy™ is at the vanguard of innovation and advances the Norix legacy of spearheading breakthroughs in behavioral healthcare.





PRODIGY BED

Anti-ligature bed with inset panel design aesthetic creates a "classic" residential look yet allows placement flush against wall or in corners.

					\$E 0	\$50		
MODEL#	BEDSTYLE	OVERALL SIZE	MATTRESS DECK	COLOR	WEIGHT	LIST PRICE	REMOVA RING KIT (PRD-RR0	REMOVA RING KIT (PRD-RR0
PRD100	Platform Bed w/ Anchoring	38"W x 82"L x 18.5" H	36"W x 80"L	Harvest & Java	130 lbs.	\$2,720	\$148	\$885
PRD100B	Free Standing Fully Enclosed	38"W x 82"L x 18.5" H	36"W x 80"L	Harvest & Java	130 lbs.	\$2,940	N/A	N/A



PRODIGY NIGHTSTAND

The Prodigy™ Nightstand is the perfect complement to the Panel Bed. Smaller top cubby keeps essentials within easy reach; bottom cubby holds larger items.

MODEL#	ITEM DESCRIPTION	OVERALL SIZE	COLOR	WEIGHT	LIST PRICE
PRD240	Nightstand	20"W x 20"D x 23" H	Harvest & Java	28 lbs.	\$820



PRODIGY DESK

Classic table desk with modesty panel. Attractive inset panel design allows for placement flush against wall or in corners.

MODEL #	ITEM DESCRIPTION	OVERALL SIZE	COLOR	WEIGHT	LIST PRICE
PRD600	Floor-Mount Desk	35.5"W x 24"D x 30" H	Harvest & Java	46 lbs.	\$1,110



PRODIGY OPEN CHEST

Ideal anti-ligature solution - storage for larger items with no doors, drawers or hinges.

MODEL#	ITEM DESCRIPTION	OVERALL SIZE	COLOR	WEIGHT	LIST PRICE
PRD700	Open Chest	30"W x 18"D x 42" H	Harvest & Java	60 lbs.	\$1,288

MODEL COLOR
HOW TO SPECIFY PRD - 13

COLOR CODES 138 Harvest 139 Java



STATE OF MICHIGAN PROCUREMENT

Department of Technology Management and Budget 525 W. Allegan 1st Floor, Lansing, MI 48913 P.O. BOX 30026 Lansing, MI 48909

NOTICE OF CONTRACT

NOTICE OF CONTRACT NO. 200000000374 between THE STATE OF MICHIGAN

and

	Norix Group, Inc.
œ	1800 W. Hawthorne Lane, Suite N
CTOR	West Chicago, IL 60185
.RA(Cori Kasper
CONT	630-231-1331
Ö	ckasper@norix.com
	CV0017293

	L IS	Jennifer Frank	DHHS		
	Program Manager	517-241-6563			
빌	₫ 🗵	FrankJ4@michigan.gov			
STA	it ator	Sarah Walter	DTMB		
	Contract Administrator	517-256-4237			
	C Adm	WalterS6@michigan.gov			

	CONTRA	ACT SUMMARY				
DESCRIPTION: Anti-Ligature	Furnishing Services - State	wide				
INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW				
February 1, 2020	January 31, 2025	5, 1-year	N/A			
PAYMENT TERMS DELIVERY TIMEFRAME						
Net 45 N/A			N/A			
ALTERNATE PAYMENT OPTIONS EXTENDED PURCHAS			EXTENDED PURCHASING			
☐ P-card ☐	Payment Request (PRC)	⊠ Yes □ No			
MINIMUM DELIVERY REQUIREM	ENTS					
N/A						
MISCELLANEOUS INFORMATIO	N					
THIS IS NOT AN ORDER. This Contract Agreement is awarded on the basis of our inquiring RFP No. 19000003175. Orders for delivery will be issued directly by Department through the issuance of a Delivery Order Form.						
ESTIMATED CONTRACT VALUE AT TIME OF EXECUTION \$2,000,000,00						

FOR THE CONTRACTOR:
Company Name
Authorized Agent Signature
Authorized Agent (Print or Type)
Date
FOR THE STATE:
Signature
Name & Title
Agency
Date

STATE OF MICHIGAN

Contract No. 20000000674 Statewide – Anti-Ligature Furnishing Services

Table of Contents

1.	Standard Contract Terms	Pages 4 – 13
2.	Federal Provisions Addendum	Pages 14 – 16
3.	Byrd Anti-Lobbying Certification	Page 16
4.	Schedules:	
	Schedule A – Statement of Work	Pages 17 – 25
	Schedule B – Pricing	Pages 26 – 33
	Schedule C – Product Specifications	Pages 34 – 36
	Schedule D – Norix Product Lines	Pages 37 – 66
	Schedule E – Vendor Products – Behavioral Healthcare	Pages 67 – 100
	Schedule F – Limited Warranty	Pages 101 – 102
	Schedule G – Norix Organizational Chart	Pages 103 - 104



STATE OF MICHIGAN

STANDARD CONTRACT TERMS

This STANDARD CONTRACT ("Contract") is agreed to between the State of Michigan (the "State") and Norix Group, Inc. ("Contractor"), an Illinois Corperation . This Contract is effective on February 1, 2020 ("Effective Date"), and unless terminated, expires on January 31, 2025.

This Contract may be renewed for up to 5, additional 1-year period(s). Renewal is at the sole discretion of the State and will automatically extend the Term of this Contract. The State will document its exercise of renewal options via Change Notice.

The parties agree as follows:

Duties of Contractor. Contractor must perform the services and provide the deliverables described in Schedule
 A – Statement of Work (the "Contract Activities"). An obligation to provide delivery of any commodity is considered a service and is a Contract Activity.

Contractor must furnish all labor, equipment, materials, and supplies necessary for the performance of the Contract Activities, and meet operational standards, unless otherwise specified in Schedule A.

Contractor must: (a) perform the Contract Activities in a timely, professional, safe, and workmanlike manner consistent with standards in the trade, profession, or industry; (b) meet or exceed the performance and operational standards, and specifications of the Contract; (c) provide all Contract Activities in good quality, with no material defects; (d) not interfere with the State's operations; (e) obtain and maintain all necessary licenses, permits or other authorizations necessary for the performance of the Contract; (f) cooperate with the State, including the State's quality assurance personnel, and any third party to achieve the objectives of the Contract; (g) return to the State any State-furnished equipment or other resources in the same condition as when provided when no longer required for the Contract; (h) not make any media releases without prior written authorization from the State; (i) assign to the State any claims resulting from state or federal antitrust violations to the extent that those violations concern materials or services supplied by third parties toward fulfillment of the Contract; (j) comply with all State physical and IT security policies and standards which will be made available upon request; and (k) provide the State priority in performance of the Contract except as mandated by federal disaster response requirements. Any breach under this paragraph is considered a material breach.

Contractor must also be clearly identifiable while on State property by wearing identification issued by the State, and clearly identify themselves whenever making contact with the State.

2. Notices. All notices and other communications required or permitted under this Contract must be in writing and will be considered given and received: (a) when verified by written receipt if sent by courier; (b) when actually received if sent by mail without verification of receipt; or (c) when verified by automated receipt or electronic logs if sent by facsimile or email.

If to State:	If to Contractor:	
Sarah Walter	Corie Kasper	
525 W. Allegan St.	1800 W. Hawthorne Lane, Suite N	
Lansing, Michigan, 48819	West Chicago, IL 60185	
WalterS6@michigan.gov	ckasper@norix.com	
517-256-4237	630-231-1331	

MA #: 200000000674 4

3. Contract Administrator. The Contract Administrator for each party is the only person authorized to modify any terms of this Contract, and approve and execute any change under this Contract (each a "Contract Administrator"):

State:	Contractor:
Sarah Walter	Peter L Graves
25 W. Allegan St. 1800 W. Hawthorne Lane, Suite N	
Lansing, Michigan, 48819	West Chicago, IL 60185
WalterS6@michigan.gov	furniture@norix.com
517-256-4237	630-231-1331

4. Program Manager. The Program Manager for each party will monitor and coordinate the day-to-day activities of the Contract (each a "**Program Manager**"):

State:	Contractor:
Jennifer Frank	Corie Kasper
235 S. Grand Ave.	1800 w. Hawthorne Lane, Suite N
Lansing, Michigan 48933	West Chicago, IL 60185
FrankJ4@michigan.gov	ckasper@norix.com
517-241-6563	630-231-1331

- 5. Performance Guarantee. Contractor must at all times have financial resources sufficient, in the opinion of the State, to ensure performance of the Contract and must provide proof upon request. The State may require a performance bond (as specified in Schedule A) if, in the opinion of the State, it will ensure performance of the Contract.
- 6. Insurance Requirements. Contractor must maintain the insurances identified below and is responsible for all deductibles. All required insurance must: (a) protect the State from claims that may arise out of, are alleged to arise out of, or result from Contractor's or a subcontractor's performance; (b) be primary and non-contributing to any comparable liability insurance (including self-insurance) carried by the State; and (c) be provided by a company with an A.M. Best rating of "A-" or better, and a financial size of VII or better.

Additional Requirements	
iability Insurance	
Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions,	
officers, employees, and agents" as additional insureds using endorsement CG	
20 10 11 85, or both CG 2010 07 04 and CG 2037 07 04.	
Coverage must not have exclusions or limitations related to sexual abuse and	
molestation liability.	
Liability Insurance	
Contractor must have their policy follow form.	

MA #: 200000000674 5

Automobile Liability Insurance				
Minimum Limits: \$1,000,000 Per Accident	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Hired and Non-Owned Automobile coverage.			
Workers' Compensation Insurance				
Minimum Limits: Coverage according to applicable laws governing work activities.	Waiver of subrogation, except where waiver is prohibited by law.			
Employers Liability Insurance				
Minimum Limits: \$500,000 Each Accident \$500,000 Each Employee by Disease \$500,000 Aggregate Disease.				

If any of the required policies provide **claims-made** coverage, the Contractor must: (a) provide coverage with a retroactive date before the effective date of the contract or the beginning of Contract Activities; (b) maintain coverage and provide evidence of coverage for at least three (3) years after completion of the Contract Activities; and (c) if coverage is cancelled or not renewed, and not replaced with another claims-made policy form with a retroactive date prior to the contract effective date, Contractor must purchase extended reporting coverage for a minimum of three (3) years after completion of work.

Contractor must: (a) provide insurance certificates to the Contract Administrator, containing the agreement or delivery order number, at Contract formation and within 20 calendar days of the expiration date of the applicable policies; (b) require that subcontractors maintain the required insurances contained in this Section; (c) notify the Contract Administrator within 5 business days if any insurance is cancelled; and (d) waive all rights against the State for damages covered by insurance. Failure to maintain the required insurance does not limit this waiver.

This Section is not intended to and is not to be construed in any manner as waiving, restricting or limiting the liability of either party for any obligations under this Contract (including any provisions hereof requiring Contractor to indemnify, defend and hold harmless the State).

7. Administrative Fee and Reporting. Contractor must pay an administrative fee of 1% on all payments made to Contractor under the Contract including transactions with the State (including its departments, divisions, agencies, offices, and commissions), MiDEAL members, and other states (including governmental subdivisions and authorized entities). Administrative fee payments must be made by check payable to the State of Michigan and mailed to:

Department of Technology, Management and Budget Cashiering P.O. Box 30681 Lansing, MI 48909

Contractor must submit an itemized purchasing activity report, which includes at a minimum, the name of the purchasing entity and the total dollar volume in sales. Reports should be mailed to MiDeal@michigan.gov.

The administrative fee and purchasing activity report are due within 30 calendar days from the last day of each calendar quarter.

8. **Extended Purchasing Program.** This contract is extended to MiDEAL members. MiDEAL members include local units of government, school districts, universities, community colleges, and nonprofit hospitals. A current list of MiDEAL members is available at www.michigan.gov/mideal.

MA #: 20000000674 6

Upon written agreement between the State and Contractor, this contract may also be extended to: (a) other states (including governmental subdivisions and authorized entities) and (b) State of Michigan employees.

If extended, Contractor must supply all Contract Activities at the established Contract prices and terms. The State reserves the right to impose an administrative fee and negotiate additional discounts based on any increased volume generated by such extensions.

Contractor must submit invoices to, and receive payment from, extended purchasing program members on a direct and individual basis.

- 9. Independent Contractor. Contractor is an independent contractor and assumes all rights, obligations and liabilities set forth in this Contract. Contractor, its employees, and agents will not be considered employees of the State. No partnership or joint venture relationship is created by virtue of this Contract. Contractor, and not the State, is responsible for the payment of wages, benefits and taxes of Contractor's employees and any subcontractors. Prior performance does not modify Contractor's status as an independent contractor.
- 10. Subcontracting. Contractor may not delegate any of its obligations under the Contract without the prior written approval of the State. Contractor must notify the State at least 90 calendar days before the proposed delegation and provide the State any information it requests to determine whether the delegation is in its best interest. If approved, Contractor must: (a) be the sole point of contact regarding all contractual matters, including payment and charges for all Contract Activities; (b) make all payments to the subcontractor; and (c) incorporate the terms and conditions contained in this Contract in any subcontract with a subcontractor. Contractor remains responsible for the completion of the Contract Activities, compliance with the terms of this Contract, and the acts and omissions of the subcontractor. The State, in its sole discretion, may require the replacement of any subcontractor.
- **11. Staffing.** The State's Contract Administrator may require Contractor to remove or reassign personnel by providing a notice to Contractor.
- 12. Background Checks. Pursuant to Michigan law, all agencies subject to IRS Pub. 1075 are required to ask the Michigan State Police to perform fingerprint background checks on all employees, including Contractor and Subcontractor employees, who may have access to any database of information maintained by the federal government that contains confidential or personal information, including, but not limited to, federal tax information. Further, pursuant to Michigan law, any agency described above is prohibited from providing Contractors or Subcontractors with the result of such background check. For more information, please see Michigan Public Act 427 of 2018. Upon request, Contractor must perform background checks on all employees and subcontractors and its employees prior to their assignment. The scope is at the discretion of the State and documentation must be provided as requested. Contractor is responsible for all costs associated with the requested background checks. The State, in its sole discretion, may also perform background checks.
- 13. Assignment. Contractor may not assign this Contract to any other party without the prior approval of the State. Upon notice to Contractor, the State, in its sole discretion, may assign in whole or in part, its rights or responsibilities under this Contract to any other party. If the State determines that a novation of the Contract to a third party is necessary, Contractor will agree to the novation and provide all necessary documentation and signatures.
- 14. Change of Control. Contractor will notify within 30 days of any public announcement or otherwise once legally permitted to do so, the State of a change in Contractor's organizational structure or ownership. For purposes of this Contract, a change in control means any of the following: (a) a sale of more than 50% of Contractor's stock; (b) a sale of substantially all of Contractor's assets; (c) a change in a majority of Contractor's board members; (d) consummation of a merger or consolidation of Contractor with any other entity; (e) a change in ownership through a transaction or series of transactions; (f) or the board (or the stockholders) approves a plan of complete liquidation. A change of control does not include any consolidation or merger effected exclusively to change the domicile of Contractor, or any transaction or series of transactions principally for bona fide equity financing purposes.

In the event of a change of control, Contractor must require the successor to assume this Contract and all of its obligations under this Contract.

15. Ordering. Contractor is not authorized to begin performance until receipt of authorization as identified in Schedule A.

16. Acceptance. Contract Activities are subject to inspection and testing by the State within 30 calendar days of the State's receipt of them ("State Review Period"), unless otherwise provided in Schedule A. If the Contract Activities are not fully accepted by the State, the State will notify Contractor by the end of the State Review Period that either: (a) the Contract Activities are accepted but noted deficiencies must be corrected; or (b) the Contract Activities are rejected. If the State finds material deficiencies, it may: (i) reject the Contract Activities without performing any further inspections; (ii) demand performance at no additional cost; or (iii) terminate this Contract in accordance with Section 23. Termination for Cause.

Within 10 business days from the date of Contractor's receipt of notification of acceptance with deficiencies or rejection of any Contract Activities, Contractor must cure, at no additional cost, the deficiency and deliver unequivocally acceptable Contract Activities to the State. If acceptance with deficiencies or rejection of the Contract Activities impacts the content or delivery of other non-completed Contract Activities, the parties' respective Program Managers must determine an agreed to number of days for re-submission that minimizes the overall impact to the Contract. However, nothing herein affects, alters, or relieves Contractor of its obligations to correct deficiencies in accordance with the time response standards set forth in this Contract.

If Contractor is unable or refuses to correct the deficiency within the time response standards set forth in this Contract, the State may cancel the order in whole or in part. The State, or a third party identified by the State, may perform the Contract Activities and recover the difference between the cost to cure and the Contract price plus an additional 10% administrative fee.

- 17. **Delivery.** Contractor must deliver all Contract Activities F.O.B. destination, within the State premises with transportation and handling charges paid by Contractor, unless otherwise specified in Schedule A. All containers and packaging become the State's exclusive property upon acceptance.
- 18. Risk of Loss and Title. Until final acceptance, title and risk of loss or damage to Contract Activities remains with Contractor. Contractor is responsible for filing, processing, and collecting all damage claims. The State will record and report to Contractor any evidence of visible damage. If the State rejects the Contract Activities, Contractor must remove them from the premises within 10 calendar days after notification of rejection. The risk of loss of rejected or non-conforming Contract Activities remains with Contractor. Rejected Contract Activities not removed by Contractor within 10 calendar days will be deemed abandoned by Contractor, and the State will have the right to dispose of it as its own property. Contractor must reimburse the State for costs and expenses incurred in storing or effecting removal or disposition of rejected Contract Activities.
- **19. Warranty Period.** The warranty period, if applicable, for Contract Activities is a fixed period commencing on the date specified in Schedule A. If the Contract Activities do not function as warranted during the warranty period, the State may return such non-conforming Contract Activities to the Contractor for a full refund.
- 20. Terms of Payment. Invoices must conform to the requirements communicated from time-to-time by the State. All undisputed amounts are payable within 45 days of the State's receipt. Contractor may only charge for Contract Activities performed as specified in Schedule A. Invoices must include an itemized statement of all charges. The State is exempt from State sales tax for direct purchases and may be exempt from federal excise tax, if Services purchased under this Agreement are for the State's exclusive use. All prices are exclusive of taxes, and Contractor is responsible for all sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any federal, state, or local governmental entity on any amounts payable by the State under this Contract.

The State has the right to withhold payment of any disputed amounts until the parties agree as to the validity of the disputed amount. The State will notify Contractor of any dispute within a reasonable time. Payment by the State will not constitute a waiver of any rights as to Contractor's continuing obligations, including claims for deficiencies or substandard Contract Activities. Contractor's acceptance of final payment by the State constitutes a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still disputed.

The State will only disburse payments under this Contract through Electronic Funds Transfer (EFT). Contractor must register with the State at http://www.michigan.gov/SIGMAVSS to receive electronic fund transfer payments. If Contractor does not register, the State is not liable for failure to provide payment. Without prejudice to any other right or remedy it may have, the State reserves the right to set off at any time any amount then due and owing to it by Contractor against any amount payable by the State to Contractor under this Contract.

21. Liquidated Damages. Liquidated damages, if applicable, will be assessed as described in Schedule A.

- 22. Stop Work Order. The State may suspend any or all activities under the Contract at any time. The State will provide Contractor a written stop work order detailing the suspension. Contractor must comply with the stop work order upon receipt. Within 90 calendar days, or any longer period agreed to by Contractor, the State will either: (a) issue a notice authorizing Contractor to resume work, or (b) terminate the Contract or delivery order. The State will not pay for Contract Activities, Contractor's lost profits, or any additional compensation during a stop work period.
- 23. Termination for Cause. The State may terminate this Contract for cause, in whole or in part, if Contractor, as determined by the State: (a) endangers the value, integrity, or security of any location, data, or personnel; (b) becomes insolvent, petitions for bankruptcy court proceedings, or has an involuntary bankruptcy proceeding filed against it by any creditor; (c) engages in any conduct that may expose the State to liability; (d) breaches any of its material duties or obligations; or (e) fails to cure a breach within the time stated in a notice of breach. Any reference to specific breaches being material breaches within this Contract will not be construed to mean that other breaches are not material.

If the State terminates this Contract under this Section, the State will issue a termination notice specifying whether Contractor must: (a) cease performance immediately, or (b) continue to perform for a specified period. If it is later determined that Contractor was not in breach of the Contract, the termination will be deemed to have been a Termination for Convenience, effective as of the same date, and the rights and obligations of the parties will be limited to those provided in Section 24. Termination for Convenience.

The State will only pay for amounts due to Contractor for Contract Activities accepted by the State on or before the date of termination, subject to the State's right to set off any amounts owed by the Contractor for the State's reasonable costs in terminating this Contract. The Contractor must pay all reasonable costs incurred by the State in terminating this Contract for cause, including administrative costs, attorneys' fees, court costs, transition costs, and any costs the State incurs to procure the Contract Activities from other sources.

- 24. Termination for Convenience. The State may immediately terminate this Contract in whole or in part without penalty and for any reason, including but not limited to, appropriation or budget shortfalls. The termination notice will specify whether Contractor must: (a) cease performance of the Contract Activities immediately, or (b) continue to perform the Contract Activities in accordance with Section 25, Transition Responsibilities. If the State terminates this Contract for convenience, the State will pay all reasonable costs, as determined by the State, for State approved Transition Responsibilities.
- Transition Responsibilities. Upon termination or expiration of this Contract for any reason, Contractor must, for a period of time specified by the State (not to exceed 90 calendar days), provide all reasonable transition assistance requested by the State, to allow for the expired or terminated portion of the Contract Activities to continue without interruption or adverse effect, and to facilitate the orderly transfer of such Contract Activities to the State or its designees. Such transition assistance may include, but is not limited to: (a) continuing to perform the Contract Activities at the established Contract rates; (b) taking all reasonable and necessary measures to transition performance of the work, including all applicable Contract Activities, training, equipment, software, leases, reports and other documentation, to the State or the State's designee; (c) taking all necessary and appropriate steps, or such other action as the State may direct, to preserve, maintain, protect, or return to the State all materials, data, property, and confidential information provided directly or indirectly to Contractor by any entity, agent, vendor, or employee of the State; (d) transferring title in and delivering to the State, at the State's discretion, all completed or partially completed deliverables prepared under this Contract as of the Contract termination date; and (e) preparing an accurate accounting from which the State and Contractor may reconcile all outstanding accounts (collectively, "Transition Responsibilities"). This Contract will automatically be extended through the end of the transition period.
- **General Indemnification.** Contractor must defend, indemnify and hold the State, its departments, divisions, agencies, offices, commissions, officers, and employees harmless, without limitation, from and against any and all actions, claims, losses, liabilities, damages, costs, attorney fees, and expenses (including those required to establish the right to indemnification), arising out of or relating to: (a) any breach by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable) of any of the promises, agreements, representations, warranties, or insurance requirements contained in this Contract; (b) any infringement, misappropriation, or other violation of any intellectual property right or other right of any third party; (c) any bodily injury, death, or damage to real or tangible personal property occurring wholly or in part due to action or inaction by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable).

The State will notify Contractor in writing if indemnification is sought; however, failure to do so will not relieve Contractor, except to the extent that Contractor is materially prejudiced. Contractor must, to the satisfaction of the State, demonstrate its financial ability to carry out these obligations.

The State is entitled to: (i) regular updates on proceeding status; (ii) participate in the defense of the proceeding; (iii) employ its own counsel; and to (iv) retain control of the defense if the State deems necessary. Contractor will not, without the State's written consent (not to be unreasonably withheld), settle, compromise, or consent to the entry of any judgment in or otherwise seek to terminate any claim, action, or proceeding. To the extent that any State employee, official, or law may be involved or challenged, the State may, at its own expense, control the defense of that portion of the claim.

Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. An attorney designated to represent the State may not do so until approved by the Michigan Attorney General and appointed as a Special Assistant Attorney General.

- 27. Infringement Remedies. If, in either party's opinion, any piece of equipment, software, commodity, or service supplied by Contractor or its subcontractors, or its operation, use or reproduction, is likely to become the subject of a copyright, patent, trademark, or trade secret infringement claim, Contractor must, at its expense: (a) procure for the State the right to continue using the equipment, software, commodity, or service, or if this option is not reasonably available to Contractor, (b) replace or modify the same so that it becomes non-infringing; or (c) accept its return by the State with appropriate credits to the State against Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.
- 28. Limitation of Liability and Disclaimer of Damages. IN NO EVENT WILL THE STATE'S AGGREGATE LIABILITY TO CONTRACTOR UNDER THIS CONTRACT, REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR BY STATUTE OR OTHERWISE, FOR ANY CLAIM RELATED TO OR ARISING UNDER THIS CONTRACT, EXCEED THE MAXIMUM AMOUNT OF FEES PAYABLE UNDER THIS CONTRACT. The State is not liable for consequential, incidental, indirect, or special damages, regardless of the nature of the action.
- 29. Disclosure of Litigation, or Other Proceeding. Contractor must notify the State within 14 calendar days of receiving notice of any litigation, investigation, arbitration, or other proceeding (collectively, "Proceeding") involving Contractor, a subcontractor, or an officer or director of Contractor or subcontractor, that arises during the term of the Contract, including: (a) a criminal Proceeding; (b) a parole or probation Proceeding; (c) a Proceeding under the Sarbanes-Oxley Act; (d) a civil Proceeding involving: (1) a claim that might reasonably be expected to adversely affect Contractor's viability or financial stability; or (2) a governmental or public entity's claim or written allegation of fraud; or (e) a Proceeding involving any license that Contractor is required to possess in order to perform under this Contract.
- 30. State Data. All data and information provided to Contractor by or on behalf of the State, and all data and information derived therefrom, is the exclusive property of the State ("State Data"); this definition is to be construed as broadly as possible. Upon request, Contractor must provide to the State, or a third party designated by the State, all State Data within 10 calendar days of the request and in the format requested by the State. Contractor will assume all costs incurred in compiling and supplying State Data. No State Data may be used for any marketing purposes.

31. Reserved.

- **32. Non-Disclosure of Confidential Information.** The parties acknowledge that each party may be exposed to or acquire communication or data of the other party that is confidential, privileged communication not intended to be disclosed to third parties. The provisions of this Section survive the termination of this Contract.
 - a. Meaning of Confidential Information. For the purposes of this Contract, the term "Confidential Information" means all information and documentation of a party that: (a) has been marked "confidential" or with words of similar meaning, at the time of disclosure by such party; (b) if disclosed orally or not marked "confidential" or with words of similar meaning, was subsequently summarized in writing by the disclosing party and marked "confidential" or with words of similar meaning; and, (c) should reasonably be recognized as confidential information of the disclosing party. The term "Confidential Information" does not include any information or documentation that was: (a) subject to disclosure under the Michigan Freedom of Information Act (FOIA); (b) already in the possession of the receiving party without an

obligation of confidentiality; (c) developed independently by the receiving party, as demonstrated by the receiving party, without violating the disclosing party's proprietary rights; (d) obtained from a source other than the disclosing party without an obligation of confidentiality; or, (e) publicly available when received, or thereafter became publicly available (other than through any unauthorized disclosure by, though, or on behalf of, the receiving party). For purposes of this Contract, in all cases and for all matters, State Data is deemed to be Confidential Information.

- b. Obligation of Confidentiality. The parties agree to hold all Confidential Information in strict confidence and not to copy, reproduce, sell, transfer, or otherwise dispose of, give or disclose such Confidential Information to third parties other than employees, agents, or subcontractors of a party who have a need to know in connection with this Contract or to use such Confidential Information for any purposes whatsoever other than the performance of this Contract. The parties agree to advise and require their respective employees, agents, and subcontractors of their obligations to keep all Confidential Information confidential. Disclosure to a subcontractor is permissible where: (a) use of a subcontractor is authorized under this Contract; (b) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the subcontractor's responsibilities; and (c) Contractor obligates the subcontractor in a written contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor or any subcontractor may be required to execute a separate agreement to be bound by the provisions of this Section.
- c. <u>Cooperation to Prevent Disclosure of Confidential Information</u>. Each party must use its best efforts to assist the other party in identifying and preventing any unauthorized use or disclosure of any Confidential Information. Without limiting the foregoing, each party must advise the other party immediately in the event either party learns or has reason to believe that any person who has had access to Confidential Information has violated or intends to violate the terms of this Contract and each party will cooperate with the other party in seeking injunctive or other equitable relief against any such person.
- d. Remedies for Breach of Obligation of Confidentiality. Each party acknowledges that breach of its obligation of confidentiality may give rise to irreparable injury to the other party, which damage may be inadequately compensable in the form of monetary damages. Accordingly, a party may seek and obtain injunctive relief against the breach or threatened breach of the foregoing undertakings, in addition to any other legal remedies which may be available, to include, in the case of the State, at the sole election of the State, the immediate termination, without liability to the State, of this Contract or any Statement of Work corresponding to the breach or threatened breach.
- e. <u>Surrender of Confidential Information upon Termination</u>. Upon termination of this Contract or a Statement of Work, in whole or in part, each party must, within 5 calendar days from the date of termination, return to the other party any and all Confidential Information received from the other party, or created or received by a party on behalf of the other party, which are in such party's possession, custody, or control; provided, however, that Contractor must return State Data to the State following the timeframe and procedure described further in this Contract. Should Contractor or the State determine that the return of any Confidential Information is not feasible, such party must destroy the Confidential Information and must certify the same in writing within 5 calendar days from the date of termination to the other party. However, the State's legal ability to destroy Contractor data may be restricted by its retention and disposal schedule, in which case Contractor's Confidential Information will be destroyed after the retention period expires.
- 33. Reserved.
- 34. Reserved.
- 35. Reserved.
- 36. Records Maintenance, Inspection, Examination, and Audit. The State or its designee may audit Contractor to verify compliance with this Contract. Contractor must retain and provide to the State or its designee and the auditor general upon request, all financial and accounting records related to the Contract through the term of the Contract and for 4 years after the latter of termination, expiration, or final payment under this Contract or any extension ("Audit Period"). If an audit, litigation, or other action involving the records is initiated before the end of the Audit Period, Contractor must retain the records until all issues are resolved.

Within 10 calendar days of providing notice, the State and its authorized representatives or designees have the right to enter and inspect Contractor's premises or any other places where Contract Activities are being performed, and examine, copy, and audit all records related to this Contract. Contractor must cooperate and

provide reasonable assistance. If any financial errors are revealed, the amount in error must be reflected as a credit or debit on subsequent invoices until the amount is paid or refunded. Any remaining balance at the end of the Contract must be paid or refunded within 45 calendar days.

This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

- Warranties and Representations. Contractor represents and warrants: (a) Contractor is the owner or licensee of any Contract Activities that it licenses, sells, or develops and Contractor has the rights necessary to convey title, ownership rights, or licensed use; (b) all Contract Activities are delivered free from any security interest, lien, or encumbrance and will continue in that respect; (c) the Contract Activities will not infringe the patent, trademark, copyright, trade secret, or other proprietary rights of any third party; (d) Contractor must assign or otherwise transfer to the State or its designee any manufacturer's warranty for the Contract Activities; (e) the Contract Activities are merchantable and fit for the specific purposes identified in the Contract; (f) the Contract signatory has the authority to enter into this Contract; (g) all information furnished by Contractor in connection with the Contract fairly and accurately represents Contractor's business, properties, finances, and operations as of the dates covered by the information, and Contractor will inform the State of any material adverse changes;(h) all information furnished and representations made in connection with the award of this Contract is true, accurate, and complete, and contains no false statements or omits any fact that would make the information misleading; and that (i) Contractor is neither currently engaged in nor will engage in the boycott of a person based in or doing business with a strategic partner as described in 22 USC 8601 to 8606. A breach of this Section is considered a material breach of this Contract, which entitles the State to terminate this Contract under Section 23, Termination for Cause.
- 38. Conflicts and Ethics. Contractor will uphold high ethical standards and is prohibited from: (a) holding or acquiring an interest that would conflict with this Contract; (b) doing anything that creates an appearance of impropriety with respect to the award or performance of the Contract; (c) attempting to influence or appearing to influence any State employee by the direct or indirect offer of anything of value; or (d) paying or agreeing to pay any person, other than employees and consultants working for Contractor, any consideration contingent upon the award of the Contract. Contractor must immediately notify the State of any violation or potential violation of these standards. This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.
- 39. Compliance with Laws. Contractor must comply with all federal, state and local laws, rules and regulations.
- **40. Prevailing Wage.** Contractor must comply with prevailing wage requirements, to the extent applicable to this Contract.
- 41. Reserved.
- **42. Nondiscrimination.** Under the Elliott-Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, *et seq.*, the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, *et seq.*, and Executive Directive 2019-09. Contractor and its subcontractors agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex (as defined in Executive Directive 2019-09), height, weight, marital status, partisan considerations, any mental or physical disability, or genetic information that is unrelated to the person's ability to perform the duties of a particular job or position. Breach of this covenant is a material breach of this Contract.
- **43. Unfair Labor Practice.** Under MCL 423.324, the State may void any Contract with a Contractor or subcontractor who appears on the Unfair Labor Practice register compiled under MCL 423.322.
- **44. Governing Law.** This Contract is governed, construed, and enforced in accordance with Michigan law, excluding choice-of-law principles, and all claims relating to or arising out of this Contract are governed by Michigan law, excluding choice-of-law principles. Any dispute arising from this Contract must be resolved in Michigan Court of Claims. Contractor consents to venue in Ingham County, and waives any objections, such as lack of personal jurisdiction or *forum non conveniens*. Contractor must appoint agents in Michigan to receive service of process.
- **45. Non-Exclusivity.** Nothing contained in this Contract is intended nor will be construed as creating any requirements contract with Contractor. This Contract does not restrict the State or its agencies from acquiring similar, equal, or like Contract Activities from other sources.

- **46. Force Majeure.** Neither party will be in breach of this Contract because of any failure arising from any disaster or acts of god that are beyond their control and without their fault or negligence. Each party will use commercially reasonable efforts to resume performance. Contractor will not be relieved of a breach or delay caused by its subcontractors. If immediate performance is necessary to ensure public health and safety, the State may immediately contract with a third party.
- 47. Dispute Resolution. The parties will endeavor to resolve any Contract dispute in accordance with this provision. The dispute will be referred to the parties' respective Contract Administrators or Program Managers. Such referral must include a description of the issues and all supporting documentation. The parties must submit the dispute to a senior executive if unable to resolve the dispute within 15 business days. The parties will continue performing while a dispute is being resolved, unless the dispute precludes performance. A dispute involving payment does not preclude performance.

Litigation to resolve the dispute will not be instituted until after the dispute has been elevated to the parties' senior executive and either concludes that resolution is unlikely or fails to respond within 15 business days. The parties are not prohibited from instituting formal proceedings: (a) to avoid the expiration of statute of limitations period; (b) to preserve a superior position with respect to creditors; or (c) where a party makes a determination that a temporary restraining order or other injunctive relief is the only adequate remedy. This Section does not limit the State's right to terminate the Contract.

- **48. Media Releases.** News releases (including promotional literature and commercial advertisements) pertaining to the Contract or project to which it relates must not be made without prior written State approval, and then only in accordance with the explicit written instructions of the State.
- **49. Website Incorporation.** The State is not bound by any content on Contractor's website unless expressly incorporated directly into this Contract.
- 50. Reserved.
- 51. Entire Agreement and Order of Precedence. This Contract, which includes Schedule A Statement of Work, and schedules and exhibits which are hereby expressly incorporated, is the entire agreement of the parties related to the Contract Activities. This Contract supersedes and replaces all previous understandings and agreements between the parties for the Contract Activities. If there is a conflict between documents, the order of precedence is: (a) first, this Contract, excluding its schedules, exhibits, and Schedule A Statement of Work; (b) second, Schedule A Statement of Work as of the Effective Date; and (c) third, schedules expressly incorporated into this Contract as of the Effective Date. NO TERMS ON CONTRACTOR'S INVOICES, ORDERING DOCUMENTS, WEBSITE, BROWSE-WRAP, SHRINK-WRAP, CLICK-WRAP, CLICK-THROUGH OR OTHER NON-NEGOTIATED TERMS AND CONDITIONS PROVIDED WITH ANY OF THE CONTRACT ACTIVITIES WILL CONSTITUTE A PART OR AMENDMENT OF THIS CONTRACT OR IS BINDING ON THE STATE FOR ANY PURPOSE. ALL SUCH OTHER TERMS AND CONDITIONS HAVE NO FORCE AND EFFECT AND ARE DEEMED REJECTED BY THE STATE, EVEN IF ACCESS TO OR USE OF THE CONTRACT ACTIVITIES REQUIRES AFFIRMATIVE ACCEPTANCE OF SUCH TERMS AND CONDITIONS.
- 52. Severability. If any part of this Contract is held invalid or unenforceable, by any court of competent jurisdiction, that part will be deemed deleted from this Contract and the severed part will be replaced by agreed upon language that achieves the same or similar objectives. The remaining Contract will continue in full force and effect
- **53. Waiver.** Failure to enforce any provision of this Contract will not constitute a waiver.
- **54. Survival.** The provisions of this Contract that impose continuing obligations, including warranties and representations, termination, transition, insurance coverage, indemnification, and confidentiality, will survive the expiration or termination of this Contract.
- 55. Contract Modification. This Contract may not be amended except by signed agreement between the parties (a "Contract Change Notice"). Notwithstanding the foregoing, no subsequent Statement of Work or Contract Change Notice executed after the Effective Date will be construed to amend this Contract unless it specifically states its intent to do so and cites the section or sections amended.

Federal Provisions Addendum

The provisions in this addendum may apply if the purchase will be paid for in whole or in part with funds obtained from the federal government. If any provision below is not required by federal law for this Contract, then it does not apply and must be disregarded. If any provision below is required to be included in this Contract by federal law, then the applicable provision applies, and the language is not negotiable. If any provision below conflicts with the State's terms and conditions, including any attachments, schedules, or exhibits to the State's Contract, the provisions below take priority to the extent a provision is required by federal law; otherwise, the order of precedence set forth in the Contract applies. Hyperlinks are provided for convenience only; broken hyperlinks will not relieve Contractor from compliance with the law.

- 1. Federally Assisted Construction Contracts. If this contract is a "federally assisted construction contract" as defined in 41 CRF Part 60-1.3, and except as otherwise may be provided under 41 CRF Part 60, then during performance of this Contract, the Contractor agrees as follows:
 - (1) The Contractor will not discriminate against any employee or applicant for employment because of race.

color, religion, sex, sexual orientation, gender identity, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

- (2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.
- (3) The Contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the Contractor's legal duty to furnish information.
- (4) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the Contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- **(5)** The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- **(6)** The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (7) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this Contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further Government

contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(8) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

2. Davis-Bacon Act (Prevailing Wage)

- **a.** If applicable, the Contractor (and its Subcontractors) for **prime construction contracts** in excess of \$2,000 must comply with the Davis-Bacon Act (40 USC 3141-3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction").
- b. The Contractor (and its Subcontractors) shall pay all mechanics and laborers employed directly on the site of the work, unconditionally and at least once a week, and without subsequent deduction or rebate on any account, the full amounts accrued at time of payment, computed at wage rates not less than those stated in the advertised specifications, regardless of any contractual relationship which may be alleged to exist between the Contractor or subcontractor and the laborers and mechanics;
- The Contractor will post the scale of wages to be paid in a prominent and easily accessible place at the site of the work;
- d. There may be withheld from the Contractor so much of accrued payments as the contracting officer considers necessary to pay to laborers and mechanics employed by the Contractor or any Subcontractor on the work the difference between the rates of wages required by the Contract to be paid laborers and mechanics on the work and the rates of wages received by the laborers and mechanics and not refunded to the Contractor or Subcontractors or their agents.
- 3. Copeland "Anti-Kickback" Act. If applicable, the Contractor must comply with the Copeland "Anti-Kickback" Act (40 USC 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"), which prohibits the Contractor and subrecipients from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled.
- 4. Contract Work Hours and Safety Standards Act. If the Contract is in excess of \$100,000 and involves the employment of mechanics or laborers, the Contractor must comply with 40 USC 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5), as applicable.
- Fights to Inventions Made Under a Contract or Agreement. If the Contract is funded by a federal "funding agreement" as defined under 37 CFR §401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.
- 6. Clean Air Act. If this Contract is in excess of \$150,000, the Contractor must comply with all applicable standards, orders, and regulations issued under the Clean Air Act (42 USC 7401-7671q) and the Federal Water Pollution Control Act (33 USC 1251-1387). Violations must be reported to the federal awarding agency and the regional office of the Environmental Protection Agency.

- 7. Debarment and Suspension. A "contract award" (see 2 CFR 180.220) must not be made to parties listed on the government-wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.
- 8. Byrd Anti-Lobbying Amendment. If this Contract exceeds \$100,000, bidders and the Contractor must file the certification required under 31 USC 1352.
- 9. Procurement of Recovered Materials. Under 2 CFR 200.322, a non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

Byrd Anti-Lobbying Certification

The following certification and disclosure regarding payments to influence certain federal transactions are made under FAR 52.203-11 and 52.203-12 and 31 USC 1352, the "Byrd Anti-Lobbying Amendment." Hyperlinks are provided for convenience only; broken hyperlinks will not relieve Contractor from compliance with the law.

- 1. <u>FAR 52.203-12</u>, "Limitation on Payments to Influence Certain Federal Transactions" is hereby incorporated by reference into this certification.
- 2. The bidder, by submitting its proposal, hereby certifies to the best of his or her knowledge and belief that:
 - a. No federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress on his or her behalf in connection with the awarding of any federal contract, the making of any federal grant, the making of any federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment or modification of any federal contract, grant, loan, or cooperative agreement;
 - b. If any funds other than federal appropriated funds (including profit or fee received under a covered federal transaction) have been paid, or will be paid, to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress on his or her behalf in connection with this solicitation, the bidder must complete and submit, with its proposal, OMB standard form LLL, Disclosure of Lobbying Activities, to the Solicitation Manager; and
 - c. He or she will include the language of this certification in all subcontract awards at any tier and require that all recipients of subcontract awards in excess of \$150,000 must certify and disclose accordingly.
- 3. This certification is a material representation of fact upon which reliance is placed at the time of Contract award. Submission of this certification and disclosure is a prerequisite for making or entering into this Contract under 31 USC 1352. Any person making an expenditure prohibited under this provision or who fails to file or amend the disclosure form to be filed or amended by this provision is subject to a civil penalty of not less than \$10,000, and not more than \$100,000, for each such failure.

STATE OF MICHIGAN

Contract No. 20000000374
Statewide – Anti-Ligature Furnishing Services

SCHEDULE A STATEMENT OF WORK CONTRACT ACTIVITIES

BACKGROUND

Michigan Department of Health and Human Services (MDHHS)

MDHHS is seeking to establish a Contract(s) for the purchase of Anti-ligature furniture for all State Hospitals as well as Juvenile Detention Centers. The State of Michigan Hospitals are operated in accordance with the Standards set forth by The Joint Commission (TJC), Center for Medicare and Medicaid Services (CMS) and MDHHS regulations. The Contractor(s) assigned must be able to meet the specifications for furnishing as set in this Contract.

The following hospitals have a need for Anti-Ligature Furniture:

- Hawthorn Center 18471 Haggerty Road, Northville, MI 48167
- Center for Forensic Psychiatry (CFP) 8303 Platt Road, Saline, MI 48176
- Kalamazoo Psychiatric Hospital (KPH) 1312 Oakland Drive, Kalamazoo, MI 49008
- Caro Center 2000 Chambers Road, Caro, MI 48723
- Walter Reuther Psychiatric Hospital (WRPH) 30901 Palmer Road, Westland, MI 48186
- Juvenile Justice Residential (JJB) Facility
 - o Bay Pines Center 2425 N 30th Street, Escanaba, MI 49829
 - Shawono Center 10 N Howes Lake, Road, Grayling, MI 49738

Department Military and Veterans Affairs (DMVA)

DMVA is seeking to establish a means for purchase of Anti-ligature furniture for all State Facilities including live-in homes. DMVA facilities operate in accordance with the Standards set forth by the Joint Commission (TJC), Center for Medicare and Medicaid Services (CMS) and DMVA regulations. The Contractor assigned must be able to meet the specifications set in this Contract.

SCOPE

The Michigan Department of Health and Human Services (MDHHS) along with the Department for Military and Veterans Affairs (DMVA); have a need for anti-ligature, psychiatric/behavioral health furniture. Furniture must be designed in a way to eliminate points where a rope, clothing or bed sheet can be looped around to cause self-harm to a client. Furniture must also have a way to be secured to a wall or floor to prevent the piece of furniture from being picked up or moved. Furniture surfaces must be stain-resistant, and not be moisture absorbent.

<u>Please Note:</u> additional State Agencies may request use of this Contract; additional Agencies will be added via Contract Change Notice.

REQUIREMENTS

1. General Requirements

1.1. Product Specifications

The Contractor must be able to provide Anti-Ligature Furnishings meeting that specifications of Schedule C – Product Specifications, and the Standards set forth by The Joint Committee (TJC) and Center for Medicare and Medicaid Services (CMS), MDHHS regulations and/or DMVA regulation.

<u>Please Note:</u> Schedule C – is not an all-inclusive list of items, the State may request additional items for purchase on an as needed basis.

Please refer to Schedule D - Norix Product Lines for the following items:

- Norix Attenda
- Norix Forte
- Norix Hondo Nuevo
- Norix Integra
- Norix Rocksmart
- Norix Toughcare

For a full line of Norix Products and pricing please refer to: www.norix.com

1.2 Additional Products

The Contractor may offer alternate Anti-Ligature Furnishings that vary from the specifications outlined in Schedule C. Alternate furnishing must be clearly described, all variances from the specifications in this proposal must include descriptive literature that contains complete specifications.

Please Note:

- Completion of this requirement is only necessary if your organization wishes to include alternate items for consideration.
- For items offered that do not meet the specifications outline in Section 1.1 DMVA reserves the right to request a Demo of proposed products.
- Please refer to Schedule E Vendor Products Behavioral Healthcare for further information

1.3. Warranties

The Contractor will handle an repairs or replacements for products recalled, and offers the following warranties:

- 10-year limited replacement warranty for all items, excluding mattresses
- Mattresses have a 5-year prorated warranty
- All Warranty claims must be submitted in writing to Norix's Customer service department at:
- For a further information regarding Norix warranties please refer to Schedule F Limited Warranty.

<u>Please Note:</u> The State reserves the right to require additional warranties other than those identified by the Contractor in this Contract.

1.4. Recall Requirements and Procedures

The Contractor must notify the State's applicable Program Manger when a recall is issued, to schedule a date and time to repair items on-site or replace/exchange recalled items.

1.5. Quality Assurance Program

Explain your Quality Assurance Program(s). Proposed program(s) must be continuously evaluated and improve the quality of service received by the State. Any proposed program(s) must include the following components:

- 1. Measurement of Key Performance indicators (KPIs)
- 2. Implementation of individual and system interventions to improve the quality of services;
- 3. Evaluation of the effectiveness of the interventions, and
- 4. Planning and initiation of activities for increasing and maintaining improvements in service quality
- 5. Plan must ensure compliance with TJC standards, including the Seven Environments of care required by TJC. Please use the link below for further details:

https://www.jointcommission.org/assets/1/6/2019_All_Programs_Organization_Survey_Activity_Guide.pdf

- a. Safety;
- **b.** Security;
- c. Hazardous materials and waste:
- d. Emergency management

- e. Fire risk management
- f. Medical equipment, and
- g. Utilities

Please Note:

- The Contractor must work with the State to finalize and implement a quality assurance program(s), that meet the specifications above. Specifications are subject to change.
- Norix Inc. utilized several standards to test performance of products offered such as Greenguard, BIGMA, and TB133.

1.6. Incentives

Please refer to Schedule B – Pricing for special incentives or services including, but not limited to, return polices, restocking policies*, trade-in programs, quantity/volume discounts, or any other incentives offered.

*restocking fees, or associated charges must be built into the Contractors' proposed pricing as defined in Schedule B – Pricing, item 1.

1.7 Training

During the life of the Contract, and at the request of the State the Contractor must provide the following training:

- Ordering Processes & Procedures
- Shipping & Billing
- Delivery Processes
- Warranty Services
- Product Information and Application/Use Guidelines
- Web-based catalog if applicable
- Any additional training that may be deemed necessary

Please Note:

- Training will be provided to the State at no additional cost.
- The Contractor must have the ability to and provide training materials upon request.
- The Contractors Sales and Customer Service team are trained to provide information regarding products, ordering, shipping, delivery, billing processes and other services as needed.
- Norix's sales team will provide in person training upon request.

1.8. Reporting

The Contractor must submit to the requesting Program Area and/or Program Manager, the following written reports:

<u>Please Note</u>: Reports are due on a Monthly basis and must be submitted to the Program Manager(s) no later than the 15th day of the following month. Reports must also be made available to the State upon request.

• Itemized Purchased Reports

 Reports must reflect the total number of items purchased by all agencies, as well as, individual agency.

Open invoice report

Reports should show which invoices are currently outstanding and amount due

Deliver Report

- Reports should indicate address, time of delivery, items delivered and their condition at deliver, any refused or damaged items
- A supplemental report should indicate the action plan to correct and deliver replacement items. If items were refused at the time of deliver – please indicate why: ordered by mistake, damaged, wrong items etc.

Purchasing Activity Report

- Reports must separate product design, product line, or product style etc.
- o Installation, if applicable

Lead Time Report

- Order specific performance and data by product line
 - Data should be displayed in the following format:
 - On-time and Complete Shipments, including shipment location
 - Average lead time by product line

- · Days to process and enter orders
- Requested shipment receipt dates differentiate which shipment request were completed on-time and past receipt date

Sales History Report

- o Indicate the quantity of sales for each item by product line, style and design
- Reports should be presented by Agency, and broken down into requesting facility, as well as presented by Statewide totals

Other – Additional Reports

 Any additional report the State may request; please note the State will work with the Contractor to develop and implement additional reports requested.

2. Staffing

2.1. Contractor Representative

The Contractor must appoint at least one individual, specifically assigned to State of Michigan accounts, that will respond to State inquiries regarding the Contract Activities, answering questions related to ordering and delivery, etc. (the "Contractor Representative").

The Contractor must notify the Contract Administrator at least 15 calendar days before removing or assigning a new Contractor Representative.

Name: Cori Kasper Number: 800-2334-4900

Email: furniture@norix.com; ckasper@norix.com

2.2. Customer Service Toll-Free Number

The Contractor must specify its toll-free number for the State to make contact with the Contractor Representative. The Contractor Representative must be available for calls during the hours of 8:00a.m. to 5:00p.m. EST.

Toll-free Contract Number: 800-324-4900 ATTN: Customer Service

2.3. Technical Support, Repairs and Maintenance

The Contractor must specify its toll-free number for the State to make contact with the Contractor for technical support, repairs and maintenance. The Contractor must be available for calls and service during the hours of 8:00a.m. to 5:00p.m. EST.

When providing support, the Call Center must resolve the caller's issues within 30 minutes. If issue resolution cannot be provided within 30 minutes – due to complexity of the request, issues must be resolved within 48-hours of submission.

Toll-free Contract Number: 800-324-4900 ATTN: Technical Support

2.4. Key Personnel

The Contractor must appoint at a minimum 3 individuals who will be directly responsible for the day to day operations of the Contract ("Key Personnel"). Key Personnel must be specifically assigned to the State account, be knowledgeable on the contractual requirements, and respond to State inquires within 48 hours.

The Contractor may not remove or assign Key Personnel without the prior consent of the State. Prior consent is not required for reassignment for reasons beyond the Contractor's control, including illness, disability, death, leave of absence, personal emergency circumstances, resignation, or termination for cause. The State may request a résumé and conduct an interview before approving a change. The State may require a 30-calendar day training period for replacement personnel.

Key Personnel Table						
Position	Name (First and Last)	Physical Location of Employment	Years of Experience in Current Role			
1. Account Manager	Brandon Harker	Noblesville, IN	5+ years			
2. Account Representative	Jessica Huerta	West Chicago, IL	1 year; 10+ Customer Service			
3. Contractor Representative	Cori Kasper	West Chicago, IL	1 year 3+ bids & Contracts			

2.5. Organizational Chart

Provide an overall organizational chart that details staff members, by name and title, and subcontractors. Please refer to Schedule G – Norix Organizational Chart, for an overall organization chart.

2.6. Disclosure of Subcontractors

If the Contractor intends to utilize subcontractors, the Contractor must disclose the following:

- The legal business name; address; telephone number;
- A description of subcontractor's organization and the services it will provide; and information concerning subcontractor's ability to provide the Contract Activities.
 - A complete description of the Contract Activities that will be performed or provided by the subcontractor.
- The relationship of the subcontractor to the Contractor.
 - Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.

<u>Please Note</u>: If your organization is not currently utilizing subcontracted services, but may in the future, the above information must then be provided.

2.7. Security

The Contractor's staff may be required to make deliveries to or enter State facilities. The Contractor will be subject the following security procedures:

The Contractor must:

- (a) explain how it intends to ensure the security of State facilities,
- (b) whether it uses uniforms and ID badges, etc.,
- (c) identify the company that will perform background checks, and
- (d) the scope of the background checks.

<u>Please Note</u>: The State may require the Contractor's personnel to wear State issued identification badges. The Contractor must explain any additional security measures in place to ensure the security of State facilities.

2.8. Meetings

The Contractor must attend the following meetings:

- Kick-off meeting within 30-calendar days of the Contract Effective Date
- Weekly/bi-weekly implementation update meetings if applicable
- Introduction meeting if applicable
- Weekly review and status meeting:
 - This meeting will be held between the Contractor's Program Manager and the State, to review process and performance – if applicable
- Quarterly Review Meetings
- Any other State may request other meetings as it deems appropriate.

3. Electronic Catalog

To enable catalog management functionality, the Contractor must supply the State with product and pricing information as identified in Schedule B – Pricing of this Contract.

The State's preferred method for catalog management is online – please indicate where your organizations current pricing and product offerings can be viewed. If web-based view for catalogs is not available, please indicate your process for catalog management.

Web-Based Catalog Available at: www.norix.com

Catalog, Hard Copy: Copies are available by contacting sales representatives at: 800-234-4900 or;

- Cori Kasper at: ckasper@norix.com or; 630-231-1331
- Please refer to www.norix.com for additional vendor information

<u>Please Note:</u> The Contractor must supply the State with updated product and pricing information over the duration of the Contract. Should product and price change, changes will not take effect until the catalog is updated in the State's procurement system.

MA #: 200000000674 21

4. Ordering

4.1. Authorizing Document

The appropriate authorizing document for the Contract will be a Delivery Order (DO).

4.2 Order Verification

The Contractor must have internal controls, to verify abnormal orders and to ensure that only authorized individuals place orders.

For every order placed the Contractor must provide the ordering party with a tracking number, or other means to tack the order and shipment of products purchased. The Contractor will send a confirmation email when purchases are made which includes a tracking number, sales order number and purchases order numbers and additional email will be sent once the order has shipped.

5. Delivery

5.1. Delivery Programs

The Contractor must explain in detail its delivery programs (e.g., standard delivery and quick ship), including any limitations such as quantity.

The Contractor must explain the transportation method (e.g., UPS, FedEx, Contractor fleet, or other third-party carrier) it intends on utilizing in delivery of the Contract Activities.

• Order Delivery Method: Notix uses 3rd Party carriers, for standard deliveries.

<u>Please Note</u>: The Contractor must make available a request for delivery date to State Agencies. Special delivery request should be processed and delivered to the State at no additional cost.

5.2. Packaging and Palletizing

Packaging must be optimized to permit the lowest freight rate. Shipments must be palletized whenever possible using manufacturer's standard 4-way shipping pallets.

5.3. Installation

In some instances, Installation may be required. When deemed necessary by the State, installation must be completed within 30-calendar days upon date of item receipt. Installation will be considered complete when:

 A post-installation review is completed between the Program Manager or designee and the Contractor.

Please Note: The Contractor must perform the following:

- Conduct a pre-installation walk-through with the Program Manger or designee prior to installation.
 - Pre-installation walk-through much be completed within 5-business days after receipt of items. At the conclusion of the pre-installation walk-through the Contractor must schedule the installation date and time with the State.
- The Contractor must work with the State to determine all site access requirements, work times, and schedule work to be completed, at least 10-business days prior to the Installation date.
 - The Contractor must ensure all staff assigned to the installation team meet the requirements set in Section 2.7 Security.
- The Contractor is financially responsible for any and all site damage that may occur during an installation.
 - Any damage incurred must be repaired within 10-business days from the completion of installation date.

6. Acceptance

6.1. Acceptance, Inspection and Testing

The State will use the acceptance process defined in Section 16, Acceptance of the Standard Contract Terms.

<u>Please Note</u>: The State Agency representative, or designee, will review and inspect order shipment documents and approve acceptance of good upon delivery. Shipment documents should include product details, quantities to be delivered, delivery location, date and time, and any additional information that may be requested at a later date.

7. Invoice and Payment

7.1. Invoice Requirements

Invoices will be paid in accordance with Section 20, of the Standard Contract Terms. All invoices submitted to the State must include:

- (a) Contract Number
- (b) Delivery Order
- (c) Project Reference (d) Date

- (e) Quantity & Unit Price(f) Description of the Contract Activities (Service and/or product provided);
- (g) Unit price
- (h) Shipping cost
- (i) Total Price

Please Note: The State may require alterations to invoice detail at any point throughout the term of the Contact. If applicable, for installation of projects purchased invoices must also list items J and K:

- (j) Labor hours (removal, cleaning, preparation etc.)
- (k) Service provided & delivery date(s)

7.2. Payment Methods

The State will make payment for Contract Activities by Electronic Fund Transfer (EFT).

8. Pricing

8.1. Price Term

Pricing is firm for the first five-years ("Pricing Period"). The first pricing period begins on the Effective Date. Adjustments may be requested, in writing, by either party and will take effect no earlier than the next Pricing Period.

8.2. Price Changes

Adjustments will be based on changes in actual Contractor costs. Any request must be supported by written evidence documenting the change in costs. The State may consider sources, such as the Consumer Price Index; Producer Price Index; other pricing indices as needed; economic and industry data; manufacturer or supplier letters noting the increase in pricing; and any other data the State deems relevant.

Following the presentation of supporting documentation, both parties will have 30 days to review the information and prepare a written response. If the review reveals no need for modifications, pricing will remain unchanged unless mutually agreed to by the parties. If the review reveals that changes are needed, both parties will negotiate such changes, for no longer than 30 days, unless extended by mutual agreement.

The Contractor remains responsible for Contract Activities at the current price for all orders received before the mutual execution of a Change Notice indicating the start date of the new Pricing Period.

9. Liquidated Damages

- a. Late or improper completion of the Contract Activities will cause loss and damage to the State and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, if there is late or improper completion of the Contract Activities the State is entitled to collect liquidated damages in the amount of \$5,000 and an additional \$100 per day for each day Contractor fails to remedy the late or improper completion of the Work.
- b. Unauthorized Removal of Key Personnel will interfere with the timely and proper completion of the Contract, to the loss and damage of the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, the State may assess liquidated damages against Contractor as specified below.

The State is entitled to collect \$1,000 per individual per day for the removal of any Key Personnel without prior approval of the State.

The State is entitled to collect \$1,000 per individual per day for an unapproved or untrained key personnel replacement.

10. Service Levels

10.1. Time Frames

All Contract Activities must be delivered within the timeframes specified below in order to meet the needs of the State. The receipt of order date is pursuant to Section 2, Notices, of the Standard Contract Terms.

a. Delivery

Delivery will be expected within 45-business days from receipt of order, delivery will be made at various locations. If delivery is delayed, a new delivery date will be communicated and agreed upon with the purchasing area.

The Contractor must credit the State 1% of the purchase total for deliveries that exceed the 45-business day delivery window, for late deliveries that are not communicated to the State. A 1% additional credit will be assessed for each additional day that the delivery is delayed.

<u>Please Note</u>: a credit will not be assessed for delayed deliveries that are outside of the control of the Contractor please refer to Section 46. Force Majeure of the Standard Contract terms.

b. Invoicing and Accounting Credits

Failure to provide invoices in the manner specified in Section 8.1 Invoices will result in a credit of 1% of the invoice total back to the State.

c. Customer Services

When providing support, the Call Center must resolve the caller's issues within 30 minutes. If issue resolution cannot be provided within 30 minutes – due to complexity of the request, issues must be resolved within 48-hours of submission.

Failure to provide resolution, or response, will result in a \$500.00 credit to the State.

d. Warranty Services

The Contractor must provide warranty service response within 48-hours of the State's request. Provide service or product replacement within 10-business days of determination of need. Schedule all services so as not to interfere with activities within space, at no charge to the State.

Failure to provide response to a warranty service request within 48-hours of receipt of request, or to provide service or product replacement within 10-business days of determination of need will result in a \$500.00 per occurrence credit to the State.

e. Installation Services

When deemed necessary by the State, installation must be completed within 30-calendar days upon date of item receipt and perform the following:

- The Contractor must conduct the pre-installation walk-through within 5-business days after receipt of items, and schedule with the State a date and time to complete installation within the 30-day window.
- The Contractor must work with the State to determine all site access requirements, work times, and schedule work to be completed, at least 10-business days prior to the Installation date.
 - The Contractor must ensure all staff assigned to the installation team meet the requirements set in Section 2.7 Security.
- The Contractor is financially responsible for any and all site damage that may occur during an installation.
 - Any damage incurred must be repaired within 10-business days from the completion of installation date.

11. Additional Requirements

11.1. Environmental and Energy Efficient Products

The Contractor must identify any energy efficient, bio-based, or otherwise environmentally friendly products used in the products. Contractor must include any relevant third-party certification, including the verification of a United States department of agriculture certified bio-based product label.

11.2. Hazardous Chemical Identification

In accordance with the federal Emergency Planning and Community Right-to-Know Act, 42 USC 11001, et seq., as amended, the Contractor must provide a Material Safety Data Sheet listing any hazardous chemicals, as defined in 40 CFR §370.2, to be delivered. Each hazardous chemical must be properly

identified, including any applicable identification number, such as a National Stock Number or Special Item Number.

The Contractor must identify any hazardous chemicals that will be provided under any resulting contract.

11.3. Mercury Content

Pursuant to MCL 18.1261d, mercury-free products must be procured when possible. The Contractor must explain if it intends to provide products containing mercury, the amount or concentration of mercury, and whether cost competitive alternatives exist. If a cost competitive alternative does exist, the Contractor must provide justification as to why the particular product is essential. All products containing mercury must be labeled as containing mercury.

11.4. Brominated Flame Retardants

The State prefers to purchase products that do not contain brominated flame retardants (BFRs) whenever possible. The Contractor must disclose whether the products contain BFRs.

STATE OF MICHIGAN

Contract No. 20000000374 Statewide – Anti-Ligature Furnishing Services

SCHEDULE B PRICING

- 1. Price proposals must include all costs, including but not limited to, any one-time or set-up charges, fee, and potential costs that Contractor may charge the State (e.g. shipping and handling, per piece pricing and palletizing).
- 2. Quick payment terms: NET45
- 3. Quantity/Volume terms: N/A
- 4. Installation Services Zones 1 10 Pricing Notes:
 - Standard Pre-Installation Services: \$2,500.00; \$0.00 per trip
 - Price for Pre-installation meeting and post-installation walk through as defined in Section 5.3 Installation
 - Standard Installation Hours: \$70.00/hour
 - o Per hour price does not include travel, room & board or supplies/hardware.
 - Price for installation team to perform services performed Monday Friday 8:00am – 5:00pm.
 - Weekend Hours: N/A
 - Price for installation team to perform services outside of the standard Monday Friday 8:00am – 5:00pm.



The Michigan Prosperity Regions Map has been used to help the Contractor determine fees for installation as noted in "Installation Services Zones 1-10.

	April 2019 - Volume 3 Price List							
			2019	Contract	Contract	Page #		
Item #	Product Family	Description	List	Discount	Price			
			Price	%				
AM10	Kids		\$440	35.0%	\$286	12		
ATN101	Attenda		\$2,293	35.0%	\$1,490	46		
ATN102-K	Attenda	Bed, Attenda Riser	\$1,176	35.0%	\$764	46		
ATN103	Attenda	Bed, Attenda No Mounting Holes	\$2,293	35.0%	\$1,490	46		
ATN120	Attenda		\$1,941	35.0%	\$1,262	46		
ATN130	Attenda		\$2,513	35.0%	\$1,633	46		
ATN140	Attenda		\$2,504	35.0%	\$1,628	46		
ATN145	Attenda		\$2,620	35.0%	\$1,703	46		
ATN150	Attenda		\$1,941	35.0%	\$1,262	46		
ATN250	Attenda		\$586	35.0%	\$381	47		
ATN255	Attenda		\$837	35.0%	\$544	47		
ATN301	Attenda		\$938	35.0%	\$610	47		
ATN310	Attenda		\$569	35.0%	\$370	47		
ATN401	Attenda		\$1,182	35.0%	\$768	47		
ATN500	Attenda		\$293	35.0%	\$190	47		
ATN601 ATN620	Attenda Attenda		\$1,205 \$927	35.0% 35.0%	\$783 \$603	47 47		
ATN620 ATN621	Attenda		\$927	35.0%	\$603	47		
ATN621 ATN625	Attenda		\$1,288	35.0%	\$837	47		
ATN700	Attenda		\$1,028	35.0%	\$668	47		
ATN750	Attenda		\$1,028	35.0%	\$831	47		
ATN800	Attenda		\$1,725	35.0%	\$1,121	48		
ATN800	Attenda		\$2,281	35.0%	\$1,483	48		
ATN-R01N	Attenda	Restraint Ring	\$80	35.0%	\$52	46		
ATN-RR01K	Attenda	Removable Restraint Ring	\$148	35.0%	\$96	46		
B510-160	Ironman Bunks	Tremorable restraint timb	\$1,695	35.0%	\$1,102	59		
B510-222	Ironman Bunks		\$2,050	35.0%	\$1,333	59		
B530-601	SAB		\$401	35.0%	\$261	59		
B530-603	SAB		\$433	35.0%	\$281	59		
BE970	B-Side		\$333	35.0%	\$216	15		
BE985	B-Side		\$333	35.0%	\$216	15		
C011-002	Toughcare	Ganging Plate, Straigh Line	\$32	35.0%	\$21	64		
C011-003	Toughcare	Ganging Kit, ARC MegaMax & Toughcare	\$44	35.0%	\$29	21,64		
C011-004	Toughcare	Plate, Bolt Down Custody/Mega-Max	\$44	35.0%	\$29	64		
C011-010	Wink, Toughcare	Plate, Ganging Ultra-Max Line	\$29	35.0%	\$19	64		
C011-011	Toughcare	Plate, Bolt Down Ultra-Max	\$36	35.0%	\$23	64		
C011-012	Hondo	Ganging Kit, Straightline Hondo	\$56	35.0%	\$36	64		
C011-013	Toughcare	Toughcare Rocker Kit	\$180	35.0%	\$117	21		
C011-014	Hondo	Ganging Kit Inside Corners, Hondo	\$104	35.0%	\$68	64		
C011-015	Hondo	Ganging Kit Outside Corners Hondo	\$104	35.0%	\$68	64		
C011-016	Forte	Forte, Ganging Kit, Lounge, Wood/Molded Base with Wood Top	\$44	35.0%	\$29	64		
C011-017	Forte	Forte, Ganging Kit, Lounge, Steel Base	\$44	35.0%	\$29	64		
C011-018	Forma, Forte	Forte, Ganging Kit, Guest Chair	\$33	35.0%	\$21	64		
C011-019	Hondo Nuevo	Hondo Nueve Ganging Kit, Locking, Plinth Base, Molded Leg, Wood	\$150	35.0%	\$98	18		
C011 021	Forto	Leg, Locking Forte, Ganging Kit, Lounge, Wood Bases w/Molded Tops	\$44	2E 00/	\$29	6.4		
C011-021	Forte	Hondo Nuevo Ganging Kit, Non Locking, Plinth Base, Molded Leg,		35.0%		64		
C011-023	Hondo Nuevo	Wood Leg	\$98	35.0%	\$64	18		
C011-024	Hondo Nuevo	Hondo Nuevo Ganging Kit, Locking, Steel Base, Locking	\$150	35.0%	\$98	18		
C011-025	Hondo Nuevo	Hondo Nuevo Ganging Kit, Non Locking, Steel Base	\$98	35.0%	\$64	18		
C011-026	Wink, Forte, Tabla	Guest Chair, Bolt Down Kit, Bengal Silver	\$75	35.0%	\$49	4		
C011-027	Forte	Forte, Bolt Down Kit, Lounge, Wood Base	\$75	35.0%	\$49	9		
C011-028	Forma	Forma, Ganging Kit, Non Locking Steel Base	\$98	35.0%	\$64	5		
C011-029	Forma	Forma, Ganging Kit, Non Locking, Plinth Base	\$98	35.0%	\$64	5		
C011-042	Kids	Ganging Kit, ELLE Tables, Kids	\$44	35.0%	\$29	16		
C011-043	Terra	Terra, Bolt Down Kit (Set of 4)	\$50	35.0%	\$33	2		

C011-RT-O1	1	Torra	Terra, Bolt Down Kit (Set of 2)	\$25	35.0%	\$16	2
Degree Peter Peter Belt Down, Black 959 35.0% 564		Terra					16
Disposition Plate Bolt Down, Bengal Silver 599 35.0% 594 507 506 507							5
071-001							5
O71-002	03	FOITIId					64
O71-008							_
071-1012 TORX Driver Bit \$8 35.0% \$5 071-003 TORX Driver Bit \$9 35.0% \$5 071-002 Ballast Bag \$4 35.0% \$3 040-0000X Slammer Stone Seats \$99 35.0% \$51 040-000 Stalniess Steel Seats \$79 35.0% \$51 M100-3001 Leg Protector 3" Clear \$75 35.0% \$49 073-101 Touch-Up Paint \$44 35.0% \$29 073-102 Touch-Up Paint \$44 35.0% \$29 073-103 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 35.0% \$10 073-109 Touch-Up Paint \$44 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 ATN-6104 Atten							64 64
071-003 TORX Driver Bit \$9 35.0% \$5 071-202 Ballast Bag \$4 35.0% \$3 040-000X Slammer Stone Seats \$99 35.0% \$45 040-0060 Stainless Steel Seats \$79 35.0% \$49 073-101 Touch-Up Paint \$44 35.0% \$29 073-102 Touch-Up Paint \$44 35.0% \$29 073-103 Touch-Up Paint \$44 35.0% \$29 073-108 Touch-Up Paint \$44 35.0% \$29 073-109 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 35.0% \$50 073-119 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 073-113 Touch-Up Paint \$15 35.0% \$10 37-109 Touch-Up Paint <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td>							-
Sammer Stone Seats S69 35.0% \$3							64
Slammer Stone Seats 589 35.0% 545						· ·	64
Mino-3001 Leg Protector 3" Clear \$79 35.0% \$51							65
M300-3001 Leg Protector 3" Clear 575 35.0% 549 7073-101 Touch-Up Paint 544 35.0% 529 7073-102 Touch-Up Paint 544 35.0% 529 7073-103 Touch-Up Paint 544 35.0% 529 7073-103 Touch-Up Paint 544 35.0% 529 7073-103 Touch-Up Paint 544 35.0% 529 7073-110 Touch-Up Paint 544 35.0% 529 7073-110 Touch-Up Paint 544 35.0% 529 7073-114 Touch-Up Paint 544 35.0% 529 7073-114 Touch-Up Paint 515 55.0% 520 7073-109 Touch-Up Paint 515 35.0% 510 7073-103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings 570 35.0% 546 ATN-G104 Attenda Kit, Attenda Profile Bed, Glides, Orbed w/rings 5500 35.0% 5323 ATN-L10 Attenda Kit, Attenda Bolt Down, Slejh Bed 5509 35.0% 5331 ATN-L10 Attenda Headboard 5220 35.0% 5331 ATN-L10 Safehouse Headboard 5220 35.0% 5331 ATN-L10 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed 5309 35.0% 5301 53	X						65
073-101 Touch-Up Paint \$44 35.0% \$29 073-102 Touch-Up Paint \$44 35.0% \$29 073-103 Touch-Up Paint \$44 35.0% \$29 073-108 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-106 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 073-113 Touch-Up Paint \$15 35.0% \$10 073-130 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 47N-103 Attenda Kit, Attenda Profile Bed, Glides, for bed w/rings \$500 35.0% \$46 ATN-414 Attenda Kit, Attenda Profile Bed, Glides, for bed w/rings \$500 35.0% \$46 48110 Safehouse Headboard \$520 35.0% \$31							65
073-102 Touch-Up Paint \$44 35.0% \$29 073-103 Touch-Up Paint \$44 35.0% \$29 073-108 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 35.0% \$29 073-109 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$30 ATN-L10 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$36 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$36 ATN-G104 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$321 ATN-G103 Attenda Kit,	01		<u> </u>				65
073-103 Touch-Up Paint \$44 35.0% \$29 073-108 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 35.0% \$29 073-106 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 073-113 Touch-Up Paint \$15 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, For bed w/rings \$500 35.0% \$36 ATN-H14 Attenda Kit, Attenda Bott Down, Sleigh Bed \$509 35.0% \$318 SH100 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 SHU0401 Safehouse			•			· ·	65
073-108 Touch-Up Paint \$44 35.0% \$29 073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 35.0% \$29 073-106 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 073-113 Touch-Up Paint \$15 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, For bed w/rings \$500 35.0% \$325 ATN-L10 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-L10 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$313 ATN-L10 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$313 ATN-L10 Attenda Kit, Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$322 \$HU09			Touch-Up Paint			· ·	65
073-110 Touch-Up Paint \$44 35.0% \$29 073-114 Touch-Up Paint \$44 \$5.0% \$29 073-106 Touch-Up Paint \$15 \$5.0% \$10 073-109 Touch-Up Paint \$15 \$5.0% \$10 073-113 Touch-Up Paint \$15 \$5.0% \$10 073-113 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 \$5.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed, Glides, Gro bed w/rings \$500 \$5.0% \$325 ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 \$5.0% \$331 SH110 Safehouse Headboard \$220 \$5.0% \$133 SHU0401 Safehouse Kit, Safehouse Reale Kit for the Platform Bed \$309 \$5.0% \$201 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% \$201 C110 Integra Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% <td< td=""><td></td><td></td><td>Touch-Up Paint</td><td></td><td></td><td></td><td>65</td></td<>			Touch-Up Paint				65
073-114 Touch-Up Paint \$44 35.0% \$29 073-106 Touch-Up Paint \$15 \$55.0% \$10 073-109 Touch-Up Paint \$15 \$50.0% \$10 073-113 Touch-Up Paint \$15 \$35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed Glides, W/O Rings \$500 \$50.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 \$50.0% \$325 ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 \$5.0% \$331 ATN110 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 \$5.0% \$313 ATN110 Attenda Headboard \$220 \$50.0% \$137 SH110 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 \$5.0% \$321 SHU0401 Safehouse Kit, Safehouse, Restraint \$528 \$50.0% \$343 SHU0401 Safehouse Kit, Safehouse, Restraint \$526 \$309			Touch-Up Paint	\$44	35.0%	· ·	65
073-106 Touch-Up Paint \$15 35.0% \$10 073-109 Touch-Up Paint \$15 35.0% \$10 073-113 Touch-Up Paint \$15 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed, Glides, M/O Rings \$500 35.0% \$325 ATN-H10 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-110 Attenda Headboard \$220 35.0% \$143 SH100 Safehouse Headboard \$242 35.0% \$157 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 C110 Integra \$35 35.0% \$357 35.0% \$364 C110 Integra \$35 35.0% \$364 <td></td> <td></td> <td>Touch-Up Paint</td> <td>\$44</td> <td>35.0%</td> <td>\$29</td> <td>65</td>			Touch-Up Paint	\$44	35.0%	\$29	65
073-109 Touch-Up Paint 515 35.0% \$10 073-113 Touch-Up Paint 515 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 35.0% \$325 ATN-L10 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-L10 Attenda Headboard \$220 35.0% \$143 SH110 Safehouse Headboard \$242 35.0% \$153 SH100401 Safehouse Headboard \$242 35.0% \$151 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0401 Safehouse Safehouse Rearlosure Panel Kit for the Captain's Bed \$309 35.0% \$201 SHU0401 Integra Kit, Safehouse Rearlosure Panel Kit for the Captain's Bed \$309 35.0% \$202 C110 Integra			Touch-Up Paint	\$44	35.0%	\$29	65
073-113 Touch-Up Paint \$15 35.0% \$10 ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 35.0% \$352 ATN-K104 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN110 Attenda Headboard \$220 35.0% \$143 SH110 Safehouse Headboard \$222 35.0% \$143 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0900 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$361 C110 Integra \$560 35.0% \$362 35.0% \$362 C110 Integra \$560 35.0% \$362 35.0% \$362			Touch-Up Paint	\$15	35.0%	\$10	65
ATN-G103 Attenda Kit, Attenda Profile Bed, Glides, W/O Rings \$70 35.0% \$46 ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 35.0% \$325 ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-H10 Attenda Headboard \$220 35.0% \$143 SH110 Safehouse Headboard \$242 35.0% \$157 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0401 Safehouse Kit, Safehouse, Restraint \$528 35.0% \$343 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$362 C110 Integra \$560 35.0% \$562 C140 Toughcare \$560 35.0% \$562 C150 Toughcare \$401 35.0% \$232 C170 Toughcare \$562 35.0% \$343			Touch-Up Paint	\$15	35.0%	\$10	65
ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 35.0% \$325 ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-L10 Attenda Kit, Attenda Headboard \$220 35.0% \$331 SH110 Safehouse Headboard \$242 35.0% \$133 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 \$35.0% \$201 SHU0900 Safehouse Kit, Safehouse, Restraint \$528 \$35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% \$362 C110 Integra \$560 \$5.0% \$560 \$5.0% \$562 C140 Toughcare \$560 \$5.0% \$354 \$357 \$35.0% \$232 C170 Toughcare \$500 \$50.0% \$242 \$3.0%			Touch-Up Paint	\$15	35.0%	\$10	65
ATN-G104 Attenda Kit, Attenda Profile Bed Glides, for bed w/rings \$500 35.0% \$325 ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN-L10 Attenda Kit, Attenda Headboard \$220 35.0% \$331 SH110 Safehouse Headboard \$242 35.0% \$133 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 \$35.0% \$201 SHU0900 Safehouse Kit, Safehouse, Restraint \$528 \$35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 \$5.0% \$362 C110 Integra \$560 \$5.0% \$560 \$5.0% \$562 C140 Toughcare \$560 \$5.0% \$354 \$357 \$35.0% \$232 C170 Toughcare \$500 \$50.0% \$242 \$3.0%	3	Attenda	Kit, Attenda Profile Bed, Glides, W/O Rings	\$70	35.0%	\$46	46
ATN-K14 Attenda Kit, Attenda Bolt Down, Sleigh Bed \$509 35.0% \$331 ATN110 Attenda Headboard \$220 35.0% \$143 SH110 Safehouse Headboard \$242 35.0% \$157 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0900 Safehouse Kit, Safehouse, Restraint \$528 35.0% \$201 SHU044-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 C110 Integra \$560 35.0% \$201 C110 Integra \$560 35.0% \$364 C150 Toughcare \$560 35.0% \$232 C160 Toughcare \$628 35.0% \$232 C170 Toughcare \$628 35.0% \$323 C121-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-3 Boulder							46
ATN110 Attenda Headboard \$220 35.0% \$143 SH110 Safehouse Headboard \$242 35.0% \$157 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0400 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$362 C110 Integra \$560 35.0% \$562 \$35.0% \$562 C140 Toughcare \$401 35.0% \$562 \$364 C150 Toughcare \$401 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 \$1,781 35.0% \$928 C212-3 Boulder Boulder Beam Seat without Arms 4 seat \$1,427 35.0% \$1,153 C212-3 Boulder Boulder B							46
SH110 Safehouse Headboard \$242 35.0% \$157 SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0900 Safehouse Kit, Safehouse Restraint \$528 35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 C110 Integra \$95 35.0% \$201 C140 Toughcare \$95 35.0% \$364 C150 Toughcare \$401 35.0% \$326 C160 Toughcare \$401 35.0% \$322 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 5 seat \$1,209 \$5.0% \$1,138 C213-3							47
SHU0401 Safehouse Safehouse Enclosure Panel Kit for the Platform Bed \$309 35.0% \$201 SHU0900 Safehouse Kit, Safehouse, Restraint \$528 35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$5201 C110 Integra \$95 35.0% \$620 C140 Toughcare \$560 35.0% \$364 C150 Toughcare \$401 35.0% \$221 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,774 35.0% \$1,438 C212-5 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$918 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,480 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>48</td>							48
SHU0900 Safehouse Kit, Safehouse, Restraint \$528 35.0% \$343 SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 C110 Integra \$95 35.0% \$62 C140 Toughcare \$560 35.0% \$362 C150 Toughcare \$401 35.0% \$261 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$928 C212-5 Boulder Boulder Beam Seat with End Arms 3 seat \$1,242 35.0% \$931 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,252 35.0% \$931 <							48
SHU144-1121 Safehouse Safehouse Enclosure Panel Kit for the Captain's Bed \$309 35.0% \$201 C110 Integra \$95 35.0% \$62 C140 Toughcare \$560 35.0% \$364 C150 Toughcare \$401 35.0% \$364 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C213-3 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C212-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,432 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158							48
C110 Integra \$95 35.0% \$62 C140 Toughcare \$560 35.0% \$364 C150 Toughcare \$401 35.0% \$261 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$232 C170 Toughcare \$628 35.0% \$232 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C212-5 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 5 seat \$1,432 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158 C213-4 Boulder Bo							48
C140 Toughcare \$560 35.0% \$364 C150 Toughcare \$401 35.0% \$261 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$918 C212-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,774 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,432 35.0% \$931 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$911 C213-3 Boulder Boulder Beam Seat with End Arms 5 seat \$1,781 35.0% \$915 C213-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,525	1121		Salehouse Enclosure Pariet Kit for the Captain's Bed				25
C150 Toughcare \$401 35.0% \$261 C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$928 C212-5 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,2215 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$1,2215 35.0% \$1,158 C214-3 Boulder Boulder Beam Seat							21
C160 Toughcare \$357 35.0% \$232 C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C212-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-3 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 5 seat \$1,525 35.0% \$1,158 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$1,525 35.0% \$1,261							21
C170 Toughcare \$628 35.0% \$408 C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C212-5 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$931 C213-3 Boulder Boulder Beam Seat with End Arms 5 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426							
C212-3 Boulder Boulder Beam Seat without Arms 3 seat \$1,428 35.0% \$928 C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C212-5 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$931 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$1,461 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Bou							21
C212-4 Boulder Boulder Beam Seat without Arms 4 seat \$1,774 35.0% \$1,153 C212-5 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat with End Arms 2 seat \$1,281 35.0% \$458 C223-2 Gibraltar							21
C212-5 Boulder Boulder Beam Seat without Arms 5 seat \$2,209 35.0% \$1,436 C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar G							24
C213-3 Boulder Boulder Beam Seat with End Arms 3 seat \$1,432 35.0% \$931 C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat with End Arms 2 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,384 C224-2 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$851 C224-3 Gibraltar							24
C213-4 Boulder Boulder Beam Seat with End Arms 4 seat \$1,781 35.0% \$1,158 C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat With End Arms 2 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C224-2 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,762 35.0% \$1,457 C910							24
C213-5 Boulder Boulder Beam Seat with End Arms 5 seat \$2,215 35.0% \$1,440 C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>24</td>							24
C214-3 Boulder Boulder Beam Seat with End & Divider Arms 3 seat \$1,525 35.0% \$991 C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457							24
C214-4 Boulder Boulder Beam Seat with End & Divider Arms 4 seat \$1,940 35.0% \$1,261 C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,102 C915 Hondo \$1,211				_	35.0%	\$1,440	24
C214-5 Boulder Boulder Beam Seat with End & Divider Arms 5 seat \$2,426 35.0% \$1,577 C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,100 C912 Hondo \$1,716 35.0% \$1,115 C920 Progress \$179 35.0% \$116		Boulder	Boulder Beam Seat with End & Divider Arms 3 seat	\$1,525	35.0%		24
C219-1 Boulder Boulder Beam Seat Unknown 1 seat \$704 35.0% \$458 C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,100 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Boulder	Boulder Beam Seat with End & Divider Arms 4 seat	\$1,940	35.0%	\$1,261	24
C223-2 Gibraltar Gibraltar Beam Seat with End Arms 2 seat \$1,281 35.0% \$833 C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Boulder	Boulder Beam Seat with End & Divider Arms 5 seat	\$2,426	35.0%	\$1,577	24
C223-3 Gibraltar Gibraltar Beam Seat with End Arms 3 seat \$1,667 35.0% \$1,084 C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,457 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Boulder	Boulder Beam Seat Unknown 1 seat	\$704	35.0%	\$458	24
C223-4 Gibraltar Gibraltar Beam Seat with End Arms 4 seat \$2,111 35.0% \$1,372 C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Gibraltar	Gibraltar Beam Seat with End Arms 2 seat	\$1,281	35.0%	\$833	23
C224-2 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 2 seat \$1,309 35.0% \$851 C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Gibraltar	Gibraltar Beam Seat with End Arms 3 seat	\$1,667	35.0%	\$1,084	23
C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Gibraltar	Gibraltar Beam Seat with End Arms 4 seat	\$2,111	35.0%	\$1,372	23
C224-3 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 3 seat \$1,762 35.0% \$1,145 C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Gibraltar	Gibraltar Beam Seat with End Arms & Divider Arms 2 seat	\$1,309	35.0%	\$851	23
C224-4 Gibraltar Gibraltar Beam Seat with End Arms & Divider Arms 4 seat \$2,241 35.0% \$1,457 C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116		Gibraltar	Gibraltar Beam Seat with End Arms & Divider Arms 3 seat	\$1,762	35.0%	\$1,145	23
C910 Hondo \$1,541 35.0% \$1,002 C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116				_		\$1,457	23
C912 Hondo \$1,716 35.0% \$1,115 C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116				_			15
C915 Hondo \$1,211 35.0% \$787 C920 Progress \$179 35.0% \$116	-+			+ .			15
C920 Progress \$179 35.0% \$116							15
			<u> </u>	_			11
101te 101te Care Table 21,211 53.0% 3/8/	-+	_	Forte Café Table	_			41
CA4242 Forte Forte Café Table \$1,285 35.0% \$835				-1 .			41
	-+			+ .			41
				+ .		- :	
CY3600 Tables - Jupiter Jupiter \$1,045 35.0% \$679 CY3636 Tables - Jupiter Jupiter \$1,152 35.0% \$749							31 31

CY4200	Tables - Jupiter	Jupiter	\$1,183	35.0%	\$769	31
CY4242	Tables - Jupiter	Jupiter	\$1,264	35.0%	\$822	31
CY4800	Tables - Jupiter	Jupiter	\$1,392	35.0%	\$905	31
EA-1	Element	Element Lounge Chair	\$1,875	35.0%	\$1,219	4
EC-1	Element	Element Love Seat	\$2,625	35.0%	\$1,706	4
EE-1	Element	Element Sofa	\$3,500	35.0%	\$2,275	4
EL11	Kids		\$220	35.0%	\$143	16
EL52	Kids		\$888	35.0%	\$577	16
FA	Forma	Forma Arm Chair	\$1,475	35.0%	\$959	5
FB	Forma	Forma Armless Chair	\$1,175	35.0%	\$764	6
FC600	Forte		\$519	35.0%	\$337	10
FC610	Forte		\$434	35.0%	\$282	9
FC620.FC660	Forte	Forte Lounge Arm Chair with Molded Plinth Base	\$958	35.0%	\$623	10
FC620.FC670	Forte	Forte Lounge Arm Chair with Steel Base	\$839	35.0%	\$545	10
FC620.FC680	Forte	Forte Lounge Arm Chair with Wood Base	\$996	35.0%	\$647	10
FC630.FC660	Forte	Forte Lounge Armless Chair with Molded Plinth Base	\$874	35.0%	\$568	9
FC630.FC670	Forte	Forte Lounge Armless Chair with Steel Base	\$755	35.0%	\$491	9
FC630.FC680	Forte	Forte Lounge Armless Chair with Wood Base	\$908	35.0%	\$590	9
FL	Forma	Forma Left Arm Sectional	\$1,425	35.0%	\$926	5
FN	Forma	Forma Cube	\$1,015	35.0%	\$660	7
FO	Forma	Forma Inside Wedge	\$999	35.0%	\$649	6
FO2727	Forte	Forte Occasional Table	\$562	35.0%	\$365	42
FP FP	Forma	Forma Bench	\$945	35.0%	\$614	7
FQ	Forma	Forma Bench Wedge	\$950	35.0%	\$618	6
FR	Forma	Forma Right Arm Sectional	\$1,425	35.0%	\$926	5
FS	Forma	Forma Outside Wedge	\$999	35.0%	\$649	6
FT600	Forte	Forte Café Table	\$718	35.0%	\$467	41
FV	Forma	Forma Cube with Laminate Top	\$1,218	35.0%	\$792	7
HA2828			\$941	35.0%	\$612	43
HA2848	Harmony	Harmony Square Table		35.0%	\$766	43
· ·	Harmony	Harmony Rectangle Table	\$1,178		\$1,193	17
HN800.HN850 HN800.HN855	Hondo Nuevo Hondo Nuevo	Hondo Nuevo Arm Chair with Molded Plinth Base	\$1,836	35.0% 35.0%		17
· ·		Hondo Nuevo Arm Chair with Molded Wood Crain Lorg	\$2,020		\$1,313	17
HN800.HN860	Hondo Nuevo	Hondo Nuevo Arm Chair with Molded Wood Grain Legs	\$1,928	35.0%	\$1,253	-
HN805L.HN850	Hondo Nuevo	Hondo Nuevo Left Arm Sectional with Molded Plinth Base	\$1,787	35.0%	\$1,162	17
HN805L.HN855	Hondo Nuevo	Hondo Nuevo Left Arm Sectional with Steel Legs	\$1,966	35.0%	\$1,278	17
HN805L.HN860	Hondo Nuevo	Hondo Nuevo Left Arm Sectional with Molded Wood Grain Legs	\$1,877	35.0%	\$1,220	17
HN805R.HN850	Hondo Nuevo	Hondo Nuevo Right Arm Sectional with Molded Plinth Base	\$1,787	35.0%	\$1,162	17
HN805R.HN855	Hondo Nuevo	Hondo Nuevo Right Arm Sectional with Steel Legs	\$1,966	35.0%	\$1,278	17
HN805R.HN860	Hondo Nuevo	Hondo Nuevo Right Arm Sectional with Molded Wood Grain Legs	\$1,877	35.0%	\$1,220	17
HN810.HN850	Hondo Nuevo	Hondo Nuevo 30" Armless with Molded Plinth Base	\$1,618	35.0%	\$1,052	17
HN810.HN855	Hondo Nuevo	Hondo Nuevo 30" Armless with Steel Legs	\$1,780	35.0%	\$1,157	17
HN810.HN860	Hondo Nuevo	Hondo Nuevo 30" Armless with Molded Wood Grain Legs	\$1,698	35.0%	\$1,104	17
HN815.HN850	Hondo Nuevo	Hondo Nuevo Cube with Molded Plinth Base	\$1,271	35.0%	\$826	18
HN815.HN855	Hondo Nuevo	Hondo Nuevo Cube with Steel Legs	\$1,399	35.0%	\$909	18
HN815.HN860	Hondo Nuevo	Hondo Nuevo Cube with Molded Wood Grain Legs	\$1,334	35.0%	\$867	18
HN820.HN850	Hondo Nuevo	Hondo Nuevo 24" Armless with Molded Plinth Base	\$1,468	35.0%	\$954	18
HN820.HN855	Hondo Nuevo	Hondo Nuevo 24" Armless with Steel Legs	\$1,614	35.0%	\$1,049	18
HN820.HN860	Hondo Nuevo	Hondo Nuevo 24" Armless with Molded Wood Grain Legs	\$1,556	35.0%	\$1,011	18
HN825.HN850	Hondo Nuevo	Hondo Nuevo Seat Wedge with Molded Plinth Base	\$1,367	35.0%	\$889	19
HN825.HN855	Hondo Nuevo	Hondo Nuevo Seat Wedge with Steel Legs	\$1,504	35.0%	\$978	19
HN825.HN860	Hondo Nuevo	Hondo Nuevo Seat Wedge with Molded Wood Grain Legs	\$1,436	35.0%	\$933	19
HN830.HN850	Hondo Nuevo	Hondo Nuevo Bench with Molded Plinth Base	\$1,175	35.0%	\$764	19
HN830.HN855	Hondo Nuevo	Hondo Nuevo Bench with Steel base	\$1,292	35.0%	\$840	19
HN830.HN860	Hondo Nuevo	Hondo Nuevo Bench with Molded Wood Grain Legs	\$1,233	35.0%	\$801	19
HN835.HN850	Hondo Nuevo	Hondo Nuevo Bench Wedge with Molded Plinth Base	\$1,139	35.0%	\$740	19
HN835.HN855	Hondo Nuevo	Hondo Nuevo Bench Wedge with Steel Legs	\$1,254	35.0%	\$815	19
HN835.HN860	Hondo Nuevo	Hondo Nuevo Bench Wedge with Molded Wood Grain Legs	\$1,196	35.0%	\$777	19
HN840	Hondo Nuevo	Hondo Nuevo Stool, Reef, Molded Plinth Base, Skiff	\$587	35.0%	\$382	19
HN845.HN850	Hondo Nuevo	Hondo Nuevo Round Ottoman with Molded Plinth Base	\$1,175	35.0%	\$764	20

HN845.HN860	Hondo Nuevo	Hondo Nuevo Round Ottoman with Molded Wood Grain Legs	\$1,233	35.0%	\$801	20
HN880.HN850	Hondo Nuevo	Hondo Nuevo High Back with Molded Plinth Base	\$2,060	35.0%	\$1,339	20
HN880.HN855	Hondo Nuevo	Hondo Nuevo High Back with Steel Legs	\$2,178	35.0%	\$1,416	20
HN880.HN860	Hondo Nuevo	Hondo Nuevo High Back with Molded Wood Grain Legs	\$2,152	35.0%	\$1,399	20
HN885.HN850	Hondo Nuevo	Hondo Nuevo Foot Stool with Molded Plinth Base	\$850	35.0%	\$553	20
HN885.HN855	Hondo Nuevo	Hondo Nuevo Foot Stool with Steel Legs	\$966	35.0%	\$628	20
HX16-LG	Kids	Tionad Hacro Foot Stool With Steel Edgs	\$276	35.0%	\$179	16
HX16-SM	Kids		\$220	35.0%	\$143	16
IGS-18-3	Ironman		\$55	35.0%	\$36	63
IGS-1833L-3	Ironman		\$140	35.0%	\$91	63
IGS-1833R-3	Ironman		\$140	35.0%	\$91	63
IGS-24-3	Ironman		\$70	35.0%	\$46	63
IGS-36-3	Ironman		\$95	35.0%	\$62	63
IGS-3856L-3	Ironman		\$220	35.0%	\$143	63
IGS-3856R-3	Ironman		\$220	35.0%	\$143	63
IGS-42-3			\$110	35.0%	\$72	63
IPL-600	Ironman		POA	35.0%	POA	61
IPP-100	Ironman					_
IPP-100	Ironman		POA	35.0%	POA	62
	Ironman		POA	35.0%	POA	62
ISS-200	Ironman		\$3,700	35.0%	\$2,405	63
ITH-110	Ironman		\$75	35.0%	\$49 \$88	63
ITP-100	Ironman		\$135	35.0%	-	63
ITP-110	Ironman		\$135	35.0%	\$88	63
ITS-410.1	Ironman		\$300	35.0%	\$195	63
LA-1	Harmony	Harmony Square Back Arm Chair	\$2,340	35.0%	\$1,521	12
LA-2	Harmony	Harmony Round Back Arm Chair	\$2,340	35.0%	\$1,521	12
LA-4	Harmony	Harmony Square Back High Back Chair	\$2,800	35.0%	\$1,820	13
LB-1	Harmony	Harmony Square Back Armless Chair	\$2,145	35.0%	\$1,394	14
LBF0S1	InteleStation	InteleStation HPL	\$1,779	35.0%	\$1,156	54
LBW0N1	InteleStation	InteleStation HPL	\$1,341	35.0%	\$872	54
LBW0S2	InteleStation	InteleStation HPL	\$2,358	35.0%	\$1,533	54
LC-1	Harmony	Harmony Square Back Love Seat	\$3,280	35.0%	\$2,132	12
LC-2	Harmony	Harmony Round Back Love Seat	\$3,280	35.0%	\$2,132	12
LE-1	Harmony	Harmony Square Back Sofa	\$4,350	35.0%	\$2,828	13
LE-2	Harmony	Harmony Round Back Sofa	\$4,350	35.0%	\$2,828	13
LH-7	Harmony	Harmony 2 Seat Bench	\$2,423	35.0%	\$1,575	14
LJ-7	Harmony	Harmony 3 Seat Bench	\$3,236	35.0%	\$2,103	14
LK-1	Harmony	Harmony Square Back Bariatric Chair	\$2,996	35.0%	\$1,947	13
LS3072	Tables - Leg Style	Tables - Leg Style	\$1,024	35.0%	\$666	34
LS3096	Tables - Leg Style	Tables - Leg Style	\$1,365	35.0%	\$887	34
LS3636	Tables - Leg Style	Tables - Leg Style	\$830	35.0%	\$540	33
LS4242	Tables - Leg Style	Tables - Leg Style	\$966	35.0%	\$628	33
LS4800	Tables - Leg Style	Tables - Leg Style	\$809	35.0%	\$526	34
M44200	Tables - Max Master	Tables - Max Master	\$1,386	35.0%	\$901	27
M63072	Tables - Max Master	Tables - Max Master	\$2,531	35.0%	\$1,645	28
M65400	Tables - Max Master	Tables - Max Master	\$1,890	35.0%	\$1,229	28
M83096		Tables - Max Master	\$3,153	35.0%	\$2,049	29
MCB4-2567	· · · · · · · · · · · · · · · · · · ·	Mattress - Custody Blue	\$204	35.0%	\$133	44
MCB4-2575	Mattress - Custody	Mattress - Custody Blue	\$212	35.0%	\$138	44
MCB4-2775	Mattress - Custody	Mattress - Custody Blue	\$249	35.0%	\$162	44
MCB4-2780	Mattress - Custody	Mattress - Custody Blue	\$271	35.0%	\$176	44
MCB4-2977	Mattress - Custody	Mattress - Custody Blue	\$271	35.0%	\$176	44
MCB4-3075	Mattress - Custody	Mattress - Custody Blue	\$286	35.0%	\$186	44
MCB4-3079	Mattress - Custody	Mattress - Custody Blue	\$308	35.0%	\$200	44
MCS4-2575	Mattress - Custody	Mattress - Custody Silver	\$340	35.0%	\$221	44
MCS4-2775	Mattress - Custody	Mattress - Custody Silver	\$351	35.0%	\$228	44
MCS4-2780		Mattress - Custody Silver	\$373	35.0%	\$242	44
MCS4-3075		Mattress - Custody Silver	\$362	35.0%	\$235	44
						-
MCS4-3080	Mattress - Custody	Mattress - Custody Silver	\$385	35.0%	\$250	44

MCX4-2575	Mattress - Custody	Mattress - Custody Black	\$607	35.0%	\$395	44
MCX4-2775	Mattress - Custody	Mattress - Custody Black	\$627	35.0%	\$408	44
MCX4-3075	Mattress - Custody	Mattress - Custody Black	\$648	35.0%	\$421	44
MCX4-3079	, ·	Mattress - Custody Black	\$675	35.0%	\$439	44
MFD-18	Duravision	Duravision Full Dome 18"	\$648	35.0%	\$421	58
MFD-24	Duravision	Duravision Full Dome 24"	\$813	35.0%	\$528	58
MFSST-REC-	Duravision	Duravision i dii Donie 24	\$674	35.0%	\$438	58
1620	Duravision		3074	33.076	2430	36
MHD-18	Duravision		\$585	35.0%	\$380	58
MHD-24	Duravision	Half dome 24" x 12"	\$674	35.0%	\$438	58
MHD-36	Duravision	Half dome 36" x 18	\$1,018	35.0%	\$662	58
MM4-2575-	Mattress - Marathon		\$1,007	35.0%	\$655	44
MD-619					·	
MNE7-3675	Mattress - Dorm	Mattress - Dorm	\$460	35.0%	\$299	45
MNE7-3680	Mattress - Dorm	Mattress - Dorm	\$460	35.0%	\$299	45
MNF6-3675	Mattress - Dorm	Mattress - Dorm	\$415	35.0%	\$270	45
MNF6-3680	Mattress - Dorm	Mattress - Dorm	\$415	35.0%	\$270	45
MNF6-5480	Mattress - Dorm	Mattress - Dorm	\$603	35.0%	\$392	45
MP1860	Tables - MP	Tables - MP	\$1,213	35.0%	\$788	38
MP2460	Tables - MP	Tables - MP	\$1,213	35.0%	\$788	39
MP3060	Tables - MP	Tables - MP	\$1,268	35.0%	\$824	39
MP3600	Tables - MP	Tables - MP	\$1,097	35.0%	\$713	37
MP3636	Tables - MP	Tables - MP	\$1,130	35.0%	\$735	37
MP4200	Tables - MP	Tables - MP	\$1,290	35.0%	\$839	37
MP4242	Tables - MP	Tables - MP		35.0%	-	37
MQB4-3680	Mattress - Rescue	Mattress - Rescue Blue	\$1,461 \$340	35.0%	\$950 \$221	45
MQB4-3882	Mattress - Rescue	Mattress - Rescue Blue	\$351	35.0%	\$228	45
MQD-12	Duravision	Quarter Dome 12"x 12"	\$602	35.0%	\$391	58
MQD-N18	Duravision	Quarter Dome 12 x 12" Quarter Dome 18" x 18"	\$855	35.0%	\$556	58
MQS4-3680	Mattress - Rescue	Mattress - Rescue Silver	\$401	35.0%	\$261	45
MRB6-3075		Mattress - Remedy Blue	\$525	35.0%	\$341	45
MRB6-3675	Mattress - Remedy	Mattress - Remedy Blue	\$612	35.0%	\$398	45
MRB6-3680	,	Mattress - Remedy Blue	\$612	35.0%	\$398	45
MRB6-3882	Mattress - Remedy	Mattress - Remedy Blue	\$636	35.0%	\$413	45
MRS6-3075	•	Mattress - Remedy Silver	\$796	35.0%	\$517	45
MRS6-3675	•	Mattress - Remedy Silver	\$796	35.0%	\$517	45
MRS6-3680	Mattress - Remedy	Mattress - Remedy Silver	\$796	35.0%	\$517	45
MRS6-3882	Mattress - Remedy	Mattress - Remedy Silver	\$819	35.0%	\$532	45
MRX6-2977		Mattress - Remedy Black	\$800	35.0%	\$520	45
MRX6-3075	Mattress - Remedy	Mattress - Remedy Black	\$850	35.0%	\$553	45
MRX6-3675	Mattress - Remedy	Mattress - Remedy Black	\$1,076	35.0%	\$699	45
MRX6-3680	Mattress - Remedy	Mattress - Remedy Black	\$1,076	35.0%	\$699	45
MRX6-3882	Mattress - Remedy	Mattress - Remedy Black	\$1,101	35.0%	\$716	45
MU960	Mix-Up	Mix-Up	\$640	35.0%	\$416	8
MU965	Mix-Up	Mix-Up	\$888	35.0%	\$577	8
MU970	Mix-Up	Mix-Up	\$577	35.0%	\$375	8
MU980	Mix-Up	Mix-Up	\$1,326	35.0%	\$862	8
MU985	Mix-Up	Mix-Up	\$577	35.0%	\$375	8
O43048	Tables - Oasis	Tables - Oasis	\$3,251	35.0%	\$2,113	35
O43072	Tables - Oasis	Tables - Oasis	\$3,673	35.0%	\$2,387	35
PB150	Property Boxes		\$91	35.0%	\$59	60
PB200	Property Boxes		\$93	35.0%	\$60	60
PB300	Property Boxes		\$103	35.0%	\$67	60
PB301	Property Boxes		\$65	35.0%	\$42	60
PB350	Property Boxes		\$195	35.0%	\$127	60
PBL201	Property Boxes		\$42	35.0%	\$27	60
PBL400	Property Boxes		\$56	35.0%	\$36	60
PBL401	Property Boxes		\$55	35.0%	\$36	60
PBL402	Property Boxes		\$91	35.0%	\$59	60

PRB-1721	Pillow	1	\$90	35.0%	\$59	45
PROT025	Protégé	Glide Kit, Protégé Next-Gen, Set of 4	\$20	35.0%	\$13	53
036-PT005	Protégé	Protégé Accessory Kit, Safety Rails, Ladder, Vert Connectors	\$154	35.0%	\$100	53
PROT050	Protégé	Headboard/Footboard Kit	\$153	35.0%	\$99	53
PROT100	Protégé	I reduced by rectacular list	\$533	35.0%	\$346	53
PROT200	Protégé		\$1,220	35.0%	\$793	53
PROT700	Protégé		\$389	35.0%	\$253	53
PROT710	Protégé		\$640	35.0%	\$416	53
PROT810	Protégé		\$823	35.0%	\$535	53
R565-410	Ironman - Mirror		\$78	35.0%	\$51	59
R565-411	Ironman - Mirror		\$102	35.0%	\$66	59
RA16	RockSmart		\$1,281	35.0%	\$833	11
RA18	RockSmart		\$1,281	35.0%	\$833	11
RKC405	Safehouse - Chair		\$574	35.0%	\$373	11
RKC420	Safehouse - Chair		\$645	35.0%	\$419	11
S561-100	Ironman Stool	Stool, bolt Down	\$205	35.0%	\$133	60
S561-120	Ironman Stool	Stool, Ironman, Bolt Down	\$220	35.0%	\$143	60
S562-2603.1	Toughcare		\$216	35.0%	\$140	21
S565-528	Ironman Clothes Hooks		\$155	35.0%	\$101	63
S565-531	Ironman Clothes Hooks		\$369	35.0%	\$240	63
S565-545	Ironman Clothes Hooks		\$650	35.0%	\$423	63
SBW7N	InteleStation	InteleStation Steel	POA	35.0%	POA	56
SBW7S	InteleStation	InteleStation Steel	POA	35.0%	POA	56
SBW9S	InteleStation	InteleStation Steel	POA	35.0%	POA	56
SH2119	Safehouse		\$721	35.0%	\$469	49
SH6104	Safehouse		\$824	35.0%	\$536	49
SH8183	Safehouse		\$1,746	35.0%	\$1,135	49
SH8190	Safehouse		\$1,922	35.0%	\$1,249	49
SHU1104	Safehouse		\$1,569	35.0%	\$1,020	48
SHU1144	Safehouse		\$2,214	35.0%	\$1,439	48
SP10	Toughcare		\$125	35.0%	\$81	21
TA1	Terra	Terra 22" Chair	\$1,275	35.0%	\$829	1
TA1800	Tabla		\$730	35.0%	\$475	26
TA1800-MC	Tabla	Premium Table, Tabla 18" Round	\$975	35.0%	\$634	26
TA2	Terra	Terra 30" Chair	\$1,530	35.0%	\$995	2
TA3600	Tabla		\$1,099	35.0%	\$714	26
TA3600-MC	Tabla	Premium Table, Tabla 36" Round	\$1,462	35.0%	\$950	26
TC1	Terra	Terra 22" 2 Seat Tandem	\$2,231	35.0%	\$1,450	3
						1
TC2	Terra	Terra 30" 2 Seat Tandem	\$2,678	35.0%	\$1,741	0
TC3/TC4	Terra	Terra Mixed Seat Size 2 Seat Tandem	\$2,454	35.0%	\$1,595	0
TE1	Terra	Terra 22" 3 Seat Tandem	\$3,315	35.0%	\$2,155	3
TE2	Terra	Terra 30" 3 Seat Tandem	\$3,978	35.0%	\$2,586	0
TE5/TE6	Terra	Terra Mixed Seat Size 3 Seat Tandem	\$3,580	35.0%	\$2,327	0
TNT0100	Titan	TNT0100 – leg extension kits	\$205	35.0%	\$133	50
TNT0200	Titan	TNT0200 – bunk clamp	\$303	35.0%	\$197	51
TNT0300	Titan	TNT0300 – ladder kit	\$224	35.0%	\$146	50
TNT0400	Titan	TNT0400- enclosure panel kit	\$204	35.0%	\$133	50
TNT0500	Titan	TNT0500 – safety rail kit	\$169	35.0%	\$110	50
TNT0600	Titan	TNT0600- headboard kit	\$190	35.0%	\$124	50
			-			
TNT0601	Titan	TNT0601 - headboard kit family bed	\$212	35.0%	\$138	50
						50
TNT0610	Titan	TNT0611 - headboard kit, tall, titan beds	\$235	35.0%	\$153	
TNT0610 TNT0650	Titan Titan	TNT0611 - headboard kit, tall, titan beds TNT0650 – footboard kit	\$235 \$153	35.0% 35.0%	\$153 \$99	50

TNT0804	Titan	TNT0804 – end frame glide kit	\$27	35.0%	\$18	50
TNT0850	Titan	Towel Bar	\$15	35.0%	\$10	52
TNT0851	Titan	Wardrobe (2) Double Hooks	\$18	35.0%	\$12	52
TNT0851	Titan	Wardrobe Steel Mirror	\$140	35.0%	\$91	52
036-T208	Titan	036-T208 - Ladder, Floor 60"	\$254	35.0%	\$165	51
036-P2006	Titan	036-P2006- Ladder, Spring Deck	\$224	35.0%	\$146	51
8300S	Titan	Divider Kit	\$390	35.0%	\$254	52
TNTTB	Titan	Tackboard	\$210	35.0%	\$137	52
TNT1012	Titan	Bunkable Panel Bed with Drawers	\$1,645	35.0%	\$1,069	50
TNT1042	Titan		\$1,195	35.0%	\$777	50
TNT1052	Titan		\$3,290	35.0%	\$2,139	50
TNT1111	Titan		\$1,245	35.0%	\$809	50
TNT1141	Titan		\$795	35.0%	\$517	50
TNT1151	Titan		\$2,490	35.0%	\$1,619	50
TNT1212	Titan		\$1,749	35.0%	\$1,137	50
TNT1242			\$1,299	35.0%	\$844	50
	Titan					
TNT1252	Titan		\$3,500	35.0%	\$2,275	50
TNT1311	Titan	Bunkable Spring Deck Bed	\$850	35.0%	\$553	51
TNT1351	Titan	Spring Deck Bunk Bed	\$1,770	35.0%	\$1,151	51
TNT1611	Titan	Bunkable Frame Style Bed	\$1,180	35.0%	\$767	50
TNT1616	Titan		\$2,450	35.0%	\$1,593	51
TNT1651	Titan	Frame Style Bunk Bed	\$2,450	35.0%	\$1,593	51
TNT1991	Titan		\$4,720	35.0%	\$3,068	50
TNT2029	Titan		\$775	35.0%	\$504	52
TNT2129	Titan		\$860	35.0%	\$559	52
TNT6011	Titan		\$850	35.0%	\$553	51
TNT6032	Titan		\$1,590	35.0%	\$1,034	52
TNT6132	Titan		\$1,725	35.0%	\$1,121	52
TNT7016 TNT7026	Titan Titan		\$665 \$690	35.0% 35.0%	\$432 \$449	52 52
TNT7026	Titan		\$1,010	35.0%	\$657	52
TNT7059	Titan		\$1,390	35.0%	\$904	52
TNT7116	Titan		\$770	35.0%	\$501	52
TNT7126	Titan		\$795	35.0%	\$517	52
TNT7139	Titan		\$1,140	35.0%	\$741	52
TNT7159	Titan		\$1,600	35.0%	\$1,040	52
TNT8100	Titan	Titan Single Wardrobe	\$1,530	35.0%	\$995	52
TNT8101	Titan	Titan Single Wardrobe	\$1,635	35.0%	\$1,063	52
TNT8200	Titan	Titan Double Wardrobe	\$1,920	35.0%	\$1,248	52
TNT8201	Titan	Titan Double Wardrobe	\$2,135	35.0%	\$1,388	52
TNT8501	Titan	Titan Double Wardrobe	\$2,865	35.0%	\$1,862	52
WC10	Wink Tables - XBase	Tables - XBase	\$1,133	35.0%	\$736 \$274	4 22
XB3600 XB3636	Tables - XBase	Tables - XBase Tables - XBase	\$1,344 \$1,381	35.0% 35.0%	\$874 \$898	32 32
XB4200	Tables - XBase	Tables - XBase	\$1,381	35.0%	\$942	32
XB4242	Tables - XBase	Tables - XBase	\$1,486	35.0%	\$966	32
XB4800	Tables - XBase	Tables - XBase	\$1,575	35.0%	\$1,024	32
AA2-2	Affinity	Affinity Armless Wood Back	\$484	35.0%	\$315	0
AA1-2	Affinity	Affinity Arm Chair Wood Back	\$517	35.0%	\$336	0
AA2-1	Affinity	Affinity Armless Upholstered Back	\$440	35.0%	\$286	0
AA1-1	Affinity	Affinity Arm Chair Upholstered Back	\$470	35.0%	\$306	0
VA600	Vesta	Vesta Upholstered Arm	\$1,044	35.0%	\$679	0
VA610	Vesta	Vesta Upholstered Armless Chair	\$944	35.0%	\$614	0
VA600	Vesta	Vesta Arm Chair	\$599	35.0%	\$389	0
VA610	Vesta	Vesta Armless Chair	\$499	35.0%	\$324	0

STATE OF MICHIGAN

Contract No. 20000000674 Statewide – Anti-Ligature Furnishing Services

SCHEDULE C PRODUCT SPECIFICATIONS

Michigan Department of Health and Human Services (MDHHS) Hospitals:

- 1. Caro Center
 - a. 2000 Chambers Road, Caro, MI 48723
- 2. Center for Forensic Psychiatry (CFP)
 - a. 8303 Platt Road, Saline, MI 48176
- 3. Hawthorn Center
 - a. 18471 Haggerty Road, Northville, MI 48167
- 4. Kalamazoo Psychiatric Hospital (KPH)
 - a. 1312 Oakland Drive, Kalamazoo, MI 49008
- 5. Walter Reuther Psychiatric Hospital (WRPH)
 - a. 30901 Palmer Road, Westland, MI 48186

Additional MDHHS Facility:

- 1. Juvenile Justice Residential (JJB) Facility
 - a. Bay pines Center
 - i. 2425 N 30th Street, Escanaba, MI 49829
 - **b.** Shawono Center
 - i. 10 N Howes Lake Road, Grayling, MI 49738

BJJ Centers:

- Bay Pines Center
- Shawono Center

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future.

In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements show below.

Special Notes:

- 1. Classroom furnishings must be youth appropriate for high security residential living.
- 2. Classroom furnishings must allow for arrangement around the parameter of the room, to allow for the teachers' station to have no youth desk to their back.
- 3. It is preferred that desks/workstations be adjustable and are movable with locking wheels If applicable.
- 4. Desks/workstations must be made of materials that not breakable, that can withstand hitting, kicking and other means of force, or easily throw.
- Desks/workstations cannot have components, pieces or parts that can be removed easily, taken or broken off.
- 6. Each desk/workstation should have some a partition/divider on the underneath to prevent physical contact from another desk/workstation.
- 7. The following products must be new, fire-retardant polyethylene; the following are anticipated items for purchase:
 - a. Classroom Seating, Chairs
 - b. Classroom Seating, Desks
 - c. Classroom Teachers Desk

Caro Center:

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future.

In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements show below.

Special Notes:

- 1. Beds and Dining Room Tables must have the capability of being fixed to the floor.
- 2. If special equipment/processes are required to fix furnishing to the floor, please indicate how the State can obtain required equipment/process for proper installation. It is preferred that items for purchase are able to be installed by the facilities Maintenance Department.
- 3. The following products must be new, fire-retardant polyethylene; the following are anticipated items for purchase:

a. Patient Unit Beds: 41"x86x24" or; 40"x83.5x15.5"
b. Patient Unit Open Chest: 26"Wx24"Dx78&3/8"H

c. Patient Unit Wardrobes: 26"x251/2 "Dx 78&3/8"H

Center for Forensic Psychiatry:

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future.

In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements show below.

Special Notes:

- 1. Wardrobes do not currently have doors.
- 2. Beds including bedroom furnishings, and chairs do not have to be bolted to the floor.
- 3. Dayroom chairs will be a mix of chairs with and without arms.
- **4.** The following products must be new, fire-retardant polyethylene; the following are anticipated items for purchase:
 - a. Padded Arm and armless chairs
 - **b.** Patient Unit Beds: 84"L x 40"W x 15 1/2"H
 - c. Patient Unit Desks: 36"Wx29Hx24"D
 - d. Patient Unit Armless Chair nonpadded
 - e. Patient Unit Open Chest: 30"Wx42&7/8"Hx 18"D
 - f. Patient Unit Wardrobe

i. No Door: 26"Wx24"Dx73"Hii. With Door: 26"Wx25"Dx78"H

Hawthorn Center:

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future.

In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements shown below.

Special Notes:

- Living Areas/TV Room chairs are a mix of chairs with and without arms. (40 of each chair style approximately)
- 2. Beds should be in the following styles: Platform, Rimed Edge to retain fluids, fixed and sealed to the floor. (56 of each bed style) No build in cubbies are permitted.
- 3. Wardrobes must be ligature resistant with locking door, fold flat hinges, and built in shelves.
- 4. Room Desks must be ligature resistant and 36" tall.
- **5.** All items listed above 1-4 are plastic, sealed seams, rounded corners, and fire resistant. All Patient living area furniture must have impermeable surfaces for cleaning, and sanitizing.
- **6.** Classroom Furniture: individual student desks need chair attached to work surface. Cafeteria Seating: 4 or 8-person table with fixed chair or seat.
- 7. All items provided must be new, Fire-Retardant Polyethylene

Kalamazoo Psychiatric Hospital (KPH):

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future. In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements show below.

Special Notes:

- All Patient living area furniture must have impermeable surface for cleaning and sanitizing to address infection control concerns.
- 2. Day room Chairs are to be ligature resistant (Anti-ligature) capacity to hold up to 350 lbs, not able to be easily picked up/thrown, soft seats for adult patients with medical issues.
- 3. Day room and unit dining room chairs can be with and/or without arms and/or rockers, and ability to be bolted to the floor.
- **4.** Dining room Chairs are to be ligature resistant (Anti-ligature) capacity to hold up to 350 lbs, not able to be easily picked up/thrown, soft seats for adult patients with medical issues.
- 5. All Patient living area furniture must have impermeable surface for cleaning and sanitizing to address infection control concerns.
- **6.** Beds, and bedroom furnishing must be bolted on an as needed basis. Hospital and prison beds are ordered on an as needed basis.
- 7. The following products must be new, fire-retardant polyethylene; the following are anticipated items for purchase:
 - a. Patient Unit Beds: 36"x80" with under bed storage shelving
 - **b.** Patient Unit Fall Risk Bed: 36"x82x"8"
 - c. Hospital Bed: Generally: 41.5'x8'x8 height can vary
 - d. Prison Bed: 38"x82"x11
 - e. Patient Unit Wardrobes: 36"x78x24" or; 26"x75"x24
 - f. Cabinets: varying dimensions
 - g. Property Boxes: 2cu. Ft. 23"x11.5"x18"
 - h. Razorback chair: 19"x19"x29.5"
 - i. Saber Chair: 30"x30"x32"
 - j. Game Tables: 42"x42"x29"

Walter Reuther Psychiatric Hospital (WRPH):

Please note the following items are a general list of items currently utilized, items listed are an indicator of future need and are in no way a guarantee of items to be purchased by the State in the future.

In Section 1.1 Product Specifications, of Schedule A – Statement of Work, please confirm that items offered by your Organization will meet the minimum requirements show below.

Special Notes:

- 1. Patient Living Area Chairs rounded backs and seats, seats must be appropriate for large adult patients with medical issues, with a weight capacity of 350lbs.
 - a. Steel seats pan to conceal nay staples/tamper proof screws.
 - b. Chair base constructed with sled style legs with floor protective glides
 - c. Chairs can be with or without arms
- 2. All metal products must be constructed with minimum 14-gauge oval steel.
- 3. Seating materials must contain a moisture barrier, high grade vinyl and other anti-microbial material options.
- 4. Furniture must be freestanding.
- 5. The following products must be new, fire-retardant polyethylene; the following are anticipated items for purchase:
 - a. Patient Are Chairs: 25"-28" seat
 - **b.** Patient Dining Area Chairs: 25"-28" seat
 - c. Dining Area Table TBD

STATE OF MICHIGAN

Contract No. 20000000373 Statewide – Anti-Ligature Furnishing Services

SCHEDULE D
Norix Product Lines

Please Refer to Pages 37 - 66.









Attenda® Series



Engineered to $\mathsf{Endure}^{\scriptscriptstyle\mathsf{TM}}$



Safe, Secure...And Built to Last

The key to Attenda's strength and durability is its advanced construction. Molded in specially formulated, high-impact, fire-retardant polyethylene, each Attenda product is structurally enhanced for increased strength and durability. They are solid as a rock, yet feature seamless construction with rounded corners for added safety and security. Each piece is designed to be attached flush to the wall or floor.



Fluid-resistant and Easy to Clean Attenda

Your maintenance staff knows that fluid absorption can wreak havoc with furniture and create a hazardous environment. Attenda's rugged, exterior skin is seamless and impervious to liquids – from bodily fluids to industrial cleaners. The non-absorbent, polymer construction simply leaves no place for fluids to go. Chronic maintenance problems are washed away.



Tested to 1,000 lb static load.



Model #ATN 101

Dimensions: $84''L \times 40''W \times 15^{-1}/2''H$

The cornerstone of the collection is the Attenda Platform bed — designed and engineered to exceed the expectations of practitioners who have tried everything. The Attenda bed mounts in a corner, against a wall or free standing. Sturdy and seamless, this product features a raised lip around the bed deck for easy clean-up. An optional wall-mount headboard adds a touch of woodgrained style, with institutional durability.

Platform Bed Riser

Model #ATN 102

Dimensions: 84"L x 40"W x 8"H


ComfortShield Mattress Size: 36"x82"

Optional riser raises sleep surface 8 inches making it easier for staff to administer to patients as well as accommodate a patient lift device.

Bed fastens securely to riser at the existing anchor locations of the bed

(tamper-resistant connecting hardware included).

Pairs with ATN 100 or ATN 101 beds (retrofit capable).



Complete the bed ensemble with a Norix Comfort Shield® Mattress

- Remedy Series Mattresses feature 100% sealed seams that are radio frequency welded and guaranteed not to break – for enhanced hygiene, security and durability.
- Available in multiple grade levels to suit a variety of unique facilities.
- Ships economically with Norix beds.

Attenda Bed Options

Attenda beds are available with an optional sealed bottom, for use when beds are not bolted to the floor. For more critical applications, add heavy-duty restraint rings that mount with through-bolts right to the floor – and serve as connector points for your restraint straps. Optional non-removable floor glides allow Norix Restraint Rings to be used without bolting beds to the floor. Use with or without sealed bottom option.

Space Saver Bed

Model #ATN 120

Dimensions: 79"L x 31"W x 15"H

The Attenda Space Saver Bed has a smaller footprint to maximize unencumbered floor space in the room – sized to accommodate a 27" x 75" mattress. Bolts securely to the floor.



Attenda Sleigh Bed

Model #ATN 140 (13" High Bed)

#ATN 140H (13" High Bed with Drainage Holes)

#ATN 145 (18" High Bed)

#ATN 145H (18" High Bed with Drainage Holes)

Dimensions: 92 $^{13}/_{16}$ "L x 38 $^{1}/_{2}$ "W x 13"H (13" High Bed)

92 $^{13}/_{16}$ "L x 38 $^{1}/_{2}$ "W x 18"H (18" High Bed)

The Attenda Sleigh Bed addresses geriatric, incontinence and client safety issues – in a contemporary, residential design.







Includes non-removable, nylon-bottom leveler glides as standard. Bolt-down option available.



Ideal for incontinent patients. Optional drain holes allow fluids to drain away.



42

Attenda Space-Saving Bed with Storage


Model #ATN 130

Dimensions: 32"W x 23"H x 78"L

Deck Dimensions: $76^{\circ}L \times 30^{\circ}W$

Slightly textured maintenance free surface allows for easy cleaning. Rotationally molded, ligature-resistant, specially formulated, fire-retardant, high-impact polyethylene with ultraviolet light stabilizers (to reduce fading).





Citadel Property Storage Container

Model #PB301

Dimensions: $25^{-13}/_{32}$ ""W x 13"H x $17^{-1}/_2$ ""D


Innovative ribbed construction delivers superior strength

with molded-in 3-dimensional structure.

Securely stacks and alternatively nests with a 180 degree turn. Injection molded from high impact

polypropylene copolymer.








Engineered to Endure™

Norix Group, Inc.
1800 W. Hawthorne Lane, Suite N
West Chicago, Illinois 60185
Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@norix.com
www.norix.com
@2016 Norix Group, Inc.







Integra Series

Integra chairs are specifically designed for intensive use applications, yet comfortable and lightweight. They're molded in one piece so you don't have to worry about assembled components coming loose. They're stackable and they pass the rigid California Technical Bulletin 133 Flammability Test. The Integra Series includes both arm and armless chairs.

Integra Arm Chair

The Integra Arm Chair features a unique overlapping arm design which allows effortless interlocking for set-up simplicity.



Integra Armless Chair

This chair withstands a static load test of over 400 lbs. due to its unique leg shape and 1 1/2" deep "X" ribs molded into the seat bottom. Integra Arm and Armless are both available in eight appealing colors. Meets ANSI/BIFMA X5.4.











Gangable Versatile One-Piece Molded Seat





Resistant

Left Arm Sectional

Right Arm Sectional





Bench Wedge



Round Ottoman

49







Cube

Heavyweight Multiple Base Options Ergonomic Heavy-Duty Toam-Filled









Seat Wedge



Stool











Extraordinary by $\mathsf{Design}^{\scriptscriptstyle\mathsf{TM}}$

Norix Group, Inc. 1800 W. Hawthorne Lane, Suite N West Chicago, Illinois 60185

Phone: 630-231-1331
Toll Free: 800-234-4900
Fax: 630-231-4343
Email: furniture@poris.com

Email: furniture@norix.com

www.norix.com

©2014 Norix Group, Inc.











Attenda Headboard

Model #ATN110

Dimensions: $39^{1}/_{2}$ "W x 18"H x $1^{1}/_{8}$ ""D

 $1^{1}/_{8}$ " 45 lb density M3 grade particle board with durable high-pressure

laminate surface and 2mm PVC edge.

Attenda Nightstand & Deluxe Nightstand

Model #ATN250 (Standard) | #ATN255 (Deluxe)

Dimensions: 22"W x 22"L x 23"H (Standard)

22"W x 22"L x 23 ⁷/₈"H (Deluxe)

Add a nightstand with open compartments for storage of personal articles. Also available in Deluxe version, with permanently affixed, heavy duty laminated top.





Attenda Book Shelf

Model #ATN310

Dimensions: $31^{"}W \times 21^{"}H \times 13^{"}D$

The wall-mounted Attenda Book Shelf is sized to be used as a bookshelf above an Attenda Desk, or to fit above the head end of an Attenda Space Saver Bed.

Attenda Floor-Mount Desk & Stool

Model #ATN601 (Desk)

#ATN500 (Stool)

Dimensions: 36"W x 29"H x 24"D (Desk)

 $16^{1}/2$ " Diameter x 16"H (Stool)

The Attenda Floor-Mount Desk has a hard, smooth writing surface, permanently affixed to the molded base with tamper-proof hardware. The high-pressure laminate top features a durable molded edge, rounded for safety and security. The floor-mounted desk includes a built-in modesty panel. The Attenda Floor-Mount Stool completes the desk ensemble. Or, use a Norix UltraMax chair.



Attenda Wall-Mounted Desk

Model #ATN620

Dimensions: $35 \, {}^{1}/{}_{2}$ "W x $23 \, {}^{3}/{}_{4}$ "H x $23 \, {}^{3}/{}_{4}$ "D (without top)

 $35^{1}/2$ "W x $24^{3}/4$ "H x $23^{3}/4$ "D (with top)

Slightly textured, maintenance-free surface allows for easy cleaning. Rotationally molded, specially formulated, fire-retardant, high-impact polyethylene with ultraviolet light stabilizers (to reduce fading).









Attenda 3 & 4 Shelf Storage Unit

Model #ATN300 (3 Shelf) | #ATN400 (4 Shelf)

Dimensions: $29"W \times 57"H \times 12"D$ (3 Shelf)

 $29"W \times 72"H \times 12"D (4 Shelf)$

The wall-mounted Attenda Shelf Storage Units

keep everything in its place, yet visible to staff.

Attenda Open Chest

Model #ATN700 (Standard) | #ATN750 (Deluxe)

Dimensions: 30"W x 42"H x 18"D (Standard)

 $30''W \times 42^{7}/8''H \times 18''D (Deluxe)$

The Attenda Open Chest is designed to bolt to the floor and provide accessible, visible storage. Available in Standard or Deluxe version with laminated top permanently affixed to the unit. Heavy duty, laminate top has a durable, molded edge – rounded for safety and security.



Attenda Wardrobe

Model #ATN800 (No Door) | #ATN801 (With Door)

Dimensions: $26^{\circ\prime\prime}$ W x $24^{\circ\prime\prime}$ D x $78^{\circ3}/_{8}^{\circ\prime\prime}$ H (No Door)

 $26"W \times 25^{-1}/_2"D \times 78^{-3}/_8"H$ (With Door)

The Attenda Wardrobe is engineered specifically for intensive-use environments, with advanced safety and security features (patents pending).

- The wardrobe bolts securely to the wall with 6 connection points.
- A molded-in J-channel accommodates clothes hangers with NO tie off opportunity.
- Rounded corners and sloped top for added safety and security.
- A 270° continuous piano hinge allows door to fold flat to the side. Factory-installed hinge attaches securely with tamper-resistant hardware (steel-to-steel connections).

 Specify right or left hinge. Or, order wardrobe with no door.
- Available with wing knob cam latch, or keylock.



If you've tried the rest, and can't afford to be let down again, make the move to Attenda. Furniture that's designed for your critical environment — yet safe for residents and staff alike. Furniture that's built to last — and look good doing it — year after year.

Attenda Restraint Rings

Model #ATN-RR01K-01 (Single) | #ATN-RR06K-01 (Set of 6)

Dimensions

Ring: 3" H x 1/2" D x 1 19/32" H

Pin: 3/4" Dia. x 2 1/2" H

Block: 4 13/32" W x 1" H

The design characteristics of this product are not intended to replace or substitute the need for necessary supervision or other necessary protective measures to protect those who may be at risk.





^{*} These goods are sold by Norix for institutional use only and not as consumer products. The design characteristics of this product are not intended to replace or substitute the need for necessary supervision or other necessary protective measures to protect those who may be at risk. Norix warrants the goods to be free from defects in materials and workmanship in normal use and service. It is the customer's responsibility to ensure that products purchased from Norix and installed are suitable for the environment in which they are installed. Norix does not warrant the fitness for use or merchantability of this product. The suitability of this product for any particular purpose is for buyer, in their sole judgment, to determine. Norix is not liable for consequential damages.



Attenda Colors



Attenda Riser Colors



Laminate Tops & Headboards





Engineered to Endure™

Norix Group, Inc. 1800 W. Hawthorne Lane, Suite N West Chicago, Illinois 60185 Phone: 630-231-1331

Toll Free: 800-234-4900 Fax: 630-231-4343 furniture@norix.com

norix.com

©2019 Norix Group, Inc.





Toughcare® Series

The Toughcare Series chairs are designed and engineered for critical environments, high traffic areas and intensive use applications. These chairs are rotationally molded in one-piece from specially formulated fire retardant, high-impact polyethylene with UV stabilizers to reduce fading. Roto-Mold chair products can be ganged together, bolted-down or weighted on-site for added security. All products pass the stringent California Technical Bulletin 133 Flammability Test procedure.





Toughcare® Lounge Chair

The Toughcare Lounge Chair is designed to be used as a stand-alone or ganged seating arrangements. Also available with a rocker option. The Toughcare chair is ergonomically designed for comfort.





Ultra-Max® Chair

You'll love the versatility of the Ultra-Max Chair. Use it in rows or pull it up to a table. Weight it with sand for additional security.



Threaded Screw Cap

The threaded screw cap allows for easy ballasting so you can maintain space flexibility while providing the safety and security of a heavily weighted chair. Secures with tamper-resistant hardware (provided).



Mega-Max® Sectional Lounge Chair

All of the same great features of the Toughcare chair, but without arms. Use individually or ganged together for couch-like lounging.



Toughcare® Colors



Slammer Stool

The Norix Slammer Stool is designed to meet the seating requirements of overcrowded facilities or anywhere portable chairs are needed.





Norix Group, Inc. 1000 Atlantic Drive Phone: 630-231-1331 Fax: 630-231-4343 Email: furniture@norix.com











FURNITURE Extraordinary by Design™ 0 Forté Series





Forté | Lounge






FORTÉ™ LOUNGE ARM CHAIR: MULBERRY | WOOD BASE: TEAK

OCCASIONAL TABLE LAMINATE: ASIAN SUN

Forté | Café





FORTÉ™ GUEST ARMLESS CHAIR: SAWGRASS | FABRIC: SUGAR SHOOTS CELADON

CAFÉ TABLE: FOSSIL | LAMINATE TOP: ASIAN SUN

Forté | Your Way



8 CHAIR COLORS | 4 FABRIC GRADES x 8 COLORWAYS

OCCASIONAL TABLE | 66 VARIATIONS

CAFE TABLE | 26 VARIATIONS

LOUNGE CHAIR | 240 COMBINATIONS

Forté | Today





FORTÉ™ LOUNGE ARMLESS CHAIR: RAVEN | WOOD BASE: TEAK

STATE OF MICHIGAN


Contract No. 20000000373
Statewide – Anti-Ligature Furnishing Services

SCHEDULE E Vendor Products – Behavioral Healthcare

Please Refer to Pages 67 - 100.

MA #: 20000000674 67

Your Behavioral Healthcare Furniture Guide





Norix Healthcare Furniture

Norix is a leading provider of behavioral healthcare furniture solutions that are specially designed for facilities looking to create safe and secure environments. Designed and engineered for critical applications, Norix psychiatric furniture is ideally suited for residents or patients requiring exceptional care in behavioral healthcare settings.

Our unique mental healthcare furniture includes ligature-resistant products designed after consultation with field-experienced practitioners who are well-versed in safety requirements for patients and staff. Our durable furniture products are easy to clean, tamper resistant and resilient to cleaning agents and fluids.

Select from a variety of special needs furniture including behavioral healthcare tables, beds and seating to suit your requirements for safety, security and the creation of a therapeutic and humanizing environment.

Table of Contents

3 Group / Dayroom

21 Dining

29 Lobby / Waiting Room

39 Patient Room

47 Geriatric

49 Activity Room

53 Bath

55 High Security Mirrors / ADA

57 Installation Services





Terra

Terra is a versatile seating series with a wide assortment of offerings that allow facilities to create highly customized configurations from one product line. That means no more endless searching for furniture that meets your specific needs. Chairs are available in a 22 inch and 30 inch size that can stand alone or be connected as tandem seating. Choose from black, taupe and silver steel frames. Arm caps are available in black and taupe polyurethane, or in maple, teak and walnut wood color. Hundreds of upholstery options in different fabrics, grades and price points. Secure hardware contributes to safety, security and tamper-resistance of the product. No exposed staples where upholstery is applied.





Hundreds of

Terra Tandem Seating



Seats and backs are constructed with heavy duty wood encased in foam. Hundreds of upholstery options are available in different fabrics, grades and price points, giving facilities the opportunity to match the furniture to their space.

Many seat and back upholstery options

Upholstery is double stitched and attached with hidden staples and secure hardware. This assists in keeping products safer and tamper resistant.



Frame colors

Wood Arm Caps

Urethane Arm Caps

Stinson





Harmony™

The Harmony Series blends form and function to deliver the unique combination of exceptional durability and a residential look for facilities that need humanizing products for their challenging environments. Limited lifetime warranty for structural integrity. In spite of that rugged interior, the Harmony Series is elegant, versatile and aesthetically pleasing.



Highly durable polyurethane arm caps are one piece, full length, pick resistant and securely bolted to steel frame.

Hundreds of upholstery options. Seat and back junction available as standard fit or with an extended clean out

Superior Construction Interior steel frame for unparalleled structural

integrity. Arm chair weighs 130 lbs. Love seats, sofas, and benches offer the same construction with more seating options.



Injection molded nylon feet are engineered for strength and to protect floors.

High Back Chair

The high back chairs offer comfortable and supportive seating for geriatric populations and patients who may be immobilized or medicated.



Comfortable lumbar support and ergonomically correct style for comfort and easy egress.

Upholstery


Our upholstery comes in a variety of performance grades so you can choose the appropriate vinyl or fabric for your facility. Both seat and back cushions are field replaceable.



View our complete line of upholstery options at www.norix.com/fabrics.

Injection molded nylon feet are engineered for strength and to protect floors.

Harmony[™] Series



Arm Cap/Feet

Options Round or Square Back

Full or Short Apron Clean Out or Standard Fit Open or Closed Bottom CAL TB 133 upgradeable upholstery Testing GREENGUARD Gold Certified California Technical Bulletin 117 BIFMA 5.4 15.4.2

1000 lb Static Load

Element™

Element is a designer-friendly series of lounge furniture that provides facilities with maximum versatility. Mix and match the Element Lounge Chair, Love Seat and Sofa throughout your facility depending upon the needs of spaces.



Features and Benefits

Whether you are picking a lounge chair, loveseat or sofa, Element will add to or create an aesthetic appeal in dayrooms, lounges, lobbies or other areas in your healthcare facility where you need attractive furniture. Additionally, the series was designed to last and is appropriate for constant-use environments in facilities that see lots of traffic. Learn more about Element's features and benefits below.

Specially formulated, pick and pry resistant Clean Out between seat and back allows arm cap attached to frame with T-nuts. dirt and debris to fall to the ground rather than gather in chair Durability Element is highly durable due to construction and the materials. On the inside, Element is supported by a sturdy milled-wood frame that is connected with metal hardware to ensure durability and longevity. On the outside, the arm rests are protected and covered with a specially formulated, pick and pry resistant arm cap. These arm caps are available in two colors – black and taupe – and are mounted to the wood frame with steel T-nuts.

Upholstery available in a variety of patterns and grades

Frame is made of heavy duty milled wood for strength and durability.

Upholstery

Our upholstery comes in a variety of performance grades so you can choose the appropriate vinyl or fabric for your facility. Both seat and back cushions are field replaceable.



Stinson

View our complete line of upholstery options at www.norix.com/fabrics.

Element™ Series



Generous seat width and cushioned

support provide comfortable lounging.

Arm Cap/Feet

Options

Arm Caps and Feet: Raven, Taupe CAL TB 133 upgradeable upholstery GREENGUARD and GREENGUARD Gold Certified ANSI/BIFMA X5.4-2012 UL.COM/GG BIFMA 5.4 15.4.2 1000 lb Static Load

RockSmart™

RockSmart is a contemporary rocking chair designed from the ground up for soothing comfort, exceptional durability and aesthetic appeal. Its signature one-piece shape is sculpted from rotationally molded polyethylene for a calming, safe and comfortable rock. The 18" is slightly taller, wider, and deeper. Both have a heavier formulation should your facility need a more secure ballasted rocker. Available in two sizes and weights to fit your needs.






Premium material is fully compounded for superior color, fire retardancy and quality assurance.

No assembly required.

Engineered to Endure. Dynamic drop tested to a —relative impact force of two times BIFMA 5.4 15.4.2 and 500 lb static load while also CAL TB133 compliant.



polyethylene with lightly textured surface allows for easy cleaning.

GROUP

DAYROOM



Testing

GREENGUARD Gold Certified California Technical Bulletin 133 UL1056 ASTM E1537 NFPA 261 UL94 HB British Standard BS 7176: 2007 500 lb Static Load

Injection molded nylon feet are engineered

for strength and to protect floors.



Forté[™] Lounge

Forté™ is the designer series of furniture that is fashioned for comfort, flexibility and durability. With a variety of colors to choose from and an upholstery option for seating, this series is made to humanize behavioral health environments and includes a lounge chair and guest chair that come with or without arms. These products are engineered and proven suitable for daily use in demanding environments.



View our complete line of upholstery options at www.norix.com/fabrics.

Extremely durable, one-piece rotationally molded polyethylene seat is impervious to fluids and incredibly impact resistant.

Molded-in steel threaded inserts provide secure steel to steel connections and optional ganging side-to-side.

Dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 and 1000 lb static load while also CAL TB133 compliant.

Generous seat width coordinates with appropriate seat and arm height for proper ergonomics and easy egress.

> Add additional weight with sand. (plinth base only)



Premium material is fully compounded for superior color, fire retardancy and quality assurance.

Arm Lounge


This chair offers the same durability, flexibility and aesthetic design as our armless chair, with the addition of arms which provide hand over ankle positioning for easier egress.



Armless Lounge

Our armless lounge chairs are made of one-piece rotationally molded polyethylene seats and come with the choice of steel, wood or molded bases. The chairs come in a variety of colors and are pitched slightly back for comfortable sitting.





Options: Upholstery, Ganging Kit, Bolt Down Kit, CAL TB 133 Upgradeable Upholstery, Ballasting Bags

Testing: GREENGUARD Gold Certified, California Technical Bulletin 117-2013, UL1056, ASTM E1537, NFPA 261, UL94 HB, British Standard BS 7176: 2007, BIFMA 5.4 15.4.2, 1000 lb Static Load

Forté[™] Guest

Hundreds of upholstery options. Stinson View our complete line of upholstery options at www.norix.com/fabrics. Generous seat width coordinates with appropriate seat and arm

height for proper ergonomics and easy egress.

TruColor

Premium material is fully compounded for superior color, fire retardancy and quality assurance.

Extremely durable, one-piece rotationally molded polyethylene seat is impervious to fluids and incredibly impact resistant.

> Molded-in access port with threaded screw cap for adding additional weight with sand.

Non-removable steel encased floor glides for floor protec-

Arm Guest

This guest chair includes all of the comfort, durability and beauty of our armless chair, plus the additional comfort of arm support that provides hand over ankle positioning for easier egress.



73



Armless Guest

optional ganging side to side.

Our guest chairs are made of one-piece rotationally molded polyethylene and are manufactured with ergonomic contours that provide support. These chairs are pitched slightly forward and allow for comfortable sitting at tables.

Molded-in steel threaded inserts provide secure steel to steel connections and



Upholstery Ganging Kit Bolt Down Kit CAL TB 133 Upgradeable Upholstery Ballasting Bags

Options

Testing GREENGUARD Gold Certified California Technical Bulletin 117-2013 UL1056 ASTM E1537 NFPA 261 UL94 HB British Standard BS 7176: 2007 BIFMA 5 4 15 4 2 750 lb Static Load


7 Visit Norix.com today. Call 800-234-4900 to request a quote.

Wink™

This is definitely not a chip off the old block – pun intended. This is Wink, a newly envisioned lounge chair with attitude, aesthetics and durability to boot. It's a cure for the ordinary, with a wide array of colors and fabrics to choose from. It's cool. It's hip. And its bold curves make other chairs seem ... well ... square.

A Special Frame

This lounge chair features a sturdy, one-piece rotationally molded polyethylene frame with a lightly textured surface that allows for easy cleaning. Non-removable nylon glides protect your floors.







Options

Ganging Kit Bolt Down Kit CAL TB 133 Upgradeable Upholstery Ballasting Bags

GREENGUARD Gold Certified California Technical Bulletin 117-2013 UL1056 ASTM E1537 750 lb Static Load ANSI/BIFMA X5.4-2012

Testing



Sierra Series

There is no substitute for natural wood to create that soothing feel, residential look and sense of normalcy you're striving for. Constructed of natural oak butcher-block, the vertical end arms are designed to combine intensive-use durability with the beauty of natural wood. Each end arm is 13/4" thick, rounded for safety, and features a contemporary "sloped" design for comfort and stylish good-looks. Choose solid end arms or distinctive open end arm design.




The Beauty of Natural Wood

Cushions are the "heart" of Sierra, and the natural wood end arms provide the "soul." A sealer coat plus satin finish coat helps protect the wood from spills and mishaps.



Frame inside seat cushion is 21/4" diameter horizontal cross tubes structure of 18 gauge steel to form a rigid interior framework and provide a secure means to connect cushions and end frames. as well as extend seating to two and three seat groupings.

3/8" tamper-resistant, Torx-head fasteners bolt right into the steel frame for a secure steel to steel connection



Intermediate, End, 90° and Corner Tables.

Testing UL1056 ASTM E1537 NFPA 261 ANSI/BIFMA X5.4-2005 1000 lb Static Load



Hondo Nuevo®

A unique line of furniture that combines superior durability, comfort and style and that includes chair, bench and wedge options that allow for flexible, modular seating arrangements. Hondo Nuevo® is specially designed for healthcare interiors where robust products are a must.





Check out Hondo Nuevo® durability video: norix.com/hondovideo

Testing Strong Hondo Nuevo is compliant with multiple flammability standards, including CAL TB133, as well as the rigorous BIFMA 5.4 durability standard for lounge seating. It also is GREENGUARD and GREENGUARD Gold Certified after stringent testing showed it to be in compliance with the low emissions standards set by UL Environment for indoor facility use.



Modern Design

The Hondo Nuevo® Series combines modern design, ergonomically correct style and comfortable lumbar support with a beautiful, thick vinyl skin and 3 lb density polyurethane foam filling. This unique combination of superior durability, comfort and style is available in several seat, bench and wedge options to create flexible modular seating arrangements. Molded exterior skin tops are attached with tamper resistant fasteners to your choice of molded plinth, steel, molded wood grain leg or genuine wood leg base options.





High Back Chair

The high back option offers facilities yet another tool to help humanize and secure their environments. High back chairs offer comfortable and supportive seating for geriatric populations and patients who may be immobilized or medicated. Extremely durable, 1/4" thick rotationally molded skin is impervious to fluids and puncture resistant to 184 lbs. Comfortable lumbar support and ergonomically correct style for comfort and easy egress. 3 lb density polyurethane foam filling for cushioned comfort. Engineered to Endure. Meets the stringent ANSI/BIFMA X5.4-2005 furniture standard, dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 and 750 lb static load while also CAL Seamless chemically resistant surface is easy to clean and sanitize for great-TB133 compliant. er infection control.

Hondo Nuevo[™] Series



Seat Color			Wood Base	Molded Wood I	Base Molded Base	Steel Base
Canyon	Wild Berry	Meadow	Maple	Maple	Raven	Metallic Silver
Pine Cone	Lagoon	Graphite	Teak	Teak	Fossil	I
Raven	Lime	Reef	Walnut	Walnut	Moss	ı
Mango	Orchid		Wallat	Trainer.	oo	

Testing GREENGUARD Gold Certified California Technical Bulletin 133 British Standard BS 7176: 2007 ASTM E1537 NFPA 261 UL1056 UL94 HB BIFMA 5.4 15.4.2 750 lb Static Load 750 lb Static Load

76

Options Ganging Kit Bolt Down Kit

Mix-Up™

Mix-Up is an *upholstered* furniture line from Norix that allows you to use five different-shaped products to produce endless configurations. This diverse series is perfect for waiting rooms, lobbies or any area where playful, attractive and durable furniture is applicable.

Endless *upholstery* options and three base colors allow facilities to pick an aesthetic that perfectly matches their environment. Choose products that are round, square, wedge, semi-circle and rectangle. Then ... well ... mix them up!





Materials

Mix-Up can bring a pop of color or a calming element to facilities due to the enormous upholstery options available. Choose *upholstery* in different grades, colors, patterns, materials and price points to fit your budget and requirements. High density foam inside the chair allows for comfortable yet stable sitting, while the base is made of high impact polyethylene that is available in three neutral colors, each of which pairs well with nearly all upholstery options.

Shapes

Mix-Up pieces are highly configurable due to their variety in shapes. The upholstered products are designed in round, square, wedge, semi-circle and rectangles. This allows you to mix and match different forms to create highly customized configurations that meet your facility's requirements or vision. Want to use the rectangles to create a square? You can do that. Mix and match shapes to create your own artistic configuration? Sure. Use these products to accompany other Norix product lines? Go for it!




Features and Benefits

Mix-Up is more than just an attractive and highly configurable line of furniture consisting of five unique shapes. The high-grade materials and durable construction make these products suitable for high traffic areas in any space in your facility. Below, learn more about the technical specifications of this new and exciting product.



Mix-Up[™] Series





15 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 **16**



Jupiter Weighted-Down Tables

Sometimes you want a table that is easy to move around. Other times, you'd like that table to stay in one place, but you don't want to anchor it to the floor. Enter the Norix Jupiter Table. Jupiter is designed to be weighted on site to maintain space flexibility and allow for efficient floor maintenance as the needs of an environment change. Loading the base with up to 300 pounds of sand keeps the table solidly in one place.






Finish on the Top

We use the toughest grade available and seal it with a specially formulated, highly durable molded urethane edge. The permanently affixed edge has a radius profile for safety and comfort making it ideal for food service applications. We can also provide our exclusive game top pattern that includes checkers, chess, backgammon and solitaire. Popular top sizes are available in either Plain or Game Top and come in 36" Round and Square; 42" Round and Square.







Testing

GREENGUARD Gold Certified California Technical Bulletin 133 UL1056 ASTM E1537 UL94 HB NFPA 261 British Standard BS 7176: 2007 1000 lb Static Load

General Dimensions

17 Visit Norix.com today. Call 800-234-4900 to request a Quote at 800-234-4900 to request a quote.



X-Base Series

Years ago, we were challenged to design an institutional-grade table that defined each person's space and hindered the passing of contraband from one individual to another on the opposite side. Our answer was the popular, rugged X-Base Table with its unique "X" base design. Today, the X-Base Table is used in high-security and special needs facilities all across the country.



Molded edge is radiused for safety and comfort, pressure fused to the top, rendering it permanently non-removable and highly sanitary.



Base

Special 11/2" thick table top for

additional strength.

Selected material permanently bonded to a core of 45 lb density particle board with embedded T-nuts for securing top to base.

Heavy duty durable, tamper-resistant "X" base style. Engineered and suitable for continuous use in behavioral health environments.

General Dimensions










Laminate Asian Sand Kensington Maple Asian Sun Tan Echo Mahogany


Testing

GREENGUARD Gold Certified 1000 lb Static Load

Max-Master Series

Engineered for superior strength and durability, the Max-Master Series is particularly well suited for dining halls and dayrooms where reliable performance is a must. Whether bolted to the floor or freestanding on adjustable glides, the distinctive individual seat/leg design provides superior stability than traditional pedestal tables. Compression molded composite seats, premium table top and unique steel leg design delivers an exceptional table for continuous daily use in challenging environments.







Oasis® Cafeteria

If your environment demands a more robust solution for cluster seating, your search is over. The Oasis® Series is designed and engineered specifically for dayrooms, dining halls and visitation areas. Oasis® is perfect for situations where users need more back support than traditional stools provide.

Safety & Comfort

Oasis' innovative swivel seats allow easy access and provide the comfort of full lumbar support. The molded polyethylene seat shells are durable and easy to clean. Seats attach securely to reinforced, heavy-duty swivel plates with all-steel, tamperresistant connections.





Superior Performance

The Oasis® table top delivers superior performance, day in and day out, year after year. High-quality laminate surface features a rounded edge that is pressure-fused to the core with a specially formulated, highly durable molded urethane material. Edges are permanently affixed to the top, making it highly sanitary - ideal for food service applications. Also available in a special ADA version with a reinforced 72" long table top.

Strength & Security

A sturdy 14 gauge steel frame gives Oasis® its rock-solid foundation. The rugged frame provides seat support and understructure for the table top. The bottom of the vertical seat tube has a fully welded plate that holds either a large-stem adjustable glide or an enclosed, non-removable anchor bolt for floor-mounting.

Top

Titanium Evolve

Wild Cherry

Asian Sand

Asian Sun

Mahogany

Kensington Maple





Frame

Taupe

Options

Bolt-Down

Testing

Non-Removable Glides

GREENGUARD Gold Certified 1000 lb Static Load

Swivel or Fixed Seats ADA version

33



Forté[™] Guest



Non-removable steel encased floor glides for floor protection.

Arm Guest

This guest chair includes all of the comfort, durability and beauty of our armless chair, plus the additional comfort of arm support that provides hand over ankle positioning for easier egress.



Seat			
Canyon	Wild Berry	Meadow	Mojave
Pine Cone	River Rock	Lagoon	Sea Spray
Graphite	Lime	Reef	Mango

Extremely durable, one-piece rotationally molded polyethylene seat is impervious to fluids and incredibly impact resistant.

Molded-in access port with threaded screw cap for adding additional weight with sand.

Molded-in steel threaded inserts provide secure steel to steel connections and optional ganging side to side.

Armless Guest

Our guest chairs are made of one-piece rotationally molded polyethylene and are manufactured with ergonomic contours that provide support. These chairs are pitched slightly forward and allow for comfortable sitting at tables.



Options Upholstery Ganging Kit Bolt Down Kit CAL TB 133 Upgradeable Upholstery Ballasting Bags

Testing GREENGUARD Gold Certified California Technical Bulletin 117-2013 UL1056 ASTM E1537 NFPA 261 UL94 HB British Standard BS 7176: 2007 BIFMA 5.4 15.4.2 750 lb Static Load

Integra Series

Integra chairs are comfortable and lightweight. They're molded in one piece so you don't have to worry about assembled components coming loose. They're stackable and they pass the rigid California Technical Bulletin 133 Flammability Test.

Integra Construction

Unique leg shape and 11/2" deep "X" ribs molded into the seat bottom for superior strength. The chair is available in eight appealing colors.



Each chair weighs only 7 lbs so stacking 15 of them in a seven foot high space is easily accomplished.

Sled Base Series

Residential room furnishing designed to coordinate with Safehouse® Series furniture. The Safehouse Sled Based Chairs are a collection of real wood seating that is built to last - beautifully.



Options Upholstery


23 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 **24**



Leg Style Series

When you start with 4" diameter 14 gauge tubular steel legs fully welded to 1/4" steel mounting plates, you end up with an incredibly strong, stable and durable table. The legs are joined to the top using tamper-resistant screws connected to embedded T-nuts, for a secure steel-tosteel connection. Optional 21/2" legs provide an attractive residential alternative. Legs are solid as a rock. Lean on it with all your weight. The Leg Style table won't wobble or tip. That's peace of mind.






What's On Top

We pressure fuse our top to the core with a specially formulated, highly durable molded urethane edge. The permanently affixed edge has a radius profile for safety and comfort making it exceptional for food service applications. We also can provide our exclusive game top pattern that includes checkers, chess, backgammon and solitaire.


Under & Beyond

The Leg Style table is engineered and built for continuous daily service in any behavioral health environment, but sometimes you want to make sure it stays put. In addition to super tough, tamper-resistant adjustable glides, we also give you the option of bolt-down tabs ... just to be sure.





General Dimensions



aminate			Legs
itanium Evolve	Asian Sand	Mahogany	Raven
25265	8 11 8 118	Parallel Parallel	
/ild Cherry	Asian Sun	Kensington Maple	Taupe
The second second	S. J. S. Bright		
olar Oak	Walnut	Tan Echo	Metallic Silver

Options Non-Removable Glides 11/4" Laminate Top with Black Vinyl T-mold Edge 21/2" or 4" Diameter Legs

GREENGUARD Gold Certified 1000 lb Static Load

82

25 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 **26**

Forté[™] Weighted Down Café Tables

Molded cylindrical hour glass base pairs with Forte[™] Guest Chairs. Available as a one piece polymer table or with optional laminated top options. Engineered and proven suitable for daily use in demanding environments.





Product tested to 1,000 lbs static load

Polyuretnane edge is radiused for safety and pressure fused to the top, rendering it permanently non-removable and highly sanitary. 11/2" thick edge profile.

One-piece rotationally molded polyethylene with lightly textured maintenance-free surface which allows for easy cleaning. Specially formulated, fire-retardant, high-impact polyethylene with ultraviolet light stabilizers.

Your Top. Your Base. Your Size

The Forté Cafe table is available in a variety of sizes, tops and options. Select the tables that fit your space perfectly.



Laminated Top Titanium Evolve Asian Sand Wild Cherry Asian Sun Kensington Maple


Molded Base

Testing GREENGUARD Gold Certified California Technical Bulletin 133 **ASTM E1537** British Standard BS 7176: 2007 1000 lb Static Load



Max-Master Series

Engineered for superior strength and durability, the Max-Master Series is particularly well suited for dining halls and dayrooms where reliable performance is a must. Whether bolted to the floor or freestanding on adjustable glides, the distinctive individual seat/leg design provides superior stability than traditional pedestal tables. Compression molded composite seats, premium table top and unique steel leg design delivers an exceptional table for continuous daily use in challenging environments.





General Dimensions

Options Lea Protectors Stainless Steel Seats Non-Removable Glides Bolt Down

Testing GREENGUARD Gold Certified 1000 lb Static Load


83

Visit Norix.com — Request a Quote at 800-234-4900 **28**



Terra

Terra is a versatile seating series with a wide assortment of offerings that allow facilities to create highly customized configurations from one product line. That means no more endless searching for furniture that meets your specific needs. Chairs are available in a 22 inch and 30 inch size that can stand alone or be connected as tandem seating. Choose from black, taupe and silver steel frames. Arm caps are available in black and taupe polyurethane, or in maple, teak and walnut wood color. Hundreds of upholstery options in different fabrics, grades and price points. Secure hardware contributes to safety, security and tamper-resistance of the product. No exposed staples where upholstery is applied.





Hundreds of

Terra Tandem Seating



Seats and backs are constructed with heavy duty wood encased in foam. Hundreds of upholstery options are available in different fabrics, grades and price points, giving facilities the opportunity to match the furniture to their space.

Many seat and back upholstery options

Upholstery is double stitched and attached with hidden staples and secure hardware. This assists in keeping products safer and tamper resistant.



Frame Colors Wood Arm Caps Urethane Arm Caps Walnut Teak









Forma

To provide customers and facilities with one source for all of their furniture needs, Norix has expanded its offerings with Forma, a modular upholstered seating line that is designed with attractive features and engineered to be highly durable. The ten pieces in this designer-friendly line of products – including arm chairs, cubes, benches and wedges – are ideal for lobbies, waiting rooms, staff areas and supervised areas such as group therapy and activity spaces. Forma provides a high level of versatility and can help facilities with all of their furniture needs across their entire environment.









Features & Benefits



Steel frame colors Molded base colors Metallic Silver







Harmony™

The Harmony Series blends form and function to deliver the unique combination of exceptional durability and a residential look for facilities that need humanizing products for their challenging environments. Limited lifetime warranty for structural integrity. In spite of that rugged interior, the Harmony Series is elegant, versatile and aesthetically pleasing.





High Back Chair

The high back chairs offer comfortable and supportive seating for geriatric populations and patients who may be immobilized or medicated.



Comfortable lumbar support and ergonomically correct style for comfort and easy


Our upholstery comes in a variety of performance grades so you can choose the appropriate vinyl for your facility. Both seat and back cushions are field replaceable.

Stinson

View our complete line of upholstery options at www.norix.com/fabrics.

Injection molded nylon feet are engineered for strength and to protect

Harmony[™] Series



Arm Cap/Feet

Options

Round or Square Back Full or Short Apron Clean Out or Standard Fit Open or Closed Bottom CAL TB 133 upgradeable upholstery


Testing GREENGUARD Gold Certified California Technical Bulletin 117 BIFMA 5.4 15.4.2 1000 lb Static Load

Element is a designer-friendly series of lounge furniture that provides facilities with maximum versatility. Mix and match the Element Lounge Chair, Love Seat and Sofa throughout your facility depending upon the needs of spaces.



Features and Benefits

Whether you are picking a lounge chair, loveseat or sofa, Element will add to or create an aesthetic appeal in dayrooms, lounges, lobbies or other areas in your healthcare facility where you need attractive furniture. Additionally, the series was designed to last and is appropriate for constant-use environments in facilities that see lots of traffic. Learn more about Element's features and benefits below.



Upholstery available in a variety of patterns and grades.

Frame is made of heavy duty milled wood for strength and durability.

Upholstery

Our upholstery comes in a variety of performance grades so you can choose the appropriate vinyl for your facility. Both seat and back cushions are field replaceable.



Stinson

View our complete line of upholstery options at www.norix.com/fabrics.

Element™ Series



Generous seat width and cushioned

support provide comfortable lounging.

Arm Cap/Feet

Options

Arm Caps and Feet: Raven, Taupe CAL TB 133 upgradeable upholstery Testing GREENGUARD and GREENGUARD Gold Certified ANSI/BIFMA X5.4-2012 UL.COM/GG BIFMA 5.4 15.4.2 1000 lb Static Load



At last, a collection of in-line seating that delivers intensive-use security and durability in a sleek, contemporary design. Gibraltar® is designed to survive the rigors of continuous-use and look great doing it.





Premium TruColor™ material is fully compounded for superior color, fire retardancy and quality assurance.

2" diameter, 14 gauge tubular steel, bent and welded to provide arm or armless in-line seating. Standard configurations for 1 to 4 people.



Extremely durable one-piece molded polyethylene seat and back.

Smooth, seamless non-absorbent surface is easy to clean.

Engineered to Endure. Dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 and 1000 Ib static load while also Cal TB133 compliant.

.0B

ВЧ


WAITING

ROOM

Comfort By Design

Gibraltar® starts with a roomy ergonomic seat. The comfortable seat is a full 20" wide, with plenty of room for today's user. Gibraltar® seats are rotationally molded from durable polyethylene - fire-retardant, non-absorbent and easy to clean. Molded-in threaded steel inserts provide for tamper-resistant, "steel-to-steel" attachment to base frame.

Heavy duty flat steel plate welded to the frame at each seat location to provide strength, support and a mounting platform on which the seat is securely attached.



87

Frame

Options Free Standing Bolt Down End, Corner, or Intermediate Tables Testing GREENGUARD Gold Certified California Technical Bulletin 133 UL1056 ASTM E1537 NFPA 261 British Standard BS 7176: 2007 BIFMA 5.4 15.4.2 1000 lb Static Load

35 Visit Norix.com today. Call 800-234-4900 to request a quote.

Injection molded nylon feet are engineered

for strength and to protect floors.



Forté[™] Lounge

Forté™ is the designer series of furniture that is fashioned for comfort, flexibility and durability. With a variety of colors to choose from and an upholstery option for seating, this series is made to humanize behavioral health environments and includes a lounge chair and guest chair that come with or without arms. These products are engineered and proven suitable for daily use in demanding environments.

Extremely durable, one-piece rotationally molded polyethylene seat is impervious to fluids and incredibly impact resistant.

Molded-in steel threaded inserts provide secure steel-to-steel connections and optional ganging side-to-side.

Dynamic drop tested to a relative impact force of two times BIFMA 5.4 15.4.2 and 1000 lb static load while also CAL TB133 compliant.



Generous seat width coordinates with appropriate seat and arm height for proper ergonomics and easy egress.

Add additional weight with sand.



Premium material is fully compounded for superior color, fire retardancy and quality assurance.

Arm Lounge


This chair offers the same durability, flexibility and aesthetic design as our armless chair, with the addition of arms which provide hand over ankle positioning for easier egress.



Armless Lounge

Our armless lounge chairs are made of one-piece rotationally molded polyethylene seats and come with the choice of steel, wood or molded bases. The chairs come in a variety of colors and are pitched slightly back for comfortable sitting.





Options: Upholstery, Ganging Kit, Bolt Down Kit, CAL TB 133 Upgradeable Upholstery, Ballasting Bags


Testing: GREENGUARD Gold Certified, California Technical Bulletin 117-2013, UL1056, ASTM E1537, NFPA 261, UL94 HB, British Standard BS 7176: 2007, BIFMA 5.4 15.4.2, 1000 lb Static Load

Forté™ Occasional Table

Free standing occasional tables can be optionally ganged with lounge seating for intermediate or corner tables. Choose one of three base options, wood, steel or molded polymer and pair with your choice of molded polymer or laminate top with permanently affixed urethane edge. All tops come with embedded T-nuts for a secure steel to steel connection.



Decorative high pressure laminate is permanently







Testing GREENGUARD Gold Certified California Technical Bulletin 117-2013 UL1056 ASTM E1537 NFPA 261 UL94 HB British Standard BS 7176: 2007 BIFMA 5.4 15.4.2 1000 lb Static Load



Attenda® Series

The Attenda Series is designed to provide the strength, safety and cleanability required for the daily rigors in healthcare environments. The key to Attenda's strength and durability is its advanced construction. Molded in specially formulated, high-impact, fire-retardant polyethylene, each Attenda product is structurally enhanced with rigid polyurethane foam for sound absorption and increased strength and durability. They are solid as a rock, yet feature seamless construction with rounded corners for added safety and security. Each piece is designed to be anchored flush to the wall or floor and can be easily sanitized. Most Attenda products also are ligature-resistant, giving you the peace of mind that you have selected safe and secure furniture for your facility and patients.



Attenda® Space Saver Bed with Storage 22.6

Attenda® Platform Beds

The cornerstone of the collection is the Attenda Bed designed and engineered to exceed the expectations of practitioners who have tried everything. The Attenda Bed mounts in a corner, against a wall or free standing. Sturdy and seamless, the Attenda Bed features a raised lip around the bed deck for easy clean-up. An optional wall-mount headboard adds a touch of wood-grained style for a more residential appearance. No tie-off points make the bed the go-to choice for those looking for anti-ligature furniture products.

Remedy Sealed Seam Mattresses







89

Attenda® Sleigh Bed

The Attenda Sleigh Bed introduces contemporary design for a more residential, normalized appearance without sacrificing advanced construction for intensiveuse applications in healthcare environments. Ideal for geriatric patients, the higher sleep surface makes it easier to administer to patients while the raised bed deck easily accommodates a patient lift device.

Remedy Sealed Seam Mattresses







30.4 38.5

Attenda® Nightstand

The Attenda Nightstand is the ideal companion piece to the Attenda Platform Bed. Open compartments provide for accessible storage of personal articles while maintaining easy visual inspection. The advanced construction delivers unsurpassed performance in healthcare environments and makes it uniquely suited for intensive-use applications. Molded in high-impact polymer, then filled with rigid structural foam, Attenda represents the pinnacle of robust durability. In addition, the product has no moving parts or tie-off points, making it ligature-resistant and safe for your BHC environment. Decorative High Pressure Laminate (HPL) top with durable resin edge is optional.



42.5


Attenda® Open Chest

The Attenda Open Chest is a particularly effective storage solution for an Attenda room ensemble. Open compartments provide ample storage capacity while maintaining easy visual inspection. Attenda's advanced construction delivers unsurpassed performance in healthcare environments and makes it uniquely suited for intensive-use applications. This anti-ligature product is safe and secure and helps decrease the risk of self-harm in your facility. Decorative High Pressure Laminate (HPL) top with durable resin edge is optional.

Attenda® Desk & Stool

Advanced construction for intensive-use applications in critical environments. Molded in high-impact polymer, and then filled with rigid structural foam. Seamless construction with rounded corners make this product ligature-resistant. Easy to clean. Boltdown installation for safety and security. Attenda Desk features HPL top with durable molded edge as standard.





Attenda® Wall Mount Shelves

The Attenda Wall Mount Shelves are the go-to solution when free unencumbered space is at a premium. Open cubbies provide ample storage space while maintaining easy visual inspection. Attenda's advanced construction delivers unsurpassed performance in critical environments and makes it uniquely suited for intensive-use applications. Molded in high-impact polymer, then filled with rigid structural foam, Attenda represents the pinnacle of robust durability. Additionally, the product has no tie-off points, making it ligature-resistant, safe and secure.

Attenda® Wardrobe

Advanced construction for intensive-use applications in critical environments. Molded in high-impact polymer, then filled with rigid structural foam. Seamless construction with rounded corners. Easy to clean. Bolt-down installation for safety and security. Also available with no door.



Canyon Wild Berry Meadow Wild Cherry Asian Sand Mahogany Platform Bed Restraint Rings Platform Bed Bottom Closure No Floor Mount Holes Headboard ASTM E1537 NFPA 261	Color			Тор			Options	Testing
Mojave Pine Cone River Rock Solar Oak Asian Sun Kensington Maple Headboard ASTM E1537 NFPA 261	Canyon	Wild Berry	Meadow	Wild Cherry	Asian Sand	Mahogany	Platform Bed Bottom Closure	California Technical Bulletin 133
Platform Bed 1,000lb Static	Mojave	Pine Cone	River Rock	Solar Oak	Asian Sun	Kensington Maple		ASTM E1537



Safehouse® Series Wood Case Goods

The Safehouse® Series combines safety and durability – in a homelike all-wood collection. After research and consultation with behavioral healthcare professionals, Norix designed the Safehouse collection to provide a warm, yet secure haven for residents – with client safety as the primary consideration. With built-in safety features like sloped tops, rounded edges and SafeJoint™ concealed joinery, Safehouse offers practitioners peace of mind, plus the therapeutic appeal of real wood. Norix exclusive Dura-Ply™ construction ensures that Safehouse products will stand up to the demands of your challenging environment. 5-year limited replacement warranty for defects in materials and workmanship.

82

Platform Bed

Residential room furnishing designed to provide a warm, yet secure haven for residents. The Safehouse Platform Bed anchors a room ensemble with the warmth of wood and the safety of durable construction. Fits a standard 36" x 80" mattress.

Remedy Sealed Seam Mattresses







Captains Bed

Residential room furnishing designed to provide a warm, yet secure haven for residents. The Safehouse Captains Bed anchors a room ensemble with the warmth of wood and the safety of durable construction. 2 built-in open storage compartments add space efficient storage. Fits a standard 36" x 80" mattress.











Shelves, Desks, Nightstands & Wardrobes


Dura-Ply™ construction. "Open-shelf" design for enhanced safety and security. Solid 3/4" back panel for enhanced structural integrity. Catalyzed vinyl sealer coat plus catalyzed varnish top coat for wear resistance.



2 & 3 Shelf Chest



Nightstand




Single Wardrobe



Double Wardrobe



Divided Double Wardrobe



Color Options Bed Headboard Bed Bottom Closure Panel Bed Restraint Rings

Desk





Titan® Series

Looking for residential furniture that can endure years of use in your facility's demanding environment? Look no further than the Titan® Series from Norix – a complete line of steel case goods that combines functional versatility with the institutional durability of all-steel construction. There's no substitute for the strength, safety and durability of steel furniture, and Titan has emerged as the product of choice in institutional settings. Why? Because Titan was designed to perform in the most challenging healthcare environments. Titan products are heavy and heavy duty. You don't have to worry that they'll be invaded by bedbugs, picked apart, or broken through intensive-use. Steel stands the test of time, and provides the best value option. Day in and day out – year after year – Titan performance.



Panel Base Bed

Available in Panel Base Bed, Bunkable Panel Base Bed and Panel Base Bunk. Steel deck, steel end frames for optional bunking. Ships K.D. Optional headboard, footboard, bunk-locking clamps, bottom closure panel, ladder and safety rails.

Remedy Sealed Seam Mattresses







Nightstand

Steel Nightstand with two or three non-removable drawers. Drawers feature padlock hasp locking mechanism. Institutional-grade laminated top. Optional matching laminated drawer fronts.



78

Wardrobe

Freestanding Wardrobe with one fixed shelf and safety J-bar for hanging clothes. Integrated recessed finger pull. Adjustable floor leveler glides. Available in Single Wardrobe and Double Wardrobe. Ships K.D. in two boxes.



Steel Desk with healthcare-grade laminated top. Includes pencil drawer. Adjustable floor leveler glides.



29 30.5

Chest

Steel Chest with institutional-grade laminated top. Non-removable drawers. Available in 2, 3 and 5 drawer chests. Drawers feature padlock hasp locking mechanism. Optional matching laminated drawer fronts.

Steel Color	Optional Steel	Colors*			Laminate	Optional Lamin	ates*	Testing
							Bridge Bridge	GREENGUARD
Khaki	Cream	London Fog	Pewter	Shark	Wild Cherry	Kensington Maple	Solar Oak	Gold Certified
							F 1755 F 1	Platform Bed
bony	Slate	Irish Moss	Dusk	Mink		Rustic Slate	Pewter Brush	1,000 lb Static

43 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 44

Remedy Sealed Seam Mattress

Ideally suited for Behavioral Healthcare environments. Foam core for cushioned comfort with no inner springs. Separate or integrated pillow options. Available in standard healthcare sizes. Polyurethane coated cover with welded seams for enhanced hygiene, security and durability. Remedy Series Mattresses feature 100% sealed seams that are radio frequency welded and guaranteed not to break.



Black Max is our most durable mattress and is suitable for the most extreme-use spaces in your facility. That's because the mattress is constructed with 100% sealed seams that are reinforced with maximum security stitching for unsurpassed seam strength. It's also constructed with an extremely impervious, polyurethane coated cover with reinforcing ripstop scrim. All of this makes Black Max highly durable and resistant to constant-use, bodily fluids, bed bugs and other challenges you may find in healthcare settings.

Shown with Attenda® Floor Mount Bed















Silver Secure is the perfect mattress for those facilities needing more durability and infection control than what is found in your typical healthcare mattress. It's constructed with a durable polyurethane-coated cover with reinforcing ripstop scrim, along with enhanced break strength for added security. An applicable product for the intensive-use found in healthcare environments.

Shown with Attenda® Sleigh Bed

















Norix Blue is a durable mattress with infection control features that make it suitable for daily use in critical environments. It features 100% sealed seams for unsurpassed seam strength and a durable polyurethane coated cover. Day in, day out, Norix Blue will perform well above your expectations.

Shown with Titan® Panel Base Bed












Color

GREENGUARD Gold Certified 16 CFR Part 1633 16 CFR Part 1632

California Technical Bulletin 129 ASTM F1566

Attenda® Bed & Restraint System




fire-retardant, high-impact polyethylene. The beds can be equipped with an 81/2" riser that allows staff to use a lift device to move patients. For extra security, Norix offers an optional restraint bed conversion kit that consists of six heavy-duty restraint rings that mount through the bed and bolt to the floor.



Ask about our innovative **NEW REMOVABLE RESTRAINT RING!**


Safehouse® Bed & Restraint System



Our Safehouse Beds have the therapeutic qualities that come with real wood products. These beds are made of 3/4" plywood with natural hardwood veneer and impact resistant PVC edge banding. For extra safety, Safehouse Beds can be equipped with a restraint bed conversion kit that consists of eight heavy duty D-rings that mount through a 3/4" solid hardwood veneer panel.



Hondo Nuevo® High Back Chair



Pine Cone Lagoor Molded Base Molded Wood Base Steel Base Metallic Silver

Options

GREENGUARD Gold Ganging Kit Floor Anchoring Certified California Technical Bulletin 133 UI 1056 **ASTM E1537** NFPA 261 UI 94 HB British Standard BS 7176: 2007 BIFMA 5.4 15.4.2

750 lb Static Load

Testing

Harmony™ High Back Chair

Options

Full or Short Apron

Clean Out or Standard Fit

CAL TB 133 Upgradeable Upholstery

Open or Closed Bottom

Polyurethane Arm Caps

and Molded Nylon Feet



Testing

BIFMA 5.4 15.4.2

1000 lb Static Load

GREENGUARD Gold Certified

California Technical Bulletin 117

Attenda® Sleigh Bed

The Attenda Sleigh Bed introduces contemporary design for a more residential, normalized appearance without sacrificing advanced construction for intensive-use applications in healthcare environments. Ideal for geriatric patients, the higher sleep surface makes it easier to administer to patients while the raised bed deck easily accommodates a patient lift device. Available with or without drainage holes.





Attenda® Platform Beds


The Attenda Bed is designed and engineered to exceed the expectations of practitioners who have tried everything. The Attenda Bed mounts in a corner, against a wall or free standing. Sturdy and seamless, the Attenda Bed features a raised lip around the bed deck for easy clean-up. An optional wall-mount headboard adds a touch of wood-grained style, with institutional durability.

Ask about our innovative **NEW REMOVABLE RESTRAINT RING!**

Attenda® Platform Bed Riser

Free standing or floor mounted bed riser designed to pair with the Attenda Floor Mount Bed for staff friendly bed height, easy patient egress and convenient use of a patient lift device. Optional riser raises 15" sleep surface an additional 8" and features a knock out access port and push cap for ballasting in free standing applications. Bed fastens securely to riser at the existing anchor locations of the bed (tamper-resistant connecting hardware included). Pairs with ATN100 or ATN101 beds (retrofit capable). Available in Moss or Fossil colors.






93

47 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 48



RockSmart™

RockSmart is a contemporary rocking chair designed from the ground up for soothing comfort, exceptional durability and aesthetic appeal. Its signature one-piece shape is sculpted from rotationally molded polyform for a calming, safe and comfortable rock. The 18" is slightly taller, wider, and deeper. Both have a heavier formulation should your facility need a more secure rocker. Available in two sizes and weights to fit your needs.





No assembly required.

Sculpted shape provides an ergonomically comfortable sit.

One-piece rotationally molded polyethylene with lightly textured surface allows for easy cleaning.

Color Palette

TruColor

Premium material is fully compounded for superior

Engineered to Endure. Dynamic drop tested to a

relative impact force of two times BIFMA 5.4 15.4.2

and 500 lb static load while also CAL TB133 compliant.

color, fire retardancy and quality assurance.

Canyon	
Lagoon	
Orchid	

Pine Cone River Rock

Testing

GREENGUARD Gold Certified California Technical Bulletin 133 UL1056 ASTM E1537 NFPA 261 UL94 HB British Standard BS 7176: 2007 500 lb Static Load

Forté™ Armless Guest

Our guest chairs are made of one-piece rotationally molded polyethylene and are manufactured with ergonomic contours that provide comfortable support. These chairs are pitched slightly forward and allow for comfortable sitting at tables.

Forté[™] Upholstery

Upholstery adds a soft, aesthetic touch to our Forté™ chairs. And with hundreds of fabric options to choose from, you're sure to find the look that is right for your facility. COM available upon request.



Upholstery

Our upholstery comes in a variety of performance grades so you can choose the appropriate vinyl for your facility. Both seat and back cushions are field replaceable.



View our complete line of upholstery options at www.norix.com/fabrics.

Color Palatte					
Canyon	Wild Berry	Meadow	Mojave	Pine Cone	River Rock
Lagoon	Graphite	Sea Spray	Lime	Reef	Mango

otions Testing

cholstery GREENGUARD Gold Certified California Technical Bulletin 133 UL1056 **ASTM E1537** NFPA 261 UL94 HB British Standard BS 7176: 2007 BIFMA 5.4 15.4.2 750 lb Static Load

Integra Series

Integra chairs are specifically designed for intensive use applications, yet comfortable and lightweight. They're molded in one piece so you don't have to worry about assembled components coming loose. They're stackable and they pass the rigid California Technical Bulletin 133 Flammability Test.

Integra Construction

Unique leg shape and 11/2" deep "X" ribs molded into the seat bottom for superior strength.

> Unique leg shape and 11/2" deep "X" ribs molded into the seat bottom for superior strength.



Testing

94

GREENGUARD Gold Certified California Technical Bulletin 133 NFPA 261 ISO 9001-1987



Each chair weighs only 7 lbs so stacking 15 of them in a seven foot high space is easily accomplished.

Molded from high-impact grade copolymer polypropylene with fire retardant additives. Passes the rigid California Technical Bulletin #133 Flammability Test.





Multi-Purpose Table

Most commercial tables are put together with easily removed screws, nuts, bolts, screw-out glides and snap-on parts. Norix created the Multi-Purpose Series of tables specifically for high-use environments.









CorrecTable® Folding

You're looking for a lightweight folding table that is suitable for continual daily use. You want a table that can stand up to the rigors of a healthcare environment. You want the Norix CorrecTable®.





Top Base
Grey Raven

Testing
GREENGUARD Gold Certified
California Technical Bulletin 133
UL1056
ASTM E1537
NFPA 261
500 lb Static Load


Visit Norix.com — Request a Quote at 800-234-4900 to request a quote.

Washroom Accessories

Safety is the issue and Norix has the solution. All accessories are easy-to-clean stainless steel.


ADA Shower Seat

Stainless steel detention-grade recessed shower seat. ADA version meets ADA 4.21.3 & 4.26.3 requirements for L-Shaped Shower Seats.



Towel Hooks

Holds towels or clothing articles safely without the use of protruding pegs or hooks. The chase or surface mounted towel hooks come in stainless steel. Choose from single towel hooks or groups of four.



Wall Mirror

One-piece #430 stainless steel. Highly polished #8 finish. Two standard sizes: $9^{1/2}$ " x $11^{1/4}$ " and $11^{1/4}$ " x $17^{1/4}$ ". Mount direct to wall or with an optional $1^{1/4}$ " thick steel backer plate. Optional embed plate also available.




Soap Dish

Your choice! Pick the soap dish to suit your style. Surface mount available in front or chase mount. Recessed available in chase mount. All in easy-to-clean stainless steel.

Recessed Shelf

No sharp corners or edges protruding from the wall to inflict injury. The chase-mounted recessed shelf comes in easy-to-clean stainless steel.





Ball Clothes Hooks

Single collapsible safety hooks or groups of four with optional 8" deep X 18" long bookshelf. Ball and stem style in stainless only.

Toilet Paper Holder

Front or chase mount. In easy-to-clean stainless steel.





Color

Testing

GREENGUARD Gold Certified


19 / 27


DuraVision™ Mirrors

DuraVision polycarbonate mirrors from Norix are designed specifically for the challenging conditions found in healthcare facilities. The strength of polycarbonate combined with a solid, full foam backing and a unique steel frame design ensures these mirrors exceed the breakability and tamper resistance of any other product on the market.

Behind the Reflection

Most convex mirrors you see in commercial establishments and at intersections are made from acrylic. When tested to withstand impact, they'll be the first to break into knife-like shards. Our polycarbonate mirrors, with pure reflective coatings, are premium 3mm grade with a tensile strength of 9,400 psi. To further enhance the strength, we completely fill the cavity behind the mirror with high-density water blown urethane foam to limit the compression distance, thus eliminating the possibility of breakage from a severe blow. To make sure they stay in place, the DuraVision mirror perimeter is fully enclosed in a heavy duty powder coated steel frame that sits flush with the wall and ceiling and features countersunk screw holes to receive tamper-resistant fasteners.






GREENGUARD Gold Certified

Eliminating Blind Spots

DuraVision mirrors were designed to ensure the safety of facility, staff and patients. DuraVision mirrors permit staff the opportunity to observe blind corners and intersections without putting themselves or others in harm's way.





ADA Oasis™ Cafeteria Table

Sturdy, healthcare grade tables with fixed seating. Laminate top with molded radiused edge.






Attenda® Desk

Laminate top with molded radiused edge. Mounts securely to floor. ADA compliant.


ADA Shower Seat

Healthcare grade, recessed ADA compliant shower seat. Easy-to-clean stainless steel finish.



97

55 Visit Norix.com today. Call 800-234-4900 to request a quote. Visit Norix.com — Request a Quote at 800-234-4900 **56**



Norix healthcare furniture is safe, secure and built to last ... providing outstanding long-term value and peace of mind for your staff. For facilities not using contractors or consultants, it makes sense to reinforce the benefits of the furniture with a installation from Norix.

Benefits of Installation Services:

- Expert installation services, performed by professionals experienced in all facility installations.
- Complex installation capabilities, including field drilling into concrete, secure bolt-down and application of security caulk.
- All labor, installation hardware and materials included.
- Seamless transaction on same purchase order as furniture.
- Reinforces product warranty.

Norix Installation Services







Engineered to Endure®

Norix designs innovative, robust furniture that meets the real-world need for humanizing challenging environments. For more than 35 years, the company has served the behavioral healthcare, corrections, fire/rescue, military, shelter, public safety and variety of commercial industries by providing uniquely reliable furnishings for every application.

All furniture is designed for safety, security and extreme durability. Norix furniture is extraordinary by design, surpassing industry standards for strength, safety and long-term performance. Aside from its durability, Norix products also come in aesthetically pleasing designs and colors and are made especially for facilities that require furniture that can humanize their environments.

The privately held company is headquartered in West Chicago, IL with consultative sales representatives and dealers throughout the U.S. For more information, call 800-234-4900 or visit www.norix.com.

At Norix, we design innovative, robust furniture that meets the real-world need for humanizing challenging environments




Norix Group, Inc. 1800 W. Hawthorne Lane, Suite N West Chicago, Illinois 60185

Phone: 630-231-1331 Toll Free: 800-234-4900 Fax: 630-231-4343 Email: furniture@norix.com

norix.com

1/19 | ©2019 Norix Group, Inc.





Engineered to Endure®

Norix Group, Inc.

1800 W. Hawthorne Lane, Suite N

West Chicago, Illinois 60185

Phone: 630-231-1331 Toll Free: 800-234-4900 Fax: 630-231-4343

Email: furniture@norix.com

norix.com

1/19 | ©2019 Norix Group, Inc.



STATE OF MICHIGAN

Contract No. 20000000373 Statewide – Anti-Ligature Furnishing Services

SCHEDULE F Limited Warranty

Please Refer to Pages 101 – 102.

MA #: 20000000674



LIMITED WARRANTY

Norix warrants, to its original purchaser, all of its products to be free from defects in workmanship and materials for specified periods of time (depending on product) following date of shipment, under normal use and service. Norix makes no other warranty, express or implied, to its customers or any users of the goods, including without limitation any implied warranty of merchantability of the goods or the fitness of the goods for a particular purpose. Norix liability shall be limited to repair or replacement of any defect of work or material for products shipped after January 1, 2019 within the specified warranty period, at the sole discretion of Norix. Norix shall not b age arising from any product defect. All warranty claims must be submitted in writing to Norix' Customer Service department, listing the date of purchase, original invoice number and description of defect(s).

The warranty does not cover:

- Normal wear and tear.
- Product failure due to abuse, misuse, negligence, accident, assembly or installation.
- Alteration or modification of the product in any way.
- Natural variations in color, grain or texture.
- Finishes, fabrics, foam and filling materials.
- Customer Owned Material (COM).
- Freight damage.

Wood is a natural material, with variations in color, grain and texture. Finish colors will vary from product to product and lot to lot. Due to these naturally occurring variations, exact matches to samples or other furniture items ordered at different times cannot be guaranteed. Due to the natural variations of wood materials, some aesthetic differences should be expected when combining laminate tops with natural wood edges and wood veneer surfaces.

Norix warranties upholstery fabrics against defects and color fading, when cared for according to the specified cleaning and maintenance guidelines, for a period of 3 years. COM is exempt and Norix reserves the option to repair or replace. Because upholstered furniture is made of soft, flexible materials designed for comfort, normal wrinkles and puckers may be present.

Limited warranty does not cover shrinkage, picks, wearing, wrinkling, fading, or pilling. This warranty is not valid where there is evidence of heavy soiling or abuse. Because upholstered furniture is made of soft, flexible materials designed for comfort, normal wrinkles and puckers may be present, particularly in the area where the seat intersects with the seat back. Some fabrics may wrinkle slightly within a few months of use, and should not be considered a defect or inferior workmanship.



STATE OF MICHIGAN

Contract No. 20000000373 Statewide – Anti-Ligature Furnishing Services

SCHEDULE G
Norix Organizational Chart

Please Refer to Pages 103 – 104.

MA #: 200000000674

