

Survey Report for HAMLINSLK, , Winter, 2009

| | |
|----------------------------|--|
| Waterbody | HAMLINSLK |
| Year | Winter, 2009 |
| County | |
| Sites | HAMLIN |
| Survey period | January 13 to March 21 |
| Survey design | |
| Interview type/mode | roving/open ice, shanty |
| Count type/mode | aerial, progressive/ |
| Clerk time | |
| Survey purpose | Characterize general effort and catch aspects of the fishery |

Notes

Survey followed a design. All funding was provided through Fisheries Division. One clerk worked to collect angler survey data. Both weekend days and 3 randomly selected weekdays were selected for sampling during each week of the survey season. No holidays were sampled. Clerk followed a randomized count and interview schedule. One of two shifts was selected each sample day. The entire water body was sampled each day. Starting location within the waterbody and direction of travel were randomized for both counting and interviewing. counts of anglers were made once per day. Survey period for both counts and interviews was January 13 to March 21. Months were estimated separately. Estimates are given in Tables xxx.

Table –Work shifts used to estimate catch and effort at HAMLINSLK, January 13 to March 21, Winter, 2009

| | Year | Month | F |
|---|------|-------|----|
| 1 | 2009 | 1 | 13 |
| 2 | 2009 | 2 | 13 |
| 3 | 2009 | 3 | 13 |

Estimated harvest, catch per hour, and fishing pressure for hamlin_open ice. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|--------------------------|--------------------------|------------------------|---------------------------|----------------------------|---------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0.0006 (0.0013) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0006 (0.0013) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0096 (0.0104) | 39 (74) | 43 (55) | 9 (12) | 92 (93) | 0.0096 (0.0097) | 92 (93) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0085 (0.0086) | 0 (0) | 59 (69) | 23 (30) | 82 (75) | 0.0085 (0.0078) | 82 (75) | NAN (0) | 0 (0) |
| Bluegill | 0.4277 (0.2544) | 1,289 (790) | 2,329 (1,561) | 491 (433) | 4,109 (1,803) | 0.4277 (0.1879) | 4,109 (1,803) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0060 (0.0071) | 0 (0) | 34 (57) | 24 (30) | 58 (64) | 0.0060 (0.0067) | 58 (64) | NAN (0) | 0 (0) |
| Black crappie | 0.0265 (0.0246) | 10 (20) | 195 (200) | 50 (70) | 254 (213) | 0.0265 (0.0222) | 254 (213) | NAN (0) | 0 (0) |
| Common white sucker | 0.0006 (0.0012) | 0 (0) | 5 (11) | 0 (0) | 5 (11) | 0.0006 (0.0011) | 5 (11) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.4794 (0.2701) | 1,338 (794) | 2,671 (1,578) | 596 (441) | 4,606 (1,820) | 0.4794 (0.2701) | 4,606 (1,820) | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0.0006 (0.0013) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0006 (0.0013) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0161 (0.0146) | 7 (15) | 132 (123) | 15 (18) | 155 (125) | 0.0161 (0.0131) | 155 (125) | NAN (0) | 0 (0) |
| Largemouth bass | 0.0136 (0.0153) | 0 (0) | 88 (125) | 43 (57) | 131 (137) | 0.0136 (0.0143) | 131 (137) | NAN (0) | 0 (0) |
| Smallmouth bass | 0.0003 (0.0006) | 3 (6) | 0 (0) | 0 (0) | 3 (6) | 0.0003 (0.0006) | 3 (6) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0750 (0.0767) | 409 (622) | 217 (240) | 94 (121) | 721 (678) | 0.0750 (0.0706) | 721 (678) | NAN (0) | 0 (0) |
| Bluegill | 0.5087 (0.3349) | 2,690 (2,040) | 2,074 (1,524) | 123 (124) | 4,887 (2,549) | 0.5087 (0.2656) | 4,887 (2,549) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0041 (0.0062) | 0 (0) | 24 (48) | 15 (31) | 39 (57) | 0.0041 (0.0059) | 39 (57) | NAN (0) | 0 (0) |
| Rock bass | 0.0126 (0.0176) | 0 (0) | 117 (162) | 4 (7) | 121 (162) | 0.0126 (0.0168) | 121 (162) | NAN (0) | 0 (0) |
| Black crappie | 0.0063 (0.0084) | 0 (0) | 56 (77) | 4 (9) | 60 (77) | 0.0063 (0.0081) | 60 (77) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.6373 (0.3763) | 3,110 (2,133) | 2,714 (1,564) | 299 (186) | 6,123 (2,651) | 0.6373 (0.3763) | 6,123 (2,651) | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1167 (0.5595) | 4,448 (2,276) | 5,385 (2,221) | 896 (479) | 10,728 (3,216) | 1.1167 (0.5595) | 10,728 (3,216) | NAN (0) | 0 (0) |
| ANGLER HOURS | | 3,156 (1,472) | 5,411 (3,488) | 1,040 (737) | 9,607 (3,857) | | 9,607 (3,857) | | 0 (0) |
| ANGLER TRIPS | | 772 (397) | 1,537 (1,049) | 314 (226) | 2,623 (1,144) | | 2,623 (1,144) | | 0 (0) |

Estimated harvest, catch per hour, and fishing pressure for hamlin_shanty. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|--------------------|----------------------|----------------------|------------------------|-----------------------|------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Northern pike | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0010 (0.0023) | 0 (0) | 0 (0) | 2 (4) | 2 (4) | 0.0010 (0.0022) | 2 (4) | NAN (0) | 0 (0) |
| Bluegill | 0.1985 (0.0779) | 338 NAN | 0 (0) | 7 (12) | 345 (12) | 0.1985 (0.0117) | 345 (12) | NAN (0) | 0 (0) |
| Pumpkinseed | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Black crappie | 0.6327 (0.4651) | 306 (381) | 632 (550) | 162 (144) | 1,100 (685) | 0.6327 (0.3950) | 1,100 (685) | NAN (0) | 0 (0) |
| Common white sucker | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.8322 (0.4615) | 644 NAN | 632 (550) | 171 (145) | 1,447 (569) | 0.8322 NAN | 1,447 NAN | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Northern pike | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Largemouth bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Smallmouth bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0862 (0.0884) | 0 (0) | 99 (132) | 51 (52) | 150 (142) | 0.0862 (0.0819) | 150 (142) | NAN (0) | 0 (0) |
| Bluegill | 0.0486 (0.0190) | 84 NAN | 0 (0) | 0 (0) | 84 (0) | 0.0486 (0.0023) | 84 (0) | NAN (0) | 0 (0) |
| Pumpkinseed | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Rock bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Black crappie | 0.1927 (0.2273) | 164 (328) | 104 (140) | 68 (111) | 335 (373) | 0.1927 (0.2146) | 335 (373) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.3275 (0.1832) | 248 NAN | 203 (192) | 118 (122) | 570 (228) | 0.3275 NAN | 570 NAN | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1597 (0.5743) | 892 NAN | 835 (583) | 289 (189) | 2,017 (613) | 1.1597 NAN | 2,017 NAN | NAN (0) | 0 (0) |
| ANGLER HOURS | | 579 NAN | 963 (663) | 198 (149) | 1,739 (680) | | 1,739 (NAN) | | 0 (0) |
| ANGLER TRIPS | | 128 NAN | 236 (174) | 40 (32) | 404 (177) | | 404 (NAN) | | 0 (0) |

Estimated harvest, catch per hour, and fishing pressure for hamlin. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|----------------------|--------------------------|------------------------|---------------------------|-----------------------|-------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0.0005 (0.0011) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0005 (0.0011) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0081 (0.0086) | 39 (74) | 43 (55) | 9 (12) | 92 (93) | 0.0081 (0.0082) | 92 (93) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0074 (0.0071) | 0 (0) | 59 (69) | 25 (31) | 83 (75) | 0.0074 (0.0067) | 83 (75) | NAN (0) | 0 (0) |
| Bluegill | 0.3926 (0.1902) | 1,627 NAN | 2,329 (1,561) | 498 (434) | 4,454 (1,620) | 0.3926 (0.1430) | 4,454 (1,620) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0051 (0.0059) | 0 (0) | 34 (57) | 24 (30) | 58 (64) | 0.0051 (0.0057) | 58 (64) | NAN (0) | 0 (0) |
| Black crappie | 0.1194 (0.0739) | 316 (382) | 827 (586) | 212 (160) | 1,354 (717) | 0.1194 (0.0633) | 1,354 (717) | NAN (0) | 0 (0) |
| Common white sucker | 0.0005 (0.0010) | 0 (0) | 5 (11) | 0 (0) | 5 (11) | 0.0005 (0.0010) | 5 (11) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.5335 (0.2291) | 1,982 NAN | 3,303 (1,671) | 767 (464) | 6,053 (1,734) | 0.5335 NAN | 6,053 NAN | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0.0005 (0.0011) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0005 (0.0011) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0136 (0.0119) | 7 (15) | 132 (123) | 15 (18) | 155 (125) | 0.0136 (0.0111) | 155 (125) | NAN (0) | 0 (0) |
| Largemouth bass | 0.0116 (0.0127) | 0 (0) | 88 (125) | 43 (57) | 131 (137) | 0.0116 (0.0121) | 131 (137) | NAN (0) | 0 (0) |
| Smallmouth bass | 0.0003 (0.0005) | 3 (6) | 0 (0) | 0 (0) | 3 (6) | 0.0003 (0.0005) | 3 (6) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0767 (0.0658) | 409 (622) | 316 (274) | 145 (131) | 871 (693) | 0.0767 (0.0611) | 871 (693) | NAN (0) | 0 (0) |
| Bluegill | 0.4382 (0.1944) | 2,775 NAN | 2,074 (1,524) | 123 (124) | 4,971 (1,529) | 0.4382 (0.1350) | 4,971 (1,529) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0035 (0.0051) | 0 (0) | 24 (48) | 15 (31) | 39 (57) | 0.0035 (0.0050) | 39 (57) | NAN (0) | 0 (0) |
| Rock bass | 0.0107 (0.0147) | 0 (0) | 117 (162) | 4 (7) | 121 (162) | 0.0107 (0.0143) | 121 (162) | NAN (0) | 0 (0) |
| Black crappie | 0.0348 (0.0354) | 164 (328) | 159 (159) | 72 (111) | 395 (381) | 0.0348 (0.0336) | 395 (381) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.5898 (0.2351) | 3,358 NAN | 2,917 (1,576) | 417 (223) | 6,692 (1,591) | 0.5898 NAN | 6,692 NAN | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1233 (0.4149) | 5,340 NAN | 6,220 (2,297) | 1,185 (515) | 12,745 (2,354) | 1.1233 NAN | 12,745 NAN | NAN (0) | 0 (0) |
| ANGLER HOURS | | 3,735 NAN | 6,373 (3,550) | 1,238 (752) | 11,346 (3,629) | | 11,346 (NAN) | | 0 (0) |
| ANGLER TRIPS | | 900 NAN | 1,773 (1,063) | 354 (228) | 3,027 (1,087) | | 3,027 (NAN) | | 0 (0) |

Estimated harvest, catch per hour, and fishing pressure for open ice. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|--------------------------|--------------------------|------------------------|---------------------------|----------------------------|---------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0.0006 (0.0013) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0006 (0.0013) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0096 (0.0104) | 39 (74) | 43 (55) | 9 (12) | 92 (93) | 0.0096 (0.0097) | 92 (93) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0085 (0.0086) | 0 (0) | 59 (69) | 23 (30) | 82 (75) | 0.0085 (0.0078) | 82 (75) | NAN (0) | 0 (0) |
| Bluegill | 0.4277 (0.2544) | 1,289 (790) | 2,329 (1,561) | 491 (433) | 4,109 (1,803) | 0.4277 (0.1879) | 4,109 (1,803) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0060 (0.0071) | 0 (0) | 34 (57) | 24 (30) | 58 (64) | 0.0060 (0.0067) | 58 (64) | NAN (0) | 0 (0) |
| Black crappie | 0.0265 (0.0246) | 10 (20) | 195 (200) | 50 (70) | 254 (213) | 0.0265 (0.0222) | 254 (213) | NAN (0) | 0 (0) |
| Common white sucker | 0.0006 (0.0012) | 0 (0) | 5 (11) | 0 (0) | 5 (11) | 0.0006 (0.0011) | 5 (11) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.4794 (0.2701) | 1,338 (794) | 2,671 (1,578) | 596 (441) | 4,606 (1,820) | 0.4794 (0.2701) | 4,606 (1,820) | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0.0006 (0.0013) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0006 (0.0013) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0161 (0.0146) | 7 (15) | 132 (123) | 15 (18) | 155 (125) | 0.0161 (0.0131) | 155 (125) | NAN (0) | 0 (0) |
| Largemouth bass | 0.0136 (0.0153) | 0 (0) | 88 (125) | 43 (57) | 131 (137) | 0.0136 (0.0143) | 131 (137) | NAN (0) | 0 (0) |
| Smallmouth bass | 0.0003 (0.0006) | 3 (6) | 0 (0) | 0 (0) | 3 (6) | 0.0003 (0.0006) | 3 (6) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0750 (0.0767) | 409 (622) | 217 (240) | 94 (121) | 721 (678) | 0.0750 (0.0706) | 721 (678) | NAN (0) | 0 (0) |
| Bluegill | 0.5087 (0.3349) | 2,690 (2,040) | 2,074 (1,524) | 123 (124) | 4,887 (2,549) | 0.5087 (0.2656) | 4,887 (2,549) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0041 (0.0062) | 0 (0) | 24 (48) | 15 (31) | 39 (57) | 0.0041 (0.0059) | 39 (57) | NAN (0) | 0 (0) |
| Rock bass | 0.0126 (0.0176) | 0 (0) | 117 (162) | 4 (7) | 121 (162) | 0.0126 (0.0168) | 121 (162) | NAN (0) | 0 (0) |
| Black crappie | 0.0063 (0.0084) | 0 (0) | 56 (77) | 4 (9) | 60 (77) | 0.0063 (0.0081) | 60 (77) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.6373 (0.3763) | 3,110 (2,133) | 2,714 (1,564) | 299 (186) | 6,123 (2,651) | 0.6373 (0.3763) | 6,123 (2,651) | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1167 (0.5595) | 4,448 (2,276) | 5,385 (2,221) | 896 (479) | 10,728 (3,216) | 1.1167 (0.5595) | 10,728 (3,216) | NAN (0) | 0 (0) |
| ANGLER HOURS | | 3,156 (1,472) | 5,411 (3,488) | 1,040 (737) | 9,607 (3,857) | | 9,607 (3,857) | | 0 (0) |
| ANGLER TRIPS | | 772 (397) | 1,537 (1,049) | 314 (226) | 2,623 (1,144) | | 2,623 (1,144) | | 0 (0) |

Estimated harvest, catch per hour, and fishing pressure for shanty. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|--------------------|----------------------|----------------------|------------------------|-----------------------|------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Northern pike | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0010 (0.0023) | 0 (0) | 0 (0) | 2 (4) | 2 (4) | 0.0010 (0.0022) | 2 (4) | NAN (0) | 0 (0) |
| Bluegill | 0.1985 (0.0779) | 338 NAN | 0 (0) | 7 (12) | 345 (12) | 0.1985 (0.0117) | 345 (12) | NAN (0) | 0 (0) |
| Pumpkinseed | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Black crappie | 0.6327 (0.4651) | 306 (381) | 632 (550) | 162 (144) | 1,100 (685) | 0.6327 (0.3950) | 1,100 (685) | NAN (0) | 0 (0) |
| Common white sucker | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.8322 (0.4615) | 644 NAN | 632 (550) | 171 (145) | 1,447 (569) | 0.8322 NAN | 1,447 NAN | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Northern pike | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Largemouth bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Smallmouth bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0862 (0.0884) | 0 (0) | 99 (132) | 51 (52) | 150 (142) | 0.0862 (0.0819) | 150 (142) | NAN (0) | 0 (0) |
| Bluegill | 0.0486 (0.0190) | 84 NAN | 0 (0) | 0 (0) | 84 (0) | 0.0486 (0.0023) | 84 (0) | NAN (0) | 0 (0) |
| Pumpkinseed | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Rock bass | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | 0 (0) | NAN (0) | 0 (0) |
| Black crappie | 0.1927 (0.2273) | 164 (328) | 104 (140) | 68 (111) | 335 (373) | 0.1927 (0.2146) | 335 (373) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.3275 (0.1832) | 248 NAN | 203 (192) | 118 (122) | 570 (228) | 0.3275 NAN | 570 NAN | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1597 (0.5743) | 892 NAN | 835 (583) | 289 (189) | 2,017 (613) | 1.1597 NAN | 2,017 NAN | NAN (0) | 0 (0) |
| ANGLER HOURS | | 579 NAN | 963 (663) | 198 (149) | 1,739 (680) | | 1,739 (NAN) | | 0 (0) |
| ANGLER TRIPS | | 128 NAN | 236 (174) | 40 (32) | 404 (177) | | 404 (NAN) | | 0 (0) |

Estimated harvest, catch per hour, and fishing pressure for hamlinslk. Two standard errors are given in parentheses.

| Species | C/H | January | February | March | Season | Win C/H | Win Season | Sum C/H | Sum Season |
|-----------------------|----------------------------|----------------------|--------------------------|------------------------|---------------------------|-----------------------|-------------------------|-------------------------|------------------|
| HARVEST | | | | | | | | | |
| Walleye | 0.0005 (0.0011) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0005 (0.0011) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0081 (0.0086) | 39 (74) | 43 (55) | 9 (12) | 92 (93) | 0.0081 (0.0082) | 92 (93) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0074 (0.0071) | 0 (0) | 59 (69) | 25 (31) | 83 (75) | 0.0074 (0.0067) | 83 (75) | NAN (0) | 0 (0) |
| Bluegill | 0.3926 (0.1902) | 1,627 NAN | 2,329 (1,561) | 498 (434) | 4,454 (1,620) | 0.3926 (0.1430) | 4,454 (1,620) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0051 (0.0059) | 0 (0) | 34 (57) | 24 (30) | 58 (64) | 0.0051 (0.0057) | 58 (64) | NAN (0) | 0 (0) |
| Black crappie | 0.1194 (0.0739) | 316 (382) | 827 (586) | 212 (160) | 1,354 (717) | 0.1194 (0.0633) | 1,354 (717) | NAN (0) | 0 (0) |
| Common white sucker | 0.0005 (0.0010) | 0 (0) | 5 (11) | 0 (0) | 5 (11) | 0.0005 (0.0010) | 5 (11) | NAN (0) | 0 (0) |
| TOTAL HARVEST | 0.5335 (0.2291) | 1,982 NAN | 3,303 (1,671) | 767 (464) | 6,053 (1,734) | 0.5335 NAN | 6,053 NAN | NAN (0.0000) | 0 (0) |
| RELEASED | | | | | | | | | |
| Walleye | 0.0005 (0.0011) | 0 (0) | 6 (12) | 0 (0) | 6 (12) | 0.0005 (0.0011) | 6 (12) | NAN (0) | 0 (0) |
| Northern pike | 0.0136 (0.0119) | 7 (15) | 132 (123) | 15 (18) | 155 (125) | 0.0136 (0.0111) | 155 (125) | NAN (0) | 0 (0) |
| Largemouth bass | 0.0116 (0.0127) | 0 (0) | 88 (125) | 43 (57) | 131 (137) | 0.0116 (0.0121) | 131 (137) | NAN (0) | 0 (0) |
| Smallmouth bass | 0.0003 (0.0005) | 3 (6) | 0 (0) | 0 (0) | 3 (6) | 0.0003 (0.0005) | 3 (6) | NAN (0) | 0 (0) |
| Yellow Perch | 0.0767 (0.0658) | 409 (622) | 316 (274) | 145 (131) | 871 (693) | 0.0767 (0.0611) | 871 (693) | NAN (0) | 0 (0) |
| Bluegill | 0.4382 (0.1944) | 2,775 NAN | 2,074 (1,524) | 123 (124) | 4,971 (1,529) | 0.4382 (0.1350) | 4,971 (1,529) | NAN (0) | 0 (0) |
| Pumpkinseed | 0.0035 (0.0051) | 0 (0) | 24 (48) | 15 (31) | 39 (57) | 0.0035 (0.0050) | 39 (57) | NAN (0) | 0 (0) |
| Rock bass | 0.0107 (0.0147) | 0 (0) | 117 (162) | 4 (7) | 121 (162) | 0.0107 (0.0143) | 121 (162) | NAN (0) | 0 (0) |
| Black crappie | 0.0348 (0.0354) | 164 (328) | 159 (159) | 72 (111) | 395 (381) | 0.0348 (0.0336) | 395 (381) | NAN (0) | 0 (0) |
| TOTAL RELEASED | 0.5898 (0.2351) | 3,358 NAN | 2,917 (1,576) | 417 (223) | 6,692 (1,591) | 0.5898 NAN | 6,692 NAN | NAN (0.0000) | 0 (0) |
| TOTAL CATCH | 1.1233 (0.4149) | 5,340 NAN | 6,220 (2,297) | 1,185 (515) | 12,745 (2,354) | 1.1233 NAN | 12,745 NAN | NAN (0) | 0 (0) |
| ANGLER HOURS | | 3,735 NAN | 6,373 (3,550) | 1,238 (752) | 11,346 (3,629) | | 11,346 (NAN) | | 0 (0) |
| ANGLER TRIPS | | 900 NAN | 1,773 (1,063) | 354 (228) | 3,027 (1,087) | | 3,027 (NAN) | | 0 (0) |