

SECTION 404 (2) (b)  
PRIMARY DIAGNOIS OF  
CONSUMERS SERVED  
FY 2004

## Overview

This section shows the primary diagnoses for the 187,058 consumers served during FY04 as reported to the encounter data Warehouse. The most common diagnosis was major depression, followed by mental retardation and personality disorder. Of the consumers, 5,263 (2.8%) received primary diagnoses that were not mental health diagnoses.

CMHSP Client Level Encounter Data  
 Primary Diagnosis Breakdown  
 Fiscal Year 2003-2004  
 State of Michigan

Primary Diagnosis	Total Served
Major Depression	27,101
Mental Retardation	23,218
Personality Disorders Axis II	22,513
Bipolar Disorder	16,662
Attention Deficit and Disruptive Behavior	13,180
Other psychotic	12,901
Adjustment Disorders	12,624
Schizophrenia	11,622
Depressive Disorder NOS	10,359
Anxiety Disorder	6,703
Substance-abuse related	5,694
Mood disorder NOS	4,726
Dysthymic Disorder	4,244
Pervasive Developmental Disorder	2,467
Panic & Obsessive Compulsive Disorder	2,262
Impulse Control Disorders	1,561
Delirium, Dementia and Amnestic and Other Cognitive Disorder	1,514
Other Disorders from Infancy/Childhood	973
Motor Skills Disorder	417
Mental Disorder due to a General Medical Condition	265
Sexual and Gender Identity Disorder	128
Eating Disorder	120
Unspecified Mental Disorder	100
Dissociative Disorder	95
Somatoform Disorder	76
Tic Disorders	70
Elimination Disorders	60
Learning Disorder	42
Communication Disorder	41
Sleep Disorders	26
Feeding Eating Disorders of Infancy	15
Factitious Disorder	9
Other Conditions	7
<b>Diagnosis Code Not Recognized</b>	<b>1,112</b>
<b>Missing/Unknown</b>	<b>4,151</b>
<b>Total</b>	<b>187,058</b>