STATE OF MICHIGAN GRETCHEN WHITMER, Governor

EGLE

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES AND ENERGY

LIESL EICHLER CLARK, Director

AIR QUALITY DIVISION

CONSTITUTION HALL, PO BOX 30260, LANSING MI 48909-7760 INTERNET: http://www.michigan.gov/air

GENERAL PERMIT TO INSTALL FOR NONMETALLIC MINERAL CRUSHING FACILITIES

July 9, 1999 Revised August 14, 2003

SUMMARY

On July 7, 1999, the Michigan Department of Environment, Great Lakes, and Energy (EGLE), Air Quality Division (AQD) issued the attached general permit to install for nonmetallic mineral crushing facilities. This general permit was issued pursuant to R 336.1201a of the Administrative Rules for Air Pollution Control (Rule 201a) and provides a streamlined permitting alternative for affected facilities which meet the specified applicability criteria. Prior to finalizing, EGLE held a 30-day public comment period and public hearing on a proposed general permit. The final permit incorporated changes to the proposed permit, in response to the comments that were received. On March 20, 2000, the general permit was revised to address the issue of applicability for a source, process or process equipment that may be identified in a consent order or consent judgment. The general permit was revised in September 2000 to include a new version of the General Information form EQP5727, revise the language in General Condition 18 and make changes to the submittal requirements for relocations. On April 1, 2002, the permit was revised to update EGLE's address, the Internet Home Page, and the fugitive dust plan to be consistent with fugitive dust plans for other types of sources. The permit is being revised at this time to revise the general conditions, reformat the special conditions, clarify the process form and instructions due to errors encountered with previous applications, and update the district map addresses and telephone numbers.

BACKGROUND

Rule 201a allows EGLE to issue a general permit to install covering numerous similar stationary sources, processes or process equipment, after public notice and opportunity for public participation. The use of general permits provides a streamlined permitting alternative for processes that meet the following general criteria:

- a) The processes must produce the same or reasonably similar products.
- b) The processes must emit the same or similar air contaminants.
- c) The method for capturing and controlling the air contaminants must be the same or limited to a small number of specific alternatives.
- d) The processes must be subject to the same emission limitations, monitoring requirements, federal standards, or state rules.

A person who owns or operates a stationary source, process or process equipment that qualifies for a general permit to install approved by EGLE, may apply for coverage under the terms and conditions of the general permit. Owners/operators who apply to EGLE for coverage under the general permit to install must certify that the equipment they will be installing meets the necessary criteria for applicability and that they will comply with the special conditions of the permit. These conditions may include site restrictions, emission or material usage limits, process/operational limits, equipment requirements, monitoring requirements or recordkeeping requirements which are

necessary to ensure that the equipment will operate in compliance with all applicable air pollution control rules. A person always has the option of applying for a case-by-case permit to install pursuant to Rule 201 if they are unable to comply with the conditions of the general permit to install.

This general permit is applicable to facilities which crush and process rock, stone, concrete, recycled asphalt, sand, gravel or soil for the construction and transportation industry. The State of Michigan currently has over one hundred sixty nonmetallic mineral processing facilities in operation. On April 2, 1999, EGLE proposed a general permit to streamline the review of permit applications from these facilities, and to allow the facilities more operational flexibility. EGLE held a comment period from April 2, 1999 to May 3, 1999 and a public hearing on May 6, 1999, to receive comments on the proposed general permit. EGLE received numerous written comments during the comment period as well as during the public hearing. These comments were reviewed by AQD staff and considered for the final version of this general permit. The general permit for nonmetallic mineral crushing facilities requires water spray or baghouse dust collectors as control, to be operated when necessary to meet applicable emission limits.

APPLICABLE REQUIREMENTS

The following state and federal requirements are considered applicable to all sources, processes, or process equipment and are addressed in the General Conditions of the permit.

<u>Citation</u>	<u>Description</u>
R 336.1201a	State rule that gives the Department authority to issue a general permit to install.
R 336.1201(4)	State rule that gives the Department authority to void a permit.
R 336.1207(1)	State rule that gives the Department authority to deny a permit.
R 336.1219	State rule that requires written notification of change of ownership.
R 336.1301	State rule that sets the standards for density of particulate emissions.
R 336.1370	State rule that requires the proper disposal of collected air contaminants.
R 336.1901	State rule that prohibits the emission of air contaminants, which interfere with the enjoyment of life and property and/or has injurious effects to health or safety.
R 336.1910	State rule that requires a pollution control device be operated properly.
R 336.1912	State rule that requires notice of abnormal conditions or malfunctions, which result in emissions in excess of the standards.
R 336.2001, 2003, 2004	State rules that allow the Department to request performance testing, and specify how the test should be conducted.

The following state and federal requirements are considered applicable to nonmetallic mineral crushing facilities and were considered in the development of the general permit to install. These requirements are addressed in the Special Conditions of the permit.

<u>Citation</u>	<u>Description</u>
R 336.1205	State rule that requires a permit to limit the amount of potential emissions.
R 336.1303	State rule that requires grading of visible emissions by a qualified observer.
R 336.1331	State rule that limits emissions of particulate matter.
R 336.1371	State rule that requires the submittal of a fugitive dust program if requested.
40 CFR Part 52.21 (c)&(d)	Federal regulation, Prevention of Significant Deterioration (PSD) of Air Quality and the National Ambient Air Quality Standards (NAAQS).
40 CFR Part 60 Subpart OOO	Federal New Source Performance Standards (NSPS) for Nonmetallic Mineral Processing Plants.
40 CFR Part 61 Subpart M	Federal emission standard for asbestos.

APPLICABILITY CRITERIA

To qualify for the general permit to install, based on the applicable requirements a nonmetallic mineral crushing facility must meet the following criteria:

- The general permit to install shall apply to nonmetallic mineral crushing facilities used to crush and process nonmetallic minerals including rock and stone, concrete, recycled asphalt, sand, gravel or soil. The facility may not crush or process slag, asbestos tailings or asbestos containing waste materials.
- The facility shall have no outstanding unresolved violations of any of the Michigan Department of Environment, Great Lakes and Energy Air Pollution Control rules, orders, or permits; or Federal air quality regulations.
- The crusher(s) shall be located a minimum of 500 feet from any residential or commercial establishment or place of public assembly.
- At any given site, all nonmetallic mineral crushing facilities combined shall process no more than 2,000,000 tons per year unless a site specific permit covers the location.
- All equipment associated with the nonmetallic mineral crushing facility shall be labeled with company identification numbers as specified in the general permit application.
- A copy of this general permit and conditions shall be clearly posted in the operator's office or workstation.
- The nonmetallic mineral crushing facility shall meet all requirements of the fugitive dust plan specified in the Appendix of the special conditions of the general permit.
- The nonmetallic mineral crushing facility shall meet all applicable requirements of the Federal New Source Performance Standards, Subpart OOO, for nonmetallic mineral crushing facilities.
- Each crusher and screen shall be equipped with a water spray. A baghouse dust collector may alternatively be installed in lieu of water spray for any particular piece of equipment. Operation of the control equipment is required only when necessary to meet applicable emission limits.
- The general permit shall not apply to a source, process, or process equipment that is included in an existing permit to install pursuant to Rule 201 and is further referenced in an outstanding consent order or consent judgment.

PERMIT CONDITIONS

The general permit to install must be consistent with the permit content requirements of Rule 205(1)(a). This rule requires that if a permit to install includes limitations, which restrict the potential to emit of a stationary source, process, or process equipment to a quantity below that which would constitute a major source, the permit shall contain emission limits which are enforceable as a practical matter.

Attachment A lists the terms and special conditions for the general permit to install. These terms and conditions prescribe the applicable site restrictions, emission limits, material usage limits, process/operational limits, equipment requirements, testing requirements, monitoring requirements and recordkeeping requirements which are necessary to ensure that a nonmetallic mineral crushing facility will comply with all state and federal applicable requirements.

EMISSIONS

A majority of the particulate emissions from these types of processes are fugitive in nature. Particulate mass emission limits from nonmetallic mineral crushing facilities are not required in the general permit because these limits would not be enforceable as a practical matter. Limits on production and opacity limits are used in place of mass emission limits, and a concentration limit of 0.04 pound of particulate per 1,000 pounds of exhaust gas is included in the special conditions if a baghouse is utilized for control. The table below shows the potential emissions from one of these

facilities. The potential emissions have been calculated based on a production rate of 2,000,000 tons per year. An emission factor of 0.15 pound of particulate per ton of product, taken from the Michigan Air Emissions Reporting System (MAERS) procedures for mineral product processes, is for particulate matter 10 microns and less (PM-10). In addition, an 80% control efficiency has been applied for a well maintained fugitive dust plan which is part of the general permit, emissions controlled by water sprays and/or compliance with all opacity limits.

 $(2,000,000 \text{ tons/year}) \times (0.15 \text{ lb PM-}10/\text{ton of product}) \times (1 \text{ ton/}2000 \text{ lb}) \times (1 \text{ - }0.80) = 30 \text{ TPY}$

Emissions from the burning of fuel in process equipment were not included because the fuel burning process itself is exempt from the permitting process under R 336.1285(g).

Pollutant	Annual Emissions - tons per year			
Carbon Monoxide	NA			
Sulfur Dioxide	NA			
Volatile Organic Compounds	NA			
Oxides of Nitrogen	NA			
Particulate Matter less than 10 microns	30.0			
Lead	NA			

NA = Not Applicable

AMBIENT AIR IMPACTS

The general permit provides for opacity limits, a fugitive dust control program and the operation of control equipment when necessary to meet applicable emission limits. Based upon engineering judgment and past experience, operation of the nonmetallic mineral crushing facilities in compliance with the general permit to install terms and conditions will minimize impact upon the ambient air.

APPLICATION FOR A GENERAL PERMIT

If the owner/operator of a nonmetallic mineral crushing facility decides to install and operate the process under the terms of this general permit to install, then it is the responsibility of the owner/operator to apply to EGLE for coverage under the general permit. Installation of equipment prior to granting of a permit to install, including a general permit to install, is a violation of Rule 201.

Application forms, which include all information necessary to determine qualification for and to ensure compliance with the general permit to install, are attached. The forms are also available on the Internet at the <u>Air Quality General Permit to Install web page</u> or may be obtained by contacting the Permit Section at 517-284-6793.

The owner/operator shall submit the completed application forms to the AQD Permit Section. Upon receipt, Permit staff will review the application for completeness. The general permit to install for nonmetallic mineral crushing facilities will be granted by EGLE to qualifying sources, processes or process equipment, within 30 days of receipt of a complete application. The AQD will mail to the facility, a copy of the general permit to install and a letter acknowledging that the facility owner/operator intends to install and operate a nonmetallic mineral crushing facility in accordance with the terms and conditions of the general permit. EGLE will maintain and make available to the public, upon request, a list of the persons that have been authorized to install and operate a stationary source, process or process equipment pursuant to each general permit to install issued by EGLE.

ATTACHMENT A GENERAL CONDITIONS

- 1. The process or process equipment covered by this general permit to install shall not be reconstructed, relocated, or modified unless a Permit to Install pursuant to Rule 201 authorizing such action is issued by the Department, or an application for coverage under a General Permit to Install pursuant to Rule 201a, is submitted to and approved by the Department. For the purpose of a general permit to install, the permittee is defined as any person who owns or operates a process or process equipment at the source for which coverage under the general permit has been granted.
- 2. Operation of any process or process equipment shall not result in the emission of an air contaminant which causes injurious effects to human health or safety, animal life, plant life of significant economic value, or property, or which causes unreasonable interference with the comfortable enjoyment of life and property. [R336.1901]
- 3. Operation of this equipment shall not interfere with the attainment or maintenance of the air quality standard for any air contaminant. [R336.1207(1)(b)]
- 4. The permittee shall provide notice of an abnormal condition, start-up, shutdown, or malfunction that results in emissions of a hazardous or toxic air pollutant which continue for more than one hour in excess of any applicable standard or limitation, or emissions of any air contaminant continuing for more than two hours in excess of an applicable standard or limitation, as required in Rule 912, to the Department. The notice shall be provided not later than two business days after start-up, shutdown, or discovery of the abnormal condition or malfunction. Written reports, if required, must be filed with the Department within 10 days after the start-up or shutdown occurred, within 10 days after the abnormal conditions or malfunction has been corrected, or within 30 days of discovery of the abnormal conditions or malfunction, whichever is first. The written reports shall include all of the information required in Rule 912(5).
- 5. Coverage under this general permit to install does not exempt the permittee from complying with any future regulation, which may be promulgated under Part 55 of 1994 PA 451.
- 6. Coverage under this general permit to install does not obviate the necessity of obtaining such permits or approvals from other units of government as required by law.
- 7. The permittee shall notify any public utility of any excavation, tunneling and discharging of explosives or demolition of buildings which may affect said utility's facilities in accordance with Act 53 of the Public Acts of 1974, being sections 460.701 to 460.718 of the Michigan Compiled laws and comply with each of the requirements of that Act.
- 8. The restrictions and conditions of this general permit to install shall apply to any person or legal entity which now or shall hereafter own or operate the equipment for which coverage under this general permit to install is issued. A written request to the Department for a change in ownership or operational control of the process or process equipment shall be made pursuant to Rule 219.
- 9. If the installation of the equipment for which coverage under this general permit to install has been issued, has not commenced within, or has been interrupted for, 18 months, then the general permit to install shall become void unless otherwise authorized by the Department as a condition of the permit. Furthermore, the permittee shall notify the Department via the Supervisor, Permit Section, Air Quality Division, Michigan Department of Environment, Great Lakes, and Energy, P.O. Box 30260, Lansing, Michigan 48909, if it is decided not to pursue the installation or construction of the equipment allowed by this general permit to install. [R336.1201(4)]

- 10. Except as provided in subrules (2) and (3) or unless the special conditions of the general permit to install include an alternate opacity limit established pursuant to subrule (4) of R336.1301, the permittee shall not cause or permit to be discharged into the outer air from a process or process equipment a visible emission of a density greater than the most stringent of the following. The grading of visible emissions shall be determined in accordance with R336.1303. [R336.1301(1)]
 - a) A six-minute average of 20 percent opacity, except for one six-minute average per hour of not more than 27 percent opacity.
 - b) A visible emission limit specified by an applicable federal new source performance standard.
 - c) A visible emission limit specified as a condition of this general permit to install.
- 11. Collected air contaminants shall be removed as necessary to maintain the equipment at the required operating efficiency. The collection and disposal of air contaminants shall be performed in a manner so as to minimize the introduction of contaminants to the outer air. Transport of collected air contaminants in Priority I and II areas requires the use of material handling methods specified in R336.1370(2). [R336.1370]
- 12. The Department may require the permittee to conduct acceptable performance tests, at the permittee's expense, in accordance with R336.2001 and R336.2003, under any of the conditions listed in R336.2001. [R336.2001]
- 13. Any required testing protocol shall conform to a format acceptable to the AQD. [R336.2003(1)]
- 14. Any required test results, which must be submitted to the AQD, shall conform to a format acceptable to the AQD. [R336.2001(4)]
- 15. Any air cleaning device shall be installed, maintained, and operated in a satisfactory manner and in accordance with the Michigan Air Pollution Control rules and existing law. **[R336.1910]**
- 16. For a stationary source that becomes a major source, as defined by R336.1211(1)(a), upon receipt of approval for coverage under this general permit to install, an administratively complete application for a renewable operating permit shall be submitted not more than 12 months after the stationary source commences operation as a major source. Commencing operation as a major source occurs upon commencement of trial operation of the new or modified process or process equipment that increased the potential to emit of the stationary source to more than or equal to the applicable major source definition specified in R336.1211(1)(a).
- 17. For a stationary source that is already a major source with an existing renewable operating permit, the source shall notify the Department of the installation of the process or process equipment covered by this general permit, pursuant to R336.1215(3) or apply for a modification pursuant to R336.1216(2) prior to commencing operation. The notification or application to modify the renewable operating permit shall be made using a form approved by the Department.

ATTACHMENT A SPECIAL CONDITIONS

Flexible Group Identification

Flexible Group ID	Flexible Group Description
FGCRUSHING	A nonmetallic mineral crushing facility consisting of crusher(s) and associated process equipment including grinding mills, drills, screening operations, bucket elevators, belt conveyors, loading and bagging operations, storage bins, enclosed truck or railcar loading stations and any other material handling equipment operated at the site. Each crusher and screen shall be equipped with a water spray. A baghouse dust collector may alternatively be installed in lieu of water spray for any particular piece of equipment. Operation of the control equipment is required only when necessary to meet applicable emission limits. [R 336.1201a(1), R336.1205, R336.1301, R336.1303, R336.1331, R336.1901, and R336.1910]
Changes to the equipme	ant described in this table are subject to the requirements of P336 1201

Changes to the equipment described in this table are subject to the requirements of R336.1201, except as allowed by R336.1278 to R336.1290.

The following conditions apply to: FGCRUSHING

Emission Limits

1.1 The particulate matter (PM) emissions from each baghouse dust collector portion of FGCRUSHING shall not exceed 0.04 pound per 1,000 pounds of exhaust gases, calculated on a dry gas basis. **[R336.1331]**

Visible Emission Limits

1.2 Visible emissions from FGCRUSHING shall not exceed the limits in the following table: [R336.1205, R336.1301, R336.1901, 40 CFR 60.670]

	Equipment	Opacity Limit (%)
1.2a	Any equipment enclosed within a building	No visible emissions
1.2b	All crushers	15
1.2c	Screens	10
1.2d	Rock drills	5
1.2e	Conveyors/Transfer points	10
1.2f	Wash screens and all subsequent equipment downstream up to the	No visible emissions
	next crusher or storage bin	
1.2g	All equipment controlled by a baghouse dust collector	7
1.2h	Wheel loaders and truck traffic	5
1.2i	Material storage piles	5
1.2j	Any other process equipment which is part of the nonmetallic	10
	mineral crushing facility or related processes	

Material Usage Limits

1.3 The permittee shall not process more than 2,000,000 tons of any non-metallic mineral through FGCRUSHING per year per site. **[R336.1205]**

- 1.4 The annual production limit of 2,000,000 tons per year per site shall not apply if FGCRUSHING is operated at a location that is covered by a site specific air use permit. At such a location, the annual material processed shall be in conjunction with the production limit contained in the permit for that location. All other conditions and restrictions of this permit shall apply when operating at such location. [R336.1201, R 336.1205, R 336.1901]
- **1.5** The permittee shall not crush any asbestos tailings or asbestos containing waste materials, as defined by the National Emission Standard for Hazardous Air Pollutants regulations, in FGCRUSHING. **[40 CFR 61.141]**

Process/Operational Limits

1.6 The permittee shall not operate FGCRUSHING unless the program for continuous fugitive emissions control for all facility roadways, the facility yard, all storage piles, and all material handling operations specified in Appendix A has been implemented and is maintained. [R336.1205, R336.1371, R336.1901]

Equipment

1.7 Each crusher and screen shall be equipped with a water spray. A baghouse dust collector may be installed in lieu of water spray for any particular piece of equipment. The control equipment shall be properly operated as necessary to comply with all emission limits. [R336.1205, R3361.301, R336.1303, R 336.1331, and R336.1910]

Testing

1.8 Within 60 days after achieving maximum production rate, but not later than 180 days after initial startup of FGCRUSHING, verification of visible emission rates and particulate emission rates from all NSPS subject crushers, screens, all transfer points on conveyors, and all other miscellaneous equipment associated with FGCRUSHING and covered by the NSPS Subpart OOO, by testing at owner's expense, in accordance with 40 CFR Part 60 Subparts A and OOO, will be required. No less than 14 days prior to the anticipated test date, visible emission observation procedures must be approved by the District Supervisor. Also, no less than 7 days prior to the anticipated test date, the permittee shall notify the District Supervisor of the test date. If after the anticipated test date has been submitted to the District Supervisor, there is a delay in conducting the test, the permittee shall submit to the District Supervisor notice of the new test date. This notification shall be done a minimum of 3 days prior to the rescheduled test taking place. Verification of visible emissions includes the submittal of a complete report of opacity observations to the AQD within 30 days following the last date of the test. [R336.1301, R336.2001, 40 CFR Part 60 Subparts A & OOO]

Monitoring

1.9 The permittee shall keep, in a satisfactory manner, daily and annual records of the amount of material processed for each site at which the facility operates. All records shall be kept on file for a period of at least five years and made available to the Department upon request. [R336.1201a(1), R336.1205)

Recordkeeping/Reporting/Notification

1.10 The permittee shall notify the AQD, within 15 days after initial startup of FGCRUSHING, of the actual date of initial startup. **[R336.1201, 40 CFR Part 60 Subpart A]**

Permit Dates

1.11 The permittee shall label all equipment associated FGCRUSHING within 45 days of initial start up according to the company IDs specified in the application (Form EQP5756). Labels shall be in a conspicuous location on the equipment. [R336.1201, 40 CFR 60.670]

Miscellaneous/Allowed Modification

- 1.12 The permittee shall not replace or modify FGCRUSHING, or any portion of FGCRUSHING, including control equipment, unless all of the following conditions are met: [R336.1201a(1), 40 CFR Part 60 Subparts A and OOO, R336.2001]
 - a) The permittee shall update the general permit by submitting a new Process Information Form (EQP5756) to the Permit Section and District Supervisor, identifying all existing and new or additional equipment added to the process a minimum of 10 days before the equipment is replaced or modified.
 - b) The permittee shall continue to meet all general permit to install applicability criteria after the replacement or modification is complete.
 - c) The permittee shall keep records of the date and description of the replacement or modification.
 - d) The permittee shall notify the Air Quality Division, within 15 days after startup of any new or additional equipment, of the actual date of initial startup.
 - e) All new or additional equipment that is subject to the federal NSPS Subpart OOO, which has not been previously tested, shall comply with the testing requirements of the NSPS.
- 1.13 The permittee shall not relocate FGCRUSHING to any new geographical site in Michigan unless all the following criteria are met: [Act 451 324.5505(5), R336.1201, R336.1205, R336.1901]
 - a) The facility shall have no outstanding unresolved violations of any of the Michigan Department of Environment, Great Lakes, and Energy Air Pollution Control rules, orders, or permits; or Federal air quality regulations.
 - b) A notice of intent to relocate (Relocation Notice Form EQP5757); a copy of the original general permit forms (EQP5727, EQP5729 and EQP5756); any Process Information forms for previous modifications; and a proposed site plan identifying the proposed new geographical site and the probable duration at the new site shall be provided to the appropriate district office and the Permit Section not less than 10 days prior to the scheduled relocation. All residential or commercial establishments and places of public assembly within 1,000 feet of the proposed facility site shall be clearly identified on the proposed site plan.
 - c) The crusher(s) shall be located a minimum of 500 feet from any residential or commercial establishment or place of public assembly.
 - d) A copy of this general permit and conditions shall be clearly posted in the operator's office or workstation.

APPENDIX A Fugitive Dust Control Plan

I. Plant

The drop distance at each transfer point throughout the plant shall be reduced to the minimum the equipment can achieve.

II. Truck Traffic

On-site vehicles shall be loaded to prevent their contents from dropping, leaking, blowing or otherwise escaping. This shall be accomplished by loading so that no part of the load shall come in contact within six inches of the top of any sideboard, side panel or tailgate, otherwise, the truck shall be tarped.

III. Site Roadways and the Plant Yard

- (a) The dust on the site roadways and the plant yard shall be controlled by applications of water, calcium chloride or other acceptable and approved fugitive dust control compounds. Applications of dust suppressants shall be done as often as necessary to meet an opacity limit of five percent.
- (b) All paved roadways and the plant yards shall be swept as needed between applications of dust suppressants.
- (c) Any material spillage on roads shall be cleaned up immediately.
- (d) A record of all applications of dust suppressants and roadway and the plant yard sweepings shall be kept on file for the most recent five-year period and be made available to the AQD upon request.

IV. Storage Piles

- (a) Stockpiling of all nonmetallic minerals shall be performed to minimize drop distance and control potential dust problems.
- (b) Stockpiles shall be watered on an as needed basis in order to meet an opacity limit of five percent. Equipment to apply water or dust suppressant shall be available at the site, or on call for use at the site, within a given operating day.
- (c) A record of all watering shall be kept on file for the most recent five-year period and be made available to the AQD upon request.

V. AQD/EGLE Inspection

The provisions and procedures of this plan are subject to adjustment by written notification from the AQD, if following an inspection, the AQD finds the fugitive dust requirements and/or the permitted opacity limits are not being met.



MICHIGAN DEPARTMENT OF

EIN I	OF ENVIRONMENT, GREAT LAKES, AND	ENERGY
	AIR QUALITY DIVISION	

For EGLE Use Only							
Permit Number							

GENERAL AIR PERMIT TO INSTALL APPLICATION

Authorized under 1994 PA 451, as amended. Completion of form is required. Applicant may be subject to civil and/or criminal penalties for providing false information.

Instructions: Use this form to request authority to install and operate a source, process or process equipment under the terms and conditions of a general permit to install pursuant to Rule 201a. Prepare this form, the appropriate Process Information form(s) and the Additional Information form (if needed). Submit all information, including forms, in duplicate. **NOTE:** A general permit cannot apply to a source, process, or process equipment that is covered by a Permit to Install pursuant to Rule 201 and is further referenced in an outstanding consent order or consent judgment.

1. FACILITY CODES							
State Registration Number (SRN): North American Industry Classification System (NAICS)							
2. APPLICANT NAME (Business license name of the corporation, partnership, individual or government agency that owns the facility)							
3. APPLICANT MAILING ADDRESS (Street Address or P.O. Box Number)							
CITY		STATE		ZIP CODE			
4. AUTHORIZED EMPLOYEE		TITLE		PHONE NO. (Include Area Code)			
4. AUTHORIZED LIVII LOTEL		TITLE					
5. CONTACT: (If different than Authorized Employee - for questions regarding a	this application)		PHON	E NO. (Include Area Code) – –			
6. EQUIPMENT OR PROCESS LOCATION (Number and street, if different than	n mailing address	s)	•				
CITY	ZIP CODE -		CC	DUNTY			
7. THE EQUIPMENT IDENTIFIED IN THE APPLICATION IS NEW	EXISTING - D	ATE INSTALLED):				
8. IS THERE AN EXISTING PERMIT TO INSTALL FOR ANY EQUIPMENT IDE	NTIFIED IN THI	S APPLICATION	?	□ YES □ NO			
IF YES, INCLUDE PERMIT TO INSTALL NUMBER(S)							
9. DOES THIS SOURCE HAVE AN EXISTING RENEWABLE OPERATING PE	RMIT?	YES	☐ NC	NOT APPLICABLE			
IF YES, INCLUDE RENEWABLE OPERATING PERMIT NUMBER:							
10. IS ANY OF THE EQUIPMENT INCLUDED IN AN OUTSTANDING CONSE	NT ORDER OR (CONSENT JUDG	MENT?	YES NO			
11. THE FOLLOWING FORMS ARE ATTACHED AS PART OF THIS PERMIT A PROCESS INFORMATION (EQP)	APPLICATION (check all that app	ly)				
(Complete the appropriate form for the process or equipment to be ins ADDITIONAL INFORMATION (EQP5729)	(Complete the appropriate form for the process or equipment to be installed and insert the form number in the space provided.) ADDITIONAL INFORMATION (EQP5729)						
Applicant Certification: I certify, under penalty of law, that this permit appl supervision in accordance with a system to ensure that qualified personnel propperson or persons who manage the system, or those persons directly respon knowledge and belief, true, accurate, and complete. In addition, the equipmen General Permit to Install. Furthermore, I certify that I can and will comply with a significant penalties for submitting false information, including the possibility of fine	erly gather and of sible for gathering the described in the last conditions out	evaluate the information, the sapplication me lined in the Gene	mation some informets the near the market ma	ubmitted. Based on my inquiry of the ation submitted is, to the best of my ecessary criteria for applicability for a			
SIGNATURE OF AUTHORIZED EMPLOYEE (Person identified in item 4)	DATE	E-	MAIL AD	DRESS			
Submit original completed application and all attachments to:	<u> </u>	l.					
MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY AIR QUALITY DIVISION - PERMIT SECTION P.O. BOX 30260 LANSING, MI 48909-7760							
EGLE USE ONLY - DO	NOT WRITE	BELOW					
DATE APPLICATION COMPLETE							
DATE GENERAL PERMIT TO INSTALL GRANTED	SIGNATURE						
DATE GENERAL PERMIT TO INSTALL VOIDED	SIGNATURE						

EGLE Environment Assistance Center Phone: 800-662-9278



MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY AIR QUALITY DIVISION

GENERAL PERMIT TO INSTALL APPLICATION ADDITIONAL INFORMATION

For EGLE Use Only Permit Number

Authorized under 1994 PA 451, as amended. Completion of form is required if additional information is needed to make an application complete. Applicant may be subject to civil and/or criminal penalties for providing false information..

Instructions: Use this form to include a	dditional informatio	on or attachments. I	Prepare and subi	mit this form with C	Seneral Information fo	rm (EQP5727).	
1. FACILITY CODE	2. ID (Provide the identification number of the device, emission unit or						
			stack/ven	t for which addition	nal information is bein	g submitted.)	
STATE REGISTRATION NUMBER (SRN)							
3. WHAT TYPE OF ADDITIONAL INFO	RMATION ARE YO	OU SUBMITTING W	ITH THIS APPLI	CATION? (check a	all that apply)		
ATTACHMENT (if checked, desc							
			3 -, -		,,		
TECHNICAL (Specialized inform	nation regarding th	e installation, const	ruction, or use of	a process or stac	k/vent)		
GENERAL (Any supplemental in	oformation that is no	ot technical informat	ion)				
GENERALE (Fin) supplemental in	Torridaeri arat io ric	or roommour minormat	.011)				
4. ADDITIONAL INFORMATION NARRA	ATIVE (A brief des	cription of the inform	nation or attachm	nent May include	calculations design n	arameters small	
diagrams, etc.)	ATTVE (A brief des	cription or the inform	nation of attachin	icht. Way include	calculations, acsign p	aramotors, sman	
alagiame, etc.)							

EGI E

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

AIR QUALITY DIVISION

For EGLE Use Only

Permit Number

GENERAL AIR PERMIT TO INSTALL APPLICATION

Authorized under 1994 PA 451, as amended. Completion of form is required. Applicant may be subject to civil and /or criminal penalties for providing false information.

PROCESS INFORMATION - NONMETALLIC MINERAL CRUSHING (PAGE 1 OF 2)

Instructions: Use this form to request authority to install and operate a nonmetallic mineral crushing facility, under the terms and conditions of a general permit to install pursuant to Rule 201a. If two or more primary crushers operate in parallel, each constitutes a separate facility. Complete a separate copy of this form for each facility. Prepare and submit this form with the General Information

form (EQP5727). For a Modification: Complete Items 1 - 9. Identify all existing and new or additional process equipment. Certify and submit pages 1 and 2 of this form to the Permit Section and the appropriate district office. See map for district office locations. 1. FACILITY CODE 2. MINE/QUARRY NAME STATE REGISTRATION NUMBER (SRN) SECTION **TOWNSHIP RANGE** 3. AMOUNT PROCESSED AT THIS SITE (tons per year) 4. DESCRIPTION (Brief description of this facility or proposed modification. Attach a detailed site map showing all site characteristics including the location of any residential and/or commercial establishments and places of public assembly located within 1,000 feet of the proposed site) 5. DOES THIS FACILITY HAVE ANY OUTSTANDING UNRESOLVED AIR VIOLATIONS? ☐ YES □ NO 6. ARE THE CRUSHER(S) LOCATED A MINIMUM OF 500 FEET FROM ALL RESIDENTIAL OR COMMERCIAL ☐ YES Пио ESTABLISHMENTS OR PLACES OF PUBLIC ASSEMBLY? 7. WAS THIS FACILITY PREVIOUSLY PERMITTED PURSUANT TO RULE 201? IF YES, PERMIT NO. YES NO 8. APPLICATION IS FOR NEW GENERAL PERMIT MODIFICATION TO EXISTING GENERAL PERMIT - PERMIT NO. 9. FOR A MODIFICATION: IS THE FACILITY CURRENTLY IN COMPLIANCE WITH ALL CONDITIONS OF THE EXISTING □ NO YES GENERAL PERMIT, INCLUDING BUT NOT LIMITED TO THE TESTING OF ALL NSPS SUBJECT EQUIPMENT? Instructions for completing the following Items: Each piece of equipment must have a unique Identification number (ID). The ID may be any combination of up to 10 letters, numbers or keyboard characters with no spaces between characters. Provide an ID and complete all items for each piece of process equipment at the facility. A manufactured date is required. If a device is shop built, the manufactured date may be estimated. If a device is not subject to NSPS Subpart OOO, an explanation is required. Use Additional Information form EQP5729 if more space is needed. Use as many copies of page 2 as needed to list all process equipment. DEVICE DESCRIPTION (crusher-type, screen, conveyor, drill, etc.) DEVICE ID (Assign an identification number for this device) MAKE AND MODEL SERIAL NUMBER MANUFACTURED DATE (MM/DD/YY) MAXIMUM RATED CAPACITY CONTROL? YES l I NO (tons per hour) **CONTROL TYPE** IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? YES, DATE TEST PASSED NO, DATE TEST SCHEDULED NO, REASON NOT SUBJECT DEVICE DESCRIPTION (crusher-type, screen, conveyor, drill, etc.) DEVICE ID (Assign an identification number for this device) MAKE AND MODEL SERIAL NUMBER MANUFACTURED DATE (MM/DD/YY) MAXIMUM RATED CAPACITY CONTROL? YES (tons per hour) **CONTROL TYPE** IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? YES, DATE TEST PASSED NO, DATE TEST SCHEDULED NO, REASON NOT SUBJECT This page must be certified by an authorized employee Applicant Certification: I certify, under penalty of law, that this permit application and any attachments were prepared by me, or under my direction or supervision in accordance with a system to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. In addition, the equipment described in this application meets the necessary criteria for applicability for a General Permit to Install. Furthermore, I certify that I can and will comply with all conditions outlined in the General Permit to Install. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. SIGNATURE OF AUTHORIZED EMPLOYEE

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

AIR QUALITY DIVISION

For EGLE Use Only Permit Number

GENERAL AIR PERMIT TO INSTALL APPLICATION

PROCESS INFORMATION - NONMETALLIC MINERAL CRUSHING (PAGE 2 OF 2)

Authorized under 1994 PA 451, as amended. Completion of form is required. Applicant may be subject to civil and /or criminal penalties for providing false information. Instructions: Page 1 of this form must be completed and certified by an authorized employee. Provide an ID and complete all items

for each piece of process equipment at the facility. A manufactured date is required. If a device is shop built, the manufactured date may be estimated. If a device is not subject to NSPS subpart OOO, an explanation is required. Use Additional Information form EQP5729 if more space is needed. Use as many copies of this page as needed to list all process equipment.

For a Modification: Provide the information for all existing and new or additional process equipment. Submit pages 1 and 2 to the Permit Section and the appropriate district office. See man for district office locations

DEVICE DESCRIPTION (crusher-type, screen, conveyor, drill, etc.)		DEVICE ID (Assign an identification number for this device)			
MAKE AND MODEL		SERIAL NUMBER	MANUFACTURED DATE (MM/DD/YY)		
MAXIMUM RATED CAPACITY (tons per hour)	CONTROL? YES CONTROL TYPE	NO			
IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? NO, REASON NOT SUBJECT	YES, DATE TEST PASSED	O NO, DATE TEST SCH	HEDULED		
DEVICE DESCRIPTION (crusher-type, scre	en conveyor drill etc.)	DEVICE ID (Assign an identification number	er for this device)		
DEVICE BEGINI THOM (Gradier type, core	ori, correspor, arm, cic.,	Device is proof an advance and manner	or ror time device)		
MAKE AND MODEL		SERIAL NUMBER	MANUFACTURED DATE (MM/DD/YY)		
MAXIMUM RATED CAPACITY (tons per hour)	CONTROL? YES CONTROL TYPE	NO			
IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? NO, REASON NOT SUBJECT	YES, DATE TEST PASSED	O NO, DATE TEST SCH	HEDULED		
DEVICE DESCRIPTION (crusher-type, scre	en, conveyor, drill, etc.)	DEVICE ID (Assign an identification number	er for this device)		
MAKE AND MODEL		SERIAL NUMBER MANUFACTURED DATE (MM/DD/YY)			
MAXIMUM RATED CAPACITY (tons per hour)	CONTROL? YES CONTROL TYPE	NO			
IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? NO, REASON NOT SUBJECT	YES, DATE TEST PASSED	O NO, DATE TEST SCH	HEDULED		
DEVICE DESCRIPTION (crusher-type, scre	en, conveyor, drill, etc.)	DEVICE ID (Assign an identification number	er for this device)		
MAKE AND MODEL		SERIAL NUMBER	MANUFACTURED DATE (MM/DD/YY)		
MAXIMUM RATED CAPACITY (tons per hour)	CONTROL? YES CONTROL TYPE	NO			
IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? YES, DATE TEST PASSED NO, DATE TEST SCHEDULED NO, REASON NOT SUBJECT					
DEVICE DESCRIPTION (crusher-type, scre	en, conveyor, drill, etc.)	DEVICE ID (Assign an identification number	er for this device)		
MAKE AND MODEL		SERIAL NUMBER	MANUFACTURED DATE (MM/DD/YY)		
MAXIMUM RATED CAPACITY (tons per hour)	CONTROL? YES CONTROL TYPE	NO			
IS DEVICE SUBJECT TO NSPS? YES, HAS DEVICE BEEN TESTED? NO, REASON NOT SUBJECT	YES, DATE TEST PASSE	O NO, DATE TEST SCH	HEDULED		

EGLE

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY

AIR QUALITY DIVISION

For EGLE Use Only Permit Number

GENERAL AIR PERMIT TO INSTALL APPLICATION

RELOCATION NOTICE

Authorized under 1994 PA 451, as amended. Completion of form is required. Applicant may be subject to civil and /or criminal penalties for providing false information.

Instructions: Use this form to request authority to relocate a nonmetallic mineral processing facility under the terms and conditions of a general permit to install pursuant to Rule 201a. A copy of the original general permit forms (EQP5727, EQP5729, and EQP5756) and any additional Process Information forms for modifications to this plant must be submitted with this form. Attach a detailed site map for the new location which shows all site characteristics including the location of any residential and/or commercial establishments and places of public assembly which are located within 1,000 feet of the proposed site. Certify and submit this form and any attachments to the Permit Section and the appropriate district office for the new location. See map for district office locations.

the Permit Section and the appropriate distric	ct office for the n	ew loca	tion. See ma	p for distr	ict office locations.	
1. FACILITY CODES					[
STATE REGISTRATION NUMBER (SRN)			STANDARD IND	DUSTRIAL C	CLASSIFICATION (SIC) CODE	
2. APPLICANT NAME (Business license name of	the corporation, pa	artnershij	o, individual or	governme	nt agency that owns the facility)	
3. APPLICANT MAILING ADDRESS (Street Addre	ess or P.O. Box Nu	ımber)				
4. CITY		5. STA	TE	6. ZIP C	ODE	
7. NAME OF AUTHORIZED EMPLOYEE						
				T . ==:=:		
8. TITLE (person identified in item 7)				9. TELEI	PHONE NO. (person identified in Item 7)	
10. CONTACT PERSON (technical point of contact	at if different then	nomo in	Itam 7	11 TELE	EPHONE NO. (contact person)	
10. CONTACT PERSON (lectifical point of contact	ci, ii dinereni irian i	name m	iterii 7)	11. 1666	EFHONE NO. (Contact person)	
				() -	
CURRENT PLANT LOCATION				40.051	IEDAL DEDALTALIMADED	
12. MINE/QUARRY NAME				13. GEN	IERAL PERMIT NUMBER	
14. STREET ADDRESS						
15. CITY		16. ZII	PCODE	17. COL	INTY	
18. SECTION	19. TOWNSHIP				20. RANGE	
NEW DIANTI OCATION						
PLANT LOCATION 21. MINE/QUARRY NAME						
21. MINE/QUARTET IVAME						
22. STREET ADDRESS						
23. CITY		24. ZII	CODE	25. COL	INTY	
26. SECTION	27. TOWNSHIP	1		1	28. RANGE	
29. DATES PLANT IS TO BE LOCATED AT THIS SITE 30. AMOUNT TO BE PROCESSED AT THIS SITE (tons per year)						
ТО						
31. DIRECTIONS FROM NEAREST TOWN						
					nts were prepared by me, or under my direction or ate the information submitted. Based on my inquiry	
of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the						
best of my knowledge and belief, true, accurate, and complete. In addition, the equipment described in this application meets the necessary criteria for applicability for a General Permit to Install. Furthermore, I certify that I can and will comply with all conditions outlined in the General Permit to Install. I						
am aware that there are significant penalties for su						
SIGNATURE OF AUTHORIZED EMPLYOEE DATE						

EGLE Environment Assistance Center Phone: 800-662-9278

Air Quality Division District Office Contact Information

Bay City District

(Central East Michigan) 401 Ketchum Street, Suite B Bay City, MI 48708-5430

989-894-6200 Fax: 989-891-9237

Counties: Arenac, Bay, Clare, Gladwin, Huron, Iosco, Isabella, Midland, Ogemaw, Saginaw,

Sanilac, and Tuscola

Detroit District

(Wayne County) Cadillac Place 3058 West Grand Boulevard, Suite 2-300

Detroit, MI 48202-6058

313-456-4700 Fax: 313-456-4692

County: Wayne

Grand Rapids District

(Central West Michigan) 350 Ottawa Avenue NW, Unit 10 Grand Rapids, MI 49503-2316

616-356-0500 Fax: 616-356-0201

Counties: Barry, Ionia, Kent, Mecosta, Montcalm, Muskegon, Newaygo, Oceana, and

Ottawa

Kalamazoo District

(Southwest Michigan) 7953 Adobe Road Kalamazoo, MI 49009-5026

269-567-3500 Fax: 269-567-3555

Counties: Allegan, Berrien, Branch, Calhoun, Cass, Kalamazoo, St. Joseph, and Van Buren

Marquette District

(Entire Upper Peninsula) 1504 West Washington Street Marquette, MI 49855-3118

906-228-4853 Fax: 906-228-4940

Counties: All counties in the Upper Peninsula

Cadillac District

(Northwest Lower Peninsula) 120 West Chapin Street Cadillac, MI 49601-2158

231-775-3960 Fax: 231-775-4050

Counties: Benzie, Grand Traverse, Kalkaska, Lake, Leelanau, Manistee, Mason, Missaukee,

Osceola, and Wexford

Gaylord District

(Northeast Lower Peninsula) 2100 West M-32

Gaylord, MI 49735-9282

989-731-4920 Fax: 989-731-6181

Counties: Alcona, Alpena, Antrim, Charlevoix, Cheboygan, Crawford, Emmet, Montmorency, Oscoda, Otsego, Presque Isle, and Roscommon

Jackson District

(South Central Michigan) State Office Building, 4th Floor 301 East Louis Glick Highway Jackson, MI 49201-1535

517-780-7690 Fax: 517-780-7855

Counties: Hillsdale, Jackson, Lenawee,

Monroe, and Washtenaw

Lansing District

(Central Michigan) P.O. Box 30242

Lansing, MI 48909-7742

517-284-6651 Fax: 517-241-3571

Counties: Clinton, Eaton, Genesee, Gratiot, Ingham, Lapeer, Livingston, and Shiawassee

Warren District

(Southeast Michigan) 27700 Donald Court Warren, MI 48092-2793

586-753-3700 Fax: 586-753-3731

Counties: Macomb, Oakland, and St. Clair