

Department of Environmental Affairs Laboratory
 600 South Wagner Road
 Ann Arbor, MI 48103-9019
 USA
 Phone: 734-913-6130
 Fax: 734-913-6103

May, 2003

1,4-Dioxane Sample Analysis Report

Analyst: _____
 Date: _____

| Sample ID | Date Sampled | Date Received | Date Analyzed | Detection Limit | Results | Units | Reporting Lab | Comments |
|-------------------------|--------------|---------------|---------------|-----------------|---------|-------|---------------|----------|
| Extraction Wells | | | | | | | | |
| AE-1-05-02-03-0831 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 88 | µg/L | PLS | |
| AE-1-05-09-03-0634 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 89 | µg/L | PLS | |
| AE-1-05-16-03-0634 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 97 | µg/L | PLS | |
| AE-1-05-23-03-0757 | 05/23/03 | 05/23/03 | 05/27/03 | 1.0 | 95 | µg/L | PLS | |
| AE-1-05-30-03-0634 | 05/30/03 | 05/30/03 | 05/30/03 | 1.0 | 98 | µg/L | PLS | |
| | | | | | | | | |
| LB-1-05-02-03-0833 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 403 | µg/L | PLS | |
| LB-1-05-09-03-0630 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 408 | µg/L | PLS | |
| LB-1-05-16-03-0630 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 432 | µg/L | PLS | |
| LB-1-05-23-03-0755 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 431 | µg/L | PLS | |
| LB-1-05-30-03-0630 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 430 | µg/L | PLS | |
| | | | | | | | | |
| LB-2-05-02-03-0829 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 975 | µg/L | PLS | |
| LB-2-05-09-03-0632 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 930 | µg/L | PLS | |
| LB-2-05-16-03-0632 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,021 | µg/L | PLS | |
| LB-2-05-23-03-0759 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,018 | µg/L | PLS | |
| LB-2-05-30-03-0632 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,035 | µg/L | PLS | |
| | | | | | | | | |
| TW-1-05-02-03-0918 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 438 | µg/L | PLS | |
| TW-1-05-09-03-0740 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 420 | µg/L | PLS | |
| TW-1-05-16-03-0930 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 422 | µg/L | PLS | |
| TW-1-05-23-03-0910 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 407 | µg/L | PLS | |
| TW-1-05-30-03-1405 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 408 | µg/L | PLS | |
| | | | | | | | | |
| DOLPH-05-02-03-0814 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 256 | µg/L | PLS | |
| DOLPH-05-09-03-0727 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 254 | µg/L | PLS | |
| DOLPH-05-16-03-0846 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 278 | µg/L | PLS | |
| DOLPH-05-23-03-0840 | 05/23/03 | 05/23/03 | 05/23/03 | 1.0 | 273 | µg/L | PLS | |
| DOLPH-05-30-03-1334 | 05/30/03 | 05/30/03 | 06/02/03 | 1.0 | 280 | µg/L | PLS | |
| | | | | | | | | |
| TW-3-05-02-03-0920 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 712 | µg/L | PLS | |
| TW-3-05-09-03-0741 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 720 | µg/L | PLS | |
| TW-3-05-16-03-0927 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 691 | µg/L | PLS | |
| TW-3-05-23-03-0912 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 766 | µg/L | PLS | |
| TW-3-05-30-03-1407 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 727 | µg/L | PLS | |
| | | | | | | | | |
| TW-5-05-02-03-0855 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,676 | µg/L | PLS | |
| TW-5-05-09-03-0751 | 05/09/03 | 05/09/03 | 05/13/03 | 400.0 | 1,608 | µg/L | PLS | |
| TW-5-05-16-03-0854 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,658 | µg/L | PLS | |
| TW-5-05-23-03-0848 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,646 | µg/L | PLS | |
| TW-5-05-30-03-1342 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,580 | µg/L | PLS | |
| | | | | | | | | |
| TW-6-05-02-03-0640 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 3,422 | µg/L | PLS | |
| TW-6-05-09-03-0552 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 3,374 | µg/L | PLS | |
| TW-6-05-16-03-0836 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 3,314 | µg/L | PLS | |
| TW-6-05-23-03-0832 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 3,586 | µg/L | PLS | |
| TW-6-05-30-03-0811 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 3,377 | µg/L | PLS | |
| | | | | | | | | |
| TW-8-05-02-03-0944 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,100 | µg/L | PLS | |
| TW-8-05-09-03-0647 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 1,029 | µg/L | PLS | |
| TW-8-05-16-03-0956 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,121 | µg/L | PLS | |
| TW-8-05-23-03-0941 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,098 | µg/L | PLS | |
| TW-8-05-30-03-1439 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,155 | µg/L | PLS | |

| Sample ID | Date Sampled | Date Received | Date Analyzed | Detection Limit | Results | Units | Reporting Lab | Comments |
|-----------------------------------|--------------|---------------|---------------|-----------------|---------|-------|---------------|----------|
| TW-9-05-02-03-0909 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 2,925 | µg/L | PLS | |
| TW-9-05-09-03-0746 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 2,636 | µg/L | PLS | |
| TW-9-05-16-03-0919 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 2,730 | µg/L | PLS | |
| TW-9-05-23-03-0902 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 2,671 | µg/L | PLS | |
| TW-9-05-30-03-1355 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 2,884 | µg/L | PLS | |
| TW-10-05-02-03-0925 | 05/02/03 | 05/02/03 | 05/13/03 | 1.0 | 8,585 | µg/L | PLS | |
| TW-10-05-09-03-0738 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 9,677 | µg/L | PLS | |
| TW-10-05-16-03-0933 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 11,268 | µg/L | PLS | |
| TW-10-05-23-03-0915 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 9,662 | µg/L | PLS | |
| TW-10-05-30-03-1410 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 10,163 | µg/L | PLS | |
| TW-11-05-02-03-0857 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,143 | µg/L | PLS | |
| TW-11-05-09-03-0752 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 1,063 | µg/L | PLS | |
| TW-11-05-16-03-0856 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 950 | µg/L | PLS | |
| TW-11-05-23-03-0850 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,118 | µg/L | PLS | |
| TW-11-05-30-03-1344 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,106 | µg/L | PLS | |
| TW-12-05-02-03-0819 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 115 | µg/L | PLS | |
| TW-12-05-09-03-0728 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 115 | µg/L | PLS | |
| TW-12-05-16-03-0848 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 125 | µg/L | PLS | |
| TW-12-05-23-03-0842 | 05/23/03 | 05/23/03 | 05/23/03 | 1.0 | 123 | µg/L | PLS | |
| TW-12-05-30-03-1336 | 05/30/03 | 05/30/03 | 06/02/03 | 1.0 | 123 | µg/L | PLS | |
| TW-13-05-02-03-0931 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,272 | µg/L | PLS | |
| TW-13-05-09-03-0730 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 1,235 | µg/L | PLS | |
| TW-13-05-16-03-0948 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,364 | µg/L | PLS | |
| TW-13-05-23-03-0928 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,338 | µg/L | PLS | |
| TW-13-05-30-03-1426 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,377 | µg/L | PLS | |
| TW-14-05-02-03-0914 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,583 | µg/L | PLS | |
| TW-14-05-09-03-0743 | 05/09/03 | 05/09/03 | 05/13/03 | 400.0 | 1,377 | µg/L | PLS | |
| TW-14-05-16-03-0924 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,417 | µg/L | PLS | |
| TW-14-05-23-03-0907 | 05/23/03 | 05/23/03 | 05/28/03 | 400.0 | 1,306 | µg/L | PLS | |
| TW-14-05-30-03-1402 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,290 | µg/L | PLS | |
| PW-1-05-02-03-1140 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 2,708 | µg/L | PLS | |
| PW-1-05-09-03-0551 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 2,492 | µg/L | PLS | |
| PW-1-05-16-03-0834 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 2,464 | µg/L | PLS | |
| PW-1-05-23-03-0834 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 2,397 | µg/L | PLS | |
| PW-1-05-30-03-0810 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 2,266 | µg/L | PLS | |
| HZ-N-05-02-03-0845 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 1,216 | µg/L | PLS | |
| HZ-N-05-09-03-0650 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 1,158 | µg/L | PLS | |
| HZ-N-05-16-03-0645 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,222 | µg/L | PLS | |
| HZ-N-05-23-03-0816 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,176 | µg/L | PLS | |
| HZ-N-05-30-03-0650 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,181 | µg/L | PLS | |
| HZ-S-05-02-03-0904 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 2,972 | µg/L | PLS | |
| HZ-S-05-09-03-0748 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 2,582 | µg/L | PLS | |
| HZ-S-05-16-03-0907 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 2,784 | µg/L | PLS | |
| HZ-S-05-23-03-0859 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 2,671 | µg/L | PLS | |
| HZ-S-05-30-03-1352 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 2,918 | µg/L | PLS | |
| Temporary Extraction Wells | | | | | | | | |
| MW-10d-05-09-03-0700 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 647 | µg/L | PLS | |
| MW-10d-05-16-03-0945 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 681 | µg/L | PLS | |
| MW-10d-05-23-03-0925 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 736 | µg/L | PLS | |
| MW-10d-05-30-03-1419 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 694 | µg/L | PLS | |
| MW-11d-05-09-03-0749 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 679 | µg/L | PLS | |
| MW-11d-05-16-03-0904 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 700 | µg/L | PLS | |
| MW-11d-05-23-03-0856 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 703 | µg/L | PLS | |
| MW-11d-05-30-03-1349 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 661 | µg/L | PLS | |
| MW-22-05-09-03-0736 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 2,999 | µg/L | PLS | |

nd - Not detected at or above the Detection Limit

| Sample ID | Date Sampled | Date Received | Date Analyzed | Detection Limit | Results | Units | Reporting Lab | Comments |
|------------------------------|--------------|---------------|---------------|-----------------|---------|-------|---------------|----------|
| MW-22-05-16-03-0936 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 3,438 | µg/L | PLS | |
| MW-22-05-23-03-0917 | 05/23/03 | 05/23/03 | 05/28/03 | 1.0 | 3,586 | µg/L | PLS | |
| MW-22-05-30-03-1413 | 05/30/03 | 05/30/03 | 06/03/03 | 1.0 | 3,362 | µg/L | PLS | |
| MW-45d-05-09-03-0732 | 05/09/03 | 05/09/03 | 05/13/03 | 1.0 | 1,640 | µg/L | PLS | |
| MW-45d-05-16-03-0942 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 1,624 | µg/L | PLS | |
| MW-45d-05-23-03-0922 | 05/23/03 | 05/23/03 | 05/27/03 | 1.0 | 1,556 | µg/L | PLS | |
| MW-45d-05-30-03-1417 | 05/30/03 | 05/30/03 | 06/02/03 | 1.0 | 1,536 | µg/L | PLS | |
| MW-50-05-02-03-0942 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 191 | µg/L | PLS | |
| MW-50-05-09-03-0646 | 05/09/03 | 05/09/03 | 05/12/03 | 1.0 | 221 | µg/L | PLS | |
| MW-50-05-16-03-0958 | 05/16/03 | 05/16/03 | 05/20/03 | 1.0 | 220 | µg/L | PLS | |
| MW-50-05-23-03-0939 | 05/23/03 | 05/23/03 | 05/23/03 | 1.0 | 243 | µg/L | PLS | |
| MW-50-05-30-03-1437 | 05/30/03 | 05/30/03 | 06/02/03 | 1.0 | 280 | µg/L | PLS | |
| MW-58s-05-02-03-0940 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 935 | µg/L | PLS | |
| MW-58s-05-09-03-0645 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 890 | µg/L | PLS | |
| MW-58s-05-16-03-1000 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 931 | µg/L | PLS | |
| MW-58s-05-23-03-0937 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 882 | µg/L | PLS | |
| MW-58s-05-30-03-1435 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 864 | µg/L | PLS | |
| MW-64-05-09-03-0754 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 829 | µg/L | PLS | |
| MW-64-05-16-03-0921 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 881 | µg/L | PLS | |
| MW-64-05-23-03-0905 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 838 | µg/L | PLS | |
| MW-64-05-30-03-1358 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 836 | µg/L | PLS | |
| MW-75-05-09-03-0650 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 608 | µg/L | PLS | |
| MW-75-05-16-03-0953 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 618 | µg/L | PLS | |
| MW-75-05-23-03-0930 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 602 | µg/L | PLS | |
| MW-75-05-30-03-1431 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 570 | µg/L | PLS | |
| SW-COMB-05-02-03-0641 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 843 | µg/L | PLS | |
| SW-COMB-05-09-03-0553 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 845 | µg/L | PLS | |
| SW-COMB-05-16-03-0828 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 926 | µg/L | PLS | |
| SW-COMB-05-23-03-0830 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 932 | µg/L | PLS | |
| SW-COMB-05-30-03-0812 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 962 | µg/L | PLS | |
| Transmission Pipeline | | | | | | | | |
| TRANS-05-02-03-0827 | 05/02/03 | 05/02/03 | 05/07/03 | 400.0 | 626 | µg/L | PLS | |
| TRANS-05-09-03-0636 | 05/09/03 | 05/09/03 | 05/12/03 | 400.0 | 599 | µg/L | PLS | |
| TRANS-05-16-03-0636 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 644 | µg/L | PLS | |
| TRANS-05-23-03-0801 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 669 | µg/L | PLS | |
| TRANS-05-30-03-0650 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 640 | µg/L | PLS | |
| Red Pond | | | | | | | | |
| RP-05-02-03-0635 | 05/02/03 | 05/02/03 | 05/07/03 | 1.0 | 1,751 | µg/L | PLS | |
| RP-05-09-03-0550 | 05/09/03 | 05/09/03 | 05/13/03 | 400.0 | 1,759 | µg/L | PLS | |
| RP-05-16-03-0830 | 05/16/03 | 05/16/03 | 05/20/03 | 400.0 | 1,931 | µg/L | PLS | |
| RP-05-23-03-0836 | 05/23/03 | 05/23/03 | 05/27/03 | 400.0 | 1,821 | µg/L | PLS | |
| RP-05-30-03-0805 | 05/30/03 | 05/30/03 | 06/02/03 | 400.0 | 1,862 | µg/L | PLS | |
| EFF-UV1-B | | | | | | | | |
| EFF-UV1-B-05-27-03-2011 | 05/27/03 | 05/28/03 | 05/28/03 | 1.0 | nd | µg/L | PLS | |
| EFF-UV2-B | | | | | | | | |
| EFF-UV2-B-05-29-03-1031 | 05/29/03 | 05/29/03 | 05/29/03 | 1.0 | nd | µg/L | PLS | |
| OUTFALL | | | | | | | | |
| Outfall001-05-01-03-0810 | 05/01/03 | 05/01/03 | 05/01/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-02-03-0630 | 05/02/03 | 05/02/03 | 05/02/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-05-03-0805 | 05/05/03 | 05/05/03 | 05/05/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-06-03-0645 | 05/06/03 | 05/06/03 | 05/06/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-07-03-0837 | 05/07/03 | 05/07/03 | 05/07/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-08-03-0745 | 05/08/03 | 05/08/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-09-03-0545 | 05/09/03 | 05/09/03 | 05/09/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-12-03-0715 | 05/12/03 | 05/12/03 | 05/12/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-13-03-0630 | 05/13/03 | 05/13/03 | 05/13/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-14-03-0610 | 05/14/03 | 05/14/03 | 05/14/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-15-03-0906 | 05/15/03 | 05/15/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-16-03-0838 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-19-03-0721 | 05/19/03 | 05/19/03 | 05/19/03 | 1.0 | nd | µg/L | PLS | |

nd - Not detected at or above the Detection Limit

| Sample ID | Date Sampled | Date Received | Date Analyzed | Detection Limit | Results | Units | Reporting Lab | Comments |
|------------------------------------|--------------|---------------|---------------|-----------------|--------------|-------|---------------|-----------------------------------|
| Outfall001-05-20-03-0805 | 05/20/03 | 05/20/03 | 05/20/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-21-03-0645 | 05/21/03 | 05/21/03 | 05/21/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-22-03-0835 | 05/22/03 | 05/22/03 | 05/22/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-23-03-0820 | 05/23/03 | 05/23/03 | 05/23/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-26-03-0931 | 05/26/03 | 05/27/03 | 05/27/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-27-03-0545 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-28-03-0545 | 05/28/03 | 05/28/03 | 05/28/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-29-03-0820 | 05/29/03 | 05/29/03 | 05/29/03 | 1.0 | nd | µg/L | PLS | |
| Outfall001-05-30-03-0800 | 05/30/03 | 05/30/03 | 05/30/03 | 1.0 | nd | µg/L | PLS | |
| Aquifer - C3 | | | | | | | | |
| MW-1-05-12-03-0858 | 05/12/03 | 05/12/03 | 05/19/03 | 1.0 | nd | µg/L | PLS | |
| MW-2d-05-06-03-1011 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | 147 | µg/L | PLS | |
| MW-20-05-01-03-1239 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-23-05-08-03-1320 | 05/08/03 | 05/08/03 | 05/19/03 | 1.0 | 317 | µg/L | PLS | |
| MW-24-05-08-03-1019 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 1,553 | µg/L | PLS | |
| MW-25d | 05/16/03 | | | 1.0 | See Comments | µg/L | PLS | Well is dry. |
| MW-28-05-07-03-0853 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-39s-05-01-03-1221 | 05/01/03 | 05/01/03 | 05/07/03 | 1.0 | 773 | µg/L | PLS | |
| 333 Jackson Plaza-05-06-03-0958 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | 30 | µg/L | PLS | |
| Aquifer - DO | | | | | | | | |
| MW-40d-05-01-03-1032 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-40s-05-01-03-1042 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-41d-05-16-03-1333 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | 40 | µg/L | PLS | |
| MW-41s-05-16-03-1329 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | 13 | µg/L | PLS | |
| MW-53d-05-16-03-1250 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | 2 | µg/L | PLS | |
| MW-53i-05-02-03-1152 | 05/02/03 | 05/02/03 | 05/06/03 | 1.0 | 63 | µg/L | PLS | |
| MW-53i-05-16-03-1320 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | 65 | µg/L | PLS | |
| MW-53s-05-16-03-1300 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| MW-61s-05-29-03-1457 | 05/29/03 | 05/29/03 | 05/29/03 | 1.0 | 39 | µg/L | PLS | |
| A2 Cleaning Supply-05-02-03-1131 | 05/02/03 | 05/02/03 | 05/05/03 | 1.0 | 139 | µg/L | PLS | |
| A2 Cleaning Supply-05-19-03-1502 | 05/19/03 | 05/19/03 | 05/20/03 | 1.0 | 129 | µg/L | PLS | |
| 5005 Jackson Rd-05-12-03-0956 | 05/12/03 | 05/12/03 | 05/16/03 | 1.0 | 41 | µg/L | PLS | |
| 110 Parkland Plaza-05-01-03-1148 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | 7 | µg/L | PLS | |
| Aquifer - D2 | | | | | | | | |
| MW-9d-05-06-03-1024 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-38d-05-01-03-1303 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | 308 | µg/L | PLS | |
| MW-39d-05-01-03-1211 | 05/01/03 | 05/01/03 | 05/08/03 | 1.0 | 96 | µg/L | PLS | |
| MW-44-05-07-03-1303 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-47d-05-13-03-1106 | 05/13/03 | 05/13/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| MW-47s-05-13-03-1122 | 05/13/03 | 05/13/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| MW-56s-05-07-03-1413 | 05/07/03 | 05/07/03 | 05/07/03 | 1.0 | 587 | µg/L | PLS | |
| MW-62i-05-07-03-0953 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-63i-05-07-03-1100 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| 435 Barber-05-27-03-1142 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | 35 | µg/L | PLS | |
| 440 Clarendon-05-30-03-1751 | 05/30/03 | 05/30/03 | 06/02/03 | 1.0 | 112 | µg/L | PLS | |
| 2819 Dexter Rd-05-06-03-1333 | 05/06/03 | 05/06/03 | 05/07/03 | 1.0 | 543 | µg/L | PLS | |
| 3261 Dexter Rd | 05/15/03 | | | 1.0 | See Comments | µg/L | PLS | Plumbing broken. No sample taken. |
| 465 Dupont-05-12-03-0827 | 05/12/03 | 05/12/03 | 05/19/03 | 1.0 | 253 | µg/L | PLS | |
| 175 Jackson Plaza-05-06-03-1056 | 05/06/03 | 05/06/03 | 05/07/03 | 400.0 | 440 | µg/L | PLS | |
| 359 Pinewood-05-08-03-1445 | 05/08/03 | 05/08/03 | 05/16/03 | 1.0 | 42 | µg/L | PLS | |
| 373 Pinewood Shallow-05-13-03-1030 | 05/13/03 | 05/13/03 | 05/20/03 | 1.0 | 2,671 | µg/L | PLS | |
| Aquifer - E | | | | | | | | |
| MW-56d-05-07-03-1345 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-62d-05-07-03-0934 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-63d-05-07-03-1039 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-65s-05-06-03-0809 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | 52 | µg/L | PLS | |
| MW-65i-05-06-03-0845 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | 184 | µg/L | PLS | |
| MW-65d-05-06-03-0919 | 05/06/03 | 05/06/03 | 05/08/03 | 1.0 | 149 | µg/L | PLS | |
| MW-72s-05-21-03-1024 | 05/21/03 | 05/21/03 | 05/21/03 | 1.0 | 157 | µg/L | PLS | |
| MW-76s-05-27-03-1003 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | 81 | µg/L | PLS | |
| MW-81-05-22-03-1053 | 05/22/03 | 05/22/03 | 05/23/03 | 1.0 | 151 | µg/L | PLS | |
| MW-84s-05-27-03-1126 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | 92 | µg/L | PLS | |
| MW-84d-05-27-03-1107 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | nd | µg/L | PLS | |
| MW-85-05-21-03-1101 | 05/21/03 | 05/21/03 | 05/22/03 | 1.0 | 1,628 | µg/L | PLS | |
| MW-86-05-27-03-1027 | 05/27/03 | 05/27/03 | 05/27/03 | 1.0 | nd | µg/L | PLS | |

nd - Not detected at or above the Detection Limit

| Sample ID | Date Sampled | Date Received | Date Analyzed | Detection Limit | Results | Units | Reporting Lab | Comments |
|---------------------------------|--------------|---------------|---------------|-----------------|---------|-------|---------------|----------|
| 373 Pinewood Deep-05-13-03-1025 | 05/13/03 | 05/13/03 | 05/19/03 | 1.0 | nd | µg/L | PLS | |
| Aquifer - Marshy | | | | | | | | |
| AMW-1-05-08-03-1008 | 05/08/03 | 05/08/03 | 05/12/03 | 1.0 | 509 | µg/L | PLS | |
| AMW-2-05-08-03-1333 | 05/08/03 | 05/08/03 | 05/19/03 | 1.0 | 44 | µg/L | PLS | |
| MOW-1-05-08-03-1309 | 05/08/03 | 05/08/03 | 05/12/03 | 1.0 | 1,732 | µg/L | PLS | |
| MOW-1-05-29-03-1038 | 05/29/03 | 05/29/03 | 06/02/03 | 1.0 | 1,842 | µg/L | PLS | |
| NMW-1d-05-08-03-1100 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 1,332 | µg/L | PLS | |
| NMW-2d-05-08-03-1112 | 05/08/03 | 05/08/03 | 05/12/03 | 1.0 | 1,256 | µg/L | PLS | |
| NMW-2s-05-08-03-1201 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 4,329 | µg/L | PLS | |
| NMW-3d-05-08-03-1035 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 1,445 | µg/L | PLS | |
| NMW-3s-05-08-03-1045 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 624 | µg/L | PLS | |
| PMW-1-05-08-03-1211 | 05/08/03 | 05/08/03 | 05/12/03 | 1.0 | 391 | µg/L | PLS | |
| PMW-1-05-28-03-1931 | 05/28/03 | 05/28/03 | 06/02/03 | 1.0 | 341 | µg/L | PLS | |
| PMW-2-05-08-03-1229 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 4,065 | µg/L | PLS | |
| PMW-3-05-08-03-1255 | 05/08/03 | 05/08/03 | 05/20/03 | 1.0 | 13,995 | µg/L | PLS | |
| PMW-4-05-08-03-1239 | 05/08/03 | 05/08/03 | 05/12/03 | 1.0 | 874 | µg/L | PLS | |
| SW-1M-05-08-03-1409 | 05/08/03 | 05/08/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| SW-2M-05-08-03-1357 | 05/08/03 | 05/08/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| SW-3M-05-08-03-1349 | 05/08/03 | 05/08/03 | 05/16/03 | 1.0 | nd | µg/L | PLS | |
| Aquifer - not determined | | | | | | | | |
| LS-1-05-02-03-1208 | 05/02/03 | 05/02/03 | 05/20/03 | 1.0 | 2 | µg/L | PLS | |
| LS-2-05-02-03-1218 | 05/02/03 | 05/02/03 | 05/20/03 | 1.0 | 3 | µg/L | PLS | |
| LS-3-05-02-03-1225 | 05/02/03 | 05/02/03 | 05/20/03 | 1.0 | 175 | µg/L | PLS | |
| LS-5-05-02-03-1235 | 05/02/03 | 05/02/03 | 05/20/03 | 1.0 | 266 | µg/L | PLS | |
| SI-MW-2-05-02-03-1307 | 05/02/03 | 05/02/03 | 05/13/03 | 1.0 | 431 | µg/L | PLS | |
| SI-MW-4-05-02-03-1321 | 05/02/03 | 05/02/03 | 05/06/03 | 1.0 | 568 | µg/L | PLS | |
| SI-MW-5-05-02-03-1242 | 05/02/03 | 05/02/03 | 05/06/03 | 1.0 | 7 | µg/L | PLS | |
| SI-MW-7-05-02-03-1253 | 05/02/03 | 05/02/03 | 05/12/03 | 1.0 | 252 | µg/L | PLS | |
| MW-62s-05-07-03-1003 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| MW-63s-05-07-03-1020 | 05/07/03 | 05/07/03 | 05/08/03 | 1.0 | nd | µg/L | PLS | |
| Aquifer - Southwest | | | | | | | | |
| MW-48-05-16-03-1431 | 05/16/03 | 05/16/03 | 05/19/03 | 1.0 | 99 | µg/L | PLS | |
| MW-57-05-16-03-1420 | 05/16/03 | 05/16/03 | 05/16/03 | 1.0 | 2 | µg/L | PLS | |

nd - Not detected at or above the Detection Limit