



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Acenaphthene	83329	1,300	3,800	38	4,200 (S)	4,200 (S)	4,240	ID
Acenaphthylene	208968	52	150	ID	3,900 (S)	3,900 (S)	3,930	ID
Acetaldehyde (l)	75070	950	2,700	130	1.10E+06	2.30E+06	1.00E+09	8.90E+06
Acetate	71501	4,200	12,000	(G)	ID	ID	ID	ID
Acetic acid	64197	4,200	12,000	(G)	NLV	NLV	6.00E+09	1.0E+9 (D)
Acetone (l)	67641	730	2,100	1,700	1.0E+9 (D,S)	1.0E+9 (D,S)	1.00E+09	1.50E+07
Acetonitrile	75058	140	400	13,000 (X)	2.40E+07	4.50E+07	2.00E+08	2.10E+07
Acetophenone	98862	1,500	4,400	ID	6.1E+6 (S)	6.1E+6 (S)	6.10E+06	ID
Acrolein (l)	107028	120	330	NA	2,100	4,200	2.10E+08	6.70E+06
Acrylamide	79061	0.5 (A)	0.5 (A)	10 (X)	NLV	NLV	2.20E+09	NA
Acrylic acid	79107	3,900	11,000	NA	1.20E+07	2.80E+07	1.00E+09	1.0E+9 (D)
Acrylonitrile (l)	107131	2.6	11	2.0 (M); 1.2	34,000	1.90E+05	7.50E+07	6.40E+06
Alachlor	15972608	2.0 (A)	2.0 (A)	11 (X)	NLV	NLV	1.83E+05	ID
Aldicarb	116063	3.0 (A)	3.0 (A)	NA	NLV	NLV	6.00E+06	ID
Aldicarb sulfone	1646884	2.0 (A)	2.0 (A)	NA	NLV	NLV	7.80E+06	ID
Aldicarb sulfoxide	1646873	4.0 (A)	4.0 (A)	NA	NLV	NLV	2.80E+07	ID
Aldrin	309002	0.098	0.4	0.01 (M); 8.7E-6	180 (S)	180 (S)	180	ID
Aluminum (B)	7429905	50 (V)	50 (V)	NA	NLV	NLV	NA	ID
Ammonia	7664417	10,000 (N)	10,000 (N)	(CC)	3.20E+06	7.10E+06	5.30E+08	ID
t-Amyl methyl ether (TAME)	994058	190 (E)	190 (E)	NA	2.60E+05	5.70E+05	2.64E+06	NA
Aniline	62533	53	220	4.0 (M); 3.0	NLV	NLV	3.60E+07	NA
Anthracene	120127	43 (S)	43 (S)	ID	43 (S)	43 (S)	43.4	ID
Antimony	7440360	6.0 (A)	6.0 (A)	130 (X)	NLV	NLV	NA	ID
Arsenic	7440382	10 (A)	10 (A)	10	NLV	NLV	NA	ID
Asbestos (BB)	1332214	7.0 MFL (A)	7.0 MFL (A)	NA	NLV	NLV	NA	NA
Atrazine	1912249	3.0 (A)	3.0 (A)	7.3	NLV	NLV	70,000	ID
Azobenzene	103333	23	94	ID	6,400 (S)	6,400 (S)	6,400	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Barium (B)	7440393	2,000 (A)	2,000 (A)	(G)	NLV	NLV	NA	ID
Benzene (I)	71432	5.0 (A)	5.0 (A)	200 (X)	5,600	35,000	1.75E+06	68,000
Benzidine	92875	0.3 (M); 0.0037	0.3 (M); 0.015	0.3 (M); 0.073	NLV	NLV	5.20E+05	ID
Benzo(a)anthracene (Q)	56553	2.1	8.5	ID	NLV	NLV	9.4	ID
Benzo(b)fluoranthene (Q)	205992	1.5 (S,AA)	1.5 (S,AA)	ID	ID	ID	1.5	ID
Benzo(k)fluoranthene (Q)	207089	1.0 (M); 0.8 (S)	1.0 (M); 0.8 (S)	NA	NLV	NLV	0.8	ID
Benzo(g,h,i)perylene	191242	1.0 (M); 0.26 (S)	1.0 (M); 0.26 (S)	ID	NLV	NLV	0.26	ID
Benzo(a)pyrene (Q)	50328	5.0 (A)	5.0 (A)	ID	NLV	NLV	1.62	ID
Benzoic acid	65850	32,000	92,000	NA	NLV	NLV	3.50E+06	ID
Benzyl alcohol	100516	10,000	29,000	NA	NLV	NLV	4.40E+07	ID
Benzyl chloride	100447	7.7	32	NA	12,000	77,000	4.90E+05	NA
Beryllium	7440417	4.0 (A)	4.0 (A)	(G)	NLV	NLV	NA	ID
bis(2-Chloroethoxy)ethane	112265	ID	ID	ID	NLV	NLV	1.89E+07	ID
bis(2-Chloroethyl)ether (I)	111444	2	8.3	1.0 (M); 0.79	38,000	2.10E+05	1.72E+07	1.7E+7 (S)
bis(2-Ethylhexyl)phthalate	117817	6.0 (A)	6.0 (A)	14	NLV	NLV	340	NA
Boron (B)	7440428	500 (F)	500 (F)	7,200 (X)	NLV	NLV	NA	ID
Bromate	15541454	10 (A)	10 (A)	40 (X)	NLV	NLV	38,000	ID
Bromobenzene (I)	108861	18	50	NA	1.80E+05	3.90E+05	4.13E+05	ID
Bromodichloromethane	75274	80 (A,W)	80 (A,W)	ID	4,800	37,000	6.74E+06	ID
Bromoform	75252	80 (A,W)	80 (A,W)	ID	4.70E+05	3.1E+6 (S)	3.10E+06	ID
Bromomethane	74839	10	29	5.0 (M); 4.2	4,000	9,000	1.45E+07	ID
n-Butanol (I)	71363	950	2,700	9,800 (X)	NLV	NLV	7.40E+07	4.70E+07
2-Butanone (MEK) (I)	78933	13,000	38,000	2,200	2.4E+8 (S)	2.4E+8 (S)	2.40E+08	ID
n-Butyl acetate	123864	550	1,600	NA	6.7E+6 (S)	6.7E+6 (S)	6.70E+06	2.50E+06
t-Butyl alcohol	75650	3,900	11,000	NA	1.0E+9 (D,S)	1.0E+9 (D,S)	1.00E+09	6.10E+07
Butyl benzyl phthalate	85687	1,200	2,700 (S)	67 (X)	NLV	NLV	2,690	ID
n-Butylbenzene	104518	80	230	ID	ID	ID	NA	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
sec-Butylbenzene	135988	80	230	ID	ID	ID	NA	ID
t-Butylbenzene (I)	98066	80	230	ID	ID	ID	NA	ID
Cadmium (B)	7440439	5.0 (A)	5.0 (A)	(G,X)	NLV	NLV	NA	ID
Camphene (I)	79925	ID	ID	NA	440	1,000	33,400	ID
Caprolactam	105602	5,800	17,000	NA	NLV	NLV	5.25E+09	NA
Carbaryl	63252	700	2,000	ID	ID	ID	1.26E+05	ID
Carbazole	86748	85	350	10 (M); 4.0	NLV	NLV	7,480	ID
Carbofuran	1563662	40 (A)	40 (A)	NA	NLV	NLV	7.00E+05	ID
Carbon disulfide (I,R)	75150	800	2,300	ID	2.50E+05	5.50E+05	1.19E+06	13,000
Carbon tetrachloride	56235	5.0 (A)	5.0 (A)	38 (X)	370	2,400	7.93E+05	ID
Chlordane (J)	57749	2.0 (A)	2.0 (A)	2.0 (M);0.00025	56 (S)	56 (S)	56	ID
Chloride	16887006	2.5E+5 (E)	2.5E+5 (E)	(FF)	NLV	NLV	NA	ID
Chlorobenzene (I)	108907	100 (A)	100 (A)	25	2.10E+05	4.7E+5 (S)	4.72E+05	1.60E+05
p-Chlorobenzene sulfonic acid	98668	7,300	21,000	ID	ID	ID	NA	ID
1-Chloro-1,1-difluoroethane	75683	15,000	44,000	NA	3.9E+6 (S)	3.9E+6 (S)	3.90E+06	NA
Chloroethane	75003	430	1,700	1,100 (X)	5.7E+6 (S)	5.7E+6 (S)	5.74E+06	1.10E+05
2-Chloroethyl vinyl ether	110758	ID	ID	NA	ID	ID	1.50E+07	ID
Chloroform	67663	80 (A,W)	80 (A,W)	350	28,000	1.80E+05	7.92E+06	ID
Chloromethane (I)	74873	260	1,100	ID	8,600	45,000	6.34E+06	36,000
4-Chloro-3-methylphenol	59507	150	420	7.4	NLV	NLV	3.90E+06	ID
beta-Chloronaphthalene	91587	1,800	5,200	NA	ID	ID	6,740	ID
2-Chlorophenol	95578	45	130	18	4.90E+05	1.10E+06	2.20E+07	ID
o-Chlorotoluene (I)	95498	150	420	ID	2.20E+05	3.7E+5 (S)	3.73E+05	ID
Chlorpyrifos	2921882	22	63	2.0 (M); 0.002	2.9	6.6	1,120	ID
Chromium (III) (B,H)	16065831	100 (A)	100 (A)	(G,X)	NLV	NLV	NA	ID
Chromium (VI)	18540299	100 (A)	100 (A)	11	NLV	NLV	NA	ID
Chrysene (Q)	218019	1.6 (S)	1.6 (S)	ID	ID	ID	1.6	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Cobalt	7440484	40	100	100	NLV	NLV	NA	ID
Copper (B)	7440508	1,000 (E)	1,000 (E)	(G)	NLV	NLV	NA	ID
Cyanazine	21725462	2.3	9.4	56 (X)	NLV	NLV	1.70E+05	ID
Cyanide (P,R)	57125	200 (A)	200 (A)	5.2	NLV	NLV	NA	ID
Cyclohexanone	108941	33,000	94,000	NA	1,500	3,300	2.30E+07	NA
Dacthal	1861321	73	210	NA	NLV	NLV	500	ID
Dalapon	75990	200 (A)	200 (A)	NA	NLV	NLV	5.02E+08	ID
4-4'-DDD	72548	9.1	37	NA	NLV	NLV	90	ID
4-4'-DDE	72559	4.3	15	NA	NLV	NLV	120	ID
4-4'-DDT	50293	3.6	10	0.02 (M); 1.1E-5	NLV	NLV	25	NA
Decabromodiphenyl ether	1163195	30 (S)	30 (S)	NA	30 (S)	30 (S)	30	ID
Di-n-butyl phthalate	84742	880	2,500	9.7	NLV	NLV	11,200	NA
Di(2-ethylhexyl) adipate	103231	400 (A)	400 (A)	ID	NLV	NLV	471	ID
Di-n-octyl phthalate	117840	130	380	ID	NLV	NLV	3,000	ID
Diacetone alcohol (I)	123422	ID	ID	NA	NLV	NLV	1.00E+09	1.0E+9 (S)
Diazinon	333415	1.3	3.8	1.0 (M); 0.004	NLV	NLV	68,800	NA
Dibenzo(a,h)anthracene (Q)	53703	2.0 (M); 0.21	2.0 (M); 0.85	ID	NLV	NLV	2.49	ID
Dibenzofuran	132649	ID	ID	4	10,000 (S)	10,000 (S)	10,000	ID
Dibromochloromethane	124481	80 (A,W)	80 (A,W)	ID	14,000	1.10E+05	2.60E+06	ID
Dibromochloropropane	96128	0.2 (A)	0.2 (A)	ID	220	1,200 (S)	1,230	NA
Dibromomethane	74953	80	230	NA	ID	ID	1.10E+07	ID
Dicamba	1918009	220	630	NA	NLV	NLV	4.50E+06	ID
1,2-Dichlorobenzene	95501	600 (A)	600 (A)	13	1.6E+5 (S)	1.6E+5 (S)	1.56E+05	NA
1,3-Dichlorobenzene	541731	6.6	19	28	18,000	41,000	1.11E+05	ID
1,4-Dichlorobenzene	106467	75 (A)	75 (A)	17	16,000	74,000 (S)	73,800	NA
3,3'-Dichlorobenzidine	91941	1.1	4.3	0.3 (M); 0.2	NLV	NLV	3,110	ID
Dichlorodifluoromethane	75718	1,700	4,800	ID	2.20E+05	3.0E+5 (S)	3.00E+05	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
1,1-Dichloroethane	75343	880	2,500	740	1.00E+06	2.30E+06	5.06E+06	3.80E+05
1,2-Dichloroethane (I)	107062	5.0 (A)	5.0 (A)	360 (X)	9,600	59,000	8.52E+06	2.50E+06
1,1-Dichloroethylene (I)	75354	7.0 (A)	7.0 (A)	130	200	1,300	2.25E+06	97,000
cis-1,2-Dichloroethylene	156592	70 (A)	70 (A)	620	93,000	2.10E+05	3.50E+06	5.30E+05
trans-1,2-Dichloroethylene	156605	100 (A)	100 (A)	1,500 (X)	85,000	2.00E+05	6.30E+06	2.30E+05
2,6-Dichloro-4-nitroaniline	99309	2,200	6,300	NA	NLV	NLV	7,000	ID
2,4-Dichlorophenol	120832	73	210	11	NLV	NLV	4.50E+06	ID
2,4-Dichlorophenoxyacetic acid	94757	70 (A)	70 (A)	220	NLV	NLV	6.80E+05	ID
1,2-Dichloropropane (I)	78875	5.0 (A)	5.0 (A)	230 (X)	16,000	36,000	2.80E+06	5.50E+05
1,3-Dichloropropene	542756	8.5	35	9.0 (X)	3,900	26,000	2.80E+06	1.30E+05
Dichlorovos	62737	1.6	6.7	ID	NLV	NLV	1.60E+07	NA
Dicyclohexyl phthalate	84617	ID	ID	NA	ID	ID	4,000	ID
Dieldrin	60571	0.11	0.43	0.02 (M); 6.5E-6	200 (S)	200 (S)	195	ID
Diethyl ether	60297	10 (E)	10 (E)	ID	6.1E+7 (S)	6.1E+7 (S)	6.10E+07	6.50E+05
Diethyl phthalate	84662	5,500	16,000	110	NLV	NLV	1.08E+06	NA
Diethylene glycol monobutyl ether	112345	88	250	NA	NLV	NLV	1.00E+09	ID
Diisopropyl ether	108203	30	86	ID	8,000 (S)	8,000 (S)	8,041	8,000 (S)
Diisopropylamine (I)	108189	5.6	16	NA	2.10E+07	3.7E+7 (S)	3.69E+07	4.60E+06
Dimethyl phthalate	131113	73,000	2.10E+05	NA	NLV	NLV	4.19E+06	NA
N,N-Dimethylacetamide	127195	180	520	4,100 (X)	NLV	NLV	1.00E+09	NA
N,N-Dimethylaniline	121697	16	46	NA	2.40E+05	1.3E+6 (S)	1.27E+06	NA
Dimethylformamide (I)	68122	700	2,000	NA	NLV	NLV	1.00E+09	ID
2,4-Dimethylphenol	105679	370	1,000	380	NLV	NLV	7.87E+06	ID
2,6-Dimethylphenol	576261	4.4	13	NA	NLV	NLV	6.14E+06	ID
3,4-Dimethylphenol	95658	10	29	25	NLV	NLV	4.93E+06	ID
Dimethylsulfoxide	67685	2.20E+05	6.30E+05	1.90E+05	NLV	NLV	1.66E+08	ID
2,4-Dinitrotoluene	121142	7.7	32	NA	NLV	NLV	2.70E+05	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Dinoseb	88857	7.0 (A)	7.0 (A)	1.0 (M); 0.48	NLV	NLV	52,000	ID
1,4-Dioxane (I)	123911	7.2 (II)	350	280 (X)	NLV	NLV	9.00E+08	1.40E+08
Diquat	85007	20 (A)	20 (A)	20 (M); 6.0	NLV	NLV	7.00E+05	ID
Dissolved oxygen (DO)	NA	ID	ID	(EE)	ID	ID	NA	NA
Diuron	330541	31	90	NA	NLV	NLV	37,300	ID
Endosulfan (J)	115297	44	130	0.03 (M); 0.029	ID	ID	510	ID
Endothall	145733	100 (A)	100 (A)	NA	NLV	NLV	1.00E+08	ID
Endrin	72208	2.0 (A)	2.0 (A)	ID	NLV	NLV	250	ID
Epichlorohydrin (I)	106898	5.0 (M); 2.0 (A)	5.0 (M); 2.0 (A)	NA	3.20E+05	6.30E+05	6.60E+07	4.70E+07
Ethanol (I)	64175	1.90E+06	3.80E+06	ID	NLV	NLV	1.00E+09	9.70E+07
Ethyl acetate (I)	141786	6,600	19,000	NA	6.4E+7 (S)	6.4E+7 (S)	6.40E+07	4.20E+06
Ethyl-tert-butyl ether (ETBE)	637923	49 (E)	49 (E)	ID	2.90E+06	5.6E+6 (S)	5.63E+06	ID
Ethylbenzene (I)	100414	74 (E)	74 (E)	18	1.10E+05	1.7E+5 (S)	1.69E+05	43,000
Ethylene dibromide	106934	0.05 (A)	0.05 (A)	5.7 (X)	2,400	15,000	4.20E+06	ID
Ethylene glycol	107211	15,000	42,000	1.9E+5 (X)	NLV	NLV	1.00E+09	NA
Ethylene glycol monobutyl ether	111762	3,700	10,000	NA	2.90E+06	6.50E+06	2.24E+08	NA
Fluoranthene	206440	210 (S)	210 (S)	1.6	210 (S)	210 (S)	206	ID
Fluorene	86737	880	2,000 (S)	12	2,000 (S)	2,000 (S)	1,980	ID
Fluorine (soluble fluoride) (B)	7782414	2,000 (E)	2,000 (E)	ID	NLV	NLV	NA	ID
Formaldehyde	50000	1,300	3,800	180	63,000	3.60E+05	5.50E+08	ID
Formic acid (I,U)	64186	10,000	29,000	ID	7.70E+06	1.50E+07	1.00E+09	1.0E+9 (D)
1-Formylpiperidine	2591868	80	230	NA	ID	ID	NA	ID
Gentian violet	548629	15	63	NA	NLV	NLV	1.00E+06	ID
Glyphosate	1071836	700 (A)	700 (A)	NA	NLV	NLV	1.16E+07	ID
Heptachlor	76448	0.4 (A)	0.4 (A)	0.01 (M); 0.0018	180 (S)	180 (S)	180	ID
Heptachlor epoxide	1024573	0.2 (A)	0.2 (A)	ID	NLV	NLV	200	ID
n-Heptane	142825	2,700 (S)	2,700 (S)	NA	2,700 (S)	2,700 (S)	2,690	200



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Hexabromobenzene	87821	0.17 (S); 20	0.17 (S); 58	ID	ID	ID	0.17	ID
Hexachlorobenzene (C-66)	118741	1.0 (A)	1.0 (A)	0.2 (M); 0.0003	440	3,000	6,200	ID
Hexachlorobutadiene (C-46)	87683	15	42	0.053	1,600	3,200 (S)	3,230	ID
alpha-Hexachlorocyclohexane	319846	0.43	1.7	ID	2,000 (S)	2,000 (S)	2,000	ID
beta-Hexachlorocyclohexane	319857	0.88	3.6	ID	NLV	NLV	240	ID
Hexachlorocyclopentadiene (C-56)	77474	50 (A)	50 (A)	ID	130	420	1,800	ID
Hexachloroethane	67721	7.3	21	6.7 (X)	27,000	50,000 (S)	50,000	ID
n-Hexane	110543	3,000	8,600	NA	12,000 (S)	12,000 (S)	12,000	12,000 (S)
2-Hexanone	591786	1,000	2,900	ID	4.20E+06	8.70E+06	1.60E+07	NA
Indeno(1,2,3-cd)pyrene (Q)	193395	2.0 (M); 0.022 (S)	2.0 (M); 0.022 (S)	ID	NLV	NLV	0.022	ID
Iron (B)	7439896	300 (E)	300 (E)	NA	NLV	NLV	NA	ID
Isobutyl alcohol (I)	78831	2,300	6,700	NA	7.6E+7 (S)	7.6E+7 (S)	7.60E+07	ID
Isophorone	78591	770	3,100	1,300 (X)	NLV	NLV	1.20E+07	ID
Isopropyl alcohol (I)	67630	470	1,300	57,000 (X)	NLV	NLV	1.00E+09	6.00E+07
Isopropyl benzene	98828	800	2,300	28	56,000 (S)	56,000 (S)	56,000	29,000
Lead (B)	7439921	4.0 (L)	4.0 (L)	(G,X)	NLV	NLV	NA	ID
Lindane	58899	0.2 (A)	0.2 (A)	0.03 (M); 0.026	ID	ID	6,800	ID
Lithium (B)	7439932	170	350	440	NLV	NLV	NA	ID
Magnesium (B)	7439954	4.00E+05	1.10E+06	NA	NLV	NLV	NA	ID
Manganese (B)	7439965	50 (E)	50 (E)	(G,X)	NLV	NLV	NA	ID
Mercury (Total) (B,Z)	Varies	2.0 (A)	2.0 (A)	0.0013	56 (S)	56 (S)	56	ID
Methane	74828	ID	ID	NA	(K)	(K)	NA	(AA)
Methanol	67561	3,700	10,000	5.9E+5 (X)	2.9E+7 (S)	2.9E+7 (S)	2.90E+07	4.50E+06
Methoxychlor	72435	40 (A)	40 (A)	NA	ID	ID	45	ID
2-Methoxyethanol (I)	109864	7.3	21	NA	NLV	NLV	1.00E+09	ID
2-Methyl-4-chlorophenoxyacetic acid	94746	7.3	21	NA	NLV	NLV	9.24E+05	ID
2-Methyl-4,6-dinitrophenol	534521	20 (M); 2.6	20 (M); 7.3	NA	NLV	NLV	2.00E+05	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
N-Methyl-morpholine (I)	109024	20	56	NA	NLV	NLV	1.00E+09	ID
Methyl parathion	298000	1.8	5.2	NA	NLV	NLV	50,000	ID
4-Methyl-2-pentanone (MIBK) (I)	108101	1,800	5,200	ID	2.0E+7 (S)	2.0E+7 (S)	2.00E+07	ID
Methyl-tert-butyl ether (MTBE)	1634044	40 (E)	40 (E)	7,100 (X)	4.7E+7 (S)	4.7E+7 (S)	4.68E+07	ID
Methylcyclopentane (I)	96377	ID	ID	NA	22,000	49,000	73,890	ID
4,4'-Methylene-bis-2- chloroaniline	101144	1.1	4.5	NA	NLV	NLV	14,000	ID
Methylene chloride	75092	5.0 (A)	5.0 (A)	1,500 (X)	2.20E+05	1.40E+06	1.70E+07	ID
2-Methylnaphthalene	91576	260	750	19	25,000 (S)	25,000 (S)	24,600	ID
Methylphenols (J)	1319773	370	1,000	30 (M); 25	NLV	NLV	2.80E+07	NA
Metolachlor	51218452	240	990	15	NLV	NLV	5.30E+05	ID
Metribuzin	21087649	180	520	NA	ID	ID	1.20E+06	ID
Mirex	2385855	0.02 (M); 6.8E-6 (S)	0.02 (M); 6.8E-6 (S)	0.02 (M); 6.8E-6 (S)	ID	ID	6.80E-06	NA
Molybdenum (B)	7439987	73	210	3,200 (X)	NLV	NLV	NA	ID
Naphthalene	91203	520	1,500	11	31,000 (S)	31,000 (S)	31,000	NA
Nickel (B)	7440020	100 (A)	100 (A)	(G)	NLV	NLV	NA	ID
Nitrate (B,N)	14797558	10,000 (A,N)	10,000 (A,N)	ID	NLV	NLV	NA	ID
Nitrite (B,N)	14797650	1,000 (A,N)	1,000 (A,N)	NA	NLV	NLV	NA	ID
Nitrobenzene (I)	98953	3.4	9.6	180 (X)	2.80E+05	5.50E+05	2.09E+06	NA
2-Nitrophenol	88755	20	58	ID	NLV	NLV	2.50E+06	ID
n-Nitroso-di-n-propylamine	621647	5.0 (M); 0.19	5.0 (M); 0.77	NA	NLV	NLV	9.89E+06	ID
N-Nitrosodiphenylamine	86306	270	1,100	NA	NLV	NLV	35,100	ID
Oxamyl	23135220	200 (A)	200 (A)	NA	NLV	NLV	2.80E+08	ID
Oxo-hexyl acetate	88230357	73	210	NA	ID	ID	NA	ID
Pendimethalin	40487421	280 (S)	280 (S)	NA	NLV	NLV	275	ID
Pentachlorobenzene	608935	6.1	17	5.0 (M); 0.019	ID	ID	650	ID
Pentachloronitrobenzene	82688	32 (S)	32 (S)	NA	32 (S)	32 (S)	32	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Pentachlorophenol	87865	1.0 (A)	1.0 (A)	(G,X)	NLV	NLV	1.85E+06	ID
Pentane	109660	ID	ID	NA	38,000 (S)	38,000 (S)	38,200	340
2-Pentene (l)	109682	ID	ID	NA	ID	ID	2.03E+05	ID
Perfluorooctanoic acid (DD)	335671	0.07 (JJ)	0.07 (JJ)	12 (X)	ID	ID	9.50E+06	NA
Perfluorooctane sulfonic acid (DD)	1763231	0.07 (JJ)	0.07 (JJ)	0.012 (X)	NLV	NLV	3.1	NA
pH	NA	6.5 to 8.5 (E)	6.5 to 8.5 (E)	6.5 to 9.0	ID	ID	NA	NA
Phenanthrene	85018	52	150	2.0 (M); 1.7	1,000 (S)	1,000 (S)	1,000	ID
Phenol	108952	4,400	13,000	450	NLV	NLV	8.28E+07	NA
Phenytoin	57410	17	68	89 (X)	NLV	NLV	32,000	ID
Phosphorus (Total)	7723140	63,000	2.40E+05	(EE)	NLV	NLV	NA	ID
Phthalic acid	88993	14,000	40,000	NA	NLV	NLV	1.42E+07	ID
Phthalic anhydride	85449	15,000	44,000	NA	NLV	NLV	6.20E+06	NA
Picloram	1918021	500 (A)	500 (A)	46	NLV	NLV	4.30E+05	ID
Piperidine	110894	3.2	9.2	NA	NLV	NLV	1.00E+09	ID
Polybrominated biphenyls (J)	67774327	0.03	0.09	ID	NLV	NLV	1.66E+07	ID
Polychlorinated biphenyls (PCBs) (J,T)	1336363	0.5 (A)	0.5 (A)	0.2 (M); 2.6E-5	45 (S)	45 (S)	44.7	ID
Prometon	1610180	160	460	NA	NLV	NLV	7.50E+05	ID
Propachlor	1918167	95	270	NA	NLV	NLV	6.55E+05	ID
Propazine	139402	200	560	NA	NLV	NLV	8,600	ID
Propionic acid	79094	12,000	35,000	ID	NLV	NLV	1.00E+09	1.0E+9 (D)
Propyl alcohol (l)	71238	1,400	4,000	NA	NLV	NLV	1.00E+09	7.10E+07
n-Propylbenzene (l)	103651	80	230	ID	ID	ID	NA	ID
Propylene glycol	57556	1.50E+05	4.20E+05	2.90E+05	NLV	NLV	1.00E+09	ID
Pyrene	129000	140 (S)	140 (S)	ID	140 (S)	140 (S)	135	ID
Pyridine (l)	110861	20 (M); 7.3	21	NA	5,500	12,000	3.00E+05	81,000
Selenium (B)	7782492	50 (A)	50 (A)	5	NLV	NLV	NA	ID
Silver (B)	7440224	34	98	0.2 (M); 0.06	NLV	NLV	NA	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Silvex (2,4,5-TP)	93721	50 (A)	50 (A)	30	NLV	NLV	1.40E+05	ID
Simazine	122349	4.0 (A)	4.0 (A)	17	NLV	NLV	4,470	ID
Sodium	17341252	2.3E+5(HH)	3.50E+05	NA	NLV	NLV	NA	ID
Sodium azide	26628228	88	250	50 (M); 7.3	ID	ID	NA	ID
Strontium (B)	7440246	4,600	13,000	21,000	NLV	NLV	NA	ID
Styrene	100425	100 (A)	100 (A)	80 (X)	1.70E+05	3.1E+5 (S)	3.10E+05	1.40E+05
Sulfate	14808798	2.5E+5 (E)	2.5E+5 (E)	NA	NLV	NLV	NA	ID
Tebuthiuron	34014181	510	1,500	NA	NLV	NLV	2.50E+06	ID
2,3,7,8-Tetrabromodibenzo-p-dioxin (O)	50585416	(O)	(O)	(O)	NLV	NLV	0.00996	ID
1,2,4,5-Tetrachlorobenzene	95943	1,300 (S)	1,300 (S)	2.9 (X)	1,300 (S)	1,300 (S)	1,300	ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (O)	1746016	3.0E-5 (A)	3.0E-5 (A)	1.0E-5 (M); 3.1E-9	NLV	NLV	0.019	ID
1,1,1,2-Tetrachloroethane	630206	77	320	ID	15,000	96,000	1.10E+06	ID
1,1,2,2-Tetrachloroethane	79345	8.5	35	78 (X)	12,000	77,000	2.97E+06	ID
Tetrachloroethylene	127184	5.0 (A)	5.0 (A)	60 (X)	25,000	1.70E+05	2.00E+05	ID
Tetrahydrofuran	109999	95	270	11,000 (X)	6.90E+06	1.60E+07	1.00E+09	60,000
Tetranitromethane	509148	ID	ID	NA	580	3,200	85,000	ID
Thallium (B)	7440280	2.0 (A)	2.0 (A)	3.7 (X)	NLV	NLV	NA	ID
Toluene (I)	108883	790 (E)	790 (E)	270	5.3E+5 (S)	5.3E+5 (S)	5.26E+05	61,000
p-Toluidine	106490	15	62	NA	NLV	NLV	7.60E+06	NA
Total dissolved solids (TDS)	NA	5.0E+5 (E)	5.0E+5 (E)	(EE)	ID	ID	NA	NA
Toxaphene	8001352	3.0 (A)	3.0 (A)	1.0 (M); 6.8E-5	NLV	NLV	740	ID
Triallate	2303175	95	270	NA	ID	ID	4,000	ID
Tributylamine	102829	10	29	ID	14,000	32,000	75,400	ID
1,2,4-Trichlorobenzene	120821	70 (A)	70 (A)	99 (X)	3.0E+5 (S)	3.0E+5 (S)	3.00E+05	NA
1,1,1-Trichloroethane	71556	200 (A)	200 (A)	89	6.60E+05	1.3E+6 (S)	1.33E+06	ID
1,1,2-Trichloroethane	79005	5.0 (A)	5.0 (A)	330 (X)	17,000	1.10E+05	4.42E+06	NA
Trichloroethylene	79016	5.0 (A)	5.0 (A)	200 (X)	2,200	4,900	1.10E+06	ID



**TABLE 1. GROUNDWATER: RESIDENTIAL AND NONRESIDENTIAL
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to 1 microgram per liter (ug/L). Criteria with 6 or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (§324.20120a(10)). In these cases, 2 numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based or solubility value, whichever is lower.

Hazardous Substance	Chemical Abstract Service Number	Residential Drinking Water Criteria	Nonresidential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential Groundwater Volatilization to Indoor Air Inhalation Criteria	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria	Water Solubility	Flamability and Explosivity Screening Level
Trichlorofluoromethane	75694	2,600	7,300	NA	1.1E+6 (S)	1.1E+6 (S)	1.10E+06	ID
2,4,5-Trichlorophenol	95954	730	2,100	NA	NLV	NLV	1.20E+06	ID
2,4,6-Trichlorophenol	88062	120	470	5	NLV	NLV	8.00E+05	ID
1,2,3-Trichloropropane	96184	42	120	NA	8,300	18,000	1.90E+06	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	76131	1.7E+5 (S)	1.7E+5 (S)	32	1.7E+5 (S)	1.7E+5 (S)	1.70E+05	ID
Triethanolamine	102716	3,700	10,000	NA	NLV	NLV	1.00E+09	ID
Triethylene glycol	112276	4,300	12,000	NA	NLV	NLV	1.00E+06	ID
3-Trifluoromethyl-4-nitrophenol	88302	4,500	13,000	NA	NLV	NLV	5.00E+06	ID
Trifluralin	1582098	37	110	NA	ID	ID	8,100	ID
2,2,4-Trimethyl pentane	540841	ID	ID	NA	2,300 (S)	2,300 (S)	2,330	160
2,4,4-Trimethyl-2-pentene (I)	107404	ID	ID	NA	ID	ID	11,900	ID
1,2,4-Trimethylbenzene (I)	95636	63 (E)	63 (E)	17	56,000 (S)	56,000 (S)	55,890	56,000 (S)
1,3,5-Trimethylbenzene (I)	108678	72 (E)	72 (E)	45	61,000 (S)	61,000 (S)	61,150	ID
Triphenyl phosphate	115866	1,200	1,400 (S)	NA	NLV	NLV	1,430	ID
tris(2,3-Dibromopropyl)phosphate	126727	10 (M); 0.71	10 (M); 2.9	ID	4,700 (S)	4,700 (S)	4,700	ID
Urea	57136	ID	ID	NA	NLV	NLV	NA	ID
Vanadium	7440622	4.5	62	27	NLV	NLV	NA	ID
Vinyl acetate (I)	108054	640	1,800	NA	4.10E+06	8.90E+06	2.00E+07	1.80E+06
Vinyl chloride	75014	2.0 (A)	2.0 (A)	13 (X)	1,100	13,000	2.76E+06	33,000
White phosphorus (R)	12185103	0.11	0.31	NA	NLV	NLV	NA	ID
Xylenes (I)	1330207	280 (E)	280 (E)	49	1.9E+5 (S)	1.9E+5 (S)	1.86E+05	70,000
Zinc (B)	7440666	2,400	5,000 (E)	(G)	NLV	NLV	NA	ID