

**Department of Environmental Quality  
FULLY REGULATED GENERATOR (FRG) INSPECTION FORM**

Facility's Name \_\_\_\_\_ Part 3 Rules

Date \_\_\_\_\_ ID# \_\_\_\_\_ 1994 PA 451

| HAZARDOUS WASTE AND WASTE # | SOURCE | HOW MUCH |
|-----------------------------|--------|----------|
|                             |        |          |
|                             |        |          |
|                             |        |          |
|                             |        |          |
|                             |        |          |

\_\_\_ abbreviated

**FACILITY COMPLIANCE REQUIRED IN ALL AREAS**

**WASTE DETERMINATION (Rule 302: 40 CFR 262.11)**

(NI = Not inspected; N/A = Not applicable)

|  |             | YES                      | NO                              |
|--|-------------|--------------------------|---------------------------------|
| 1. Determined if waste streams are hazardous waste? (Rule 302: 40 CFR 262.11)                                      | <b>262A</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| a) copy of waste evaluation on-site 3 years? (Rule 307(1): 40 CFR 262.40(c))                                       | <b>262D</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| b) re-evaluated waste when changes in materials or process? (Rule 302(3))  | <b>262A</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 2. Did generator have written waste analysis plan if treating wastes on-site? (Rule 306)(1)(d):40 CFR 268.7(a)(5)) | <b>262C</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| <b>IDENTIFICATION NUMBER (Rule 303: 40 CFR 262.12)</b>   |             |                          |                                 |
| 3. Has the generator obtained an identification number? (Rule 303: 40 CFR 262.12)                                  | <b>262A</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |

**MANIFEST REQUIREMENTS (Rule 304: 40 CFR 262.20)**

|   |             |                          |                                 |
|---|-------------|--------------------------|---------------------------------|
| 4. Copies of the manifest readily available for review & inspection? (Section 11138(1)(f))  | <b>FSS</b>  | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 5. Manifests kept for the past 3 years? (Rule 307(3): 40 CFR 262.20(a))   | <b>262D</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 6. Manifests, prepared by the generator according to instructions in appendix of Part 262 contain the following:  |             |                          |                                 |
| a) manifest document number (Rule 304(1)(b): 40 CFR 262.20(a)(i)),  | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| b) generator's name, address, phone & ID # (Rule 304(1)(b): 40 CFR 262.20(a)(i)),   | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| c) name & ID # of the transporter. (Rule 304(1)(b): 40 CFR 262.20(a)(i)),   | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| d) name, address & ID # of TSD. (Rule 304(1)(b): 40 CFR 262.20(a)(i)),  | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| e) DOT description of waste(s). (Rule 304(1)(b): 40 CFR 262.20(a)(i)),  | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| f) quantity of waste, type & # of containers. (Rule 304(1)(b): 40 CFR 262.20(a)(i)),  | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| g) hazardous waste number of the wastes. (Rule 304(1)(b): 40 CFR 262.20(a)(i)),   | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| h) generator signature, initial transporter & date of acceptance. (Rule 304(1)(b): 40 CFR 262.20(a)(i)),  | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 7. <b>NOT APPLICABLE</b>  |             |                          |                                 |
| 8. For out-of-state manifests, if not submitted by designated facility, generator submitted copy of 3 <sup>rd</sup> signature manifest as requested by Director? (Rule 304(2)(c)) | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 9. Is the transporter used properly registered &/or permitted under Act 138, Sec. 2 (3)? (Rule 304(1)(c))   | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |

**NOTE:** For shipments of hazardous waste solely by water or rail shipments, within United States see Rule 304(4)(g or h).

|   |             |                          |                                 |
|---|-------------|--------------------------|---------------------------------|
| 10. Using manifest that has expired? (Rule 304(1)(a) : 40 CFR 262.20)   | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 11. Reportable exceptions (Rule 308(3): 40 CFR 262.42)(a).  |             |                          |                                 |
| a) number of manifests generator HASN'T receive signed copy from TSD w/in 35 days:                                    |             |                          |                                 |
| b) number of manifests generator HASN'T submitted exception reports to RA & DEQ after 45 days:                        |             |                          |                                 |
| 12. Facility has written program to reduce volume/toxicity/recycle wastes? (Rule 304(1)(b):40 CFR 262.27(a))          | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |
| 13. Facility discusses program in place to reduce volume/toxicity/recycle of waste (Rule 304(1)(b): 40 CFR 262.27(a)) | <b>262B</b> | <input type="checkbox"/> | <input type="checkbox"/> NI N/A |

**LAND DISPOSAL RESTRICTION REQUIREMENTS  
WASTE ANALYSIS AND RECORDKEEPING (Rule 311(1): 40 CFR 268.7))**

YES NO

|  |      |                |
|--|------|----------------|
| 14. Did the generator determine if the waste is restricted from land disposal? (Rule 311(1): 40 CFR 268.7(a)(1)) |      |                |
| a) all listed waste  | 268A | [ ] ___ NI N/A |
| b) all characteristic wastes?  | 268A | [ ] ___ NI N/A |

**NOTE:** If waste has both listed & characteristic waste codes, the treatment standard for the listed waste is sufficient if the treatment standards for the listed waste includes a standard for the constituent that caused the waste to exhibit the characteristic, except for D001 and D002. (40 CFR 268.9(b))

|   |      |                |
|---|------|----------------|
| 15. If restricted waste exceeds treatment standards or prohibitions did notice go w/ initial shipment? (Rule 311(1):40 CFR 268.7(a)(2)) | 268A | [ ] ___ NI N/A |
|---|------|----------------|

**OR**

|   |      |                |
|---|------|----------------|
| 16. If restricted waste does not exceed treatment standards or prohibitions did a notice and certification statement go with initial shipment? (Rule 311(1): (40 CFR 268.7(a)(3)) | 268A | [ ] ___ NI N/A |
|---|------|----------------|

**OR**

|  |      |                |
|--|------|----------------|
| 17. If waste has exemption from prohibition on the type of land disposal method utilized for the waste, did a notice go with initial shipment? (Rule 311(1): 40 CFR 268.7(a)(4)) | 268A | [ ] ___ NI N/A |
|--|------|----------------|

**OR**

|   |      |                |
|---|------|----------------|
| 18. If facility choose alternative treatment standard for lab pack that contains none of the waste in appendix IV, did a notice & certification go with initial shipment? (Rule 311(1): 40 CFR 268.7(a)(9)) | 268A | [ ] ___ NI N/A |
|---|------|----------------|

|   |      |                |
|---|------|----------------|
| 19. Did the notice include: (Rule 311(1): 40 CFR 268.7(a)(1) or 268.7(a)(2) or 268.7(a)(3)  |      |                |
| a) EPA hazardous waste #?   | 268A | [ ] ___ NI N/A |
| b) if wastewater or non-wastewater as defined in 268.2(d&f)?  | 268A | [ ] ___ NI N/A |
| c) subcategory of the waste (such as D003 reactive cyanide) if applicable?  | 268A | [ ] ___ NI N/A |
| d) manifest number associated with the shipment?  | 268A | [ ] ___ NI N/A |
| e) waste analysis data, where available?  | 268A | [ ] ___ NI N/A |
| f) waste constituents that the treater will monitor, if monitoring will not include all regulated constituents, for F001- F005, F039, D001, D002, D012-D043? (treatment standards for hazardous waste in table in 268.40 for the waste code under regulated constituents) | 268A | [ ] ___ NI N/A |

**UNLESS**

|   |      |                |
|---|------|----------------|
| g) did generator/treater claim they are going to monitor for ALL regulated constituents in the waste in lieu of the generator indicating same in the notice? (Rule 311(1): 40 CFR 268.7(a)(1) & 268.9)  | 268A | [ ] ___ NI N/A |
| h) did generator/treater claim they are going to monitor for underlying hazardous waste constituents (except vanadium and zinc), reasonably expected to be present at the generation point, above UTS standards for D001, D002 & TCLP organics? Rule 311(1): 40 CFR 268 Subpart D & 268.48) | 268A | [ ] ___ NI N/A |
| 20. Other than notices for waste exceeding treatment standards, did notices include: (Rule 311(1): 40 CFR 268.7(2)(3)   |      |                |
| a) if the notice is for shipments that meet the standards does the notice include the certification?  | 268A | [ ] ___ NI N/A |
| b) if the notice is for shipments under prohibitions does the notice include a statement that the waste isn't prohibited from land disposal & date the waste is subject to prohibition?   | 268A | [ ] ___ NI N/A |

**NOTE:** An alternate treatment standard may be used after approval from the Administrator. (40 CFR 268.44)

**NOTE:** Hazardous waste debris see 40 CFR 268.7(a)(1)(iv) for the notice requirements which must be followed by the statement "This hazardous debris is subject to alternative treatment standards of 40 CFR 268.45."

|   |      |                |
|---|------|----------------|
| 21. Generator retain on-site records to support determination from knowledge or results from tests? (40 CFR 268.7(a)(6)   | 268A | [ ] ___ NI N/A |
| 22. If the restricted waste is excluded from being a hazardous waste or solid waste did the generator place a one- time notice stating same in the facility file? (40 CFR268.7(a)(7)) | 268A | [ ] ___ NI N/A |
| 23. All notices/certifications/demonstrations/other documents retained for 3 years on-site? (40 CFR 268.7(a)(8)   | 268A | [ ] ___ NI N/A |

**NOTE:** This requirement (268.7(a)(8)) applies to solid waste even when the hazardous waste characteristic is removed prior to disposal or when the waste is excluded from the definition of hazardous waste or solid waste.

**DILUTION PROHIBITED AS SUBSTITUTE FOR TREATMENT (RULE 311(1):40 CFR 268.3)**

|   |      |                |
|---|------|----------------|
| 24. Generator dilute hazardous waste or treatment residue of a hazardous waste to avoid prohibition? (40 CFR: 268.3(a)) | 268A | [ ] ___ NI N/A |
|---|------|----------------|

**TREATMENT STANDARDS (RULE 311(1):40 CFR 268.40)**

|   |      |                |
|---|------|----------------|
| 25. If wastes exceeding treatment standards are mixed, was the most stringent standards selected? (40 CFR268.40(c)) | 268A | [ ] ___ NI N/A |
|---|------|----------------|

**BIENNIAL REPORT (Rule 308: 40 CFR 262.41)**

|   |      |                |
|---|------|----------------|
| 26. Generator submitted biennial report by 3/1 (even years)? (Rule 308(1): 40 CFR 262.41) | 262D | [ ] ___ NI N/A |
| 27. Were copies of the report retained at least 3 years? (Rule 307(4): 40 CFR 262.40(b))  | 262D | [ ] ___ NI N/A |

**PRE-TRANSPORTER REQUIREMENTS (Rule 305: 40 CFR 262.30)**

|  |             | YES                        | NO     |
|--|-------------|----------------------------|--------|
| 28. Waste packaged according to DOT regulations (required before shipping waste off-site)? (Rule 305(1)(a):40 CFR262.30))  | <b>262C</b> | co.said__obsrvd__<br>[ ]__ | NI N/A |
| 29. Are waste packages marked & labeled per DOT 49 CFR172 concerning hazardous materials (required before shipping waste off- site)?(Rule 305(1)(b)(c): 40 CFR 262.32(a))  | <b>262C</b> | co.said__obsrvd__<br>[ ]__ | NI N/A |
| 30. On containers of 119 gallons or less, is there a warning, generator's name, address, site identification number, manifest tracking number & waste code per DOT 49 CFR172.304? (Rule 305(1)(d): 40 CFR 262.32(b)) | <b>262C</b> | co.said__obsrvd__<br>[ ]__ | NI N/A |
| 31. If required (>1000 #'s), are placards available to the transporter? (Rule 305(1)(e): 40 CFR 262.33)  | <b>262C</b> | [ ]__                      | NI N/A |

**ACCUMULATION TIME (Rule 306: 40 CFR 262.34)**

|  |             |        |        |
|--|-------------|--------|--------|
| 32. If hazardous waste accumulated in containers: (If no, skip to #35)                               |             |        |        |
| a) containers have accumulation date which is clearly visible? (Rule 306(1)(b): 40 CFR 262.34(a)(2)) | <b>262C</b> | [ ]__  | NI N/A |
| b) container have words "Hazardous Waste"? (Rule 306(1)(c): 40 CFR 262.34(a)(3))                     | <b>262C</b> | [ ]__  | NI N/A |
| c) is each container clearly marked with the hazardous waste number? (Rule 306(1)(b))                | <b>262C</b> | [ ]__  | NI N/A |
| d) has more than 90 days elapsed since date marked? (Rule 306(1))                                    | <b>262C</b> | __ [ ] | NI N/A |

**OR**

|   |             |       |        |
|---|-------------|-------|--------|
| e) one of the following apply:  |             |       |        |
| i) the generator applied for & received an extension to accumulate longer? (Rule 306(3): 40 CFR 262.34(b))  | <b>262C</b> | [ ]__ | NI N/A |
| ii) it is F006 waste recycled for metals recovery in compliance with Rule 306 (7) (180 days maximum). Rule 306(7):40 CFR 262.34(g)  | <b>262C</b> | [ ]__ | NI N/A |
| iii) it is F006 waste recycled for metals recovery in compliance with Rule 306(7) which must be transported more than 200 miles (270 days max.)? (Rule 306(8):40 CFR 262.34(h)) | <b>262C</b> | [ ]__ | NI N/A |
| iv) generator applied for & received extension or exception to accumulate F006 haz waste longer than ii or iii above? (Rule 306(9-10):40 CFR 262.34(i))                         | <b>262C</b> | [ ]__ | NI N/A |

*The following Subpart I, 265.170 to 265.177 requirements are referred to by Rule 306(1)(a) and 40 CFR 262.34(a)(1).*

|   |             |        |        |
|---|-------------|--------|--------|
| f) are containers in good condition? (265.171)  | <b>262C</b> | [ ]__  | NI N/A |
| g) are containers compatible with waste in them (265.172)   | <b>262C</b> | [ ]__  | NI N/A |
| h) are containers stored closed? (265.173(a))   | <b>262C</b> | [ ]__  | NI N/A |
| i) containers handled/stored in a way which may rupture it or cause leaks? (265.173(b))   | <b>262C</b> | __ [ ] | NI N/A |
| j) ignitable & reactive wastes stored 15 meters (50 feet) from property line or written approval obtained from local fire prevention code authority for less than 15 meter? (265.176) | <b>262C</b> | [ ]__  | NI N/A |
| k) are containers inspected weekly for leaks and defects? (265.174)   | <b>262C</b> | [ ]__  | NI N/A |
| l) did the generator document the inspections in 32(k)? (Rule 306(1)(a)(i))   | <b>262C</b> | [ ]__  | NI N/A |
| m) inspection documents maintained on-site 3 years? (Rule 306(1)(a)(i))   | <b>262C</b> | [ ]__  | NI N/A |
| n) are incompatible wastes stored in separate containers? (265.177(a))  | <b>262C</b> | [ ]__  | NI N/A |
| o) hazardous wastes put in unwashed containers that previously held incompatible waste. (265.177(b))  | <b>262C</b> | __ [ ] | NI N/A |
| p) incompatible waste separated/protected from each other by physical barriers or sufficient distance? (265.177(c))   | <b>262C</b> | [ ]__  | NI N/A |

*Rule 306(2) & 40 CFR 262.34(c)(1) both refer to 40 CFR 265.171, 265.172 & 265.173(a).*

|   |             |       |        |
|---|-------------|-------|--------|
| 33. If hazardous waste is being accumulated at the point of generation:   |             |       |        |
| a) container(s) <55 gal or 1 qt acutely/severely toxic? (Rule 306(2):40 CFR 262.34(c)(1))                             | <b>262C</b> | [ ]__ | NI N/A |
| b) container(s) under operator control & near the point of generation? (Rule 306(2): 40 CFR 262.34(c)(1))             | <b>262C</b> | [ ]__ | NI N/A |
| c) container(s) have words "Hazardous Waste"? (Rule 306(2): 40 CFR 262.34(c)(1)(ii))                                  | <b>262C</b> | [ ]__ | NI N/A |
| d) are the container(s) marked with the hazardous waste number or chemical name? (Rule 306(2))                        | <b>262C</b> | [ ]__ | NI N/A |
| e) are container(s) in good condition? (265.171)  | <b>262C</b> | [ ]__ | NI N/A |
| f) are container(s) compatible with waste in them? (265.172)  | <b>262C</b> | [ ]__ | NI N/A |
| g) container(s) closed when not in use & managed to prevent leaks? (265.173(a))                                       | <b>262C</b> | [ ]__ | NI N/A |
| 34. If generator exceeds 55 gallons or 1 quart, w/in 3 days does generator, w/respect to that amount of excess waste: |             |       |        |
| a) mark the container with the date the excess amount began accumulating? (Rule 306(2): 40 CFR 262.34(c)(2))          | <b>262C</b> | [ ]__ | NI N/A |
| b) move to an area with secondary containment, if required? (Rule 306(1): 40 CFR 264.175))                            | <b>262C</b> | [ ]__ | NI N/A |

*Rule 306(1)(a) refers to containment requirements in 40 CFR 264.175.*

|   |             |       |        |
|---|-------------|-------|--------|
| 35. If accumulating free liquids or any F020, F021, F022, F023, F026, F027, does the hazardous waste storage area include |             |       |        |
| a) impervious base free of cracks? (264.175(b)(1)) :  | <b>262C</b> | [ ]__ | NI N/A |

|   |      |                |
|---|------|----------------|
| b) sloped or otherwise designed to elevate/protect containers from contact with liquids? (264.175(b)(2))      | 262C | [ ] [ ] NI N/A |
| c) hold 10% of volume of containers or volume of the largest container, whichever is greater? (264.175(b)(3)) | 262C | [ ] [ ] NI N/A |
| d) run-on prevented unless sufficient capacity? (264.175(b)(4))   | 262C | [ ] [ ] NI N/A |
| e) accumulated liquids removed in a timely manner to prevent overflow? (264.175(b)(5))                        | 262C | [ ] [ ] NI N/A |

**NOTE:** Closure of Accumulation Area covered under # 53.

|   |      |                |
|---|------|----------------|
| 36. If accumulating solids, (other than F020,F021,F022, F023, F026, F027), is haz waste accumulation area sloped or otherwise designed, or containers elevated or otherwise protected from contact with liquids? (264.175(c)(1 & 2))  | 262C | [ ] [ ] NI N/A |
| 37. Is hazardous waste accumulated in other than tanks or containers? Or, is hazardous waste generated but not accumulated, i.e.: process tank?<br><i>Explain any yes answer.</i>   |      | [ ] [ ] NI N/A |
| 38. Waste area protected from weather, fire, physical damage & vandals? (Rule 306(1)(e))  | 262C | [ ] [ ] NI N/A |
| 39. Hazardous waste accumulated so no hazardous waste or hazardous waste constituent can escape by gravity into soil, directly or indirectly, into surface, ground-waters, drains or sewers, and such that fugitive emissions do not violate Act 451, Part 55? (Rule 306(1)(f)) | 262C | [ ] [ ] NI N/A |
| 40. Is hazardous waste accumulated in tanks?<br><i>If so, complete Tank System inspection form.</i>   |      | [ ] [ ] NI N/A |
| 41. Is hazardous waste placed on drip pads?<br><i>If so, complete Wood Preserving inspection form</i>   |      | [ ] [ ] NI N/A |

*Rule 306(1)(d) & 40 CFR 262.34(a)(4) refers to 265.16*

**PERSONNEL TRAINING (265.16)**

|  |      |                |
|--|------|----------------|
| 42. Did personnel receive training? (265.16)   | 262C | [ ] [ ] NI N/A |
| 43. Do personnel training records contain the following:                                 |      |                |
| a) job title? (265.16(d)(1))   | 262C | [ ] [ ] NI N/A |
| b) job descriptions? (265.16(d)(2))  | 262C | [ ] [ ] NI N/A |
| c) name of employee filling each job? (265.16(d)(1))                                     | 262C | [ ] [ ] NI N/A |
| d) description of type & amount of both introductory & continued training? 265.16(d)(3)) | 262C | [ ] [ ] NI N/A |
| e) training designed so facility personnel can respond to emergencies? (265.16(a)(3))    | 262C | [ ] [ ] NI N/A |
| f) records of training? (265.16(d)(4))   | 262C | [ ] [ ] NI N/A |
| g) do new personnel receive required training within 6 months? (265.16(b))               | 262C | [ ] [ ] NI N/A |
| h) do training records show personnel have taken part in annual training? (265.16(c))    | 262C | [ ] [ ] NI N/A |
| i) training by person trained in hazardous waste management procedures? (265.16(a))      | 262C | [ ] [ ] NI N/A |

*Rule 306(1)(d) & 40 CFR 262.34(a)(4) refer to 265, Subpart C, 265.30-265.37.*

**PREPAREDNESS AND PREVENTION (265.30-265.37)**

|  |      |                                   |
|--|------|-----------------------------------|
| 44. Facility maintained/operated to minimize possibility of fire, explosion, release of hazardous waste or hazardous waste constituent which could threaten human health/environment? (265.31) | 262C | co.said_obsrvd_<br>[ ] [ ] NI N/A |
| 45. If required, does this facility have the following:  |      |                                   |
| a) internal communications or alarm systems? (265.32(a))   | 262C | [ ] [ ] NI N/A                    |
| b) telephone or 2-way radios at the scene of operations? (265.32(b))   | 262C | [ ] [ ] NI N/A                    |
| c) portable fire extinguishers, fire control, spill control equipment and decontamination equipment? (265.32(c))   | 262C | [ ] [ ] NI N/A                    |
| d) adequate volume of water and/or foam available for fire control? (265.32(d))  | 262C | [ ] [ ] NI N/A                    |
| 46. Testing and Maintenance of Emergency Equipment   |      |                                   |
| a) owner/operator test & maintain emergency equipment to assure operation? (265.33)  | 262C | [ ] [ ] NI N/A                    |
| b) has owner/operator provided immediate access to internal alarms? Access to alarm system is applicable <b>only</b> if required (40 CFR 265.32)   |      |                                   |
| i) when hazardous waste is being poured, mixed, etc. (265.34(a))   | 262C | [ ] [ ] NI N/A                    |
| ii) if only one employee on the premises while facility is operating. (265.34(b))  | 262C | [ ] [ ] NI N/A                    |
| c) aisle space for unobstructed movement of personnel/emergency equipment? (265.35)  | 262C | [ ] [ ] NI N/A                    |
| 47. Has the facility made arrangements with local authorities? (265.37(a)&(b))   | 262C | [ ] [ ] NI N/A                    |

*Rule 306(1)(d) & 40 CFR 262.34(a)(4) refer to Subpart D, 265.50-265.56.*

**CONTINGENCY PLAN AND EMERGENCY PROCEDURES (265.50-265.56)**

|   |      |                |
|---|------|----------------|
| 48. Plan implemented whenever fire/explosion/release could threaten human health or the environment? (265.51(b))  | 262C | [ ] [ ] NI N/A |
| 49. Does the contingency plan contain the following:  |      |                |
| a) actions personnel must take responding to fires/explosions/unplanned release of hazardous waste? (265.52(a & b))   | 262C | [ ] [ ] NI N/A |
| b) describe arrangements w/ local police, fire, hospitals, contractors, state & local emergency responders for emergency services; (265.52(c)) & (265.37(a)&(b))? | 262C | [ ] [ ] NI N/A |

