


CASCO TOWNSHIP

HIGH RISK EROSION AREAS & CRITICAL DUNE AREAS

ALLEGAN COUNTY



HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE 68' 30 YEAR PROJECTED RECESSION DISTANCE.
 105' THE NUMBER REPRESENTS, IN FEET, THE 60 YEAR PROJECTED RECESSION DISTANCE.

■ HIGH RISK EROSION AREA (shading elongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART 323, SHORELANDS PROTECTION AND MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 461 BEING GREAT LAKES SHORELAND AREAS DOCUMENTED TO REcede AN AVERAGE OF ONE FOOT OR MORE PER YEAR.

CRITICAL DUNE AREAS

BARRIER DUNES
 BARRIER DUNE FORMATIONS DESIGNATED PURSUANT TO PART 353, SAND DUNE PROTECTION & MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 461.

AREAS NOT INCLUDED IN DESIGNATED BARRIER DUNE FORMATIONS THAT ARE COMPOSED PRIMARILY OF DUNE SAND AND EXHIBIT SEVERAL DUNE-LIKE CHARACTERISTICS.


EXEMPLARY DUNE ASSOCIATED PLANT COMMUNITIES OUTSIDE DESIGNATED DUNE FORMATIONS. MICHIGAN NATURAL FEATURES INVENTORY REFERENCE CODE INDICATED.

SOURCE



STATE OF MICHIGAN RECESSION RATE MAPS & ATLAS OF CRITICAL DUNE AREAS

INFORMATION

MICHIGAN DEPARTMENT OF NATURAL RESOURCES
 LAND AND WATER MANAGEMENT DIVISION
 P.O. BOX 30459
 LANSING, MI 48989-7958
 (517) 373-1958



11-06-95



5/26/95, amended 11/95

CASCO TOWNSHIP, T1N R16W, ALLEGAN COUNTY, MICHIGAN
BOUNDARY DESCRIPTIONS AND BREAKPOINT LOCATIONS¹

BOUNDARY DESCRIPTIONS

HREA-A The HREA continues north into Ganges Township.

The south boundary is located in section 25, 150 feet north of the intersection of sections 25, 35, and the shoreline. Aerial# 5-335.

BREAKPOINT LOCATIONS

- A1. The breakpoint between the 65' and 100' 30 year projected recession distances is located in section 12, 1,500 feet north of the intersection of 109th Avenue and the shoreline. Aerial #4-321.
- A2. The breakpoint between the 100' and 60' 30 year projected recession distances is located at the intersection of sections 13, 24, and the shoreline. Aerial #5-329.

¹ NOTE: These boundary and breakpoint descriptions are considered approximate. The exact locations are indicated on 1989 aerial photographs on file with the Land and Water Management Division, Department of Natural Resources.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A1 | 1 | 03-02-181-325-00 | 1.7 | 65 | 115 |
| A1 | 1.2 | 03-02-181-246-00 | 1.7 | 65 | 115 |
| A1 | 1.201 | 03-02-181-247-00 | 1.7 | 65 | 115 |
| A1 | 1.202 | 03-02-181-248-00 | 1.7 | 65 | 115 |
| A1 | 1.203 | 03-02-181-250-00 | 1.7 | 65 | 115 |
| A1 | 1.204 | 03-02-181-251-00 | 1.7 | 65 | 115 |
| A1 | 1.205 | 03-02-181-252-00 | 1.7 | 65 | 115 |
| A1 | 1.206 | 03-02-181-253-00 | 1.7 | 65 | 115 |
| A1 | 1.207 | 03-02-181-254-00 | 1.7 | 65 | 115 |
| A1 | 1.208 | 03-02-181-255-00 | 1.7 | 65 | 115 |
| A1 | 1.209 | 03-02-181-256-00 | 1.7 | 65 | 115 |
| A1 | 1.21 | 03-02-181-257-00 | 1.7 | 65 | 115 |
| A1 | 2.2 | 03-02-180-001-00 | 1.7 | 65 | 115 |
| A1 | 2.201 | 03-02-180-004-00 | 1.7 | 65 | 115 |
| A1 | 2.201 | 03-02-180-027-00 | 1.7 | 65 | 115 |
| A1 | 2.202 | 03-02-180-005-00 | 1.7 | 65 | 115 |
| A1 | 2.203 | 03-02-180-005-50 | 1.7 | 65 | 115 |
| A1 | 2.204 | 03-02-180-006-00 | 1.7 | 65 | 115 |
| A1 | 2.205 | 03-02-180-007-00 | 1.7 | 65 | 115 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A1 | 2.206 | 03-02-180-009-00 | 1.7 | 65 | 115 |
| A1 | 2.207 | 03-02-180-010-00 | 1.7 | 65 | 115 |
| A1 | 2.208 | 03-02-180-011-00 | 1.7 | 65 | 115 |
| A1 | 2.209 | 03-02-180-013-00 | 1.7 | 65 | 115 |
| A1 | 2.21 | 03-02-180-014-00 | 1.7 | 65 | 115 |
| A1 | 2.211 | 03-02-180-146-00 | 1.7 | 65 | 115 |
| A1 | 2.212 | 03-02-180-146-10 | 1.7 | 65 | 115 |
| A1 | 2.213 | 03-02-180-146-50 | 1.7 | 65 | 115 |
| A1 | 2.214 | 03-02-180-147-00 | 1.7 | 65 | 115 |
| A1 | 2.215 | 03-02-180-148-00 | 1.7 | 65 | 115 |
| A1 | 2.216 | 03-02-180-148-50 | 1.7 | 65 | 115 |
| A1 | 2.217 | 03-02-180-150-00 | 1.7 | 65 | 115 |
| A1 | 2.218 | 03-02-180-151-00 | 1.7 | 65 | 115 |
| A1 | 2.219 | 03-02-180-153-00 | 1.7 | 65 | 115 |
| A1 | 2.219 | 03-02-180-213-00 | 1.7 | 65 | 115 |
| A1 | 3 | 03-02-006-020-00 | 1.7 | 65 | 115 |
| A1 | 4 | 03-02-006-020-10 | 1.7 | 65 | 115 |
| A1 | 5 | 03-02-006-019-00 | 1.7 | 65 | 115 |
| A1 | 6 | 03-02-006-016-10 | 1.7 | 65 | 115 |
| A1 | 7 | 03-02-006-016-20 | 1.7 | 65 | 115 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|---|------------------|------------|------------|
| A1 | 8 | 03-02-006-018-00 | 1.7 | 65 | 115 |
| A1 | 9 | 03-02-006-015-00 | 1.7 | 65 | 115 |
| A1 | 10 | 03-02-006-022-00 | 1.7 | 65 | 115 |
| A1 | 11 | 03-02-006-023-00 | 1.7 | 65 | 115 |
| A1 | 12 | 03-02-006-021-00 | 1.7 | 65 | 115 |
| A1 | 12.1 | 03-02-006-021-20 | 1.7 | 65 | 115 |
| A1 | 13 | 03-02-201-000-00 Hollywood-Lake Park | 1.7 | 65 | 115 |
| A1 | 13.2 | 03-02-211-001-00 | 1.7 | 65 | 115 |
| A1 | 13.2 | 03-02-211-005-00 | 1.7 | 65 | 115 |
| A1 | 13.21 | 03-02-209-009-00 | 1.7 | 65 | 115 |
| A1 | 13.22 | 03-02-208-001-00 | 1.7 | 65 | 115 |
| A1 | 13.23 | 03-02-208-004-00 | 1.7 | 65 | 115 |
| A1 | 13.24 | 03-02-207-010-00 | 1.7 | 65 | 115 |
| A1 | 13.25 | 03-02-201-001-00 | 1.7 | 65 | 115 |
| A1 | 13.26 | 03-02-201-004-00 | 1.7 | 65 | 115 |
| A1 | 14 | 03-02-150-070-00 | 1.7 | 65 | 115 |
| A1 | 14.1 | 03-02-150-067-00 | 1.7 | 65 | 115 |
| A1 | 14.11 | 03-02-150-066-00 | 1.7 | 65 | 115 |
| A1 | 14.12 | 03-02-150-065-00 | 1.7 | 65 | 115 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A1 | 14.13 | 03-02-150-064-00 | 1.7 | 65 | 115 |
| A1 | 14.14 | 03-02-150-063-00 | 1.7 | 65 | 115 |
| A1 | 14.2 | 03-02-150-071-00 | 1.7 | 65 | 115 |
| A1 | 14.21 | 03-02-150-072-00 | 1.7 | 65 | 115 |
| A1 | 14.24 | 03-02-150-059-00 | 1.7 | 65 | 115 |
| A1 | 14.25 | 03-02-150-060-00 | 1.7 | 65 | 115 |
| A1 | 14.26 | 03-02-150-061-00 | 1.7 | 65 | 115 |
| A1 | 14.27 | 03-02-150-054-00 | 1.7 | 65 | 115 |
| A1 | 14.28 | 03-02-062-014-00 | 1.7 | 65 | 115 |
| A1 | 15 | 03-02-062-001-00 | 1.7 | 65 | 115 |
| A1 | 15.1 | 03-02-062-001-10 | 1.7 | 65 | 115 |
| A2 | 16 | 03-02-062-002-10 | 2.9 | 100 | 190 |
| A2 | 17 | 03-02-062-002-11 | 2.9 | 100 | 190 |
| A2 | 18 | 03-02-062-003-00 | 2.9 | 100 | 190 |
| A2 | 19 | 03-02-062-004-00 | 2.9 | 100 | 190 |
| A2 | 20 | 03-02-470-011-10 | 2.9 | 100 | 190 |
| A2 | 21 | 03-02-470-007-00 | 2.9 | 100 | 190 |
| A2 | 22 | 03-02-470-001-00 | 2.9 | 100 | 190 |
| A2 | 23 | 03-02-062-005-00 | 2.9 | 100 | 190 |
| A2 | 24 | 03-02-062-006-00 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A2 | 25 | 03-02-062-007-10 | 2.9 | 100 | 190 |
| A2 | 26 | 03-02-062-007-00 | 2.9 | 100 | 190 |
| A2 | 27 | 03-02-062-008-00 | 2.9 | 100 | 190 |
| A2 | 28 | 03-02-062-009-10 | 2.9 | 100 | 190 |
| A2 | 29 | 03-02-062-009-00 | 2.9 | 100 | 190 |
| A2 | 30 | 03-02-062-013-00 | 2.9 | 100 | 190 |
| A2 | 31 | 03-02-062-012-00 | 2.9 | 100 | 190 |
| A2 | 32 | 03-02-062-010-10 | 2.9 | 100 | 190 |
| A2 | 32.1 | 03-02-062-010-20 | 2.9 | 100 | 190 |
| A2 | 33 | 03-02-062-010-40 | 2.9 | 100 | 190 |
| A2 | 34 | 03-02-062-010-00 | 2.9 | 100 | 190 |
| A2 | 35 | 03-02-062-016-00 | 2.9 | 100 | 190 |
| A2 | 36 | 03-02-062-017-00 | 2.9 | 100 | 190 |
| A2 | 37 | 03-02-062-018-00 | 2.9 | 100 | 190 |
| A2 | 38 | 03-02-062-019-00 | 2.9 | 100 | 190 |
| A2 | 39 | 03-02-062-015-52 | 2.9 | 100 | 190 |
| A2 | 40 | 03-02-062-015-50 | 2.9 | 100 | 190 |
| A2 | 41 | 03-02-062-025-00 | 2.9 | 100 | 190 |
| A2 | 42 | 03-02-062-024-00 | 2.9 | 100 | 190 |
| A2 | 43 | 03-02-062-015-51 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A2 | 44 | 03-02-062-022-00 | 2.9 | 100 | 190 |
| A2 | 46 | 03-02-062-023-00 | 2.9 | 100 | 190 |
| A2 | 47 | 03-02-062-020-00 | 2.9 | 100 | 190 |
| A2 | 48 | 03-02-062-021-00 | 2.9 | 100 | 190 |
| A2 | 49 | 03-02-062-026-00 | 2.9 | 100 | 190 |
| A2 | 50 | 03-02-063-001-00 | 2.9 | 100 | 190 |
| A2 | 51 | 03-02-063-002-00 | 2.9 | 100 | 190 |
| A2 | 52 | 03-02-063-009-00 | 2.9 | 100 | 190 |
| A2 | 53 | 03-02-063-012-00 | 2.9 | 100 | 190 |
| A2 | 54 | 03-02-063-010-00 | 2.9 | 100 | 190 |
| A2 | 55 | 03-02-063-011-00 | 2.9 | 100 | 190 |
| A2 | 56 | 03-02-063-007-00 | 2.9 | 100 | 190 |
| A2 | 57 | 03-02-063-008-00 | 2.9 | 100 | 190 |
| A2 | 58 | 03-02-063-006-00 | 2.9 | 100 | 190 |
| A2 | 59 | 03-02-063-005-10 | 2.9 | 100 | 190 |
| A2 | 60 | 03-02-063-005-00 | 2.9 | 100 | 190 |
| A2 | 60 | 03-02-063-005-30 | 2.9 | 100 | 190 |
| A2 | 60.1 | 03-02-063-005-20 | 2.9 | 100 | 190 |
| A2 | 61 | 03-02-063-004-00 | 2.9 | 100 | 190 |
| A2 | 62 | 03-02-063-003-00 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|-------------------------------|------------------|------------|------------|
| A2 | 62.01 | 03-02-063-003-10 | 2.9 | 100 | 190 |
| A2 | 62.05 | 03-02-140-000-00 Casco Bluffs | 2.9 | 100 | 190 |
| A2 | 62.1 | 03-02-140-010-00 | 2.9 | 100 | 190 |
| A2 | 62.11 | 03-02-140-009-00 | 2.9 | 100 | 190 |
| A2 | 62.12 | 03-02-140-008-00 | 2.9 | 100 | 190 |
| A2 | 62.13 | 03-02-140-007-00 | 2.9 | 100 | 190 |
| A2 | 62.14 | 03-02-140-006-00 | 2.9 | 100 | 190 |
| A2 | 62.15 | 03-02-140-005-00 | 2.9 | 100 | 190 |
| A2 | 62.16 | 03-02-140-004-00 | 2.9 | 100 | 190 |
| A2 | 62.17 | 03-02-140-003-00 | 2.9 | 100 | 190 |
| A2 | 62.18 | 03-02-140-002-00 | 2.9 | 100 | 190 |
| A2 | 62.19 | 03-02-140-002-00 | 2.9 | 100 | 190 |
| A2 | 62.2 | 03-02-140-026-00 | 2.9 | 100 | 190 |
| A2 | 62.21 | 03-02-140-025-00 | 2.9 | 100 | 190 |
| A2 | 62.22 | 03-02-140-024-00 | 2.9 | 100 | 190 |
| A2 | 62.23 | 03-02-140-023-00 | 2.9 | 100 | 190 |
| A2 | 62.24 | 03-02-140-022-00 | 2.9 | 100 | 190 |
| A2 | 62.25 | 03-02-140-021-00 | 2.9 | 100 | 190 |
| A2 | 62.26 | 03-02-140-020-00 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|--------------------------------|------------------|------------|------------|
| A2 | 62.27 | 03-02-140-019-00 | 2.9 | 100 | 190 |
| A2 | 62.28 | 03-02-140-018-00 | 2.9 | 100 | 190 |
| A2 | 62.29 | 03-02-140-017-00 | 2.9 | 100 | 190 |
| A2 | 62.3 | 03-02-140-027-00 | 2.9 | 100 | 190 |
| A2 | 62.31 | 03-02-140-028-00 | 2.9 | 100 | 190 |
| A2 | 62.32 | 03-02-140-029-00 | 2.9 | 100 | 190 |
| A2 | 62.33 | 03-02-140-030-00 | 2.9 | 100 | 190 |
| A2 | 62.34 | 03-02-140-031-00 | 2.9 | 100 | 190 |
| A2 | 62.35 | 03-02-140-032-00 | 2.9 | 100 | 190 |
| A2 | 62.36 | 03-02-140-033-00 | 2.9 | 100 | 190 |
| A2 | 62.37 | 03-02-140-034-00 | 2.9 | 100 | 190 |
| A2 | 62.38 | 03-02-140-035-00 | 2.9 | 100 | 190 |
| A2 | 62.39 | 03-02-140-036-00 | 2.9 | 100 | 190 |
| A2 | 62.39 | 03-02-140-036-00 | 2.9 | 100 | 190 |
| A2 | 63 | 03-02-541-000-00 Miami Park | 2.9 | 100 | 190 |
| A2 | 63 | 03-02-541-002-00 | 2.9 | 100 | 190 |
| A2 | 63.2 | 03-02-542-001-00 | 2.9 | 100 | 190 |
| A2 | 63.21 | 03-02-542-002-00 | 2.9 | 100 | 190 |
| A2 | 63.3 | 03-02-542-004-00 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A2 | 64 | 03-02-541-005-00 | 2.9 | 100 | 190 |
| A2 | 64.2 | 03-02-543-001-00 | 2.9 | 100 | 190 |
| A2 | 64.21 | 03-02-543-002-00 | 2.9 | 100 | 190 |
| A2 | 64.22 | 03-02-543-004-00 | 2.9 | 100 | 190 |
| A2 | 64.221 | 03-02-543-006-00 | 2.9 | 100 | 190 |
| A2 | 64.23 | 03-02-546-001-00 | 2.9 | 100 | 190 |
| A2 | 64.24 | 03-02-546-002-00 | 2.9 | 100 | 190 |
| A2 | 64.25 | 03-02-546-004-00 | 2.9 | 100 | 190 |
| A2 | 64.26 | 03-02-546-006-00 | 2.9 | 100 | 190 |
| A2 | 64.27 | 03-02-549-001-00 | 2.9 | 100 | 190 |
| A2 | 64.3 | 03-02-546-008-00 | 2.9 | 100 | 190 |
| A2 | 64.31 | 03-02-543-008-00 | 2.9 | 100 | 190 |
| A2 | 65 | 03-02-541-004-00 | 2.9 | 100 | 190 |
| A2 | 65.2 | 03-02-549-002-00 | 2.9 | 100 | 190 |
| A2 | 65.21 | 03-02-549-003-00 | 2.9 | 100 | 190 |
| A2 | 65.22 | 03-02-549-005-00 | 2.9 | 100 | 190 |
| A2 | 65.3 | 03-02-549-008-00 | 2.9 | 100 | 190 |
| A2 | 66 | 03-02-541-003-00 | 2.9 | 100 | 190 |
| A2 | 66.2 | 03-02-549-006-00 | 2.9 | 100 | 190 |
| A2 | 66.21 | 03-02-552-001-00 | 2.9 | 100 | 190 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|--|------------------|------------|------------|
| A2 | 66.3 | 03-02-552-008-00 | 2.9 | 100 | 190 |
| A2 | 67 | 03-02-541-001-00 | 2.9 | 100 | 190 |
| A2 | 67 | 03-02-546-006-00 | 2.9 | 100 | 190 |
| A2 | 67.2 | 03-02-552-002-00 | 2.9 | 100 | 190 |
| A2 | 67.21 | 03-02-552-005-00 | 2.9 | 100 | 190 |
| A2 | 67.23 | 03-02-555-001-00 | 2.9 | 100 | 190 |
| A2 | 67.24 | 03-02-552-002-00 | 2.9 | 100 | 190 |
| A2 | 67.25 | 03-02-555-005-00 | 2.9 | 100 | 190 |
| A2 | 67.26 | 03-02-555-007-00 | 2.9 | 100 | 190 |
| A2 | 67.27 | 03-02-558-001-00 | 2.9 | 100 | 190 |
| A2 | 67.3 | 03-02-555-009-00 | 2.9 | 100 | 190 |
| A2 | 67.31 | 03-02-555-026-00 | 2.9 | 100 | 190 |
| A3 | 68 | 03-02-074-001-00 | 1.5 | 60 | 105 |
| A3 | 68 | 03-02-500-000-00 Highfield Beach Club | 1.5 | 60 | 105 |
| A3 | 68.1 | 03-02-500-022-00 | 1.5 | 60 | 105 |
| A3 | 68.11 | 03-02-500-023-00 | 1.5 | 60 | 105 |
| A3 | 68.12 | 03-02-500-024-00 | 1.5 | 60 | 105 |
| A3 | 68.13 | 03-02-500-025-00 | 1.5 | 60 | 105 |
| A3 | 68.14 | 03-02-500-026-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A3 | 68.15 | 03-02-500-027-00 | 1.5 | 60 | 105 |
| A3 | 68.2 | 03-02-500-021-00 | 1.5 | 60 | 105 |
| A3 | 68.21 | 03-02-500-020-00 | 1.5 | 60 | 105 |
| A3 | 68.22 | 03-02-500-019-00 | 1.5 | 60 | 105 |
| A3 | 68.23 | 03-02-500-018-00 | 1.5 | 60 | 105 |
| A3 | 68.24 | 03-02-500-017-00 | 1.5 | 60 | 105 |
| A3 | 68.25 | 03-02-500-028-00 | 1.5 | 60 | 105 |
| A3 | 68.26 | 03-02-500-029-00 | 1.5 | 60 | 105 |
| A3 | 68.3 | 03-02-500-016-00 | 1.5 | 60 | 105 |
| A3 | 68.31 | 03-02-500-015-00 | 1.5 | 60 | 105 |
| A3 | 68.32 | 03-02-500-014-00 | 1.5 | 60 | 105 |
| A3 | 68.33 | 03-02-500-013-00 | 1.5 | 60 | 105 |
| A3 | 68.34 | 03-02-500-012-00 | 1.5 | 60 | 105 |
| A3 | 68.35 | 03-02-500-011-00 | 1.5 | 60 | 105 |
| A3 | 68.36 | 03-02-500-010-00 | 1.5 | 60 | 105 |
| A3 | 68.37 | 03-02-500-030-00 | 1.5 | 60 | 105 |
| A3 | 68.38 | 03-02-500-031-00 | 1.5 | 60 | 105 |
| A3 | 68.39 | 03-02-500-032-00 | 1.5 | 60 | 105 |
| A3 | 68.4 | 03-02-500-033-00 | 1.5 | 60 | 105 |
| A3 | 68.41 | 03-02-500-034-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A3 | 68.42 | 03-02-500-035-00 | 1.5 | 60 | 105 |
| A3 | 68.43 | 03-02-500-036-00 | 1.5 | 60 | 105 |
| A3 | 68.44 | 03-02-500-037-00 | 1.5 | 60 | 105 |
| A3 | 68.45 | 03-02-500-038-00 | 1.5 | 60 | 105 |
| A3 | 68.46 | 03-02-500-039-00 | 1.5 | 60 | 105 |
| A3 | 68.47 | 03-02-500-040-00 | 1.5 | 60 | 105 |
| A3 | 68.48 | 03-02-500-041-00 | 1.5 | 60 | 105 |
| A3 | 68.49 | 03-02-500-042-00 | 1.5 | 60 | 105 |
| A3 | 68.5 | 03-02-500-043-00 | 1.5 | 60 | 105 |
| A3 | 68.51 | 03-02-500-044-00 | 1.5 | 60 | 105 |
| A3 | 68.52 | 03-02-500-045-00 | 1.5 | 60 | 105 |
| A3 | 68.53 | 03-02-500-046-00 | 1.5 | 60 | 105 |
| A3 | 68.54 | 03-02-500-047-00 | 1.5 | 60 | 105 |
| A3 | 68.55 | 03-02-500-048-00 | 1.5 | 60 | 105 |
| A3 | 68.56 | 03-02-500-049-00 | 1.5 | 60 | 105 |
| A3 | 68.57 | 03-02-500-050-00 | 1.5 | 60 | 105 |
| A3 | 68.58 | 03-02-500-051-00 | 1.5 | 60 | 105 |
| A3 | 68.59 | 03-02-500-052-00 | 1.5 | 60 | 105 |
| A3 | 68.6 | 03-02-500-001-00 | 1.5 | 60 | 105 |
| A3 | 68.61 | 03-02-500-002-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|---|------------------|------------|------------|
| A3 | 68.62 | 03-02-500-003-00 | 1.5 | 60 | 105 |
| A3 | 68.63 | 03-02-500-004-00 | 1.5 | 60 | 105 |
| A3 | 68.64 | 03-02-500-005-00 | 1.5 | 60 | 105 |
| A3 | 68.65 | 03-02-500-006-00 | 1.5 | 60 | 105 |
| A3 | 68.66 | 03-02-500-007-00 | 1.5 | 60 | 105 |
| A3 | 68.67 | 03-02-500-008-00 | 1.5 | 60 | 105 |
| A3 | 68.67 | 03-02-500-009-00 | 1.5 | 60 | 105 |
| A3 | 69 | 03-02-074-001-10 | 1.5 | 60 | 105 |
| A3 | 70 | 03-02-074-001-20 | 1.5 | 60 | 105 |
| A3 | 71 | 03-02-074-001-30 | 1.5 | 60 | 105 |
| A3 | 71.9 | 03-02-590-000-00 Mt Pleasant Manor | 1.5 | 60 | 105 |
| A3 | 72 | 03-02-590-005-00 | 1.5 | 60 | 105 |
| A3 | 73 | 03-02-590-003-00 | 1.5 | 60 | 105 |
| A3 | 74 | 03-02-590-001-00 | 1.5 | 60 | 105 |
| A3 | 74.1 | 03-02-570-000-00 Mt Pleasant Lake Shore | 1.5 | 60 | 105 |
| A3 | 74.1 | 03-02-570-001-00 | 1.5 | 60 | 105 |
| A3 | 74.12 | 03-02-570-099-00 | 1.5 | 60 | 105 |
| A3 | 74.13 | 03-02-570-101-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|---|------------------|------------|------------|
| A3 | 74.14 | 03-02-570-103-00 | 1.5 | 60 | 105 |
| A3 | 74.15 | 03-02-570-170-00 | 1.5 | 60 | 105 |
| A3 | 74.16 | 03-02-570-171-00 | 1.5 | 60 | 105 |
| A3 | 74.17 | 03-02-570-172-00 | 1.5 | 60 | 105 |
| A3 | 74.171 | 03-02-570-172-10 | 1.5 | 60 | 105 |
| A3 | 74.18 | 03-02-570-173-00 | 1.5 | 60 | 105 |
| A3 | 74.19 | 03-02-570-174-00 | 1.5 | 60 | 105 |
| A3 | 74.2 | 03-02-570-175-00 | 1.5 | 60 | 105 |
| A3 | 74.21 | 03-02-570-252-00 | 1.5 | 60 | 105 |
| A3 | 74.22 | 03-02-570-253-00 | 1.5 | 60 | 105 |
| A3 | 74.221 | 03-02-570-255-00 | 1.5 | 60 | 105 |
| A3 | 74.23 | 03-02-570-256-00 | 1.5 | 60 | 105 |
| A3 | 74.24 | 03-02-790-005-00 | 1.5 | 60 | 105 |
| A3 | 74.25 | 03-02-790-004-00 | 1.5 | 60 | 105 |
| A3 | 74.26 | 03-02-790-002-00 | 1.5 | 60 | 105 |
| A3 | 74.27 | 03-02-790-001-00 | 1.5 | 60 | 105 |
| A3 | 75 | 03-02-570-000-00 Mt Pleasant Lakeshore | 1.5 | 60 | 105 |
| A3 | 76 | 03-02-790-000-00 Workmen's Circle Lakeshore | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|--|------------------|------------|------------|
| A3 | 77 | 03-02-074-008-00 | 1.5 | 60 | 105 |
| A3 | 78 | 03-02-074-014-00 | 1.5 | 60 | 105 |
| A3 | 79 | 03-02-760-000-00 Sunset Shores | 1.5 | 60 | 105 |
| A3 | 79.2 | 03-02-760-054-00 | 1.5 | 60 | 105 |
| A3 | 79.21 | 03-02-760-055-00 | 1.5 | 60 | 105 |
| A3 | 79.22 | 03-02-760-056-00 | 1.5 | 60 | 105 |
| A3 | 79.23 | 03-02-760-057-00 | 1.5 | 60 | 105 |
| A3 | 79.24 | 03-02-760-058-00 | 1.5 | 60 | 105 |
| A3 | 79.241 | 03-02-760-058-10 | 1.5 | 60 | 105 |
| A3 | 79.25 | 03-02-760-062-00 | 1.5 | 60 | 105 |
| A3 | 79.26 | 03-02-760-064-00 | 1.5 | 60 | 105 |
| A3 | 79.27 | 03-02-760-067-00 | 1.5 | 60 | 105 |
| A3 | 79.28 | 03-02-760-069-00 | 1.5 | 60 | 105 |
| A3 | 79.29 | 03-02-760-070-00 | 1.5 | 60 | 105 |
| A3 | 79.3 | 03-02-760-072-00 | 1.5 | 60 | 105 |
| A3 | 82.9 | 03-02-701-000-00 South Haven Highlands | 1.5 | 60 | 105 |
| A3 | 83 | 03-02-701-001-50 | 1.5 | 60 | 105 |
| A3 | 84 | 03-02-074-020-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|--------------------------------|------------------|------------|------------|
| A3 | 85 | 03-02-075-009-00 | 1.5 | 60 | 105 |
| A3 | 86 | 03-02-780-009-00 | 1.5 | 60 | 105 |
| A3 | 86.1 | 03-02-780-010-00 | 1.5 | 60 | 105 |
| A3 | 86.9 | 03-02-430-000-00 Beverly Beach | 1.5 | 60 | 105 |
| A3 | 87 | 03-02-430-001-00 | 1.5 | 60 | 105 |
| A3 | 87.1 | 03-02-430-021-00 | 1.5 | 60 | 105 |
| A3 | 88 | 03-02-075-014-00 | 1.5 | 60 | 105 |
| A3 | 89 | 03-02-075-013-00 | 1.5 | 60 | 105 |
| A3 | 90 | 03-02-075-015-30 | 1.5 | 60 | 105 |
| A3 | 91 | 03-02-075-015-50 | 1.5 | 60 | 105 |
| A3 | 92 | 03-02-075-015-00 | 1.5 | 60 | 105 |
| A3 | 92.1 | 03-02-075-015-60 | 1.5 | 60 | 105 |
| A3 | 93 | 03-02-075-015-40 | 1.5 | 60 | 105 |
| A3 | 94 | 03-02-075-011-10 | 1.5 | 60 | 105 |
| A3 | 95 | 03-02-075-011-11 | 1.5 | 60 | 105 |
| A3 | 96 | 03-02-075-015-10 | 1.5 | 60 | 105 |
| A3 | 97 | 03-02-075-015-20 | 1.5 | 60 | 105 |
| A3 | 98 | 03-02-075-016-00 | 1.5 | 60 | 105 |
| A3 | 99 | 03-02-440-001-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Casco Township, Allegan County

HREAs identified North to South

Date of Designation: January 22, 1996

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A3 | 100 | 03-02-075-017-10 | 1.5 | 60 | 105 |
| A3 | 100.1 | 03-02-075-017-11 | 1.5 | 60 | 105 |
| A3 | 101 | 03-02-075-018-00 | 1.5 | 60 | 105 |
| A3 | 101.2 | 03-02-770-014-00 | 1.5 | 60 | 105 |
| A3 | 101.21 | 03-02-770-014-10 | 1.5 | 60 | 105 |
| A3 | 102 | 03-02-075-022-00 | 1.5 | 60 | 105 |
| A3 | 103 | 03-02-075-021-00 | 1.5 | 60 | 105 |
| A3 | 104 | 03-02-490-001-00 | 1.5 | 60 | 105 |
| A3 | 105 | 03-02-490-002-00 | 1.5 | 60 | 105 |
| A3 | 106 | 03-02-075-020-00 | 1.5 | 60 | 105 |
| A3 | 106.1 | 03-02-075-020-20 | 1.5 | 60 | 105 |
| A3 | 106.2 | 03-02-075-020-10 | 1.5 | 60 | 105 |
| A3 | 107 | 03-02-380-183-00 | 1.5 | 60 | 105 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.