



Notification of Compliance Status  
For Paint Stripping and Miscellaneous Surface Coating Operations  
Area Source NESHAP  
40 CFR Part 63, Subpart HHHHHH (Parts 63.11169-63.11180)

Auto body collision repair facilities subject to 40 CFR Part 63, Subpart HHHHHH must be in compliance with the requirements of the rule by January 10, 2011, and must submit a Notification of Compliance Status by March 11, 2011. Facilities that started up after September 17, 2007 must be in compliance with the requirements and notifications upon startup.

**1. Company Information**

Business Name \_\_\_\_\_

Address \_\_\_\_\_

City, State, Zip \_\_\_\_\_

**2. Facility Location Information (if different from Company Information)**

Business Name \_\_\_\_\_

Street Address (physical location) \_\_\_\_\_

City, State, Zip \_\_\_\_\_

**3. Mobile Repair**

Do you repair vehicles at the customer's location, rather than at a fixed location?

Yes  No

If yes, please provide the address where records are kept

Address \_\_\_\_\_

City, State, Zip \_\_\_\_\_

**4. Compliance Certification for Surface Coating – full requirements detailed in 40 CFR 63.11173(e) through (g)**

If you surface coat motor vehicles or mobile equipment you must meet the following requirements:

- Spray-applied coatings must be applied in a preparation station or spray booth that:
  - Has a full roof and three complete walls/curtains when coating subassemblies.
  - Has a full roof and four walls/curtains when coating complete vehicles.
  - Has either dry filters demonstrated to achieve at least 98% capture of paint coating overspray or a waterwash system.
  - Is ventilated at either negative pressure, or at positive pressure of no more than 0.05 inches water gauge if the booth is sealed and has an automatic pressure balancing system.

- Spray-applied coatings must be applied with high-volume low-pressure (HVLP) spray guns, HVLP-equivalent technology, electrostatic application, airless spray gun, or air-assisted airless spray gun.
- Spray guns must be cleaned using non-atomizing methods.
- Painters must be trained and certified in the proper application of surface coatings.
- An Initial Notification form must be submitted to the U.S. Environmental Protection Agency (EPA).
- Records demonstrating compliance with these requirements must be kept on site.

Please Check One

<input type="checkbox"/>	This facility is currently in compliance with all of the requirements listed above.
<input type="checkbox"/>	This facility does not use coatings that contain cadmium, chromium, lead, manganese, or nickel, <u>and</u> has received an <b>approved</b> petition for exemption from the EPA.

**5. Compliance Certification for Methylene Chloride Paint Stripping – full requirements detailed in 40 CFR 63.11173(a) through (d)**

If you use paint strippers containing methylene chloride, you must meet the following requirements:

- Evaluate each use to see if there is truly a need for paint to be removed.
- Evaluate each use to see if non-chemical paint removal can be done.
- Minimize evaporation of paint strippers containing methylene chloride during use.
- Minimize exposure to the air of paint strippers containing methylene chloride.
- Practice proper storage and disposal of paint strippers containing methylene chloride.
- Track usage of methylene chloride paint strippers.

Please Check One

<input type="checkbox"/>	This facility is currently in compliance with the requirements listed above.
<input type="checkbox"/>	This facility does not use paint strippers containing methylene chloride.

If you use more than one ton (about 150 gallons) each year of paint strippers containing methylene chloride, you must:

- Develop and implement a written methylene chloride management plan addressing the above requirements, and
- In areas where paint strippers containing methylene chloride are used, post a placard outlining the plan.

Please Check One

<input type="checkbox"/>	This facility is currently in compliance with the requirements listed above.
<input type="checkbox"/>	This facility does not use more than one ton annually of paint strippers containing methylene chloride.

**6. Compliance Verification Statement**

I certify the truth, accuracy, and completeness of the information being submitted. The facility is in compliance with all the relevant standards of 40 CFR Part 63, Subpart HHHHHH.

Signature \_\_\_\_\_ Date \_\_\_\_\_

Printed Name \_\_\_\_\_ Title \_\_\_\_\_

Address \_\_\_\_\_

City, State, Zip \_\_\_\_\_

Telephone number \_\_\_\_\_ Email (if available) \_\_\_\_\_

I am the:                      Owner                       Operator                       Certifying Official

**7. Where to send the completed Notification of Compliance Status**

Retain a copy for your records.

**If two addresses are listed for your state, send a copy to both addresses.**

**Indiana businesses**

USEPA Region 5  
Compliance Tracker AE-17J                      and  
77 W Jackson Blvd  
Chicago, IL 60604

IDEM  
Office of Air Quality  
Compliance and Enforcement Branch  
100 North Senate Avenue  
MC61-53, IGCN 1003  
Indianapolis, IN 46204-2251

**Michigan businesses**

USEPA Region 5  
Compliance Tracker AE-17J  
77 W Jackson Blvd  
Chicago, IL 60604

No State Submittal Required

**Minnesota businesses**

USEPA Region 5  
Compliance Tracker AE-17J  
77 W Jackson Blvd  
Chicago, IL 60604

No State Submittal Required

**Wisconsin businesses**

USEPA Region 5  
Compliance Tracker AE-17J                      and  
77 W Jackson Blvd  
Chicago, IL 60604

MACT Notifications  
WI DNR - Air Program AM/7  
PO Box 7921  
Madison, WI 53707-7921