


# BURTCHVILLE TOWNSHIP

## HIGH RISK EROSION AREAS

ST. CLAIR COUNTY



### HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE 30 YEAR PROJECTED RECESION DISTANCE.  
 60' 105' THE NUMBER REPRESENTS, IN FEET, THE 60 YEAR PROJECTED RECESION DISTANCE.


HIGH RISK EROSION AREA (shading alongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART 323, OF THE NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION ACT OF 1994, P.A. 451 AS AMENDED, AS BEING GREAT LAKES SHORELAND AREAS DOCUMENTED TO RECEDE AN AVERAGE OF ONE FOOT OR MORE A YEAR.

### SOURCE

STATE OF MICHIGAN PART 323 OF ACT 451 RATE MAPS

06-26-98



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
 LAND AND WATER MANAGEMENT DIVISION  
 P.O. BOX 30458  
 LANSING, MI 48909-7958  
 (517) 373-1950

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	1	74-11-360-0012-000	2.3	85	155
A1	2	74-11-360-0014-000	2.3	85	155
A1	3	74-11-360-0016-000	2.3	85	155
A1	4	74-11-360-0019-000	2.3	85	155
A1	5	74-11-360-0021-000	2.3	85	155
A1	6	74-11-360-0023-000	2.3	85	155
A1	7	74-11-760-0001-001	2.3	85	155
A1	9	74-11-760-0004-000	2.3	85	155
A1	10	74-11-760-0003-000	2.3	85	155
A1	11	74-11-760-0005-000	2.3	85	155
A1	12	74-11-760-0006-000	2.3	85	155
A1	13	74-11-760-0007-000	2.3	85	155
B1	14	74-11-190-0035-000	1.2	50	80
B1	15	74-11-190-0034-000	1.2	50	80
B1	16	74-11-190-0033-000	1.2	50	80
B1	17	74-11-190-0032-000	1.2	50	80
B1	18	74-11-190-0031-000	1.2	50	80
B1	19	74-11-190-0030-000	1.2	50	80
B1	21	74-11-190-0028-000	1.2	50	80

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	22	74-11-190-0027-000	1.2	50	80
B1	23	74-11-190-0026-000	1.2	50	80
B1	24	74-11-190-0025-000	1.2	50	80
B1	25	74-11-190-0024-000	1.2	50	80
B1	26	74-11-190-0023-000	1.2	50	80
B1	27	74-11-190-0022-000	1.2	50	80
B1	28	74-11-008-1003-000	1.2	50	80
B1	29	74-11-008-1004-000	1.2	50	80
B1	30	74-11-190-0021-000	1.2	50	80
B1	31	74-11-190-0020-000	1.2	50	80
B1	32	74-11-190-0019-000	1.2	50	80
B1	33	74-11-190-0017-000	1.2	50	80
B1	34	74-11-190-0016-000	1.2	50	80
B1	35	74-11-190-0015-000	1.2	50	80
B1	36	74-11-190-0014-000	1.2	50	80
B1	38	74-11-190-0012-000	1.2	50	80
B2	39	74-11-190-0011-500	1.6	65	110
B2	40	74-11-190-0011-000	1.6	65	110
B2	41	74-11-190-0009-000	1.6	65	110
B2	42	74-11-190-0008-000	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B2	43	74-11-190-0007-000	1.6	65	110
B2	44	74-11-190-0006-000	1.6	65	110
B2	45	74-11-190-0005-000	1.6	65	110
B2	46	74-11-190-0004-000	1.6	65	110
B2	47	74-11-190-0003-000	1.6	65	110
B2	48	74-11-190-0001-000	1.6	65	110
B2	49	74-11-320-0001-000	1.6	65	110
B2	50	74-11-320-0002-000	1.6	65	110
B2	51	74-11-320-0003-000	1.6	65	110
B2	52	74-11-320-0004-000	1.6	65	110
B2	53	74-11-320-0005-000	1.6	65	110
B2	54	74-11-320-0006-000	1.6	65	110
B2	55	74-11-320-0007-000	1.6	65	110
B2	56	74-11-320-0008-000	1.6	65	110
B2	57	74-11-320-0009-000	1.6	65	110
B2	58	74-11-320-0010-000	1.6	65	110
B2	59	74-11-320-0011-000	1.6	65	110
B2	60	74-11-320-0012-000	1.6	65	110
B2	61	74-11-320-0013-000	1.6	65	110
B2	62	74-11-320-0014-000	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B2	63	74-11-320-0015-000	1.6	65	110
C1	65	74-11-750-0001-000 Twp Park	1.6	65	110
C1	66	74-11-750-0002-000	1.6	65	110
C1	67	74-11-750-0003-000	1.6	65	110
C1	68	74-11-750-0004-000	1.6	65	110
C1	69	74-11-750-0005-000	1.6	65	110
C1	70	74-11-750-0006-000	1.6	65	110
C1	71	74-11-750-0007-000	1.6	65	110
C1	72	74-11-750-0008-000	1.6	65	110
C1	73	74-11-750-0009-000	1.6	65	110
C1	74	74-11-750-0010-000	1.6	65	110
C1	75	74-11-750-0011-000	1.6	65	110
C1	76	74-11-750-0012-000	1.6	65	110
C1	77	74-11-750-0013-000	1.6	65	110
C1	78	74-11-750-0014-000	1.6	65	110
C1	79	74-11-750-0015-000	1.6	65	110
C1	80	74-11-750-0016-000	1.6	65	110
C1	81	74-11-750-0017-000	1.6	65	110
C1	82	74-11-750-0018-000	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C1	83	74-11-750-0019-000	1.6	65	110
C1	84	74-11-750-0020-000	1.6	65	110
C1	85	74-11-750-0021-000	1.6	65	110
C1	86	74-11-750-0022-000	1.6	65	110
C1	87	74-11-750-0023-000	1.6	65	110
C1	88	74-11-750-0024-000	1.6	65	110
C1	89	74-11-750-0025-000	1.6	65	110
C1	90	74-11-732-0001-000	1.6	65	110
C1	91	74-11-732-0002-000	1.6	65	110
C1	92	74-11-732-0003-000	1.6	65	110
C1	93	74-11-732-0004-000	1.6	65	110
C1	94	74-11-733-0001-000	1.6	65	110
C1	96	74-11-733-0027-000	1.6	65	110
C1	97	74-11-733-0028-000	1.6	65	110
C1	98	74-11-711-0009-000	1.6	65	110
C1	99	74-11-711-0010-000	1.6	65	110
C1	100	74-11-710-0001-000	1.6	65	110
C1	101	74-11-017-1010-000	1.6	65	110
C1	102	74-11-017-1011-000	1.6	65	110
C1	102.01	74-11-017-1011-500	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C1	103	74-11-017-1012-000	1.6	65	110
C1	104	74-11-017-1013-000	1.6	65	110
D1	105	74-11-017-4001-000	1.6	65	110
D1	106	74-11-017-4002-000	1.6	65	110
D2	106.01	74-11-017-4003-000 State Park	3.9	130	250
D3	106.02	74-11-020-1001-000 State Park	1.6	65	110
E1	107	74-11-755-0053-000	1.7	65	115
E1	108	74-11-155-0054-000	1.7	65	115
E1	109	74-11-755-0056-000	1.7	65	115
E2	109.01	74-11-029-1001-000 State Park	3.7	125	230
F1	110	74-11-720-0026-000	1.2	50	85
F1	112	74-11-720-0024-000	1.2	50	85
F1	113	74-11-720-0023-000	1.2	50	85
F1	114	74-11-720-0022-000	1.2	50	85
F1	115	74-11-720-0021-000	1.2	50	85
F1	116	74-11-720-0020-000	1.2	50	85
F1	117	74-11-720-0019-000	1.2	50	85
F1	118	74-11-720-0018-000	1.2	50	85

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Burtchville Township, St. Clair County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
F1	119	74-11-720-0017-000	1.2	50	85
F1	120	74-11-720-0016-000	1.2	50	85
F1	121	74-11-720-0015-000	1.2	50	85
F1	122	74-11-720-0014-000	1.2	50	85
F1	123	74-11-720-0013-000	1.2	50	85
F1	124	74-11-720-0012-000	1.2	50	85
F1	125	74-11-720-0011-000	1.2	50	85

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**