


# PARK TOWNSHIP

## HIGH RISK EROSION AREAS & CRITICAL DUNE AREAS

OTTAWA COUNTY

T05N,R16W



### HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE 30 YEAR PROJECTED RECESSION DISTANCE.  
 60' THE NUMBER REPRESENTS, IN FEET, THE 60 YEAR PROJECTED RECESSION DISTANCE.

HIGH RISK EROSION AREA (shading alongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART 323, SHORELANDS PROTECTION AND MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 451 BEING GREAT LAKES SHORELAND AREAS DOCUMENTED TO REcede AN AVERAGE OF ONE FOOT OR MORE PER YEAR.

### CRITICAL DUNE AREAS

- BARRIER DUNES  
BARRIER DUNE FORMATIONS DESIGNATED PURSUANT TO PART 353, SAND DUNE PROTECTION & MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 451.
- AREAS NOT INCLUDED IN DESIGNATED BARRIER DUNE FORMATIONS THAT ARE COMPOSED PRIMARILY OF DUNE SAND AND EXHIBIT SEVERAL DUNE-LIKE CHARACTERISTICS.
- EXEMPLARY DUNE ASSOCIATED PLANT COMMUNITIES OUTSIDE DESIGNATED DUNE FORMATIONS. MICHIGAN NATURAL FEATURES INVENTORY REFERENCE CODE INDICATED.

### SOURCE

STATE OF MICHIGAN RECESSION RATE MAPS & ATLAS OF CRITICAL DUNE AREAS



### INFORMATION

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
 LAND AND WATER MANAGEMENT DIVISION  
 P.O. BOX 30458  
 LANSING, MI 48909-7958  
 (517) 373-1950

**Gis**

GREAT LAKES INFORMATION SYSTEM  
 MICHIGAN DEPARTMENT OF NATURAL RESOURCES  
 LAND AND WATER MANAGEMENT DIVISION

11-15-94  
 Amended 08-16-96



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	1	70-15-04-100-001	2.5	90	165
A1	2	70-15-04-100-002	2.5	90	165
A1	3	70-15-04-100-003	2.5	90	165
A1	4	70-15-04-100-004	2.5	90	165
A1	5	70-15-04-100-005	2.5	90	165
A1	6	70-15-04-100-032	2.5	90	165
A1	8	70-15-04-100-008	2.5	90	165
A1	9	70-15-04-100-019	2.5	90	165
A1	10	70-15-04-100-020	2.5	90	165
A1	11	70-15-04-100-025	2.5	90	165
A1	11.01	70-15-04-100-026	2.5	90	165
A1	12	70-15-04-100-011	2.5	90	165
A1	13	70-15-04-100-012	2.5	90	165
A1	14	70-15-04-100-013	2.5	90	165
A1	15	70-15-04-100-014	2.5	90	165
A1	16	70-15-04-100-015	2.5	90	165
A1	17	70-15-04-100-023	2.5	90	165
A1	18	70-15-04-100-031	2.5	90	165
A1	19	70-15-04-100-017	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	20	70-15-04-100-029	2.5	90	165
A1	20.01	70-15-04-100-030	2.5	90	165
A1	21	70-15-04-348-026	2.5	90	165
A1	22	70-15-04-347-032	2.5	90	165
A1	23	70-15-04-347-002	2.5	90	165
A1	24	70-15-04-347-003	2.5	90	165
A1	25	70-15-04-347-004	2.5	90	165
A1	26	70-15-04-347-005	2.5	90	165
A1	27	70-15-04-347-006	2.5	90	165
A1	28	70-15-04-347-007	2.5	90	165
A1	29	70-15-04-347-024	2.5	90	165
A1	30	70-15-04-347-035	2.5	90	165
A1	31	70-15-04-347-036	2.5	90	165
A1	33	70-15-04-347-027	2.5	90	165
A1	34	70-15-04-347-015	2.5	90	165
A1	35	70-15-04-347-018	2.5	90	165
A1	36	70-15-04-399-001	2.5	90	165
A1	37	70-15-04-399-002	2.5	90	165
A1	38	70-15-04-399-017	2.5	90	165
A1	39	70-15-04-399-005	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	40	70-15-04-399-006	2.5	90	165
A1	41	70-15-04-399-007	2.5	90	165
A1	42	70-15-04-399-019	2.5	90	165
A1	43	70-15-04-399-020	2.5	90	165
A1	44	70-15-04-399-009	2.5	90	165
A1	45	70-15-04-399-010	2.5	90	165
A1	46	70-15-04-399-011	2.5	90	165
A1	47	70-15-04-399-012	2.5	90	165
A1	48	70-15-04-399-013	2.5	90	165
A1	49	70-15-04-399-014	2.5	90	165
A1	50	70-15-04-399-015	2.5	90	165
A1	51	70-15-04-148-028 Camp Geneva	2.5	90	165
A1	53	70-15-09-148-033	2.5	90	165
A1	54	70-15-09-148-034	2.5	90	165
A1	55	70-15-09-148-024	2.5	90	165
A1	56	70-15-09-148-007	2.5	90	165
A1	57	70-15-09-148-030	2.5	90	165
A1	57.01	70-15-09-148-031	2.5	90	165
A1	58	70-15-09-148-032	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	59	70-15-09-148-010	2.5	90	165
A1	60	70-15-09-184-001	2.5	90	165
A1	61	70-15-09-184-002	2.5	90	165
A1	62	70-15-09-184-003	2.5	90	165
A1	63	70-15-09-184-013	2.5	90	165
A1	64	70-15-09-184-014	2.5	90	165
A1	65	70-15-09-184-015	2.5	90	165
A1	66	70-15-09-184-016	2.5	90	165
A1	67	70-15-09-184-017	2.5	90	165
A1	68	70-15-09-184-018	2.5	90	165
A1	69	70-15-09-184-019	2.5	90	165
A1	70	70-15-09-184-028	2.5	90	165
A1	71	70-15-09-184-030	2.5	90	165
A1	72	70-15-09-184-021	2.5	90	165
A1	73	70-15-09-184-022	2.5	90	165
A1	74	70-15-09-184-023	2.5	90	165
A1	75	70-15-09-184-024	2.5	90	165
A1	76	70-15-09-184-025	2.5	90	165
A1	77	70-15-09-184-026	2.5	90	165
A1	78	70-15-09-184-027	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	79	70-15-09-348-001	2.5	90	165
A2	80	70-15-09-348-038	1.5	60	105
A2	81	70-15-09-348-039	1.5	60	105
A2	82	70-15-09-348-004	1.5	60	105
A2	83	70-15-09-348-005	1.5	60	105
A2	84	70-15-09-348-044	1.5	60	105
A2	84.01	70-15-09-348-045	1.5	60	105
A2	85	70-15-09-348-007	1.5	60	105
A2	86	70-15-09-348-034	1.5	60	105
A2	87	70-15-09-348-035	1.5	60	105
A2	88	70-15-09-348-009	1.5	60	105
A2	89	70-15-09-348-010	1.5	60	105
A2	90	70-15-09-348-011	1.5	60	105
A2	91	70-15-09-348-041	1.5	60	105
A2	92	70-15-09-348-042	1.5	60	105
A2	93	70-15-09-348-014	1.5	60	105
A2	94	70-15-09-348-015	1.5	60	105
A2	95	70-15-09-348-016	1.5	60	105
A2	96	70-15-09-348-017	1.5	60	105
A2	97	70-15-09-348-018	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A2	98	70-15-09-348-031	1.5	60	105
A2	99	70-15-09-348-032	1.5	60	105
A2	100	70-15-09-348-033	1.5	60	105
A2	101	70-15-09-385-033	1.5	60	105
A2	102	70-15-09-385-034	1.5	60	105
A2	103	70-15-09-385-002	1.5	60	105
A2	104	70-15-09-385-003	1.5	60	105
A2	105	70-15-09-385-014	1.5	60	105
A2	106	70-15-09-385-015	1.5	60	105
A2	107	70-15-09-385-016	1.5	60	105
A2	108	70-15-09-385-017	1.5	60	105
A2	109	70-15-09-385-018	1.5	60	105
A2	110	70-15-09-385-019	1.5	60	105
A2	111	70-15-09-385-020	1.5	60	105
A2	112	70-15-09-385-021	1.5	60	105
A2	113	70-15-09-385-022	1.5	60	105
A2	114	70-15-09-385-023	1.5	60	105
A2	115	70-15-09-385-024	1.5	60	105
A2	116	70-15-09-385-025	1.5	60	105
A2	117	70-15-09-385-026	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A2	118	70-15-09-385-027	1.5	60	105
A2	119	70-15-16-150-001	1.5	60	105
B1	120	70-15-16-300-004	1.6	65	110
B1	121	70-15-16-300-005	1.6	65	110
B1	122	70-15-16-349-002	1.6	65	110
B1	123	70-15-16-349-021	1.6	65	110
B1	124	70-15-16-349-004	1.6	65	110
B1	125	70-15-16-349-005	1.6	65	110
B1	126	70-15-16-349-006	1.6	65	110
B1	127	70-15-16-349-007	1.6	65	110
B1	128	70-15-16-349-008	1.6	65	110
B1	129	70-15-16-349-023	1.6	65	110
B1	131	70-15-16-349-024	1.6	65	110
B1	132	70-15-16-349-012	1.6	65	110
B1	133	70-15-16-349-013	1.6	65	110
B1	134	70-15-16-349-014	1.6	65	110
B1	135	70-15-16-349-015	1.6	65	110
B1	136	70-15-16-349-016	1.6	65	110
B1	137	70-15-16-349-022	1.6	65	110
B1	138	70-15-16-349-018	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	139	70-15-16-349-019	1.6	65	110
B1	140	70-15-16-349-020	1.6	65	110
B1	141	70-15-16-398-027	1.6	65	110
B1	142	70-15-16-398-028	1.6	65	110
B1	143	70-15-16-398-032	1.6	65	110
B1	145	70-15-16-398-029	1.6	65	110
B1	146	70-15-16-398-030	1.6	65	110
B1	147	70-15-16-398-031	1.6	65	110
B1	148	70-15-16-398-008	1.6	65	110
B1	149	70-15-16-398-009	1.6	65	110
B1	150	70-15-16-398-010	1.6	65	110
B1	151	70-15-16-398-011	1.6	65	110
B1	152	70-15-16-398-012	1.6	65	110
B1	153	70-15-16-398-013	1.6	65	110
B1	154	70-15-16-398-014	1.6	65	110
B1	155	70-15-16-398-015	1.6	65	110
B1	156	70-15-16-398-016	1.6	65	110
B1	157	70-15-16-398-017	1.6	65	110
B1	158	70-15-16-398-018	1.6	65	110
B1	159	70-15-16-398-019	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	160	70-15-16-398-020	1.6	65	110
B1	161	70-15-16-398-021	1.6	65	110
B1	162	70-15-16-398-022	1.6	65	110
B1	163	70-15-16-398-023	1.6	65	110
B1	164	70-15-16-398-024	1.6	65	110
B1	165	70-15-16-398-025	1.6	65	110
B1	166	70-15-21-150-001	1.6	65	110
B1	167	70-15-21-150-002	1.6	65	110
B1	168	70-15-21-150-003	1.6	65	110
C1	174	70-15-21-340-013	1.5	60	105
C1	175	70-15-21-340-003	1.5	60	105
C1	176	70-15-21-340-004	1.5	60	105
C1	177	70-15-21-340-005	1.5	60	105
C1	178	70-15-21-340-006	1.5	60	105
C1	179	70-15-21-340-007	1.5	60	105
C1	180	70-15-21-340-008	1.5	60	105
C1	181	70-15-21-340-009	1.5	60	105
C1	182	70-15-21-340-010	1.5	60	105
C1	183	70-15-21-340-011	1.5	60	105
C1	184	70-15-21-390-001	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C1	185	70-15-21-390-002	1.5	60	105
C1	186	70-15-21-390-003	1.5	60	105
C1	187	70-15-21-390-004	1.5	60	105
C1	188	70-15-21-390-005	1.5	60	105
C1	189	70-15-21-390-006	1.5	60	105
C1	190	70-15-21-390-007	1.5	60	105
C1	191	70-15-21-390-008	1.5	60	105
C1	192	70-15-21-390-009	1.5	60	105
C1	193	70-15-21-390-010	1.5	60	105
C1	194	70-15-21-390-011	1.5	60	105
C1	195	70-15-21-300-001 Tunnel Park	1.5	60	105
C1	196	70-15-28-130-001	1.5	60	105
C1	197	70-15-28-130-002	1.5	60	105
C1	198	70-15-28-130-003	1.5	60	105
C1	199	70-15-28-130-004	1.5	60	105
C1	200	70-15-28-130-005	1.5	60	105
C1	201	70-15-28-130-006	1.5	60	105
C1	202	70-15-28-130-007	1.5	60	105
C1	203	70-15-28-130-008	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C1	204	70-15-28-135-001	1.5	60	105
C1	205	70-15-28-135-002	1.5	60	105
C1	206	70-15-28-135-003	1.5	60	105
C1	207	70-15-28-135-004	1.5	60	105
C1	208	70-15-28-135-005	1.5	60	105
C1	209	70-15-28-135-006	1.5	60	105
C1	210	70-15-28-135-007	1.5	60	105
C1	211	70-15-28-135-008	1.5	60	105
C1	212	70-15-28-135-009	1.5	60	105
C1	213	70-15-28-135-010	1.5	60	105
C1	214	70-15-28-135-020	1.5	60	105
C1	215	70-15-28-135-018	1.5	60	105
C1	216	70-15-28-135-019	1.5	60	105
C1	217	70-15-28-135-014	1.5	60	105
C1	218	70-15-28-135-015	1.5	60	105
C1	219	70-15-28-135-016	1.5	60	105
C1	220	70-15-28-135-017	1.5	60	105
C1	221	70-15-28-180-011	1.5	60	105
C1	221.1	70-15-28-180-003	1.5	60	105
C1	221.2	70-15-28-180-004	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C1	222	70-15-28-180-012	1.5	60	105
C1	223	70-15-28-180-010	1.5	60	105
C1	224	70-15-28-181-016	1.5	60	105
C1	225	70-15-28-181-014	1.5	60	105
C1	226	70-15-28-181-015	1.5	60	105
C1	227	70-15-28-190-001	1.5	60	105
C1	228	70-15-28-190-008	1.5	60	105
C1	229	70-15-28-190-009	1.5	60	105
C1	230	70-15-28-190-010	1.5	60	105
C2	231	70-15-28-302-001	2.0	75	135
C2	232	70-15-28-303-001	2.0	75	135
C2	233	70-15-28-303-002	2.0	75	135
C2	234	70-15-28-303-003	2.0	75	135
C2	235	70-15-28-303-015	2.0	75	135
C2	236	70-15-28-340-029	2.0	75	135
C2	237	70-15-28-340-030	2.0	75	135
C2	238	70-15-28-340-003	2.0	75	135
C2	239	70-15-28-340-004	2.0	75	135
C2	240	70-15-28-340-005	2.0	75	135
C2	241	70-15-28-340-006	2.0	75	135

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

HREAs identified North to South      Date of Designation: November 23, 1994

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
C2	242	70-15-28-340-007	2.0	75	135
C2	243	70-15-28-340-008	2.0	75	135
C2	244	70-15-28-340-010	2.0	75	135
C3	245	70-15-28-340-011	1.1	50	80
C3	246	70-15-28-380-001	1.1	50	80

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**