

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| A1 | 1 | 70-11-04-105-001 | 2.6 | 95 | 170 |
| A1 | 2 | 70-11-04-105-002 | 2.6 | 95 | 170 |
| A1 | 3 | 70-11-04-101-016 | 2.6 | 95 | 170 |
| A1 | 4 | 70-11-04-101-017 | 2.6 | 95 | 170 |
| A1 | 5 | 70-11-04-101-018 | 2.6 | 95 | 170 |
| A1 | 6 | 70-11-04-101-028 | 2.6 | 95 | 170 |
| A1 | 7 | 70-11-04-101-021 | 2.6 | 95 | 170 |
| A1 | 8 | 70-11-04-101-022 | 2.6 | 95 | 170 |
| A1 | 9 | 70-11-04-101-023 | 2.6 | 95 | 170 |
| A1 | 10 | 70-11-04-101-024 | 2.6 | 95 | 170 |
| A1 | 11 | 70-11-04-122-001 | 2.6 | 95 | 170 |
| A1 | 12 | 70-11-04-122-002 | 2.6 | 95 | 170 |
| A1 | 13 | 70-11-04-122-003 | 2.6 | 95 | 170 |
| A1 | 14 | 70-11-04-122-004 | 2.6 | 95 | 170 |
| A1 | 15 | 70-11-04-122-005 | 2.6 | 95 | 170 |
| A1 | 16 | 70-11-04-122-006 | 2.6 | 95 | 170 |
| A1 | 17 | 70-11-04-122-015 | 2.6 | 95 | 170 |
| A1 | 18 | 70-11-04-122-016 | 2.6 | 95 | 170 |
| A1 | 20 | 70-11-04-176-021 | 2.6 | 95 | 170 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|----------------------------------|------------------|------------|------------|
| A1 | 21 | 70-11-04-176-010 | 2.6 | 95 | 170 |
| A1 | 22 | 70-11-04-176-016 | 2.6 | 95 | 170 |
| A1 | 23 | 70-11-04-176-018 | 2.6 | 95 | 170 |
| A1 | 24 | 70-11-04-176-014 | 2.6 | 95 | 170 |
| A1 | 25 | 70-11-04-176-020 | 2.6 | 95 | 170 |
| A1 | 26 | 70-11-04-176-003 | 2.6 | 95 | 170 |
| A1 | 27 | 70-11-04-176-004 | 2.6 | 95 | 170 |
| A1 | 28 | 70-11-04-176-005 | 2.6 | 95 | 170 |
| A1 | 29 | 70-11-04-176-006 | 2.6 | 95 | 170 |
| A1 | 30 | 70-11-04-176-007 | 2.6 | 95 | 170 |
| A1 | 31 | 70-11-04-176-008 | 2.6 | 95 | 170 |
| A1 | 32 | 70-11-04-185-008 | 2.6 | 95 | 170 |
| A1 | 33 | 70-11-04-185-009 | 2.6 | 95 | 170 |
| A1 | 34 | 70-11-04-185-002 | 2.6 | 95 | 170 |
| A1 | 35 | 70-11-04-185-003 | 2.6 | 95 | 170 |
| B1 | 72 | 70-11-09-100-038 | 1.2 | 50 | 85 |
| B1 | 73 | 70-11-09-100-037 | 1.2 | 50 | 85 |
| B1 | 74 | 70-11-09-100-022 Olive Shores | 1.2 | 50 | 85 |
| B1 | 75 | 70-11-09-100-033 | 1.2 | 50 | 85 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| B1 | 76 | 70-11-09-100-032 | 1.2 | 50 | 85 |
| B1 | 77 | 70-11-09-100-024 | 1.2 | 50 | 85 |
| B1 | 78 | 70-11-09-100-025 | 1.2 | 50 | 85 |
| B1 | 79 | 70-11-09-100-026 | 1.2 | 50 | 85 |
| B1 | 80 | 70-11-09-300-001 | 1.2 | 50 | 85 |
| B1 | 81 | 70-11-09-300-024 | 1.2 | 50 | 85 |
| B1 | 82 | 70-11-09-300-051 | 1.2 | 50 | 85 |
| B1 | 83 | 70-11-09-300-033 | 1.2 | 50 | 85 |
| B1 | 84 | 70-11-09-300-036 | 1.2 | 50 | 85 |
| B1 | 85 | 70-11-09-300-056 | 1.2 | 50 | 85 |
| B1 | 86 | 70-11-09-300-040 | 1.2 | 50 | 85 |
| B1 | 87 | 70-11-09-300-062 | 1.2 | 50 | 85 |
| B1 | 88 | 70-11-09-300-010 | 1.2 | 50 | 85 |
| B1 | 89 | 70-11-09-300-011 | 1.2 | 50 | 85 |
| B1 | 90 | 70-11-09-300-064 | 1.2 | 50 | 85 |
| B1 | 91 | 70-11-09-300-041 | 1.2 | 50 | 85 |
| B1 | 92 | 70-11-09-300-066 | 1.2 | 50 | 85 |
| B1 | 93 | 70-11-09-300-046 | 1.2 | 50 | 85 |
| B1 | 94 | 70-11-09-300-017 | 1.2 | 50 | 85 |
| B1 | 95 | 70-11-09-300-018 | 1.2 | 50 | 85 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------------|------------------|------------|------------|
| B1 | 96 | 70-11-09-300-019 | 1.2 | 50 | 85 |
| B1 | 97 | 70-11-09-300-052 | 1.2 | 50 | 85 |
| B1 | 97.01 | 70-11-09-300-053 | 1.2 | 50 | 85 |
| B1 | 97.02 | 70-11-09-300-054 | 1.2 | 50 | 85 |
| B1 | 97.03 | 70-11-09-300-055 | 1.2 | 50 | 85 |
| B1 | 99 | 70-11-09-300-050 | 1.2 | 50 | 85 |
| B1 | 100 | 70-11-09-300-021 | 1.2 | 50 | 85 |
| B1 | 101 | 70-11-16-100-001 | 1.2 | 50 | 85 |
| B1 | 102 | 70-11-16-200-004 Windsnest Park | 1.2 | 50 | 85 |
| B1 | 103 | 70-11-16-176-019 | 1.2 | 50 | 85 |
| B1 | 104 | 70-11-16-176-003 | 1.2 | 50 | 85 |
| B1 | 105 | 70-11-16-176-004 | 1.2 | 50 | 85 |
| C1 | 106 | 70-11-21-149-015 | 1.6 | 65 | 110 |
| C1 | 108 | 70-11-21-149-007 | 1.6 | 65 | 110 |
| C1 | 109 | 70-11-21-149-008 | 1.6 | 65 | 110 |
| C1 | 110 | 70-11-21-149-009 | 1.6 | 65 | 110 |
| C1 | 111 | 70-11-21-149-010 | 1.6 | 65 | 110 |
| C1 | 112 | 70-11-21-149-011 | 1.6 | 65 | 110 |
| C1 | 113 | 70-11-21-149-013 | 1.6 | 65 | 110 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C1 | 114 | 70-11-21-149-014 | 1.6 | 65 | 110 |
| C1 | 115 | 70-11-21-194-001 | 1.6 | 65 | 110 |
| C1 | 116 | 70-11-21-194-002 | 1.6 | 65 | 110 |
| C1 | 117 | 70-11-21-194-003 | 1.6 | 65 | 110 |
| C1 | 118 | 70-11-21-194-004 | 1.6 | 65 | 110 |
| C1 | 119 | 70-11-21-194-005 | 1.6 | 65 | 110 |
| C1 | 120 | 70-11-21-194-006 | 1.6 | 65 | 110 |
| C1 | 121 | 70-11-21-194-007 | 1.6 | 65 | 110 |
| C1 | 122 | 70-11-21-196-001 | 1.6 | 65 | 110 |
| C1 | 123 | 70-11-21-196-012 | 1.6 | 65 | 110 |
| C1 | 123 | 70-11-21-196-013 | 1.6 | 65 | 110 |
| C2 | 124 | 70-11-21-196-003 | 3.7 | 125 | 235 |
| C2 | 125 | 70-11-21-196-010 | 3.7 | 125 | 235 |
| C2 | 126 | 70-11-21-196-011 | 3.7 | 125 | 235 |
| C2 | 127 | 70-11-21-196-005 | 3.7 | 125 | 235 |
| C2 | 128 | 70-11-21-196-006 | 3.7 | 125 | 235 |
| C2 | 130 | 70-11-21-197-015 | 3.7 | 125 | 235 |
| C2 | 130.2 | 70-11-21-197-006 | 3.7 | 125 | 235 |
| C2 | 130.21 | 70-11-21-197-007 | 3.7 | 125 | 235 |
| C2 | 130.22 | 70-11-21-197-009 | 3.7 | 125 | 235 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C2 | 130.23 | 70-11-21-197-010 | 3.7 | 125 | 235 |
| C2 | 131 | 70-11-21-300-001 | 3.7 | 125 | 235 |
| C2 | 132 | 70-11-21-400-103 | 3.7 | 125 | 235 |
| C2 | 132.01 | 70-11-21-400-104 | 3.7 | 125 | 235 |
| C2 | 134 | 70-11-21-390-052 | 3.7 | 125 | 235 |
| C2 | 135 | 70-11-21-390-036 | 3.7 | 125 | 235 |
| C2 | 136 | 70-11-21-390-003 | 3.7 | 125 | 235 |
| C2 | 137 | 70-11-21-390-004 | 3.7 | 125 | 235 |
| C2 | 138 | 70-11-21-390-005 | 3.7 | 125 | 235 |
| C2 | 139 | 70-11-21-390-006 | 3.7 | 125 | 235 |
| C2 | 140 | 70-11-21-390-007 | 3.7 | 125 | 235 |
| C2 | 141 | 70-11-21-390-008 | 3.7 | 125 | 235 |
| C2 | 142 | 70-11-21-390-009 | 3.7 | 125 | 235 |
| C2 | 143 | 70-11-21-390-010 | 3.7 | 125 | 235 |
| C2 | 144 | 70-11-21-390-011 | 3.7 | 125 | 235 |
| C2 | 145 | 70-11-21-390-012 | 3.7 | 125 | 235 |
| C2 | 146 | 70-11-21-390-013 | 3.7 | 125 | 235 |
| C2 | 147 | 70-11-21-390-030 | 3.7 | 125 | 235 |
| C2 | 148 | 70-11-21-390-031 | 3.7 | 125 | 235 |
| C2 | 149 | 70-11-21-390-027 | 3.7 | 125 | 235 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C2 | 150 | 70-11-21-390-020 | 3.7 | 125 | 235 |
| C2 | 151 | 70-11-21-390-040 | 3.7 | 125 | 235 |
| C2 | 152 | 70-11-21-390-039 | 3.7 | 125 | 235 |
| C2 | 153 | 70-11-21-390-049 | 3.7 | 125 | 235 |
| C2 | 154 | 70-11-21-390-050 | 3.7 | 125 | 235 |
| C2 | 154.01 | 70-11-21-390-054 | 3.7 | 125 | 235 |
| C2 | 155 | 70-11-28-100-035 | 3.7 | 125 | 235 |
| C2 | 156 | 70-11-28-100-003 | 3.7 | 125 | 235 |
| C2 | 157 | 70-11-28-100-004 | 3.7 | 125 | 235 |
| C2 | 158 | 70-11-28-100-033 | 3.7 | 125 | 235 |
| C2 | 159 | 70-11-28-100-006 | 3.7 | 125 | 235 |
| C2 | 160 | 70-11-28-100-007 | 3.7 | 125 | 235 |
| C2 | 161 | 70-11-28-100-008 | 3.7 | 125 | 235 |
| C2 | 162 | 70-11-28-100-009 | 3.7 | 125 | 235 |
| C2 | 164 | 70-11-28-100-032 | 3.7 | 125 | 235 |
| C2 | 165 | 70-11-28-100-044 | 3.7 | 125 | 235 |
| C2 | 166 | 70-11-28-100-045 | 3.7 | 125 | 235 |
| C2 | 167 | 70-11-28-100-012 | 3.7 | 125 | 235 |
| C2 | 168 | 70-11-28-100-014 | 3.7 | 125 | 235 |
| C2 | 169 | 70-11-28-100-041 | 3.7 | 125 | 235 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C2 | 169.01 | 70-11-28-100-042 | 3.7 | 125 | 235 |
| C3 | 170 | 70-11-28-100-018 | 1.3 | 55 | 95 |
| C3 | 171 | 70-11-28-100-019 | 1.3 | 55 | 95 |
| C3 | 172 | 70-11-28-100-020 | 1.3 | 55 | 95 |
| C3 | 173 | 70-11-28-100-021 | 1.3 | 55 | 95 |
| C3 | 174 | 70-11-28-100-022 | 1.3 | 55 | 95 |
| C3 | 175 | 70-11-28-100-023 | 1.3 | 55 | 95 |
| C3 | 176 | 70-11-28-100-024 | 1.3 | 55 | 95 |
| C3 | 177 | 70-11-28-100-025 | 1.3 | 55 | 95 |
| C3 | 178 | 70-11-28-300-001 | 1.3 | 55 | 95 |
| C3 | 179 | 70-11-28-300-032 | 1.3 | 55 | 95 |
| C3 | 179.01 | 70-11-28-300-033 | 1.3 | 55 | 95 |
| C3 | 179.02 | 70-11-28-300-034 | 1.3 | 55 | 95 |
| C3 | 180 | 70-11-28-300-025 | 1.3 | 55 | 95 |
| C3 | 181 | 70-11-28-300-036 | 1.3 | 55 | 95 |
| C3 | 182 | 70-11-28-300-005 | 1.3 | 55 | 95 |
| C3 | 183 | 70-11-28-300-006 | 1.3 | 55 | 95 |
| C3 | 184 | 70-11-28-300-007 | 1.3 | 55 | 95 |
| C3 | 185 | 70-11-28-300-008 | 1.3 | 55 | 95 |
| C3 | 186 | 70-11-28-300-009 | 1.3 | 55 | 95 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|-------------------------------|------------------|------------|------------|
| C3 | 187 | 70-11-28-300-010 | 1.3 | 55 | 95 |
| C3 | 188 | 70-11-28-300-011 | 1.3 | 55 | 95 |
| C3 | 189 | 70-11-28-300-012 | 1.3 | 55 | 95 |
| C3 | 190 | 70-11-28-300-013 | 1.3 | 55 | 95 |
| C3 | 191 | 70-11-28-300-014 | 1.3 | 55 | 95 |
| C3 | 192 | 70-11-28-300-015 | 1.3 | 55 | 95 |
| C3 | 193 | 70-11-28-300-016 | 1.3 | 55 | 95 |
| C3 | 194 | 70-11-28-300-017 | 1.3 | 55 | 95 |
| C3 | 195 | 70-11-28-300-018 | 1.3 | 55 | 95 |
| C3 | 196 | 70-11-28-300-019 | 1.3 | 55 | 95 |
| C3 | 197 | 70-11-28-300-020 | 1.3 | 55 | 95 |
| C3 | 198 | 70-11-28-300-035 | 1.3 | 55 | 95 |
| C3 | 201 | 70-11-33-100-001 Koww Park | 1.3 | 55 | 95 |
| C3 | 202 | 70-11-33-100-002 | 1.3 | 55 | 95 |
| C3 | 203 | 70-11-33-100-003 | 1.3 | 55 | 95 |
| C3 | 204 | 70-11-33-100-004 | 1.3 | 55 | 95 |
| C3 | 205 | 70-11-33-100-005 | 1.3 | 55 | 95 |
| C3 | 206 | 70-11-33-100-007 | 1.3 | 55 | 95 |
| C3 | 207 | 70-11-33-100-006 | 1.3 | 55 | 95 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C4 | 208 | 70-11-33-100-008 | 1.3 | 90 | 165 |
| C4 | 209 | 70-11-33-100-009 | 1.3 | 90 | 165 |
| C4 | 210 | 70-11-33-100-010 | 1.3 | 90 | 165 |
| C4 | 211 | 70-11-33-100-043 | 1.3 | 90 | 165 |
| C4 | 213 | 70-11-33-100-031 | 1.3 | 90 | 165 |
| C4 | 214 | 70-11-33-100-044 | 1.3 | 90 | 165 |
| C4 | 215 | 70-11-33-100-015 | 1.3 | 90 | 165 |
| C4 | 216 | 70-11-33-100-016 | 1.3 | 90 | 165 |
| C4 | 217 | 70-11-33-100-017 | 1.3 | 90 | 165 |
| C4 | 218 | 70-11-33-100-018 | 1.3 | 90 | 165 |
| C4 | 219 | 70-11-33-100-019 | 1.3 | 90 | 165 |
| C4 | 220 | 70-11-33-100-020 | 1.3 | 90 | 165 |
| C4 | 221 | 70-11-33-100-032 | 1.3 | 90 | 165 |
| C4 | 222 | 70-11-33-100-033 | 1.3 | 90 | 165 |
| C4 | 223 | 70-11-33-100-034 | 1.3 | 90 | 165 |
| C4 | 224 | 70-11-33-100-047 | 1.3 | 90 | 165 |
| C4 | 225 | 70-11-33-100-048 | 1.3 | 90 | 165 |
| C4 | 226 | 70-11-33-100-046 | 1.3 | 90 | 165 |
| C4 | 227 | 70-11-33-349-001 | 1.3 | 90 | 165 |
| C4 | 228 | 70-11-33-349-002 | 1.3 | 90 | 165 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C4 | 229 | 70-11-33-349-003 | 1.3 | 90 | 165 |
| C4 | 230 | 70-11-33-349-004 | 1.3 | 90 | 165 |
| C4 | 231 | 70-11-33-349-005 | 1.3 | 90 | 165 |
| C4 | 232 | 70-11-33-349-006 | 1.3 | 90 | 165 |
| C4 | 233 | 70-11-33-349-007 | 1.3 | 90 | 165 |
| C4 | 234 | 70-11-33-349-008 | 1.3 | 90 | 165 |
| C4 | 235 | 70-11-33-349-009 | 1.3 | 90 | 165 |
| C4 | 236 | 70-11-33-349-034 | 1.3 | 90 | 165 |
| C4 | 237 | 70-11-33-349-012 | 1.3 | 90 | 165 |
| C4 | 238 | 70-11-33-349-013 | 1.3 | 90 | 165 |
| C4 | 239 | 70-11-33-349-032 | 1.3 | 90 | 165 |
| C4 | 240 | 70-11-33-349-033 | 1.3 | 90 | 165 |
| C4 | 241 | 70-11-33-349-015 | 1.3 | 90 | 165 |
| C4 | 242 | 70-11-33-349-016 | 1.3 | 90 | 165 |
| C4 | 243 | 70-11-33-349-017 | 1.3 | 90 | 165 |
| C4 | 244 | 70-11-33-349-018 | 1.3 | 90 | 165 |
| C4 | 245 | 70-11-33-349-019 | 1.3 | 90 | 165 |
| C4 | 246 | 70-11-33-349-020 | 1.3 | 90 | 165 |
| C4 | 247 | 70-11-33-349-021 | 1.3 | 90 | 165 |
| C4 | 248 | 70-11-33-349-022 | 1.3 | 90 | 165 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.

Parcels in High Risk Erosion Areas of Port Sheldon Township, Ottawa County

HREAs identified North to South Date of Designation: November 23, 1994

| HREA* | Sequence No. | Parcel Identification Number | Rate (feet/year) | 30 yr PRD* | 60 yr PRD* |
|-------|--------------|------------------------------|------------------|------------|------------|
| C4 | 249 | 70-11-33-349-023 | 1.3 | 90 | 165 |
| C4 | 250 | 70-11-33-349-024 | 1.3 | 90 | 165 |
| C4 | 251 | 70-11-33-349-025 | 1.3 | 90 | 165 |
| C4 | 252 | 70-11-33-349-026 | 1.3 | 90 | 165 |
| C4 | 253 | 70-11-33-349-035 | 1.3 | 90 | 165 |
| C4 | 253.01 | 70-11-33-349-036 | 1.3 | 90 | 165 |
| C4 | 254 | 70-11-33-349-028 | 1.3 | 90 | 165 |
| C4 | 255 | 70-11-33-349-029 | 1.3 | 90 | 165 |
| C4 | 256 | 70-11-33-349-030 | 1.3 | 90 | 165 |
| C4 | 257 | 70-11-33-349-031 | 1.3 | 90 | 165 |

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.