

1) COUNTY: Calhoun

2) STUDY NAME: Albion, City & Twp Homer Village

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Report



CROSS SECTION K

4.26	15.31	586.21	0.00	0.00	586.48	0.26	0.67	0.01	583.90
23190.	0.	21747.	1441.	2.	5129.	1798.	1679.	211.	584.70
0.84	0.39	4.24	0.80	0.060	0.033	0.070	0.032	570.90	111.83
0.000346	1850.	1850.	1850.	0	0	1	0.00	1094.32	1206.16
4.50	15.69	586.59	0.00	0.00	586.97	0.37	0.45	0.03	581.40
23190.	47.	21732.	1409.	43.	4265.	1576.	1863.	246.	581.30
0.91	1.11	5.09	0.85	0.060	0.032	0.045	0.032	570.90	146.75
0.000386	1250.	1250.	1250.	3	0	1	0.00	1319.17	1465.93

CROSS SECTION L

4.89	18.69	587.39	0.00	0.00	587.62	0.22	0.63	0.01	582.40
23190.	4157.	19032.	0.	3742.	4562.	0.	2183.	298.	589.10
1.07	1.11	4.17	0.00	0.050	0.032	0.060	0.032	568.70	60.79
0.000259	2250.	2053.	750.	2	0	1	0.00	1438.18	1498.98

CROSS SECTION M

5.42	15.86	588.06	0.00	0.00	588.16	0.10	0.52	0.01	584.20
23190.	3186.	17452.	2551.	3554.	5967.	5109.	2886.	421.	585.30
1.38	0.89	2.92	0.45	0.050	0.032	0.100	0.032	572.20	81.76
0.000154	1700.	2800.	3800.	3	0	1	0.00	2763.13	2844.89

FORM 1411-3
PRINTED IN U.S.A.

```
**********************************************
HEC2 VERSION UPDATED JAN 1976
ERROR CORRECTIONS 01,02,03,04,05,06,07,08
MODIFICATIONS 52,53,54,55,56,57,58
**********************************************
```

```
T1       ST. JOSEPH RIVER W/ ENCROACHMENTS      WILLIAMS AND WORKS, INC.
T2       ST. JOSEPH TOWNSHIP                    83996
T3       ST JOSEPH RIVER  100-YR STORM          FEBRUARY, 1978
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	3.	0.	0.	0.000000	0.00	-1.0	0.	582.620	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	2.000	0.000	-3.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
 CCHV=   0.100 CEHV=   0.300
1490 NH CARD USED
 2800 NAT Q1=  14097.01  WSEL=    582.61  ENC Q1=  14321.65  WSEL=    582.71  RATIO= -0.0159
 NAT Q1=  14321.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    582.71

3265 DIVIDED FLOW

   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST


3470 ENCROACHMENT STATIONS=     281.0    1373.0  TYPE=     4  TARGET=       0.000

OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      585.20 ELREA=      586.00


          CROSS SECTION  A

     2.11     14.52    582.62      0.00    582.61    582.82      0.20      0.00      0.00    585.20
 23280.        0.     23279.        0.        0.      6443.       0.        0.        0.      586.00
     0.00      0.00      3.61      0.00      0.000     0.033     0.000     0.000   568.10    284.43
0.000272       0.        0.        0.        0         0         1       0.00    708.79   1366.23


1490 NH CARD USED
 2800 NAT Q1=  15112.32  WSEL=    583.07  ENC Q1=  15354.95  WSEL=    583.17  RATIO= -0.0160
 NAT Q1=  15443.  RATIOS LOB,CH,ROB=  0.0000  0.9942  0.0057  WSEL=    583.17

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS=     463.0    1428.0  TYPE=     4  TARGET=       0.005

OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      583.30 ELREA=      583.10


          CROSS SECTION  B

     2.42     13.47    583.07      0.00    583.07    583.24      0.17      0.41      0.00    583.30
 23280.        0.     23279.        0.        0.      6953.       0.      253.       27.      583.10
     0.13      0.00      3.34      0.00      0.099     0.033     0.119     0.032   569.60    463.11
0.000237     1650.     1650.     1650.        4         0         1       0.00    717.97   1427.95


1490 NH CARD USED
 2800 NAT Q1=  15960.69  WSEL=    583.40  ENC Q1=  16214.58  WSEL=    583.50  RATIO= -0.0159
 NAT Q1=  16214.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    583.50

3265 DIVIDED FLOW

   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST
```

3470 ENCRCACHMENT STATIONS= 320.0 1272.0 TYPE= 4 TARGET= 0.000

OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 584.00 ELREA= 587.50

CROSS SECTION C

2.69	14.11	583.41	0.00	583.40	583.55	0.14	0.30	0.00	584.00
23280.	0.	23279.	0.	0.	7596.	0.	483.	51.	587.50
0.26	0.00	3.06	0.00	0.099	0.032	0.119	0.032	569.30	321.85
0.000213	1373.	1373.	1373.	3	0	1	0.00	822.99	1251.57

CCHV= 0.200 CEHV= 0.500
2800 NAT Q1= 13012.19 WSEL= 583.72 ENC Q1= 13182.03 WSEL= 583.82 RATIO= -0.0130
NAT Q1= 13182. RATIOS LOB,CH,ROB= 0.0000 0.9999 0.0000 WSEL= 583.82

3470 ENCRCACHMENT STATIONS= 311.0 767.0 TYPE= 4 TARGET= 0.000

CROSS SECTION D -IMPED. DOWNSTREAM OF NAPIER AVE. BRIDGE

2.96	17.12	583.72	0.00	583.72	584.01	0.28	0.38	0.06	591.50
23280.	0.	23280.	0.	0.	5457.	0.	707.	73.	583.40
0.35	0.00	4.26	0.00	0.070	0.033	0.070	0.032	566.60	328.57
0.000320	1500.	1500.	1500.	4	0	1	0.00	438.42	767.00

2800 NAT Q1= 13034.74 WSEL= 583.74 ENC Q1= 13210.33 WSEL= 583.84 RATIO= -0.0134
NAT Q1= 13210. RATIOS LOB,CH,ROB= 0.0000 0.9999 0.0000 WSEL= 583.84

3470 ENCRCACHMENT STATIONS= 311.0 767.0 TYPE= 4 TARGET= 0.000

2.97	17.14	583.74	0.00	583.74	584.02	0.28	0.01	0.00	591.50
23280.	0.	23280.	0.	0.	5464.	0.	714.	73.	583.40
0.36	0.00	4.25	0.00	0.070	0.033	0.070	0.032	566.60	328.53
0.000318	50.	50.	50.	3	0	1	0.00	438.46	767.00

2800 NAT Q1= 11766.95 WSEL= 583.74 ENC Q1= 11909.50 WSEL= 583.84 RATIO= -0.0121
NAT Q1= 11909. RATIOS LOB,CH,ROB= 0.0000 0.9999 0.0000 WSEL= 583.84

3265 DIVIDED FLOW

NORMAL BRIDGE,NRD= 0 MIN ELTRD= 602.40 MAX ELLC= 595.50

3470 ENCRCACHMENT STATIONS= 311.0 767.0 TYPE= 4 TARGET= 0.000

CROSS SECTION E -NAPIER AVE BRIDGE -DOWNSTREAM FACE

2.98	17.14	583.74	0.00	583.74	584.03	0.29	0.00	0.00	591.50
23280.	0.	23280.	0.	0.	5378.	0.	714.	73.	583.40
0.36	0.00	4.32	0.00	0.070	0.033	0.070	0.032	566.60	328.27
0.000391	1.	1.	1.	3	0	1	0.00	430.76	767.00

```
 2800 NAT Q1=  11802.62  WSEL=    583.76  ENC Q1=  11950.79  WSEL=    583.86  RATIO= -0.0125
 NAT Q1=  11950.  RATIOS LOB,CH,RCB=  0.0000  0.9999  0.0000  WSEL=    583.86

3265 DIVIDED FLOW

   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS    BANK ELEV
   G         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IOC       ICONT     CORAR     TOPWID      ENDST


NORMAL BRIDGE,NRD= 0 MIN ELTRD=  602.40 MAX ELLC=  595.50

3470 ENCROACHMENT STATIONS=     311.0     767.0  TYPE=     4  TARGET=     0.000

          CROSS SECTION  F -NAPIER AVE BRIDGE -UPSTREAM FACE

     2.99     17.17    583.77     0.00    583.76    584.06     0.28     0.02     0.00    591.50
 23280.        0.    23280.        0.        0.     5391.        0.     722.      74.    583.40
     0.36     0.00     4.31     0.00     0.070     0.033     0.070     0.032   566.60   328.20
0.000388      70.      70.      70.         3         0         1      0.00   430.82   767.00

 2800 NAT Q1=  13089.23  WSEL=    583.78  ENC Q1=  13271.16  WSEL=    583.88  RATIO= -0.0138
 NAT Q1=  13271.  RATIOS LOB,CH,RCB=  0.0000  0.9999  0.0000  WSEL=    583.88

3470 ENCROACHMENT STATIONS=     311.0     767.0  TYPE=     4  TARGET=     0.000

          CROSS SECTION  G -IMMED. UPSTREAM OF NAPIER AVE. BRIDGE

     2.99     17.18    583.78     0.00    583.78    584.06     0.27     0.00     0.00    591.50
 23280.        0.    23280.        0.        0.     5484.        0.     722.      74.    583.40
     0.36     0.00     4.24     0.00     0.070     0.033     0.070     0.032   566.60   328.43
0.000314       1.       1.       1.         2         0         1      0.00   438.56   767.00

 2800 NAT Q1=  13119.10  WSEL=    583.79  ENC Q1=  13299.73  WSEL=    583.89  RATIO= -0.0137
 NAT Q1=  13299.  RATIOS LOB,CH,RCB=  0.0000  0.9999  0.0000  WSEL=    583.89

3470 ENCROACHMENT STATIONS=     311.0     767.0  TYPE=     4  TARGET=     0.000
     3.00     17.19    583.79     0.00    583.79    584.07     0.27     0.01     0.00    591.50
 23280.        0.    23280.        0.        0.     5487.        0.     729.      74.    583.40
     0.37     0.00     4.24     0.00     0.070     0.033     0.070     0.032   566.60   328.41
0.000314      50.      50.      50.         3         0         1      0.00   438.56   767.00

CCHV=   0.100 CEHV=   0.300
 2800 NAT Q1=  11455.76  WSEL=    583.84  ENC Q1=  11603.21  WSEL=    583.94  RATIO= -0.0128
 NAT Q1=  11603.  RATIOS LOB,CH,RCB=  0.0000  1.0000  0.0000  WSEL=    583.94

3470 ENCROACHMENT STATIONS=     233.0     702.0  TYPE=     4  TARGET=     0.000

OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      592.50 ELREA=      586.70

          CROSS SECTION  H
```

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Kalamazoo River, East Branch

4) DOCUMENT TYPE: 100-year

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
```

RECEIVED
DEC 17 1980
WATER MANAGEMENT

```
C
T1      FIS ALBION CITY & ALBION TWP., CALHOUN CO., MICHIGAN.
T2      100-YEAR FLOOD
T3      EAST BR KALAMAZOO RIVER
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	0.000000	0.00	0.0	0.	939.350	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	15.000

J3 VARIABLE CODES FOR SUMMARY PRINTOUT

	38.000	1.000	53.000	21.000	22.000	54.000	4.000	39.000	150.000	200.000
NC	.080	.080	.040	.100	.300	0.000	0.000	0.000	0.000	0.000
QT	5.000	655.000	1070.000	1200.000	1490.000	1200.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.400	0.000	0.000	0.000	0.000
X1	239.000	13.000	2000.000	2022.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	942.060	1800.000	942.050	1836.000	939.390	1862.000	936.450	1900.000	935.910	2000.000
GR	933.610	2000.000	933.010	2010.000	933.830	2022.000	936.010	2022.000	937.090	2124.000
GR	938.480	2210.000	941.510	2280.000	941.970	2289.000	0.000	0.000	0.000	0.000

CITY OF ALBION SECTION A

X1	240.000	0.000	0.000	0.000	180.000	180.000	180.000	0.000	0.000	0.000

CITY OF ALBION SECTION B

X1	241.000	18.000	2000.000	2028.000	1120.000	1120.000	1120.000	0.000	0.000	0.000
GR	949.110	1106.000	943.370	1204.000	941.710	1302.000	941.810	1404.000	940.770	1500.000
GR	940.410	1600.000	939.860	1608.000	938.840	1622.000	939.710	1708.000	939.190	1804.000
GR	938.550	1920.000	937.210	2000.000	934.780	2003.000	934.070	2013.000	935.870	2025.000
GR	937.240	2028.000	941.680	2038.000	941.900	2044.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1960.000	2040.000

X1	241.800	14.000	1989.000	2037.000	500.000	500.000	500.000	0.000	0.000	0.000
GR	945.600	1447.000	944.470	1547.000	943.440	1647.000	945.470	1747.000	941.350	1849.000
GR	940.960	1951.000	940.760	1989.000	936.710	2000.000	934.900	2007.000	935.160	2017.000
GR	936.730	2027.000	940.930	2037.000	941.760	2055.000	943.110	2157.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	242.000	17.000	850.000	880.500	100.000	100.000	100.000	0.000	0.000	0.000
GR	950.790	300.000	949.450	350.000	948.110	400.000	947.060	450.000	946.010	500.000
GR	945.020	550.000	944.290	600.000	943.500	650.000	943.450	700.000	943.700	750.000
GR	943.950	800.000	944.130	850.000	936.000	850.000	936.000	880.500	944.330	880.500
GR	944.450	900.000	944.700	950.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.000	1.670	3.000	0.000	30.500	0.000	174.500	0.000	0.000	0.000
X1	242.100	0.000	0.000	0.000	48.000	48.000	48.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	941.720	943.500	0.000	0.000	0.000	0.000	0.000
BT	17.000	300.000	950.790	0.000	350.000	949.450	0.000	400.000	948.110	0.000
BT	450.000	947.060	0.000	500.000	946.010	0.000	550.000	945.020	0.000	600.000
BT	944.290	0.000	650.000	943.500	0.000	700.000	943.450	0.000	750.000	943.700
BT	0.000	800.000	943.950	0.000	850.000	944.130	0.000	850.000	944.130	941.720
BT	880.500	944.330	941.720	880.500	944.330	0.000	900.000	944.450	0.000	950.000
BT	944.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	695.000	1190.000	1340.000	1720.000	1340.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	1.400	0.000	0.000	1860.000	2170.000

CITY OF ALBION SECTION C

X1	42.300	44.000	2054.000	2065.000	140.000	140.000	140.000	0.000	0.000	0.000
GR	963.200	1114.000	960.000	1178.000	958.900	1200.000	955.000	1296.000	952.100	1398.000
GR	949.400	1500.000	946.900	1602.000	945.900	1648.000	943.500	1680.000	942.800	1774.000
GR	941.800	1832.000	939.200	1914.000	938.600	2000.000	937.300	2054.000	934.700	2059.000
GR	936.000	2065.000	941.200	2066.000	941.100	2086.000	939.200	2088.000	937.200	2088.000
GR	936.700	2096.000	934.900	2104.000	934.700	2118.000	935.100	2132.000	936.400	2142.000
GR	939.100	2156.000	942.300	2168.000	943.300	2190.000	944.100	2206.000	945.900	2302.000
GR	947.600	2402.000	949.700	2504.000	951.300	2598.000	952.100	2698.000	952.700	2798.000
GR	953.700	2900.000	954.400	2932.000	957.600	3021.000	957.200	3034.000	956.900	3044.000
GR	960.300	3094.000	966.100	3200.000	970.400	3400.000	969.800	3488.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.400	0.000	0.000	0.000	0.000

CITY OF ALBION SECTION D

X1	42.500	16.000	2040.000	2203.000	580.000	700.000	680.000	0.000	0.000	0.000
GR	955.000	1157.000	953.100	1226.000	949.000	1449.000	946.400	1816.000	944.600	1948.000
GR	941.100	2000.000	939.600	2040.000	938.600	2040.000	936.100	2067.000	936.700	2095.000
GR	936.600	2122.000	939.400	2151.000	944.800	2203.000	946.900	2245.000	952.100	2560.000
GR	954.500	2835.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

CITY OF ALBION SECTION E

ALBION TOWNSHIP SECTION A

X1	43.000	22.000	2000.000	2084.000	900.000	1100.000	1030.000	0.000	0.000	0.000
GR	960.100	804.000	955.300	870.000	950.400	1104.000	949.400	1194.000	947.900	1414.000
GR	943.100	1425.000	951.700	1588.000	953.900	1818.000	953.200	1946.000	939.400	2000.000
GR	937.000	2024.000	935.800	2046.000	937.400	2064.000	939.400	2084.000	943.700	2496.000
GR	943.300	2564.000	947.200	2822.000	944.900	3030.000	953.700	3104.000	953.600	3178.000
GR	956.900	3338.000	961.700	3390.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1942.000	2092.000
X1	43.700	19.000	2014.000	2092.000	3680.000	3680.000	3680.000	0.000	0.000	0.000
GR	955.580	1431.000	950.750	1516.000	947.530	1681.000	946.970	1732.000	949.320	1836.000
GR	944.880	1892.000	942.550	2000.000	940.770	2014.000	940.130	2014.000	938.200	2030.000
GR	939.280	2039.000	940.150	2053.000	942.340	2059.000	940.130	2063.000	938.980	2072.000
GR	939.890	2085.000	944.780	2092.000	946.550	2197.000	948.690	2335.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1982.000	2100.000
X1	43.800	0.000	0.000	0.000	100.000	100.000	100.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	43.900	66.000	2036.000	2128.000	49.000	49.000	49.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	947.450	947.450	0.000
GR	965.920	1147.000	965.450	1279.000	962.420	1377.000	952.260	1633.000	948.960	1839.000
GR	948.530	2000.000	948.530	2036.000	943.110	2036.000	942.110	2036.000	940.610	2037.000
GR	940.110	2038.000	940.110	2040.000	940.610	2041.000	942.110	2042.000	943.110	2042.000
GR	943.240	2045.000	942.240	2045.000	940.740	2046.000	940.240	2047.000	940.240	2049.000
GR	940.740	2050.000	942.240	2051.000	943.240	2051.000	943.210	2054.000	942.210	2054.000
GR	940.710	2055.000	940.210	2056.000	940.210	2058.000	940.710	2059.000	942.210	2060.000
GR	943.210	2060.000	943.140	2063.000	942.140	2063.000	940.640	2064.000	940.140	2065.000
GR	940.140	2067.000	940.640	2068.000	942.140	2069.000	943.140	2069.000	943.340	2072.000
GR	942.340	2072.000	940.840	2073.000	940.340	2074.000	940.340	2076.000	940.840	2077.000
GR	942.340	2078.000	943.340	2078.000	943.500	2081.000	942.500	2081.000	941.000	2082.000
GR	940.500	2083.000	940.500	2085.000	941.000	2086.000	942.500	2087.000	943.500	2087.000
GR	942.960	2122.000	941.960	2122.000	940.460	2123.000	939.960	2124.000	939.960	2126.000
GR	940.460	2127.000	941.960	2128.000	942.960	2128.000	948.530	2128.000	949.220	2203.000
GR	950.460	2295.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	44.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	50.000	1147.000	965.920	0.000	1279.000	965.450	0.000	1377.000	962.420	0.000
BT	1633.000	952.260	0.000	1839.000	948.960	0.000	2000.000	948.530	0.000	2036.000
BT	948.530	943.110	2037.000	948.530	945.610	2038.000	948.530	946.110	2040.000	948.530
BT	946.110	2041.000	948.530	945.610	2042.000	948.530	943.110	2045.000	948.530	943.240
BT	2046.000	948.530	945.740	2047.000	948.530	946.250	2049.000	948.530	946.250	2050.000
BT	948.530	945.740	2051.000	948.530	943.240	2054.000	948.530	943.210	2055.000	948.530
BT	945.710	2056.000	948.530	946.210	2058.000	948.530	946.210	2059.000	948.530	945.710
BT	2060.000	948.530	943.210	2063.000	948.530	943.140	2064.000	948.530	945.640	2065.000

BT	948.530	946.140	2067.000	948.530	946.140	2068.000	948.530	945.640	2069.000	948.530
BT	943.140	2072.000	948.530	943.340	2073.000	948.530	945.840	2074.000	948.530	946.340
BT	2076.000	948.530	946.340	2077.000	948.530	945.840	2078.000	948.530	943.340	2081.000
BT	948.530	943.500	2082.000	948.530	946.100	2083.000	948.530	946.500	2085.000	948.530
BT	946.500	2086.000	948.530	946.100	2087.000	948.530	943.500	2122.000	948.530	942.960
BT	2123.000	948.530	945.460	2124.000	948.530	945.960	2126.000	948.530	945.960	2127.000
BT	948.530	945.460	2128.000	948.530	942.960	2203.000	949.220	0.000	2295.000	950.460
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	44.100	0.000	0.000	0.000	39.000	39.000	39.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	948.530	948.530	0.000
X1	44.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	948.530	948.530	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1962.000	2154.000

ALBION TOWNSHIP SECTION B

X1	44.300	21.000	1980.000	2154.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	962.420	1377.000	952.260	1633.000	948.960	1839.000	946.210	1915.000	943.890	1954.000
GR	945.860	1980.000	941.760	2000.000	941.690	2010.000	942.310	2029.000	942.830	2036.000
GR	942.770	2059.000	941.830	2062.000	942.610	2082.000	945.870	2095.000	942.910	2115.000
GR	941.550	2128.000	942.650	2141.000	948.260	2154.000	948.360	2213.000	950.460	2295.000
GR	953.700	2413.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.400	0.000	0.000	0.000	0.000
X1	44.400	0.000	0.000	0.000	50.000	50.000	50.000	0.000	0.000	0.000

ALBION TOWNSHIP SECTION C

X1	45.000	15.000	2000.000	2031.000	3720.000	3720.000	3720.000	0.000	0.000	0.000
GR	950.200	1300.000	948.300	1400.000	947.200	1536.000	946.000	1836.000	942.010	1894.000
GR	944.720	2000.000	943.280	2005.000	939.550	2012.000	941.050	2019.000	941.390	2031.000
GR	943.580	2031.000	944.970	2176.000	944.350	2340.000	953.540	2360.000	955.970	2380.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SECNO / G / TIME / SLOPE	DEPTH / QLOB / VLOB / XLOBL	CWSEL / GCH / VCH / XLCH	CRIWS / QROB / VROB / XLOBR	WSELK / ALOB / XNL / ITRIAL	EG / ACH / XNCH / IDC	HV / AROB / XNR / ICONT	HL / VOL / WTN / CORAR	OLOSS / TWA / ELMIN / TOPWID	BANK ELEV LEFT/RIGHT / SSTA / ENDST
*PROF 1									
CCHV= .100 CEHV= .300									
*SECNO 239.000									
239.00	6.34	939.35	0.00	939.35	939.41	.06	0.00	0.00	935.91
1200.	358.	404.	398.	371.	132.	429.	0.	0.	936.01
0.00	1.07	3.07	.93	.080	.040	.080	0.000	933.01	1862.52
.000808	0.	0.	0.	0	0	0	0.00	367.58	2230.10
FLOW DISTRIBUTION FOR SECNO= 239.00 CWSEL= 939.35									
STA= 1863.	1900.	2000.	2022.	2124.	2210.	2230.			
PER Q= 3.1	30.1	33.7	25.0	8.0	.2				
AREA= 54.4	317.0	131.6	285.6	134.6	8.7				
VEL= .7	1.1	3.1	1.0	.7	.3				
*SECNO 240.000 CITY OF ALBION SECTION A									
240.00	6.48	939.49	0.00	0.00	939.55	.05	.13	.00	935.91
1200.	401.	390.	409.	391.	135.	459.	4.	2.	936.01
.03	1.02	2.90	.89	.080	.040	.080	.040	933.01	1860.97
.000695	180.	180.	180.	0	0	0	0.00	372.49	2233.46
FLOW DISTRIBUTION FOR SECNO= 240.00 CWSEL= 939.49									
STA= 1861.	1900.	2000.	2022.	2124.	2210.	2233.			
PER Q= 3.3	30.1	32.5	25.2	8.6	.3				
AREA= 59.9	331.5	134.8	300.4	147.1	11.9				
VEL= .7	1.1	2.9	1.0	.7	.3				
*SECNO 241.000 CITY OF ALBION SECTION B									
241.00	6.40	940.47	0.00	0.00	940.60	.13	1.03	.02	937.21
1200.	586.	604.	10.	613.	152.	12.	27.	12.	937.24
.16	.96	3.98	.86	.080	.040	.080	.040	934.07	1582.79
.001285	1120.	1120.	1120.	2	0	0	0.00	452.48	2035.28

```
   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q         QLOE      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOE      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN        SSTA
   SLOPE     XLOEL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID       ENDST

FLOW DISTRIBUTICN FOR SECNO=     241.00          CWSEL=     940.47

STA=     1583.     1608.     1622.     1708.     1804.     1920.     2000.     2028.     2035.
 PER Q=      .1        .9       6.4       5.5      14.1      21.7      50.4        .8
  AREA=     3.2      15.7     102.9      98.1     185.8     207.4     151.7      11.8
   VEL=      .3        .7        .8        .7        .9       1.3       4.0        .9

*SECNO 241.800

3470 ENCROACHMENT STATIONS=     1960.0     2040.0  TYPE=     1  TARGET=      80.000
    241.80      6.32    941.22      0.00      0.00    941.75      .53      1.03      .12    940.76
    1200.         7.      1193.         0.        11.     204.         1.        32.       15.    940.93
      .18       .60      5.85       .41      .080      .040      .080      .040    934.90   1960.00
  .003799       500.      500.      500.         2         0         0      0.00     80.00   2040.00

FLOW DISTRIBUTICN FOR SECNO=     241.80          CWSEL=     941.22

STA=     1960.     1989.     2037.     2040.
 PER Q=      .6      99.4        .0
  AREA=     11.2     203.9        .7
   VEL=       .6        5.9        .4

CCHV=     .300 CEHV=     .500
*SECNO 242.000
    242.00      5.55    941.55      0.00      0.00    942.33      .78       .46       .13    944.13
    1200.         0.      1200.         0.         0.     169.         0.        33.       15.    944.33
      .18      0.00      7.09      0.00      .080      .040      .080      .040    936.00    850.00
  .005597       100.      100.      100.         2         0         0      0.00     30.50    880.50

FLOW DISTRIBUTICN FOR SECNO=     242.00          CWSEL=     941.55

STA=      850.      881.
 PER Q=    100.0
  AREA=    169.4
   VEL=      7.1
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

SPECIAL BRIDGE

5070.VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.67	3.00	0.00	30.50	0.00	174.50	0.00	936.00	936.00

*SECNO 242.100
PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.78	942.33	0.00	0.	1200.	175.	174.	941.72	943.50
242.10	6.14	942.14	0.00	0.00	942.78	.63	.45	0.00	944.13
1200.	0.	1200.	0.	0.	188.	0.	33.	15.	944.33
.19	0.00	6.39	0.00	.080	.040	.080	.040	936.00	850.00
.004128	48.	48.	48.	2	0	0	0.00	30.50	880.50

FLOW DISTRIBUTION FOR SECNO= 242.10 CWSEL= 942.14

STA=	850.	881.												
PER Q=	100.0													
AREA=	187.7													
VEL=	6.4													

*SECNO 42.300

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 1860.0 2170.0 TYPE= 1 TARGET= 310.000
CITY OF ALBION SECTION C

42.30	8.33	943.03	0.00	0.00	943.05	.02	.09	.18	937.30
1340.	606.	174.	560.	790.	81.	559.	36.	16.	936.00
.22	.77	2.14	1.00	.080	.040	.080	.040	934.70	1860.00
.000254	140.	140.	140.	2	0	0	0.00	310.00	2170.00

FLOW DISTRIBUTION FOR SECNO= 42.30 CWSEL= 943.03

STA=	1860.	1914.	2000.	2054.	2065.	2096.	2104.	2118.	2132.	2142.	2156.	2170.		
PER Q=	7.1	20.2	17.9	13.0	4.6	4.7	10.4	10.2	6.0	4.9	1.1			
AREA=	160.5	355.1	274.2	81.2	96.4	57.8	115.2	113.8	72.8	73.9	29.3			
VEL=	.6	.8	.9	2.1	.6	1.1	1.2	1.2	1.1	.9	.5			

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .100 CEHV= .300

*SECNO 42.500

CITY OF ALBION SECTION D

42.50	7.08	943.18	0.00	0.00	943.22	.04	.16	.01	939.60
1340.	75.	1265.	0.	145.	742.	0.	53.	20.	944.80
.34	.52	1.70	0.00	.080	.040	.080	.040	936.10	1969.18
.000247	580.	680.	700.	2	0	0	0.00	218.17	2187.35

FLOW DISTRIBUTION FOR SECNO= 42.50 CWSEL= 943.18

STA=	1969.	2000.	2040.	2203.
PER Q=	.7	4.9	94.4	
AREA=	32.0	113.0	741.8	
VEL=	.3	.6	1.7	

*SECNO 43.000

3265 DIVIDED FLOW

CITY OF ALBION SECTION E

ALBION TOWNSHIP SECTION A

43.00	7.63	943.43	0.00	0.00	943.48	.04	.25	.00	939.40
1340.	15.	964.	361.	33.	504.	780.	79.	29.	939.40
.53	.44	1.91	.46	.080	.040	.080	.040	935.80	1424.24
.000245	900.	1030.	1100.	0	0	0	0.00	523.83	2572.64

FLOW DISTRIBUTION FOR SECNO= 43.00 CWSEL= 943.43

STA=	1424.	2000.	2084.	2470.	2573.
PER Q=	1.1	72.0	26.9	.0	
AREA=	32.9	503.8	778.3	2.0	
VEL=	.4	1.9	.5	.0	

*SECNO 43.700

43.70	6.69	944.89	0.00	0.00	945.03	.13	1.52	.03	940.77
1340.	130.	1210.	0.	172.	393.	0.	159.	60.	944.78
.88	.75	3.08	.08	.080	.040	.080	.040	938.20	1891.84
.000844	3680.	3680.	3680.	2	0	0	0.00	206.83	2098.67

```
   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

FLOW DISTRIBUTION FOR SECNO=     43.70          CWSEL=    944.89

STA=    1892.     2000.     2014.     2092.     2099.
  PER Q=     5.7       4.0      90.3        .0
    AREA=  127.2      45.3     392.9        .4
     VEL=     .6       1.2       3.1        .1

*SECNO 43.800

3470 ENCROACHMENT STATIONS=    1982.0    2100.0  TYPE=     1  TARGET=    118.000
    43.80      6.77   944.97      0.00      0.00   945.11      .14       .08       .00    940.77
    1340.       90.     1250.        0.        86.     399.        1.      160.       60.    944.78
      .89      1.04      3.13       .13      .080      .040      .080      .040    938.20   1982.00
  .000855       100.      100.      100.         2         0         0      0.00    118.00   2100.00

FLOW DISTRIBUTION FOR SECNO=     43.80          CWSEL=    944.97

STA=    1982.     2000.     2014.     2092.     2100.
  PER Q=     2.6       4.1      93.3        .0
    AREA=   40.1      46.3     398.9       1.0
     VEL=     .9       1.2       3.1        .1

CCHV=    .300 CEHV=    .500
*SECNO 43.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=     947.45 ELREA=     947.45

    43.90      4.97   944.93      0.00      0.00   945.34      .41       .09       .13    948.53
    1340.         0.     1340.        0.        0.     262.        0.      160.       60.    948.53
      .90      0.00      5.12       0.00      .080      .040      .080      .040    939.96   2036.00
  .006909        49.       49.       49.         2         0         0      0.00     92.00   2128.00

FLOW DISTRIBUTION FOR SECNO=     43.90          CWSEL=    944.93

STA=    2036.     2128.
  PER Q=   100.0
    AREA=  261.8
     VEL=     5.1

*SECNO 44.000
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	GCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOEL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE,NRD= 50 MIN ELTRD= 948.53 MAX ELLC= 946.50

44.00	4.62	944.58	943.81	0.00	945.71	1.13	.01	.36	948.53
1340.	0.	1340.	0.	0.	157.	0.	160.	60.	948.53
.90	0.00	8.52	0.00	.080	.040	.080	.040	939.96	2036.00
.024794	1.	1.	1.	4	12	0	-72.98	92.00	2128.00

FLOW DISTRIBUTION FOR SECNO= 44.00 CWSEL= 944.58

STA= 2036. 2128.
PER Q= 100.0
AREA= 157.4
VEL= 8.5

*SECNO 44.100

3370 NORMAL BRIDGE,NRD= 50 MIN ELTRD= 948.53 MAX ELLC= 946.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.53 ELREA= 948.53

44.10	5.91	945.87	0.00	0.00	946.59	.72	.77	.12	948.53
1340.	0.	1340.	0.	0.	196.	0.	160.	60.	948.53
.90	0.00	6.82	0.00	.080	.040	.080	.040	939.96	2036.00
.015926	39.	39.	39.	2	0	0	-152.54	92.00	2128.00

FLOW DISTRIBUTION FOR SECNO= 44.10 CWSEL= 945.87

STA= 2036. 2128.
PER Q= 100.0
AREA= 196.5
VEL= 6.8

*SECNO 44.200

3301 HV CHANGED MORE THAN HVINS

```
    SECNO      DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
    Q          QLOB      CCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
    TIME       VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
    SLOPE      XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=      948.53 ELREA=      948.53

     44.20      6.65   946.61      0.00      0.00   946.77      .16       .00       .17   948.53
      1340.        0.    1340.        0.        0.      416.        0.      160.      60.   948.53
        .90      0.00     3.22      0.00      .080      .040      .080      .040   939.96  2036.00
   .001531        1.       1.        1.         3         0         0      0.00    92.00  2128.00

FLOW DISTRIBUTION FOR SECNO=     44.20          CWSEL=    946.61

STA=    2036.    2128.
  PER Q=   100.0
   AREA=   415.9
    VEL=     3.2

*SECNO 44.300

3470 ENCROACHMENT STATIONS=    1962.0    2154.0  TYPE=      1  TARGET=     192.000
        ALBION TOWNSHIP  SECTION B

     44.30      5.22   946.77      0.00      0.00   946.84      .06       .04       .03   945.86
      1340.       15.    1325.        0.       29.      646.        0.      161.      60.  100000.00
        .91       .54     2.05      0.00      .080      .040      .080      .040   941.55  1962.00
   .000525       50.       50.       50.         2         0         0      0.00   188.55  2150.55

FLOW DISTRIBUTION FOR SECNO=     44.30          CWSEL=    946.77

STA=    1962.    1980.    2154.
  PER Q=     1.1     98.9
   AREA=    28.7    645.8
    VEL=      .5      2.1

CCHV=     .100 CEHV=     .300
*SECNO 44.400
     44.40      5.26   946.81      0.00      0.00   946.86      .06       .02       .00   945.86
      1340.       72.    1268.        0.       124.      653.        0.      162.      61.   948.26
        .91       .58     1.94      0.00      .080      .040      .080      .040   941.55  1898.26
   .000464       50.       50.       50.         1         0         0      0.00   252.40  2150.65
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

FLOW DISTRIBUTION FOR SECNO= 44.40 CWSEL= 946.81

STA=	1898.	1915.	1954.	1980.	2154.
PER Q=	.1	3.0	2.3	94.6	
AREA=	5.1	68.9	50.5	653.1	
VEL=	.2	.6	.6	1.9	

*SECNO 45.000
ALBION TOWNSHIP SECTION C

45.00	8.24	947.79	0.00	0.00	947.80	.01	.94	.00	944.72
1340.	516.	289.	536.	1069.	195.	1037.	293.	109.	943.58
2.37	.48	1.48	.52	.080	.040	.080	.040	939.55	1462.60
.000158	3720.	3720.	3720.	3	0	0	0.00	884.89	2347.49

FLOW DISTRIBUTION FOR SECNO= 45.00 CWSEL= 947.79

STA=	1463.	1536.	1836.	1894.	2000.	2031.	2176.	2340.	2347.
PER Q=	.2	7.0	9.3	22.0	21.5	20.5	19.1	.3	
AREA=	21.8	358.1	219.7	469.4	195.0	510.2	513.9	12.9	
VEL=	.1	.3	.6	.6	1.5	.5	.5	.3	

BRIDGE SECTIONS IN EAST BRANCH KALAMAZOO RIVER

CALCULATION SHEET REV.

CLIENT/OWNER	FILING CODE / JOB NO.
CALC. BY/DATE (SIGNATURE) / CHECKED BY/DATE (SIGNATURE)	SUBJECT: SECTION 242
	SHEET OF / BOOK NO.

East Branch Kalamazoo River @
Hannah Road.

Proposed Bridge

Adjusted for Skew — 30.5' x 5.72' Box

$n \approx 0.02$

length of Bridge ~~along normal to~~ flow lines = 48'

$$K_f = \frac{29.1 n^2 L}{R^{4/3}}$$

$A = 174.5 \text{ ft}^2$

$R = 2.41 \text{ ft}$


$= 0.17$


$\Sigma K_{OR} = 1.0 + 0.5 + 0.17 = 1.67$

Weir Flow

Paved surface $\frac{h}{L} < 0.15$ $C = 3.0$

$B = 30.5$


A
NAME PLATE
B
B
62°00'
REF. PT. "A"
STA. 8+37.00
S/R ELEV. 944.13
1+50
9+00
62°00'
REF. PT. "B"
STA. 8+76.00
S/R ELEV. 944.33
OUTLINE OF EXISTING
ABUTMENT WALLS
XPOSURE FROM
ECTED BY THE
CIDENTAL)
QUADRANTS.)
C
NAME PLATE
A
C


16' - 0"
39' - 0"
16' - 0"
PARALI
34' - 5"
(PERPENDICULAR TO REF. LINES)
PARAPET TYPE RAILING
FIX
EXP.
1 ON 2
MIN. UNCL. EL. 941.72
H.W. EL. 941.50
G. ELEV. 932.00
BOTT. FTG. ELE
PROP. STREAMBED ELEV. 936.0
W.S. ELEV. 937.4 (JUNE 1979)

BRIDGE NO. 1

General Fieldnote Form S-12

COMMONWEALTH ASSOCIATES INC.

CREW: BEARINGER, SHEAR, McNALLY

DATE: 5-21-79

INSTRUMENTS:

TEMP (DRY BULB)

WET BULB

RH %

BAR.

PROJECT: HUD


LOCATION: ALBION, MICH. CROSS SECTION 44

CHECKED BY

DATE

ACTIVITY Cross Section 44 BOOK 2-1-19 PAGE 54

STA.



00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Kalamazoo River, E. Br, Mill Race

4) DOCUMENT TYPE: Report

00BREAK00

13

HYDRAULIC ANALYSIS REPORT

EAST (NORTH) BRANCH KALAMAZOO RIVER (INCLUDING MILL RACE) AT ALBION CITY AND ALBION TOWNSHIP

CALHOUN COUNTY, MICHIGAN

Prepared by

COMMONWEALTH ASSOCIATES INC.
209 EAST WASHINGTON AVENUE
JACKSON, MICHIGAN 49201

SEPTEMBER, 1980

PACKET

- Hydraulic Report
- BR Bridge Sketches
- Profiles
- Flood Boundary Floodway Map
- X-Sect Plots

1) HR 260
   A) E. BR Kzoo River
      1) 100 yr NAT & Ex Rock
      2) Summary Run 10, 50, 100, 500
   B) Mill Race
      1) 100 yr NAT & Ex Rock
      2) Summary Run 10, 50, 100, 500

INTRODUCTION

Hydraulic calculations were performed for the East Branch Kalamazoo River (or North Branch Kalamazoo River) within the entire corporate boundaries of Albion City and Albion Township. Field cross section data were surveyed by Commonwealth survey crews in November, 1978, and May, 1979. The flood flows for 10-, 50-, 100-, and 500-year recurrence intervals were approved by the Michigan DNR. An enlarged 7-1/2' U.S.G.S. topographic map (preliminary) with a 10' contour interval was used. This study was performed by Commonwealth Associates Inc., Jackson, Michigan, and the Project Manager was V. Danushkodi, P.E.

METHOD OF ANALYSIS

The HEC-2 computer program was utilized for the entire hydraulic analysis.

VARIABLES AND COEFFICIENTS

Manning's Roughness Coefficients

For channel	0.04
For overbanks	0.08

Coefficients for Floodway

Contraction	0.10
Expansion	0.30

Coefficients for Bridges

Contraction	0.30
Expansion	0.50

Ratios

Contraction	1:1
Expansion	1:4

HIGH-WATER MARKS

A high-water elevation of 941.5 was reported at Hannah Street Bridge in the Bridge Site Plan prepared by R. S. Scott Associates, Alpena, Michigan. The bridges at Hannah Street crossing both East Branch and Mill Race are due to be replaced shortly. The proposed bridges had been incorporated in the model. The proposed 100-year flood level at the upstream of that bridge is 0.33 feet higher than the high-water mark. However, the 100-year level at Section 42.3, just 140 feet upstream of the bridge, is 1.15 feet higher than the high-water mark.

STARTING CONDITIONS

The East Branch Kalamazoo River carries a larger portion of the flow of the Kalamazoo River than the South Branch Kalamazoo River. Therefore, the flood levels of the Kalamazoo River were used as starting conditions for Mill Race and East Branch Kalamazoo River.

SPECIAL PROBLEMS

The Mill Race divides from the East Branch Kalamazoo River just upstream of Hannah Street. The floodgates to control the East Branch Kalamazoo River elevations are located near its mouth at Porter Street. Both floodgates are supposed to be operated by the Physical Plant Manager of Albion College. Discussions with the physical plant manager revealed the following conditions:

1) The floodgates at Hannah Street are not in operable condition. The dikes are breached. A major portion of the flow goes through the East Branch Kalamazoo River.

2) Two floodgates in the Mill Race at Porter Street can be operated and one cannot be raised. However, there is no definite operating policy to open the gates. The physical plant manager said that they may not open at the time of floods. Therefore, it was assumed that the gates will not be opened.


In order to divide the flows between Mill Race and East Branch Kalamazoo River, stage-discharge curves were generated by HEC-2 model (Figure 1). The results of flow division calculations were as follows:

Recurrence Interval (Years)	Flow (cfs) Total	East Branch Kalamazoo River	Mill Race
10	695	620	75
50	1,190	1,000	190
100	1,340	1,090	250
500	1,720	1,290	430

For flows exceeding 200 cfs (or elevation above 942) there will be some weir flow between sections 40 and 41 from Mill Race into East Branch Kalamazoo River. Such a condition had been ignored in the flow determinations.

REFERENCES

None



RESULTS

REC INT YEARS	FLOWS (CFS) TOTAL	EAST BR.	MILL RACE
10	695	620	75
50	1190	1000	190
100	1340	1090	250
500	1720	1290	430

FIS CITY OF ALBION

FIG 1

(SECTION C, E BR RUN)

CROSS SECTION REFERENCES

Cross Section ID in Profile/Table	Sec. No. in HEC-2 Program	Description
Mill Race Cross Sections		
-	119.2	Surveyed Valley Section at mouth
A	119.3	Surveyed Bridge Sections at Porter Street floodgates
-	119.5	
-	119.6	
-	119.9	Surveyed Valley Section
-	120.0	
-	120.1	Surveyed Bridge Sections at Erie Street
-	120.2	
-	121.0	
B	140.0	Surveyed Valley Section
C	141.0	Surveyed Valley Section
-	141.8	Surveyed Bridge Sections at Hannah Street (the proposed bridge dimensions were included)
-	141.9	
-	142.0	
-	142.3	Surveyed Valley Section at the Branching of Mill Race from East Branch
East Branch Kalamazoo River Cross Sections		
-	239.0	Repeated Valley Section at mouth. Same as Section 240.0
A	240.0	Surveyed Valley Section
B	241.0	Surveyed Valley Section
-	241.8	Surveyed Bridge Sections at Hannah Street. The proposed bridge dimensions were included
-	242.0	
-	242.1	
C	42.3	Surveyed Valley Section at the branching of Mill Race from East Branch Kalamazoo River


CROSS SECTION REFERENCE (Continued)

Cross Section ID in Profile/Table	Sec. No. in HEC-2 Program	Description
D	42.5	Surveyed Valley Section
E	43.0	Surveyed Valley Section at Albion City corporate boundary
A	43.0	Surveyed Valley Section at boundary for Albion Township
-	43.7	Surveyed Valley Section
-	43.8	Repeated Section. Same as 43.7
-	43.9	Surveyed Bridge Sections
-	44.0	
-	44.1	
-	44.2	
B	44.3	
-	44.4	Repeated Valley Section. Same as 44.3
C	45.0	Surveyed Valley Section at township boundary line

BRIDGE NOTES AND SKETCHES

BRIDGE SECTIONS IN

MILL RACE



SECTION 119.5 FLOOD GATES AT PORTER STREET IN MILL RACE

Gilbert/Commonwealth
209 E. Washington Avenue, Jackson, MI 49201

CALCULATION SHEET REV.

CLIENT/OWNER		FILING CODE / JOB NO.
CALC BY/DATE (SIGNATURE)	SUBJECT	SHEET OF
CHECKED BY/DATE (SIGNATURE)		BOOK NO.

Bridge Section 120

35' x 6' Box 44' long

$n \approx 0.03$

$A = 210\ ft^2$


$R = 2.56\ ft$

$$K_f = \frac{29.1 n^2 L}{R^{4/3}} = 0.33$$


$XKOR = 1.0 + 0.5 + 0.33 = \underline{1.83}$


Paved Surface $C \approx 3.0$

$B = 35\ ft$




U/S





D/S



SECTION 120 — ERIE ST BRIDGE

CLIENT/OWNER	FILING CODE / JOB NO.
CALC. BY/DATE (SIGNATURE) / CHECKED BY/DATE (SIGNATURE)	SUBJECT: SECTION 1420
	SHEET OF / BOOK NO.

Hannah St Bridge (Proposed Bridge)

35' x 4.5' Box (8° skew - negligible effect)
43' long

$n = 0.02$

$A = 157.5\ ft^2$


$R = 1.99\ ft$


$$K_f = \frac{29.1\, n^2 L}{R^{4/3}} = 0.2$$


$XKCR = 1.0 + 0.5 + 0.2 = 1.7$


C for weir (Paved Surface) = 3

$B = 35$


940
939
938
937
936
941
942
943
944
945
946
947
STORM SEWER
15" SAN.
PROPOSED BRIDGE #1
PROPOSED BRIDGE #2
EAST BRANCH OF KALAMAZOO RIVER
W.S. EL. 939.4
W.S. EL. 937.4
MILL RACE
WILSON DRIVE
MAIN ST.
+35 BEGIN BRYEN CONC. RET. WALL - 22'
+27 8" MULBERRY 21'
+30 END RET. WALL 22'
+45 2 6" WALNUT 22'
+36 45" STUMP 21'
+39 WATER VALVE 14'
+46 GAS VALVE 15'
+65 36" BOX ELDER 12'
+70 21" & 15" BOX ELDER 20'
+38 5 4" MULBERRY 25'
+67 LILAC BUSH 36'
+56 3 6" BIRCH 54'
+74 5 5" BEECH 26'
+20 3" ELM 24'
+22 8" ELM 29'
+27 18" WALNUT 29'
+76 BEGIN WALL 93'
+74 20" LOCUST 20'
+92 WATER VALVE 26'
+11 24" MAPLE 24'
+48 8" MAPLE 22'
+55 FIRE HYDRANT 24'
+59 4 9" CEDARS 39'
+22 8" MAPLE 25'


ELEV. 943.45
+0.50 %
ABUT. "A" - STA. 8+37.00
ABUT. "B" = STA. 8+76.00
ABUT. "A" = STA. 9+75.00
ABUT. "B" = STA. 10+14.00
ELEV. 945.45
H.W. ELEV. 941.5
W.S. ELEV. 937.4 (JUNE 1979)
BOTT. FTG. ELEV. 932.00
EX. STREAMBED ELEV. 936.3
H.W. ELEV. 941.5
W.S. ELEV. 939.4 (JUNE 1979)
BOTT. FTG. ELEV. 934.00
EX. STREAMBED ELEV. 937.9
FINISHED ℄ GRADES SHOWN BELOW
943.45
943.45
943.69
943.70
943.99
943.95
944.31
944.20
944.64
944.45
944.75
944.70
945.01
944.95
945.15
945.20
945.45
945.45
946.03
946.00
7
8
9
10
11
12


A
A
B
B
11'-0"
NAME PLATE
15'-0"
PT. "A"
9+75.00
ELEV. 944.82
82°00'
82°00'
110+00
+50
OUTLINE OF EXISTING
ABUTMENT WALLS
REF. PT. "B"
STA. 10+14.00
S/R ELEV. 945.02
P.P.
24'
P.P.
LATE



BRIDGE NO. 2

TION

10'-0"

NOTE -

THE DESIGN OF THESE STRUCTURES IS BASED ON THE OF STATE HIGHWAYS' SPECIFICATIONS FOR THE DESIGN 1958 EDITION, AND CURRENT AASHTO STANDARD SPECI HIGHWAY BRIDGES H S 20 - 44 LOADING, LIVE LOAD

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1      FIS ALBION CITY & ALBION TWP., CALHOUN CO., MICHIGAN.
T2      100-YEAR FLOOD     ENCROACHED FLOODWAY
T3      EAST BR KALAMAZOO RIVER

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       6.        0.        0.  0.000000      0.00      0.0       0.    939.350     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

MOORE BUSINESS FORMS INC 27

```
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS    BANK ELEV
     G        QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
    TIME      VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID      ENDST

*PROF 2

CCHV=    .100 CEHV=    .300
*SECNO 239.000
 2800 NAT Q1=     422.14  WSEL=     939.35  ENC Q1=     422.14  WSEL=     939.45  RATIO=  0.0000
 NAT Q1=    445.  RATIOS LOB,CH,ROB=    .3332    .3287    .3381  WSEL=     939.45

3470 ENCROACHMENT STATIONS=     1896.7     2172.8  TYPE=      4  TARGET=          .051
   239.00       6.34     939.35       0.00     939.35     939.42        .07       0.00       0.00     935.91
    1200.       386.       424.       390.       326.       132.       377.         0.         0.     936.01
     0.00       1.18       3.23       1.03       .080       .040       .080      0.000     933.01    1896.75
  .000891         0.         0.         0.          0          0          0       0.00     276.08    2172.83

*SECNO 240.000
 2800 NAT Q1=     455.07  WSEL=     939.49  ENC Q1=     455.07  WSEL=     939.59  RATIO=  0.0000
 NAT Q1=    478.  RATIOS LOB,CH,ROB=    .3355    .3178    .3467  WSEL=     939.59

3470 ENCROACHMENT STATIONS=     1894.8     2178.6  TYPE=      4  TARGET=          .048
        CITY OF ALBION  SECTION A

   240.00       6.50     939.51       0.00     939.49     939.57        .06        .15        .00     935.91
    1200.       390.       408.       402.       348.       135.       410.         4.         1.     936.01
      .03       1.12       3.02        .98       .080       .040       .080       .040     933.01    1894.82
  .000754       180.       180.       180.          2          0          0       0.00     283.77    2178.59

*SECNO 241.000
 2800 NAT Q1=     334.76  WSEL=     940.47  ENC Q1=     334.76  WSEL=     940.57  RATIO=   .0000
 NAT Q1=    357.  RATIOS LOB,CH,ROB=    .5045    .4869    .0086  WSEL=     940.57

3470 ENCROACHMENT STATIONS=     1662.2     2028.0  TYPE=      4  TARGET=          .062
        CITY OF ALBION  SECTION B

   241.00       6.51     940.58       0.00     940.47     940.70        .13       1.12        .02     937.21
    1200.       599.       601.         0.       571.       155.         0.         24.        10.     937.24
      .15       1.05       3.89       0.00       .080       .040       .080       .040     934.07    1662.21
  .001381       1120.      1120.      1120.          1          0          0       0.00     365.79    2028.00

*SECNO 241.800

3470 ENCROACHMENT STATIONS=     1960.0     2040.0  TYPE=      1  TARGET=        80.000
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	GCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
241.80	6.45	941.35	0.00	941.22	941.85	.49	1.03	.11	940.76
1200.	10.	1189.	1.	15.	210.	1.	30.	12.	940.93
.18	.69	5.66	.51	.080	.040	.080	.040	934.90	1960.00
.003409	500.	500.	500.	2	0	0	0.00	80.00	2040.00

CCHV= .300 CEHV= .500

*SECNO 242.000

242.00	5.64	941.64	0.00	941.55	942.40	.75	.42	.13	944.13
1200.	0.	1200.	0.	0.	172.	0.	30.	12.	944.33
.18	0.00	6.97	0.00	.080	.040	.080	.040	936.00	850.00
.005333	100.	100.	100.	2	0	0	0.00	30.50	880.50

SPECIAL BRIDGE

5070.VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.67	3.00	0.00	30.50	0.00	174.50	0.00	936.00	936.00

*SECNO 242.100

PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.87	942.40	0.00	0.	1200.	175.	174.	941.72	943.50

242.10	6.26	942.26	0.00	942.14	942.87	.61	.47	0.00	944.13
1200.	0.	1200.	0.	0.	191.	0.	30.	12.	944.33
.19	0.00	6.28	0.00	.080	.040	.080	.040	936.00	850.00
.003914	48.	48.	48.	2	0	0	0.00	30.50	880.50

*SECNO 42.300

2800 NAT Q1= 841.48 WSEL= 943.03 ENC Q1= 841.48 WSEL= 943.13 RATIO= 0.0000

NAT Q1= 890. RATIOS LOB,CH,ROB= .4680 .1256 .4064 WSEL= 943.13

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 1864.4 2153.1 TYPE= 4 TARGET= .055

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CITY OF ALBION SECTION C

42.30	8.41	943.11	0.00	943.03	943.13	.02	.09	.18	937.30
1340.	623.	178.	539.	796.	82.	525.	33.	13.	936.00
.22	.78	2.17	1.03	.080	.040	.080	.040	934.70	1864.40
.000256	140.	140.	140.	2	0	0	0.00	288.69	2153.09

CCHV= .100 CEHV= .300
*SECNO 42.500
2800 NAT Q1= 852.19 WSEL= 943.18 ENC Q1= 852.19 WSEL= 943.28 RATIO= 0.0000
NAT Q1= 880. RATIOS LOB,CH,ROB= .0584 .9416 0.0000 WSEL= 943.28

3470 ENCROACHMENT STATIONS= 2020.8 2203.0 TYPE= 4 TARGET= .031

CITY OF ALBION SECTION D

42.50	7.16	943.26	0.00	943.18	943.31	.05	.17	.01	939.60
1340.	37.	1303.	0.	63.	755.	0.	50.	16.	944.80
.33	.55	1.72	0.00	.080	.040	.080	.040	936.10	2020.83
.000249	580.	680.	700.	1	0	0	0.00	167.40	2188.23

*SECNO 43.000
2800 NAT Q1= 856.24 WSEL= 943.43 ENC Q1= 856.24 WSEL= 943.53 RATIO= 0.0000
NAT Q1= 891. RATIOS LOB,CH,ROB= .0112 .7116 .2772 WSEL= 943.53

3470 ENCROACHMENT STATIONS= 2000.0 2255.7 TYPE= 4 TARGET= .039

CITY OF ALBION SECTION E

ALBION TOWNSHIP SECTION A

43.00	7.73	943.53	0.00	943.43	943.57	.04	.26	.00	939.40
1340.	0.	982.	358.	0.	512.	554.	72.	21.	939.40
.51	0.00	1.92	.64	.080	.040	.080	.040	935.80	2000.00
.000257	900.	1030.	1100.	2	0	0	0.00	255.70	2255.70

*SECNO 43.700

3470 ENCROACHMENT STATIONS= 1942.0 2092.0 TYPE= 1 TARGET= 150.000

43.70	6.80	945.00	0.00	944.89	945.12	.13	1.53	.03	940.77
1340.	135.	1205.	0.	152.	401.	0.	141.	38.	100000.00
.88	.88	3.01	0.00	.080	.040	.080	.040	938.20	1942.00
.000784	3680.	3680.	3680.	2	0	0	0.00	150.00	2092.00

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 43.800

3470 ENCROACHMENT STATIONS= 1982.0 2100.0 TYPE= 1 TARGET= 118.000

43.80	6.87	945.07	0.00	944.97	945.21	.14	.08	.00	940.77
1340.	92.	1247.	0.	90.	407.	2.	142.	39.	944.78
.89	1.03	3.07	.19	.080	.040	.080	.040	938.20	1982.00
.000799	100.	100.	100.	2	0	0	0.00	118.00	2100.00

CCHV= .300 CEHV= .500

*SECNO 43.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 947.45 ELREA= 947.45

43.90	5.07	945.03	0.00	944.93	945.41	.38	.08	.12	948.53
1340.	0.	1340.	0.	0.	271.	0.	142.	39.	948.53
.89	0.00	4.94	0.00	.080	.040	.080	.040	939.96	2036.00
.006148	49.	49.	49.	2	0	0	0.00	92.00	2128.00

*SECNO 44.000

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE,NRD= 50 MIN ELTRD= 948.53 MAX ELLC= 946.50

44.00	4.74	944.70	943.81	944.58	945.77	1.07	.01	.35	948.53
1340.	0.	1340.	0.	0.	161.	0.	142.	39.	948.53
.89	0.00	8.31	0.00	.080	.040	.080	.040	939.96	2036.00
.023446	1.	1.	1.	4	12	0	-79.59	92.00	2128.00

*SECNO 44.100

3370 NORMAL BRIDGE,NRD= 50 MIN ELTRD= 948.53 MAX ELLC= 946.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.53 ELREA= 948.53

44.10	5.94	945.90	0.00	945.87	946.62	.72	.75	.11	948.53
1340.	0.	1340.	0.	0.	197.	0.	142.	39.	948.53
.89	0.00	6.80	0.00	.080	.040	.080	.040	939.96	2036.00
.015905	39.	39.	39.	2	0	0	-154.65	92.00	2128.00

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 44.200

3301 HV CHANGED MORE THAN HVINS

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 948.53 ELREA= 948.53

44.20	6.67	946.63	0.00	946.61	946.79	.16	.00	.17	948.53
1340.	0.	1340.	0.	0.	419.	0.	142.	39.	948.53
.89	0.00	3.20	0.00	.080	.040	.080	.040	939.96	2036.00
.001500	1.	1.	1.	3	0	0	0.00	92.00	2128.00

*SECNO 44.300

3470 ENCROACHMENT STATIONS= 1962.0 2154.0 TYPE= 1 TARGET= 192.000
ALBION TOWNSHIP SECTION B

44.30	5.25	946.80	0.00	946.77	946.86	.06	.04	.03	945.86
1340.	16.	1324.	0.	29.	650.	0.	143.	39.	100000.00
.90	.54	2.04	0.00	.080	.040	.080	.040	941.55	1962.00
.000513	50.	50.	50.	2	0	0	0.00	188.61	2150.61

CCHV= .100 CEHV= .300

*SECNO 44.400

2800 NAT Q1= 622.27 WSEL= 946.81 ENC Q1= 622.27 WSEL= 946.91 RATIO= 0.0000
NAT Q1= 648. RATIOS LOB,CH,ROB= .0565 .9435 0.0000 WSEL= 946.91

3470 ENCROACHMENT STATIONS= 1958.4 2154.0 TYPE= 4 TARGET= .040

44.40	5.28	946.83	0.00	946.81	946.89	.06	.03	.00	945.86
1340.	22.	1318.	0.	38.	654.	0.	144.	39.	948.26
.91	.56	2.02	0.00	.080	.040	.080	.040	941.55	1958.42
.000499	50.	50.	50.	0	0	0	0.00	192.25	2150.67

*SECNO 45.000

2800 NAT Q1= 1067.56 WSEL= 947.79 ENC Q1= 1067.56 WSEL= 947.89 RATIO= 0.0000
NAT Q1= 1120. RATIOS LOB,CH,ROB= .3889 .2107 .4004 WSEL= 947.89

3470 ENCROACHMENT STATIONS= 1679.4 2327.0 TYPE= 4 TARGET= .047
ALBION TOWNSHIP SECTION C

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	GCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
45.00	8.31	947.86	0.00	947.79	947.87	.01	.98	.01	944.72
1340.	513.	298.	529.	942.	197.	999.	265.	75.	943.58
2.28	.54	1.51	.53	.080	.040	.080	.040	939.55	1679.38
.000162	3720.	3720.	3720.	2	0	0	0.00	647.58	2326.96

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

EAST BR KALAMAZOO RIVER

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
239.000	939.35	1862.52	2000.00	2022.00	2230.10	367.58	0.00
239.000	939.35	1896.75	2000.00	2022.00	2172.83	276.08	0.00
240.000	939.49	1860.97	2000.00	2022.00	2233.46	372.49	180.00
240.000	939.51	1894.82	2000.00	2022.00	2178.59	283.77	180.00
241.000	940.47	1582.79	2000.00	2028.00	2035.28	452.48	1120.00
241.000	940.58	1662.21	2000.00	2028.00	2028.00	365.79	1120.00
241.800	941.22	1960.00	1989.00	2037.00	2040.00	80.00	500.00
241.800	941.35	1960.00	1989.00	2037.00	2040.00	80.00	500.00
242.000	941.55	850.00	850.00	880.50	880.50	30.50	100.00
242.000	941.64	850.00	850.00	880.50	880.50	30.50	100.00
242.100	942.14	850.00	850.00	880.50	880.50	30.50	48.00
242.100	942.26	850.00	850.00	880.50	880.50	30.50	48.00
42.300	943.03	1860.00	2054.00	2065.00	2170.00	310.00	140.00
42.300	943.11	1864.40	2054.00	2065.00	2153.09	288.69	140.00
42.500	943.18	1969.18	2040.00	2203.00	2187.35	218.17	680.00
42.500	943.26	2020.83	2040.00	2203.00	2188.23	167.40	680.00
43.000	943.43	1424.24	2000.00	2084.00	2572.64	523.83	1030.00
43.000	943.53	2000.00	2000.00	2084.00	2255.70	255.70	1030.00
43.700	944.89	1891.84	2014.00	2092.00	2098.67	206.83	3680.00
43.700	945.00	1942.00	2014.00	2092.00	2092.00	150.00	3680.00
43.800	944.97	1982.00	2014.00	2092.00	2100.00	118.00	100.00
43.800	945.07	1982.00	2014.00	2092.00	2100.00	118.00	100.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
43.900	944.93	2036.00	2036.00	2128.00	2128.00	92.00	49.00
43.900	945.03	2036.00	2036.00	2128.00	2128.00	92.00	49.00
44.000	944.58	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.000	944.70	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.100	945.87	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.100	945.90	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.200	946.61	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.200	946.63	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.300	946.77	1962.00	1980.00	2154.00	2150.55	188.55	50.00
44.300	946.80	1962.00	1980.00	2154.00	2150.61	188.61	50.00
44.400	946.81	1898.26	1980.00	2154.00	2150.65	252.40	50.00
44.400	946.83	1958.42	1980.00	2154.00	2150.67	192.25	50.00
45.000	947.79	1462.60	2000.00	2031.00	2347.49	884.89	3720.00
45.000	947.86	1679.38	2000.00	2031.00	2326.96	647.58	3720.00

EAST BR KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
239.000	0.00	0.00	0.00	933.01	1200.00	939.35	0.00	939.41	8.08	3.07	931.84	422.14
239.000	0.00	0.00	0.00	933.01	1200.00	939.35	0.00	939.42	8.91	3.23	834.27	401.96
240.000	180.00	0.00	0.00	933.01	1200.00	939.49	0.00	939.55	6.95	2.90	985.67	455.07
240.000	180.00	0.00	0.00	933.01	1200.00	939.51	0.00	939.57	7.54	3.02	892.37	437.01
241.000	1120.00	0.00	0.00	934.07	1200.00	940.47	0.00	940.60	12.85	3.98	776.60	334.76
241.000	1120.00	0.00	0.00	934.07	1200.00	940.58	0.00	940.70	13.81	3.89	725.52	322.96
241.800	500.00	0.00	0.00	934.90	1200.00	941.22	0.00	941.75	37.99	5.85	215.75	194.68
241.800	500.00	0.00	0.00	934.90	1200.00	941.35	0.00	941.85	34.09	5.66	226.31	205.54
242.000	100.00	0.00	0.00	936.00	1200.00	941.55	0.00	942.33	55.97	7.09	169.35	160.40
242.000	100.00	0.00	0.00	936.00	1200.00	941.64	0.00	942.40	53.33	6.97	172.12	164.32
242.100	48.00	943.50	941.72	936.00	1200.00	942.14	0.00	942.78	41.28	6.39	187.68	186.78
242.100	48.00	943.50	941.72	936.00	1200.00	942.26	0.00	942.87	39.14	6.28	191.10	191.82
42.300	140.00	0.00	0.00	934.70	1340.00	943.03	0.00	943.05	2.54	2.14	1430.25	841.48
42.300	140.00	0.00	0.00	934.70	1340.00	943.11	0.00	943.13	2.56	2.17	1402.59	837.56
42.500	680.00	0.00	0.00	936.10	1340.00	943.18	0.00	943.22	2.47	1.70	886.72	852.19
42.500	680.00	0.00	0.00	936.10	1340.00	943.26	0.00	943.31	2.49	1.72	818.67	849.24
43.000	1030.00	0.00	0.00	935.80	1340.00	943.43	0.00	943.48	2.45	1.91	1317.03	856.24
43.000	1030.00	0.00	0.00	935.80	1340.00	943.53	0.00	943.57	2.57	1.92	1066.13	835.64
43.700	3680.00	0.00	0.00	938.20	1340.00	944.89	0.00	945.03	8.44	3.08	565.69	461.35
43.700	3680.00	0.00	0.00	938.20	1340.00	945.00	0.00	945.12	7.84	3.01	553.23	478.42
43.800	100.00	0.00	0.00	938.20	1340.00	944.97	0.00	945.11	8.55	3.13	486.32	458.34
43.800	100.00	0.00	0.00	938.20	1340.00	945.07	0.00	945.21	7.99	3.07	498.07	474.19
43.900	49.00	0.00	0.00	939.96	1340.00	944.93	0.00	945.34	69.09	5.12	261.82	161.21
43.900	49.00	0.00	0.00	939.96	1340.00	945.03	0.00	945.41	61.48	4.94	271.32	170.89
44.000	1.00	948.53	946.50	939.96	1340.00	944.58	943.81	945.71	247.94	8.52	157.36	85.10
44.000	1.00	948.53	946.50	939.96	1340.00	944.70	943.81	945.77	234.46	8.31	161.24	87.51
44.100	39.00	948.53	946.50	939.96	1340.00	945.87	0.00	946.59	159.26	6.82	196.45	106.18
44.100	39.00	948.53	946.50	939.96	1340.00	945.90	0.00	946.62	159.05	6.80	197.15	106.25
44.200	1.00	0.00	0.00	939.96	1340.00	946.61	0.00	946.77	15.31	3.22	415.93	342.49
44.200	1.00	0.00	0.00	939.96	1340.00	946.63	0.00	946.79	15.00	3.20	418.56	346.00
44.300	50.00	0.00	0.00	941.55	1340.00	946.77	0.00	946.84	5.25	2.05	674.53	584.66
44.300	50.00	0.00	0.00	941.55	1340.00	946.80	0.00	946.86	5.13	2.04	679.47	591.38

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
44.400	50.00	0.00	0.00	941.55	1340.00	946.81	0.00	946.86	4.64	1.94	777.52	622.27
44.400	50.00	0.00	0.00	941.55	1340.00	946.83	0.00	946.89	4.99	2.02	692.67	599.99
45.000	3720.00	0.00	0.00	939.55	1340.00	947.79	0.00	947.80	1.58	1.48	2301.06	1067.56
45.000	3720.00	0.00	0.00	939.55	1340.00	947.86	0.00	947.87	1.62	1.51	2138.26	1052.22

EAST BR KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
239.000	1200.00	939.35	0.00	0.00	0.00	367.58	0.00
239.000	1200.00	939.35	0.00	0.00	0.00	276.08	0.00
240.000	1200.00	939.49	0.00	.14	0.00	372.49	180.00
240.000	1200.00	939.51	.02	.16	.02	283.77	180.00
241.000	1200.00	940.47	0.00	.98	0.00	452.48	1120.00
241.000	1200.00	940.58	.11	1.07	.11	365.79	1120.00
241.800	1200.00	941.22	0.00	.75	0.00	80.00	500.00
241.800	1200.00	941.35	.13	.77	.13	80.00	500.00
242.000	1200.00	941.55	0.00	.33	0.00	30.50	100.00
242.000	1200.00	941.64	.09	.29	.09	30.50	100.00
242.100	1200.00	942.14	0.00	.59	0.00	30.50	48.00
242.100	1200.00	942.26	.11	.61	.11	30.50	48.00
42.300	1340.00	943.03	0.00	.88	0.00	310.00	140.00
42.300	1340.00	943.11	.08	.85	.08	288.69	140.00
42.500	1340.00	943.18	0.00	.15	0.00	218.17	680.00
42.500	1340.00	943.26	.08	.15	.08	167.40	680.00
43.000	1340.00	943.43	0.00	.26	0.00	523.83	1030.00
43.000	1340.00	943.53	.09	.26	.09	255.70	1030.00
43.700	1340.00	944.89	0.00	1.46	0.00	206.83	3680.00
43.700	1340.00	945.00	.11	1.47	.11	150.00	3680.00
43.800	1340.00	944.97	0.00	.08	0.00	118.00	100.00
43.800	1340.00	945.07	.10	.07	.10	118.00	100.00
43.900	1340.00	944.93	0.00	-.04	0.00	92.00	49.00
43.900	1340.00	945.03	.10	-.04	.10	92.00	49.00
44.000	1340.00	944.58	0.00	-.35	0.00	92.00	1.00
44.000	1340.00	944.70	.12	-.34	.12	92.00	1.00
44.100	1340.00	945.87	0.00	1.29	0.00	92.00	39.00
44.100	1340.00	945.90	.03	1.21	.03	92.00	39.00
44.200	1340.00	946.61	0.00	.73	0.00	92.00	1.00
44.200	1340.00	946.63	.03	.73	.03	92.00	1.00
44.300	1340.00	946.77	0.00	.17	0.00	188.55	50.00
44.300	1340.00	946.80	.03	.16	.03	188.61	50.00

SECNO	G	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
44.400	1340.00	946.81	0.00	.03	0.00	252.40	50.00
44.400	1340.00	946.83	.02	.03	.02	192.25	50.00
45.000	1340.00	947.79	0.00	.99	0.00	884.89	3720.00
45.000	1340.00	947.86	.07	1.03	.07	647.58	3720.00

SUMMARY OF ERRORS

FLOODWAY DATA, EAST BR KALAMAZOO RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
239.000	276.	834.	1.4	939.4	939.4	0.0
240.000	284.	892.	1.3	939.5	939.5	0.0
241.000	366.	726.	1.7	940.6	940.5	.1
241.800	80.	226.	5.3	941.3	941.2	.1
242.000	31.	172.	7.0	941.7	941.6	.1
242.100	31.	191.	6.3	942.2	942.1	.1
42.300	289.	1403.	1.0	943.1	943.0	.1
42.500	167.	819.	1.6	943.3	943.2	.1
43.000	256.	1066.	1.3	943.5	943.4	.1
43.700	150.	553.	2.4	945.0	944.9	.1
43.800	118.	498.	2.7	945.1	945.0	.1
43.900	92.	271.	4.9	945.0	944.9	.1
44.000	92.	161.	8.3	944.7	944.6	.1
44.100	92.	197.	6.8	945.9	945.9	0.0
44.200	92.	419.	3.2	946.6	946.6	0.0
44.300	189.	679.	2.0	946.8	946.8	0.0
44.400	192.	693.	1.9	946.8	946.8	0.0
45.000	648.	2138.	.6	947.9	947.8	.1

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Kalamazoo River, East Branch

4) DOCUMENT TYPE: Summary

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

EAST BR KALAMAZOO RIVER

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
239.000	937.60	1885.14	2000.00	2022.00	2155.55	270.42	0.00
239.000	938.86	1868.85	2000.00	2022.00	2218.78	349.93	0.00
239.000	939.35	1862.52	2000.00	2022.00	2230.10	367.58	0.00
239.000	940.26	1853.50	2000.00	2022.00	2251.12	397.63	0.00
240.000	937.99	1880.12	2000.00	2022.00	2179.55	299.43	180.00
240.000	939.05	1866.28	2000.00	2022.00	2223.38	357.10	180.00
240.000	939.49	1860.97	2000.00	2022.00	2233.46	372.49	180.00
240.000	940.35	1852.57	2000.00	2022.00	2253.31	400.73	180.00
241.000	939.50	1612.93	2000.00	2028.00	2033.09	360.96	1120.00
241.000	940.23	1602.65	2000.00	2028.00	2034.73	432.08	1120.00
241.000	940.47	1582.79	2000.00	2028.00	2035.28	452.48	1120.00
241.000	941.06	1473.47	2000.00	2028.00	2036.60	563.12	1120.00
241.800	940.36	1990.10	1989.00	2037.00	2035.63	45.53	500.00
241.800	941.06	1960.00	1989.00	2037.00	2039.91	79.91	500.00
241.800	941.22	1960.00	1989.00	2037.00	2040.00	80.00	500.00
241.800	941.55	1960.00	1989.00	2037.00	2040.00	80.00	500.00
242.000	940.57	850.00	850.00	880.50	880.50	30.50	100.00
242.000	941.37	850.00	850.00	880.50	880.50	30.50	100.00
242.000	941.55	850.00	850.00	880.50	880.50	30.50	100.00
242.000	941.92	850.00	850.00	880.50	880.50	30.50	100.00
242.100	940.76	850.00	850.00	880.50	880.50	30.50	48.00
242.100	941.77	850.00	850.00	880.50	880.50	30.50	48.00
242.100	942.14	850.00	850.00	880.50	880.50	30.50	48.00
242.100	942.95	850.00	850.00	880.50	880.50	30.50	48.00
42.300	941.24	1860.00	2054.00	2065.00	2164.01	304.01	140.00
42.300	942.58	1860.00	2054.00	2065.00	2170.00	310.00	140.00
42.300	943.03	1860.00	2054.00	2065.00	2170.00	310.00	140.00
42.300	944.00	1860.00	2054.00	2065.00	2170.00	310.00	140.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
42.500	941.39	1995.71	2040.00	2203.00	2170.15	174.44	680.00
42.500	942.74	1975.74	2040.00	2203.00	2183.10	207.36	680.00
42.500	943.18	1969.18	2040.00	2203.00	2187.35	218.17	680.00
42.500	944.14	1954.87	2040.00	2203.00	2196.62	241.75	680.00
43.000	941.67	1991.17	2000.00	2084.00	2300.20	309.03	1030.00
43.000	943.01	1985.90	2000.00	2084.00	2429.28	443.38	1030.00
43.000	943.43	1424.24	2000.00	2084.00	2572.64	523.83	1030.00
43.000	944.37	1422.08	2000.00	2084.00	2635.01	681.52	1030.00
43.700	943.38	1961.94	2014.00	2092.00	2089.98	128.05	3680.00
43.700	944.58	1906.01	2014.00	2092.00	2091.71	185.70	3680.00
43.700	944.89	1891.84	2014.00	2092.00	2098.67	206.83	3680.00
43.700	945.56	1883.38	2014.00	2092.00	2138.46	255.07	3680.00
43.800	943.46	1982.00	2014.00	2092.00	2090.11	108.11	100.00
43.800	944.66	1982.00	2014.00	2092.00	2091.83	109.83	100.00
43.800	944.97	1982.00	2014.00	2092.00	2100.00	118.00	100.00
43.800	945.63	1982.00	2014.00	2092.00	2100.00	118.00	100.00
43.900	943.33	2036.00	2036.00	2128.00	2128.00	78.07	49.00
43.900	944.62	2036.00	2036.00	2128.00	2128.00	92.00	49.00
43.900	944.93	2036.00	2036.00	2128.00	2128.00	92.00	49.00
43.900	945.59	2036.00	2036.00	2128.00	2128.00	92.00	49.00
44.000	943.31	2036.00	2036.00	2128.00	2128.00	76.35	1.00
44.000	944.33	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.000	944.58	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.000	945.05	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.100	944.09	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.100	945.47	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.100	945.87	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.100	946.85	2036.00	2036.00	2128.00	2128.00	92.00	39.00
44.200	944.38	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.200	946.09	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.200	946.61	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.200	948.10	2036.00	2036.00	2128.00	2128.00	92.00	1.00
44.300	944.60	1962.00	1980.00	2154.00	2145.52	147.17	50.00
44.300	946.26	1962.00	1980.00	2154.00	2149.38	187.38	50.00
44.300	946.77	1962.00	1980.00	2154.00	2150.55	188.55	50.00
44.300	948.25	1962.00	1980.00	2154.00	2153.98	191.98	50.00
44.400	944.69	1940.60	1980.00	2154.00	2145.72	171.20	50.00
44.400	946.30	1912.39	1980.00	2154.00	2149.47	237.08	50.00
44.400	946.81	1898.26	1980.00	2154.00	2150.65	252.40	50.00
44.400	948.28	1857.72	1980.00	2154.00	2167.35	309.63	50.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
45.000	946.37	1746.05	2000.00	2031.00	2344.37	598.32	3720.00
45.000	947.45	1504.08	2000.00	2031.00	2346.76	842.69	3720.00
45.000	947.79	1462.60	2000.00	2031.00	2347.49	884.89	3720.00
45.000	948.87	1370.27	2000.00	2031.00	2349.83	979.56	3720.00

EAST BR KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
239.000	0.00	0.00	0.00	933.01	655.00	937.60	0.00	937.76	23.40	4.15	358.75	135.39
239.000	0.00	0.00	0.00	933.01	1070.00	938.86	0.00	938.94	11.06	3.39	756.05	321.80
239.000	0.00	0.00	0.00	933.01	1200.00	939.35	0.00	939.41	8.08	3.07	931.84	422.14
239.000	0.00	0.00	0.00	933.01	1490.00	940.26	0.00	940.30	5.25	2.72	1280.07	650.04
240.000	180.00	0.00	0.00	933.01	655.00	937.99	0.00	938.08	12.95	3.27	469.28	182.03
240.000	180.00	0.00	0.00	933.01	1070.00	939.05	0.00	939.12	8.80	3.10	826.40	360.77
240.000	180.00	0.00	0.00	933.01	1200.00	939.49	0.00	939.55	6.95	2.90	985.67	455.07
240.000	180.00	0.00	0.00	933.01	1490.00	940.35	0.00	940.39	4.85	2.64	1317.82	676.63
241.000	1120.00	0.00	0.00	934.07	655.00	939.50	0.00	939.67	15.15	3.79	366.69	168.28
241.000	1120.00	0.00	0.00	934.07	1070.00	940.23	0.00	940.37	14.14	4.05	670.20	284.54
241.000	1120.00	0.00	0.00	934.07	1200.00	940.47	0.00	940.60	12.85	3.98	776.60	334.76
241.000	1120.00	0.00	0.00	934.07	1490.00	941.06	0.00	941.15	9.63	3.69	1081.82	480.11
241.800	500.00	0.00	0.00	934.90	655.00	940.36	0.00	940.61	22.50	4.02	162.92	138.10
241.800	500.00	0.00	0.00	934.90	1070.00	941.06	0.00	941.52	34.51	5.44	203.10	182.15
241.800	500.00	0.00	0.00	934.90	1200.00	941.22	0.00	941.75	37.99	5.85	215.75	194.68
241.800	500.00	0.00	0.00	934.90	1490.00	941.55	0.00	942.23	45.06	6.69	241.68	221.96
242.000	100.00	0.00	0.00	936.00	655.00	940.57	0.00	940.91	29.96	4.70	139.32	119.66
242.000	100.00	0.00	0.00	936.00	1070.00	941.37	0.00	942.03	49.24	6.54	163.70	152.48
242.000	100.00	0.00	0.00	936.00	1200.00	941.55	0.00	942.33	55.97	7.09	169.35	160.40
242.000	100.00	0.00	0.00	936.00	1490.00	941.92	0.00	942.98	71.36	8.25	180.55	176.39
242.100	48.00	943.50	941.72	936.00	655.00	940.76	0.00	941.07	35.17	4.51	145.18	110.45
242.100	48.00	943.50	941.72	936.00	1070.00	941.77	0.00	942.34	39.55	6.07	176.21	170.15
242.100	48.00	943.50	941.72	936.00	1200.00	942.14	0.00	942.78	41.28	6.39	187.68	186.78
242.100	48.00	943.50	941.72	936.00	1490.00	942.95	0.00	943.72	44.50	7.03	212.02	223.35
42.300	140.00	0.00	0.00	934.70	695.00	941.24	0.00	941.25	2.63	1.81	879.11	428.41
42.300	140.00	0.00	0.00	934.70	1190.00	942.58	0.00	942.60	2.70	2.12	1290.37	724.20
42.300	140.00	0.00	0.00	934.70	1340.00	943.03	0.00	943.05	2.54	2.14	1430.25	841.48
42.300	140.00	0.00	0.00	934.70	1720.00	944.00	0.00	944.02	2.35	2.24	1731.61	1120.99
42.500	680.00	0.00	0.00	936.10	695.00	941.39	0.00	941.42	2.37	1.38	536.15	451.41
42.500	680.00	0.00	0.00	936.10	1190.00	942.74	0.00	942.78	2.59	1.67	792.78	740.07
42.500	680.00	0.00	0.00	936.10	1340.00	943.18	0.00	943.22	2.47	1.70	886.72	852.19
42.500	680.00	0.00	0.00	936.10	1720.00	944.14	0.00	944.18	2.33	1.79	1108.14	1127.69
43.000	1030.00	0.00	0.00	935.80	695.00	941.67	0.00	941.71	3.10	1.71	608.63	394.52
43.000	1030.00	0.00	0.00	935.80	1190.00	943.01	0.00	943.05	2.71	1.92	1115.44	722.81
43.000	1030.00	0.00	0.00	935.80	1340.00	943.43	0.00	943.48	2.45	1.91	1317.03	856.24
43.000	1030.00	0.00	0.00	935.80	1720.00	944.37	0.00	944.40	1.89	1.85	1909.29	1250.87

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
43.700	3680.00	0.00	0.00	938.20	695.00	943.38	0.00	943.47	8.14	2.44	315.24	243.56
43.700	3680.00	0.00	0.00	938.20	1190.00	944.58	0.00	944.71	8.48	2.97	504.53	408.66
43.700	3680.00	0.00	0.00	938.20	1340.00	944.89	0.00	945.03	8.44	3.08	565.69	461.35
43.700	3680.00	0.00	0.00	938.20	1720.00	945.56	0.00	945.71	8.32	3.33	720.58	596.18
43.800	100.00	0.00	0.00	938.20	695.00	943.46	0.00	943.54	7.50	2.38	320.51	253.78
43.800	100.00	0.00	0.00	938.20	1190.00	944.66	0.00	944.79	8.36	2.98	451.38	411.45
43.800	100.00	0.00	0.00	938.20	1340.00	944.97	0.00	945.11	8.55	3.13	486.32	458.34
43.800	100.00	0.00	0.00	938.20	1720.00	945.63	0.00	945.81	9.22	3.53	563.19	566.32
43.900	49.00	0.00	0.00	939.96	695.00	943.33	0.00	943.89	228.10	5.99	116.04	46.02
43.900	49.00	0.00	0.00	939.96	1190.00	944.62	0.00	945.02	79.75	5.11	233.07	133.26
43.900	49.00	0.00	0.00	939.96	1340.00	944.93	0.00	945.34	69.09	5.12	261.82	161.21
43.900	49.00	0.00	0.00	939.96	1720.00	945.59	0.00	946.03	57.58	5.33	322.59	226.67
44.000	1.00	948.53	946.50	939.96	695.00	943.31	0.00	943.94	164.43	6.38	109.00	54.20
44.000	1.00	948.53	946.50	939.96	1190.00	944.33	943.58	945.33	223.41	8.01	148.62	79.62
44.000	1.00	948.53	946.50	939.96	1340.00	944.58	943.81	945.71	247.94	8.52	157.36	85.10
44.000	1.00	948.53	946.50	939.96	1720.00	945.05	944.33	946.59	330.99	9.96	172.74	94.54
44.100	39.00	948.53	946.50	939.96	695.00	944.09	0.00	944.48	88.93	4.99	139.32	73.70
44.100	39.00	948.53	946.50	939.96	1190.00	945.47	0.00	946.11	136.11	6.42	185.37	102.00
44.100	39.00	948.53	946.50	939.96	1340.00	945.87	0.00	946.59	159.26	6.82	196.45	106.18
44.100	39.00	948.53	946.50	939.96	1720.00	946.85	944.33	947.96	304.83	8.46	203.23	98.51
44.200	1.00	0.00	0.00	939.96	695.00	944.38	0.00	944.55	37.06	3.28	212.10	114.16
44.200	1.00	0.00	0.00	939.96	1190.00	946.09	0.00	946.25	17.85	3.23	368.68	281.66
44.200	1.00	0.00	0.00	939.96	1340.00	946.61	0.00	946.77	15.31	3.22	415.93	342.49
44.200	1.00	0.00	0.00	939.96	1720.00	948.10	0.00	948.25	10.04	3.11	553.46	542.81
44.300	50.00	0.00	0.00	941.55	695.00	944.60	0.00	944.69	16.17	2.37	293.62	172.83
44.300	50.00	0.00	0.00	941.55	1190.00	946.26	0.00	946.33	6.67	2.11	578.94	460.73
44.300	50.00	0.00	0.00	941.55	1340.00	946.77	0.00	946.84	5.25	2.05	674.53	584.66
44.300	50.00	0.00	0.00	941.55	1720.00	948.25	0.00	948.30	2.90	1.87	955.75	1010.57
44.400	50.00	0.00	0.00	941.55	695.00	944.69	0.00	944.77	14.14	2.26	315.45	184.80
44.400	50.00	0.00	0.00	941.55	1190.00	946.30	0.00	946.37	6.01	2.02	652.35	485.49
44.400	50.00	0.00	0.00	941.55	1340.00	946.81	0.00	946.86	4.64	1.94	777.52	622.27
44.400	50.00	0.00	0.00	941.55	1720.00	948.28	0.00	948.32	2.44	1.73	1180.09	1101.07
45.000	3720.00	0.00	0.00	939.55	695.00	946.37	0.00	946.38	2.06	1.43	1206.18	483.76
45.000	3720.00	0.00	0.00	939.55	1190.00	947.45	0.00	947.47	1.74	1.50	2011.28	901.47
45.000	3720.00	0.00	0.00	939.55	1340.00	947.79	0.00	947.80	1.58	1.48	2301.06	1067.56
45.000	3720.00	0.00	0.00	939.55	1720.00	948.87	0.00	948.88	1.00	1.31	3309.89	1716.56

MOORE BUSINESS FORMS, INC.

EAST BR KALAMAZCO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
239.000	655.00	937.60	0.00	0.00	0.00	270.42	0.00
239.000	1070.00	938.86	1.26	0.00	0.00	349.93	0.00
239.000	1200.00	939.35	.49	0.00	0.00	367.58	0.00
239.000	1490.00	940.26	.91	0.00	0.00	397.63	0.00
240.000	655.00	937.99	0.00	.39	0.00	299.43	180.00
240.000	1070.00	939.05	1.07	.19	0.00	357.10	180.00
240.000	1200.00	939.49	.44	.14	0.00	372.49	180.00
240.000	1490.00	940.35	.86	.09	0.00	400.73	180.00
241.000	655.00	939.50	0.00	1.52	0.00	360.96	1120.00
241.000	1070.00	940.23	.73	1.17	0.00	432.08	1120.00
241.000	1200.00	940.47	.24	.98	0.00	452.48	1120.00
241.000	1490.00	941.06	.59	.70	0.00	563.12	1120.00
241.800	655.00	940.36	0.00	.85	0.00	45.53	500.00
241.800	1070.00	941.06	.71	.83	.71	79.91	500.00
241.800	1200.00	941.22	.16	.75	.87	80.00	500.00
241.800	1490.00	941.55	.32	.49	1.19	80.00	500.00
242.000	655.00	940.57	0.00	.21	0.00	30.50	100.00
242.000	1070.00	941.37	.80	.31	.80	30.50	100.00
242.000	1200.00	941.55	.19	.33	.98	30.50	100.00
242.000	1490.00	941.92	.37	.37	1.35	30.50	100.00
242.100	655.00	940.76	0.00	.19	0.00	30.50	48.00
242.100	1070.00	941.77	1.01	.40	1.01	30.50	48.00
242.100	1200.00	942.14	.37	.59	1.39	30.50	48.00
242.100	1490.00	942.95	.81	1.03	2.19	30.50	48.00
42.300	695.00	941.24	0.00	.48	0.00	304.01	140.00
42.300	1190.00	942.58	1.34	.81	1.34	310.00	140.00
42.300	1340.00	943.03	.45	.88	1.79	310.00	140.00
42.300	1720.00	944.00	.97	1.05	2.76	310.00	140.00
42.500	695.00	941.39	0.00	.16	0.00	174.44	680.00
42.500	1190.00	942.74	1.34	.16	1.34	207.36	680.00
42.500	1340.00	943.18	.44	.15	1.78	218.17	680.00
42.500	1720.00	944.14	.96	.14	2.74	241.75	680.00
43.000	695.00	941.67	0.00	.27	0.00	309.03	1030.00
43.000	1190.00	943.01	1.34	.27	1.34	443.38	1030.00
43.000	1340.00	943.43	.42	.26	1.77	523.83	1030.00
43.000	1720.00	944.37	.93	.23	2.70	681.52	1030.00

SECNO	C	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
43.700	695.00	943.38	0.00	1.71	0.00	128.05	3680.00
43.700	1190.00	944.58	1.20	1.57	1.20	185.70	3680.00
43.700	1340.00	944.89	.31	1.46	1.51	206.83	3680.00
43.700	1720.00	945.56	.67	1.20	2.19	255.07	3680.00
43.800	695.00	943.46	0.00	.08	0.00	108.11	100.00
43.800	1190.00	944.66	1.20	.08	1.20	109.83	100.00
43.800	1340.00	944.97	.31	.08	1.51	118.00	100.00
43.800	1720.00	945.63	.66	.07	2.17	118.00	100.00
43.900	695.00	943.33	0.00	-.13	0.00	78.07	49.00
43.900	1190.00	944.62	1.29	-.04	1.29	92.00	49.00
43.900	1340.00	944.93	.31	-.04	1.60	92.00	49.00
43.900	1720.00	945.59	.66	-.04	2.26	92.00	49.00
44.000	695.00	943.31	0.00	-.02	0.00	76.35	1.00
44.000	1190.00	944.33	1.02	-.28	1.02	92.00	1.00
44.000	1340.00	944.58	.25	-.35	1.27	92.00	1.00
44.000	1720.00	945.05	.47	-.54	1.74	92.00	1.00
44.100	695.00	944.09	0.00	.78	0.00	92.00	39.00
44.100	1190.00	945.47	1.38	1.13	1.38	92.00	39.00
44.100	1340.00	945.87	.41	1.29	1.78	92.00	39.00
44.100	1720.00	946.85	.97	1.79	2.76	92.00	39.00
44.200	695.00	944.38	0.00	.29	0.00	92.00	1.00
44.200	1190.00	946.09	1.71	.63	1.71	92.00	1.00
44.200	1340.00	946.61	.51	.73	2.22	92.00	1.00
44.200	1720.00	948.10	1.49	1.25	3.72	92.00	1.00
44.300	695.00	944.60	0.00	.22	0.00	147.17	50.00
44.300	1190.00	946.26	1.66	.17	1.66	187.38	50.00
44.300	1340.00	946.77	.51	.17	2.17	188.55	50.00
44.300	1720.00	948.25	1.48	.15	3.65	191.98	50.00
44.400	695.00	944.69	0.00	.08	0.00	171.20	50.00
44.400	1190.00	946.30	1.62	.04	1.62	237.08	50.00
44.400	1340.00	946.81	.50	.03	2.12	252.40	50.00
44.400	1720.00	948.28	1.47	.03	3.59	309.63	50.00
45.000	695.00	946.37	0.00	1.68	0.00	598.32	3720.00
45.000	1190.00	947.45	1.09	1.15	1.09	842.69	3720.00
45.000	1340.00	947.79	.34	.99	1.42	884.89	3720.00
45.000	1720.00	948.87	1.08	.59	2.50	979.56	3720.00

FLOOD INSURANCE ZONE DATA FOR EAST BR KALAMAZOO RIVER

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
239.000	0.	-1.75	-.49	.91
240.000	180.	-1.51	-.44	.86
241.000	1300.	-.97	-.24	.59
241.800	1800.	-.87	-.16	.32
242.000	1900.	-.98	-.19	.37
242.100	1948.	-1.39	-.37	.81
42.300	2088.	-1.79	-.45	.97
42.500	2768.	-1.78	-.44	.96
43.000	3798.	-1.77	-.42	.93
43.700	7478.	-1.51	-.31	.67
43.800	7578.	-1.51	-.31	.66
43.900	7627.	-1.60	-.31	.66
44.000	7628.	-1.27	-.25	.47
44.100	7667.	-1.78	-.41	.97
44.200	7668.	-2.22	-.51	1.49
44.300	7718.	-2.17	-.51	1.48
44.400	7768.	-2.12	-.50	1.47
45.000	11488.	-1.42	-.34	1.08
WEIGHTED AVG FOR REACH		-1.63	-.39	.96

FHF FOR THE REACH = 015 WITH 93.9 PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

MOORE BUSINESS FORMS INC 27

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Mill Race

4) DOCUMENT TYPE: 100-year

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

C
T1      FIS CITY OF ALBION, CALHOUN CO., MICHIGAN
T2      100-YEAR FLOOD
T3      MILL RACE
```

RECEIVED
DEC 17 1980
WATER MANAGEMENT

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	0.000000	0.00	0.0	0.	937.250	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

J3 VARIABLE CODES FOR SUMMARY PRINTOUT

	38.000	1.000	53.000	21.000	22.000	54.000	4.000	39.000	150.000	200.000

QT	5.000	40.000	120.000	140.000	230.000	140.000	0.000	0.000	0.000	0.000
NC	.080	.080	.040	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	119.200	20.000	1984.000	2035.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	943.740	1760.000	941.860	1876.000	936.820	1984.000	935.210	1984.000	933.860	1990.000
GR	931.360	1995.000	931.820	2000.000	932.150	2005.000	932.310	2010.000	932.550	2015.000
GR	933.880	2022.000	939.720	2035.000	942.030	2062.000	942.740	2099.000	942.120	2198.000
GR	942.100	2296.000	942.130	2392.000	943.580	2486.000	948.430	2604.000	948.440	2619.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	119.250	16.000	2000.000	2016.000	60.000	60.000	60.000	0.000	0.000	0.000
GR	943.740	1760.000	941.860	1876.000	941.860	2000.000	935.240	2000.000	934.100	2005.000
GR	934.060	2010.000	934.040	2016.000	941.880	2016.000	942.030	2062.000	942.740	2099.000
GR	942.120	2198.000	942.100	2226.000	942.130	2392.000	943.580	2486.000	948.430	2604.000
GR	948.440	2619.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MILL RACE SECTION A

X1	119.300	15.000	2000.000	2016.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	2000.000	0.000	2016.000	0.000	0.000	0.000	0.000
BT	8.000	2000.000	941.860	0.000	2000.000	938.770	0.000	2005.000	938.740	0.000
BT	2005.500	939.860	0.000	2010.000	940.080	0.000	2010.500	939.630	0.000	2015.000
BT	939.570	0.000	2016.000	941.880	0.000	0.000	0.000	0.000	0.000	0.000
GR	943.740	1760.000	941.860	1876.000	941.860	2000.000	934.680	2000.000	934.250	2005.000
GR	935.880	2010.000	934.190	2016.000	941.880	2016.000	942.030	2062.000	942.740	2099.000
GR	942.120	2198.000	942.100	2226.000	942.130	2392.000	943.580	2486.000	948.430	2604.000

MOORE BUSINESS FORMS INC 27

X1	119.400	0.000	0.000	0.000	6.000	6.000	6.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	2000.000	0.000	2016.000	0.000	0.000	0.000	0.000
X1	119.500	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	2000.000	0.000	2016.000	0.000	0.000	0.000	0.000
X1	119.600	0.000	0.000	0.000	44.000	44.000	44.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1950.000	0.000	2054.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	119.900	13.000	2577.000	2612.000	230.000	230.000	230.000	0.000	0.000	0.000
GR	943.750	2402.000	943.600	2563.000	935.990	2577.000	935.120	2584.000	935.080	2596.000
GR	935.570	2605.000	936.490	2612.000	942.040	2633.000	944.600	2673.000	944.190	2685.000
GR	945.710	2789.000	946.370	2825.000	948.080	2917.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	120.000	15.000	2577.000	2612.000	8.000	8.000	8.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	942.400	942.400	0.000
GR	943.750	2402.000	943.600	2563.000	943.600	2577.000	935.990	2577.000	935.120	2584.000
GR	935.080	2596.000	935.570	2605.000	936.490	2612.000	943.600	2612.000	942.040	2633.000
GR	944.600	2673.000	944.190	2685.000	945.710	2789.000	946.370	2825.000	948.080	2917.000
SB	0.000	1.830	3.000	0.000	35.000	0.000	210.000	0.000	0.000	0.000
X1	120.100	0.000	0.000	0.000	44.000	44.000	44.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	941.200	943.600	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	943.600	943.600	0.000
BT	10.000	2402.000	943.750	0.000	2563.000	943.600	0.000	2577.000	943.600	0.000
BT	2577.000	943.600	941.200	2612.000	943.600	941.200	2612.000	943.600	0.000	2685.000
BT	944.200	0.000	2789.000	945.710	0.000	2825.000	946.370	0.000	2917.000	948.080
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	120.200	0.000	0.000	0.000	8.000	8.000	8.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	943.600	943.600	0.000
X1	121.000	10.000	2588.000	2626.000	66.000	66.000	66.000	0.000	0.000	0.000
GR	943.750	2402.000	943.600	2563.000	942.610	2588.000	936.850	2588.000	935.690	2626.000
GR	942.040	2626.000	944.600	2673.000	944.190	2685.000	945.710	2789.000	946.370	2825.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000

MILL RACE SECTION B

X1	140.000	15.000	2302.000	2340.000	800.000	600.000	680.000	0.000	0.000	0.000
GR	941.970	2289.000	941.970	2289.000	941.970	2289.000	941.810	2298.000	938.990	2302.000
GR	935.980	2312.000	935.310	2322.000	939.050	2340.000	940.480	2344.000	941.890	2400.000
GR	943.750	2494.000	946.270	2594.000	951.750	2696.000	954.660	2816.000	953.660	2924.000
NH	2.000	.040	2092.000	.080	2299.000	0.000	0.000	0.000	0.000	0.000

MILL RACE SECTION C

X1	141.000	15.000	2044.000	2092.000	875.000	850.000	850.000	0.000	0.000	0.000
GR	941.900	2044.000	941.900	2044.000	941.900	2044.000	939.140	2047.000	937.760	2052.000
GR	936.690	2062.000	936.660	2067.000	936.610	2074.000	937.120	2081.000	939.140	2088.000
GR	943.300	2092.000	943.530	2102.000	943.980	2113.000	944.420	2194.000	946.010	2299.000
NC	.080	.080	.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	141.800	10.000	2211.000	2249.000	400.000	400.000	400.000	0.000	0.000	0.000
GR	943.110	2157.000	942.670	2205.000	939.260	2211.000	937.100	2221.000	936.830	2233.000
GR	937.460	2243.000	939.100	2249.000	943.790	2270.000	943.820	2279.000	944.580	2383.000

X1	141.900	8.000	977.000	1012.000	99.000	99.000	99.000	0.000	0.000	0.000
GR	944.450	900.000	944.700	950.000	944.950	977.000	938.000	977.000	938.000	1012.000
GR	944.950	1012.000	945.200	1050.000	945.450	1100.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
SB	0.000	1.700	3.000	0.000	35.000	0.000	157.500	0.000	0.000	0.000

X1	142.000	0.000	0.000	0.000	43.000	43.000	43.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	942.480	944.450	0.000	0.000	0.000	0.000	0.000
BT	8.000	900.000	944.450	0.000	950.000	944.700	0.000	977.000	944.950	0.000
BT	977.000	944.950	942.480	1012.000	944.950	942.480	1012.000	944.950	0.000	1050.000
BT	945.200	0.000	1100.000	945.450	0.000	0.000	0.000	0.000	0.000	0.000

X1	142.300	11.000	2086.000	2168.000	140.000	140.000	140.000	0.000	0.000	0.000
GR	941.210	2066.000	941.070	2086.000	937.150	2088.000	935.670	2096.000	934.870	2104.000
GR	934.430	2118.000	935.120	2132.000	936.370	2142.000	939.120	2156.000	942.280	2168.000
GR	944.110	2206.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 1

CCHV= .100 CEHV= .300

*SECNO 119.200

119.20	5.89	937.25	0.00	937.25	937.26	.01	0.00	0.00	936.82
140.	0.	140.	0.	2.	184.	0.	0.	0.	939.72
0.00	.06	.76	0.00	.080	.040	.080	0.000	931.36	1974.79
.000071	0.	0.	0.	0	0	0	0.00	54.72	2029.50

CCHV= .300 CEHV= .500

*SECNO 119.250

119.25	3.16	937.20	0.00	0.00	937.34	.14	.01	.06	941.86
140.	0.	140.	0.	0.	47.	0.	0.	0.	941.88
.01	0.00	2.97	0.00	.080	.040	.080	.039	934.04	2000.00
.002211	60.	60.	60.	2	0	0	0.00	16.00	2016.00

*SECNO 119.300

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 938.74 MAX ELLC= 0.00

3685 20 TRIALS ATTEMPTED WSEL,CWSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 2000.0 2016.0 TYPE= 1 TARGET= 16.000
MILL RACE SECTION A

119.30	7.30	941.49	941.49	0.00	942.27	.78	.01	.32	941.86
140.	0.	140.	0.	0.	20.	0.	0.	0.	100000.00
.01	0.00	7.07	0.00	.080	.040	.080	.039	934.19	2000.00
.038578	1.	1.	1.	20	15	0	-86.20	16.00	2016.00

*SECNO 119.400

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 938.74 MAX ELLC= 0.00

```
    SECNO       DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS    BANK ELEV
      Q         QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
    TIME        VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
    SLOPE       XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID      ENDST

3470 ENCROACHMENT STATIONS=     2000.0     2016.0  TYPE=      1  TARGET=        16.000
     119.40       7.98     942.17       0.00       0.00     942.50        .33        .10        .13     941.86
      140.          0.      140.          0.         0.       30.          0.         0.         0.  100000.00
        .01       0.00       4.62       0.00       .080       .040       .080       .038     934.19    2000.00
   .009528          6.         6.         6.          4          0          0     -86.56      16.00    2016.00

*SECNO 119.500

3470 ENCROACHMENT STATIONS=     2000.0     2016.0  TYPE=      1  TARGET=        16.000
     119.50       8.39     942.58       0.00       0.00     942.60        .02        .00        .09     941.86
      140.          0.      140.          0.         0.       123.         0.         0.         0.  100000.00
        .01       0.00       1.13       0.00       .080       .040       .080       .038     934.19    2000.00
   .000159          1.         1.         1.          2          0          0       0.00      16.00    2016.00

*SECNO 119.600

3470 ENCROACHMENT STATIONS=     1950.0     2054.0  TYPE=      1  TARGET=       104.000
     119.60       8.40     942.59       0.00       0.00     942.61        .02        .01        .00     941.86
      140.          6.      130.          4.        36.       124.         25.         0.         0.     941.88
        .02        .17       1.05        .16       .080       .040       .080       .038     934.19    1950.00
   .000129         44.        44.        44.          2          0          0       0.00     104.00    2054.00

CCHV=     .100 CEHV=     .300
*SECNO 119.900
     119.90       7.53     942.61       0.00       0.00     942.61        .00        .01        .00     935.99
      140.          5.      124.         10.        40.       251.         73.         2.         1.     936.49
        .16        .14        .49        .14       .080       .040       .080       .039     935.08    2564.81
   .000013        230.       230.       230.          1          0          0       0.00      77.19    2642.00

CCHV=     .300 CEHV=     .500
*SECNO 120.000

3265 DIVIDED FLOW

     120.00       7.53     942.61       0.00       0.00     942.61        .00        .00        .00     943.60
      140.          0.      140.          0.         0.       251.         5.         2.         1.     943.60
        .16       0.00        .56        .04       .080       .040       .080       .039     935.08    2577.00
   .000025          8.         8.         8.          0          0          0       0.00      51.59    2641.91
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOEL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

SPECIAL BRIDGE

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.83	3.00	0.00	35.00	0.00	210.00	0.00	935.08	935.08

*SECNO 120.100
PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.62	942.61	0.00	0.	140.	210.	214.	941.20	943.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.60 ELREA= 943.60

120.10	7.54	942.62	0.00	0.00	942.62	.00	.01	0.00	943.60
140.	0.	140.	0.	0.	252.	0.	2.	1.	943.60
.19	0.00	.56	0.00	.080	.040	.080	.039	935.08	2577.00
.000025	44.	44.	44.	0	0	0	0.00	35.00	2612.00

*SECNO 120.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.60 ELREA= 943.60

120.20	7.54	942.62	0.00	0.00	942.62	.00	.00	.00	943.60
140.	0.	140.	0.	0.	251.	0.	2.	1.	943.60
.19	0.00	.56	0.00	.080	.040	.080	.039	935.08	2577.00
.000025	8.	8.	8.	0	0	0	0.00	35.00	2612.00

*SECNO 121.000

121.00	6.93	942.62	0.00	0.00	942.62	.01	.00	.00	942.61
140.	0.	140.	0.	0.	241.	3.	3.	1.	942.04
.22	.00	.58	.04	.080	.040	.080	.039	935.69	2587.77
.000030	66.	66.	66.	0	0	0	0.00	48.85	2636.63

CCHV= .100 CEHV= .300
*SECNO 140.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3280 CROSS SECTION 140.00 EXTENDED .67 FEET

MILL RACE SECTION B

140.00	7.33	942.64	0.00	0.00	942.64	.00	.02	.00	938.99
140.	2.	126.	12.	16.	220.	107.	7.	2.	939.05
.58	.11	.57	.11	.080	.040	.080	.040	935.31	2289.00
.000024	800.	680.	600.	0	0	0	0.00	148.79	2437.79

1490 NH CARD USED
*SECNO 141.000
3280 CROSS SECTION 141.00 EXTENDED .76 FEET

MILL RACE SECTION C

141.00	6.05	942.66	0.00	0.00	942.67	.01	.02	.00	941.90
140.	0.	140.	0.	0.	232.	0.	13.	4.	943.30
.97	0.00	.60	0.00	.080	.040	.080	.040	936.61	2044.00
.000035	875.	850.	850.	0	0	0	0.00	47.39	2091.39

*SECNO 141.800

141.80	5.85	942.68	0.00	0.00	942.68	.01	.01	.00	939.26
140.	2.	134.	5.	10.	195.	29.	15.	5.	939.10
1.14	.15	.69	.17	.080	.040	.080	.040	936.83	2204.68
.000039	400.	400.	400.	0	0	0	0.00	60.32	2265.00

*SECNO 141.900

141.90	4.68	942.68	0.00	0.00	942.69	.01	.01	.00	944.95
140.	0.	140.	0.	0.	164.	0.	15.	5.	944.95
1.17	0.00	.85	0.00	.080	.040	.080	.040	938.00	977.00
.000053	99.	99.	99.	0	0	0	0.00	35.00	1012.00

CCHV= .300 CEHV= .500

SPECIAL BRIDGE

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COEQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.70	3.00	0.00	35.00	0.00	157.50	0.00	938.00	938.00

*SECNO 142.000
PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.70	942.69	0.00	0.	140.	158.	157.	942.48	944.45

142.00	4.69	942.69	0.00	0.00	942.70	.01	.01	0.00	944.95
140.	0.	140.	0.	0.	164.	0.	15.	5.	944.95
1.18	0.00	.85	0.00	.080	.040	.080	.040	938.00	977.00
.000092	43.	43.	43.	1	0	0	0.00	35.00	1012.00

*SECNO 142.300
3280 CROSS SECTION 142.30 EXTENDED 1.49 FEET

142.30	8.27	942.70	0.00	0.00	942.70	.00	.00	.00	941.07
140.	2.	138.	0.	31.	504.	2.	16.	5.	942.28
1.33	.05	.27	.01	.080	.040	.080	.040	934.43	2066.00
.000005	140.	140.	140.	0	0	0	0.00	110.72	2176.72

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Mill Race

4) DOCUMENT TYPE: Floodway

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

I1      FIS CITY OF ALBION, CALHOUN CO., MICHIGAN
I2      100-YEAR FLOOD   ENCROACHED FLOODWAY
I3      MILL RACE

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
     -10.       6.        0.        0.   0.000000     0.00      0.0       0.    937.250    0.000
J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000    0.000    -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

MOORE BUSINESS FORMS, INC. 27

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOEL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 2

CCHV= .100 CEHV= .300
*SECNO 119.200

119.20	5.89	937.25	0.00	937.25	937.26	.01	0.00	0.00	936.82
140.	0.	140.	0.	2.	184.	0.	0.	0.	939.72
0.00	.06	.76	0.00	.080	.040	.080	0.000	931.36	1974.79
.000071	0.	0.	0.	0	0	0	0.00	54.72	2029.50

CCHV= .300 CEHV= .500
*SECNO 119.250

119.25	3.16	937.20	0.00	0.00	937.34	.14	.01	.06	941.86
140.	0.	140.	0.	0.	47.	0.	0.	0.	941.88
.01	0.00	2.97	0.00	.080	.040	.080	.039	934.04	2000.00
.002211	60.	60.	60.	2	0	0	0.00	16.00	2016.00

*SECNO 119.300

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 938.74 MAX ELLC= 0.00

3685 20 TRIALS ATTEMPTED WSEL,CWSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 2000.0 2016.0 TYPE= 1 TARGET= 16.000
MILL RACE SECTION A

119.30	7.30	941.49	941.49	0.00	942.27	.78	.01	.32	941.86
140.	0.	140.	0.	0.	20.	0.	0.	0.	100000.00
.01	0.00	7.07	0.00	.080	.040	.080	.039	934.19	2000.00
.038578	1.	1.	1.	20	15	0	-86.20	16.00	2016.00

*SECNO 119.400

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 938.74 MAX ELLC= 0.00

```
    SECNO       DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS     BANK ELEV
    Q           QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
    TIME        VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
    SLOPE       XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID      ENDST

3470 ENCROACHMENT STATIONS=     2000.0     2016.0  TYPE=      1  TARGET=        16.000
     119.40       7.98     942.17       0.00       0.00     942.50        .33        .10        .13     941.86
      140.          0.      140.          0.         0.       30.          0.         0.         0.  100000.00
        .01       0.00       4.62       0.00       .080       .040       .080       .038     934.19    2000.00
    .009528         6.         6.         6.          4          0          0     -86.56      16.00    2016.00

*SECNO 119.500

3470 ENCROACHMENT STATIONS=     2000.0     2016.0  TYPE=      1  TARGET=        16.000
     119.50       8.39     942.58       0.00       0.00     942.60        .02        .00        .09     941.86
      140.          0.      140.          0.         0.       123.         0.         0.         0.  100000.00
        .01       0.00       1.13       0.00       .080       .040       .080       .038     934.19    2000.00
    .000159         1.         1.         1.          2          0          0       0.00      16.00    2016.00

*SECNO 119.600

3470 ENCROACHMENT STATIONS=     1950.0     2054.0  TYPE=      1  TARGET=       104.000
     119.60       8.40     942.59       0.00       0.00     942.61        .02        .01        .00     941.86
      140.          6.      130.          4.        36.       124.        25.         0.         0.     941.88
        .02        .17       1.05        .16       .080       .040       .080       .038     934.19    1950.00
    .000129        44.        44.        44.          2          0          0       0.00     104.00    2054.00

CCHV=    .100 CEHV=     .300
*SECNO 119.900
 2800 NAT Q1=      390.86  WSEL=      942.61  ENC Q1=      390.86  WSEL=      942.71  RATIO=   0.0000
 NAT Q1=      400.  RATIOS LOB,CH,ROB=    .0396    .8847    .0756  WSEL=      942.71

3470 ENCROACHMENT STATIONS=     2571.5     2625.5  TYPE=      4  TARGET=         .024
     119.90       7.53     942.61       0.00     942.61     942.61        .00        .01        .00     935.99
      140.          4.      127.          9.        28.       251.        58.         2.         1.     936.49
        .15        .14        .51        .16       .080       .040       .080       .039     935.08    2571.52
    .000013        230.       230.       230.          0          0          0       0.00      53.93    2625.45

CCHV=    .300 CEHV=     .500
*SECNO 120.000
 2800 NAT Q1=      282.10  WSEL=      942.61  ENC Q1=      287.43  WSEL=      942.71  RATIO=  -.0189
 NAT Q1=      288.  RATIOS LOB,CH,ROB=  0.0000    .9980    .0020  WSEL=      942.71
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 2577.0 2612.0 TYPE= 4 TARGET= .002

120.00	7.53	942.61	0.00	942.61	942.61	.00	.00	.00	943.60
140.	0.	140.	0.	0.	251.	0.	2.	1.	943.60
.16	0.00	.56	0.00	.080	.040	.080	.039	935.08	2577.00
.000025	8.	8.	8.	0	0	0	0.00	35.00	2612.00

SPECIAL BRIDGE

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.83	3.00	0.00	35.00	0.00	210.00	0.00	935.08	935.08

*SECNO 120.100
3700. BRIDGE STENCL= 2577.00 STENCR= 2612.00
2800 NAT Q1= 282.39 WSEL= 942.62 ENC Q1= 287.89 WSEL= 942.72 RATIO= -.0195
NAT Q1= 288. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 942.72
PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.62	942.61	0.00	0.	140.	210.	214.	941.20	943.60

3470 ENCROACHMENT STATIONS= 2577.0 2612.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.60 ELREA= 943.60

120.10	7.54	942.62	0.00	942.62	942.62	.00	.01	0.00	943.60
140.	0.	140.	0.	0.	251.	0.	2.	1.	943.60
.18	0.00	.56	0.00	.080	.040	.080	.039	935.08	2577.00
.000025	44.	44.	44.	2	0	0	0.00	35.00	2612.00

*SECNO 120.200
2800 NAT Q1= 282.12 WSEL= 942.62 ENC Q1= 287.90 WSEL= 942.72 RATIO= -.0205
NAT Q1= 288. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 942.72

3470 ENCROACHMENT STATIONS= 2577.0 2612.0 TYPE= 4 TARGET= 0.000

```
    SECNO      DEPTH     CWSEL     CRIWS     WSELK      EG         HV         HL        OLOSS    BANK ELEV
    G          QLOB      QCH       QROB      ALOB       ACH        AROB       VOL       TWA    LEFT/RIGHT
    TIME       VLOB      VCH       VROB      XNL        XNCH       XNR        WTN       ELMIN      SSTA
    SLOPE      XLOBL     XLCH      XLOBR     ITRIAL     IDC        ICONT      CORAR     TOPWID     ENDST

 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=      943.60 ELREA=      943.60

     120.20      7.54    942.62      0.00    942.62    942.62       .00       .00       .00    943.60
       140.        0.      140.        0.        0.      251.        0.        2.        1.    943.60
        .18       0.00       .56       0.00      .080      .040      .080      .039    935.08   2577.00
    .000025         8.        8.        8.         0         0         0      0.00     35.00   2612.00

 *SECNO 121.000
  2800 NAT Q1=     255.76  WSEL=     942.62  ENC Q1=     262.25  WSEL=     942.72  RATIO=   -.0254
  NAT Q1=     263.  RATIOS LOB,CH,ROB=    .0000    .9985    .0015  WSEL=     942.72

 3470 ENCROACHMENT STATIONS=     2588.0     2626.0  TYPE=      4  TARGET=         .001
     121.00      6.93    942.62      0.00    942.62    942.62       .01       .00       .00    942.61
       140.        0.      140.        0.        0.      241.        0.        2.        1.    942.04
        .22       0.00       .58       0.00      .080      .040      .080      .039    935.69   2588.00
    .000030        66.       66.       66.         0         0         0      0.00     38.00   2626.00

 CCHV=     .100 CEHV=     .300
 *SECNO 140.000
  2800 NAT Q1=     287.43  WSEL=     942.64  ENC Q1=     287.43  WSEL=     942.74  RATIO=   -.0000
  NAT Q1=     298.  RATIOS LOB,CH,ROB=    .0130    .8934    .0936  WSEL=     942.74
 3280 CROSS SECTION     140.00 EXTENDED         .67 FEET

 3470 ENCROACHMENT STATIONS=     2302.0     2377.0  TYPE=      4  TARGET=         .037
         MILL RACE  SECTION B

     140.00      7.33    942.64      0.00    942.64    942.64       .01       .02       .00    938.99
       140.        0.      130.       10.        0.      220.       69.        7.        1.    939.05
        .55       0.00       .59       .15      .080      .040      .080      .040    935.31   2302.00
    .000028       800.      680.      600.         0         0         0      0.00     75.02   2377.02

 1490 NH CARD USED
 *SECNO 141.000
  2800 NAT Q1=     236.11  WSEL=     942.66  ENC Q1=     243.49  WSEL=     942.76  RATIO=   -.0313
  NAT Q1=     243.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     942.76
 3280 CROSS SECTION     141.00 EXTENDED         .77 FEET
```

```
     SECNO       DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS    BANK ELEV
     Q           QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
     TIME        VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
     SLOPE       XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID      ENDST

 3470 ENCROACHMENT STATIONS=     2044.0     2092.0  TYPE=      4  TARGET=         0.000
           MILL RACE  SECTION C
       141.00       6.06     942.67       0.00     942.66     942.67        .01        .03        .00     941.90
          140.         0.        140.         0.         0.        232.         0.        12.         3.     943.30
           .94       0.00        .60       0.00       .080       .040       .080       .040    936.61    2044.00
      .000036        875.       850.       850.          0          0          0       0.00     47.39    2091.39

 *SECNO 141.800
  2800 NAT Q1=      224.04  WSEL=      942.68  ENC Q1=      224.04  WSEL=      942.78  RATIO=   0.0000
  NAT Q1=      232.  RATIOS LOB,CH,ROB=    .0118    .9524    .0357  WSEL=      942.78

 3470 ENCROACHMENT STATIONS=     2211.0     2251.7  TYPE=      4  TARGET=          .034
       141.80       5.85     942.68       0.00     942.68     942.69        .01        .02        .00     939.26
          140.         0.        138.         2.         0.        195.         9.        14.         3.     939.10
           1.10      0.00        .71        .17       .080       .040       .080       .040    936.83    2211.00
      .000047        400.       400.       400.          0          0          0       0.00     40.72    2251.72

 *SECNO 141.900
  2800 NAT Q1=      145.32  WSEL=      942.68  ENC Q1=      150.03  WSEL=      942.78  RATIO=  -.0324
  NAT Q1=      150.  RATIOS LOB,CH,ROB=   0.0000   1.0000   0.0000  WSEL=      942.78

 3470 ENCROACHMENT STATIONS=      977.0     1012.0  TYPE=      4  TARGET=         0.000
       141.90       4.68     942.68       0.00     942.68     942.70        .01        .01        .00     944.95
          140.         0.        140.         0.         0.        164.         0.        14.         3.     944.95
           1.13      0.00        .85       0.00       .080       .040       .080       .040    938.00    977.00
      .000092          99.        99.        99.          0          0          0       0.00     35.00    1012.00

 CCHV=      .300 CEHV=      .500

 SPECIAL BRIDGE

 5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED
 SB   XK          XKOR       COFQ       RDLEN      BWC        BWP        BAREA      SS         ELCHU      ELCHD
        0.00        1.70       3.00       0.00      35.00       0.00     157.50       0.00     938.00     938.00

 *SECNO 142.000
      3700.   BRIDGE STENCL=     977.00   STENCR=    1012.00
  2800 NAT Q1=      145.99  WSEL=      942.69  ENC Q1=      150.49  WSEL=      942.79  RATIO=  -.0308
  NAT Q1=      150.  RATIOS LOB,CH,ROB=   0.0000   1.0000   0.0000  WSEL=      942.79
```

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
G	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
942.71	942.70	0.00	0.	140.	158.	157.	942.48	944.45

3470 ENCROACHMENT STATIONS= 977.0 1012.0 TYPE= 4 TARGET= 0.000

142.00	4.69	942.69	0.00	942.69	942.71	.01	.01	0.00	944.95
140.	0.	140.	0.	0.	164.	0.	14.	3.	944.95
1.15	0.00	.85	0.00	.080	.040	.080	.040	938.00	977.00
.000092	43.	43.	43.	2	0	0	0.00	35.00	1012.00

*SECNO 142.300
2800 NAT Q1= 618.30 WSEL= 942.70 ENC Q1= 627.77 WSEL= 942.80 RATIO= -.0153
NAT Q1= 636. RATIOS LOB,CH,ROB= .0129 .9867 .0003 WSEL= 942.80
3280 CROSS SECTION 142.30 EXTENDED 1.49 FEET

3470 ENCROACHMENT STATIONS= 2086.0 2168.0 TYPE= 4 TARGET= .013

142.30	8.28	942.71	0.00	942.70	942.71	.00	.00	.00	941.07
140.	0.	140.	0.	0.	504.	0.	15.	3.	942.28
1.29	0.00	.28	0.00	.080	.040	.080	.040	934.43	2086.00
.000005	140.	140.	140.	0	0	0	0.00	82.00	2168.00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MILL RACE
SUMMARY PRINTOUT

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
	119.200	937.25	1974.79	1984.00	2035.00	2029.50	54.72	0.00
	119.200	937.25	1974.79	1984.00	2035.00	2029.50	54.72	0.00
	119.250	937.20	2000.00	2000.00	2016.00	2016.00	16.00	60.00
	119.250	937.20	2000.00	2000.00	2016.00	2016.00	16.00	60.00
*	119.300	941.49	2000.00	2000.00	2016.00	2016.00	16.00	1.00
*	119.300	941.49	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.400	942.17	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.400	942.17	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.500	942.58	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.500	942.58	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.600	942.59	1950.00	2000.00	2016.00	2054.00	104.00	44.00
	119.600	942.59	1950.00	2000.00	2016.00	2054.00	104.00	44.00
	119.900	942.61	2564.81	2577.00	2612.00	2642.00	77.19	230.00
	119.900	942.61	2571.52	2577.00	2612.00	2625.45	53.93	230.00
	120.000	942.61	2577.00	2577.00	2612.00	2641.91	51.59	8.00
	120.000	942.61	2577.00	2577.00	2612.00	2612.00	35.00	8.00
	120.100	942.62	2577.00	2577.00	2612.00	2612.00	35.00	44.00
	120.100	942.62	2577.00	2577.00	2612.00	2612.00	35.00	44.00
	120.200	942.62	2577.00	2577.00	2612.00	2612.00	35.00	8.00
	120.200	942.62	2577.00	2577.00	2612.00	2612.00	35.00	8.00
	121.000	942.62	2587.77	2588.00	2626.00	2636.63	48.85	66.00
	121.000	942.62	2588.00	2588.00	2626.00	2626.00	38.00	66.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
140.000	942.64	2289.00	2302.00	2340.00	2437.79	148.79	680.00
140.000	942.64	2302.00	2302.00	2340.00	2377.02	75.02	680.00
141.000	942.66	2044.00	2044.00	2092.00	2091.39	47.39	850.00
141.000	942.67	2044.00	2044.00	2092.00	2091.39	47.39	850.00
141.800	942.68	2204.68	2211.00	2249.00	2265.00	60.32	400.00
141.800	942.68	2211.00	2211.00	2249.00	2251.72	40.72	400.00
141.900	942.68	977.00	977.00	1012.00	1012.00	35.00	99.00
141.900	942.68	977.00	977.00	1012.00	1012.00	35.00	99.00
142.000	942.69	977.00	977.00	1012.00	1012.00	35.00	43.00
142.000	942.69	977.00	977.00	1012.00	1012.00	35.00	43.00
142.300	942.70	2066.00	2086.00	2168.00	2176.72	110.72	140.00
142.300	942.71	2086.00	2086.00	2168.00	2168.00	82.00	140.00

MILL RACE

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	119.200	0.00	0.00	0.00	931.36	140.00	937.25	0.00	937.26	.71	.76	186.18	166.17
	119.200	0.00	0.00	0.00	931.36	140.00	937.25	0.00	937.26	.71	.76	186.18	166.17
	119.250	60.00	0.00	0.00	934.04	140.00	937.20	0.00	937.34	22.11	2.97	47.12	29.77
	119.250	60.00	0.00	0.00	934.04	140.00	937.20	0.00	937.34	22.11	2.97	47.12	29.77
*	119.300	1.00	938.74	0.00	934.19	140.00	941.49	941.49	942.27	385.78	7.07	19.79	7.13
*	119.300	1.00	938.74	0.00	934.19	140.00	941.49	941.49	942.27	385.78	7.07	19.79	7.13
	119.400	6.00	938.74	0.00	934.19	140.00	942.17	0.00	942.50	95.28	4.62	30.27	14.34
	119.400	6.00	938.74	0.00	934.19	140.00	942.17	0.00	942.50	95.28	4.62	30.27	14.34
	119.500	1.00	0.00	0.00	934.19	140.00	942.58	0.00	942.60	1.59	1.13	123.38	110.87
	119.500	1.00	0.00	0.00	934.19	140.00	942.58	0.00	942.60	1.59	1.13	123.38	110.87
	119.600	44.00	0.00	0.00	934.19	140.00	942.59	0.00	942.61	1.29	1.05	184.63	123.29
	119.600	44.00	0.00	0.00	934.19	140.00	942.59	0.00	942.61	1.29	1.05	184.63	123.29
	119.900	230.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.13	.49	364.70	390.86
	119.900	230.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.13	.51	337.40	381.54
	120.000	8.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.25	.56	255.88	282.10
	120.000	8.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.25	.56	251.13	281.70
	120.100	44.00	943.60	941.20	935.08	140.00	942.62	0.00	942.62	.25	.56	251.55	282.39
	120.100	44.00	943.60	941.20	935.08	140.00	942.62	0.00	942.62	.25	.56	251.38	282.12
	120.200	8.00	0.00	0.00	935.08	140.00	942.62	0.00	942.62	.25	.56	251.39	282.12
	120.200	8.00	0.00	0.00	935.08	140.00	942.62	0.00	942.62	.25	.56	251.39	282.13
	121.000	66.00	0.00	0.00	935.69	140.00	942.62	0.00	942.62	.30	.58	244.34	255.76
	121.000	66.00	0.00	0.00	935.69	140.00	942.62	0.00	942.62	.30	.58	241.27	253.54
	140.000	680.00	0.00	0.00	935.31	140.00	942.64	0.00	942.64	.24	.57	342.36	287.43
	140.000	680.00	0.00	0.00	935.31	140.00	942.64	0.00	942.64	.28	.59	288.67	263.19
	141.000	850.00	0.00	0.00	936.61	140.00	942.66	0.00	942.67	.35	.60	232.18	236.11
	141.000	850.00	0.00	0.00	936.61	140.00	942.67	0.00	942.67	.36	.60	232.41	231.87
	141.800	400.00	0.00	0.00	936.83	140.00	942.68	0.00	942.68	.39	.69	233.89	224.04
	141.800	400.00	0.00	0.00	936.83	140.00	942.68	0.00	942.69	.47	.71	204.27	204.78
	141.900	99.00	0.00	0.00	938.00	140.00	942.68	0.00	942.69	.93	.85	163.75	145.32
	141.900	99.00	0.00	0.00	938.00	140.00	942.68	0.00	942.70	.92	.85	164.06	145.73
	142.000	43.00	944.45	942.48	938.00	140.00	942.69	0.00	942.70	.92	.85	164.25	145.99
	142.000	43.00	944.45	942.48	938.00	140.00	942.69	0.00	942.71	.92	.85	164.30	146.06

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
142.300	140.00	0.00	0.00	934.43	140.00	942.70	0.00	942.70	.05	.27	536.56	618.30
142.300	140.00	0.00	0.00	934.43	140.00	942.71	0.00	942.71	.05	.28	503.59	601.29

MILL RACE

SUMMARY PRINTOUT TABLE 150

	SECNO	C	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	119.200	140.00	937.25	0.00	0.00	0.00	54.72	0.00
	119.200	140.00	937.25	0.00	0.00	0.00	54.72	0.00
	119.250	140.00	937.20	0.00	-.05	0.00	16.00	60.00
	119.250	140.00	937.20	0.00	-.05	0.00	16.00	60.00
*	119.300	140.00	941.49	0.00	4.29	0.00	16.00	1.00
*	119.300	140.00	941.49	0.00	4.29	0.00	16.00	1.00
	119.400	140.00	942.17	0.00	.68	0.00	16.00	6.00
	119.400	140.00	942.17	0.00	.68	0.00	16.00	6.00
	119.500	140.00	942.58	0.00	.41	0.00	16.00	1.00
	119.500	140.00	942.58	0.00	.41	0.00	16.00	1.00
	119.600	140.00	942.59	0.00	.01	0.00	104.00	44.00
	119.600	140.00	942.59	0.00	.01	0.00	104.00	44.00
	119.900	140.00	942.61	0.00	.02	0.00	77.19	230.00
	119.900	140.00	942.61	-.00	.02	-.00	53.93	230.00
	120.000	140.00	942.61	0.00	-.00	0.00	51.59	8.00
	120.000	140.00	942.61	.00	-.00	.00	35.00	8.00
	120.100	140.00	942.62	0.00	.01	0.00	35.00	44.00
	120.100	140.00	942.62	.00	.01	.00	35.00	44.00
	120.200	140.00	942.62	0.00	.00	0.00	35.00	8.00
	120.200	140.00	942.62	.00	.00	.00	35.00	8.00
	121.000	140.00	942.62	0.00	.00	0.00	48.85	66.00
	121.000	140.00	942.62	.00	.00	.00	38.00	66.00
	140.000	140.00	942.64	0.00	.02	0.00	148.79	680.00
	140.000	140.00	942.64	.00	.02	.00	75.02	680.00
	141.000	140.00	942.66	0.00	.02	0.00	47.39	850.00
	141.000	140.00	942.67	.00	.03	.00	47.39	850.00
	141.800	140.00	942.68	0.00	.01	0.00	60.32	400.00
	141.800	140.00	942.68	.01	.01	.01	40.72	400.00
	141.900	140.00	942.68	0.00	.00	0.00	35.00	99.00
	141.900	140.00	942.68	.01	.00	.01	35.00	99.00
	142.000	140.00	942.69	0.00	.01	0.00	35.00	43.00
	142.000	140.00	942.69	.01	.01	.01	35.00	43.00

SECNO	C	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
142.300	140.00	942.70	0.00	.02	0.00	110.72	140.00
142.300	140.00	942.71	.01	.02	.01	82.00	140.00

SUMMARY OF ERRORS

```
CAUTION  SECNO=  119.300  PROFILE= 1  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 1  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=  119.300  PROFILE= 2  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 2  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 2  20 TRIALS ATTEMPTED TO BALANCE WSEL
```

FLOODWAY DATA, MILL RACE
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
119.200	55.	186.	.8	937.3	937.3	0.0
119.250	16.	47.	3.0	937.2	937.2	0.0
119.300	16.	20.	7.1	941.5	941.5	0.0
119.400	16.	30.	4.6	942.2	942.2	0.0
119.500	16.	123.	1.1	942.6	942.6	0.0
119.600	104.	185.	.8	942.6	942.6	0.0
119.900	54.	337.	.4	942.6	942.6	0.0
120.000	35.	251.	.6	942.6	942.6	0.0
120.100	35.	251.	.6	942.6	942.6	0.0
120.200	35.	251.	.6	942.6	942.6	0.0
121.000	38.	241.	.6	942.6	942.6	0.0
140.000	75.	289.	.5	942.6	942.6	0.0
141.000	47.	232.	.6	942.7	942.7	0.0
141.800	41.	204.	.7	942.7	942.7	0.0
141.900	35.	164.	.9	942.7	942.7	0.0
142.000	35.	164.	.9	942.7	942.7	0.0
142.300	82.	504.	.3	942.7	942.7	0.0



1) COUNTY: Calhoun

2) STUDY NAME: Albion City & Township

3) WATERCOURSE: Mill Race

4) DOCUMENT TYPE: Summary



****
HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
ERROR CORR - 01,02,03,04
MODIFICATION - 50,51,52,53,54
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MILL RACE

SUMMARY PRINTOUT

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
	119.200	935.77	1984.00	1984.00	2035.00	2026.21	42.21	0.00
	119.200	937.04	1979.29	1984.00	2035.00	2029.03	49.75	0.00
	119.200	937.54	1968.57	1984.00	2035.00	2030.15	61.58	0.00
	119.200	938.17	1955.07	1984.00	2035.00	2031.55	76.48	0.00
	119.250	935.75	2000.00	2000.00	2016.00	2016.00	16.00	60.00
	119.250	937.00	2000.00	2000.00	2016.00	2016.00	16.00	60.00
	119.250	937.50	2000.00	2000.00	2016.00	2016.00	16.00	60.00
	119.250	938.09	2000.00	2000.00	2016.00	2016.00	16.00	60.00
*	119.300	940.40	2000.00	2000.00	2016.00	2016.00	16.00	1.00
*	119.300	941.36	2000.00	2000.00	2016.00	2016.00	16.00	1.00
*	119.300	941.49	2000.00	2000.00	2016.00	2016.00	16.00	1.00
*	119.300	942.12	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.400	940.91	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.400	941.96	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.400	942.17	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.400	942.79	2000.00	2000.00	2016.00	2016.00	16.00	6.00
	119.500	941.12	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.500	942.34	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.500	942.58	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.500	943.39	2000.00	2000.00	2016.00	2016.00	16.00	1.00
	119.600	941.12	2000.00	2000.00	2016.00	2016.00	16.00	44.00
	119.600	942.35	1950.00	2000.00	2016.00	2054.00	104.00	44.00
	119.600	942.59	1950.00	2000.00	2016.00	2054.00	104.00	44.00
	119.600	943.43	1950.00	2000.00	2016.00	2054.00	104.00	44.00
	119.900	941.12	2567.56	2577.00	2612.00	2629.52	61.97	230.00
	119.900	942.37	2565.25	2577.00	2612.00	2638.29	73.04	230.00
	119.900	942.61	2564.81	2577.00	2612.00	2642.00	77.19	230.00
	119.900	943.46	2563.26	2577.00	2612.00	2655.16	91.90	230.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
120.000	941.12	2577.00	2577.00	2612.00	2612.00	35.00	8.00
120.000	942.37	2577.00	2577.00	2612.00	2612.00	35.00	8.00
120.000	942.61	2577.00	2577.00	2612.00	2641.91	51.59	8.00
120.000	943.46	2577.00	2577.00	2612.00	2655.18	76.29	8.00
120.100	941.12	2577.00	2577.00	2612.00	2612.00	35.00	44.00
120.100	942.37	2577.00	2577.00	2612.00	2612.00	35.00	44.00
120.100	942.62	2577.00	2577.00	2612.00	2612.00	35.00	44.00
120.100	943.48	2577.00	2577.00	2612.00	2612.00	35.00	44.00
120.200	941.12	2577.00	2577.00	2612.00	2612.00	35.00	8.00
120.200	942.37	2577.00	2577.00	2612.00	2612.00	35.00	8.00
120.200	942.62	2577.00	2577.00	2612.00	2612.00	35.00	8.00
120.200	943.48	2577.00	2577.00	2612.00	2612.00	35.00	8.00
121.000	941.12	2588.00	2588.00	2626.00	2626.00	38.00	66.00
121.000	942.38	2588.00	2588.00	2626.00	2632.16	44.16	66.00
121.000	942.62	2587.77	2588.00	2626.00	2636.63	48.85	66.00
121.000	943.48	2565.92	2588.00	2626.00	2652.52	86.60	66.00
140.000	941.12	2298.97	2302.00	2340.00	2369.56	70.58	680.00
140.000	942.39	2289.00	2302.00	2340.00	2425.33	136.33	680.00
140.000	942.64	2289.00	2302.00	2340.00	2437.79	148.79	680.00
140.000	943.52	2289.00	2302.00	2340.00	2482.32	193.32	680.00
141.000	941.13	2044.84	2044.00	2092.00	2089.91	45.07	850.00
141.000	942.41	2044.00	2044.00	2092.00	2091.15	47.15	850.00
141.000	942.66	2044.00	2044.00	2092.00	2091.39	47.39	850.00
141.000	943.55	2044.00	2044.00	2092.00	2102.55	58.55	850.00
141.800	941.13	2207.70	2211.00	2249.00	2258.10	50.40	400.00
141.800	942.42	2205.44	2211.00	2249.00	2263.88	58.44	400.00
141.800	942.68	2204.68	2211.00	2249.00	2265.00	60.32	400.00
141.800	943.57	2157.00	2211.00	2249.00	2269.01	112.01	400.00
141.900	941.14	977.00	977.00	1012.00	1012.00	35.00	99.00
141.900	942.43	977.00	977.00	1012.00	1012.00	35.00	99.00
141.900	942.68	977.00	977.00	1012.00	1012.00	35.00	99.00
141.900	943.57	977.00	977.00	1012.00	1012.00	35.00	99.00
142.000	941.14	977.00	977.00	1012.00	1012.00	35.00	43.00
142.000	942.43	977.00	977.00	1012.00	1012.00	35.00	43.00
142.000	942.69	977.00	977.00	1012.00	1012.00	35.00	43.00
142.000	943.61	977.00	977.00	1012.00	1012.00	35.00	43.00
142.300	941.14	2075.95	2086.00	2168.00	2163.67	87.73	140.00
142.300	942.44	2066.00	2086.00	2168.00	2171.39	105.39	140.00
142.300	942.70	2066.00	2086.00	2168.00	2176.72	110.72	140.00
142.300	943.64	2066.00	2086.00	2168.00	2196.02	130.02	140.00

MILL RACE

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	119.200	0.00	0.00	0.00	931.36	40.00	935.77	0.00	935.77	.22	.34	119.30	86.07
	119.200	0.00	0.00	0.00	931.36	120.00	937.04	0.00	937.05	.61	.69	175.21	153.10
	119.200	0.00	0.00	0.00	931.36	140.00	937.54	0.00	937.55	.57	.71	203.04	185.22
	119.200	0.00	0.00	0.00	931.36	230.00	938.17	0.00	938.19	.99	1.00	246.53	231.04
	119.250	60.00	0.00	0.00	934.04	40.00	935.75	0.00	935.80	13.80	1.66	24.15	10.77
	119.250	60.00	0.00	0.00	934.04	120.00	937.00	0.00	937.11	20.06	2.73	43.89	26.79
	119.250	60.00	0.00	0.00	934.04	140.00	937.50	0.00	937.61	16.62	2.70	51.90	34.34
	119.250	60.00	0.00	0.00	934.04	230.00	938.09	0.00	938.30	27.61	3.75	61.32	43.77
*	119.300	1.00	938.74	0.00	934.19	40.00	940.40	940.40	940.86	445.89	5.45	7.35	1.89
*	119.300	1.00	938.74	0.00	934.19	120.00	941.36	941.36	942.05	367.82	6.69	17.95	6.26
*	119.300	1.00	938.74	0.00	934.19	140.00	941.49	941.49	942.27	385.78	7.07	19.79	7.13
*	119.300	1.00	938.74	0.00	934.19	230.00	942.12	942.12	943.06	280.74	7.82	29.43	13.73
	119.400	6.00	938.74	0.00	934.19	40.00	940.91	0.00	941.07	110.14	3.23	12.38	3.81
	119.400	6.00	938.74	0.00	934.19	120.00	941.96	0.00	942.27	100.09	4.45	26.98	11.99
	119.400	6.00	938.74	0.00	934.19	140.00	942.17	0.00	942.50	95.28	4.62	30.27	14.34
	119.400	6.00	938.74	0.00	934.19	230.00	942.79	0.00	943.29	108.12	5.73	40.17	22.12
	119.500	1.00	0.00	0.00	934.19	40.00	941.12	0.00	941.12	.23	.40	99.98	83.11
	119.500	1.00	0.00	0.00	934.19	120.00	942.34	0.00	942.36	1.27	1.00	119.63	106.33
	119.500	1.00	0.00	0.00	934.19	140.00	942.58	0.00	942.60	1.59	1.13	123.38	110.87
	119.500	1.00	0.00	0.00	934.19	230.00	943.39	0.00	943.44	3.29	1.69	136.40	126.89
	119.600	44.00	0.00	0.00	934.19	40.00	941.12	0.00	941.12	.23	.40	100.00	83.14
	119.600	44.00	0.00	0.00	934.19	120.00	942.35	0.00	942.36	1.13	.96	159.86	113.06
	119.600	44.00	0.00	0.00	934.19	140.00	942.59	0.00	942.61	1.29	1.05	184.63	123.29
	119.600	44.00	0.00	0.00	934.19	230.00	943.43	0.00	943.45	1.86	1.35	271.97	168.59
	119.900	230.00	0.00	0.00	935.08	40.00	941.12	0.00	941.12	.02	.18	263.84	255.66
	119.900	230.00	0.00	0.00	935.08	120.00	942.37	0.00	942.37	.11	.44	346.86	367.09
	119.900	230.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.13	.49	364.70	390.86
	119.900	230.00	0.00	0.00	935.08	230.00	943.46	0.00	943.47	.23	.71	435.92	482.11
	120.000	8.00	0.00	0.00	935.08	40.00	941.12	0.00	941.12	.04	.20	198.97	199.48
	120.000	8.00	0.00	0.00	935.08	120.00	942.37	0.00	942.37	.20	.49	242.71	267.94
	120.000	8.00	0.00	0.00	935.08	140.00	942.61	0.00	942.61	.25	.56	255.88	282.10
	120.000	8.00	0.00	0.00	935.08	230.00	943.46	0.00	943.47	.47	.81	310.16	335.97
	120.100	44.00	943.60	941.20	935.08	40.00	941.12	0.00	941.12	.05	.20	198.97	174.95
	120.100	44.00	943.60	941.20	935.08	120.00	942.37	0.00	942.38	.20	.49	243.01	268.42
	120.100	44.00	943.60	941.20	935.08	140.00	942.62	0.00	942.62	.25	.56	251.55	282.39
	120.100	44.00	943.60	941.20	935.08	230.00	943.48	0.00	943.49	.48	.82	281.79	333.25

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
120.200	8.00	0.00	0.00	935.08	40.00	941.12	0.00	941.12	.04	.20	198.98	199.48
120.200	8.00	0.00	0.00	935.08	120.00	942.37	0.00	942.38	.20	.49	242.88	268.21
120.200	8.00	0.00	0.00	935.08	140.00	942.62	0.00	942.62	.25	.56	251.39	282.12
120.200	8.00	0.00	0.00	935.08	230.00	943.48	0.00	943.49	.48	.82	281.63	332.96
121.000	66.00	0.00	0.00	935.69	40.00	941.12	0.00	941.12	.06	.22	184.31	168.56
121.000	66.00	0.00	0.00	935.69	120.00	942.38	0.00	942.38	.25	.52	233.05	240.20
121.000	66.00	0.00	0.00	935.69	140.00	942.62	0.00	942.62	.30	.58	244.34	255.76
121.000	66.00	0.00	0.00	935.69	230.00	943.48	0.00	943.50	.52	.83	302.96	320.06
140.000	680.00	0.00	0.00	935.31	40.00	941.12	0.00	941.13	.06	.24	179.04	158.62
140.000	680.00	0.00	0.00	935.31	120.00	942.39	0.00	942.40	.21	.53	307.20	261.73
140.000	680.00	0.00	0.00	935.31	140.00	942.64	0.00	942.64	.24	.57	342.36	287.43
140.000	680.00	0.00	0.00	935.31	230.00	943.52	0.00	943.52	.34	.75	493.09	395.94
141.000	850.00	0.00	0.00	936.61	40.00	941.13	0.00	941.13	.09	.25	161.07	135.54
141.000	850.00	0.00	0.00	936.61	120.00	942.41	0.00	942.42	.30	.54	220.38	218.15
141.000	850.00	0.00	0.00	936.61	140.00	942.66	0.00	942.67	.35	.60	232.18	236.11
141.000	850.00	0.00	0.00	936.61	230.00	943.55	0.00	943.56	.57	.84	276.18	305.71
141.800	400.00	0.00	0.00	936.83	40.00	941.13	0.00	941.14	.11	.29	148.90	120.26
141.800	400.00	0.00	0.00	936.83	120.00	942.42	0.00	942.43	.34	.62	219.05	205.11
141.800	400.00	0.00	0.00	936.83	140.00	942.68	0.00	942.68	.39	.69	233.89	224.04
141.800	400.00	0.00	0.00	936.83	230.00	943.57	0.00	943.58	.58	.93	321.93	303.18
141.900	99.00	0.00	0.00	938.00	40.00	941.14	0.00	941.14	.26	.36	109.73	78.24
141.900	99.00	0.00	0.00	938.00	120.00	942.43	0.00	942.44	.81	.77	154.96	133.55
141.900	99.00	0.00	0.00	938.00	140.00	942.68	0.00	942.69	.93	.85	163.75	145.32
141.900	99.00	0.00	0.00	938.00	230.00	943.57	0.00	943.60	1.47	1.18	195.21	189.67
142.000	43.00	944.45	942.48	938.00	40.00	941.14	0.00	941.14	.32	.36	109.73	71.20
142.000	43.00	944.45	942.48	938.00	120.00	942.43	0.00	942.44	1.03	.77	154.93	118.11
142.000	43.00	944.45	942.48	938.00	140.00	942.69	0.00	942.70	.92	.85	164.25	145.99
142.000	43.00	944.45	942.48	938.00	230.00	943.61	0.00	943.63	1.45	1.17	196.31	191.29
142.300	140.00	0.00	0.00	934.43	40.00	941.14	0.00	941.14	.01	.11	378.44	392.72
142.300	140.00	0.00	0.00	934.43	120.00	942.44	0.00	942.44	.04	.25	508.82	574.35
142.300	140.00	0.00	0.00	934.43	140.00	942.70	0.00	942.70	.05	.27	536.56	618.30
142.300	140.00	0.00	0.00	934.43	230.00	943.64	0.00	943.64	.08	.39	648.40	790.87

MILL RACE

SUMMARY PRINTOUT TABLE 150

	SECNO	G	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	119.200	40.00	935.77	0.00	0.00	0.00	42.21	0.00
	119.200	120.00	937.04	1.27	0.00	0.00	49.75	0.00
	119.200	140.00	937.54	.50	0.00	0.00	61.58	0.00
	119.200	230.00	938.17	.63	0.00	0.00	76.48	0.00
	119.250	40.00	935.75	0.00	-.02	0.00	16.00	60.00
	119.250	120.00	937.00	1.24	-.04	0.00	16.00	60.00
	119.250	140.00	937.50	.50	-.04	0.00	16.00	60.00
	119.250	230.00	938.09	.59	-.08	0.00	16.00	60.00
*	119.300	40.00	940.40	0.00	4.65	0.00	16.00	1.00
*	119.300	120.00	941.36	.96	4.36	0.00	16.00	1.00
*	119.300	140.00	941.49	.13	3.99	0.00	16.00	1.00
*	119.300	230.00	942.12	.62	4.03	0.00	16.00	1.00
	119.400	40.00	940.91	0.00	.51	0.00	16.00	6.00
	119.400	120.00	941.96	1.06	.61	0.00	16.00	6.00
	119.400	140.00	942.17	.21	.68	0.00	16.00	6.00
	119.400	230.00	942.79	.61	.67	0.00	16.00	6.00
	119.500	40.00	941.12	0.00	.21	0.00	16.00	1.00
	119.500	120.00	942.34	1.23	.38	0.00	16.00	1.00
	119.500	140.00	942.58	.23	.41	0.00	16.00	1.00
	119.500	230.00	943.39	.81	.61	0.00	16.00	1.00
	119.600	40.00	941.12	0.00	.00	0.00	16.00	44.00
	119.600	120.00	942.35	1.23	.01	0.00	104.00	44.00
	119.600	140.00	942.59	.24	.01	0.00	104.00	44.00
	119.600	230.00	943.43	.84	.04	0.00	104.00	44.00
	119.900	40.00	941.12	0.00	.00	0.00	61.97	230.00
	119.900	120.00	942.37	1.25	.02	0.00	73.04	230.00
	119.900	140.00	942.61	.24	.02	0.00	77.19	230.00
	119.900	230.00	943.46	.85	.03	0.00	91.90	230.00
	120.000	40.00	941.12	0.00	-.00	0.00	35.00	8.00
	120.000	120.00	942.37	1.25	-.00	0.00	35.00	8.00
	120.000	140.00	942.61	.24	-.00	0.00	51.59	8.00
	120.000	230.00	943.46	.85	-.00	0.00	76.29	8.00
	120.100	40.00	941.12	0.00	.00	0.00	35.00	44.00
	120.100	120.00	942.37	1.25	.01	0.00	35.00	44.00
	120.100	140.00	942.62	.24	.01	0.00	35.00	44.00
	120.100	230.00	943.48	.86	.02	0.00	35.00	44.00

SECNO	G	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
120.200	40.00	941.12	0.00	.00	0.00	35.00	8.00
120.200	120.00	942.37	1.25	.00	0.00	35.00	8.00
120.200	140.00	942.62	.24	.00	0.00	35.00	8.00
120.200	230.00	943.48	.86	.00	0.00	35.00	8.00
121.000	40.00	941.12	0.00	.00	0.00	38.00	66.00
121.000	120.00	942.38	1.26	.00	0.00	44.16	66.00
121.000	140.00	942.62	.24	.00	0.00	48.85	66.00
121.000	230.00	943.48	.87	.00	0.00	86.60	66.00
140.000	40.00	941.12	0.00	.00	0.00	70.58	680.00
140.000	120.00	942.39	1.27	.02	0.00	136.33	680.00
140.000	140.00	942.64	.25	.02	0.00	148.79	680.00
140.000	230.00	943.52	.88	.03	0.00	193.32	680.00
141.000	40.00	941.13	0.00	.01	0.00	45.07	850.00
141.000	120.00	942.41	1.28	.02	0.00	47.15	850.00
141.000	140.00	942.66	.25	.02	0.00	47.39	850.00
141.000	230.00	943.55	.89	.03	0.00	58.55	850.00
141.800	40.00	941.13	0.00	.00	0.00	50.40	400.00
141.800	120.00	942.42	1.29	.01	0.00	58.44	400.00
141.800	140.00	942.68	.25	.01	0.00	60.32	400.00
141.800	230.00	943.57	.90	.02	0.00	112.01	400.00
141.900	40.00	941.14	0.00	.00	0.00	35.00	99.00
141.900	120.00	942.43	1.29	.00	0.00	35.00	99.00
141.900	140.00	942.68	.25	.00	0.00	35.00	99.00
141.900	230.00	943.57	.90	.00	0.00	35.00	99.00
142.000	40.00	941.14	0.00	.00	0.00	35.00	43.00
142.000	120.00	942.43	1.29	.00	0.00	35.00	43.00
142.000	140.00	942.69	.26	.01	0.00	35.00	43.00
142.000	230.00	943.61	.92	.03	0.00	35.00	43.00
142.300	40.00	941.14	0.00	.00	0.00	87.73	140.00
142.300	120.00	942.44	1.30	.01	0.00	105.39	140.00
142.300	140.00	942.70	.26	.02	0.00	110.72	140.00
142.300	230.00	943.64	.93	.03	0.00	130.02	140.00

SUMMARY OF ERRORS

```
CAUTION  SECNO=  119.300  PROFILE= 1  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 1  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=  119.300  PROFILE= 2  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 2  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 2  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=  119.300  PROFILE= 3  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 3  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 3  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=  119.300  PROFILE= 4  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=  119.300  PROFILE= 4  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=  119.300  PROFILE= 4  20 TRIALS ATTEMPTED TO BALANCE WSEL
```

FLOOD INSURANCE ZONE DATA FOR MILL RACE

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
119.200	0.	-1.77	-.50	.63
119.250	60.	-1.74	-.50	.59
119.300	61.	-1.09	-.13	.62
119.400	67.	-1.26	-.21	.61
119.500	68.	-1.46	-.23	.81
119.600	112.	-1.47	-.24	.84
119.900	342.	-1.49	-.24	.85
120.000	350.	-1.49	-.24	.85
120.100	394.	-1.50	-.24	.86
120.200	402.	-1.50	-.24	.86
121.000	468.	-1.50	-.24	.87
140.000	1148.	-1.51	-.25	.88
141.000	1998.	-1.53	-.25	.89
141.800	2398.	-1.54	-.25	.90
141.900	2497.	-1.54	-.25	.90
142.000	2540.	-1.55	-.26	.92
142.300	2680.	-1.56	-.26	.93
WEIGHTED AVG FOR REACH		-1.52	-.25	.87

FHF FOR THE REACH = 015 WITH 100.0 PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
```

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Unnamed Creek

4) DOCUMENT TYPE: 100-year

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************

C
T1      FIS ALBION TWP, CALHOUN CO, MICHIGAN
T2      100-YEAR FLOOD
T3      UNNAMED CREEK

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.       4.        0.        0.   .001500      0.00      0.0       0.   943.000     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    1.000      0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
   38.000      1.000    53.000    21.000    22.000    54.000     4.000    39.000   150.000   200.000

NC      .100      .100      .050      .100      .300    0.000     0.000     0.000     0.000     0.000
QT     5.000   44.000    88.000   104.000   142.000   104.000     0.000     0.000     0.000     0.000

X1   341.000    17.000  2000.000  2005.000     0.000     0.000     0.000     0.000    -1.000     0.000
GR   949.600  1904.000   949.600  1904.000   949.600  1904.000   948.900  1928.000   948.000  1972.000
GR   948.000  1982.000   947.600  1989.000   946.100  1991.000   944.500  1997.000   943.000  2000.000
GR   942.300  2003.000   942.600  2005.000   944.600  2010.000   946.700  2015.000   947.300  2020.000
GR   949.500  2056.000   951.400  2128.000     0.000     0.000     0.000     0.000     0.000     0.000

X1   341.800     0.000     0.000     0.000   620.000   620.000   620.000     0.000     1.000     0.000

X1   341.900     0.000     0.000     0.000    50.000    50.000    50.000     0.000     0.000     0.000
NC     0.000     0.000     0.000      .300      .500     0.000     0.000     0.000     0.000     0.000
SB     0.000     2.320     2.800     0.000     3.200     0.000    12.600     0.000     0.000     0.000

X1   342.000     0.000     0.000     0.000    37.000    37.000    37.000     0.000     0.000     0.000
X2     0.000     0.000     1.000   945.600   948.000     0.000     0.000     0.000     0.000     0.000
BT     7.000  1904.000   949.600     0.000  1928.000   948.900     0.000  1972.000   948.000     0.000
BT  2000.000   948.000     0.000  2008.000   948.100     0.000  2056.000   949.500     0.000  2128.000
BT   951.400     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

MOORE BUSINESS FORMS, INC. 23

X1	342.100	0.000	0.000	0.000	50.000	50.000	50.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

UNNAMED CREEK SECTION A

X1	343.000	10.000	1414.000	1436.000	120.000	120.000	120.000	0.000	0.000	0.000
GR	960.100	804.000	955.300	870.000	950.400	1104.000	949.400	1194.000	947.900	1414.000
GR	943.100	1420.000	943.100	1425.000	946.700	1436.000	951.700	1588.000	953.900	1818.000
X1	343.800	11.000	2000.000	2048.000	2750.000	2750.000	2750.000	0.000	0.000	0.000
GR	953.200	1679.000	950.400	1679.000	949.800	1757.000	949.700	1875.000	949.200	2000.000
GR	947.800	2033.000	947.300	2035.000	947.700	2040.000	950.900	2048.000	951.800	2151.000
GR	953.200	2384.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	29.000	59.000	70.000	95.000	70.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	343.900	14.000	2000.000	2003.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	953.200	1679.000	950.400	1679.000	949.800	1757.000	949.700	1875.000	949.200	2000.000
GR	947.500	2000.000	946.800	2000.500	946.500	2001.500	946.800	2002.500	947.500	2003.000
GR	949.200	2003.000	950.900	2048.000	951.800	2151.000	953.200	2384.000	0.000	0.000
SB	0.000	3.400	3.000	0.000	2.460	0.000	7.070	0.000	0.000	0.000

UNNAMED CREEK SECTION B

X1	344.000	0.000	0.000	0.000	69.000	69.000	69.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	949.500	953.400	0.000	0.000	0.000	0.000	0.000
BT	15.000	1017.000	956.700	0.000	1246.000	955.800	0.000	1489.000	954.300	0.000
BT	1633.000	953.600	0.000	2000.000	953.400	0.000	2000.000	953.400	948.500	2000.500
BT	953.400	949.200	2001.500	953.400	949.500	2002.500	953.400	949.200	2003.000	953.400
BT	948.500	2003.000	953.400	0.000	2220.000	953.400	0.000	2443.000	954.700	0.000
BT	2751.000	963.900	0.000	2862.000	968.700	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1850.000	2050.000
X1	344.200	11.000	2000.000	2048.000	50.000	50.000	50.000	0.000	.500	0.000
GR	953.200	1679.000	950.400	1679.000	949.800	1757.000	949.700	1875.000	949.200	2000.000
GR	947.800	2033.000	947.300	2035.000	947.700	2040.000	950.900	2048.000	951.800	2151.000
GR	953.200	2384.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1944.000	2044.000
X1	344.300	0.000	0.000	0.000	1000.000	1000.000	1000.000	0.000	3.500	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	357.000	457.000

MOORE BUSINESS FORMS, INC. 23

X1	345.000	6.000	410.000	415.000	750.000	750.000	750.000	0.000	0.000	0.000
GR	960.000	0.000	955.000	410.000	954.000	410.000	954.000	415.000	955.000	415.000
GR	960.000	780.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	8.000	19.000	23.000	32.000	23.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	420.000	560.000
X1	346.000	6.000	480.000	485.000	830.000	830.000	830.000	0.000	0.000	0.000
GR	960.000	0.000	957.000	480.000	956.000	480.000	956.000	485.000	957.000	485.000
GR	960.000	1100.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*PROF 1									
CCHV= .100 CEHV= .300									
*SECNO 341.000									
341.00	4.52	945.82	0.00	943.00	945.92	.09	0.00	0.00	942.00
104.	17.	64.	23.	19.	21.	22.	0.	0.	941.60
0.00	.93	2.99	1.04	.100	.050	.100	0.000	941.30	1990.03
.001512	0.	0.	0.	0	0	5	0.00	26.00	2016.04
*SECNO 341.800									
341.80	4.48	946.78	0.00	0.00	946.88	.09	.96	.00	943.00
104.	17.	64.	23.	18.	21.	22.	1.	0.	942.60
.08	.94	3.05	1.06	.100	.050	.100	.050	942.30	1990.10
.001591	620.	620.	620.	1	0	0	0.00	25.53	2015.63
*SECNO 341.900									
341.90	4.57	946.87	0.00	0.00	946.95	.09	.08	.00	943.00
104.	18.	63.	23.	19.	21.	22.	1.	0.	942.60
.08	.92	2.95	1.03	.100	.050	.100	.050	942.30	1989.99
.001457	50.	50.	50.	0	0	0	0.00	26.35	2016.34

CCHV= .300 CEHV= .500

SPECIAL BRIDGE

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	2.32	2.80	0.00	3.20	0.00	12.60	0.00	942.30	942.30

Riverside Drive

*SECNO 342.000

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
949.32	946.95	0.00	24.	81.	13.	11.	945.60	948.00

342.00	6.01	948.31	0.00	0.00	948.34	.03	1.39	0.00	943.00
104.	23.	52.	29.	44.	29.	52.	1.	0.	942.60
.09	.52	1.82	.56	.100	.050	.100	.050	942.30	1956.63
.000374	37.	37.	37.	2	0	5	0.00	79.96	2036.60

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV LEFT/RIGHT
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	SSTA
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	ENDST
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	

*SECNO 342.100

342.10	6.03	948.33	0.00	0.00	948.36	.03	.02	.00	943.00
104.	23.	52.	29.	45.	29.	52.	1.	1.	942.60
.10	.51	1.81	.55	.100	.050	.100	.050	942.30	1955.70
.000367	50.	50.	50.	2	0	0	0.00	81.21	2036.91

CCHV= .100 CEHV= .300

*SECNO 343.000

UNNAMED CREEK SECTION A

343.00	5.28	948.38	0.00	0.00	948.40	.02	.04	.00	947.90
104.	2.	93.	10.	17.	82.	43.	2.	1.	946.70
.14	.10	1.13	.22	.100	.050	.100	.050	943.10	1343.90
.000287	120.	120.	120.	0	0	0	0.00	143.11	1487.01

*SECNO 343.800

343.80	2.53	949.83	0.00	0.00	949.86	.02	1.46	.00	949.20
104.	14.	90.	0.	58.	66.	0.	10.	15.	950.90
.77	.25	1.36	0.00	.100	.050	.100	.050	947.30	1752.65
.001286	2750.	2750.	2750.	3	0	0	0.00	292.69	2045.33

CCHV= .300 CEHV= .500

*SECNO 343.900

343.90	3.43	949.93	0.00	0.00	949.96	.03	.10	.00	949.20
70.	44.	22.	4.	82.	9.	7.	10.	15.	949.20
.78	.54	2.40	.51	.100	.050	.100	.050	946.50	1740.18
.004608	50.	50.	50.	2	0	0	0.00	282.12	2022.31

SPECIAL BRIDGE

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	3.40	3.00	0.00	2.46	0.00	7.07	0.00	946.50	946.50

*SECNO 344.000

3280 CROSS SECTION 344.00 EXTENDED .26 FEET

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
955.10	949.96	0.00	13.	58.	7.	7.	949.50	953.40

29½ Mile Road

UNNAMED CREEK SECTION B

344.00	6.96	953.46	0.00	0.00	953.46	.00	3.50	0.00	949.20
70.	52.	1.	17.	1202.	20.	596.	12.	16.	949.20
1.26	.04	.07	.03	.100	.050	.100	.050	946.50	1679.00
.000001	69.	69.	69.	0	0	8	0.00	705.00	2384.00
*SECNO 344.200									
344.20	5.66	953.46	0.00	0.00	953.46	.00	.00	.00	949.70
70.	43.	22.	6.	1042.	215.	279.	13.	16.	951.40
1.50	.04	.10	.02	.100	.050	.100	.050	947.80	1679.00
.000002	50.	50.	50.	2	0	0	0.00	665.56	2344.56
CCHV= .100 CEHV= .300									
*SECNO 344.300									
344.30	2.15	953.45	0.00	0.00	953.48	.03	.01	.01	953.20
70.	1.	69.	0.	8.	49.	0.	32.	25.	954.90
1.70	.17	1.40	0.00	.100	.050	.100	.050	951.30	1935.86
.001970	1000.	1000.	1000.	1	0	0	0.00	108.53	2044.39
*SECNO 345.000									
345.00	1.89	955.89	955.65	0.00	955.95	.06	2.46	.01	955.00
70.	22.	28.	20.	32.	9.	29.	33.	28.	955.00
1.83	.70	2.93	.70	.100	.050	.100	.050	954.00	337.40
.006533	750.	750.	750.	15	14	0	0.00	142.24	479.63
*SECNO 346.000									
346.00	1.77	957.77	0.00	0.00	957.77	.00	1.81	.01	957.00
23.	7.	6.	9.	46.	9.	59.	35.	32.	957.00
2.58	.16	.71	.16	.100	.050	.100	.050	956.00	358.55
.000419	830.	830.	830.	4	0	0	0.00	282.06	640.61

U/S Limits

MOORE BUSINESS FORMS, INC. 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Unnamed Creek

4) DOCUMENT TYPE: Floodway

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1      FIS ALBION TWP, CALHOUN CO, MICHIGAN
T2      100-YEAR FLOOD   ENCROACHED FLOODWAY
T3      UNNAMED CREEK

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       6.        0.        0.  0.000000      0.00      0.0       0.    945.920     0.000
J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*PROF 2									
CCHV= .100 CEHV= .300									
*SECNO 341.000									
341.00	4.62	945.92	0.00	945.92	946.00	.08	0.00	0.00	942.00
104.	18.	63.	23.	20.	22.	23.	0.	0.	941.60
0.00	.91	2.89	1.00	.100	.050	.100	0.000	941.30	1989.91
.001371	0.	0.	0.	0	0	0	0.00	26.93	2016.83
*SECNO 341.800									
341.80	4.51	946.81	0.00	0.00	946.90	.09	.90	.00	943.00
104.	17.	64.	23.	19.	21.	22.	1.	0.	942.60
.08	.93	3.01	1.04	.100	.050	.100	.050	942.30	1990.05
.001531	620.	620.	620.	2	0	0	0.00	25.89	2015.94
*SECNO 341.900									
341.90	4.59	946.89	0.00	0.00	946.98	.09	.07	.00	943.00
104.	18.	63.	23.	19.	22.	23.	1.	0.	942.60
.08	.91	2.93	1.02	.100	.050	.100	.050	942.30	1989.95
.001421	50.	50.	50.	0	0	0	0.00	26.59	2016.54
CCHV= .300 CEHV= .500									
SPECIAL BRIDGE									
5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED									
SB XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
0.00	2.32	2.80	0.00	3.20	0.00	12.60	0.00	942.30	942.30
*SECNO 342.000									
PRESSURE AND WEIR FLOW									
EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD	
949.35	946.98	0.00	24.	80.	13.	11.	945.60	948.00	
342.00	6.02	948.32	0.00	0.00	948.35	.03	1.37	0.00	943.00
104.	23.	52.	29.	44.	29.	52.	1.	0.	942.60
.09	.52	1.82	.56	.100	.050	.100	.050	942.30	1956.39
.000372	37.	37.	37.	2	0	5	0.00	80.28	2036.68

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV LEFT/RIGHT
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 342.100									
342.10	6.04	948.34	0.00	0.00	948.37	.03	.02	.00	943.00
104.	23.	52.	29.	45.	29.	53.	1.	1.	942.60
.10	.51	1.80	.55	.100	.050	.100	.050	942.30	1955.46
.000366	50.	50.	50.	2	0	0	0.00	81.53	2036.99
CCHV= .100 CEHV= .300									
*SECNO 343.000									
2800 NAT Q1= 61.41 WSEL= 948.38 ENC Q1= 61.41 WSEL= 948.48 RATIO= 0.0000									
NAT Q1= 66. RATIOS LOB,CH,ROB= .0248 .8740 .1012 WSEL= 948.48									
3470 ENCROACHMENT STATIONS= 1414.0 1449.8 TYPE= 4 TARGET= .065									
UNNAMED CREEK SECTION A									
343.00	5.29	948.39	0.00	948.38	948.41	.02	.04	.00	947.90
104.	0.	98.	6.	0.	82.	20.	2.	1.	946.70
.13	0.00	1.19	.32	.100	.050	.100	.050	943.10	1414.00
.000324	120.	120.	120.	1	0	0	0.00	35.76	1449.76
*SECNO 343.800									
2800 NAT Q1= 29.00 WSEL= 949.83 ENC Q1= 29.00 WSEL= 949.93 RATIO= 0.0000									
NAT Q1= 34. RATIOS LOB,CH,ROB= .1919 .8081 0.0000 WSEL= 949.93									
3470 ENCROACHMENT STATIONS= 1984.8 2048.0 TYPE= 4 TARGET= .157									
343.80	2.65	949.95	0.00	949.83	949.98	.03	1.57	.00	949.20
104.	4.	100.	0.	11.	71.	0.	7.	4.	950.90
.70	.41	1.40	0.00	.100	.050	.100	.050	947.30	1984.84
.001250	2750.	2750.	2750.	2	0	0	0.00	60.77	2045.62
CCHV= .300 CEHV= .500									
*SECNO 343.900									
2800 NAT Q1= 10.31 WSEL= 949.93 ENC Q1= 10.31 WSEL= 950.03 RATIO= 0.0000									
NAT Q1= 14. RATIOS LOB,CH,ROB= .6955 .2505 .0540 WSEL= 950.03									
3470 ENCROACHMENT STATIONS= 1900.5 2003.0 TYPE= 4 TARGET= .257									
343.90	3.54	950.04	0.00	949.93	950.07	.03	.10	.00	949.20
70.	48.	22.	0.	64.	10.	0.	7.	4.	949.20
.71	.75	2.28	0.00	.100	.050	.100	.050	946.50	1900.54
.004624	50.	50.	50.	0	0	0	0.00	102.46	2003.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

SPECIAL BRIDGE

5070,VARIABLE ELCHU OR ELCHD ON CARD SB NOT SPECIFIED

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	3.40	3.00	0.00	2.46	0.00	7.07	0.00	946.50	946.50

*SECNO 344.000
3700. BRIDGE STENCL= 1900.54 STENCR= 2003.00
2800 NAT Q1= 578.96 WSEL= 953.46 ENC Q1= 578.96 WSEL= 953.56 RATIO= .0000
NAT Q1= 611. RATIOS LOB,CH,ROB= .7348 .0196 .2456 WSEL= 953.56
3280 CROSS SECTION 344.00 EXTENDED .35 FEET

"PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
955.22	950.05	0.00	12.	58.	7.	7.	949.50	953.40

3470 ENCROACHMENT STATIONS= 1900.5 2003.0 TYPE= 4 TARGET= .053
UNNAMED CREEK SECTION B

344.00	7.04	953.54	0.00	953.46	953.54	.00	3.47	0.00	949.20
70.	66.	4.	0.	413.	20.	0.	8.	4.	949.20
.83	.16	.18	0.00	.100	.050	.100	.050	946.50	1900.54
.000018	69.	69.	69.	1	0	6	0.00	102.46	2003.00

*SECNO 344.200
3280 CROSS SECTION 344.20 EXTENDED .34 FEET

3470 ENCROACHMENT STATIONS= 1850.0 2050.0 TYPE= 1 TARGET= 200.000

344.20	5.74	953.54	0.00	953.46	953.54	.00	.00	.00	949.70
70.	35.	34.	0.	533.	219.	4.	8.	4.	951.40
.95	.07	.16	.03	.100	.050	.100	.050	947.80	1850.00
.000004	50.	50.	50.	2	0	0	0.00	200.00	2050.00

CCHV= .100 CEHV= .300
*SECNO 344.300

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	OCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
3470 ENCROACHMENT STATIONS=		1944.0	2044.0	TYPE=	1	TARGET=		100.000	
344.30	2.24	953.54	0.00	953.45	953.57	.02	.01	.01	953.20
70.	3.	67.	0.	13.	53.	0.	18.	8.	100000.00
1.18	.22	1.27	0.00	.100	.050	.100	.050	951.30	1944.00
.001442	1000.	1000.	1000.	1	0	0	0.00	100.00	2044.00
*SECNO 345.000									
3470 ENCROACHMENT STATIONS=		357.0	457.0	TYPE=	1	TARGET=		100.000	
345.00	1.77	955.77	955.65	955.89	955.86	.09	2.28	.02	955.00
70.	21.	31.	19.	24.	9.	20.	19.	9.	955.00
1.28	.87	3.49	.91	.100	.050	.100	.050	954.00	357.00
.010084	750.	750.	750.	18	16	0	0.00	100.00	457.00
*SECNO 346.000									
3470 ENCROACHMENT STATIONS=		420.0	560.0	TYPE=	1	TARGET=		140.000	
346.00	1.81	957.81	0.00	957.77	957.81	.00	1.94	.01	957.00
23.	8.	6.	10.	37.	9.	47.	20.	12.	957.00
2.00	.20	.66	.20	.100	.050	.100	.050	956.00	420.00
.000352	830.	830.	830.	6	0	0	0.00	140.00	560.00

MOORE BUSINESS FORMS, INC 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

UNNAMED CREEK

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
341.000	945.82	1990.03	2000.00	2005.00	2016.04	26.00	0.00
341.000	945.92	1989.91	2000.00	2005.00	2016.83	26.93	0.00
341.800	946.78	1990.10	2000.00	2005.00	2015.63	25.53	620.00
341.800	946.81	1990.05	2000.00	2005.00	2015.94	25.89	620.00
341.900	946.87	1989.99	2000.00	2005.00	2016.34	26.35	50.00
341.900	946.89	1989.95	2000.00	2005.00	2016.54	26.59	50.00
342.000	948.31	1956.63	2000.00	2005.00	2036.60	79.96	37.00
342.000	948.32	1956.39	2000.00	2005.00	2036.68	80.28	37.00
342.100	948.33	1955.70	2000.00	2005.00	2036.91	81.21	50.00
342.100	948.34	1955.46	2000.00	2005.00	2036.99	81.53	50.00
343.000	948.38	1343.90	1414.00	1436.00	1487.01	143.11	120.00
343.000	948.39	1414.00	1414.00	1436.00	1449.76	35.76	120.00
343.800	949.83	1752.65	2000.00	2048.00	2045.33	292.69	2750.00
343.800	949.95	1984.84	2000.00	2048.00	2045.62	60.77	2750.00
343.900	949.93	1740.18	2000.00	2003.00	2022.31	282.12	50.00
343.900	950.04	1900.54	2000.00	2003.00	2003.00	102.46	50.00
344.000	953.46	1679.00	2000.00	2003.00	2384.00	705.00	69.00
344.000	953.54	1900.54	2000.00	2003.00	2003.00	102.46	69.00
344.200	953.46	1679.00	2000.00	2048.00	2344.56	665.56	50.00
344.200	953.54	1850.00	2000.00	2048.00	2050.00	200.00	50.00
344.300	953.45	1935.86	2000.00	2048.00	2044.39	108.53	1000.00
344.300	953.54	1944.00	2000.00	2048.00	2044.00	100.00	1000.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
345.000	955.89	337.40	410.00	415.00	479.63	142.24	750.00
345.000	955.77	357.00	410.00	415.00	457.00	100.00	750.00
346.000	957.77	358.55	480.00	485.00	640.61	282.06	830.00
346.000	957.81	420.00	480.00	485.00	560.00	140.00	830.00

MOORE BUSINESS FORMS, INC 23

UNNAMED CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	IOK*S	VCH	AREA	.01K
341.000	0.00	0.00	0.00	941.30	104.00	945.82	0.00	945.92	15.12	2.99	62.05	26.75
341.000	0.00	0.00	0.00	941.30	104.00	945.92	0.00	946.00	13.71	2.89	64.58	28.08
341.800	620.00	0.00	0.00	942.30	104.00	946.78	0.00	946.88	15.91	3.05	60.79	26.08
341.800	620.00	0.00	0.00	942.30	104.00	946.81	0.00	946.90	15.31	3.01	61.74	26.58
341.900	50.00	0.00	0.00	942.30	104.00	946.87	0.00	946.95	14.57	2.95	63.00	27.25
341.900	50.00	0.00	0.00	942.30	104.00	946.89	0.00	946.98	14.21	2.93	63.64	27.59
342.000	37.00	948.00	945.60	942.30	104.00	948.31	0.00	948.34	3.74	1.82	124.47	53.78
342.000	37.00	948.00	945.60	942.30	104.00	948.32	0.00	948.35	3.72	1.82	124.86	53.90
342.100	50.00	0.00	0.00	942.30	104.00	948.33	0.00	948.36	3.67	1.81	126.01	54.27
342.100	50.00	0.00	0.00	942.30	104.00	948.34	0.00	948.37	3.66	1.80	126.41	54.39
343.000	120.00	0.00	0.00	943.10	104.00	948.38	0.00	948.40	2.87	1.13	141.46	61.41
343.000	120.00	0.00	0.00	943.10	104.00	948.39	0.00	948.41	3.24	1.19	102.00	57.77
343.800	2750.00	0.00	0.00	947.30	104.00	949.83	0.00	949.86	12.86	1.36	123.79	29.00
343.800	2750.00	0.00	0.00	947.30	104.00	949.95	0.00	949.98	12.50	1.40	81.92	29.42
343.900	50.00	0.00	0.00	946.50	70.00	949.93	0.00	949.96	46.08	2.40	98.55	10.31
343.900	50.00	0.00	0.00	946.50	70.00	950.04	0.00	950.07	46.24	2.28	73.55	10.29
344.000	69.00	953.40	949.50	946.50	70.00	953.46	0.00	953.46	.01	.07	1817.60	578.96
344.000	69.00	953.40	949.50	946.50	70.00	953.54	0.00	953.54	.18	.18	433.44	163.35
344.200	50.00	0.00	0.00	947.80	70.00	953.46	0.00	953.46	.02	.10	1535.00	556.12
344.200	50.00	0.00	0.00	947.80	70.00	953.54	0.00	953.54	.04	.16	755.60	359.57
344.300	1000.00	0.00	0.00	951.30	70.00	953.45	0.00	953.48	19.70	1.40	57.25	15.77
344.300	1000.00	0.00	0.00	951.30	70.00	953.54	0.00	953.57	14.42	1.27	66.32	18.44
345.000	750.00	0.00	0.00	954.00	70.00	955.89	955.65	955.95	65.33	2.93	70.18	8.66
345.000	750.00	0.00	0.00	954.00	70.00	955.77	955.65	955.86	100.84	3.49	52.77	6.97
346.000	830.00	0.00	0.00	956.00	23.00	957.77	0.00	957.77	4.19	.71	113.95	11.23
346.000	830.00	0.00	0.00	956.00	23.00	957.81	0.00	957.81	3.52	.66	93.13	12.26

MOORE BUSINESS FORMS, INC. 23

UNNAMED CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
341.000	104.00	945.82	0.00	0.00	2.82	26.00	0.00
341.000	104.00	945.92	.10	0.00	0.00	26.93	0.00
341.800	104.00	946.78	0.00	.96	0.00	25.53	620.00
341.800	104.00	946.81	.03	.89	0.00	25.89	620.00
341.900	104.00	946.87	0.00	.08	0.00	26.35	50.00
341.900	104.00	946.89	.03	.08	0.00	26.59	50.00
342.000	104.00	948.31	0.00	1.45	0.00	79.96	37.00
342.000	104.00	948.32	.00	1.43	0.00	80.28	37.00
342.100	104.00	948.33	0.00	.02	0.00	81.21	50.00
342.100	104.00	948.34	.00	.02	0.00	81.53	50.00
343.000	104.00	948.38	0.00	.05	0.00	143.11	120.00
343.000	104.00	948.39	.00	.05	.00	35.76	120.00
343.800	104.00	949.83	0.00	1.45	0.00	292.69	2750.00
343.800	104.00	949.95	.11	1.56	.11	60.77	2750.00
343.900	70.00	949.93	0.00	.09	0.00	282.12	50.00
343.900	70.00	950.04	.11	.09	.11	102.46	50.00
344.000	70.00	953.46	0.00	3.53	0.00	705.00	69.00
344.000	70.00	953.54	.08	3.50	.08	102.46	69.00
344.200	70.00	953.46	0.00	.00	0.00	665.56	50.00
344.200	70.00	953.54	.08	.00	.08	200.00	50.00
344.300	70.00	953.45	0.00	-.01	0.00	108.53	1000.00
344.300	70.00	953.54	.09	-.00	.09	100.00	1000.00
345.000	70.00	955.89	0.00	2.44	0.00	142.24	750.00
345.000	70.00	955.77	-.12	2.23	-.12	100.00	750.00
346.000	23.00	957.77	0.00	1.87	0.00	282.06	830.00
346.000	23.00	957.81	.04	2.04	.04	140.00	830.00

MOORE BUSINESS FORMS, INC 23

FLOODWAY DATA. UNNAMED CREEK
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
341.000	27.	65.	1.6	945.9	945.8	.1
341.800	26.	62.	1.7	946.8	946.8	0.0
341.900	27.	64.	1.6	946.9	946.9	0.0
342.000	80.	125.	.8	948.3	948.3	0.0
342.100	82.	126.	.8	948.3	948.3	0.0
343.000	36.	102.	1.0	948.4	948.4	0.0
343.800	61.	82.	1.3	949.9	949.8	.1
343.900	102.	74.	1.0	950.0	949.9	.1
344.000	102.	433.	.2	953.6	953.5	.1
344.200	200.	756.	.1	953.6	953.5	.1
344.300	100.	66.	1.1	953.5	953.4	.1
345.000	100.	53.	1.3	955.9	955.9	0.0
346.000	140.	93.	.2	957.8	957.8	0.0

MOORE BUSINESS FORMS, INC 23

SUMMARY OF ERRORS

MOORE BUSINESS FORMS, INC 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Unnamed Creek

4) DOCUMENT TYPE: Report

00BREAK00

13

RECEIVED
OCT 1 1980
WATER MANAGEMENT

HYDRAULIC ANALYSIS REPORT

UNNAMED CREEK AT ALBION TOWNSHIP

CALHOUN COUNTY, MICHIGAN

Prepared by

COMMONWEALTH ASSOCIATES INC.
209 EAST WASHINGTON AVENUE
JACKSON, MICHIGAN 49203

SEPTEMBER, 1980

Hydraulic Report
- Bridge Computations
- Profile
- Flood Boundary Floodway Map

Packet
1) Hec 2 I/O
A) 100 yr WSEL & Encroached
B) Summary runs 10, 50, 100, 500

INTRODUCTION

Hydraulic calculations were performed for an unnamed creek within the entire corporate boundaries of Albion Township starting from the East Branch Kalamazoo River. Field cross section data were surveyed by Commonwealth survey crews in November, 1978, and May, 1979. The flood flows for 10-, 50-, 100-, and 500-year recurrence intervals were approved by the Michigan DNR. An enlarged 7-1/2' U.S.G.S. topographic map (preliminary) with 10' contour interval was used. This study was performed by Commonwealth Associates Inc., of Jackson, Michigan, and the Project Manager was V. Danushkodi, P.E.

METHOD OF ANALYSIS

The HEC-2 computer program was utilized for the entire hydraulic analysis.

VARIABLES AND COEFFICIENTS

Manning's Roughness Coefficient

For channel	0.05
For overbanks	0.10

Coefficients for Floodway

Contraction	0.10
Expansion	0.30

Coefficients for Bridges

Contraction	0.30
Expansion	0.50

Ratios

Contraction	1:1
Expansion	1:4

HIGH-WATER MARKS

None

STARTING CONDITIONS

In order to determine valid starting conditions, the culvert located about 200 feet downstream of the township limit was surveyed and the hydraulic calculations were performed from the East Branch Kalamazoo River. At the mouth, the slope area method was employed with a water surface slope of 0.0015. However, the controlling factor in the analysis was the weir flow over the culvert located downstream of the township line.

SPECIAL PROBLEMS

None

REFERENCES

None

Cross Section ID in Profile/Table	Sec. No. in HEC-2 Program	Description
-	341.0	Repeated Section Same as Section 342.1 lowered by 1 foot
-	341.8 341.9 342.0 342.1	Surveyed Bridge Sections at the culvert downstream of township line
A	343.0	Surveyed Valley Section
-	343.8	Surveyed Valley Section
- B -	343.9 344.0 344.2	Surveyed Bridge Sections
-	344.3	Repeated Section Same as Section 344.2 raised by 3.5 feet
-	345.0	Manufactured Section from topographic map
-	346.0	Manufactured Section from topographic map

BRIDGE NOTES AND SKETCHES

Gilbert/Commonwealth
209 E. Washington Avenue, Jackson MI 49201

CALCULATION SHEET

REV.

CLIENT/OWNER	FILING CODE / JOB NO.
CALC. BY/DATE (SIGNATURE) / CHECKED BY/DATE (SIGNATURE)	SUBJECT: SECTION 342.0
	SHEET OF / BOOK NO.

Unnamed Creek Crossing Riverside Dr.

4' ϕ CMP 37' long

$n = .024$

$A = 12.6\ ft^2$

$R = 1.0$

$$K_f = \frac{29.1\ n^2 L}{R^{4/3}} = 0.62$$

$K_{ent} = 0.7$

$\Sigma K_0 R = 1.0 + 0.7 + 0.62 = \underline{2.32}$

Dirt Road $\frac{h}{l} < 0.15$ $C = 2.8$

Width of Rectangular Channel $= \frac{12.6}{4} = 3.2$ ft

Gilbert/Commonwealth
209 E. Washington Avenue, Jackson, MI 49201

CALCULATION SHEET REV.

CLIENT/OWNER		FILING CODE / JOB NO.
CALC. BY/DATE (SIGNATURE)	SUBJECT	SHEET OF
CHECKED BY/DATE (SIGNATURE)	SECTION 344.0	BOOK NO.

Unnamed Creek

3' ϕ CMP 69 ft long

$n = 0.024$

$A = 7.07\ ft^2$

$R = 0.75\ ft$

$$K_f = \frac{29.1\, n^2 L}{R^{4/3}} = 1.7$$

$K_e = 0.7$

$\Sigma K_{OR} = 1.0 + 0.7 + 1.7 = 3.4$

Paved Road Surface $\frac{h}{l} < 0.15$ $C = 3.0$

$B = 2.36\ ft$


344.0 3' ϕ culvert @ Unnamed Creek crossing

36" Dia. Conduit

Area = 7.1 ft²

W.P. = 9.42 ft

Scale: 1=1'




Approximation Model

A = 7.1 ft² (100%)

W.P. = 9.62 ft (98%)

R. = .74 (98)


W.T.
964T
931T
963T
950
PK
119.3
A
140.0
B
141.0
C
Mill Race
Athletic Facilities
Abandoned
East Branch
B 144.3
C 145.0
Unnamed Creek
E 43.0
A
D 42.5
C 42.3
A 343.0
A 240.0
B 241.0
B 344.0
ALBION CITY
ALBION TOWNSHIP
953
957T
968T

10' contour



1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Unnamed Creek

4) DOCUMENT TYPE: Summary



MOORE BUSINESS FORMS, INC 23

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

UNNAMED CREEK

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
341.000	944.51	1993.21	2000.00	2005.00	2011.04	17.83	0.00
341.000	945.64	1990.27	2000.00	2005.00	2014.82	24.54	0.00
341.000	945.95	1989.87	2000.00	2005.00	2017.07	27.20	0.00
341.000	946.60	1988.97	2000.00	2005.00	2024.94	35.97	0.00
341.800	945.47	1993.40	2000.00	2005.00	2010.87	17.48	620.00
341.800	946.60	1990.34	2000.00	2005.00	2014.65	24.31	620.00
341.800	946.91	1989.92	2000.00	2005.00	2016.72	26.79	620.00
341.800	947.55	1989.07	2000.00	2005.00	2024.02	34.95	620.00
341.900	945.55	1993.07	2000.00	2005.00	2011.16	18.08	50.00
341.900	946.69	1990.23	2000.00	2005.00	2014.93	24.71	50.00
341.900	947.00	1989.81	2000.00	2005.00	2017.42	27.61	50.00
341.900	947.64	1988.45	2000.00	2005.00	2025.42	36.96	50.00
342.000	945.95	1991.57	2000.00	2005.00	2012.49	20.92	37.00
342.000	948.14	1964.91	2000.00	2005.00	2033.83	68.92	37.00
342.000	948.34	1955.61	2000.00	2005.00	2036.94	81.33	37.00
342.000	948.61	1942.40	2000.00	2005.00	2041.36	98.97	37.00
342.100	945.99	1991.38	2000.00	2005.00	2012.66	21.28	50.00
342.100	948.16	1964.04	2000.00	2005.00	2034.12	70.08	50.00
342.100	948.36	1954.60	2000.00	2005.00	2037.28	82.68	50.00
342.100	948.64	1940.93	2000.00	2005.00	2041.85	100.93	50.00
343.000	946.11	1416.25	1414.00	1436.00	1434.16	17.91	120.00
343.000	948.21	1369.38	1414.00	1436.00	1481.73	112.34	120.00
343.000	948.41	1340.08	1414.00	1436.00	1487.80	147.72	120.00
343.000	948.71	1296.15	1414.00	1436.00	1496.91	200.75	120.00
343.800	949.25	1986.66	2000.00	2048.00	2043.88	57.23	2750.00
343.800	949.65	1887.57	2000.00	2048.00	2044.87	157.30	2750.00
343.800	949.83	1752.93	2000.00	2048.00	2045.33	292.39	2750.00
343.800	950.14	1711.45	2000.00	2048.00	2046.13	334.68	2750.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
343.900	949.29	1974.07	2000.00	2003.00	2005.75	31.67	50.00
343.900	949.77	1789.54	2000.00	2003.00	2018.15	228.61	50.00
343.900	949.93	1740.37	2000.00	2003.00	2022.27	281.89	50.00
343.900	950.21	1703.83	2000.00	2003.00	2029.71	325.88	50.00
344.000	950.18	1707.19	2000.00	2003.00	2029.03	321.84	69.00
344.000	953.41	1679.00	2000.00	2003.00	2384.00	705.00	69.00
344.000	953.46	1679.00	2000.00	2003.00	2384.00	705.00	69.00
344.000	953.52	1679.00	2000.00	2003.00	2384.00	705.00	69.00
344.200	950.19	1877.62	2000.00	2048.00	2044.97	167.36	50.00
344.200	953.41	1679.00	2000.00	2048.00	2335.55	656.55	50.00
344.200	953.46	1679.00	2000.00	2048.00	2344.55	665.55	50.00
344.200	953.52	1679.00	2000.00	2048.00	2354.57	675.57	50.00
* 344.300	952.24	2022.54	2000.00	2048.00	2041.36	18.82	1000.00
344.300	953.40	1949.13	2000.00	2048.00	2044.26	95.13	1000.00
344.300	953.45	1935.87	2000.00	2048.00	2044.39	108.52	1000.00
344.300	953.50	1925.30	2000.00	2048.00	2044.50	119.20	1000.00
345.000	955.81	343.23	410.00	415.00	474.44	131.22	750.00
* 345.000	955.75	348.19	410.00	415.00	470.03	121.84	750.00
345.000	955.89	337.39	410.00	415.00	479.64	142.24	750.00
345.000	956.15	314.63	410.00	415.00	499.90	185.26	750.00
346.000	957.17	451.50	480.00	485.00	521.52	70.02	830.00
346.000	957.72	365.52	480.00	485.00	631.68	266.16	830.00
346.000	957.77	358.55	480.00	485.00	640.61	282.06	830.00
346.000	957.82	348.10	480.00	485.00	654.00	305.91	830.00

MOORE BUSINESS FORMS, INC. 23

UNNAMED CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
341.000	0.00	0.00	0.00	941.30	44.00	944.51	0.00	944.58	14.99	2.33	29.01	11.37
341.000	0.00	0.00	0.00	941.30	88.00	945.64	0.00	945.74	15.08	2.91	53.43	22.66
341.000	0.00	0.00	0.00	941.30	104.00	945.95	0.00	946.05	15.27	3.07	61.23	26.61
341.000	0.00	0.00	0.00	941.30	142.00	946.60	0.00	946.71	15.02	3.34	81.45	36.64
341.800	620.00	0.00	0.00	942.30	44.00	945.47	0.00	945.54	16.05	2.38	28.14	10.98
341.800	620.00	0.00	0.00	942.30	88.00	946.60	0.00	946.70	15.92	2.96	52.21	22.05
341.800	620.00	0.00	0.00	942.30	104.00	946.91	0.00	947.02	15.95	3.11	60.11	26.04
341.800	620.00	0.00	0.00	942.30	142.00	947.55	0.00	947.67	15.83	3.40	79.47	35.69
341.900	50.00	0.00	0.00	942.30	44.00	945.55	0.00	945.62	14.25	2.29	29.67	11.65
341.900	50.00	0.00	0.00	942.30	88.00	946.69	0.00	946.78	14.52	2.87	54.30	23.09
341.900	50.00	0.00	0.00	942.30	104.00	947.00	0.00	947.09	14.61	3.02	62.41	27.21
341.900	50.00	0.00	0.00	942.30	142.00	947.64	0.00	947.74	14.61	3.30	82.52	37.15
342.000	37.00	948.00	945.40	942.30	44.00	945.95	0.00	945.99	8.47	1.92	37.48	15.11
342.000	37.00	948.00	945.40	942.30	88.00	948.14	0.00	948.17	3.48	1.72	107.77	47.17
342.000	37.00	948.00	945.40	942.30	104.00	948.34	0.00	948.37	4.04	1.90	122.05	51.73
342.000	37.00	948.00	945.40	942.30	142.00	948.61	0.00	948.65	5.75	2.33	146.42	59.22
342.100	50.00	0.00	0.00	942.30	44.00	945.99	0.00	946.03	7.97	1.88	38.54	15.59
342.100	50.00	0.00	0.00	942.30	88.00	948.16	0.00	948.19	3.42	1.71	109.00	47.57
342.100	50.00	0.00	0.00	942.30	104.00	948.36	0.00	948.39	3.96	1.88	123.76	52.26
342.100	50.00	0.00	0.00	942.30	142.00	948.64	0.00	948.68	5.58	2.30	149.43	60.14
343.000	120.00	0.00	0.00	943.10	44.00	946.11	0.00	946.13	8.69	1.28	34.36	14.93
343.000	120.00	0.00	0.00	943.10	88.00	948.21	0.00	948.23	2.55	1.03	119.27	55.12
343.000	120.00	0.00	0.00	943.10	104.00	948.41	0.00	948.43	2.77	1.12	145.25	62.44
343.000	120.00	0.00	0.00	943.10	142.00	948.71	0.00	948.73	3.50	1.32	197.44	75.92
343.800	2750.00	0.00	0.00	947.30	44.00	949.25	0.00	949.27	15.61	1.10	40.41	11.14
343.800	2750.00	0.00	0.00	947.30	88.00	949.65	0.00	949.68	16.77	1.43	82.92	21.49
343.800	2750.00	0.00	0.00	947.30	104.00	949.83	0.00	949.86	12.96	1.36	123.14	28.89
343.800	2750.00	0.00	0.00	947.30	142.00	950.14	0.00	950.16	8.47	1.24	223.19	48.78
343.900	50.00	0.00	0.00	946.50	29.00	949.29	948.24	949.52	159.01	3.83	8.95	2.30
343.900	50.00	0.00	0.00	946.50	59.00	949.77	0.00	949.85	91.39	3.26	56.60	6.17
343.900	50.00	0.00	0.00	946.50	70.00	949.93	0.00	949.96	46.51	2.41	98.14	10.26
343.900	50.00	0.00	0.00	946.50	95.00	950.21	0.00	950.22	18.39	1.60	183.56	22.15
344.000	69.00	953.40	949.50	946.50	29.00	950.18	0.00	950.18	1.94	.52	175.20	20.83
344.000	69.00	953.40	949.50	946.50	59.00	953.41	0.00	953.41	.01	.06	1779.44	561.94
344.000	69.00	953.40	949.50	946.50	70.00	953.46	0.00	953.46	.01	.07	1817.58	578.95
344.000	69.00	953.40	949.50	946.50	95.00	953.52	0.00	953.52	.03	.09	1860.02	598.20

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
344.200	50.00	0.00	0.00	947.80	29.00	950.19	0.00	950.19	1.61	.45	89.38	22.86
344.200	50.00	0.00	0.00	947.80	59.00	953.41	0.00	953.41	.01	.09	1499.21	540.11
344.200	50.00	0.00	0.00	947.80	70.00	953.46	0.00	953.46	.02	.10	1534.97	556.11
344.200	50.00	0.00	0.00	947.80	95.00	953.52	0.00	953.52	.03	.13	1575.36	574.26
344.300	1000.00	0.00	0.00	951.30	29.00	952.24	952.24	952.46	513.78	3.72	7.80	1.28
344.300	1000.00	0.00	0.00	951.30	59.00	953.40	0.00	953.42	16.69	1.25	51.84	14.44
344.300	1000.00	0.00	0.00	951.30	70.00	953.45	0.00	953.48	19.70	1.40	57.24	15.77
344.300	1000.00	0.00	0.00	951.30	95.00	953.50	0.00	953.55	31.60	1.81	62.06	16.90
345.000	750.00	0.00	0.00	954.00	29.00	955.81	0.00	955.83	15.36	1.38	60.46	7.40
345.000	750.00	0.00	0.00	954.00	59.00	955.75	955.57	955.83	83.85	3.16	52.81	6.44
345.000	750.00	0.00	0.00	954.00	70.00	955.89	955.65	955.95	65.32	2.93	70.19	8.66
345.000	750.00	0.00	0.00	954.00	95.00	956.15	955.76	956.19	39.34	2.49	115.64	15.15
346.000	830.00	0.00	0.00	956.00	8.00	957.17	0.00	957.19	21.33	1.22	11.68	1.73
346.000	830.00	0.00	0.00	956.00	19.00	957.72	0.00	957.73	3.67	.65	102.01	9.92
346.000	830.00	0.00	0.00	956.00	23.00	957.77	0.00	957.77	4.19	.71	113.95	11.23
346.000	830.00	0.00	0.00	956.00	32.00	957.82	0.00	957.83	5.67	.84	133.16	13.44

MOORE BUSINESS FORMS, INC 23

UNNAMED CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
341.000	44.00	944.51	0.00	0.00	1.51	17.83	0.00
341.000	88.00	945.64	1.13	0.00	2.64	24.54	0.00
341.000	104.00	945.95	.30	0.00	2.95	27.20	0.00
341.000	142.00	946.60	.65	0.00	3.60	35.97	0.00
341.800	44.00	945.47	0.00	.96	0.00	17.48	620.00
341.800	88.00	946.60	1.13	.96	0.00	24.31	620.00
341.800	104.00	946.91	.31	.97	0.00	26.79	620.00
341.800	142.00	947.55	.64	.95	0.00	34.95	620.00
341.900	44.00	945.55	0.00	.08	0.00	18.08	50.00
341.900	88.00	946.69	1.13	.08	0.00	24.71	50.00
341.900	104.00	947.00	.31	.08	0.00	27.61	50.00
341.900	142.00	947.64	.64	.08	0.00	36.96	50.00
342.000	44.00	945.95	0.00	.40	0.00	20.92	37.00
342.000	88.00	948.14	2.20	1.46	0.00	68.92	37.00
342.000	104.00	948.34	.19	1.34	0.00	81.33	37.00
342.000	142.00	948.61	.27	.97	0.00	98.97	37.00
342.100	44.00	945.99	0.00	.04	0.00	21.28	50.00
342.100	88.00	948.16	2.17	.02	0.00	70.08	50.00
342.100	104.00	948.36	.19	.02	0.00	82.68	50.00
342.100	142.00	948.64	.28	.03	0.00	100.93	50.00
343.000	44.00	946.11	0.00	.12	0.00	17.91	120.00
343.000	88.00	948.21	2.10	.05	0.00	112.34	120.00
343.000	104.00	948.41	.20	.05	0.00	147.72	120.00
343.000	142.00	948.71	.30	.08	0.00	200.75	120.00
343.800	44.00	949.25	0.00	3.14	0.00	57.23	2750.00
343.800	88.00	949.65	.40	1.44	0.00	157.30	2750.00
343.800	104.00	949.83	.18	1.42	0.00	292.39	2750.00
343.800	142.00	950.14	.31	1.43	0.00	334.68	2750.00
343.900	29.00	949.29	0.00	.04	0.00	31.67	50.00
343.900	59.00	949.77	.47	.11	0.00	228.61	50.00
343.900	70.00	949.93	.16	.10	0.00	281.89	50.00
343.900	95.00	950.21	.28	.07	0.00	325.88	50.00
344.000	29.00	950.18	0.00	.89	0.00	321.84	69.00
344.000	59.00	953.41	3.23	3.64	0.00	705.00	69.00
344.000	70.00	953.46	.05	3.54	0.00	705.00	69.00
344.000	95.00	953.52	.06	3.31	0.00	705.00	69.00

MOORE BUSINESS FORMS, INC. 23

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	344.200	29.00	950.19	0.00	.01	0.00	167.36	50.00
	344.200	59.00	953.41	3.22	.00	0.00	656.55	50.00
	344.200	70.00	953.46	.05	.00	0.00	665.55	50.00
	344.200	95.00	953.52	.06	.00	0.00	675.57	50.00
*	344.300	29.00	952.24	0.00	2.05	0.00	18.82	1000.00
	344.300	59.00	953.40	1.15	-.01	0.00	95.13	1000.00
	344.300	70.00	953.45	.05	-.01	0.00	108.52	1000.00
	344.300	95.00	953.50	.05	-.02	0.00	119.20	1000.00
	345.000	29.00	955.81	0.00	3.57	0.00	131.22	750.00
*	345.000	59.00	955.75	-.06	2.36	0.00	121.84	750.00
	345.000	70.00	955.89	.14	2.44	0.00	142.24	750.00
	345.000	95.00	956.15	.26	2.66	0.00	185.26	750.00
	346.000	8.00	957.17	0.00	1.36	0.00	70.02	830.00
	346.000	19.00	957.72	.55	1.97	0.00	266.16	830.00
	346.000	23.00	957.77	.04	1.87	0.00	282.06	830.00
	346.000	32.00	957.82	.06	1.67	0.00	305.91	830.00

MOORE BUSINESS FORMS, INC 23

SUMMARY OF ERRORS

CAUTION SECNO= 344.300 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 344.300 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 344.300 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 345.000 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE WSEL

MOORE BUSINESS FORMS, INC 23

FLOOD INSURANCE ZONE DATA FOR UNNAMED CREEK

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
341.000	0.	-1.44	-.30	.65
341.800	620.	-1.44	-.31	.64
341.900	670.	-1.45	-.31	.64
342.000	707.	-2.39	-.19	.27
342.100	757.	-2.36	-.19	.28
343.000	877.	-2.30	-.20	.30
343.800	3627.	-.58	-.18	.31
343.900	3677.	-.63	-.16	.28
344.000	3746.	-3.28	-.05	.06
344.200	3796.	-3.27	-.05	.06
344.300	4796.	-1.20	-.05	.05
345.000	5546.	-.08	-.14	.26
346.000	6376.	-.59	-.04	.06
WEIGHTED AVG FOR REACH		-1.37	-.15	.26

FHF FOR THE REACH = 015 WITH 53.6 PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 10	1	DIFF.	WTD. AVG.	FHF	PERCENT WITHIN
	0.					SEC. 341.000	
1	100.	944.59	946.03	-1.44	-1.44	015	100.
2	200.	944.74	946.18	-1.44	-1.44	015	100.
3	300.	944.90	946.34	-1.44	-1.44	015	100.
4	400.	945.05	946.49	-1.44	-1.44	015	100.
5	500.	945.21	946.65	-1.44	-1.44	015	100.
6	600.	945.36	946.80	-1.44	-1.44	015	100.
	620.					SEC. 341.800	
	670.					SEC. 341.900	
7	700.	945.66	947.48	-1.82	-1.49	015	100.
	707.					SEC. 342.000	
	757.					SEC. 342.100	
8	800.	945.95	948.23	-2.28	-1.59	015	88.
	877.					SEC. 343.000	
9	900.	946.08	948.40	-2.32	-1.67	015	78.

MOORE BUSINESS FORMS, INC. 23

10	1000.	946.19	948.45	-2.26	-1.73	015		70.
11	1100.	946.31	948.50	-2.19	-1.77	020		82.
12	1200.	946.42	948.55	-2.13	-1.80	020		92.
13	1300.	946.53	948.60	-2.07	-1.82	020		100.
14	1400.	946.65	948.65	-2.00	-1.84	020		100.
15	1500.	946.76	948.71	-1.95	-1.84	020		100.
16	1600.	946.88	948.76	-1.88	-1.85	020		100.
17	1700.	946.99	948.81	-1.82	-1.84	020		100.
18	1800.	947.11	948.86	-1.75	-1.84	020		100.
19	1900.	947.22	948.91	-1.69	-1.83	020		100.
20	2000.	947.33	948.96	-1.63	-1.82	020		100.
21	2100.	947.45	949.02	-1.57	-1.81	020		95.
22	2200.	947.56	949.07	-1.51	-1.80	020		95.
23	2300.	947.68	949.12	-1.44	-1.78	020		96.
24	2400.	947.79	949.17	-1.38	-1.76	020		92.
25	2500.	947.91	949.22	-1.31	-1.75	020		88.
26	2600.	948.02	949.27	-1.25	-1.73	015		88.
27	2700.	948.13	949.33	-1.20	-1.71	015		85.
28	2800.	948.25	949.38	-1.13	-1.69	015		86.
29	2900.	948.36	949.43	-1.07	-1.67	015		79.
30	3000.	948.48	949.48	-1.00	-1.64	015		77.
31	3100.	948.59	949.53	-.94	-1.62	015		74.
32	3200.	948.71	949.58	-.87	-1.60	015		72.
33	3300.	948.82	949.64	-.82	-1.57	015		73.
34	3400.	948.93	949.69	-.76	-1.55	015		68.
35	3500.	949.05	949.74	-.69	-1.52	015		66.
36	3600.	949.16	949.79	-.63	-1.50	015		67.
	3627.					SEC.	343.800	
	3677.					SEC.	343.900	
37	3700.	949.41	950.46	-1.05	-1.49	015		65.
	3746.					SEC.	344.000	
	3796.					SEC.	344.200	
38	3800.	949.89	952.28	-2.39	-1.51	015		63.
39	3900.	950.30	953.46	-3.16	-1.55	015		62.
40	4000.	950.51	953.46	-2.95	-1.59	015		58.
41	4100.	950.71	953.46	-2.75	-1.62	015		56.
42	4200.	950.92	953.46	-2.54	-1.64	015		55.
43	4300.	951.12	953.46	-2.34	-1.66	015		53.
44	4400.	951.33	953.45	-2.12	-1.67	015		55.
45	4500.	951.53	953.45	-1.92	-1.67	015		56.
46	4600.	951.74	953.45	-1.71	-1.67	015		57.
47	4700.	951.94	953.45	-1.51	-1.67	015		57.
	4796.					SEC.	344.300	
48	4800.	952.15	953.46	-1.31	-1.66	015		58.
49	4900.	952.50	953.62	-1.12	-1.65	015		57.
50	5000.	952.98	953.95	-.97	-1.64	015		56.
51	5100.	953.45	954.28	-.83	-1.62	015		57.
52	5200.	953.93	954.60	-.67	-1.60	015		54.
53	5300.	954.41	954.93	-.52	-1.58	015		53.
54	5400.	954.88	955.25	-.37	-1.56	015		52.
55	5500.	955.36	955.58	-.22	-1.54	015		53.
	5546.					SEC.	345.000	
56	5600.	955.75	955.88	-.13	-1.51	015		52.
57	5700.	955.98	956.13	-.15	-1.49	015		51.

MOORE BUSINESS FORMS, INC 23

58	5800.	956.15	956.35	-.20	-1.46	015	52.
59	5900.	956.31	956.58	-.27	-1.44	015	51.
60	6000.	956.48	956.80	-.32	-1.43	015	50.
61	6100.	956.64	957.03	-.39	-1.41	015	48.
62	6200.	956.80	957.26	-.46	-1.39	015	47.
63	6300.	956.97	957.48	-.51	-1.38	015	46.
	6376.				SEC.	346.000	

THIS REACH CAN BE SUBDIVIDED BY INC NO. TO MEET FIA REQUIREMENTS
INPUT 20N WHERE N IS THE NUMBER OF REACHES AND THEN INPUT THE END
OF EACH REACH BY INC NO. FOR EXAMPLE 202 28 63
A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	WEIGHTED AVG DIFFERENCE BETWEEN BASE FLOOD AND		
		10	1	0.2
28	2800.	-1.69	-.22	.38

FHF FOR REACH 1 = 015 WITH 86. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

38	3800.	-1.02	-.17	.29

FHF FOR REACH 2 = 010 WITH 90. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 2

50	5000.	-2.03	-.05	.06

FHF FOR REACH 3 = 020 WITH 83. PERCENT OF THE REACH WITHIN 1.0 FEET
ZONE FOR THE REACH = A 4

63	6300.	-.39	-.10	.18

FHF FOR REACH 4 = 005 WITH 100. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

MOORE BUSINESS FORMS, INC. 23

KEY TO SYMBOLS

FLOOD BOUNDARY AND FLOODWAY DATA

500 Yr Flood Boundary

100 Yr Flood Boundary

FLOODWAY FRINGE

FLOODWAY

500 Yr Flood Boundary

Approximate 100 Yr Flood Boundary

Cross Section Line

FLOOD BOUNDARY AND FLOODWAY MAP

MAP INDEX

CITY OF ALBION
CALHOUN COUNTY

0 500 1000

1" = 500

N



1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-YEAR ENCROACHED



```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**********************************************************

T1  THE TOWNSHIP OF ALBION
T2  THE KALAMAZOO RIVER
T3   THE 100 YEAR ENCROACHED RUN

J1  ICHECK    INQ      NINV     IDIR      SIRT      METRIC    HVINS     Q         WSEL      FQ
      -10.      0.        0.       0.  0.000000      0.00      0.0       0.    946.270     0.000

J2  NPROF     IPLOT    PRFVS    XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000    0.000   -1.000    0.000     0.000    -1.290     0.000     0.000     0.000     0.000

*PROF 2

CCHV=     .100 CEHV=     .300
*SECNO 24.000
 2800 NAT QI=    2300.89  WSEL=     946.17  ENC QI=    2347.78  WSEL=     946.27  RATIO=   -.0204
 NAT QI=    2358.  RATIOS LOB,CH,ROB=     .0014    .9957    .0029  WSEL=     946.27
   SECNO     DEPTH     GWSEL     CRIWS     WSELK     EG        HV        HL        QLOSS     BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

3470 ENCROACHMENT STATIONS=     2000.0     2278.0  TYPE=      4  TARGET=          .004
        D/S LIMIT OF ALBION TWP.    (A)
    24.00      7.57   946.27      0.00   946.17   946.27      .00      0.00      0.00    944.00
      735.        0.     735.        0.       0.     1951.       0.       0.        0.    944.90
     0.00      0.00      .38      0.00      .060     .045     .060    0.000    938.70   2000.00
  .000010        0.       0.        0.         0        0        0     0.00    278.00   2278.00

*SECNO 24.100
 2800 NAT QI=    1618.33  WSEL=     946.20  ENC QI=    1628.93  WSEL=     946.30  RATIO=   -.0065
 NAT QI=    1668.  RATIOS LOB,CH,ROB=     .0209    .9763    .0027  WSEL=     946.30

3470 ENCROACHMENT STATIONS=     2000.0     2220.0  TYPE=      4  TARGET=          .024
    24.10      6.74   946.30      0.00   946.20   946.30      .00      .03       .00    944.90
      735.        0.     735.        0.       0.     1432.       0.      89.       13.    944.60
     1.23      0.00      .51      0.00      .060     .045     .060     .045    939.56   2000.00
  .000021     2350.    2280.     2200.         0        0        0     0.00    220.00   2220.00

*SECNO 24.200
 2800 NAT QI=    1423.70  WSEL=     946.25  ENC QI=    1423.70  WSEL=     946.35  RATIO=   0.0000
 NAT QI=    1534.  RATIOS LOB,CH,ROB=     .4378    .5365    .0256  WSEL=     946.35
```

D/S encroached shows 946.7

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC. 23

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 1265.3 3150.0 TYPE= 4 TARGET= .072

24.20	5.95	946.35	0.00	946.25	946.36	.00	.05	.00	944.00
735.	310.	425.	0.	1862.	812.	0.	191.	55.	944.80
2.90	.17	.52	0.00	.060	.045	.060	.046	940.40	1265.28
.000027	2000.	2300.	2000.	0	0	0	0.00	1533.48	3150.00

*SECNO 25.000
2800 NAT QI= 446.63 WSEL= 946.37 ENC QI= 446.63 WSEL= 946.47 RATIO= .0000
NAT QI= 482. RATIOS LOB,CH,ROB= .1801 .7270 .0929 WSEL= 946.47

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 3055.5 4144.1 TYPE= 4 TARGET= .074

SURVEYED VALLEY SECTION (A)

25.00	5.17	946.47	0.00	946.37	946.49	.03	.13	.01	944.90
735.	114.	577.	44.	330.	398.	83.	263.	95.	944.70
3.37	.34	1.45	.53	.060	.045	.060	.047	941.30	3055.49
.000271	1500.	2290.	2600.	2	0	0	0.00	673.80	4144.09

CCHV= .100 CEHV= .300

*SECNO 25.600
2800 NAT QI= 493.42 WSEL= 946.94 ENC QI= 493.42 WSEL= 947.09 RATIO= 0.0000
NAT QI= 535. RATIOS LOB,CH,ROB= .4092 .4699 .1209 WSEL= 947.09

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 3614.5 4140.6 TYPE= 4 TARGET= .078

25.60	5.40	947.10	0.00	946.99	947.11	.02	.62	.00	945.72
735.	295.	374.	66.	657.	280.	144.	312.	125.	944.92
4.15	.45	1.34	.46	.070	.045	.070	.048	941.70	3614.54
.000220	2100.	2850.	1500.	2	0	0	0.00	526.11	4140.64

*SECNO 25.800

3470 ENCROACHMENT STATIONS= 1901.0 2148.0 TYPE= 1 TARGET= 247.000

25.80	5.71	947.41	0.00	947.31	947.46	.05	.34	.01	946.00
735.	64.	522.	149.	116.	245.	193.	331.	133.	945.00
4.32	.55	2.13	.77	.070	.045	.070	.048	941.70	1901.00
.000543	1080.	1100.	620.	2	0	0	0.00	247.00	2148.00

*SECNO 25.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 949.90 ELREA= 949.90

25.90	5.40	947.60	0.00	947.53	947.70	.09	.22	.01	951.50
735.	0.	735.	0.	0.	302.	0.	334.	134.	951.50

4.35	0.00	2.44	0.00	.070	.045	.070	.048	942.20	2000.00
.001097	420.	324.	40.	2	0	0	0.00	85.00	2085.00

CCHV= .300 CEHV= .500
*SECNO 26.000

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

D/S FACE OF D DRIVE SOUTH.CONCRETE (C)

26.00	5.41	947.61	0.00	947.54	947.71	.10	.01	.00	951.50
735.	0.	735.	0.	0.	294.	0.	334.	134.	951.50
4.36	0.00	2.50	0.00	.070	.026	.070	.048	942.20	2000.00
.000458	17.	17.	17.	0	0	0	-8.91	85.00	2085.00

*SECNO 26.100

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

26.10	7.69	947.69	0.00	947.62	947.73	.04	.01	.02	951.50
735.	0.	735.	0.	0.	432.	0.	334.	134.	951.50
4.36	0.00	1.70	0.00	.070	.026	.070	.048	940.00	2000.00
.000134	26.	26.	26.	2	0	0	-13.32	85.00	2085.00

CCHV= .300 CEHV= .500
*SECNO 26.200

SECNO	DEPTH	CWSEL	CRIWS	WSELR	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 951.50 ELREA= 951.50

26.20	7.69	947.69	0.00	947.63	947.74	.04	.00	.00	951.50
735.	0.	735.	0.	0.	446.	0.	334.	135.	951.50
4.36	0.00	1.65	0.00	.080	.045	.080	.048	940.00	2000.00
.000298	17.	17.	17.	0	0	0	0.00	85.00	2085.00

CCHV= .100 CEHV= .300
*SECNO 26.400
2800 NAT QI= 385.74 WSEL= 947.68 ENC QI= 385.74 WSEL= 947.78 RATIO= 0.0000
NAT QI= 496. RATIOS LOB.CH.ROB= .2591 .5793 .1617 WSEL= 947.78

3470 ENCROACHMENT STATIONS= 1820.5 2115.4 TYPE= 4 TARGET= .222

26.40	5.84	947.74	0.00	947.68	947.77	.03	.03	.00	945.50
735.	138.	550.	47.	280.	354.	67.	335.	135.	944.50
4.38	.45	1.56	.70	.080	.045	.080	.048	941.90	1820.45
.000380	10.	107.	160.	2	0	0	0.00	294.97	2115.42

*SECNO 26.900
2800 NAT QI= 528.40 WSEL= 948.40 ENC QI= 528.40 WSEL= 948.50 RATIO= 0.0000
NAT QI= 566. RATIOS LOB.CH.ROB= .3171 .6679 .0149 WSEL= 948.50

MOORE BUSINESS FORMS, INC 23

3470 ENCROACHMENT STATIONS= 1633.3 2124.0 TYPE= 4 TARGET= .067

26.90	5.29	948.49	0.00	948.40	948.51	.01	.73	.00	947.40
735.	211.	524.	0.	585.	472.	0.	385.	155.	945.50
5.23	.36	1.11	0.00	.080	.045	.080	.048	943.20	1633.32
.000199	2000.	3000.	2250.	2	0	0	0.00	490.68	2124.00

CCHV= .100 CEHV= .300
*SECNO 27.000
2800 NAT Q1= 342.01 WSEL= 948.40 ENC Q1= 342.01 WSEL= 948.50 RATIO= 0.0000
NAT Q1= 364. RATIOS LOB,CH,ROB= .3493 .6507 0.0000 WSEL= 948.50

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 1600.2 2090.0 TYPE= 4 TARGET= .061

SURVEYED VALLEY SECTION (D)

27.00	6.10	948.50	0.00	948.40	948.53	.04	.02	.01	950.70
735.	226.	509.	0.	394.	282.	0.	387.	156.	950.20
5.25	.58	1.80	0.00	.070	.045	.070	.048	942.40	1600.15
.000460	72.	72.	72.	1	0	0	0.00	354.80	2090.00

*SECNO 27.100
2800 NAT Q1= 500.88 WSEL= 948.44 ENC Q1= 500.88 WSEL= 948.54 RATIO= 0.0000
NAT Q1= 539. RATIOS LOB,CH,ROB= .2657 .7211 .0132 WSEL= 948.54

3470 ENCROACHMENT STATIONS= 1620.4 2143.0 TYPE= 4 TARGET= .070

27.10	4.53	948.53	0.00	948.44	948.55	.02	.01	.00	948.00
735.	166.	569.	0.	431.	508.	0.	387.	156.	946.00
5.26	.38	1.12	0.00	.070	.045	.070	.048	944.00	1620.45
.000221	36.	36.	36.	2	0	0	0.00	522.55	2143.00

CCHV= .100 CEHV= .300
*SECNO 27.400
2800 NAT Q1= 475.80 WSEL= 948.97 ENC Q1= 475.80 WSEL= 949.07 RATIO= 0.0000
NAT Q1= 675. RATIOS LOB,CH,ROB= .5228 .4641 .0132 WSEL= 949.07

SECNO	DEPTH	CWSEL	CRIWS	WSELR	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1916.5 2169.5 TYPE= 4 TARGET= .295

SURVEYED VALLEY SECTION (F)

27.40	4.03	949.08	0.00	948.97	949.10	.02	.55	.00	945.20
735.	253.	482.	0.	382.	416.	0.	431.	174.	946.95
5.93	.66	1.16	0.00	.070	.045	.070	.049	945.05	1916.46
.000240	1640.	2700.	2300.	2	0	0	0.00	253.04	2169.50

CCHV= .300 CEHV= .500
*SECNO 27.500

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC 23

```
 2800 NAT Q1=    238.70  WSEL=    949.11  ENC Q1=    242.70  WSEL=    949.21  RATIO=  -.0167
 NAT Q1=    252.  RATIOS LOB,CH,ROB=   .0129   .9615   .0256  WSEL=    949.21

3470 ENCROACHMENT STATIONS=    2000.0    2100.0  TYPE=     4  TARGET=          .039
    27.50     4.02   949.22     0.00   949.11   949.29     .08      .16      .03   948.20
      735.       0.     735.       0.       0.     333.       0.     436.     176.    947.30
     5.98     0.00     2.21     0.00     .070     .045     .070     .049   945.20  2000.00
 .000945     320.     400.     550.        2        0        0     0.00   100.00  2100.00

*SECNO 27.700
 2800 NAT Q1=    331.86  WSEL=    950.14  ENC Q1=    331.86  WSEL=    950.24  RATIO=  0.0000
 NAT Q1=    349.  RATIOS LOB,CH,ROB=   .0175   .9332   .0493  WSEL=    950.24

3470 ENCROACHMENT STATIONS=    2050.0    2163.3  TYPE=     4  TARGET=          .048
    27.70     4.35   950.25     0.00   950.14   950.30     .05     1.00      .01   948.30
      735.       0.     721.      14.       0.     405.      20.     449.     179.    947.90
     6.22     0.00     1.78      .70     .070     .045     .070     .048   945.90  2050.00
 .000495    1660.    1500.    1330.        0        0        0     0.00   113.34  2163.34

*SECNO 27.800
 2800 NAT Q1=    258.25  WSEL=    950.33  ENC Q1=    268.98  WSEL=    950.43  RATIO=  -.0416
 NAT Q1=    269.  RATIOS LOB,CH,ROB=  0.0000   1.0000   0.0000  WSEL=    950.43

3470 ENCROACHMENT STATIONS=    2129.0    2221.0  TYPE=     4  TARGET=          0.000
    27.80     4.94   950.44     0.00   950.33   950.52     .07      .20      .01   950.70
      735.       0.     735.       0.       0.     340.       0.     452.     180.    951.80
     6.26     0.00     2.16     0.00     .070     .045     .070     .048   945.50  2129.50
 .000741     360.     340.     360.        2        0        0     0.00    88.62  2218.11

*SECNO 27.900
 2800 NAT Q1=    312.80  WSEL=    950.38  ENC Q1=    324.89  WSEL=    950.48  RATIO=  -.0386
 NAT Q1=    325.  RATIOS LOB,CH,ROB=  0.0000   1.0000   0.0000  WSEL=    950.48

3470 ENCROACHMENT STATIONS=    2141.0    2232.0  TYPE=     4  TARGET=          0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=     954.05 ELREA=     954.05

    27.90     4.95   950.49     0.00   950.38   950.54     .05      .02      .01   955.40
      735.       0.     735.       0.       0.     391.       0.     453.     180.    955.40
     6.27     0.00     1.88     0.00     .070     .045     .070     .048   945.50  2141.00
 .000510       32.      32.      32.        2        0        0     0.00    91.00  2232.00

CCHV=     .300 CEHV=     .500
*SECNO 28.000
    3700.  BRIDGE STENCL=    2141.00    STENCR=    2232.00
  SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        QLOSS     BANK ELEV
  Q        QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
  TIME     VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN      SSTA
  SLOPE    XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     COPAR     TOPWID     ENDST

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD=  954.80 MAX ELLC=  952.70

        D/S FACE OF F DRIVE SOUTH.CONCRETE    (F)
```

```
      28.00      4.99    950.49      0.00    950.39    950.54      .05       .00       .00    955.40
        690.        0.      690.        0.        0.      374.        0.      453.      180.    955.40
       6.27       0.00      1.84      0.00      .070      .026      .070      .048    945.50   2141.00
    .000209          1.        1.        1.         0         0         0    -17.08     91.00   2232.00

  *SECNO 26.100
   2800 NAT Q1=     505.30  WSEL=     950.40  ENC Q1=     522.47  WSEL=     950.50  RATIO=   -.0340
   NAT Q1=     522.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     950.50

  3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD=  954.80 MAX ELLC=  952.70

  3470 ENCROACHMENT STATIONS=    2149.0    2240.0  TYPE=      4  TARGET=       0.000
      28.10      4.80    950.50      0.00    950.40    950.55      .05       .01       .00    955.40
        690.        0.      690.        0.        0.      389.        0.      453.      180.    955.40
       6.27       0.00      1.77      0.00      .070      .026      .070      .048    945.70   2149.00
    .000174         37.       37.       37.         0         0         0     -8.68     91.00   2240.00

  CCHV=     .300 CEHV=     .500
  *SECNO 28.200
   2800 NAT Q1=     324.02  WSEL=     950.40  ENC Q1=     336.64  WSEL=     950.50  RATIO=   -.0390
   NAT Q1=     337.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     950.50
  3470 ENCROACHMENT STATIONS=    2149.0    2240.0  TYPE=      4  TARGET=       0.000
  3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=     955.40 ELREA=     955.40

      28.20      4.80    950.50      0.00    950.40    950.55      .05       .00       .00    955.40
        690.        0.      690.        0.        0.      398.        0.      453.      180.    955.40
       6.27       0.00      1.73      0.00      .070      .045      .070      .048    945.70   2149.00
    .000419          1.        1.        1.         0         0         0      0.00     91.00   2240.00

  *SECNO 28.300

  3470 ENCROACHMENT STATIONS=    2117.0    2272.0  TYPE=      1  TARGET=     155.000
      28.30      4.72    950.52      0.00    950.41    950.57      .05       .01       .00    947.20
        690.        31.      627.       31.       51.      324.       51.      453.      180.    947.20
       6.28         .61      1.93       .61      .070      .045      .070      .048    945.80   2117.00
    .000487         32.       32.       32.         0         0         0      0.00     155.00   2272.00

  CCHV=     .100 CEHV=     .300
  *SECNO 28.420
   2800 NAT Q1=     295.72  WSEL=     950.73  ENC Q1=     295.72  WSEL=     950.83  RATIO=    .0000
   NAT Q1=     330.  RATIOS LOB,CH,ROB=    .0837    .8611    .0552  WSEL=     950.83

  3265 DIVIDED FLOW

  3470 ENCROACHMENT STATIONS=    1683.8    2242.9  TYPE=      4  TARGET=       .105
      28.42      4.33    950.82      0.00    950.73    950.87      .06       .30       .00    948.40
        690.        24.      665.        1.       41.      344.        3.      459.      182.    948.12
       6.36         .57      1.93       .40      .070      .045      .070      .048    946.49   1683.79
    .000554         590.      580.      570.         2         0         0      0.00     130.73   2242.86
```

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC. 23

```
CCHV=    .100 CEHV=    .300
*SECNO 28.670
 2800 NAT Q1=     294.39  WSEL=     952.20  ENC Q1=     294.39  WSEL=     952.30  RATIO=  0.0000
 NAT Q1=     310.  RATIOS LOB,CH,ROB=    .0276    .9319    .0404  WSEL=     952.30
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         QLOSS      BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST

3470 ENCROACHMENT STATIONS=     2016.1     2127.4  TYPE=      4  TARGET=          .049

         SURVEYED VALLEY SECTION  (G)
      28.67      4.04    952.29      0.00    952.20    952.35      .05      1.47      .00    949.26
      690.         1.      678.       11.       3.      372.       15.      482.      190.    949.38
       6.77        .39      1.82       .76      .070      .045      .070      .048   948.25  2016.10
   .000552     2780.    2660.    2800.         2         0         0      0.00   111.30  2127.39

*SECNO 28.800
 2800 NAT Q1=     353.45  WSEL=     952.52  ENC Q1=     355.88  WSEL=     952.62  RATIO=  -.0069
 NAT Q1=     370.  RATIOS LOB,CH,ROB=    .0008    .9608    .0384  WSEL=     952.62

3470 ENCROACHMENT STATIONS=     2000.0     2126.0  TYPE=      4  TARGET=          .039
      28.80      4.33    952.63      0.00    952.52    952.67      .04       .32      .00    952.00
      690.         0.      690.       0.        0.      459.        0.      489.      192.    950.90
       6.90       0.00      1.50       0.00      .070      .045      .070      .048   948.30  2000.00
   .000383      800.     700.     400.         2         0         0      0.00   126.00  2126.00

*SECNO 28.810
 2800 NAT Q1=     109.16  WSEL=     952.47  ENC Q1=     113.15  WSEL=     952.57  RATIO=  -.0365
 NAT Q1=     117.  RATIOS LOB,CH,ROB=    .0328    .9672  0.0000  WSEL=     952.57

3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=          .033
      28.81      3.28    952.58      0.00    952.47    952.78      .20       .07      .05    951.30
      690.         0.      690.       0.        0.      191.        0.      490.      192.    956.30
       6.91       0.00      3.61       0.00      .070      .045      .070      .048   949.30  2000.00
   .003754       80.      75.      15.         2         0         0      0.00    78.46  2078.46

*SECNO 28.900
 2800 NAT Q1=     138.47  WSEL=     952.61  ENC Q1=     146.02  WSEL=     952.71  RATIO=  -.0545
 NAT Q1=     146.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     952.71

3470 ENCROACHMENT STATIONS=     2000.0     2070.0  TYPE=      4  TARGET=          0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=     957.10 ELREA=     957.00

      28.90      3.62    952.72      0.00    952.61    952.88      .16       .10      .00    957.70
      690.         0.      690.       0.        0.      217.        0.      490.      192.    957.60
       6.91       0.00      3.19       0.00      .070      .045      .070      .048   949.10  2000.00
   .002208       34.      34.      34.         2         0         0      0.00    70.00  2070.00

CCHV=    .300 CEHV=    .500
*SECNO 29.000
     3700.   PRIDGE STENCL=    2000.00     STENCR=    2070.00
```

```
 2800 NAT Q1=    208.08  WSEL=    952.61  ENC Q1=    214.28  WSEL=    952.71  RATIO=  -.0298
 NAT Q1=    214.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.71

 3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD=  957.10 MAX ELLC=  956.40

 3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000
       D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE   (H)

     29.00      3.62    956.72      0.00    956.61    952.89       .17       .00       .01    957.70
       690.        0.       690.        0.        0.       209.        0.       490.       192.     957.60
      6.91      0.00      3.30      0.00      .020      .026      .020      .048    949.10   2000.00
  .001022         1.        1.        1.         0         0         0     -7.58     70.00   2070.00

 *SECNO 29.100
    3700.   BRIDGE STENCL=   2000.00    STENCR=   2070.00
 2800 NAT Q1=    232.42  WSEL=    952.67  ENC Q1=    242.10  WSEL=    952.77  RATIO=  -.0417
 NAT Q1=    242.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.77
   SECNO     DEPTH     CWSEL     CRIWS      WSELK        EG          HV          HL        QLOSS    BANK ELEV
     Q        QLOB      QCH       QROB       ALOB       ACH         AROB        VOL        TWA     LEFT/RIGHT
   TIME       VLOB      VCH       VROB        XNL       XNCH        XNR         XTN       ELMIN       SSTA
   SLOPE      XLOBL     XLCH      XLOBR      ITRIAL     IDC         ICONT       CORAR      TOPWID      ENDST

 3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD=  957.10 MAX ELLC=  956.40

 3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000
     29.10      4.38    956.78      0.00    952.67    952.92       .15       .03       .01    957.70
       690.        0.       690.        0.        0.       225.        0.       490.       192.     957.60
      6.91      0.00      3.07      0.00      .020      .026      .020      .048    948.40   2000.00
  .000808        30.       30.       30.         2         0         0     -7.67     70.00   2070.00

 CCHV=    .300 CEHV=    .500
 *SECNO 29.200
 2800 NAT Q1=    157.83  WSEL=    952.69  ENC Q1=    166.36  WSEL=    952.79  RATIO=  -.0541
 NAT Q1=    166.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.79

 3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000

 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=    957.70 ELREA=    956.60

     29.20      4.39    952.79      0.00    952.69    952.93       .14       .00       .00    957.70
       690.        0.       690.        0.        0.       233.        0.       490.       192.     957.60
      6.91      0.00      2.96      0.00      .060      .045      .060      .048    948.40   2000.00
  .001722         1.        1.        1.         1         0         0      0.00     70.00   2070.00

 *SECNO 29.300
 2800 NAT Q1=    127.01  WSEL=    952.74  ENC Q1=    133.19  WSEL=    952.84  RATIO=  -.0487
 NAT Q1=    133.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.84

 3470 ENCROACHMENT STATIONS=    1972.0    2065.0  TYPE=     4  TARGET=       0.000
     29.30      4.44    952.84      0.00    952.74    953.03       .19       .07       .03    956.20
       690.        0.       690.        0.        0.       197.        0.       490.       192.     954.70
      6.92      0.00      3.50      0.00      .060      .045      .060      .048    948.40   1990.18
```

MOORE BUSINESS FORMS, INC. 23

MOORE BUSINESS FORMS, INC 23

```
 .002683      34.      34.      34.       2        0        0      0.00    66.12  2056.30

 CCHV=    .100 CEHV=    .300
 *SECNO 29.420
  2800 NAT QI=     157.29  WSEL=     953.50  ENC QI=     164.77  WSEL=     953.60  RATIO=  -.0475
  NAT QI=     165.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     953.60

 3470 ENCROACHMENT STATIONS=     2000.0     2088.0  TYPE=       4  TARGET=        0.000

 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      955.50 FLREA=      956.20

     29.42      4.66    953.54      0.00    953.50    953.68      .14      .65      .01    955.50
       690.        0.      690.        0.        0.       233.        0.      492.      192.    954.22
      6.94      0.00      2.96      0.00      .060      .045      .060      .048    948.88   2009.05
   .001845      220.      294.      510.         2         0         0      0.00     76.16   2085.21

 *SECNO 29.550
  2800 NAT QI=     263.59  WSEL=     954.71  ENC QI=     265.22  WSEL=     954.81  RATIO=  -.0062
  NAT QI=     276.  RATIOS LOB,CH,ROB=   .0058   .9605   .0337  WSEL=     954.81

 3470 ENCROACHMENT STATIONS=     2000.0     2078.0  TYPE=       4  TARGET=         .039
     29.55      5.27    954.76      0.00    954.71    954.84      .07      1.15      .01    954.10
       690.        0.      690.        0.        0.       315.        0.      498.      194.    953.27
      7.08      0.00      2.19      0.00      .060      .045      .060      .047    949.49   2000.00
   .000726      1010.     1050.     1060.        2         0         0      0.00     76.00   2078.00

 CCHV=    .300 CEHV=    .500
 *SECNO 29.800
  2800 NAT QI=     305.73  WSEL=     954.94  ENC QI=     305.73  WSEL=     955.04  RATIO=    .0000
  NAT QI=     321.  RATIOS LOB,CH,ROB=   .0347   .8967   .0686  WSEL=     955.04
     SECNO      DEPTH     CWSEL     CRIWS     WSELR      EG          HV          HL          QLOSS     BANK ELEV
     Q          QLOB      QCH       QROB      ALOB       ACH         AROB        VOL         IWA       LEFT/RIGHT
     TIME       VLOB      VCH       VROB      XNL        XNCH        XNR         WTN         ELMIN        SSTA
     SLOPE      XLOBL     XLCH      XLOBR     ITRIAL     IDC         ICONT       CURAR       TOPWID       ENDST

 3470 ENCROACHMENT STATIONS=     1992.7     2093.7  TYPE=       4  TARGET=         .048
     29.80      5.30    955.00      0.00    954.94    955.06      .06      .22      .00    953.40
       690.        7.      651.       32.       11.       323.       39.      501.      195.    952.80
      7.13       .66      2.01       .82      .060      .045      .060      .047    949.70   1992.68
   .000523      300.      359.      390.         2         0         0      0.00    100.98   2093.66

 *SECNO 29.810
  2800 NAT QI=     342.70  WSEL=     955.02  ENC QI=     342.70  WSEL=     955.12  RATIO=  0.0000
  NAT QI=     358.  RATIOS LOB,CH,ROB=   .0458   .9202   .0340  WSEL=     955.12

 3470 ENCROACHMENT STATIONS=     1985.4     2087.4  TYPE=       4  TARGET=         .041
     29.81      5.99    955.09      0.00    955.02    955.14      .05      .07      .00    953.10
       690.       18.      663.        9.       26.       363.       14.      503.      195.    953.10
      7.15       .69      1.83       .66      .060      .045      .060      .047    949.10   1985.39
   .000415      140.      160.      140.         2         0         0      0.00    102.05   2087.44

 *SECNO 29.900
  2800 NAT QI=     295.39  WSEL=     955.03  ENC QI=     304.14  WSEL=     955.13  RATIO=  -.0296
```

MOORE BUSINESS FORMS, INC 23

```
 NAT Q1=    304.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    955.13
3470 ENCROACHMENT STATIONS=     2000.0     2069.0  TYPE=      4  TARGET=        0.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=       957.50 ELREA=       957.45
     29.90      5.60    955.10      0.00    955.03    955.16      .06       .02       .01    958.10
       690.        0.      690.        0.        0.      341.        0.      503.      196.    958.10
      7.16      0.00      2.62      0.00      .060      .045      .060      .047    949.50   2000.00
   .000521       39.       39.       39.         0         0         0      0.00     69.00   2069.00

 CCHV=     .300 CEHV=     .500
*SECNO 30.000
      3700.  BRIDGE STENCL=    2000.00     STENCR=    2069.00
3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD=  957.70 MAX ELLC=  956.90

         D/S FACE OF H DRIVE SOUTH BRIDGE.CONCRETE    (1)

     30.00      5.60    955.10      0.00    955.03    955.17      .07       .00       .01    958.10
       690.        0.      690.        0.        0.      317.        0.      503.      196.    958.10
      7.16      0.00      2.18      0.00      .020      .026      .020      .047    949.50   2000.00
   .000346         1.        1.        1.         1         0         0    -23.70     69.00   2069.00

*SECNO 30.100
 2800 NAT Q1=     393.85  WSEL=     955.03  ENC Q1=     404.99  WSEL=     955.13  RATIO=   -.0283
 NAT Q1=     405.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     955.13

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD=  957.70 MAX ELLC=  956.90

3470 ENCROACHMENT STATIONS=     2000.0     2069.0  TYPE=      4  TARGET=        0.000
     30.10      5.11    955.11      0.00    955.03    955.18      .07       .01       .00    958.10
       690.        0.      690.        0.        0.      324.        0.      503.      196.    958.10
      7.16      0.00      2.13      0.00      .020      .026      .020      .047    950.00   2000.00
   .000295        30.       30.       30.         0         0         0     -9.65     69.00   2069.00

 CCHV=     .300 CEHV=     .500
*SECNO 30.200
 2800 NAT Q1=     285.66  WSEL=     955.04  ENC Q1=     295.70  WSEL=     955.14  RATIO=   -.0352
 NAT Q1=     296.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     955.14
   SECNO     DEPTH     CKSEL     CRIWS     WSELR      EG        HV        HL       QLOSS     RANK ELEV
       Q       QLOB       QCH       QROB      ALOB       ACH       AROB       VOL       TWA    LEFT/RIGHT
    TIME       VLOB       VCH       VROB       XNL       XNCH       XNR       WTN       ELMIN      SSTA
   SLOPE      XLOBL      XLCH      XLOBR     ITRIAL     IDC       ICOUNT     CORAR     TOPWID     FNDST

3470 ENCROACHMENT STATIONS=     2000.0     2069.0  TYPE=      4  TARGET=        0.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=       958.10 ELREA=       958.10
     30.20      5.12    955.12      0.00    955.04    955.18      .07       .00       .00    958.10
       690.        0.      690.        0.        0.      334.        0.      503.      196.    958.10
      7.16      0.00      2.06      0.00      .060      .045      .060      .047    950.00   2000.00
   .000555         1.        1.        1.         0         0         0      0.00     69.00   2069.00
```

MOORE BUSINESS FORMS, INC 23

```
*SECNO 30.300
 2800 NAT Q1=     383.25  WSEL=     955.10  ENC Q1=     383.25  WSEL=     955.20  RATIO=  0.0000
 NAT Q1=     401.  RATIOS LOB,CH,ROB=    .0398    .8939    .0664  WSEL=     955.20

3470 ENCROACHMENT STATIONS=     1993.8    2116.6  TYPE=      4  TARGET=          .043
     30.30      5.07    955.17      0.00    955.10    955.21      .04       .02       .01    952.00
       690.       12.      646.       32.       17.      396.      49.      503.      196.    951.60
      7.17       .72      1.63       .65      .060      .045      .060      .047    950.10   1993.78
   .000332        39.       39.       39.         2         0         0      0.00    122.79   2116.57

CCHV=     .100  CEHV=     .300
*SECNO 30.400
 2800 NAT Q1=     382.68  WSEL=     955.12  ENC Q1=     382.68  WSEL=     955.22  RATIO=  0.0000
 NAT Q1=     399.  RATIOS LOB,CH,ROB=    .0351    .9063    .0587  WSEL=     955.22

3470 ENCROACHMENT STATIONS=     1994.1    2115.9  TYPE=      4  TARGET=          .040
     30.40      5.09    955.19      0.00    955.12    955.23      .04       .03       .00    952.00
       690.       10.      653.       27.       17.      398.      49.      504.      196.    951.60
      7.18       .61      1.64       .56      .070      .045      .070      .047    950.10   1994.14
   .000333        76.       76.       76.         0         0         0      0.00    121.77   2115.91

*SECNO 31.000
 2800 NAT Q1=     269.37  WSEL=     956.37  ENC Q1=     269.37  WSEL=     956.47  RATIO=  0.0000
 NAT Q1=     285.  RATIOS LOB,CH,ROB=    .0221    .9223    .0556  WSEL=     956.47

3470 ENCROACHMENT STATIONS=     2006.0    2109.8  TYPE=      4  TARGET=          .055

      SURVEYED VALLEY SECTION   (J)

     31.00      4.08    956.48      0.00    956.37    956.54      .06      1.30       .01    953.60
       690.        0.      674.       16.        0.      343.      19.      531.      203.    953.70
      7.59       0.00      1.96       .85      .070      .045      .070      .047    952.40   2006.00
   .000680       2700.     2825.     2840.         1         0         0      0.00    103.84   2109.84

*SECNO 31.800
 2800 NAT Q1=     383.94  WSEL=     957.53  ENC Q1=     383.94  WSEL=     957.63  RATIO=  0.0000
 NAT Q1=     405.  RATIOS LOB,CH,ROB=    .0057    .8216    .1727  WSEL=     957.63

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS=     2000.0    2317.9  TYPE=      4  TARGET=          .053
     31.80      5.37    957.67      0.00    957.53    957.70      .04      1.16       .00    954.80
       690.        0.      594.       96.        0.      368.     224.      559.      215.    955.10
      8.08       0.00      1.61       .43      .070      .045      .070      .047    952.30   2000.00
   .000324       2520.     2566.     2440.         1         0         0      0.00    314.40   2317.91

*SECNO 31.805
   SECNO      DEPTH     C#SEC     CRIWS     WSELR      EG        HV        HL       QLOSS     BANK ELEV
     Q        QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
    TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE      XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST
```

MOORE BUSINESS FORMS, INC. 23

3470 ENCROACHMENT STATIONS= 1982.0 2095.0 TYPE= 1 TARGET= 113.000

31.81	5.04	957.74	0.00	957.60	957.81	.08	.10	.01	956.30
690.	1.	672.	16.	3.	297.	24.	561.	216.	955.10
8.10	.43	2.26	.67	.070	.045	.070	.047	952.70	1995.69
.000695	240.	223.	180.	2	0	0	0.00	92.70	2088.39

*SECNO 31.810

3470 ENCROACHMENT STATIONS= 1987.0 2083.0 TYPE= 1 TARGET= 96.000

31.81	5.06	957.76	0.00	957.63	957.84	.08	.03	.00	956.30
690.	1.	672.	17.	3.	299.	22.	561.	216.	955.10
8.11	.43	2.25	.76	.070	.045	.070	.047	952.70	1995.63
.000683	37.	37.	37.	0	0	0	0.00	87.37	2083.00

*SECNO 31.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 960.55 ELREA= 960.55

31.90	5.10	957.80	0.00	957.67	957.87	.08	.03	.00	961.20
690.	0.	690.	0.	0.	307.	0.	562.	216.	961.20
8.12	0.00	2.25	0.00	.070	.045	.070	.047	952.70	2000.00
.000728	49.	49.	49.	0	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 32.000

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

D/S FACE OF J DRIVE SOUTH BRIDGE.CONCRETE (K)

32.00	5.09	957.79	0.00	957.67	957.88	.08	.00	.00	961.20
690.	0.	690.	0.	0.	297.	0.	562.	216.	961.20
8.12	0.00	2.32	0.00	.020	.026	.020	.047	952.70	2000.00
.000360	1.	1.	1.	0	0	0	-9.30	70.00	2070.00

*SECNO 32.100

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

32.10	5.21	957.81	0.00	957.69	957.89	.08	.01	.00	961.20
690.	0.	690.	0.	0.	310.	0.	562.	216.	961.20
8.12	0.00	2.23	0.00	.020	.026	.020	.047	952.60	2000.00
.000319	30.	30.	30.	0	0	0	-9.53	70.00	2070.00

CCHV= .100 CEHV= .300
*SECNO 32.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	COPAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 961.10 ELREA= 961.10

```
      32.20       5.22     957.82       0.00     957.70     957.89        .07        .00        .00     961.20
        690.         0.       690.         0.         0.       319.         0.       562.       216.      961.20
       8.12       0.00       2.16       0.00       .070       .045       .070       .047     952.60    2000.00
    .000641         1.         1.         1.          0          0          0       0.00      70.00    2070.00

 *SECNO 32.300

 3470 ENCROACHMENT STATIONS=     1972.0     2142.0  TYPE=        1  TARGET=        170.000
      32.30       5.19     957.89       0.00     957.77     957.91        .02        .02        .01     955.70
        690.         6.       643.        41.        18.       523.        77.       562.       216.      954.70
       8.13        .30       1.23        .54       .070       .045       .070       .047     952.70    1983.26
    .000184        49.        49.        49.          2          0          0       0.00     156.74    2142.00

 CCHV=     .100 CEHV=     .300
 *SECNO 33.000
  2800 NAT Q1=      234.81  WSEL=      959.21  ENC Q1=      234.81  WSEL=      959.31  RATIO=  0.0000
  NAT Q1=      257.  RATIOS LOB,CH,ROB=     .0402     .5758     .3841  WSEL=      959.31

 3470 ENCROACHMENT STATIONS=     2000.0     2310.6  TYPE=        4  TARGET=         .087
         SURVEYED VALLEY SECTION    (L)
      33.00       4.27     959.27       0.00     959.21     959.33        .06       1.41        .01     958.80
        690.         0.       439.       251.         0.       190.       346.       614.       237.      958.70
       8.77       0.00       2.30        .72       .080       .045       .080       .047     955.00    2000.00
    .000924       3250.      4100.      3625.          2          (          0       0.00     310.57    2310.57

 *SECNO 33.850
  2800 NAT Q1=      230.43  WSEL=      961.29  ENC Q1=      237.69  WSEL=      961.39  RATIO=  -.0315
  NAT Q1=      238.  RATIOS LOB,CH,ROB=   0.0000   1.0000   0.0000  WSEL=      961.39

 3470 ENCROACHMENT STATIONS=     2032.0     2085.0  TYPE=        4  TARGET=          0.000
      33.85       5.95     961.37       0.00     961.29     961.47        .10       2.13        .01     962.75
        690.         0.       690.         0.         0.       268.         0.       637.       247.      963.30
       9.03       0.00       2.57       0.00       .080       .045       .080       .047     955.42    2032.00
    .000850       2390.      2390.      2410.          1          0          0       0.00      53.00    2085.00

 *SECNO 33.900
  2800 NAT Q1=      229.03  WSEL=      961.31  ENC Q1=      237.40  WSEL=      961.41  RATIO=  -.0365
  NAT Q1=      237.  RATIOS LOB,CH,ROB=   0.0000   1.0000   0.0000  WSEL=      961.41

 3470 ENCROACHMENT STATIONS=     2027.0     2085.0  TYPE=        4  TARGET=          0.000

 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      965.20 ELREA=      965.20

      33.90       5.88     961.38       0.00     961.31     961.48        .10        .01        .00     967.30
        690.         0.       690.         0.         0.       279.         0.       637.       247.      967.30
       9.03       0.00       2.48       0.00       .080       .045       .080       .047     955.50    2027.00
    .000861        13.        13.        13.          0          0          0       0.00      58.00    2085.00

 CCHV=     .300 CEHV=     .500
 *SECNO 34.000
    3700.   BRIDGE STENCL=     2027.00    STENCR=     2085.00
     SECNO    DEPTH    CWSEL    CRIWS    WSELK     EG         HV         HL         OLOSS    BANK ELEV
```

Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	FNDST

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

34.00	5.88	961.38	0.00	961.31	961.48	.10	.00	.00	967.30
690.	0.	690.	0.	0.	267.	0.	637.	247.	967.30
9.03	0.00	2.58	0.00	.020	.026	.020	.047	955.50	2027.00
.000411	1.	1.	1.	2	0	0	-11.65	58.00	2085.00

*SECNO 34.100
2800 NAT QI= 345.70 WSEL= 961.31 ENC QI= 356.57 WSEL= 961.41 RATIO= -.0315
NAT QI= 357. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.41

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

3470 ENCROACHMENT STATIONS= 2025.0 2083.0 TYPE= 4 TARGET= 0.000

34.10	5.39	961.39	0.00	961.31	961.50	.10	.01	.00	967.30
690.	0.	690.	0.	0.	266.	0.	637.	247.	967.30
9.04	0.00	2.60	0.00	.020	.026	.020	.047	956.00	2025.00
.000379	29.	29.	29.	0	0	0	0.00	58.00	2083.00

CCHV= .300 CEHV= .500
*SECNO 34.200
2800 NAT QI= 213.64 WSEL= 961.31 ENC QI= 221.17 WSEL= 961.41 RATIO= -.0353
NAT QI= 221. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.41

3470 ENCROACHMENT STATIONS= 2025.0 2083.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.30 ELREA= 967.30

34.20	5.39	961.39	0.00	961.31	961.50	.10	.00	.00	967.30
690.	0.	690.	0.	0.	266.	0.	637.	247.	967.30
9.04	0.00	2.60	0.00	.060	.045	.060	.047	956.00	2025.00
.000987	1.	1.	1.	0	0	0	0.00	58.00	2083.00

*SECNO 34.250
2800 NAT QI= 240.13 WSEL= 961.35 ENC QI= 248.69 WSEL= 961.45 RATIO= -.0356
NAT QI= 249. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.45

3470 ENCROACHMENT STATIONS= 2025.0 2089.0 TYPE= 4 TARGET= 0.000

34.25	4.97	961.43	0.00	961.35	961.51	.09	.01	.01	963.90
690.	0.	690.	0.	0.	291.	0.	637.	247.	963.60
9.04	0.00	2.37	0.00	.060	.045	.060	.047	956.46	2025.00
.000762	13.	13.	13.	2	0	0	0.00	64.00	2089.00

CCHV= .100 CEHV= .300
*SECNO 34.300

MOORE BUSINESS FORMS, INC 23

3470 ENCROACHMENT STATIONS= 1967.0 2103.0 TYPE= 1 TARGET= 136.000

34.30	5.27	961.47	0.00	961.40	961.53	.06	.02	.00	960.50
690.	11.	651.	28.	29.	321.	50.	637.	247.	959.90
9.04	.38	2.03	.56	.080	.045	.080	.047	956.20	1967.00
.000528	26.	26.	26.	2	0	0	0.00	136.00	2103.00

*SECNO 34.800

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1877.0 2226.0 TYPE= 1 TARGET= 349.000

34.80	4.79	961.89	0.00	961.83	961.92	.04	.39	.00	963.70
690.	105.	578.	7.	186.	349.	31.	646.	251.	966.30
9.20	.56	1.66	.24	.080	.045	.080	.047	957.10	1877.00
.000419	1000.	820.	460.	2	0	0	0.00	265.42	2226.00

*SECNO 34.810

3470 ENCROACHMENT STATIONS= 1967.0 2092.0 TYPE= 1 TARGET= 105.000

34.81	3.83	962.03	0.00	961.99	962.14	.10	.19	.02	963.70
690.	0.	684.	6.	0.	262.	10.	649.	252.	960.50
9.23	0.00	2.61	.62	.080	.045	.080	.047	958.20	2002.66
.001272	340.	280.	150.	2	0	0	0.00	89.34	2092.00

*SECNO 34.900

3470 ENCROACHMENT STATIONS= 894.0 3606.0 TYPE= 1 TARGET= 2712.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 967.25 ELREA= 967.20

34.90	4.10	962.10	0.00	962.06	962.19	.09	.06	.00	968.80
690.	0.	690.	0.	0.	284.	0.	649.	252.	959.40
9.23	0.00	2.43	0.00	.080	.045	.080	.047	958.00	2000.00
.001045	50.	50.	50.	2	0	0	0.00	80.00	2080.00

CCHV= .300 CEHV= .500
*SECNO 35.000

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

D/S FACE OF L DRIVE SOUTH BRIDGE.CONCRETE (N)

D/S LIMIT OF ALBION TWP.

35.00	4.11	962.11	0.00	962.07	962.20	.08	.00	.00	968.80
690.	0.	649.	41.	0.	277.	19.	649.	252.	959.40
9.23	0.00	2.34	2.17	.017	.022	.017	.047	958.00	2000.00

MOORE BUSINESS FORMS, INC 23

.000266	1.	1.	1.	0	0	0	-6.93	88.00	2088.00

*SECNO 35.100

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

35.10	4.42	962.12	0.00	962.08	962.21	.09	.01	.00	968.80
690.	0.	690.	0.	0.	293.	0.	650.	252.	968.80
9.24	0.00	2.36	0.00	.017	.022	.017	.047	957.70	2000.00
.000294	32.	32.	32.	1	0	0	-8.36	88.00	2088.00

*SECNO 35.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	APOB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WIN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 968.80 ELREA= 968.80

35.20	4.43	962.13	0.00	962.09	962.21	.08	.00	.00	968.80
690.	0.	690.	0.	0.	301.	0.	650.	252.	968.80
9.24	0.00	2.30	0.00	.017	.022	.017	.047	957.70	2000.00
.000238	1.	1.	1.	0	0	0	0.00	88.00	2088.00

*SECNO 35.250

35.25	2.70	962.10	0.00	962.06	962.27	.18	.02	.05	959.60
690.	20.	602.	68.	8.	174.	26.	650.	252.	959.92
9.24	2.66	3.46	2.58	.017	.022	.017	.047	959.40	2000.93
.000763	51.	51.	51.	2	0.	0	0.00	110.06	2110.99

SPECIAL BRIDGE

SB XK	XKOK	COFQ	RDLEN	HWC	HWP	HAREA	SS	FLCHU	FLCHD
0.00	1.75	3.00	65.00	1.60	0.00	1.00	0.00	959.59	959.40

*SECNO 35.300

3265 DIVIDED FLOW

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	FLLC	ELTRD
13899.60	962.46	0.00	686.	8.	1.	1.	960.59	961.47

SPILLWAY STRUCTURE

T.W. w/s = 600ft

35.30	4.27	953.67	0.00	963.67	963.71	.03	1.41	0.00	962.48
690.	150.	256.	285.	144.	154.	202.	650.	252.	961.49
9.24	1.04	1.66	1.41	.017	.022	.017	.047	959.40	1749.10

MOORE BUSINESS FORMS, INC 23

.000227	10.	10.	10.	2	0	A	0.00	599.42	2361.08

*SECNO 35.350

3265 DIVIDED FLOW

35.35	3.92	963.68	0.00	963.68	963.71	.03	.00	.00	962.48
690.	104.	386.	199.	151.	251.	194.	650.	252.	962.12
9.25	.69	1.54	1.00	.017	.022	.017	.047	959.76	1689.70
.000116	10.	10.	10.	0	0	0	0.00	660.22	2361.14

*SECNO 36.000

36.00	3.04	964.34	0.00	964.34	964.48	.14	.71	.06	962.80
690.	6.	657.	26.	4.	218.	16.	680.	277.	963.20
9.55	1.71	3.02	1.44	.017	.022	.017	.045	961.30	2001.13
.000576	2680.	3430.	2600.	2	0	0	0.00	122.49	2123.62

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC. 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

100 YEAR FLOW
SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
24.000	946.17	1989.28	2000.00	2278.00	2326.06	336.78	0.00
24.000	946.27	2000.00	2000.00	2278.00	2278.00	278.00	0.00
24.100	946.20	1903.29	2000.00	2220.00	2242.76	339.47	2280.00
24.100	946.30	2000.00	2000.00	2220.00	2220.00	220.00	2280.00
24.200	946.25	989.89	3000.00	3150.00	3337.82	1993.31	2300.00
24.200	946.35	1265.28	3000.00	3150.00	3150.00	1533.48	2300.00
25.000	946.37	2938.00	4000.00	4090.00	4251.85	845.34	2290.00
25.000	946.47	3055.49	4000.00	4090.00	4144.09	673.80	2290.00
25.600	946.99	3560.18	4000.00	4060.00	4499.81	939.62	2850.00
25.600	947.10	3614.54	4000.00	4060.00	4140.64	526.11	2850.00
25.800	947.31	1901.00	2060.00	2050.00	2148.00	247.00	1100.00
25.800	947.41	1901.00	2000.00	2050.00	2148.00	247.00	1100.00
25.900	947.53	2000.00	2000.00	2085.00	2085.00	85.00	324.00
25.900	947.60	2000.00	2000.00	2085.00	2085.00	85.00	324.00
26.000	947.54	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.000	947.61	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.100	947.62	2000.00	2000.00	2085.00	2085.00	85.00	26.00
26.100	947.69	2000.00	2000.00	2085.00	2085.00	85.00	26.00
26.200	947.63	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.200	947.69	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.400	947.68	1897.00	2000.00	2093.00	2196.00	299.00	107.00
26.400	947.74	1820.45	2000.00	2093.00	2115.42	294.97	107.00
26.900	948.40	1445.84	2000.00	2124.00	2164.93	719.08	3000.00
26.900	948.49	1633.32	2060.00	2124.00	2124.00	440.68	3000.00
27.000	948.40	1445.48	2030.00	2090.00	2090.00	501.16	72.00
27.000	948.50	1600.15	2030.00	2090.00	2090.00	354.80	72.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWTD	XLCF
27.100	948.44	1444.77	2000.00	2143.00	2164.73	719.96	36.00
27.100	948.53	1620.45	2000.00	2143.00	2143.00	522.55	36.00
27.400	948.97	1896.00	2050.00	2169.50	2205.63	309.63	2700.00
27.400	949.08	1916.46	2050.00	2169.50	2169.50	253.04	2700.00
27.500	949.11	1956.70	2000.00	2100.00	2131.19	174.49	400.00
27.500	949.22	2000.00	2000.00	2100.00	2100.00	100.00	400.00
27.700	950.14	2021.28	2050.00	2154.00	2213.68	192.40	1500.00
27.700	950.25	2050.00	2050.00	2154.00	2163.34	113.34	1500.00
27.800	950.33	2129.71	2129.00	2221.00	2217.88	88.17	340.00
27.800	950.44	2129.50	2129.00	2221.00	2218.11	88.62	340.00
27.900	950.38	2141.00	2141.00	2232.00	2232.00	91.00	32.00
27.900	950.49	2141.00	2141.00	2232.00	2232.00	91.00	32.00
28.000	950.39	2141.00	2141.00	2232.00	2232.00	91.00	1.00
28.000	950.49	2141.00	2141.00	2232.00	2232.00	91.00	1.00
28.100	950.40	2149.00	2149.00	2240.00	2240.00	91.00	36.50
28.100	950.50	2149.00	2149.00	2240.00	2240.00	91.00	36.50
28.200	950.40	2149.00	2149.00	2240.00	2240.00	91.00	1.00
28.200	950.50	2149.00	2149.00	2240.00	2240.00	91.00	1.00
28.300	950.41	2117.00	2154.50	2229.00	2272.00	155.00	32.00
28.300	950.52	2117.00	2154.50	2229.00	2272.00	155.00	32.00
28.420	950.73	2138.48	2154.50	2241.58	2291.79	153.32	580.00
28.420	950.82	1683.79	2154.50	2241.58	2242.86	130.73	580.00
28.670	952.20	1996.59	2017.00	2120.00	2191.95	195.36	2660.00
28.670	952.29	2016.10	2017.00	2120.00	2127.39	111.30	2660.00
28.800	952.52	1992.17	2000.00	2126.00	2206.65	214.48	700.00
28.800	952.63	2000.00	2000.00	2126.00	2126.00	126.00	700.00
28.810	952.47	1964.51	2000.00	2100.00	2077.83	113.32	75.00
28.810	952.58	2000.00	2000.00	2100.00	2078.46	78.46	75.00
28.900	952.61	2000.00	2000.00	2070.00	2070.00	70.00	34.00
28.900	952.72	2000.00	2000.00	2070.00	2070.00	70.00	34.00
29.000	952.61	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.000	952.72	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.100	952.67	2000.00	2000.00	2070.00	2070.00	70.00	30.00
29.100	952.78	2000.00	2000.00	2070.00	2070.00	70.00	30.00
29.200	952.69	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.200	952.79	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.300	952.74	1990.74	1972.00	2065.00	2055.82	65.08	34.00
29.300	952.84	1990.18	1972.00	2065.00	2056.30	66.12	34.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
29.420	953.50	2009.27	2000.00	2088.00	2085.02	75.75	294.00
29.420	953.54	2009.05	2000.00	2088.00	2085.21	76.16	294.00
29.550	954.71	1968.40	2000.00	2078.00	2132.68	164.28	1050.00
29.550	954.76	2000.00	2000.00	2078.00	2078.00	78.00	1050.00
29.800	954.94	1940.86	2000.00	2073.00	2141.04	200.18	359.00
29.800	955.00	1992.68	2000.00	2073.00	2093.66	100.98	359.00
29.810	955.02	1937.97	2000.00	2080.00	2126.15	188.18	160.00
29.810	955.09	1985.39	2000.00	2080.00	2087.44	102.05	160.00
29.900	955.03	2000.00	2000.00	2069.00	2069.00	69.00	39.00
29.900	955.10	2000.00	2000.00	2069.00	2069.00	69.00	39.00
30.000	955.03	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.000	955.10	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.100	955.03	2000.00	2000.00	2069.00	2069.00	69.00	30.00
30.100	955.11	2000.00	2000.00	2069.00	2069.00	69.00	30.00
30.200	955.04	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.200	955.12	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.300	955.10	1964.29	2000.00	2088.00	2151.94	187.65	39.00
30.300	955.17	1993.78	2000.00	2088.00	2116.57	122.79	39.00
30.400	955.12	1963.64	2000.00	2088.00	2152.53	188.89	76.00
30.400	955.19	1994.14	2000.00	2088.00	2115.91	121.77	76.00
31.000	956.37	1994.94	2006.00	2102.00	2273.84	263.45	2825.00
31.000	956.48	2006.00	2006.00	2102.00	2109.84	103.84	2825.00
31.800	957.53	1993.77	2000.00	2078.00	2407.14	390.43	2566.00
31.800	957.67	2000.00	2000.00	2078.00	2317.91	314.40	2566.00
31.805	957.60	1996.09	2000.00	2070.00	2087.47	91.38	223.00
31.805	957.74	1995.69	2000.00	2070.00	2088.39	92.70	223.00
31.810	957.63	1996.03	2000.00	2070.00	2083.00	86.97	37.00
31.810	957.76	1995.63	2000.00	2070.00	2083.00	87.37	37.00
31.900	957.67	2000.00	2000.00	2070.00	2070.00	70.00	49.00
31.900	957.80	2000.00	2000.00	2070.00	2070.00	70.00	49.00
32.000	957.67	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.000	957.79	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.100	957.69	2000.00	2000.00	2070.00	2070.00	70.00	30.00
32.100	957.81	2000.00	2000.00	2070.00	2070.00	70.00	30.00
32.200	957.70	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.200	957.82	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.300	957.77	1984.17	2000.00	2114.00	2142.00	157.83	49.00
32.300	957.89	1983.26	2000.00	2114.00	2142.00	158.74	49.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
33.000	959.21	1626.43	2000.00	2052.00	2391.55	638.54	4100.00
33.000	959.27	2000.00	2000.00	2052.00	2310.57	310.57	4100.00
33.850	961.29	2032.00	2032.00	2085.00	2085.00	53.00	2399.00
33.850	961.37	2032.00	2032.00	2085.00	2085.00	53.00	2399.00
33.900	961.31	2027.00	2027.00	2085.00	2085.00	58.00	13.00
33.900	961.38	2027.00	2027.00	2085.00	2085.00	58.00	13.00
34.000	961.31	2027.00	2027.00	2085.00	2085.00	58.00	1.00
34.000	961.38	2027.00	2027.00	2085.00	2085.00	58.00	1.00
34.100	961.31	2025.00	2025.00	2083.00	2083.00	58.00	29.00
34.100	961.39	2025.00	2025.00	2083.00	2083.00	58.00	29.00
34.200	961.31	2025.00	2025.00	2083.00	2083.00	58.00	1.00
34.200	961.39	2025.00	2025.00	2083.00	2083.00	58.00	1.00
34.250	961.35	2025.00	2025.00	2089.00	2089.00	64.00	13.00
34.250	961.43	2025.00	2025.00	2089.00	2089.00	64.00	13.00
34.300	961.40	1967.00	2000.00	2070.00	2103.00	136.00	26.00
34.300	961.47	1967.00	2000.00	2070.00	2103.00	136.00	26.00
34.800	961.83	1877.00	2000.00	2104.00	2226.00	261.31	820.00
34.800	961.89	1877.00	2000.00	2104.00	2226.00	265.42	820.00
34.810	961.99	2002.73	2000.00	2081.00	2092.00	69.27	280.00
34.810	962.03	2002.66	2000.00	2081.00	2092.00	69.34	280.00
34.900	962.06	2000.00	2000.00	2080.00	2080.00	80.00	50.00
34.900	962.10	2000.00	2000.00	2080.00	2080.00	80.00	50.00
35.000	962.07	2000.00	2000.00	2080.00	2088.00	88.00	1.00
35.000	962.11	2000.00	2000.00	2080.00	2088.00	88.00	1.00
35.100	962.08	2000.00	2000.00	2088.00	2088.00	88.00	32.00
35.100	962.12	2000.00	2000.00	2088.00	2088.00	88.00	32.00
35.200	962.09	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.200	962.13	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.250	962.05	2001.03	2007.00	2076.00	2107.11	106.08	51.00
35.250	962.10	2000.93	2007.00	2076.00	2110.99	110.06	51.00
35.300	963.67	1749.56	2007.00	2076.00	2361.05	595.31	10.00
35.300	963.67	1749.10	2007.00	2076.00	2361.08	599.43	10.00
35.350	963.68	1689.76	2000.00	2081.00	2361.11	659.58	10.00
35.350	963.68	1689.70	2000.00	2081.00	2361.14	660.22	10.00
36.000	964.34	2001.13	2006.00	2092.00	2123.62	122.50	3430.00
36.000	964.34	2001.13	2006.00	2092.00	2123.62	122.49	3430.00

MOORE BUSINESS FORMS, INC 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 110

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERFNC	STENCL	STCHL	STCHR	STENCR
24.000	946.17	0.00	946.17	336.78	.96	732.26	1.78	0.00	0.00	2000.00	2278.00	0.00
24.000	946.27	.10	946.27	278.00	0.00	735.00	0.00	.00	2000.00	2000.00	2278.00	2278.00
24.100	946.20	0.00	946.20	339.47	13.73	719.52	1.75	0.00	0.00	2000.00	2220.00	0.00
24.100	946.30	.10	946.30	220.00	0.00	735.00	0.00	.02	2000.00	2000.00	2220.00	2220.00
24.200	946.25	0.00	946.26	1993.31	306.26	411.94	16.80	0.00	0.00	3000.00	3150.00	0.00
24.200	946.35	.10	946.36	1533.48	310.05	424.95	0.00	.07	1265.28	3000.00	3150.00	3150.00
25.000	946.37	0.00	946.39	845.34	115.67	555.68	63.65	0.00	0.00	4000.00	4090.00	0.00
25.000	946.47	.10	946.49	673.80	113.59	577.14	44.27	.07	3055.49	4000.00	4090.00	4144.09
25.600	946.99	0.00	947.01	939.62	294.43	361.00	79.57	0.00	0.00	4000.00	4060.00	0.00
25.600	947.10	.11	947.11	526.11	295.37	373.63	66.00	.08	3614.54	4000.00	4060.00	4140.64
25.800	947.31	0.00	947.37	247.00	58.55	531.97	144.49	247.00	1901.00	2000.00	2050.00	2148.00
25.800	947.41	.10	947.46	247.00	63.98	522.05	148.96	247.00	1901.00	2000.00	2050.00	2148.00
25.900	947.53	0.00	947.63	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
25.900	947.60	.07	947.70	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.000	947.54	0.00	947.64	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.000	947.61	.07	947.71	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.100	947.62	0.00	947.66	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.100	947.69	.07	947.73	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.200	947.63	0.00	947.67	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.200	947.69	.07	947.74	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.400	947.68	0.00	947.71	299.00	89.48	523.46	122.06	299.00	1897.00	2000.00	2093.00	2196.00
26.400	947.74	.06	947.77	294.97	137.76	550.34	46.90	.22	1820.45	2000.00	2093.00	2115.42
26.900	948.40	0.00	948.41	719.08	221.46	503.18	10.34	0.00	0.00	2000.00	2124.00	0.00
26.900	948.49	.10	948.51	490.68	210.67	524.33	0.00	.07	1633.32	2000.00	2124.00	2124.00
27.000	948.40	0.00	948.44	501.16	241.64	493.36	0.00	0.00	0.00	2030.00	2090.00	0.00
27.000	948.50	.09	948.53	354.80	226.34	508.66	0.00	.06	1600.15	2030.00	2090.00	2090.00
27.100	948.44	0.00	948.45	719.96	181.96	543.67	9.37	0.00	0.00	2000.00	2143.00	0.00
27.100	948.53	.10	948.55	522.55	165.72	569.28	0.00	.07	1620.45	2000.00	2143.00	2143.00
27.400	948.97	0.00	948.99	309.63	262.24	460.70	12.06	888.00	1896.00	2050.00	2169.50	2784.00
27.400	949.08	.11	949.10	253.04	253.28	481.72	0.00	.30	1916.46	2050.00	2169.50	2169.50
27.500	949.11	0.00	949.18	174.45	7.60	710.14	17.23	0.00	0.00	2000.00	2100.00	0.00
27.500	949.22	.11	949.29	100.00	0.00	735.00	0.00	.04	2000.00	2000.00	2100.00	2100.00
27.700	950.14	0.00	950.18	152.40	11.71	689.46	33.83	0.00	0.00	2050.00	2154.00	0.00
27.700	950.25	.11	950.30	113.34	0.00	720.78	14.22	.05	2050.00	2050.00	2154.00	2163.34
27.800	950.33	0.00	950.41	68.17	0.00	735.00	0.00	0.00	0.00	2129.00	2221.00	0.00

MOORE BUSINESS FORMS, INC. 23

27.800	950.44	.11	950.52	88.62	0.00	735.00	0.00	0.00	2129.00	2129.00	2221.00	2221.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	DIFKPS	EG	TOPWID	GLOW	WCH	DROP	PERENC	STENCL	STCHL	STCHR	STENCR
27.900	950.38	0.00	950.44	91.00	0.00	735.00	0.00	0.00	0.00	2141.00	2232.00	0.00
27.900	950.49	.11	950.54	91.00	0.00	735.00	0.00	0.00	2141.00	2141.00	2232.00	2232.00
28.000	950.39	0.00	950.44	91.00	0.00	690.00	0.00	0.00	0.00	2141.00	2232.00	0.00
28.000	950.49	.10	950.54	91.00	0.00	690.00	0.00	0.00	0.00	2141.00	2232.00	0.00
28.100	950.40	0.00	950.45	91.00	0.00	690.00	0.00	0.00	0.00	2149.00	2240.00	0.00
28.100	950.50	.11	950.55	91.00	0.00	690.00	0.00	0.00	2149.00	2149.00	2240.00	2240.00
28.200	950.40	0.00	950.45	91.00	0.00	690.00	0.00	0.00	0.00	2149.00	2240.00	0.00
28.200	950.50	.11	950.55	91.00	0.00	690.00	0.00	0.00	2149.00	2149.00	2240.00	2240.00
28.300	950.41	0.00	950.47	155.00	29.13	631.94	28.93	155.00	2117.00	2154.50	2229.00	2272.00
28.300	950.52	.10	950.57	155.00	31.29	627.46	31.25	155.00	2117.00	2154.50	2229.00	2272.00
28.420	950.73	0.00	950.78	153.32	15.57	635.92	38.51	1242.00	2000.00	2154.50	2241.88	3242.00
28.420	950.82	.08	950.87	130.73	23.74	665.20	1.05	.10	1683.79	2154.50	2241.88	2242.86
28.670	952.20	0.00	952.24	195.36	18.12	646.62	25.26	0.00	0.00	2017.00	2120.00	0.00
28.670	952.29	.10	952.35	111.30	1.06	677.75	11.19	.05	2016.10	2017.00	2120.00	2127.39
28.800	952.52	0.00	952.56	214.48	.36	665.82	23.92	0.00	0.00	2000.00	2126.00	0.00
28.800	952.63	.11	952.67	126.00	0.00	690.00	0.00	.04	2000.00	2000.00	2126.00	2126.00
28.810	952.47	0.00	952.67	113.32	19.51	670.49	0.00	0.00	0.00	2000.00	2100.00	0.00
28.810	952.58	.11	952.78	78.46	0.00	690.00	0.00	.03	2000.00	2000.00	2100.00	2100.00
28.900	952.61	0.00	952.78	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
28.900	952.72	.11	952.88	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.000	952.61	0.00	952.79	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.000	952.72	.11	952.89	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.100	952.67	0.00	952.83	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.100	952.78	.11	952.92	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.200	952.69	0.00	952.83	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.200	952.79	.11	952.93	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.300	952.74	0.00	952.94	65.08	0.00	690.00	0.00	0.00	0.00	1972.00	2065.00	0.00
29.300	952.84	.10	953.03	66.12	0.00	690.00	0.00	0.00	1972.00	1972.00	2065.00	2065.00
29.420	953.50	0.00	953.64	75.75	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
29.420	953.54	.05	953.68	76.16	0.00	690.00	0.00	0.00	2000.00	2000.00	2088.00	2088.00
29.550	954.71	0.00	954.77	164.28	2.81	666.74	20.44	0.00	0.00	2000.00	2078.00	0.00
29.550	954.76	.06	954.84	78.00	0.00	690.00	0.00	.04	2000.00	2000.00	2078.00	2078.00
29.800	954.94	0.00	954.99	260.18	21.27	625.83	42.91	0.00	0.00	2000.00	2073.00	0.00
29.800	955.00	.07	955.06	100.98	7.30	650.80	31.89	.05	1992.68	2000.00	2073.00	2093.66
29.810	955.02	0.00	955.06	168.18	26.96	639.50	21.54	0.00	0.00	2000.00	2080.00	0.00
29.810	955.09	.07	955.14	102.05	17.74	663.26	4.00	.04	1985.39	2000.00	2080.00	2087.44
29.900	955.03	0.00	955.09	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
29.900	955.10	.07	955.16	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
30.000	955.03	0.00	955.09	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.000	955.10	.07	955.17	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.100	955.03	0.00	955.11	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.100	955.11	.08	955.18	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00
30.200	955.04	0.00	955.11	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.200	955.12	.08	955.18	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00
30.300	955.10	0.00	955.13	167.65	25.94	621.23	42.83	0.00	0.00	2000.00	2088.00	0.00
30.300	955.17	.07	955.21	122.79	12.33	645.88	31.79	.04	1993.78	2000.00	2088.00	2116.57
30.400	955.12	0.00	955.16	168.89	22.94	629.05	38.01	0.00	0.00	2000.00	2088.00	0.00
30.400	955.19	.07	955.23	121.77	10.08	652.54	27.38	.04	1994.14	2000.00	2088.00	2115.91
31.000	956.37	0.00	956.43	253.45	14.85	641.64	33.49	0.00	0.00	2006.00	2102.00	0.00
31.000	956.48	.11	956.54	103.84	0.00	673.70	16.30	.05	2006.00	2006.00	2102.00	2109.84
31.800	957.53	0.00	957.57	390.43	3.77	577.24	108.99	0.00	0.00	2000.00	2078.00	0.00
31.800	957.67	.13	957.70	314.40	0.00	593.60	96.40	.05	2000.00	2000.00	2078.00	2317.91
31.805	957.60	0.00	957.69	91.38	1.10	673.98	14.92	113.00	1982.00	2000.00	2070.00	2095.00
31.805	957.74	.13	957.81	92.70	1.34	672.46	16.20	113.00	1982.00	2000.00	2070.00	2095.00
31.810	957.63	0.00	957.72	86.97	1.13	672.98	15.89	96.00	1987.00	2000.00	2070.00	2083.00
31.810	957.76	.13	957.84	87.37	1.38	671.55	17.07	96.00	1987.00	2000.00	2070.00	2083.00
31.900	957.67	0.00	957.75	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
31.900	957.80	.13	957.87	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.000	957.67	0.00	957.76	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.000	957.79	.13	957.88	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.100	957.69	0.00	957.77	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.100	957.81	.12	957.89	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.200	957.70	0.00	957.77	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.200	957.82	.12	957.89	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.300	957.77	0.00	957.79	157.83	5.03	644.73	40.24	170.00	1972.00	2000.00	2114.00	2142.00
32.300	957.89	.12	957.91	158.74	5.57	643.17	41.25	170.00	1972.00	2000.00	2114.00	2142.00
33.000	959.21	0.00	959.26	638.54	19.30	415.55	255.14	0.00	0.00	2000.00	2052.00	0.00
33.000	959.27	.06	959.33	310.57	0.00	438.76	251.24	.09	2000.00	2000.00	2052.00	2310.57
33.850	961.29	0.00	961.39	53.00	0.00	690.00	0.00	0.00	0.00	2032.00	2085.00	0.00
33.850	961.37	.08	961.47	53.00	0.00	690.00	0.00	0.00	2032.00	2032.00	2085.00	2085.00
33.900	961.31	0.00	961.40	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
33.900	961.38	.08	961.48	58.00	0.00	690.00	0.00	0.00	2027.00	2027.00	2085.00	2085.00
34.000	961.31	0.00	961.41	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
34.000	961.38	.07	961.48	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
34.100	961.31	0.00	961.42	58.00	0.00	690.00	0.00	0.00	0.00	2025.00	2083.00	0.00
34.100	961.39	.08	961.50	58.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2083.00	2083.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PFRENC	STENCL	STCHL	STCHR	STENCR
34.200	961.31	0.00	961.42	58.00	0.00	690.00	0.00	0.00	0.00	2025.00	2083.00	0.00
34.200	961.39	.08	961.50	58.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2083.00	2083.00
34.250	961.35	0.00	961.44	64.00	0.00	690.00	0.00	0.00	0.00	2025.00	2089.00	0.00
34.250	961.43	.08	961.51	64.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2089.00	2089.00
34.300	961.40	0.00	961.46	136.00	9.64	653.92	26.24	136.00	1967.00	2000.00	2070.00	2103.00
34.300	961.47	.08	961.53	136.00	11.09	651.27	27.64	136.00	1967.00	2000.00	2070.00	2103.00
34.800	961.83	0.00	961.87	261.31	102.29	581.41	6.29	349.00	1877.00	2000.00	2104.00	2226.00
34.800	961.89	.05	961.92	265.42	104.59	578.13	7.28	349.00	1877.00	2000.00	2104.00	2226.00
34.810	961.99	0.00	962.09	69.27	0.00	683.95	6.05	165.00	1987.00	2000.00	2081.00	2092.00
34.810	962.03	.04	962.14	89.34	0.00	683.60	6.39	165.00	1987.00	2000.00	2081.00	2092.00
34.900	962.06	0.00	962.16	80.00	0.00	690.00	0.00	0.00	0.00	2000.00	2080.00	0.00
34.900	962.10	.04	962.19	80.00	0.00	690.00	0.00	2712.00	894.00	2000.00	2080.00	3606.00
35.000	962.07	0.00	962.16	88.00	0.00	649.49	40.51	0.00	0.00	2000.00	2080.00	0.00
35.000	962.11	.04	962.20	88.00	0.00	649.17	40.83	0.00	0.00	2000.00	2080.00	0.00
35.100	962.08	0.00	962.17	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.100	962.12	.04	962.21	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.200	962.09	0.00	962.17	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.200	962.13	.04	962.21	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.250	962.06	0.00	962.24	106.08	19.92	604.14	65.94	0.00	0.00	2007.00	2076.00	0.00
35.250	962.10	.04	962.27	110.06	20.18	601.72	68.10	0.00	0.00	2007.00	2076.00	0.00
35.300	963.67	0.00	963.70	548.31	149.42	255.98	284.61	0.00	0.00	2007.00	2076.00	0.00
35.300	963.67	.00	963.71	549.42	149.75	255.58	284.66	0.00	0.00	2007.00	2076.00	0.00
35.350	963.68	0.00	963.71	659.58	103.97	386.71	199.32	0.00	0.00	2000.00	2081.00	0.00
35.350	963.68	.00	963.71	660.22	104.31	386.22	199.47	0.00	0.00	2000.00	2081.00	0.00
36.000	964.34	0.00	964.48	122.50	6.43	657.47	26.10	0.00	0.00	2006.00	2092.00	0.00
36.000	964.34	-.00	964.48	122.49	6.43	657.48	26.09	0.00	0.00	2006.00	2092.00	0.00

MOORE BUSINESS FORMS, INC 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
24.000	0.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.10	.38	1965.76	2300.89
24.000	0.00	0.00	0.00	938.70	735.00	946.27	0.00	946.27	.10	.38	1951.41	2327.60
24.100	2280.00	0.00	0.00	939.56	735.00	946.20	0.00	946.20	.21	.51	1534.97	1618.33
24.100	2280.00	0.00	0.00	939.56	735.00	946.30	0.00	946.30	.21	.51	1431.66	1615.00
24.200	2300.00	0.00	0.00	940.40	735.00	946.25	0.00	946.26	.27	.52	2945.28	1423.70
24.200	2300.00	0.00	0.00	940.40	735.00	946.35	0.00	946.36	.27	.52	2674.10	1410.30
25.000	2290.00	0.00	0.00	941.30	735.00	946.37	0.00	946.39	2.71	1.43	891.88	446.63
25.000	2290.00	0.00	0.00	941.30	735.00	946.47	0.00	946.49	2.71	1.45	811.12	446.82
25.600	2850.00	0.00	0.00	941.70	735.00	946.99	0.00	947.01	2.22	1.32	1230.18	493.42
25.600	2850.00	0.00	0.00	941.70	735.00	947.10	0.00	947.11	2.20	1.34	1080.12	495.43
25.800	1100.00	0.00	0.00	941.70	735.00	947.31	0.00	947.37	6.01	2.21	531.46	299.69
25.800	1100.00	0.00	0.00	941.70	735.00	947.41	0.00	947.46	5.43	2.13	555.08	315.56
25.900	324.00	0.00	0.00	942.20	735.00	947.53	0.00	947.63	11.74	2.49	295.25	214.54
25.900	324.00	0.00	0.00	942.20	735.00	947.60	0.00	947.70	10.97	2.44	301.52	221.95
26.000	16.90	950.50	948.30	942.20	735.00	947.54	0.00	947.64	4.88	2.55	287.76	332.65
26.000	16.90	950.50	948.30	942.20	735.00	947.61	0.00	947.71	4.58	2.50	293.79	343.36
26.100	26.00	950.50	948.30	940.00	735.00	947.62	0.00	947.66	1.39	1.72	426.34	622.52
26.100	26.00	950.50	948.30	940.00	735.00	947.69	0.00	947.73	1.34	1.70	432.07	634.87
26.200	16.90	0.00	0.00	940.00	735.00	947.63	0.00	947.67	3.11	1.67	439.96	416.91
26.200	16.90	0.00	0.00	940.00	735.00	947.69	0.00	947.74	2.98	1.65	445.81	425.74
26.400	107.00	0.00	0.00	941.90	735.00	947.68	0.00	947.71	3.63	1.50	738.22	385.74
26.400	107.00	0.00	0.00	941.90	735.00	947.74	0.00	947.77	3.80	1.56	700.63	377.14
26.900	3000.00	0.00	0.00	943.20	735.00	948.48	0.00	948.41	1.93	1.09	1192.41	528.40
26.900	3000.00	0.00	0.00	943.20	735.00	948.49	0.00	948.51	1.99	1.11	1056.66	520.65
27.000	72.00	0.00	0.00	942.40	735.00	948.40	0.00	948.44	4.62	1.79	747.89	342.01
27.000	72.00	0.00	0.00	942.40	735.00	948.50	0.00	948.53	4.60	1.80	675.52	342.68
27.100	36.00	0.00	0.00	944.00	735.00	948.44	0.00	948.45	2.15	1.10	1051.23	500.88
27.100	36.00	0.00	0.00	944.00	735.00	948.53	0.00	948.55	2.21	1.12	938.91	494.83
27.400	2700.00	0.00	0.00	945.05	735.00	948.97	0.00	948.99	2.39	1.14	852.76	475.80
27.400	2700.00	0.00	0.00	945.05	735.00	949.08	0.00	949.10	2.40	1.16	798.68	474.47
27.500	400.00	0.00	0.00	945.20	735.00	949.11	0.00	949.18	9.48	2.21	369.82	238.70
27.500	400.00	0.00	0.00	945.20	735.00	949.22	0.00	949.29	9.45	2.21	332.76	239.08
27.700	1500.00	0.00	0.00	945.90	735.00	950.14	0.00	950.18	4.91	1.76	485.32	331.86
27.700	1500.00	0.00	0.00	945.90	735.00	950.25	0.00	950.30	4.95	1.78	424.96	330.28
27.800	340.00	0.00	0.00	945.50	735.00	950.33	0.00	950.41	8.10	2.23	329.85	258.25

MOORE BUSINESS FORMS, INC 23

27.800	340.00	0.00	0.00	945.50	735.00	950.44	0.00	950.52	7.41	2.16	339.54	270.02

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRO	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	IOK*S	VCH	AREA	.01K
27.900	32.00	0.00	0.00	945.50	735.00	950.38	0.00	950.44	5.52	1.93	381.72	312.80
27.900	32.00	0.00	0.00	945.50	735.00	950.49	0.00	950.54	5.10	1.88	391.35	325.60
28.000	1.00	954.80	952.70	945.50	690.00	950.39	0.00	950.44	2.00	1.85	373.89	487.76
28.000	1.00	954.80	952.70	945.50	690.00	950.49	0.00	950.54	2.09	1.84	374.32	476.77
28.100	36.50	954.80	952.70	945.70	690.00	950.40	0.00	950.45	1.86	1.81	380.63	505.30
28.100	36.50	954.80	952.70	945.70	690.00	950.50	0.00	950.55	1.74	1.77	389.15	522.46
28.200	1.00	0.00	0.00	945.70	690.00	950.40	0.00	950.45	4.53	1.77	388.76	324.02
28.200	1.00	0.00	0.00	945.70	690.00	950.50	0.00	950.55	4.19	1.73	398.32	336.93
28.300	32.00	0.00	0.00	945.80	690.00	950.41	0.00	950.47	5.36	2.00	410.52	298.03
28.300	32.00	0.00	0.00	945.80	690.00	950.52	0.00	950.57	4.87	1.93	426.70	312.55
28.420	580.00	0.00	0.00	946.49	690.00	950.73	0.00	950.78	5.44	1.89	425.18	295.72
28.420	580.00	0.00	0.00	946.49	690.00	950.82	0.00	950.87	5.54	1.93	388.58	293.08
28.670	2660.00	0.00	0.00	948.25	690.00	952.20	0.00	952.24	5.49	1.78	444.28	294.39
28.670	2660.00	0.00	0.00	948.25	690.00	952.29	0.00	952.35	5.52	1.82	389.65	293.59
28.800	700.00	0.00	0.00	948.30	690.00	952.52	0.00	952.56	3.81	1.49	514.68	353.45
28.800	700.00	0.00	0.00	948.30	690.00	952.63	0.00	952.67	3.83	1.50	459.09	352.52
28.810	75.00	0.00	0.00	949.30	690.00	952.47	0.00	952.67	39.95	3.67	203.62	109.16
28.810	75.00	0.00	0.00	949.30	690.00	952.58	0.00	952.78	37.54	3.61	191.37	112.61
28.900	34.00	0.00	0.00	949.10	690.00	952.61	0.00	952.78	24.83	3.30	208.81	138.47
28.900	34.00	0.00	0.00	949.10	690.00	952.72	0.00	952.88	22.08	3.19	216.55	146.84
29.000	1.00	957.10	956.40	949.10	690.00	952.61	0.00	952.79	11.00	3.40	202.89	208.08
29.000	1.00	957.10	956.40	949.10	690.00	952.72	0.00	952.89	10.22	3.30	209.08	215.88
29.100	30.00	957.10	956.40	948.40	690.00	952.67	0.00	952.83	8.81	3.17	217.67	232.42
29.100	30.00	957.10	956.40	948.40	690.00	952.78	0.00	952.92	8.08	3.07	224.66	242.79
29.200	1.00	0.00	0.00	948.40	690.00	952.69	0.00	952.83	19.11	3.06	225.41	157.83
29.200	1.00	0.00	0.00	948.40	690.00	952.79	0.00	952.93	17.22	2.96	232.85	166.28
29.300	34.00	0.00	0.00	948.40	690.00	952.74	0.00	952.94	29.51	3.63	190.30	127.01
29.300	34.00	0.00	0.00	948.40	690.00	952.84	0.00	953.03	26.83	3.50	197.09	133.22
29.420	294.00	0.00	0.00	948.88	690.00	953.50	0.00	953.64	19.24	3.00	229.68	157.29
29.420	294.00	0.00	0.00	948.88	690.00	953.54	0.00	953.68	18.45	2.96	233.12	160.66
29.550	1050.00	0.00	0.00	949.49	690.00	954.71	0.00	954.77	6.85	2.15	359.17	263.59
29.550	1050.00	0.00	0.00	949.49	690.00	954.76	0.00	954.84	7.26	2.19	314.59	256.01
29.800	359.00	0.00	0.00	949.70	690.00	954.94	0.00	954.99	5.09	1.97	436.25	305.73
29.800	359.00	0.00	0.00	949.70	690.00	955.00	0.00	955.06	5.23	2.01	372.88	301.60
29.810	160.00	0.00	0.00	949.10	690.00	955.02	0.00	955.06	4.05	1.79	461.69	342.70
29.810	160.00	0.00	0.00	949.10	690.00	955.09	0.00	955.14	4.15	1.83	402.39	338.64
29.900	39.00	0.00	0.00	949.50	690.00	955.03	0.00	955.09	5.46	2.05	336.56	295.39
29.900	39.00	0.00	0.00	949.50	690.00	955.10	0.00	955.16	5.21	2.02	341.48	302.24

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	G	CWSFL	CRIWS	EG	TOKES	VCH	AREA	.01K
30.000	1.00	957.70	956.90	949.50	690.00	955.03	0.00	955.09	2.98	2.12	325.68	399.63
30.000	1.00	957.70	956.90	949.50	690.00	955.10	0.00	955.17	3.46	2.18	316.66	370.85
30.100	30.00	957.70	956.90	950.00	690.00	955.03	0.00	955.11	3.07	2.16	319.97	393.85
30.100	30.00	957.70	956.90	950.00	690.00	955.11	0.00	955.18	2.95	2.13	324.50	401.76
30.200	1.00	0.00	0.00	950.00	690.00	955.04	0.00	955.11	5.83	2.10	329.17	285.66
30.200	1.00	0.00	0.00	950.00	690.00	955.12	0.00	955.18	5.55	2.06	334.49	293.01
30.300	39.00	0.00	0.00	950.10	690.00	955.10	0.00	955.13	3.24	1.60	508.65	383.25
30.300	39.00	0.00	0.00	950.10	690.00	955.17	0.00	955.21	3.32	1.63	461.60	378.44
30.400	76.00	0.00	0.00	950.10	690.00	955.12	0.00	955.16	3.25	1.61	514.17	382.68
30.400	76.00	0.00	0.00	950.10	690.00	955.19	0.00	955.23	3.33	1.64	462.67	377.92
31.000	2825.00	0.00	0.00	952.40	690.00	956.37	0.00	956.43	6.56	1.93	409.66	269.37
31.000	2825.00	0.00	0.00	952.40	690.00	956.48	0.00	956.54	6.80	1.96	361.96	264.69
31.800	2566.00	0.00	0.00	952.30	690.00	957.53	0.00	957.57	3.23	1.62	636.32	383.04
31.800	2566.00	0.00	0.00	952.30	690.00	957.67	0.00	957.70	3.24	1.61	591.31	383.46
31.805	223.00	0.00	0.00	952.70	690.00	957.60	0.00	957.69	7.76	2.34	312.47	247.77
31.805	223.00	0.00	0.00	952.70	690.00	957.74	0.00	957.81	6.95	2.26	324.67	261.80
31.810	37.00	0.00	0.00	952.70	690.00	957.63	0.00	957.72	7.61	2.32	312.81	250.19
31.810	37.00	0.00	0.00	952.70	690.00	957.76	0.00	957.84	6.83	2.25	324.22	264.10
31.900	49.00	0.00	0.00	952.70	690.00	957.67	0.00	957.75	7.99	2.32	297.78	244.14
31.900	49.00	0.00	0.00	952.70	690.00	957.80	0.00	957.87	7.28	2.25	306.56	255.69
32.000	1.00	960.10	959.90	952.70	690.00	957.67	0.00	957.76	3.91	2.30	288.76	348.75
32.000	1.00	960.10	959.90	952.70	690.00	957.79	0.00	957.88	3.60	2.32	297.26	363.79
32.100	30.00	960.10	959.90	952.60	690.00	957.69	0.00	957.77	3.45	2.29	301.12	371.34
32.100	30.00	960.10	959.90	952.60	690.00	957.81	0.00	957.89	3.19	2.23	309.53	386.46
32.200	1.00	0.00	0.00	952.60	690.00	957.70	0.00	957.77	7.00	2.22	310.59	260.87
32.200	1.00	0.00	0.00	952.60	690.00	957.82	0.00	957.89	6.41	2.16	319.24	272.50
32.300	49.00	0.00	0.00	952.70	690.00	957.77	0.00	957.79	2.02	1.27	599.37	485.80
32.300	49.00	0.00	0.00	952.70	690.00	957.89	0.00	957.91	1.84	1.23	618.17	508.74
33.000	4100.00	0.00	0.00	955.00	690.00	959.21	0.00	959.26	8.64	2.22	661.76	234.81
33.000	4100.00	0.00	0.00	955.00	690.00	959.27	0.00	959.33	9.24	2.30	538.33	226.97
33.850	2399.00	0.00	0.00	955.42	690.00	961.25	0.00	961.39	8.97	2.62	263.66	230.43
33.850	2399.00	0.00	0.00	955.42	690.00	961.37	0.00	961.47	8.50	2.57	268.26	236.71
33.900	13.00	0.00	0.00	955.50	690.00	961.31	0.00	961.40	9.08	2.52	274.04	229.03
33.900	13.00	0.00	0.00	955.50	690.00	961.38	0.00	961.48	8.61	2.48	278.63	235.10
34.000	1.00	967.30	963.10	955.50	690.00	961.31	0.00	961.41	3.49	2.51	274.61	369.35
34.000	1.00	967.30	963.10	955.50	690.00	961.38	0.00	961.48	4.11	2.58	267.26	340.28
34.100	29.00	967.30	963.10	956.00	690.00	961.31	0.00	961.42	3.98	2.64	251.42	345.70
34.100	29.00	967.30	963.10	956.00	690.00	961.39	0.00	961.50	3.79	2.60	265.67	354.20

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRITWS	EG	10K*S	VCH	AREA	.01K
34.200	1.00	0.00	0.00	956.00	690.00	961.31	0.00	961.42	10.43	2.64	261.07	213.64
34.200	1.00	0.00	0.00	956.00	690.00	961.39	0.00	961.50	9.87	2.60	265.68	219.61
34.250	13.00	0.00	0.00	956.46	690.00	961.35	0.00	961.44	8.26	2.41	285.89	240.13
34.250	13.00	0.00	0.00	956.46	690.00	961.43	0.00	961.51	7.82	2.37	290.86	246.77
34.300	26.00	0.00	0.00	956.20	690.00	961.40	0.00	961.46	5.63	2.07	389.89	290.91
34.300	26.00	0.00	0.00	956.20	690.00	961.47	0.00	961.53	5.28	2.03	400.28	300.39
34.800	820.00	0.00	0.00	957.10	690.00	961.83	0.00	961.87	4.42	1.69	552.11	328.35
34.800	820.00	0.00	0.00	957.10	690.00	961.89	0.00	961.92	4.19	1.66	565.83	336.92
34.810	280.00	0.00	0.00	958.20	690.00	961.99	0.00	962.09	13.28	2.64	268.83	189.33
34.810	280.00	0.00	0.00	958.20	690.00	962.03	0.00	962.14	12.72	2.61	272.71	193.46
34.900	50.00	0.00	0.00	958.00	690.00	962.06	0.00	962.16	10.85	2.46	281.00	209.47
34.900	50.00	0.00	0.00	958.00	690.00	962.10	0.00	962.19	10.45	2.43	284.22	213.42
35.000	1.00	967.90	965.70	958.00	690.00	962.07	0.00	962.16	2.76	2.37	292.75	415.49
35.000	1.00	967.90	965.70	958.00	690.00	962.11	0.00	962.20	2.66	2.34	296.21	423.14
35.100	32.00	967.90	965.70	957.70	690.00	962.08	0.00	962.17	3.05	2.39	289.30	395.39
35.100	32.00	967.90	965.70	957.70	690.00	962.12	0.00	962.21	2.94	2.36	292.70	402.64
35.200	1.00	0.00	0.00	957.70	690.00	962.09	0.00	962.17	2.47	2.32	297.00	438.90
35.200	1.00	0.00	0.00	957.70	690.00	962.13	0.00	962.21	2.38	2.30	300.50	447.29
35.250	51.00	0.00	0.00	959.40	690.00	962.06	0.00	962.24	8.13	3.54	203.25	242.05
35.250	51.00	0.00	0.00	959.40	690.00	962.10	0.00	962.27	7.63	3.46	207.74	249.86
35.300	10.00	961.47	960.59	959.40	690.00	963.67	0.00	963.70	2.29	1.67	497.69	456.28
35.300	10.00	961.47	960.59	959.40	690.00	963.67	0.00	963.71	2.27	1.66	499.05	457.76
35.350	10.00	0.00	0.00	959.76	690.00	963.68	0.00	963.71	1.16	1.54	599.21	639.84
35.350	10.00	0.00	0.00	959.76	690.00	963.68	0.00	963.71	1.16	1.54	600.55	641.34
36.000	3430.00	0.00	0.00	961.30	690.00	964.34	0.00	964.48	5.76	3.02	239.63	287.47
36.000	3430.00	0.00	0.00	961.30	690.00	964.34	0.00	964.48	5.76	3.02	239.61	287.43

MOORE BUSINESS FORMS, INC. 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CLSEL	DIFWSP	DIFWSX	DIFK S	TOPWID	XLCH
24.000	735.00	946.17	0.00	0.00	0.00	336.78	0.00
24.000	735.00	946.27	.10	0.00	.10	278.00	0.00
24.100	735.00	946.20	0.00	.03	0.00	339.47	2280.00
24.100	735.00	946.30	.10	.03	.10	220.00	2280.00
24.200	735.00	946.25	0.00	.05	0.00	1993.31	2300.00
24.200	735.00	946.35	.10	.05	.10	1533.48	2300.00
25.000	735.00	946.37	0.00	.11	0.00	845.34	2290.00
25.000	735.00	946.47	.10	.11	.10	673.80	2290.00
25.600	735.00	946.99	0.00	.62	0.00	939.62	2850.00
25.600	735.00	947.10	.11	.63	.11	526.11	2850.00
25.800	735.00	947.31	0.00	.32	0.00	247.00	1100.00
25.800	735.00	947.41	.10	.31	.10	247.00	1100.00
25.900	735.00	947.53	0.00	.22	0.00	85.00	324.00
25.900	735.00	947.60	.07	.20	.07	85.00	324.00
26.000	735.00	947.54	0.00	.01	0.00	85.00	16.90
26.000	735.00	947.61	.07	.01	.07	85.00	16.90
26.100	735.00	947.62	0.00	.08	0.00	85.00	26.00
26.100	735.00	947.69	.07	.07	.07	85.00	26.00
26.200	735.00	947.63	0.00	.01	0.00	85.00	16.90
26.200	735.00	947.69	.07	.01	.07	85.00	16.90
26.400	735.00	947.68	0.00	.05	0.00	259.00	107.00
26.400	735.00	947.74	.06	.05	.06	244.97	107.00
26.900	735.00	948.40	0.00	.72	0.00	719.08	3000.00
26.900	735.00	948.49	.10	.75	.10	440.68	3000.00
27.000	735.00	948.40	0.00	.01	0.00	501.16	72.00
27.000	735.00	948.50	.09	.01	.09	354.80	72.00
27.100	735.00	948.44	0.00	.03	0.00	719.96	36.00
27.100	735.00	948.53	.10	.03	.10	522.55	36.00
27.400	735.00	948.97	0.00	.54	0.00	309.63	2700.00
27.400	735.00	949.08	.11	.55	.11	253.04	2700.00
27.500	735.00	949.11	0.00	.14	0.00	174.49	400.00
27.500	735.00	949.22	.11	.13	.11	100.00	400.00
27.700	735.00	950.14	0.00	1.03	0.00	192.40	1500.00
27.700	735.00	950.25	.11	1.03	.11	113.34	1500.00
27.800	735.00	950.33	0.00	.20	0.00	88.17	340.00

MOORE BUSINESS FORMS, INC. 23

27.800	735.00	551.44	.11	.15	.11	HH.62	340.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
27.900	735.00	950.38	0.00	.05	0.00	91.00	32.00
27.900	735.00	950.49	.11	.04	.11	91.00	32.00
28.000	690.00	950.39	0.00	.01	0.00	91.00	1.00
28.000	690.00	950.49	.10	.00	.10	91.00	1.00
28.100	690.00	950.40	0.00	.01	0.00	91.00	36.50
28.100	690.00	950.50	.11	.01	.11	91.00	36.50
28.200	690.00	950.40	0.00	.00	0.00	91.00	1.00
28.200	690.00	950.50	.11	.00	.11	91.00	1.00
28.300	690.00	950.41	0.00	.01	0.00	155.00	32.00
28.300	690.00	950.52	.10	.01	.10	155.00	32.00
28.420	690.00	950.73	0.00	.32	0.00	153.32	580.00
28.420	690.00	950.82	.08	.30	.08	130.73	580.00
28.670	690.00	952.20	0.00	1.47	0.00	195.36	2660.00
28.670	690.00	952.29	.10	1.48	.10	111.30	2660.00
28.800	690.00	952.52	0.00	.33	0.00	214.48	700.00
28.800	690.00	952.63	.11	.34	.11	126.00	700.00
28.810	690.00	952.47	0.00	-.05	0.00	113.32	75.00
28.810	690.00	952.58	.11	-.05	.11	78.46	75.00
28.900	690.00	952.61	0.00	.14	0.00	70.00	34.00
28.900	690.00	952.72	.11	.14	.11	70.00	34.00
29.000	690.00	952.61	0.00	-.00	0.00	70.00	1.00
29.000	690.00	952.72	.11	-.00	.11	70.00	1.00
29.100	690.00	952.67	0.00	.06	0.00	70.00	30.00
29.100	690.00	952.78	.11	.06	.11	70.00	30.00
29.200	690.00	952.69	0.00	.01	0.00	70.00	1.00
29.200	690.00	952.79	.11	.01	.11	70.00	1.00
29.300	690.00	952.74	0.00	.05	0.00	65.08	34.00
29.300	690.00	952.84	.10	.05	.10	66.12	34.00
29.420	690.00	953.50	0.00	.76	0.00	75.75	294.00
29.420	690.00	953.54	.05	.71	.05	76.16	294.00
29.550	690.00	954.71	0.00	1.21	0.00	164.28	1050.00
29.550	690.00	954.76	.06	1.22	.06	78.00	1050.00
29.800	690.00	954.94	0.00	.23	0.00	200.18	359.00
29.800	690.00	955.00	.07	.24	.07	100.98	359.00
29.810	690.00	955.02	0.00	.08	0.00	188.18	160.00
29.810	690.00	955.09	.07	.09	.07	102.05	160.00
29.900	690.00	955.05	0.00	.01	0.00	69.00	39.00
29.900	690.00	955.10	.07	.01	.07	69.00	39.00

MOORE BUSINESS FORMS, INC. 23

SEL.L	C	C*SEL	DIFWSP	DIFWSX	DIFRVS	TOPWID	XLCH
30.vvv	690.00	955.03	0.00	-.00	0.00	69.00	1.00
30.1vv	690.00	955.10	.07	-.00	.07	69.00	1.00
30.1vv	690.00	955.03	0.00	.01	0.00	69.00	30.00
30.1vv	690.00	955.11	.08	.01	.08	69.00	30.00
3v.2vv	690.00	955.04	0.00	.01	0.00	69.00	1.00
3v.2vv	690.00	955.12	.08	.01	.08	69.00	1.00
3v.3vv	690.00	955.10	0.00	.06	0.00	157.65	39.00
3v.3vv	690.00	955.17	.07	.05	.07	122.79	39.00
3v.4vv	690.00	955.12	0.00	.02	0.00	188.89	76.00
3v.4vv	690.00	955.19	.07	.02	.07	121.77	76.00
31.vvv	690.00	955.37	0.00	1.25	0.00	253.45	2825.00
31.vvv	690.00	955.48	.11	1.29	.11	103.84	2825.00
31.8vv	690.00	955.53	0.00	1.16	0.00	340.43	2566.00
31.8vv	690.00	955.67	.13	1.18	.13	314.40	2566.00
31.vv3	690.00	957.60	0.00	.07	0.00	41.38	223.00
31.vv3	690.00	957.74	.13	.07	.13	92.70	223.00
3v.v10	690.00	955.63	0.00	.03	0.00	86.97	37.00
3v.v10	690.00	955.76	.13	.03	.13	87.37	37.00
3v.v00	690.00	957.67	0.00	.04	0.00	70.00	49.00
3v.v00	690.00	957.80	.13	.03	.13	70.00	49.00
32.000	690.00	957.67	0.00	-.00	0.00	70.00	1.00
32.000	690.00	957.79	.13	-.00	.13	70.00	1.00
32.100	690.00	957.69	0.00	.02	0.00	70.00	30.00
32.100	690.00	957.81	.12	.02	.12	70.00	30.00
32.200	690.00	957.70	0.00	.01	0.00	70.00	1.00
32.200	690.00	957.82	.12	.01	.12	70.00	1.00
32.300	690.00	957.77	0.00	.06	0.00	157.83	49.00
32.300	690.00	957.89	.12	.07	.12	158.74	49.00
33.000	690.00	959.21	0.00	1.44	0.00	638.54	4100.00
33.000	690.00	959.27	.06	1.38	.06	310.57	4100.00
33.850	690.00	961.29	0.00	2.07	0.00	53.00	2399.00
33.850	690.00	961.37	.08	2.09	.08	53.00	2399.00
33.900	690.00	961.31	0.00	.02	0.00	58.00	13.00
33.900	690.00	961.38	.08	.02	.08	58.00	13.00
34.000	690.00	961.31	0.00	.00	0.00	58.00	1.00
34.000	690.00	961.38	.07	-.00	.07	58.00	1.00
34.100	690.00	961.31	0.00	.01	0.00	58.00	29.00
34.100	690.00	961.39	.08	.01	.08	58.00	29.00

MOORE BUSINESS FORMS, INC 23

SEC.0	[illegible]	CWSEL	DIFWSP	DIFWSX	DIFWS	TOPWTD	XLCP
34.200	[illegible].00	961.31	0.00	.00	0.00	[illegible].00	1.00
34.200	[illegible].00	961.39	.08	.00	.08	58.00	1.00
34.250	[illegible].00	961.35	0.00	.04	0.00	64.00	13.00
34.250	[illegible].00	961.43	.08	.03	.08	64.00	13.00
34.300	[illegible].00	961.40	0.00	.05	0.00	136.00	26.00
34.300	[illegible].00	961.47	.08	.05	.08	136.00	26.00
34.600	[illegible].00	961.83	0.00	.44	0.00	261.31	820.00
34.600	[illegible].00	961.89	.05	.41	.05	265.42	820.00
34.810	[illegible].00	961.99	0.00	.15	0.00	89.27	280.00
34.810	[illegible].00	962.03	.04	.14	.04	89.34	280.00
34.900	[illegible].00	962.06	0.00	.08	0.00	80.00	50.00
34.900	[illegible].00	962.10	.04	.07	.04	80.00	50.00
35.000	[illegible].00	962.07	0.00	.01	0.00	88.00	1.00
35.000	[illegible].00	962.11	.04	.01	.04	88.00	1.00
35.100	[illegible].00	962.08	0.00	.01	0.00	88.00	32.00
35.100	[illegible].00	962.12	.04	.01	.04	88.00	32.00
35.200	[illegible].00	962.09	0.00	.01	0.00	88.00	1.00
35.200	[illegible].00	962.13	.04	.01	.04	88.00	1.00
35.250	[illegible]0.00	962.06	0.00	-.03	0.00	106.08	51.00
35.250	[illegible]0.00	962.10	.04	-.03	.04	110.06	51.00
35.300	[illegible]0.00	963.67	0.00	1.61	0.00	598.31	10.00
35.300	[illegible]0.00	963.67	.00	1.58	.00	599.42	10.00
35.350	[illegible]0.00	963.68	0.00	.01	0.00	659.58	10.00
35.350	[illegible]0.00	963.68	.00	.01	.00	660.27	10.00
36.000	[illegible]0.00	964.34	0.00	.66	0.00	122.50	3430.00
36.000	[illegible]0.00	964.34	-.00	.66	-.00	122.49	3430.00

SUMMARY OF ERRORS

MOORE BUSINESS FORMS, INC 23

FLOODWAY DATA — 100 YEAR FLOW
PROFILE NO. 3

STATION	FLOODWAY WIDTH (FT.)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WATER SURFACE ELEVATION WITHOUT FLOODWAY	DIFFERENCE
24.000	270.	1951.	.4	946.3	946.2	.1
24.100	220.	1432.	.5	946.3	946.2	.1
24.200	190.	2674.	.3	946.4	946.3	.1
25.000	130.	811.	.9	946.5	946.4	.1
25.050	152.	1080.	.7	947.1	947.0	.1
25.500	247.	555.	1.3	947.4	947.3	.1
25.700	85.	302.	2.4	947.6	947.5	.1
26.000	60.	294.	2.5	947.6	947.5	.1
26.100	90.	432.	1.7	947.7	947.6	.1
26.200	90.	446.	1.6	947.7	947.6	.1
26.400	205.	701.	1.0	947.8	947.7	.1
26.900	281.	1057.	.7	948.5	948.4	.1
27.000	205.	676.	1.1	948.5	948.4	.1
27.100	220.	939.	.8	948.5	948.4	.1
27.400	220.	795.	.9	949.1	949.0	.1
27.500	100.	333.	2.2	949.2	949.1	.1
27.700	115.	425.	1.7	950.2	950.1	.1
27.800	120.	346.	2.2	950.4	950.3	.1
27.900	121.	391.	1.9	950.5	950.4	.1
28.000	211.	374.	1.8	950.5	950.4	.1
28.100	211.	389.	1.8	950.5	950.4	.1
28.200	211.	396.	1.7	950.5	950.4	.1
28.300	122.	427.	1.6	950.5	950.4	.1
28.420	215.	389.	1.8	950.8	950.7	.1
28.670	111.	397.	1.8	952.3	952.2	.1
28.800	124.	455.	1.5	952.6	952.5	.1
28.910	70.	191.	3.6	952.6	952.5	.1
29.000	75.	217.	3.2	952.7	952.6	.1
29.100	75.	209.	3.3	952.7	952.6	.1
29.200	75.	225.	3.1	952.8	952.7	.1
29.300	75.	233.	3.0	952.8	952.7	.1
29.300	42.	197.	3.5	952.8	952.7	.1
29.420	74.	233.	3.0	953.5	953.5	0.0
29.550	78.	315.	2.2	954.8	954.7	.1
29.800	121.	373.	1.9	955.0	954.9	.1
29.810	139.	402.	1.7	955.1	955.0	.1
29.900	120.	341.	2.0	955.1	955.0	.1
30.000	120.	317.	2.2	955.1	955.0	.1
30.100	120.	324.	2.1	955.1	955.0	.1
30.200	120.	334.	2.1	955.1	955.0	.1
30.300	122.	462.	1.5	955.2	955.1	.1
30.400	122.	463.	1.5	955.2	955.1	.1
31.600	124.	362.	1.9	956.5	956.4	.1
31.800	148.	591.	1.2	957.8	957.5	.1
31.925	93.	325.	2.1	957.7	957.6	.1
31.980	47.	324.	2.1	957.7	957.6	.1
31.990	75.	307.	2.3	957.8	957.7	.1
32.000	75.	297.	2.3	957.8	957.7	.1
32.100	75.	310.	2.2	957.8	957.7	.1
32.200	75.	319.	2.2	957.8	957.7	.1

MOORE BUSINESS FORMS, INC. 23

FLOODWAY DATA. 100 YEAR FLOW
PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
32.300	150.	618.	1.1	957.9	957.8	.1
33.000	211.	536.	1.3	959.3	959.2	.1
33.850	52.	266.	2.6	961.4	961.3	.1
33.900	52.	279.	2.5	961.4	961.3	.1
34.100	52.	267.	2.6	961.4	961.3	.1
34.100	52.	266.	2.6	961.4	961.3	.1
34.200	52.	266.	2.6	961.4	961.3	.1
34.250	64.	291.	2.4	961.4	961.3	.1
34.300	134.	400.	1.7	961.5	961.4	.1
34.800	260.	566.	1.2	961.9	961.8	.1
34.810	80.	273.	2.5	962.0	962.0	0.0
34.900	82.	284.	2.4	962.1	962.1	0.0
35.000	88.	296.	2.3	962.1	962.1	0.0
35.100	88.	293.	2.4	962.1	962.1	0.0
35.200	88.	301.	2.3	962.1	962.1	0.0
35.250	114.	208.	3.3	962.1	962.1	0.0
35.300	414.	499.	1.4	963.7	963.7	0.0
35.450	671.	601.	1.1	963.7	963.7	0.0
36.000	125.	241.	2.5	964.3	964.3	0.0

MOORE BUSINESS FORMS, INC 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion, City of

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-year ENCROACHED ~~EXCLUDED~~

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1
T2
T3        THE ENCROACHED RUN
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	6.	0.	0.	0.000000	0.00	0.0	0.	929.200	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLOC	IBW	CHNIM	ITRACE
	15.000	0.000	-1.000	0.000	0.000	-1.290	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 2

CCHV= .100 CEHV= .300

*SECNO 12.000
2800 NAT Q1= 500.22 WSEL= 929.10 ENC Q1= 500.22 WSEL= 929.20 RATIO= 0.0000
NAT Q1= 526. RATIOS LOB,CH,ROB= .0096 .8444 .1460 WSEL= 929.20

3470 ENCROACHMENT STATIONS= 1966.0 2227.9 TYPE= 4 TARGET= .050
D/S LIMIT OF THE CITY OF ALBION, SURVEYED SECTION (A)

12.00	6.20	929.20	0.00	929.10	929.31	.11	0.00	0.00	927.70
1600.	0.	1421.	179.	0.	516.	230.	0.	0.	927.30
0.00	0.00	2.75	.78	.085	.045	.085	0.000	923.00	1966.00
.001038	0.	0.	0.	0	0	0	0.00	261.91	2227.91

*SECNO 12.600
2800 NAT Q1= 512.71 WSEL= 930.90 ENC Q1= 518.05 WSEL= 931.00 RATIO= -.0104
NAT Q1= 529. RATIOS LOB,CH,ROB= .0019 .9799 .0182 WSEL= 931.00

3470 ENCROACHMENT STATIONS= 2000.0 2090.0 TYPE= 4 TARGET= .020

12.60	6.43	931.03	0.00	930.90	931.19	.16	1.87	.02	934.00
1600.	0.	1600.	0.	0.	498.	0.	26.	7.	928.00
.16	0.00	3.21	0.00	.085	.045	.085	.045	924.60	2004.74
.000983	1880.	1850.	1800.	2	0	0	0.00	85.26	2090.00

*SECNO 12.700
2800 NAT Q1= 651.43 WSEL= 932.10 ENC Q1= 651.43 WSEL= 932.20 RATIO= .0000
NAT Q1= 675. RATIOS LOB,CH,ROB= .0213 .9075 .0712 WSEL= 932.20

3470 ENCROACHMENT STATIONS= 1993.0 2143.8 TYPE= 4 TARGET= .035

12.70	6.23	932.23	0.00	932.10	932.32	.10	1.13	.01	930.50
1600.	6.	1504.	90.	11.	584.	115.	47.	11.	929.30
.33	.52	2.58	.78	.085	.045	.085	.045	926.00	1993.01
.000595	1570.	1500.	1450.	2	0	0	0.00	150.75	2143.75

*SECNO 12.800
2800 NAT Q1= 565.93 WSEL= 933.30 ENC Q1= 565.93 WSEL= 933.40 RATIO= -.0000
NAT Q1= 585. RATIOS LOB,CH,ROB= .0042 .9624 .0334 WSEL= 933.40

3470 ENCROACHMENT STATIONS= 1988.0 2100.0 TYPE= 4 TARGET= .033

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
12.80	6.01	933.41	0.00	933.30	933.53	.12	1.20	.01	932.00
1600.	0.	1594.	6.	0.	575.	9.	73.	17.	930.40
.50	0.00	2.77	.65	.085	.045	.085	.045	927.40	1988.00
.000806	1700.	1750.	1650.	2	0	0	0.00	112.01	2100.01

CCHV= .300 CEHV= .500
*SECNO 13.100
3470 ENCROACHMENT STATIONS= 500.0 2355.5 TYPE= 1 TARGET= 2039.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 940.40 ELREA= 940.20
D/S FACE OF ABANDONED RR BRIDGE (B)

13.10	6.43	933.63	0.00	933.50	933.66	.03	.10	.03	941.10
1600.	0.	1600.	0.	0.	1066.	0.	77.	17.	941.00
.55	0.00	1.50	0.00	.080	.045	.080	.045	927.20	1869.48
.000263	170.	240.	325.	2	0	0	0.00	224.75	2094.22

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	1.25	1.40	3.00	300.00	200.00	20.40	2488.00	3.00	928.00	927.20

*SECNO 13.200
CLASS A LOW FLOW
3420 BRIDGE W.S.= 934.02 BRIDGE VELOCITY=, 1.25 CALCULATED CHANNEL AREA=, 1190.

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
0.00	933.67	.01	0.	1600.	2488.	2487.	939.60	940.80

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.40 ELREA= 940.20

13.20	6.33	933.63	0.00	933.51	933.67	.04	.01	0.00	941.10
1600.	0.	1600.	0.	0.	1053.	0.	78.	18.	941.00
.55	0.00	1.52	0.00	.080	.065	.080	.045	927.30	1924.34
.000559	12.	12.	12.	0	0	0	0.00	224.87	2149.20

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 13.300

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 941.10 ELREA= 941.00

13.30	6.33	933.63	0.00	933.51	933.67	.04	.00	.00	941.10
1600.	0.	1600.	0.	0.	1053.	0.	78.	18.	941.00
.55	0.00	1.52	0.00	.080	.065	.080	.045	927.30	1924.33
.000559	1.	1.	1.	0	0	0	0.00	224.87	2149.21

*SECNO 14.100

2800 NAT Q1= 325.91 WSEL= 933.73 ENC Q1= 334.18 WSEL= 933.83 RATIO= -.0254

NAT Q1= 334. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.83

3470 ENCROACHMENT STATIONS= 1976.0 2076.0 TYPE= 4 TARGET= 0.000

14.10	8.63	933.83	0.00	933.73	934.10	.28	.32	.12	940.10
1600.	0.	1600.	0.	0.	380.	0.	83.	19.	940.70
.57	0.00	4.21	0.00	.080	.052	.080	.046	925.20	1990.61
.002290	380.	317.	200.	2	0	0	0.00	68.06	2058.67

*SECNO 14.300

2800 NAT Q1= 326.40 WSEL= 933.74 ENC Q1= 335.05 WSEL= 933.84 RATIO= -.0265

NAT Q1= 335. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.84

3470 ENCROACHMENT STATIONS= 1976.0 2076.0 TYPE= 4 TARGET= 0.000

14.30	8.64	933.84	0.00	933.74	934.11	.27	.01	.00	940.10
1600.	0.	1600.	0.	0.	381.	0.	83.	19.	940.70
.57	0.00	4.20	0.00	.080	.052	.080	.046	925.20	1990.59
.002280	4.	4.	4.	0	0	0	0.00	68.10	2058.69

CCHV= .300 CEHV= .500

*SECNO 14.400

2800 NAT Q1= 524.29 WSEL= 933.70 ENC Q1= 539.63 WSEL= 933.80 RATIO= -.0293

NAT Q1= 540. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.80

3470 ENCROACHMENT STATIONS= 2000.0 2060.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.40 ELREA= 939.20

14.40	6.70	933.80	0.00	933.70	934.17	.37	.01	.05	941.10
1600.	0.	1600.	0.	0.	328.	0.	83.	19.	940.90
.57	0.00	4.88	0.00	.060	.026	.060	.046	927.10	2000.00
.000878	9.	9.	9.	2	0	0	0.00	60.00	2060.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNP	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 14.500
3700. BRIDGE STENCL= 2000.00 STENCR= 2060.00
2800 NAT Q1= 490.69 WSEL= 933.70 ENC Q1= 523.95 WSEL= 933.80 RATIO= -.0678
NAT Q1= 524. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.80

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 940.80 MAX ELLC= 937.60

3470 ENCROACHMENT STATIONS= 2000.0 2060.0 TYPE= 4 TARGET= 0.000

4677 BRIDGE DECK DEFINITION ERROR AT STATIONS 2000.00 2010.00

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.40 ELREA= 939.20

D/S FACE OF ALBION ST. BRIDGE (C)

14.50	6.70	933.80	0.00	933.70	934.17	.37	.00	.00	941.10
1600.	0.	1600.	0.	0.	328.	0.	83.	19.	940.90
.57	0.00	4.88	0.00	.060	.026	.060	.045	927.10	2000.00
.000931	1.	1.	1.	0	0	0	0.00	60.00	2060.00

*SECNO 14.600
2800 NAT Q1= 498.78 WSEL= 933.77 ENC Q1= 533.76 WSEL= 933.87 RATIO= -.0701
NAT Q1= 534. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.87

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 940.80 MAX ELLC= 937.60

3470 ENCROACHMENT STATIONS= 2000.0 2060.0 TYPE= 4 TARGET= 0.000

4677 BRIDGE DECK DEFINITION ERROR AT STATIONS 2000.00 2010.00

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.90 ELREA= 940.90

14.60	6.76	933.86	0.00	933.77	934.23	.36	.05	.00	941.10
1600.	0.	1600.	0.	0.	331.	0.	83.	19.	940.90
.58	0.00	4.84	0.00	.060	.026	.060	.045	927.10	2000.00
.000906	54.	54.	54.	0	0	0	0.00	60.00	2060.00

CCHV= .100 CEHV= .300

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 14.700
2800 NAT Q1= 305.70 WSEL= 933.77 ENC Q1= 314.68 WSEL= 933.87 RATIO= -.0294
NAT Q1= 315. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.87

3470 ENCROACHMENT STATIONS= 2000.0 2060.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.90 ELREA= 940.90

14.70	6.77	933.87	0.00	933.77	934.23	.36	.00	.00	941.10
1600.	0.	1600.	0.	0.	331.	0.	83.	19.	940.90
.58	0.00	4.83	0.00	.060	.045	.060	.045	927.10	2000.00
.002597	1.	1.	1.	0	0	0	0.00	60.00	2060.00

*SECNO 14.720
2800 NAT Q1= 306.52 WSEL= 933.78 ENC Q1= 315.78 WSEL= 933.88 RATIO= -.0302
NAT Q1= 316. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 933.88

3470 ENCROACHMENT STATIONS= 2000.0 2060.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.90 ELREA= 940.90

14.72	6.78	933.88	0.00	933.78	934.24	.36	.01	.00	941.10
1600.	0.	1600.	0.	0.	332.	0.	84.	19.	940.90
.58	0.00	4.82	0.00	.060	.045	.060	.045	927.10	2000.00
.002580	4.	4.	4.	0	0	0	0.00	60.00	2060.00

*SECNO 14.750
2800 NAT Q1= 429.01 WSEL= 935.38 ENC Q1= 429.01 WSEL= 935.48 RATIO= 0.0000
NAT Q1= 445. RATIOS LOB,CH,ROB= .1078 .8810 .0112 WSEL= 935.48

3470 ENCROACHMENT STATIONS= 1952.2 2050.0 TYPE= 4 TARGET= .036

14.75	7.97	935.47	0.00	935.38	935.73	.26	1.48	.01	933.00
1600.	140.	1460.	0.	95.	343.	0.	90.	20.	933.00
.63	1.48	4.25	0.00	.060	.045	.060	.045	927.50	1952.24
.001482	770.	770.	820.	2	0	0	0.00	97.76	2050.00

*SECNO 14.800
2800 NAT Q1= 774.84 WSEL= 935.93 ENC Q1= 774.84 WSEL= 936.03 RATIO= 0.0000
NAT Q1= 797. RATIOS LOB,CH,ROB= .0338 .9550 .0112 WSEL= 936.03

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 2146.9 2252.0 TYPE= 4 TARGET= .027
CENTER LINE OF PEARL STREET NO BRIDGE (D)

14.80	8.24	936.04	0.00	935.93	936.13	.09	.38	.02	932.40
1600.	28.	1572.	0.	29.	653.	0.	97.	21.	933.10
.69	.95	2.41	0.00	.060	.045	.060	.045	927.80	2146.87
.000442	480.	520.	570.	2	0	0	0.00	105.13	2252.00

*SECNO 14.900
2800 NAT Q1= 497.69 WSEL= 936.11 ENC Q1= 508.61 WSEL= 936.21 RATIO= -.0219
NAT Q1= 509. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 936.21

3470 ENCROACHMENT STATIONS= 2044.0 2116.0 TYPE= 4 TARGET= 0.000

14.90	8.42	936.22	0.00	936.11	936.37	.15	.23	.02	936.90
1600.	0.	1600.	0.	0.	519.	0.	102.	22.	937.00
.72	0.00	3.08	0.00	.050	.052	.050	.046	927.80	2044.00
.000982	360.	360.	360.	2	0	0	0.00	72.00	2116.00

*SECNO 15.000
2800 NAT Q1= 342.29 WSEL= 936.04 ENC Q1= 350.32 WSEL= 936.14 RATIO= -.0235
NAT Q1= 350. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 936.14

3470 ENCROACHMENT STATIONS= 1801.1 1853.6 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 937.60 ELREA= 937.50

15.00	7.66	936.16	0.00	936.04	936.46	.30	.04	.05	939.10
1600.	0.	1600.	0.	0.	364.	0.	102.	22.	931.00
.72	0.00	4.40	0.00	.050	.052	.050	.046	928.50	1801.10
.002310	31.	31.	31.	2	0	0	0.00	52.54	1853.64

CCHV= .300 CEHV= .500
*SECNO 15.100
3700. BRIDGE STENCL= 1801.10 STENCR= 1853.64

3370 NORMAL BRIDGE,NRD= 23 MIN ELTRD= 938.80 MAX ELLC= 936.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAP	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 937.60 ELREA= 937.50

D/S FACE OF EATON ST. BRIDGE,CONCRETE (E)

15.10	7.64	936.14	0.00	936.02	936.49	.35	.00	.03	939.10
1600.	0.	1600.	0.	0.	336.	0.	102.	22.	931.00
.72	0.00	4.76	0.00	.040	.026	.040	.046	928.50	1801.10
.001356	1.	1.	1.	1	0	0	-26.92	52.54	1853.64

*SECNO 15.200

3370 NORMAL BRIDGE,NRD= 20 MIN ELTRD= 938.80 MAX ELLC= 936.00

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.20 ELREA= 938.90

15.20	7.78	936.18	0.00	936.07	936.54	.36	.05	.00	939.20
1600.	0.	1600.	0.	0.	334.	0.	103.	22.	930.00
.73	0.00	4.79	0.00	.040	.026	.040	.045	928.40	1784.77
.001383	36.	36.	36.	2	0	0	-28.34	52.54	1837.31

*SECNO 15.300

2800 NAT Q1= 698.44 WSEL= 936.13 ENC Q1= 714.70 WSEL= 936.23 RATIO= -.0233

NAT Q1= 715. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 936.23

3470 ENCROACHMENT STATIONS= 1784.8 1837.3 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.20 ELREA= 938.90

15.30	7.86	936.26	0.00	936.13	936.56	.30	.00	.02	939.20
1600.	0.	1600.	0.	0.	366.	0.	103.	22.	930.00
.73	0.00	4.37	0.00	.040	.026	.040	.045	928.40	1784.77
.000566	1.	1.	1.	2	0	0	0.00	52.54	1837.31

*SECNO 15.400

2800 NAT Q1= 1028.17 WSEL= 936.36 ENC Q1= 1049.58 WSEL= 936.46 RATIO= -.0208

NAT Q1= 1050. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 936.46

3470 ENCROACHMENT STATIONS= 2000.0 2098.0 TYPE= 4 TARGET= 0.000

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
15.40	8.28	936.48	0.00	936.36	936.61	.13	.00	.05	938.00
1600.	0.	1600.	0.	0.	551.	0.	103.	22.	938.30
.73	0.00	2.90	0.00	.040	.026	.040	.045	928.20	2010.00
.000230	11.	11.	11.	2	0	0	0.00	80.52	2090.52

CCHV= .300 CEHV= .500
*SECNO 15.800

3470 ENCROACHMENT STATIONS= 1148.0 2196.0 TYPE= 1 TARGET= 1048.000

15.80	8.76	936.56	0.00	936.44	936.71	.16	.09	.01	940.00
1600.	0.	1600.	0.	0.	501.	0.	107.	23.	937.60
.76	0.00	3.19	0.00	.040	.026	.040	.045	927.80	2116.00
.000275	350.	350.	350.	2	0	0	0.00	70.00	2186.00

*SECNO 15.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 938.40 ELREA= 938.40

15.90	7.75	936.55	0.00	936.44	936.77	.22	.03	.03	940.30
1600.	0.	1600.	0.	0.	425.	0.	107.	23.	940.30
.76	0.00	3.76	0.00	.050	.045	.050	.045	928.80	2118.00
.001228	56.	56.	56.	1	0	0	0.00	59.50	2177.50

CCHV= .100 CEHV= .300
*SECNO 16.000

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 939.60 MAX ELLC= 936.40

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 938.40 ELREA= 938.40

D/S FACE OF CLINTON ST. BRIDGE.CONCRETE (F)

16.00	7.75	936.55	0.00	936.44	936.78	.23	.00	.00	940.30
1600.	0.	1600.	0.	0.	416.	0.	107.	23.	940.30
.76	0.00	3.85	0.00	.040	.045	.040	.045	928.80	2118.00
.003317	1.	1.	1.	0	0	0	-9.21	59.50	2177.50

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 16.100

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 939.60 MAX ELLC= 936.40

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.30 ELREA= 940.30

16.10	7.73	936.73	0.00	936.62	936.96	.24	.18	.00	940.30
1600.	0.	1600.	0.	0.	410.	0.	108.	23.	940.30
.77	0.00	3.90	0.00	.040	.045	.040	.045	929.00	2118.00
.003506	54.	54.	54.	2	0	0	-19.54	59.50	2177.50

*SECNO 16.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.30 ELREA= 940.30

16.20	7.76	936.76	0.00	936.63	936.97	.21	.00	.00	940.30
1600.	0.	1600.	0.	0.	431.	0.	108.	23.	940.30
.77	0.00	3.71	0.00	.040	.045	.040	.045	929.00	2118.00
.001193	1.	1.	1.	2	0	0	0.00	59.50	2177.50

*SECNO 16.300

16.30	8.05	936.85	0.00	936.73	937.01	.16	.04	.01	943.40
1600.	0.	1584.	16.	0.	486.	10.	109.	23.	934.70
.77	0.00	3.26	1.57	.040	.032	.020	.044	928.80	2111.00
.000421	56.	56.	56.	2	0	0	0.00	73.60	2184.60

CCHV= .100 CEHV= .300

*SECNO 16.800

16.80	7.91	936.97	0.00	936.86	937.08	.11	.06	.01	940.70
1600.	0.	1600.	0.	0.	595.	1.	110.	23.	936.90
.78	0.00	2.69	.09	.040	.045	.040	.044	929.06	2117.00
.000620	125.	125.	125.	1	0	0	0.00	110.70	2227.70

*SECNO 16.900

16.90	7.67	936.99	0.00	936.88	937.09	.10	.01	.00	940.60
1600.	0.	1600.	0.	0.	620.	2.	110.	23.	936.88
.79	0.00	2.58	.12	.040	.045	.040	.044	929.32	2114.00
.000576	19.	19.	19.	1	0	0	0.00	128.35	2242.35

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .300 CEHV= .500
*SECNO 17.000

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.05

D/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE (G)

17.00	7.66	936.98	0.00	936.87	937.10	.12	.00	.01	960.00
1600.	0.	1600.	0.	0.	578.	0.	110.	23.	960.00
.79	0.00	2.77	0.00	.040	.032	.040	.044	929.32	2114.00
.000619	1.	1.	1.	0	0	0	0.00	87.66	2207.00

*SECNO 17.100

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.05

17.10	7.72	937.04	0.00	936.93	937.16	.12	.06	.00	960.00
1600.	0.	1600.	0.	0.	582.	0.	112.	23.	960.00
.79	0.00	2.75	0.00	.040	.032	.040	.044	929.32	2114.00
.000608	90.	90.	90.	0	0	0	0.00	87.66	2207.00

*SECNO 17.200

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.18

17.20	8.24	937.04	0.00	936.94	937.16	.11	.00	.00	960.00
1600.	0.	1600.	0.	0.	592.	0.	112.	23.	960.00
.79	0.00	2.70	0.00	.040	.039	.040	.044	928.80	2114.00
.000565	1.	1.	1.	0	0	0	0.00	90.96	2208.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 17.300

3265 DIVIDED FLOW

3370 NORMAL BRIDGE.NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.18

U/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE

17.30	9.01	937.11	0.00	937.01	937.21	.10	.05	.00	960.00
1600.	0.	1600.	0.	0.	630.	0.	113.	24.	960.00
.81	0.00	2.54	0.00	.040	.039	.040	.044	928.10	2114.00
.000462	100.	100.	100.	0	0	0	0.00	90.97	2207.00

*SECNO 17.400

3265 DIVIDED FLOW

17.40	9.01	937.11	0.00	937.01	937.21	.10	.00	.00	960.00
1600.	0.	1600.	0.	0.	631.	0.	113.	24.	960.00
.81	0.00	2.54	0.00	.040	.039	.040	.044	928.10	2114.00
.000460	1.	1.	1.	0	0	0	0.00	90.97	2207.00

*SECNO 17.500

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 941.50 ELREA= 941.90

17.50	6.96	937.16	0.00	937.06	937.28	.12	.06	.01	931.80
1600.	0.	1600.	0.	0.	576.	0.	115.	24.	936.10
.82	0.00	2.78	0.00	.040	.039	.040	.044	930.20	2106.00
.000489	120.	120.	120.	0	0	0	0.00	93.00	2199.00

*SECNO 17.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 937.40 ELREA= 936.60

17.90	8.24	937.24	0.00	937.14	937.32	.09	.04	.01	941.80
1600.	0.	1600.	0.	0.	668.	0.	116.	24.	941.30
.83	0.00	2.40	0.00	.040	.039	.040	.044	929.00	1677.00
.000405	20.	79.	120.	2	0	0	0.00	109.65	1786.65

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 18.000

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 36 MIN ELTRD= 940.80 MAX ELLC= 939.00

D/S FACE OF W.CASS ST. BRIDGE.CONCRETE (H)

18.00	8.21	937.21	0.00	937.11	937.35	.14	.00	.02	941.80
1600.	0.	1600.	0.	0.	535.	0.	116.	24.	941.30
.83	0.00	2.99	0.00	.040	.039	.040	.044	929.00	2095.03
.001234	1.	1.	1.	2	0	0	-176.35	131.62	2226.70

*SECNO 18.100

3370 NORMAL BRIDGE,NRD= 32 MIN ELTRD= 940.80 MAX ELLC= 939.00

18.10	7.96	937.26	0.00	937.16	937.40	.14	.05	.00	941.80
1600.	0.	1600.	0.	0.	538.	0.	116.	24.	941.30
.83	0.00	2.97	0.00	.040	.039	.040	.044	929.30	2139.21
.001093	40.	40.	40.	1	0	0	-106.47	100.44	2239.65

*SECNO 18.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 941.80 ELREA= 941.30

18.20	6.84	937.24	0.00	937.14	937.42	.18	.00	.02	931.40
1600.	0.	1600.	0.	0.	476.	0.	116.	24.	939.80
.83	0.00	3.36	0.00	.040	.039	.040	.044	930.40	1832.68
.000830	1.	1.	1.	1	0	0	0.00	89.38	1922.06

*SECNO 18.300

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 941.80 ELREA= 941.30

18.30	6.89	937.29	0.00	937.19	937.46	.17	.04	.00	931.40
1600.	0.	1600.	0.	0.	480.	0.	117.	24.	939.80
.84	0.00	3.34	0.00	.040	.039	.040	.044	930.40	1832.68
.000813	49.	49.	49.	0	0	0	0.00	89.57	1922.25

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 18.800
2800 NAT Q1= 792.09 WSEL= 937.52 ENC Q1= 814.01 WSEL= 937.62 RATIO= -.0277
NAT Q1= 814. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.62

3470 ENCROACHMENT STATIONS= 2000.0 2140.0 TYPE= 4 TARGET= 0.000

18.80	7.20	937.60	0.00	937.52	937.68	.08	.20	.03	940.40
1600.	0.	1600.	0.	0.	695.	0.	122.	25.	939.80
.88	0.00	2.30	0.00	.040	.039	.040	.044	930.40	2000.00
.000390	420.	365.	340.	2	0	0	0.00	124.71	2124.71

*SECNO 18.900
2800 NAT Q1= 406.32 WSEL= 937.54 ENC Q1= 417.96 WSEL= 937.64 RATIO= -.0287
NAT Q1= 418. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.64

3470 ENCROACHMENT STATIONS= 2000.0 2066.6 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.40 ELREA= 939.60

18.90	6.52	937.62	0.00	937.54	937.94	.32	.14	.12	932.20
1600.	0.	1600.	0.	0.	350.	0.	124.	26.	940.20
.89	0.00	4.57	0.00	.040	.039	.040	.044	931.10	2000.00
.001484	195.	200.	215.	2	0	0	0.00	62.95	2062.95

*SECNO 19.000
3700. BRIDGE STENCL= 2000.00 STENCR= 2066.60

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 940.10 MAX ELLC= 938.90
D/S FACE OF PORTER ST. WALK BRIDGE.CONCRETE (I)
CONFLUENCE WITH THE EAST BRANCH KALAMAZOO

19.00	6.48	937.58	0.00	937.53	937.99	.40	.01	.04	940.10
1600.	0.	1600.	0.	0.	314.	0.	124.	26.	940.40
.89	0.00	5.09	0.00	.040	.026	.040	.044	931.10	2000.00
.001520	0.	4.	0.	2	0	0	-18.03	56.54	2057.70

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 19.100
2800 NAT Q1= 495.65 WSEL= 937.54 ENC Q1= 508.01 WSEL= 937.64 RATIO= -.0249
NAT Q1= 508. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.64

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 2000.0 2057.7 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.10 ELREA= 940.40

19.10	6.56	937.66	0.00	937.54	938.01	.35	.01	.02	940.10
1600.	0.	1600.	0.	0.	336.	0.	124.	26.	940.40
.89	0.00	4.76	0.00	.040	.026	.040	.044	931.10	2000.00
.000981	6.	6.	6.	2	0	0	0.00	56.55	2057.70

*SECNO 19.200
2800 NAT Q1= 547.45 WSEL= 937.52 ENC Q1= 560.88 WSEL= 937.62 RATIO= -.0245
NAT Q1= 561. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.62

3470 ENCROACHMENT STATIONS= 2000.0 2057.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.10 ELREA= 940.40

19.20	6.75	937.65	0.00	937.52	938.02	.37	.00	.01	939.20
1600.	0.	1600.	0.	0.	326.	0.	124.	26.	939.30
.89	0.00	4.91	0.00	.040	.026	.040	.044	930.90	2001.75
.000802	1.	1.	1.	1	0	0	0.00	55.25	2057.00

*SECNO 19.300
2800 NAT Q1= 549.79 WSEL= 937.55 ENC Q1= 564.24 WSEL= 937.65 RATIO= -.0263
NAT Q1= 564. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.65

3470 ENCROACHMENT STATIONS= 2000.0 2057.0 TYPE= 4 TARGET= 0.000

19.30	6.77	937.67	0.00	937.55	938.04	.37	.02	.00	939.20
1600.	0.	1600.	0.	0.	327.	0.	124.	26.	939.30
.89	0.00	4.90	0.00	.040	.026	.040	.044	930.90	2001.73
.000796	24.	24.	24.	0	0	0	0.00	55.27	2057.00

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .100 CEHV= .300
*SECNO 19.800
2800 NAT Q1= 317.03 WSEL= 937.84 ENC Q1= 327.04 WSEL= 937.94 RATIO= -.0316
NAT Q1= 327. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 937.94

3470 ENCROACHMENT STATIONS= 2297.0 2367.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.10 ELREA= 942.90

19.80	6.35	937.95	0.00	937.84	938.26	.31	.21	.01	944.10
1600.	0.	1600.	0.	0.	357.	0.	126.	26.	943.90
.90	0.00	4.48	0.00	.040	.045	.040	.044	931.60	2297.00
.002399	165.	165.	165.	1	0	0	0.00	70.00	2367.00

*SECNO 19.900
2800 NAT Q1= 331.23 WSEL= 937.98 ENC Q1= 341.42 WSEL= 938.08 RATIO= -.0308
NAT Q1= 341. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 938.08

3470 ENCROACHMENT STATIONS= 2297.0 2367.0 TYPE= 4 TARGET= 0.000

19.90	6.48	938.08	0.00	937.98	938.38	.30	.11	.00	944.10
1600.	0.	1600.	0.	0.	367.	0.	126.	26.	943.90
.91	0.00	4.36	0.00	.040	.045	.040	.044	931.60	2297.00
.002201	0.	50.	0.	2	0	0	0.00	70.00	2367.00

CCHV= .300 CEHV= .500
*SECNO 20.000
3700. BRIDGE STENCL= 2297.00 STENCR= 2367.00

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 943.60 MAX ELLC= 942.10

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.10 ELREA= 942.90

D/S FACE OF ERIE ST. BRIDGE.CONCRETE (J)

20.00	6.41	938.01	0.00	937.92	938.45	.44	.00	.07	944.10
1600.	0.	1600.	0.	0.	301.	0.	126.	26.	943.90
.91	0.00	5.31	0.00	.040	.026	.040	.044	931.60	2297.00
.001956	1.	1.	1.	2	0	0	-8.11	62.39	2367.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 20.100

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 943.60 MAX ELLC= 942.10

20.10	6.62	938.22	0.00	938.12	938.63	.40	.17	.01	944.10
1600.	0.	1600.	0.	0.	313.	0.	127.	26.	943.90
.91	0.00	5.10	0.00	.040	.026	.040	.043	931.60	2297.00
.001757	90.	90.	90.	0	0	0	-9.11	62.47	2367.00

**SECNO 20.200
2800 NAT Q1= 633.86 WSEL= 938.28 ENC Q1= 652.16 WSEL= 938.38 RATIO= -.0289
NAT Q1= 652. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 938.38

3470 ENCROACHMENT STATIONS= 2297.0 2367.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 944.10 ELREA= 943.90

20.20	6.81	938.41	0.00	938.28	938.67	.26	.00	.04	944.10
1600.	0.	1600.	0.	0.	390.	0.	127.	26.	943.90
.91	0.00	4.11	0.00	.040	.026	.040	.043	931.60	2297.00
.000594	1.	1.	1.	2	0	0	0.00	70.00	2367.00

#SECNO 20.300
2800 NAT Q1= 723.07 WSEL= 938.38 ENC Q1= 742.10 WSEL= 938.48 RATIO= -.0263
NAT Q1= 742. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 938.48

3470 ENCROACHMENT STATIONS= 2297.0 2367.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.30 ELREA= 939.10

20.30	6.80	938.50	0.00	938.38	938.72	.22	.03	.01	943.30
1600.	0.	1600.	0.	0.	427.	0.	127.	26.	939.10
.92	0.00	3.75	0.00	.040	.026	.040	.043	931.70	2297.00
.000461	64.	64.	64.	2	0	0	0.00	70.00	2367.00

1490 NH CARD USED

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .100 CEHV= .300
*SECNO 21.000

3470 ENCROACHMENT STATIONS= 432.0 2256.0 TYPE= 1 TARGET= 1824.000

21.00	6.21	939.41	0.00	939.35	940.00	.59	1.18	.11	937.40
1600.	238.	1232.	131.	97.	178.	75.	137.	29.	937.60
.97	2.44	6.92	1.76	.060	.045	.060	.043	933.20	1929.58
.005750	1060.	1050.	1040.	3	0	0	0.00	184.73	2114.31

1490 NH CARD USED
*SECNO 21.100
2800 NAT Q1= 396.51 WSEL= 940.32 ENC Q1= 409.41 WSEL= 940.42 RATIO= -.0326
NAT Q1= 412. RATIOS LOB,CH,ROB= .0017 .9929 .0054 WSEL= 940.42

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 2026.0 2162.0 TYPE= 4 TARGET= .007

21.10	5.14	940.34	0.00	940.32	940.37	.04	.31	.06	939.60
735.	0.	735.	0.	0.	488.	0.	139.	30.	939.00
1.01	0.00	1.51	0.00	.090	.065	.077	.044	935.20	2026.00
.000347	210.	210.	210.	2	0	0	0.00	136.00	2162.00

*SECNO 21.200
2800 NAT Q1= 438.14 WSEL= 940.37 ENC Q1= 456.79 WSEL= 940.47 RATIO= -.0426
NAT Q1= 459. RATIOS LOB,CH,ROB= 0.0000 .9956 .0044 WSEL= 940.47

3470 ENCROACHMENT STATIONS= 2113.0 2272.0 TYPE= 4 TARGET= .004

21.20	4.98	940.38	0.00	940.37	940.42	.03	.04	.00	945.50
735.	0.	735.	0.	0.	514.	0.	140.	31.	939.40
1.03	0.00	1.43	0.00	.060	.039	.060	.043	935.40	2127.04
.000283	130.	140.	150.	0	0	0	0.00	144.96	2272.00

CCHV= .100 CEHV= .300
*SECNO 21.300

3470 ENCROACHMENT STATIONS= 1900.0 2700.0 TYPE= 1 TARGET= 800.000

21.30	4.81	940.41	0.00	940.40	940.45	.04	.03	.00	939.30
735.	0.	711.	23.	2.	430.	79.	142.	31.	939.50
1.05	.27	1.65	.30	.060	.039	.060	.043	935.60	2126.92
.000276	110.	125.	130.	0	0	0	0.00	247.88	2374.80

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.80	3.00	97.00	1.50	0.00	.50	0.00	937.60	935.20

*SECNO 21.500
PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
61338.24	1103.42	0.00	728.	7.	1.	1.	938.00	944.20

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.60 ELREA= 948.60

DAM AT VICTORY PARK DAM. CREST ELEV. 944 (K)

CODED AS A VERY SMALL HOLE TO FORCE WIER FLOW

21.50	8.11	945.71	0.00	945.71	946.04	.34	5.59	0.00	948.60	
735.	0.	735.	0.	0.	158.	0.	142.	31.	948.50	
1.05	0.00	4.66	0.00	.060	.039	.060	.043	937.60	2210.00	
.009609	15.	15.	15.	3	0	9	0.00	98.00	2308.00	

*SECNO 21.600
2800 NAT Q1= 984.28 WSEL= 946.06 ENC Q1= 1006.15 WSEL= 946.16 RATIO= -.0222
NAT Q1= 1006. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 946.16

3470 ENCROACHMENT STATIONS= 205.0 308.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.60 ELREA= 948.60

21.60	8.06	946.06	0.00	946.06	946.08	.02	.01	.03	948.30	
735.	0.	735.	0.	0.	736.	0.	142.	31.	948.60	
1.06	0.00	1.00	0.00	.060	.039	.060	.043	938.00	205.00	
.000056	27.	27.	27.	2	0	0	0.00	103.00	308.00	

*SECNO 21.900
2800 NAT Q1= 672.95 WSEL= 946.06 ENC Q1= 692.21 WSEL= 946.16 RATIO= -.0286
NAT Q1= 692. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 946.16

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3280 CROSS SECTION 21.90 EXTENDED .07 FEET

3470 ENCROACHMENT STATIONS= 2185.0 2288.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.80 ELREA= 948.70

21.90	8.46	946.06	0.00	946.06	946.09	.03	.01	.00	947.30
735.	0.	735.	0.	0.	578.	0.	143.	31.	947.30
1.08	0.00	1.27	0.00	.060	.039	.060	.043	937.60	2185.00
.000119	73.	73.	73.	0	0	0	0.00	103.00	2288.00

CCHV= .300 CEHV= .500
*SECNO 22.000
3700. BRIDGE STENCL= 2185.00 STENCR= 2288.00
2800 NAT Q1= 820.85 WSEL= 946.06 ENC Q1= 842.80 WSEL= 946.16 RATIO= -.0267
NAT Q1= 843. RATIOS LOB,CH,ROB= .0003 .9997 0.0000 WSEL= 946.16

3265 DIVIDED FLOW

3280 CROSS SECTION 22.00 EXTENDED .06 FEET

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 947.20 MAX ELLC= 947.30

3470 ENCROACHMENT STATIONS= 2185.0 2288.0 TYPE= 4 TARGET= .000
D/S FACE OF HAVEN RD. BRIDGE.CONCRETE (L)

22.00	8.46	946.06	0.00	946.06	946.09	.03	.00	.00	950.20
735.	0.	735.	0.	0.	540.	0.	143.	31.	950.10
1.08	0.00	1.36	0.00	.040	.026	.040	.043	937.60	2185.00
.000080	1.	1.	1.	0	0	0	0.00	98.32	2288.00

*SECNO 22.100
3700. BRIDGE STENCL= 2185.00 STENCR= 2288.00
2800 NAT Q1= 787.39 WSEL= 946.06 ENC Q1= 809.24 WSEL= 946.16 RATIO= -.0278
NAT Q1= 809. RATIOS LOB,CH,ROB= .0003 .9997 0.0000 WSEL= 946.16

3265 DIVIDED FLOW

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3280 CROSS SECTION 22.10 EXTENDED .06 FEET

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 947.20 MAX ELLC= 947.30

3470 ENCROACHMENT STATIONS= 2185.0 2288.0 TYPE= 4 TARGET= .000

22.10	7.36	946.06	0.00	946.06	946.09	.03	.00	.00	950.20
735.	0.	735.	0.	0.	525.	0.	144.	31.	950.10
1.08	0.00	1.40	0.00	.040	.026	.040	.043	938.70	2185.00
.000087	23.	23.	23.	0	0	0	0.00	98.32	2288.00

*SECNO 22.200
2800 NAT Q1= 974.93 WSEL= 946.07 ENC Q1= 1005.10 WSEL= 946.17 RATIO= -.0309
NAT Q1= 1005. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 946.17
3280 CROSS SECTION 22.20 EXTENDED .06 FEET

3470 ENCROACHMENT STATIONS= 2185.0 2288.0 TYPE= 4 TARGET= 0.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 950.20 ELREA= 950.10

22.20	7.37	946.07	0.00	946.07	946.10	.03	.00	.00	947.30
735.	0.	735.	0.	0.	563.	0.	144.	31.	947.30
1.08	0.00	1.30	0.00	.040	.026	.040	.043	938.70	2185.00
.000057	1.	1.	1.	0	0	0	0.00	103.00	2288.00

*SECNO 22.300
2800 NAT Q1= 3246.70 WSEL= 946.10 ENC Q1= 3283.99 WSEL= 946.20 RATIO= -.0115
NAT Q1= 3325. RATIOS LOB,CH,ROB= .0062 .9878 .0060 WSEL= 946.20

3470 ENCROACHMENT STATIONS= 2164.0 2374.0 TYPE= 4 TARGET= .012

22.30	7.59	946.10	0.00	946.10	946.10	.00	.00	.01	942.60
735.	0.	735.	0.	0.	1504.	0.	146.	32.	943.00
1.14	0.00	.49	0.00	.040	.026	.040	.043	938.51	2164.00
.000005	100.	103.	120.	2	0	0	0.00	210.00	2374.00

CCHV= .100 CEHV= .300
*SECNO 22.500

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

2800 NAT Q1= 1099.20 WSEL= 946.10 ENC Q1= 1145.64 WSEL= 946.20 RATIO= -.0422
NAT Q1= 1146. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 946.20

3470 ENCROACHMENT STATIONS= 2008.0 2420.0 TYPE= 4 TARGET= 0.000

22.50	4.90	946.10	0.00	946.10	946.11	.01	.01	.00	947.20
735.	0.	735.	0.	0.	1287.	0.	161.	35.	947.20
1.36	0.00	.57	0.00	.050	.039	.050	.043	941.20	2023.57
.000045	460.	450.	450.	0	0	0	0.00	388.20	2411.77

*SECNO 22.550
2800 NAT Q1= 3641.77 WSEL= 946.11 ENC Q1= 3723.43 WSEL= 946.21 RATIO= -.0224
NAT Q1= 3725. RATIOS LOB,CH,ROB= .0004 .9996 0.0000 WSEL= 946.21

3470 ENCROACHMENT STATIONS= 2000.0 2380.0 TYPE= 4 TARGET= .000

22.55	7.51	946.11	0.00	946.11	946.11	.00	.00	.00	943.80
735.	0.	735.	0.	0.	2613.	0.	178.	38.	946.70
1.75	0.00	.28	0.00	.050	.039	.050	.043	938.60	2000.00
.000004	390.	392.	380.	0	0	0	0.00	376.81	2376.81

*SECNO 22.600
2800 NAT Q1= 3199.14 WSEL= 946.11 ENC Q1= 3199.14 WSEL= 946.21 RATIO= 0.0000
NAT Q1= 3272. RATIOS LOB,CH,ROB= .0050 .9776 .0174 WSEL= 946.21

3470 ENCROACHMENT STATIONS= 2002.0 2288.1 TYPE= 4 TARGET= .022

22.60	7.91	946.11	0.00	946.11	946.11	.00	.00	.00	943.24
735.	0.	735.	0.	0.	2137.	0.	189.	40.	943.24
1.91	0.00	.34	.02	.050	.039	.050	.043	938.20	2002.00
.000006	200.	196.	190.	0	0	0	0.00	286.13	2288.13

*SECNO 22.800
2800 NAT Q1= 1273.62 WSEL= 946.11 ENC Q1= 1273.62 WSEL= 946.21 RATIO= 0.0000
NAT Q1= 1315. RATIOS LOB,CH,ROB= 0.0000 .9061 .0939 WSEL= 946.21

3470 ENCROACHMENT STATIONS= 1992.0 2210.4 TYPE= 4 TARGET= .032

22.80	8.11	946.11	0.00	946.11	946.12	.01	.00	.00	948.70
735.	0.	688.	47.	0.	969.	128.	193.	41.	942.40
1.96	0.00	.71	.37	.050	.039	.050	.043	938.00	1995.28
.000035	150.	125.	120.	0	0	0	0.00	215.12	2210.40

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC 23

```
   SECNO      DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q          QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME       VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE      XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

*SECNO 22.900
 2800 NAT Q1=     841.74  WSEL=     946.11  ENC Q1=     861.09  WSEL=     946.21  RATIO=  -.0230
 NAT Q1=    861.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     946.21

3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=        0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=       950.40 ELREA=       950.40

    22.90      8.61    946.11      0.00    946.11    946.13       .02       .01       .00    952.60
    735.         0.     735.        0.        0.      651.         0.      196.       41.     952.50
     1.98      0.00      1.13      0.00      .050      .039      .050      .043    937.50   2000.00
 .000076        60.      108.       180.         0         0         0      0.00    100.00   2100.00

CCHV=     .300 CEHV=     .500
*SECNO 23.000
    3700.    BRIDGE STENCL=    2000.00     STENCR=    2100.00
 2800 NAT Q1=    1124.47  WSEL=     946.11  ENC Q1=    1181.17  WSEL=     946.21  RATIO=  -.0504
 NAT Q1=    1181.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     946.21

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD=  8 MIN ELTRD=  952.40 MAX ELLC=  948.40

3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=        0.000
        D/S FACE OF SOUTH SUPERIOR ST. BRIDGE.CONCRETE    (M)

    23.00      8.61    946.11      0.00    946.11    946.13       .02       .00       .00    952.60
    735.         0.     735.        0.        0.      652.         0.      196.       41.     952.50
     1.98      0.00      1.13      0.00      .050      .026      .050      .043    937.50   2000.00
 .000040         1.        1.        1.         0         0         0      0.00     98.00   2100.00

*SECNO 23.100
    3700.    BRIDGE STENCL=    2000.00     STENCR=    2100.00
 2800 NAT Q1=     509.53  WSEL=     946.09  ENC Q1=     534.12  WSEL=     946.19  RATIO=  -.0483
 NAT Q1=    534.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     946.19

3265 DIVIDED FLOW
```

```
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS     BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST

3370 NORMAL BRIDGE.NRD=  8 MIN ELTRD=  952.40 MAX ELLC=  950.20

3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=        0.000
      23.10       8.39     946.09       0.00     946.09     946.15       .05        .00        .02     954.30
        735.         0.       735.         0.         0.       398.         0.        196.        41.     954.30
       1.99       0.00       1.85       0.00       .050       .026       .050       .043     937.70    2000.00
    .000203         56.         56.         56.          1          0          0       0.00      98.00    2100.00

*SECNO 23.200
 2800 NAT Q1=     583.42  WSEL=     946.10  ENC Q1=     607.49  WSEL=     946.20  RATIO=   -.0413
 NAT Q1=     607.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     946.20

3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=        0.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=       954.30 ELREA=      954.30

      23.20       8.40     946.10       0.00     946.10     946.15       .05        .00        .00     954.30
        735.         0.       735.         0.         0.       410.         0.        196.        41.     954.30
       1.99       0.00       1.79       0.00       .050       .026       .050       .043     937.70    2000.00
    .000159          1.          1.          1.          0          0          0       0.00     100.00    2100.00

*SECNO 23.300
 2800 NAT Q1=    3128.33  WSEL=     946.16  ENC Q1=    3214.25  WSEL=     946.26  RATIO=   -.0275
 NAT Q1=    3216.  RATIOS LOB,CH,ROB=  0.0000   .9995   .0005  WSEL=     946.26

3470 ENCROACHMENT STATIONS=     1992.0     2280.0  TYPE=      4  TARGET=         .000
      23.30       6.40     946.16       0.00     946.16     946.16       .00        .00        .01     948.70
        735.         0.       735.         0.         0.      1668.         0.        198.        42.     944.80
       2.04       0.00        .44       0.00       .050       .026       .050       .042     939.76    1997.21
    .000006        140.         82.         20.          2          0          0       0.00     282.79    2280.00

*SECNO 23.400
 2800 NAT Q1=    3898.01  WSEL=     946.17  ENC Q1=    4000.59  WSEL=     946.27  RATIO=   -.0263
 NAT Q1=    4003.  RATIOS LOB,CH,ROB=   .0005   .9995  0.0000  WSEL=     946.27

3470 ENCROACHMENT STATIONS=     2000.0     2336.0  TYPE=      4  TARGET=         .001
      23.40       6.58     946.17       0.00     946.17     946.17       .00        .00        .00     945.20
        735.         0.       735.         0.         0.      2037.         0.        247.        50.     946.30
       2.92       0.00        .36       0.00       .050       .026       .050       .041     939.59    2000.00
    .000004       1210.       1133.       1140.          0          0          0       0.00     335.44    2335.44
```

MOORE BUSINESS FORMS, INC.

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 23.500
2800 NAT Q1= 4405.86 WSEL= 946.17 ENC Q1= 4405.86 WSEL= 946.27 RATIO= 0.0000
NAT Q1= 4520. RATIOS LOB,CH,ROB= .0138 .9725 .0137 WSEL= 946.27

3470 ENCROACHMENT STATIONS= 2135.8 2423.9 TYPE= 4 TARGET= .025

23.50	7.67	946.17	0.00	946.17	946.17	.00	.00	.00	943.79
735.	1.	734.	1.	10.	2010.	9.	271.	53.	943.80
3.31	.07	.37	.07	.050	.026	.050	.041	938.50	2135.82
.000003	380.	516.	640.	0	0	0	0.00	288.05	2423.87

*SECNO 24.000
2800 NAT Q1= 3659.68 WSEL= 946.17 ENC Q1= 3733.85 WSEL= 946.27 RATIO= -.0203
NAT Q1= 3734. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 946.27

3470 ENCROACHMENT STATIONS= 1960.0 2471.0 TYPE= 4 TARGET= 0.000
U/S LIMIT OF THE CITY OF ALBION. SURVEYED SECTION (N)

24.00	7.47	946.17	0.00	946.17	946.17	.00	.00	.00	952.10
735.	0.	735.	0.	0.	1966.	0.	281.	55.	950.00
3.48	0.00	.37	0.00	.050	.026	.050	.040	938.70	1989.29
.000004	200.	233.	300.	0	0	0	0.00	336.77	2326.05

MOORE BUSINESS FORMS, INC 23

****
HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
ERROR CORR - 01,02,03,04
MODIFICATION - 50,51,52,53,54
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
	12.000	929.10	1922.44	1966.00	2087.00	2317.30	394.86	0.00
	12.000	929.20	1966.00	1966.00	2087.00	2227.91	261.91	0.00
	12.600	930.90	1936.55	2000.00	2090.00	2167.51	208.31	1850.00
	12.600	931.03	2004.74	2000.00	2090.00	2090.00	85.26	1850.00
	12.700	932.10	1897.73	2000.00	2100.00	2179.44	281.71	1500.00
	12.700	932.23	1993.01	2000.00	2100.00	2143.75	150.75	1500.00
	12.800	933.30	1964.24	1988.00	2097.00	2120.27	156.03	1750.00
	12.800	933.41	1988.00	1988.00	2097.00	2100.01	112.01	1750.00
	13.100	933.50	1869.82	1865.00	2110.70	2093.89	224.06	240.00
	13.100	933.63	1869.48	1865.00	2110.70	2094.22	224.75	240.00
	13.200	933.51	1924.68	1919.90	2165.60	2148.86	224.18	11.60
	13.200	933.63	1924.34	1919.90	2165.60	2149.20	224.87	11.60
	13.300	933.51	1924.68	1919.90	2165.60	2148.86	224.18	1.00
	13.300	933.63	1924.33	1919.90	2165.60	2149.21	224.87	1.00
	14.100	933.73	1990.85	1976.00	2076.00	2058.41	67.56	317.00
	14.100	933.83	1990.61	1976.00	2076.00	2058.67	68.06	317.00
	14.300	933.74	1990.83	1976.00	2076.00	2058.43	67.59	4.00
	14.300	933.84	1990.59	1976.00	2076.00	2058.69	68.10	4.00
	14.400	933.70	2000.00	2000.00	2060.00	2060.00	60.00	9.00
	14.400	933.80	2000.00	2000.00	2060.00	2060.00	60.00	9.00
	14.500	933.70	2000.00	2000.00	2060.00	2060.00	60.00	1.00
*	14.500	933.80	2000.00	2000.00	2060.00	2060.00	60.00	1.00

MOORE BUSINESS FORMS, INC 23

	SECNO	CWSEL	SSIA	STCHL	STCHR	ENDST	TOPWID	XLCH
	14.600	933.77	2000.00	2000.00	2060.00	2060.00	60.00	54.00
*	14.600	933.86	2000.00	2000.00	2060.00	2060.00	60.00	54.00
	14.700	933.77	2000.00	2000.00	2060.00	2060.00	60.00	1.00
	14.700	933.87	2000.00	2000.00	2060.00	2060.00	60.00	1.00
	14.720	933.78	2000.00	2000.00	2060.00	2060.00	60.00	4.00
	14.720	933.88	2000.00	2000.00	2060.00	2060.00	60.00	4.00
	14.750	935.38	1889.64	2000.00	2050.00	2063.58	173.95	770.00
	14.750	935.47	1952.24	2000.00	2050.00	2050.00	97.76	770.00
	14.800	935.93	2116.69	2156.00	2252.00	2270.64	153.95	520.00
	14.800	936.04	2146.87	2156.00	2252.00	2252.00	105.13	520.00
	14.900	936.11	2044.00	2044.00	2116.00	2116.00	72.00	360.00
	14.900	936.22	2044.00	2044.00	2116.00	2116.00	72.00	360.00
	15.000	936.04	1801.10	1801.10	1853.64	1853.64	52.54	31.00
	15.000	936.16	1801.10	1801.10	1853.64	1853.64	52.54	31.00
	15.100	936.02	1801.10	1801.10	1853.64	1853.64	52.54	1.00
	15.100	936.14	1801.10	1801.10	1853.64	1853.64	52.54	1.00
	15.200	936.07	1784.77	1784.77	1837.31	1837.31	52.54	36.00
	15.200	936.18	1784.77	1784.77	1837.31	1837.31	52.54	36.00
	15.300	936.13	1784.77	1784.77	1837.31	1837.31	52.54	1.00
	15.300	936.26	1784.77	1784.77	1837.31	1837.31	52.54	1.00
	15.400	936.36	2010.00	2000.00	2098.00	2090.01	80.01	11.00
	15.400	936.48	2010.00	2000.00	2098.00	2090.52	80.52	11.00
	15.800	936.44	2116.00	2116.00	2186.00	2186.00	70.00	350.00
	15.800	936.56	2116.00	2116.00	2186.00	2186.00	70.00	350.00
	15.900	936.44	2118.00	2118.00	2177.50	2177.50	59.50	56.00
	15.900	936.55	2118.00	2118.00	2177.50	2177.50	59.50	56.00
	16.000	936.44	2118.00	2118.00	2177.50	2177.50	59.50	1.00
	16.000	936.55	2118.00	2118.00	2177.50	2177.50	59.50	1.00
	16.100	936.62	2118.00	2118.00	2177.50	2177.50	59.50	54.00
	16.100	936.73	2118.00	2118.00	2177.50	2177.50	59.50	54.00
	16.200	936.63	2118.00	2118.00	2177.50	2177.50	59.50	1.00
	16.200	936.76	2118.00	2118.00	2177.50	2177.50	59.50	1.00
	16.300	936.73	2111.00	2111.00	2175.00	2184.08	73.08	56.00
	16.300	936.85	2111.00	2111.00	2175.00	2184.60	73.60	56.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
16.800	936.86	2117.00	2117.00	2204.00	2204.00	87.00	125.00
16.800	936.97	2117.00	2117.00	2204.00	2227.70	110.70	125.00
16.900	936.88	2114.00	2114.00	2207.00	2207.00	93.00	19.00
16.900	936.99	2114.00	2114.00	2207.00	2242.35	128.35	19.00
17.000	936.87	2114.00	2114.00	2207.00	2207.00	87.66	1.00
17.000	936.98	2114.00	2114.00	2207.00	2207.00	87.66	1.00
17.100	936.93	2114.00	2114.00	2207.00	2207.00	87.66	90.00
17.100	937.04	2114.00	2114.00	2207.00	2207.00	87.66	90.00
17.200	936.94	2114.00	2114.00	2208.00	2208.00	90.92	1.00
17.200	937.04	2114.00	2114.00	2208.00	2208.00	90.96	1.00
17.300	937.01	2114.00	2114.00	2207.00	2207.00	90.93	100.00
17.300	937.11	2114.00	2114.00	2207.00	2207.00	90.97	100.00
17.400	937.01	2114.00	2114.00	2207.00	2207.00	90.93	1.00
17.400	937.11	2114.00	2114.00	2207.00	2207.00	90.97	1.00
17.500	937.06	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.500	937.16	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.900	937.14	1677.00	1677.00	1786.65	1786.65	109.65	79.00
17.900	937.24	1677.00	1677.00	1786.65	1786.65	109.65	79.00
18.000	937.11	2095.03	2095.03	2204.68	2226.31	131.22	1.00
18.000	937.21	2095.03	2095.03	2204.68	2226.70	131.62	1.00
18.100	937.16	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.100	937.26	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.200	937.14	1832.68	1832.68	1935.02	1921.51	88.83	1.00
18.200	937.24	1832.68	1832.68	1935.02	1922.06	89.38	1.00
18.300	937.19	1832.68	1832.68	1935.02	1921.76	89.08	49.00
18.300	937.29	1832.68	1832.68	1935.02	1922.25	89.57	49.00
18.800	937.52	2000.00	2000.00	2140.00	2124.11	124.11	365.00
18.800	937.60	2000.00	2000.00	2140.00	2124.71	124.71	365.00
18.900	937.54	2000.00	2000.00	2066.60	2062.84	62.84	200.00
18.900	937.62	2000.00	2000.00	2066.60	2062.95	62.95	200.00
19.000	937.53	2000.00	2000.00	2057.70	2057.70	56.53	4.00
19.000	937.58	2000.00	2000.00	2057.70	2057.70	56.54	4.00
19.100	937.54	2000.00	2000.00	2057.70	2057.70	56.53	6.00
19.100	937.66	2000.00	2000.00	2057.70	2057.70	56.55	6.00

MOORE BUSINESS FORMS, INC. 29

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
19.200	937.52	2001.88	2000.00	2057.00	2057.00	55.12	1.00
19.200	937.65	2001.75	2000.00	2057.00	2057.00	55.25	1.00
19.300	937.55	2001.87	2000.00	2057.00	2057.00	55.13	24.00
19.300	937.67	2001.73	2000.00	2057.00	2057.00	55.27	24.00
19.800	937.84	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.800	937.95	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.900	937.98	2297.00	2297.00	2367.00	2367.00	70.00	50.00
19.900	938.08	2297.00	2297.00	2367.00	2367.00	70.00	50.00
20.000	937.92	2297.00	2297.00	2367.00	2367.00	62.35	1.00
20.000	938.01	2297.00	2297.00	2367.00	2367.00	62.39	1.00
20.100	938.12	2297.00	2297.00	2367.00	2367.00	62.43	90.00
20.100	938.22	2297.00	2297.00	2367.00	2367.00	62.47	90.00
20.200	938.28	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.200	938.41	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.300	938.38	2297.00	2297.00	2367.00	2367.00	70.00	64.00
20.300	938.50	2297.00	2297.00	2367.00	2367.00	70.00	64.00
21.000	939.35	1930.28	2000.00	2032.00	2111.47	181.19	1050.00
21.000	939.41	1929.58	2000.00	2032.00	2114.31	184.73	1050.00
21.100	940.32	2014.41	2026.00	2162.00	2180.96	166.54	210.00
21.100	940.34	2026.00	2026.00	2162.00	2162.00	136.00	210.00
21.200	940.37	2127.07	2113.00	2272.00	2292.83	165.76	140.00
21.200	940.38	2127.04	2113.00	2272.00	2272.00	144.96	140.00
21.300	940.40	2126.97	2130.00	2227.00	2373.03	246.06	125.00
21.300	940.41	2126.92	2130.00	2227.00	2374.80	247.88	125.00
21.500	945.71	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.500	945.71	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.600	946.06	205.00	205.00	308.00	308.00	103.00	27.00
21.600	946.06	205.00	205.00	308.00	308.00	103.00	27.00
21.900	946.06	2185.00	2185.00	2288.00	2288.00	103.00	73.00
21.900	946.06	2185.00	2185.00	2288.00	2288.00	103.00	73.00
22.000	946.06	900.00	2185.00	2288.00	2288.00	115.60	1.00
22.000	946.06	2185.00	2185.00	2288.00	2288.00	98.32	1.00
22.100	946.06	900.00	2185.00	2288.00	2288.00	115.73	23.00
22.100	946.06	2185.00	2185.00	2288.00	2288.00	98.32	23.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
22.200	946.07	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.200	946.07	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.300	946.10	2148.00	2164.00	2374.00	2388.00	240.00	103.00
22.300	946.10	2164.00	2164.00	2374.00	2374.00	210.00	103.00
22.500	946.10	2023.52	2008.00	2420.00	2411.80	388.28	450.00
22.500	946.10	2023.57	2008.00	2420.00	2411.77	388.20	450.00
22.550	946.11	1996.22	2000.00	2380.00	2376.81	380.59	392.00
22.550	946.11	2000.00	2000.00	2380.00	2376.81	376.81	392.00
22.600	946.11	1974.61	2002.00	2288.00	2359.94	385.33	196.00
22.600	946.11	2002.00	2002.00	2288.00	2288.13	286.13	196.00
22.800	946.11	1995.29	1992.00	2170.00	2308.39	313.10	125.00
22.800	946.11	1995.28	1992.00	2170.00	2210.40	215.12	125.00
22.900	946.11	2000.00	2000.00	2100.00	2100.00	100.00	108.00
22.900	946.11	2000.00	2000.00	2100.00	2100.00	100.00	108.00
23.000	946.11	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.000	946.11	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.100	946.09	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.100	946.09	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.200	946.10	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.200	946.10	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.300	946.16	1997.21	1992.00	2280.00	2288.09	290.88	82.00
23.300	946.16	1997.21	1992.00	2280.00	2280.00	282.79	82.00
23.400	946.17	1982.04	2000.00	2336.00	2335.44	353.40	1133.00
23.400	946.17	2000.00	2000.00	2336.00	2335.44	335.44	1133.00
23.500	946.17	2001.78	2140.00	2420.00	2558.21	556.43	516.00
23.500	946.17	2135.82	2140.00	2420.00	2423.87	288.05	516.00
24.000	946.17	1989.29	1960.00	2471.00	2326.04	336.76	233.00
24.000	946.17	1989.29	1960.00	2471.00	2326.05	336.77	233.00

MOORE BUSINESS FORMS, INC

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	12.000	0.00	0.00	0.00	923.00	1600.00	929.10	0.00	929.20	10.23	2.71	845.84	500.22
	12.000	0.00	0.00	0.00	923.00	1600.00	929.20	0.00	929.31	10.38	2.75	746.68	496.59
	12.600	1850.00	0.00	0.00	924.60	1600.00	930.90	0.00	931.06	9.74	3.23	545.73	512.71
	12.600	1850.00	0.00	0.00	924.60	1600.00	931.03	0.00	931.19	9.83	3.21	498.04	510.23
	12.700	1500.00	0.00	0.00	926.00	1600.00	932.10	0.00	932.20	6.03	2.56	800.35	651.43
	12.700	1500.00	0.00	0.00	926.00	1600.00	932.23	0.00	932.32	5.95	2.58	709.62	655.67
	12.800	1750.00	0.00	0.00	927.40	1600.00	933.30	0.00	933.41	7.99	2.74	634.62	565.93
	12.800	1750.00	0.00	0.00	927.40	1600.00	933.41	0.00	933.53	8.06	2.77	584.15	563.73
	13.100	240.00	0.00	0.00	927.20	1600.00	933.50	0.00	933.54	2.85	1.54	1038.99	947.07
	13.100	240.00	0.00	0.00	927.20	1600.00	933.63	0.00	933.66	2.63	1.50	1066.29	986.80
	13.200	11.60	940.80	939.60	927.30	1600.00	933.51	0.00	933.55	6.07	1.56	1026.01	649.32
	13.200	11.60	940.80	939.60	927.30	1600.00	933.63	0.00	933.67	5.59	1.52	1053.24	676.82
	13.300	1.00	0.00	0.00	927.30	1600.00	933.51	0.00	933.55	6.07	1.56	1026.11	649.42
	13.300	1.00	0.00	0.00	927.30	1600.00	933.63	0.00	933.67	5.59	1.52	1053.33	676.92
	14.100	317.00	0.00	0.00	925.20	1600.00	933.73	0.00	934.01	24.10	4.29	373.29	325.91
	14.100	317.00	0.00	0.00	925.20	1600.00	933.83	0.00	934.10	22.90	4.21	380.20	334.33
	14.300	4.00	0.00	0.00	925.20	1600.00	933.74	0.00	934.02	24.03	4.28	373.70	326.40
	14.300	4.00	0.00	0.00	925.20	1600.00	933.84	0.00	934.11	22.80	4.20	380.81	335.07
	14.400	9.00	0.00	0.00	927.10	1600.00	933.70	0.00	934.09	9.31	4.98	321.56	524.29
	14.400	9.00	0.00	0.00	927.10	1600.00	933.80	0.00	934.17	8.78	4.88	327.72	540.04
	14.500	1.00	940.80	937.60	927.10	1600.00	933.70	0.00	934.09	10.63	4.97	321.66	490.69
*	14.500	1.00	940.80	937.60	927.10	1600.00	933.80	0.00	934.17	9.31	4.88	327.77	524.27
	14.600	54.00	940.80	937.60	927.10	1600.00	933.77	0.00	934.15	10.29	4.92	325.25	498.78
*	14.600	54.00	940.80	937.60	927.10	1600.00	933.86	0.00	934.23	9.06	4.84	330.75	531.48
	14.700	1.00	0.00	0.00	927.10	1600.00	933.77	0.00	934.15	27.39	4.91	325.75	305.70
	14.700	1.00	0.00	0.00	927.10	1600.00	933.87	0.00	934.23	25.97	4.83	331.38	313.98
	14.720	4.00	0.00	0.00	927.10	1600.00	933.78	0.00	934.16	27.25	4.90	326.31	306.52
	14.720	4.00	0.00	0.00	927.10	1600.00	933.88	0.00	934.24	25.80	4.82	332.07	315.00
	14.750	770.00	0.00	0.00	927.50	1600.00	935.38	0.00	935.63	13.91	4.21	494.62	429.01
	14.750	770.00	0.00	0.00	927.50	1600.00	935.47	0.00	935.73	14.82	4.25	438.34	415.56
	14.800	520.00	0.00	0.00	927.80	1600.00	935.93	0.00	936.01	4.26	2.39	737.28	774.84
	14.800	520.00	0.00	0.00	927.80	1600.00	936.04	0.00	936.13	4.42	2.41	682.02	761.13

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
14.900	360.00	0.00	0.00	927.80	1600.00	936.11	0.00	936.26	10.34	3.13	510.87	497.69
14.900	360.00	0.00	0.00	927.80	1600.00	936.22	0.00	936.37	9.82	3.08	519.33	510.54
15.000	31.00	0.00	0.00	928.50	1600.00	936.04	0.00	936.35	21.85	4.48	357.37	342.29
15.000	31.00	0.00	0.00	928.50	1600.00	936.16	0.00	936.46	23.10	4.40	363.75	332.92
15.100	1.00	938.80	936.00	928.50	1600.00	936.02	0.00	936.37	13.56	4.76	335.87	434.55
15.100	1.00	938.80	936.00	928.50	1600.00	936.14	0.00	936.49	13.56	4.76	335.87	434.55
15.200	36.00	938.80	936.00	928.40	1600.00	936.07	0.00	936.42	13.83	4.79	334.03	430.25
15.200	36.00	938.80	936.00	928.40	1600.00	936.18	0.00	936.54	13.83	4.79	334.03	430.25
15.300	1.00	0.00	0.00	928.40	1600.00	936.13	0.00	936.44	5.25	4.45	359.58	698.44
15.300	1.00	0.00	0.00	928.40	1600.00	936.26	0.00	936.56	5.66	4.37	366.47	672.36
15.400	11.00	0.00	0.00	928.20	1600.00	936.36	0.00	936.50	2.42	2.96	541.25	1028.17
15.400	11.00	0.00	0.00	928.20	1600.00	936.48	0.00	936.61	2.30	2.90	551.06	1054.44
15.800	350.00	0.00	0.00	927.80	1600.00	936.44	0.00	936.60	2.90	3.24	493.21	940.13
15.800	350.00	0.00	0.00	927.80	1600.00	936.56	0.00	936.71	2.75	3.19	501.46	964.65
15.900	56.00	0.00	0.00	928.80	1600.00	936.44	0.00	936.66	12.92	3.83	418.21	445.19
15.900	56.00	0.00	0.00	928.80	1600.00	936.55	0.00	936.77	12.28	3.76	425.19	456.65
16.000	1.00	939.60	936.40	928.80	1600.00	936.44	0.00	936.67	33.17	3.85	415.53	277.83
16.000	1.00	939.60	936.40	928.80	1600.00	936.55	0.00	936.78	33.17	3.85	415.53	277.83
16.100	54.00	939.60	936.40	929.00	1600.00	936.62	0.00	936.85	35.06	3.90	409.98	270.22
16.100	54.00	939.60	936.40	929.00	1600.00	936.73	0.00	936.96	35.06	3.90	409.98	270.22
16.200	1.00	0.00	0.00	929.00	1600.00	936.63	0.00	936.86	12.60	3.78	423.47	450.73
16.200	1.00	0.00	0.00	929.00	1600.00	936.76	0.00	936.97	11.93	3.71	431.11	463.28
16.300	56.00	0.00	0.00	928.80	1600.00	936.73	0.00	936.90	4.44	3.31	487.66	759.58
16.300	56.00	0.00	0.00	928.80	1600.00	936.85	0.00	937.01	4.21	3.26	496.20	779.51
16.800	125.00	0.00	0.00	929.06	1600.00	936.86	0.00	936.97	6.53	2.73	585.37	626.09
16.800	125.00	0.00	0.00	929.06	1600.00	936.97	0.00	937.08	6.20	2.69	595.69	642.69
16.900	19.00	0.00	0.00	929.32	1600.00	936.88	0.00	936.99	6.09	2.62	610.22	648.53
16.900	19.00	0.00	0.00	929.32	1600.00	936.99	0.00	937.09	5.76	2.58	622.29	666.38
17.000	1.00	960.00	937.05	929.32	1600.00	936.87	0.00	936.99	6.49	2.82	567.91	628.14
17.000	1.00	960.00	937.05	929.32	1600.00	936.98	0.00	937.10	6.19	2.77	577.55	642.93
17.100	90.00	960.00	937.05	929.32	1600.00	936.93	0.00	937.05	6.36	2.80	572.14	634.63
17.100	90.00	960.00	937.05	929.32	1600.00	937.04	0.00	937.16	6.08	2.75	581.56	649.12
17.200	1.00	960.00	937.18	928.80	1600.00	936.94	0.00	937.05	5.94	2.75	582.13	656.63
17.200	1.00	960.00	937.18	928.80	1600.00	937.04	0.00	937.16	5.65	2.70	591.90	673.42

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
17.300	100.00	960.00	937.18	928.10	1600.00	937.01	0.00	937.11	4.83	2.58	620.94	728.40
17.300	100.00	960.00	937.18	928.10	1600.00	937.11	0.00	937.21	4.62	2.54	629.98	744.43
17.400	1.00	0.00	0.00	928.10	1600.00	937.01	0.00	937.11	4.81	2.57	621.47	729.34
17.400	1.00	0.00	0.00	928.10	1600.00	937.11	0.00	937.21	4.60	2.54	630.90	746.08
17.500	120.00	0.00	0.00	930.20	1600.00	937.06	0.00	937.18	5.16	2.82	566.49	704.12
17.500	120.00	0.00	0.00	930.20	1600.00	937.16	0.00	937.28	4.89	2.78	575.91	723.75
17.900	79.00	0.00	0.00	929.00	1600.00	937.14	0.00	937.23	4.27	2.44	656.94	774.51
17.900	79.00	0.00	0.00	929.00	1600.00	937.24	0.00	937.32	4.05	2.40	667.70	794.91
18.000	1.00	940.80	939.00	929.00	1600.00	937.11	0.00	937.26	12.66	3.02	529.32	449.62
18.000	1.00	940.80	939.00	929.00	1600.00	937.21	0.00	937.35	12.34	2.99	535.42	455.47
18.100	40.00	940.80	939.00	929.30	1600.00	937.16	0.00	937.30	11.15	3.00	532.63	479.06
18.100	40.00	940.80	939.00	929.30	1600.00	937.26	0.00	937.40	10.93	2.97	538.28	484.03
18.200	1.00	0.00	0.00	930.40	1600.00	937.14	0.00	937.33	8.81	3.43	466.71	539.01
18.200	1.00	0.00	0.00	930.40	1600.00	937.24	0.00	937.42	8.30	3.36	476.39	555.45
18.300	49.00	0.00	0.00	930.40	1600.00	937.19	0.00	937.37	8.58	3.40	471.06	546.38
18.300	49.00	0.00	0.00	930.40	1600.00	937.29	0.00	937.46	8.13	3.34	479.73	561.15
18.800	365.00	0.00	0.00	930.40	1600.00	937.52	0.00	937.61	4.08	2.34	684.25	792.09
18.800	365.00	0.00	0.00	930.40	1600.00	937.60	0.00	937.68	3.90	2.30	694.91	809.94
18.900	200.00	0.00	0.00	931.10	1600.00	937.54	0.00	937.87	15.51	4.63	345.57	406.32
18.900	200.00	0.00	0.00	931.10	1600.00	937.62	0.00	937.94	14.84	4.57	350.46	415.37
19.000	4.00	940.10	938.90	931.10	1600.00	937.53	0.00	937.89	12.32	4.86	329.38	455.89
19.000	4.00	940.10	938.90	931.10	1600.00	937.58	0.00	937.99	15.20	5.09	314.11	410.44
19.100	6.00	0.00	0.00	931.10	1600.00	937.54	0.00	937.90	10.42	4.86	329.48	495.65
19.100	6.00	0.00	0.00	931.10	1600.00	937.66	0.00	938.01	9.81	4.76	336.34	510.84
19.200	1.00	0.00	0.00	930.90	1600.00	937.52	0.00	937.91	8.54	5.01	319.06	547.45
19.200	1.00	0.00	0.00	930.90	1600.00	937.65	0.00	938.02	8.02	4.91	325.82	565.06
19.300	24.00	0.00	0.00	930.90	1600.00	937.55	0.00	937.94	8.47	5.00	319.96	549.79
19.300	24.00	0.00	0.00	930.90	1600.00	937.67	0.00	938.04	7.96	4.90	326.56	566.99
19.800	165.00	0.00	0.00	931.60	1600.00	937.84	0.00	938.17	25.47	4.57	350.18	317.03
19.800	165.00	0.00	0.00	931.60	1600.00	937.95	0.00	938.26	23.99	4.48	356.87	326.64
19.900	50.00	0.00	0.00	931.60	1600.00	937.98	0.00	938.29	23.33	4.44	360.04	331.23
19.900	50.00	0.00	0.00	931.60	1600.00	938.08	0.00	938.38	22.01	4.36	366.75	341.02
20.000	1.00	943.60	942.10	931.60	1600.00	937.92	0.00	938.35	18.23	5.26	304.08	374.71
20.000	1.00	943.60	942.10	931.60	1600.00	938.01	0.00	938.45	19.56	5.31	301.37	361.78

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
20.100	90.00	943.60	942.10	931.60	1600.00	938.12	0.00	938.52	16.41	5.07	315.75	394.92
20.100	90.00	943.60	942.10	931.60	1600.00	938.22	0.00	938.63	17.57	5.10	313.45	381.68
20.200	1.00	0.00	0.00	931.60	1600.00	938.28	0.00	938.56	6.37	4.20	381.06	633.86
20.200	1.00	0.00	0.00	931.60	1600.00	938.41	0.00	938.67	5.94	4.11	389.71	656.62
20.300	64.00	0.00	0.00	931.70	1600.00	938.38	0.00	938.61	4.90	3.82	418.63	723.07
20.300	64.00	0.00	0.00	931.70	1600.00	938.50	0.00	938.72	4.61	3.75	426.81	745.31
21.000	1050.00	0.00	0.00	933.20	1600.00	939.35	0.00	939.98	61.36	7.10	338.36	204.26
21.000	1050.00	0.00	0.00	933.20	1600.00	939.41	0.00	940.00	57.50	6.92	349.81	211.00
21.100	210.00	0.00	0.00	935.20	735.00	940.32	0.00	940.35	3.44	1.50	503.88	396.51
21.100	210.00	0.00	0.00	935.20	735.00	940.34	0.00	940.37	3.47	1.51	488.31	394.59
21.200	140.00	0.00	0.00	935.40	735.00	940.37	0.00	940.40	2.81	1.43	522.74	438.14
21.200	140.00	0.00	0.00	935.40	735.00	940.38	0.00	940.42	2.83	1.43	514.25	436.96
21.300	125.00	0.00	0.00	935.60	735.00	940.40	0.00	940.44	2.80	1.66	506.28	439.05
21.300	125.00	0.00	0.00	935.60	735.00	940.41	0.00	940.45	2.76	1.65	510.40	442.36
21.500	15.00	944.20	938.00	937.60	735.00	945.71	0.00	946.04	96.10	4.66	157.56	74.98
21.500	15.00	944.20	938.00	937.60	735.00	945.71	0.00	946.04	96.09	4.66	157.57	74.98
21.600	27.00	0.00	0.00	938.00	735.00	946.06	0.00	946.08	.56	1.00	736.34	984.28
21.600	27.00	0.00	0.00	938.00	735.00	946.06	0.00	946.08	.56	1.00	736.34	984.28
21.900	73.00	0.00	0.00	937.60	735.00	946.06	0.00	946.09	1.19	1.27	577.69	672.95
21.900	73.00	0.00	0.00	937.60	735.00	946.06	0.00	946.09	1.19	1.27	578.43	674.32
22.000	1.00	947.20	947.30	937.60	735.00	946.06	0.00	946.09	.80	1.36	540.36	820.85
22.000	1.00	947.20	947.30	937.60	735.00	946.06	0.00	946.09	.80	1.36	539.82	820.84
22.100	23.00	947.20	947.30	938.70	735.00	946.06	0.00	946.09	.87	1.40	525.12	787.39
22.100	23.00	947.20	947.30	938.70	735.00	946.06	0.00	946.09	.87	1.40	524.52	787.28
22.200	1.00	0.00	0.00	938.70	735.00	946.07	0.00	946.10	.57	1.30	563.23	974.93
22.200	1.00	0.00	0.00	938.70	735.00	946.07	0.00	946.10	.57	1.30	563.23	974.93
22.300	103.00	0.00	0.00	938.51	735.00	946.10	0.00	946.10	.05	.48	1568.00	3246.70
22.300	103.00	0.00	0.00	938.51	735.00	946.10	0.00	946.10	.05	.49	1503.71	3143.65
22.500	450.00	0.00	0.00	941.20	735.00	946.10	0.00	946.11	.45	.57	1288.31	1099.20
22.500	450.00	0.00	0.00	941.20	735.00	946.10	0.00	946.11	.45	.57	1286.94	1097.39
22.550	392.00	0.00	0.00	938.60	735.00	946.11	0.00	946.11	.04	.28	2617.17	3641.77
22.550	392.00	0.00	0.00	938.60	735.00	946.11	0.00	946.11	.04	.28	2612.82	3625.75
22.600	196.00	0.00	0.00	938.20	735.00	946.11	0.00	946.11	.05	.34	2293.88	3199.14
22.600	196.00	0.00	0.00	938.20	735.00	946.11	0.00	946.11	.06	.34	2137.44	3108.59

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
22.800	125.00	0.00	0.00	938.00	735.00	946.11	0.00	946.12	.33	.69	1225.84	1273.62
22.800	125.00	0.00	0.00	938.00	735.00	946.11	0.00	946.12	.35	.71	1097.49	1237.89
22.900	108.00	0.00	0.00	937.50	735.00	946.11	0.00	946.13	.76	1.13	650.22	841.74
22.900	108.00	0.00	0.00	937.50	735.00	946.11	0.00	946.13	.76	1.13	650.62	842.56
23.000	1.00	952.40	948.40	937.50	735.00	946.11	0.00	946.13	.43	1.13	652.14	1124.47
23.000	1.00	952.40	948.40	937.50	735.00	946.11	0.00	946.13	.40	1.13	652.20	1155.45
23.100	56.00	952.40	950.20	937.70	735.00	946.09	0.00	946.15	2.08	1.85	398.16	509.53
23.100	56.00	952.40	950.20	937.70	735.00	946.09	0.00	946.15	2.03	1.85	398.36	516.24
23.200	1.00	0.00	0.00	937.70	735.00	946.10	0.00	946.15	1.59	1.79	409.95	583.42
23.200	1.00	0.00	0.00	937.70	735.00	946.10	0.00	946.15	1.59	1.79	409.99	583.52
23.300	82.00	0.00	0.00	939.76	735.00	946.16	0.00	946.16	.06	.44	1673.61	3128.33
23.300	82.00	0.00	0.00	939.76	735.00	946.16	0.00	946.16	.06	.44	1668.19	3117.38
23.400	1133.00	0.00	0.00	939.59	735.00	946.17	0.00	946.17	.04	.36	2046.11	3898.01
23.400	1133.00	0.00	0.00	939.59	735.00	946.17	0.00	946.17	.04	.36	2037.17	3888.18
23.500	516.00	0.00	0.00	938.50	735.00	946.17	0.00	946.17	.03	.36	2337.90	4405.86
23.500	516.00	0.00	0.00	938.50	735.00	946.17	0.00	946.17	.03	.37	2028.45	4303.40
24.000	233.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.04	.37	1965.59	3659.68
24.000	233.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.04	.37	1965.68	3659.88

MOORE BUSINESS FORMS, INC 23

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	12.000	1600.00	929.10	0.00	0.00	0.00	394.86	0.00
	12.000	1600.00	929.20	.10	0.00	.10	261.91	0.00
	12.600	1600.00	930.90	0.00	1.80	0.00	208.31	1850.00
	12.600	1600.00	931.03	.13	1.83	.13	85.26	1850.00
	12.700	1600.00	932.10	0.00	1.20	0.00	281.71	1500.00
	12.700	1600.00	932.23	.12	1.20	.12	150.75	1500.00
	12.800	1600.00	933.30	0.00	1.19	0.00	156.03	1750.00
	12.800	1600.00	933.41	.12	1.19	.12	112.01	1750.00
	13.100	1600.00	933.50	0.00	.21	0.00	224.06	240.00
	13.100	1600.00	933.63	.12	.21	.12	224.75	240.00
	13.200	1600.00	933.51	0.00	.01	0.00	224.18	11.60
	13.200	1600.00	933.63	.12	.01	.12	224.87	11.60
	13.300	1600.00	933.51	0.00	.00	0.00	224.18	1.00
	13.300	1600.00	933.63	.12	.00	.12	224.87	1.00
	14.100	1600.00	933.73	0.00	.22	0.00	67.56	317.00
	14.100	1600.00	933.83	.10	.20	.10	68.06	317.00
	14.300	1600.00	933.74	0.00	.01	0.00	67.59	4.00
	14.300	1600.00	933.84	.10	.01	.10	68.10	4.00
	14.400	1600.00	933.70	0.00	-.04	0.00	60.00	9.00
	14.400	1600.00	933.80	.10	-.04	.10	60.00	9.00
	14.500	1600.00	933.70	0.00	.00	0.00	60.00	1.00
*	14.500	1600.00	933.80	.10	.00	.10	60.00	1.00
	14.600	1600.00	933.77	0.00	.07	0.00	60.00	54.00
*	14.600	1600.00	933.86	.09	.06	.09	60.00	54.00
	14.700	1600.00	933.77	0.00	.00	0.00	60.00	1.00
	14.700	1600.00	933.87	.09	.00	.09	60.00	1.00
	14.720	1600.00	933.78	0.00	.01	0.00	60.00	4.00
	14.720	1600.00	933.88	.09	.01	.09	60.00	4.00
	14.750	1600.00	935.38	0.00	1.60	0.00	173.95	770.00
	14.750	1600.00	935.47	.08	1.59	.08	97.76	770.00
	14.800	1600.00	935.93	0.00	.54	0.00	153.95	520.00
	14.800	1600.00	936.04	.11	.57	.11	105.13	520.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
14.900	1600.00	936.11	0.00	.18	0.00	72.00	360.00
14.900	1600.00	936.22	.12	.19	.12	72.00	360.00
15.000	1600.00	936.04	0.00	-.07	0.00	52.54	31.00
15.000	1600.00	936.16	.12	-.06	.12	52.54	31.00
15.100	1600.00	936.02	0.00	-.02	0.00	52.54	1.00
15.100	1600.00	936.14	.12	-.02	.12	52.54	1.00
15.200	1600.00	936.07	0.00	.05	0.00	52.54	36.00
15.200	1600.00	936.18	.12	.05	.12	52.54	36.00
15.300	1600.00	936.13	0.00	.06	0.00	52.54	1.00
15.300	1600.00	936.26	.13	.08	.13	52.54	1.00
15.400	1600.00	936.36	0.00	.23	0.00	80.01	11.00
15.400	1600.00	936.48	.12	.22	.12	80.52	11.00
15.800	1600.00	936.44	0.00	.08	0.00	70.00	350.00
15.800	1600.00	936.56	.12	.07	.12	70.00	350.00
15.900	1600.00	936.44	0.00	-.00	0.00	59.50	56.00
15.900	1600.00	936.55	.12	-.00	.12	59.50	56.00
16.000	1600.00	936.44	0.00	-.00	0.00	59.50	1.00
16.000	1600.00	936.55	.11	-.01	.11	59.50	1.00
16.100	1600.00	936.62	0.00	.18	0.00	59.50	54.00
16.100	1600.00	936.73	.11	.18	.11	59.50	54.00
16.200	1600.00	936.63	0.00	.02	0.00	59.50	1.00
16.200	1600.00	936.76	.12	.03	.12	59.50	1.00
16.300	1600.00	936.73	0.00	.10	0.00	73.08	56.00
16.300	1600.00	936.85	.12	.09	.12	73.60	56.00
16.800	1600.00	936.86	0.00	.13	0.00	87.00	125.00
16.800	1600.00	936.97	.11	.12	.11	110.70	125.00
16.900	1600.00	936.88	0.00	.02	0.00	93.00	19.00
16.900	1600.00	936.99	.11	.02	.11	128.35	19.00
17.000	1600.00	936.87	0.00	-.01	0.00	87.66	1.00
17.000	1600.00	936.98	.11	-.01	.11	87.66	1.00
17.100	1600.00	936.93	0.00	.06	0.00	87.66	90.00
17.100	1600.00	937.04	.11	.06	.11	87.66	90.00
17.200	1600.00	936.94	0.00	.01	0.00	90.92	1.00
17.200	1600.00	937.04	.11	.01	.11	90.96	1.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
17.300	1600.00	937.01	0.00	.07	0.00	90.93	100.00
17.300	1600.00	937.11	.10	.07	.10	90.97	100.00
17.400	1600.00	937.01	0.00	.00	0.00	90.93	1.00
17.400	1600.00	937.11	.10	.00	.10	90.97	1.00
17.500	1600.00	937.06	0.00	.05	0.00	93.00	120.00
17.500	1600.00	937.16	.10	.05	.10	93.00	120.00
17.900	1600.00	937.14	0.00	.08	0.00	109.65	79.00
17.900	1600.00	937.24	.10	.07	.10	109.65	79.00
18.000	1600.00	937.11	0.00	-.02	0.00	131.22	1.00
18.000	1600.00	937.21	.10	-.02	.10	131.62	1.00
18.100	1600.00	937.16	0.00	.05	0.00	100.44	40.00
18.100	1600.00	937.26	.10	.05	.10	100.44	40.00
18.200	1600.00	937.14	0.00	-.02	0.00	88.83	1.00
18.200	1600.00	937.24	.10	-.02	.10	89.38	1.00
18.300	1600.00	937.19	0.00	.05	0.00	89.08	49.00
18.300	1600.00	937.29	.10	.04	.10	89.57	49.00
18.800	1600.00	937.52	0.00	.33	0.00	124.11	365.00
18.800	1600.00	937.60	.08	.32	.08	124.71	365.00
18.900	1600.00	937.54	0.00	.02	0.00	62.84	200.00
18.900	1600.00	937.62	.08	.02	.08	62.95	200.00
19.000	1600.00	937.53	0.00	-.01	0.00	56.53	4.00
19.000	1600.00	937.58	.06	-.03	.06	56.54	4.00
19.100	1600.00	937.54	0.00	.01	0.00	56.53	6.00
19.100	1600.00	937.66	.12	.07	.12	56.55	6.00
19.200	1600.00	937.52	0.00	-.01	0.00	55.12	1.00
19.200	1600.00	937.65	.12	-.01	.12	55.25	1.00
19.300	1600.00	937.55	0.00	.02	0.00	55.13	24.00
19.300	1600.00	937.67	.12	.02	.12	55.27	24.00
19.800	1600.00	937.84	0.00	.30	0.00	70.00	165.00
19.800	1600.00	937.95	.10	.28	.10	70.00	165.00
19.900	1600.00	937.98	0.00	.14	0.00	70.00	50.00
19.900	1600.00	938.08	.10	.13	.10	70.00	50.00
20.000	1600.00	937.92	0.00	-.06	0.00	62.35	1.00
20.000	1600.00	938.01	.09	-.07	.09	62.39	1.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
20.100	1600.00	938.12	0.00	.20	0.00	62.43	90.00
20.100	1600.00	938.22	.10	.21	.10	62.47	90.00
20.200	1600.00	938.28	0.00	.16	0.00	70.00	1.00
20.200	1600.00	938.41	.12	.19	.12	70.00	1.00
20.300	1600.00	938.38	0.00	.10	0.00	70.00	64.00
20.300	1600.00	938.50	.12	.09	.12	70.00	64.00
21.000	1600.00	939.35	0.00	.97	0.00	181.19	1050.00
21.000	1600.00	939.41	.06	.92	.06	184.73	1050.00
21.100	735.00	940.32	0.00	.97	0.00	166.54	210.00
21.100	735.00	940.34	.02	.92	.02	136.00	210.00
21.200	735.00	940.37	0.00	.05	0.00	165.76	140.00
21.200	735.00	940.38	.02	.05	.02	144.96	140.00
21.300	735.00	940.40	0.00	.03	0.00	246.06	125.00
21.300	735.00	940.41	.02	.03	.02	247.88	125.00
21.500	735.00	945.71	0.00	5.31	0.00	98.00	15.00
21.500	735.00	945.71	.00	5.29	.00	98.00	15.00
21.600	735.00	946.06	0.00	.36	0.00	103.00	27.00
21.600	735.00	946.06	.00	.36	.00	103.00	27.00
21.900	735.00	946.06	0.00	-.00	0.00	103.00	73.00
21.900	735.00	946.06	.00	-.00	.00	103.00	73.00
22.000	735.00	946.06	0.00	-.00	0.00	115.60	1.00
22.000	735.00	946.06	.00	-.00	.00	98.32	1.00
22.100	735.00	946.06	0.00	.00	0.00	115.73	23.00
22.100	735.00	946.06	.00	.00	.00	98.32	23.00
22.200	735.00	946.07	0.00	.01	0.00	103.00	1.00
22.200	735.00	946.07	.00	.01	.00	103.00	1.00
22.300	735.00	946.10	0.00	.03	0.00	240.00	103.00
22.300	735.00	946.10	-.00	.03	-.00	210.00	103.00
22.500	735.00	946.10	0.00	.00	0.00	388.28	450.00
22.500	735.00	946.10	.00	.00	.00	388.20	450.00
22.550	735.00	946.11	0.00	.01	0.00	380.59	392.00
22.550	735.00	946.11	.00	.01	.00	376.81	392.00
22.600	735.00	946.11	0.00	.00	0.00	385.33	196.00
22.600	735.00	946.11	.00	.00	.00	286.13	196.00

MOORE BUSINESS FORMS, INC. 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
22.800	735.00	946.11	0.00	-.00	0.00	313.10	125.00
22.800	735.00	946.11	-.00	-.00	-.00	215.12	125.00
22.900	735.00	946.11	0.00	-.00	0.00	100.00	108.00
22.900	735.00	946.11	.00	-.00	.00	100.00	108.00
23.000	735.00	946.11	0.00	.00	0.00	98.00	1.00
23.000	735.00	946.11	.00	.00	.00	98.00	1.00
23.100	735.00	946.09	0.00	-.01	0.00	98.00	56.00
23.100	735.00	946.09	.00	-.01	.00	98.00	56.00
23.200	735.00	946.10	0.00	.00	0.00	100.00	1.00
23.200	735.00	946.10	.00	.00	.00	100.00	1.00
23.300	735.00	946.16	0.00	.06	0.00	290.88	82.00
23.300	735.00	946.16	.00	.06	.00	282.79	82.00
23.400	735.00	946.17	0.00	.01	0.00	353.40	1133.00
23.400	735.00	946.17	.00	.01	.00	335.44	1133.00
23.500	735.00	946.17	0.00	.00	0.00	556.43	516.00
23.500	735.00	946.17	.00	.00	.00	288.05	516.00
24.000	735.00	946.17	0.00	.00	0.00	336.76	233.00
24.000	735.00	946.17	.00	.00	.00	336.77	233.00

MOORE BUSINESS FORMS, INC. 23

SUMMARY OF ERRORS

CAUTION SECNO= 14.500 PROFILE= 2 BRIDGE DECK DEFINITION ERROR
CAUTION SECNO= 14.600 PROFILE= 2 BRIDGE DECK DEFINITION ERROR

MOORE BUSINESS FORMS, INC 23

FLOODWAY DATA, KALAMAZOO RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
12.000	262.	747.	2.1	929.2	929.1	.1
12.600	85.	498.	3.2	931.0	930.9	.1
12.700	151.	710.	2.3	932.2	932.1	.1
12.800	112.	584.	2.7	933.4	933.3	.1
13.100	225.	1066.	1.5	933.6	933.5	.1
13.200	225.	1053.	1.5	933.6	933.5	.1
13.300	225.	1053.	1.5	933.6	933.5	.1
14.100	68.	380.	4.2	933.8	933.7	.1
14.300	68.	381.	4.2	933.8	933.7	.1
14.400	60.	328.	4.9	933.8	933.7	.1
14.500	60.	328.	4.9	933.8	933.7	.1
14.600	60.	331.	4.8	933.9	933.8	.1
14.700	60.	331.	4.8	933.9	933.8	.1
14.720	60.	332.	4.8	933.9	933.8	.1
14.750	98.	438.	3.7	935.5	935.4	.1
14.800	105.	682.	2.3	936.0	935.9	.1
14.900	72.	519.	3.1	936.2	936.1	.1
15.000	53.	364.	4.4	936.1	936.0	.1
15.100	53.	336.	4.8	936.1	936.0	.1
15.200	53.	334.	4.8	936.2	936.1	.1
15.300	53.	366.	4.4	936.2	936.1	.1
15.400	81.	551.	2.9	936.5	936.4	.1
15.800	70.	501.	3.2	936.5	936.4	.1
15.900	60.	425.	3.8	936.5	936.4	.1
16.000	60.	416.	3.9	936.5	936.4	.1
16.100	60.	410.	3.9	936.7	936.6	.1
16.200	60.	431.	3.7	936.7	936.6	.1
16.300	74.	496.	3.2	936.8	936.7	.1
16.800	111.	596.	2.7	937.0	936.9	.1
16.900	128.	622.	2.6	937.0	936.9	.1
17.000	93.	578.	2.8	937.0	936.9	.1
17.100	93.	582.	2.8	937.0	936.9	.1
17.200	94.	592.	2.7	937.0	936.9	.1
17.300	93.	630.	2.5	937.1	937.0	.1
17.400	93.	631.	2.5	937.1	937.0	.1
17.500	93.	576.	2.8	937.2	937.1	.1
17.900	110.	668.	2.4	937.2	937.1	.1
18.000	132.	535.	3.0	937.2	937.1	.1
18.100	100.	538.	3.0	937.3	937.2	.1
18.200	89.	476.	3.4	937.2	937.1	.1
18.300	90.	480.	3.3	937.3	937.2	.1
18.800	125.	695.	2.3	937.6	937.5	.1

MOORE BUSINESS FORMS, INC 23

FLOODWAY DATA, KALAMAZOO RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
18.900	63.	350.	4.6	937.6	937.5	.1
19.000	58.	314.	5.1	937.6	937.5	.1
19.100	58.	336.	4.8	937.6	937.5	.1
19.200	55.	326.	4.9	937.6	937.5	.1
19.300	55.	327.	4.9	937.6	937.5	.1
19.800	70.	357.	4.5	937.9	937.8	.1
19.900	70.	367.	4.4	938.1	938.0	.1
20.000	70.	301.	5.3	938.0	937.9	.1
20.100	70.	313.	5.1	938.2	938.1	.1
20.200	70.	390.	4.1	938.4	938.3	.1
20.300	70.	427.	3.7	938.5	938.4	.1
21.000	185.	350.	4.6	939.5	939.4	.1
21.100	136.	488.	1.5	940.3	940.3	0.0
21.200	145.	514.	1.4	940.4	940.4	0.0
21.300	248.	510.	1.4	940.4	940.4	0.0
21.500	98.	158.	4.7	945.7	945.7	0.0
21.600	103.	736.	1.0	946.1	946.1	0.0
21.900	103.	578.	1.3	946.1	946.1	0.0
22.000	103.	540.	1.4	946.1	946.1	0.0
22.100	103.	525.	1.4	946.1	946.1	0.0
22.200	103.	563.	1.3	946.1	946.1	0.0
22.300	210.	1504.	.5	946.1	946.1	0.0
22.500	388.	1287.	.6	946.1	946.1	0.0
22.550	377.	2613.	.3	946.1	946.1	0.0
22.600	286.	2137.	.3	946.1	946.1	0.0
22.800	215.	1097.	.7	946.1	946.1	0.0
22.900	100.	651.	1.1	946.1	946.1	0.0
23.000	100.	652.	1.1	946.1	946.1	0.0
23.100	100.	398.	1.8	946.1	946.1	0.0
23.200	100.	410.	1.8	946.1	946.1	0.0
23.300	283.	1668.	.4	946.2	946.2	0.0
23.400	335.	2037.	.4	946.2	946.2	0.0
23.500	288.	2028.	.4	946.2	946.2	0.0
24.000	337.	1966.	.4	946.2	946.2	0.0

MOORE BUSINESS FORMS, INC 23




1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-YEAR ENCROACHED



```
**********************************************************
 HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
 ERROR CORR -  01.02.03
 MODIFICATION -  50.51.52.53
**********************************************************

T1  THE TOWNSHIP OF ALBION
T2  THE KALAMAZOO RIVER
T3   THE 100 YEAR ENCROACHED RUN

J1  ICHECK     INQ      NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       6.        0.        0.  0.000000      0.00      0.0       0.    946.270     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000     0.000    -1.000     0.000     0.000    -1.290     0.000     0.000     0.000     0.000

*PROF 2

CCHV=    .100 CEHV=    .300
*SECNO 24.000
 2800 NAT Q1=   2300.89  WSEL=    946.17  ENC Q1=   2347.78  WSEL=    946.27  RATIO=  -.0204
 NAT Q1=   2358.  RATIOS LOB,CH,ROB=    .0014   .9957   .0029  WSEL=    946.27
   SECNO     DEPTH     GWSEL     CRIWS     WSELK     EG        HV        HL        QLOSS     BANK ELEV
     Q       QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN     SSTA
  SLOPE      XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID    ENDST

3470 ENCROACHMENT STATIONS=    2000.0    2278.0  TYPE=      4  TARGET=          .004

      D/S LIMIT OF ALBION TWP.   (A)
   24.00     7.57    946.27     0.00    946.17    946.27      .00      0.00      0.00    944.00
     735.       0.       735.       0.       0.      1951.       0.       0.       0.      944.90
    0.00      0.00      .38       0.00      .060      .045      .060     0.000   938.70   2000.00
 .000010       0.        0.        0.        0         0         0       0.00    278.00   2278.00

*SECNO 24.100
 2800 NAT Q1=   1618.33  WSEL=    946.20  ENC Q1=   1628.93  WSEL=    946.30  RATIO=  -.0065
 NAT Q1=   1668.  RATIOS LOB,CH,ROB=    .0209   .9763   .0027  WSEL=    946.30

3470 ENCROACHMENT STATIONS=    2000.0    2220.0  TYPE=      4  TARGET=          .024
   24.10     6.74    946.30     0.00    946.20    946.30      .00      .03       .00     944.90
     735.       0.       735.       0.       0.      1432.       0.       89.       13.      944.60
    1.23      0.00      .51       0.00      .060      .045      .060     .045    939.56   2000.00
 .000021     2350.     2280.     2200.        0         0         0       0.00    220.00   2220.00

*SECNO 24.200
 2800 NAT Q1=   1423.70  WSEL=    946.25  ENC Q1=   1423.70  WSEL=    946.35  RATIO=  0.0000
 NAT Q1=   1534.  RATIOS LOB,CH,ROB=    .4378   .5365   .0256  WSEL=    946.35
```

D/S encroachd shows 946.17

```
 3265 DIVIDED FLOW

 3470 ENCROACHMENT STATIONS=     1265.3     3150.0  TYPE=      4  TARGET=          .072
      24.20      5.95    946.35      0.00    946.25    946.36      .00       .05       .00    944.00
        735.       310.      425.       0.      1862.      812.       0.       191.       55.    944.80
          2.90       .17       .52      0.00      .060      .045      .060      .046    940.40  1265.28
       .000027    2000.     2300.    2000.         0         0         0      0.00   1533.48  3150.00

 *SECNO 25.000
  2800 NAT Q1=      446.63  WSEL=     946.37  ENC Q1=     446.63  WSEL=     946.47  RATIO=     .0000
  NAT Q1=      482.  RATIOS LOB,CH,ROB=     .1801    .7270    .0929  WSEL=     946.47

 3265 DIVIDED FLOW

 3470 ENCROACHMENT STATIONS=     3055.5     4144.1  TYPE=      4  TARGET=          .074

          SURVEYED VALLEY SECTION    (B)

      25.00      5.17    946.47      0.00    946.37    946.49      .03       .13       .01    944.90
        735.       114.      577.      44.      330.      398.      83.       263.       95.    944.70
          3.37       .34      1.45      .53      .060      .045      .060      .047    941.30  3055.49
       .000271    1500.     2290.    2600.         2         0         0      0.00    673.80  4144.09

 CCHV=      .100 CEHV=      .300
 *SECNO 25.600
  2800 NAT Q1=      493.42  WSEL=     946.99  ENC Q1=     493.42  WSEL=     947.09  RATIO=     0.0000
  NAT Q1=      535.  RATIOS LOB,CH,ROB=     .4092    .4699    .1209  WSEL=     947.09
    SECNO      DEPTH      CWSEL      CRIWS      %SELK      EG         HV         HL         QLOSS      BANK ELEV
    Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA     LEFT/RIGHT
    TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
    SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID      ENDST

 3470 ENCROACHMENT STATIONS=     3614.5     4140.6  TYPE=      4  TARGET=          .078
      25.60      5.40    947.10      0.00    946.99    947.11      .02       .62       .00    945.72
        735.       295.      374.      66.      657.      280.      144.      312.      125.    944.92
          4.15       .45      1.34      .46      .070      .045      .070      .048    941.70  3614.54
       .000220    2100.     2850.    1500.         2         0         0      0.00    526.11  4140.64

 *SECNO 25.800
 3470 ENCROACHMENT STATIONS=     1901.0     2148.0  TYPE=      1  TARGET=       247.000
      25.80      5.71    947.41      0.00    947.31    947.46      .05       .34       .01    946.00
        735.       64.      522.      149.      116.      245.      193.      331.      133.    945.00
          4.32       .55      2.13      .77      .070      .045      .070      .048    941.70  1901.00
       .000543    1080.     1100.    620.         2         0         0      0.00    247.00  2148.00

 *SECNO 25.900
 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      949.90 ELREA=      949.90

      25.90      5.40    947.60      0.00    947.53    947.70      .09       .22       .01    951.50
        735.       0.      735.       0.       0.      302.       0.       334.      134.    951.50
```

MOORE BUSINESS FORMS, INC. 23

4.35	0.00	2.44	0.00	.070	.045	.070	.048	942.20	2000.00
.001097	420.	324.	40.	2	0	0	0.00	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.000

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

D/S FACE OF D DRIVE SOUTH.CONCRETE (C)

26.00	5.41	947.61	0.00	947.54	947.71	.10	.01	.00	951.50
735.	0.	735.	0.	0.	294.	0.	334.	134.	951.50
4.36	0.00	2.50	0.00	.070	.026	.070	.048	942.20	2000.00
.000458	17.	17.	17.	0	0	0	-8.91	85.00	2085.00

*SECNO 26.100

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

26.10	7.69	947.69	0.00	947.62	947.73	.04	.01	.02	951.50
735.	0.	735.	0.	0.	432.	0.	334.	134.	951.50
4.36	0.00	1.70	0.00	.070	.026	.070	.048	940.00	2000.00
.000134	26.	26.	26.	2	0	0	-13.32	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.200

SECNO	DEPTH	CWSEL	CRIWS	WSELR	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNF	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 951.50 ELREA= 951.50

26.20	7.69	947.69	0.00	947.63	947.74	.04	.00	.00	951.50
735.	0.	735.	0.	0.	446.	0.	334.	135.	951.50
4.36	0.00	1.65	0.00	.080	.045	.080	.048	940.00	2000.00
.000298	17.	17.	17.	0	0	0	0.00	85.00	2085.00

CCHV= .100 CEHV= .300

*SECNO 26.400

2800 NAT QI= 385.74 WSEL= 947.68 ENC QI= 385.74 WSEL= 947.76 RATIO= 0.0000

NAT QI= 496. RATIOS LOB.CH.ROB= .2591 .5793 .1617 WSEL= 947.78

3470 ENCROACHMENT STATIONS= 1820.5 2115.4 TYPE= 4 TARGET= .222

26.40	5.84	947.74	0.00	947.68	947.77	.03	.03	.00	945.50
735.	138.	550.	47.	280.	354.	67.	335.	135.	944.50
4.38	.49	1.56	.70	.080	.045	.080	.048	941.90	1820.45
.000380	10.	107.	160.	2	0	0	0.00	294.97	2115.42

*SECNO 26.900

2800 NAT QI= 526.40 WSEL= 948.40 ENC QI= 526.40 WSEL= 948.50 RATIO= 0.0000

NAT QI= 566. RATIOS LOB.CH.ROB= .3171 .6679 .0149 WSEL= 948.50

MOORE BUSINESS FORMS, INC. 23

```
 3470 ENCROACHMENT STATIONS=     1633.3     2124.0  TYPE=      4  TARGET=          .067
      26.90       5.29     948.49       0.00     948.40     948.51       .01        .73        .00     947.40
        735.        211.        524.          0.        585.        472.          0.        385.        155.     945.50
       5.23        .36       1.11       0.00       .080       .045       .080       .048     943.20    1633.32
    .000199       2000.       3000.       2250.          2          0          0       0.00     490.68    2124.00

 CCHV=     .100 CEHV=     .300
 *SECNO 27.000
  2800 NAT Q1=      342.01  WSEL=      948.40  ENC Q1=      342.01  WSEL=      948.50  RATIO=  0.0000
  NAT Q1=      364.  RATIOS LOB,CH,ROB=     .3493     .6507  0.0000  WSEL=      948.50

 3265 DIVIDED FLOW

 3470 ENCROACHMENT STATIONS=     1600.2     2090.0  TYPE=      4  TARGET=          .061

          SURVEYED VALLEY SECTION    (D)

      27.00       6.10     948.50       0.00     948.40     948.53       .04        .02        .01     950.70
        735.        226.        509.          0.        394.        282.          0.        387.        156.     950.20
       5.25        .58       1.80       0.00       .070       .045       .070       .048     942.40    1600.15
    .000460         72.         72.         72.          1          0          0       0.00     354.80    2090.00

 *SECNO 27.100
  2800 NAT Q1=      500.88  WSEL=      948.44  ENC Q1=      500.88  WSEL=      948.54  RATIO=  0.0000
  NAT Q1=      539.  RATIOS LOB,CH,ROB=     .2657     .7211     .0132  WSEL=      948.54

 3470 ENCROACHMENT STATIONS=     1620.4     2143.0  TYPE=      4  TARGET=          .070
      27.10       4.53     948.53       0.00     948.44     948.55       .02        .01        .00     948.00
        735.        166.        569.          0.        431.        508.          0.        387.        156.     946.00
       5.26        .38       1.12       0.00       .070       .045       .070       .048     944.00    1620.45
    .000221         36.         36.         36.          2          0          0       0.00     522.55    2143.00

 CCHV=     .100 CEHV=     .300
 *SECNO 27.400
  2800 NAT Q1=      475.80  WSEL=      948.97  ENC Q1=      475.80  WSEL=      949.07  RATIO=  0.0000
  NAT Q1=      675.  RATIOS LOB,CH,ROB=     .5228     .4641     .0132  WSEL=      949.07
    SECNO       DEPTH      CWSEL      CRIWS      WSELK         EG         HV         HL      QLOSS     BANK ELEV
        Q        QLOB        QCH        QROB       ALOB        ACH       AROB        VOL        TWA    LEFT/RIGHT
     TIME        VLOB        VCH        VROB        XNL        XNCH        XNR        WTN      ELMIN          SSTA
    SLOPE       XLOBL       XLCH       XLOBR     ITRIAL        IDC      ICONT      CORAR     TOPWID          FNDST

 3470 ENCROACHMENT STATIONS=     1916.5     2169.5  TYPE=      4  TARGET=          .295

          SURVEYED VALLEY SECTION    (F)

      27.40       4.03     949.08       0.00     948.97     949.10       .02        .55        .00     945.20
        735.        253.        482.          0.        382.        416.          0.        431.        174.     946.95
       5.93        .66       1.18       0.00       .070       .045       .070       .049     945.05    1916.46
    .000240        1640.       2700.       2300.          2          0          0       0.00     253.04    2169.50

 CCHV=     .300 CEHV=     .500
 *SECNO 27.500
```

MOORE BUSINESS FORMS, INC. 23

```
 2800 NAT Q1=    238.70  WSEL=    949.11  ENC Q1=    242.70  WSEL=    949.21  RATIO=  -.0167
  NAT Q1=    252.  RATIOS LOB,CH,ROB=    .0129    .9615    .0256  WSEL=    949.21

3470 ENCROACHMENT STATIONS=    2000.0    2100.0  TYPE=       4  TARGET=          .039
    27.50      4.02    949.22      0.00    949.11    949.29       .08       .16       .03    948.20
      735.        0.      735.        0.        0.      333.        0.      436.      176.    947.30
     5.98      0.00      2.21      0.00      .070      .045      .070      .049    945.20   2000.00
  .000945       320.      400.      550.         2         0         0      0.00    100.00   2100.00

*SECNO 27.700
 2800 NAT Q1=    331.86  WSEL=    950.14  ENC Q1=    331.66  WSEL=    950.24  RATIO=  0.0000
  NAT Q1=    349.  RATIOS LOB,CH,ROB=    .0175    .9332    .0493  WSEL=    950.24

3470 ENCROACHMENT STATIONS=    2050.0    2163.3  TYPE=       4  TARGET=          .048
    27.70      4.35    950.25      0.00    950.14    950.30       .05      1.00       .01    948.30
      735.        0.      721.       14.        0.      405.       20.      449.      179.    947.90
     6.22      0.00      1.78       .70      .070      .045      .070      .048    945.90   2050.00
  .000495      1660.     1500.     1330.         0         0         0      0.00    113.34   2163.34

*SECNO 27.800
 2800 NAT Q1=    258.25  WSEL=    950.33  ENC Q1=    268.98  WSEL=    950.43  RATIO=  -.0416
  NAT Q1=    269.  RATIOS LOB,CH,ROB=  0.0000   1.0000   0.0000  WSEL=    950.43

3470 ENCROACHMENT STATIONS=    2129.0    2221.0  TYPE=       4  TARGET=          0.000
    27.80      4.94    950.44      0.00    950.33    950.52       .07       .20       .01    950.70
      735.        0.      735.        0.        0.      340.        0.      452.      180.    951.80
     6.26      0.00      2.16      0.00      .070      .045      .070      .048    945.50   2129.50
  .000741       360.      340.      360.         2         0         0      0.00     88.62   2218.11

*SECNO 27.900
 2800 NAT Q1=    312.80  WSEL=    950.38  ENC Q1=    324.89  WSEL=    950.48  RATIO=  -.0386
  NAT Q1=    325.  RATIOS LOB,CH,ROB=  0.0000   1.0000   0.0000  WSEL=    950.48

3470 ENCROACHMENT STATIONS=    2141.0    2232.0  TYPE=       4  TARGET=          0.000
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=     954.05 ELREA=     954.05

    27.90      4.99    950.49      0.00    950.38    950.54       .05       .02       .01    955.40
      735.        0.      735.        0.        0.      391.        0.      453.      180.    955.40
     6.27      0.00      1.88      0.00      .070      .045      .070      .048    945.50   2141.00
  .000510        32.       32.       32.         2         0         0      0.00     91.00   2232.00

CCHV=    .300  CEHV=    .500
*SECNO 28.000
    3700.  BRIDGE STENCL=    2141.00    STENCR=    2232.00
  SECNO     DEPTH     CWSEL     CRIWS     WSELR     EG        HV        HL        QLOSS     BANK ELEV
  Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
  TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
  SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD=  954.80 MAX ELLC=  952.70

      D/S FACE OF F DRIVE SOUTH.CONCRETE    (F)
```

MOORE BUSINESS FORMS, INC. 23

28.00	4.99	950.49	0.00	950.39	950.54	.05	.00	.00	955.40
690.	0.	690.	0.	0.	374.	0.	453.	180.	955.40
6.27	0.00	1.84	0.00	.070	.026	.070	.048	945.50	2141.00
.000209	1.	1.	1.	0	0	0	-17.08	91.00	2232.00

*SECNO 28.100
2800 NAT Q1= 505.30 WSEL= 950.40 ENC Q1= 522.47 WSEL= 950.50 RATIO= +.0340
NAT Q1= 522. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 950.50

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 954.80 MAX ELLC= 952.70

3470 ENCROACHMENT STATIONS= 2149.0 2240.0 TYPE= 4 TARGET= 0.000

28.10	4.80	950.50	0.00	950.40	950.55	.05	.01	.00	955.40
690.	0.	690.	0.	0.	389.	0.	453.	180.	955.40
6.27	0.00	1.77	0.00	.070	.026	.070	.048	945.70	2149.00
.000174	37.	37.	37.	0	0	0	-8.68	91.00	2240.00

CCHV= .300 CEHV= .500
*SECNO 28.200
2800 NAT Q1= 324.02 WSEL= 950.40 ENC Q1= 336.64 WSEL= 950.56 RATIO= +.0390
NAT Q1= 337. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 950.50

3470 ENCROACHMENT STATIONS= 2149.0 2240.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 955.40 ELREA= 955.40

28.20	4.80	950.50	0.00	950.40	950.55	.05	.00	.00	955.40
690.	0.	690.	0.	0.	398.	0.	453.	180.	955.40
6.27	0.00	1.73	0.00	.070	.045	.070	.048	945.70	2149.00
.000419	1.	1.	1.	0	0	0	0.00	91.00	2240.00

*SECNO 28.300

3470 ENCROACHMENT STATIONS= 2117.0 2272.0 TYPE= 1 TARGET= 155.000

28.30	4.72	950.52	0.00	950.41	950.57	.05	.01	.00	947.20
690.	31.	627.	31.	51.	324.	51.	453.	180.	947.20
6.28	.61	1.93	.61	.070	.045	.070	.048	945.80	2117.00
.000487	32.	32.	32.	0	0	0	0.00	155.00	2272.00

CCHV= .100 CEHV= .300
*SECNO 28.420
2800 NAT Q1= 295.72 WSEL= 950.73 ENC Q1= 295.72 WSEL= 950.83 RATIO= .0000
NAT Q1= 330. RATIOS LOB,CH,ROB= .0637 .8611 .0552 WSEL= 950.83

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 1683.8 2242.9 TYPE= 4 TARGET= .105

28.42	4.33	950.82	0.00	950.73	950.87	.06	.30	.00	948.40
690.	24.	665.	1.	41.	344.	3.	459.	182.	948.12
6.36	.57	1.93	.40	.070	.045	.070	.048	946.49	1683.79
.000554	590.	580.	570.	2	0	0	0.00	130.73	2242.86

MOORE BUSINESS FORMS, INC. 23

MOORE BUSINESS FORMS, INC. 23

```
 CCHV=    .100 CEHV=    .300
 *SECNO 28.670
  2800 NAT Q1=     294.39  WSEL=     952.20  ENC Q1=     294.39  WSEL=     952.30  RATIO=  0.0000
  NAT Q1=     310.  RATIOS LOB,CH,ROB=    .0276    .9319    .0404  WSEL=     952.30
    SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        QLOSS     BANK ELEV
    Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT.
    TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN      SSTA
    SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID     ENDST

 3470 ENCROACHMENT STATIONS=     2016.1     2127.4  TYPE=      4  TARGET=          .049

          SURVEYED VALLEY SECTION (G)

       28.67      4.04    952.29      0.00    952.20    952.35      .05      1.47      .00    949.26
         690.        1.       678.       11.       3.      372.      15.       482.      190.    949.38
        6.77       .39      1.82       .76      .070      .045      .070      .048   948.25   2016.10
    .000552     2780.    2660.      2800.         2         0         0      0.00   111.30   2127.39

 *SECNO 28.800
  2800 NAT Q1=     353.45  WSEL=     952.52  ENC Q1=     355.88  WSEL=     952.62  RATIO=  -.0069
  NAT Q1=     370.  RATIOS LOB,CH,ROB=    .0008    .9608    .0384  WSEL=     952.62

 3470 ENCROACHMENT STATIONS=     2000.0     2126.0  TYPE=      4  TARGET=          .039
       28.80      4.33    952.63      0.00    952.52    952.67      .04       .32      .00    952.00
         690.        0.       690.        0.        0.      459.       0.       489.      192.    950.90
        6.90       0.00      1.50       0.00      .070      .045      .070      .048   948.30   2000.00
    .000383      800.      700.       400.         2         0         0      0.00   126.00   2126.00

 *SECNO 28.810
  2800 NAT Q1=     109.16  WSEL=     952.47  ENC Q1=     113.15  WSEL=     952.57  RATIO=  -.0365
  NAT Q1=     117.  RATIOS LOB,CH,ROB=    .0328    .9672  0.0000  WSEL=     952.57

 3470 ENCROACHMENT STATIONS=     2000.0     2100.0  TYPE=      4  TARGET=          .033
       28.81      3.28    952.58      0.00    952.47    952.78      .20       .07      .05    951.30
         690.        0.       690.        0.        0.      191.       0.       490.      192.    956.30
        6.91       0.00      3.61       0.00      .070      .045      .070      .048   949.30   2000.00
    .003754        80.       75.        15.         2         0         0      0.00    78.46   2078.46

 *SECNO 28.900
  2800 NAT Q1=     138.47  WSEL=     952.61  ENC Q1=     146.02  WSEL=     952.71  RATIO=  -.0545
  NAT Q1=     146.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     952.71

 3470 ENCROACHMENT STATIONS=     2000.0     2070.0  TYPE=      4  TARGET=         0.000

 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      957.10 ELREA=      957.00

       28.90      3.62    952.72      0.00    952.61    952.88      .16       .10      .00    957.70
         690.        0.       690.        0.        0.      217.       0.       490.      192.    957.60
        6.91       0.00      3.19       0.00      .070      .045      .070      .048   949.10   2000.00
    .002208        34.       34.        34.         2         0         0      0.00    70.00   2070.00

 CCHV=    .300 CEHV=    .500
 *SECNO 29.000
     3700.   BRIDGE STENCL=    2000.00     STENCR=    2070.00
```

```
 2800 NAT Q1=    208.08  WSEL=    952.61  ENC Q1=    214.28  WSEL=    952.71  RATIO=  -.0298
 NAT Q1=    214.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.71

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD=  957.10 MAX ELLC=  956.40

3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000

        D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE   (H)

     29.00      3.62    952.72      0.00    952.61    952.89      .17      .00      .01    957.70
       690.        0.      690.        0.        0.      209.        0.      490.      192.     957.60
      6.91      0.00      3.30      0.00      .020      .026      .020      .048    949.10   2000.00
  .001022         1.        1.        1.         0         0         0     -7.58     70.00   2070.00

 *SECNO 29.100
      3700.   BRIDGE STENCL=    2000.00    STENCR=    2070.00
 2800 NAT Q1=    232.42  WSEL=    952.67  ENC Q1=    242.10  WSEL=    952.77  RATIO=  -.0417
 NAT Q1=    242.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.77
   SECNO     DEPTH     CWSEL     CRIWS     WSELK      EG        HV        HL        QLOSS     BANK ELEV
     Q       QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
    TIME     VLOB      VCH       VROB      XNL       XNCH      XNR       XTN       ELMIN      SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID     ENDST

3370 NORMAL BRIDGE,NRD= 14 MIN ELTPD=  957.10 MAX ELLC=  956.40

3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000
     29.10      4.38    952.78      0.00    952.67    952.92      .15      .03      .01    957.70
       690.        0.      690.        0.        0.      225.        0.      490.      192.     957.60
      6.91      0.00      3.07      0.00      .020      .026      .020      .048    948.40   2000.00
  .000808        30.       30.       30.         2         0         0     -7.67     70.00   2070.00

 CCHV=    .300 CEHV=    .500
 *SECNO 29.200
 2800 NAT Q1=    157.83  WSEL=    952.69  ENC Q1=    166.36  WSEL=    952.79  RATIO=  -.0541
 NAT Q1=    166.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.79

3470 ENCROACHMENT STATIONS=    2000.0    2070.0  TYPE=     4  TARGET=       0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=     957.70 ELREA=     956.60

     29.20      4.39    952.79      0.00    952.69    952.93      .14      .00      .00    957.70
       690.        0.      690.        0.        0.      233.        0.      490.      192.     957.60
      6.91      0.00      2.96      0.00      .060      .045      .060      .048    948.40   2000.00
  .001722         1.        1.        1.         1         0         0      0.00     70.00   2070.00

 *SECNO 29.300
 2800 NAT Q1=    127.01  WSEL=    952.74  ENC Q1=    133.19  WSEL=    952.84  RATIO=  -.0487
 NAT Q1=    133.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    952.84

3470 ENCROACHMENT STATIONS=    1972.0    2065.0  TYPE=     4  TARGET=       0.000
     29.30      4.44    952.84      0.00    952.74    953.03      .19      .07      .03    956.20
       690.        0.      690.        0.        0.      197.        0.      490.      192.     954.70
      6.92      0.00      3.50      0.00      .060      .045      .060      .048    948.40   1990.18
```

MOORE BUSINESS FORMS, INC. 23

```
.002683      34.       34.       34.        2         0         0      0.00     66.12  2056.30

CCHV=    .100 CEHV=    .300
*SECNO 29.420
 2800 NAT QI=     157.29  WSEL=     953.50  ENC QI=     164.77  WSEL=     953.60  RATIO=  -.0475
 NAT QI=    165.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     953.60

3470 ENCROACHMENT STATIONS=     2000.0     2088.0  TYPE=      4  TARGET=        0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      955.50 ELREA=      956.20

     29.42      4.66    953.54      0.00    953.50    953.68       .14       .65       .01    955.50
       690.        0.      690.        0.        0.       233.        0.       492.      192.    954.22
      6.94      0.00      2.96      0.00      .060      .045      .060      .048    948.88   2009.05
   .001845       220.      294.      510.         2         0         0      0.00     76.16   2085.21

*SECNO 29.550
 2800 NAT QI=     263.59  WSEL=     954.71  ENC QI=     265.22  WSEL=     954.81  RATIO=  -.0062
 NAT QI=    276.  RATIOS LOB,CH,ROB=   .0058   .9605   .0337  WSEL=     954.81

3470 ENCROACHMENT STATIONS=     2000.0     2078.0  TYPE=      4  TARGET=         .039
     29.55      5.27    954.76      0.00    954.71    954.84       .07      1.15       .01    954.10
       690.        0.      690.        0.        0.       315.        0.       498.      194.    953.27
      7.08      0.00      2.19      0.00      .060      .045      .060      .047    949.49   2000.00
   .000726      1010.     1050.     1060.         2         0         0      0.00     78.00   2078.00

CCHV=    .300 CEHV=    .500
*SECNO 29.800
 2800 NAT QI=     305.73  WSEL=     954.94  ENC QI=     305.73  WSEL=     955.04  RATIO=   .0000
 NAT QI=    321.  RATIOS LOB,CH,ROB=   .0347   .8967   .0686  WSEL=     955.04
    SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS    BANK ELEV
    Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA   LEFT/RIGHT
    TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN      SSTA
    SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CURAR     TOPWID     ENDST

3470 ENCROACHMENT STATIONS=     1992.7     2093.7  TYPE=      4  TARGET=         .048
     29.80      5.30    955.00      0.00    954.94    955.06       .06       .22       .00    953.40
       690.        7.      651.       32.       11.       323.       39.       501.      195.    952.80
      7.13       .66      2.01       .82      .060      .045      .060      .047    949.70   1992.68
   .000523       300.      359.      390.         2         0         0      0.00    100.98   2093.66

*SECNO 29.810
 2800 NAT QI=     342.70  WSEL=     955.02  ENC QI=     342.70  WSEL=     955.12  RATIO=  0.0000
 NAT QI=    358.  RATIOS LOB,CH,ROB=   .0458   .9202   .0340  WSEL=     955.12

3470 ENCROACHMENT STATIONS=     1985.4     2087.4  TYPE=      4  TARGET=         .041
     29.81      5.99    955.09      0.00    955.02    955.14       .05       .07       .00    953.10
       690.       18.      663.        9.       26.       363.       14.       503.      195.    953.10
      7.15       .69      1.83       .66      .060      .045      .060      .047    949.10   1985.39
   .000415       140.      160.      140.         2         0         0      0.00    102.05   2087.44

*SECNO 29.900
 2800 NAT QI=     295.39  WSEL=     955.03  ENC QI=     304.14  WSEL=     955.13  RATIO=  -.0296
```

MOORE BUSINESS FORMS, INC. 23

NAT Q1= 304. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 955.13

3470 ENCROACHMENT STATIONS= 2000.0 2069.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.50 ELREA= 957.45

29.90	5.60	955.10	0.00	955.03	955.16	.06	.02	.01	958.10
690.	0.	690.	0.	0.	341.	0.	503.	196.	958.10
7.16	0.00	2.62	0.00	.060	.045	.060	.047	949.50	2000.00
.000521	39.	39.	39.	0	0	0	0.00	69.00	2069.00

CCHV= .300 CEHV= .500

*SECNO 30.000

3700. BRIDGE STENCL= 2000.00 STENCR= 2069.00

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.70 MAX ELLC= 956.90

D/S FACE OF H DRIVE SOUTH BRIDGE.CONCRETE (I)

30.00	5.60	955.10	0.00	955.03	955.17	.07	.00	.01	958.10
690.	0.	690.	0.	0.	317.	0.	503.	196.	956.10
7.16	0.00	2.18	0.00	.020	.026	.020	.047	949.50	2000.00
.000346	1.	1.	1.	1	0	0	-23.70	69.00	2069.00

*SECNO 30.100

2800 NAT Q1= 393.85 WSEL= 955.03 ENC Q1= 404.99 WSEL= 955.13 RATIO= -.0283

NAT Q1= 405. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 955.13

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.70 MAX ELLC= 956.90

3470 ENCROACHMENT STATIONS= 2000.0 2069.0 TYPE= 4 TARGET= 0.000

30.10	5.11	955.11	0.00	955.03	955.18	.07	.01	.00	958.10
690.	0.	690.	0.	0.	324.	0.	503.	196.	958.10
7.16	0.00	2.13	0.00	.020	.026	.020	.047	950.00	2000.00
.000295	30.	30.	30.	0	0	0	-9.65	69.00	2069.00

CCHV= .300 CEHV= .500

*SECNO 30.200

2800 NAT Q1= 285.66 WSEL= 955.04 ENC Q1= 295.70 WSEL= 955.14 RATIO= -.0352

NAT Q1= 296. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 955.14

SECNO	DEPTH	CKSEC	CKWS	WSELK	EG	HV	HL	QLOSS	RANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICOUNT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 2000.0 2069.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 958.10 ELREA= 958.10

30.20	5.12	955.12	0.00	955.04	955.18	.07	.00	.00	958.10
690.	0.	690.	0.	0.	334.	0.	503.	196.	958.10
7.16	0.00	2.06	0.00	.060	.045	.060	.047	950.00	2000.00
.000555	1.	1.	1.	0	0	0	0.00	69.00	2069.00

MOORE BUSINESS FORMS, INC. 23

*SECNO 30.300
2800 NAT Q1= 383.25 WSEL= 955.10 ENC Q1= 383.25 WSEL= 955.20 RATIO= 0.0000
NAT Q1= 401. RATIOS LOB,CH,ROB= .0398 .8939 .0664 WSEL= 955.20

3470 ENCROACHMENT STATIONS= 1993.8 2116.6 TYPE= 4 TARGET= .043

30.30	5.07	955.17	0.00	955.10	955.21	.04	.02	.01	952.00
690.	12.	646.	32.	17.	396.	49.	503.	196.	951.60
7.17	.72	1.63	.65	.060	.045	.060	.047	950.10	1993.78
.000332	39.	39.	39.	2	0	0	0.00	122.79	2116.57

CCHV= .100 CEHV= .300

*SECNO 30.400
2800 NAT Q1= 382.68 WSEL= 955.12 ENC Q1= 382.68 WSEL= 955.22 RATIO= 0.0000
NAT Q1= 399. RATIOS LOB,CH,ROB= .0351 .9063 .0587 WSEL= 955.22

3470 ENCROACHMENT STATIONS= 1994.1 2115.9 TYPE= 4 TARGET= .040

30.40	5.09	955.19	0.00	955.12	955.23	.04	.03	.00	952.00
690.	10.	653.	27.	17.	398.	49.	504.	196.	951.60
7.18	.61	1.64	.56	.070	.045	.070	.047	950.10	1994.14
.000333	76.	76.	76.	0	0	0	0.00	121.77	2115.91

*SECNO 31.000
2800 NAT Q1= 269.37 WSEL= 956.37 ENC Q1= 269.37 WSEL= 956.47 RATIO= 0.0000
NAT Q1= 285. RATIOS LOB,CH,ROB= .0221 .9223 .0556 WSEL= 956.47

3470 ENCROACHMENT STATIONS= 2006.0 2109.8 TYPE= 4 TARGET= .055

SURVEYED VALLEY SECTION (J)

31.00	4.08	956.48	0.00	956.37	956.54	.06	1.30	.01	953.60
690.	0.	674.	16.	0.	343.	19.	531.	203.	953.70
7.59	0.00	1.96	.85	.070	.045	.070	.047	952.40	2006.00
.000680	2700.	2825.	2840.	1	0	0	0.00	103.84	2109.84

*SECNO 31.800
2800 NAT Q1= 383.94 WSEL= 957.53 ENC Q1= 383.94 WSEL= 957.63 RATIO= 0.0000
NAT Q1= 405. RATIOS LOB,CH,ROB= .0057 .8216 .1727 WSEL= 957.63

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS= 2000.0 2317.9 TYPE= 4 TARGET= .053

31.80	5.37	957.67	0.00	957.53	957.70	.04	1.16	.00	954.80
690.	0.	594.	96.	0.	366.	224.	559.	215.	955.10
8.08	0.00	1.61	.43	.070	.045	.070	.047	952.30	2000.00
.000324	2520.	2566.	2440.	1	0	0	0.00	314.40	2317.91

*SECNO 31.805

SECNO	DEPTH	C#SEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

MOORE BUSINESS FORMS, INC. 23

3470 ENCROACHMENT STATIONS= 1982.0 2045.0 TYPE= 1 TARGET= 113.000

31.81	5.04	957.74	0.00	957.60	957.81	.08	.10	.01	956.30
690.	1.	672.	16.	3.	297.	24.	561.	216.	955.10
8.10	.43	2.26	.67	.070	.045	.070	.047	952.70	1995.69
.000695	240.	223.	180.	2	0	0	0.00	92.70	2088.39

*SECNO 31.810

3470 ENCROACHMENT STATIONS= 1987.0 2083.0 TYPE= 1 TARGET= 96.000

31.81	5.06	957.76	0.00	957.63	957.84	.08	.03	.00	956.30
690.	1.	672.	17.	3.	299.	22.	561.	216.	955.10
8.11	.43	2.25	.76	.070	.045	.070	.047	952.70	1995.63
.000683	37.	37.	37.	0	0	0	0.00	87.37	2083.00

*SECNO 31.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 960.55 ELREA= 960.55

31.90	5.10	957.80	0.00	957.67	957.87	.08	.03	.00	961.20
690.	0.	690.	0.	0.	307.	0.	562.	216.	961.20
8.12	0.00	2.25	0.00	.070	.045	.070	.047	952.70	2000.00
.000728	49.	49.	49.	0	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 32.000

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

D/S FACE OF J DRIVE SOUTH BRIDGE,CONCRETE (K)

32.00	5.09	957.79	0.00	957.67	957.86	.08	.00	.00	961.20
690.	0.	690.	0.	0.	297.	0.	562.	216.	961.20
8.12	0.00	2.32	0.00	.020	.026	.020	.047	952.70	2000.00
.000360	1.	1.	1.	0	0	0	-9.30	70.00	2070.00

*SECNO 32.100

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

32.10	5.21	957.81	0.00	957.69	957.89	.08	.01	.00	961.20
690.	0.	690.	0.	0.	310.	0.	562.	216.	961.20
8.12	0.00	2.23	0.00	.020	.026	.020	.047	952.60	2000.00
.000319	30.	30.	30.	0	0	0	-9.53	70.00	2070.00

CCHV= .100 CEHV= .300
*SECNO 32.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 961.10 ELREA= 961.10

MOORE BUSINESS FORMS, INC. 23

```
      32.20       5.22     957.82       0.00     957.70     957.89        .07        .00        .00     961.20
        690.         0.       690.         0.         0.       319.         0.       562.       216.      961.20
       8.12       0.00       2.16       0.00       .070       .045       .070       .047     952.60    2000.00
    .000641         1.         1.         1.          0          0          0       0.00      70.00    2070.00

  *SECNO 32.300

  3470 ENCROACHMENT STATIONS=     1972.0     2142.0  TYPE=     1  TARGET=      170.000
      32.30       5.19     957.89       0.00     957.77     957.91        .02        .02        .01     955.70
        690.         6.       643.        41.        18.       523.        77.       562.       216.      954.70
       8.13        .30       1.23        .54       .070       .045       .070       .047     952.70    1983.26
    .000184        49.        49.        48.          2          0          0       0.00     156.74    2142.00

  CCHV=    .100 CEHV=    .300
  *SECNO 33.000
   2800 NAT Q1=     234.81  WSEL=     959.21  ENC Q1=     234.81  WSEL=     959.31  RATIO=  0.0000
   NAT Q1=     257.  RATIOS LOB,CH,ROB=    .0402    .5758    .3841  WSEL=     959.31

  3470 ENCROACHMENT STATIONS=     2000.0     2310.6  TYPE=     4  TARGET=       .087
         SURVEYED VALLEY SECTION   (L)

      33.00       4.27     959.27       0.00     959.21     959.33        .06       1.41        .01     958.80
        690.         0.       439.       251.         0.       190.       346.       614.       237.      958.70
       8.77       0.00       2.30        .72       .080       .045       .080       .047     955.00    2000.00
    .000924       3250.      4100.      3625.          2          (          0       0.00     310.57    2310.57

  *SECNO 33.850
   2800 NAT Q1=     230.43  WSEL=     961.29  ENC Q1=     237.69  WSEL=     961.39  RATIO=  -.0315
   NAT Q1=     238.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     961.39

  3470 ENCROACHMENT STATIONS=     2032.0     2085.0  TYPE=     4  TARGET=        0.000
      33.85       5.95     961.37       0.00     961.29     961.47        .10       2.13        .01     962.75
        690.         0.       690.         0.         0.       268.         0.       637.       247.      963.30
       9.03       0.00       2.57       0.00       .080       .045       .080       .047     955.42    2032.00
    .000850       2390.      2399.      2410.          1          0          0       0.00      53.00    2085.00

  *SECNO 33.900
   2800 NAT Q1=     229.03  WSEL=     961.31  ENC Q1=     237.40  WSEL=     961.41  RATIO=  -.0365
   NAT Q1=     237.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     961.41

  3470 ENCROACHMENT STATIONS=     2027.0     2085.0  TYPE=     4  TARGET=        0.000
  3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      965.20 ELREA=      965.20

      33.90       5.88     961.38       0.00     961.31     961.48        .10        .01        .00     967.30
        690.         0.       690.         0.         0.       279.         0.       637.       247.      967.30
       9.03       0.00       2.48       0.00       .080       .045       .080       .047     955.50    2027.00
    .000861         13.        13.        13.          0          0          0       0.00      58.00    2085.00

  CCHV=    .300 CEHV=    .500
  *SECNO 34.000
       3700.  BRIDGE STENCL=     2027.00    STENCR=     2085.00
     SECNO     DEPTH     CWSEL     CRIWS     VELH      EG          HV          HL          OLOSS     BANK ELEV
```

MOORE BUSINESS FORMS, INC. 2

Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IOC	ICONT	CORAR	TOPWID	FNDST

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

34.00	5.88	961.38	0.00	961.31	961.48	.10	.00	.00	967.30
690.	0.	690.	0.	0.	267.	0.	637.	247.	967.30
9.03	0.00	2.58	0.00	.020	.026	.020	.047	955.50	2027.00
.000411	1.	1.	1.	2	0	0	-11.65	58.00	2085.00

*SECNO 34.100
2800 NAT QI= 345.70 WSEL= 961.31 ENC QI= 356.57 WSEL= 961.41 RATIO= -.0315
NAT QI= 357. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.41

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

3470 ENCROACHMENT STATIONS= 2025.0 2083.0 TYPE= 4 TARGET= 0.000

34.10	5.39	961.39	0.00	961.31	961.50	.10	.01	.00	967.30
690.	0.	690.	0.	0.	266.	0.	637.	247.	967.30
9.04	0.00	2.60	0.00	.020	.026	.020	.047	956.00	2025.00
.000379	29.	29.	29.	0	0	0	0.00	58.00	2083.00

CCHV= .300 CEHV= .500
*SECNO 34.200
2800 NAT QI= 213.64 WSEL= 961.31 ENC QI= 221.17 WSEL= 961.41 RATIO= -.0353
NAT QI= 221. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.41

3470 ENCROACHMENT STATIONS= 2025.0 2083.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.30 ELREA= 967.30

34.20	5.39	961.39	0.00	961.31	961.50	.10	.00	.00	967.30
690.	0.	690.	0.	0.	266.	0.	637.	247.	967.30
9.04	0.00	2.60	0.00	.060	.045	.060	.047	956.00	2025.00
.000987	1.	1.	1.	0	0	0	0.00	58.00	2083.00

*SECNO 34.250
2800 NAT QI= 240.13 WSEL= 961.35 ENC QI= 248.69 WSEL= 961.45 RATIO= -.0356
NAT QI= 249. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 961.45

3470 ENCROACHMENT STATIONS= 2025.0 2089.0 TYPE= 4 TARGET= 0.000

34.25	4.97	961.43	0.00	961.35	961.51	.09	.01	.01	963.90
690.	0.	690.	0.	0.	291.	0.	637.	247.	963.60
9.04	0.00	2.37	0.00	.060	.045	.060	.047	956.46	2025.00
.000782	13.	13.	13.	2.	0	0	0.00	64.00	2089.00

CCHV= .100 CEHV= .300
*SECNO 34.300

MOORE BUSINESS FORMS, INC. 23

3470 ENCROACHMENT STATIONS= 1967.0 2103.0 TYPE= 1 TARGET= 136.000

34.30	5.27	961.47	0.00	961.40	961.53	.06	.02	.00	960.50
690.	11.	651.	28.	29.	321.	50.	637.	247.	959.90
9.04	.38	2.03	.55	.080	.045	.080	.047	956.20	1967.00
.000528	26.	26.	26.	2	0	0	0.00	136.00	2103.00

*SECNO 34.800

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNP	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1877.0 2226.0 TYPE= 1 TARGET= 349.000

34.80	4.79	961.89	0.00	961.83	961.92	.04	.39	.00	963.70
690.	105.	578.	7.	186.	349.	31.	646.	251.	966.30
9.20	.56	1.66	.24	.080	.045	.080	.047	957.10	1877.00
.000419	1000.	820.	460.	2	0	0	0.00	265.42	2226.00

*SECNO 34.810

3470 ENCROACHMENT STATIONS= 1987.0 2092.0 TYPE= 1 TARGET= 105.000

34.81	3.83	962.03	0.00	961.99	962.14	.10	.19	.02	963.70
690.	0.	684.	6.	0.	262.	10.	649.	252.	960.50
9.23	0.00	2.61	.62	.080	.045	.080	.047	958.20	2002.66
.001272	340.	280.	150.	2	0	0	0.00	89.34	2092.00

*SECNO 34.900

3470 ENCROACHMENT STATIONS= 894.0 3606.0 TYPE= 1 TARGET= 2712.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.25 ELREA= 967.20

34.90	4.10	962.10	0.00	962.06	962.19	.09	.06	.00	968.80
690.	0.	690.	0.	0.	284.	0.	649.	252.	959.40
9.23	0.00	2.43	0.00	.080	.045	.080	.047	958.00	2000.00
.001045	50.	50.	50.	2	0	0	0.00	80.00	2080.00

CCHV= .300 CEHV= .500
*SECNO 35.000

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

D/S FACE OF L DRIVE SOUTH BRIDGE.CONCRETE (N)

U/S LIMIT OF ALBION TWP.

35.00	4.11	962.11	0.00	962.07	962.20	.08	.00	.00	968.80
690.	0.	649.	41.	0.	277.	19.	649.	252.	959.40
9.23	0.00	2.34	2.17	.017	.022	.017	.047	958.00	2000.00

MOORE BUSINESS FORMS, INC. 23

.000266	1.	1.	1.	0	0	0	-6.93	88.00	2088.00

*SECNO 35.100

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRL= 967.90 MAX ELLC= 965.70

35.10	4.42	962.12	0.00	962.08	962.21	.09	.01	.00	968.80
690.	0.	690.	0.	0.	293.	0.	650.	252.	968.80
9.24	0.00	2.36	0.00	.017	.022	.017	.047	957.70	2000.00
.000294	32.	32.	32.	1	0	0	-8.36	88.00	2088.00

*SECNO 35.200

SECNO	DEPTH	CRSEL	CRIWS	YSELK	EG+	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROH	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROH	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 968.80 ELREA= 968.80

35.20	4.43	962.13	0.00	962.09	962.21	.08	.00	.00	968.80
690.	0.	690.	0.	0.	301.	0.	650.	252.	968.80
9.24	0.00	2.30	0.00	.017	.022	.017	.047	957.70	2000.00
.000238	1.	1.	1.	0	0	0	0.00	88.00	2088.00

*SECNO 35.250

35.25	2.70	962.10	0.00	962.06	962.27	.18	.02	.05	959.60
690.	20.	602.	68.	8.	174.	26.	650.	252.	959.92
9.24	2.66	3.46	2.58	.017	.022	.017	.047	959.40	2000.93
.000763	51.	51.	51.	2	0.	0	0.00	110.06	2110.99

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.75	3.00	69.00	1.00	0.00	1.00	0.00	959.59	959.40

*SECNO 35.300

3265 DIVIDED FLOW

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
13899.60	962.46	0.00	686.	8.	1.	1.	960.59	961.47

SPILLWAY STRUCTURE

TW e/s = 600FT

35.30	4.27	953.67	0.00	963.67	963.71	.03	1.41	0.00	962.48
690.	150.	256.	285.	144.	154.	202.	650.	252.	961.49
9.24	1.04	1.66	1.41	.017	.022	.017	.047	459.40	1749.10

MOORE BUSINESS FORMS, INC. 23

.000227	10.	10.	10.	2	0	8	0.00	599.42	2361.08

*SECNO 35.350

3265 DIVIDED FLOW

35.35	3.92	963.68	0.00	963.68	963.71	.03	.00	.00	962.48
690.	104.	386.	199.	151.	251.	194.	650.	252.	962.12
9.25	.69	1.54	1.00	.017	.022	.017	.047	959.76	1689.70
.000116	10.	10.	10.	0	0	0	0.00	660.22	2361.14

*SECNO 36.000

36.00	3.04	964.34	0.00	964.34	964.48	.14	.71	.06	962.80
690.	6.	657.	26.	4.	218.	18.	680.	277.	963.20
9.55	1.71	3.02	1.44	.017	.022	.017	.045	961.30	2001.13
.000576	2680.	3430.	2600.	2	0	0	0.00	122.49	2123.62

MOORE BUSINESS FORMS, INC. 23

MOORE BUSINESS FORMS, INC. 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

100 YEAR FLOW
SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
24.000	946.17	1989.28	2000.00	2278.00	2326.06	336.78	0.00
24.000	946.27	2000.00	2000.00	2278.00	2278.00	278.00	0.00
24.100	946.20	1993.29	2000.00	2220.00	2242.76	339.47	2280.00
24.100	946.30	2000.00	2000.00	2220.00	2220.00	220.00	2280.00
24.200	946.25	989.89	3000.00	3150.00	3337.82	1993.31	2300.00
24.200	946.35	1265.28	3000.00	3150.00	3150.00	1533.48	2300.00
25.000	946.37	2938.00	4000.00	4090.00	4251.88	845.34	2290.00
25.000	946.47	3055.49	4000.00	4090.00	4144.09	673.80	2290.00
25.600	946.99	3560.18	4000.00	4060.00	4499.81	939.62	2850.00
25.600	947.10	3614.54	4000.00	4060.00	4140.64	526.11	2850.00
25.800	947.31	1901.00	2000.00	2050.00	2148.00	247.00	1100.00
25.800	947.41	1901.00	2000.00	2050.00	2148.00	247.00	1100.00
25.900	947.53	2000.00	2000.00	2085.00	2085.00	85.00	324.00
25.900	947.60	2000.00	2000.00	2085.00	2085.00	85.00	324.00
26.000	947.54	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.000	947.61	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.100	947.62	2000.00	2000.00	2085.00	2085.00	85.00	26.00
26.100	947.69	2000.00	2000.00	2085.00	2085.00	85.00	26.00
26.200	947.63	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.200	947.69	2000.00	2000.00	2085.00	2085.00	85.00	16.90
26.400	947.68	1897.00	2000.00	2093.00	2196.00	299.00	107.00
26.400	947.74	1820.45	2000.00	2093.00	2115.42	294.97	107.00
26.900	948.40	1445.84	2000.00	2124.00	2164.93	719.08	3000.00
26.900	948.49	1633.32	2000.00	2124.00	2124.00	490.68	3000.00
27.000	948.40	1445.48	2030.00	2090.00	2090.00	501.16	72.00
27.000	948.50	1600.15	2030.00	2090.00	2090.00	354.80	72.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWTD	XLCH
27.100	948.44	1444.77	2000.00	2143.00	2164.73	719.96	36.00
27.100	948.53	1620.45	2000.00	2143.00	2143.00	522.55	36.00
27.400	948.97	1896.00	2050.00	2169.50	2205.63	309.63	2700.00
27.400	949.08	1916.46	2050.00	2169.50	2169.50	253.04	2700.00
27.500	949.11	1956.70	2000.00	2100.00	2131.19	174.49	400.00
27.500	949.22	2000.00	2000.00	2100.00	2100.00	100.00	400.00
27.700	950.14	2021.28	2050.00	2154.00	2213.68	192.40	1500.00
27.700	950.25	2050.00	2050.00	2154.00	2163.34	113.34	1500.00
27.800	950.33	2129.71	2129.00	2221.00	2217.88	88.17	340.00
27.800	950.44	2129.50	2129.00	2221.00	2218.11	88.62	340.00
27.900	950.38	2141.00	2141.00	2232.00	2232.00	91.00	32.00
27.900	950.49	2141.00	2141.00	2232.00	2232.00	91.00	32.00
28.000	950.39	2141.00	2141.00	2232.00	2232.00	91.00	1.00
28.000	950.49	2141.00	2141.00	2232.00	2232.00	91.00	1.00
28.100	950.40	2149.00	2149.00	2240.00	2240.00	91.00	36.50
28.100	950.50	2149.00	2149.00	2240.00	2240.00	91.00	36.50
28.200	950.40	2149.00	2149.00	2240.00	2240.00	91.00	1.00
28.200	950.50	2149.00	2149.00	2240.00	2240.00	91.00	1.00
28.300	950.41	2117.00	2154.50	2229.00	2272.00	155.00	32.00
28.300	950.52	2117.00	2154.50	2229.00	2272.00	155.00	32.00
28.420	950.73	2138.48	2154.50	2241.88	2291.79	153.32	580.00
28.420	950.82	1683.79	2154.50	2241.88	2242.86	130.73	580.00
28.670	952.20	1996.59	2017.00	2120.00	2191.95	195.36	2660.00
28.670	952.29	2016.10	2017.00	2120.00	2127.39	111.30	2660.00
28.800	952.52	1992.17	2000.00	2126.00	2206.65	214.48	700.00
28.800	952.63	2000.00	2000.00	2126.00	2126.00	126.00	700.00
28.810	952.47	1964.51	2000.00	2100.00	2077.83	113.32	75.00
28.810	952.58	2000.00	2000.00	2100.00	2078.46	78.46	75.00
28.900	952.61	2000.00	2000.00	2070.00	2070.00	70.00	34.00
28.900	952.72	2000.00	2000.00	2070.00	2070.00	70.00	34.00
29.000	952.61	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.000	952.72	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.100	952.67	2000.00	2000.00	2070.00	2070.00	70.00	30.00
29.100	952.78	2000.00	2000.00	2070.00	2070.00	70.00	30.00
29.200	952.69	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.200	952.79	2000.00	2000.00	2070.00	2070.00	70.00	1.00
29.300	952.74	1990.74	1972.00	2065.00	2055.82	65.08	34.00
29.300	952.84	1990.18	1972.00	2065.00	2056.30	66.12	34.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
29.420	953.50	2009.27	2000.00	2088.00	2085.02	75.75	294.00
29.420	953.54	2009.05	2000.00	2088.00	2085.21	76.16	294.00
29.550	954.71	1968.40	2000.00	2078.00	2132.68	164.28	1050.00
29.550	954.76	2000.00	2000.00	2078.00	2078.00	78.00	1050.00
29.800	954.94	1940.86	2000.00	2073.00	2141.04	200.18	359.00
29.800	955.00	1992.68	2000.00	2073.00	2093.66	100.98	359.00
29.810	955.02	1937.97	2000.00	2080.00	2126.15	188.18	160.00
29.810	955.09	1985.39	2000.00	2080.00	2087.44	102.05	160.00
29.900	955.03	2000.00	2000.00	2069.00	2069.00	69.00	39.00
29.900	955.10	2000.00	2000.00	2069.00	2069.00	69.00	39.00
30.000	955.03	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.000	955.10	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.100	955.03	2000.00	2000.00	2069.00	2069.00	69.00	30.00
30.100	955.11	2000.00	2000.00	2069.00	2069.00	69.00	30.00
30.200	955.04	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.200	955.12	2000.00	2000.00	2069.00	2069.00	69.00	1.00
30.300	955.10	1964.29	2000.00	2088.00	2151.94	187.65	39.00
30.300	955.17	1993.78	2000.00	2088.00	2116.57	122.79	39.00
30.400	955.12	1963.64	2000.00	2088.00	2152.53	188.89	76.00
30.400	955.19	1994.14	2000.00	2088.00	2115.91	121.77	76.00
31.000	956.37	1994.94	2006.00	2102.00	2273.84	253.45	2825.00
31.000	956.48	2006.00	2006.00	2102.00	2109.84	103.84	2825.00
31.800	957.53	1993.77	2000.00	2078.00	2407.14	390.43	2566.00
31.800	957.67	2000.00	2000.00	2078.00	2317.91	314.40	2566.00
31.805	957.60	1996.09	2000.00	2070.00	2087.47	91.38	223.00
31.805	957.74	1995.69	2000.00	2070.00	2086.39	92.70	223.00
31.810	957.63	1996.03	2000.00	2070.00	2083.00	86.97	37.00
31.810	957.76	1995.63	2000.00	2070.00	2083.00	87.37	37.00
31.900	957.67	2000.00	2000.00	2070.00	2070.00	70.00	49.00
31.900	957.80	2000.00	2000.00	2070.00	2070.00	70.00	49.00
32.000	957.67	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.000	957.79	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.100	957.69	2000.00	2000.00	2070.00	2070.00	70.00	30.00
32.100	957.81	2000.00	2000.00	2070.00	2070.00	70.00	30.00
32.200	957.70	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.200	957.82	2000.00	2000.00	2070.00	2070.00	70.00	1.00
32.300	957.77	1964.17	2000.00	2114.00	2142.00	157.83	49.00
32.300	957.89	1983.26	2000.00	2114.00	2142.00	158.74	49.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
33.000	959.21	1626.43	2000.00	2052.00	2391.55	638.54	4100.00
33.000	959.27	2000.00	2000.00	2052.00	2310.57	310.57	4100.00
33.850	961.29	2032.00	2032.00	2085.00	2085.00	53.00	2399.00
33.850	961.37	2032.00	2032.00	2085.00	2085.00	53.00	2399.00
33.900	961.31	2027.00	2027.00	2085.00	2085.00	58.00	13.00
33.900	961.38	2027.00	2027.00	2085.00	2085.00	58.00	13.00
34.000	961.31	2027.00	2027.00	2085.00	2085.00	58.00	1.00
34.000	961.38	2027.00	2027.00	2085.00	2085.00	58.00	1.00
34.100	961.31	2025.00	2025.00	2083.00	2083.00	58.00	29.00
34.100	961.39	2025.00	2025.00	2083.00	2083.00	58.00	29.00
34.200	961.31	2025.00	2025.00	2083.00	2083.00	58.00	1.00
34.200	961.39	2025.00	2025.00	2083.00	2083.00	58.00	1.00
34.250	961.35	2025.00	2025.00	2089.00	2089.00	64.00	13.00
34.250	961.43	2025.00	2025.00	2089.00	2089.00	64.00	13.00
34.300	961.40	1967.00	2000.00	2070.00	2103.00	136.00	26.00
34.300	961.47	1967.00	2000.00	2070.00	2103.00	136.00	26.00
34.800	961.83	1877.00	2000.00	2104.00	2226.00	261.31	820.00
34.800	961.89	1877.00	2000.00	2104.00	2226.00	265.42	820.00
34.810	961.99	2002.73	2000.00	2081.00	2092.00	69.27	280.00
34.810	962.03	2002.66	2000.00	2081.00	2092.00	69.34	280.00
34.900	962.06	2000.00	2000.00	2080.00	2080.00	80.00	50.00
34.900	962.10	2000.00	2000.00	2080.00	2080.00	80.00	50.00
35.000	962.07	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.000	962.11	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.100	962.08	2000.00	2000.00	2088.00	2088.00	88.00	32.00
35.100	962.12	2000.00	2000.00	2088.00	2088.00	88.00	32.00
35.200	962.09	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.200	962.13	2000.00	2000.00	2088.00	2088.00	88.00	1.00
35.250	962.06	2001.03	2007.00	2076.00	2107.11	106.08	51.00
35.250	962.10	2000.93	2007.00	2076.00	2110.99	110.06	51.00
35.300	963.67	1745.56	2007.00	2076.00	2361.05	598.31	10.00
35.300	963.67	1749.10	2007.00	2076.00	2361.08	594.43	10.00
35.350	963.68	1689.76	2000.00	2081.00	2361.11	659.58	10.00
35.350	963.68	1689.70	2000.00	2081.00	2361.14	660.22	10.00
36.000	964.34	2001.13	2006.00	2092.00	2123.62	122.50	3430.00
36.000	964.34	2001.13	2006.00	2092.00	2123.62	122.49	3430.00

MOORE BUSINESS FORMS, INC. 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 110

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
24.000	946.17	0.00	946.17	336.78	.96	732.26	1.78	0.00	0.00	2000.00	2278.00	0.00
24.000	946.27	.10	946.27	278.00	0.00	735.00	0.00	.00	2000.00	2000.00	2278.00	2278.00
24.100	946.20	0.00	946.20	339.47	13.73	719.52	1.75	0.00	0.00	2000.00	2220.00	0.00
24.100	946.30	.10	946.30	220.00	0.00	735.00	0.00	.02	2000.00	2000.00	2220.00	2220.00
24.200	946.25	0.00	946.26	1993.31	306.26	411.94	16.80	0.00	0.00	3000.00	3150.00	0.00
24.200	946.35	.10	946.36	1533.48	310.05	424.95	0.00	.07	1265.28	3000.00	3150.00	3150.00
25.000	946.37	0.00	946.39	845.34	115.67	555.68	63.65	0.00	0.00	4000.00	4090.00	0.00
25.000	946.47	.10	946.49	673.80	113.59	577.14	44.27	.07	3055.49	4000.00	4090.00	4144.09
25.600	946.99	0.00	947.01	939.62	294.43	361.00	79.57	0.00	0.00	4000.00	4060.00	0.00
25.600	947.10	.11	947.11	526.11	295.37	373.63	66.00	.08	3614.54	4000.00	4060.00	4140.64
25.800	947.31	0.00	947.37	247.00	58.55	531.97	144.49	247.00	1901.00	2000.00	2050.00	2148.00
25.800	947.41	.10	947.46	247.00	63.98	522.05	148.96	247.00	1901.00	2000.00	2050.00	2148.00
25.900	947.53	0.00	947.63	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
25.900	947.60	.07	947.70	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.000	947.54	0.00	947.64	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.000	947.61	.07	947.71	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.100	947.62	0.00	947.66	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.100	947.69	.07	947.73	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.200	947.63	0.00	947.67	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.200	947.69	.07	947.74	85.00	0.00	735.00	0.00	0.00	0.00	2000.00	2085.00	0.00
26.400	947.68	0.00	947.71	299.00	89.48	523.46	122.06	299.00	1897.00	2000.00	2093.00	2196.00
26.400	947.74	.06	947.77	294.97	137.76	550.34	46.90	.22	1820.45	2000.00	2093.00	2115.42
26.900	948.40	0.00	948.41	719.08	221.46	503.18	10.34	0.00	0.00	2000.00	2124.00	0.00
26.900	948.49	.10	948.51	490.68	210.67	524.33	0.00	.07	1633.32	2000.00	2124.00	2124.00
27.000	948.40	0.00	948.44	501.16	241.64	493.36	0.00	0.00	0.00	2030.00	2090.00	0.00
27.000	948.50	.09	948.53	354.80	226.34	508.66	0.00	.06	1600.15	2030.00	2090.00	2090.00
27.100	948.44	0.00	948.45	719.96	181.96	543.67	9.37	0.00	0.00	2000.00	2143.00	0.00
27.100	948.53	.10	948.55	522.55	165.72	569.28	0.00	.07	1620.45	2000.00	2143.00	2143.00
27.400	948.97	0.00	948.99	309.63	262.24	460.70	12.06	888.00	1896.00	2050.00	2169.50	2784.00
27.400	949.08	.11	949.10	253.04	253.28	481.72	0.00	.30	1916.46	2050.00	2169.50	2169.50
27.500	949.11	0.00	949.18	174.45	7.60	710.17	17.23	0.00	0.00	2000.00	2100.00	0.00
27.500	949.22	.11	949.29	100.00	0.00	735.00	0.00	.04	2000.00	2000.00	2100.00	2100.00
27.700	950.14	0.00	950.18	142.40	11.71	689.46	33.83	0.00	0.00	2050.00	2154.00	0.00
27.700	950.25	.11	950.30	113.34	0.00	720.78	14.22	.05	2050.00	2050.00	2154.00	2163.34
27.800	950.33	0.00	950.41	68.17	0.00	735.00	0.00	0.00	0.00	2129.00	2221.00	0.00

MOORE BUSINESS FORMS, INC. 23

27.800	950.44	.11	950.52	68.62	0.00	735.00	0.00	0.00	2129.00	2129.00	2221.00	2221.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
27.900	950.38	0.00	950.44	91.00	0.00	735.00	0.00	0.00	0.00	2141.00	2232.00	0.00
27.900	950.49	.11	950.54	91.00	0.00	735.00	0.00	0.00	2141.00	2141.00	2232.00	2232.00
28.000	950.39	0.00	950.44	91.00	0.00	690.00	0.00	0.00	0.00	2141.00	2232.00	0.00
28.000	950.49	.10	950.54	91.00	0.00	690.00	0.00	0.00	0.00	2141.00	2232.00	0.00
28.100	950.40	0.00	950.45	91.00	0.00	690.00	0.00	0.00	0.00	2149.00	2240.00	0.00
28.100	950.50	.11	950.55	91.00	0.00	690.00	0.00	0.00	2149.00	2149.00	2240.00	2240.00
28.200	950.40	0.00	950.45	91.00	0.00	690.00	0.00	0.00	0.00	2149.00	2240.00	0.00
28.200	950.50	.11	950.55	91.00	0.00	690.00	0.00	0.00	2149.00	2149.00	2240.00	2240.00
28.300	950.41	0.00	950.47	155.00	29.13	631.94	28.93	155.00	2117.00	2154.50	2229.00	2272.00
28.300	950.52	.10	950.57	155.00	31.29	627.46	31.25	155.00	2117.00	2154.50	2229.00	2272.00
28.420	950.73	0.00	950.76	153.32	15.57	635.92	38.51	1242.00	2000.00	2154.50	2241.88	3242.00
28.420	950.82	.08	950.87	130.73	23.74	665.20	1.05	.10	1683.79	2154.50	2241.88	2242.86
28.670	952.20	0.00	952.24	195.36	18.12	646.62	25.26	0.00	0.00	2017.00	2120.00	0.00
28.670	952.29	.10	952.35	111.30	1.06	677.75	11.19	.05	2016.10	2017.00	2120.00	2127.39
28.800	952.52	0.00	952.56	214.48	.36	665.82	23.82	0.00	0.00	2000.00	2126.00	0.00
28.800	952.63	.11	952.67	126.00	0.00	690.00	0.00	.04	2000.00	2000.00	2126.00	2126.00
28.810	952.47	0.00	952.67	113.32	19.51	670.49	0.00	0.00	0.00	2000.00	2100.00	0.00
28.810	952.58	.11	952.78	78.46	0.00	690.00	0.00	.03	2000.00	2000.00	2100.00	2100.00
28.900	952.61	0.00	952.78	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
28.900	952.72	.11	952.88	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.000	952.61	0.00	952.79	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.000	952.72	.11	952.89	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.100	952.67	0.00	952.83	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.100	952.78	.11	952.92	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.200	952.69	0.00	952.83	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
29.200	952.79	.11	952.93	70.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2070.00	2070.00
29.300	952.74	0.00	952.94	65.08	0.00	690.00	0.00	0.00	0.00	1972.00	2065.00	0.00
29.300	952.84	.10	953.03	66.12	0.00	690.00	0.00	0.00	1972.00	1972.00	2065.00	2065.00
29.420	953.50	0.00	953.64	75.75	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
29.420	953.54	.05	953.68	76.16	0.00	690.00	0.00	0.00	2000.00	2000.00	2088.00	2088.00
29.550	954.71	0.00	954.77	164.28	2.81	666.74	20.44	0.00	0.00	2000.00	2078.00	0.00
29.550	954.76	.06	954.84	78.00	0.00	690.00	0.00	.04	2000.00	2000.00	2078.00	2078.00
29.800	954.94	0.00	954.99	260.18	21.27	625.83	42.91	0.00	0.00	2000.00	2073.00	0.00
29.800	955.00	.07	955.06	100.98	7.30	650.80	31.89	.05	1992.68	2000.00	2073.00	2093.66
29.810	955.02	0.00	955.06	168.18	28.96	639.50	21.54	0.00	0.00	2000.00	2080.00	0.00
29.810	955.09	.07	955.14	102.05	17.74	663.26	9.00	.04	1985.39	2000.00	2080.00	2087.44
29.900	955.03	0.00	955.09	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
29.900	955.10	.07	955.16	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	DIFRWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
30.000	955.03	0.00	955.09	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.000	955.10	.07	955.17	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.100	955.03	0.00	955.11	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.100	955.11	.08	955.18	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00
30.200	955.04	0.00	955.11	69.00	0.00	690.00	0.00	0.00	0.00	2000.00	2069.00	0.00
30.200	955.12	.08	955.18	69.00	0.00	690.00	0.00	0.00	2000.00	2000.00	2069.00	2069.00
30.300	955.10	0.00	955.13	167.65	25.94	621.23	42.83	0.00	0.00	2000.00	2088.00	0.00
30.300	955.17	.07	955.21	122.79	12.33	645.88	31.79	.04	1993.78	2000.00	2088.00	2116.57
30.400	955.12	0.00	955.16	168.89	22.94	629.05	38.01	0.00	0.00	2000.00	2088.00	0.00
30.400	955.19	.07	955.23	121.77	10.08	652.54	27.38	.04	1994.14	2000.00	2088.00	2115.91
31.000	956.37	0.00	956.43	253.45	14.85	641.64	33.49	0.00	0.00	2006.00	2102.00	0.00
31.000	956.48	.11	956.54	103.84	0.00	673.70	16.30	.05	2006.00	2006.00	2102.00	2109.84
31.800	957.53	0.00	957.57	390.43	3.77	577.24	108.99	0.00	0.00	2000.00	2078.00	0.00
31.800	957.67	.13	957.70	314.40	0.00	593.60	96.40	.05	2000.00	2000.00	2078.00	2317.91
31.805	957.60	0.00	957.69	91.38	1.10	673.98	14.92	113.00	1982.00	2000.00	2070.00	2095.00
31.805	957.74	.13	957.81	92.70	1.34	672.46	16.20	113.00	1982.00	2000.00	2070.00	2095.00
31.810	957.63	0.00	957.72	86.97	1.13	672.98	15.89	96.00	1987.00	2000.00	2070.00	2083.00
31.810	957.76	.13	957.84	87.37	1.38	671.55	17.07	96.00	1987.00	2000.00	2070.00	2083.00
31.900	957.67	0.00	957.75	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
31.900	957.80	.13	957.87	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.000	957.67	0.00	957.76	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.000	957.79	.13	957.88	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.100	957.69	0.00	957.77	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.100	957.81	.12	957.89	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.200	957.70	0.00	957.77	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.200	957.82	.12	957.89	70.00	0.00	690.00	0.00	0.00	0.00	2000.00	2070.00	0.00
32.300	957.77	0.00	957.79	157.83	5.03	644.73	40.24	170.00	1972.00	2000.00	2114.00	2142.00
32.300	957.89	.12	957.91	158.74	5.57	643.17	41.25	170.00	1972.00	2000.00	2114.00	2142.00
33.000	959.21	0.00	959.26	638.54	19.30	415.55	255.14	0.00	0.00	2000.00	2052.00	0.00
33.000	959.27	.06	959.33	310.57	0.00	438.76	251.24	.09	2000.00	2000.00	2052.00	2310.57
33.850	961.29	0.00	961.39	53.00	0.00	690.00	0.00	0.00	0.00	2032.00	2085.00	0.00
33.850	961.37	.08	961.47	53.00	0.00	690.00	0.00	0.00	2032.00	2032.00	2085.00	2085.00
33.900	961.31	0.00	961.40	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
33.900	961.38	.08	961.48	58.00	0.00	690.00	0.00	0.00	2027.00	2027.00	2085.00	2085.00
34.000	961.31	0.00	961.41	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
34.000	961.38	.07	961.48	58.00	0.00	690.00	0.00	0.00	0.00	2027.00	2085.00	0.00
34.100	961.31	0.00	961.42	58.00	0.00	690.00	0.00	0.00	0.00	2025.00	2083.00	0.00
34.100	961.39	.08	961.50	58.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2083.00	2083.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
34.200	961.31	0.00	961.42	58.00	0.00	690.00	0.00	0.00	0.00	2025.00	2083.00	0.00
34.200	961.39	.08	961.50	58.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2083.00	2083.00
34.250	961.35	0.00	961.44	64.00	0.00	690.00	0.00	0.00	0.00	2025.00	2089.00	0.00
34.250	961.43	.08	961.51	64.00	0.00	690.00	0.00	0.00	2025.00	2025.00	2089.00	2089.00
34.300	961.40	0.00	961.46	136.00	9.64	653.92	26.24	136.00	1967.00	2000.00	2070.00	2103.00
34.300	961.47	.08	961.53	136.00	11.09	651.27	27.64	136.00	1967.00	2000.00	2070.00	2103.00
34.800	961.83	0.00	961.87	261.31	102.29	581.41	6.29	349.00	1877.00	2000.00	2104.00	2226.00
34.800	961.89	.05	961.92	265.42	104.59	578.13	7.28	349.00	1877.00	2000.00	2104.00	2226.00
34.810	961.99	0.00	962.09	89.27	0.00	683.95	6.05	105.00	1987.00	2000.00	2081.00	2092.00
34.810	962.03	.04	962.14	89.34	0.00	683.60	6.39	105.00	1987.00	2000.00	2081.00	2092.00
34.900	962.06	0.00	962.16	80.00	0.00	690.00	0.00	0.00	0.00	2000.00	2080.00	0.00
34.900	962.10	.04	962.19	80.00	0.00	690.00	0.00	2712.00	894.00	2000.00	2080.00	3606.00
35.000	962.07	0.00	962.16	88.00	0.00	649.49	40.51	0.00	0.00	2000.00	2080.00	0.00
35.000	962.11	.04	962.20	88.00	0.00	649.17	40.83	0.00	0.00	2000.00	2080.00	0.00
35.100	962.08	0.00	962.17	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.100	962.12	.04	962.21	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.200	962.09	0.00	962.17	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.200	962.13	.04	962.21	88.00	0.00	690.00	0.00	0.00	0.00	2000.00	2088.00	0.00
35.250	962.06	0.00	962.24	106.08	19.92	604.14	65.94	0.00	0.00	2007.00	2076.00	0.00
35.250	962.10	.04	962.27	110.06	20.18	601.72	68.10	0.00	0.00	2007.00	2076.00	0.00
35.300	963.67	0.00	963.70	598.31	149.42	255.98	284.61	0.00	0.00	2007.00	2076.00	0.00
35.300	963.67	.00	963.71	599.42	149.75	255.58	284.66	0.00	0.00	2007.00	2076.00	0.00
35.350	963.68	0.00	963.71	659.58	103.97	386.71	199.32	0.00	0.00	2000.00	2081.00	0.00
35.350	963.68	.00	963.71	660.22	104.31	386.22	199.47	0.00	0.00	2000.00	2081.00	0.00
36.000	964.34	0.00	964.48	122.50	6.43	657.47	26.10	0.00	0.00	2006.00	2092.00	0.00
36.000	964.34	-.00	964.48	122.49	6.43	657.48	26.09	0.00	0.00	2006.00	2092.00	0.00

MOORE BUSINESS FORMS, INC. 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	IOK*S	VCH	AREA	.01K
24.000	0.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.10	.38	1965.76	2300.89
24.000	0.00	0.00	0.00	938.70	735.00	946.27	0.00	946.27	.10	.38	1951.41	2327.60
24.100	2260.00	0.00	0.00	939.56	735.00	946.20	0.00	946.20	.21	.51	1534.97	1618.33
24.100	2280.00	0.00	0.00	939.56	735.00	946.30	0.00	946.30	.21	.51	1431.66	1615.00
24.200	2300.00	0.00	0.00	940.40	735.00	946.25	0.00	946.26	.27	.52	2945.28	1423.70
24.200	2300.00	0.00	0.00	940.40	735.00	946.35	0.00	946.36	.27	.52	2674.10	1410.30
25.000	2290.00	0.00	0.00	941.30	735.00	946.37	0.00	946.39	2.71	1.43	891.88	446.63
25.000	2290.00	0.00	0.00	941.30	735.00	946.47	0.00	946.49	2.71	1.45	811.12	446.82
25.600	2850.00	0.00	0.00	941.70	735.00	946.99	0.00	947.01	2.22	1.32	1230.18	493.42
25.600	2850.00	0.00	0.00	941.70	735.00	947.10	0.00	947.11	2.20	1.34	1080.12	495.43
25.800	1100.00	0.00	0.00	941.76	735.00	947.31	0.00	947.37	6.01	2.21	531.46	299.69
25.800	1100.00	0.00	0.00	941.70	735.00	947.41	0.00	947.46	5.43	2.13	555.08	315.56
25.900	324.00	0.00	0.00	942.20	735.00	947.53	0.00	947.63	11.74	2.49	295.25	214.54
25.900	324.00	0.00	0.00	942.20	735.00	947.60	0.00	947.70	10.97	2.44	301.52	221.95
26.000	16.90	950.50	948.30	942.20	735.00	947.54	0.00	947.64	4.88	2.55	287.76	332.65
26.000	16.90	950.50	948.30	942.20	735.00	947.61	0.00	947.71	4.58	2.50	293.79	343.36
26.100	26.00	950.50	948.30	940.00	735.00	947.62	0.00	947.66	1.39	1.72	426.34	622.52
26.100	26.00	950.50	948.30	940.00	735.00	947.69	0.00	947.73	1.34	1.70	432.07	634.87
26.200	16.90	0.00	0.00	940.00	735.00	947.63	0.00	947.67	3.11	1.67	439.96	416.91
26.200	16.90	0.00	0.00	940.00	735.00	947.69	0.00	947.74	2.98	1.65	445.81	425.74
26.400	107.00	0.00	0.00	941.90	735.00	947.68	0.00	947.71	3.63	1.50	738.22	385.74
26.400	107.00	0.00	0.00	941.90	735.00	947.74	0.00	947.77	3.80	1.56	700.63	377.14
26.900	3000.00	0.00	0.00	943.20	735.00	948.40	0.00	948.41	1.93	1.09	1192.41	528.40
26.900	3000.00	0.00	0.00	943.20	735.00	948.49	0.00	948.51	1.99	1.11	1056.66	520.65
27.000	72.00	0.00	0.00	942.40	735.00	948.40	0.00	948.44	4.62	1.79	747.89	342.01
27.000	72.00	0.00	0.00	942.40	735.00	948.50	0.00	948.53	4.60	1.80	675.52	342.68
27.100	36.00	0.00	0.00	944.00	735.00	948.44	0.00	948.45	2.15	1.10	1051.23	500.88
27.100	36.00	0.00	0.00	944.00	735.00	948.53	0.00	948.55	2.21	1.12	938.91	494.83
27.400	2700.00	0.00	0.00	945.05	735.00	948.97	0.00	948.99	2.39	1.14	852.76	475.80
27.400	2700.00	0.00	0.00	945.05	735.00	949.08	0.00	949.10	2.40	1.16	798.68	474.47
27.500	400.00	0.00	0.00	945.20	735.00	949.11	0.00	949.18	9.48	2.21	369.82	238.70
27.500	400.00	0.00	0.00	945.20	735.00	949.22	0.00	949.29	9.45	2.21	332.76	239.08
27.700	1500.00	0.00	0.00	945.90	735.00	950.14	0.00	950.18	4.91	1.76	485.32	331.86
27.700	1500.00	0.00	0.00	945.90	735.00	950.25	0.00	950.30	4.95	1.78	424.96	330.28
27.800	340.00	0.00	0.00	945.50	735.00	950.33	0.00	950.41	8.10	2.23	329.85	258.25

MOORE BUSINESS FORMS, INC. 23

27.800	340.00	0.00	0.00	945.50	735.00	950.44	0.00	950.52	7.41	2.16	339.54	270.02

MOORE BUSINESS FORMS, INC. 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CMSFL	CRIWS	EG	10K*S	VCH	AREA	.01K
27.900	32.00	0.00	0.00	946.50	735.00	950.38	0.00	950.44	5.52	1.93	381.72	312.80
27.900	32.00	0.00	0.00	946.50	735.00	950.49	0.00	950.54	5.10	1.88	391.35	325.60
28.000	1.00	954.80	952.70	945.50	690.00	950.34	0.00	950.44	2.00	1.85	373.89	487.76
28.000	1.00	954.80	952.70	945.50	690.00	950.49	0.00	950.54	2.09	1.84	374.32	476.77
28.100	36.50	954.80	952.70	945.70	690.00	950.40	0.00	950.45	1.86	1.81	380.63	505.30
28.100	36.50	954.80	952.70	945.70	690.00	950.50	0.00	950.55	1.74	1.77	389.15	522.46
28.200	1.00	0.00	0.00	945.70	690.00	950.40	0.00	950.45	4.53	1.77	388.76	324.02
28.200	1.00	0.00	0.00	945.70	690.00	950.50	0.00	950.55	4.19	1.73	398.32	336.93
28.300	32.00	0.00	0.00	945.80	690.00	950.41	0.00	950.47	5.36	2.00	410.52	298.03
28.300	32.00	0.00	0.00	945.80	690.00	950.52	0.00	950.57	4.87	1.93	426.70	312.55
28.420	580.00	0.00	0.00	946.49	690.00	950.73	0.00	950.78	5.44	1.89	425.18	295.72
28.420	580.00	0.00	0.00	946.49	690.00	950.82	0.00	950.87	5.54	1.93	388.58	293.08
28.670	2660.00	0.00	0.00	948.25	690.00	952.20	0.00	952.24	5.49	1.78	444.28	294.39
28.670	2660.00	0.00	0.00	948.25	690.00	952.29	0.00	952.35	5.52	1.82	389.65	293.59
28.800	700.00	0.00	0.00	948.30	690.00	952.52	0.00	952.56	3.81	1.49	514.68	353.45
28.800	700.00	0.00	0.00	948.30	690.00	952.63	0.00	952.67	3.83	1.50	459.09	352.52
28.810	75.00	0.00	0.00	949.30	690.00	952.47	0.00	952.67	39.95	3.67	203.62	109.16
28.810	75.00	0.00	0.00	949.30	690.00	952.58	0.00	952.78	37.54	3.61	191.37	112.61
28.900	34.00	0.00	0.00	949.10	690.00	952.61	0.00	952.78	24.83	3.30	208.81	138.47
28.900	34.00	0.00	0.00	949.10	690.00	952.72	0.00	952.88	22.08	3.19	216.55	146.84
29.000	1.00	957.10	956.40	949.10	690.00	952.61	0.00	952.79	11.00	3.40	202.89	208.08
29.000	1.00	957.10	956.40	949.10	690.00	952.72	0.00	952.89	10.22	3.30	209.08	215.88
29.100	30.00	957.10	956.40	948.40	690.00	952.67	0.00	952.83	8.81	3.17	217.67	232.42
29.100	30.00	957.10	956.40	948.40	690.00	952.78	0.00	952.92	8.08	3.07	224.66	242.79
29.200	1.00	0.00	0.00	948.40	690.00	952.69	0.00	952.83	19.11	3.06	225.41	157.83
29.200	1.00	0.00	0.00	948.40	690.00	952.79	0.00	952.93	17.22	2.96	232.85	166.28
29.300	34.00	0.00	0.00	948.40	690.00	952.74	0.00	952.94	29.51	3.63	190.30	127.01
29.300	34.00	0.00	0.00	948.40	690.00	952.84	0.00	953.03	26.83	3.50	197.09	133.22
29.420	294.00	0.00	0.00	948.88	690.00	953.50	0.00	953.64	19.24	3.00	229.68	157.29
29.420	294.00	0.00	0.00	948.88	690.00	953.54	0.00	953.68	18.45	2.96	233.12	160.66
29.550	1050.00	0.00	0.00	949.49	690.00	954.71	0.00	954.77	6.85	2.15	359.17	263.59
29.550	1050.00	0.00	0.00	949.49	690.00	954.76	0.00	954.84	7.26	2.19	314.59	256.01
29.800	359.00	0.00	0.00	949.70	690.00	954.94	0.00	954.99	5.09	1.97	436.25	305.73
29.800	359.00	0.00	0.00	949.70	690.00	955.00	0.00	955.06	5.23	2.01	372.88	301.60
29.810	160.00	0.00	0.00	949.10	690.00	955.02	0.00	955.08	4.05	1.79	461.69	342.70
29.810	160.00	0.00	0.00	949.10	690.00	955.09	0.00	955.14	4.15	1.83	402.39	338.64
29.900	39.00	0.00	0.00	949.50	690.00	955.03	0.00	955.09	5.46	2.05	336.56	295.39
29.900	39.00	0.00	0.00	949.50	690.00	955.10	0.00	955.16	5.21	2.02	341.48	302.24

MOORE BUSINESS FORMS, INC. 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	G	CWSFL	CRIPS	EG	10K*S	VCH	AREA	.01K
30.000	1.00	957.70	956.90	949.50	690.00	955.03	0.00	955.09	2.98	2.12	325.68	399.63
30.000	1.00	957.70	956.90	949.50	690.00	955.10	0.00	955.17	3.46	2.18	316.66	370.85
30.100	30.00	957.70	956.90	950.00	690.00	955.03	0.00	955.11	3.07	2.16	319.97	393.85
30.100	30.00	957.70	956.90	950.00	690.00	955.11	0.00	955.18	2.95	2.13	324.50	401.76
30.200	1.00	0.00	0.00	950.00	690.00	955.04	0.00	955.11	5.83	2.10	329.17	285.66
30.200	1.00	0.00	0.00	950.00	690.00	955.12	0.00	955.18	5.55	2.06	334.49	293.01
30.300	39.00	0.00	0.00	950.10	690.00	955.10	0.00	955.13	3.24	1.60	508.65	383.25
30.300	39.00	0.00	0.00	950.10	690.00	955.17	0.00	955.21	3.32	1.63	461.60	378.44
30.400	76.00	0.00	0.00	950.10	690.00	955.12	0.00	955.16	3.25	1.61	514.17	382.68
30.400	76.00	0.00	0.00	950.10	690.00	955.19	0.00	955.23	3.33	1.64	462.67	377.92
31.000	2825.00	0.00	0.00	952.40	690.00	956.37	0.00	956.43	6.56	1.93	409.66	269.37
31.000	2825.00	0.00	0.00	952.40	690.00	956.48	0.00	956.54	6.80	1.96	361.96	264.69
31.800	2566.00	0.00	0.00	952.30	690.00	957.53	0.00	957.57	3.23	1.62	636.32	383.94
31.800	2566.00	0.00	0.00	952.30	690.00	957.67	0.00	957.70	3.24	1.61	591.31	383.46
31.805	223.00	0.00	0.00	952.70	690.00	957.60	0.00	957.69	7.76	2.34	312.47	247.77
31.805	223.00	0.00	0.00	952.70	690.00	957.74	0.00	957.81	6.95	2.26	324.67	261.80
31.810	37.00	0.00	0.00	952.70	690.00	957.63	0.00	957.72	7.61	2.32	312.81	250.19
31.810	37.00	0.00	0.00	952.70	690.00	957.76	0.00	957.84	6.83	2.25	324.22	264.10
31.900	49.00	0.00	0.00	952.70	690.00	957.67	0.00	957.75	7.99	2.32	297.78	244.14
31.900	49.00	0.00	0.00	952.70	690.00	957.80	0.00	957.87	7.28	2.25	306.56	255.69
32.000	1.00	960.10	959.90	952.70	690.00	957.67	0.00	957.76	3.91	2.30	288.76	348.75
32.000	1.00	960.10	959.90	952.70	690.00	957.79	0.00	957.88	3.60	2.32	297.26	363.79
32.100	30.00	960.10	959.90	952.60	690.00	957.69	0.00	957.77	3.45	2.29	301.12	371.34
32.100	30.00	960.10	959.90	952.60	690.00	957.81	0.00	957.89	3.19	2.23	309.53	386.46
32.200	1.00	0.00	0.00	952.60	690.00	957.70	0.00	957.77	7.00	2.22	310.59	260.87
32.200	1.00	0.00	0.00	952.60	690.00	957.82	0.00	957.89	6.41	2.16	319.24	272.50
32.300	49.00	0.00	0.00	952.70	690.00	957.77	0.00	957.79	2.02	1.27	599.37	485.80
32.300	49.00	0.00	0.00	952.70	690.00	957.89	0.00	957.91	1.84	1.23	618.17	508.74
33.000	4100.00	0.00	0.00	955.00	690.00	959.21	0.00	959.26	8.64	2.22	661.76	234.81
33.000	4100.00	0.00	0.00	955.00	690.00	959.27	0.00	959.33	9.24	2.30	538.33	226.97
33.850	2399.00	0.00	0.00	955.42	690.00	961.29	0.00	961.39	8.97	2.62	263.66	230.43
33.850	2399.00	0.00	0.00	955.42	690.00	961.37	0.00	961.47	8.50	2.57	268.26	236.71
33.900	13.00	0.00	0.00	955.50	690.00	961.31	0.00	961.40	9.08	2.52	274.04	229.03
33.900	13.00	0.00	0.00	955.50	690.00	961.38	0.00	961.48	8.61	2.48	278.63	235.10
34.000	1.00	967.30	963.10	955.50	690.00	961.31	0.00	961.41	3.49	2.51	274.61	369.35
34.000	1.00	967.30	963.10	955.50	690.00	961.38	0.00	961.48	4.11	2.58	267.26	340.28
34.100	29.00	967.30	963.10	956.00	690.00	961.31	0.00	961.42	3.98	2.64	261.42	345.70
34.100	29.00	967.30	963.10	956.00	690.00	961.39	0.00	961.50	3.79	2.60	265.67	354.20

MOORE BUSINESS FORMS, INC. 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRITWS	EG	TOKWS	VCH	AREA	.01K
34.200	1.00	0.00	0.00	956.00	690.00	961.31	0.00	961.42	10.43	2.64	261.07	213.64
34.200	1.00	0.00	0.00	956.00	690.00	961.39	0.00	961.50	9.87	2.60	265.68	219.61
34.250	13.00	0.00	0.00	956.46	690.00	961.35	0.00	961.44	8.26	2.41	285.89	240.13
34.250	13.00	0.00	0.00	956.46	690.00	961.43	0.00	961.51	7.82	2.37	290.86	246.77
34.300	26.00	0.00	0.00	956.20	690.00	961.40	0.00	961.46	5.63	2.07	389.89	290.91
34.300	26.00	0.00	0.00	956.20	690.00	961.47	0.00	961.53	5.28	2.03	400.28	300.39
34.800	820.00	0.00	0.00	957.10	690.00	961.83	0.00	961.87	4.42	1.69	552.11	328.35
34.800	820.00	0.00	0.00	957.10	690.00	961.89	0.00	961.92	4.19	1.66	565.83	336.92
34.810	280.00	0.00	0.00	958.20	690.00	961.99	0.00	962.09	13.28	2.64	268.83	189.33
34.810	280.00	0.00	0.00	958.20	690.00	962.03	0.00	962.14	12.72	2.61	272.71	193.46
34.900	50.00	0.00	0.00	958.00	690.00	962.06	0.00	962.16	10.85	2.46	281.00	209.47
34.900	50.00	0.00	0.00	958.00	690.00	962.10	0.00	962.19	10.45	2.43	284.22	213.42
35.000	1.00	967.90	965.70	958.00	690.00	962.07	0.00	962.16	2.76	2.37	292.75	415.49
35.000	1.00	967.90	965.70	958.00	690.00	962.11	0.00	962.20	2.66	2.34	296.21	423.14
35.100	32.00	967.90	965.70	957.70	690.00	962.08	0.00	962.17	3.05	2.39	289.30	395.39
35.100	32.00	967.90	965.70	957.70	690.00	962.12	0.00	962.21	2.94	2.36	292.70	402.64
35.200	1.00	0.00	0.00	957.70	690.00	962.09	0.00	962.17	2.47	2.32	297.00	438.90
35.200	1.00	0.00	0.00	957.70	690.00	962.13	0.00	962.21	2.38	2.30	300.50	447.29
35.250	51.00	0.00	0.00	959.40	690.00	962.06	0.00	962.24	8.13	3.54	203.25	242.05
35.250	51.00	0.00	0.00	959.40	690.00	962.10	0.00	962.27	7.63	3.46	207.74	249.86
35.300	10.00	961.47	960.59	959.40	690.00	963.67	0.00	963.70	2.29	1.67	497.69	456.28
35.300	10.00	961.47	960.59	959.40	690.00	963.67	0.00	963.71	2.27	1.66	499.05	457.76
35.350	10.00	0.00	0.00	959.76	690.00	963.68	0.00	963.71	1.16	1.54	599.21	639.84
35.350	10.00	0.00	0.00	959.76	690.00	963.68	0.00	963.71	1.16	1.54	600.55	641.34
36.000	3430.00	0.00	0.00	961.30	690.00	964.34	0.00	964.48	5.76	3.02	239.63	287.47
36.000	3430.00	0.00	0.00	961.30	690.00	964.34	0.00	964.48	5.76	3.02	239.61	287.43

MOORE BUSINESS FORMS, INC. 23

100 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CRSEL	DIFWSP	DIFWSX	DIFK-S	TOPWID	XLCH
24.000	735.00	946.17	0.00	0.00	0.00	336.78	0.00
24.000	735.00	946.27	.10	0.00	.10	278.00	0.00
24.100	735.00	946.20	0.00	.03	0.00	339.47	2280.00
24.100	735.00	946.30	.10	.03	.10	220.00	2280.00
24.200	735.00	946.25	0.00	.05	0.00	1993.31	2300.00
24.200	735.00	946.35	.10	.05	.10	1533.48	2300.00
25.000	735.00	946.37	0.00	.11	0.00	845.34	2290.00
25.000	735.00	946.47	.10	.11	.10	673.80	2290.00
25.600	735.00	946.99	0.00	.62	0.00	939.62	2850.00
25.600	735.00	947.10	.11	.63	.11	576.11	2850.00
25.800	735.00	947.31	0.00	.32	0.00	247.00	1100.00
25.800	735.00	947.41	.10	.31	.10	247.00	1100.00
25.900	735.00	947.53	0.00	.22	0.00	85.00	324.00
25.900	735.00	947.60	.07	.20	.07	85.00	324.00
26.000	735.00	947.54	0.00	.01	0.00	85.00	16.90
26.000	735.00	947.61	.07	.01	.07	85.00	16.90
26.100	735.00	947.62	0.00	.08	0.00	85.00	26.00
26.100	735.00	947.69	.07	.07	.07	85.00	26.00
26.200	735.00	947.63	0.00	.01	0.00	85.00	16.90
26.200	735.00	947.69	.07	.01	.07	85.00	16.90
26.400	735.00	947.68	0.00	.05	0.00	299.00	107.00
26.400	735.00	947.74	.06	.05	.06	294.97	107.00
26.900	735.00	948.40	0.00	.72	0.00	719.08	3000.00
26.900	735.00	948.49	.10	.75	.10	490.68	3000.00
27.000	735.00	948.40	0.00	.01	0.00	501.16	72.00
27.000	735.00	948.50	.09	.01	.09	354.80	72.00
27.100	735.00	948.44	0.00	.03	0.00	719.96	36.00
27.100	735.00	948.53	.10	.03	.10	522.55	36.00
27.400	735.00	948.97	0.00	.54	0.00	309.63	2700.00
27.400	735.00	949.08	.11	.55	.11	253.04	2700.00
27.500	735.00	949.11	0.00	.14	0.00	174.49	400.00
27.500	735.00	949.22	.11	.13	.11	100.00	400.00
27.700	735.00	950.14	0.00	1.03	0.00	192.40	1500.00
27.700	735.00	950.25	.11	1.03	.11	113.34	1500.00
27.800	735.00	950.33	0.00	.20	0.00	88.17	340.00

MOORE BUSINESS FORMS, INC. 23

27.800	735.00	955.44	.11	.16	.11	88.62	340.00

MOORE BUSINESS FORMS, INC. 23

SECNO	Q	CVSEL	DIFWSP	DIFWSX	DIFKES	TOPWTD	XLCH
27.900	735.00	950.38	0.00	.05	0.00	91.00	32.00
27.900	735.00	950.49	.11	.04	.11	91.00	32.00
28.000	690.00	950.39	0.00	.01	0.00	91.00	1.00
28.000	690.00	950.49	.10	.00	.10	91.00	1.00
28.100	690.00	950.40	0.00	.01	0.00	91.00	36.50
28.100	690.00	950.50	.11	.01	.11	91.00	36.50
28.200	690.00	950.40	0.00	.00	0.00	91.00	1.00
28.200	690.00	950.50	.11	.00	.11	91.00	1.00
28.300	690.00	950.41	0.00	.01	0.00	155.00	32.00
28.300	690.00	950.52	.10	.01	.10	155.00	32.00
28.420	690.00	950.73	0.00	.32	0.00	153.32	580.00
28.420	690.00	950.82	.08	.30	.05	130.73	580.00
28.670	690.00	952.20	0.00	1.47	0.00	195.35	2660.00
28.670	690.00	952.29	.10	1.48	.10	111.30	2660.00
28.800	690.00	952.52	0.00	.33	0.00	214.48	700.00
28.800	690.00	952.63	.11	.34	.11	126.00	700.00
28.810	690.00	952.47	0.00	-.05	0.00	113.32	75.00
28.810	690.00	952.58	.11	-.05	.11	78.46	75.00
28.900	690.00	952.61	0.00	.14	0.00	70.00	34.00
28.900	690.00	952.72	.11	.14	.11	70.00	34.00
29.000	690.00	952.61	0.00	-.00	0.00	70.00	1.00
29.000	690.00	952.72	.11	-.00	.11	70.00	1.00
29.100	690.00	952.67	0.00	.06	0.00	70.00	30.00
29.100	690.00	952.78	.11	.06	.11	70.00	30.00
29.200	690.00	952.69	0.00	.01	0.00	70.00	1.00
29.200	690.00	952.79	.11	.01	.11	70.00	1.00
29.300	690.00	952.74	0.00	.05	0.00	65.08	34.00
29.300	690.00	952.84	.10	.05	.10	66.12	34.00
29.420	690.00	953.50	0.00	.76	0.00	75.75	294.00
29.420	690.00	953.54	.05	.71	.05	76.16	294.00
29.550	690.00	954.71	0.00	1.21	0.00	164.28	1050.00
29.550	690.00	954.76	.06	1.22	.06	78.00	1050.00
29.800	690.00	954.94	0.00	.23	0.00	200.18	359.00
29.800	690.00	955.00	.07	.24	.07	100.98	359.00
29.810	690.00	955.02	0.00	.08	0.00	188.18	160.00
29.810	690.00	955.09	.07	.09	.07	102.05	160.00
29.900	690.00	955.03	0.00	.01	0.00	69.00	39.00
29.900	690.00	955.10	.07	.01	.07	69.00	39.00

MOORE BUSINESS FORMS, INC. 23

SEL.L	G	C: SEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
30.000	690.00	955.03	0.00	-.00	0.00	69.00	1.00
30.100	690.00	955.10	.07	-.00	.07	69.00	1.00
30.100	690.00	955.03	0.00	.01	0.00	69.00	30.00
30.100	690.00	955.11	.08	.01	.08	69.00	30.00
30.200	690.00	955.04	0.00	.01	0.00	69.00	1.00
30.200	690.00	955.12	.08	.01	.08	69.00	1.00
30.300	690.00	955.10	0.00	.06	0.00	157.65	39.00
30.300	690.00	955.17	.07	.05	.07	122.79	39.00
30.400	690.00	955.12	0.00	.02	0.00	188.89	76.00
30.400	690.00	955.19	.07	.02	.07	121.77	76.00
31.000	690.00	956.37	0.00	1.25	0.00	253.45	2825.00
31.000	690.00	956.48	.11	1.24	.11	103.84	2825.00
31.800	690.00	956.53	0.00	1.16	0.00	340.43	2566.00
31.800	690.00	956.67	.13	1.18	.13	314.40	2566.00
32.000	690.00	957.60	0.00	.07	0.00	91.38	223.00
32.000	690.00	957.74	.13	.07	.13	92.70	223.00
32.030	690.00	957.63	0.00	.03	0.00	86.97	37.00
32.030	690.00	957.76	.13	.03	.13	87.37	37.00
32.200	690.00	957.67	0.00	.04	0.00	70.00	49.00
32.200	690.00	957.80	.13	.03	.13	70.00	49.00
32.000	690.00	957.67	0.00	-.00	0.00	70.00	1.00
32.000	690.00	957.79	.13	-.00	.13	70.00	1.00
32.100	690.00	957.69	0.00	.02	0.00	70.00	30.00
32.100	690.00	957.81	.12	.02	.12	70.00	30.00
32.200	690.00	957.70	0.00	.01	0.00	70.00	1.00
32.200	690.00	957.82	.12	.01	.12	70.00	1.00
32.300	690.00	957.77	0.00	.08	0.00	157.83	49.00
32.300	690.00	957.89	.12	.07	.12	158.74	49.00
33.000	690.00	959.21	0.00	1.44	0.00	638.54	4100.00
33.000	690.00	959.27	.06	1.38	.06	310.57	4100.00
33.850	690.00	961.29	0.00	2.07	0.00	53.00	2399.00
33.850	690.00	961.37	.08	2.09	.08	53.00	2399.00
33.900	690.00	961.31	0.00	.02	0.00	58.00	13.00
33.900	690.00	961.38	.08	.02	.08	58.00	13.00
34.000	690.00	961.31	0.00	-.00	0.00	58.00	1.00
34.000	690.00	961.38	.07	-.00	.07	58.00	1.00
34.100	690.00	961.31	0.00	.01	0.00	58.00	29.00
34.100	690.00	961.39	.08	.01	.08	58.00	29.00

MOORE BUSINESS FORMS, INC. 23

SECTO	A	CRSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
34.200	600.00	961.31	0.00	.00	0.00	58.00	1.00
34.200	600.00	961.39	.08	.00	.08	58.00	1.00
34.250	600.00	961.35	0.00	.04	0.00	64.00	13.00
34.250	600.00	961.43	.08	.03	.08	64.00	13.00
34.300	600.00	961.40	0.00	.05	0.00	136.00	26.00
34.300	600.00	961.47	.08	.05	.08	136.00	26.00
34.800	600.00	961.83	0.00	.44	0.00	261.31	820.00
34.800	600.00	961.89	.05	.41	.05	265.42	820.00
34.810	600.00	961.99	0.00	.15	0.00	89.27	280.00
34.810	600.00	962.03	.04	.14	.04	89.34	280.00
34.900	600.00	962.06	0.00	.08	0.00	80.00	50.00
34.900	600.00	962.10	.04	.07	.04	80.00	50.00
35.000	600.00	962.07	0.00	.01	0.00	88.00	1.00
35.000	600.00	962.11	.04	.01	.04	88.00	1.00
35.100	600.00	962.08	0.00	.01	0.00	88.00	32.00
35.100	600.00	962.12	.04	.01	.04	88.00	32.00
35.200	600.00	962.09	0.00	.01	0.00	88.00	1.00
35.200	600.00	962.13	.04	.01	.04	88.00	1.00
35.250	600.00	962.06	0.00	-.03	0.00	106.08	51.00
35.250	600.00	962.10	.04	-.03	.04	110.06	51.00
35.300	600.00	963.67	0.00	1.61	0.00	598.31	10.00
35.300	600.00	963.67	.00	1.58	.00	599.42	10.00
35.350	600.00	963.68	0.00	.01	0.00	659.58	10.00
35.350	600.00	963.68	.00	.01	.00	660.22	10.00
36.000	600.00	964.34	0.00	.66	0.00	122.50	3430.00
36.000	600.00	964.34	-.00	.66	-.00	122.49	3430.00

SUMMARY OF ERRORS

MOORE BUSINESS FORMS, INC. 23

FLOODWAY DATA — 100 YEAR FLOW
PROFILE NO. 3

STATION	WIDTH (FEET)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
24.000	370.	1951.	.4	946.3	946.2	.1
24.100	330.	1432.	.5	946.3	946.2	.1
24.200	1800.	2674.	.3	946.4	946.3	.1
25.000	1300.	811.	.9	946.5	946.4	.1
25.600	526.	1080.	.7	947.1	947.0	.1
25.800	447.	555.	1.3	947.4	947.3	.1
25.900	85.	302.	2.4	947.6	947.5	.1
26.000	85.	294.	2.5	947.6	947.5	.1
26.100	85.	432.	1.7	947.7	947.6	.1
26.200	85.	446.	1.6	947.7	947.6	.1
26.400	305.	701.	1.0	947.8	947.7	.1
26.900	491.	1057.	.7	948.5	948.4	.1
27.000	400.	676.	1.1	948.5	948.4	.1
27.100	533.	939.	.8	948.5	948.4	.1
27.400	355.	796.	.9	949.1	949.0	.1
27.500	100.	333.	2.2	949.2	949.1	.1
27.700	115.	425.	1.7	950.2	950.1	.1
27.800	80.	346.	2.2	950.4	950.3	.1
27.900	91.	391.	1.9	950.5	950.4	.1
28.000	91.	374.	1.8	950.5	950.4	.1
28.100	91.	369.	1.8	950.5	950.4	.1
28.200	91.	396.	1.7	950.5	950.4	.1
28.300	101.	427.	1.6	950.5	950.4	.1
28.420	274.	389.	1.8	950.8	950.7	.1
28.670	111.	397.	1.8	952.3	952.2	.1
28.800	136.	456.	1.5	952.6	952.5	.1
28.810	70.	191.	3.6	952.6	952.5	.1
28.900	70.	217.	3.2	952.7	952.6	.1
29.000	70.	209.	3.3	952.7	952.6	.1
29.100	70.	225.	3.1	952.8	952.7	.1
29.200	70.	233.	3.0	952.8	952.7	.1
29.300	62.	197.	3.5	952.8	952.7	.1
29.420	74.	233.	3.0	953.5	953.5	0.0
29.550	78.	315.	2.2	954.8	954.7	.1
29.700	101.	373.	1.9	955.0	954.9	.1
29.810	133.	402.	1.7	955.1	955.0	.1
29.900	80.	341.	2.0	955.1	955.0	.1
30.000	80.	317.	2.2	955.1	955.0	.1
30.100	80.	324.	2.1	955.1	955.0	.1
30.200	80.	334.	2.1	955.1	955.0	.1
30.300	133.	462.	1.5	955.2	955.1	.1
30.400	133.	463.	1.5	955.2	955.1	.1
31.000	104.	362.	1.9	956.5	956.4	.1
31.300	118.	391.	1.2	957.6	957.5	.1
31.415	93.	325.	2.1	957.7	957.6	.1
31.510	47.	324.	2.1	957.7	957.6	.1
31.600	70.	307.	2.3	957.8	957.7	.1
32.000	70.	297.	2.3	957.8	957.7	.1
32.100	70.	310.	2.2	957.8	957.7	.1
32.200	70.	319.	2.2	957.8	957.7	.1

MOORE BUSINESS FORMS, INC. 23

FLOODWAY DATA. 100 YEAR FLOW
PROFILE NO. 2

STATION	DRAFT FEET	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
32.300	150.	618.	1.1	957.9	957.6	.1
33.000	311.	538.	1.3	959.3	959.2	.1
33.650	53.	266.	2.6	961.4	961.3	.1
33.900	58.	279.	2.5	961.4	961.3	.1
34.000	58.	267.	2.6	961.4	961.3	.1
34.100	58.	266.	2.6	961.4	961.3	.1
34.200	58.	266.	2.6	961.4	961.3	.1
34.250	64.	291.	2.4	961.4	961.3	.1
34.300	136.	400.	1.7	961.5	961.4	.1
34.600	360.	566.	1.2	961.9	961.8	.1
34.810	80.	273.	2.5	962.0	962.0	0.0
34.900	84.	284.	2.4	962.1	962.1	0.0
35.000	88.	296.	2.3	962.1	962.1	0.0
35.100	88.	293.	2.4	962.1	962.1	0.0
35.200	88.	301.	2.3	962.1	962.1	0.0
35.250	114.	208.	3.3	962.1	962.1	0.0
35.300	410.	499.	1.4	963.7	963.7	0.0
35.450	671.	601.	1.1	963.7	963.7	0.0
36.000	121.	240.	2.9	964.3	964.3	0.0

MOORE BUSINESS FORMS, INC. 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-year Natural

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

C
T1   THE TOWNSHIP OF ALBION
T2   THE KALAMAZOO RIVER
T3   THE 100 YEAR FLOW
J1   ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        1.       4.        0.        0.   0.000000      0.00      0.0       0.    946.170   0.000
J2   NPROF      IPLOT     PRFVS     XSECV     XSFCH     FN        ALLDC     IBW       CHNIM     ITRACE
     1.000      0.000    -1.000     0.000     0.000    -1.290     0.000     0.000     0.000     0.000
J3   VARIABLE CODES FOR SUMMARY PRINTOUT
     150.000   200.000    38.000    1.000    53.000    21.000    22.000    54.000    4.000     39.000

     110.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET     0.000     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000
QT     5.000   535.000   675.000   735.000   875.000   735.000     0.000     0.000     0.000     0.000
NC      .060      .060      .035      .100      .300     0.000     0.000     0.000     0.000     0.000

        D/S LIMIT OF ALBION TWP.   (A)

X1    24.000    26.000  2000.000  2278.000     0.000     0.000     0.000     0.000     0.000     0.000
GR   982.100   883.000   985.800  1045.000   985.500  1077.000   980.800  1185.000   976.000  1287.000
GR   972.200  1393.000   969.300  1500.000   968.100  1552.000   966.300  1656.000   962.400  1772.000
GR   956.300  1864.000   952.100  1960.000   944.000  2000.000   938.700  2025.000   938.700  2250.000
GR   944.900  2278.000   950.000  2471.000   958.100  2870.000   964.300  2922.000   972.100  3106.000
GR   968.000  3248.000   968.500  3354.000   970.000  3462.000   971.000  3542.000   972.000  3548.000
GR   972.200  3562.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

X1    24.100    11.000  2000.000  2220.000  2350.000  2200.000  2280.000     0.000     0.000     0.000
GR   980.000  1450.000   970.000  1580.000   960.000  1660.000   950.000  1850.000   945.000  1920.000
GR   944.900  2000.000   939.560  2010.000   939.560  2210.000   944.600  2220.000   950.200  2300.000
GR   960.200  2460.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

X1    24.200    15.000  3000.000  3150.000  2000.000  2000.000  2300.000     0.000     0.000     0.000
GR   960.000   800.000   950.000   900.000   945.000  1020.000   946.000  1500.000   950.800  1600.000
GR   950.000  1800.000   945.000  1880.000   945.000  2600.000   944.000  3000.000   940.400  3020.000
GR   940.400  3130.000   944.800  3150.000   946.000  3320.000   950.000  3600.000   966.000  4000.000

        SURVEYED VALLEY SECTION   (B)
```

MOORE BUSINESS FORMS, INC 20

X1	25.000	41.000	4000.000	4090.000	1500.000	2600.000	2290.000	0.000	0.000	0.000
GR	951.400	1238.000	951.000	1938.000	950.600	2230.000	947.400	2314.000	946.800	2410.000
GR	949.400	2500.000	949.700	2522.000	950.200	2620.000	950.100	2700.000	950.000	2810.000
GR	946.900	2894.000	945.400	3018.000	945.600	3298.000	946.600	3444.000	946.100	3586.000
GR	946.600	3631.000	949.200	3796.000	948.500	3874.000	946.700	3974.000	944.900	4000.000
GR	941.900	4006.000	941.800	4020.000	941.300	4026.000	941.300	4040.000	941.900	4048.000
GR	941.500	4064.000	941.600	4070.000	942.300	4076.000	944.700	4090.000	945.600	4194.000
GR	948.200	4390.000	950.000	4580.000	951.900	4658.000	956.900	4754.000	960.000	4854.000
GR	963.200	4958.000	965.000	4970.000	961.200	4976.000	962.500	4990.000	965.200	5292.000
GR	966.600	5342.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	25.600	35.000	4000.000	4064.000	2100.000	1500.000	2850.000	0.000	0.000	0.000
GR	960.000	2900.000	952.000	3300.000	950.000	3500.000	945.000	3600.000	945.400	3900.000
GR	945.720	4000.000	945.720	4000.000	942.320	4003.160	942.090	4006.320	942.010	4009.470
GR	941.950	4012.630	941.840	4015.790	941.760	4018.950	941.730	4022.110	941.700	4025.260
GR	941.720	4028.420	941.780	4031.580	941.740	4034.740	941.860	4037.890	942.110	4041.050
GR	942.380	4044.210	942.700	4047.370	943.190	4050.530	943.770	4053.680	944.350	4056.840
GR	944.920	4060.000	946.900	4264.000	946.600	4406.000	947.400	4598.000	950.600	4652.000
GR	952.500	4756.000	951.800	4802.000	951.400	4902.000	953.000	5004.000	956.300	5108.000
GR	962.300	5214.000	966.800	5314.000	968.100	5358.000	968.900	5408.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1901.000	2148.000	0.000	0.000

X1	25.800	29.000	2000.000	2050.000	1060.000	620.000	1100.000	0.000	0.000	0.000
GR	969.000	1342.000	964.600	1428.000	959.600	1522.000	955.400	1610.000	950.000	1710.000
GR	948.300	1758.000	952.300	1776.000	949.100	1788.000	946.400	1912.000	946.000	2000.000
GR	942.300	2001.000	942.000	2010.000	941.700	2030.000	943.100	2040.000	945.000	2050.000
GR	946.900	2264.000	946.600	2406.000	947.400	2598.000	950.600	2652.000	952.500	2756.000
GR	951.800	2602.000	951.400	2902.000	953.000	3004.000	956.300	3108.000	962.300	3212.000
GR	966.800	3314.000	968.100	3358.000	968.900	3408.000	972.800	3510.000	0.000	0.000

X1	25.900	48.000	2000.000	2085.000	420.000	40.000	324.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	949.900	949.900	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	949.400	1494.000	949.200	1598.000	948.900	1694.000	949.200	1805.000
GR	950.500	1898.000	951.500	2000.000	945.900	2000.000	946.000	2008.000	942.200	2020.000
GR	944.500	2032.000	943.300	2039.000	943.000	2041.500	943.000	2041.600	942.800	2043.400
GR	942.800	2043.500	942.500	2046.000	942.400	2058.000	944.700	2066.000	945.500	2071.000
GR	945.500	2085.000	951.500	2085.000	951.300	2100.000	950.200	2202.000	949.500	2302.000
GR	949.700	2400.000	950.500	2504.000	950.900	2602.000	950.900	2704.000	951.300	2802.000
GR	951.400	2902.000	953.000	3004.000	956.300	3105.000	962.300	3212.000	966.800	3314.000
GR	968.100	3358.000	968.900	3408.000	972.800	3510.000	0.000	0.000	0.000	0.000
NC	.070	.070	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

O/S FACE OF O DRIVE SOUTH.CONCRETE (C)

X1	26.000	0.000	0.000	0.000	16.900	16.900	16.900	0.000	0.000	0.000
RT	10.000	1898.000	950.500	0.000	2000.000	951.500	945.900	2000.000	951.500	948.300
RT	2041.500	951.500	948.300	2041.600	951.500	943.000	2043.400	951.500	942.800	2043.500
RT	951.500	948.300	2085.000	951.500	948.300	2085.000	951.500	945.500	2100.000	951.300
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	26.100	47.000	2000.000	2085.000	26.000	26.000	26.000	0.000	0.000	0.000
RT	10.000	1898.000	950.500	0.000	2000.000	951.500	946.300	2000.000	951.500	948.300

MOORE BUSINESS FORMS, INC 23

BT	2041.500	951.500	948.300	2041.600	951.500	940.600	2043.400	951.500	940.700	2043.500
BT	951.500	948.300	2085.000	951.500	948.300	2085.000	951.500	945.500	2100.000	951.300
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	949.400	1494.000	949.200	1598.000	948.900	1694.000	949.200	1805.000
GR	950.500	1898.000	951.500	2000.000	946.300	2000.000	945.100	2008.000	941.700	2020.000
GR	940.000	2036.000	940.300	2039.000	940.600	2041.500	940.600	2041.500	940.700	2043.400
GR	940.700	2043.500	940.900	2046.000	942.100	2059.000	943.100	2071.000	944.800	2085.000
GR	951.500	2085.000	951.300	2100.000	950.200	2202.000	949.500	2302.000	949.700	2400.000
GR	950.500	2504.000	950.900	2602.000	950.900	2704.000	951.300	2802.000	951.400	2902.000
GR	953.000	3004.000	956.300	3108.000	962.300	3212.000	966.800	3314.000	968.100	3358.000
GR	968.900	3408.000	972.800	3510.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.080	.080	.035	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	26.200	0.000	0.000	0.000	16.900	16.900	16.900	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	951.500	951.500	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1897.000	2196.000	0.000	0.000
NC	.080	.080	.035	.100	.300	6.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	26.400	39.000	2000.000	2043.000	10.000	160.000	107.000	0.000	0.000	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	950.900	1453.000	945.600	1460.000	948.600	1764.000	946.600	1800.000
GR	946.400	1900.000	945.500	2000.000	945.100	2044.000	942.700	2052.000	942.400	2060.000
GR	942.000	2067.000	941.900	2073.000	942.500	2085.000	944.500	2093.000	946.800	2200.000
GR	947.400	2300.000	948.900	2400.000	950.500	2504.000	950.900	2602.000	950.900	2704.000
GR	951.300	2802.000	951.400	2902.000	953.000	3004.000	956.300	3108.000	962.300	3212.000
GR	966.800	3314.000	968.100	3358.000	968.900	3408.000	972.800	3510.000	0.000	0.000
X1	26.900	34.000	2000.000	2124.000	2000.000	2250.000	3000.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000
GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1774.000	946.700	1850.000	947.100	1940.000
GR	947.400	2000.000	945.400	2026.000	944.200	2038.000	943.400	2048.000	943.200	2062.000
GR	944.000	2070.000	945.200	2082.000	944.400	2090.000	943.700	2100.000	945.500	2124.000
GR	947.200	2132.000	950.400	2220.000	953.600	2262.000	956.300	2314.000	961.000	2414.000
GR	964.100	2512.000	965.000	2552.000	966.700	2618.000	968.700	2748.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
	SURVEYED VALLEY SECTION (X)									
X1	27.000	32.000	2030.000	2090.000	72.000	72.000	72.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000
GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1784.000	948.500	1892.000	948.700	1982.000
GR	950.700	2030.000	943.400	2030.000	942.400	2040.000	943.000	2050.000	945.400	2060.000
GR	944.700	2070.000	942.900	2080.000	945.500	2090.000	950.200	2090.000	950.000	2170.000
GR	953.200	2262.000	956.300	2314.000	961.000	2414.000	964.100	2512.000	965.000	2552.000
GR	966.700	2618.000	968.700	2748.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	27.100	37.000	2000.000	2143.000	36.000	36.000	36.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000

MOORE BUSINESS FORMS, INC. 23

GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1784.000	948.000	1862.000	948.100	1930.000
GR	948.000	2000.000	945.500	2008.000	944.300	2026.000	944.000	2042.000	944.500	2054.000
GR	945.100	2066.000	945.300	2080.000	945.100	2092.000	945.200	2104.000	945.100	2118.000
GR	944.800	2130.000	945.200	2140.000	946.000	2143.000	949.700	2176.000	953.000	2216.000
GR	953.200	2262.000	956.300	2314.000	961.000	2414.000	964.100	2512.000	965.000	2552.000
GR	966.700	2618.000	968.700	2748.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	0.000	1896.000	2784.000	0.000	0.000

SURVEYED VALLEY SECTION (E)

X1	27.400	43.000	2050.000	2169.500	1640.000	2300.000	2700.000	0.000	0.000	0.000
GR	962.400	518.000	962.000	584.000	960.800	730.000	960.600	806.000	960.900	906.000
GR	960.800	1028.000	959.400	1188.000	958.400	1278.000	956.400	1370.000	954.700	1474.000
GR	946.300	1580.000	946.200	1684.000	950.600	1690.000	946.800	1896.000	946.300	2000.000
GR	945.200	2050.000	945.200	2050.000	945.810	2056.240	945.320	2062.580	945.120	2068.870
GR	945.050	2075.160	945.190	2081.450	945.500	2087.740	945.770	2094.030	945.930	2100.320
GR	945.730	2106.610	945.630	2112.890	945.560	2119.180	945.510	2125.470	945.530	2131.760
GR	945.610	2138.050	945.660	2144.340	945.710	2150.630	945.730	2156.920	945.940	2163.210
GR	946.950	2169.500	952.800	2274.000	957.400	2360.000	959.800	2458.000	962.200	2528.000
GR	964.400	2614.000	965.200	2728.000	965.000	2784.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	27.500	10.000	2000.000	2100.000	320.000	550.000	400.000	0.000	0.000	0.000
GR	954.200	1350.000	950.300	1900.000	948.200	2000.000	945.800	2020.000	945.300	2040.000
GR	945.200	2060.000	945.400	2080.000	947.300	2100.000	950.200	2150.000	957.000	3250.000

X1	27.700	35.000	2050.000	2154.000	1660.000	1330.000	1500.000	0.000	0.000	0.000
GR	962.000	518.000	962.200	1278.000	961.600	1370.000	961.400	1474.000	961.100	1580.000
GR	959.300	1684.000	954.500	1790.000	953.900	1896.000	951.500	2000.000	948.300	2050.000
GR	946.900	2052.000	946.000	2062.000	946.000	2072.000	946.600	2082.000	947.000	2092.000
GR	946.000	2102.000	945.900	2112.000	945.900	2122.000	946.200	2132.000	946.900	2150.000
GR	947.900	2154.000	952.400	2274.000	957.000	2360.000	957.400	2458.000	959.900	2528.000
GR	961.900	2614.000	962.100	2728.000	960.100	2784.000	957.900	2796.000	959.500	2808.000
GR	957.000	2870.000	957.100	2970.000	960.300	3072.000	974.000	3180.000	976.200	3200.000

X1	27.800	38.000	2129.000	2221.000	360.000	360.000	340.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.700	1695.000	952.600	1745.000	952.100	1845.000
GR	951.800	1945.000	951.100	2045.000	950.700	2129.000	947.100	2136.000	945.500	2146.000
GR	945.800	2156.000	946.600	2166.000	946.400	2176.000	946.100	2186.000	946.200	2196.000
GR	946.300	2206.000	947.100	2211.000	951.800	2221.000	954.000	2321.000	959.600	2421.000
GR	958.800	2512.000	961.700	2616.000	962.300	2720.000	962.100	2820.000	961.100	2922.000
GR	962.100	3027.000	966.900	3116.000	966.700	3242.000	0.000	0.000	0.000	0.000

X1	27.900	44.000	2141.000	2232.000	32.000	32.000	32.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	954.050	954.050	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.800	1798.000	955.000	1900.000
GR	954.800	2000.000	954.800	2100.000	955.400	2141.000	947.400	2141.000	945.500	2151.000
GR	945.700	2161.000	946.000	2171.000	946.600	2181.000	946.200	2186.500	946.200	2186.600
GR	946.100	2188.400	946.100	2188.500	946.000	2191.000	946.000	2201.000	946.100	2211.000

MOORE BUSINESS FORMS, INC 23

GR	946.200	2221.000	947.200	2228.000	947.500	2232.000	955.400	2232.000	955.200	2304.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
NC	.070	.070	.020	.300	.500	0.000	0.000	0.000	0.000	0.000
QT	5.000	500.000	635.000	690.000	820.000	690.000	0.000	0.000	0.000	0.000

D/S FACE OF F DRIVE SOUTH.CONCRETE (F)

X1	28.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	10.000	2100.000	954.800	0.000	2141.000	955.400	947.400	2141.000	955.400	952.700
BT	2186.500	955.400	952.700	2186.600	955.400	946.200	2188.400	955.400	946.100	2188.500
BT	955.400	952.700	2232.000	955.400	952.700	2232.000	955.400	947.500	2304.000	955.200
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.100	44.000	2149.000	2240.000	36.500	36.500	36.500	0.000	0.000	0.000
BT	10.000	2100.000	954.800	0.000	2149.000	955.400	947.800	2149.000	955.400	952.700
BT	2194.500	955.400	952.700	2194.600	955.400	945.800	2196.400	955.400	945.900	2196.500
BT	955.400	952.700	2240.000	955.400	952.700	2240.000	955.400	948.000	2304.000	955.200
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.800	1798.000	955.000	1900.000
GR	954.800	2000.000	954.800	2100.000	955.400	2149.000	947.800	2149.000	945.800	2159.000
GR	945.900	2169.000	945.900	2179.000	945.700	2189.000	945.800	2194.500	945.800	2194.600
GR	945.900	2196.400	945.900	2196.500	946.000	2199.000	946.400	2209.000	945.700	2219.000
GR	945.700	2229.000	947.100	2235.000	948.000	2240.000	955.400	2240.000	955.200	2304.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
NC	.070	.070	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	28.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	955.400	955.400	0.000
FT	0.000	7.100	7.100	7.100	7.100	7.100	2117.000	2272.000	0.000	0.000

X1	28.300	39.000	2154.500	2229.000	32.000	32.000	32.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.700	1745.000	950.500	1845.000
GR	950.000	1945.000	950.000	2000.000	950.000	2045.000	949.400	2144.000	947.200	2154.500
GR	945.900	2164.000	946.100	2174.000	946.000	2184.000	946.000	2204.000	945.800	2214.000
GR	946.700	2224.000	947.200	2229.000	949.000	2239.000	953.200	2339.000	955.600	2359.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
FT	0.000	7.100	7.100	7.100	7.100	1.410	2000.000	3242.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	28.420	42.000	2154.500	2241.880	590.000	570.000	580.000	0.000	0.000	0.000
GR	960.000	1200.000	955.000	1300.000	960.000	1400.000	960.000	1500.000	950.000	1575.000
GR	950.000	1700.000	960.000	1820.000	960.000	2100.000	949.400	2144.000	949.400	2144.000
GR	948.400	2154.500	948.400	2154.500	947.730	2159.100	947.070	2163.700	946.720	2168.300
GR	946.630	2172.890	946.660	2177.490	946.630	2182.090	946.610	2186.690	946.630	2191.290
GR	946.660	2195.890	946.700	2200.490	946.700	2205.090	946.690	2209.680	946.650	2214.280
GR	946.560	2218.880	946.490	2223.480	946.690	2228.080	947.060	2232.680	947.440	2237.280
GR	948.120	2241.880	953.200	2339.000	955.600	2359.000	956.600	2408.000	958.800	2512.000
GR	961.100	2618.000	962.300	2720.000	962.100	2820.000	961.100	2922.000	962.100	3027.000

MOORE BUSINESS FORMS, INC. 23

GR	966.900	3116.000	968.700	3242.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (G)

X1	28.670	22.000	2017.000	2120.000	2780.000	2800.000	2660.000	0.000	0.000	0.000
GR	975.310	1606.000	962.280	1704.000	957.910	1760.000	958.290	1852.000	958.710	1900.000
GR	951.970	2000.000	949.260	2017.000	948.440	2027.000	948.250	2037.000	948.360	2047.000
GR	948.640	2057.000	948.760	2067.000	948.820	2077.000	948.510	2097.000	948.510	2097.000
GR	949.380	2120.000	950.920	2126.000	952.550	2210.000	955.350	2217.000	953.300	2244.000
GR	956.900	2368.000	959.210	2380.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.800	31.000	2000.000	2126.000	800.000	400.000	700.000	0.000	0.000	0.000
GR	975.300	1606.000	962.300	1704.000	957.900	1760.000	958.300	1852.000	958.800	1900.000
GR	952.000	2000.000	949.300	2017.000	948.400	2027.000	948.300	2037.000	948.400	2047.000
GR	948.600	2057.000	948.800	2067.000	948.800	2077.000	948.700	2087.000	948.500	2097.000
GR	948.500	2107.000	949.400	2120.000	950.900	2126.000	952.600	2210.000	955.400	2217.000
GR	955.600	2230.000	953.300	2244.000	956.900	2368.000	959.200	2380.000	961.700	2456.000
GR	966.000	2530.000	967.600	2578.000	967.600	2702.000	975.800	2830.000	977.800	2934.000
GR	979.200	3022.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.810	36.000	2000.000	2100.000	80.000	15.000	75.000	0.000	0.000	0.000
GR	962.900	318.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	959.400	1700.000	959.000	1800.000
GR	954.600	1900.000	951.300	2000.000	950.600	2010.000	949.800	2020.000	949.700	2031.000
GR	949.300	2042.000	949.300	2052.000	949.900	2063.000	950.600	2067.000	956.300	2100.000
GR	957.000	2200.000	953.300	2300.000	953.900	2400.000	953.700	2500.000	954.400	2600.000
GR	955.800	2700.000	959.700	2800.000	964.800	2900.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.900	46.000	2000.000	2070.000	34.000	34.000	34.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.100	957.000	0.000
GR	962.900	318.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	958.700	1700.000	958.500	1800.000
GR	958.300	1900.000	957.700	2000.000	951.400	2000.000	950.500	2007.000	949.200	2014.000
GR	949.600	2022.500	949.600	2022.600	949.700	2023.500	949.700	2023.600	949.700	2024.000
GR	949.100	2034.000	949.100	2044.000	949.100	2047.000	949.100	2047.100	949.100	2048.000
GR	949.100	2048.100	949.100	2054.000	949.900	2064.000	950.500	2067.000	951.200	2070.000
GR	957.600	2070.000	957.100	2168.000	957.100	2264.000	957.100	2400.000	957.200	2501.000
GR	957.800	2604.000	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE (H) Cass St

X1	29.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
RT	14.000	1900.000	958.300	0.000	2000.000	957.700	951.400	2000.000	957.700	956.400
RT	2022.500	957.700	956.400	2022.600	957.700	949.600	2023.500	957.700	949.700	2023.600
RT	957.700	956.400	2047.000	957.600	956.400	2047.100	957.600	949.100	2048.000	957.600
RT	949.100	2048.100	957.600	956.400	2070.000	957.600	956.400	2070.000	957.600	951.200
RT	2168.000	957.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	29.100	45.000	2000.000	2070.000	30.000	30.000	30.000	0.000	0.000	0.000
RT	14.000	1900.000	958.300	0.000	2000.000	957.700	951.500	2000.000	957.700	956.300
RT	2022.500	957.700	956.300	2022.600	957.700	949.000	2023.500	957.700	949.000	2023.600
RT	957.700	956.300	2047.000	957.600	956.400	2047.100	957.600	949.200	2048.000	957.600
RT	949.200	2048.100	957.600	956.400	2070.000	957.600	956.400	2070.000	957.600	951.700
RT	2168.000	957.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	962.900	318.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	958.700	1700.000	958.500	1800.000
GR	958.300	1900.000	957.700	2000.000	951.500	2000.000	950.500	2004.000	948.900	2014.000
GR	949.000	2022.500	949.000	2022.600	949.000	2023.500	949.000	2023.600	949.000	2024.000
GR	948.400	2034.000	949.100	2044.000	949.200	2047.000	949.200	2047.100	949.200	2048.000
GR	949.200	2048.100	949.200	2054.000	950.500	2064.000	951.700	2070.000	957.600	2070.000
GR	957.100	2168.000	957.100	2264.000	957.100	2400.000	957.200	2501.000	957.800	2604.000
GR	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000	976.500	3120.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	29.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.700	956.600	0.000

X1	29.300	36.000	1972.000	2065.000	34.000	34.000	34.000	0.000	0.000	0.000
GR	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000	965.000	897.000
GR	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000	962.400	1400.000
GR	961.000	1502.000	960.800	1600.000	959.000	1700.000	958.000	1800.000	956.500	1900.000
GR	956.200	1972.000	952.500	1992.000	950.300	2000.000	948.800	2010.000	948.600	2020.000
GR	948.400	2030.000	949.400	2040.000	950.200	2044.000	954.700	2065.000	956.200	2100.000
GR	954.600	2200.000	954.500	2300.000	955.000	2400.000	956.400	2500.000	957.400	2600.000
GR	957.800	2604.000	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	29.420	46.000	2000.000	2088.000	220.000	510.000	294.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	955.500	956.200	0.000
GR	963.000	696.000	964.100	795.000	965.000	897.000	966.800	998.000	966.700	1102.000
GR	965.200	1204.000	963.700	1302.000	962.400	1400.000	961.000	1502.000	960.800	1600.000
GR	959.000	1700.000	958.000	1800.000	956.500	1900.000	956.200	1972.000	952.500	1992.000
GR	955.500	2000.000	955.500	2000.000	954.450	2004.630	953.500	2009.260	952.730	2013.890
GR	952.020	2018.530	951.010	2023.160	950.080	2027.790	949.480	2032.420	949.010	2037.050
GR	948.980	2041.680	948.940	2046.320	948.890	2050.950	948.880	2055.580	949.250	2060.210
GR	949.720	2064.840	950.540	2069.470	951.390	2074.110	952.240	2078.740	953.100	2083.370
GR	954.220	2088.000	956.200	2100.000	954.600	2200.000	954.500	2300.000	955.000	2400.000
GR	956.400	2500.000	957.400	2600.000	957.800	2604.000	959.700	2710.000	963.200	2820.000
GR	967.100	2925.000	971.600	3022.000	976.500	3120.000	0.000	0.000	0.000	0.000

X1	29.550	43.000	2000.000	2078.000	1010.000	1060.000	1050.000	0.000	0.000	0.000
GR	976.800	598.000	972.700	680.000	969.400	784.000	968.900	890.000	969.300	994.000
GR	969.600	1102.000	968.800	1200.000	967.200	1300.000	966.600	1302.000	964.000	1404.000
GR	961.300	1496.000	960.100	1600.000	959.000	1700.000	956.900	1790.000	956.100	1896.000
GR	954.100	2000.000	954.100	2000.000	952.770	2004.110	951.730	2008.210	951.210	2012.320
GR	950.900	2016.420	950.490	2020.530	950.060	2024.630	949.730	2028.740	949.490	2032.840
GR	949.580	2036.950	949.670	2041.050	949.700	2045.160	949.690	2049.260	949.820	2053.370
GR	950.150	2057.470	950.600	2061.580	951.070	2065.680	951.530	2069.790	951.990	2073.890
GR	953.270	2078.000	954.900	2140.000	957.000	2202.000	961.200	2278.000	957.800	2300.000
GR	965.000	2390.000	972.100	2502.000	973.800	2608.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	29.800	32.000	2000.000	2073.000	300.000	390.000	359.000	0.000	0.000	0.000
GR	979.600	496.000	976.800	598.000	972.700	680.000	969.400	784.000	968.900	890.000
GR	969.300	994.000	969.600	1102.000	968.800	1200.000	967.200	1300.000	966.600	1302.000
GR	964.000	1404.000	961.300	1496.000	960.100	1600.000	959.000	1700.000	956.900	1790.000
GR	956.100	1896.000	953.400	2000.000	951.100	2006.000	950.500	2010.000	950.200	2020.000
GR	949.700	2030.000	950.100	2040.000	950.100	2050.000	951.500	2070.000	952.800	2073.000
GR	954.900	2140.000	957.000	2202.000	961.200	2278.000	957.800	2300.000	965.000	2390.000
GR	972.100	2502.000	973.800	2608.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	29.810	30.000	2000.000	2080.000	140.000	140.000	160.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.900	1700.000	957.300	1800.000	956.200	1900.000
GR	953.100	2000.000	951.700	2003.000	950.700	2010.000	950.600	2020.000	950.200	2030.000
GR	949.300	2040.000	949.100	2050.000	950.000	2060.000	951.600	2069.000	953.100	2080.000
GR	958.100	2200.000	963.300	2278.000	969.000	2380.000	974.000	2438.000	985.400	2598.000
X1	29.900	37.000	2000.000	2069.000	39.000	39.000	39.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.500	957.450	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.400	1744.000	957.700	1848.000	958.100	2000.000
GR	951.200	2000.000	950.500	2010.000	949.900	2020.000	949.900	2022.200	949.900	2022.300
GR	949.900	2023.200	949.900	2023.300	949.900	2030.000	949.500	2040.000	949.600	2046.400
GR	949.600	2046.500	949.600	2047.400	949.600	2047.500	949.600	2050.000	950.800	2060.000
GR	950.700	2069.000	956.100	2069.000	959.700	2188.000	963.300	2278.000	969.000	2380.000
GR	974.000	2438.000	985.400	2598.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF H DRIVE SOUTH BRIDGE.CONCRETE (1)

X1	30.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	14.000	1848.000	957.700	0.000	2000.000	958.100	951.200	2000.000	958.100	956.900
BT	2022.200	958.100	956.900	2022.300	958.100	949.900	2023.200	958.100	949.900	2023.300
BT	958.100	956.900	2046.400	958.100	956.800	2046.500	958.100	949.600	2047.400	958.100
BT	949.600	2047.500	958.100	956.800	2069.000	958.100	956.800	2069.000	958.100	950.700
BT	2188.000	959.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	30.100	37.000	2000.000	2069.000	30.000	30.000	30.000	0.000	0.000	0.000
BT	14.000	1848.000	957.700	0.000	2000.000	958.100	951.200	2000.000	958.100	956.900
BT	2022.200	958.100	956.900	2022.300	958.100	950.100	2023.200	958.100	950.100	2023.300
BT	958.100	956.900	2046.400	958.100	956.800	2046.500	958.100	950.200	2047.400	958.100
BT	950.200	2047.500	958.100	956.800	2069.000	958.100	956.800	2069.000	958.100	951.100
BT	2188.000	959.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.400	1744.000	957.700	1848.000	958.100	2000.000
GR	951.200	2000.000	950.200	2010.000	950.100	2020.000	950.100	2022.200	950.100	2022.300
GR	950.100	2023.200	950.100	2023.300	950.100	2030.000	950.100	2040.000	950.200	2046.400
GR	950.200	2046.500	950.200	2047.400	950.200	2047.500	950.200	2050.000	950.000	2060.000
GR	951.100	2069.000	958.100	2069.000	959.700	2188.000	963.300	2278.000	969.000	2380.000
GR	974.000	2438.000	985.400	2598.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	30.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	958.100	958.100	0.000
X1	30.300	32.000	2000.000	2088.000	39.000	39.000	39.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1068.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	960.500	1722.000	958.300	1822.000	957.000	1922.000
GR	954.300	1982.000	952.000	2000.000	950.900	2012.000	950.400	2022.000	950.100	2032.000
GR	950.200	2042.000	950.400	2052.000	950.700	2062.000	950.500	2072.000	951.600	2088.000
GR	953.900	2097.000	953.600	2122.000	958.600	2222.000	962.000	2282.000	969.000	2380.000
GR	974.000	2438.000	985.400	2596.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	30.400	0.000	0.000	0.000	76.000	76.000	76.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (J)

X1	31.000	23.000	2006.000	2102.000	2700.000	2840.000	2825.000	0.000	0.000	0.000
GR	975.100	1752.000	979.400	1866.000	974.900	1930.000	960.900	1982.000	954.600	2000.000
GR	953.600	2006.000	952.800	2016.000	952.600	2026.000	952.700	2036.000	952.600	2046.000
GR	952.400	2056.000	952.800	2066.000	953.000	2076.000	953.700	2102.000	955.800	2126.000
GR	956.400	2192.000	956.300	2270.000	957.600	2340.000	958.900	2416.000	960.000	2538.000
GR	962.100	2694.000	965.000	2766.000	970.000	2816.000	0.000	0.000	0.000	0.000
X1	31.800	29.000	2000.000	2078.000	2520.000	2440.000	2566.000	0.000	0.000	0.000
GR	985.600	1603.000	983.200	1699.000	973.700	1803.000	967.800	1901.000	966.900	1930.000
GR	965.500	1948.000	963.200	1959.000	962.700	1982.000	954.800	2000.000	953.700	2001.000
GR	952.500	2010.000	952.300	2020.000	952.700	2032.000	952.800	2044.000	952.900	2054.000
GR	953.100	2066.000	953.800	2072.000	955.100	2078.000	956.300	2128.000	957.700	2216.000
GR	956.500	2306.000	956.600	2392.000	960.300	2452.000	964.900	2472.000	965.400	2512.000
GR	971.200	2610.000	978.700	2696.000	984.000	2774.000	988.500	2862.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1982.000	2095.000	0.000	0.000
X1	31.805	31.000	2000.000	2070.000	240.000	140.000	223.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.100	1900.000	960.300	1988.000
GR	956.300	2000.000	954.300	2006.000	953.200	2010.000	952.800	2020.000	952.700	2030.000
GR	953.300	2040.000	953.200	2055.000	954.200	2064.000	955.100	2070.000	959.400	2100.000
GR	957.300	2200.000	957.500	2300.000	964.600	2400.000	967.800	2440.000	970.800	2502.000
GR	976.400	2602.000	982.900	2701.000	989.400	2805.000	993.400	2903.000	996.100	3003.000
GR	998.600	3105.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1987.000	2083.000	0.000	0.000
X1	31.810	0.000	0.000	0.000	37.000	37.000	37.000	0.000	0.000	0.000
X1	31.900	40.000	2000.000	2070.000	49.000	49.000	49.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	960.550	960.550	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.200	1908.000	961.200	2000.000
GR	955.200	2000.000	954.300	2003.000	953.400	2010.000	953.200	2020.000	953.200	2022.500
GR	953.200	2022.600	953.200	2023.500	953.200	2023.600	953.200	2030.000	953.000	2040.000
GR	952.800	2046.500	952.800	2046.600	952.800	2047.500	952.800	2047.600	952.700	2050.000
GR	953.700	2060.000	954.300	2067.000	954.700	2070.000	961.200	2070.000	960.100	2168.000

MOORE BUSINESS FORMS, INC 23

GR	961.300	2298.000	965.800	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000
GR	982.900	2701.000	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF J DRIVE SOUTH\BRIDGE.CONCRETE (K)

X1	32.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	14.000	1908.000	963.200	0.000	2000.000	961.200	955.200	2000.000	961.200	959.900
BT	2022.500	961.200	959.900	2022.600	961.200	953.200	2023.500	961.200	953.200	2023.600
BT	961.200	959.900	2046.500	961.200	959.900	2046.600	961.200	952.800	2047.500	961.200
BT	952.800	2047.600	961.200	959.900	2070.000	961.200	959.900	2070.000	961.200	954.700
BT	2168.000	960.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	32.100	39.000	2000.000	2070.000	30.000	30.000	30.000	0.000	0.000	0.000
BT	14.000	1908.000	963.200	0.000	2000.000	961.200	955.100	2000.000	961.200	959.900
BT	2022.500	961.200	959.900	2022.600	961.200	953.000	2023.500	961.200	953.000	2023.600
BT	961.200	959.900	2046.500	961.200	959.900	2046.600	961.200	952.800	2047.500	961.200
BT	952.800	2047.600	961.200	959.900	2070.000	961.200	959.900	2070.000	961.200	954.300
BT	2168.000	960.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.200	1908.000	961.200	2000.000
GR	955.100	2000.000	954.300	2005.000	953.600	2010.000	953.200	2020.000	953.000	2022.500
GR	953.000	2022.600	953.000	2023.500	953.000	2023.600	952.600	2030.000	952.600	2040.000
GR	952.800	2046.500	952.800	2046.600	952.800	2047.500	952.800	2047.600	952.900	2050.000
GR	953.200	2060.000	954.300	2070.000	961.200	2070.000	960.100	2168.000	961.300	2298.000
GR	965.800	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000	982.900	2701.000
GR	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

Effective area

X1	32.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	961.100	961.100	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1972.000	2142.000	0.000	0.000

X1	32.300	34.000	2000.000	2114.000	49.000	49.000	49.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.400	1700.000	965.700	1800.000	962.300	1900.000	959.100	1974.000
GR	955.700	2000.000	954.300	2005.000	953.700	2010.000	953.200	2020.000	952.700	2030.000
GR	952.700	2040.000	952.700	2050.000	953.000	2060.000	953.000	2070.000	953.100	2080.000
GR	953.600	2100.000	954.300	2110.000	954.700	2114.000	957.400	2200.000	958.600	2300.000
GR	965.100	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000	982.900	2701.000
GR	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000	0.000	0.000
NC	.080	.080	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (L)

X1	33.000	38.000	2000.000	2052.000	3250.000	3625.000	4100.000	0.000	0.000	0.000
GR	979.500	1431.000	977.700	1459.000	968.400	1551.000	962.700	1591.000	961.100	1623.000
GR	958.900	1627.000	959.000	1667.000	960.300	1681.000	959.700	1756.000	958.700	1838.000
GR	959.000	1916.000	958.800	2000.000	956.700	2002.000	955.100	2012.000	955.200	2022.000
GR	955.200	2032.000	955.000	2042.000	956.800	2050.000	958.700	2052.000	958.300	2130.000
GR	957.500	2212.000	957.400	2284.000	959.000	2390.000	963.400	2422.000	965.400	2498.000
GR	964.700	2594.000	965.500	2682.000	966.800	2786.000	966.000	2880.000	966.100	2970.000
GR	967.700	3050.000	968.400	3144.000	969.000	3236.000	969.700	3332.000	969.200	3434.000
GR	967.800	3534.000	969.500	3626.000	973.700	3812.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	33.850	53.000	2032.000	2085.000	2390.000	2410.000	2399.000	0.000	0.000	0.000
GR	976.600	757.000	975.400	800.000	974.800	820.000	974.200	838.000	970.800	976.000
GR	968.600	1062.000	968.100	1206.000	965.700	1274.000	964.600	1362.000	963.300	1458.000
GR	963.900	1561.000	964.100	1600.000	964.000	1696.000	963.900	1797.000	964.100	1898.000
GR	962.750	2032.000	958.050	2032.000	957.470	2034.790	956.950	2037.580	956.460	2040.370
GR	956.390	2043.160	956.490	2045.950	956.600	2048.740	956.350	2051.530	956.110	2054.320
GR	955.920	2057.110	955.900	2059.890	956.110	2062.680	956.310	2065.470	956.460	2068.260
GR	956.200	2071.050	955.900	2073.840	955.600	2076.630	955.420	2079.420	955.540	2082.210
GR	957.400	2085.000	963.300	2085.000	964.400	2180.000	964.400	2282.000	963.800	2382.000
GR	963.800	2478.000	963.400	2528.000	963.700	2658.000	963.500	2688.000	964.200	2698.000
GR	964.100	2786.000	965.600	2904.000	967.100	2998.000	968.000	3086.000	968.900	3202.000
GR	969.100	3300.000	968.600	3400.000	969.000	3490.000	0.000	0.000	0.000	0.000
X1	33.900	36.000	2027.000	2085.000	13.000	13.000	13.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	965.200	965.200	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	967.500	1561.000	967.700	1600.000	967.600	1696.000
GR	967.700	1797.000	967.800	1898.000	967.400	2000.000	967.300	2027.000	957.900	2027.000
GR	956.000	2037.000	957.600	2045.000	956.300	2057.000	957.000	2067.000	955.600	2077.000
GR	955.500	2085.000	967.300	2085.000	967.700	2180.000	967.800	2282.000	967.600	2382.000
GR	967.300	2478.000	966.900	2528.000	968.200	2658.000	967.800	2688.000	969.500	2698.000
GR	969.200	2786.000	969.900	2904.000	970.800	2998.000	971.400	3086.000	972.600	3202.000
GR	972.900	3300.000	972.000	3400.000	972.500	3490.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

X1	34.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	6.000	2000.000	967.400	0.000	2027.000	967.300	957.900	2027.000	967.300	963.100
BT	2085.000	967.300	963.100	2085.000	967.300	955.500	2180.000	967.700	0.000	0.000
X1	34.100	38.000	2025.000	2083.000	29.000	29.000	29.000	0.000	0.000	0.000
BT	6.000	2000.000	967.400	0.000	2025.000	967.300	958.100	2025.000	967.300	963.100
BT	2083.000	967.300	963.100	2083.000	967.300	956.000	2180.000	967.700	0.000	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	967.500	1561.000	967.700	1600.000	967.600	1696.000
GR	967.700	1797.000	967.800	1898.000	967.400	2000.000	967.300	2025.000	958.100	2025.000
GR	957.700	2035.000	956.800	2045.000	956.600	2055.000	956.200	2065.000	956.400	2075.000
GR	956.000	2083.000	967.300	2083.000	967.700	2180.000	967.800	2282.000	967.600	2382.000
GR	967.300	2478.000	966.900	2528.000	968.200	2658.000	967.800	2688.000	969.500	2698.000
GR	969.200	2786.000	969.900	2904.000	970.800	2998.000	971.400	3086.000	972.600	3202.000
GR	972.900	3300.000	972.000	3400.000	972.500	3490.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	34.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	967.300	967.300	0.000
X1	34.250	55.000	2025.000	2069.000	13.000	13.000	13.000	0.000	0.000	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	966.900	1486.000	965.400	1606.000	964.400	1720.000
GR	964.200	1826.000	964.400	1916.000	964.000	2000.000	961.900	2010.000	961.800	2020.000
GR	963.900	2025.000	959.300	2025.000	957.390	2028.370	957.210	2031.740	957.060	2035.110
GR	956.930	2038.470	956.770	2041.840	956.610	2045.210	956.510	2048.580	956.460	2051.950

MOORE BUSINESS FORMS, INC 2

NC	.017	.017	.017	.300	.500	0.000	0.000	0.000	0.000	0.000	0.000
GR	966.100	966.000	3504.000	3606.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	966.500	966.000	3072.000	3174.000	3298.800	965.600	3400.000	0.000	0.000	0.000	0.000
GR	966.000	966.000	2502.000	2606.000	2796.000	967.100	2970.000	0.000	0.000	0.000	0.000
GR	965.100	965.800	2088.000	2088.800	2294.000	968.800	2198.800	0.000	0.000	0.000	0.000
GR	964.400	964.000	1674.000	1778.000	1978.000	969.000	2080.000	0.000	0.000	0.000	0.000
GR	963.900	963.000	1396.000	1500.000	1700.000	969.300	1802.000	0.000	0.000	0.000	0.000
GR	963.600	963.000	1188.000	1292.000	1492.000	969.800	1594.000	0.000	0.000	0.000	0.000
GR	963.400	963.000	1017.000	1121.000	1321.000	970.000	1423.000	0.000	0.000	0.000	0.000
GR	963.300	963.000	906.000	1010.000	1210.000	970.200	1312.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	829.000	933.000	1133.000	970.400	1235.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	771.000	875.000	1075.000	970.600	1177.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	731.000	835.000	1035.000	970.800	1137.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	704.000	808.000	1008.000	971.000	1110.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	687.000	791.000	991.000	971.200	1093.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	677.000	781.000	981.000	971.400	1083.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	671.000	775.000	975.000	971.600	1077.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	668.000	772.000	972.000	971.800	1074.000	0.000	0.000	0.000	0.000
GR	963.200	963.000	667.000	771.000	971.000	972.000	1073

D/S FACE OF L DRIVE SOUTH BRIDGE.CONCRETE (N)

U/S LIMIT OF ALBION TWP.

X1	35.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	10.000	1894.000	967.900	0.000	2000.000	968.800	959.800	2000.000	968.800	965.700
BT	2043.000	968.800	965.700	2043.100	968.800	958.600	2045.000	968.800	958.500	2045.100
BT	968.800	965.700	2088.000	968.800	965.600	2088.000	968.800	960.100	2192.000	968.800
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	35.100	42.000	2000.000	2088.000	32.000	32.000	32.000	0.000	0.000	0.000
BT	10.000	1894.000	967.900	0.000	2000.000	968.800	959.800	2000.000	968.800	965.700
BT	2043.000	968.800	965.700	2043.100	968.800	957.800	2045.000	968.800	957.900	2045.100
BT	968.800	965.700	2088.000	968.800	965.600	2088.000	968.800	960.300	2192.000	968.800
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	965.800	894.000	980.800	980.000	977.300	1082.000	974.900	1186.000	972.700	1290.000
GR	970.900	1396.000	969.300	1500.000	968.800	1568.000	968.100	1686.000	967.600	1790.000
GR	967.900	1894.000	968.800	2000.000	959.900	2000.000	958.800	2010.000	958.400	2020.000
GR	958.200	2030.000	957.700	2040.000	957.800	2043.000	957.800	2043.100	957.900	2045.000
GR	957.900	2045.100	958.000	2050.000	959.100	2060.000	958.500	2070.000	959.800	2080.000
GR	960.300	2088.000	968.800	2088.000	968.800	2192.000	969.100	2294.000	968.800	2398.000
GR	968.000	2502.000	968.000	2606.000	968.700	2764.000	967.200	2866.000	967.100	2970.000
GR	966.500	3072.000	966.000	3174.000	965.800	3280.000	965.800	3298.000	965.600	3400.000
GR	966.100	3504.000	966.600	3606.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	35.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	968.800	968.800	0.000

X1	35.250	17.000	2007.000	2076.000	51.000	51.000	51.000	0.000	0.000	0.000
GR	968.210	1500.000	966.780	1600.000	963.960	1692.000	963.350	1814.000	963.060	1914.000
GR	962.480	2000.000	959.600	2007.000	959.400	2041.000	959.920	2076.000	961.960	2098.000
GR	963.010	2196.000	963.720	2276.000	963.230	2356.000	967.080	2400.000	967.550	2502.000
GR	968.010	2526.000	969.570	2600.000	0.000	0.000	0.000	0.000	0.000	0.000
SR	0.000	1.750	3.000	69.000	1.000	0.000	1.000	0.000	959.590	959.400

SPILLWAY STRUCTURE

X1	35.300	20.000	2007.000	2076.000	10.000	10.000	10.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	960.590	961.470	0.000	0.000	0.000	0.000	0.000
GR	968.210	1500.000	966.780	1600.000	963.960	1692.000	963.350	1814.000	963.060	1914.000
GR	962.480	2000.000	962.480	2007.000	961.470	2007.000	961.470	2040.000	959.400	2040.000
GR	959.400	2041.000	961.470	2041.000	961.490	2076.000	961.960	2098.000	963.010	2196.000
GR	963.720	2276.000	963.230	2356.000	967.080	2400.000	967.550	2502.000	968.010	2526.000

X1	35.350	22.000	2000.000	2081.000	10.000	10.000	10.000	0.000	0.000	0.000
GR	968.210	1500.000	966.780	1600.000	963.600	1692.000	963.350	1814.000	963.060	1914.000
GR	962.480	2000.000	962.190	2014.000	959.950	2024.000	960.130	2034.000	959.770	2044.000
GR	959.800	2054.000	959.760	2064.000	960.270	2074.000	962.120	2081.000	961.760	2098.000
GR	963.010	2196.000	963.720	2276.000	963.230	2356.000	967.080	2400.000	967.550	2502.000
GR	968.010	2526.000	969.570	2600.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	36.000	40.000	2006.000	2092.000	2680.000	2600.000	3430.000	0.000	0.000	0.000
GR	974.600	495.000	973.900	578.000	973.000	680.000	971.900	784.000	971.400	886.000
GR	968.700	986.000	967.800	1102.000	969.100	1206.000	968.300	1304.000	967.100	1400.000

GR	967.800	1450.000	967.500	1572.000	965.800	1664.000	965.600	1750.000	965.300	1882.000
GR	964.700	2000.000	962.800	2006.000	961.700	2022.000	961.600	2038.000	961.300	2054.000
GR	961.400	2067.000	961.500	2076.000	962.800	2086.000	963.200	2092.000	966.200	2175.000
GR	972.300	2302.000	972.300	2334.000	974.000	2378.000	975.100	2484.000	974.900	2581.000
GR	974.900	2684.000	975.000	2804.000	975.700	2906.000	976.700	3004.000	977.700	3100.000
GR	979.200	3202.000	981.200	3306.000	984.800	3414.000	990.300	3514.000	992.300	3574.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

*PROF)

CCHV= .100 CEHV= .300
*SECNO 24.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

Encroached.cwn reviewed

D/S LIMIT OF ALBION TWP. (A)

24.00	7.47	946.17	0.00	946.17	946.17	.00	0.00	0.00	944.00
735.	1.	732.	2.	12.	1924.	31.	0.	0.	944.90
0.00	.08	.38	.06	.060	.045	.060	0.000	938.70	1989.28
.000010	0.	0.	0.	0	0	0	0.00	336.78	2326.06

*SECNO 24.100

24.10	6.64	946.20	0.00	0.00	946.20	.00	.03	.00	944.90
735.	14.	720.	2.	109.	1407.	18.	92.	18.	944.60
1.26	.13	.51	.10	.060	.045	.060	.045	939.56	1903.29
.000021	2350.	2280.	2200.	0	0	0	0.00	339.47	2242.76

*SECNO 24.200

3265 DIVIDED FLOW

24.20	5.85	946.25	0.00	0.00	946.26	.00	.05	.00	944.00
735.	306.	412.	17.	2000.	798.	148.	202.	73.	944.80
3.00	.15	.52	.11	.060	.045	.060	.046	940.40	989.89
.000027	2000.	2300.	2000.	2	0	0	0.00	1993.31	3337.82

*SECNO 25.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (B)

25.00	5.07	946.37	0.00	0.00	946.39	.02	.13	.01	944.90
735.	116.	556.	64.	354.	389.	149.	283.	128.	944.70
3.50	.33	1.43	.43	.060	.045	.060	.047	941.30	2938.00
.000271	1500.	2290.	2600.	2	0	0	0.00	845.34	4251.88

CCHV= .100 CEHV= .300
*SECNO 25.600

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

25.60	5.29	946.99	0.00	0.00	947.01	.01	.61	.00	945.72
735.	294.	361.	80.	684.	273.	273.	337.	168.	944.92

MOORE BUSINESS FORMS, INC. 23

4.31	.43	1.32	.29	.070	.045	.070	.048	941.70	3560.18
.000222	2100.	2850.	1500.	2	0	0	0.00	939.62	4499.81

*SECNO 25.800

3470 ENCROACHMENT STATIONS= 1901.0 2148.0 TYPE= 1 TARGET= 247.000

25.80	5.61	947.31	0.00	0.00	947.37	.06	.35	.01	946.00
735.	59.	532.	144.	107.	241.	184.	356.	180.	945.00
4.47	.55	2.21	.78	.070	.045	.070	.048	941.70	1901.00
.000601	1080.	1100.	620.	2	0	0	0.00	247.00	2148.00

*SECNO 25.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 949.90 ELREA= 949.90

25.90	5.33	947.53	0.00	0.00	947.63	.10	.25	.01	951.50
735.	0.	735.	0.	0.	295.	0.	359.	181.	951.50
4.50	0.00	2.49	0.00	.070	.045	.070	.048	942.20	2000.00
.001174	420.	324.	40.	2	0	0	0.00	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.000

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

D/S FACE OF D DRIVE SOUTH.CONCRETE (C)

26.00	5.34	947.54	0.00	0.00	947.64	.10	.01	.00	951.50
735.	0.	735.	0.	0.	288.	0.	359.	181.	951.50
4.51	0.00	2.55	0.00	.070	.026	.070	.048	942.20	2000.00
.000488	17.	17.	17.	0	0	0	-8.76	85.00	2085.00

*SECNO 26.100

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

26.10	7.62	947.62	0.00	0.00	947.66	.05	.01	.02	951.50
735.	0.	735.	0.	0.	426.	0.	359.	181.	951.50
4.51	0.00	1.72	0.00	.070	.026	.070	.048	940.00	2000.00
.000139	26.	26.	26.	2	0	0	-13.18	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 951.50 ELREA= 951.50

26.20	7.63	947.63	0.00	0.00	947.67	.04	.00	.00	951.50
735.	0.	735.	0.	0.	440.	0.	359.	181.	951.50

MOORE BUSINESS FORMS, INC. 23

4.51	0.00	1.67	0.00	.080	.045	.080	.048	940.00	2000.00
.000311	17.	17.	17.	0	0	0	0.00	85.00	2085.00

CCHV= .100 CEHV= .300
*SECNO 26.400

3470 ENCROACHMENT STATIONS= 1897.0 2196.0 TYPE= 1 TARGET= 299.000

26.40	5.78	947.68	0.00	0.00	947.71	.03	.04	.00	945.50
735.	89.	523.	122.	177.	348.	213.	361.	182.	944.50
4.54	.51	1.50	.57	.080	.045	.080	.048	941.90	1897.00
.000363	10.	107.	160.	2	0	0	0.00	299.00	2196.00

*SECNO 26.900

26.90	5.20	946.40	0.00	0.00	948.41	.01	.70	.00	947.40
735.	221.	503.	10.	697.	460.	36.	415.	208.	945.50
5.43	.32	1.05	.29	.080	.045	.080	.048	943.20	1445.84
.000193	2000.	3000.	2250.	2	0	0	0.00	719.08	2164.93

CCHV= .100 CEHV= .300
*SECNO 27.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (D)

27.00	6.00	948.40	0.00	0.00	948.44	.03	.02	.01	950.70
735.	242.	493.	0.	472.	276.	0.	417.	209.	950.20
5.44	.51	1.79	0.00	.070	.045	.070	.048	942.40	1445.48
.000462	72.	72.	72.	1	0	0	0.00	501.16	2090.00

*SECNO 27.100

27.10	4.44	948.44	0.00	0.00	948.45	.01	.01	.00	948.00
735.	182.	544.	9.	531.	494.	26.	417.	209.	946.00
5.45	.34	1.10	.35	.070	.045	.070	.048	944.00	1444.77
.000215	36.	36.	36.	2	0	0	0.00	719.96	2164.73

CCHV= .100 CEHV= .300
*SECNO 27.400

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1896.0 2784.0 TYPE= 1 TARGET= 888.000

SURVEYED VALLEY SECTION (E)

27.40	3.92	948.97	0.00	0.00	948.99	.01	.54	.00	945.20
735.	262.	461.	12.	413.	403.	37.	465.	232.	946.95
6.15	.63	1.14	.33	.070	.045	.070	.049	945.05	1896.00
.000239	1640.	2700.	2300.	2	0	0	0.00	309.63	2205.63

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC 23

```
 CCHV=    .300 CEHV=    .500
 *SECNO 27.500
    27.50      3.91    949.11      0.00      0.00    949.18      .07       .16       .03    948.20
     735.         8.      710.       17.       20.      322.      28.      470.      235.     947.30
     6.20       .39      2.21       .61      .070      .045      .070      .048    945.20   1956.70
  .000948       320.      400.      550.         2         0         0      0.00    174.49   2131.19

 *SECNO 27.700
    27.70      4.24    950.14      0.00      0.00    950.18      .05       .99       .01    948.30
     735.        12.      689.       34.       26.      392.      67.      484.      241.     947.90
     6.45       .44      1.76       .51      .070      .045      .070      .048    945.90   2021.28
  .000491      1660.      1500.     1330.         2         0         0      0.00    192.40   2213.68

 *SECNO 27.800
    27.80      4.83    950.33      0.00      0.00    950.41      .08       .21       .02    950.70
     735.         0.      735.       0.        0.      330.       0.      488.      242.     951.80
     6.49       0.00     2.23       0.00      .070      .045      .070      .048    945.50   2129.71
  .000810       360.      340.      360.         2         0         0      0.00     88.17   2217.88

 *SECNO 27.900
 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      954.05 ELREA=      954.05
    27.90      4.88    950.38      0.00      0.00    950.44      .06       .02       .01    955.40
     735.         0.      735.       0.        0.      382.       0.      488.      242.     955.40
     6.49       0.00     1.93       0.00      .070      .045      .070      .048    945.50   2141.00
  .000552        32.       32.       32.         2         0         0      0.00     91.00   2232.00

 CCHV=    .300 CEHV=    .500
 *SECNO 28.000
    SECNO      DEPTH     CWSEL     CRWS      WSELR     EG        HV        HL        QLOSS     BANK ELEV
      Q        QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
     TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
     SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IOC       ICONT     CORAR     TOPWID      FNDST

 3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD=  954.80 MAX ELLC=  952.70

      O/S FACE OF DRIVE SOUTH.CONCRETE  (F)
    28.00      4.89    950.39      0.00      0.00    950.44      .05       .00       .00    955.40
     690.         0.      690.       0.        0.      374.       0.      488.      242.     955.40
     6.49       0.00     1.85       0.00      .070      .026      .070      .048    945.50   2141.00
  .000200          1.        1.        1.         0         0         0     -7.89     91.00   2232.00

 *SECNO 28.100
 3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD=  954.80 MAX ELLC=  952.70
    28.10      4.70    950.40      0.00      0.00    950.45      .05       .01       .00    955.40
     690.         0.      690.       0.        0.      381.       0.      488.      242.     955.40
     6.50       0.00     1.81       0.00      .070      .026      .070      .048    945.70   2149.00
```

MOORE BUSINESS FORMS, INC. 23

```
   .000166      37.      37.      37.        0        0        0    -8.49    91.00  2240.00

   CCHV=    .300 CEHV=    .500
   *SECNO 28.200
   3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      955.40 ELREA=      955.40
     28.20     4.70   950.40     0.00     0.00   950.45      .05      .00      .00   955.40
       690.       0.      690.       0.       0.   389.       0.     488.     242.   955.40
      6.50     0.00     1.77     0.00     .070     .045     .070     .048   945.70  2149.00
   .000453       1.       1.       1.        0        0        0     0.00    91.00  2240.00

   *SECNO 28.300
   3470 ENCROACHMENT STATIONS=     2117.0   2272.0  TYPE=     1  TARGET=     155.000
     28.30     4.61   950.41     0.00     0.00   950.47      .06      .02      .00   947.20
       690.      29.      632.      29.      47.   317.      47.     489.     242.   947.20
      6.50      .62     2.00      .62     .070     .045     .070     .048   945.80  2117.00
   .000536      32.      32.      32.        0        0        0     0.00   155.00  2272.00

   CCHV=    .100 CEHV=    .300
   *SECNO 28.420
   3470 ENCROACHMENT STATIONS=     2000.0   3242.0  TYPE=     1  TARGET=    1242.000
     28.42     4.24   950.73     0.00     0.00   950.78      .05      .31      .00   948.40
       690.      16.      636.      39.      23.   337.      65.     494.     244.   948.12
      6.59      .68     1.89      .59     .070     .045     .070     .048   946.49  2138.48
   .000544      590.     580.     570.        2        0        0     0.00   153.32  2291.79

   CCHV=    .100 CEHV=    .300
   *SECNO 28.670
      SECNO     DEPTH     CWSEL     CRIWS     WSELK        EG        HV        HL     ULOSS    BANK ELEV
          Q      QLOB      QCH      QROB      ALOB       ACH      AROB       VOL       TWA   LEFT/RIGHT
       TIME      VLOB      VCH      VROB       XNL      XNCH       XNR       WTN    ELMIN       SSTA
      SLOPE     XLOBL     XLCH     XLOBR     ITRIAL       IDC     ICONT     CORAR    TOPWID      ENDST

            SURVEYED VALLEY SECTION    (G)

     28.67     3.95   952.20     0.00     0.00   952.24      .05     1.46      .00   949.26
       690.      18.      647.      25.      27.   362.      55.     521.     255.   949.38
      7.03      .66     1.78      .46     .070     .045     .070     .048   948.25  1996.59
   .000549     2780.    2660.    2800.        1        0        0     0.00   195.36  2191.95

   *SECNO 28.800
     28.80     4.22   952.52     0.00     0.00   952.56      .03      .31      .00   952.00
       690.       0.      666.      24.       2.   447.      66.     528.     258.   950.90
      7.16      .17     1.49      .36     .070     .045     .070     .048   948.30  1992.17
   .000381      800.     700.     400.        1        0        0     0.00   214.48  2206.65

   *SECNO 28.810
     28.81     3.17   952.47     0.00     0.00   952.67      .20      .07      .05   951.30
       690.      20.      670.       0.      21.   183.       0.     529.     258.   956.30
```

7.17	.94	3.67	0.00	.070	.045	.070	.048	949.30	1964.51
.003995	80.	75.	15.	2	0	0	0.00	113.32	2077.83

*SECNO 28.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.10 ELREA= 957.00

28.90	3.51	952.61	0.00	0.00	952.78	.17	.11	.00	957.70
690.	0.	690.	0.	0.	209.	0.	529.	258.	957.60
7.17	0.00	3.30	0.00	.070	.045	.070	.048	949.10	2000.00
.002483	34.	34.	34.	2	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 29.000

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.10 MAX ELLC= 956.40

D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE (H)

29.00	3.51	952.61	0.00	0.00	952.79	.18	.00	.01	957.70
690.	0.	690.	0.	0.	203.	0.	529.	258.	957.60
7.17	0.00	3.40	0.00	.020	.026	.020	.048	949.10	2000.00
.001100	1.	1.	1.	0	0	0	-6.13	70.00	2070.00

*SECNO 29.100

SECNO	DEPTH	C*SEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.10 MAX ELLC= 956.40

29.10	4.27	952.67	0.00	0.00	952.83	.16	.03	.01	957.70
690.	0.	690.	0.	0.	218.	0.	529.	258.	957.60
7.17	0.00	3.17	0.00	.020	.026	.020	.048	948.40	2000.00
.000881	30.	30.	30.	0	0	0	-6.77	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 29.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.70 ELREA= 956.60

29.20	4.29	952.69	0.00	0.00	952.83	.15	.00	.00	957.70
690.	0.	690.	0.	0.	225.	0.	529.	258.	957.60
7.17	0.00	3.06	0.00	.060	.045	.060	.048	948.40	2000.00
.001911	1.	1.	1.	1	0	0	0.00	70.00	2070.00

*SECNO 29.300

29.30	4.34	952.74	0.00	0.00	952.94	.20	.08	.03	956.20
690.	0.	690.	0.	0.	190.	0.	529.	258.	954.70
7.18	0.00	3.63	0.00	.060	.045	.060	.048	948.40	1990.74
.002951	34.	34.	34.	0	0	0	0.00	65.08	2055.82

MOORE BUSINESS FORMS, INC. 23

CCHV= .100 CEHV= .300
*SECNO 29.420

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 955.50 ELREA= 956.20

29.42	4.62	953.50	0.00	0.00	953.64	.14	.69	.01	955.50
690.	0.	690.	0.	0.	230.	0.	531.	259.	954.22
7.20	0.00	3.60	0.00	.060	.045	.060	.048	948.88	2009.27
.001924	220.	294.	510.	2	0	0	0.00	75.75	2085.02

*SECNO 29.550

29.55	5.22	954.71	0.00	0.00	954.77	.07	1.13	.01	954.10
690.	3.	667.	20.	10.	310.	39.	538.	262.	953.27
7.34	.29	2.15	.52	.060	.045	.060	.048	949.49	1968.40
.000685	1010.	1050.	1060.	3	0	0	0.00	164.28	2132.68

CCHV= .300 CEHV= .500
*SECNO 29.800

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	ARUR	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
29.80	5.24	954.94	0.00	0.00	954.99	.05	.21	.00	953.40
690.	21.	626.	43.	45.	318.	73.	541.	263.	952.80
7.40	.47	1.97	.59	.060	.045	.060	.048	949.70	1940.86
.000509	300.	359.	390.	2	0	0	0.00	200.18	2141.04

*SECNO 29.810

29.81	5.92	955.02	0.00	0.00	955.06	.05	.07	.00	953.10
690.	29.	639.	22.	60.	358.	44.	543.	264.	953.10
7.42	.49	1.79	.49	.060	.045	.060	.048	949.10	1937.97
.000405	140.	160.	140.	0	0	0	0.00	188.18	2126.15

*SECNO 29.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.50 ELREA= 957.45

29.90	5.53	955.03	0.00	0.00	955.09	.07	.02	.01	958.10
690.	0.	690.	0.	0.	337.	0.	543.	264.	958.10
7.43	0.00	2.05	0.00	.060	.045	.060	.048	949.50	2000.00
.000546	39.	39.	39.	0	0	0	0.00	69.00	2069.00

CCHV= .300 CEHV= .500
*SECNO 30.000

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.70 MAX ELLC= 956.90

D/S FACE OF H DRIVE SOUTH BRIDGE.CONCRETE (1)

30.00	5.53	955.03	0.00	0.00	955.09	.07	.00	.00	958.10
690.	0.	690.	0.	0.	326.	0.	543.	264.	958.10

MOORE BUSINESS FORMS, INC. 23

7.43	0.00	2.12	0.00	.020	.026	.020	.048	949.50	2000.00
.000298	1.	1.	1.	0	0	0	-10.28	69.00	2069.00

*SECNO 30.100

3370 NORMAL BRIDGE,NRD= 14 MIN FLTHU= 957.70 MAX ELLC= 956.90

30.10	5.03	955.03	0.00	0.00	955.11	.07	.01	.00	958.10
690.	0.	690.	0.	0.	320.	0.	543.	264.	958.10
7.43	0.00	2.16	0.00	.020	.026	.020	.047	950.00	2000.00
.000307	30.	30.	30.	0	0	0	-9.51	69.00	2069.00

CCHV= .300 CEHV= .500
*SECNO 30.200

SECNO	DEPTH	CWSEL	CRIWS	WSELR	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID.	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 958.10 ELREA= 958.10

30.20	5.04	955.04	0.00	0.00	955.11	.07	.00	.00	958.10
690.	0.	690.	0.	0.	329.	0.	543.	264.	958.10
7.43	0.00	2.10	0.00	.060	.045	.060	.047	950.00	2000.00
.000583	1.	1.	1.	0	0	0	0.00	69.00	2069.00

*SECNO 30.300

30.30	5.00	955.10	0.00	0.00	955.13	.04	.02	.01	952.00
690.	26.	621.	43.	42.	389.	77.	544.	264.	951.60
7.44	.62	1.60	.55	.060	.045	.060	.047	950.10	1964.29
.000324	39.	39.	39.	2	0	0	0.00	187.65	2151.94

CCHV= .100 CEHV= .300
*SECNO 30.400

30.40	5.02	955.12	0.00	0.00	955.16	.04	.02	.00	952.00
690.	23.	629.	38.	43.	392.	79.	545.	264.	951.60
7.45	.53	1.61	.48	.070	.045	.070	.047	950.10	1963.64
.000325	76.	76.	76.	1	0	0	0.00	188.89	2152.53

*SECNO 31.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (J)

31.00	3.97	956.37	0.00	0.00	956.43	.05	1.26	.01	953.60
690.	15.	642.	33.	18.	333.	59.	574.	279.	953.70
7.88	.82	1.93	.57	.070	.045	.070	.047	952.40	1994.94
.000656	2700.	2825.	2840.	2	0	0	0.00	253.45	2273.84

*SECNO 31.800

MOORE BUSINESS FORMS, INC 23

3265 DIVIDED FLOW

31.80	5.23	957.53	0.00	0.00	957.57	.03	1.14	.00	954.80
690.	4.	577.	109.	9.	357.	271.	605.	297.	955.10
8.38	.44	1.62	.40	.070	.045	.070	.047	952.30	1993.77
.000323	2520.	2566.	2440.	2	0	0	0.00	390.43	2407.14

*SECNO 31.805

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1982.0 2095.0 TYPE= 1 TARGET= 113.000

31.81	4.90	957.60	0.00	0.00	957.69	.08	.10	.01	956.30
690.	1.	674.	15.	3.	288.	22.	607.	298.	955.10
8.40	.43	2.34	.68	.070	.045	.070	.047	952.70	1996.09
.000776	240.	223.	180.	2	0	0	0.00	91.38	2087.47

*SECNO 31.810

3470 ENCROACHMENT STATIONS= 1987.0 2083.0 TYPE= 1 TARGET= 96.000

31.81	4.93	957.63	0.00	0.00	957.72	.08	.03	.00	956.30
690.	1.	673.	16.	3.	289.	21.	607.	298.	955.10
8.41	.43	2.32	.77	.070	.045	.070	.047	952.70	1996.03
.000761	37.	37.	37.	0	0	0	0.00	86.97	2083.00

*SECNO 31.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 960.55 ELREA= 960.55

31.90	4.97	957.67	0.00	0.00	957.75	.08	.04	.00	961.20
690.	0.	690.	0.	0.	298.	0.	608.	298.	961.20
8.42	0.00	2.32	0.00	.070	.045	.070	.047	952.70	2000.00
.000799	49.	49.	49.	0	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 32.000

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

D/S FACE OF J DRIVE SOUTH BRIDGE.CONCRETE (K)

32.00	4.97	957.67	0.00	0.00	957.76	.09	.00	.00	961.20
690.	0.	690.	0.	0.	289.	0.	608.	298.	961.20
8.42	0.00	2.39	0.00	.020	.025	.020	.047	952.70	2000.00
.000391	1.	1.	1.	0	0	0	-9.04	70.00	2070.00

*SECNO 32.100

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

MOORE BUSINESS FORMS, INC. 23

32.10	5.09	957.69	0.00	0.00	957.77	.08	.01	.00	961.20
690.	0.	690.	0.	0.	301.	0.	608.	298.	961.20
8.42	0.00	2.29	0.00	.020	.026	.020	.047	952.60	2000.00
.000345	30.	30.	30.	0	0	0	-9.27	70.00	2070.00

CCHV= .100 CEHV= .300
*SECNO 32.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 961.10 ELREA= 961.10

32.20	5.10	957.70	0.00	0.00	957.77	.08	.00	.00	961.20
690.	0.	690.	0.	0.	311.	0.	608.	298.	961.20
8.42	0.00	2.22	0.00	.070	.045	.070	.047	952.60	2000.00
.000700	1.	1.	1.	0	0	0	0.00	70.00	2070.00

*SECNO 32.300

3470 ENCROACHMENT STATIONS= 1972.0 2142.0 TYPE= 1 TARGET= 170.000

32.30	5.07	957.77	0.00	0.00	957.79	.02	.02	.01	955.70
690.	5.	645.	40.	16.	509.	74.	608.	299.	954.70
8.43	.31	1.27	.55	.070	.045	.070	.047	952.70	1984.17
.000202	49.	49.	49.	2	0	0	0.00	157.83	2142.00

CCHV= .100 CEHV= .300
*SECNO 33.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (L)

33.00	4.21	959.21	0.00	0.00	959.26	.05	1.46	.01	958.80
690.	19.	416.	255.	76.	187.	398.	664.	331.	958.70
9.13	.25	2.22	.64	.080	.045	.080	.047	955.00	1626.43
.000864	3250.	4100.	3625.	2	0	0	0.00	638.54	2391.55

*SECNO 33.850

33.85	5.87	961.29	0.00	0.00	961.39	.11	2.11	.02	962.75
690.	0.	690.	0.	0.	264.	0.	690.	350.	963.30
9.39	0.00	2.62	0.00	.080	.045	.080	.047	955.42	2032.00
.000897	2390.	2399.	2410.	3	0	0	0.00	53.00	2085.00

*SECNO 33.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 965.20 ELREA= 965.20

33.90	5.81	961.31	0.00	0.00	961.40	.10	.01	.00	967.30
690.	0.	690.	0.	0.	274.	0.	690.	351.	967.30

MOORE BUSINESS FORMS, INC 23

9.39	0.00	2.52	0.00	.080	.045	.080	.047	955.50	2027.00
.000908	13.	13.	13.	0	0	0	0.00	58.00	2085.00

CCHV= .300 CEHV= .500
*SECNO 34.000

SECNO	DEPTH	C*SEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	GLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

34.00	5.81	961.31	0.00	0.00	961.41	.10	.00	.00	967.30
690.	0.	690.	0.	0.	275.	0.	690.	351.	967.30
9.39	0.00	2.51	0.00	.020	.026	.020	.047	955.50	2027.00
.000349	1.	1.	1.	0	0	0	0.00	58.00	2085.00

*SECNO 34.100

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

34.10	5.31	961.31	0.00	0.00	961.42	.11	.01	.01	967.30
690.	0.	690.	0.	0.	261.	0.	690.	351.	967.30
9.39	0.00	2.64	0.00	.020	.026	.020	.047	956.00	2025.00
.000398	29.	29.	29.	1	0	0	0.00	58.00	2083.00

CCHV= .300 CEHV= .500
*SECNO 34.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.30 ELREA= 967.30

34.20	5.31	961.31	0.00	0.00	961.42	.11	.00	.00	967.30
690.	0.	690.	0.	0.	261.	0.	690.	351.	967.30
9.39	0.00	2.64	0.00	.060	.045	.060	.047	956.00	2025.00
.001043	1.	1.	1.	0	0	0	0.00	58.00	2083.00

*SECNO 34.250

34.25	4.89	961.35	0.00	0.00	961.44	.09	.01	.01	963.90
690.	0.	690.	0.	0.	286.	0.	690.	351.	963.60
9.39	0.00	2.41	0.00	.060	.045	.060	.047	956.46	2025.00
.000826	13.	13.	13.	2	0	0	0.00	64.00	2089.00

CCHV= .100 CEHV= .300
*SECNO 34.300

3470 ENCROACHMENT STATIONS= 1967.0 2103.0 TYPE= 1 TARGET= 136.000

34.30	5.20	961.40	0.00	0.00	961.46	.06	.02	.00	960.50
690.	10.	654.	26.	26.	316.	48.	690.	351.	959.90
9.40	.37	2.07	.55	.080	.045	.080	.047	956.20	1967.00
.000563	26.	26.	26.	2	0	0	0.00	136.00	2103.00

MOORE BUSINESS FORMS, INC 23

*SECNO 34.800

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROH	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
3470 ENCROACHMENT STATIONS=			1877.0	2226.0	TYPE=	1	TARGET=	349.000	
34.80	4.73	961.83	0.00	0.00	961.87	.04	.41	.00	963.70
690.	102.	581.	6.	180.	344.	27.	699.	354.	966.30
9.55	.57	1.69	.23	.080	.045	.080	.047	957.10	1877.00
.000442	1000.	820.	460.	2	0	0	0.00	261.31	2226.00

*SECNO 34.810

3470 ENCROACHMENT STATIONS=			1987.0	2092.0	TYPE=	1	TARGET=	105.000	
34.81	3.79	961.99	0.00	0.00	962.09	.11	.20	.02	963.70
690.	0.	884.	6.	0.	259.	10.	702.	355.	960.50
9.58	0.00	2.64	.62	.080	.045	.080	.047	958.20	2002.73
.001328	340.	280.	150.	2	0	0	0.00	89.27	2092.00

*SECNO 34.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 967.25 ELREA= 967.20

34.90	4.06	962.06	0.00	0.00	962.16	.09	.06	.00	968.80
690.	0.	690.	0.	0.	281.	0.	702.	355.	959.40
9.58	0.00	2.46	0.00	.080	.045	.080	.047	958.00	2000.00
.001085	50.	50.	50.	2	0	0	0.00	80.00	2080.00

CCHV= .300 CEHV= .500

*SECNO 35.000

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

D/S FACE OF L DRIVE SOUTH BRIDGE.CONCRETE (N)

U/S LIMIT OF ALBION TWP.

35.00	4.07	962.07	0.00	0.00	962.16	.09	.00	.00	968.80
690.	0.	649.	41.	0.	274.	19.	702.	355.	959.40
9.58	0.00	2.37	2.19	.017	.022	.017	.047	958.00	2000.00
.000276	1.	1.	1.	0	0	0	-6.85	88.00	2088.00

*SECNO 35.100

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

35.10	4.38	962.08	0.00	0.00	962.17	.09	.01	.00	968.80

MOORE BUSINESS FORMS, INC 23

690.	0.	690.	0.	0.	289.	0.	703.	355.	968.80	
9.59	0.00	2.39	0.00	.017	.022	.017	.047	957.70	2000.00	
.000305	32.	32.	32.	1	0	0	-8.28	88.00	2088.00	

*SECNO 35.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOEL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

...3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 968.80 ELREA= 968.80

35.20	4.39	962.09	0.00	0.00	962.17	.08	.00	.00	968.80
690.	0.	690.	0.	0.	297.	0.	703.	355.	968.80
9.59	0.00	2.32	0.00	.017	.022	.017	.047	957.70	2000.00
.000247	1.	1.	1.	0	0	0	0.00	88.00	2088.00

*SECNO 35.250

35.25	2.66	962.06	0.00	0.00	962.24	.18	.02	.05	959.60
690.	20.	604.	66.	7.	171.	25.	703.	356.	959.92
9.59	2.71	3.54	2.63	.017	.022	.017	.047	959.40	2001.03
.000813	51.	51.	51.	2	0	0	0.00	106.08	2107.11

SPECIAL BRIDGE

SB	XK	XKOK	COFW	RDLEN	HWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.75	3.00	69.00	1.00	0.00	1.00	0.00	959.59	959.40

*SECNO 35.300

3265 DIVIDED FLOW

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
13899.56	962.43	0.00	686.	8.	1.	1.	960.59	961.47

SPILLWAY STRUCTURE

35.30	4.27	963.67	0.00	0.00	963.70	.03	1.46	0.00	962.48
690.	149.	256.	265.	143.	154.	201.	703.	356.	961.49
9.59	1.04	1.67	1.42	.017	.022	.017	.047	959.40	1749.56
.000229	10.	10.	10.	2	0	8	0.00	598.31	2361.05

*SECNO 35.350

3265 DIVIDED FLOW

35.35	3.92	963.68	0.00	0.00	963.71	.03	.00	.00	962.48

MOORE BUSINESS FORMS, INC. 23

690.	104.	387.	199.	150.	250.	199.	703.	356.	962.12
9.60	.69	1.54	1.00	.017	.022	.017	.047	559.76	1689.76
.000116	10.	10.	10.	0	0	0	0.00	659.58	2361.11

*SECNO 36.000

36.00	3.04	964.34	0.00	0.00	964.48	.14	.72	.06	962.80
690.	6.	657.	26.	4.	218.	18.	733.	381.	963.20
9.90	1.71	3.02	1.44	.017	.022	.017	.045	961.30	2001.13
.000576	2680.	3430.	2600.	2	0	0	0.00	122.50	2123.62

MOORE BUSINESS FORMS, INC. 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion, City of

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-year Natural

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

C
T1      FIS  CITY OF ALBION, CALHOUN COUNTY, MICHIGAN.
T2      100-YEAR FLOOD
T3      KALAMAZOO RIVER
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	0.000000	0.00	0.0	0.	929.100	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	-1.290	0.000	0.000	0.000	0.000
J3	VARIABLE CODES FOR SUMMARY PRINTOUT									
	38.000	1.000	53.000	21.000	22.000	54.000	4.000	39.000	150.000	200.000
QT	5.000	970.000	1430.000	1600.000	1790.000	1600.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
NC	.085	.085	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

D/S LIMIT OF THE CITY OF ALBION, SURVEYED SECTION (A)

X1	12.000	42.000	1966.000	2087.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	947.100	898.000	942.000	1000.000	937.800	1102.000	936.100	1204.000	936.300	1304.000
GR	936.100	1406.000	935.100	1500.000	933.200	1600.000	933.600	1700.000	932.600	1800.000
GR	932.200	1826.000	930.400	1882.000	927.700	1966.000	926.200	1970.000	926.600	2000.000
GR	925.800	2014.000	924.700	2022.000	923.500	2034.000	923.000	2050.000	923.200	2066.000
GR	924.000	2076.000	926.000	2083.000	927.300	2087.000	927.500	2100.000	927.600	2186.000
GR	927.800	2280.000	930.100	2346.000	933.100	2418.000	932.000	2502.000	935.000	2600.000
GR	937.800	2696.000	938.500	2788.000	939.900	2884.000	941.600	2998.000	945.300	3022.000
GR	946.700	3040.000	946.400	3056.000	943.500	3092.000	941.600	3199.000	942.500	3390.000
GR	944.300	3488.000	951.200	3560.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	12.600	13.000	2000.000	2090.000	1880.000	1800.000	1850.000	0.000	0.000	0.000
GR	950.000	1200.000	940.000	1365.000	934.000	1600.000	930.500	1980.000	934.000	2000.000
GR	924.600	2015.000	924.600	2080.000	928.000	2090.000	930.000	2100.000	934.000	2400.000
GR	939.000	2550.000	940.000	2630.000	950.000	2850.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	12.700	13.000	2000.000	2100.000	1570.000	1450.000	1500.000	0.000	0.000	0.000
GR	950.000	1170.000	940.000	1340.000	937.000	1790.000	932.000	1900.000	931.000	1980.000
GR	930.500	2000.000	926.000	2010.000	926.000	2090.000	929.300	2100.000	930.000	2150.000
GR	935.000	2220.000	940.000	2320.000	950.000	2750.000	0.000	0.000	0.000	0.000
X1	12.800	33.000	1988.000	2097.000	1700.000	1650.000	1750.000	0.000	0.000	0.000
GR	946.700	1798.000	947.000	1812.000	945.200	1820.000	945.400	1847.000	943.000	1856.000
GR	941.200	1878.000	936.800	1900.000	932.000	1988.000	928.900	2000.000	927.700	2009.000
GR	927.600	2019.000	927.600	2029.000	927.500	2037.000	927.400	2047.000	927.600	2057.000
GR	928.300	2065.000	928.000	2073.000	927.900	2085.000	928.800	2097.000	930.400	2097.000
GR	930.900	2117.000	939.700	2129.000	939.900	2157.000	940.300	2174.000	940.600	2205.000
GR	940.300	2257.000	940.900	2353.000	940.600	2393.000	941.900	2543.000	942.700	2567.000
GR	949.200	2580.000	949.500	2629.000	952.800	2657.000	0.000	0.000	0.000	0.000
NC	.080	.080	.035	.300	.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	7.100	500.000	2539.000	0.000	0.000

D/S FACE OF ABANDONED RR BRIDGE (B)

X1	13.100	51.000	2000.000	2270.000	170.000	325.000	240.000	.910	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.400	940.200	0.000
GR	946.900	500.000	946.900	530.000	946.400	600.000	945.600	700.000	944.700	818.000
GR	944.800	908.000	943.900	1004.000	944.500	1110.000	943.800	1212.000	942.500	1310.000
GR	942.200	1404.000	941.900	1500.000	941.700	1612.000	941.200	1710.000	941.000	1802.000
GR	940.800	1900.000	941.100	2000.000	935.200	2000.000	932.000	2010.000	929.400	2020.000
GR	929.100	2030.000	928.200	2040.000	928.000	2050.000	928.500	2060.000	928.500	2070.000
GR	928.100	2080.000	927.600	2090.000	927.200	2100.000	927.200	2110.000	927.800	2120.000
GR	927.600	2130.000	928.100	2140.000	928.100	2150.000	928.000	2160.000	927.700	2170.000
GR	927.400	2180.000	929.600	2190.000	929.300	2200.000	930.300	2210.000	930.400	2220.000
GR	930.400	2230.000	931.300	2240.000	933.000	2250.000	936.300	2260.000	936.700	2270.000
GR	941.000	2270.000	940.900	2303.000	940.500	2409.000	941.900	2459.000	940.800	2499.000
GR	942.300	2539.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.080	.080	.050	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	1.250	1.400	3.000	300.000	200.000	20.400	2488.000	3.000	928.000	927.200
X1	13.200	40.000	2000.000	2270.000	11.600	11.600	11.600	.910	0.000	0.000
X2	0.000	0.000	1.000	939.600	940.800	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.400	940.200	0.000
GR	944.500	1110.000	943.800	1212.000	942.500	1310.000	942.200	1404.000	941.900	1500.000
GR	941.700	1612.000	941.200	1710.000	941.000	1802.000	940.800	1900.000	941.100	2000.000
GR	939.600	2000.000	934.800	2001.200	932.000	2010.000	930.800	2014.400	928.200	2040.000
GR	928.100	2050.000	928.500	2060.000	928.200	2074.400	927.600	2090.000	927.300	2104.000
GR	927.400	2120.000	927.600	2130.000	927.900	2135.000	928.700	2150.000	927.900	2165.000
GR	927.400	2180.600	929.300	2190.000	930.400	2210.000	930.400	2225.000	930.400	2230.000
GR	931.300	2240.000	933.000	2250.000	934.400	2254.400	934.800	2257.700	939.500	2270.000
GR	941.000	2270.000	940.800	2303.000	940.500	2409.000	941.900	3459.000	942.300	5539.000

MOORE BUSINESS FORMS, INC. 23

X1	13.300	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	941.100	941.000	0.000
NC	.080	.080	.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	14.100	23.000	1976.000	2076.000	380.000	200.000	317.000	0.000	0.000	0.000
GR	949.100	1800.000	949.000	1848.000	942.700	1862.000	941.600	1898.000	940.100	1976.000
GR	929.800	2000.000	929.500	2000.000	926.300	2006.000	925.200	2015.000	925.500	2025.000
GR	927.400	2035.000	928.700	2045.000	929.600	2048.000	940.700	2076.000	941.000	2102.000
GR	941.800	2204.000	941.600	2210.000	942.200	2258.000	944.100	2362.000	947.400	2442.000
GR	950.300	2486.000	950.700	2564.000	951.400	2600.000	0.000	0.000	0.000	0.000
X1	14.300	23.000	1976.000	2076.000	4.000	4.000	4.000	0.000	0.000	0.000
GR	949.100	1800.000	949.000	1848.000	942.700	1862.000	941.600	1898.000	940.100	1976.000
GR	929.800	2000.000	929.500	2000.000	926.300	2006.000	925.200	2015.000	925.500	2025.000
GR	927.400	2035.000	928.700	2045.000	929.600	2048.000	940.700	2076.000	941.000	2102.000
GR	941.800	2204.000	941.600	2210.000	942.200	2258.000	944.100	2362.000	947.400	2442.000
GR	950.300	2486.000	950.700	2564.000	951.400	2600.000	0.000	0.000	0.000	0.000
NC	.060	.060	.020	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	14.400	22.000	2000.000	2060.000	9.000	9.000	9.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.400	939.200	0.000
GR	954.200	1562.000	949.500	1686.000	948.200	1726.000	945.500	1788.000	941.900	1896.000
GR	941.100	2000.000	929.600	2000.000	928.500	2010.000	928.000	2020.000	927.600	2030.000
GR	927.100	2040.000	928.700	2050.000	930.700	2060.000	940.900	2060.000	940.800	2110.000
GR	941.600	2210.000	942.200	2258.000	944.100	2362.000	947.400	2442.000	950.300	2486.000
GR	950.700	2564.000	951.500	2600.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE OF ALBION ST. BRIDGE (C)

X1	14.500	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.400	939.200	0.000
BT	6.000	1896.000	941.900	0.000	2000.000	941.100	0.000	2000.000	941.100	937.600
BT	2060.000	940.900	937.500	2060.000	940.900	0.000	2110.000	940.800	0.000	0.000
X1	14.600	0.000	0.000	0.000	54.000	54.000	54.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.900	940.900	0.000
NC	.060	.060	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	14.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.900	940.900	0.000

MOORE BUSINESS FORMS, INC 23

X1	14.720	0.000	0.000	0.000	4.000	4.000	4.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.900	940.900	0.000
X1	14.750	11.000	2000.000	2050.000	770.000	820.000	770.000	0.000	0.000	0.000
GR	950.000	1380.000	940.000	1690.000	939.000	1790.000	935.000	1900.000	933.000	2000.000
GR	927.500	2015.000	927.500	2045.000	933.000	2050.000	940.000	2090.000	945.000	2200.000
GR	950.000	2290.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

CENTER LINE OF PEARL STREET NO BRIDGE (D)

X1	14.800	32.000	2156.000	2252.000	480.000	570.000	520.000	0.000	0.000	0.000
X4	2.000	964.300	2922.000	972.100	3106.000	0.000	0.000	0.000	0.000	0.000
GR	972.500	1000.000	972.000	1102.000	972.000	1176.000	964.500	1256.000	958.700	1356.000
GR	953.700	1456.000	952.600	1498.000	951.600	1596.000	950.300	1730.000	946.700	1824.000
GR	944.600	1898.000	942.400	2000.000	937.600	2098.000	932.400	2156.000	930.400	2160.000
GR	929.600	2170.000	929.400	2182.000	929.100	2194.000	929.200	2202.000	928.600	2212.000
GR	928.100	2224.000	927.800	2232.000	928.300	2240.000	930.300	2246.000	933.100	2252.000
GR	943.400	2320.000	945.910	2428.000	945.910	2428.000	949.200	2595.000	958.100	2670.000
GR	961.000	2678.000	967.100	2700.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.050	.050	.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	14.900	24.000	2044.000	2116.000	360.000	360.000	360.000	0.000	0.000	0.000
GR	954.000	1226.000	951.200	1338.000	949.900	1448.000	948.100	1528.000	946.300	1622.000
GR	945.400	1724.000	942.500	1802.000	939.500	1895.000	938.300	2000.000	936.900	2044.000
GR	930.200	2044.000	928.500	2060.000	927.800	2076.000	928.100	2092.000	930.600	2108.000
GR	932.400	2116.000	937.000	2116.000	939.300	2134.000	939.100	2198.000	940.800	2300.000
GR	941.500	2316.000	947.400	2424.000	949.200	2526.000	952.100	2604.000	0.000	0.000
X1	15.000	32.000	2036.000	2110.000	31.000	31.000	31.000	.710	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	937.600	937.500	0.000
GR	954.000	1226.000	951.200	1338.000	949.900	1448.000	948.100	1528.000	946.300	1622.000
GR	944.500	1720.000	940.700	1824.000	938.900	1922.000	939.100	2000.000	939.200	2022.000
GR	939.100	2036.000	930.400	2036.010	929.400	2044.000	928.600	2054.000	928.900	2063.000
GR	929.600	2071.000	929.600	2071.010	929.700	2072.000	928.900	2073.000	928.800	2075.000
GR	928.800	2075.010	928.500	2082.000	928.800	2091.000	929.800	2101.000	931.000	2110.000
GR	938.800	2110.010	938.800	2112.000	939.100	2218.000	941.500	2316.000	947.400	2424.000
GR	949.200	2526.000	952.100	2604.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.040	.040	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF EATON ST. BRIDGE.CONCRETE (E)

X1	15.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	.710	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	937.600	937.500	0.000
BT	23.000	1226.000	954.000	0.000	1338.000	951.200	0.000	1448.000	949.900	0.000
BT	1528.000	948.100	0.000	1622.000	946.300	0.000	1720.000	944.500	0.000	1824.000
BT	940.700	0.000	1922.000	939.100	0.000	2000.000	939.200	0.000	2022.000	939.200

MOORE BUSINESS FORMS, INC. 23

BT	0.000	2022.000	939.200	0.000	2036.000	939.100	0.000	2036.010	939.100	936.000
BT	2071.000	939.000	936.000	2071.010	939.000	929.600	2072.000	939.000	929.700	2073.000
BT	939.000	928.900	2075.000	939.000	928.800	2075.010	939.000	936.000	2110.000	938.800
BT	936.000	2110.010	938.800	0.000	2112.000	938.800	0.000	2218.000	939.100	0.000
X1	15.200	29.000	2013.000	2087.000	36.000	36.000	36.000	.710	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	.710	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.200	938.900	0.000
BT	20.000	1226.000	954.000	0.000	1338.000	951.200	0.000	1448.000	949.900	0.000
BT	1528.000	948.100	0.000	1622.000	946.300	0.000	1720.000	944.500	0.000	1824.000
BT	940.700	0.000	1922.000	938.900	0.000	2000.000	939.100	0.000	2000.000	939.100
BT	0.000	2000.000	939.100	0.000	2013.000	939.200	0.000	2013.010	939.200	936.000
BT	2048.000	939.100	936.000	2048.010	939.100	929.400	2052.000	939.100	929.500	2052.010
BT	939.100	936.000	2087.000	938.900	936.000	2087.010	938.900	0.000	2112.000	938.800
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	954.000	1226.000	951.200	1338.000	949.900	1448.000	948.100	1528.000	946.300	1622.000
GR	944.500	1720.000	940.700	1824.000	938.900	1922.000	939.100	2000.000	939.200	2013.000
GR	931.100	2013.010	930.200	2021.000	929.100	2031.000	928.800	2040.000	929.400	2048.000
GR	929.400	2048.010	929.500	2052.000	929.500	2052.010	929.000	2060.000	928.400	2079.000
GR	929.600	2083.000	930.000	2087.000	938.900	2087.010	938.800	2112.000	939.100	2218.000
GR	941.500	2316.000	947.400	2424.000	949.200	2526.000	952.100	2604.000	0.000	0.000
X1	15.300	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.200	938.900	0.000
X1	15.400	26.000	2000.000	2098.000	11.000	11.000	11.000	0.000	0.000	0.000
GR	954.000	1226.000	951.200	1338.000	949.900	1448.000	948.100	1528.000	946.300	1622.000
GR	944.500	1720.000	941.500	1794.000	938.300	1896.000	938.000	2000.000	936.500	2010.000
GR	930.900	2010.000	930.800	2012.000	930.000	2022.000	928.800	2032.000	928.900	2050.000
GR	928.200	2062.000	928.400	2076.000	930.600	2084.000	934.900	2084.000	938.300	2098.000
GR	939.100	2206.000	941.300	2310.000	941.500	2316.000	947.400	2424.000	949.200	2526.000
GR	952.100	2604.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1148.000	2196.000	0.000	0.000
NC	.040	.040	.020	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	15.800	32.000	2116.000	2186.000	350.000	350.000	350.000	0.000	0.000	0.000
GR	955.900	1148.000	955.000	1294.000	953.600	1398.000	952.900	1446.000	951.700	1496.000
GR	949.300	1588.000	946.500	1692.000	946.300	1722.000	944.400	1800.000	941.600	1882.000
GR	939.700	2000.000	939.400	2076.000	940.000	2116.000	930.500	2116.000	930.100	2127.000
GR	929.900	2135.000	928.200	2143.000	927.800	2152.000	928.400	2160.000	929.600	2168.000
GR	930.200	2178.000	930.800	2186.000	937.600	2186.000	938.600	2196.000	938.500	2298.000
GR	938.300	2398.000	940.500	2398.000	942.000	2440.000	945.900	2440.000	946.000	2486.000
GR	946.900	2510.000	948.600	2602.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.050	.050	.035	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	15.900	29.000	2118.000	2177.500	56.000	56.000	56.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	938.400	938.400	0.000
GR	955.900	1148.000	955.000	1294.000	953.600	1398.000	952.900	1446.000	951.700	1496.000
GR	949.300	1588.000	946.500	1692.000	946.300	1722.000	944.400	1800.000	941.600	1882.000
GR	939.600	2000.000	940.300	2118.000	930.000	2118.000	929.700	2127.000	929.000	2135.000
GR	928.800	2143.000	928.800	2152.000	929.500	2160.000	929.700	2168.000	930.600	2177.500
GR	940.300	2177.500	939.800	2202.000	938.100	2304.000	939.200	2406.000	943.000	2496.000
GR	947.400	2598.000	948.900	2702.000	951.300	2806.000	955.800	2904.000	0.000	0.000
NC	.040	.040	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

D/S FACE OF CLINTON ST. BRIDGE.CONCRETE (F)

X1	16.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	938.400	938.400	0.000
BT	6.000	2000.000	939.600	0.000	2118.000	940.300	930.000	2118.000	940.300	936.400
BT	2177.500	940.300	936.400	2177.500	940.300	930.600	2202.000	939.800	0.000	0.000
X1	16.100	29.000	2118.000	2177.500	54.000	54.000	54.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.300	940.300	0.000
BT	6.000	2000.000	939.600	0.000	2118.000	940.300	929.800	2118.000	940.300	936.400
BT	2177.500	940.300	936.400	2177.500	940.300	930.200	2202.000	939.800	0.000	0.000
GR	955.900	1148.000	955.000	1294.000	953.600	1398.000	952.900	1446.000	951.700	1496.000
GR	949.300	1588.000	946.500	1692.000	946.300	1722.000	944.400	1800.000	941.600	1882.000
GR	939.600	2000.000	940.300	2118.000	929.800	2118.000	929.000	2127.000	929.300	2135.000
GR	929.200	2143.000	929.200	2152.000	929.700	2160.000	930.100	2168.000	930.200	2177.500
GR	940.300	2177.500	939.800	2202.000	938.100	2304.000	939.200	2406.000	943.000	2496.000
GR	947.400	2598.000	948.900	2702.000	951.300	2806.000	955.800	2904.000	0.000	0.000
X1	16.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.300	940.300	0.000
NC	.040	.020	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	16.300	37.000	2111.000	2175.000	56.000	56.000	56.000	0.000	0.000	0.000
GR	955.900	1148.000	955.000	1294.000	953.600	1398.000	952.900	1446.000	951.700	1496.000
GR	949.300	1588.000	946.500	1692.000	946.300	1722.000	946.000	1726.000	946.000	1746.000
GR	944.300	1806.000	941.000	1851.000	939.600	1964.000	939.500	2000.000	940.400	2052.000
GR	943.000	2058.000	943.000	2098.000	940.900	2098.000	940.300	2110.000	943.400	2111.000
GR	929.700	2111.000	929.400	2127.000	929.100	2135.000	928.800	2143.000	929.300	2152.000
GR	929.100	2160.000	929.000	2168.000	930.000	2175.000	934.700	2175.000	939.400	2196.000
GR	940.200	2396.000	939.200	2406.000	943.000	2496.000	947.400	2598.000	948.900	2702.000
GR	951.300	2806.000	955.800	2904.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.040	.040	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	16.800	38.000	2117.000	2204.000	125.000	125.000	125.000	0.000	0.000	0.000
GR	953.600	700.000	954.400	798.000	955.100	870.000	954.700	966.000	954.200	1070.000
GR	953.500	1170.000	953.100	1210.000	951.500	1298.000	949.900	1396.000	949.000	1453.000
GR	948.200	1504.000	947.700	1600.000	945.300	1726.000	942.900	1802.000	940.200	1842.000
GR	940.100	1904.000	940.600	2000.000	940.700	2114.000	940.700	2117.000	930.260	2117.000

MOORE BUSINESS FORMS, INC 23

GR	930.560	2127.000	929.360	2137.000	929.060	2147.000	930.060	2157.000	929.760	2176.000
GR	930.760	2177.000	930.560	2187.000	931.060	2204.000	936.900	2204.000	937.100	2286.000
GR	940.100	2392.000	940.700	2440.000	947.500	2564.000	948.500	2670.000	951.100	2772.000
GR	953.300	2874.000	954.100	2900.000	958.100	3006.000	0.000	0.000	0.000	0.000
X1	16.900	25.000	2114.000	2207.000	19.000	19.000	19.000	0.000	0.000	0.000
GR	948.200	1504.000	947.670	1600.000	945.250	1726.000	942.880	1802.000	940.200	1842.000
GR	940.140	1904.000	941.520	2000.000	940.600	2114.000	930.490	2114.000	930.770	2127.000
GR	929.590	2137.000	929.320	2147.000	930.320	2157.000	930.020	2167.000	929.990	2177.000
GR	930.800	2187.000	931.250	2207.000	936.880	2207.000	937.110	2286.000	940.140	2392.000
GR	940.700	2440.000	947.500	2564.000	948.500	2670.000	951.100	2772.000	953.300	2874.000
NC	.040	.040	.025	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE (G)

X1	17.000	21.000	2114.000	2207.000	1.000	1.000	1.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	937.050	960.000	0.000	0.000	0.000	0.000	0.000
GR	960.000	2000.000	960.000	2114.000	930.490	2114.000	930.770	2128.000	937.050	2128.000
GR	937.050	2128.670	930.770	2128.670	929.320	2145.000	937.050	2145.000	937.050	2145.670
GR	929.320	2145.670	930.320	2163.000	937.050	2163.000	937.050	2165.000	930.020	2165.000
GR	930.800	2185.000	937.050	2185.000	937.050	2187.000	930.800	2187.000	931.250	2207.000
GR	960.000	2207.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	17.100	0.000	0.000	0.000	90.000	90.000	90.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	937.050	960.000	0.000	0.000	0.000	0.000	0.000
NC	.040	.040	.030	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	17.200	17.000	2114.000	2208.000	1.000	1.000	1.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	937.180	960.000	0.000	0.000	0.000	0.000	0.000
GR	960.000	2000.000	960.000	2114.000	931.100	2114.000	931.300	2124.000	930.500	2134.000
GR	930.300	2144.000	929.900	2154.000	930.200	2159.000	937.180	2160.000	937.180	2163.000
GR	931.300	2164.000	931.200	2174.000	930.800	2184.000	929.700	2194.000	928.800	2208.000
GR	960.000	2208.000	960.000	2250.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE

X1	17.300	15.000	2114.000	2207.000	100.000	100.000	100.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	937.180	960.000	0.000	0.000	0.000	0.000	0.000
GR	960.000	2000.000	960.000	2114.000	931.900	2114.000	931.700	2118.000	930.900	2128.000
GR	930.400	2138.000	930.100	2148.000	929.980	2158.000	937.180	2159.000	937.180	2161.000
GR	930.200	2163.000	929.800	2184.000	928.100	2207.000	960.000	2207.000	960.000	2500.000
X1	17.400	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	17.500	39.000	2106.000	2199.000	120.000	120.000	120.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	941.500	941.900	0.000
GR	953.600	700.000	954.400	798.000	955.100	870.000	954.700	966.000	954.200	1070.000
GR	953.500	1170.000	953.100	1210.000	951.500	1298.000	949.900	1396.000	949.000	1453.000
GR	948.200	1504.000	946.300	1602.000	944.500	1700.000	944.000	1726.000	943.000	1810.000
GR	942.200	1902.000	941.500	2000.000	941.400	2032.000	941.400	2052.000	940.300	2056.000
GR	940.000	2088.000	939.900	2096.000	931.800	2106.000	931.000	2124.000	930.500	2134.000
GR	930.200	2144.000	930.600	2154.000	930.900	2165.000	931.200	2178.000	931.100	2186.000
GR	931.900	2199.000	936.100	2199.000	937.500	2220.000	938.000	2296.000	947.200	2448.000
GR	947.500	2564.000	948.500	2670.000	951.100	2772.000	953.300	2874.000	0.000	0.000
X1	17.900	60.000	2130.000	2280.000	20.000	120.000	79.000	.731	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	937.400	936.600	0.000
GR	950.600	446.000	950.300	672.000	950.300	774.000	948.800	892.000	948.000	994.000
GR	946.300	1094.000	945.600	1154.000	943.100	1284.000	941.400	1390.000	939.900	1492.000
GR	939.600	1594.000	940.400	1798.000	941.500	2000.000	941.800	2130.000	933.000	2130.000
GR	932.000	2135.000	931.700	2140.000	931.500	2145.000	931.700	2150.000	931.700	2155.000
GR	931.600	2165.000	931.700	2170.000	931.100	2176.600	929.800	2181.600	929.400	2186.600
GR	929.500	2191.600	929.800	2196.600	931.700	2201.600	932.000	2206.600	933.000	2211.600
GR	932.700	2216.600	931.700	2228.000	930.300	2233.000	929.300	2239.000	929.200	2245.000
GR	929.000	2250.000	929.400	2255.000	931.200	2260.000	930.200	2262.000	931.900	2265.000
GR	932.700	2270.000	932.300	2275.000	931.800	2280.000	941.300	2280.000	940.800	2330.000
GR	940.600	2402.000	941.000	2500.000	941.500	2602.000	944.300	2690.000	948.400	2808.000
GR	948.500	2840.000	946.400	2940.000	945.600	3004.000	946.200	3208.000	946.900	3296.000
GR	943.600	3394.000	944.500	3492.000	945.800	3618.000	946.400	3678.000	949.000	3796.000
NC	.040	.040	.030	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE OF W.CASS ST. BRIDGE.CONCRETE (H)

X1	18.000	58.000	2130.000	2280.000	1.000	1.000	1.000	.731	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	.731	0.000
X4	1.000	931.800	2204.800	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	36.000	2000.000	941.500	0.000	2130.000	941.800	0.000	2130.000	941.800	933.000
BT	2135.000	941.800	935.900	2140.000	941.800	937.700	2145.000	941.800	938.600	2150.000
BT	941.800	938.900	2153.300	941.800	939.000	2160.000	941.800	938.800	2165.000	941.800
BT	937.800	2170.000	941.800	936.300	2176.600	941.800	932.500	2181.600	941.700	932.500
BT	2186.600	941.700	935.800	2191.600	941.700	937.500	2196.600	941.700	938.400	2201.600
BT	941.700	938.900	2204.800	941.700	939.000	2206.600	941.700	938.900	2211.600	941.700
BT	938.600	2216.600	941.700	937.700	2222.500	941.700	935.900	2228.000	941.700	932.500
BT	2233.000	941.700	932.500	2239.000	941.600	936.400	2245.000	941.600	937.900	2250.000
BT	941.500	938.700	2255.000	941.500	939.000	2256.500	941.500	939.000	2260.000	941.400
BT	938.900	2265.000	941.400	938.300	2270.000	941.400	937.400	2275.000	941.300	935.600
BT	2280.000	941.300	931.800	2280.000	941.300	0.000	2330.000	940.800	0.000	0.000
GR	941.500	2000.000	941.500	2000.000	941.500	2000.000	941.800	2130.000	933.000	2130.000
GR	932.000	2135.000	931.700	2140.000	931.500	2145.000	931.700	2150.000	931.700	2153.300
GR	931.700	2155.000	931.600	2160.000	931.600	2165.000	931.700	2170.000	931.100	2176.600
GR	932.500	2176.600	932.500	2181.600	929.800	2181.600	929.400	2186.600	929.500	2191.600
GR	929.800	2196.600	931.700	2201.600	932.000	2206.600	933.000	2211.600	932.700	2216.600
GR	932.100	2222.500	931.700	2228.000	932.500	2228.000	932.500	2233.000	930.300	2233.000
GR	929.300	2239.000	929.200	2245.000	929.000	2250.000	929.400	2255.000	930.100	2256.500

MOORE BUSINESS FORMS, INC 23

GR	931.200	2260.000	930.200	2262.000	931.900	2265.000	932.700	2270.000	932.300	2275.000
GR	931.800	2280.000	941.300	2280.000	940.800	2330.000	940.600	2402.000	941.000	2500.000
GR	941.500	2602.000	944.300	2690.000	948.400	2808.000	948.500	2840.000	946.400	2940.000
GR	945.600	3004.000	946.200	3208.000	946.900	3296.000	943.600	3394.000	944.500	3492.000
GR	945.800	3618.000	946.400	3678.000	949.000	3796.000	0.000	0.000	0.000	0.000
X1	18.100	54.000	2142.600	2280.000	40.000	40.000	40.000	.731	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	.731	0.000	0.000
BT	32.000	2130.000	941.800	0.000	2142.600	941.800	0.000	2142.600	941.800	938.100
BT	2148.200	941.800	938.800	2153.800	941.800	939.000	2159.400	941.800	938.700	2165.000
BT	941.800	937.800	2170.600	941.800	936.100	2176.600	941.800	932.500	2181.600	941.700
BT	932.500	2187.000	941.700	935.900	2192.400	941.700	937.700	2197.800	941.700	938.600
BT	2203.200	941.700	939.000	2208.600	941.700	938.900	2214.000	941.700	938.200	2219.400
BT	941.700	937.000	2225.200	941.700	934.600	2228.000	941.700	932.500	2233.000	941.700
BT	932.500	2235.300	941.700	934.100	2240.400	941.600	936.700	2245.500	941.600	938.000
BT	2250.600	941.500	938.800	2256.500	941.500	939.000	2260.800	941.400	938.800	2265.900
BT	941.400	938.200	2271.000	941.400	937,000	2276.500	941.300	934.900	2280.000	941.300
BT	931.800	2280.000	941.300	0.000	2330.000	940.800	0.000	0.000	0.000	0.000
GR	941.800	2130.000	941.800	2130.000	941.800	2130.000	941.800	2130.000	941.800	2142.600
GR	933.400	2142.600	932.000	2148.200	931.900	2153.800	931.900	2159.400	931.800	2165.000
GR	931.600	2170.600	931.600	2176.600	932.500	2176.600	932.500	2181.600	931.100	2181.600
GR	931.100	2187.000	930.700	2192.400	930.300	2197.800	930.000	2203.200	929.800	2208.600
GR	930.000	2214.000	930.500	2219.400	930.900	2225.200	931.300	2228.000	932.500	2228.000
GR	932.500	2233.000	931.300	2233.000	930.900	2235.300	930.500	2240.400	929.900	2245.500
GR	929.800	2250.600	929.700	2256.500	929.500	2260.800	929.300	2265.900	929.500	2271.000
GR	930.600	2276.500	931.800	2280.000	941.300	2280.000	940.800	2330.000	940.600	2402.000
GR	941.000	2500.000	941.500	2602.000	944.300	2690.000	948.400	2808.000	948.500	2840.000
GR	946.400	2940.000	945.600	3004.000	946.200	3208.000	946.900	3296.000	943.600	3394.000
GR	944.500	3492.000	945.800	3618.000	946.400	3678.000	949.000	3796.000	0.000	0.000
X1	18.200	27.000	2000.000	2140.000	1.000	1.000	1.000	.731	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	941.800	941.300	0.000
GR	951.000	1378.000	943.000	1898.000	942.000	1946.000	931.400	2000.000	930.800	2010.000
GR	930.600	2020.000	930.400	2032.000	930.800	2044.000	930.600	2054.000	930.500	2066.000
GR	930.800	2076.000	932.100	2086.000	935.200	2108.000	939.800	2140.000	940.700	2260.000
GR	941.500	2304.000	944.300	2392.000	948.400	2510.000	948.500	2542.000	946.400	2642.000
GR	945.600	2706.000	946.200	2910.000	946.900	2998.000	947.900	3096.000	948.800	3194.000
GR	950.000	3320.000	950.700	3380.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	18.300	0.000	0.000	0.000	49.000	49.000	49.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	941.800	941.300	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	18.800	29.000	2000.000	2140.000	420.000	340.000	365.000	0.000	0.000	0.000
GR	949.900	1378.000	943.000	1898.000	942.000	1946.000	940.400	2000.000	931.400	2000.000
GR	930.800	2010.000	930.600	2020.000	930.400	2032.000	930.800	2044.000	930.600	2054.000
GR	930.500	2066.000	930.800	2076.000	932.100	2086.000	935.200	2108.000	939.800	2140.000
GR	940.700	2260.000	941.500	2304.000	944.300	2392.000	948.400	2510.000	948.500	2542.000
GR	946.400	2642.000	945.600	2706.000	946.200	2910.000	946.900	2998.000	947.900	3096.000

MOORE BUSINESS FORMS, INC 23

GR	948.800	3194.000	950.000	3320.000	950.700	3380.000	953.300	3498.000	0.000	0.000
X1	18.900	30.000	2000.000	2066.600	195.000	215.000	200.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.400	939.600	0.000
GR	947.000	1550.000	946.400	1600.000	946.000	1686.000	940.300	1794.000	939.300	1902.000
GR	932.200	2000.000	931.600	2008.000	931.100	2016.000	931.600	2024.000	931.600	2032.000
GR	931.600	2040.000	931.700	2048.000	932.700	2056.000	940.200	2066.600	940.700	2096.000
GR	942.000	2182.000	942.600	2214.000	943.100	2296.000	944.500	2416.000	945.400	2492.000
GR	946.300	2588.000	947.500	2690.000	949.600	2794.000	950.600	2902.000	951.500	3002.000
GR	951.900	3106.000	952.800	3214.000	952.700	3242.000	953.100	3342.000	954.200	3408.000
NC	.040	.040	.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE OF PORTER ST. WALK BRIDGE.CONCRETE (I)

CONFLUENCE WITH THE EAST BRANCH KALAMAZOO

X1	19.000	34.000	2000.000	2057.700	0.000	0.000	4.000	0.000	0.000	0.000
BT	11.000	1794.000	940.300	0.000	2000.000	940.100	932.200	2000.000	940.100	938.600
BT	2026.700	940.200	938.700	2027.700	940.300	938.800	2057.700	940.400	938.900	2057.700
BT	940.400	932.500	2096.000	940.700	0.000	2182.000	942.000	0.000	2214.000	942.600
BT	0.000	2296.000	943.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	947.000	1550.000	946.400	1600.000	946.000	1686.000	940.300	1794.000	940.100	2000.000
GR	932.200	2000.000	931.600	2008.000	931.100	2016.000	931.600	2024.000	931.600	2026.200
GR	938.700	2026.700	938.800	2027.700	931.600	2028.200	931.600	2032.000	931.600	2040.000
GR	931.700	2048.000	932.500	2057.700	940.400	2057.700	940.700	2096.000	942.000	2182.000
GR	942.600	2214.000	943.100	2296.000	944.500	2416.000	945.400	2492.000	946.300	2588.000
GR	947.500	2690.000	949.600	2794.000	950.600	2902.000	951.500	3002.000	951.900	3106.000
GR	952.800	3214.000	952.700	3242.000	953.100	3342.000	954.200	3408.000	0.000	0.000

X1	19.100	0.000	0.000	0.000	6.000	6.000	6.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.100	940.400	0.000

X1	19.200	32.000	2000.000	2057.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	940.100	940.400	0.000
GR	947.000	1550.000	946.400	1600.000	946.000	1686.000	940.700	1686.000	940.300	1794.000
GR	939.300	1902.000	939.200	2000.000	933.000	2007.000	932.000	2008.000	931.200	2016.000
GR	931.100	2024.000	931.000	2032.000	930.900	2040.000	931.400	2048.000	932.900	2057.000
GR	939.300	2057.000	940.700	2096.000	942.000	2182.000	942.600	2214.000	943.100	2296.000
GR	944.500	2416.000	945.400	2492.000	946.300	2588.000	947.500	2690.000	949.600	2794.000
GR	950.600	2902.000	951.500	3002.000	951.900	3106.000	952.800	3214.000	952.700	3242.000
GR	953.100	3342.000	954.200	3408.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	19.300	0.000	0.000	0.000	24.000	24.000	24.000	0.000	0.000	0.000
NC	.040	.040	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	19.800	43.000	2297.000	2367.000	165.000	165.000	165.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	943.100	942.900	0.000
GR	960.400	934.000	958.500	998.000	956.700	1096.000	955.900	1200.000	955.400	1298.000
GR	954.900	1400.000	954.300	1496.000	953.600	1616.000	952.500	1700.000	951.200	1800.000
GR	950.000	1900.000	948.900	2000.000	947.200	2100.000	945.200	2201.000	944.100	2297.000
GR	934.500	2297.000	933.300	2307.000	932.400	2315.000	931.900	2323.000	931.600	2330.000
GR	931.800	2337.000	931.900	2345.000	933.600	2353.000	934.300	2361.000	934.800	2367.000
GR	943.900	2367.000	943.800	2402.000	943.600	2563.000	944.200	2685.000	945.700	2789.000
GR	946.400	2825.000	948.100	2917.000	949.500	3000.000	951.200	3105.000	952.900	3207.000
GR	953.500	3239.000	954.200	3337.000	953.900	3441.000	953.700	3500.000	953.300	3605.000
GR	953.100	3679.000	953.400	3775.000	954.000	3879.000	0.000	0.000	0.000	0.000
X1	19.900	0.000	0.000	0.000	0.000	0.000	50.000	0.000	0.000	0.000
NC	.040	.040	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF ERIE ST. BRIDGE.CONCRETE (J)

X1	20.000	49.000	2297.000	2367.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	943.100	942.900	0.000
BT	11.000	2201.000	945.200	0.000	2297.000	944.100	934.500	2297.000	944.100	942.100
BT	2318.500	944.100	942.100	2321.500	944.100	942.100	2342.500	944.000	942.000	2345.500
BT	944.000	942.100	2367.000	943.900	941.900	2367.000	943.900	934.800	2402.000	943.800
BT	0.000	2563.000	943.600	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	960.400	934.000	958.500	998.000	956.700	1096.000	955.900	1200.000	955.400	1298.000
GR	954.900	1400.000	954.300	1496.000	953.600	1616.000	952.500	1700.000	951.200	1800.000
GR	950.000	1900.000	948.900	2000.000	947.200	2100.000	945.200	2201.000	944.100	2297.000
GR	934.500	2297.000	933.300	2307.000	932.400	2315.000	932.200	2317.500	942.100	2318.500
GR	942.100	2321.500	931.900	2322.500	931.600	2330.000	931.800	2337.000	931.900	2341.500
GR	942.000	2342.500	942.000	2345.500	932.100	2346.500	933.600	2353.000	934.300	2361.000
GR	934.800	2367.000	943.900	2367.000	943.800	2402.000	943.600	2563.000	944.200	2685.000
GR	945.700	2789.000	946.400	2825.000	948.100	2917.000	949.500	3000.000	951.200	3105.000
GR	952.900	3207.000	953.500	3239.000	954.200	3337.000	953.900	3441.000	953.700	3500.000
GR	953.300	3605.000	953.100	3679.000	953.400	3775.000	954.000	3879.000	0.000	0.000
X1	20.100	0.000	0.000	0.000	90.000	90.000	90.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X1	20.200	43.000	2297.000	2367.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	944.100	943.900	0.000
GR	960.400	934.000	958.500	998.000	956.700	1096.000	955.900	1200.000	955.400	1298.000
GR	954.900	1400.000	954.300	1496.000	953.600	1616.000	952.500	1700.000	951.200	1800.000
GR	950.000	1900.000	948.900	2000.000	947.200	2100.000	945.200	2201.000	944.100	2297.000
GR	934.500	2297.000	933.300	2307.000	932.400	2315.000	931.900	2323.000	931.600	2330.000
GR	931.800	2337.000	931.900	2345.000	933.600	2353.000	934.300	2361.000	934.800	2367.000
GR	943.900	2367.000	943.800	2402.000	943.600	2563.000	944.200	2685.000	945.700	2789.000
GR	946.400	2825.000	948.100	2917.000	949.500	3000.000	951.200	3105.000	952.900	3207.000
GR	953.500	3239.000	954.200	3337.000	953.900	3441.000	953.700	3500.000	953.300	3605.000
GR	953.100	3679.000	953.400	3775.000	954.000	3879.000	0.000	0.000	0.000	0.000

X1	20.300	46.000	2297.000	2367.000	64.000	64.000	64.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	960.400	934.000	958.500	998.000	956.700	1096.000	955.900	1200.000	955.400	1298.000
GR	954.900	1400.000	954.300	1496.000	953.600	1616.000	952.500	1700.000	951.200	1800.000
GR	950.000	1900.000	948.900	2000.000	947.200	2100.000	945.200	2201.000	943.300	2297.000
GR	942.300	2297.000	933.600	2297.000	932.100	2327.000	931.700	2337.000	931.900	2347.000
GR	932.300	2357.000	932.600	2367.000	939.100	2367.000	942.900	2385.000	943.400	2419.000
GR	943.100	2519.000	942.600	2588.000	936.900	2588.000	935.700	2626.000	942.000	2626.000
GR	944.600	2673.000	944.200	2685.000	945.700	2789.000	946.400	2825.000	948.100	2917.000
GR	949.500	3000.000	951.200	3105.000	952.900	3207.000	953.500	3239.000	954.200	3337.000
GR	953.900	3441.000	953.700	3500.000	953.300	3605.000	953.100	3679.000	953.400	3775.000
GR	954.000	3879.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	7.000	.060	2000.000	.030	2032.000	.060	2530.000	.035	2570.000	.070
NH	2698.000	.035	2728.000	.060	3748.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	432.000	2256.000	0.000	0.000

X1	21.000	49.000	2000.000	2032.000	1060.000	1040.000	1050.000	0.000	0.000	0.000
GR	951.700	432.000	952.000	586.000	953.400	744.000	950.600	820.000	951.000	906.000
GR	950.400	1036.000	949.800	1138.000	949.700	1238.000	949.600	1302.000	949.200	1398.000
GR	948.700	1494.000	949.600	1630.000	946.700	1710.000	943.600	1726.000	941.900	1756.000
GR	941.500	1832.000	941.700	1904.000	938.300	1942.000	937.400	2000.000	934.100	2000.000
GR	933.200	2008.000	934.100	2022.000	934.500	2032.000	937.600	2032.000	939.800	2132.000
GR	940.200	2256.000	938.100	2438.000	938.900	2466.000	936.000	2530.000	934.200	2530.000
GR	933.600	2546.000	934.300	2570.000	936.600	2570.000	937.300	2628.000	936.500	2698.000
GR	934.300	2698.000	934.000	2714.000	934.100	2728.000	936.000	2728.000	941.100	2890.000
GR	940.800	2982.000	940.200	3080.000	940.600	3176.000	941.600	3273.000	942.100	3346.000
GR	942.300	3414.000	941.600	3510.000	943.800	3706.000	945.800	3748.000	0.000	0.000
QT	5.000	535.000	675.000	735.000	875.000	735.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
NH	5.000	.070	2026.000	.035	2105.000	.050	2149.000	.035	2162.000	.060
NH	2300.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	21.100	20.000	2026.000	2162.000	210.000	210.000	210.000	0.000	0.000	0.000
GR	945.700	2000.000	940.100	2015.000	939.600	2026.000	935.600	2026.000	935.400	2030.000
GR	935.300	2040.000	935.300	2050.000	935.400	2070.000	935.200	2080.000	935.500	2090.000
GR	936.000	2100.000	936.400	2105.000	939.200	2105.000	939.500	2149.000	936.200	2149.000
GR	935.600	2155.000	935.800	2162.000	939.000	2162.000	940.600	2185.000	942.700	2300.000
NC	.060	.060	.030	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	21.200	40.000	2113.000	2272.000	130.000	150.000	140.000	0.000	0.000	0.000
GR	949.400	1900.000	945.500	2000.000	944.500	2024.000	944.400	2106.000	945.500	2107.000
GR	945.500	2113.000	939.300	2130.000	937.300	2130.000	935.800	2130.000	935.500	2140.000
GR	935.500	2150.000	935.500	2160.000	935.400	2170.000	935.700	2180.000	936.100	2190.000
GR	936.400	2200.000	936.500	2222.000	939.500	2222.000	939.300	2250.000	937.700	2259.000
GR	936.400	2259.000	935.800	2265.500	936.500	2271.000	939.400	2272.000	940.700	2300.000
GR	941.200	2402.000	941.700	2506.000	942.100	2606.000	942.000	2708.000	942.200	2814.000
GR	943.600	2818.000	946.000	3000.000	942.300	3102.000	942.800	3202.000	944.600	3302.000
GR	945.600	3404.000	949.700	3504.000	952.000	3602.000	954.100	3698.000	961.100	3800.000

MOORE BUSINESS FORMS, INC. 23

NC	.060	.060	.030	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	7.100	1900.000	2700.000	0.000	0.000
X1	21.300	20.000	2130.000	2227.000	110.000	130.000	125.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	939.300	939.300	0.000
GR	949.400	1900.000	945.500	2000.000	944.500	2024.000	945.500	2107.000	945.500	2113.000
GR	939.300	2130.000	936.200	2130.000	935.700	2140.000	935.600	2150.000	935.600	2160.000
GR	935.600	2170.000	935.700	2180.000	936.000	2190.000	936.400	2200.000	936.500	2210.000
GR	936.600	2227.000	939.500	2227.000	940.000	2330.000	941.600	2500.000	943.700	2700.000
SB	0.000	1.800	3.000	97.000	1.500	0.000	.500	0.000	937.600	935.200

DAM AT VICTORY PARK DAM. CREST ELEV. 944 (K)

CODED AS A VERY SMALL HOLE TO FORCE WIER FLOW

X1	21.500	35.000	2210.000	2308.000	15.000	15.000	15.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	938.000	944.200	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	948.600	948.600	0.000
X4	4.000	944.200	2259.000	937.600	2259.000	937.600	2260.500	944.200	2260.500	0.000
GR	948.300	2000.000	948.500	2124.000	944.900	2134.000	943.400	2146.000	943.200	2178.000
GR	948.300	2178.000	948.900	2200.000	948.600	2210.000	944.200	2210.000	944.200	2230.000
GR	944.200	2252.000	944.200	2280.000	944.200	2308.000	948.500	2308.000	946.900	2310.000
GR	946.600	2318.000	942.200	2336.000	942.500	2440.000	942.800	2546.000	944.300	2648.000
GR	946.100	2750.000	947.400	2844.000	946.500	2902.000	945.300	3006.000	946.800	3110.000
GR	945.800	3208.000	947.000	3304.000	952.100	3408.000	955.000	3510.000	955.400	3600.000
GR	959.800	3700.000	968.200	3800.000	973.100	3904.000	976.300	3934.000	978.000	3976.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	21.600	20.000	205.000	308.000	27.000	27.000	27.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	948.600	948.600	0.000
GR	948.600	0.000	948.500	124.000	944.860	134.000	943.360	146.000	940.000	152.000
GR	943.600	175.000	948.340	175.000	948.300	205.000	939.600	205.000	938.700	224.000
GR	938.000	266.000	939.000	292.000	942.600	308.000	948.600	308.000	946.900	310.000
GR	940.000	336.000	942.530	440.000	944.260	648.000	946.080	750.000	947.410	844.000
X1	21.900	28.000	2185.000	2288.000	73.000	73.000	73.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	948.800	948.700	0.000
GR	946.000	900.000	946.600	1062.000	947.400	1230.000	948.600	1644.000	947.800	1644.000
GR	947.600	1710.000	947.600	1810.000	947.300	1886.000	947.200	2104.000	947.300	2185.000
GR	943.500	2185.000	940.700	2196.000	941.200	2206.000	941.000	2216.000	940.300	2226.000
GR	940.100	2236.000	937.600	2246.000	939.500	2256.000	939.400	2266.000	940.700	2276.000
GR	943.600	2288.000	947.300	2288.000	948.600	2373.000	949.800	2467.000	951.400	2568.000
GR	953.600	2674.000	960.100	2791.000	964.600	2887.000	0.000	0.000	0.000	0.000
NC	.040	.040	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

D/S FACE OF HAVEN RD. BRIDGE.CONCRETE (L)

X1	22.000	35.000	2185.000	2288.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	8.000	2104.000	947.200	0.000	2185.000	950.200	947.300	2218.000	950.200	947.300
BT	2220.000	950.200	947.300	2254.000	950.100	947.300	2256.000	950.100	947.300	2288.000
BT	950.100	947.300	2373.000	948.600	0.000	0.000	0.000	0.000	0.000	0.000
GR	946.000	900.000	946.600	1062.000	947.400	1230.000	948.600	1644.000	947.800	1644.000
GR	947.600	1710.000	947.600	1810.000	947.300	1886.000	947.200	2104.000	950.200	2185.000
GR	943.500	2185.000	940.700	2196.000	941.200	2206.000	941.000	2216.000	940.900	2217.000
GR	947.300	2218.000	947.300	2220.000	940.600	2221.000	940.300	2226.000	940.100	2236.000
GR	937.600	2246.000	938.900	2253.000	947.300	2254.000	947.300	2256.000	939.500	2257.000
GR	939.400	2266.000	940.700	2276.000	943.600	2288.000	950.100	2288.000	948.600	2373.000
GR	949.800	2467.000	951.400	2568.000	953.600	2674.000	960.100	2791.000	964.600	2887.000

X1	22.100	34.000	2185.000	2288.000	23.000	23.000	23.000	0.000	0.000	0.000
BT	8.000	2104.000	947.200	0.000	2185.000	950.200	947.300	2218.000	950.200	947.300
BT	2220.000	950.200	947.300	2254.000	950.100	947.300	2256.000	950.100	947.300	2288.000
BT	950.100	947.300	2373.000	948.600	0.000	0.000	0.000	0.000	0.000	0.000
GR	946.000	900.000	946.600	1062.000	947.400	1230.000	948.600	1644.000	947.800	1644.000
GR	947.600	1710.000	947.600	1810.000	947.300	1886.000	947.200	2104.000	950.200	2185.000
GR	944.100	2185.000	941.100	2196.000	940.700	2216.000	940.700	2217.000	947.300	2218.000
GR	947.300	2220.000	940.600	2221.000	940.500	2226.000	939.800	2236.000	938.700	2246.000
GR	939.200	2253.000	947.300	2254.000	947.300	2256.000	939.400	2257.000	939.000	2266.000
GR	941.200	2276.000	944.000	2288.000	950.100	2288.000	948.600	2373.000	949.800	2467.000
GR	951.400	2568.000	953.600	2674.000	960.100	2791.000	964.600	2887.000	0.000	0.000

X1	22.200	27.000	2185.000	2288.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	950.200	950.100	0.000
GR	946.000	900.000	946.600	1062.000	947.400	1230.000	948.600	1644.000	947.800	1644.000
GR	947.600	1710.000	947.600	1810.000	947.300	1886.000	947.200	2104.000	947.300	2185.000
GR	944.100	2185.000	941.100	2196.000	940.700	2216.000	940.500	2226.000	939.800	2236.000
GR	938.700	2246.000	939.400	2256.000	939.000	2266.000	941.200	2276.000	944.000	2288.000
GR	947.300	2288.000	948.600	2373.000	949.800	2467.000	951.400	2568.000	953.600	2674.000
GR	960.100	2791.000	964.600	2887.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

X1	22.300	23.000	2164.000	2374.000	100.000	120.000	103.000	0.000	0.000	0.000
GR	947.000	900.000	946.600	1062.000	947.400	1230.000	948.600	1644.000	947.800	1644.000
GR	947.600	1710.000	947.600	1810.000	947.300	1886.000	947.200	2104.000	947.200	2148.000
GR	945.500	2148.000	942.600	2164.000	938.510	2185.000	938.510	2353.000	943.000	2374.000
GR	944.700	2388.000	946.700	2388.000	947.300	2404.000	949.300	2472.000	951.500	2568.000
GR	953.600	2674.000	960.100	2791.000	964.600	2887.000	0.000	0.000	0.000	0.000
NC	.050	.050	.030	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	22.500	13.000	2008.000	2420.000	460.000	450.000	450.000	0.000	0.000	0.000
GR	947.200	2008.000	944.400	2048.000	944.400	2079.000	943.600	2093.000	943.600	2160.000
GR	942.200	2173.000	942.200	2202.000	941.200	2207.000	941.200	2357.000	944.000	2369.000
GR	944.600	2379.000	944.550	2400.000	947.200	2420.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	22.550	10.000	2000.000	2380.000	390.000	380.000	392.000	0.000	0.000	0.000
GR	949.400	1906.000	948.700	1992.000	943.800	2000.000	938.600	2025.000	938.600	2313.000
GR	938.600	2336.000	946.700	2380.000	949.200	2416.000	953.800	2440.000	954.600	2452.000
X1	22.600	7.000	2002.000	2288.000	200.000	190.000	196.000	0.000	0.000	0.000
GR	948.700	1950.000	943.240	2002.000	938.200	2027.000	938.200	2263.000	943.240	2288.000
GR	944.800	2336.000	949.200	2416.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	22.800	16.000	1992.000	2170.000	150.000	120.000	125.000	0.000	0.000	0.000
GR	966.500	1280.000	962.200	1428.000	958.800	1560.000	956.000	1760.000	953.300	1832.000
GR	949.400	1906.000	948.700	1992.000	942.400	2000.000	942.000	2010.000	941.800	2035.000
GR	939.200	2050.000	938.000	2090.000	939.800	2110.000	942.000	2150.000	942.400	2170.000
GR	949.000	2416.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	22.900	37.000	2000.000	2100.000	60.000	180.000	108.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	950.400	950.400	0.000
GR	949.300	506.000	948.900	606.000	948.600	658.000	948.400	704.000	948.000	802.000
GR	947.700	874.000	947.600	900.000	947.600	1000.000	947.800	1050.000	948.100	1096.000
GR	948.500	1196.000	948.900	1232.000	949.100	1292.000	948.900	1390.000	948.600	1498.000
GR	948.700	1600.000	950.100	1736.000	951.200	1812.000	952.400	1900.000	952.600	2000.000
GR	944.100	2000.000	941.300	2011.000	939.000	2022.000	938.200	2033.000	939.300	2044.000
GR	938.700	2055.000	937.500	2066.000	938.000	2077.000	939.900	2089.000	945.200	2100.000
GR	952.500	2100.000	953.300	2202.000	953.400	2304.000	954.700	2398.000	964.300	2494.000
GR	965.600	2526.000	969.300	2552.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.050	.050	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF SOUTH SUPERIOR ST. BRIDGE.CONCRETE (M)

X1	23.000	41.000	2000.000	2100.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	8.000	1900.000	952.400	0.000	2000.000	952.600	0.000	2000.000	952.600	948.300
BT	2048.500	952.600	948.300	2050.500	952.500	948.400	2100.000	952.500	948.400	2100.000
BT	952.500	0.000	2202.000	953.300	0.000	0.000	0.000	0.000	0.000	0.000
GR	949.300	506.000	948.900	606.000	948.600	658.000	948.400	704.000	948.000	802.000
GR	947.700	874.000	947.600	900.000	947.600	1000.000	947.800	1050.000	948.100	1096.000
GR	948.500	1196.000	948.900	1232.000	949.100	1292.000	948.900	1390.000	948.600	1498.000
GR	948.700	1600.000	950.100	1736.000	951.200	1812.000	952.400	1900.000	952.600	2000.000
GR	941.100	2000.000	941.300	2011.000	939.000	2022.000	938.200	2033.000	939.300	2044.000
GR	939.000	2048.500	948.300	2048.500	948.400	2050.500	938.900	2050.500	938.700	2055.000
GR	937.500	2066.000	938.000	2077.000	939.900	2089.000	945.200	2100.000	952.500	2100.000
GR	953.300	2202.000	953.400	2304.000	954.700	2398.000	964.300	2494.000	965.600	2526.000
GR	969.300	2552.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	23.100	41.000	2000.000	2100.000	56.000	56.000	56.000	0.000	0.000	0.000
BT	8.000	1900.000	952.400	0.000	2000.000	954.300	0.000	2000.000	954.300	950.200
BT	2048.500	954.300	950.200	2050.500	954.300	950.100	2100.000	954.300	950.100	2100.000
BT	954.300	0.000	2202.000	953.300	0.000	0.000	0.000	0.000	0.000	0.000
GR	949.300	506.000	948.900	606.000	948.600	658.000	948.400	704.000	948.000	802.000

MOORE BUSINESS FORMS, INC 23

GR	947.700	874.000	947.600	900.000	947.600	1000.000	947.800	1050.000	948.100	1096.000
GR	948.500	1196.000	948.900	1232.000	949.100	1292.000	948.900	1390.000	948.600	1498.000
GR	948.700	1600.000	950.100	1736.000	951.200	1812.000	952.400	1900.000	954.300	2000.000
GR	943.900	2000.000	942.300	2011.000	941.400	2022.000	940.500	2033.000	941.500	2044.000
GR	939.900	2048.500	950.200	2048.500	950.100	2050.500	939.100	2050.500	937.700	2055.000
GR	940.500	2066.000	944.600	2077.000	944.900	2088.000	944.700	2100.000	954.300	2100.000
GR	953.300	2202.000	953.400	2304.000	954.700	2398.000	964.300	2494.000	965.600	2526.000
GR	969.300	2552.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	23.200	37.000	2000.000	2100.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	954.300	954.300	0.000
GR	949.300	506.000	948.900	606.000	948.600	658.000	948.400	704.000	948.000	802.000
GR	947.700	874.000	947.600	900.000	947.600	1000.000	947.800	1050.000	948.100	1096.000
GR	948.500	1196.000	948.900	1232.000	949.100	1292.000	948.900	1390.000	948.600	1498.000
GR	948.700	1600.000	950.100	1736.000	951.200	1812.000	952.400	1900.000	954.300	2000.000
GR	943.900	2000.000	942.300	2011.000	941.400	2022.000	940.500	2033.000	941.500	2044.000
GR	937.700	2055.000	940.500	2066.000	944.600	2077.000	944.900	2088.000	944.700	2100.000
GR	954.300	2100.000	953.300	2202.000	953.400	2304.000	954.700	2398.000	964.300	2494.000
GR	965.600	2526.000	969.300	2552.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	23.300	10.000	1992.000	2280.000	140.000	20.000	82.000	0.000	0.000	0.000
GR	949.400	1906.000	948.700	1992.000	944.800	2000.000	939.760	2025.000	939.760	2255.000
GR	944.800	2280.000	952.200	2324.000	952.800	2398.000	952.900	2508.000	965.400	2560.000
X1	23.400	9.000	2000.000	2336.000	1210.000	1140.000	1133.000	0.000	0.000	0.000
GR	956.000	1760.000	953.300	1832.000	948.000	1948.000	945.200	2000.000	939.590	2028.000
GR	939.590	2308.000	946.300	2336.000	950.800	2398.000	952.700	2500.000	0.000	0.000
X1	23.500	8.000	2140.000	2420.000	380.000	640.000	516.000	0.000	0.000	0.000
GR	960.000	1900.000	946.200	2000.000	943.790	2140.000	938.500	2165.000	938.500	2393.000
GR	943.800	2420.000	946.200	2560.000	960.000	2590.000	0.000	0.000	0.000	0.000

U/S LIMIT OF THE CITY OF ALBION. SURVEYED SECTION (N)

X1	24.000	26.000	1960.000	2471.000	200.000	300.000	233.000	0.000	0.000	0.000
GR	982.100	883.000	985.800	1045.000	985.500	1077.000	980.800	1185.000	976.000	1287.000
GR	972.200	1393.000	969.300	1500.000	968.100	1552.000	966.300	1656.000	962.400	1772.000
GR	956.300	1864.000	952.100	1960.000	944.000	2000.000	938.700	2025.000	938.700	2250.000
GR	944.900	2278.000	950.000	2471.000	958.100	2870.000	964.300	2922.000	972.100	3106.000
GR	968.000	3248.000	968.500	3354.000	970.000	3462.000	971.000	3542.000	972.000	3548.000
GR	972.200	3562.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 1

CCHV= .100 CEHV= .300

*SECNO 12.000

D/S LIMIT OF THE CITY OF ALBION. SURVEYED SECTION (A)

12.00	6.10	929.10	0.00	929.10	929.20	.10	0.00	0.00	927.70
1600.	13.	1367.	220.	30.	504.	311.	0.	0.	927.30
0.00	.44	2.71	.71	.085	.045	.085	0.000	923.00	1922.44
.001023	0.	0.	0.	0	0	0	0.00	394.86	2317.30

*SECNO 12.600

3265 DIVIDED FLOW

12.60	6.30	930.90	0.00	0.00	931.06	.16	1.84	.02	934.00
1600.	2.	1573.	25.	9.	487.	49.	29.	13.	928.00
.16	.19	3.23	.51	.085	.045	.085	.045	924.60	1936.55
.000974	1880.	1850.	1800.	2	0	0	0.00	208.31	2167.51

*SECNO 12.700

12.70	6.10	932.10	0.00	0.00	932.20	.09	1.13	.01	930.50
1600.	29.	1461.	110.	75.	571.	154.	52.	21.	929.30
.34	.38	2.56	.71	.085	.045	.085	.045	926.00	1897.73
.000603	1570.	1500.	1450.	2	0	0	0.00	281.71	2179.44

*SECNO 12.800

12.80	5.90	933.30	0.00	0.00	933.41	.11	1.21	.01	932.00
1600.	6.	1542.	52.	15.	562.	57.	81.	30.	930.40
.52	.37	2.74	.91	.085	.045	.085	.045	927.40	1964.24
.000799	1700.	1750.	1650.	2	0	0	0.00	156.03	2120.27

CCHV= .300 CEHV= .500

*SECNO 13.100

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.40 ELREA= 940.20

D/S FACE OF ABANDONED RR BRIDGE (B)

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
13.10	6.30	933.50	0.00	0.00	933.54	.04	.11	.02	941.10
1600.	0.	1600.	0.	0.	1039.	0.	86.	31.	941.00
.56	0.00	1.54	0.00	.080	.045	.080	.045	927.20	1869.82
.000285	170.	240.	325.	2	0	0	0.00	224.06	2093.89

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	1.25	1.40	3.00	300.00	200.00	20.40	2488.00	3.00	928.00	927.20

*SECNO 13.200
CLASS A LOW FLOW

3420 BRIDGE W.S.= 933.90 BRIDGE VELOCITY= 1.28 CALCULATED CHANNEL AREA= 1164.

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
0.00	933.55	.01	0.	1600.	2488.	2487.	939.60	940.80

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 940.40 ELREA= 940.20

13.20	6.21	933.51	0.00	0.00	933.55	.04	.01	0.00	941.10
1600.	0.	1600.	0.	0.	1026.	0.	86.	31.	941.00
.56	0.00	1.56	0.00	.080	.065	.080	.045	927.30	1924.68
.000607	12.	12.	12.	0	0	0	0.00	224.18	2148.86

*SECNO 13.300

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 941.10 ELREA= 941.00

13.30	6.21	933.51	0.00	0.00	933.55	.04	.00	.00	941.10
1600.	0.	1600.	0.	0.	1026.	0.	86.	31.	941.00
.56	0.00	1.56	0.00	.080	.065	.080	.045	927.30	1924.68
.000607	1.	1.	1.	0	0	0	0.00	224.18	2148.86

*SECNO 14.100

14.10	8.53	933.73	0.00	0.00	934.01	.29	.34	.12	940.10
1600.	0.	1600.	0.	0.	373.	0.	91.	32.	940.70
.58	0.00	4.29	0.00	.080	.052	.080	.046	925.20	1990.85
.002410	380.	317.	200.	2	0	0	0.00	67.56	2058.41

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 14.300

14.30	8.54	933.74	0.00	0.00	934.02	.28	.01	.00	940.10
1600.	0.	1600.	0.	0.	374.	0.	91.	32.	940.70
.58	0.00	4.28	0.00	.080	.052	.080	.046	925.20	1990.83
.002403	4.	4.	4.	0	0	0	0.00	67.59	2058.43

CCHV= .300 CEHV= .500
*SECNO 14.400

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 939.40 ELREA= 939.20

14.40	6.60	933.70	0.00	0.00	934.09	.38	.01	.05	941.10
1600.	0.	1600.	0.	0.	322.	0.	91.	32.	940.90
.58	0.00	4.98	0.00	.060	.026	.060	.046	927.10	2000.00
.000931	9.	9.	9.	2	0	0	0.00	60.00	2060.00

*SECNO 14.500

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 940.80 MAX ELLC= 937.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 939.40 ELREA= 939.20

D/S FACE OF ALBION ST. BRIDGE (C)

14.50	6.60	933.70	0.00	0.00	934.09	.38	.00	.00	941.10
1600.	0.	1600.	0.	0.	322.	0.	91.	32.	940.90
.58	0.00	4.97	0.00	.060	.026	.060	.046	927.10	2000.00
.001063	1.	1.	1.	0	0	0	0.00	60.00	2060.00

*SECNO 14.600

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 940.80 MAX ELLC= 937.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 940.90 ELREA= 940.90

14.60	6.67	933.77	0.00	0.00	934.15	.38	.06	.00	941.10
1600.	0.	1600.	0.	0.	325.	0.	92.	32.	940.90
.59	0.00	4.92	0.00	.060	.026	.060	.045	927.10	2000.00
.001029	54.	54.	54.	1	0	0	0.00	60.00	2060.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .100 CEHV= .300
*SECNO 14.700

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.90 ELREA= 940.90

14.70	6.67	933.77	0.00	0.00	934.15	.37	.00	.00	941.10
1600.	0.	1600.	0.	0.	326.	0.	92.	32.	940.90
.59	0.00	4.91	0.00	.060	.045	.060	.045	927.10	2000.00
.002739	1.	1.	1.	0	0	0	0.00	60.00	2060.00

*SECNO 14.720

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.90 ELREA= 940.90

14.72	6.68	933.78	0.00	0.00	934.16	.37	.01	.00	941.10
1600.	0.	1600.	0.	0.	326.	0.	92.	32.	940.90
.59	0.00	4.90	0.00	.060	.045	.060	.045	927.10	2000.00
.002725	4.	4.	4.	0	0	0	0.00	60.00	2060.00

*SECNO 14.750

14.75	7.88	935.38	0.00	0.00	935.63	.25	1.46	.01	933.00
1600.	158.	1425.	17.	140.	339.	16.	99.	34.	933.00
.64	1.13	4.21	1.03	.060	.045	.060	.045	927.50	1889.64
.001391	770.	770.	820.	2	0	0	0.00	173.95	2063.58

*SECNO 14.800
CENTER LINE OF PEARL STREET NO BRIDGE (D)

14.80	8.13	935.93	0.00	0.00	936.01	.09	.37	.02	932.40
1600.	52.	1532.	17.	69.	642.	26.	106.	36.	933.10
.70	.74	2.39	.64	.060	.045	.060	.045	927.80	2116.69
.000426	480.	520.	570.	2	0	0	0.00	153.95	2270.64

*SECNO 14.900

14.90	8.31	936.11	0.00	0.00	936.26	.15	.23	.02	936.90
1600.	0.	1600.	0.	0.	511.	0.	111.	37.	937.00
.74	0.00	3.13	0.00	.050	.052	.050	.046	927.80	2044.00
.001034	360.	360.	360.	2	0	0	0.00	72.00	2116.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 15.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 937.60 ELREA= 937.50

15.00	7.54	936.04	0.00	0.00	936.35	.31	.04	.05	939.10
1600.	0.	1600.	0.	0.	357.	0.	112.	37.	931.00
.74	0.00	4.48	0.00	.050	.052	.050	.046	928.50	1801.10
.002185	31.	31.	31.	2	0	0	0.00	52.54	1853.64

CCHV= .300 CEHV= .500

*SECNO 15.100

3370 NORMAL BRIDGE,NRD= 23 MIN ELTRD= 938.80 MAX ELLC= 936.00

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 937.60 ELREA= 937.50

D/S FACE OF EATON ST. BRIDGE.CONCRETE (E)

15.10	7.52	936.02	0.00	0.00	936.37	.35	.00	.02	939.10
1600.	0.	1600.	0.	0.	336.	0.	112.	37.	931.00
.74	0.00	4.76	0.00	.040	.026	.040	.046	928.50	1801.10
.001356	1.	1.	1.	2	0	0	-20.52	52.54	1853.64

*SECNO 15.200

3370 NORMAL BRIDGE,NRD= 20 MIN ELTRD= 938.80 MAX ELLC= 936.00

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 939.20 ELREA= 938.90

15.20	7.67	936.07	0.00	0.00	936.42	.36	.05	.00	939.20
1600.	0.	1600.	0.	0.	334.	0.	112.	37.	930.00
.74	0.00	4.79	0.00	.040	.026	.040	.045	928.40	1784.77
.001383	36.	36.	36.	1	0	0	-22.62	52.54	1837.31

*SECNO 15.300

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 939.20 ELREA= 938.90

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
15.30	7.73	936.13	0.00	0.00	936.44	.31	.00	.01	939.20
1600.	0.	1600.	0.	0.	360.	0.	112.	37.	930.00
.74	0.00	4.45	0.00	.040	.026	.040	.045	928.40	1784.77
.000525	1.	1.	1.	2	0	0	0.00	52.54	1837.31

*SECNO 15.400

15.40	8.16	936.36	0.00	0.00	936.50	.14	.00	.05	938.00
1600.	0.	1600.	0.	0.	541.	0.	112.	37.	938.30
.74	0.00	2.96	0.00	.040	.026	.040	.045	928.20	2010.00
.000242	11.	11.	11.	2	0	0	0.00	80.01	2090.01

CCHV= .300 CEHV= .500
*SECNO 15.800

3470 ENCROACHMENT STATIONS= 1148.0 2196.0 TYPE= 1 TARGET= 1048.000

15.80	8.64	936.44	0.00	0.00	936.60	.16	.09	.01	940.00
1600.	0.	1600.	0.	0.	493.	0.	116.	38.	937.60
.77	0.00	3.24	0.00	.040	.026	.040	.045	927.80	2116.00
.000290	350.	350.	350.	2	0	0	0.00	70.00	2186.00

*SECNO 15.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 938.40 ELREA= 938.40

15.90	7.64	936.44	0.00	0.00	936.66	.23	.03	.03	940.30
1600.	0.	1600.	0.	0.	418.	0.	117.	38.	940.30
.78	0.00	3.83	0.00	.050	.045	.050	.045	928.80	2118.00
.001292	56.	56.	56.	1	0	0	0.00	59.50	2177.50

CCHV= .100 CEHV= .300
*SECNO 16.000

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 939.60 MAX ELLC= 936.40

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 938.40 ELREA= 938.40

D/S FACE OF CLINTON ST. BRIDGE.CONCRETE (F)

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV LEFT/RIGHT
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
16.00	7.64	936.44	0.00	0.00	936.67	.23	.00	.00	940.30
1600.	0.	1600.	0.	0.	416.	0.	117.	38.	940.30
.78	0.00	3.85	0.00	.040	.045	.040	.045	928.80	2118.00
.003317	1.	1.	1.	0	0	0	-2.23	59.50	2177.50

*SECNO 16.100

3370 NORMAL BRIDGE,NRD= 6 MIN ELTRD= 939.60 MAX ELLC= 936.40

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.30 ELREA= 940.30

16.10	7.62	936.62	0.00	0.00	936.85	.24	.18	.00	940.30
1600.	0.	1600.	0.	0.	410.	0.	117.	38.	940.30
.78	0.00	3.90	0.00	.040	.045	.040	.045	929.00	2118.00
.003506	54.	54.	54.	2	0	0	-12.86	59.50	2177.50

*SECNO 16.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 940.30 ELREA= 940.30

16.20	7.63	936.63	0.00	0.00	936.86	.22	.00	.00	940.30
1600.	0.	1600.	0.	0.	423.	0.	117.	38.	940.30
.78	0.00	3.78	0.00	.040	.045	.040	.045	929.00	2118.00
.001260	1.	1.	1.	1	0	0	0.00	59.50	2177.50

*SECNO 16.300

16.30	7.93	936.73	0.00	0.00	936.90	.17	.04	.01	943.40
1600.	0.	1586.	14.	0.	478.	9.	118.	38.	934.70
.78	0.00	3.31	1.56	.040	.032	.020	.044	928.80	2111.00
.000444	56.	56.	56.	2	0	0	0.00	73.08	2184.08

CCHV= .100 CEHV= .300

*SECNO 16.800

16.80	7.80	936.86	0.00	0.00	936.97	.12	.07	.01	940.70
1600.	0.	1600.	0.	0.	585.	0.	119.	38.	936.90
.80	0.00	2.73	0.00	.040	.045	.040	.044	929.06	2117.00
.000653	125.	125.	125.	1	0	0	0.00	87.00	2204.00

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 16.900									
16.90	7.56	936.88	0.00	0.00	936.99	.11	.01	.00	940.60
1600.	0.	1600.	0.	0.	610.	0.	120.	38.	936.88
.80	0.00	2.62	0.00	.040	.045	.040	.044	929.32	2114.00
.000609	19.	19.	19.	1	0	0	0.00	93.00	2207.00
CCHV= .300 CEHV= .500									
*SECNO 17.000									
3265 DIVIDED FLOW									
3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.05									
D/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE (G)									
17.00	7.55	936.87	0.00	0.00	936.99	.12	.00	.01	960.00
1600.	0.	1600.	0.	0.	568.	0.	120.	38.	960.00
.80	0.00	2.82	0.00	.040	.032	.040	.044	929.32	2114.00
.000649	1.	1.	1.	0	0	0	0.00	87.66	2207.00
*SECNO 17.100									
3265 DIVIDED FLOW									
3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.05									
17.10	7.61	936.93	0.00	0.00	937.05	.12	.06	.00	960.00
1600.	0.	1600.	0.	0.	572.	0.	121.	38.	960.00
.81	0.00	2.80	0.00	.040	.032	.040	.044	929.32	2114.00
.000636	90.	90.	90.	0	0	0	0.00	87.66	2207.00
*SECNO 17.200									
3265 DIVIDED FLOW									
3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.18									

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
17.20	8.14	936.94	0.00	0.00	937.05	.12	.00	.00	960.00
1600.	0.	1600.	0.	0.	582.	0.	121.	38.	960.00
.81	0.00	2.75	0.00	.040	.039	.040	.044	928.80	2114.00
.000594	1.	1.	1.	0	0	0	0.00	90.92	2208.00

*SECNO 17.300

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 960.00 MAX ELLC= 937.18

U/S FACE OF SUPERIOR ST. BRIDGE.CONCRETE

17.30	8.91	937.01	0.00	0.00	937.11	.10	.05	.00	960.00
1600.	0.	1600.	0.	0.	621.	0.	122.	39.	960.00
.82	0.00	2.58	0.00	.040	.039	.040	.044	928.10	2114.00
.000483	100.	100.	100.	1	0	0	0.00	90.93	2207.00

*SECNO 17.400

3265 DIVIDED FLOW

17.40	8.91	937.01	0.00	0.00	937.11	.10	.00	.00	960.00
1600.	0.	1600.	0.	0.	621.	0.	122.	39.	960.00
.82	0.00	2.57	0.00	.040	.039	.040	.044	928.10	2114.00
.000481	1.	1.	1.	0	0	0	0.00	90.93	2207.00

*SECNO 17.500

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 941.50 ELREA= 941.90

17.50	6.86	937.06	0.00	0.00	937.18	.12	.06	.01	931.80
1600.	0.	1600.	0.	0.	566.	0.	124.	39.	936.10
.83	0.00	2.82	0.00	.040	.039	.040	.044	930.20	2106.00
.000516	120.	120.	120.	0	0	0	0.00	93.00	2199.00

*SECNO 17.900

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 937.40 ELREA= 936.60

17.90	8.14	937.14	0.00	0.00	937.23	.09	.04	.01	941.80
1600.	0.	1600.	0.	0.	657.	0.	125.	39.	941.30
.84	0.00	2.44	0.00	.040	.039	.040	.044	929.00	1677.00
.000427	20.	79.	120.	2	0	0	0.00	109.65	1786.65

*SECNO 18.000

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 36 MIN ELTRD= 940.80 MAX ELLC= 939.00

D/S FACE OF W.CASS ST. BRIDGE.CONCRETE (H)

18.00	8.11	937.11	0.00	0.00	937.26	.14	.00	.02	941.80
1600.	0.	1600.	0.	0.	529.	0.	125.	39.	941.30
.84	0.00	3.02	0.00	.040	.039	.040	.044	929.00	2095.03
.001266	1.	1.	1.	2	0	0	-169.54	131.22	2226.31

*SECNO 18.100

3370 NORMAL BRIDGE,NRD= 32 MIN ELTRD= 940.80 MAX ELLC= 939.00

18.10	7.86	937.16	0.00	0.00	937.30	.14	.05	.00	941.80
1600.	0.	1600.	0.	0.	533.	0.	126.	39.	941.30
.84	0.00	3.00	0.00	.040	.039	.040	.044	929.30	2139.21
.001115	40.	40.	40.	1	0	0	-102.38	100.44	2239.65

*SECNO 18.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 941.80 ELREA= 941.30

18.20	6.74	937.14	0.00	0.00	937.33	.18	.00	.02	931.40
1600.	0.	1600.	0.	0.	467.	0.	126.	39.	939.80
.84	0.00	3.43	0.00	.040	.039	.040	.044	930.40	1832.68
.000881	1.	1.	1.	2	0	0	0.00	88.83	1921.51

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 18.300									
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 941.80 ELREA= 941.30									
18.30	6.79	937.19	0.00	0.00	937.37	.18	.04	.00	931.40
1600.	0.	1600.	0.	0.	471.	0.	126.	39.	939.80
.85	0.00	3.40	0.00	.040	.039	.040	.044	930.40	1832.68
.000858	49.	49.	49.	0	0	0	0.00	89.08	1921.76
*SECNO 18.800									
18.80	7.12	937.52	0.00	0.00	937.61	.08	.21	.03	940.40
1600.	0.	1600.	0.	0.	684.	0.	131.	40.	939.80
.89	0.00	2.34	0.00	.040	.039	.040	.044	930.40	2000.00
.000408	420.	365.	340.	0	0	0	0.00	124.11	2124.11
*SECNO 18.900									
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 939.40 ELREA= 939.60									
18.90	6.44	937.54	0.00	0.00	937.87	.33	.14	.12	932.20
1600.	0.	1600.	0.	0.	346.	0.	133.	41.	940.20
.90	0.00	4.63	0.00	.040	.039	.040	.044	931.10	2000.00
.001551	195.	200.	215.	2	0	0	0.00	62.84	2062.84
*SECNO 19.000									
3265 DIVIDED FLOW									
3370 NORMAL BRIDGE,NRO= 11 MIN ELTRD= 940.10 MAX ELLC= 938.90									
D/S FACE OF PORTER ST. WALK BRIDGE.CONCRETE (I)									
CONFLUENCE WITH THE EAST BRANCH KALAMAZOO									
19.00	6.43	937.53	0.00	0.00	937.89	.37	.01	.02	940.10
1600.	0.	1600.	0.	0.	329.	0.	133.	41.	940.40
.90	0.00	4.86	0.00	.040	.026	.040	.044	931.10	2000.00
.001232	0.	4.	0.	1	0	0	0.00	56.53	2057.70

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 19.100

3265 DIVIDED FLOW

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 940.10 ELREA= 940.40

19.10	6.44	937.54	0.00	0.00	937.90	.37	.01	.00	940.10
1600.	0.	1600.	0.	0.	329.	0.	133.	41.	940.40
.90	0.00	4.86	0.00	.040	.026	.040	.044	931.10	2000.00
.001042	6.	6.	6.	0	0	0	0.00	56.53	2057.70

*SECNO 19.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 940.10 ELREA= 940.40

19.20	6.62	937.52	0.00	0.00	937.91	.39	.00	.01	939.20
1600.	0.	1600.	0.	0.	319.	0.	133.	41.	939.30
.90	0.00	5.01	0.00	.040	.026	.040	.044	930.90	2001.88
.000854	1.	1.	1.	1	0	0	0.00	55.12	2057.00

*SECNO 19.300

19.30	6.65	937.55	0.00	0.00	937.94	.39	.02	.00	939.20
1600.	0.	1600.	0.	0.	320.	0.	134.	41.	939.30
.90	0.00	5.00	0.00	.040	.026	.040	.044	930.90	2001.87
.000847	24.	24.	24.	0	0	0	0.00	55.13	2057.00

CCHV= .100 CEHV= .300

*SECNO 19.800

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 943.10 ELREA= 942.90

19.80	6.24	937.84	0.00	0.00	938.17	.32	.22	.01	944.10
1600.	0.	1600.	0.	0.	350.	0.	135.	41.	943.90
.91	0.00	4.57	0.00	.040	.045	.040	.044	931.60	2297.00
.002547	165.	165.	165.	2	0	0	0.00	70.00	2367.00

*SECNO 19.900

19.90	6.38	937.98	0.00	0.00	938.29	.31	.12	.00	944.10
1600.	0.	1600.	0.	0.	360.	0.	135.	41.	943.90
.92	0.00	4.44	0.00	.040	.045	.040	.044	931.60	2297.00
.002333	0.	50.	0.	2	0	0	0.00	70.00	2367.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .300 CEHV= .500
*SECNO 20.000

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 943.60 MAX ELLC= 942.10

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.10 ELREA= 942.90

D/S FACE OF ERIE ST. BRIDGE.CONCRETE (J)

20.00	6.32	937.92	0.00	0.00	938.35	.43	.00	.06	944.10
1600.	0.	1600.	0.	0.	304.	0.	135.	41.	943.90
.92	0.00	5.26	0.00	.040	.026	.040	.044	931.60	2297.00
.001823	1.	1.	1.	2	0	0	0.00	62.35	2367.00

*SECNO 20.100

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 943.60 MAX ELLC= 942.10

20.10	6.52	938.12	0.00	0.00	938.52	.40	.16	.01	944.10
1600.	0.	1600.	0.	0.	316.	0.	136.	41.	943.90
.92	0.00	5.07	0.00	.040	.026	.040	.043	931.60	2297.00
.001641	90.	90.	90.	0	0	0	0.00	62.43	2367.00

*SECNO 20.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 944.10 ELREA= 943.90

20.20	6.68	938.28	0.00	0.00	938.56	.27	.00	.04	944.10
1600.	0.	1600.	0.	0.	381.	0.	136.	41.	943.90
.92	0.00	4.20	0.00	.040	.026	.040	.043	931.60	2297.00
.000637	1.	1.	1.	2	0	0	0.00	70.00	2367.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 20.300

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 943.30 ELREA= 939.10

20.30	6.68	938.38	0.00	0.00	938.61	.23	.04	.01	943.30
1600.	0.	1600.	0.	0.	419.	0.	136.	41.	939.10
.93	0.00	3.82	0.00	.040	.026	.040	.043	931.70	2297.00
.000490	64.	64.	64.	2	0	0	0.00	70.00	2367.00

1490 NH CARD USED
CCHV= .100 CEHV= .300
*SECNO 21.000

3470 ENCROACHMENT STATIONS= 432.0 2256.0 TYPE= 1 TARGET= 1824.000

21.00	6.15	939.35	0.00	0.00	939.98	.63	1.25	.12	937.40
1600.	228.	1248.	123.	93.	176.	69.	146.	44.	937.60
.98	2.46	7.10	1.77	.060	.045	.060	.043	933.20	1930.28
.006136	1060.	1050.	1040.	3	0	0	0.00	181.19	2111.47

1490 NH CARD USED
*SECNO 21.100

3301 HV CHANGED MORE THAN HVINS

21.10	5.12	940.32	0.00	0.00	940.35	.03	.32	.06	939.60
735.	1.	731.	3.	5.	486.	13.	148.	45.	939.00
1.02	.18	1.50	.27	.090	.062	.077	.044	935.20	2014.41
.000344	210.	210.	210.	2	0	0	0.00	166.54	2180.96

*SECNO 21.200

21.20	4.97	940.37	0.00	0.00	940.40	.03	.04	.00	945.50
735.	0.	732.	3.	0.	513.	10.	149.	46.	939.40
1.04	0.00	1.43	.26	.060	.039	.060	.043	935.40	2127.07
.000281	130.	140.	150.	2	0	0	0.00	165.76	2292.83

CCHV= .100 CEHV= .300
*SECNO 21.300

21.30	4.80	940.40	0.00	0.00	940.44	.04	.04	.00	939.30
735.	0.	712.	22.	2.	428.	76.	151.	46.	939.50
1.06	.27	1.66	.29	.060	.039	.060	.043	935.60	2126.97
.000280	110.	125.	130.	0	0	0	0.00	246.06	2373.03

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	COPAR	TOPWID	ENDST

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.80	3.00	97.00	1.50	0.00	.50	0.00	937.60	935.20

*SECNO 21.500
PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
61338.22	1104.52	0.00	728.	7.	1.	1.	938.00	944.20

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.60 ELREA= 948.60

DAM AT VICTORY PARK DAM. CREST ELEV. 944 (K)

CODED AS A VERY SMALL HOLE TO FORCE WIER FLOW

21.50	8.11	945.71	0.00	0.00	946.04	.34	5.61	0.00	948.60
735.	0.	735.	0.	0.	158.	0.	151.	46.	948.50
1.06	0.00	4.66	0.00	.060	.039	.060	.043	937.60	2210.00
.009610	15.	15.	15.	3	0	9	0.00	98.00	2308.00

*SECNO 21.600

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.60 ELREA= 948.60

21.60	8.06	946.06	0.00	0.00	946.08	.02	.01	.03	948.30
735.	0.	735.	0.	0.	736.	0.	151.	46.	948.60
1.07	0.00	1.00	0.00	.060	.039	.060	.043	938.00	205.00
.000056	27.	27.	27.	2	0	0	0.00	103.00	308.00

*SECNO 21.900
3280 CROSS SECTION 21.90 EXTENDED .06 FEET

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 948.80 ELREA= 948.70

21.90	8.46	946.06	0.00	0.00	946.09	.03	.01	.00	947.30
735.	0.	735.	0.	0.	578.	0.	152.	46.	947.30
1.09	0.00	1.27	0.00	.060	.039	.060	.043	937.60	2185.00
.000119	73.	73.	73.	2	0	0	0.00	103.00	2288.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .300 CEHV= .500
*SECNO 22.000

3265 DIVIDED FLOW

3280 CROSS SECTION 22.00 EXTENDED .06 FEET

3370 NORMAL BRIDGE.NRD= 8 MIN ELTRD= 947.20 MAX ELLC= 947.30

D/S FACE OF HAVEN RD. BRIDGE.CONCRETE (L)

22.00	8.46	946.06	0.00	0.00	946.09	.03	.00	.00	950.20
735.	0.	735.	0.	1.	540.	0.	152.	46.	950.10
1.09	.03	1.36	0.00	.040	.026	.040	.043	937.60	900.00
.000080	1.	1.	1.	0	0	0	0.00	115.60	2288.00

*SECNO 22.100

3265 DIVIDED FLOW

3280 CROSS SECTION 22.10 EXTENDED .06 FEET

3370 NORMAL BRIDGE.NRD= 8 MIN ELTRD= 947.20 MAX ELLC= 947.30

22.10	7.36	946.06	0.00	0.00	946.09	.03	.00	.00	950.20
735.	0.	735.	0.	1.	525.	0.	153.	46.	950.10
1.09	.04	1.40	0.00	.040	.026	.040	.043	938.70	900.00
.000087	23.	23.	23.	0	0	0	0.00	115.73	2288.00

*SECNO 22.200
3280 CROSS SECTION 22.20 EXTENDED .06 FEET

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 950.20 ELREA= 950.10

22.20	7.37	946.07	0.00	0.00	946.10	.03	.00	.00	947.30
735.	0.	735.	0.	0.	563.	0.	153.	46.	947.30
1.09	0.00	1.30	0.00	.040	.026	.040	.043	938.70	2185.00
.000057	1.	1.	1.	0	0	0	0.00	103.00	2288.00

MOORE BUSINESS FORMS, INC.

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 22.300									
22.30	7.59	946.10	0.00	0.00	946.10	.00	.00	.01	942.60
735.	4.	726.	4.	33.	1504.	31.	155.	47.	943.00
1.15	.13	.48	.13	.040	.026	.040	.043	938.51	2148.00
.000005	100.	103.	120.	2	0	0	0.00	240.00	2388.00
CCHV= .100	CEHV= .300								
*SECNO 22.500									
22.50	4.90	946.10	0.00	0.00	946.11	.01	.01	.00	947.20
735.	0.	735.	0.	0.	1288.	0.	170.	50.	947.20
1.37	0.00	.57	0.00	.050	.039	.050	.043	941.20	2023.52
.000045	460.	450.	450.	0	0	0	0.00	388.28	2411.80
*SECNO 22.550									
22.55	7.51	946.11	0.00	0.00	946.11	.00	.00	.00	943.80
735.	0.	735.	0.	4.	2613.	0.	187.	54.	946.70
1.76	.06	.28	0.00	.050	.039	.050	.043	938.60	1996.22
.000004	390.	392.	380.	0	0	0	0.00	380.59	2376.81
*SECNO 22.600									
22.60	7.91	946.11	0.00	0.00	946.11	.00	.00	.00	943.24
735.	3.	720.	12.	39.	2138.	116.	198.	55.	943.24
1.92	.09	.34	.10	.050	.039	.050	.043	938.20	1974.61
.000005	200.	196.	190.	0	0	0	0.00	385.33	2359.94
*SECNO 22.800									
22.80	8.11	946.11	0.00	0.00	946.12	.01	.00	.00	948.70
735.	0.	668.	67.	0.	969.	257.	203.	56.	942.40
1.98	0.00	.69	.26	.050	.039	.050	.043	938.00	1995.29
.000033	150.	125.	120.	0	0	0	0.00	313.10	2308.39
*SECNO 22.900									
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 950.40 ELREA= 950.40									
22.90	8.61	946.11	0.00	0.00	946.13	.02	.01	.00	952.60
735.	0.	735.	0.	0.	650.	0.	206.	57.	952.50
2.00	0.00	1.13	0.00	.050	.039	.050	.043	937.50	2000.00
.000076	60.	108.	180.	0	0	0	0.00	100.00	2100.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .300 CEHV= .500
*SECNO 23.000

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 952.40 MAX ELLC= 948.40

D/S FACE OF SOUTH SUPERIOR ST. BRIDGE.CONCRETE (M)

23.00	8.61	946.11	0.00	0.00	946.13	.02	.00	.00	952.60
735.	0.	735.	0.	0.	652.	0.	206.	57.	952.50
2.00	0.00	1.13	0.00	.050	.026	.050	.043	937.50	2000.00
.000043	1.	1.	1.	0	0	0	0.00	98.00	2100.00

*SECNO 23.100

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 952.40 MAX ELLC= 950.20

23.10	8.39	946.09	0.00	0.00	946.15	.05	.00	.02	954.30
735.	0.	735.	0.	0.	398.	0.	207.	57.	954.30
2.01	0.00	1.85	0.00	.050	.026	.050	.043	937.70	2000.00
.000208	56.	56.	56.	1	0	0	0.00	98.00	2100.00

*SECNO 23.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 954.30 ELREA= 954.30

23.20	8.40	946.10	0.00	0.00	946.15	.05	.00	.00	954.30
735.	0.	735.	0.	0.	410.	0.	207.	57.	954.30
2.01	0.00	1.79	0.00	.050	.026	.050	.043	937.70	2000.00
.000159	1.	1.	1.	0	0	0	0.00	100.00	2100.00

*SECNO 23.300

23.30	6.40	946.16	0.00	0.00	946.16	.00	.00	.01	948.70
735.	0.	735.	0.	0.	1668.	6.	209.	57.	944.80
2.06	0.00	.44	.05	.050	.026	.050	.042	939.76	1997.21
.000006	140.	82.	20.	2	0	0	0.00	290.88	2288.09

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 23.400									
23.40	6.58	946.17	0.00	0.00	946.17	.00	.00	.00	945.20
735.	0.	735.	0.	9.	2037.	0.	257.	66.	946.30
2.94	.03	.36	0.00	.050	.026	.050	.041	939.59	1982.04
.000004	1210.	1133.	1140.	2	0	0	0.00	353.40	2335.44
*SECNO 23.500									
23.50	7.67	946.17	0.00	0.00	946.17	.00	.00	.00	943.79
735.	9.	717.	9.	164.	2010.	164.	283.	71.	943.80
3.35	.06	.36	.06	.050	.026	.050	.041	938.50	2001.78
.000003	380.	516.	640.	0	0	0	0.00	556.43	2558.21
*SECNO 24.000									
U/S LIMIT OF THE CITY OF ALBION. SURVEYED SECTION (N)									
24.00	7.47	946.17	0.00	0.00	946.17	.00	.00	.00	952.10
735.	0.	735.	0.	0.	1966.	0.	295.	74.	950.00
3.52	0.00	.37	0.00	.050	.026	.050	.040	938.70	1989.29
.000004	200.	233.	300.	0	0	0	0.00	336.76	2326.04

MOORE BUSINESS FORMS, INC 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-year Natural

00BREAK00

MOORE BUSINESS FORMS, INC. 22

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**********************************************************

C
T1   THE TOWNSHIP OF ALBION
T2   THE KALAMAZOO RIVER
T3   THE 100 YEAR FLOW
J1   ICHECK     INQ      NINV      IDIR      STRT      METRIC    HVINS     0         WSEL      FQ
          1.       4.        0.        0.  0.000000      0.00      0.0        0.     946.170     0.000
J2   NPROF      IPLOT     PRFVS     XSECV     XSFCH     FN        ALLDC     IBW       CHNIM     ITRACE
     1.000      0.000    -1.000     0.000     0.000    -1.290     0.000     0.000     0.000     0.000
J3   VARIABLE CODES FOR SUMMARY PRINTOUT
     150.000   200.000    38.000     1.000    53.000    21.000    22.000    54.000     4.000    39.000

     110.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET     0.000     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000
QT     5.000   535.000   675.000   735.000   875.000   735.000     0.000     0.000     0.000     0.000
NC      .060      .060      .035      .100      .300     0.000     0.000     0.000     0.000     0.000

     D/S LIMIT OF ALBION TWP.   (A)

X1    24.000    26.000  2000.000  2278.000     0.000     0.000     0.000     0.000     0.000     0.000
GR   982.100   883.000   985.800  1045.000   985.500  1077.000   980.800  1185.000   976.000  1287.000
GR   972.200  1393.000   969.300  1560.000   968.100  1552.000   966.300  1656.000   962.400  1772.000
GR   956.300  1864.000   952.100  1960.000   944.000  2000.000   938.700  2025.000   938.700  2250.000
GR   944.900  2278.000   950.000  2471.000   958.100  2870.000   964.300  2922.000   972.100  3106.000
GR   968.000  3248.000   968.500  3354.000   970.000  3462.000   971.000  3542.000   972.000  3548.000
GR   972.200  3562.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

X1    24.100    11.000  2000.000  2220.000  2350.000  2200.000  2280.000     0.000     0.000     0.000
GR   980.000  1450.000   970.000  1580.000   960.000  1660.000   950.000  1850.000   945.000  1920.000
GR   944.900  2000.000   939.560  2010.000   939.560  2210.000   944.600  2220.000   950.200  2300.000
GR   960.200  2460.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

X1    24.200    15.000  3000.000  3150.000  2000.000  2000.000  2300.000     0.000     0.000     0.000
GR   960.000   600.000   950.000   900.000   945.000  1020.000   946.000  1500.000   950.800  1600.000
GR   950.000  1800.000   945.000  1880.000   945.000  2600.000   944.000  3000.000   940.400  3020.000
GR   940.400  3130.000   944.800  3150.000   946.000  3320.000   950.000  3600.000   966.000  4000.000

     SURVEYED VALLEY SECTION   (B)
```

X1	25.000	41.000	4000.000	4090.000	1500.000	2600.000	2290.000	0.000	0.000	0.000
GR	951.400	1238.000	951.000	1938.000	950.600	2230.000	947.400	2314.000	946.800	2410.000
GR	949.400	2500.000	949.700	2522.000	950.200	2620.000	950.100	2700.000	950.000	2810.000
GR	946.900	2894.000	945.400	3018.000	945.600	3298.000	946.600	3444.000	946.100	3586.000
GR	946.600	3631.000	949.200	3796.000	948.500	3874.000	946.700	3974.000	944.900	4000.000
GR	941.900	4006.000	941.800	4020.000	941.300	4026.000	941.300	4040.000	941.900	4048.000
GR	941.500	4064.000	941.600	4070.000	942.300	4076.000	944.700	4090.000	945.600	4194.000
GR	948.200	4390.000	950.000	4580.000	951.900	4658.000	956.900	4754.000	960.000	4854.000
GR	963.200	4958.000	965.000	4970.000	961.200	4976.000	962.500	4990.000	965.200	5292.000
GR	966.600	5342.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	25.600	35.000	4000.000	4060.000	2100.000	1500.000	2850.000	0.000	0.000	0.000
GR	960.000	2900.000	952.000	3360.000	950.000	3500.000	945.000	3600.000	945.400	3900.000
GR	945.720	4000.000	945.720	4000.000	942.320	4003.160	942.090	4006.320	942.010	4009.470
GR	941.950	4012.630	941.840	4015.790	941.760	4018.950	941.730	4022.110	941.700	4025.260
GR	941.720	4028.420	941.780	4031.580	941.740	4034.740	941.860	4037.890	942.110	4041.050
GR	942.380	4044.210	942.700	4047.370	943.190	4050.530	943.770	4053.680	944.350	4056.840
GR	944.920	4060.000	946.900	4264.000	946.600	4406.000	947.400	4598.000	950.600	4652.000
GR	952.500	4756.000	951.800	4802.000	951.400	4902.000	953.000	5004.000	956.300	5108.000
GR	962.300	5212.000	966.600	5318.000	966.100	5358.000	968.900	5408.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1901.000	2148.000	0.000	0.000

X1	25.800	29.000	2000.000	2050.000	1080.000	620.000	1100.000	0.000	0.000	0.000
GR	969.000	1342.000	964.600	1428.000	959.600	1522.000	955.400	1610.000	950.000	1710.000
GR	948.300	1758.000	952.300	1776.000	949.100	1788.000	946.400	1912.000	946.000	2000.000
GR	942.300	2001.000	942.000	2010.000	941.700	2030.000	943.100	2040.000	945.000	2050.000
GR	946.900	2264.000	946.600	2406.000	947.400	2598.000	950.600	2652.000	952.500	2756.000
GR	951.400	2802.000	951.400	2902.000	953.000	3004.000	956.300	3108.000	962.300	3212.000
GR	966.800	3314.000	968.100	3358.000	968.900	3408.000	972.800	3510.000	0.000	0.000

X1	25.900	48.000	2000.000	2085.000	420.000	40.000	324.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	949.900	949.900	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	949.400	1494.000	949.200	1598.000	948.900	1694.000	949.200	1805.000
GR	950.500	1898.000	951.500	2000.000	945.900	2000.000	946.000	2008.000	942.200	2020.000
GR	944.500	2032.000	943.300	2039.000	943.000	2041.500	943.000	2041.600	942.800	2043.400
GR	942.800	2043.500	942.500	2046.000	942.400	2058.000	944.700	2066.000	945.500	2071.000
GR	945.500	2085.000	951.500	2085.000	951.300	2100.000	950.200	2202.000	949.500	2302.000
GR	949.700	2400.000	950.500	2504.000	950.900	2602.000	950.900	2704.000	951.300	2802.000
GR	951.400	2902.000	953.000	3004.000	956.300	3108.000	962.300	3212.000	966.800	3314.000
GR	968.100	3356.000	968.900	3408.000	972.800	3610.000	0.000	0.000	0.000	0.000
NC	.070	.070	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF O DRIVE SOUTH:CONCRETE (C)

X1	26.000	0.000	0.000	0.000	16.900	16.900	16.900	0.000	0.000	0.000
BT	10.000	1898.000	950.500	0.000	2000.000	951.500	945.900	2000.000	951.500	948.300
BT	2041.500	951.500	948.300	2041.600	951.500	943.000	2043.400	951.500	942.800	2043.500
BT	951.500	942.300	2085.000	951.500	948.300	2085.000	951.500	945.500	2100.000	951.300
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	26.100	47.000	2000.000	2085.000	26.000	26.000	26.000	0.000	0.000	0.000
BT	10.000	1898.000	950.500	0.000	2000.000	951.500	946.300	2000.000	951.500	948.300

MOORE BUSINESS FORMS, INC. 23

BT	2041.500	951.500	948.300	2041.600	951.500	940.600	2043.400	951.500	940.700	2043.500
BT	951.500	948.300	2085.000	951.500	948.300	2085.000	951.500	945.500	2100.000	951.300
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	949.400	1494.000	949.200	1598.000	948.900	1694.000	949.200	1805.000
GR	950.500	1898.000	951.500	2000.000	946.300	2000.000	945.100	2008.000	941.700	2020.000
GR	940.000	2032.000	940.300	2039.000	940.600	2041.500	940.600	2041.600	940.700	2043.400
GR	940.700	2043.500	940.900	2046.000	942.100	2059.000	943.100	2071.000	944.800	2085.000
GR	951.500	2085.000	951.300	2100.000	950.200	2202.000	949.500	2302.000	949.700	2400.000
GR	950.500	2504.000	950.900	2602.000	950.900	2704.000	951.300	2802.000	951.400	2902.000
GR	953.000	3004.000	956.300	3108.000	962.300	3212.000	966.800	3314.000	968.100	3358.000
GR	968.900	3408.000	972.800	3510.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.080	.080	.035	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	26.200	0.000	0.000	0.000	16.900	16.900	16.900	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	951.500	951.500	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1897.000	2196.000	0.000	0.000
NC	.080	.080	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	26.400	39.000	2000.000	2083.000	10.000	160.000	107.000	0.000	0.000	0.000
GR	977.500	500.000	972.200	554.000	965.500	630.000	958.200	722.000	954.400	800.000
GR	952.000	874.000	951.000	975.000	951.100	1078.000	951.300	1184.000	951.800	1290.000
GR	951.300	1392.000	950.900	1453.000	945.600	1460.000	948.600	1764.000	946.600	1800.000
GR	946.400	1900.000	945.500	2000.000	945.100	2044.000	942.700	2052.000	942.400	2060.000
GR	942.000	2067.000	941.900	2073.000	942.500	2085.000	944.500	2093.000	946.800	2200.000
GR	947.400	2300.000	948.900	2400.000	950.500	2504.000	950.900	2602.000	950.900	2704.000
GR	951.300	2802.000	951.400	2902.000	953.000	3004.000	956.300	3108.000	962.300	3212.000
GR	966.800	3314.000	968.100	3358.000	968.900	3408.000	972.800	3510.000	0.000	0.000
X1	26.900	34.000	2000.000	2124.000	2000.000	2250.000	3000.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000
GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1774.000	946.700	1850.000	947.100	1940.000
GR	947.400	2000.000	945.400	2026.000	944.200	2038.000	943.400	2048.000	943.200	2062.000
GR	944.000	2070.000	945.200	2082.000	944.400	2090.000	943.700	2100.000	945.500	2124.000
GR	947.200	2132.000	950.400	2220.000	953.600	2262.000	956.300	2314.000	961.000	2414.000
GR	964.100	2512.000	965.000	2552.000	966.700	2618.000	968.700	2748.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (F)

X1	27.000	32.000	2030.000	2090.000	72.000	72.000	72.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000
GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1784.000	948.500	1892.000	948.700	1982.000
GR	950.700	2030.000	943.400	2030.000	942.400	2040.000	943.000	2050.000	945.400	2060.000
GR	944.700	2070.000	942.900	2080.000	945.500	2090.000	950.200	2090.000	950.000	2170.000
GR	953.200	2262.000	956.300	2314.000	961.000	2414.000	964.100	2512.000	965.000	2552.000
GR	966.700	2618.000	968.700	2748.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
X1	27.100	37.000	2000.000	2143.000	36.000	36.000	36.000	0.000	0.000	0.000
GR	963.000	486.000	962.000	584.000	959.700	730.000	959.000	806.000	959.650	906.000

MOORE BUSINESS FORMS, INC. 23

GR	959.400	1028.000	956.600	1188.000	955.600	1234.000	951.600	1358.000	948.100	1454.000
GR	948.000	1482.000	947.000	1634.000	946.700	1784.000	948.000	1862.000	948.100	1930.000
GR	948.000	2000.000	945.500	2008.000	944.300	2026.000	944.000	2042.000	944.500	2054.000
GR	945.100	2066.000	945.300	2080.000	945.100	2092.000	945.200	2104.000	945.100	2118.000
GR	944.800	2130.000	945.200	2140.000	946.000	2143.000	949.700	2176.000	953.000	2216.000
GR	953.200	2262.000	956.300	2314.000	961.000	2414.000	964.100	2512.000	965.000	2552.000
GR	966.700	2618.000	968.700	2748.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	0.000	1896.000	2784.000	0.000	0.000

SURVEYED VALLEY SECTION (E)

X1	27.400	43.000	2050.000	2169.500	1640.000	2300.000	2700.000	0.000	0.000	0.000
GR	962.400	518.000	962.000	584.000	960.800	730.000	960.600	806.000	960.900	906.000
GR	960.800	1028.000	959.400	1188.000	958.400	1278.000	956.400	1370.000	954.700	1474.000
GR	946.300	1580.000	946.200	1684.000	950.600	1690.000	946.800	1896.000	946.300	2000.000
GR	945.200	2050.000	945.200	2050.000	945.810	2056.290	945.320	2062.580	945.120	2068.870
GR	945.050	2075.160	945.190	2081.450	945.500	2087.740	945.770	2094.030	945.930	2100.320
GR	945.730	2106.610	945.630	2112.890	945.560	2119.180	945.510	2125.470	945.530	2131.760
GR	945.610	2138.050	945.660	2144.340	945.710	2150.630	945.730	2156.920	945.940	2163.210
GR	946.950	2169.500	952.800	2274.000	957.400	2360.000	959.800	2458.000	962.200	2528.000
GR	964.400	2614.000	965.200	2728.000	965.000	2784.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	27.500	10.000	2000.000	2100.000	320.000	550.000	400.000	0.000	0.000	0.000
GR	954.200	1350.000	950.300	1900.000	948.200	2000.000	945.800	2020.000	945.300	2040.000
GR	945.200	2060.000	945.400	2080.000	947.300	2100.000	950.200	2150.000	957.000	3250.000

X1	27.700	35.000	2050.000	2154.000	1660.000	1330.000	1500.000	0.000	0.000	0.000
GR	962.000	518.000	962.200	1278.000	961.600	1370.000	961.400	1474.000	961.100	1580.000
GR	959.300	1684.000	954.500	1790.000	953.900	1896.000	951.500	2000.000	948.300	2050.000
GR	946.900	2052.000	946.000	2062.000	946.000	2072.000	946.600	2082.000	947.000	2092.000
GR	946.000	2102.000	945.900	2112.000	945.900	2122.000	946.200	2132.000	946.900	2150.000
GR	947.900	2154.000	952.400	2274.000	957.000	2360.000	957.400	2458.000	959.900	2528.000
GR	961.900	2614.000	962.100	2728.000	960.100	2784.000	957.900	2796.000	959.500	2808.000
GR	957.000	2870.000	957.100	2970.000	960.300	3072.000	974.000	3180.000	976.200	3200.000

X1	27.800	38.000	2129.000	2221.000	360.000	360.000	340.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.700	1695.000	952.600	1745.000	952.100	1845.000
GR	951.800	1945.000	951.100	2045.000	950.700	2129.000	947.100	2136.000	945.500	2146.000
GR	945.800	2156.000	946.600	2166.000	946.400	2176.000	946.100	2186.000	946.200	2196.000
GR	946.300	2206.000	947.100	2211.000	951.800	2221.000	954.000	2321.000	959.600	2421.000
GR	958.800	2512.000	961.700	2616.000	962.300	2720.000	962.100	2820.000	961.100	2922.000
GR	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000	0.000	0.000

X1	27.900	44.000	2141.000	2232.000	32.000	32.000	32.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	954.050	954.050	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.800	1798.000	955.000	1900.000
GR	954.800	2000.000	954.800	2100.000	955.400	2141.000	947.400	2141.000	945.500	2151.000
GR	945.700	2161.000	946.000	2171.000	946.600	2181.000	946.200	2186.500	946.200	2186.600
GR	946.100	2186.400	946.100	2186.500	946.000	2191.000	946.000	2201.000	946.100	2211.000

MOORE BUSINESS FORMS, INC. 23

GR	946.200	2221.000	947.200	2228.000	947.500	2232.000	955.400	2232.000	955.200	2304.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
NC	.070	.070	.020	.300	.500	0.000	0.000	0.000	0.000	0.000
QT	5.000	500.000	635.000	690.000	820.000	690.000	0.000	0.000	0.000	0.000

D/S FACE OF F DRIVE SOUTH.CONCRETE (F)

X1	28.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	10.000	2100.000	954.800	0.000	2141.000	955.400	947.400	2141.000	955.400	952.700
BT	2186.500	955.400	952.700	2186.600	955.400	946.200	2188.400	955.400	946.100	2188.500
BT	955.400	952.700	2232.000	955.400	952.700	2232.000	955.400	947.500	2304.000	955.200
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.100	44.000	2149.000	2240.000	36.500	36.500	36.500	0.000	0.000	0.000
BT	10.000	2100.000	954.800	0.000	2149.000	955.400	947.800	2149.000	955.400	952.700
BT	2194.500	955.400	952.700	2194.600	955.400	945.800	2196.400	955.400	945.900	2196.500
BT	955.400	952.700	2240.000	955.400	952.700	2240.000	955.400	948.000	2304.000	955.200
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.800	1798.000	955.000	1900.000
GR	954.800	2000.000	954.800	2100.000	955.400	2149.000	947.800	2149.000	945.800	2159.000
GR	945.900	2169.000	945.900	2179.000	945.700	2189.000	945.800	2194.500	945.800	2194.600
GR	945.900	2196.400	945.900	2196.500	946.000	2199.000	946.400	2209.000	945.700	2219.000
GR	945.700	2229.000	947.100	2235.000	948.000	2240.000	955.400	2240.000	955.200	2304.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
NC	.070	.070	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	28.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	955.400	955.400	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	2117.000	2272.000	0.000	0.000

X1	28.300	39.000	2154.500	2229.000	32.000	32.000	32.000	0.000	0.000	0.000
GR	958.400	490.000	957.600	587.000	958.500	679.000	960.400	793.000	961.100	896.000
GR	960.200	983.000	958.200	1085.000	956.800	1188.000	956.100	1292.000	955.800	1392.000
GR	955.400	1478.000	955.100	1600.000	955.000	1698.000	954.700	1745.000	950.500	1845.000
GR	950.000	1945.000	950.000	2000.000	950.000	2045.000	949.400	2144.000	947.200	2154.500
GR	945.900	2164.000	946.100	2174.000	946.000	2184.000	946.000	2204.000	945.800	2214.000
GR	946.700	2224.000	947.200	2229.000	949.000	2239.000	953.200	2339.000	955.600	2359.000
GR	956.600	2408.000	958.800	2512.000	961.100	2616.000	962.300	2720.000	962.100	2820.000
GR	961.100	2922.000	962.100	3027.000	966.900	3116.000	968.700	3242.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	1.410	2000.000	3242.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	28.420	42.000	2154.500	2241.880	590.000	570.000	580.000	0.000	0.000	0.000
GR	960.000	1200.000	955.000	1300.000	960.000	1400.000	960.000	1500.000	950.000	1575.000
GR	950.000	1700.000	960.000	1820.000	960.000	2100.000	949.400	2144.000	949.400	2144.000
GR	948.400	2154.500	948.400	2154.500	947.730	2159.100	947.070	2163.700	946.720	2168.300
GR	946.630	2172.890	946.660	2177.490	946.630	2182.090	946.610	2186.690	946.630	2191.290
GR	946.660	2195.890	946.700	2200.490	946.700	2205.090	946.690	2209.680	946.650	2214.280
GR	946.560	2218.880	946.490	2223.480	946.690	2228.080	947.060	2232.680	947.440	2237.280
GR	948.120	2241.880	953.200	2339.000	955.600	2359.000	956.600	2408.000	958.800	2512.000
GR	961.100	2618.000	962.300	2720.000	962.100	2820.000	961.100	2922.000	962.100	3027.000

MOORE BUSINESS FORMS, INC. 23

GR	966.900	3116.000	968.700	3242.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (G)

X1	28.670	22.000	2017.000	2120.000	2780.000	2800.000	2660.000	0.000	0.000	0.000
GR	975.310	1606.000	962.280	1704.000	957.910	1760.000	958.290	1852.000	958.710	1900.000
GR	951.970	2000.000	949.260	2017.000	948.440	2027.000	948.250	2037.000	948.360	2047.000
GR	948.640	2057.000	948.760	2067.000	948.820	2077.000	948.510	2097.000	948.510	2097.000
GR	949.380	2120.000	950.920	2126.000	952.550	2210.000	955.350	2217.000	953.300	2244.000
GR	956.900	2368.000	959.210	2380.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.800	31.000	2000.000	2126.000	800.000	400.000	700.000	0.000	0.000	0.000
GR	975.300	1606.000	962.300	1704.000	957.900	1760.000	958.300	1852.000	958.800	1900.000
GR	952.000	2000.000	949.300	2017.000	948.400	2027.000	948.300	2037.000	948.400	2047.000
GR	948.600	2057.000	948.800	2067.000	948.800	2077.000	948.700	2087.000	948.500	2097.000
GR	948.500	2107.000	949.400	2120.000	950.900	2126.000	952.600	2210.000	955.400	2217.000
GR	955.600	2230.000	953.300	2244.000	956.900	2368.000	959.200	2380.000	961.700	2456.000
GR	966.000	2530.000	967.600	2578.000	967.600	2702.000	975.800	2830.000	977.800	2934.000
GR	979.200	3022.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.810	36.000	2000.000	2100.000	80.000	15.000	75.000	0.000	0.000	0.000
GR	962.900	315.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	959.400	1700.000	959.000	1800.000
GR	954.600	1900.000	951.300	2000.000	950.600	2010.000	949.800	2020.000	949.700	2031.000
GR	949.300	2042.000	949.300	2052.000	949.900	2063.000	950.600	2067.000	956.300	2100.000
GR	957.000	2200.000	953.300	2300.000	953.900	2400.000	953.700	2500.000	954.400	2600.000
GR	955.800	2700.000	959.700	2800.000	964.800	2900.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	28.900	46.000	2000.000	2070.000	34.000	34.000	34.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.100	957.000	0.000
GR	962.900	315.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	958.700	1700.000	958.500	1800.000
GR	958.300	1900.000	957.700	2000.000	951.400	2000.000	950.500	2007.000	949.200	2014.000
GR	949.600	2022.500	949.600	2022.600	949.700	2023.500	949.700	2023.600	949.700	2024.000
GR	949.100	2034.000	949.100	2044.000	949.100	2047.000	949.100	2047.100	949.100	2048.000
GR	949.100	2048.100	949.100	2054.000	949.900	2064.000	950.500	2067.000	951.200	2070.000
GR	957.600	2070.000	957.100	2168.000	957.100	2264.000	957.100	2400.000	957.200	2501.000
GR	957.800	2604.000	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE (H) Class 5k

X1	29.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
RT	14.000	1900.000	958.300	0.000	2010.000	957.700	951.400	2000.000	957.700	956.400
RT	2022.500	957.700	956.400	2022.600	957.700	949.600	2023.500	957.700	949.700	2023.600
RT	957.700	956.400	2047.000	957.600	956.400	2047.100	957.600	949.100	2048.000	957.600
RT	949.100	2048.100	957.600	956.400	2070.000	957.600	956.400	2070.000	957.600	951.200
RT	2168.000	957.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

XI	29.100	45.000	2000.000	2070.000	30.000	30.000	30.000	0.000	0.000	0.000
BT	14.000	1900.000	958.300	0.000	2000.000	957.700	951.500	2000.000	957.700	956.300
BT	2022.500	957.700	956.300	2022.600	957.700	949.000	2023.500	957.700	949.000	2023.600
BT	957.700	956.300	2047.000	957.600	956.400	2047.100	957.600	949.200	2048.000	957.600
BT	949.200	2048.100	957.600	956.400	2070.000	957.600	956.400	2070.000	957.600	951.700
BT	2168.000	957.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	962.900	318.000	963.200	494.000	962.700	592.000	963.000	696.000	964.100	795.000
GR	965.000	897.000	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000
GR	962.400	1400.000	961.000	1502.000	959.600	1600.000	958.700	1700.000	958.500	1800.000
GR	958.300	1900.000	957.700	2000.000	951.500	2000.000	950.500	2004.000	948.900	2014.000
GR	949.000	2022.500	949.000	2022.600	949.000	2023.500	949.000	2023.600	949.000	2024.000
GR	948.400	2034.000	949.100	2044.000	949.200	2047.000	949.200	2047.100	949.200	2048.000
GR	949.200	2048.100	949.200	2054.000	950.500	2064.000	951.700	2070.000	957.600	2070.000
GR	957.100	2168.000	957.100	2264.000	957.100	2400.000	957.200	2501.000	957.800	2604.000
GR	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000	976.500	3120.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

X1	29.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.700	956.600	0.000

X1	29.300	36.000	1972.000	2065.000	34.000	34.000	34.000	0.000	0.000	0.000
GR	963.200	494.000	962.700	592.000	963.000	646.000	964.100	795.000	965.000	897.000
GR	966.800	998.000	966.700	1102.000	965.200	1204.000	963.700	1302.000	962.400	1400.000
GR	961.000	1502.000	960.800	1600.000	959.000	1700.000	958.000	1800.000	956.500	1900.000
GR	956.200	1972.000	952.500	1992.000	950.300	2000.000	948.800	2010.000	948.600	2020.000
GR	948.400	2030.000	949.400	2040.000	950.200	2044.000	954.700	2065.000	956.200	2100.000
GR	954.600	2200.000	954.500	2300.000	955.000	2400.000	956.400	2500.000	957.400	2600.000
GR	957.800	2604.000	959.700	2710.000	963.200	2820.000	967.100	2925.000	971.600	3022.000
GR	976.500	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.100	.300	0.000	0.000	0.000	0.000	0.000

X1	29.420	48.000	2000.000	2088.000	220.000	510.000	294.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	955.500	956.200	0.000
GR	963.000	696.000	964.100	795.000	965.000	897.000	966.800	998.000	966.700	1102.000
GR	965.200	1204.000	963.700	1302.000	962.400	1400.000	961.000	1502.000	960.800	1600.000
GR	959.000	1700.000	958.000	1800.000	956.500	1900.000	956.200	1972.000	952.500	1992.000
GR	955.500	2000.000	955.500	2000.000	954.450	2004.630	953.500	2009.260	952.730	2013.890
GR	952.020	2018.530	951.010	2023.160	950.080	2027.790	949.480	2032.420	949.010	2037.050
GR	948.980	2041.680	948.940	2046.320	948.890	2050.950	948.880	2055.580	949.250	2060.210
GR	949.720	2064.840	950.540	2069.470	951.390	2074.110	952.240	2078.740	953.100	2083.370
GR	954.220	2088.000	956.200	2100.000	954.600	2200.000	954.500	2300.000	955.000	2400.000
GR	956.400	2500.000	957.400	2600.000	957.800	2604.000	959.700	2710.000	963.200	2820.000
GR	967.100	2925.000	971.600	3022.000	976.500	3120.000	0.000	0.000	0.000	0.000

X1	29.550	43.000	2000.000	2078.000	1010.000	1060.000	1050.000	0.000	0.000	0.000
GR	976.800	598.000	972.700	680.000	969.400	784.000	968.900	890.000	969.300	994.000
GR	969.600	1102.000	968.800	1200.000	967.200	1300.000	966.600	1302.000	964.000	1404.000
GR	961.300	1496.000	960.100	1600.000	959.000	1700.000	956.900	1790.000	956.100	1896.000
GR	954.100	2000.000	954.100	2000.000	952.770	2004.110	951.730	2008.210	951.210	2012.320
GR	950.900	2016.420	950.490	2020.530	950.060	2024.630	949.730	2028.740	949.490	2032.840
GR	949.540	2036.950	949.670	2041.050	949.700	2045.160	949.690	2049.260	949.820	2053.370
GR	950.150	2057.470	950.600	2061.580	951.070	2065.680	951.530	2069.790	951.990	2073.890
GR	953.270	2078.000	954.900	2140.000	957.000	2202.000	961.200	2278.000	957.800	2300.000
GR	965.000	2390.000	972.100	2502.000	973.800	2608.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	29.800	32.000	2000.000	2073.000	300.000	390.000	359.000	0.000	0.000	0.000
GR	979.600	496.000	976.800	548.000	972.700	680.000	969.400	784.000	968.900	890.000
GR	969.300	994.000	969.600	1102.000	968.800	1200.000	967.200	1300.000	966.600	1302.000
GR	964.000	1404.000	961.300	1496.000	960.100	1600.000	959.000	1700.000	956.900	1790.000
GR	956.100	1896.000	953.400	2000.000	951.100	2006.000	950.500	2010.000	950.200	2020.000
GR	949.700	2030.000	950.100	2046.000	950.100	2050.000	951.500	2070.000	952.800	2073.000
GR	954.900	2140.000	957.000	2202.000	961.200	2278.000	957.800	2300.000	965.000	2390.000
GR	972.100	2502.000	973.800	2605.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	29.810	30.000	2000.000	2060.000	140.000	140.000	160.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.900	1700.000	957.300	1800.000	956.200	1900.000
GR	953.100	2000.000	951.700	2003.000	950.700	2010.000	950.600	2020.000	950.200	2030.000
GR	949.300	2040.000	949.100	2050.000	950.000	2060.000	951.600	2069.000	953.100	2080.000
GR	958.100	2200.000	963.300	2278.000	969.000	2380.000	974.000	2438.000	985.400	2598.000
X1	29.900	37.000	2000.000	2069.000	39.000	39.000	39.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	957.500	957.450	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.400	1744.000	957.700	1848.000	958.100	2000.000
GR	951.200	2000.000	950.500	2010.000	949.900	2020.000	949.900	2022.200	949.900	2022.300
GR	949.900	2023.200	949.900	2023.300	949.900	2030.000	949.500	2040.000	949.600	2046.400
GR	949.600	2046.500	949.600	2047.400	949.600	2047.500	949.600	2050.000	950.800	2060.000
GR	950.700	2069.000	958.100	2069.000	959.700	2188.000	963.300	2278.000	969.000	2380.000
GR	974.000	2438.000	985.400	2598.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF A DRIVE SOUTH BRIDGE.CONCRETE (1)

X1	30.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	14.000	1848.000	957.700	0.000	2000.000	958.100	951.200	2000.000	958.100	956.900
BT	2022.200	958.100	956.900	2022.300	958.100	949.900	2023.200	958.100	949.900	2023.300
BT	958.100	956.900	2046.400	958.100	956.800	2046.500	958.100	949.600	2047.400	958.100
BT	949.600	2047.500	958.100	956.800	2069.000	958.100	956.800	2069.000	958.100	950.700
BT	2188.000	959.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	30.100	37.000	2000.000	2069.000	30.000	30.000	30.000	0.000	0.000	0.000
BT	14.000	1848.000	957.700	0.000	2000.000	958.100	951.200	2000.000	958.100	956.900
BT	2022.200	958.100	956.900	2022.300	958.100	950.100	2023.200	958.100	950.100	2023.300
BT	958.100	956.900	2046.400	958.100	956.800	2046.500	958.100	950.200	2047.400	958.100
BT	950.200	2047.500	958.100	956.800	2069.000	958.100	956.800	2069.000	958.100	951.100
BT	2188.000	959.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	958.400	1744.000	957.700	1848.000	958.100	2000.000
GR	951.200	2000.000	950.200	2010.000	950.100	2020.000	950.100	2022.200	950.100	2022.300
GR	950.100	2023.200	950.100	2023.300	950.100	2030.000	950.100	2040.000	950.200	2046.400
GR	950.200	2046.500	950.200	2047.400	950.200	2047.500	950.200	2050.000	950.000	2060.000
GR	951.100	2069.000	958.100	2069.000	959.700	2188.000	963.300	2278.000	969.000	2380.000
GR	974.000	2438.000	985.400	2598.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	30.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	958.100	958.100	0.000
X1	30.300	32.000	2000.000	2088.000	39.000	39.000	39.000	0.000	0.000	0.000
GR	975.100	586.000	972.600	691.000	971.300	800.000	970.300	878.000	968.800	982.000
GR	967.100	1088.000	965.600	1192.000	964.600	1296.000	963.000	1402.000	963.000	1468.000
GR	962.100	1638.000	959.500	1642.000	960.500	1722.000	958.300	1822.000	957.000	1922.000
GR	954.300	1982.000	952.000	2000.000	950.900	2012.000	950.400	2022.000	950.100	2032.000
GR	950.200	2042.000	950.400	2052.000	950.700	2062.000	950.500	2072.000	951.600	2088.000
GR	953.900	2097.000	953.600	2122.000	958.600	2222.000	962.000	2282.000	969.000	2380.000
GR	974.000	2438.000	985.400	2598.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	30.400	0.000	0.000	0.000	76.000	76.000	76.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (J)

X1	31.000	23.000	2006.000	2102.000	2700.000	2840.000	2825.000	0.000	0.000	0.000
GR	975.100	1752.000	979.400	1866.000	974.900	1930.000	960.900	1982.000	954.600	2000.000
GR	953.600	2006.000	952.800	2016.000	952.600	2026.000	952.700	2036.000	952.600	2046.000
GR	952.400	2056.000	952.800	2066.000	953.000	2076.000	953.700	2102.000	955.800	2126.000
GR	956.400	2192.000	956.300	2270.000	957.600	2340.000	958.900	2416.000	960.000	2538.000
GR	962.100	2694.000	965.000	2766.000	970.000	2816.000	0.000	0.000	0.000	0.000
X1	31.800	29.000	2000.000	2078.000	2520.000	2440.000	2566.000	0.000	0.000	0.000
GR	985.600	1603.000	983.200	1699.000	973.700	1803.000	967.800	1901.000	966.900	1930.000
GR	965.500	1948.000	963.200	1959.000	962.700	1982.000	954.800	2000.000	953.700	2001.000
GR	952.500	2010.000	952.300	2020.000	952.700	2032.000	952.800	2044.000	952.900	2054.000
GR	953.100	2066.000	953.800	2072.000	955.100	2078.000	956.300	2128.000	957.700	2216.000
GR	956.500	2306.000	956.600	2392.000	960.300	2452.000	964.900	2472.000	965.400	2512.000
GR	971.200	2610.000	978.700	2696.000	984.000	2774.000	988.500	2862.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1982.000	2095.000	0.000	0.000
X1	31.805	31.000	2000.000	2070.000	240.000	180.000	223.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.100	1900.000	960.300	1988.000
GR	956.300	2000.000	954.300	2006.000	953.200	2010.000	952.800	2020.000	952.700	2030.000
GR	953.300	2040.000	953.200	2055.000	954.200	2064.000	955.100	2070.000	959.400	2100.000
GR	957.300	2200.000	957.500	2300.000	964.600	2400.000	967.800	2440.000	970.800	2502.000
GR	976.400	2602.000	982.900	2701.000	989.400	2805.000	993.400	2903.000	996.100	3003.000
GR	998.600	3105.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1987.000	2083.000	0.000	0.000
X1	31.810	0.000	0.000	0.000	37.000	37.000	37.000	0.000	0.000	0.000
X1	31.900	40.000	2000.000	2070.000	49.000	49.000	49.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	960.550	960.550	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.200	1908.000	961.200	2000.000
GR	955.200	2000.000	954.300	2003.000	953.400	2010.000	953.200	2020.000	953.200	2022.500
GR	953.200	2022.600	953.200	2023.500	953.200	2023.600	953.200	2030.000	953.000	2040.000
GR	952.800	2046.500	952.800	2046.600	952.800	2047.500	952.800	2047.600	952.700	2050.000
GR	953.700	2060.000	954.300	2067.000	954.700	2070.000	961.200	2070.000	960.100	2168.000

MOORE BUSINESS FORMS, INC. 23

GR	961.300	2298.000	965.800	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000
GR	982.900	2701.000	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF J DRIVE SOUTH\BRIDGE.CONCRETE (K)

X1	32.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	14.000	1908.000	963.200	0.000	2000.000	961.200	955.200	2000.000	961.200	959.900
BT	2022.500	961.200	959.900	2022.600	961.200	953.200	2023.500	961.200	953.200	2023.600
BT	961.200	959.900	2046.500	961.200	959.900	2046.600	961.200	952.800	2047.500	961.200
BT	952.800	2047.600	961.200	959.900	2070.000	961.200	959.900	2070.000	961.200	954.700
BT	2168.000	960.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	32.100	39.000	2000.000	2070.000	30.000	30.000	30.000	0.000	0.000	0.000
BT	14.000	1908.000	963.200	0.000	2000.000	961.200	955.100	2000.000	961.200	959.900
BT	2022.500	961.200	959.900	2022.600	961.200	953.000	2023.500	961.200	953.000	2023.600
BT	961.200	959.900	2046.500	961.200	959.900	2046.600	961.200	952.800	2047.500	961.200
BT	952.800	2047.600	961.200	959.900	2070.000	961.200	959.900	2070.000	961.200	954.300
BT	2168.000	960.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.500	1700.000	965.600	1800.000	963.200	1908.000	961.200	2000.000
GR	955.100	2000.000	954.300	2005.000	953.600	2010.000	953.200	2020.000	953.000	2022.500
GR	953.000	2022.600	953.000	2023.500	953.000	2023.600	952.600	2030.000	952.600	2040.000
GR	952.800	2046.500	952.800	2046.600	952.800	2047.500	952.800	2047.600	952.900	2050.000
GR	953.200	2060.000	954.300	2070.000	961.200	2070.000	960.100	2168.000	961.300	2298.000
GR	965.800	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000	982.900	2701.000
GR	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000	0.000	0.000
NC	.070	.070	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	32.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	961.100	961.100	0.000
ET	0.000	7.100	7.100	7.100	7.100	7.100	1972.000	2142.000	0.000	0.000
X1	32.300	34.000	2000.000	2114.000	49.000	49.000	49.000	0.000	0.000	0.000
GR	985.100	1099.000	979.800	1198.000	974.900	1302.000	979.100	1396.000	975.300	1498.000
GR	971.800	1596.000	968.400	1700.000	965.700	1800.000	962.300	1900.000	959.100	1974.000
GR	955.700	2000.000	954.300	2005.000	953.700	2010.000	953.200	2020.000	952.700	2030.000
GR	952.700	2040.000	952.700	2050.000	953.000	2060.000	953.000	2070.000	953.100	2080.000
GR	953.600	2100.000	954.300	2110.000	954.700	2114.000	957.400	2200.000	958.600	2300.000
GR	965.100	2400.000	967.800	2440.000	970.800	2502.000	976.400	2602.000	982.900	2701.000
GR	989.400	2805.000	993.400	2903.000	996.100	3003.000	998.600	3105.000	0.000	0.000
NC	.080	.080	.035	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION (L)

X1	33.000	38.000	2000.000	2052.000	3250.000	3625.000	4100.000	0.000	0.000	0.000
GR	979.500	1431.000	977.700	1459.000	968.400	1551.000	962.700	1591.000	961.100	1623.000
GR	958.900	1627.000	959.000	1667.000	960.300	1681.000	959.700	1756.000	958.700	1838.000
GR	959.000	1916.000	958.800	2000.000	956.700	2002.000	955.100	2012.000	955.200	2022.000
GR	955.200	2032.000	955.000	2042.000	956.800	2050.000	958.700	2052.000	958.300	2130.000
GR	957.500	2212.000	957.400	2284.000	959.000	2390.000	963.400	2422.000	965.400	2498.000
GR	964.700	2594.000	965.500	2682.000	966.800	2786.000	966.000	2880.000	966.100	2970.000
GR	967.700	3050.000	968.400	3144.000	969.000	3236.000	969.700	3332.000	969.200	3434.000
GR	967.800	3534.000	969.500	3626.000	973.700	3812.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	33.850	53.000	2032.000	2085.000	2390.000	2410.000	2399.000	0.000	0.000	0.000
GR	976.600	757.000	975.400	800.000	974.800	820.000	974.200	838.000	970.800	976.000
GR	968.600	1062.000	968.100	1206.000	965.700	1274.000	964.600	1362.000	963.300	1458.000
GR	963.900	1561.000	964.100	1600.000	964.000	1696.000	963.900	1797.000	964.100	1898.000
GR	962.750	2032.000	958.050	2032.000	957.470	2034.790	956.950	2037.580	956.460	2040.370
GR	956.390	2043.160	956.490	2045.950	956.600	2048.740	956.350	2051.530	956.110	2054.320
GR	955.920	2057.110	955.900	2059.890	956.110	2062.680	956.310	2065.470	956.460	2068.260
GR	956.200	2071.050	955.900	2073.840	955.600	2076.630	955.420	2079.420	955.540	2082.210
GR	957.400	2085.000	963.300	2085.000	964.400	2180.000	964.400	2282.000	963.800	2382.000
GR	963.800	2478.000	963.400	2528.000	963.700	2658.000	963.500	2688.000	964.200	2698.000
GR	964.100	2786.000	965.600	2904.000	967.100	2998.000	968.000	3086.000	968.900	3202.000
GR	969.100	3300.000	968.600	3400.000	969.000	3490.000	0.000	0.000	0.000	0.000
X1	33.900	38.000	2027.000	2085.000	13.000	13.000	13.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	965.200	965.200	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	967.500	1561.000	967.700	1600.000	967.600	1696.000
GR	967.700	1797.000	967.800	1898.000	967.400	2000.000	967.300	2027.000	957.900	2027.000
GR	956.000	2037.000	957.600	2045.000	956.300	2057.000	957.000	2067.000	955.600	2077.000
GR	955.500	2085.000	967.300	2085.000	967.700	2180.000	967.800	2282.000	967.600	2382.000
GR	967.300	2478.000	966.900	2528.000	968.200	2658.000	967.800	2688.000	969.500	2698.000
GR	969.200	2786.000	969.900	2904.000	970.800	2998.000	971.400	3086.000	972.600	3202.000
GR	972.900	3300.000	972.000	3400.000	972.500	3490.000	0.000	0.000	0.000	0.000
NC	.020	.020	.020	.300	.500	0.000	0.000	0.000	0.000	0.000

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

X1	34.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	6.000	2000.000	967.400	0.000	2027.000	967.300	957.900	2027.000	967.300	963.100
BT	2085.000	967.300	963.100	2085.000	967.300	955.500	2180.000	967.700	0.000	0.000
X1	34.100	38.000	2025.000	2083.000	29.000	29.000	29.000	0.000	0.000	0.000
BT	6.000	2000.000	967.400	0.000	2025.000	967.300	958.100	2025.000	967.300	963.100
BT	2083.000	967.300	963.100	2083.000	967.300	956.000	2180.000	967.700	0.000	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	967.500	1561.000	967.700	1600.000	967.600	1696.000
GR	967.700	1797.000	967.800	1898.000	967.400	2000.000	967.300	2025.000	958.100	2025.000
GR	957.700	2035.000	956.800	2045.000	956.600	2055.000	956.200	2065.000	956.400	2075.000
GR	956.000	2083.000	967.300	2083.000	967.700	2180.000	967.800	2282.000	967.600	2382.000
GR	967.300	2478.000	966.900	2528.000	968.200	2658.000	967.800	2688.000	969.500	2698.000
GR	969.200	2786.000	969.900	2904.000	970.800	2998.000	971.400	3086.000	972.600	3202.000
GR	972.900	3300.000	972.000	3400.000	972.500	3490.000	0.000	0.000	0.000	0.000
NC	.060	.060	.035	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	34.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	967.300	967.300	0.000
X1	34.250	55.000	2025.000	2069.000	13.000	13.000	13.000	0.000	0.000	0.000
GR	980.300	838.000	975.100	976.000	971.400	1062.000	970.300	1206.000	970.500	1274.000
GR	968.600	1362.000	966.300	1458.000	966.900	1486.000	965.400	1606.000	964.400	1720.000
GR	964.200	1826.000	964.400	1916.000	964.000	2000.000	961.900	2010.000	961.800	2020.000
GR	963.900	2025.000	959.300	2025.000	957.390	2028.370	957.210	2031.740	957.060	2035.110
GR	956.930	2038.470	956.770	2041.840	956.610	2045.210	956.510	2048.580	956.460	2051.950

MOORE BUSINESS FORMS, INC. 2

NC	.017	.017	.017	.300	.500	0.000	0.000	0.000	0.000	0.000
GR	966.100	3504.000	966.600	3606.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	966.500	3072.000	966.000	3174.000	3280.000	0.000	3298.000	965.600	3400.000	
GR	966.009	2502.000	968.000	2606.000	968.700	2764.000	2866.000	967.100	2970.000	
GR	960.100	2088.000	968.800	2088.000	968.800	2192.000	2294.000	969.100	2398.000	
GR	958.500	2045.100	958.200	2050.000	958.800	2060.000	2070.000	958.400	2080.000	
GR	958.200	2030.000	958.300	2040.000	958.600	2043.100	2043.100	958.500	2045.000	
GR	967.900	1994.000	958.300	2000.000	958.700	2000.000	2010.000	958.000	2020.000	
GR	970.900	1396.000	958.300	1500.000	958.100	1554.000	1586.000	967.600	1790.000	
GR	985.800	894.000	960.800	980.000	977.300	1082.000	1184.000	972.700	1290.000	
X1	34.900	42.000	2000.000	2080.000	50.000	50.000	50.000	0.000	0.000	0.000
	10.000	0.000	0.000	0.000	0.000	0.000	0.000	967.200	0.000	0.000
ET	0.000	0.000	0.000	0.000	7.100	0.000	0.000	0.000	0.000	0.000
GR	966.500	3606.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	966.000	3174.000	965.600	3298.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	968.000	2506.000	968.700	2764.000	2866.000	967.100	2970.000	966.500	3072.000	
GR	967.700	2229.000	963.100	2345.000	2443.000	964.900	2533.000	966.800	2569.000	
GR	958.400	2069.000	959.300	2075.000	2081.000	963.300	2107.000	962.200	2207.000	
GR	958.400	2017.000	958.200	2027.000	2037.000	958.200	2047.000	958.400	2057.000	
GR	962.390	1864.000	962.200	1944.000	1970.000	963.700	2000.000	959.300	2007.000	
X1	34.810	36.000	1398.000	1424.000	1502.000	1450.000	1600.000	1504.000	1778.000	
ET	0.000	7.100	7.100	7.100	7.100	7.100	7.100	7.100	7.100	
GR	965.800	3298.000	966.100	3400.000	3504.000	966.600	3606.000	965.800	3709.000	
GR	967.200	2866.000	967.100	2970.000	3072.000	966.010	3174.000	965.800	3280.000	
GR	962.900	2564.000	964.900	2668.000	2772.000	965.900	2874.000	966.600	2980.000	
GR	961.300	2194.000	961.000	2336.000	2354.000	966.300	2410.000	961.400	2492.000	
GR	957.100	2018.000	957.500	2026.000	2040.000	957.200	2054.000	957.300	2066.000	
GR	969.000	1778.000	959.900	1812.000	1878.000	969.400	1970.000	963.700	2000.000	
GR	986.500	1406.000	982.300	1450.000	1514.000	977.000	1608.000	973.000	1710.000	
X1	34.800	34.000	2000.000	2104.000	1000.000	460.000	0.000	820.000	0.000	0.000
ET	0.000	7.100	7.100	7.100	7.100	1877.000	2274.000	0.000	0.000	0.000
GR	971.400	3084.000	972.500	3202.000	3300.000	972.900	3400.000	972.500	3490.000	
GR	967.800	2622.000	965.500	2692.000	2734.000	966.400	2904.000	970.800	2908.000	
GR	968.200	2222.000	964.400	2252.000	2348.000	966.300	2466.000	968.500	2666.000	
GR	957.800	2068.000	959.600	2070.000	2140.000	962.100	2214.000	968.100	2274.000	
GR	956.300	2020.000	956.200	2030.000	2040.000	957.100	2050.000	957.500	2060.000	
GR	960.700	1826.000	961.000	1916.000	2000.000	960.500	2002.000	956.400	2010.000	
GR	966.600	1362.000	966.300	1454.000	1486.000	967.100	1606.000	961.200	1720.000	
GR	970.500	1206.000	970.300	1062.000	1082.000	971.400	1206.000	970.500	1274.000	
X1	34.300	36.000	2000.000	2070.000	24.000	24.000	0.000	0.000	0.000	0.000
NC	.035	.080	.100	.300	0.000	0.000	0.000	0.000	0.000	0.000
ET	7.100	7.100	7.100	7.100	7.100	1967.000	2103.000	0.000	0.000	0.000
GR	972.600	3084.000	972.600	3202.000	3300.000	972.000	3400.000	972.500	3490.000	
GR	965.600	2622.000	965.500	2692.000	2734.000	969.900	2904.000	970.800	2908.000	
GR	964.400	2222.000	964.400	2252.000	2348.000	966.600	2466.000	968.400	2666.000	
GR	963.400	2062.000	963.400	2078.000	2140.000	964.900	2214.000	968.000	2274.000	
GR	956.710	2012.190	956.530	2078.000	2082.260	956.950	2085.630	956.940	2085.630	
GR	956.500	2055.320	956.560	2058.680	2062.050	956.590	2065.420	956.600	2068.790	

MOORE BUSINESS FORMS, INC. 23

SPILLWAY STRUCTURE

X1	35.250	17.000	2007.000	2076.000	51.000	51.000	0.000	0.000	1914.000	
GR	968.210	1500.000	966.780	1600.000	963.960	1492.000	963.350	1914.000	963.060	
GR	962.480	2000.000	959.600	2041.000	959.920	2076.000	961.960	2098.000	961.960	
GR	963.010	2196.000	963.720	2276.000	963.230	2356.000	967.080	2400.000	967.550	
GR	968.010	2526.000	969.570	2600.000	969.570	2600.000	967.080	2400.000	967.550	2502.000
X1	35.350	22.000	2000.000	2081.000	10.000	10.000	0.000	0.000	0.000	
GR	968.210	1500.000	966.780	1600.000	963.960	1492.000	963.350	1914.000	963.060	
GR	962.480	2000.000	959.190	2014.000	959.959	2074.000	961.960	2034.000	959.770	2044.000
GR	959.800	2054.000	959.760	2074.000	961.960	2081.000	961.760	2034.000	959.770	2098.000
GR	963.010	2196.000	963.720	2276.000	963.230	2356.000	967.080	2400.000	967.550	2502.000

GR	967.800	1450.000	967.500	1572.000	965.800	1664.000	965.600	1750.000	965.300	1882.000
GR	964.700	2000.000	962.800	2006.000	961.700	2022.000	961.600	2038.000	961.300	2054.000
GR	961.400	2067.000	961.500	2076.000	962.800	2086.000	963.200	2092.000	966.200	2175.000
GR	972.300	2302.000	972.300	2334.000	974.000	2378.000	975.100	2484.000	974.900	2581.000
GR	974.900	2684.000	975.000	2804.000	975.700	2906.000	976.700	3004.000	977.700	3100.000
GR	979.200	3202.000	981.200	3306.000	984.800	3414.000	990.300	3514.000	992.300	3574.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

*PROF 1

CCHV= .100 CEHV= .300

*SECNO 24.000

Encroached run reviewed

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
	D/S LIMIT OF ALBION TWP. (A)								
24.00	7.47	946.17	0.00	946.17	946.17	.00	0.00	0.00	944.00
735.	1.	732.	2.	12.	1924.	31.	0.	0.	944.90
0.00	.08	.38	.06	.060	.045	.060	0.000	938.70	1989.28
.000010	0.	0.	0.	0	0	0	0.00	336.78	2326.06
*SECNO 24.100									
24.10	6.64	946.20	0.00	0.00	946.20	.00	.03	.00	944.90
735.	14.	720.	2.	109.	1407.	18.	92.	18.	944.60
1.26	.13	.51	.10	.060	.045	.060	.045	939.56	1903.29
.000021	2350.	2280.	2200.	0	0	0	0.00	339.47	2242.76
*SECNO 24.200									
3265 DIVIDED FLOW									
24.20	5.85	946.25	0.00	0.00	946.26	.00	.05	.00	944.00
735.	306.	412.	17.	2000.	798.	148.	202.	73.	944.80
3.00	.15	.52	.11	.060	.045	.060	.046	940.40	989.89
.000027	2000.	2300.	2000.	2	0	0	0.00	1993.31	3337.82
*SECNO 25.000									
3265 DIVIDED FLOW									
	SURVEYED VALLEY SECTION (B)								
25.00	5.07	946.37	0.00	0.00	946.39	.02	.13	.01	944.90
735.	116.	556.	64.	354.	389.	149.	283.	128.	944.70
3.50	.33	1.43	.43	.060	.045	.060	.047	941.30	2938.00
.000271	1500.	2290.	2600.	2	0	0	0.00	845.34	4251.88

CCHV= .100 CEHV= .300

*SECNO 25.600

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
25.60	5.29	946.99	0.00	0.00	947.01	.01	.61	.00	945.72
735.	294.	361.	80.	684.	273.	273.	337.	168.	944.92

MOORE BUSINESS FORMS, INC. 23

4.31	.43	1.32	.29	.070	.045	.070	.048	941.70	3560.18
.000222	2100.	2850.	1500.	2	0	0	0.00	939.62	4499.81

*SECNO 25.800

3470 ENCROACHMENT STATIONS= 1901.0 2148.0 TYPE= 1 TARGET= 247.000

25.80	5.61	947.31	0.00	0.00	947.37	.06	.35	.01	946.00
735.	59.	532.	144.	107.	241.	184.	356.	180.	945.00
4.47	.55	2.21	.78	.070	.045	.070	.048	941.70	1901.00
.000601	1080.	1100.	620.	2	0	0	0.00	247.00	2148.00

*SECNO 25.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 949.90 ELREA= 949.90

25.90	5.33	947.53	0.00	0.00	947.63	.10	.25	.01	951.50
735.	0.	735.	0.	0.	295.	0.	359.	181.	951.50
4.50	0.00	2.49	0.00	.070	.045	.070	.048	942.20	2000.00
.001174	420.	324.	40.	2	0	0	0.00	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.000

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

D/S FACE OF D.DRIVE SOUTH.CONCRETE (C)

26.00	5.34	947.54	0.00	0.00	947.64	.10	.01	.00	951.50
735.	0.	735.	0.	0.	288.	0.	359.	181.	951.50
4.51	0.00	2.55	0.00	.070	.026	.070	.048	942.20	2000.00
.000488	17.	17.	17.	0	0	0	-8.76	85.00	2085.00

*SECNO 26.100

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 950.50 MAX ELLC= 948.30

26.10	7.62	947.62	0.00	0.00	947.66	.05	.01	.02	951.50
735.	0.	735.	0.	0.	426.	0.	359.	181.	951.50
4.51	0.00	1.72	0.00	.070	.026	.070	.048	940.00	2000.00
.000139	26.	26.	26.	2	0	0	-13.18	85.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 26.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 951.50 ELREA= 951.50

26.20	7.63	947.63	0.00	0.00	947.67	.04	.00	.00	951.50
735.	0.	735.	0.	0.	440.	0.	359.	181.	951.50

MOORE BUSINESS FORMS, INC. 23

4.51	0.00	1.67	0.00	.080	.045	.080	.048	940.00	2000.00
.000311	17.	17.	17.	0	0	0	0.00	85.00	2085.00

CCHV= .100 CEHV= .300
*SECNO 26.400

3470 ENCROACHMENT STATIONS= 1897.0 2196.0 TYPE= 1 TARGET= 299.000

26.40	5.78	947.68	0.00	0.00	947.71	.03	.04	.00	945.50
735.	89.	523.	122.	177.	348.	213.	361.	182.	944.50
4.54	.51	1.50	.57	.080	.045	.080	.048	941.90	1897.00
.000363	10.	107.	160.	2	0	0	0.00	299.00	2196.00

*SECNO 26.900

26.90	5.20	946.40	0.00	0.00	948.41	.01	.70	.00	947.40
735.	221.	503.	10.	697.	460.	36.	415.	208.	945.50
5.43	.32	1.09	.29	.080	.045	.080	.048	943.20	1445.84
.000193	2000.	3000.	2250.	2	0	0	0.00	719.08	2164.93

CCHV= .100 CEHV= .300
*SECNO 27.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (D)

27.00	6.00	942.40	0.00	0.00	948.44	.03	.02	.01	950.70
735.	242.	493.	0.	472.	276.	0.	417.	209.	950.20
5.44	.51	1.79	0.00	.070	.045	.070	.048	942.40	1445.48
.000462	72.	72.	72.	1	0	0	0.00	501.16	2090.00

*SECNO 27.100

27.10	4.44	948.44	0.00	0.00	948.45	.01	.01	.00	948.00
735.	182.	544.	9.	531.	494.	26.	417.	209.	946.00
5.45	.34	1.10	.35	.070	.045	.070	.048	944.00	1444.77
.000215	36.	36.	36.	2	0	0	0.00	719.96	2164.73

CCHV= .100 CEHV= .300
*SECNO 27.400

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1896.0 2784.0 TYPE= 1 TARGET= 888.000

SURVEYED VALLEY SECTION (E)

27.40	3.92	948.97	0.00	0.00	948.99	.01	.54	.00	945.20
735.	262.	461.	12.	413.	403.	37.	465.	232.	946.95
6.15	.63	1.14	.33	.070	.045	.070	.049	945.05	1896.00
.000239	1640.	2700.	2300.	2	0	0	0.00	309.63	2205.63

MOORE BUSINESS FORMS, INC. 23

CCHV= .300 CEHV= .500
*SECNO 27.500

27.50	3.91	949.11	0.00	0.00	949.18	.07	.16	.03	948.20
735.	8.	710.	17.	20.	322.	28.	470.	235.	947.30
6.20	.39	2.21	.61	.070	.045	.070	.049	945.20	1956.70
.000948	320.	400.	550.	2	0.	0	0.00	174.49	2131.19

*SECNO 27.700

27.70	4.24	950.14	0.00	0.00	950.18	.05	.99	.01	948.30
735.	12.	689.	34.	26.	392.	67.	484.	241.	947.90
6.45	.44	1.76	.51	.070	.045	.070	.048	945.90	2021.28
.000491	1660.	1500.	1330.	2	0	0	0.00	192.40	2213.68

*SECNO 27.800

27.80	4.83	950.33	0.00	0.00	950.41	.08	.21	.02	950.70
735.	0.	735.	0.	0.	330.	0.	488.	242.	951.80
6.49	0.00	2.23	0.00	.070	.045	.070	.048	945.50	2129.71
.000810	360.	340.	360.	2	0	0	0.00	88.17	2217.88

*SECNO 27.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 954.05 ELREA= 954.05

27.90	4.88	950.38	0.00	0.00	950.44	.06	.02	.01	955.40
735.	0.	735.	0.	0.	382.	0.	488.	242.	955.40
6.49	0.00	1.93	0.00	.070	.045	.070	.048	945.50	2141.00
.000552	32.	32.	32.	2	0	0	0.00	91.00	2232.00

CCHV= .300 CEHV= .500
*SECNO 28.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 954.80 MAX ELLC= 952.70

D/S FACE OF E DRIVE SOUTH,CONCRETE (F)

28.00	4.89	950.39	0.00	0.00	950.44	.05	.00	.00	955.40
690.	0.	690.	0.	0.	374.	0.	488.	242.	955.40
6.49	0.00	1.85	0.00	.070	.026	.070	.048	945.50	2141.00
.000200	1.	1.	1.	0	0	0	-7.89	91.00	2232.00

*SECNO 28.100

3370 NORMAL BRIDGE,NRD= 10 MIN ELTRD= 954.80 MAX ELLC= 952.70

28.10	4.70	950.40	0.00	0.00	950.45	.05	.01	.00	955.40
690.	0.	690.	0.	0.	381.	0.	488.	242.	955.40
6.50	0.00	1.81	0.00	.070	.026	.070	.048	945.70	2149.00

MOORE BUSINESS FORMS, INC. 23

.000186	37.	37.	37.	0	0	0	-8.49	91.00	2240.00

CCHV= .300 CEHV= .500
*SECNO 28.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 955.40 ELREA= 955.40

28.20	4.70	950.40	0.00	0.00	950.45	.05	.00	.00	955.40
690.	0.	690.	0.	0.	389.	0.	488.	242.	955.40
6.50	0.00	1.77	0.00	.070	.045	.070	.048	945.70	2149.00
.000453	1.	1.	1.	0	0	0	0.00	91.00	2240.00

*SECNO 28.300

3470 ENCROACHMENT STATIONS= 2117.0 2272.0 TYPE= 1 TARGET= 155.000

28.30	4.61	950.41	0.00	0.00	950.47	.06	.02	.00	947.20
690.	29.	632.	29.	47.	317.	47.	489.	242.	947.20
6.50	.62	2.00	.62	.070	.045	.070	.048	945.80	2117.00
.000536	32.	32.	32.	0	0	0	0.00	155.00	2272.00

CCHV= .100 CEHV= .300
*SECNO 28.420

3470 ENCROACHMENT STATIONS= 2000.0 3242.0 TYPE= 1 TARGET= 1242.000

28.42	4.24	950.73	0.00	0.00	950.78	.05	.31	.00	948.40
690.	16.	636.	39.	23.	337.	65.	494.	244.	948.12
6.59	.68	1.89	.59	.070	.045	.070	.048	946.49	2138.48
.000544	590.	580.	570.	2	0	0	0.00	153.32	2291.79

CCHV= .100 CEHV= .300
*SECNO 28.670

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

SURVEYED VALLEY SECTION (G)

28.67	3.95	952.20	0.00	0.00	952.24	.05	1.46	.00	949.26
690.	18.	647.	25.	27.	362.	55.	521.	255.	949.38
7.03	.66	1.78	.46	.070	.045	.070	.048	948.25	1996.59
.000549	2780.	2660.	2800.	1	0	0	0.00	195.36	2191.95

*SECNO 28.800

28.80	4.22	952.52	0.00	0.00	952.56	.03	.31	.00	952.00
690.	0.	666.	24.	2.	447.	66.	528.	258.	950.90
7.16	.17	1.49	.36	.070	.045	.070	.048	948.30	1992.17
.000381	800.	700.	400.	1	0	0	0.00	214.48	2206.65

*SECNO 28.810

28.81	3.17	952.47	0.00	0.00	952.67	.20	.07	.05	951.30
690.	20.	670.	0.	21.	183.	0.	529.	258.	956.30

MOORE BUSINESS FORMS, INC. 23

7.17	.94	3.67	0.00	.070	.045	.070	.048	949.30	1964.51
.003995	80.	75.	15.	2	0	0	0.00	113.32	2077.83

*SECNO 28.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.10 ELREA= 957.00

28.90	3.51	952.61	0.00	0.00	952.78	.17	.11	.00	957.70
690.	0.	690.	0.	0.	209.	0.	529.	258.	957.60
7.17	0.00	3.30	0.00	.070	.045	.070	.048	949.10	2000.00
.002483	34.	34.	34.	2	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 29.000

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.10 MAX ELLC= 956.40

D/S FACE OF CONDUIT RD. BRIDGE.CONCRETE (H)

29.00	3.51	952.61	0.00	0.00	952.79	.18	.00	.01	957.70
690.	0.	690.	0.	0.	203.	0.	529.	258.	957.60
7.17	0.00	3.40	0.00	.020	.026	.020	.048	949.10	2000.00
.001100	1.	1.	1.	0	0	0	-6.13	70.00	2070.00

*SECNO 29.100

SECNO	DEPTH	CRSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	TTRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 957.10 MAX ELLC= 956.40

29.10	4.27	952.67	0.00	0.00	952.83	.16	.03	.01	957.70
690.	0.	690.	0.	0.	218.	0.	529.	258.	957.60
7.17	0.00	3.17	0.00	.020	.026	.020	.048	948.40	2000.00
.000881	30.	30.	30.	0	0	0	-6.77	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 29.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 957.70 ELREA= 956.60

29.20	4.29	952.69	0.00	0.00	952.83	.15	.00	.00	957.70
690.	0.	690.	0.	0.	225.	0.	529.	258.	957.60
7.17	0.00	3.06	0.00	.060	.045	.060	.048	948.40	2000.00
.001911	1.	1.	1.	1	0	0	0.00	70.00	2070.00

*SECNO 29.300

29.30	4.34	952.74	0.00	0.00	952.94	.20	.08	.03	956.20
690.	0.	690.	0.	0.	190.	0.	529.	258.	954.70
7.18	0.00	3.63	0.00	.060	.045	.060	.048	948.40	1990.74
.002951	34.	34.	34.	0	0	0	0.00	65.08	2055.82

MOORE BUSINESS FORMS, INC. 23

CCHV= .100 CEHV= .300
*SECNO 29.420

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 955.50 ELREA= 956.20

29.42	4.62	953.50	0.00	0.00	953.64	.14	.69	.01	955.50
690.	0.	690.	0.	0.	230.	0.	531.	259.	954.22
7.20	0.00	3.00	0.00	.060	.045	.060	.048	948.88	2009.27
.001924	220.	294.	510.	2	0	0	0.00	75.75	2085.02

*SECNO 29.550

29.55	5.22	954.71	0.00	0.00	954.77	.07	1.13	.01	954.10
690.	3.	667.	20.	10.	310.	39.	538.	262.	953.27
7.34	.29	2.15	.52	.060	.045	.060	.048	949.49	1968.40
.000685	1010.	1050.	1060.	3	0	0	0.00	164.28	2132.68

CCHV= .300 CEHV= .500
*SECNO 29.800

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	HANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
29.80	5.24	954.94	0.00	0.00	954.99	.05	.21	.00	953.40
690.	21.	626.	43.	45.	318.	73.	541.	263.	952.80
7.40	.47	1.97	.59	.060	.045	.060	.048	949.70	1940.86
.000509	300.	359.	390.	2	0	0	0.00	200.18	2141.04

*SECNO 29.810

29.81	5.92	955.02	0.00	0.00	955.06	.05	.07	.00	953.10
690.	29.	639.	22.	60.	358.	44.	543.	264.	953.10
7.42	.49	1.79	.49	.060	.045	.060	.048	949.10	1937.97
.000405	140.	160.	140.	0	0	0	0.00	188.18	2126.15

*SECNO 29.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 957.50 ELREA= 957.45

29.90	5.53	955.03	0.00	0.00	955.09	.07	.02	.01	958.10
690.	0.	690.	0.	0.	337.	0.	543.	264.	958.10
7.43	0.00	2.05	0.00	.060	.045	.060	.048	949.50	2000.00
.000546	39.	39.	39.	0	0	0	0.00	69.00	2069.00

CCHV= .300 CEHV= .500
*SECNO 30.000

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 957.70 MAX ELLC= 956.90

D/S FACE OF H DRIVE SOUTH BRIDGE.CONCRETE (1)

30.00	5.53	955.03	0.00	0.00	955.09	.07	.00	.00	958.10
690.	0.	690.	0.	0.	326.	0.	543.	264.	958.10

MOORE BUSINESS FORMS, INC. 23

7.43	0.00	2.12	0.00	.020	.026	.020	.048	949.50	2000.00
.000298	1.	1.	1.	0	0	0	-10.28	69.00	2069.00

*SECNO 30.100

3370 NORMAL BRIDGE,NRD= 14 MIN FLTRU= 957.70 MAX ELLC= 956.90

30.10	5.03	955.03	0.00	0.00	955.11	.07	.01	.00	958.10
690.	0.	690.	0.	0.	320.	0.	543.	264.	958.10
7.43	0.00	2.16	0.00	.020	.026	.020	.047	950.00	2000.00
.000307	30.	30.	30.	0	0	0	-9.51	69.00	2069.00

CCHV= .300 CEHV= .500

*SECNO 30.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID.	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 958.10 ELREA= 958.10

30.20	5.04	955.04	0.00	0.00	955.11	.07	.00	.00	958.10
690.	0.	690.	0.	0.	329.	0.	543.	264.	958.10
7.43	0.00	2.10	0.00	.060	.045	.060	.047	950.00	2000.00
.000583	1.	1.	1.	0	0	0	0.00	69.00	2069.00

*SECNO 30.300

30.30	5.00	955.10	0.00	0.00	955.13	.04	.02	.01	952.00
690.	26.	621.	43.	42.	389.	77.	544.	264.	951.60
7.44	.62	1.60	.55	.060	.045	.060	.047	950.10	1964.29
.000324	39.	39.	39.	2	0	0	0.00	187.65	2151.94

CCHV= .100 CEHV= .300

*SECNO 30.400

30.40	5.02	955.12	0.00	0.00	955.16	.04	.02	.00	952.00
690.	23.	629.	38.	43.	392.	79.	545.	264.	951.60
7.45	.53	1.61	.48	.070	.045	.070	.047	950.10	1963.64
.000325	76.	76.	76.	1	0	0	0.00	188.89	2152.53

*SECNO 31.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (J)

31.00	3.97	956.37	0.00	0.00	956.43	.05	1.26	.01	953.60
690.	15.	642.	33.	18.	333.	59.	574.	279.	953.70
7.88	.82	1.93	.57	.070	.045	.070	.047	952.40	1994.94
.000656	2700.	2825.	2840.	2	0	0	0.00	253.45	2273.84

*SECNO 31.800

MOORE BUSINESS FORMS, INC. 23

3265 DIVIDED FLOW

31.80	5.23	957.53	0.00	0.00	957.57	.03	1.14	.00	954.80
690.	4.	577.	109.	9.	357.	271.	605.	297.	955.10
8.38	.44	1.62	.40	.070	.045	.070	.047	952.30	1993.77
.000323	2520.	2566.	2440.	2	0	0	0.00	390.43	2407.14

*SECNO 31.805

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1982.0 2095.0 TYPE= 1 TARGET= 113.000

31.81	4.90	957.60	0.00	0.00	957.69	.08	.10	.01	956.30
690.	1.	674.	15.	3.	288.	22.	607.	298.	955.10
8.40	.43	2.34	.68	.070	.045	.070	.047	952.70	1996.09
.000776	240.	223.	180.	2	0	0	0.00	91.38	2087.47

*SECNO 31.810

3470 ENCROACHMENT STATIONS= 1987.0 2083.0 TYPE= 1 TARGET= 96.000

31.81	4.93	957.63	0.00	0.00	957.72	.08	.03	.00	956.30
690.	1.	673.	16.	3.	289.	21.	607.	298.	955.10
8.41	.43	2.32	.77	.070	.045	.070	.047	952.70	1996.03
.000761	37.	37.	37.	0	0	0	0.00	86.97	2083.00

*SECNO 31.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 960.55 ELREA= 960.55

31.90	4.97	957.67	0.00	0.00	957.75	.08	.04	.00	961.20
690.	0.	690.	0.	0.	298.	0.	608.	298.	961.20
8.42	0.00	2.32	0.00	.070	.045	.070	.047	952.70	2000.00
.000799	49.	49.	49.	0	0	0	0.00	70.00	2070.00

CCHV= .300 CEHV= .500
*SECNO 32.000

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

D/S FACE OF J DRIVE SOUTH BRIDGE.CONCRETE (K)

32.00	4.97	957.67	0.00	0.00	957.76	.09	.00	.00	961.20
690.	0.	690.	0.	0.	289.	0.	608.	298.	961.20
8.42	0.00	2.39	0.00	.020	.026	.020	.047	952.70	2000.00
.000391	1.	1.	1.	0	0	0	-9.04	70.00	2070.00

*SECNO 32.100

3370 NORMAL BRIDGE.NRD= 14 MIN ELTRD= 960.10 MAX ELLC= 959.90

MOORE BUSINESS FORMS, INC. 23

32.10	5.09	957.69	0.00	0.00	957.77	.08	.01	.00	961.20
690.	0.	690.	0.	0.	301.	0.	608.	298.	961.20
8.42	0.00	2.29	0.00	.020	.026	.020	.047	952.60	2000.00
.000345	30.	30.	30.	0	0	0	-9.27	70.00	2070.00

CCHV= .100 CEHV= .300
*SECNO 32.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 961.10 ELREA= 961.10

32.20	5.10	957.70	0.00	0.00	957.77	.08	.00	.00	961.20
690.	0.	690.	0.	0.	311.	0.	608.	298.	961.20
8.42	0.00	2.22	0.00	.070	.045	.070	.047	952.60	2000.00
.000700	1.	1.	1.	0	0	0	0.00	70.00	2070.00

*SECNO 32.300

3470 ENCROACHMENT STATIONS= 1972.0 2142.0 TYPE= 1 TARGET= 170.000

32.30	5.07	957.77	0.00	0.00	957.79	.02	.02	.01	955.70
690.	5.	645.	40.	16.	509.	74.	608.	299.	954.70
8.43	.31	1.27	.55	.070	.045	.070	.047	952.70	1984.17
.000202	49.	49.	49.	2	0	0	0.00	157.83	2142.00

CCHV= .100 CEHV= .300
*SECNO 33.000

3265 DIVIDED FLOW

SURVEYED VALLEY SECTION (L)

33.00	4.21	959.21	0.00	0.00	959.26	.05	1.46	.01	958.80
690.	19.	416.	255.	76.	187.	398.	664.	331.	958.70
9.13	.25	2.22	.64	.080	.045	.080	.047	955.00	1626.43
.000864	3250.	4100.	3625.	2	0	0	0.00	638.54	2391.55

*SECNO 33.850

33.85	5.87	961.29	0.00	0.00	961.39	.11	2.11	.02	962.75
690.	0.	690.	0.	0.	264.	0.	690.	350.	963.30
9.39	0.00	2.62	0.00	.080	.045	.080	.047	955.42	2032.00
.000897	2390.	2399.	2410.	3	0	0	0.00	53.00	2085.00

*SECNO 33.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 965.20 ELREA= 965.20

33.90	5.81	961.31	0.00	0.00	961.40	.10	.01	.00	967.30
690.	0.	690.	0.	0.	274.	0.	690.	351.	967.30

MOORE BUSINESS FORMS, INC. 23

9.39	0.00	2.52	0.00	.080	.045	.080	.047	955.50	2027.00
.000908	13.	13.	13.	0	0	0	0.00	58.00	2085.00

CCHV= .300 CEHV= .500

*SECNO 34.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WIN	ELMIN	SSTA
SLOPE	XLOFL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

D/S FACE OF 25 1/2 MILE ROAD BRIDGE.CONCRETE (M)

34.00	5.81	961.31	0.00	0.00	961.41	.10	.00	.00	967.30
690.	0.	690.	0.	0.	275.	0.	690.	351.	967.30
9.39	0.00	2.51	0.00	.020	.026	.020	.047	955.50	2027.00
.000349	1.	1.	1.	0	0	0	0.00	58.00	2085.00

*SECNO 34.100

3370 NORMAL BRIDGE.NRD= 6 MIN ELTRD= 967.30 MAX ELLC= 963.10

34.10	5.31	961.31	0.00	0.00	961.42	.11	.01	.01	967.30
690.	0.	690.	0.	0.	261.	0.	690.	351.	967.30
9.39	0.00	2.64	0.00	.020	.026	.020	.047	956.00	2025.00
.000398	29.	29.	29.	1	0	0	0.00	58.00	2083.00

CCHV= .300 CEHV= .500

*SECNO 34.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.30 ELREA= 967.30

34.20	5.31	961.31	0.00	0.00	961.42	.11	.00	.00	967.30
690.	0.	690.	0.	0.	261.	0.	690.	351.	967.30
9.39	0.00	2.64	0.00	.060	.045	.060	.047	956.00	2025.00
.001043	1.	1.	1.	0	0	0	0.00	58.00	2083.00

*SECNO 34.250

34.25	4.89	961.35	0.00	0.00	961.44	.09	.01	.01	963.90
690.	0.	690.	0.	0.	286.	0.	690.	351.	963.60
9.39	0.00	2.41	0.00	.060	.045	.060	.047	956.46	2025.00
.000826	13.	13.	13.	2	0	0	0.00	64.00	2089.00

CCHV= .100 CEHV= .300

*SECNO 34.300

3470 ENCROACHMENT STATIONS= 1967.0 2103.0 TYPE= 1 TARGET= 136.000

34.30	5.20	961.40	0.00	0.00	961.46	.06	.02	.00	960.50
690.	10.	654.	26.	26.	316.	48.	690.	351.	959.90
9.40	.37	2.07	.55	.080	.045	.080	.047	956.20	1967.00
.000563	26.	26.	26.	2	0	0	0.00	136.00	2103.00

MOORE BUSINESS FORMS, INC. 20

*SECNO 34.800

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	ARCH	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
3470 ENCROACHMENT STATIONS=		1877.0	2226.0	TYPE=	1	TARGET=	349.000		
34.80	4.73	961.83	0.00	0.00	961.87	.04	.41	.00	963.70
690.	102.	581.	6.	180.	344.	27.	699.	354.	966.30
9.55	.57	1.69	.23	.080	.045	.080	.047	957.10	1877.00
.000442	1000.	820.	460.	2	0	0	0.00	261.31	2226.00

*SECNO 34.810

3470 ENCROACHMENT STATIONS=		1987.0	2092.0	TYPE=	1	TARGET=	105.000		
34.81	3.79	961.99	0.00	0.00	962.09	.11	.20	.02	963.70
690.	0.	864.	6.	0.	259.	10.	702.	355.	960.50
9.58	0.00	2.64	.62	.080	.045	.080	.047	958.20	2002.73
.001328	340.	280.	150.	2	0	0	0.00	89.27	2092.00

*SECNO 34.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 967.25 ELREA= 967.20

34.90	4.06	962.06	0.00	0.00	962.16	.09	.06	.00	968.80
690.	0.	690.	0.	0.	281.	0.	702.	355.	959.40
9.58	0.00	2.46	0.00	.080	.045	.080	.047	958.00	2000.00
.001085	50.	50.	50.	2	0	0	0.00	80.00	2080.00

CCHV= .300 CEHV= .500

*SECNO 35.000

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

D/S FACE OF L DRIVE SOUTH BRIDGE.CONCRETE (N)

*U/S LIMIT OF ALBION TWP.

35.00	4.07	962.07	0.00	0.00	962.16	.09	.00	.00	968.80
690.	0.	649.	41.	0.	274.	19.	702.	355.	959.40
9.58	0.00	2.37	2.19	.017	.022	.017	.047	958.00	2000.00
.000276	1.	1.	1.	0	0	0	-6.85	88.00	2088.00

*SECNO 35.100

3370 NORMAL BRIDGE.NRD= 10 MIN ELTRD= 967.90 MAX ELLC= 965.70

35.10	4.38	962.08	0.00	0.00	962.17	.09	.01	.00	968.80

MOORE BUSINESS FORMS, INC. 22

	690.	0.	690.	0.	0.	289.	0.	703.	355.	968.80
	9.59	0.00	2.39	0.00	.017	.022	.017	.047	957.70	2000.00
	.000305	32.	32.	32.	1	0	0	-8.28	88.00	2088.00

*SECNO 35.200

SECNO	DEPTH	CWSEL	CRIWS	WSELR	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOEL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 968.80 ELREA= 968.80

35.20	4.39	962.09	0.00	0.00	962.17	.08	.00	.00	968.80
690.	0.	690.	0.	0.	297.	0.	703.	355.	968.80
9.59	0.00	2.32	0.00	.017	.022	.017	.047	957.70	2000.00
.000247	1.	1.	1.	0	0	0	0.00	88.00	2088.00

*SECNO 35.250

35.25	2.66	962.06	0.00	0.00	962.24	.18	.02	.05	959.60
690.	20.	604.	66.	7.	171.	25.	703.	356.	959.92
9.59	2.71	3.54	2.63	.017	.022	.017	.047	959.40	2001.03
.000813	51.	51.	51.	2	0	0	0.00	106.08	2107.11

SPECIAL BRIDGE

SB	XK	XKOR	COFG	RDLEN	HWC	BWP	FAREA	SS	ELCHU	ELCHD
	0.00	1.75	3.00	69.00	1.00	0.00	1.00	0.00	959.59	959.40

*SECNO 35.300

3265 DIVIDED FLOW

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
13899.56	962.43	0.00	686.	8.	1.	1.	960.59	961.47

SPILLWAY STRUCTURE

35.30	4.27	963.67	0.00	0.00	963.70	.03	1.46	0.00	962.48
690.	149.	256.	285.	143.	154.	201.	703.	356.	961.49
9.59	1.04	1.67	1.42	.017	.022	.017	.047	959.40	1749.56
.000229	10.	10.	10.	2	0	8	0.00	598.31	2361.05

*SECNO 35.350

3265 DIVIDED FLOW

35.35	3.92	963.68	0.00	0.00	963.71	.03	.00	.00	962.48

MOORE BUSINESS FORMS, INC. 23

690.	104.	387.	199.	150.	250.	199.	703.	356.	962.12
9.60	.69	1.54	1.00	.017	.022	.017	.047	959.76	1689.76
.000116	10.	10.	10.	0	0	0	0.00	659.58	2361.11

*SECNO 36.000

36.00	3.04	964.34	0.00	0.00	964.48	.14	.72	.06	962.80
690.	6.	657.	26.	4.	218.	18.	733.	381.	963.20
9.90	1.71	3.02	1.44	.017	.022	.017	.045	961.30	2001.13
.000576	2680.	3430.	2600.	2	0	0	0.00	122.50	2123.62

MOORE BUSINESS FORMS, INC. 23



1) COUNTY: Calhoun

2) STUDY NAME: Albion, City of

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Summary



****
HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
ERROR CORR - 01,02,03,04
MODIFICATION - 50,51,52,53,54
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

0 YEAR FLOW

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
12.000	927.80	1962.89	1966.00	2087.00	2280.00	317.11	0.00
12.000	928.70	1934.89	1966.00	2087.00	2305.83	370.94	0.00
12.000	929.00	1925.56	1966.00	2087.00	2314.43	388.88	0.00
12.000	929.50	1910.00	1966.00	2087.00	2328.78	418.78	0.00
12.600	929.80	2006.70	2000.00	2090.00	2099.02	92.32	1850.00
12.600	930.64	1964.59	2000.00	2090.00	2148.14	159.00	1850.00
12.600	930.90	1936.40	2000.00	2090.00	2167.62	208.57	1850.00
12.600	931.40	1881.41	2000.00	2090.00	2205.60	305.24	1850.00
12.700	930.80	1987.84	2000.00	2100.00	2161.26	173.42	1500.00
12.700	931.80	1916.35	2000.00	2100.00	2175.14	258.78	1500.00
12.700	932.11	1897.73	2000.00	2100.00	2179.44	281.71	1500.00
12.700	932.69	1884.84	2000.00	2100.00	2187.65	302.80	1500.00
12.800	932.00	1988.02	1988.00	2097.00	2118.49	130.48	1750.00
12.800	932.99	1969.91	1988.00	2097.00	2119.85	149.93	1750.00
12.800	933.30	1964.22	1988.00	2097.00	2120.27	156.05	1750.00
12.800	933.90	1953.19	1988.00	2097.00	2121.09	167.90	1750.00
13.100	932.17	1873.63	1865.00	2110.70	2088.04	214.41	240.00
13.100	933.18	1870.73	1865.00	2110.70	2093.01	222.28	240.00
13.100	933.50	1869.82	1865.00	2110.70	2093.89	224.07	240.00
13.100	934.13	1868.05	1865.00	2110.70	2095.61	227.55	240.00
13.200	932.18	1928.49	1919.90	2165.60	2143.01	214.52	11.60
13.200	933.19	1925.59	1919.90	2165.60	2147.95	222.35	11.60
13.200	933.51	1924.68	1919.90	2165.60	2148.86	224.18	11.60
13.200	934.13	1922.90	1919.90	2165.60	2150.64	227.74	11.60
13.300	932.18	1928.49	1919.90	2165.60	2143.01	214.52	1.00
13.300	933.19	1925.59	1919.90	2165.60	2147.95	222.35	1.00
13.300	933.51	1924.68	1919.90	2165.60	2148.86	224.18	1.00
13.300	934.13	1922.90	1919.90	2165.60	2150.64	227.75	1.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
14.100	932.43	1993.88	1976.00	2076.00	2055.13	61.25	317.00
14.100	933.42	1991.58	1976.00	2076.00	2057.62	66.05	317.00
14.100	933.73	1990.85	1976.00	2076.00	2058.41	67.57	317.00
14.100	934.34	1989.42	1976.00	2076.00	2059.95	70.53	317.00
14.300	932.43	1993.87	1976.00	2076.00	2055.14	61.27	4.00
14.300	933.43	1991.56	1976.00	2076.00	2057.64	66.08	4.00
14.300	933.74	1990.83	1976.00	2076.00	2058.43	67.60	4.00
14.300	934.35	1989.41	1976.00	2076.00	2059.97	70.56	4.00
14.400	932.41	2000.00	2000.00	2060.00	2060.00	60.00	9.00
14.400	933.39	2000.00	2000.00	2060.00	2060.00	60.00	9.00
14.400	933.70	2000.00	2000.00	2060.00	2060.00	60.00	9.00
14.400	934.30	2000.00	2000.00	2060.00	2060.00	60.00	9.00
14.500	932.41	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.500	933.39	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.500	933.70	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.500	934.30	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.600	932.46	2000.00	2000.00	2060.00	2060.00	60.00	54.00
14.600	933.46	2000.00	2000.00	2060.00	2060.00	60.00	54.00
14.600	933.77	2000.00	2000.00	2060.00	2060.00	60.00	54.00
14.600	934.38	2000.00	2000.00	2060.00	2060.00	60.00	54.00
14.700	932.47	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.700	933.46	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.700	933.77	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.700	934.38	2000.00	2000.00	2060.00	2060.00	60.00	1.00
14.720	932.48	2000.00	2000.00	2060.00	2060.00	60.00	4.00
14.720	933.47	2000.00	2000.00	2060.00	2060.00	60.00	4.00
14.720	933.79	2000.00	2000.00	2060.00	2060.00	60.00	4.00
14.720	934.40	2000.00	2000.00	2060.00	2060.00	60.00	4.00
14.750	933.91	1954.71	2000.00	2050.00	2055.18	100.47	770.00
14.750	935.03	1899.33	2000.00	2050.00	2061.57	162.24	770.00
14.750	935.38	1869.63	2000.00	2050.00	2063.58	173.95	770.00
14.750	936.08	1870.45	2000.00	2050.00	2067.57	197.12	770.00
14.800	934.42	2133.55	2156.00	2252.00	2260.67	127.12	520.00
14.800	935.57	2120.61	2156.00	2252.00	2268.32	147.71	520.00
14.800	935.93	2116.69	2156.00	2252.00	2270.64	153.95	520.00
14.800	936.61	2109.02	2156.00	2252.00	2275.19	166.17	520.00
14.900	934.59	2044.00	2044.00	2116.00	2116.00	72.00	360.00
14.900	935.75	2044.00	2044.00	2116.00	2116.00	72.00	360.00
14.900	936.11	2044.00	2044.00	2116.00	2116.00	72.00	360.00
14.900	936.80	2044.00	2044.00	2116.00	2116.00	72.00	360.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSIA	STCHL	STCHR	ENDST	TOPWID	XLCH
15.000	934.56	1801.10	1801.10	1853.64	1853.64	52.54	31.00
15.000	935.70	1801.10	1801.10	1853.64	1853.64	52.54	31.00
15.000	936.04	1801.10	1801.10	1853.64	1853.64	52.54	31.00
15.000	936.71	1801.10	1801.10	1853.64	1853.64	52.54	31.00
15.100	934.55	1801.10	1801.10	1853.64	1853.64	52.54	1.00
15.100	935.68	1801.10	1801.10	1853.64	1853.64	52.54	1.00
15.100	936.02	1801.10	1801.10	1853.64	1853.64	52.54	1.00
15.100	936.64	1801.10	1801.10	1853.64	1853.64	52.54	1.00
15.200	934.56	1784.77	1784.77	1837.31	1837.31	52.54	36.00
15.200	935.70	1784.77	1784.77	1837.31	1837.31	52.54	36.00
15.200	936.07	1784.77	1784.77	1837.31	1837.31	52.54	36.00
15.200	936.71	1784.77	1784.77	1837.31	1837.31	52.54	36.00
15.300	934.59	1784.77	1784.77	1837.31	1837.31	52.54	1.00
15.300	935.74	1784.77	1784.77	1837.31	1837.31	52.54	1.00
15.300	936.13	1784.77	1784.77	1837.31	1837.31	52.54	1.00
15.300	936.93	1784.77	1784.77	1837.31	1837.31	52.54	1.00
15.400	934.73	2010.00	2000.00	2098.00	2084.00	74.00	11.00
15.400	935.95	2010.00	2000.00	2098.00	2088.31	78.31	11.00
15.400	936.36	2010.00	2000.00	2098.00	2090.01	80.01	11.00
15.400	937.21	2005.27	2000.00	2098.00	2093.51	88.25	11.00
15.800	934.80	2116.00	2116.00	2186.00	2186.00	70.00	350.00
15.800	936.02	2116.00	2116.00	2186.00	2186.00	70.00	350.00
15.800	936.44	2116.00	2116.00	2186.00	2186.00	70.00	350.00
15.800	937.29	2116.00	2116.00	2186.00	2186.00	70.00	350.00
15.900	934.80	2118.00	2118.00	2177.50	2177.50	59.50	56.00
15.900	936.02	2118.00	2118.00	2177.50	2177.50	59.50	56.00
15.900	936.44	2118.00	2118.00	2177.50	2177.50	59.50	56.00
15.900	937.29	2118.00	2118.00	2177.50	2177.50	59.50	56.00
16.000	934.80	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.000	936.02	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.000	936.44	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.000	937.24	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.100	934.87	2118.00	2118.00	2177.50	2177.50	59.50	54.00
16.100	936.11	2118.00	2118.00	2177.50	2177.50	59.50	54.00
16.100	936.62	2118.00	2118.00	2177.50	2177.50	59.50	54.00
16.100	937.51	2118.00	2118.00	2177.50	2177.50	59.50	54.00
16.200	934.87	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.200	936.11	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.200	936.63	2118.00	2118.00	2177.50	2177.50	59.50	1.00
16.200	937.62	2118.00	2118.00	2177.50	2177.50	59.50	1.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
16.300	934.94	2111.00	2111.00	2175.00	2176.08	65.08	56.00
16.300	936.20	2111.00	2111.00	2175.00	2181.68	70.68	56.00
16.300	936.73	2111.00	2111.00	2175.00	2184.08	73.08	56.00
16.300	937.73	2111.00	2111.00	2175.00	2188.55	77.55	56.00
16.800	935.04	2117.00	2117.00	2204.00	2204.00	87.00	125.00
16.800	936.32	2117.00	2117.00	2204.00	2204.00	87.00	125.00
16.800	936.86	2117.00	2117.00	2204.00	2204.00	87.00	125.00
16.800	937.88	2117.00	2117.00	2204.00	2313.42	196.42	125.00
16.900	935.06	2114.00	2114.00	2207.00	2207.00	93.00	19.00
16.900	936.35	2114.00	2114.00	2207.00	2207.00	93.00	19.00
16.900	936.88	2114.00	2114.00	2207.00	2207.00	93.00	19.00
16.900	937.90	2114.00	2114.00	2207.00	2313.33	199.33	19.00
17.000	935.05	2114.00	2114.00	2207.00	2207.00	87.66	1.00
17.000	936.34	2114.00	2114.00	2207.00	2207.00	87.66	1.00
17.000	936.87	2114.00	2114.00	2207.00	2207.00	87.66	1.00
17.000	937.86	2114.00	2114.00	2207.00	2207.00	93.00	1.00
17.100	935.11	2114.00	2114.00	2207.00	2207.00	87.66	90.00
17.100	936.40	2114.00	2114.00	2207.00	2207.00	87.66	90.00
17.100	936.93	2114.00	2114.00	2207.00	2207.00	87.66	90.00
17.100	938.01	2114.00	2114.00	2207.00	2207.00	93.00	90.00
17.200	935.11	2114.00	2114.00	2208.00	2208.00	90.35	1.00
17.200	936.41	2114.00	2114.00	2208.00	2208.00	90.76	1.00
17.200	936.94	2114.00	2114.00	2208.00	2208.00	90.92	1.00
17.200	938.03	2114.00	2114.00	2208.00	2208.00	94.00	1.00
17.300	935.18	2114.00	2114.00	2207.00	2207.00	90.15	100.00
17.300	936.48	2114.00	2114.00	2207.00	2207.00	90.70	100.00
17.300	937.01	2114.00	2114.00	2207.00	2207.00	90.93	100.00
17.300	938.21	2114.00	2114.00	2207.00	2207.00	93.00	100.00
17.400	935.18	2114.00	2114.00	2207.00	2207.00	90.15	1.00
17.400	936.48	2114.00	2114.00	2207.00	2207.00	90.70	1.00
17.400	937.01	2114.00	2114.00	2207.00	2207.00	90.93	1.00
17.400	938.26	2114.00	2114.00	2207.00	2207.00	93.00	1.00
17.500	935.23	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.500	936.53	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.500	937.06	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.500	938.30	2106.00	2106.00	2199.00	2199.00	93.00	120.00
17.900	935.31	1677.00	1677.00	1786.65	1786.65	109.65	79.00
17.900	936.61	1677.00	1677.00	1786.65	1786.65	109.65	79.00
17.900	937.14	1677.00	1677.00	1786.65	1786.65	109.65	79.00
17.900	938.38	1677.00	1677.00	1786.65	1786.65	109.65	79.00

MOORE BUSINESS FORMS INC. 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
18.000	935.30	2095.03	2095.03	2204.68	2218.98	123.87	1.00
18.000	936.59	2095.03	2095.03	2204.68	2224.19	129.10	1.00
18.000	937.11	2095.03	2095.03	2204.68	2226.31	131.22	1.00
18.000	938.34	2095.03	2095.03	2204.68	2231.28	136.21	1.00
18.100	935.34	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.100	936.64	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.100	937.16	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.100	938.40	2139.21	2139.21	2239.65	2239.65	100.44	40.00
18.200	935.31	1832.68	1832.68	1935.02	1912.19	79.51	1.00
18.200	936.61	1832.68	1832.68	1935.02	1918.81	86.13	1.00
18.200	937.14	1832.68	1832.68	1935.02	1921.51	88.83	1.00
18.200	938.40	1832.68	1832.68	1935.02	1927.93	95.25	1.00
18.300	935.37	1832.68	1832.68	1935.02	1912.45	79.76	49.00
18.300	936.66	1832.68	1832.68	1935.02	1919.06	86.38	49.00
18.300	937.19	1832.68	1832.68	1935.02	1921.76	89.08	49.00
18.300	938.44	1832.68	1832.68	1935.02	1928.14	95.46	49.00
18.800	935.71	2000.00	2000.00	2140.00	2111.52	111.52	365.00
18.800	937.01	2000.00	2000.00	2140.00	2120.64	120.64	365.00
18.800	937.52	2000.00	2000.00	2140.00	2124.11	124.11	365.00
18.800	938.73	2000.00	2000.00	2140.00	2132.53	132.53	365.00
18.900	935.77	2000.00	2000.00	2066.60	2060.34	60.34	200.00
18.900	937.04	2000.00	2000.00	2066.60	2062.13	62.13	200.00
18.900	937.54	2000.00	2000.00	2066.60	2062.84	62.84	200.00
18.900	938.72	2000.00	2000.00	2066.60	2064.51	64.51	200.00
19.000	935.77	2000.00	2000.00	2057.70	2057.70	56.28	4.00
19.000	937.03	2000.00	2000.00	2057.70	2057.70	56.46	4.00
19.000	937.53	2000.00	2000.00	2057.70	2057.70	56.53	4.00
19.000	938.70	2000.00	2000.00	2057.70	2057.70	56.80	4.00
19.100	935.78	2000.00	2000.00	2057.70	2057.70	56.28	6.00
19.100	937.04	2000.00	2000.00	2057.70	2057.70	56.46	6.00
19.100	937.54	2000.00	2000.00	2057.70	2057.70	56.53	6.00
19.100	938.71	2000.00	2000.00	2057.70	2057.70	56.79	6.00
19.200	935.77	2003.86	2000.00	2057.00	2057.00	53.14	1.00
19.200	937.03	2002.45	2000.00	2057.00	2057.00	54.55	1.00
19.200	937.52	2001.88	2000.00	2057.00	2057.00	55.12	1.00
19.200	938.70	2000.56	2000.00	2057.00	2057.00	56.44	1.00
19.300	935.79	2003.85	2000.00	2057.00	2057.00	53.15	24.00
19.300	937.05	2002.43	2000.00	2057.00	2057.00	54.57	24.00
19.300	937.55	2001.87	2000.00	2057.00	2057.00	55.13	24.00
19.300	938.72	2000.54	2000.00	2057.00	2057.00	56.46	24.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
19.800	936.07	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.800	937.35	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.800	937.84	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.800	939.00	2297.00	2297.00	2367.00	2367.00	70.00	165.00
19.900	936.28	2297.00	2297.00	2367.00	2367.00	70.00	50.00
19.900	937.51	2297.00	2297.00	2367.00	2367.00	70.00	50.00
19.900	937.98	2297.00	2297.00	2367.00	2367.00	70.00	50.00
19.900	939.11	2297.00	2297.00	2367.00	2367.00	70.00	50.00
20.000	936.22	2297.00	2297.00	2367.00	2367.00	61.67	1.00
20.000	937.45	2297.00	2297.00	2367.00	2367.00	62.16	1.00
20.000	937.92	2297.00	2297.00	2367.00	2367.00	62.35	1.00
20.000	939.05	2297.00	2297.00	2367.00	2367.00	62.80	1.00
20.100	936.47	2297.00	2297.00	2367.00	2367.00	61.77	90.00
20.100	937.66	2297.00	2297.00	2367.00	2367.00	62.24	90.00
20.100	938.12	2297.00	2297.00	2367.00	2367.00	62.43	90.00
20.100	939.22	2297.00	2297.00	2367.00	2367.00	62.87	90.00
20.200	936.61	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.200	937.82	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.200	938.28	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.200	939.37	2297.00	2297.00	2367.00	2367.00	70.00	1.00
20.300	936.72	2297.00	2297.00	2367.00	2367.00	70.00	64.00
20.300	937.92	2297.00	2297.00	2367.00	2367.00	70.00	64.00
20.300	938.38	2297.00	2297.00	2367.00	2367.00	70.00	64.00
20.300	939.53	2297.00	2297.00	2367.00	2626.00	110.04	64.00
21.000	937.60	1986.56	2000.00	2032.00	2032.39	45.83	1050.00
21.000	938.86	1935.75	2000.00	2032.00	2089.24	153.49	1050.00
21.000	939.35	1930.28	2000.00	2032.00	2111.47	181.19	1050.00
21.000	940.26	1920.02	2000.00	2032.00	2256.00	335.98	1050.00
21.100	938.86	2026.00	2026.00	2162.00	2162.00	92.00	210.00
21.100	940.06	2015.85	2026.00	2162.00	2177.26	161.40	210.00
21.100	940.32	2014.41	2026.00	2162.00	2180.96	166.54	210.00
21.100	940.89	2012.89	2026.00	2162.00	2200.79	187.91	210.00
21.200	938.90	2130.00	2113.00	2272.00	2271.83	111.62	140.00
21.200	940.11	2127.77	2113.00	2272.00	2287.35	159.58	140.00
21.200	940.37	2127.07	2113.00	2272.00	2292.83	165.76	140.00
21.200	940.93	2125.53	2113.00	2272.00	2347.15	221.62	140.00
21.300	938.97	2130.00	2130.00	2227.00	2227.00	97.00	125.00
21.300	940.14	2127.66	2130.00	2227.00	2346.21	218.55	125.00
21.300	940.40	2126.97	2130.00	2227.00	2373.03	246.06	125.00
21.300	940.96	2125.43	2130.00	2227.00	2432.55	307.12	125.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
21.500	945.42	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.500	945.62	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.500	945.71	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.500	945.90	2210.00	2210.00	2308.00	2308.00	98.00	15.00
21.600	945.71	205.00	205.00	308.00	308.00	103.00	27.00
21.600	945.96	205.00	205.00	308.00	308.00	103.00	27.00
21.600	946.06	205.00	205.00	308.00	308.00	103.00	27.00
21.600	946.30	205.00	205.00	308.00	308.00	103.00	27.00
21.900	945.71	2185.00	2185.00	2288.00	2288.00	103.00	73.00
21.900	945.96	2185.00	2185.00	2288.00	2288.00	103.00	73.00
21.900	946.06	2185.00	2185.00	2288.00	2288.00	103.00	73.00
21.900	946.30	2185.00	2185.00	2288.00	2288.00	103.00	73.00
22.000	945.71	2185.00	2185.00	2288.00	2288.00	98.12	1.00
22.000	945.96	2185.00	2185.00	2288.00	2288.00	98.26	1.00
22.000	946.06	900.00	2185.00	2288.00	2288.00	115.60	1.00
22.000	946.30	900.00	2185.00	2288.00	2288.00	180.26	1.00
22.100	945.71	2185.00	2185.00	2288.00	2288.00	98.12	23.00
22.100	945.96	2185.00	2185.00	2288.00	2288.00	98.26	23.00
22.100	946.06	900.00	2185.00	2288.00	2288.00	115.73	23.00
22.100	946.30	900.00	2185.00	2288.00	2288.00	180.42	23.00
22.200	945.71	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.200	945.96	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.200	946.07	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.200	946.31	2185.00	2185.00	2288.00	2288.00	103.00	1.00
22.300	945.73	2148.00	2164.00	2374.00	2388.00	240.00	103.00
22.300	945.99	2148.00	2164.00	2374.00	2388.00	240.00	103.00
22.300	946.10	2148.00	2164.00	2374.00	2388.00	240.00	103.00
22.300	946.35	2148.00	2164.00	2374.00	2388.00	240.00	103.00
22.500	945.73	2028.90	2008.00	2420.00	2408.96	380.06	450.00
22.500	946.00	2025.08	2008.00	2420.00	2410.98	385.90	450.00
22.500	946.10	2023.52	2008.00	2420.00	2411.80	388.28	450.00
22.500	946.35	2020.00	2008.00	2420.00	2413.66	393.66	450.00
22.550	945.74	1996.84	2000.00	2380.00	2374.77	377.94	392.00
22.550	946.00	1996.40	2000.00	2380.00	2376.22	379.82	392.00
22.550	946.11	1996.22	2000.00	2380.00	2376.81	380.59	392.00
22.550	946.36	1995.81	2000.00	2380.00	2378.18	382.37	392.00
22.600	945.74	1978.19	2002.00	2288.00	2353.08	374.89	196.00
22.600	946.00	1975.64	2002.00	2288.00	2357.95	382.31	196.00
22.600	946.11	1974.61	2002.00	2288.00	2359.94	385.33	196.00
22.600	946.36	1972.20	2002.00	2288.00	2364.53	392.33	196.00

MOORE BUSINESS FORMS INC 27

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
22.800	945.73	1995.76	1992.00	2170.00	2294.37	298.60	125.00
22.800	946.00	1995.42	1992.00	2170.00	2304.33	308.91	125.00
22.800	946.11	1995.29	1992.00	2170.00	2308.39	313.10	125.00
22.800	946.36	1994.96	1992.00	2170.00	2317.80	322.83	125.00
22.900	945.73	2000.00	2000.00	2100.00	2100.00	100.00	108.00
22.900	946.00	2000.00	2000.00	2100.00	2100.00	100.00	108.00
22.900	946.11	2000.00	2000.00	2100.00	2100.00	100.00	108.00
22.900	946.36	2000.00	2000.00	2100.00	2100.00	100.00	108.00
23.000	945.73	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.000	946.00	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.000	946.11	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.000	946.36	2000.00	2000.00	2100.00	2100.00	98.00	1.00
23.100	945.73	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.100	945.99	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.100	946.09	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.100	946.34	2000.00	2000.00	2100.00	2100.00	98.00	56.00
23.200	945.73	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.200	945.99	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.200	946.10	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.200	946.35	2000.00	2000.00	2100.00	2100.00	100.00	1.00
23.300	945.77	1998.01	1992.00	2280.00	2285.76	287.74	82.00
23.300	946.05	1997.44	1992.00	2280.00	2287.41	289.97	82.00
23.300	946.16	1997.21	1992.00	2280.00	2288.09	290.88	82.00
23.300	946.42	1996.67	1992.00	2280.00	2289.66	292.99	82.00
23.400	945.77	1989.38	2000.00	2336.00	2333.80	344.42	1133.00
23.400	946.05	1984.17	2000.00	2336.00	2334.97	350.80	1133.00
23.400	946.17	1982.04	2000.00	2336.00	2335.44	353.40	1133.00
23.400	946.43	1977.11	2000.00	2336.00	2337.83	360.72	1133.00
23.500	945.77	2024.77	2140.00	2420.00	2535.13	510.35	516.00
23.500	946.05	2008.45	2140.00	2420.00	2551.51	543.06	516.00
23.500	946.17	2001.78	2140.00	2420.00	2558.21	556.43	516.00
23.500	946.43	1998.29	2140.00	2420.00	2560.51	562.22	516.00
24.000	945.77	1991.24	1960.00	2471.00	2311.06	319.82	233.00
24.000	946.05	1989.85	1960.00	2471.00	2321.70	331.84	233.00
24.000	946.17	1989.29	1960.00	2471.00	2326.04	336.76	233.00
24.000	946.44	1987.97	1960.00	2471.00	2336.12	348.15	233.00

MOORE BUSINESS FORMS INC. 27

0 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
12.000	0.00	0.00	0.00	923.00	970.00	927.80	0.00	927.92	17.56	2.77	383.06	231.45
12.000	0.00	0.00	0.00	923.00	1430.00	928.70	0.00	928.81	12.59	2.81	692.68	403.00
12.000	0.00	0.00	0.00	923.00	1600.00	929.00	0.00	929.11	11.36	2.81	806.65	474.74
12.000	0.00	0.00	0.00	923.00	1970.00	929.50	0.00	929.61	10.43	2.91	1008.57	609.95
12.600	1850.00	0.00	0.00	924.60	970.00	929.80	0.00	929.90	7.17	2.45	403.05	362.20
12.600	1850.00	0.00	0.00	924.60	1430.00	930.64	0.00	930.79	9.11	3.04	498.29	473.78
12.600	1850.00	0.00	0.00	924.60	1600.00	930.90	0.00	931.06	9.73	3.23	546.02	512.94
12.600	1850.00	0.00	0.00	924.60	1970.00	931.40	0.00	931.59	10.80	3.57	676.12	599.46
12.700	1500.00	0.00	0.00	926.00	970.00	930.80	0.00	930.87	5.92	2.13	505.49	398.72
12.700	1500.00	0.00	0.00	926.00	1430.00	931.80	0.00	931.89	6.00	2.46	716.63	583.63
12.700	1500.00	0.00	0.00	926.00	1600.00	932.11	0.00	932.20	6.03	2.56	800.34	651.42
12.700	1500.00	0.00	0.00	926.00	1970.00	932.69	0.00	932.80	6.12	2.75	971.57	796.31
12.800	1750.00	0.00	0.00	927.40	970.00	932.00	0.00	932.07	8.04	2.27	448.34	342.04
12.800	1750.00	0.00	0.00	927.40	1430.00	932.99	0.00	933.09	7.93	2.62	587.24	507.89
12.800	1750.00	0.00	0.00	927.40	1600.00	933.30	0.00	933.41	7.99	2.74	634.76	566.10
12.800	1750.00	0.00	0.00	927.40	1970.00	933.90	0.00	934.03	8.21	2.99	732.20	687.51
13.100	240.00	0.00	0.00	927.20	970.00	932.17	0.00	932.20	2.99	1.30	745.37	561.28
13.100	240.00	0.00	0.00	927.20	1430.00	933.18	0.00	933.22	2.86	1.48	967.90	846.30
13.100	240.00	0.00	0.00	927.20	1600.00	933.50	0.00	933.54	2.85	1.54	1039.17	947.33
13.100	240.00	0.00	0.00	927.20	1970.00	934.13	0.00	934.17	2.90	1.67	1179.64	1157.61
13.200	11.60	940.80	939.60	927.30	970.00	932.18	0.00	932.21	6.42	1.32	733.63	382.71
13.200	11.60	940.80	939.60	927.30	1430.00	933.19	0.00	933.23	6.09	1.50	954.78	579.25
13.200	11.60	940.80	939.60	927.30	1600.00	933.51	0.00	933.55	6.07	1.56	1026.18	649.49
13.200	11.60	940.80	939.60	927.30	1970.00	934.13	0.00	934.18	6.13	1.69	1166.99	795.86
13.300	1.00	0.00	0.00	927.30	970.00	932.18	0.00	932.21	6.42	1.32	733.73	382.79
13.300	1.00	0.00	0.00	927.30	1430.00	933.19	0.00	933.23	6.09	1.50	954.88	579.35
13.300	1.00	0.00	0.00	927.30	1600.00	933.51	0.00	933.55	6.07	1.56	1026.28	649.59
13.300	1.00	0.00	0.00	927.30	1970.00	934.13	0.00	934.18	6.13	1.69	1167.09	795.97
14.100	317.00	0.00	0.00	925.20	970.00	932.43	0.00	932.60	18.07	3.35	289.43	228.22
14.100	317.00	0.00	0.00	925.20	1430.00	933.42	0.00	933.67	22.60	4.06	352.44	300.79
14.100	317.00	0.00	0.00	925.20	1600.00	933.73	0.00	934.01	24.09	4.29	373.34	325.96
14.100	317.00	0.00	0.00	925.20	1970.00	934.34	0.00	934.69	27.13	4.74	415.48	378.22
14.300	4.00	0.00	0.00	925.20	970.00	932.43	0.00	932.61	18.01	3.35	289.73	228.55
14.300	4.00	0.00	0.00	925.20	1430.00	933.43	0.00	933.68	22.53	4.05	352.82	301.24
14.300	4.00	0.00	0.00	925.20	1600.00	933.74	0.00	934.02	24.02	4.28	373.75	326.45
14.300	4.00	0.00	0.00	925.20	1970.00	934.35	0.00	934.70	27.04	4.74	415.95	378.81

MOOPE BUSINESS FORMS INC 27

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
14.400	9.00	0.00	0.00	927.10	970.00	932.41	0.00	932.65	8.16	3.98	243.99	339.67
14.400	9.00	0.00	0.00	927.10	1430.00	933.39	0.00	933.74	8.96	4.72	303.02	477.81
14.400	9.00	0.00	0.00	927.10	1600.00	933.70	0.00	934.09	9.31	4.98	321.60	524.39
14.400	9.00	0.00	0.00	927.10	1970.00	934.30	0.00	934.77	10.14	5.51	357.70	618.78
14.500	1.00	940.80	937.60	927.10	970.00	932.41	0.00	932.65	8.91	3.97	244.07	324.93
14.500	1.00	940.80	937.60	927.10	1430.00	933.39	0.00	933.74	10.12	4.72	303.12	449.44
14.500	1.00	940.80	937.60	927.10	1600.00	933.70	0.00	934.09	10.63	4.97	321.70	490.78
14.500	1.00	940.80	937.60	927.10	1970.00	934.30	0.00	934.78	11.79	5.51	357.81	573.71
14.600	54.00	940.80	937.60	927.10	970.00	932.46	0.00	932.70	8.62	3.93	246.82	330.47
14.600	54.00	940.80	937.60	927.10	1430.00	933.46	0.00	933.79	9.79	4.67	306.53	456.95
14.600	54.00	940.80	937.60	927.10	1600.00	933.77	0.00	934.15	10.29	4.92	325.28	498.86
14.600	54.00	940.80	937.60	927.10	1970.00	934.38	0.00	934.84	11.42	5.45	361.80	583.08
14.700	1.00	0.00	0.00	927.10	970.00	932.47	0.00	932.70	23.91	3.92	247.37	198.36
14.700	1.00	0.00	0.00	927.10	1430.00	933.46	0.00	933.80	26.34	4.66	306.98	278.63
14.700	1.00	0.00	0.00	927.10	1600.00	933.77	0.00	934.15	27.38	4.91	325.78	305.76
14.700	1.00	0.00	0.00	927.10	1970.00	934.38	0.00	934.84	29.80	5.44	362.42	360.85
14.720	4.00	0.00	0.00	927.10	970.00	932.48	0.00	932.71	23.76	3.91	247.86	198.98
14.720	4.00	0.00	0.00	927.10	1430.00	933.47	0.00	933.81	26.20	4.65	307.51	279.38
14.720	4.00	0.00	0.00	927.10	1600.00	933.79	0.00	934.16	27.24	4.90	326.34	306.58
14.720	4.00	0.00	0.00	927.10	1970.00	934.40	0.00	934.86	29.64	5.43	363.05	361.83
14.750	770.00	0.00	0.00	927.50	970.00	933.91	0.00	934.11	14.19	3.61	288.15	257.54
14.750	770.00	0.00	0.00	927.50	1430.00	935.03	0.00	935.27	14.29	4.11	435.39	378.35
14.750	770.00	0.00	0.00	927.50	1600.00	935.38	0.00	935.63	13.91	4.21	494.66	429.04
14.750	770.00	0.00	0.00	927.50	1970.00	936.08	0.00	936.33	13.06	4.35	624.10	545.04
14.800	520.00	0.00	0.00	927.80	970.00	934.42	0.00	934.47	3.91	1.93	524.91	490.55
14.800	520.00	0.00	0.00	927.80	1430.00	935.57	0.00	935.65	4.14	2.27	684.30	702.50
14.800	520.00	0.00	0.00	927.80	1600.00	935.93	0.00	936.01	4.26	2.39	737.30	774.97
14.800	520.00	0.00	0.00	927.80	1970.00	936.61	0.00	936.71	4.51	2.62	847.41	928.04
14.900	360.00	0.00	0.00	927.80	970.00	934.59	0.00	934.68	8.06	2.42	401.52	341.61
14.900	360.00	0.00	0.00	927.80	1430.00	935.75	0.00	935.89	9.68	2.95	485.40	459.67
14.900	360.00	0.00	0.00	927.80	1600.00	936.11	0.00	936.26	10.33	3.13	510.88	497.71
14.900	360.00	0.00	0.00	927.80	1970.00	936.80	0.00	936.99	11.75	3.51	560.64	574.67
15.000	31.00	0.00	0.00	928.50	970.00	934.56	0.00	934.74	17.64	3.47	279.38	230.98
15.000	31.00	0.00	0.00	928.50	1430.00	935.70	0.00	935.97	20.59	4.21	339.29	315.16
15.000	31.00	0.00	0.00	928.50	1600.00	936.04	0.00	936.35	21.85	4.48	357.37	342.30
15.000	31.00	0.00	0.00	928.50	1970.00	936.71	0.00	937.10	24.60	5.02	392.51	397.20
15.100	1.00	938.80	936.00	928.50	970.00	934.55	0.00	934.76	4.44	3.68	263.86	460.19
15.100	1.00	938.80	936.00	928.50	1430.00	935.68	0.00	935.99	5.05	4.46	320.42	636.09
15.100	1.00	938.80	936.00	928.50	1600.00	936.02	0.00	936.37	13.56	4.76	335.87	434.55
15.100	1.00	938.80	936.00	928.50	1970.00	936.64	0.00	937.17	20.55	5.87	335.88	434.57

MOORE BUSINESS FORMS INC 27

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	FG	10K*S	VCH	AREA	.01K
15.200	36.00	938.80	936.00	928.40	970.00	934.56	0.00	934.77	4.54	3.70	262.47	455.42
15.200	36.00	938.80	936.00	928.40	1430.00	935.70	0.00	936.01	5.15	4.48	318.98	630.33
15.200	36.00	938.80	936.00	928.40	1600.00	936.07	0.00	936.43	13.83	4.79	334.03	430.25
15.200	36.00	938.80	936.00	928.40	1970.00	936.71	0.00	937.25	20.96	5.90	334.04	430.26
15.300	1.00	0.00	0.00	928.40	970.00	934.59	0.00	934.78	4.36	3.48	278.60	464.76
15.300	1.00	0.00	0.00	928.40	1430.00	935.74	0.00	936.02	5.05	4.22	339.18	636.50
15.300	1.00	0.00	0.00	928.40	1600.00	936.13	0.00	936.44	5.25	4.45	359.59	698.46
15.300	1.00	0.00	0.00	928.40	1970.00	936.93	0.00	937.30	5.61	4.91	401.40	831.43
15.400	11.00	0.00	0.00	928.20	970.00	934.73	0.00	934.81	1.89	2.33	416.21	705.84
15.400	11.00	0.00	0.00	928.20	1430.00	935.95	0.00	936.07	2.30	2.81	508.60	941.95
15.400	11.00	0.00	0.00	928.20	1600.00	936.36	0.00	936.50	2.42	2.96	541.26	1028.19
15.400	11.00	0.00	0.00	928.20	1970.00	937.21	0.00	937.37	2.74	3.22	612.43	1189.54
15.800	350.00	0.00	0.00	927.80	970.00	934.80	0.00	934.90	2.44	2.56	378.20	620.66
15.800	350.00	0.00	0.00	927.80	1430.00	936.02	0.00	936.17	2.79	3.08	464.17	855.50
15.800	350.00	0.00	0.00	927.80	1600.00	936.44	0.00	936.60	2.90	3.24	493.22	940.16
15.800	350.00	0.00	0.00	927.80	1970.00	937.29	0.00	937.49	3.08	3.56	553.04	1122.24
15.900	56.00	0.00	0.00	928.80	970.00	934.80	0.00	934.94	10.80	3.02	320.79	295.18
15.900	56.00	0.00	0.00	928.80	1430.00	936.02	0.00	936.23	12.44	3.63	393.58	405.46
15.900	56.00	0.00	0.00	928.80	1600.00	936.44	0.00	936.66	12.92	3.83	418.22	445.21
15.900	56.00	0.00	0.00	928.80	1970.00	937.29	0.00	937.56	13.85	4.21	468.26	529.26
16.000	1.00	939.60	936.40	928.80	970.00	934.80	0.00	934.94	12.77	3.03	320.42	271.39
16.000	1.00	939.60	936.40	928.80	1430.00	936.02	0.00	936.23	15.23	3.64	393.19	366.48
16.000	1.00	939.60	936.40	928.80	1600.00	936.44	0.00	936.67	33.17	3.85	415.53	277.83
16.000	1.00	939.60	936.40	928.80	1970.00	937.24	0.00	937.59	50.28	4.74	415.53	277.83
16.100	54.00	939.60	936.40	929.00	970.00	934.87	0.00	935.02	13.33	3.04	318.67	265.72
16.100	54.00	939.60	936.40	929.00	1430.00	936.11	0.00	936.31	15.73	3.65	392.11	360.56
16.100	54.00	939.60	936.40	929.00	1600.00	936.62	0.00	936.85	35.06	3.90	409.98	270.22
16.100	54.00	939.60	936.40	929.00	1970.00	937.51	0.00	937.87	53.15	4.81	409.98	270.22
16.200	1.00	0.00	0.00	929.00	970.00	934.87	0.00	935.02	11.14	3.04	319.09	290.64
16.200	1.00	0.00	0.00	929.00	1430.00	936.11	0.00	936.32	12.70	3.64	392.68	401.25
16.200	1.00	0.00	0.00	929.00	1600.00	936.63	0.00	936.86	12.60	3.78	423.48	450.74
16.200	1.00	0.00	0.00	929.00	1970.00	937.62	0.00	937.88	12.80	4.08	482.65	550.55
16.300	56.00	0.00	0.00	928.80	970.00	934.94	0.00	935.05	4.00	2.67	364.03	484.73
16.300	56.00	0.00	0.00	928.80	1430.00	936.20	0.00	936.36	4.54	3.21	449.14	671.15
16.300	56.00	0.00	0.00	928.80	1600.00	936.73	0.00	936.90	4.44	3.31	487.67	759.60
16.300	56.00	0.00	0.00	928.80	1970.00	937.73	0.00	937.93	4.39	3.55	563.06	939.92
16.800	125.00	0.00	0.00	929.06	970.00	935.04	0.00	935.12	6.49	2.27	428.08	380.88
16.800	125.00	0.00	0.00	929.06	1430.00	936.32	0.00	936.43	6.76	2.65	539.24	549.93
16.800	125.00	0.00	0.00	929.06	1600.00	936.86	0.00	936.97	6.53	2.73	585.38	626.11
16.800	125.00	0.00	0.00	929.06	1970.00	937.88	0.00	938.00	5.85	2.82	757.36	814.53

MOORE BUSINESS FORMS, INC 27

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
16.900	19.00	0.00	0.00	929.32	970.00	935.06	0.00	935.13	6.31	2.20	440.78	386.10
16.900	19.00	0.00	0.00	929.32	1430.00	936.35	0.00	936.45	6.36	2.55	560.74	567.10
16.900	19.00	0.00	0.00	929.32	1600.00	936.88	0.00	936.99	6.09	2.62	610.24	648.55
16.900	19.00	0.00	0.00	929.32	1970.00	937.90	0.00	938.01	5.42	2.71	786.44	846.12
17.000	1.00	960.00	937.05	929.32	970.00	935.05	0.00	935.14	6.05	2.38	408.30	394.45
17.000	1.00	960.00	937.05	929.32	1430.00	936.34	0.00	936.46	6.58	2.74	521.22	557.50
17.000	1.00	960.00	937.05	929.32	1600.00	936.87	0.00	936.99	6.49	2.82	567.92	628.16
17.000	1.00	960.00	937.05	929.32	1970.00	937.86	0.00	938.04	16.67	3.38	582.87	482.48
17.100	90.00	960.00	937.05	929.32	970.00	935.11	0.00	935.19	5.87	2.35	412.63	400.46
17.100	90.00	960.00	937.05	929.32	1430.00	936.40	0.00	936.51	6.43	2.72	525.63	564.09
17.100	90.00	960.00	937.05	929.32	1600.00	936.93	0.00	937.05	6.36	2.80	572.15	634.65
17.100	90.00	960.00	937.05	929.32	1970.00	938.01	0.00	938.19	16.67	3.38	582.87	482.48
17.200	1.00	960.00	937.18	928.80	970.00	935.11	0.00	935.20	6.08	2.33	416.91	393.24
17.200	1.00	960.00	937.18	928.80	1430.00	936.41	0.00	936.52	6.17	2.68	533.86	575.54
17.200	1.00	960.00	937.18	928.80	1600.00	936.94	0.00	937.05	5.94	2.75	582.14	656.65
17.200	1.00	960.00	937.18	928.80	1970.00	938.03	0.00	938.20	17.31	3.26	604.70	473.55
17.300	100.00	960.00	937.18	928.10	970.00	935.18	0.00	935.25	4.56	2.13	455.47	454.03
17.300	100.00	960.00	937.18	928.10	1430.00	936.48	0.00	936.58	4.92	2.50	572.78	644.64
17.300	100.00	960.00	937.18	928.10	1600.00	937.01	0.00	937.11	4.82	2.58	620.95	728.42
17.300	100.00	960.00	937.18	928.10	1970.00	938.21	0.00	938.36	14.59	3.09	636.97	515.78
17.400	1.00	0.00	0.00	928.10	970.00	935.18	0.00	935.25	4.55	2.13	455.99	454.84
17.400	1.00	0.00	0.00	928.10	1430.00	936.48	0.00	936.58	4.91	2.49	573.34	645.60
17.400	1.00	0.00	0.00	928.10	1600.00	937.01	0.00	937.11	4.81	2.57	621.48	729.35
17.400	1.00	0.00	0.00	928.10	1970.00	938.26	0.00	938.37	4.35	2.67	737.63	944.32
17.500	120.00	0.00	0.00	930.20	970.00	935.23	0.00	935.33	6.17	2.45	396.21	390.35
17.500	120.00	0.00	0.00	930.20	1430.00	936.53	0.00	936.65	5.58	2.76	517.30	605.20
17.500	120.00	0.00	0.00	930.20	1600.00	937.06	0.00	937.18	5.16	2.82	566.50	704.14
17.500	120.00	0.00	0.00	930.20	1970.00	938.30	0.00	938.43	4.23	2.89	681.50	958.18
17.900	79.00	0.00	0.00	929.00	970.00	935.31	0.00	935.38	5.07	2.13	456.32	430.60
17.900	79.00	0.00	0.00	929.00	1430.00	936.61	0.00	936.70	4.58	2.39	599.18	668.21
17.900	79.00	0.00	0.00	929.00	1600.00	937.14	0.00	937.23	4.27	2.44	656.95	774.53
17.900	79.00	0.00	0.00	929.00	1970.00	938.38	0.00	938.47	3.55	2.48	793.08	1045.97
18.000	1.00	940.80	939.00	929.00	970.00	935.30	0.00	935.39	10.05	2.46	394.89	305.93
18.000	1.00	940.80	939.00	929.00	1430.00	936.59	0.00	936.72	11.85	2.89	494.58	415.34
18.000	1.00	940.80	939.00	929.00	1600.00	937.11	0.00	937.26	12.66	3.02	529.32	449.63
18.000	1.00	940.80	939.00	929.00	1970.00	938.34	0.00	938.51	15.99	3.32	593.27	492.62
18.100	40.00	940.80	939.00	929.30	970.00	935.34	0.00	935.43	7.95	2.38	407.90	344.05
18.100	40.00	940.80	939.00	929.30	1430.00	936.64	0.00	936.77	10.24	2.86	500.03	446.89
18.100	40.00	940.80	939.00	929.30	1600.00	937.16	0.00	937.30	11.15	3.00	532.64	479.06
18.100	40.00	940.80	939.00	929.30	1970.00	938.40	0.00	938.57	14.65	3.32	593.95	514.72

MOORE BUSINESS FORMS INC 27

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
18.200	1.00	0.00	0.00	930.40	970.00	935.31	0.00	935.46	10.62	3.10	312.44	297.60
18.200	1.00	0.00	0.00	930.40	1430.00	936.61	0.00	936.79	9.57	3.40	420.35	462.28
18.200	1.00	0.00	0.00	930.40	1600.00	937.14	0.00	937.33	8.81	3.43	466.71	539.03
18.200	1.00	0.00	0.00	930.40	1970.00	938.40	0.00	938.58	6.99	3.38	582.89	744.87
18.300	49.00	0.00	0.00	930.40	970.00	935.37	0.00	935.51	10.22	3.07	316.47	303.36
18.300	49.00	0.00	0.00	930.40	1430.00	936.66	0.00	936.84	9.29	3.37	424.54	469.07
18.300	49.00	0.00	0.00	930.40	1600.00	937.19	0.00	937.37	8.57	3.40	471.07	546.40
18.300	49.00	0.00	0.00	930.40	1970.00	938.44	0.00	938.61	6.86	3.36	586.85	752.19
18.800	365.00	0.00	0.00	930.40	970.00	935.71	0.00	935.77	4.45	2.06	471.02	459.82
18.800	365.00	0.00	0.00	930.40	1430.00	937.01	0.00	937.09	4.27	2.29	623.26	692.15
18.800	365.00	0.00	0.00	930.40	1600.00	937.52	0.00	937.61	4.08	2.34	684.26	792.11
18.800	365.00	0.00	0.00	930.40	1970.00	938.73	0.00	938.81	3.44	2.35	839.67	1062.10
18.900	200.00	0.00	0.00	931.10	970.00	935.77	0.00	936.03	18.89	4.10	236.56	223.17
18.900	200.00	0.00	0.00	931.10	1430.00	937.04	0.00	937.36	16.69	4.55	314.27	350.00
18.900	200.00	0.00	0.00	931.10	1600.00	937.54	0.00	937.87	15.51	4.63	345.57	406.33
18.900	200.00	0.00	0.00	931.10	1970.00	938.72	0.00	939.06	12.73	4.68	420.63	552.25
19.000	4.00	940.10	938.90	931.10	970.00	935.77	0.00	936.04	12.66	4.22	229.90	272.60
19.000	4.00	940.10	938.90	931.10	1430.00	937.03	0.00	937.38	12.63	4.74	301.43	402.32
19.000	4.00	940.10	938.90	931.10	1600.00	937.53	0.00	937.89	12.32	4.86	329.38	455.89
19.000	4.00	940.10	938.90	931.10	1970.00	938.70	0.00	939.09	15.74	5.00	394.32	496.63
19.100	6.00	0.00	0.00	931.10	970.00	935.78	0.00	936.05	11.15	4.21	230.26	290.53
19.100	6.00	0.00	0.00	931.10	1430.00	937.04	0.00	937.39	10.82	4.74	301.38	434.65
19.100	6.00	0.00	0.00	931.10	1600.00	937.54	0.00	937.90	10.42	4.86	329.49	495.66
19.100	6.00	0.00	0.00	931.10	1970.00	938.71	0.00	939.10	9.27	4.98	395.86	646.90
19.200	1.00	0.00	0.00	930.90	970.00	935.77	0.00	936.06	9.23	4.33	224.18	319.26
19.200	1.00	0.00	0.00	930.90	1430.00	937.03	0.00	937.40	8.95	4.90	291.77	478.08
19.200	1.00	0.00	0.00	930.90	1600.00	937.52	0.00	937.91	8.54	5.01	319.07	547.46
19.200	1.00	0.00	0.00	930.90	1970.00	938.70	0.00	939.11	7.38	5.12	384.70	724.94
19.300	24.00	0.00	0.00	930.90	970.00	935.79	0.00	936.08	9.12	4.31	225.06	321.21
19.300	24.00	0.00	0.00	930.90	1430.00	937.05	0.00	937.42	8.86	4.89	292.73	480.47
19.300	24.00	0.00	0.00	930.90	1600.00	937.55	0.00	937.94	8.47	5.00	319.97	549.80
19.300	24.00	0.00	0.00	930.90	1970.00	938.72	0.00	939.13	7.34	5.11	385.49	727.15
19.800	165.00	0.00	0.00	931.60	970.00	936.07	0.00	936.35	37.91	4.29	225.87	157.55
19.800	165.00	0.00	0.00	931.60	1430.00	937.35	0.00	937.67	28.29	4.53	315.58	268.87
19.800	165.00	0.00	0.00	931.60	1600.00	937.84	0.00	938.17	25.47	4.57	350.19	317.04
19.800	165.00	0.00	0.00	931.60	1970.00	939.00	0.00	939.32	20.09	4.57	431.07	439.48
19.900	50.00	0.00	0.00	931.60	970.00	936.28	0.00	936.53	30.97	4.03	240.53	174.29
19.900	50.00	0.00	0.00	931.60	1430.00	937.51	0.00	937.80	25.38	4.38	326.56	283.85
19.900	50.00	0.00	0.00	931.60	1600.00	937.98	0.00	938.29	23.33	4.44	360.04	331.24
19.900	50.00	0.00	0.00	931.60	1970.00	939.11	0.00	939.42	19.01	4.49	438.76	451.79

FORMS INC 27
MOORE BUSINESS FORMS

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
20.000	1.00	943.60	942.10	931.60	970.00	936.22	0.00	936.59	22.75	4.89	198.34	203.39
20.000	1.00	943.60	942.10	931.60	1430.00	937.45	0.00	937.87	19.47	5.21	274.27	324.11
20.000	1.00	943.60	942.10	931.60	1600.00	937.92	0.00	938.35	18.23	5.26	304.08	374.72
20.000	1.00	943.60	942.10	931.60	1970.00	939.05	0.00	939.48	15.52	5.26	374.66	500.05
20.100	90.00	943.60	942.10	931.60	970.00	936.47	0.00	936.79	18.42	4.55	213.26	226.02
20.100	90.00	943.60	942.10	931.60	1430.00	937.66	0.00	938.04	17.16	4.99	286.82	345.22
20.100	90.00	943.60	942.10	931.60	1600.00	938.12	0.00	938.52	16.41	5.07	315.75	394.93
20.100	90.00	943.60	942.10	931.60	1970.00	939.22	0.00	939.62	14.47	5.12	384.43	517.91
20.200	1.00	0.00	0.00	931.60	970.00	936.61	0.00	936.82	7.48	3.67	264.24	354.58
20.200	1.00	0.00	0.00	931.60	1430.00	937.82	0.00	938.08	6.74	4.10	348.59	550.82
20.200	1.00	0.00	0.00	931.60	1600.00	938.28	0.00	938.56	6.37	4.20	381.06	633.87
20.200	1.00	0.00	0.00	931.60	1970.00	939.37	0.00	939.66	5.46	4.31	457.16	842.92
20.300	64.00	0.00	0.00	931.70	970.00	936.72	0.00	936.89	5.04	3.21	302.25	432.10
20.300	64.00	0.00	0.00	931.70	1430.00	937.92	0.00	938.13	5.03	3.70	386.41	637.58
20.300	64.00	0.00	0.00	931.70	1600.00	938.38	0.00	938.61	4.90	3.82	418.64	723.08
20.300	64.00	0.00	0.00	931.70	1970.00	939.53	0.00	939.72	3.56	3.61	622.34	1044.48
21.000	1050.00	0.00	0.00	933.20	970.00	937.60	0.00	938.61	131.53	8.06	121.58	84.58
21.000	1050.00	0.00	0.00	933.20	1430.00	938.86	938.59	939.67	82.16	7.72	256.52	157.76
21.000	1050.00	0.00	0.00	933.20	1600.00	939.35	0.00	939.98	61.36	7.10	338.36	204.26
21.000	1050.00	0.00	0.00	933.20	1970.00	940.26	0.00	940.64	35.71	6.00	556.66	329.65
21.100	210.00	0.00	0.00	935.20	535.00	938.86	0.00	938.91	1.76	1.73	309.47	403.26
21.100	210.00	0.00	0.00	935.20	675.00	940.06	0.00	940.10	3.56	1.49	461.57	357.91
21.100	210.00	0.00	0.00	935.20	735.00	940.32	0.00	940.35	3.44	1.50	503.88	396.51
21.100	210.00	0.00	0.00	935.20	875.00	940.89	0.00	940.92	3.18	1.53	603.19	491.05
21.200	140.00	0.00	0.00	935.40	535.00	938.90	0.00	938.95	5.26	1.68	317.98	233.37
21.200	140.00	0.00	0.00	935.40	675.00	940.11	0.00	940.14	3.03	1.42	481.34	387.56
21.200	140.00	0.00	0.00	935.40	735.00	940.37	0.00	940.40	2.81	1.43	522.74	438.14
21.200	140.00	0.00	0.00	935.40	875.00	940.93	0.00	940.96	2.43	1.46	624.96	561.39
21.300	125.00	0.00	0.00	935.60	535.00	938.97	0.00	939.02	5.87	1.86	288.02	220.75
21.300	125.00	0.00	0.00	935.60	675.00	940.14	0.00	940.18	2.97	1.65	447.64	391.47
21.300	125.00	0.00	0.00	935.60	735.00	940.40	0.00	940.44	2.80	1.66	506.28	439.05
21.300	125.00	0.00	0.00	935.60	875.00	940.96	0.00	941.00	2.42	1.67	661.23	562.76
21.500	15.00	944.20	938.00	937.60	535.00	945.42	0.00	945.69	96.16	4.12	129.95	54.56
21.500	15.00	944.20	938.00	937.60	675.00	945.62	0.00	945.94	96.14	4.51	149.61	68.84
21.500	15.00	944.20	938.00	937.60	735.00	945.71	0.00	946.04	96.10	4.66	157.56	74.98
21.500	15.00	944.20	938.00	937.60	875.00	945.90	0.00	946.28	92.95	4.95	176.94	90.76
21.600	27.00	0.00	0.00	938.00	535.00	945.71	0.00	945.72	.35	.76	699.45	907.29
21.600	27.00	0.00	0.00	938.00	675.00	945.96	0.00	945.98	.49	.93	725.70	961.86
21.600	27.00	0.00	0.00	938.00	735.00	946.06	0.00	946.08	.56	1.00	736.34	984.28
21.600	27.00	0.00	0.00	938.00	875.00	946.30	0.00	946.32	.71	1.15	760.99	1036.88

MOORE BUSINESS FORMS INC 27

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	FG	10K*S	VCH	AREA	.01K
21.900	73.00	0.00	0.00	937.60	535.00	945.71	0.00	945.72	.78	.99	540.84	605.57
21.900	73.00	0.00	0.00	937.60	675.00	945.96	0.00	945.98	1.07	1.19	567.07	653.27
21.900	73.00	0.00	0.00	937.60	735.00	946.06	0.00	946.09	1.19	1.27	577.69	672.95
21.900	73.00	0.00	0.00	937.60	875.00	946.30	0.00	946.34	1.48	1.45	602.31	719.32
22.000	1.00	947.20	947.30	937.60	535.00	945.71	0.00	945.72	.52	1.06	504.67	742.23
22.000	1.00	947.20	947.30	937.60	675.00	945.96	0.00	945.98	.72	1.27	529.67	797.93
22.000	1.00	947.20	947.30	937.60	735.00	946.06	0.00	946.09	.80	1.36	540.36	820.85
22.000	1.00	947.20	947.30	937.60	875.00	946.30	0.00	946.34	1.00	1.55	575.72	875.91
22.100	23.00	947.20	947.30	938.70	535.00	945.71	0.00	945.72	.57	1.09	489.40	709.62
22.100	23.00	947.20	947.30	938.70	675.00	945.96	0.00	945.99	.78	1.31	514.41	764.71
22.100	23.00	947.20	947.30	938.70	735.00	946.06	0.00	946.09	.87	1.40	525.12	787.39
22.100	23.00	947.20	947.30	938.70	875.00	946.30	0.00	946.34	1.08	1.59	560.52	841.93
22.200	1.00	0.00	0.00	938.70	535.00	945.71	0.00	945.73	.37	1.02	526.40	874.88
22.200	1.00	0.00	0.00	938.70	675.00	945.96	0.00	945.99	.51	1.22	552.61	945.70
22.200	1.00	0.00	0.00	938.70	735.00	946.07	0.00	946.10	.57	1.30	563.23	974.93
22.200	1.00	0.00	0.00	938.70	875.00	946.31	0.00	946.34	.70	1.49	587.83	1043.86
22.300	103.00	0.00	0.00	938.51	535.00	945.73	0.00	945.73	.03	.37	1477.17	2959.00
22.300	103.00	0.00	0.00	938.51	675.00	945.99	0.00	946.00	.05	.45	1542.21	3163.89
22.300	103.00	0.00	0.00	938.51	735.00	946.10	0.00	946.10	.05	.48	1568.00	3246.70
22.300	103.00	0.00	0.00	938.51	875.00	946.35	0.00	946.35	.06	.55	1627.82	3442.15
22.500	450.00	0.00	0.00	941.20	535.00	945.73	0.00	945.73	.34	.47	1143.71	914.34
22.500	450.00	0.00	0.00	941.20	675.00	946.00	0.00	946.00	.42	.54	1246.15	1044.17
22.500	450.00	0.00	0.00	941.20	735.00	946.10	0.00	946.11	.45	.57	1288.31	1099.20
22.500	450.00	0.00	0.00	941.20	875.00	946.35	0.00	946.36	.51	.63	1384.70	1228.30
22.550	392.00	0.00	0.00	938.60	535.00	945.74	0.00	945.74	.03	.22	2474.74	3331.68
22.550	392.00	0.00	0.00	938.60	675.00	946.00	0.00	946.00	.04	.26	2575.97	3550.88
22.550	392.00	0.00	0.00	938.60	735.00	946.11	0.00	946.11	.04	.28	2617.17	3641.77
22.550	392.00	0.00	0.00	938.60	875.00	946.36	0.00	946.37	.05	.32	2713.24	3856.17
22.600	196.00	0.00	0.00	938.20	535.00	945.74	0.00	945.74	.03	.26	2150.62	2919.92
22.600	196.00	0.00	0.00	938.20	675.00	946.00	0.00	946.00	.05	.31	2252.02	3117.01
22.600	196.00	0.00	0.00	938.20	735.00	946.11	0.00	946.11	.05	.34	2293.88	3199.14
22.600	196.00	0.00	0.00	938.20	875.00	946.36	0.00	946.37	.07	.39	2392.18	3393.72
22.800	125.00	0.00	0.00	938.00	535.00	945.73	0.00	945.74	.23	.55	1110.80	1119.64
22.800	125.00	0.00	0.00	938.00	675.00	946.00	0.00	946.01	.30	.65	1191.99	1227.95
22.800	125.00	0.00	0.00	938.00	735.00	946.11	0.00	946.12	.33	.69	1225.84	1273.62
22.800	125.00	0.00	0.00	938.00	875.00	946.36	0.00	946.37	.40	.78	1306.10	1383.09
22.900	108.00	0.00	0.00	937.50	535.00	945.73	0.00	945.75	.49	.87	612.64	765.87
22.900	108.00	0.00	0.00	937.50	675.00	946.00	0.00	946.02	.68	1.06	639.35	819.53
22.900	108.00	0.00	0.00	937.50	735.00	946.11	0.00	946.13	.76	1.13	650.22	841.74
22.900	108.00	0.00	0.00	937.50	875.00	946.36	0.00	946.38	.96	1.30	675.44	893.99

MOORE BUSINESS FORMS INC 27

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
23.000	1.00	952.40	948.40	937.50	535.00	945.73	0.00	945.75	.27	.87	615.58	1033.66
23.000	1.00	952.40	948.40	937.50	675.00	946.00	0.00	946.02	.38	1.05	641.57	1098.03
23.000	1.00	952.40	948.40	937.50	735.00	946.11	0.00	946.13	.43	1.13	652.14	1124.47
23.000	1.00	952.40	948.40	937.50	875.00	946.36	0.00	946.38	.54	1.29	676.63	1186.31
23.100	56.00	952.40	950.20	937.70	535.00	945.73	0.00	945.76	1.48	1.48	361.73	439.67
23.100	56.00	952.40	950.20	937.70	675.00	945.99	0.00	946.03	1.91	1.74	387.63	489.01
23.100	56.00	952.40	950.20	937.70	735.00	946.09	0.00	946.15	2.08	1.85	398.16	509.53
23.100	56.00	952.40	950.20	937.70	875.00	946.34	0.00	946.41	2.46	2.07	422.56	558.01
23.200	1.00	0.00	0.00	937.70	535.00	945.73	0.00	945.76	1.14	1.43	373.03	500.84
23.200	1.00	0.00	0.00	937.70	675.00	945.99	0.00	946.04	1.46	1.69	399.28	559.09
23.200	1.00	0.00	0.00	937.70	735.00	946.10	0.00	946.15	1.59	1.79	409.95	583.42
23.200	1.00	0.00	0.00	937.70	875.00	946.35	0.00	946.41	1.86	2.01	434.67	641.23
23.300	82.00	0.00	0.00	939.76	535.00	945.77	0.00	945.77	.04	.34	1559.98	2794.66
23.300	82.00	0.00	0.00	939.76	675.00	946.05	0.00	946.05	.05	.41	1640.53	3029.96
23.300	82.00	0.00	0.00	939.76	735.00	946.16	0.00	946.16	.06	.44	1673.61	3128.33
23.300	82.00	0.00	0.00	939.76	875.00	946.42	0.00	946.43	.07	.50	1750.71	3361.39
23.400	1133.00	0.00	0.00	939.59	535.00	945.77	0.00	945.77	.02	.28	1908.30	3496.47
23.400	1133.00	0.00	0.00	939.59	675.00	946.05	0.00	946.05	.03	.34	2005.77	3779.58
23.400	1133.00	0.00	0.00	939.59	735.00	946.17	0.00	946.17	.04	.36	2046.11	3898.01
23.400	1133.00	0.00	0.00	939.59	875.00	946.43	0.00	946.44	.04	.41	2140.87	4183.22
23.500	516.00	0.00	0.00	938.50	535.00	945.77	0.00	945.77	.02	.28	2126.81	3976.23
23.500	516.00	0.00	0.00	938.50	675.00	946.05	0.00	946.06	.02	.33	2274.78	4278.38
23.500	516.00	0.00	0.00	938.50	735.00	946.17	0.00	946.17	.03	.36	2337.90	4405.86
23.500	516.00	0.00	0.00	938.50	875.00	946.43	0.00	946.44	.03	.41	2487.15	4717.77
24.000	233.00	0.00	0.00	938.70	535.00	945.77	0.00	945.77	.03	.29	1835.64	3379.46
24.000	233.00	0.00	0.00	938.70	675.00	946.05	0.00	946.06	.04	.35	1927.19	3576.12
24.000	233.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.04	.37	1965.59	3659.68
24.000	233.00	0.00	0.00	938.70	875.00	946.44	0.00	946.44	.05	.43	2056.76	3860.54

MOORE BUSINESS FORMS INC 27

0 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
12.000	970.00	927.80	0.00	0.00	0.00	317.11	0.00
12.000	1430.00	928.70	.90	0.00	0.00	370.94	0.00
12.000	1600.00	929.00	.30	0.00	0.00	388.88	0.00
12.000	1970.00	929.50	.50	0.00	0.00	418.78	0.00
12.600	970.00	929.80	0.00	2.00	0.00	92.32	1850.00
12.600	1430.00	930.64	.84	1.94	0.00	159.00	1850.00
12.600	1600.00	930.90	.26	1.90	0.00	208.57	1850.00
12.600	1970.00	931.40	.50	1.90	0.00	305.24	1850.00
12.700	970.00	930.80	0.00	1.00	0.00	173.42	1500.00
12.700	1430.00	931.80	1.00	1.16	0.00	258.78	1500.00
12.700	1600.00	932.11	.31	1.20	0.00	281.71	1500.00
12.700	1970.00	932.69	.58	1.29	0.00	302.80	1500.00
12.800	970.00	932.00	0.00	1.19	0.00	130.48	1750.00
12.800	1430.00	932.99	.99	1.19	0.00	149.93	1750.00
12.800	1600.00	933.30	.31	1.19	0.00	156.05	1750.00
12.800	1970.00	933.90	.60	1.21	0.00	167.90	1750.00
13.100	970.00	932.17	0.00	.18	0.00	214.41	240.00
13.100	1430.00	933.18	1.01	.20	0.00	222.28	240.00
13.100	1600.00	933.50	.32	.21	0.00	224.07	240.00
13.100	1970.00	934.13	.62	.23	0.00	227.55	240.00
13.200	970.00	932.18	0.00	.00	0.00	214.52	11.60
13.200	1430.00	933.19	1.01	.01	0.00	222.35	11.60
13.200	1600.00	933.51	.32	.01	0.00	224.18	11.60
13.200	1970.00	934.13	.62	.01	0.00	227.74	11.60
13.300	970.00	932.18	0.00	.00	0.00	214.52	1.00
13.300	1430.00	933.19	1.01	.00	0.00	222.35	1.00
13.300	1600.00	933.51	.32	.00	0.00	224.18	1.00
13.300	1970.00	934.13	.62	.00	0.00	227.75	1.00
14.100	970.00	932.43	0.00	.25	0.00	61.25	317.00
14.100	1430.00	933.42	.99	.22	0.00	66.05	317.00
14.100	1600.00	933.73	.31	.22	0.00	67.57	317.00
14.100	1970.00	934.34	.61	.20	0.00	70.53	317.00
14.300	970.00	932.43	0.00	.01	0.00	61.27	4.00
14.300	1430.00	933.43	.99	.01	0.00	66.08	4.00
14.300	1600.00	933.74	.31	.01	0.00	67.60	4.00
14.300	1970.00	934.35	.61	.01	0.00	70.56	4.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
14.400	970.00	932.41	0.00	-.03	0.00	60.00	9.00
14.400	1430.00	933.39	.98	-.03	0.00	60.00	9.00
14.400	1600.00	933.70	.31	-.04	0.00	60.00	9.00
14.400	1970.00	934.30	.60	-.05	0.00	60.00	9.00
14.500	970.00	932.41	0.00	.00	0.00	60.00	1.00
14.500	1430.00	933.39	.98	.00	0.00	60.00	1.00
14.500	1600.00	933.70	.31	.00	0.00	60.00	1.00
14.500	1970.00	934.30	.60	.00	0.00	60.00	1.00
14.600	970.00	932.46	0.00	.05	0.00	60.00	54.00
14.600	1430.00	933.46	.99	.06	0.00	60.00	54.00
14.600	1600.00	933.77	.31	.07	0.00	60.00	54.00
14.600	1970.00	934.38	.61	.08	0.00	60.00	54.00
14.700	970.00	932.47	0.00	.00	0.00	60.00	1.00
14.700	1430.00	933.46	.99	.00	0.00	60.00	1.00
14.700	1600.00	933.77	.31	.00	0.00	60.00	1.00
14.700	1970.00	934.38	.61	.00	0.00	60.00	1.00
14.720	970.00	932.48	0.00	.01	0.00	60.00	4.00
14.720	1430.00	933.47	.99	.01	0.00	60.00	4.00
14.720	1600.00	933.79	.31	.01	0.00	60.00	4.00
14.720	1970.00	934.40	.61	.01	0.00	60.00	4.00
14.750	970.00	933.91	0.00	1.43	0.00	100.47	770.00
14.750	1430.00	935.03	1.12	1.56	0.00	162.24	770.00
14.750	1600.00	935.38	.35	1.60	0.00	173.95	770.00
14.750	1970.00	936.08	.70	1.68	0.00	197.12	770.00
14.800	970.00	934.42	0.00	.51	0.00	127.12	520.00
14.800	1430.00	935.57	1.16	.55	0.00	147.71	520.00
14.800	1600.00	935.93	.35	.54	0.00	153.95	520.00
14.800	1970.00	936.61	.69	.53	0.00	166.17	520.00
14.900	970.00	934.59	0.00	.17	0.00	72.00	360.00
14.900	1430.00	935.75	1.16	.18	0.00	72.00	360.00
14.900	1600.00	936.11	.35	.18	0.00	72.00	360.00
14.900	1970.00	936.80	.69	.18	0.00	72.00	360.00
15.000	970.00	934.56	0.00	-.03	0.00	52.54	31.00
15.000	1430.00	935.70	1.14	-.06	0.00	52.54	31.00
15.000	1600.00	936.04	.34	-.07	0.00	52.54	31.00
15.000	1970.00	936.71	.67	-.09	0.00	52.54	31.00
15.100	970.00	934.55	0.00	-.01	0.00	52.54	1.00
15.100	1430.00	935.68	1.14	-.02	0.00	52.54	1.00
15.100	1600.00	936.02	.34	-.02	0.00	52.54	1.00
15.100	1970.00	936.64	.62	-.07	0.00	52.54	1.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
15.200	970.00	934.56	0.00	.02	0.00	52.54	36.00
15.200	1430.00	935.70	1.14	.02	0.00	52.54	36.00
15.200	1600.00	936.07	.37	.05	0.00	52.54	36.00
15.200	1970.00	936.71	.64	.07	0.00	52.54	36.00
15.300	970.00	934.59	0.00	.03	0.00	52.54	1.00
15.300	1430.00	935.74	1.15	.05	0.00	52.54	1.00
15.300	1600.00	936.13	.39	.06	0.00	52.54	1.00
15.300	1970.00	936.93	.80	.22	0.00	52.54	1.00
15.400	970.00	934.73	0.00	.14	0.00	74.00	11.00
15.400	1430.00	935.95	1.22	.20	0.00	78.31	11.00
15.400	1600.00	936.36	.41	.23	0.00	80.01	11.00
15.400	1970.00	937.21	.85	.28	0.00	88.25	11.00
15.800	970.00	934.80	0.00	.07	0.00	70.00	350.00
15.800	1430.00	936.02	1.23	.08	1.23	70.00	350.00
15.800	1600.00	936.44	.41	.08	1.64	70.00	350.00
15.800	1970.00	937.29	.85	.08	2.50	70.00	350.00
15.900	970.00	934.80	0.00	.01	0.00	59.50	56.00
15.900	1430.00	936.02	1.22	.00	1.22	59.50	56.00
15.900	1600.00	936.44	.41	-.00	1.64	59.50	56.00
15.900	1970.00	937.29	.85	-.01	2.49	59.50	56.00
16.000	970.00	934.80	0.00	.00	0.00	59.50	1.00
16.000	1430.00	936.02	1.22	.00	1.22	59.50	1.00
16.000	1600.00	936.44	.41	-.00	1.63	59.50	1.00
16.000	1970.00	937.24	.80	-.05	2.43	59.50	1.00
16.100	970.00	934.87	0.00	.07	0.00	59.50	54.00
16.100	1430.00	936.11	1.24	.08	1.24	59.50	54.00
16.100	1600.00	936.62	.51	.18	1.75	59.50	54.00
16.100	1970.00	937.51	.89	.27	2.64	59.50	54.00
16.200	970.00	934.87	0.00	.00	0.00	59.50	1.00
16.200	1430.00	936.11	1.24	.00	1.24	59.50	1.00
16.200	1600.00	936.63	.52	.02	1.76	59.50	1.00
16.200	1970.00	937.62	.99	.11	2.75	59.50	1.00
16.300	970.00	934.94	0.00	.07	0.00	65.08	56.00
16.300	1430.00	936.20	1.26	.09	1.26	70.68	56.00
16.300	1600.00	936.73	.53	.10	1.79	73.08	56.00
16.300	1970.00	937.73	1.00	.11	2.79	77.55	56.00
16.800	970.00	935.04	0.00	.10	0.00	87.00	125.00
16.800	1430.00	936.32	1.28	.12	1.28	87.00	125.00
16.800	1600.00	936.86	.53	.13	1.82	87.00	125.00
16.800	1970.00	937.88	1.02	.14	2.84	196.42	125.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
16.900	970.00	935.06	0.00	.02	0.00	93.00	19.00
16.900	1430.00	936.35	1.29	.02	1.29	93.00	19.00
16.900	1600.00	936.88	.53	.02	1.82	93.00	19.00
16.900	1970.00	937.90	1.02	.02	2.84	199.33	19.00
17.000	970.00	935.05	0.00	-.01	0.00	87.66	1.00
17.000	1430.00	936.34	1.29	-.01	1.29	87.66	1.00
17.000	1600.00	936.87	.53	-.01	1.82	87.66	1.00
17.000	1970.00	937.86	.99	-.03	2.81	93.00	1.00
17.100	970.00	935.11	0.00	.06	0.00	87.66	90.00
17.100	1430.00	936.40	1.29	.06	1.29	87.66	90.00
17.100	1600.00	936.93	.53	.06	1.82	87.66	90.00
17.100	1970.00	938.01	1.08	.15	2.91	93.00	90.00
17.200	970.00	935.11	0.00	.00	0.00	90.35	1.00
17.200	1430.00	936.41	1.29	.01	1.29	90.76	1.00
17.200	1600.00	936.94	.53	.01	1.83	90.92	1.00
17.200	1970.00	938.03	1.10	.02	2.92	94.00	1.00
17.300	970.00	935.18	0.00	.07	0.00	90.15	100.00
17.300	1430.00	936.48	1.30	.07	1.30	90.70	100.00
17.300	1600.00	937.01	.53	.07	1.83	90.93	100.00
17.300	1970.00	938.21	1.20	.18	3.03	93.00	100.00
17.400	970.00	935.18	0.00	.00	0.00	90.15	1.00
17.400	1430.00	936.48	1.30	.00	1.30	90.70	1.00
17.400	1600.00	937.01	.53	.00	1.83	90.93	1.00
17.400	1970.00	938.26	1.25	.05	3.08	93.00	1.00
17.500	970.00	935.23	0.00	.05	0.00	93.00	120.00
17.500	1430.00	936.53	1.30	.05	1.30	93.00	120.00
17.500	1600.00	937.06	.53	.05	1.83	93.00	120.00
17.500	1970.00	938.30	1.25	.04	3.07	93.00	120.00
17.900	970.00	935.31	0.00	.07	0.00	109.65	79.00
17.900	1430.00	936.61	1.30	.08	1.30	109.65	79.00
17.900	1600.00	937.14	.53	.08	1.83	109.65	79.00
17.900	1970.00	938.38	1.24	.07	3.07	109.65	79.00
18.000	970.00	935.30	0.00	-.01	0.00	123.87	1.00
18.000	1430.00	936.59	1.29	-.02	1.29	129.10	1.00
18.000	1600.00	937.11	.52	-.02	1.82	131.22	1.00
18.000	1970.00	938.34	1.23	-.04	3.05	136.21	1.00
18.100	970.00	935.34	0.00	.04	0.00	100.44	40.00
18.100	1430.00	936.64	1.30	.05	1.30	100.44	40.00
18.100	1600.00	937.16	.52	.05	1.82	100.44	40.00
18.100	1970.00	938.40	1.24	.06	3.06	100.44	40.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
18.200	970.00	935.31	0.00	-.03	0.00	79.51	1.00
18.200	1430.00	936.61	1.30	-.03	1.30	86.13	1.00
18.200	1600.00	937.14	.53	-.02	1.83	88.83	1.00
18.200	1970.00	938.40	1.26	-.00	3.09	95.25	1.00
18.300	970.00	935.37	0.00	.06	0.00	79.76	49.00
18.300	1430.00	936.66	1.30	.05	1.30	86.38	49.00
18.300	1600.00	937.19	.53	.05	1.82	89.08	49.00
18.300	1970.00	938.44	1.25	.04	3.07	95.46	49.00
18.800	970.00	935.71	0.00	.34	0.00	111.52	365.00
18.800	1430.00	937.01	1.30	.34	1.30	120.64	365.00
18.800	1600.00	937.52	.51	.33	1.82	124.11	365.00
18.800	1970.00	938.73	1.21	.29	3.02	132.53	365.00
18.900	970.00	935.77	0.00	.06	0.00	60.34	200.00
18.900	1430.00	937.04	1.27	.03	1.27	62.13	200.00
18.900	1600.00	937.54	.50	.02	1.77	62.84	200.00
18.900	1970.00	938.72	1.18	-.01	2.95	64.51	200.00
19.000	970.00	935.77	0.00	-.00	0.00	56.28	4.00
19.000	1430.00	937.03	1.26	-.01	1.26	56.46	4.00
19.000	1600.00	937.53	.50	-.01	1.76	56.53	4.00
19.000	1970.00	938.70	1.17	-.02	2.93	56.80	4.00
19.100	970.00	935.78	0.00	.01	0.00	56.28	6.00
19.100	1430.00	937.04	1.26	.01	1.26	56.46	6.00
19.100	1600.00	937.54	.50	.01	1.76	56.53	6.00
19.100	1970.00	938.71	1.18	.01	2.94	56.79	6.00
19.200	970.00	935.77	0.00	-.01	0.00	53.14	1.00
19.200	1430.00	937.03	1.26	-.01	1.26	54.55	1.00
19.200	1600.00	937.52	.50	-.01	1.75	55.12	1.00
19.200	1970.00	938.70	1.18	-.01	2.93	56.44	1.00
19.300	970.00	935.79	0.00	.02	0.00	53.15	24.00
19.300	1430.00	937.05	1.26	.02	1.26	54.57	24.00
19.300	1600.00	937.55	.50	.02	1.75	55.13	24.00
19.300	1970.00	938.72	1.17	.02	2.93	56.46	24.00
19.800	970.00	936.07	0.00	.27	0.00	70.00	165.00
19.800	1430.00	937.35	1.28	.30	1.28	70.00	165.00
19.800	1600.00	937.84	.49	.30	1.77	70.00	165.00
19.800	1970.00	939.00	1.16	.28	2.93	70.00	165.00
19.900	970.00	936.28	0.00	.21	0.00	70.00	50.00
19.900	1430.00	937.51	1.23	.16	1.23	70.00	50.00
19.900	1600.00	937.98	.48	.14	1.71	70.00	50.00
19.900	1970.00	939.11	1.12	.11	2.83	70.00	50.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
20.000	970.00	936.22	0.00	-.06	0.00	61.67	1.00
20.000	1430.00	937.45	1.23	-.06	1.23	62.16	1.00
20.000	1600.00	937.92	.48	-.06	1.71	62.35	1.00
20.000	1970.00	939.05	1.13	-.06	2.83	62.80	1.00
20.100	970.00	936.47	0.00	.25	0.00	61.77	90.00
20.100	1430.00	937.66	1.19	.21	1.19	62.24	90.00
20.100	1600.00	938.12	.46	.20	1.65	62.43	90.00
20.100	1970.00	939.22	1.09	.16	2.75	62.87	90.00
20.200	970.00	936.61	0.00	.15	0.00	70.00	1.00
20.200	1430.00	937.82	1.21	.16	1.21	70.00	1.00
20.200	1600.00	938.28	.46	.16	1.67	70.00	1.00
20.200	1970.00	939.37	1.09	.16	2.76	70.00	1.00
20.300	970.00	936.72	0.00	.10	0.00	70.00	64.00
20.300	1430.00	937.92	1.20	.10	1.20	70.00	64.00
20.300	1600.00	938.38	.46	.10	1.66	70.00	64.00
20.300	1970.00	939.53	1.15	.16	2.81	110.04	64.00
21.000	970.00	937.60	0.00	.89	0.00	45.83	1050.00
21.000	1430.00	938.86	1.26	.94	1.26	153.49	1050.00
21.000	1600.00	939.35	.49	.97	1.75	181.19	1050.00
21.000	1970.00	940.26	.91	.73	2.66	335.98	1050.00
21.100	535.00	938.86	0.00	1.26	0.00	92.00	210.00
21.100	675.00	940.06	1.20	1.20	1.20	161.40	210.00
21.100	735.00	940.32	.26	.97	1.46	166.54	210.00
21.100	875.00	940.89	.57	.63	2.03	187.91	210.00
21.200	535.00	938.90	0.00	.04	0.00	111.62	140.00
21.200	675.00	940.11	1.21	.05	1.21	159.58	140.00
21.200	735.00	940.37	.25	.05	1.46	165.76	140.00
21.200	875.00	940.93	.56	.04	2.03	221.62	140.00
21.300	535.00	938.97	0.00	.06	0.00	97.00	125.00
21.300	675.00	940.14	1.18	.03	1.18	218.55	125.00
21.300	735.00	940.40	.25	.03	1.43	246.06	125.00
21.300	875.00	940.96	.56	.02	1.99	307.12	125.00
21.500	535.00	945.42	0.00	6.46	0.00	98.00	15.00
21.500	675.00	945.62	.20	5.48	.20	98.00	15.00
21.500	735.00	945.71	.08	5.31	.28	98.00	15.00
21.500	875.00	945.90	.20	4.95	.48	98.00	15.00
21.600	535.00	945.71	0.00	.28	0.00	103.00	27.00
21.600	675.00	945.96	.25	.34	.25	103.00	27.00
21.600	735.00	946.06	.10	.36	.36	103.00	27.00
21.600	875.00	946.30	.24	.40	.60	103.00	27.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
21.900	535.00	945.71	0.00	-.00	0.00	103.00	73.00
21.900	675.00	945.96	.25	-.00	.25	103.00	73.00
21.900	735.00	946.06	.10	-.00	.36	103.00	73.00
21.900	875.00	946.30	.24	-.00	.60	103.00	73.00
22.000	535.00	945.71	0.00	-.00	0.00	98.12	1.00
22.000	675.00	945.96	.25	-.00	.25	98.26	1.00
22.000	735.00	946.06	.10	-.00	.36	115.60	1.00
22.000	875.00	946.30	.24	-.00	.60	180.26	1.00
22.100	535.00	945.71	0.00	.00	0.00	98.12	23.00
22.100	675.00	945.96	.25	.00	.25	98.26	23.00
22.100	735.00	946.06	.10	.00	.36	115.73	23.00
22.100	875.00	946.30	.24	.00	.60	180.42	23.00
22.200	535.00	945.71	0.00	.00	0.00	103.00	1.00
22.200	675.00	945.96	.26	.00	.26	103.00	1.00
22.200	735.00	946.07	.10	.01	.36	103.00	1.00
22.200	875.00	946.31	.24	.01	.60	103.00	1.00
22.300	535.00	945.73	0.00	.02	0.00	240.00	103.00
22.300	675.00	945.99	.26	.03	.26	240.00	103.00
22.300	735.00	946.10	.11	.03	.37	240.00	103.00
22.300	875.00	946.35	.25	.04	.62	240.00	103.00
22.500	535.00	945.73	0.00	.00	0.00	380.06	450.00
22.500	675.00	946.00	.27	.00	.27	385.90	450.00
22.500	735.00	946.10	.11	.00	.37	388.28	450.00
22.500	875.00	946.35	.25	.01	.62	393.66	450.00
22.550	535.00	945.74	0.00	.01	0.00	377.94	392.00
22.550	675.00	946.00	.27	.01	.27	379.82	392.00
22.550	735.00	946.11	.11	.01	.38	380.59	392.00
22.550	875.00	946.36	.25	.01	.63	382.37	392.00
22.600	535.00	945.74	0.00	.00	0.00	374.89	196.00
22.600	675.00	946.00	.27	.00	.27	382.31	196.00
22.600	735.00	946.11	.11	.00	.38	385.33	196.00
22.600	875.00	946.36	.25	.00	.63	392.33	196.00
22.800	535.00	945.73	0.00	-.00	0.00	298.60	125.00
22.800	675.00	946.00	.27	-.00	.27	308.91	125.00
22.800	735.00	946.11	.11	-.00	.38	313.10	125.00
22.800	875.00	946.36	.25	-.00	.63	322.83	125.00
22.900	535.00	945.73	0.00	-.00	0.00	100.00	108.00
22.900	675.00	946.00	.27	-.00	.27	100.00	108.00
22.900	735.00	946.11	.11	-.00	.37	100.00	108.00
22.900	875.00	946.36	.25	-.01	.62	100.00	108.00

MOORE BUSINESS FORMS INC 27

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
23.000	535.00	945.73	0.00	.00	0.00	98.00	1.00
23.000	675.00	946.00	.27	.00	.27	98.00	1.00
23.000	735.00	946.11	.11	.00	.37	98.00	1.00
23.000	875.00	946.36	.25	.00	.62	98.00	1.00
23.100	535.00	945.73	0.00	-.01	0.00	98.00	56.00
23.100	675.00	945.99	.26	-.01	.26	98.00	56.00
23.100	735.00	946.09	.11	-.01	.37	98.00	56.00
23.100	875.00	946.34	.25	-.01	.62	98.00	56.00
23.200	535.00	945.73	0.00	.00	0.00	100.00	1.00
23.200	675.00	945.99	.26	.00	.26	100.00	1.00
23.200	735.00	946.10	.11	.00	.37	100.00	1.00
23.200	875.00	946.35	.25	.00	.62	100.00	1.00
23.300	535.00	945.77	0.00	.04	0.00	287.74	82.00
23.300	675.00	946.05	.28	.06	.28	289.97	82.00
23.300	735.00	946.16	.11	.06	.39	290.88	82.00
23.300	875.00	946.42	.26	.08	.66	292.99	82.00
23.400	535.00	945.77	0.00	.00	0.00	344.42	1133.00
23.400	675.00	946.05	.28	.01	.28	350.80	1133.00
23.400	735.00	946.17	.11	.01	.39	353.40	1133.00
23.400	875.00	946.43	.27	.01	.66	360.72	1133.00
23.500	535.00	945.77	0.00	.00	0.00	510.35	516.00
23.500	675.00	946.05	.28	.00	.28	543.06	516.00
23.500	735.00	946.17	.11	.00	.40	556.43	516.00
23.500	875.00	946.43	.27	.00	.66	562.22	516.00
24.000	535.00	945.77	0.00	.00	0.00	319.82	233.00
24.000	675.00	946.05	.28	.00	.28	331.84	233.00
24.000	735.00	946.17	.11	.00	.40	336.76	233.00
24.000	875.00	946.44	.27	.00	.66	348.15	233.00

MOORE BUSINESS FORMS INC 27

SUMMARY OF ERRORS

MOORE BUSINESS FORMS INC 27

FLOOD INSURANCE ZONE DATA FOR 0 YEAR FLOW

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
12.000	0.	-1.20	-.30	.50
12.600	1850.	-1.10	-.26	.50
12.700	3350.	-1.30	-.31	.58
12.800	5100.	-1.30	-.31	.60
13.100	5340.	-1.33	-.32	.62
13.200	5352.	-1.33	-.32	.62
13.300	5353.	-1.33	-.32	.62
14.100	5670.	-1.30	-.31	.61
14.300	5674.	-1.31	-.31	.61
14.400	5683.	-1.29	-.31	.60
14.500	5684.	-1.29	-.31	.60
14.600	5738.	-1.31	-.31	.61
14.700	5739.	-1.31	-.31	.61
14.720	5743.	-1.31	-.31	.61
14.750	6513.	-1.47	-.35	.70
14.800	7033.	-1.51	-.35	.69
14.900	7393.	-1.52	-.35	.69
15.000	7424.	-1.48	-.34	.67
15.100	7425.	-1.48	-.34	.62
15.200	7461.	-1.51	-.37	.64
15.300	7462.	-1.54	-.39	.80
15.400	7473.	-1.63	-.41	.85
15.800	7823.	-1.64	-.41	.85
15.900	7879.	-1.64	-.41	.85
16.000	7880.	-1.63	-.41	.80
16.100	7934.	-1.75	-.51	.89
16.200	7935.	-1.76	-.52	.99
16.300	7991.	-1.79	-.53	1.00
16.800	8116.	-1.82	-.53	1.02
16.900	8135.	-1.82	-.53	1.02
17.000	8136.	-1.82	-.53	.99
17.100	8226.	-1.82	-.53	1.08
17.200	8227.	-1.83	-.53	1.10
17.300	8327.	-1.83	-.53	1.20
17.400	8328.	-1.83	-.53	1.25
17.500	8448.	-1.83	-.53	1.25
17.900	8527.	-1.83	-.53	1.24
18.000	8528.	-1.82	-.52	1.23
18.100	8568.	-1.82	-.52	1.24
18.200	8569.	-1.83	-.53	1.26
18.300	8618.	-1.82	-.53	1.25
18.800	8983.	-1.82	-.51	1.21
18.900	9183.	-1.77	-.50	1.18
19.000	9187.	-1.76	-.50	1.17

MOORE BUSINESS FORMS INC 27

19.100	9193.	-1.76	-.50	1.18
19.200	9194.	-1.75	-.50	1.18
19.300	9218.	-1.75	-.50	1.17
19.800	9383.	-1.77	-.49	1.16
19.900	9433.	-1.71	-.48	1.12
20.000	9434.	-1.71	-.48	1.13
20.100	9524.	-1.65	-.46	1.09
20.200	9525.	-1.67	-.46	1.09
20.300	9589.	-1.66	-.46	1.15
21.000	10639.	-1.75	-.49	.91
21.100	10849.	-1.46	-.26	.57
21.200	10989.	-1.46	-.25	.56
21.300	11114.	-1.43	-.25	.56
21.500	11129.	-.28	-.08	.20
21.600	11156.	-.36	-.10	.24
21.900	11229.	-.36	-.10	.24
22.000	11230.	-.36	-.10	.24
22.100	11253.	-.36	-.10	.24
22.200	11254.	-.36	-.10	.24
22.300	11357.	-.37	-.11	.25
22.500	11807.	-.37	-.11	.25
22.550	12199.	-.38	-.11	.25
22.600	12395.	-.38	-.11	.25
22.800	12520.	-.38	-.11	.25
22.900	12628.	-.37	-.11	.25
23.000	12629.	-.37	-.11	.25
23.100	12685.	-.37	-.11	.25
23.200	12686.	-.37	-.11	.25
23.300	12768.	-.39	-.11	.26
23.400	13901.	-.39	-.11	.27
23.500	14417.	-.40	-.11	.27
24.000	14650.	-.40	-.11	.27
WEIGHTED AVG FOR REACH		-1.17	-.30	.61

FHF FOR THE REACH = 010 WITH 57.6 PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 2

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 10	1	DIFF.	WTD. AVG.	FHF	PERCENT WITHIN
	0.				SEC.		12.000
1	100.	927.85	929.05	-1.20	-1.20	010	100.
2	200.	927.96	929.15	-1.19	-1.19	010	100.
3	300.	928.07	929.26	-1.19	-1.19	010	100.
4	400.	928.18	929.36	-1.18	-1.19	010	100.
5	500.	928.29	929.46	-1.17	-1.19	010	100.

MOORE BUSINESS FORMS INC 27

6	600.	928.40	929.57	-1.17	-1.18	010	100.
7	700.	928.50	929.67	-1.17	-1.18	010	100.
8	800.	928.61	929.77	-1.16	-1.18	010	100.
9	900.	928.72	929.87	-1.15	-1.18	010	100.
10	1000.	928.83	929.98	-1.15	-1.17	010	100.
11	1100.	928.94	930.08	-1.14	-1.17	010	100.
12	1200.	929.05	930.18	-1.13	-1.17	010	100.
13	1300.	929.15	930.29	-1.14	-1.16	010	100.
14	1400.	929.26	930.39	-1.13	-1.16	010	100.
15	1500.	929.37	930.49	-1.12	-1.16	010	100.
16	1600.	929.48	930.59	-1.11	-1.16	010	100.
17	1700.	929.59	930.70	-1.11	-1.15	010	100.
18	1800.	929.69	930.80	-1.11	-1.15	010	100.
	1850.				SEC.	12.600	
19	1900.	929.79	930.90	-1.11	-1.15	010	100.
20	2000.	929.87	930.98	-1.11	-1.15	010	100.
21	2100.	929.94	931.06	-1.12	-1.15	010	100.
22	2200.	930.00	931.14	-1.14	-1.15	010	100.
23	2300.	930.07	931.22	-1.15	-1.15	010	100.
24	2400.	930.14	931.30	-1.16	-1.15	010	100.
25	2500.	930.20	931.38	-1.18	-1.15	010	100.
26	2600.	930.27	931.46	-1.19	-1.15	010	100.
27	2700.	930.34	931.54	-1.20	-1.15	010	100.
28	2800.	930.40	931.62	-1.22	-1.15	010	100.
29	2900.	930.47	931.70	-1.23	-1.16	010	100.
30	3000.	930.54	931.78	-1.24	-1.16	010	100.
31	3100.	930.60	931.87	-1.27	-1.16	010	100.
32	3200.	930.67	931.95	-1.28	-1.17	010	100.
33	3300.	930.74	932.03	-1.29	-1.17	010	100.
	3350.				SEC.	12.700	
34	3400.	930.80	932.10	-1.30	-1.17	010	100.
35	3500.	930.87	932.17	-1.30	-1.18	010	100.
36	3600.	930.94	932.24	-1.30	-1.18	010	100.
37	3700.	931.01	932.31	-1.30	-1.18	010	100.
38	3800.	931.08	932.38	-1.30	-1.19	010	100.
39	3900.	931.14	932.45	-1.31	-1.19	010	100.
40	4000.	931.21	932.51	-1.30	-1.19	010	100.
41	4100.	931.28	932.58	-1.30	-1.20	010	100.
42	4200.	931.35	932.65	-1.30	-1.20	010	100.
43	4300.	931.42	932.72	-1.30	-1.20	010	100.
44	4400.	931.48	932.79	-1.31	-1.20	010	100.
45	4500.	931.55	932.85	-1.30	-1.21	010	100.
46	4600.	931.62	932.92	-1.30	-1.21	010	100.
47	4700.	931.69	932.99	-1.30	-1.21	010	100.
48	4800.	931.76	933.06	-1.30	-1.21	010	100.
49	4900.	931.83	933.13	-1.30	-1.21	010	100.
50	5000.	931.89	933.20	-1.31	-1.21	010	100.
	5100.				SEC.	12.800	
51	5100.	931.96	933.26	-1.30	-1.22	010	100.
52	5200.	932.03	933.34	-1.31	-1.22	010	100.
53	5300.	932.11	933.43	-1.32	-1.22	010	100.
	5340.				SEC.	13.100	
	5352.				SEC.	13.200	
	5353.				SEC.	13.300	

MOORE BUSINESS FORMS INC 27

54	5400.	932.18	933.51	-1.33	-1.22	010	100.
55	5500.	932.26	933.58	-1.32	-1.22	010	100.
56	5600.	932.33	933.65	-1.32	-1.23	010	100.
	5670.				SEC.	14.100	
	5674.				SEC.	14.300	
	5683.				SEC.	14.400	
	5684.				SEC.	14.500	
57	5700.	932.40	933.70	-1.30	-1.23	010	100.
	5738.				SEC.	14.600	
	5739.				SEC.	14.700	
	5743.				SEC.	14.720	
58	5800.	932.50	933.81	-1.31	-1.23	010	100.
59	5900.	932.68	934.01	-1.33	-1.23	010	100.
60	6000.	932.86	934.22	-1.36	-1.23	010	100.
61	6100.	933.05	934.42	-1.37	-1.23	010	100.
62	6200.	933.23	934.63	-1.40	-1.24	010	100.
63	6300.	933.42	934.84	-1.42	-1.24	010	100.
64	6400.	933.61	935.04	-1.43	-1.24	010	100.
65	6500.	933.79	935.25	-1.46	-1.25	015	100.
	6513.				SEC.	14.750	
66	6600.	933.94	935.41	-1.47	-1.25	015	100.
67	6700.	934.04	935.53	-1.49	-1.25	015	100.
68	6800.	934.14	935.63	-1.49	-1.26	015	100.
69	6900.	934.24	935.74	-1.50	-1.26	015	100.
70	7000.	934.34	935.84	-1.50	-1.26	015	100.
	7033.				SEC.	14.800	
71	7100.	934.42	935.93	-1.51	-1.27	015	100.
72	7200.	934.47	935.98	-1.51	-1.27	015	100.
73	7300.	934.52	936.04	-1.52	-1.27	015	100.
	7393.				SEC.	14.900	
74	7400.	934.56	936.08	-1.52	-1.28	015	100.
	7424.				SEC.	15.000	
	7425.				SEC.	15.100	
	7461.				SEC.	15.200	
	7462.				SEC.	15.300	
	7473.				SEC.	15.400	
75	7500.	934.66	936.23	-1.57	-1.28	015	100.
76	7600.	934.74	936.38	-1.64	-1.29	015	100.
77	7700.	934.76	936.40	-1.64	-1.29	015	100.
78	7800.	934.78	936.42	-1.64	-1.30	015	100.
	7823.				SEC.	15.800	
	7879.				SEC.	15.900	
	7880.				SEC.	16.000	
79	7900.	934.81	936.47	-1.66	-1.30	015	100.
	7934.				SEC.	16.100	
	7935.				SEC.	16.200	
	7991.				SEC.	16.300	
80	8000.	934.89	936.62	-1.73	-1.31	015	100.
81	8100.	934.99	936.79	-1.80	-1.31	015	100.
	8116.				SEC.	16.800	
	8135.				SEC.	16.900	
	8136.				SEC.	17.000	
82	8200.	935.06	936.88	-1.82	-1.32	015	100.
	8226.				SEC.	17.100	

MOORE BUSINESS FORMS INC 27

	8227.				SEC.	17.200	
83	8300.	935.13	936.95	-1.82	-1.32	015	100.
	8327.				SEC.	17.300	
	8328.				SEC.	17.400	
84	8400.	935.19	937.01	-1.82	-1.33	015	100.
	8448.				SEC.	17.500	
85	8500.	935.25	937.08	-1.83	-1.34	015	100.
	8527.				SEC.	17.900	
	8528.				SEC.	18.000	
	8568.				SEC.	18.100	
	8569.				SEC.	18.200	
86	8600.	935.31	937.14	-1.83	-1.34	015	100.
	8618.				SEC.	18.300	
87	8700.	935.39	937.22	-1.83	-1.35	015	100.
88	8800.	935.49	937.31	-1.82	-1.35	015	100.
89	8900.	935.58	937.40	-1.82	-1.36	015	100.
	8983.				SEC.	18.800	
90	9000.	935.67	937.48	-1.81	-1.36	015	100.
91	9100.	935.73	937.53	-1.80	-1.37	015	100.
	9183.				SEC.	18.900	
	9187.				SEC.	19.000	
	9193.				SEC.	19.100	
	9194.				SEC.	19.200	
92	9200.	935.76	937.53	-1.77	-1.37	015	100.
	9218.				SEC.	19.300	
93	9300.	935.85	937.61	-1.76	-1.38	015	100.
	9383.				SEC.	19.800	
94	9400.	936.04	937.79	-1.75	-1.38	015	100.
	9433.				SEC.	19.900	
	9434.				SEC.	20.000	
95	9500.	936.27	937.98	-1.71	-1.38	015	100.
	9524.				SEC.	20.100	
	9525.				SEC.	20.200	
	9589.				SEC.	20.300	
96	9600.	936.57	938.23	-1.66	-1.39	015	100.
97	9700.	936.77	938.44	-1.67	-1.39	015	100.
98	9800.	936.85	938.53	-1.68	-1.39	015	100.
99	9900.	936.94	938.62	-1.68	-1.39	015	100.
100	10000.	937.02	938.71	-1.69	-1.40	015	100.
101	10100.	937.11	938.81	-1.70	-1.40	015	100.
102	10200.	937.19	938.90	-1.71	-1.40	015	100.
103	10300.	937.28	938.99	-1.71	-1.41	015	100.
104	10400.	937.36	939.08	-1.72	-1.41	015	100.
105	10500.	937.44	939.18	-1.74	-1.41	015	100.
106	10600.	937.53	939.27	-1.74	-1.42	015	100.
	10639.				SEC.	21.000	
107	10700.	937.77	939.47	-1.70	-1.42	015	100.
108	10800.	938.27	939.86	-1.59	-1.42	015	100.
	10849.				SEC.	21.100	
109	10900.	938.72	940.22	-1.50	-1.42	015	100.
	10989.				SEC.	21.200	
110	11000.	938.89	940.35	-1.46	-1.42	015	100.
111	11100.	938.94	940.38	-1.44	-1.42	015	100.
	11114.				SEC.	21.300	

MOORE BUSINESS FORMS INC 27

	11129.				SEC.	21.500	
	11156.				SEC.	21.600	
112	11200.	942.33	943.23	-.90	-1.42	015	99.
	11229.				SEC.	21.900	
	11230.				SEC.	22.000	
	11253.				SEC.	22.100	
	11254.				SEC.	22.200	

ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND

	10	2	0.2
WEIGHTED AVG FOR REACH	-1.42	-.36	.72

FHF FOR REACH 1 = 015 WITH 99. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

113	11300.	945.71	946.07	-.36	-.36	005	100.
	11357.				SEC.	22.300	
114	11400.	945.72	946.09	-.37	-.36	005	100.
115	11500.	945.73	946.10	-.37	-.37	005	100.
116	11600.	945.73	946.10	-.37	-.37	005	100.
117	11700.	945.73	946.10	-.37	-.37	005	100.
118	11800.	945.73	946.10	-.37	-.37	005	100.
	11807.				SEC.	22.500	
119	11900.	945.73	946.10	-.37	-.37	005	100.
120	12000.	945.73	946.11	-.38	-.37	005	100.
121	12100.	945.73	946.11	-.38	-.37	005	100.
	12199.				SEC.	22.550	
122	12200.	945.74	946.11	-.37	-.37	005	100.
123	12300.	945.74	946.11	-.37	-.37	005	100.
	12395.				SEC.	22.600	
124	12400.	945.74	946.11	-.37	-.37	005	100.
125	12500.	945.74	946.11	-.37	-.37	005	100.
	12520.				SEC.	22.800	
126	12600.	945.73	946.11	-.38	-.37	005	100.
	12628.				SEC.	22.900	
	12629.				SEC.	23.000	
	12685.				SEC.	23.100	
	12686.				SEC.	23.200	
127	12700.	945.73	946.11	-.38	-.37	005	100.
	12768.				SEC.	23.300	
128	12800.	945.75	946.14	-.39	-.37	005	100.
129	12900.	945.77	946.16	-.39	-.37	005	100.
130	13000.	945.77	946.16	-.39	-.38	005	100.
131	13100.	945.77	946.16	-.39	-.38	005	100.
132	13200.	945.77	946.16	-.39	-.38	005	100.
133	13300.	945.77	946.16	-.39	-.38	005	100.
134	13400.	945.77	946.16	-.39	-.38	005	100.
135	13500.	945.77	946.16	-.39	-.38	005	100.
136	13600.	945.77	946.17	-.40	-.38	005	100.
137	13700.	945.77	946.17	-.40	-.38	005	100.
138	13800.	945.77	946.17	-.40	-.38	005	100.
139	13900.	945.77	946.17	-.40	-.38	005	100.

MOORE BUSINESS FORMS INC 27

	13901.				SEC.	23.400	
140	14000.	945.77	946.17	-.40	-.38	005	100.
141	14100.	945.77	946.17	-.40	-.38	005	100.
142	14200.	945.77	946.17	-.40	-.38	005	100.
143	14300.	945.77	946.17	-.40	-.38	005	100.
144	14400.	945.77	946.17	-.40	-.38	005	100.
	14417.				SEC.	23.500	
145	14500.	945.77	946.17	-.40	-.38	005	100.
146	14600.	945.77	946.17	-.40	-.39	005	100.
	14650.				SEC.	24.000	

	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND		
	10	2	0.2
WEIGHTED AVG FOR REACH	-.39	-.11	.26

FHF FOR REACH 2 = 005 WITH 100. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

MOORE BUSINESS FORMS INC 27




1) COUNTY: Calhoun

2) STUDY NAME: Albion Township

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Summary



MOORE BUSINESS FORMS, INC 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

10 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
24.000	0.00	0.00	0.00	938.70	535.00	945.77	0.00	945.77	.07	.29	1834.47	2079.51
24.000	0.00	0.00	0.00	938.70	675.00	946.05	0.00	946.05	.09	.36	1925.65	2233.29
24.000	0.00	0.00	0.00	938.70	735.00	946.17	0.00	946.17	.10	.38	1965.76	2300.89
24.000	0.00	0.00	0.00	938.70	875.00	946.44	0.00	946.44	.13	.44	2058.24	2456.75
24.100	2280.00	0.00	0.00	939.56	535.00	945.79	0.00	945.79	.14	.40	1398.77	1436.39
24.100	2280.00	0.00	0.00	939.56	675.00	946.08	0.00	946.08	.19	.48	1493.62	1562.42
24.100	2280.00	0.00	0.00	939.56	735.00	946.20	0.00	946.20	.21	.51	1534.97	1618.33
24.100	2280.00	0.00	0.00	939.56	875.00	946.48	0.00	946.48	.25	.58	1629.61	1748.35
24.200	2300.00	0.00	0.00	940.40	535.00	945.83	0.00	945.84	.27	.49	2123.49	1023.60
24.200	2300.00	0.00	0.00	940.40	675.00	946.13	0.00	946.13	.27	.51	2695.56	1292.40
24.200	2300.00	0.00	0.00	940.40	735.00	946.25	0.00	946.26	.27	.52	2945.28	1423.70
24.200	2300.00	0.00	0.00	940.40	875.00	946.54	0.00	946.54	.25	.52	3494.09	1737.06
25.000	2290.00	0.00	0.00	941.30	535.00	945.95	0.00	945.98	2.70	1.33	596.77	325.54
25.000	2290.00	0.00	0.00	941.30	675.00	946.25	0.00	946.27	2.76	1.41	793.93	406.65
25.000	2290.00	0.00	0.00	941.30	735.00	946.37	0.00	946.39	2.71	1.43	891.88	446.63
25.000	2290.00	0.00	0.00	941.30	875.00	946.64	0.00	946.66	2.51	1.43	1149.39	552.81
25.600	2850.00	0.00	0.00	941.70	535.00	946.60	0.00	946.61	2.22	1.24	905.82	359.26
25.600	2850.00	0.00	0.00	941.70	675.00	946.88	0.00	946.90	2.23	1.30	1129.26	451.68
25.600	2850.00	0.00	0.00	941.70	735.00	946.99	0.00	947.01	2.22	1.32	1230.18	493.42
25.600	2850.00	0.00	0.00	941.70	875.00	947.22	0.00	947.24	2.19	1.36	1452.98	591.26
25.800	1100.00	0.00	0.00	941.70	535.00	946.91	0.00	946.96	5.05	1.91	432.12	238.15
25.800	1100.00	0.00	0.00	941.70	675.00	947.21	0.00	947.26	5.72	2.12	504.69	282.26
25.800	1100.00	0.00	0.00	941.70	735.00	947.31	0.00	947.37	6.01	2.21	531.46	299.69
25.800	1100.00	0.00	0.00	941.70	875.00	947.55	0.00	947.61	6.66	2.40	588.87	339.05
25.900	324.00	0.00	0.00	942.20	535.00	947.10	0.00	947.17	9.53	2.07	258.72	173.26
25.900	324.00	0.00	0.00	942.20	675.00	947.41	0.00	947.50	11.06	2.37	285.32	203.00
25.900	324.00	0.00	0.00	942.20	735.00	947.53	0.00	947.63	11.74	2.49	295.25	214.54
25.900	324.00	0.00	0.00	942.20	875.00	947.78	0.00	947.90	13.29	2.76	316.50	240.01
26.000	16.90	950.50	948.30	942.20	535.00	947.11	0.00	947.18	3.90	2.12	251.86	271.05
26.000	16.90	950.50	948.30	942.20	675.00	947.42	0.00	947.52	4.58	2.43	277.99	315.51
26.000	16.90	950.50	948.30	942.20	735.00	947.54	0.00	947.64	4.88	2.55	287.76	332.65
26.000	16.90	950.50	948.30	942.20	875.00	947.79	0.00	947.92	5.59	2.83	308.68	370.23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	TOK*S	VCH	AREA	.01K
26.100	26.00	950.50	948.30	940.00	535.00	947.17	0.00	947.20	.97	1.38	388.82	543.26
26.100	26.00	950.50	948.30	940.00	675.00	947.50	0.00	947.54	1.26	1.62	416.07	600.56
26.100	26.00	950.50	948.30	940.00	735.00	947.62	0.00	947.66	1.39	1.72	426.34	622.52
26.100	26.00	950.50	948.30	940.00	875.00	947.88	0.00	947.94	1.70	1.95	448.43	670.47
26.200	16.90	0.00	0.00	940.00	535.00	947.17	0.00	947.20	2.20	1.33	401.45	360.30
26.200	16.90	0.00	0.00	940.00	675.00	947.50	0.00	947.54	2.83	1.57	429.42	401.13
26.200	16.90	0.00	0.00	940.00	735.00	947.63	0.00	947.67	3.11	1.67	439.96	416.91
26.200	16.90	0.00	0.00	940.00	875.00	947.89	0.00	947.95	3.75	1.89	462.65	451.58
26.400	107.00	0.00	0.00	941.90	535.00	947.21	0.00	947.23	3.44	1.34	596.78	288.54
26.400	107.00	0.00	0.00	941.90	675.00	947.55	0.00	947.57	3.56	1.46	699.29	357.71
26.400	107.00	0.00	0.00	941.90	735.00	947.68	0.00	947.71	3.63	1.50	738.22	385.74
26.400	107.00	0.00	0.00	941.90	875.00	947.96	0.00	947.99	3.79	1.61	822.51	449.60
26.900	3000.00	0.00	0.00	943.20	535.00	947.94	0.00	947.95	2.03	1.03	871.79	375.76
26.900	3000.00	0.00	0.00	943.20	675.00	948.27	0.00	948.28	1.96	1.08	1100.82	482.36
26.900	3000.00	0.00	0.00	943.20	735.00	948.40	0.00	948.41	1.93	1.09	1192.41	528.40
26.900	3000.00	0.00	0.00	943.20	875.00	948.68	0.00	948.69	1.89	1.13	1394.43	636.71
27.000	72.00	0.00	0.00	942.40	535.00	947.94	0.00	947.98	4.65	1.69	529.84	248.11
27.000	72.00	0.00	0.00	942.40	675.00	948.27	0.00	948.31	4.65	1.76	684.22	313.09
27.000	72.00	0.00	0.00	942.40	735.00	948.40	0.00	948.44	4.62	1.79	747.89	342.01
27.000	72.00	0.00	0.00	942.40	875.00	948.68	0.00	948.72	4.48	1.82	898.75	413.29
27.100	36.00	0.00	0.00	944.00	535.00	947.98	0.00	947.99	2.30	1.04	737.54	352.59
27.100	36.00	0.00	0.00	944.00	675.00	948.31	0.00	948.32	2.20	1.09	959.45	454.99
27.100	36.00	0.00	0.00	944.00	735.00	948.44	0.00	948.45	2.15	1.10	1051.23	500.88
27.100	36.00	0.00	0.00	944.00	875.00	948.71	0.00	948.73	2.08	1.14	1245.64	606.63
27.400	2700.00	0.00	0.00	945.05	535.00	948.52	0.00	948.53	2.15	.99	714.88	364.46
27.400	2700.00	0.00	0.00	945.05	675.00	948.85	0.00	948.86	2.32	1.10	814.06	443.54
27.400	2700.00	0.00	0.00	945.05	735.00	948.97	0.00	948.99	2.39	1.14	852.76	475.80
27.400	2700.00	0.00	0.00	945.05	875.00	949.25	0.00	949.27	2.53	1.24	938.90	550.24
27.500	400.00	0.00	0.00	945.20	535.00	948.65	0.00	948.71	8.70	1.91	296.56	181.42
27.500	400.00	0.00	0.00	945.20	675.00	948.98	0.00	949.05	9.26	2.12	348.01	221.80
27.500	400.00	0.00	0.00	945.20	735.00	949.11	0.00	949.18	9.48	2.21	369.82	238.70
27.500	400.00	0.00	0.00	945.20	875.00	949.39	0.00	949.47	9.88	2.38	421.24	278.32
27.700	1500.00	0.00	0.00	945.90	535.00	949.60	0.00	949.63	4.58	1.53	387.48	249.91
27.700	1500.00	0.00	0.00	945.90	675.00	949.99	0.00	950.03	4.81	1.69	456.72	307.66
27.700	1500.00	0.00	0.00	945.90	735.00	950.14	0.00	950.18	4.91	1.76	485.32	331.86
27.700	1500.00	0.00	0.00	945.90	875.00	950.46	0.00	950.52	5.10	1.89	550.28	387.55
27.800	340.00	0.00	0.00	945.50	535.00	949.78	0.00	949.83	7.01	1.90	281.48	202.07
27.800	340.00	0.00	0.00	945.50	675.00	950.18	0.00	950.25	7.78	2.13	316.21	241.96
27.800	340.00	0.00	0.00	945.50	735.00	950.33	0.00	950.41	8.10	2.23	329.85	258.25
27.800	340.00	0.00	0.00	945.50	875.00	950.67	0.00	950.76	8.80	2.43	359.58	294.89
27.900	32.00	0.00	0.00	945.50	535.00	949.82	0.00	949.86	4.70	1.62	329.46	246.69
27.900	32.00	0.00	0.00	945.50	675.00	950.22	0.00	950.28	5.27	1.84	367.36	294.08
27.900	32.00	0.00	0.00	945.50	735.00	950.38	0.00	950.44	5.52	1.93	381.72	312.80
27.900	32.00	0.00	0.00	945.50	875.00	950.72	0.00	950.79	6.09	2.12	412.65	354.53

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRITS	EG	10K*S	VCH	AREA	.01K
28.000	1.00	954.80	952.70	945.50	500.00	949.82	0.00	949.86	1.63	1.55	323.60	391.50
28.000	1.00	954.80	952.70	945.50	635.00	950.23	0.00	950.28	1.90	1.76	359.83	460.23
28.000	1.00	954.80	952.70	945.50	690.00	950.39	0.00	950.44	2.00	1.85	373.89	487.76
28.000	1.00	954.80	952.70	945.50	820.00	950.73	0.00	950.79	2.23	2.03	404.17	548.58
28.100	36.50	954.80	952.70	945.70	500.00	949.83	0.00	949.86	1.51	1.51	330.06	406.98
28.100	36.50	954.80	952.70	945.70	635.00	950.24	0.00	950.28	1.77	1.73	366.45	477.11
28.100	36.50	954.80	952.70	945.70	690.00	950.40	0.00	950.45	1.86	1.81	380.63	505.30
28.100	36.50	954.80	952.70	945.70	820.00	950.74	0.00	950.80	2.09	1.99	411.18	567.55
28.200	1.00	0.00	0.00	945.70	500.00	949.83	0.00	949.87	3.77	1.48	337.12	257.53
28.200	1.00	0.00	0.00	945.70	635.00	950.24	0.00	950.28	4.34	1.70	374.27	304.82
28.200	1.00	0.00	0.00	945.70	690.00	950.40	0.00	950.45	4.53	1.77	388.76	324.02
28.200	1.00	0.00	0.00	945.70	820.00	950.74	0.00	950.80	5.00	1.95	419.95	366.76
28.300	32.00	0.00	0.00	945.80	500.00	949.84	0.00	949.88	4.87	1.73	325.71	226.51
28.300	32.00	0.00	0.00	945.80	635.00	950.25	0.00	950.30	5.26	1.93	385.96	276.78
28.300	32.00	0.00	0.00	945.80	690.00	950.41	0.00	950.47	5.36	2.00	410.52	298.03
28.300	32.00	0.00	0.00	945.80	820.00	950.76	0.00	950.82	5.57	2.14	463.91	347.31
28.420	580.00	0.00	0.00	946.49	500.00	950.14	0.00	950.18	5.27	1.66	338.29	217.91
28.420	580.00	0.00	0.00	946.49	635.00	950.57	0.00	950.61	5.41	1.83	400.26	272.93
28.420	580.00	0.00	0.00	946.49	690.00	950.73	0.00	950.78	5.44	1.89	425.18	295.72
28.420	580.00	0.00	0.00	946.49	820.00	951.09	0.00	951.14	5.55	2.02	481.22	348.22
28.670	2660.00	0.00	0.00	948.25	500.00	951.60	0.00	951.64	5.73	1.61	337.49	208.83
28.670	2660.00	0.00	0.00	948.25	635.00	952.04	0.00	952.08	5.58	1.74	412.49	268.90
28.670	2660.00	0.00	0.00	948.25	690.00	952.20	0.00	952.24	5.49	1.78	444.28	294.39
28.670	2660.00	0.00	0.00	948.25	820.00	952.56	0.00	952.61	5.39	1.88	517.92	353.12
28.800	700.00	0.00	0.00	948.30	500.00	951.94	0.00	951.97	3.81	1.32	399.64	256.32
28.800	700.00	0.00	0.00	948.30	635.00	952.37	0.00	952.40	3.80	1.44	481.70	325.58
28.800	700.00	0.00	0.00	948.30	690.00	952.52	0.00	952.56	3.81	1.49	514.68	353.45
28.800	700.00	0.00	0.00	948.30	820.00	952.88	0.00	952.92	3.79	1.58	591.03	420.94
28.810	75.00	0.00	0.00	949.30	500.00	951.89	0.00	952.09	52.04	3.58	143.80	69.31
28.810	75.00	0.00	0.00	949.30	635.00	952.31	0.00	952.52	42.40	3.64	186.39	97.52
28.810	75.00	0.00	0.00	949.30	690.00	952.47	0.00	952.67	39.95	3.67	203.62	109.16
28.810	75.00	0.00	0.00	949.30	820.00	952.82	0.00	953.03	35.17	3.72	245.91	138.27
28.900	34.00	0.00	0.00	949.10	500.00	952.08	0.00	952.21	24.69	2.92	171.40	100.63
28.900	34.00	0.00	0.00	949.10	635.00	952.47	0.00	952.63	24.66	3.19	198.76	127.88
28.900	34.00	0.00	0.00	949.10	690.00	952.61	0.00	952.78	24.83	3.30	208.81	138.47
28.900	34.00	0.00	0.00	949.10	820.00	952.94	0.00	953.13	25.19	3.54	231.40	163.37
29.000	1.00	957.10	956.40	949.10	500.00	952.08	0.00	952.22	10.50	3.00	166.57	154.32
29.000	1.00	957.10	956.40	949.10	635.00	952.47	0.00	952.63	10.80	3.29	193.13	193.18
29.000	1.00	957.10	956.40	949.10	690.00	952.61	0.00	952.79	11.00	3.40	202.89	208.08
29.000	1.00	957.10	956.40	949.10	820.00	952.93	0.00	953.14	11.42	3.65	224.82	242.65
29.100	30.00	957.10	956.40	948.40	500.00	952.13	0.00	952.25	8.02	2.76	181.33	176.55
29.100	30.00	957.10	956.40	948.40	635.00	952.53	0.00	952.67	8.57	3.05	207.89	216.96
29.100	30.00	957.10	956.40	948.40	690.00	952.67	0.00	952.83	8.81	3.17	217.67	232.42
29.100	30.00	957.10	956.40	948.40	820.00	953.00	0.00	953.18	9.35	3.42	239.65	268.16

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	IOK*S	VCH	AREA	.01K
29.200	1.00	0.00	0.00	948.40	500.00	952.14	0.00	952.25	18.23	2.67	187.32	117.09
29.200	1.00	0.00	0.00	948.40	635.00	952.54	0.00	952.67	18.78	2.95	215.25	146.53
29.200	1.00	0.00	0.00	948.40	690.00	952.69	0.00	952.83	19.11	3.06	225.41	157.83
29.200	1.00	0.00	0.00	948.40	820.00	953.01	0.00	953.18	19.80	3.30	248.25	184.26
29.300	34.00	0.00	0.00	948.40	500.00	952.19	0.00	952.35	26.87	3.20	156.27	96.45
29.300	34.00	0.00	0.00	948.40	635.00	952.59	0.00	952.78	28.72	3.51	180.86	118.49
29.300	34.00	0.00	0.00	948.40	690.00	952.74	0.00	952.94	29.51	3.63	190.30	127.01
29.300	34.00	0.00	0.00	948.40	820.00	953.06	0.00	953.30	30.95	3.86	212.30	147.40
29.420	294.00	0.00	0.00	948.88	500.00	952.89	0.00	953.00	18.28	2.70	185.48	116.94
29.420	294.00	0.00	0.00	948.88	635.00	953.33	0.00	953.47	19.02	2.92	217.32	145.62
29.420	294.00	0.00	0.00	948.88	690.00	953.50	0.00	953.64	19.24	3.00	229.68	157.29
29.420	294.00	0.00	0.00	948.88	820.00	953.86	0.00	954.02	19.60	3.18	257.73	185.24
29.550	1050.00	0.00	0.00	949.49	500.00	954.06	0.00	954.11	6.84	1.91	271.59	191.18
29.550	1050.00	0.00	0.00	949.49	635.00	954.53	0.00	954.60	6.86	2.09	332.00	242.43
29.550	1050.00	0.00	0.00	949.49	690.00	954.71	0.00	954.77	6.85	2.15	359.17	263.59
29.550	1050.00	0.00	0.00	949.49	820.00	955.08	0.00	955.15	6.77	2.27	426.90	315.12
29.600	359.00	0.00	0.00	949.70	500.00	954.28	0.00	954.33	5.13	1.77	320.48	220.91
29.800	359.00	0.00	0.00	949.70	635.00	954.76	0.00	954.81	5.11	1.92	402.29	280.80
29.800	359.00	0.00	0.00	949.70	690.00	954.94	0.00	954.99	5.09	1.97	436.25	305.73
29.800	359.00	0.00	0.00	949.70	820.00	955.31	0.00	955.37	5.01	2.06	515.98	366.38
29.810	160.00	0.00	0.00	949.10	500.00	954.37	0.00	954.40	3.92	1.58	350.84	252.45
29.810	160.00	0.00	0.00	949.10	635.00	954.84	0.00	954.89	4.02	1.73	429.67	316.66
29.810	160.00	0.00	0.00	949.10	690.00	955.02	0.00	955.06	4.05	1.79	461.69	342.70
29.810	160.00	0.00	0.00	949.10	820.00	955.39	0.00	955.44	4.13	1.90	535.84	403.28
29.900	39.00	0.00	0.00	949.50	500.00	954.38	0.00	954.42	4.52	1.72	291.49	235.10
29.900	39.00	0.00	0.00	949.50	635.00	954.85	0.00	954.91	5.19	1.96	324.52	278.82
29.900	39.00	0.00	0.00	949.50	690.00	955.03	0.00	955.09	5.46	2.05	336.56	295.39
29.900	39.00	0.00	0.00	949.50	820.00	955.40	0.00	955.48	6.13	2.27	361.80	331.13
30.000	1.00	957.70	956.90	949.50	500.00	954.38	0.00	954.43	2.36	1.77	282.23	325.62
30.000	1.00	957.70	956.90	949.50	635.00	954.85	0.00	954.92	2.80	2.02	314.09	379.55
30.000	1.00	957.70	956.90	949.50	690.00	955.03	0.00	955.09	2.98	2.12	325.68	399.63
30.000	1.00	957.70	956.90	949.50	820.00	955.39	0.00	955.48	3.43	2.34	350.33	443.02
30.100	30.00	957.70	956.90	950.00	500.00	954.38	0.00	954.43	2.45	1.81	276.40	319.51
30.100	30.00	957.70	956.90	950.00	635.00	954.86	0.00	954.93	2.89	2.06	308.34	373.48
30.100	30.00	957.70	956.90	950.00	690.00	955.03	0.00	955.11	3.07	2.16	319.97	393.85
30.100	30.00	957.70	956.90	950.00	820.00	955.40	0.00	955.49	3.51	2.38	344.71	437.51
30.200	1.00	0.00	0.00	950.00	500.00	954.39	0.00	954.43	4.88	1.76	284.29	226.30
30.200	1.00	0.00	0.00	950.00	635.00	954.86	0.00	954.93	5.56	2.00	317.19	269.36
30.200	1.00	0.00	0.00	950.00	690.00	955.04	0.00	955.11	5.83	2.10	329.17	285.66
30.200	1.00	0.00	0.00	950.00	820.00	955.41	0.00	955.49	6.51	2.31	354.65	321.41
30.300	39.00	0.00	0.00	950.10	500.00	954.43	0.00	954.46	3.23	1.43	392.14	278.22
30.300	39.00	0.00	0.00	950.10	635.00	954.92	0.00	954.95	3.23	1.55	475.54	353.07
30.300	39.00	0.00	0.00	950.10	690.00	955.10	0.00	955.13	3.24	1.60	508.65	383.25
30.300	39.00	0.00	0.00	950.10	820.00	955.48	0.00	955.52	3.28	1.70	584.16	453.10

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	TOPWS	VCH	AREA	.01K
30.400	76.00	0.00	0.00	950.10	500.00	954.45	0.00	954.48	3.18	1.42	397.07	280.21
30.400	76.00	0.00	0.00	950.10	635.00	954.94	0.00	954.98	3.22	1.55	481.58	353.94
30.400	76.00	0.00	0.00	950.10	690.00	955.12	0.00	955.16	3.25	1.61	514.17	382.68
30.400	76.00	0.00	0.00	950.10	820.00	955.51	0.00	955.55	3.31	1.71	590.44	450.67
31.000	2825.00	0.00	0.00	952.40	500.00	955.73	0.00	955.78	7.20	1.76	306.34	186.40
31.000	2825.00	0.00	0.00	952.40	635.00	956.20	0.00	956.25	6.73	1.89	375.37	244.79
31.000	2825.00	0.00	0.00	952.40	690.00	956.37	0.00	956.43	6.56	1.93	409.66	269.37
31.000	2825.00	0.00	0.00	952.40	820.00	956.74	0.00	956.80	6.15	2.00	515.66	330.57
31.800	2566.00	0.00	0.00	952.30	500.00	956.94	0.00	956.97	3.26	1.48	432.81	277.09
31.800	2566.00	0.00	0.00	952.30	635.00	957.38	0.00	957.41	3.25	1.56	576.43	352.14
31.800	2566.00	0.00	0.00	952.30	690.00	957.53	0.00	957.57	3.23	1.62	636.32	383.94
31.800	2566.00	0.00	0.00	952.30	820.00	957.86	0.00	957.90	3.19	1.69	770.91	459.07
31.805	223.00	0.00	0.00	952.70	500.00	957.02	0.00	957.08	6.89	1.99	261.06	190.52
31.805	223.00	0.00	0.00	952.70	635.00	957.45	0.00	957.53	7.50	2.24	298.44	231.83
31.805	223.00	0.00	0.00	952.70	690.00	957.60	0.00	957.69	7.76	2.34	312.47	247.77
31.805	223.00	0.00	0.00	952.70	820.00	957.92	0.00	958.02	8.44	2.57	342.14	282.18
31.810	37.00	0.00	0.00	952.70	500.00	957.05	0.00	957.11	6.76	1.98	262.65	192.32
31.810	37.00	0.00	0.00	952.70	635.00	957.48	0.00	957.55	7.36	2.23	299.34	234.13
31.810	37.00	0.00	0.00	952.70	690.00	957.63	0.00	957.72	7.61	2.32	312.81	250.19
31.810	37.00	0.00	0.00	952.70	820.00	957.96	0.00	958.05	8.26	2.55	341.29	285.35
31.900	49.00	0.00	0.00	952.70	500.00	957.08	0.00	957.14	6.75	1.95	256.56	192.45
31.900	49.00	0.00	0.00	952.70	635.00	957.51	0.00	957.59	7.63	2.21	286.78	229.93
31.900	49.00	0.00	0.00	952.70	690.00	957.67	0.00	957.75	7.99	2.32	297.78	244.14
31.900	49.00	0.00	0.00	952.70	820.00	958.00	0.00	958.10	8.93	2.56	320.54	274.45
32.000	1.00	960.10	959.90	952.70	500.00	957.08	0.00	957.14	3.18	2.01	248.83	280.28
32.000	1.00	960.10	959.90	952.70	635.00	957.51	0.00	957.59	3.70	2.28	278.11	330.11
32.000	1.00	960.10	959.90	952.70	690.00	957.67	0.00	957.76	3.91	2.39	288.76	348.75
32.000	1.00	960.10	959.90	952.70	820.00	957.99	0.00	958.10	4.47	2.64	310.79	388.05
32.100	30.00	960.10	959.90	952.60	500.00	957.10	0.00	957.16	2.75	1.92	261.05	301.38
32.100	30.00	960.10	959.90	952.60	635.00	957.53	0.00	957.61	3.25	2.19	290.42	352.32
32.100	30.00	960.10	959.90	952.60	690.00	957.69	0.00	957.77	3.45	2.29	301.12	371.34
32.100	30.00	960.10	959.90	952.60	820.00	958.02	0.00	958.12	3.97	2.54	323.26	411.46
32.200	1.00	0.00	0.00	952.60	500.00	957.10	0.00	957.16	5.79	1.86	269.22	207.73
32.200	1.00	0.00	0.00	952.60	635.00	957.54	0.00	957.61	6.65	2.12	299.54	246.27
32.200	1.00	0.00	0.00	952.60	690.00	957.70	0.00	957.77	7.00	2.22	310.59	260.87
32.200	1.00	0.00	0.00	952.60	820.00	958.02	0.00	958.12	7.89	2.46	333.46	292.00
32.300	49.00	0.00	0.00	952.70	500.00	957.16	0.00	957.17	1.78	1.08	504.00	374.73
32.300	49.00	0.00	0.00	952.70	635.00	957.61	0.00	957.63	1.95	1.21	573.52	454.79
32.300	49.00	0.00	0.00	952.70	690.00	957.77	0.00	957.79	2.02	1.27	599.37	485.80
32.300	49.00	0.00	0.00	952.70	820.00	958.11	0.00	958.14	2.20	1.39	654.06	553.42
33.000	4100.00	0.00	0.00	955.00	500.00	958.64	0.00	958.71	12.63	2.40	365.32	140.68
33.000	4100.00	0.00	0.00	955.00	635.00	959.07	0.00	959.12	9.62	2.28	568.27	204.77
33.000	4100.00	0.00	0.00	955.00	690.00	959.21	0.00	959.26	8.64	2.22	661.76	234.91
33.000	4100.00	0.00	0.00	955.00	820.00	959.53	0.00	959.57	6.99	2.11	868.42	310.10

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
33.850	2399.00	0.00	0.00	955.42	500.00	960.77	0.00	960.84	6.61	2.11	236.51	194.44
33.850	2399.00	0.00	0.00	955.42	635.00	961.17	0.00	961.26	8.22	2.47	257.05	221.47
33.850	2399.00	0.00	0.00	955.42	690.00	961.29	0.00	961.39	8.97	2.62	263.66	230.43
33.850	2399.00	0.00	0.00	955.42	820.00	961.53	0.00	961.67	10.88	2.96	276.82	248.56
33.900	13.00	0.00	0.00	955.50	500.00	960.79	0.00	960.85	6.84	2.05	244.44	191.24
33.900	13.00	0.00	0.00	955.50	635.00	961.19	0.00	961.27	8.32	2.38	267.23	220.14
33.900	13.00	0.00	0.00	955.50	690.00	961.31	0.00	961.40	9.08	2.52	274.04	229.03
33.900	13.00	0.00	0.00	955.50	820.00	961.56	0.00	961.69	10.86	2.84	288.87	248.81
34.000	1.00	967.30	963.10	955.50	500.00	960.79	0.00	960.85	2.60	2.04	244.54	310.04
34.000	1.00	967.30	963.10	955.50	635.00	961.19	0.00	961.27	3.19	2.37	267.68	355.42
34.000	1.00	967.30	963.10	955.50	690.00	961.31	0.00	961.41	3.49	2.51	274.61	369.35
34.000	1.00	967.30	963.10	955.50	820.00	961.56	0.00	961.69	4.21	2.83	289.37	399.51
34.100	29.00	967.30	963.10	956.00	500.00	960.79	0.00	960.87	3.03	2.16	231.43	287.46
34.100	29.00	967.30	963.10	956.00	635.00	961.19	0.00	961.29	3.66	2.50	254.42	331.84
34.100	29.00	967.30	963.10	956.00	690.00	961.31	0.00	961.42	3.98	2.64	261.42	345.70
34.100	29.00	967.30	963.10	956.00	820.00	961.57	0.00	961.71	4.76	2.97	276.31	375.74
34.200	1.00	0.00	0.00	956.00	500.00	960.79	0.00	960.87	8.08	2.17	230.90	175.93
34.200	1.00	0.00	0.00	956.00	635.00	961.19	0.00	961.29	9.62	2.50	254.10	204.71
34.200	1.00	0.00	0.00	956.00	690.00	961.31	0.00	961.42	10.43	2.64	261.07	213.64
34.200	1.00	0.00	0.00	956.00	820.00	961.57	0.00	961.71	12.38	2.97	275.90	233.05
34.250	13.00	0.00	0.00	956.46	500.00	960.82	0.00	960.88	6.53	1.99	251.31	195.73
34.250	13.00	0.00	0.00	956.46	635.00	961.23	0.00	961.31	7.64	2.28	277.97	229.69
34.250	13.00	0.00	0.00	956.46	690.00	961.35	0.00	961.44	8.26	2.41	285.89	240.13
34.250	13.00	0.00	0.00	956.46	820.00	961.61	0.00	961.73	9.72	2.71	302.83	263.00
34.300	26.00	0.00	0.00	956.20	500.00	960.85	0.00	960.89	4.84	1.76	314.50	227.16
34.300	26.00	0.00	0.00	956.20	635.00	961.27	0.00	961.32	5.37	1.98	370.94	274.05
34.300	26.00	0.00	0.00	956.20	690.00	961.40	0.00	961.46	5.63	2.07	389.89	290.91
34.300	26.00	0.00	0.00	956.20	820.00	961.68	0.00	961.75	6.32	2.28	427.85	326.28
34.800	820.00	0.00	0.00	957.10	500.00	961.24	0.00	961.27	4.30	1.53	411.39	241.20
34.800	820.00	0.00	0.00	957.10	635.00	961.69	0.00	961.72	4.33	1.64	514.74	305.12
34.800	820.00	0.00	0.00	957.10	690.00	961.83	0.00	961.87	4.42	1.69	552.11	328.35
34.800	820.00	0.00	0.00	957.10	820.00	962.15	0.00	962.20	4.58	1.79	639.71	383.36
34.810	280.00	0.00	0.00	958.20	500.00	961.40	0.00	961.49	13.21	2.34	217.13	137.55
34.810	280.00	0.00	0.00	958.20	635.00	961.84	0.00	961.94	13.06	2.55	255.92	175.74
34.810	280.00	0.00	0.00	958.20	690.00	961.99	0.00	962.09	13.28	2.64	268.83	189.33
34.810	280.00	0.00	0.00	958.20	820.00	962.30	0.00	962.43	13.91	2.86	296.79	219.82
34.900	50.00	0.00	0.00	958.00	500.00	961.47	0.00	961.54	10.39	2.14	233.95	155.08
34.900	50.00	0.00	0.00	958.00	635.00	961.91	0.00	962.00	10.58	2.36	269.21	195.26
34.900	50.00	0.00	0.00	958.00	690.00	962.06	0.00	962.16	10.85	2.46	281.00	209.47
34.900	50.00	0.00	0.00	958.00	820.00	962.38	0.00	962.49	11.50	2.67	306.72	241.76
35.000	1.00	967.90	965.70	958.00	500.00	961.45	0.00	961.55	2.62	2.08	242.17	308.98
35.000	1.00	967.90	965.70	958.00	635.00	961.92	0.00	962.00	2.68	2.28	280.08	387.83
35.000	1.00	967.90	965.70	958.00	690.00	962.07	0.00	962.16	2.76	2.37	292.75	415.49
35.000	1.00	967.90	965.70	958.00	820.00	962.40	0.00	962.50	2.93	2.57	320.89	479.02

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
35.100	32.00	967.90	965.70	957.70	500.00	961.49	0.00	961.56	2.93	2.10	238.36	292.05
35.100	32.00	967.90	965.70	957.70	635.00	961.93	0.00	962.01	2.97	2.30	276.50	368.48
35.100	32.00	967.90	965.70	957.70	690.00	962.08	0.00	962.17	3.05	2.39	289.30	395.39
35.100	32.00	967.90	965.70	957.70	820.00	962.41	0.00	962.51	3.23	2.58	317.27	456.26
35.200	1.00	0.00	0.00	957.70	500.00	961.49	0.00	961.56	2.43	2.04	244.90	320.99
35.200	1.00	0.00	0.00	957.70	635.00	961.94	0.00	962.02	2.42	2.24	283.92	408.02
35.200	1.00	0.00	0.00	957.70	690.00	962.09	0.00	962.17	2.47	2.32	297.00	438.90
35.200	1.00	0.00	0.00	957.70	820.00	962.41	0.00	962.51	2.59	2.52	325.59	509.15
35.250	51.00	0.00	0.00	959.40	500.00	961.46	0.00	961.64	11.74	3.53	146.30	145.93
35.250	51.00	0.00	0.00	959.40	635.00	961.91	0.00	962.09	8.70	3.51	188.22	215.24
35.250	51.00	0.00	0.00	959.40	690.00	962.06	0.00	962.24	8.13	3.54	203.25	242.05
35.250	51.00	0.00	0.00	959.40	820.00	962.39	0.00	962.57	7.01	3.57	243.96	309.67
35.300	10.00	961.47	960.59	959.40	500.00	963.19	0.00	963.25	5.19	2.13	268.33	219.57
35.300	10.00	961.47	960.59	959.40	635.00	963.54	0.00	963.58	2.84	1.78	423.50	377.10
35.300	10.00	961.47	960.59	959.40	690.00	963.67	0.00	963.70	2.29	1.67	497.69	456.28
35.300	10.00	961.47	960.59	959.40	820.00	963.97	0.00	963.99	1.43	1.43	687.41	684.91
35.350	10.00	0.00	0.00	959.76	500.00	963.23	0.00	963.26	1.70	1.68	364.41	383.69
35.350	10.00	0.00	0.00	959.76	635.00	963.55	0.00	963.58	1.33	1.61	516.50	550.36
35.350	10.00	0.00	0.00	959.76	690.00	963.68	0.00	963.71	1.16	1.54	599.21	639.84
35.350	10.00	0.00	0.00	959.76	820.00	963.97	0.00	963.99	.84	1.39	798.58	896.64
36.000	3430.00	0.00	0.00	961.30	500.00	964.07	0.00	964.16	4.63	2.50	206.78	232.42
36.000	3430.00	0.00	0.00	961.30	635.00	964.28	0.00	964.40	5.36	2.86	231.98	274.24
36.000	3430.00	0.00	0.00	961.30	690.00	964.34	0.00	964.48	5.76	3.02	239.63	287.47
36.000	3430.00	0.00	0.00	961.30	820.00	964.48	0.00	964.65	6.66	3.36	257.01	317.65

MOORE BUSINESS FORMS, INC 23

10 YEAR FLOW

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
24.000	535.00	945.77	0.00	0.00	0.00	314.66	0.00
24.000	675.00	946.05	.28	0.00	0.00	331.64	0.00
24.000	735.00	946.17	.12	0.00	0.00	336.78	0.00
24.000	875.00	946.44	.27	0.00	0.00	348.33	0.00
24.100	535.00	945.79	0.00	.02	0.00	327.92	2280.00
24.100	675.00	946.08	.29	.03	0.00	336.00	2280.00
24.100	735.00	946.20	.12	.03	0.00	339.47	2280.00
24.100	875.00	946.48	.28	.04	0.00	347.26	2280.00
24.200	535.00	945.83	0.00	.04	0.00	1849.35	2300.00
24.200	675.00	946.13	.30	.05	0.00	1976.85	2300.00
24.200	735.00	946.25	.13	.05	0.00	1993.31	2300.00
24.200	875.00	946.54	.28	.06	0.00	2029.01	2300.00
25.000	535.00	945.95	0.00	.12	0.00	613.08	2290.00
25.000	675.00	946.25	.29	.12	0.00	760.89	2290.00
25.000	735.00	946.37	.12	.11	0.00	845.34	2290.00
25.000	875.00	946.64	.27	.11	0.00	1016.07	2290.00
25.600	535.00	946.60	0.00	.65	0.00	664.56	2850.00
25.600	675.00	946.88	.28	.64	0.00	900.70	2850.00
25.600	735.00	946.99	.11	.62	0.00	939.62	2850.00
25.600	875.00	947.22	.23	.58	0.00	969.38	2850.00
25.800	535.00	946.91	0.00	.31	0.00	247.00	1100.00
25.800	675.00	947.21	.29	.32	.29	247.00	1100.00
25.800	735.00	947.31	.11	.32	.40	247.00	1100.00
25.800	875.00	947.55	.23	.32	.63	247.00	1100.00
25.900	535.00	947.10	0.00	.19	0.00	85.00	324.00
25.900	675.00	947.41	.31	.21	.31	85.00	324.00
25.900	735.00	947.53	.12	.22	.43	85.00	324.00
25.900	875.00	947.78	.25	.24	.68	85.00	324.00
26.000	535.00	947.11	0.00	.01	0.00	85.00	16.90
26.000	675.00	947.42	.31	.01	.31	85.00	16.90
26.000	735.00	947.54	.12	.01	.43	85.00	16.90
26.000	875.00	947.79	.25	.01	.68	85.00	16.90
26.100	535.00	947.17	0.00	.06	0.00	85.00	26.00
26.100	675.00	947.50	.33	.07	.33	85.00	26.00
26.100	735.00	947.62	.12	.08	.45	85.00	26.00
26.100	875.00	947.88	.27	.09	.72	85.00	26.00
26.200	535.00	947.17	0.00	.00	0.00	85.00	16.90
26.200	675.00	947.50	.33	.01	.33	85.00	16.90
26.200	735.00	947.63	.12	.01	.45	85.00	16.90
26.200	875.00	947.89	.27	.01	.72	85.00	16.90
26.400	535.00	947.21	0.00	.04	0.00	299.00	107.00
26.400	675.00	947.55	.34	.05	.34	299.00	107.00

MOORE BUSINESS FORMS, INC 23

26.400	735.00	947.68	.13	.05	.47	299.00	107.00
26.400	875.00	947.96	.28	.07	.75	299.00	107.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
26.900	535.00	947.94	0.00	.73	0.00	661.09	3000.00
26.900	675.00	948.27	.33	.72	.33	712.05	3000.00
26.900	735.00	948.40	.13	.72	.46	719.08	3000.00
26.900	875.00	948.68	.28	.72	.74	734.35	3000.00
27.000	535.00	947.94	0.00	.01	0.00	429.83	72.00
27.000	675.00	948.27	.33	.01	.33	489.93	72.00
27.000	735.00	948.40	.13	.01	.46	501.16	72.00
27.000	875.00	948.68	.28	.01	.74	600.03	72.00
27.100	535.00	947.98	0.00	.03	0.00	536.26	36.00
27.100	675.00	948.31	.33	.03	.33	715.31	36.00
27.100	735.00	948.44	.13	.03	.46	719.96	36.00
27.100	875.00	948.71	.28	.03	.74	729.71	36.00
27.400	535.00	948.52	0.00	.54	0.00	301.57	2700.00
27.400	675.00	948.85	.33	.54	.33	307.39	2700.00
27.400	735.00	948.97	.13	.54	.46	309.63	2700.00
27.400	875.00	949.25	.28	.53	.73	314.56	2700.00
27.500	535.00	948.65	0.00	.13	0.00	144.72	400.00
27.500	675.00	948.98	.33	.13	.33	166.19	400.00
27.500	735.00	949.11	.13	.14	.46	174.49	400.00
27.500	875.00	949.39	.28	.14	.74	192.66	400.00
27.700	535.00	949.60	0.00	.95	0.00	169.53	1500.00
27.700	675.00	949.99	.39	1.01	.39	186.01	1500.00
27.700	735.00	950.14	.15	1.03	.54	192.40	1500.00
27.700	875.00	950.46	.33	1.08	.87	206.18	1500.00
27.800	535.00	949.78	0.00	.18	0.00	55.91	340.00
27.800	675.00	950.18	.40	.19	.40	87.54	340.00
27.800	735.00	950.33	.16	.20	.56	88.17	340.00
27.800	875.00	950.67	.33	.20	.89	89.53	340.00
27.900	535.00	949.82	0.00	.04	0.00	91.00	32.00
27.900	675.00	950.22	.41	.04	.41	91.00	32.00
27.900	735.00	950.38	.16	.05	.56	91.00	32.00
27.900	875.00	950.72	.34	.05	.90	91.00	32.00
28.000	500.00	949.82	0.00	.01	0.00	91.00	1.00
28.000	635.00	950.23	.41	.01	.41	91.00	1.00
28.000	690.00	950.39	.16	.01	.57	91.00	1.00
28.000	820.00	950.73	.34	.01	.91	91.00	1.00
28.100	500.00	949.83	0.00	.01	0.00	91.00	36.50
28.100	635.00	950.24	.41	.01	.41	91.00	36.50
28.100	690.00	950.40	.16	.01	.57	91.00	36.50
28.100	820.00	950.74	.34	.01	.91	91.00	36.50
28.200	500.00	949.83	0.00	.00	0.00	91.00	1.00
28.200	635.00	950.24	.41	.00	.41	91.00	1.00
28.200	690.00	950.40	.16	.00	.57	91.00	1.00
28.200	820.00	950.74	.34	.00	.91	91.00	1.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKPS	TOPWID	XLCH
28.300	500.00	949.84	0.00	.01	0.00	141.99	32.00
28.300	635.00	950.25	.41	.01	.41	151.76	32.00
28.300	660.00	950.41	.16	.01	.57	155.00	32.00
28.300	820.00	950.76	.35	.01	.92	155.00	32.00
28.420	500.00	950.14	0.00	.30	0.00	139.51	580.00
28.420	635.00	950.57	.43	.32	.43	149.49	580.00
28.420	690.00	950.73	.16	.32	.59	153.32	580.00
28.420	820.00	951.09	.36	.33	.95	161.60	580.00
28.670	500.00	951.60	0.00	1.47	0.00	158.37	2660.00
28.670	635.00	952.04	.43	1.47	.43	184.25	2660.00
28.670	690.00	952.20	.16	1.47	.59	195.36	2660.00
28.670	820.00	952.56	.36	1.47	.95	218.70	2660.00
28.800	500.00	951.94	0.00	.34	0.00	177.25	700.00
28.800	635.00	952.37	.43	.33	.43	204.39	700.00
28.800	690.00	952.52	.16	.33	.59	214.48	700.00
28.800	820.00	952.88	.35	.32	.94	223.62	700.00
28.810	500.00	951.89	0.00	-.05	0.00	92.32	75.00
28.810	635.00	952.31	.43	-.05	.43	107.69	75.00
28.810	690.00	952.47	.16	-.05	.58	113.32	75.00
28.810	820.00	952.82	.35	-.05	.94	126.07	75.00
28.900	500.00	952.08	0.00	.19	0.00	70.00	34.00
28.900	635.00	952.47	.39	.16	.39	70.00	34.00
28.900	690.00	952.61	.14	.14	.53	70.00	34.00
28.900	820.00	952.94	.32	.11	.86	70.00	34.00
29.000	500.00	952.08	0.00	-.00	0.00	70.00	1.00
29.000	635.00	952.47	.39	-.00	.39	70.00	1.00
29.000	690.00	952.61	.14	-.00	.53	70.00	1.00
29.000	820.00	952.93	.32	-.00	.86	70.00	1.00
29.100	500.00	952.13	0.00	.06	0.00	70.00	30.00
29.100	635.00	952.53	.39	.06	.39	70.00	30.00
29.100	690.00	952.67	.14	.06	.54	70.00	30.00
29.100	820.00	953.00	.33	.06	.86	70.00	30.00
29.200	500.00	952.14	0.00	.01	0.00	70.00	1.00
29.200	635.00	952.54	.40	.01	.40	70.00	1.00
29.200	690.00	952.69	.15	.01	.54	70.00	1.00
29.200	820.00	953.01	.33	.02	.87	70.00	1.00
29.300	500.00	952.19	0.00	.05	0.00	60.14	34.00
29.300	635.00	952.59	.40	.05	.40	63.60	34.00
29.300	690.00	952.74	.15	.05	.54	65.08	34.00
29.300	820.00	953.06	.33	.05	.87	68.40	34.00
29.420	500.00	952.89	0.00	.70	0.00	69.31	294.00
29.420	635.00	953.33	.44	.74	.44	74.08	294.00
29.420	690.00	953.50	.16	.76	.61	75.75	294.00
29.420	820.00	953.86	.36	.80	.97	79.02	294.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
29.550	500.00	954.06	0.00	1.17	0.00	107.91	1050.00
29.550	635.00	954.53	.47	1.20	.47	148.65	1050.00
29.550	690.00	954.71	.17	1.21	.65	164.28	1050.00
29.550	820.00	955.08	.37	1.22	1.02	196.46	1050.00
29.800	500.00	954.28	0.00	.22	0.00	154.27	359.00
29.800	635.00	954.76	.48	.23	.48	187.94	359.00
29.800	690.00	954.94	.17	.23	.65	200.18	359.00
29.800	820.00	955.31	.37	.23	1.03	225.66	359.00
29.810	500.00	954.37	0.00	.08	0.00	151.45	160.00
29.810	635.00	954.84	.48	.08	.48	178.35	160.00
29.810	690.00	955.02	.17	.08	.65	188.18	160.00
29.810	820.00	955.39	.37	.08	1.03	209.17	160.00
29.900	500.00	954.38	0.00	.01	0.00	69.00	39.00
29.900	635.00	954.85	.48	.01	.48	69.00	39.00
29.900	690.00	955.03	.17	.01	.65	69.00	39.00
29.900	820.00	955.40	.37	.01	1.02	69.00	39.00
30.000	500.00	954.38	0.00	-.00	0.00	69.00	1.00
30.000	635.00	954.85	.48	-.00	.48	69.00	1.00
30.000	690.00	955.03	.17	-.00	.65	69.00	1.00
30.000	820.00	955.39	.37	-.00	1.02	69.00	1.00
30.100	500.00	954.38	0.00	.01	0.00	69.00	30.00
30.100	635.00	954.86	.48	.01	.48	69.00	30.00
30.100	690.00	955.03	.17	.01	.65	69.00	30.00
30.100	820.00	955.40	.37	.01	1.02	69.00	30.00
30.200	500.00	954.39	0.00	.00	0.00	69.00	1.00
30.200	635.00	954.86	.48	.01	.48	69.00	1.00
30.200	690.00	955.04	.17	.01	.65	69.00	1.00
30.200	820.00	955.41	.37	.01	1.02	69.00	1.00
30.300	500.00	954.43	0.00	.04	0.00	159.29	39.00
30.300	635.00	954.92	.49	.05	.49	180.05	39.00
30.300	690.00	955.10	.18	.06	.67	187.65	39.00
30.300	820.00	955.48	.39	.07	1.06	203.94	39.00
30.400	500.00	954.45	0.00	.02	0.00	160.59	76.00
30.400	635.00	954.94	.49	.02	.49	181.46	76.00
30.400	690.00	955.12	.18	.02	.67	188.89	76.00
30.400	820.00	955.51	.39	.02	1.06	205.23	76.00
31.000	500.00	955.73	0.00	1.29	0.00	128.45	2825.00
31.000	635.00	956.20	.46	1.26	.46	174.18	2825.00
31.000	690.00	956.37	.17	1.25	.64	253.45	2825.00
31.000	820.00	956.74	.37	1.23	1.00	299.75	2825.00
31.800	500.00	956.94	0.00	1.21	0.00	297.99	2566.00
31.800	635.00	957.38	.43	1.18	.43	365.66	2566.00
31.800	690.00	957.53	.16	1.16	.59	390.43	2566.00
31.800	820.00	957.86	.33	1.12	.92	419.43	2566.00

MOORE BUSINESS FORMS, INC. 23

SECNO	Q	CVSEL	DIFVSP	DIFWSX	DIFKWS	TOPWID	XLCH
31.805	500.00	957.02	0.00	.08	0.00	85.59	223.00
31.805	635.00	957.45	.43	.07	.43	89.84	223.00
31.805	690.00	957.60	.15	.07	.58	91.38	223.00
31.805	820.00	957.92	.32	.06	.90	94.57	223.00
31.810	500.00	957.05	0.00	.03	0.00	65.22	37.00
31.810	635.00	957.48	.43	.03	.43	66.51	37.00
31.810	690.00	957.63	.16	.03	.58	66.97	37.00
31.810	820.00	957.96	.32	.03	.91	67.95	37.00
31.900	500.00	957.08	0.00	.03	0.00	70.00	49.00
31.900	635.00	957.51	.43	.04	.43	70.00	49.00
31.900	690.00	957.67	.16	.04	.59	70.00	49.00
31.900	820.00	958.00	.32	.04	.91	70.00	49.00
32.000	500.00	957.08	0.00	-.00	0.00	70.00	1.00
32.000	635.00	957.51	.43	-.00	.43	70.00	1.00
32.000	690.00	957.67	.16	-.00	.59	70.00	1.00
32.000	820.00	957.99	.32	-.00	.91	70.00	1.00
32.100	500.00	957.10	0.00	.02	0.00	70.00	30.00
32.100	635.00	957.53	.43	.02	.43	70.00	30.00
32.100	690.00	957.69	.16	.02	.59	70.00	30.00
32.100	820.00	958.02	.33	.02	.92	70.00	30.00
32.200	500.00	957.10	0.00	.00	0.00	70.00	1.00
32.200	635.00	957.54	.43	.01	.43	70.00	1.00
32.200	690.00	957.70	.16	.01	.59	70.00	1.00
32.200	820.00	958.02	.33	.01	.92	70.00	1.00
32.300	500.00	957.16	0.00	.05	0.00	153.14	49.00
32.300	635.00	957.61	.45	.07	.45	156.57	49.00
32.300	690.00	957.77	.16	.08	.61	157.83	49.00
32.300	820.00	958.11	.34	.09	.96	160.46	49.00
33.000	500.00	958.64	0.00	1.48	0.00	353.61	4100.00
33.000	635.00	959.07	.43	1.46	.43	623.45	4100.00
33.000	690.00	959.21	.15	1.44	.58	638.54	4100.00
33.000	820.00	959.53	.32	1.42	.90	670.70	4100.00
33.850	500.00	960.77	0.00	2.14	0.00	53.00	2399.00
33.850	635.00	961.17	.39	2.10	.39	53.00	2399.00
33.850	690.00	961.29	.12	2.07	.51	53.00	2399.00
33.850	820.00	961.53	.25	2.00	.76	53.00	2399.00
33.900	500.00	960.79	0.00	.01	0.00	58.00	13.00
33.900	635.00	961.19	.40	.02	.40	58.00	13.00
33.900	690.00	961.31	.12	.02	.52	58.00	13.00
33.900	820.00	961.56	.25	.03	.77	58.00	13.00
34.000	500.00	960.79	0.00	.00	0.00	58.00	1.00
34.000	635.00	961.19	.40	.00	.40	58.00	1.00
34.000	690.00	961.31	.12	.00	.52	58.00	1.00
34.000	820.00	961.56	.25	.00	.77	58.00	1.00

MOORE BUSINESS FORMS, INC 21

SECNO	G	CVSEL	DIFWSP	DIFWSX	DIFWS	TOPWID	XLCH
34.100	500.00	960.79	0.00	.00	0.00	58.00	29.00
34.100	635.00	961.19	.40	.01	.40	58.00	29.00
34.100	690.00	961.31	.12	.01	.52	58.00	29.00
34.100	820.00	961.57	.26	.01	.78	58.00	29.00
34.200	500.00	960.74	0.00	.00	0.00	58.00	1.00
34.200	635.00	961.19	.40	.00	.40	58.00	1.00
34.200	690.00	961.31	.12	.00	.52	58.00	1.00
34.200	820.00	961.57	.26	.00	.78	58.00	1.00
34.250	500.00	960.82	0.00	.02	0.00	64.00	13.00
34.250	635.00	961.23	.41	.03	.41	64.00	13.00
34.250	690.00	961.35	.12	.04	.53	64.00	13.00
34.250	820.00	961.61	.26	.04	.80	64.00	13.00
34.300	500.00	960.85	0.00	.03	0.00	136.00	26.00
34.300	635.00	961.27	.42	.04	.42	136.00	26.00
34.300	690.00	961.40	.13	.05	.55	136.00	26.00
34.300	820.00	961.68	.28	.06	.83	136.00	26.00
34.800	500.00	961.24	0.00	.39	0.00	189.67	820.00
34.800	635.00	961.69	.45	.42	.45	249.78	820.00
34.800	690.00	961.83	.15	.44	.59	261.31	820.00
34.800	820.00	962.15	.32	.48	.91	286.54	820.00
34.810	500.00	961.40	0.00	.16	0.00	85.70	280.00
34.810	635.00	961.84	.44	.15	.44	89.04	280.00
34.810	690.00	961.99	.15	.15	.59	89.27	280.00
34.810	820.00	962.30	.32	.15	.90	89.77	280.00
34.900	500.00	961.47	0.00	.07	0.00	80.00	50.00
34.900	635.00	961.91	.44	.07	.44	80.00	50.00
34.900	690.00	962.06	.15	.08	.59	80.00	50.00
34.900	820.00	962.38	.32	.08	.91	80.00	50.00
35.000	500.00	961.48	0.00	.01	0.00	88.00	1.00
35.000	635.00	961.92	.44	.01	.44	88.00	1.00
35.000	690.00	962.07	.15	.01	.59	88.00	1.00
35.000	820.00	962.40	.32	.01	.92	88.00	1.00
35.100	500.00	961.49	0.00	.01	0.00	88.00	32.00
35.100	635.00	961.93	.44	.01	.44	88.00	32.00
35.100	690.00	962.08	.15	.01	.59	88.00	32.00
35.100	820.00	962.41	.32	.01	.92	88.00	32.00
35.200	500.00	961.49	0.00	.00	0.00	88.00	1.00
35.200	635.00	961.94	.44	.01	.44	88.00	1.00
35.200	690.00	962.09	.15	.01	.59	88.00	1.00
35.200	820.00	962.41	.33	.01	.92	88.00	1.00
35.250	500.00	961.46	0.00	-.04	0.00	90.08	51.00
35.250	635.00	961.91	.45	-.03	.45	96.03	51.00
35.250	690.00	962.06	.15	-.03	.60	106.08	51.00
35.250	820.00	962.39	.33	-.02	.93	137.96	51.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
35.300	500.00	963.19	0.00	1.74	0.00	348.13	10.00
35.300	635.00	963.54	.35	1.63	.35	534.47	10.00
35.300	690.00	963.67	.13	1.61	.48	598.31	10.00
35.300	820.00	963.97	.30	1.58	.78	672.69	10.00
35.350	500.00	963.23	0.00	.03	0.00	363.18	10.00
35.350	635.00	963.55	.33	.01	.33	593.94	10.00
35.350	690.00	963.68	.13	.01	.46	659.58	10.00
35.350	820.00	963.97	.29	.01	.75	663.25	10.00
36.000	500.00	964.07	0.00	.84	0.00	113.93	3430.00
36.000	635.00	964.28	.21	.73	.21	120.53	3430.00
36.000	690.00	964.34	.06	.66	.28	122.50	3430.00
36.000	820.00	964.48	.14	.51	.42	126.79	3430.00

SUMMARY OF ERRORS

MOORE BUSINESS FORMS, INC 23

MOORE BUSINESS FORMS, INC 23

FLOOD INSURANCE ZONE DATA FOR 10 YEAR FLOW


FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS


SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
24.000	0.	-.40	-.12	.27
24.100	2280.	-.41	-.12	.28
24.200	4580.	-.42	-.13	.28
25.000	6870.	-.41	-.12	.27
25.600	9720.	-.39	-.11	.23
25.800	10820.	-.40	-.11	.23
25.900	11144.	-.43	-.12	.25
26.000	11161.	-.43	-.12	.25
26.100	11187.	-.45	-.12	.27
26.200	11204.	-.45	-.12	.27
26.400	11311.	-.47	-.13	.28
26.900	14311.	-.46	-.13	.28
27.000	14383.	-.46	-.13	.28
27.100	14419.	-.46	-.13	.28
27.400	17119.	-.45	-.13	.28
27.500	17519.	-.46	-.13	.28
27.700	19019.	-.54	-.15	.33
27.800	19359.	-.56	-.16	.33
27.900	19391.	-.56	-.16	.34
28.000	19392.	-.57	-.16	.34
28.100	19428.	-.57	-.16	.34
28.200	19429.	-.57	-.16	.34
28.300	19461.	-.57	-.16	.35
28.420	20041.	-.59	-.16	.36
28.670	22701.	-.59	-.16	.36
28.800	23401.	-.59	-.16	.35
28.810	23478.	-.58	-.16	.35
28.900	23510.	-.53	-.14	.32
29.000	23511.	-.53	-.14	.32
29.100	23541.	-.54	-.14	.33
29.200	23542.	-.54	-.15	.33
29.300	23576.	-.54	-.15	.33
29.420	23870.	-.61	-.16	.36
29.550	24920.	-.65	-.17	.37
29.800	25279.	-.65	-.17	.37
29.810	25439.	-.65	-.17	.37
29.900	25478.	-.65	-.17	.37
30.000	25479.	-.65	-.17	.37
30.100	25509.	-.65	-.17	.37
30.200	25510.	-.65	-.17	.37
30.300	25549.	-.67	-.18	.39
30.400	25625.	-.67	-.18	.39
31.000	28450.	-.64	-.17	.37
31.800	31016.	-.59	-.16	.33
31.805	31239.	-.58	-.15	.32
31.810	31276.	-.58	-.16	.32
31.900	31325.	-.59	-.16	.32
32.000	31326.	-.59	-.16	.32
32.100	31356.	-.59	-.16	.33

32.200	31357.	-.54	-.16	.33
32.300	31406.	-.61	-.16	.34
33.000	35506.	-.58	-.15	.32
33.850	37905.	-.51	-.12	.25
33.900	37916.	-.52	-.12	.25
34.000	37919.	-.52	-.12	.25
34.100	37946.	-.52	-.12	.26
34.200	37949.	-.52	-.12	.26
34.250	37962.	-.53	-.12	.26
34.300	37988.	-.55	-.13	.28
34.800	38808.	-.59	-.15	.32
34.810	39086.	-.59	-.15	.32
34.900	39138.	-.59	-.15	.32
35.000	39139.	-.59	-.15	.32
35.100	39171.	-.59	-.15	.32
35.200	39172.	-.59	-.15	.33
35.250	39223.	-.60	-.15	.33
35.300	39233.	-.48	-.13	.30
35.350	39243.	-.46	-.13	.29
36.000	42673.	-.28	-.06	.14
WEIGHTED AVG FOR REACH		-.51	-.14	.30

FHF FOR THE REACH = 005 WITH 100.0 OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

MOORE BUSINESS FORMS, INC 23


MARENGO
SHERIDAN
ECKFORD
ALBION
CITY OF ALBION
24.0
24.1
24.2
25.0
25.8
26.0
25.6
26.4
27.0
27.4
27.5
27.7
28.0
28.42
28.67
29.42
28.55
29.0
29.8
30.0
31.0
31.8
32.0
33.0
34.0
34.8
33.85
25.0
ECKFORD
ALBION
CLARENDON
HOMER
VILLAGE OF HOMER
36.0
37.0
38.0
39.0
36.8
KEY TO SYMBOLS
FLOOD BOUNDARY AND FLOODWAY DATA
500 Yr Flood Boundary
100 Yr Flood Boundary
FLOODWAY FRINGE
FLOODWAY
500 Yr Flood Boundary
Approximate 100 Yr Flood Boundary
Cross Section Line
FLOOD BOUNDARY AND FLOODWAY MAP
MAP INDEX
ALBION TOWNSHIP
KALAMAZOO RIVER
0 1 2
1" = 1000'
N




FLOOD MAP

LEGEND

FLOODWAY — 100 YEAR BOUNDARY — 500 YEAR BOUNDARY


A — A CROSS SECTION

CORPORATE BOUNDARIES



N

BATTLE CREEK TOWNSHIP
CALHOUN COUNTY, MICHIGAN



FLOOD MAP

N

LEGEND

FLOODWAY — 100 YEAR BOUNDARY — 500 YEAR BOUNDARY

A — A CROSS SECTION

CORPORATE BOUNDARIES

BATTLE CREEK TOWNSHIP
CALHOUN COUNTY, MICHIGAN



FLOOD MAP

N

LEGEND

FLOODWAY | 100 YEAR BOUNDARY | 500 YEAR BOUNDARY


A — A CROSS SECTION

CORPORATE BOUNDARIES

RECEIVED
AUG 11 1981
WATER MANAGEMENT

BATTLE CREEK
TOWNSHIP
CALHOUN COUNTY, MICHIGAN

SHEET 3 of 4
HUD 2022



FLOOD MAP

N

LEGEND

FLOODWAY — 100 YEAR BOUNDARY — 500 YEAR BOUNDARY

CROSS SECTION

CORPORATE BOUNDARIES

BATTLE CREEK TOWNSHIP
CALHOUN COUNTY, MICHIGAN

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Battle Creek Twp

3) WATERCOURSE: Minges Brook

4) DOCUMENT TYPE: 10. 50. 100 500 yr profiles

00BREAK00

```
**********
  RE22 RELEASE DATED NOV 78 UPDATED FOR TYPE
  FDRCT CODE =  01
  DIAGNOSTIC,TRAP =  30,51,32
**********

 T BATTLE CREEK TOWNSHIP FLOOD INSURANCE STUDY
 ID 06-23-77
 3    SINGLE BRIDGE W,C,TYP

 J1  ICHECK    INO        NINV       IDIR       STRT       METRIC     HVINS      0          LSEL       FD
          5.         2.         0.         0.    .020000      0.50       1.0        0.      1.350      0.500

 J2    IPRO       IPLOT      PTOPS      XSECV      YSECV       ZFACT      LCODE      IBW        CHNM       IBRACE
       1.000      0.300     -1.300      0.000      3.000      0.000      0.000      0.002      0.030      0.000

 J3  INRIDGE CODES FOR FOUR BRIDGES IN STUDY
       110.010    201.010      1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

 J5  NPRNT     KUNSEC                    ********REQUESTED SECTION NUMBERS********
          -1.      10.000      0.500      0.300      1.000      1.000      1.000      0.000      1.000      5.000
           5.000     30.000    325.000    350.000    360.000      0.000      0.000      0.000      0.000      0.000
           5.100      0.100      1.000      0.500      0.100      0.000      0.000      0.000      0.000      0.000
 GT        0.000      0.900      0.000      0.000      1.510      0.000      0.000      0.200      0.000      0.000

          30 FT U/S I-90                                    CROSS SECTION

 RT        0.200     11.000   1814.000   1844.000    30.000     30.000     30.000      0.000      0.000      0.000
 GR      890.300   1764.000    862.000   1765.000    861.300   1792.300    850.200   1606.300    855.900   1814.000
 GR      895.900   1814.100    855.900   1822.000    855.900   1822.100    855.900   1822.900    855.900   1825.000
 RT        0.000     11.000   1839.000   1869.000    30.000     30.000     30.000      0.000      0.000      0.000
 GR      890.000   1764.000    862.000   1765.000    861.300   1792.300    850.200   1606.300    855.900   1814.000
 GR      895.900   1814.100    855.900   1822.000    855.900   1822.100    855.900   1822.900    855.900   1825.000
 ET        0.000      1.150      0.940      2.130      2.302      0.300      0.301      0.000      2.000      2.000

 VALLEY SECTION                                     CROSS SECTION 17

 RT        0.200      5.000    370.200    390.200    360.000    360.000    360.000      0.000      0.000      0.000
 GR      870.630    790.200    870.200    790.200    867.950    776.000    767.300    790.000    850.700    814.000
 GR      858.100    820.300    856.200    813.200    855.870    837.000    854.200    836.000    859.300    838.000
 GR      857.400    842.000    871.200    842.000    873.200    846.000    867.300    820.000    865.000    790.000

 RT        0.400     10.000    908.000    930.100    885.100    865.000    845.000      0.000      0.200      0.000
 GR      856.200    919.000    856.200    925.000   1857.100    934.000    858.970    933.000   1861.000    938.000
 GR      378.800    962.000    882.400    902.000      0.000      0.000      0.000      0.000      0.000      0.000

 RT        0.400     11.000    930.000    950.100    905.100    885.000    865.000      0.000      0.200      0.000
 GR      856.200    919.000    856.200    925.000   1857.100    934.000    858.970    933.000   1861.000    938.000
 GR      378.800    962.000    882.400    902.000      0.000      0.000      0.000      0.000      0.000      0.000
```

X1	6.420	0.000	0.300	-0.200	450.000	450.000	595.000	0.000	1.700	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

VALLEY SECTION CROSS SECTION 15

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	871.700	800.000	831.900	602.000	800.600	848.200	0.300	0.200	0.000	0.000

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	871.200	834.700	869.600	726.000	847.400	795.000	865.300	806.200	865.000	811.900
GR	865.700	816.300	867.600	772.000	858.700	842.000	872.000	894.000	876.000	936.200

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

X1	6.750	0.000	0.000	0.000	0.000	30.000	50.000	0.000	0.000	0.000

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

X1	6.300	0.000	0.000	0.000	50.000	30.000	50.000	0.000	0.000	0.000
X3	10.200	0.000	0.000	852.000	0.000	830.000	0.000	877.000	877.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

X1	7.200	27.000	806.200	876.800	39.000	89.000	39.000	3.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BT	876.300	0.000	793.000	874.800	0.300	806.200	874.900	866.000	806.500	874.900
BT	867.900	807.000	874.300	870.300	909.000	874.900	871.500	811.000	874.500	871.900

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BT	876.300	866.000	822.000	874.300	0.300	852.000	875.400	0.000	894.000	876.500
BT	0.300	972.000	877.000	0.000	900.000	879.100	0.000	901.000	900.200	0.300

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BT	893.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	894.600	852.000	890.200	892.000	894.800	490.000	879.200	874.000	874.200	548.000

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BT	894.800	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	0.000	0.000	0.100	0.100	0.100	0.100	650.000	851.000	0.000	0.000

50 FT U/S RIVERSIDE DR.

CROSS SECTION 13

X1	7.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	1.093	0.730	0.342	0.430	0.000	0.000	0.000	0.000	0.000	0.000
GR	2.010	0.790	0.302	0.210	0.000	0.000	0.000	0.000	0.000	0.000

D/S DAM U/S RIVERSIDE DR.

CROSS SECTION 12A

X1	7.530	16.700	600.000	540.000	550.000	387.000	70.000	0.000	0.000	0.000
GR	345.800	424.000	582.600	450.000	674.100	671.000	871.600	978.000	870.600	596.000
GR	865.700	809.000	865.500	875.000	825.500	821.000	809.000	825.000	870.000	820.000
GR	874.300	638.000	883.000	846.000	832.000	676.000	302.800	760.000	886.600	804.000
GR	890.400	880.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

TOP OF DAM

CROSS SECTION 12A

X1	7.700	3.030	0.000	0.000	2.000	2.000	2.000	0.300	0.300	0.300
GR	1.000	0.730	0.342	0.430	0.000	0.000	0.000	0.000	0.000	0.000

D/S OF DAM

CROSS SECTION 12A

X1	7.700	3.030	0.000	0.000	2.000	2.000	2.000	0.300	0.300	0.300
GR	1.000	0.730	0.342	0.430	0.000	0.000	0.000	0.000	0.000	0.000
GR	865.700	809.000	865.500	875.000	825.500	821.000	809.000	825.000	870.000	820.000
GR	876.800	638.000	883.000	846.000	832.000	676.000	302.800	760.000	886.600	804.000
GR	890.400	880.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

VALLEY SECTION

CROSS SECTION 12

X1	8.300	16.000	600.000	626.000	550.000	387.000	390.000	0.000	0.000	0.000
GR	695.600	424.000	582.600	450.000	674.100	671.000	871.600	978.000	870.600	596.000

X1	8.310	0.000	0.000	0.000	350.000	350.000	445.000	0.000	1.600	0.000

X1	8.320	0.000	0.000	0.000	350.000	350.000	445.000	0.000	1.600	0.000

X1	8.330	0.000	0.000	0.000	350.000	350.000	445.000	0.000	1.600	0.000

VALLEY SECTION

CROSS SECTION 12

X1	8.400	16.000	620.000	644.000	350.000	350.000	445.000	0.000	0.000	0.000
GR	903.800	424.000	893.600	700.000	694.100	242.000	893.200	378.000	892.600	596.000

X1	8.410	0.000	0.000	0.000	225.000	225.000	300.000	0.000	1.600	0.000

ET	0.200	3.000	0.300	0.300	3.100	0.300	0.500	0.300	401.000	620.000

D/S OF 2ND DAM D/S CAPITAL AVE. CROSS SECTION 12B

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	895.000	420.000	0.000	0.000	0.200	0.000	0.000	0.000	0.000	0.000
MC	0.000	0.000	0.020	0.000	0.300	0.000	0.000	0.000	0.000	0.000

TOP OF DAM

X1	9.200	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.200	0.000	0.000	877.000	880.300	0.000	0.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	0.300	825.000	890.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MC	0.300	0.000	0.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S OF DAM

X1	9.100	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000

[illegible] CROSS SECTION [illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	886.000	275.000	865.000	320.000	885.500	380.000	885.500	400.000	885.500	885.000
GR	878.870	491.000	877.700	500.000	879.100	509.000	882.000	515.000	890.000	530.000
MC	0.000	0.000	0.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000

TOP OF DAM

X1	10.000	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	877.700	880.300	0.000	0.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S OF DAM

X1	10.100	10.000	891.000	509.000	2.000	2.000	2.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GR	886.500	875.000	886.000	320.000	885.500	380.000	885.500	400.000	885.500	885.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S OF FT D/S CAPITAL AVE. CROSS SECTION [illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X3	0.000	0.000	0.000	320.000	0.000	325.000	0.000	0.000	0.000	0.000
GR	886.500	875.000	886.500	320.000	885.500	380.000	885.500	400.000	885.500	885.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X3	0.000	0.000	0.000	320.000	0.000	325.000	0.000	0.000	0.000	0.000

TOURTELLOT PRINTED BY RUSSELL W. HIFORD / PRINTING COMPANY / CANTON, CONN.

X1	10.800	0.000	0.000	0.000	25.900	23.000	25.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	490.000	0.300	510.000	0.000	0.000	0.000	0.000

D/S FACE CAPTP. AVE. CROSS SECTION

X1	10.900	21.000	557.000	556.000	28.000	25.300	23.000	0.300	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.300	0.300	690.300	690.000	0.000
G1	905.200	142.000	920.800	197.000	898.900	266.000	896.700	326.000	894.000	555.000
G2	891.000	593.000	891.200	419.000	889.100	484.000	888.700	900.700	885.000	533.000
S1	901.400	557.000	911.400	537.100	887.400	556.000	901.400	574.000	681.400	556.000
S2	904.200	554.200	890.700	573.200	855.000	537.000	870.200	875.000	905.000	627.000
J1	907.000	656.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S0	0.000	1.400	0.000	0.000	13.000	0.000	65.000	0.000	601.400	601.400

D/S FACE CAPITAL AVE. CROSS SECTION

X1	11.000	0.000	0.000	0.000	12.000	52.000	52.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	836.400	692.400	0.000	0.000	0.000	0.000	0.000
X3	10.100	0.000	0.000	0.000	0.300	0.000	0.000	392.400	392.400	0.000
G1	896.100	991.900	0.000	815.000	906.500	0.000	958.000	365.400	0.000	561.000
G2	885.100	0.000	891.000	893.000	0.300	0.000	0.000	1.000	889.000	0.000
S1	901.400	557.000	892.400	881.400	887.100	892.400	881.400	547.000	892.400	892.400
J1	899.900	892.400	886.400	892.000	892.400	881.400	886.000	892.400	881.400	892.000
S1	893.200	0.000	892.000	886.000	0.000	885.200	900.200	0.200	887.000	905.000
J1	0.000	0.000	901.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

50 FT D/S CAPITAL AVE. CROSS SECTION

X1	11.200	0.000	535.000	556.000	50.000	50.000	50.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	520.000	0.000	532.000	0.000	691.200	0.000	682.000	0.000
G1	710.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	11.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
G1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	11.250	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
G1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	11.240	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
G1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	11.280	20.000	535.000	556.000	100.000	100.000	140.000	0.000	-2.500	0.000
S1	906.300	0.000	892.000	0.000	910.500	0.000	900.200	1132.000	900.200	1234.000

X1	11.290	0.000	0.000	0.000	100.000	100.000	140.000	0.000	2.150	0.000

FORM 141 CO PRINTED BY ROTAFAX MANIFOLD DUPLICATING DIVISION O. PRINTED IN U.S.A.

VALLEY SECTION

CROSS SECTION E

X1	11.310	0.000	0.020	0.000	100.000	110.020	165.000	0.020	1.000	0.000
E1	0.300	0.000	9.100	9.100	9.100	9.100	0.000	0.020	1470.000	1570.000

X1	11.320	0.000	0.020	0.000	100.000	110.020	165.000	0.020	1.000	0.000
E1	0.300	0.000	0.120	0.120	0.100	0.120	37.020	733.020	500.000	430.000

D/S 1ST DAM U/S CAPITAL AVE.

CROSS SECTION F6

X1	11.000	11.020	305.300	475.020	110.000	210.020	165.020	0.000	1.000	0.000
X2	0.000	894.400	0.020	0.020	0.000	0.000	0.000	0.000	0.000	0.000
X3	920.000	0.000	910.000	170.000	900.000	310.000	896.400	305.000	895.470	389.300
E1	393.700	420.300	393.800	410.500	395.500	415.000	920.000	460.300	910.000	570.000
E2	920.000	730.300	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000

TOP OF DAM

CROSS SECTION F6

X1	12.120	11.100	305.000	475.000	110.000	210.000	165.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	894.400	894.900	0.000	0.000	0.000	0.000	0.000
X3	0.000	894.400	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X4	920.000	0.000	910.000	170.000	900.000	310.000	896.400	305.000	895.470	389.300
E1	393.700	420.300	393.800	410.500	395.500	415.000	920.000	460.300	910.000	570.000
E2	920.000	730.300	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000
E3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	12.900	11.000	230.000	290.000	100.000	100.000	170.000	0.000	0.000	0.000
X2	0.000	0.000	910.000	170.000	900.000	310.000	896.400	305.000	895.470	389.300
X3	920.000	730.000	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000
E1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED BY ROTARY MARKFORD FOR U.S. DIVISION OF CIVIL DEFENSE

U/S 2ND DAM U/S CAPITAL AVE. CROSS SECTION 70

X1	13.100	11.000	273.000	290.000	2.000	2.200	2.300	0.000	0.000	0.000
X2	0.200	0.000	3.000	5.000	0.200	0.200	0.300	0.000	0.000	0.000
X3	0.200	395.000	3.000	5.000	0.700	0.200	0.300	0.000	0.000	0.000
GR	920.200	0.000	911.000	140.000	900.200	230.200	891.000	270.000	395.400	270.500
GR	896.600	260.000	895.100	256.500	897.100	270.000	900.000	340.000	910.000	400.000
GR	920.300	700.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S 3RD DAM U/S CAPITAL AVE. CROSS SECTION 71

X1	3.900	11.000	273.200	287.000	2.000	2.000	2.300	0.000	0.000	0.000
X3	0.000	395.500	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	920.300	0.000	910.200	140.000	902.000	230.000	891.000	273.000	396.000	273.500
GR	896.200	260.000	896.300	256.500	898.000	287.000	900.000	340.000	910.000	400.000
GR	920.300	700.000	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000

TOP OF DAM CROSS SECTION 72

X1	0.300	0.000	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S 3RD DAM U/S CAPITAL AVE. CROSS SECTION 70

X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	395.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	920.000	0.000	910.000	140.000	900.000	230.000	892.000	270.000	396.000	272.500
GR	896.200	260.000	896.300	256.500	898.000	287.000	900.000	340.000	910.000	400.000
GR	920.000	700.000	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	16.200	0.000	0.200	0.000	150.000	150.000	150.000	0.000	0.000	0.000

X1	16.200	25.000	1164.000	12.000	150.000	150.000	151.200	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.000	905.000	0.000
GR	920.200	78.000	913.100	516.000	915.200	628.000	914.200	758.000	916.200	848.000
GR	917.000	1014.000	916.000	1044.000	910.300	1044.000	909.800	1116.000	904.400	1164.000
GR	896.200	1164.000	896.600	1164.000	896.300	1164.000	896.000	1164.000	896.000	1164.000
GR	897.100	1224.000	899.700	1200.000	900.400	1212.000	901.100	1224.000	905.900	1224.000
GR	901.600	1320.000	908.600	1320.000	913.500	1320.000	914.300	1320.000	920.000	1320.000
GR	0.000	1.100	1.000	0.000	10.000	0.000	0.000	0.000	1.000	0.000

X1	15.000	0.000	0.000	0.000	15.000	15.000	15.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.000	905.000	0.000

GR	920.000	78.000	913.100	516.000	915.200	628.000	914.200	758.000	916.200	848.000
GR	917.000	1014.000	916.100	1044.000	910.300	1044.000	909.800	1116.000	904.400	1164.000

FORM 1-1160 PRINTED IN U.S.A. MANIFOLD FORMS DIVISION OF - PHAM PRINTING COMPANY-DETROIT

GR	901.200	1160.300	903.600	1168.000	859.700	1184.020	897.900	1191.020	897.700	1200.000
GR	897.600	1204.000	899.600	1208.000	958.400	1210.020	901.700	1245.020	905.900	1270.000
GR	903.600	1306.000	909.620	1360.000	912.900	1400.020	917.500	1428.020	920.000	1466.000

D/S 4TH SPAN L/S CAPITAL PKG. — CROSS SECTION 1

X1	19.900	0.000	0.000	0.000	125.000	125.020	125.020	0.000	0.000	0.000
NC	0.000	0.000	0.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000

TOP OF DAM — CROSS SECTION 2

X1	16.000	0.000	0.000	0.020	2.000	2.000	2.000	0.000	0.020	0.000
X2	0.000	0.000	0.000	897.750	899.500	0.000	0.500	0.000	0.020	0.000
NC	0.000	0.000	0.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S 4TH SPAN U/S CAPITAL PKG. — CROSS SECTION 3

X1	16.100	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	890.100	899.500	0.000	0.000	0.000	0.200	0.000
[illegible]										
GT	0.000	1.130	1.000	0.300	2.100	2.000	33.000	1194.000	0.000	0.000

X1	16.600	17.000	1035.000	1036.000	203.000	200.000	220.000	0.000	-2.000	0.000
GR	913.600	452.000	915.000	922.000	913.500	617.000	913.500	738.000	912.400	842.000
[illegible]										
GT	901.500	1053.200	903.100	1036.000	907.600	911.000	907.300	1159.000	915.300	1176.000
	912.400	1204.000	913.200	1204.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE HINGES ST. — CROSS SECTION 4

X1	16.700	0.000	0.000	0.000	200.000	200.020	220.000	0.000	1.000	0.000
[illegible]										

D/S FACE HINGES ST. — CROSS SECTION 5

X1	16.800	0.000	0.000	0.000	200.000	200.020	220.000	0.000	1.000	0.000
[illegible]										

U/S FACE HINGES ST. — CROSS SECTION 6

X1	16.900	17.000	1055.000	1055.000	100.000	100.000	100.000	0.000	0.000	0.000
[illegible]										
GR	916.600	1206.000	918.200	1264.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	0.000	1.590	3.000	0.200	6.259	0.000	25.000	0.200	901.500	907.400

U/S FACE HINGES ST. — CROSS SECTION 6.5

X1	17.000	19.000	1045.000	1036.000	40.000	40.000	40.000	0.000	0.120	0.000
X2	0.000	0.000	1.000	908.500	911.000	0.000	0.000	0.000	0.000	0.000
[illegible]										
GT	905.500	1054.000	905.000	1054.000	911.000	903.300	1059.000	911.000	0.000	1071.000

FORM 1211-01 PRINTED BY BUFFALO MANIFOLD FORMS DIVISION OF MOORE BUSINESS FORMS, INC. PRINTING COMPANY-ATTACH PRINTED IN U.S.A.

BT	981.000	0.000	1158.000	913.670	0.000	1190.300	920.200	0.300	1.000	0.000
GR	920.000	950.000	910.500	951.200	910.500	998.000	909.800	1030.000	909.500	1057.000
GT	903.500	1045.000	902.300	1045.500	901.500	1047.000	902.200	1046.500	903.500	1049.000
GT	903.500	1051.000	902.000	1051.500	901.500	1053.000	902.300	1054.500	903.500	1055.200
GT	910.500	1059.200	910.300	1071.300	91[illegible]	[illegible]	[illegible]	1100.000	[illegible]	[illegible]
XX	0.000	0.000	[illegible]	0.000	[illegible]	[illegible]	0.000	0.000	[illegible]	[illegible]
BT	[illegible]	0.000	[illegible]	0.000	[illegible]	[illegible]	[illegible]	0.000	[illegible]	[illegible]

D/S 1ST DAM D/S TINGES ST. CROSS SECTION 4A

X1	17.500	13.300	1037.000	1062.000	134.500	121.000	100.000	1.000	0.000	0.000
GR	920.000	100.300	912.[illegible]	914.000	[illegible]	[illegible]	[illegible]	952.000	910.300	1134.000
GR	902.200	1041.000	902.100	1052.000	902.400	1060.000	904.400	1063.000	905.300	1072.000
GR	907.400	1112.000	909.230	1152.000	913.300	1184.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.020	0.000	0.200	0.000	0.000	0.000	0.000	0.000

TOE OF L[illegible] CROSS SECTION [illegible]

X1	18.300	0.000	0.000	0.000	2.000	2.300	2.000	0.200	0.000	0.000
X2	0.300	0.000	0.200	902.100	904.100	0.300	0.000	0.200	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S 1ST DAM D/S HINGES ST. CROSS SECTION 4A

X	16.100	13.000	1237.000	1053.000	2.000	2.000	2.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	320.000	670.100	910.400	912.300	904.000	1[illegible]	[illegible]	912.000	905.000	1024.000
[illegible]	902.200	1040.200	902.100	1050.200	902.400	1[illegible]	[illegible]	1060.000	903.300	1071.000
SR	907.000	1112.200	909.200	1150.300	913.000	1184.000	0.000	0.000	0.000	0.000

BT	16.200	21.200	1176.000	1695.200	667.000	540.000	520.200	0.000	0.000	1.000
GR	919.000	1402.000	910.300	1474.300	910.000	1534.000	914.200	1730.000	911.000	1722.000
GR	909.200	1784.000	908.200	1862.300	907.400	1876.000	904.600	1879.000	904.110	1886.000
GR	904.600	1893.000	907.400	1895.000	908.400	1897.000	908.400	1904.000	909.400	1901.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	0.000	0.200	[illegible]	0.000	0.600	0.300	0.000	[illegible]
NC	0.000	0.000	1566.000	[illegible]	1691.000	0.150	1715.200	0.300	1718.000	[illegible]
SR	1730.000	0.000	1890.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible] CROSS SECTION [illegible]

X1	16.700	13.000	1698.300	1715.000	1310.000	1210.300	910.000	0.100	0.000	0.000
GR	920.000	1240.000	910.400	1247.000	911.100	1250.000	914.000	1300.000	910.300	1600.000
GR	908.900	1685.000	906.400	1690.000	903.900	1695.300	903.800	1700.200	903.800	1705.000
GR	906.100	1712.000	908.600	1718.000	911.000	1730.000	917.600	1880.000	920.000	1890.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S ESTATE ROAD CROSS SECTION 3A

X1	16.800	0.000	0.200	0.000	99.000	99.000	99.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S ESTATE ROAD CROSS SECTION 3A

X1	28.900	26.000	1695.300	1705.000	1.000	1.000	1.300	0.000	0.000	0.000
X3	0.000	903.000	0.300	0.700	0.000	0.000	0.300	0.000	0.000	0.000
X5	1.000	910.110	0.300	0.700	0.000	0.001	0.300	0.000	0.000	0.000
[illegible]										
ST	1566.000	910.500	0.300	1705.300	909.970	1.000	1700.300	905.910	1.000	1705.970
ST	905.900	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	907.150	[illegible]	[illegible]
[illegible]										
B1	907.500	1697.900	909.900	907.100	1690.800	909.900	908.100	1699.000	909.900	908.500
B1	1701.000	909.900	905.500	1701.200	909.900	906.100	1702.100	909.900	907.100	1703.800
B1	909.900	907.300	1703.900	909.900	907.100	1704.800	909.900	906.100	1705.000	909.900
[illegible]										
[illegible]										
[illegible]										
G8	903.300	1697.000	903.500	1697.900	904.500	1696.800	903.500	1699.000	915.500	1701.000
G1	904.500	1701.200	903.500	1702.100	903.300	1703.000	913.500	1705.900	904.900	1704.000
[illegible]										
[illegible]										

U/S FACE ESTATE ROAD CROSS SECTION 2C

[illegible]										
X3	10.000	910.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X5	1.000	911.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
N5	6.000	0.000	1666.000	10.000	1695.700	1.000	1705.000	0.000	1711.000	10.000
[illegible]										
[illegible]										

U/S ESTATE ROADVE CROSS SECTION 3C

[illegible]										
X1	28.000	26.000	0.000	0.000	0.000	0.000	0.000	909.920	909.900	0.000
X1	923.000	1904.300	915.000	1705.000	909.900	911.000	1304.000	910.500	1905.000	909.900
[illegible]										
G1	906.900	1695.000	909.900	1696.000	909.900	1695.000	909.000	1700.000	909.000	1705.000
G1	906.100	1712.000	908.900	1718.000	911.000	1750.000	911.000	1868.000	920.000	1893.900
N1	6.000	0.000	1666.000	10.000	1693.300	0.000	1707.000	0.000	1711.000	10.000
[illegible]										
[illegible]										

U/S DAY 90 FT U/S ESTATE ROAD CROSS SECTION 3C

[illegible]										
G1	920.000	1704.300	915.000	1707.000	911.900	1704.000	911.000	1500.000	910.500	1666.700
G1	909.000	1695.000	909.700	1693.000	909.700	1700.000	905.700	1707.000	909.200	1711.000
G8	911.000	1704.000	911.000	1705.000	920.000	1694.000	0.000	0.000	0.000	0.000
ST	0.000	0.100	0.000	0.000	0.000	0.000	1600.000	1800.000	0.000	0.000

TOP 27 SA CROSS SECTION 3C

X2	0.000	0.000	0.000	904.700	909.000	0.000	0.000	0.000	0.000	0.000
N1	6.000	0.000	1666.000	10.000	1693.300	0.000	1707.000	0.000	1711.000	10.000
[illegible]										
ST	0.000	0.000	0.000	0.000	0.000	0.000	1600.000	1800.000	0.000	0.000

[illegible] CROSS SECTION [illegible]

X1	19.400	13.000	1693.000	1707.000	2.000	2.300	2.300	0.300	0.000	0.000
X3	0.000	906.100	0.000	0.000	0.000	0.300	0.300	0.000	0.000	0.000
GR	920.000	1206.000	915.400	1207.000	911.100	1336.300	911.300	1506.000	910.500	1666.000
GR	909.500	1605.000	905.700	1593.000	904.700	1700.300	905.700	1707.000	909.500	1717.000
GR	911.000	1753.000	911.600	1787.000	920.000	1900.100	0.300	0.000	0.000	0.000
BT	0.000	1.000	1325.500	1.000	1334.500	10.000	1304.000	0.000	1586.000	0.000

100 FT D/S LYNWOOD DR. CROSS SECTION 3

X1	19.700	11.000	1325.500	1334.500	1.000	1.000	1.000	0.000	0.000	0.000
X3	920.000	1110.000	911.600	1111.000	911.000	1121.000	911.000	1212.000	911.900	1210.000
GR	910.000	1310.000	907.700	1304.500	909.000	1352.000	910.000	1334.500	910.100	1341.000
BT	911.000	1354.000	911.600	1476.000	911.600	1585.000	920.000	1584.000	0.000	0.000

X1	19.700	0.300	0.000	0.300	1.000	1.000	1.000	0.000	0.000	0.000
X3	13.000	907.000	0.000	0.000	0.000	0.000	0.000	911.400	911.400	0.000
GR	4.000	0.300	1325.500	0.000	1334.500	10.000	1304.000	0.000	1586.000	0.000

X1	19.900	25.000	1325.500	1334.500	1.000	1.000	1.000	0.000	0.000	0.000
X3	13.000	907.000	0.000	0.000	0.000	0.000	0.000	911.400	911.400	0.000
DT	23.000	1107.000	912.000	0.000	1130.000	912.000	0.300	1292.000	912.000	0.000
BT	911.400	903.500	1334.250	911.400	908.000	1334.500	911.400	907.000	1340.000	911.400
DT	0.000	1384.000	911.600	0.000	1476.000	912.000	0.300	1534.000	912.000	0.000

X1	20.000	0.000	0.000	0.000	40.000	40.000	40.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	10.000	906.500	0.000	0.000	0.000	0.000	0.000	911.400	911.400	0.000

X1	20.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	13.000	906.500	0.000	0.000	0.000	0.000	0.000	911.400	911.400	0.000
GR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 111-CO PRINTED BY ROYALTY LAMINATED FORMS DIVISION OF ... PRINTING CO.

TRACE	IDC	ITYDC	PWSEL	EGC	WSEL	WINC	WV	D1	D2	D3	DCASE
5110.	83.	2.	905.70120	539.70130	0.00	0.10	.05	2.50	0.07	0.00	7.00

TRACE	IDC	ITYDC	PWSEL	EGC	WSEL	WINC	WV	D1	D2	D3	DCASE
5310.	81.	4.	905.73002	709.71350	0.00	0.50	2.53	0.00	0.30	1.07	13.00

TRACE	IDC	ITYDC	PWSEL	EGC	WSEL	WINC	WV	D1	D2	D3	DCASE
5310.	80.	3.	540.74003	707.71361	1.00	0.50	0.25	0.00	0.30	3.00	8.00

TRACE	IDC	ITYDC	PWSEL	EGC	WSEL	WINC	WV	D1	D2	D3	DCASE
5310.	4.	4.	905.70120	539.70130	0.00	0.10	0.05	.05	2.50	0.07	7.00

FORM 1611 U PRINTED BY ROCKWELL MANIFOLD FORMS DIVISION OF TAFFAN PRINTING COMPANY-DETROIT

```
**********
   HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
   SERIAL COPY -  01
   MODIFICATION -  30.31.32
**********

   HIGH TAE CREEK TOWNSHIP FLOOD INSURANCE STUDY
   T4 FC-YEAR
   T5       FLOODS BROOK N.C.T.P.

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
                 5.        0.        0.    .0025002    1.00      1.10      0.        1.0.0     0.000

   12.0MFS    ITSOT     PRVS      XSECW     SKK       FKK       XLKK      XCI       BLKK      STRACE
    2.000     3.000    -1.200     0.300     0.300     0.300     1.000     3.000     0.000     0.000
```

FORM 1431-CD PRINTED BY ROY-RAY MANIFOLD FORMS DIVISION OF S. FRIEDMAN PRINTING COMPANY, INC.

```
**********
     FILE RELEASE DATED 10/ TO BE UPDATED FOR TYPE
     ERROR CODE = 01
     SPECIFICATION = 30.31.52
**********

     TITTLE SPEED TO.STEP FLOOD ROUTING STUDY
     T2 OF-YEAR
     T3       "LAKE OKEON M.C. TUP.


 J1  ICHECK    INC       NWW       IDER      STRT      METRIC    FWIMS     Q         MSEL      PC


           0.        0.        0.        0.  0.000000E+00        .00        0.        25.00     0.0000

    SPECP     TPLOT     DTPUB     NESSV     TIDE      TS        STOR      TSW       SPACE     SPACE

    3.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

FORM 121-1/20 PRINTED IN U.S.A. HAMILTON STANDARD DIVISION OF UNITED AIRCRAFT CORPORATION





FORM 1611 U PRINTED BY HOLLAY MANIFOLD FORMS DIVISION OF
SAFRAN PRINTING COMPANY-DETROIT
PRINTED IN U.S.A.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Battle Creek Twp

3) WATERCOURSE: Minges Brook

4) DOCUMENT TYPE: 100-yr Encroached

00BREAK00

"PRO" 2

SCFAC= 0.700 CFOR= 0.500

*SECNO 5.420
2300 UNT 01= 133.95 USEL= 855.65 SNC 01= 130.93 USEL= 845.75 RATIO= 0.0900
UNT 01= 137. RATIOS LOB,CH,NOS= 0.1577 0.3043 3.5276 HSEL= 865.75

SECNO	DEPTH	CHSE	CTLUS	WSELK	EG	HV	EL	CLOSS	BANK ELEV
2	3LOB	CCH	CTLUS	XLOB	VCH	AREA	WSEL	T.S	LEFT/RIGHT
*SEC	PLOB	WCH	XNCH	XRCH	QCH	VTP	E.G.S		
SLOPE	KLOB	KLCH	K_OF3	ATTACK	LOB	LOCAT	CONFG	TOPWID	E.G.A

3473 ENCROACHMENT STATIONS=		45.0	512.0	TYPE=	1	TARGET=		0.277	
5.62	5.67	368.77	2.00	865.39	866.29	2.33	1.72	0.00	865.07
540.	47.	532.	1.	59.	100.	2.	13.	3.	863.57
0.19	2.13	4.92	3.57	0.100	0.040	0.150	0.041	861.10	851.22
0.012279	450.	595.	450.	2	0	0	3.00	61.74	511.95

*SECNO 5.430
UNT 01= 115.62 USEL= 857.29 SNC 01= 115.63 USEL= 857.29 RATIO= 0.0300
UNT 01= 121. RATIOS LOB,CH,NOS= 0.1441 0.4511 3.0241 HSEL= 867.19

3470 ENCROACHMENT STATIONS= 456.8 511.1 TYPE= 4 TARGET= 0.049

5.50	5.50	857.30	0.70	862.04	862.20	0.61	1.51	0.12	862.70
150.	10.	150.	1.	65.	102.	0.	15.	1.	864.76
2.33	1.36	6.35	0.42	0.157	0.047	0.100	0.041	831.80	456.30
0.012043	450.	595.	450.	2	3	1	0.00	58.28	511.00

*SECNO 5.440
UNT 01= 21.07 USEL= 863.71 SNC 01= 121.07 HSEL= 863.83 RATIO= 0.0030
UNT 01= 127. RATIOS LOB,CH,NOS= 0.0583 0.2524 0.1753 HSEL= 868.32

3473 ENCROACHMENT STATIONS= 463.0 536.3 TYPE= 4 TARGET= 0.356

6.30	5.20	863.99	1.00	864.70	865.22	0.33	1.62	0.01	866.50
630.	27.	508.	101.	19.	104.	00.	17.	6.	866.50
0.26	1.10	3.10	1.25	0.100	0.040	0.150	0.041	863.60	482.95
0.508730	450.	595.	450.	2	0	0	3.00	71.35	534.31

*SECNO 5.500
UNT 01= 127.96 USEL= 869.59 SNC 01= 127.96 USEL= 869.69 RATIO= 0.0000
UNT 01= 135. RATIOS LOB,CH,NOS= 0.0696 0.7476 0.1869 HSEL= 869.69

3470 ENCROACHMENT STATIONS= 456.7 TYPE= 4 TARGET= 0.353

6.61	5.10	859.70	0.00	861.69	862.99	0.29	2.77	0.00	867.20
180.	24.	497.	07.	25.	152.	00.	11.	5.	867.20
0.20	1.01	4.97	1.27	0.100	0.040	0.100	0.041	864.30	458.71
0.002408	300.	300.	300.	2	0	0	3.00	76.01	536.72

*SECNO 5.510 CHNG 0.500
*SECNO 5.700

3470 ENCROACHMENT STATIONS= 701.0 756.0 TYPE= 1 TARGET= 41.000

5.30	5.30	870.34	0.00	871.46	870.95	0.39	1.88	0.05	869.50
0.00	300.	325.	300.	2	0	0	0.00	61.00	342.00

FROM 1401-07 PRINTED BY PORTRAN WATFOLD FORMS DIVISION OF HEPPNER PRINTING COMPANY, HEPPNER, OREGON
PRINTED IN U.S.A.

*SECNO 6.750

SEC 0	DEPTH	CHSEL	CHORD	HSELK	SO	FW	TL	OLOSS	BANK ELEV
3.	0LC?	3SP	3?0B	3LSSB	3.1	?*0E	V?L.	TIA	LEFT/?I3?T
*1??	0LC3	W3P	6?0C	20L	?PC1	RMP	1?A	1L?11	38?A
0L?2	0L?.L	RLC?	3.0?5	?TTICL	3?.	330'?	C?3C5	11?03	6I.3ST

3?7?	5:C1?0?CH	0HT	3??YTC?PE=	??5.0	1.3.1	TYPE=	1	?*?1?3?I=	12.1?0		
	6.75	5.83	0?C.12	0.00	670.46	6?*.27	2.?5	0.16	0.58	1?5.30	
	55?.	06.	451.	73.	45.	5?.	35.	20.	1.	7?3.?3	
	0.30	2.57	2.C8	2.21	0.130	2.040	0.10?	0.0?1	?65.00	7?4.0?	
	2.0?0?20	0.	62.	50.	2	0	0	0.00	32.00	32?.02	

*SEC?O 6.?10

?30? HV CI?NGED ?0?E THAN 0?2N3

?0?	?:?1?3C?0?:?T	?T?TI?N?=	?.?.0	?:?.0	TYPE=	1	T?3?L =	20?.0?3

J?'1 C?:?:?0?' ?1?? (?3?0?C) ?0?=.?FFECT?VE?ELL?0= 871.10 CL?.?0= 871.?0

D/S FACE RIVERSIDE DR. CROSS SECTION 13

3.?0	5.??	870.??	0.00	870.?1	871.?5	2.?5	0.?0	0.??	3??.3.
?50.	0.	0?0.	0.	?.	52.	0.	20.	3.	161.?3
?.50	0.00	12.03	0.00	0.?10	?.040	0.?05	0.3?1	865.00	806.20
?.01?323	50.	50.	50.	3	0	0	0.00	10.60	816.8?

BRIDGE

Cm	CW	ZWPR	CDF0	RDLEN	BMC	BHP	BAREA	SS	ELCHU	ELCHD
	0.00	1.84	3.00	0.00	0.30	0.00	63.00	0.00	863.90	865.20

*SEC?O 7.0.0

?30? HV CHANGED MORE THAN ?V1?3

PRESSURE FLOW

ELPRS	ELWC	WI	?UBTA	CPR	MAREA	TRAPEZOID AREA	ELCO	ELTRD
873.04	872.35	0.00	0.	630.	651	58.	871.90	874.35

3???	0?:?T?:?M?NT	?T?TI?N?=	350.?	350.?	TYPE=	1	T?3?ET=	803.000

3??? 0V?R?ANK ?RE? ?SSI?NED NO-?FF ??I?E?CUR?= 874.50 EL?S?= 874.50

D/S FACE RIVERSIDE DR. CROSS SECTION 13

3.?0										
0?0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
0.000	0.00	8.85	0.00	0.?10	2.040	0.?05	0.3?1	865.10	806.20	

0.000859	99.	58.	59.	3	0	1	0.00	10.60	816.00

*SECNO 7.200

3331 IN CHANNEL FOR TRIBUTARY

3470 ENCROACHMENT STATIONS= 756.0 867.0 TYPE= 1 TARGET= 111.000

	U/S RIVERSIDE DR.				CROSS SECTION 7A				
7.20	2.37	872.61	0.00	873.36	873.65	0.04	0.04	0.33	866.70
653.	212.	219.	198.	274.	81.	23.	2.	5.	906.00
0.81	0.70	2.52	0.77	0.130	0.040	0.000	0.041	565.10	756.00
0.000316	50.	50.	50.	2	0	0	0.00	111.00	867.00

*SECNO 7.900

2300 INT 01= 159.84 .SEL= 873.60 ENC 01= 159.86 HSEL= 873.70 RATIO= 0.0000

INT 01= 867. RATIOS .OF.CH.TOB= 0.3446 0.5156 0.1110 .SEL= 873.70

3470 ENCROACHMENT STATIONS= 344.7 829.3 TYPE= 4 TARGET= 0.042

	D/S DAM D/S RIVERSIDE DR.				CROSS SECTION 12A				
7.90	2.16	873.66	0.00	873.60	873.82	0.16	0.33	0.04	869.50
0.7	1.48	4.17	1.76	2.010	0.043	0.000	2.041	565.57	844.41
0.011546	550.	930.	593.	2	2	0	0.20	85.15	829.36

*SECNO 8.000

INT 01=	164.	OPTIONS LOB,CH,ROB=	0.3047	0.5243	0.1106	HSEL=	873.64		
SECNO	DEPTH	CPSEL	QWIN	USEL	CB	HP	PL	CLOSS	TOP LEFT/RIGHT
R	QLOB	QCH	QROB	XLOB	NCH	NROB	VSL	TOA	SETA
TIME	VLOB	VCH	VROB	XTL	XNCH	XNP	STN	ELMIN	ENDST
SLOPE	XLOBL	XLCH	XLOBT	ITRIAL	IP2	ICONT	CORAR	TOPWID	

3470 NORMAL PRINTED, VOB= 0 MIN ELTRD= 859.20 MAX ELLC= 866.30

3470 ENCROACHMENT STATIONS= 357.2 829.3 TYPE= 4 TARGET= 0.060

	TOP OF DAM				CROSS SECTION 12A				
0.00	6.09	873.59	0.00	873.54	873.85	0.29	0.30	0.28	869.30
630.	221.	304.	65.	153.	64.	36.	26.	7.	869.00
0.81	1.42	3.57	1.90	2.040	2.042	0.000	2.041	565.10	847.33
0.000165	2.	2.	2.	2	2	0	415.90	82.73	829.36

*SECNO 8.100

3470 INT 01= 54.75 .SEL= 873.61 ENC 01= 149.75 HSEL= 873.71 RATIO= 0.0000

3470 ENCROACHMENT STATIONS= 544.7 829.3 TYPE= 4 TARGET= 0.056

8.13	5.96	673.66	0.00	673.67	673.64	0.20	0.00	0.01	869.05
630.	264.	315.	71.	167.	66.	35.	26.	7.	367.70
0.37	1.52	4.30	1.85	0.030	1.040	3.080	0.044	867.70	544.45
1.001792	2.	3.	2.	2	0	0	3.07	64.72	529.17

*SECNO 3.300
2300 XAT 01= 215.58 WSEL= 874.10 ENC 01= 215.58 WSEL= 874.20 RATIO= 0.3000
XAT 01= 326. RATIOS LOB,CH,ROB= 0.2971 0.5972 0.0357 WSEL= 874.20

3470 ENCROACHMENT STATIONS= 532.3 628.2 TYPE= 4 TARGET= 1.097

VALLEY SECTION — CROSS SECTION 12

8.30	5.67	874.17	0.00	874.10	874.39	0.13	0.42	0.01	870.39
630.	188.	252.	14.	167.	139.	11.	29.	7.	363.50
0.40	1.83	5.27	1.27	0.030	1.040	3.080	0.044	865.39	542.27
0.000961	360.	347.	300.	2	0	0	1.03	59.93	529.61

*SECNO 3.310
2300 XAT 01= 123.14 WSEL= 874.56 ENC 01= 123.14 WSEL= 874.66 RATIO= 0.3000
XAT 01= 30. RATIOS LOB,CH,ROB= 0.1337 0.8163 0.0500 WSEL= 875.02

3470 ENCROACHMENT STATIONS= 564.9 627.5 TYPE= 4 TARGET= 1.031

8.31	5.52	874.62	0.00	874.56	874.96	0.34	0.60	0.56	871.90
630.	98.	342.	6.	59.	109.	6.	31.	3.	872.10
0.43	1.39	4.99	1.04	0.030	1.040	3.080	0.044	870.10	564.87
0.000317	360.	441.	350.	1	1	1	0.01	64.81	527.17

*SECNO 3.320
2300 XAT 01= 102.87 WSEL= 875.82 ENC 01= 102.87 WSEL= 875.92 RATIO= 1.0000
XAT 01= 109. RATIOS LOB,CH,ROB= 0.1185 0.8479 0.0336 WSEL= 875.92

3470 ENCROACHMENT STATIONS= 574.9 627.2 TYPE= 4 TARGET= 0.052

8.32	4.32	875.92	0.00	875.82	876.36	0.44	.27	2.03	873.57
630.	57.	566.	5.	39.	101.	5.	32.	6.	874.70
0.45	1.59	5.60	1.11	0.030	0.340	0.300	0.04	871.72	574.87
2.003759	360.	445.	350.	2	0	0	0.00	52.37	627.26

*SECNO 3.330
2300 XAT 01= 103.33 WSEL= 877.44 ENC 01= 103.33 WSEL= 877.54 RATIO= 0.3000
XAT 01= 108. RATIOS LOB,CH,ROB= 0.1199 0.8465 0.0336 WSEL= 877.54

BRANCH	DEPTH	ONSEL	CRIOS	WSELK	FRG	AV	AL	CLOSS	BANK ELEV
	XLOB	XC	XRCH	XLOB	ACT	QMIN	VOL	LEFT/RIGHT	
TIME	WLOB	VCH	VROB	XTL	ENCL	ENR	STN	CL*LA	SF
SLOPE	XLOBL	XLCH	XLOBR	STRIPL	DH2	ICONT	CONVR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 575.3 627.1 TYPE= 4 TARGET= 1.055

8.33	4.25	877.53	0.00	877.44	877.68	2.44	1.62	0.30	875.10
617.	69.	304.	4.	39.	101.	4.	34.	6.	873.30
0.47	1.63	5.93	1.17	0.030	0.340	0.300	0.04	871.30	582.05
0.003588	360.	445.	350.	1	1	1	0.00	54.79	627.26

*SECNO 3.340
2300 XAT 01= 79.98 WSEL= 879.08 ENC 01= 79.98 WSEL= 879.18 RATIO= 0.3000

3470 ENCROACHMENT STATIONS= 620.9 626.8 TYPE= 4 TARGET= 0.058

VALLEY SECTION CROSS SECTION 11

2.40	4.51	379.51	0.00	879.38	883.87	0.56	2.05	0.04	875.50
350.	0.	541.	50.	0.	30.	39.	13.	3.	177.5
0.61	3.13	6.17	1.39	0.050	0.040	0.002	0.041	875.00	877.02
0.002863	350.	445.	130.	2	1	2	0.00	37.77	874.77

*SECNO 8.410

0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0000
0.00	0.	0.	0.	0.0000	0.0000	0.0000	0.000	0.00	

1ST EMBANKMENT STATIONS= 520.0 886.2 TYPE= 4 TAREA= 0.309

0.41	4.93	881.63	1.05	881.49	883.50	0.87	2.33	2.09	883.00
650.	0.	503.	47.	0.	75.	23.	36.	10.	630.00
0.37	0.00	7.70	1.12	0.000	0.000	0.000	0.00	877.51	877.51
0.000000	325.	367.	425.	3	0	0	0.00	44.13	667.93

*SECNO 8.900

2ND EMBANKMENT STATIONS= 431.3 620.0 TYPE= 1 TAREA= 219.000

D/S OF 2ND DAM D/S CAPITAL AVE. CROSS SECTION 100

1.00	5.74	883.72	2.00	884.92	885.87	2.16	1.50	0.07	881.50
0.	155.	397.	450.	0.	14.	210.	37.	20.	380.50
0.36	1.49	4.12	1.34	0.030	0.040	0.060	0.061	880.00	444.55
0.002690	225.	300.	225.	1	0	0	0.00	149.70	594.06

*SECNO 9.000

BRIDGE,NO= 11 MIN ELTRC= 880.50 MAX ELLO= 883.00

TOP OF DAM

9.30	5.95	883.9	2.00	885.43	885.99	2.42	0.00	0.07	881.50
0.	45.	417.	170.	77.	67.	106.	57.	10.	383.50
0.34	1.24	6.19	1.11	0.080	0.020	0.083	0.041	880.00	445.50
0.001975	3.	2.	2.	2	0	0	-12.56	145.21	590.71

*SECNO 9.400

SECNO	BERTA	E.SEL	ERAOS	ESELO	EG	HV	SL	ELOSS	BANK ELEV
Q	SLOP	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XSCH	XNR	HTN	ELMIN	SSTA
SLOPE	K.C.	1.01	XLOBR	CTRSTL	TTP	TCOMP	ZCORXP	TOPTO	ELTRST

D/S OF DAM

0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.	937.	0.	0.	0.	0.	0.	0.	0.	0.00
0.00	1.00	0.00	0.00	0.000	0.000	0.000	0.000	0.00	0.00
0.000000	0.	0.	0.	0	0	0	0.00	0.00	0.00

*SECNO 9.900

D/S 18" DAM D/S CAPITAL AVE. CROSS SECTION 10A

9.95	5.29	883.85	0.17	889.02	889.14	0.15	0.13	0.10	892.30
630.	96.	333.	2.	147.	44.	2.	37.	15.	402.00
0.55	0.75	1.05	0.33	0.003	0.002	0.001	0.01	377.70	340.11
0.001.65	50.	125.	53.	1	1	0	0.20	173.65	515.72

*SECNO 9.950

*** CRITICAL DEPTH SECTION BELOW ELEV OF 877.70 ELEV= 878.70' ELEV= 879.35' DEPTH= 889.7

3370 NORMAL BRIDGE/CRD= 0 MIN ELTRD= 881.70 MAX ELLC= 877.70

TOP OF LAD

0.30	6.40	883.76	877.70	883.53	884.27	0.87	0.00	0.12	892.00
630.	122.	508.	2.	126.	75.	2.	37.	10.	882.00
0.56	0.97	6.73	0.78	0.000	0.020	0.000	0.01	377.70	345.91
0.002.30	2.	2.	2.	0	0	0	-0.70	173.30	51?.??

*SECNO 10.100

3370 NORMAL BRIDGE/CRD= 0 MIN ELTRD= 881.00 MAX ELLC= 880.30

D/S 18" DAM

10.10	3.51	884.11	0.00	884.10	884.31	0.20	0.01	0.04	980.60
630.	96.	284.	39.	199.	56.	22.	37.	10.	880.50
0.55	1.00	5.11	0.99	0.00	0.00	0.000	0.001	377.70	340.09
0.004.25	2.	2.	2.	4	0	0	-0.60	181.10	515.99

EQLV= 0.300 CRVV= 0.500

*SECNO 10.300

2ND E.SPEAC WEST STATIONS= 540.3 525.3 TYPE= 2 WIDTH= 75.000

TOP OF D/S CAPITAL AVE. CROSS SECTION 9

10.80	5.65	884.93	0.00	884.73	889.32	0.59	0.31	0.09	891.60
0.33	2.20	7.23	2.23	2.000	1.043	0.000	0.041	881.10	880.00
1.057.24	150.	69.	150.	3	3	0	0.00	55.72	910.72

*SECNO 10.350

SECNO	DEPTH	CHSEL	CHTRD	CHELB	LOB	ROB	TL	OLDSC	BANK ELEV
Q	ALOB	QC	ACH	ALOB	ACH	ARCH	VOL	TOB	LEFT/RIGHT
TIME	VLOB	VC	VCH	XLOB	XMC	XMR	FLTI	SETA	
SLOPE	ALOB	ALOB	ALOB	ALOB	ALOB	ALOB	ALOB	ALOB	ALOB

3370 BRIDGE/CRD= 0 MIN ELTRD= 881.0 TYPE= 1 WIDTH= 35.000

10.80	5.65	884.93	0.00	884.73	889.32	0.59	0.31	0.09	891.60
0.33	2.20	7.23	2.23	2.000	1.043	0.000	0.041	881.10	880.00
1.057.24	150.	69.	150.	3	3	0	0.00	55.72	910.72

FORM 161 USED PRINTED BY HOBBY MANIFOLD FORMS DIVISION OF RAFFRAY PRINTING COMPANY, DETROIT

*SECND 10.960

5301 IN STANDARD CODE TIME UNITS

5427 ENCROACHMENT STATIONS= 490.0 510.0 TYPE= 4 TARGET= 20.000

10.36	3.61	884.55	884.09	884.90	886.55	1.50	5.31	5.31	501.85
659.	0.	619.	0.	0.	67.	0.	38.	11.	881.85
0.36	1.34	11.2	.0	0.340	1.250	.01	.116	881.75	550.00
0.3140309	25.	25.	25.	4	6	0	0.00	12.00	550.00

*SECND 10.960

33 IN STANDARD NOTE TABLE TYPE

SECNO	DEPTH	FUSEL	CATUS	PCELK	EG	IP	IL	GLOBS	BANK FLEV
0	GLOB	QCU	CTOB	XLOB	ACL	AMOS	VOL	TOA	LEFT/RIGHT
TIPL	VLOP	WCP	WROM	XAL	ANGA	XNR	UPN	ELMI	SSTA
SLOPE	XLCHL	XLCH	XLOBR	TRIAL	IHS	ICONT	CORAR	TCPWSD	ENDST

3345 SLOPE CONVEYANCE METHOD

3720 CRITICAL DEPTH ASSUMED

3695 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 890.00 ELREA= 890.00

178 PAGE CAPACITY EXCEEDED. CROSS SECTION 2

10.90	4.17	885.57	885.97	885.57	887.67	2.09	0.44	0.25	881.40
635.	0.	630.	0.	0.	54.	0.	38.	11.	881.40
0.90	0.13	11.2	.0	0.340	.081	0.01	0.116	881.40	550.00
0.1206O3	25.	25.	25.	4	0	0	0.00	12.00	550.00

SPECIAL BRIDGE

EJ	KM	KPCT	SUPO	IPLIM	WMC	BHP	BAREA	SS	FLOL	ELCPD
	0.20	1.50	3.00	0.00	15.00	0.30	85.00	C.00	881.40	881.40

*SECND 11.000

3301 IN STANDARD CODE TIME UNITS

PRESSURE FLOW

EGRAS	EGLHC	IT	ENEIT	QPR	BAREA	TRAPEZOID	SLLC	ELTRD
889.03	887.67	0.30	0.	630.	69.	69.	885.40	892.20

3695 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 892.40 ELREA= 892.40

3720 CRITICAL DEPTH ASSUMED. CROSS SECTION 3

11.00	5.27	888.40	0.00	888.40	888.00	1.30	0.39	0.10	881.40
630.	0.	630.	0.	0.	5.	0.	38.	11.	881.40

3.55	0.53	9.15	0.00	0.080	0.040	0.000	0.361	801.40	537.00
0.013295	32.	32.	32.	4	0	0	0.00	0.00	590.00

*STA 3 12.800

3231 HP CHANGED TO BE TEAM 1993

3470 ENCROACHMENT STATIONING= 407.0 600.0 TYPE= 1 TARGET= 193.200

SECTION CAPITAL WAY. CROSS SECTION 5

11.20	6.80	788.20	0.00	808.26	808.45	0.17	0.14	6.54	881.60
630.	199.	373.	71.	161.	89.	53.	39.	11.	891.40
0.56	1.17	6.14	1.32	0.060	0.040	0.050	0.041	861.40	487.05
0.000511	90.	91.	91.	1	0	0	0.01	79.00	505.97

14.0.64 CARD USED
*SECND 11.210

SECND	DEPTH	CHSEL	CRIVS	MERLK	EG	SV	FL	OLOSS	CANK ELEV
T	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CLOPL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible] STATION= 40.0 [illegible] TYPE= 1 TARGET= 310.0

11.21	5.14	801.68	0.00	830.24	788.79	0.14	0.39	0.01	817.10
630.	307.	422.	3.	285.	50.	6.	43.	12.	827.50
0.59	1.55	3.68	0.50	0.052	0.040	0.000	0.051	893.50	512.56
0.001671	190.	290.	150.	2	0	0	0.00	180.40	690.97

*SECND 11.220

11.22	4.22	806.17	0.00	854.87	803.26	0.39	0.37	0.11	823.45
630.	221.	420.	0.	86.	89.	1.	41.	12.	840.45
0.62	2.56	5.96	0.52	0.048	0.040	0.000	0.041	884.69	516.53
0.000364	110.	190.	110.	2	0	0	0.00	170.28	684.81

*SECND 11.230

11.23	3.57	809.17	809.16	867.27	850.35	0.50	0.29	0.07	837.80
630.	199.	431.	0.	30.	63.	0.	41.	15.	859.60
0.60	1.97	6.33	0.35	0.043	0.040	0.000	0.041	885.00	517.75
0.000	100.	191.	11.	2	3	0	0.01	165.00	705.17

*SECND 11.240

11.24	4.06	791.31	790.89	891.01	891.91	0.50	1.14	0.02	890.75
630.	206.	424.	0.	63.	65.	0.	22.	13.	895.75
0.51	2.29	6.32	0.49	0.0	0.040	0.000	0.041	886.95	516.94
0.000486	190.	190.	190.	2	6	0	0.03	167.19	693.74

CONV= 0.300 CONV= 0.300

*SECND 11.250

[illegible]

7195 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

11.20	4.47	392.67	892.67	392.67	893.10	0.97	2.94	1.00	891.90
830.	137.	491.	3.	116.	76.	3.	42.	13.	894.90
0.21	1.18	5.51	0.01	0.030	0.040	0.030	0.041	892.21	1335.11
0.006537	110.	120.	100.	1	0	0	0.00	227.21	1564.72

>SECND 11.295

SECND	DEPTH	LOSS	CRMS	MSELK	EG	FW	FL	QLOSS	BANK ELEV
	SLOP	LCH	CROP	XLOB	K.I	FROP	VOL	T.S	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XL	XNCH	XNR	CPU	ELTR	SSTA
SLOPE	XLOSL	XLCH	XLOSR	ITRIAL	IN2	730.1	CCRAT	TOPWID	ENDST

7195 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

11.69	4.72	392.75	893.75	893.75	894.33	0.91	0.92	0.02	892.45
830.	122.	536.	2.	102.	76.	3.	42.	14.	895.00
0.52	1.10	6.77	0.80	0.030	1.040	0.022	0.041	890.35	1337.15
0.007454	100.	140.	100.	2	5	0	0.00	226.54	1565.59

>SECND 11.300

SECND	DEPTH	LOSS	CRMS	CRLK	EG	FW	FL	QLOSS	BANK ELEV
	SLOP	LCH	CROB	XLOB	ANCH	ANOB	VOL	TOPA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	SLTIN	SSTA
SLOPE	XLOSL	XLCH	XLOSR	ITRIAL	IN2	ICONT	CCRAT	TOPWID	ENDST

7195 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

VALLEY SECTION CROSS SECTION #

11.31	4.44	197.94	896.94	891.54	895.20	0.56	0.93	0.05	893.62
830.	129.	493.	2.	109.	76.	3.	43.	15.	897.20
0.63	1.16	6.50	0.81	0.060	0.040	0.030	0.041	890.50	1335.03
0.006895	110.	140.	100.	2	5	0	0.00	227.83	1563.96

>SECND 11.310

11.31	4.21	196.31	893.92	893.01	896.48	0.97	1.10	0.01	894.62
830.	144.	423.	3.	323.	77.	4.	44.	16.	895.20
0.64	1.12	6.25	0.79	0.060	0.040	0.030	0.041	889.53	1334.05
0.006118	110.	140.	110.	5	5	0	0.00	230.67	1564.73

>SECND 11.320

3470 ENCROACHMENT STATION=			1410.0	1570.0	TYPE=	1	TARGET=	1560.000	
11.32	4.46	896.96	896.83	894.96	897.50	0.55	1.50	0.02	895.60
830.	135.	544.	2.	95.	76.	3.	44.	16.	896.20
1.04	1.36	6.41	0.81	0.070	0.040	0.030	0.041	892.50	1410.03
0.006972	110.	140.	110.	4	14	0	1.00	154.16	1564.16

>SECND 11.900

3470 ENCROACHMENT STATION=			360.0	430.0	TYPE=	1	TARGET=	70.000	
11.90	9.57	897.97	0.00	892.97	898.68	0.51	0.90	0.00	896.40

530.	38.	302.	16.	24.	98.	13.	65.	16.	395.50
3.65	1.33	5.55	1.25	0.080	0.040	0.052	0.041	896.40	360.00
0.023547	119.	166.	90.	2	0	3	2.00	70.00	430.00

*SECTION 14.000

BRIDGE	DEPTH	LAREA	SLOPE	WIDTH	CP	HB	HL	FLOOD	DAM FLOW
0.	ELOB	PCH	UBOB	ELOB	ACH	ARCH	VOL	THR	LEFT/RIGHT
TIME	VLOB	WCH	VBOB	AUL	XNCH	XNI	WTN	ELMIN	STA
SLOPE	ELOBL	RLCH	VLOBB	ITRIAL	IHP	ICONV	CORAE	TOP.TO	EMBST

35°L MINIMAL BRIDGE,ERR= 0 TOP ELTRD= 396.90 MX ELLC= 894.40

[illegible] STA IDENT= 360.0 430.0 TYPE= 1 TARGET= 70.000

TOP OF BANK CROSS SECTION 73

12.00	4.68	890.00	0.00	898.00	896.50	0.42	0.21	2.01	395.40
630.	91.	503.	16.	27.	153.	15.	45.	16.	896.50
5.05	1.17	2.11	1.17	0.080	1.40	1.11	.78	891.60	360.05
0.007594	2.	2.	2.	2	0	0	-22.71	70.00	430.00

ASSUMC 12.100

[illegible] ELTRD= 396.90 MIN ELLC= 394.90

3470 ENCROACHMENT STATIONS= 360.0 430.0 TYPE= 1 TARGET= 70.000

U/S OF DAM CROSS SECTION 73

12.00	5.32	897.32	0.20	897.92	896.36	0.16	0.04	2.07	395.40
630.	91.	503.	16.	27.	84.	12.	45.	16.	896.50
0.33	1.65	0.33	2.54	0.080	0.040	0.050	0.041	894.40	360.05
0.308966	3.	2.	2.	2	0	0	-12.75	70.00	430.00

*SECTION 15.200
PIER WIDTH= 1.00 PSCL= 0.94 E'S CP= 0.74 HSCL= 1.00 RATIO= 0.0290
PIER WIDTHS LOB,CH,ROB= 0.0858 0.0660 0.0475 ASEL= 890.90

3470 ENCROACH BNT STATIONS= 366.7 423.5 TYPE= 4 TARGET= 0.043

12.00	5.91	899.19	0.00	899.19	898.13	0.97	0.45	0.00	0.00
477.	61.	375.	16.	37.	145.	16.	45.	16.	896.50
0.66	.29	0.57	1.01	0.080	0.040	0.000	0.744	893.40	360.05
0.004490	0.	365.	100.	4	4	0	0.00	70.00	430.00

*SECTION 15.900

3470 ENCROACH BNT STATIONS= 359.0 360.0 TYPE= 1 TARGET= 70.000

D/S 2ND BR U/S OF DAM CROSS SECTION 72

12.00	4.11	896.11	0.20	896.31	895.26	0.10	0.04	2.07	395.40
630.	91.	503.	16.	27.	84.	12.	45.	16.	896.50
0.33	1.65	0.33	2.54	0.080	0.040	0.050	0.041	894.40	360.05
0.308966	3.	2.	2.	2	0	0	-12.75	70.00	430.00

*SECND 13.000

3370 NORMAL DEPTH= 3 MIN ELTRD= 894.20 MAX ELEV= 895.80

3370 SUBCRITICAL FLOW STATIONS=	450.0	320.0	TYPE=	1	TARGET=	70.000

TOP OF DAM — CROSS SECTION 70

13.00	4.78	899.36	0.00	894.53	899.75	0.40	0.02	1.03	897.60
630.	50.	471.	126.	33.	65.	42.	44.	15.	897.10
0.07	2.62	6.71	3.57	0.000	0.240	1.000	1.041	894.63	250.50
0.013239	2.	3.	6.	6	0	0	-7.80	71.00	320.50

*SECND 13.100

SEC ID	B-FLG	DEPTH	CRIME	MODLR	Q	V	FR	ELEV	TOP WIDTH
	ALG	SSW	SAVE	ALSO	ACH	WPG	WSW	TRA	LEFT/RIGHT
ERR	WLG	WSP	WOE	YOZ	XWCH	WSF	WI	FLAIR	WS A
SLOPE	SLOBL	XLCH	XLNOR	IYTIAL	IH2	ZCOST	CONCR	TOPWID	ECOST

3370 SUB CRITICAL FLOW STATIONS= 0 MIN ELTRD= 894.20 MAX ELEV= 895.80

3055 20 TRIALS ATTEMPTED MSEL/CUSEL
3057 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3670 SUBCRITICAL FLOW STATIONS=	250.0	340.0	TYPE=	9	TARGET=	7.000

D/S 2ND DAM U/S CAPITAL AVE. — CROSS SECTION 72

11.10	3.60	899.20	899.20	899.23	901.05	0.85	0.03	0.14	897.90
630.	50.	473.	71.	21.	30.	37.	43.	15.	897.10
1.47	2.82	6.29	2.46	2.000	0.048	0.000	0.041	894.90	250.00
0.013567	2.	7.	2.	20	12	0	-7.80	70.50	320.00

*SECND 13.900

3371 TO CRITICAL NODE THAT LOCKS

D/S 3RD DAM U/S CAPITAL AVE. — CROSS SECTION 70

13.00	5.17	900.37	0.00	905.07	900.00	0.32	0.04	.03	898.10
630.	139.	54.	166.	74.	36.	92.	44.	17.	896.00
0.06	1.75	5.91	1.72	0.000	0.240	0.020	0.041	894.50	223.65
0.006663	120.	142.	120.	2	0	0	0.00	825.40	348.43

*SECND 50.000

3370 NORMAL DEPTH= 3 MIN ELTRD= 897.00 MAX ELEV= 898.60

TOP OF DAM — CROSS SECTION 73

12.30	4.20	900.00	0.00	900.76	901.20	00.35	0.01	0.00	898.00
63.	55.	307.	79.	75.	51.	91.	46.	17.	898.10
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

*SECTO 94.100

3370 NOTMAL DEPOSITION= 5 MIN ELTRD= 897.00 MAX ELEC= 898.30

U/S END TYP U/S CANYON WID=					CROSS SECTION 7:					
94.10	3.91	920.71	3.00	900.71	901.01	0.20	3.01	5.00	898.00
631.	144.	305.	170.	76.	54.	94.	46.	17.	893.00
0.50	1.00	6.00	1.00	0.040	1.040	0.040	0.041	896.80	234.68
1.015397	2.	2.	2.	0	0	0	-2.71	901.29	898.00

*SECTO 94.200

2000 NAT 01= 937.13 CSEL= 901.36 ENC 01= 137.13 CSEL= 901.45 RATIO= 0.0000

NAT 01= 133. RATIOS LOF,CH,TOB= 0.2557 0.4254 0.3189 CSEL= 901.45									
3470 ENCROACH TO= 234.9 336.9 TYPE= 6 TARGET= 0.150									
96.20	6.56	901.36	3.00	901.36	901.53	0.17	3.51	5.01	898.00
633.	152.	288.	191.	94.	63.	121.	57.	7.	893.00
0.69	1.60	4.56	1.56	0.040	0.040	0.000	0.041	896.80	234.68
0.000000	2.	2.	2.	2	0	0	-2.70	901.30	898.00

*SECTO 94.300

2000 NAT 01= 57.94 CSEL= 901.78 ENC 01= 64.25 SEL= 901.88 RATIO= -0.1291

INT 01= 64. RATIOS LOF,CH,TOB= 0.0100 1.0000 0.0000 MCEL= 901.80										
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	LOF	CH	HEIGHT	ELEV	BOT	ELEV	WL	TRA	DEPTH/ELEV	
TOB	LOB	LOB	WIDTH	ELEV	ENC	SLOP	UTS	ELEV	BOT	
SLOPE	XLOBL	XLOB	XLOBR	TRIAL	INC	ICONV	CONVR	TOPWID	ENDST	

3470 ENCROACHMENT STATIONS= 1160.0 1240.0 TYPE= 6 TARGET= 0.000

3483 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELEV= 905.00 ELREG= 905.00

BRI FLT FOOTBRIDGE					CROSS SECTION 7:					
1.00	5.05	901.05	0.20	900.73	900.94	0.40	0.54	0.77	901.20	
650.	0.	650.	0.	0.	125.	0.	46.	17.	901.70	
0.73	0.00	5.06	0.00	0.040	0.040	0.380	0.041	896.80	1160.30	
0.000396	150.	150.	150.	2	0	0	0.00	73.00	1240.00	

SPECIAL BRIDGE

SJ	XK	XKOA	CDFG	ADLEN	BPC	GP?	BARREA	SS	ELCHD	ELCHD
0.10	1.30	1.00	20.00	11.00	4.00		83.03	1.2	897.0	897.0

*SEC 0 73.000

PRESSURE RWY VEL=										
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ESKEW	WTCH	[illegible]	[illegible]	ORK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3470 ENCROACHMENT STATIONS= 1168.0 1246.0 TYPE= 4 TARGET= 0.000

3470 ENCROACHMENT STATIONS= [illegible] TYPE= [illegible] TARGET= [illegible]

U/S FACE FLOODWAY — CROSS SECTION 7A

15.00	6.05	903.65	0.00	903.62	903.74	0.09	1.50	0.00	901.20
655.	11.	52.	5.	11.	653.	1.	25.	93.	901.70
0.70	1.07	2.98	0.67	0.000	0.240	0.230	1.041	896.50	1168.30
0.000342	13.	13.	13.	2	2	0	0.00	71.53	1246.30

*RECHD 15.200

[illegible] 903.72 CRC CL= 175.5? WSEL= 902.82 [illegible] 0.000

PAT EL= 903. RATIOS LOB/CH/ROB= 0.1661 0.6653 0.2721 LOSS= 903.62

3470 ENCROACHMENT STATIONS= 1166.5 1245.9 TYPE= 4 TARGET= 1.042

VALLEY SECTION — CROSS SECTION 7

19.??	6.65	903.75	0.70	903.52	903.91	0.16	0.15	0.52	900.10
500.	31.	423.	155.	66.	316.	32.	59.	19.	902.??
2.72	1.34	2.06	1.29	0.000	0.063	0.000	0.001	897.10	1166.41
0.000372	140.	140.	140.	2	2	0	0.00	79.10	1245.91

*SECHD 15.500

3470 ENCROACHMENT STATIONS= 1167.5 1243.0 TYPE= 4 TARGET= 0.048

U/S ATT OR U/S CAPITAL AVE. — CROSS SECTION 8CS7

15.90	6.21	903.91	0.00	903.78	904.14	0.25	0.21	0.32	901.20
655.	74.	447.	109.	49.	101.	70.	69.	79.	901.00
0.73	1.49	4.45	1.43	0.000	0.040	0.000	0.141	897.70	1167.46
0.000342	125.	125.	125.	2	2	0	0.00	71.53	1243.31

*SECHD 16.000

2500 NAT EL= 176.01 WSEL= 903.71 ENC EL= 176.01 WSEL= 903.01 RATIO= 0.3000

CRIT EL= 185. RATIOS LOB/CH/ROB= 0.0936 0.7703 0.1357 WSEL= 903.61

3470 OVERTOPPING DISCHARGE= 0 MIN EL TRD= 899.55 MAX E.L.C= 897.70

3470 ENCROACHMENT STATIONS= 1170.2 1239.0 TYPE= 4 TARGET= 0.051

TOP OF BANK — CROSS SECTION 8CS7

6.00	4.02	905.73	0.05	903.71	904.23	0.50	0.03	0.05	901.20
655.	11.	447.	109.	49.	101.	70.	69.	79.	901.00
0.73	1.49	4.45	1.43	0.000	0.040	0.000	0.141	897.70	1170.11
0.000342	125.	125.	125.	2	2	0	0.00	66.81	1239.00

SECNO	DEPTH	WSEL	ERRIS	WSEL	ES	HV	HL	FLOSS	BASE ELE

J	QLCB	SCH	QRCB	ALOE	ACH	ARCB	VOL	THA	LEFT/RIGHT
TIME	VLOB	WCH	VROB	ANL	XICH	XAR	QTH	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHE	ICONT	CORAR	TOPWID	BNEST

0270 SUBREACH 0.1000 0.010 0.010 LTH= 100.00 RCH ELEV= 940.10

3470 SUBCATCHMENT STATIONS= 1166.5 1244.5 TYPE= 4 TARGET= 0.069

0/S 40TH VIEW APTS SUBSTA. 496. LOCAL SELECTION 0067

0.70	0.35	904.04	0.00	905.93	904.26	0.22	0.30	0.05	901.20
670.	62.	401.	137.	54.	30.	14.	49.	19.	901.00
0.73	1.70	4.54	1.64	0.090	0.043	0.030	0.041	897.70	1156.47
0.003268	2.	2.	2.	2	1	1	-15.30	70.0	1256.20

*SECOND 16,600.

3470 SUBCATCHMENT STATIONS= 403.0 1184.0 TYPE= 1 TARGET= 771.200

0.70	2.00	905.30	0.00	907.74	906.79	1.82	2.54	1.05	903.60
670.	62.	401.	137.	80.	117.	19.	70.	19.	903.90
0.73	1.79	6.32	1.65	0.060	0.040	0.075	0.063	897.30	908.64
0.003140	200.	220.	200.	2	0	1	5.03	95.14	1095.05

*SEC 0 10.750

0.70	0.54	905.06	0.00	907.85	905.42	0.39	0.51	0.08	903.50
671.	13.	402.	3.	16.	121.	5.	44.	19.	904.10
0.75	0.50	5.05	0.66	0.060	0.040	0.060	0.061	890.50	1069.55
0.003614	200.	220.	200.	2	0	0	0.00	76.29	1085.94

SLOPE 0.300 CEPHE 0.500
SECOND 0.300

10SFT S/S RIDGES ST. CROSS SECTION 6

0.70	0.35	904.66	0.00	907.45	906.30	0.42	0.52	1.09	903.30
671.	5.	630.	3.	11.	115.	3.	42.	19.	905.10
0.76	0.79	5.97	0.65	0.060	0.040	0.080	0.064	899.35	1019.36
0.004241	200.	220.	200.	2	0	0	0.00	69.03	1082.46

*SECOND 20.900

S/S WEST RIDGES ST. CROSS SECTION 5

16.90	0.70	906.20	0.00	908.19	906.81	0.62	0.93	0.09	901.10
630.	103.	401.	96.	52.	47.	48.	52.	19.	901.70
0.77	1.93	6.51	2.00	0.050	0.040	0.100	0.084	894.52	1080.44
0.006581	100.	100.	120.	2	1	0	0.00	82.54	1080.96

SPECIAL BRIDGE

0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.000	0.00
0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.000	0.00

SECOND 0.00 0.000
SECOND CENTR CHSEL CHORD PSSLK WB EX XL GLOSS BANK ELEV

1	BLOC	FCH	QBOB	ALOS	ACH	ABOB	VOL	SNA	LEFT/RIGHT
TIME	VLOS	VCH	VBOB	XML	XLOH	XNB	STN	ELMSY	ESTA
SLOPE	XLOOL	XLOH	XLOBF	ITERAL	IN2	ICONT	SORAB	YOPLID	EMBCT

DESIGNATE WHAT MEETS FLO.

ROPPS	EGLOC	HS	QUFIR	GPT	BAREA	TRAPEZOID AREA	ELLC	ELTRD
0.00	910.27	0.0	255.	371.	21.	21.	905.00	910.00

W/S FROM PINCES ST. CROSS SECTION 506

12.1	10.05	911.51	0.70	911.06	911.83	0.7	3.0	0.13	905.11
635.	204.	337.	85.	450.	95.	134.	58.	15.	905.50
0.37	0.52	4.21	0.20	0.015	0.345	0.270	0.041	902.10	910.53
0.000087	76.	46.	46.	2	2	6	0.50	907.55	1150.22

CO'd= 1.120 S Inf= 0.500
ACESMO 27.530
ZERO VLY 'S 173.15 PSELS= 911.51 ESC 01= 927.43 NSEL= 911.91 RATIO= 0.0010
DAT 01= 935. RATIOS LOB,CH,ROB= 0.2942 0.6230 0.2755 NSEL= 911.55

BACK ENCROACHMENT STATIONS= 940.3 1154.6 TYPE= 4 TARGET= 0.020

W/S 1ST BAU W/S HIGHS CT. CROSS SECTION 42

17.90	9.76	911.86	0.00	911.36	911.87	0.01	0.02	0.02	905.00
630.	100.	201.	169.	455.	243.	431.	55.	20.	904.70
0.32	0.40	1.16	0.39	0.030	0.040	0.000	0.041	902.10	940.34
0.000037	128.	121.	123.	2	2	0	0.00	2 0.25	1154.60

SECND 90.300
2000 VAT 01= 1044.67 NSEL= 911.85 ESC 01= 1044.67 NSEL= 911.95 RATIO= 0.0000
MAT 01= 1073. RATIOS LOB,CH,ROB= 0.2965 0.5224 0.2310 NSEL= 911.55

SOFT MATERIAL DEPOSITED= 0 MIN ELEND= 906.10 MAX ELLC= 902.10

BACK ENCROACHMENT STATIONS= 942.6 1153.1 TYPE= 4 TARGET= 0.027

TOP OF CUT CROSS SECTION 41

16.30	9.75	911.05	0.001	911.65	911.87	0.03	0.00	0.10	905.30
93.	50.	140.	140.	445.	199.	427.	58.	20.	904.70
0.82	0.33	1.71	0.33	0.060	0.020	0.080	0.041	902.10	942.64
0.000030	2.	2.	2.	4	0	0	463.40	210.44	1153.07

SECND 13.100
2000 VAT 01= 1044.67 NSEL= 911.85 ESC 01= 1044.67 NSEL= 911.95 RATIO= 0.0000
MAT 01= 1077. RATIOS LOB,CH,ROB= 0.3344 0.3551 0.3129 NSEL= 911.55

SOFT MATERIAL DEPOSITED= 0 MIN ELEND= 904.10 MAX ELLC= 902.10

W/S 1ST BAU W/S MINSES ST. CROSS SECTION 49

10.10	8.76	911.06	0.00	911.66	911.07	0.01	0.00	0.00	905.00
930.	206.	232.	198.	464.	199.	490.	55.	20.	906.70
0.52	0.49	1.16	0.45	0.062	0.360	0.130	0.041	902.13	940.85
0.000303	2.	2.	2.		1	0	-49.90	275.4	1154.2

*SECTO 10.200
2001 LAT 01= 429.53 LSEL= 911.93 E.C 01= 429.53 MSEL= 912.03 RATIO= 0.0050
MAT 01= 469. RATIOS LOW,CH,HOR= 0.3560 0.3550 0.2597 LSEL= 912.03

3473 ENCROACHMENT STATIONS= 1702.9 1810.4 TYPE= 4 TARGET= 0.743

VALLEY SECTION CROSS SECTION 4

10.25	7.02	911.95	0.00	911.93	911.96	0.03	0.08	0.00	907.68
630.	417.	297.	196.	336.	115.	210.	64.	25.	907.50
0.53	1.49	1.90	0.80	0.060	0.340	0.170	0.043	903.11	1762.85
0.000233	1.0.	630.	615.	2	0	0	0.00	217.25	1360.1

1490 BR CARD USED
*SECTO 10.200
2100 LAT 01= 912.62 LSEL= 912.17 E.C 01= 297.62 MSEL= 912.27 RATIO= 0.3000
MAT 01= 317. RATIOS LOW,CH,HOR= 0.3002 0.4620 0.2305 LSEL= 912.27

SECNO	DEPTH	C.SEL	CRIDS	.SELK	EE	HV	AL	CLOSS	HP/R ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	WOL	TOP	LEFT/RIGHT
TIES	VLOB	VCH	VROB	XNL	XSSH	XAR	PTN	ELMIN	SSTA
0.000	910.0	0.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3470 ENCROACHMENT STATIONS= 1409.6 1810.8 TYPE= 4 TARGET= 0.061

10.72	8.56	912.19	0.00	911.17	912.31	0.12	0.33	0.02	902.50
650.	192.	324.	134.	497.	84.	258.	97.	31.	903.50
1.13	0.38	3.87	0.57	0.130	0.035	0.121	0.041	903.80	1409.35
0.000469	1310.	1010.	901C.	2	0	0	0.00	407.42	1810.78

*SECTO 10.000
2300 LAT 01= 905.42 LSEL= 912.32 ENC 01= 303.42 RSEL= 912.34 RATIO= 0.0000
MAT 01= 327. RATIOS LOW,CH,ROT= 0.3001 0.4503 0.2496 LSEL= 912.32

3470 ENCROACHMENT STATIONS= 1409.6 1810.8 TYPE= 4 TARGET= 0.000

LOSS RETURN ROAD CROSS SECTION 3C

10.80	8.45	912.25	0.00	912.22	912.36	0.11	0.05	0.00	903.93
630.	177.	310.	134.	460.	86.	242.	87.	32.	903.80
1.13	0.38	3.79	0.58	0.129	0.035	0.122	0.04	903.80	1409.42
0.000455	60.	90.	54.	2	0	0	0.00	405.79	1810.12

1490 BR CARD USED
*SECTO 10.200
2001 LAT 01= 911.93 LSEL= 911.93 E.C 01= 429.53 MSEL= 912.03 RATIO= 0.0050
MAT 01= 469. RATIOS LOW,CH,HOR= 0.3560 0.3550 0.2597 LSEL= 912.03

FORM FAIRFIELD PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF MARSH & McLENNAN

3470 ENCROACHMENT STATION= 1401.6 1825.6 TYPE= 4 TARGET= 0.096

D/S FACE ESTATE ROAD CROSS SECTION 3C

13.93	2.48	912.29	0.30	912.27	912.57	0.28	0.21	0.12	904.30
630.	521.	130.	102.	540.	46.	134.	69.	38.	505.30
1.14	0.78	1.06	0.35	1.053	0.020	0.142	0.041	903.50	1401.34
0.001528	1.	1.	1.	2	2	0	-143.55	427.60	1825.55

*SECNO 13.200
3200 MAT 01= 914.24 WSEL= 912.39 ENC 01= 401.24 WSEL= 912.34 RATIO= 0.0000
MAT 01= 250. RATIOS LOB,CH,ROB= 0.5466 0.2156 0.2367 WSEL= 912.44

3370 NORMAL BRIDGE,LOB= 25 MIN ELTRD= 909.90 MAX ELLO= 907.30

3470 ENCROACHMENT STATIONS= 1350.8 1693.2 TYPE= 4 TARGET= 0.533

D/S FACE ESTATE ROAD CROSS SECTION 3C

19.00	6.50	912.38	0.02	912.36	912.64	0.06	0.07	0.00	905.30
630.	521.	133.	105.	520.	61.	300.	79.	42.	505.30
1.14	0.78	1.05	0.35	0.297	1.020	0.135	0.044	30[illegible].30	1350.01
0.001552	1.	1.	1.	2	0	1	-143.55	427.60	1825.55

1401 BR CARD USED
*SECNO 15.100
3200 MAT 01= 914.23 WSEL= 912.32 ENC 01= 364.70 WSEL= 912.43 RATIO= 0.0240
MAT 01= 525. RATIOS LOB,CH,ROB= 0.5469 0.4100 0.2435 WSEL= 912.42

3470 ENCROACHMENT STATIONS= 1402.4 1828.0 TYPE= 4 TARGET= 0.363

D/S ESTATE ROADWAY CROSS SECTION 3C

19.10	7.16	912.36	0.02	912.32	912.45	0.09	0.00	0.01	904.50
630.	253.	253.	142.	497.	79.	265.	39.	32.	904.50
1.14	0.41	0.90	0.54	0.123	0.035	0.122	0.041	904.50	1402.40
0.000460	1.	1.	1.	2	0	0	0.00	425.60	1828.00

1401 BR CARD USED
*SECNO 19.200
3200 MAT 01= 915.94 WSEL= 912.39 ENC 01= 295.94 WSEL= 912.45 RATIO= 0.0000
MAT 01= 317. RATIOS LOB,CH,ROB= 0.3083 0.5063 0.1854 WSEL= 912.45

SLOPE	XLOB	XLCH	XLOB	ITRIAL	IPZ	ICONT	CONST	TOPELO	ELOSS
*END	WLOB	YCH	YROB	XML	MANIC	XMR	TW	FLWTYP	SBTA
	ELOB	BCH	BROB	ALOB	ACH	AROB	WOL	TWA	LEFTYPSOHT
	ESP	SEL	PRES	WSEL	ES		WL	CLOSS	OPTE LE

3470 ENCROACHMENT STATIONS= 1401.0 1830.0 TYPE= 4 TARGET= 0.065

D/S BAR NO D/S ESTATE ROAD CROSS SECTION

19.20	7.59	912.39	0.00	912.35	912.49	0.10	0.04	0.00	905.70
630.	253.	253.	142.	497.	79.	265.	39.	32.	905.
1.14	0.41	0.90	0.54	0.111	0.025	0.100	0.041	905.70	1401.01
0.000463	1.	1.	1.	2	0	0	0.00	429.13	830.4

*SECNO 19.300

2300 MAT 01= 211.43 WSEL= 912.30 ENC 01= 211.43 JSEL= 912.48 RATIO= 0.0000
MAT 01= 237. RATIOS LOB,CH,ROB= 0.5236 0.3112 0.1652 WSEL= 912.48

3370 NORMAL ENCROACHMENT STATIONS= 0 MIN ELTRO= 901.00 MAX ELLO= 906.70

3470 ENCROACHMENT STATIONS= 1302.0 1534.0 TYPE= 4 TARGET= 0.053

TOP OF BANK CROSS SECTION 30

19.30	7.70	912.62	0.30	912.31	913.13	0.07	0.30	0.23	906.70
630.	367.	320.	53.	269.	92.	230.	97.	73.	905.70
1.15	0.50	3.50	0.32	0.109	0.035	3.133	0.041	906.70	1397.03
0.000937	2.	2.	2.	2	2	0	-35.00	436.56	1836.59

1490 IN CARD USED
ASSUMED 19.700
2300 MAT 01= 211.17 WSEL= 912.37 ENC 01= 220.17 JSEL= 912.47 RATIO= 0.0013
MAT 01= 249. RATIOS LOB,CH,ROB= 0.4126 0.4501 0.1373 WSEL= 912.47

3470 ENCROACHMENT STATIONS= 1397.3 1835.9 TYPE= 4 TARGET= 0.065

173 FT D/S OF ST./E ESTATE DR.) CROSS SECTION 3C

19.41	6.59	912.41	0.00	912.37	912.50	0.10	0.00	0.01	906.10
930.	251.	319.	59.	506.	68.	217.	91.	53.	906.10
1.15	0.50	3.50	0.32	0.109	0.035	3.133	0.041	906.10	1397.03
0.000	2.	2.	2.	2	2	0	0.00	436.56	1836.59

1490 IN CARD USED
ASSUMED 19.700
2300 MAT 01= 195.81 WSEL= 912.82 ENC 01= 195.81 JSEL= 912.92 RATIO= 0.0000
MAT 01= 242. RATIOS LOB,CH,ROB= 0.3997 0.3065 0.2937 WSEL= 912.92

3470 ENCROACHMENT STATIONS= 1138.7 1556.2 TYPE= 4 TARGET= 0.070

100 FT D/S LYNWOOD DR.) CROSS SECTION 3

19.70	8.30	912.92	0.00	912.82	913.12	0.12	0.51	0.01	907.10
630.	245.	254.	131.	216.	52.	955.	132.	89.	907.60
1.34	0.85	4.92	0.45	0.200	0.095	0.161	0.241	907.00	1138.36
0.001095	645.	645.	645.	1	0	4	0.00	427.50	1556.28

SECOND 7.30
2300 MAT 01= 215.42 WSEL= 912.94 ENC 01= 219.43 MSEL= 913.04 RATIO= 0.0013
MAT 01= 234. RATIOS LOB,CH,ROB= 0.4072 0.3134 0.2767 WSEL= 913.14

3470 ENCROACHMENT STATIONS= 1128.1 1550.8 TYPE= 4 TARGET= 0.090

375 LYNWOOD DR. CROSS SECTION 3

19.80	8.20	912.82	0.30	912.44	913.13	0.10	0.10	0.20	907.10
630.	245.	254.	131.	216.	52.	955.	132.	89.	907.60
1.34	0.85	4.92	0.45	0.200	0.095	0.161	0.241	907.00	1138.36
0.001095	645.	645.	645.	1	0	4	0.00	427.50	1556.28

2300 MAT 01= 195.81 WSEL= 912.82 ENC 01= 195.81 JSEL= 912.92 RATIO= 0.0000
MAT 01= 242. RATIOS LOB,CH,ROB= 0.3997 0.3065 0.2937 WSEL= 912.92

SECNO	DEPTH	CLSEL	CRWS	WSELK	E3	HV	HL	JLOSS	BANK ELEV
C	CLOB	QCH	QBCB	ALOB	PCH	ARCH	WPL	TRA	LEFT/RIGHT
TIME	WLOB	VCH	VRCH	RHL	XNCH	XNB	PTR	ELKIN	SSTA
SLOPE	XLOCL	PLCH	PLOBD	FTRZAL	312	TCOMT	CORAR	TOPWID	SNDST

3570 NUM NL BRIDGE/CULV= 23 MIN ELTRD= 911.45 MAX ELLC= 939.30

3470 ENCROACHMENT STATIONS= 737.6 915.5 TYPE= 1 TARGET= 0.000

U/S PASS XSECTION FR. CROSS SECTION 3

29.30	6.32	913.02	0.00	912.94	913.12	0.10	0.00	0.30	907.00
630.	274.	136.	220.	212.	27.	240.	136.	40.	907.00
1.26	1.29	4.17	0.79	0.000	0.021	0.291	0.291	907.00	1131.57
0.00[illegible]		1.	1.	0.	0	1	-133.01	409.02	1546.58

*SECNO 20.002
2300 LAT 01= 123.41 WSEL= 913.12 ENC 01= 125.41 WSEL= 913.22 RATIO= 0.0000

3270 NUMBER OF CROSSINGS= 23 TOP ELTRD= 911.45 MAX EL.C= 939.30

3470 ENCROACHMENT STATIONS= 1131.6 1552.5 TYPE= 4 TARGET= 0.113

U/S TRUE LAYOUT XS. CROSS SECTION 4

20.00	6.21	913.27	0.00	913.12	913.27	0.06	0.15	0.00	907.00
630.	282.	117.	231.	259.	26.	296.	104.	41.	907.00
1.26	1.11	4.12	0.76	0.000	0.020	0.117	0.041	907.00	1131.57
0.00[illegible]	63.	47.	43.	2	1	0	-133.01	420.[illegible]	1552.51

[illegible] NO CONFLUENCE
*SECNO 20.100
2810 LAT 01= 200.56 WSEL= 913.08 ENC 01= 200.56 WSEL= 913.15 RATIO= 0.0000

3270 NUMBER OF CROSSINGS= 2 TOP ELTRD= 911.45 MAX ELEV= 939.30

3470 ENCROACHMENT STATIONS= 1114.9 1547.3 TYPE= 4 TARGET= 0.141

U/S LYN-DOC DR. CROSS SECTION 5

21.10	6.[illegible]	913.17	0.00	913.06	913.23	0.11	0.00	0.12	914.00
630.	245.	251.	136.	282.	55.	342.	136.	47.	907.00
1.31	1.06	4.35	3.46	0.000	0.033	0.165	0.141	907.00	1134.21
0.00[illegible]	1.	1.	1	0	0	0	0.00	411.48	1547.76

FORM 141-DD PRINTED BY THEY MANIFOLD LOGICS, DIVISION OF RAFFKO INDUSTRIES, INC. DETROIT

PRODUCED BY CONVAIR DIVISION OF GENERAL DYNAMICS

[illegible]

[illegible]

[illegible]

SECTO	C.SEL	DIFKUS	ES	TOPHID	BLOC	NCY	PROB	PERENC	STEYCL	STCHL	STCHP	STEYCP
7.900	873.90	0.20	875.79	141.80	229.25	550.36	72.37	0.70	0.90	609.00	620.00	0.00
7.900	873.36	0.26	875.82	141.80	230.09	550.16	69.67	0.00	599.37	605.00	620.00	629.35
7.900	873.37	0.00	875.79	139.96	224.00	553.77	69.51	0.00	0.00	605.00	620.00	0.00
8.000	873.19	0.05	875.35	138.05	221.15	553.77	65.09	0.05	597.37	609.00	620.00	629.29
8.100	873.41	0.00	875.79	142.06	245.82	509.19	75.94	0.00	0.00	609.00	620.00	0.00
8.100	873.07	0.00	875.36	136.71	234.34	513.17	71.1	0.00	599.73	609.00	620.00	629.37
8.200	874.16	0.00	876.32	144.04	102.74	465.64	22.55	0.00	0.00	605.00	626.00	0.00
8.200	874.17	0.07	876.30	95.90	164.50	557.98	13.92	0.05	552.37	605.00	620.00	628.21
8.300	874.56	0.00	876.86	112.97	89.20	519.21	21.53	0.00	0.00	605.00	626.00	0.00
8.300	874.07	0.00	876.90	82.00	63.62	561.51	1.23	0.00	599.77	611.00	620.00	627.37
8.320	874.17	0.00	876.34	94.19	61.71	540.24	20.96	0.00	0.00	605.00	626.00	0.00
8.320	874.92	0.11	876.36	92.37	64.07	553.73	9.15	0.05	576.07	600.00	620.00	627.24
8.330	877.44	0.00	877.84	96.52	60.26	539.74	21.30	0.00	0.00	620.30	626.00	0.00
8.330	877.17	0.00	877.80	97.73	61.13	541.41	9.00	0.00	599.30	620.00	0.00	627.01
8.400	879..	1.00	879.91	60.65	0.34	579.13	101.51	0.00	0.00	620.30	646.0	0.00
8.400	879.59	0.13	881.07	56.77	0.30	590.36	89.14	0.00	620.00	620.30	644.00	674.77
8.410	881.49	0.00	882.31	83.31	1.36	594.07	74.37	0.00	0.00	620.30	646.00	0.00
8.410	881.1	0.00	882.57	84.91	1.41	592.95	2.00	0.00	599.00	620.00	646.00	674.10
8.900	883.32	0.00	885.29	147.07	122.24	552.34	114.52	0.00	0.00	620.30	646.00	0.00
8.900	883.72	0.00	885.87	149.70	124.63	547.08	156.20	219.30	401.00	490.00	515.00	625.00
9.000	883.43	0.30	885.84	141.90	93.06	422.64	114.32	0.00	0.00	490.00	516.00	0.00
9.000	883.31	0.32	885.83	141.21	92.13	423.36	0.00	0.00	0.00	490.00	516.00	0.00
9.100	883.77	0.00	885.92	151.21	125.54	544.07	160.36	0.00	0.00	490.30	515.00	0.00
9.100	883.24	0.07	885.98	153.49	126.06	539.68	165.47	0.00	0.00	490.00	516.00	0.00
9.900	883.95	0.00	884.09	177.46	119.96	507.96	2.00	0.00	0.00	485.30	515.00	0.00
9.900	883.94	0.00	884.14	176.83	125.17	502.66	2.00	0.00	0.00	485.00	515.00	0.00
10.000	883.58	0.00	884.25	149.49	110.75	517.91	1.95	0.00	0.00	485.00	515.00	0.00
10.000	883.70	0.00	884.27	172.28	142.32	5115.55	2.13	0.00	0.00	485.00	515.00	0.00
10.00	884.10	0.00	884.32	180.93	315.73	234.77	89.30	0.00	0.00	491.00	509.00	0.00
10.00	884.1	0.00	884.3	182.10	320.48	230.00	90.00	0.00	0.00	491.00	509.00	0.00
10.100	884.33	0.00	884.32	65.37	159.12	440.34	26.46	75.00	490.00	494.30	525.00	528.00
10.100	884.74	0.00	885.36	63.72	163.39	440.67	20.00	0.00	490.00	494.00	509.00	528.00
10.450	884.67	0.00	885.91	35.00	68.16	531.45	30.31	35.00	490.00	497.00	539.00	515.00
10.450	884.97	0.00	885.94	35.00	68.19	531.50	30.52	35.00	490.00	497.00	539.00	515.00
10.600	885.94	1.00	886.65	60.00	0.00	630.75	3.51	60.00	490.00	495.00	509.00	540.00
10.900	885.67	0.00	887.67	15.00	0.00	630.00	0.00	0.00	0.00	547.00	550.00	0.00

	SECND	CMDEL	DIFCHG	FS	TOPWID	GLOB	DGR	CROS	PCREMC	STENCL	STCFL	STCFR	STENCR
	11.000	886.70	0.10	893.00	13.50	0.30	430.30	0.30	1.00	0.00	537.00	550.00	0.00
	11.000	887.20	-0.50	893.00	13.50	0.30	430.30	1.00	1.00	0.00	537.00	550.00	0.00
	11.100	890.20	0.20	893.80	20.20	1.00.30	420.20	97.75	113.20	547.00	557.00	550.00	600.00
	11.200	889.20	-0.20	893.45	20.00	1.00.00	420.25	2.72	113.20	547.00	557.00	550.00	600.00
	11.210	888.67	0.30	893.75	130.41	304.06	322.45	3.69	0.00	0.00	662.00	682.00	0.00
	11.210	888.37	-0.00	893.75	131.00	304.06	322.45	3.69	0.00	0.00	662.00	682.00	0.00
	11.220	888.27	0.00	893.20	175.27	221.20	408.47	5.39	0.30	0.00	662.00	682.00	0.00
	11.220	888.07	-0.00	893.20	170.27	221.20	408.43	5.39	0.00	0.00	662.00	682.00	0.00
	11.230	889.77	0.00	890.35	165.41	193.91	431.05	1.04	0.00	0.00	660.00	678.00	0.00
	11.230	889.77	0.00	891.35	15.01	193.91	431.05	1.04	0.00	0.00	660.00	678.00	0.00
	11.240	891.01	0.00	891.31	167.11	205.91	425.07	3.13	0.00	0.00	658.00	678.00	0.00
	11.240	891.01	0.00	891.31	167.11	205.94	425.93	3.13	0.00	0.00	660.00	678.00	0.00
*	11.300	893.67	0.00	893.10	229.23	136.71	490.72	2.56	0.00	0.00	1533.00	1550.00	0.00
*	11.300	893.17	-0.50	893.10	229.23	136.71	490.72	2.56	0.00	0.00	1533.00	1550.00	0.00
*	11.290	895.75	0.20	894.35	226.56	122.14	503.47	2.14	0.00	0.00	1533.00	1550.00	0.00
*	11.290	895.75	-0.20	894.35	226.56	122.06	505.35	2.15	0.00	0.00	1533.00	1550.00	0.00
*	11.300	894.96	0.00	895.40	227.76	129.26	498.60	2.36	0.00	0.00	1533.00	1550.00	0.00
*	11.300	894.96	0.00	895.40	227.76	129.26	498.60	2.36	0.00	0.00	1533.00	1550.00	0.00
	11.310	896.01	0.00	896.40	230.70	144.06	482.64	2.91	0.00	0.00	1533.00	1550.00	0.00
	11.310	896.01	-0.00	896.40	230.67	144.40	482.79	2.90	0.00	0.00	1533.00	1550.00	0.00
	11.320	896.96	0.00	897.50	154.14	125.11	302.60	2.69	140.00	1410.00	1533.00	1554.00	1570.00
	11.320	896.96	0.00	897.50	154.14	125.11	302.60	2.69	140.00	1410.00	1533.00	1554.00	1570.00
	11.900	897.97	0.00	898.40	70.00	32.11	401.60	16.49	70.00	547.00	565.00	415.00	430.00
	11.900	897.97	-0.00	898.40	70.00	32.04	381.92	16.46	70.00	560.00	565.00	415.00	430.00
	12.000	898.00	0.00	898.50	70.00	30.70	503.17	16.04	70.00	560.00	565.00	415.00	430.00
	12.000	898.00	-0.00	898.50	70.00	30.73	503.21	16.01	70.00	560.00	565.00	415.00	430.00
	12.100	897.97	0.00	898.50	70.00	30.31	572.15	15.56	70.00	560.00	565.00	415.00	430.00
	12.100	897.97	-0.00	898.50	70.00	30.36	572.36	15.56	70.00	560.00	565.00	415.00	430.00
	12.200	898.30	0.00	899.00	112.07	30.79	561.10	28.05	0.00	0.00	565.00	415.00	0.00
	12.200	898.30	0.00	899.10	55.11	30.75	572.17	15.10	0.00	0.00	565.00	415.00	0.00
	12.900	898.94	0.00	899.64	70.00	9.62	564.09	46.29	70.00	560.00	570.00	290.00	320.00
	12.900	899.01	0.00	899.74	70.00	21.74	556.36	59.66	70.00	560.00	570.00	290.00	320.00
	13.000	899.33	0.00	899.74	70.00	59.38	447.08	123.06	70.00	560.00	570.00	290.00	320.00
	13.000	899.33	0.00	899.74	70.00	59.38	456.46	124.33	70.00	560.00	570.00	290.00	320.00
	13.100	899.30	0.00	900.00	70.00	57.36	492.51	89.35	70.00	560.00	570.00	290.00	320.00
	13.900	900.07	10.00	900.99	125.66	129.35	360.70	59.87	0.00	0.00	573.00	287.00	0.00

PRINTED BY CARY MANIFOLD INC., DIVISION OF BARNES GROUP INC., DETROIT, MICHIGAN

	9EONC	CASEL	DIFKNS	EG	TOFUID	GLOD	OCI	3TOS	PCPENC	STENCL	STCOL	STCPR	STENCP
	14.000	900.70	0.30	901.00	125.37	144.68	306.54	176.31	0.00	0.00	273.00	287.00	0.00
	14.100	900.71	0.30	901.01	125.29	143.60	306.57	177.64	0.00	0.00	273.00	287.00	0.00
	14.200	901.36	0.00	901.36	141.22	156.37	274.17	197.27	0.00	0.00	273.00	287.00	0.00
	14.300	901.71	1.00	902.71	76.30	0.00	530.00	0.00	0.00	0.00	1264.00	1280.30	0.00
	14.400	902.35	0.06	902.41	76.00	0.00	530.00	0.00	0.00	1258.30	1264.00	1280.00	1280.00
	14.500	903.62	0.00	903.71	76.00	0.00	530.00	0.00	0.00	0.00	1264.00	1280.00	0.00
	14.600	903.78	0.07	903.85	105.55	92.57	500.00	171.27	0.00	0.00	1264.00	1280.00	0.00
	14.700	903.79	0.05	903.91	79.10	63.54	624.01	124.05	0.00	1258.30	1264.00	1280.00	1280.00
	14.800	903.89	0.07	904.05	99.90	91.03	431.43	117.54	0.00	0.00	1264.00	1280.00	0.00
	14.900	903.93	0.07	904.10	79.55	78.72	467.10	133.13	0.00	1258.30	1264.00	1280.00	1280.00
	15.000	903.98	0.07	904.05	92.04	57.52	482.06	83.13	0.00	0.00	1258.30	1264.00	0.00
	15.100	903.93	0.00	904.19	101.35	99.45	396.22	144.39	0.00	0.00	1130.30	1210.00	0.00
	15.200	904.00	0.00	904.00	79.00	78.00	530.00	197.77	0.00	1258.30	1264.00	1280.00	1280.00
	15.300	904.47	0.00	904.47	92.61	2.27	530.11	0.44	0.00	0.00	1264.00	1280.00	0.00
	15.400	904.54	0.07	904.61	95.14	23.47	5?3.19	13.20	781.00	1603.00	1035.00	1065.00	1084.00
	15.500	905.00	0.00	905.40	74.93	11.84	613.01	3.15	0.00	0.00	1035.00	1065.00	0.00
	15.600	905.83	0.03	905.87	83.09	8.43	617.12	3.33	0.00	0.00	1035.00	1065.00	0.00
	15.700	905.86	0.04	905.90	89.09	9.51	617.53	3.45	0.00	0.00	1035.00	1065.00	0.00
	15.800	906.19	0.00	906.81	62.26	102.49	481.68	95.63	0.00	0.00	1045.30	1055.00	0.00
	15.900	906.43	0.00	906.81	62.54	102.73	481.43	95.81	0.00	0.00	1045.30	1055.00	0.00
	16.000	911.65	0.03	911.83	207.32	154.23	324.54	83.24	0.00	0.00	1045.30	1055.00	0.00
	16.100	911.66	0.00	911.85	207.03	154.29	324.48	83.03	0.00	0.00	1045.30	1055.00	0.00
	16.200	911.86	0.02	911.87	202.00	1163.29	273.99	172.23	0.00	0.00	1037.00	1065.00	0.00
	16.300	911.86	0.00	911.87	201.97	154.25	331.29	144.51	0.00	0.00	1037.00	1065.00	0.00
	16.400	911.83	0.03	911.87	210.44	149.00	339.93	140.26	0.03	942.00	1037.00	1065.00	1154.00
	16.500	911.84	0.00	911.87	201.99	209.24	224.67	198.08	0.00	0.00	1037.00	1065.00	0.00
	16.600	911.88	0.00	911.88	211.31	205.07	231.05	192.70	0.00	0.00	1037.00	1065.00	1154.00
	16.700	911.93	0.00	911.93	249.92	321.12	247.71	161.18	0.00	0.00	1035.00	1065.00	0.00
	16.800	912.17	0.00	912.24	516.76	477.23	306.72	143.03	0.00	0.00	1035.00	1065.00	0.00

SECND	SUBEL	DIFKUS	TR	TOPNID	GLOB	TCP	SROE	PERENC	STENCL	STCHL	STCHT	STENCR
18.000	912.32	0.30	912.32	546.49	438.31	306.29	166.20	0.00	0.00	1695.00	1705.00	0.00
18.100	912.33	0.00	912.33	505.71	410.37	317.03	156.20	0.17	1704.50	1695.00	1705.00	1516.12
18.200	912.37	0.00	912.52	490.70	342.30	282.91	115.73	0.00	0.00	1695.00	1705.00	0.00
18.300	912.39	0.02	912.57	427.00	347.63	166.67	107.50	0.00	1691.00	1695.00	1705.00	521.55
18.400	912.34	0.00	912.39	551.05	358.35	145.08	126.57	0.00	0.00	1695.00	1705.00	0.00
18.500	912.36	0.00	912.40	534.02	406.82	153.00	107.97	0.00	1691.00	1695.00	1705.00	531.15
18.600	912.38	0.00	912.4	582.01	280.09	271.11	93.47	0.00	0.00	1695.00	1705.00	0.00
18.700	912.38	0.00	912.43	625.02	205.43	252.51	104.44	0.00	1692.00	1695.00	1705.00	1024.11
18.800	912.35	0.00	912.44	554.17	227.77	333.40	74.79	0.00	0.00	1693.00	1707.00	0.00
18.900	912.35	0.00	912.47	529.13	270.97	250.31	91.7	0.00	1691.00	1695.00	1707.00	1030.11
19.000	912.31	0.00	912.33	556.17	325.27	200.47	100.36	0.00	0.00	1691.00	1707.00	0.00
19.100	912.43	0.00	912.50	436.64	320.90	220.40	82.36	0.00	1697.00	1695.00	1707.00	1035.61
19.200	912.37	0.00	912.40	535.39	251.20	206.16	82.65	0.00	0.00	1693.00	1707.00	0.00
19.300	912.41	0.00	912.40	536.39	251.11	209.71	85.1	0.00	1697.00	1695.00	1707.00	1032.92
19.400	912.40	0.00	912.42	482.30	307.31	272.71	155.06	0.00	0.00	1325.50	1334.50	0.00
19.500	912.40	0.00	912.42	427.55	264.47	234.51	151.23	0.00	1128.00	1325.50	1334.50	1333.21
19.600	912.94	0.00	913.04	402.32	252.62	209.92	167.57	0.00	0.00	1325.50	1334.50	0.00
19.700	912.00	0.00	912.02	482.24	279.57	181.61	227.29	0.00	0.00	1325.50	1334.50	0.00
19.800	913.02	0.00	913.14	509.02	273.96	135.9	270.14	0.13	1157.50	1325.50	1334.50	1340.32
19.900	913.12	0.00	913.14	482.28	283.04	110.01	236.93	0.00	0.00	1325.50	1334.50	0.00
20.000	913.09	0.00	913.17	482.24	282.17	111.9	236.04	0.00	0.00	1325.50	1334.50	1335.51
20.100	913.02	0.00	913.2.	482.27	284.35	242.93	163.67	0.10	0.00	1325.50	1334.50	0.00
20.200	913.09	0.00	913.30	511.85	283.04	251.23	155.7.	0.00	1158.00	1325.50	1334.50	1347.16

PRINTED BY LARRY MAY, GOLD COAST DIVISION OF RAPID COMPUTER CORP.

MIAGES BROOK D.C.T.P

SUMMARY PRINTOUT TABLE 150

SECTION	FLOW	ELTRB	ELBC	ELBCP	J	SPECIL	SPECIC	CD	VCRIT	VCL	FPCL	MOM
6.200	50.00	0.00	0.00	876.70	630.00	863.65	0.00	853.99	6.65	3.53	560.84	244.26
6.200	50.00	0.00	0.00	856.70	630.00	863.65	0.00	866.30	7.04	3.65	520.55	257.17
6.300	400.00	0.00	0.00	855.90	630.00	864.17	0.00	866.21	6.44	5.15	845.72	270.57
6.300	400.00	0.00	0.00	855.90	630.00	864.11	0.00	866.20	6.72	5.27	835.01	283.74
6.400	685.00	0.00	0.00	856.70	630.00	864.52	0.00	866.69	7.93	5.37	201.42	224.12
6.400	685.00	0.00	0.00	856.70	630.00	864.65	0.00	866.78	10.39	5.53	186.47	197.27
6.410	960.00	0.00	0.00	857.40	630.00	865.04	0.00	866.16	8.91	6.47	541.65	417.26
6.410	960.00	0.00	0.00	856.40	630.00	865.13	0.00	866.31	8.96	6.43	496.71	419.39
6.420	595.00	0.00	0.00	860.10	630.00	865.65	0.00	866.95	23.13	4.97	240.89	130.28
6.420	595.00	0.00	0.00	860.10	630.00	865.77	0.00	866.09	22.79	4.92	195.66	131.92
6.430	595.00	0.00	0.00	861.80	630.00	867.03	0.00	867.46	29.59	4.82	169.65	113.38
6.430	595.00	0.00	0.00	861.80	630.00	867.27	0.00	867.39	30.43	5.00	144.19	116.79
6.500	595.00	0.00	0.00	863.60	630.00	868.79	0.00	869.09	27.53	5.33	236.41	120.07
6.500	595.00	0.00	0.00	863.60	630.00	868.19	0.00	869.22	27.90	5.20	190.77	120.57
6.510	300.00	0.00	0.00	864.30	630.00	869.11	0.00	869.46	24.24	4.11	458.93	127.69
6.510	300.00	0.00	0.00	864.30	630.00	869.20	0.00	869.39	24.01	4.37	376.19	124.23
6.700	325.00	0.00	0.00	865.00	630.00	870.44	0.00	870.06	35.90	6.54	204.33	105.15
6.700	325.00	0.00	0.00	865.00	630.00	870.54	0.00	870.93	35.23	6.47	210.17	109.20
6.750	50.00	0.00	0.00	865.00	630.00	870.44	0.00	871.32	55.24	8.24	150.72	86.75
6.750	50.00	0.00	0.00	865.00	630.00	870.52	0.00	871.37	54.00	8.10	155.46	87.37
6.800	50.00	0.00	0.00	865.00	630.00	870.19	870.03	872.46	170.94	12.26	51.45	68.15
6.800	50.00	0.00	0.00	865.00	630.00	873.20	0.00	872.45	162.23	12.09	52.37	69.46
7.000	50.00	874.30	871.90	865.10	630.00	871.70	0.00	873.97	93.97	9.13	69.77	65.62
7.000	50.00	874.30	871.90	865.10	630.00	871.76	0.00	873.96	91.55	8.85	71.72	66.52
7.200	50.00	0.00	0.00	865.10	630.00	873.34	0.00	873.38	48.22	2.63	611.60	348.61
7.200	50.00	0.00	0.00	865.10	630.00	873.41	0.00	873.45	43.14	2.53	614.48	353.81
7.210	550.00	0.00	0.00	865.50	630.00	873.60	0.00	873.75	15.53	4.19	511.96	150.56
7.210	550.00	0.00	0.00	865.50	630.00	873.66	0.00	873.82	15.06	4.17	278.26	150.18
8.000	0.00	866.20	866.50	865.30	630.00	873.54	0.00	873.79	16.24	5.30	206.53	156.35
8.000	0.00	866.20	866.50	865.30	630.00	873.59	0.00	873.83	16.45	5.37	852.85	155.34
8.100	0.00	0.00	0.00	867.70	630.00	873.61	0.00	873.74	17.70	4.74	292.50	149.75
8.100	0.00	0.00	0.00	867.70	630.00	873.66	0.00	873.84	17.92	4.80	304.28	148.82
8.500	590.00	0.00	0.00	868.50	630.00	874.10	0.00	874.22	8.56	4.27	500.58	215.5
8.500	590.00	0.00	0.00	868.50	630.00	874.17	0.00	874.32	8.61	4.31	510.13	216.6
8.700	0.00	0.00	0.00	870.10	630.00	874.38	0.00	874.96	27.04	4.95	307.14	153.56

PRINTED BY PATENT MANIFOLD FORMS DIVISION OF SAFPAK PRINTING GOHMAN DETROIT

SECND	XLOH	ELTRD	ELLC	ELMIN	P	CMSEL	CMDUB	FG	TORQ	VCH	AREA	.01K
0.320	445.10	0.30	0.30	871.70	630.10	775.82	0.00	876.25	37.51	5.50	166.75	102.07
1.320	445.10	0.30	0.30	871.70	630.10	775.82	0.00	876.25	37.51	5.50	166.75	102.07
2.320	445.10	0.30	0.30	875.30	630.30	777.44	0.00	877.81	37.58	5.48	167.44	103.33
3.320	445.30	0.30	0.30	875.90	630.30	777.95	0.00	877.33	37.55	5.57	167.25	103.05
0.400	445.30	0.30	0.30	875.70	630.30	777.38	0.00	877.31	62.13	8.40	153.86	79.03
1.400	445.30	0.30	0.30	875.90	630.30	777.54	0.00	877.47	62.14	8.40	153.90	79.07
1.410	330.30	0.30	0.30	877.50	630.30	781.49	781.49	882.31	175.06	7.41	116.87	60.04
2.410	330.30	0.30	0.30	877.50	630.30	781.65	0.00	882.50	175.25	7.40	116.91	60.07
2.420	330.30	0.00	0.00	880.30	630.00	783.62	0.00	885.29	26.71	4.31	272.49	116.56
3.420	330.30	0.00	0.00	880.30	630.00	783.72	0.00	885.39	26.70	4.32	272.47	116.55
3.430	0.30	630.30	630.00	630.00	630.00	783.43	0.00	885.09	24.49	3.95	252.14	106.10
4.430	0.30	630.30	630.00	630.00	630.00	783.55	0.00	885.25	19.75	3.19	250.19	141.27
3.120	0.00	0.00	0.00	880.00	630.00	803.77	0.00	905.92	24.26	4.02	294.52	127.90
4.120	0.00	0.00	0.00	880.00	630.00	803.89	0.00	906.06	19.61	3.24	293.97	127.68
7.530	125.00	0.00	0.00	877.70	630.00	803.58	0.00	906.09	12.38	3.99	301.71	172.44
8.530	125.00	0.00	0.00	877.70	630.00	803.74	0.00	906.15	11.63	3.48	314.74	84.70
10.300	2.00	881.00	877.70	877.70	630.00	883.58	877.70	986.25	31.36	7.23	123.19	121.62
11.300	2.00	881.00	877.70	877.70	630.00	883.74	877.71	986.42	31.35	7.24	123.17	121.60
11.310	2.00	881.00	881.60	881.60	630.00	884.13	0.00	986.80	41.75	5.13	241.45	97.50
12.310	2.00	881.00	880.60	880.60	630.00	884.14	0.00	986.81	41.22	5.01	274.36	98.15
10.800	150.00	0.00	0.00	881.10	630.00	884.73	0.00	985.32	75.27	7.25	165.72	72.61
11.800	150.00	0.00	0.00	881.10	630.00	884.73	0.00	985.32	75.27	7.25	165.72	72.61
13.630	50.00	0.00	0.00	881.25	630.00	884.97	0.00	985.96	49.65	5.11	97.76	63.00
14.630	50.00	0.00	0.00	881.25	630.00	884.97	0.00	985.96	49.69	4.91	97.81	63.10
13.640	25.00	0.00	0.00	881.35	630.00	884.96	884.89	896.55	159.10	10.21	60.48	51.42
14.640	25.00	0.00	0.00	881.35	630.00	884.96	884.89	896.55	159.10	10.21	60.48	51.42
12.900	25.20	0.30	0.20	881.40	630.30	885.57	885.57	887.17	201.93	11.01	54.27	63.53
13.900	25.20	0.00	0.00	881.40	630.00	885.57	885.57	887.57	209.03	11.01	54.20	63.53
11.000	50.00	882.40	886.40	881.40	630.00	886.70	0.00	888.00	102.68	9.05	66.05	92.11
12.000	50.00	882.40	886.40	881.40	630.00	886.70	0.00	888.00	102.68	9.05	66.05	92.11
11.200	50.00	0.00	0.00	882.40	630.00	888.80	0.00	889.45	9.42	2.14	314.20	204.63
12.200	50.00	0.00	0.00	882.40	630.00	888.80	0.00	889.45	9.42	2.14	314.20	204.63
11.210	250.00	0.00	0.00	883.50	630.00	888.64	0.00	888.75	16.70	3.63	320.68	194.16
12.210	250.00	0.00	0.00	883.50	630.00	888.64	0.00	888.75	16.70	3.63	320.68	194.16
11.220	140.00	0.00	0.00	884.65	630.00	888.87	0.00	889.36	63.56	5.45	159.04	78.97
12.220	140.00	0.00	0.00	884.65	630.00	888.87	0.00	889.36	63.56	5.45	159.04	78.97
11.230	140.00	0.00	0.00	885.80	630.00	889.77	889.16	890.55	94.44	6.83	114.43	65.13
12.230	140.00	0.00	0.00	885.80	630.00	889.77	889.16	890.55	94.44	6.83	114.43	65.13

PRODUCED BY AN UNLICENSED DISTRIBUTOR OF SAE-ONLINE STANDARDS. FOR MORE INFO VISIT WWW.SAE.ORG

SECNO	X_CM	ELTRD	ELLC	ELMCH	Q	CHSEL	GRIMS	ZG	TORMS	VCH	AREA	.01K
11.240	140.20	0.20	0.00	396.95	630.00	699.01	693.69	391.51	91.95	6.52	127.69	69.59

SECNO	XLOC	ELTRO	ELLO	ELMIN	E	CUMFL	CUL.S	ES	TOPWS	VCI	AREA	.01K
19.200	140.00	0.00	0.00	897.10	630.00	913.72	0.00	928.87	12.07	3.72	294.08	175.62
19.100	125.00	0.00	0.00	897.10	630.00	913.75	0.00	928.91	11.73	3.50	292.00	170.07
19.000	125.00	0.00	0.00	897.10	630.00	913.78	0.00	928.96	11.70	3.52	291.01	241.05
18.900	25.00	0.00	0.00	897.70	630.00	903.99	0.00	928.00	20.00	4.55	228.45	138.51
18.800	2.00	899.50	897.70	897.70	630.00	903.71	0.00	926.76	12.81	5.06	214.53	176.01
18.700	2.00	899.50	897.70	897.70	630.00	903.74	0.00	926.83	11.02	5.56	19.57	183.61
18.600	2.00	899.50	896.70	897.70	630.00	903.77	0.00	926.19	24.90	4.44	244.16	126.24
18.500	2.00	899.50	896.70	897.70	630.00	904.04	0.00	926.20	25.66	4.54	228.45	128.51
18.400	220.00	0.00	0.00	897.50	630.00	904.44	0.00	926.73	23.49	4.43	179.61	129.58
18.300	220.00	0.00	0.00	897.50	630.00	904.47	0.00	926.77	23.97	4.54	183.22	136.27
18.200	220.00	0.00	0.00	897.50	630.00	904.51	0.00	926.81	38.39	5.17	147.52	107.43
18.100	220.00	0.00	0.00	898.50	630.00	905.04	0.00	926.82	35.14	5.13	138.19	100.37
18.000	220.00	0.00	0.00	898.50	630.00	905.83	0.00	926.25	62.86	3.39	151.24	96.24
17.900	220.00	0.00	0.00	898.50	630.00	905.86	0.00	926.29	62.91	3.37	151.73	96.23
17.800	100.00	0.00	0.00	899.50	630.00	906.19	0.00	926.81	43.27	2.15	154.1	95.23
17.700	100.00	0.00	0.00	899.50	630.00	906.20	0.00	926.81	43.51	2.51	157.07	95.91
17.600	66.00	911.00	905.50	901.60	630.00	911.66	0.00	911.82	10.98	4.21	575.10	170.14
17.500	22.00	911.00	905.50	901.60	630.00	911.66	0.00	911.82	10.97	4.21	575.10	170.14
17.400	22.00	0.00	0.00	902.10	630.00	911.66	0.00	911.82	0.37	1.14	1125.58	677.63
17.300	125.00	0.00	0.00	902.10	630.00	911.96	0.00	911.87	0.36	1.16	1125.96	684.65
17.200	2.00	904.10	902.10	902.10	630.00	911.85	0.00	911.87	0.36	1.16	1160.24	1044.67
17.100	2.00	904.10	902.10	902.10	630.00	911.86	0.00	911.87	0.36	1.16	1160.60	1045.31
17.000	2.00	904.10	902.10	902.10	630.00	911.86	0.00	911.87	0.37	1.16	1160.96	770.65
16.900	2.00	904.10	902.10	902.10	630.00	911.86	0.00	911.87	0.37	1.16	1161.32	769.99
16.800	660.00	3.00	0.00	904.11	630.00	911.95	0.00	911.95	2.15	1.93	452.00	489.55
16.700	572.00	3.00	0.00	905.11	630.00	911.95	0.00	911.95	2.15	1.91	783.16	714.96
16.600	1517.00	3.00	0.00	903.60	630.00	912.19	0.00	912.24	6.41	3.71	162.32	297.62
16.500	1210.00	3.00	0.00	903.60	630.00	912.19	0.00	912.24	6.47	3.71	780.56	244.63
16.400	990.00	0.00	0.00	903.60	630.00	912.22	0.00	912.32	4.25	3.60	804.65	305.42
16.300	990.00	0.00	0.00	903.60	630.00	912.22	0.00	912.32	4.25	3.60	805.01	305.42
16.200	1.00	905.90	904.20	904.60	630.00	912.27	0.00	912.33	13.25	3.33	795.14	178.78
16.100	1.00	905.90	904.20	904.60	630.00	912.27	0.00	912.34	13.25	3.30	795.50	178.77
16.000	40.00	909.90	907.50	908.65	630.00	912.34	0.00	912.38	12.08	3.43	791.88	181.24
15.900	40.00	909.90	907.50	908.65	630.00	912.34	0.00	912.38	12.08	3.43	792.24	181.24
15.800	1.00	0.00	0.00	904.50	630.00	912.32	0.00	912.42	4.37	3.65	952.03	304.78
15.700	87.00	0.00	0.00	904.70	630.00	912.35	0.00	912.44	4.58	3.55	895.64	295.94

SECNO	BLCK	ELTRO	ELLC	SLNOW	Q	CUSEL	CFINS	EG	TOK*S	VCH	AREA	.01K
10.300	2.00	900.00	904.70	904.70	630.00	912.48	0.00	912.65	0.86	3.37	462.22	211.43
10.200	2.00	900.00	904.70	904.70	630.00	912.48	0.00	912.65	0.86	3.37	462.22	211.43
10.100	2.00	0.00	0.00	902.10	630.00	912.37	0.00	912.49	5.41	3.37	186.90	277.17
10.000	2.00	0.00	0.00	902.10	630.00	912.41	0.00	912.50	5.82	3.50	811.30	251.06
11.720	415.00	0.00	0.00	907.00	630.00	912.62	0.00	912.93	10.39	6.30	719.04	195.81
11.620	415.00	0.00	0.00	907.00	630.00	912.64	0.00	912.94	10.93	6.32	720.26	200.00
10.130	90.00	0.00	0.00	907.00	630.00	912.44	0.00	913.03	8.53	4.01	772.03	215.45
10.030	90.00	0.00	0.00	907.00	630.00	913.02	0.00	913.12	6.83	4.11	739.47	241.99
10.930	1.00	911.40	909.00	907.00	630.00	912.94	0.00	913.03	39.20	4.49	922.89	100.63
10.830	1.00	911.40	909.00	907.00	630.00	913.04	0.00	913.12	41.11	4.61	923.73	99.26
20.030	45.00	911.40	909.00	907.00	630.00	913.19	0.00	913.31	24.07	4.06	671.11	139.41
20.030	45.00	911.40	909.00	907.00	630.00	913.21	0.00	913.27	24.05	5.12	379.49	126.50
20.000	1.00	0.00	0.00	907.00	630.00	913.70	0.00	913.23	9.07	4.44	721.11	200.55
20.000	1.00	0.00	0.00	907.00	630.00	913.77	0.00	913.30	11.06	4.62	721.12	199.37

FORM 1411-OD PRINTED BY ROTARY MANIFOLD FORMS, DIVISION OF SAFEGUARD BUSINESS SYSTEMS, INC.

MINGES BROOK S.C.TWP

SUMMARY PRINTOUT TABLE 150

STATION	Q	SHEAR	BED SHEAR	VELOCITY	FLOW WIDTH	FLOW AREA	WSEL
6.700	630.00	863.85	0.02	0.03	0.00	115.13	50.30
6.600	630.00	863.83	0.01	0.03	0.00	72.37	50.30
6.500	630.00	864.17	0.04	0.23	0.00	52.42	50.30
6.300	630.00	864.19	0.04	0.23	0.00	36.69	50.30
6.400	630.00	864.52	0.05	0.42	0.00	39.32	595.00
6.400	630.00	864.80	0.05	0.49	0.00	30.00	595.00
6.515	630.00	865.04	0.02	0.52	0.00	115.36	595.00
6.515	630.00	865.17	0.00	0.53	0.00	72.53	595.00
6.620	630.00	865.65	0.00	0.61	0.00	123.97	595.00
6.620	630.00	865.77	0.00	0.59	0.00	80.77	595.00
6.620	630.00	867.10	0.00	1.57	0.00	114.82	595.00
6.620	630.00	867.20	0.00	1.55	0.00	80.46	595.00
6.500	630.00	868.70	0.00	1.69	0.00	144.05	595.00
6.500	630.00	868.89	0.00	1.69	0.00	79.35	595.00
6.650	630.00	869.59	0.00	0.01	0.00	120.73	595.00
6.650	630.00	869.70	0.00	0.01	0.00	79.01	595.00
6.700	630.00	870.44	0.00	0.85	0.00	61.00	325.00
6.700	630.00	870.54	0.00	0.86	0.00	61.00	325.00
6.750	630.00	870.44	0.00	-0.00	0.00	42.00	50.00
6.750	630.00	870.52	0.00	-0.01	0.00	32.00	50.00
6.800	630.00	870.19	0.00	-0.32	0.00	80.60	90.00
6.800	630.00	870.20	0.00	-0.32	0.00	60.60	60.00
7.000	630.00	871.77	0.00	1.12	0.00	90.00	35.00
7.000	630.00	871.84	0.00	1.14	0.00	90.00	35.00
7.200	630.00	873.34	0.00	0.64	0.00	111.00	60.00
7.200	630.00	873.41	0.00	0.57	0.00	111.00	60.00
7.300	630.00	873.91	0.01	0.26	0.00	141.61	550.00
7.300	630.00	873.96	0.00	0.25	0.00	84.65	550.00
7.400	630.00	874.54	0.00	-0.00	0.00	150.96	2.00
7.400	630.00	874.59	0.00	-0.00	0.00	82.00	2.00
7.450	630.00	874.81	0.00	0.07	0.00	142.00	2.00
7.450	630.00	874.90	0.00	0.07	0.00	84.70	2.00
7.500	630.00	874.50	0.00	-0.49	0.00	154.04	360.00
7.500	630.00	874.57	0.00	-0.50	0.00	85.00	360.00
7.550	630.00	874.88	0.00	0.46	0.00	144.97	445.00
7.550	630.00	874.96	0.00	0.45	0.00	88.50	445.00

PRINTED BY COMPUTER GRAPHICS SYSTEMS DIVISION OF FAYETTE ENGINEERING CORPORATION

SECND	Q	C.SED	DIFUSP	DIFUSX	DIFKWS	TCRWID	KLCK
3.320	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.330	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.340	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.350	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.360	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.370	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.380	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.390	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.400	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.410	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.420	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.430	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.440	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.450	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.460	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.470	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.480	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.490	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.500	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.510	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.520	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.530	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.540	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.550	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.560	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.570	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.580	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.590	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.600	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.610	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.620	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.630	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.640	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.650	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.660	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.670	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.680	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.690	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.700	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.710	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.720	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.730	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.740	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.750	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.760	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.770	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.780	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.790	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.800	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.810	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.820	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.830	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.840	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.850	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.860	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.870	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.880	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.890	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.900	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.910	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.920	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.930	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.940	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.950	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.960	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.970	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.980	630.00	883.82	0.00	1.27	0.00	96.16	445.00
3.990	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.000	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.010	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.020	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.030	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.040	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.050	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.060	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.070	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.080	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.090	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.100	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.110	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.120	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.130	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.140	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.150	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.160	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.170	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.180	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.190	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.200	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.210	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.220	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.230	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.240	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.250	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.260	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.270	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.280	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.290	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.300	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.310	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.320	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.330	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.340	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.350	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.360	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.370	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.380	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.390	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.400	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.410	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.420	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.430	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.440	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.450	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.460	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.470	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.480	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.490	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.500	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.510	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.520	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.530	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.540	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.550	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.560	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.570	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.580	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.590	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.600	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.610	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.620	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.630	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.640	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.650	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.660	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.670	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.680	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.690	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.700	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.710	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.720	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.730	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.740	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.750	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.760	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.770	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.780	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.790	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.800	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.810	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.820	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.830	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.840	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.850	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.860	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.870	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.880	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.890	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.900	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.910	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.920	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.930	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.940	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.950	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.960	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.970	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.980	630.00	883.82	0.00	1.27	0.00	96.16	445.00
4.990	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.000	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.010	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.020	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.030	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.040	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.050	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.060	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.070	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.080	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.090	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.100	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.110	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.120	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.130	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.140	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.150	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.160	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.170	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.180	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.190	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.200	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.210	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.220	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.230	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.240	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.250	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.260	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.270	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.280	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.290	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.300	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.310	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.320	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.330	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.340	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.350	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.360	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.370	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.380	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.390	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.400	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.410	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.420	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.430	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.440	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.450	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.460	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.470	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.480	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.490	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.500	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.510	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.520	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.530	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.540	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.550	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.560	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.570	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.580	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.590	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.600	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.610	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.620	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.630	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.640	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.650	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.660	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.670	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.680	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.690	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.700	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.710	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.720	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.730	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.740	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.750	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.760	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.770	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.780	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.790	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.800	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.810	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.820	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.830	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.840	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.850	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.860	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.870	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.880	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.890	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.900	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.910	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.920	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.930	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.940	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.950	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.960	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.970	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.980	630.00	883.82	0.00	1.27	0.00	96.16	445.00
5.990	630.00	883.82	0.00	1.27	0.00	96.16	445.00
6.000	630.00	883.82	0.00	1.27	0.00	96.16	445.00

	SECNC	Q	CHSEL	DIFWSP	DIFWSH	DIFSUS	TORWIC	WLCH
	11.240	650.00	901.01	0.01	1.23	0.00	167.10	140.30
	11.240	650.00	901.01	0.01	1.23	0.00	167.10	140.30
*	11.230	650.00	902.67	0.01	1.16	0.00	230.23	140.30
*	11.230	650.00	902.67	0.01	1.16	-0.00	229.21	140.30
*	11.230	650.00	902.75	0.01	1.00	0.00	230.56	140.30
*	11.230	650.00	902.75	0.01	1.00	-0.00	230.56	140.30
*	11.230	650.00	902.95	0.01	1.02	0.00	227.16	140.30
*	11.230	650.00	902.95	0.00	1.00	0.00	227.00	140.00
	11.230	650.00	902.01	0.00	1.07	0.00	230.70	165.00
	11.230	650.00	902.01	0.00	1.07	-0.00	230.57	165.00
	11.230	650.00	902.51	0.00	0.97	0.00	154.17	165.00
	11.230	650.00	902.55	0.00	0.97	0.00	154.16	165.00
	11.900	650.00	897.97	0.00	1.02	0.00	70.00	165.00
	11.900	650.00	897.97	0.00	1.01	-0.00	70.00	165.00
	12.000	650.00	898.30	0.00	0.11	0.00	70.00	2.00
	12.000	650.00	898.30	0.00	0.11	-0.00	70.00	2.00
	12.100	650.00	897.92	0.00	-0.16	0.00	70.00	2.00
	12.100	650.00	897.92	0.00	-0.17	-0.00	70.00	2.00
	12.200	650.00	898.30	0.00	0.01	0.00	111.17	165.00
	12.200	650.00	898.30	0.00	0.96	0.00	55.67	165.00
	12.300	650.00	898.94	0.00	0.06	0.00	70.00	170.00
	12.300	650.00	898.94	0.00	0.07	0.00	70.00	170.00
	13.000	650.00	899.35	0.00	0.35	0.00	70.00	2.00
	13.000	650.00	899.35	0.00	0.35	0.00	70.00	2.00
	13.100	650.00	899.20	0.00	-0.13	0.00	70.00	2.00
	13.100	650.00	899.20	0.00	-0.16	0.00	70.00	2.00
	13.100	650.00	900.67	0.00	1.47	0.00	125.46	120.00
	13.100	650.00	900.67	0.00	1.47	0.00	125.46	120.00
	14.000	650.00	900.70	0.00	0.03	0.00	125.37	2.00
	14.000	650.00	900.71	0.00	0.03	0.00	125.37	2.00
	14.100	650.00	902.77	0.00	0.07	0.00	126.29	2.00
	14.100	650.00	902.77	0.00	0.07	0.00	126.29	2.00
	14.200	650.00	901.36	0.00	0.65	0.00	141.22	150.00
	14.200	650.00	901.36	0.00	0.65	0.00	141.21	150.00
	14.300	650.00	901.76	0.00	0.41	0.00	70.00	150.00
	14.300	650.00	901.76	0.00	0.41	0.00	70.00	150.00
	15.000	650.00	903.02	0.00	1.63	0.00	98.00	13.00

SEC.D	R	CUSEL	DIFHSP	DIFWSX	DIFHS	TOPLIC	XLOC
15.200	630.00	903.72	0.30	0.11	0.03	155.35	140.30
15.300	630.00	903.73	0.30	0.11	0.03	79.73	150.30
15.300	630.30	903.86	0.30	0.15	0.03	57.54	135.30
15.900	630.30	903.91	0.30	0.10	0.05	75.55	125.00
16.000	630.30	903.71	0.00	-0.16	0.00	90.36	2.00
16.100	630.30	903.91	0.00	0.23	0.00	171.37	2.00
16.100	630.00	904.04	0.00	0.51	0.05	78.36	2.00
16.000	630.00	904.44	0.00	0.46	0.00	92.41	220.00
16.700	630.00	905.04	0.00	0.52	0.00	78.29	220.00
16.800	630.00	905.05	0.00	0.04	0.00	60.69	320.00
17.000	630.00	911.15	0.00	0.35	0.00	32.26	100.00
17.900	630.00	910.85	0.00	0.36	0.00	82.54	100.00
17.000	630.00	911.66	0.00	5.47	0.00	207.33	46.00
17.100	630.00	911.85	0.00	0.20	0.00	214.25	120.00
18.000	630.00	911.85	0.00	-0.01	0.00	261.97	2.00
18.100	630.00	911.85	0.00	0.03	0.00	261.99	2.00
18.100	630.00	911.86	0.00	0.02	0.00	215.81	2.00
18.200	630.00	911.93	0.00	0.06	0.00	209.92	600.00
18.200	630.00	912.17	0.00	1.25	0.30	546.78	1110.00
18.700	630.00	912.19	0.00	0.26	0.02	407.92	1100.00
18.800	630.00	912.22	0.00	0.05	0.00	548.49	90.00
18.900	630.00	912.27	0.00	0.04	0.00	530.70	1.00
18.900	630.00	912.27	0.00	0.04	0.02	427.10	1.00
19.000	630.00	912.34	0.00	0.08	0.00	553.95	60.00
19.100	630.00	912.35	0.00	-0.02	0.00	552.57	1.00
19.800	630.00	912.39	0.00	0.05	0.00	554.17	87.00

SECNO	Q	CHSEL	DIFWSP	DIFWSX	DIFKTS	TOP_ID	XLCH
19.300	630.00	912.90	0.00	0.04	0.02	485.67	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9.400	630.00	912.91	0.00	-0.01	0.04	493.67	0.00
19.700	630.00	912.92	0.00	0.05	0.01	492.29	645.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.800	630.00	912.93	0.00	0.13	0.00	492.23	99.00
19.900	630.00	913.02	0.00	0.13	0.00	490.69	99.00
19.900	630.00	912.94	0.00	0.05	0.00	492.24	1.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20.000	630.00	913.12	0.00	0.13	0.00	492.00	99.00
20.000	630.00	913.21	0.00	0.23	0.00	490.90	99.00
20.100	630.00	913.00	0.00	-0.05	0.00	492.27	1.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

SUMMARY OF ERRORS

[illegible]	[illegible]	10.520	PROFILE= [illegible]	CRITICAL DEPTH ASSUMED
[illegible]	[illegible]	10.610	PROFILE= [illegible]	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	10.900	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	10.900	PROFILE= 2	MINIMUM SPECIFIC ENERGY
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CAUTION	SECNO=	11.290	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	11.290	PROFILE= 2	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	11.290	PROFILE= 1	CRITICAL DEPTH ASSUMED
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CAUTION	SECNO=	11.300	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	11.300	PROFILE= 1	MINIMUM SPECIFIC ENERGY
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CAUTION	SECNO=	11.100	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	11.100	PROFILE= 1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	11.100	PROFILE= 1	20 TRIALS ATTEMPTED TO BALANCE HGBL
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
CAUTION	SECNO=	11.100	PROFILE= 2	PROBABLE MINIMUM SPECIFIC ENERGY
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

FLOODWAY DATA, HUNGES BROOK 2.C.TMP
PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
5,240	78.	261.	1.4	362.0	362.0	.0
5,290	57.	231.	2.5	364.1	364.1	.0
5,400	70.	127.	1.4	364.6	364.5	.1
5,410	103.	357.	1.8	365.1	365.0	0.1
6,420	61.	194.	3.5	365.7	365.6	0.1
6,450	54.	167.	3.8	367.2	367.1	0.1
6,500	71.	190.	3.7	368.0	368.0	0.1
6,800	98.	216.	2.9	869.7	869.6	0.1
6,900	69.	240.	3.0	870.5	870.4	0.1
6,910	52.	183.	4.7	870.5	870.4	0.1
6,980	11.	52.	12.0	870.6	870.1	0.1
7,300	10.	71.	8.0	871.6	871.7	0.1
7,310	114.	311.	1.0	872.4	872..	0.1
7,380	1..	27..	2.3	873.7	873..	0.1
8,010	52.	2..6.	2.5	875.6	875.5	0.1
8,310	83.	264.	2.4	875.7	875.6	0.1
8,360	96.	310.	2.0	876.2	876.1	0.1
8,410	63.	174.	3.6	876.7	876.6	0.1
8,4..	5..	1.5.	4..	87..6	87..7	0.1
8,..1	52.	145.	5.2	877.5	877.4	0.1
8,..1	5..	1..	1.6	879.5	879.4	0.1
8,610	44.	98.	6.4	881.5	881.5	0.1
8,900	150.	266.	2.2	883.7	883.6	0.1
9,000	145.	259.	2.5	883.5	883.4	0.1
9,..0	1..6	30..	2.1	88..2	88..1	0.1
9,960	149.	315.	2.1	884.3	884.2	0.1
10,000	172.	283.	3.1	885.7	885.6	0.1
10,100	181.	275.	2.5	886.1	886.1	0.0
10,300	67.	144.	4.4	886.7	886.7	0.0
10,350	35.	98.	6.4	885.0	885.0	0.0
10,..1	90.	67.	9.5	89..1	89..1	0.0
10,..6	5.	54.	1..2	895.6	895.6	0.0
11,01.	53.	64.	9.2	896.7	896.7	0.1
11,..0	80.	304.	2.1	898.5	898.4	0.1
11,210	180.	321.	2.0	898.6	898.6	0.0
11,220	130.	155.	4.1	898.9	898.9	0.0
11,2..	1..0	11..	5.6	89..1	89..8	0.1
11,24.	157.	129.	4.9	901..	901..	0.1
11,26.	220.	169.	3.3	902.7	902.7	0.1
11,2..	2..1	18..	3.5	90..8	90..3	0.1
11,30.	228.	189.	3.4	904.9	904.9	0.1
11,310	241.	204.	3.1	905.0	906.0	0.1
11,3..	15..	1..	4..	90..1	90..1	0.1
11,4..	70.	135.	4.7	908.1	908.1	0.1
12,0..	70.	12..	4.2	909.1	909.1	0.1
12,200	90.	98.	6.0	909.5	909.5	0.0
12,900	70.	120.	5.0	909.0	909.0	0.0
13,0..	1..	1..	4..	90..1	90..1	0.1
13,1..	90.	11..	5.4	139.2	909.2	0.1

FORM 101 AS PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF DATA-PRINT, INC.
LOUISVILLE-NEW ALBANY CORP.

FLOODWAY DATA, MIGGES BROOK C.C.TWP
PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MAP VELOCITY	WATER SURFACE ELEVATION WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
11.051	126.	212.	2.5	900.7	901.7	0.9
11.151	126.	271.	2.6	900.7	901.7	0.9
14.250	102.	274.	2.3	901.6	901.6	0.0
14.924	78.	173.	5.1	901.9	901.8	0.1
15.070	76.	265.	2.4	903.6	903.6	0.0
15.150	76.	265.	2.4	903.7	903.7	0.0
15.230	76.	265.	2.4	904.0	904.0	0.0
15.310	76.	265.	2.4	904.2	904.2	0.0
15.390	76.	265.	2.4	904.4	904.4	0.0
15.470	76.	265.	2.4	904.7	904.7	0.0
15.550	76.	265.	2.4	904.9	904.9	0.0
15.630	76.	265.	2.4	905.2	905.2	0.0
15.710	76.	265.	2.4	905.4	905.4	0.0
15.790	76.	265.	2.4	905.7	905.7	0.0
15.870	76.	265.	2.4	905.9	905.9	0.0
15.950	76.	265.	2.4	906.2	906.2	0.0
16.030	76.	265.	2.4	906.4	906.4	0.0
16.110	76.	265.	2.4	906.7	906.7	0.0
16.190	76.	265.	2.4	906.9	906.9	0.0
16.270	76.	265.	2.4	907.2	907.2	0.0
16.350	76.	265.	2.4	907.4	907.4	0.0
16.430	76.	265.	2.4	907.7	907.7	0.0
16.510	76.	265.	2.4	907.9	907.9	0.0
16.590	76.	265.	2.4	908.2	908.2	0.0
16.670	76.	265.	2.4	908.4	908.4	0.0
16.750	76.	265.	2.4	908.7	908.7	0.0
16.830	76.	265.	2.4	908.9	908.9	0.0
16.910	76.	265.	2.4	909.2	909.2	0.0
16.990	76.	265.	2.4	909.4	909.4	0.0
17.070	76.	265.	2.4	909.7	909.7	0.0
17.150	76.	265.	2.4	909.9	909.9	0.0
17.230	76.	265.	2.4	910.2	910.2	0.0
17.310	76.	265.	2.4	910.4	910.4	0.0
17.390	76.	265.	2.4	910.7	910.7	0.0
17.470	76.	265.	2.4	910.9	910.9	0.0
17.550	76.	265.	2.4	911.2	911.2	0.0
17.630	76.	265.	2.4	911.4	911.4	0.0
17.710	76.	265.	2.4	911.7	911.7	0.0
17.790	214.	1424.	0.8	911.9	911.9	0.0
17.870	210.	1075.	1.0	911.9	911.9	0.0
17.950	213.	1043.	1.0	911.9	911.9	0.0
18.030	227.	1...1.	0.9	912.1	912.1	0.0
18.110	407.	761.	1.0	912.2	912.2	0.0
18.190	410.	761.	1.0	912.2	912.2	0.0
18.270	407.	761.	1.0	912.4	912.4	0.0
18.350	407.	761.	1.0	912.4	912.4	0.0
18.430	409.	811.	1.0	912.4	912.4	0.0
18.510	426.	878.	0.9	912.6	912.6	0.0
18.590	429.	734.	0.9	912.8	912.9	0.1
18.670	409.	667.	0.9	913.0	913.0	0.1
18.750	401.	679.	0.9	913.2	913.3	0.1
18.830	411.	662.	0.9	913.4	913.5	0.1

FORM FURNISHED BY: DRAINAGE MANUAL WORK, DIVISION OF DRAINAGE
DATA: RIVERSIDE COUNTY, DETROIT
PREPARED IN U.S.A.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Battle Creek Twp

3) WATERCOURSE: Minges Brook

4) DOCUMENT TYPE: 100 yr natural

00BREAK00

[illegible]

[illegible]

[illegible]

	7.200	1.000	0.000	0.300	50.000	57.00	30.000	2.000	0.150	3.000
	0.300	1.000	0.000	0.300	0.300	3.000	1.000	0.00	0.050	0.300
	0.000	1.000	0.000	0.000	1.000	3.000	1.000	2.000	0.000	0.000

	7.95	16.000	500.300	625.000	150.000	550.000	55.000	0.000	0.100	0.000
	100.000	424.300	502.400	45.000	374.000	470.300	0.000	573.200	869.300	000.000

	1.000	5.000	1.000	0.000	1.000	2.000	1.000	1.000	0.000	0.000
	0.000	0.000	0.000	156.500	000.000	1.000	0.000	0.000	2.000	2.000
	0.000	0.000	0.000	0.000	0.000	2.000	0.000	0.000	1.000	1.000

	1.000	14.000	000.000	520.000	2.000	2.000	1.000	1.000	1.000	3.000
	0.300	467.000	0.000	0.000	0.000	3.000	1.000	2.000	1.000	0.000
	300.000	424.000	000.000	656.000	424.000	470.000	471.000	579.000	000.000	000.000

VALLEY SECTION — CROSS SECTION 12

	1.000	16.000	000.000	644.000	000.000	000.000	000.000	1.000	0.000	0.000
	300.000	424.000	000.000	644.000	000.000	000.000	000.000	000.000	000.000	000.000
	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000
	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000
	000.000	000.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

	1.000	0.000	0.000	1.000	350.000	350.000	445.000	2.000	1.000	0.000

	0.320	0.000	0.000	0.000	350.000	350.000	445.000	2.000	1.000	0.000

	3.320	0.000	0.000	1.000	350.000	350.000	445.000	2.000	1.000	0.000

VALLEY SECTION — CROSS SECTION 11

	3.420	19.000	320.000	644.000	350.000	350.000	445.000	1.000	0.000	0.000
	300.000	28.000	591.000	100.000	00.000	241.000	302.000	375.000	000.000	000.000
	00.000	000.000	000.000	00.000	000.000	000.000	000.000	000.000	000.000	000.000
	000.000	000.000	375.000	000.000	375.000	000.000	000.000	000.000	000.000	000.000
	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000	000.000

	0.000	0.000	0.000	1.000	000.000	000.000	000.000	2.000	1.000	0.000

3/8 OF 250 PAR .75 CAPITAL AVE. CROSS SECTION NO3

Y1	0.940	12.100	450.230	510.000	225.000	925.700	502.000	3.230	0.320	1.000
X1	520.700	417.020	231.730	201.020	131.300	420.230	312.020	411.720	280.220	444.120
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

TOP OF BAR

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Y2	699.020	334.200	0.000	420.400	530.320	1.020	427.401	320.320	2.000	501.000
X2	521.420	0.000	515.020	511.400	0.270	352.020	531.401	0.000	607.001	424.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

3/4 OF BAR

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

1/2 IST OF 3/8 CAPITAL AVE. CROSS SECTION 1-1

Y1	9.405	10.700	455.000	511.020	51.000	30.300	121.020	0.305	0.200	0.2[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

TOP OF BAR

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

BAR OF BAR

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

1.50 FT 3/8 CAPITAL AVE. CROSS SECTION Y

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

W/C FACE CAPITAL AVE. CROSS SECTION #

W/J FACE CAPITAL AVE. CROSS SECTION #10

VALLEY SECTION CROSS SECTION #

FORM 10-K (REV. 12-91) PRINTED IN U.S.A.

X1	18.000	11.000	270.000	290.000	2.000	3.000	2.000	3.000	0.000	0.000
X2	0.000	0.000	0.000	296.000	296.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X4	120.000	0.000	270.000	290.000	305.000	230.000	297.000	270.000	295.000	275.000
X5	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

B/S SAG DR. B/S CAPITAL AVE. CROSS SECTION 3:

X1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X5	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible] CROSS SECTION 4:

X1	16.000	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	296.000	297.000	0.000	0.000	0.000	0.000	0.000

[illegible] CROSS SECTION 5:

X1	24.000	11.000	275.000	297.000	2.000	3.000	2.000	3.000	0.000	0.000
X2	0.000	0.000	0.000	296.000	297.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	296.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X5	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible] CROSS SECTION 6:

X1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
X6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

B/S FACE DOTERIDGE CROSS SECTION 7:

X1	24.000	25.000	1980.300	1246.000	150.000	150.000	150.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	826.300	711.000	216.000	514.000	719.400	630.000	314.200	754.000	910.200	886.000
X4	977.000	1014.000	314.700	1044.000	910.500	1054.000	905.800	1116.000	908.400	1174.000
X5	901.200	1164.000	900.900	1170.000	894.000	1196.000	897.100	1199.000	898.800	1200.000
X6	897.400	1204.000	898.700	1208.000	900.600	1210.000	901.700	1246.000	905.900	1270.000
X7	906.600	1306.000	906.600	1360.000	912.900	1430.000	917.300	1428.000	920.000	1456.000
X8	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

B/S FACE DOTERIDGE CROSS SECTION 7:

X1	15.000	3.000	0.300	0.000	13.000	13.000	13.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.300	0.000	0.000	0.000	0.000	905.000	905.000	0.000
X4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X5	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

VALLEY SECTION CROSS SECTION 7

X1	720.300	711.000	216.000	514.000	719.400	630.000	314.200	754.000	910.200	886.000
X2	977.000	1014.000	314.700	1044.000	910.500	1054.000	905.800	1116.000	908.400	1174.000
X3	901.200	1164.000	900.900	1170.000	894.000	1196.000	897.100	1199.000	898.800	1200.000
X4	897.400	1204.000	898.700	1208.000	900.600	1210.000	901.700	1246.000	905.900	1270.000
X5	906.600	1306.000	906.600	1360.000	912.900	1430.000	917.300	1428.000	920.000	1456.000
X6	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED BY ROTARY MANIFOLD PRINTING DIVISION OF ARKELL HAMILTON COMPANY-DETROIT
PRINTED IN U.S.A.

U/S [illegible] DAM D/S CAPITAL AVE. CROSS SECTION 0C37

A1	1,500	[illegible]	1,[illegible]	0,[illegible]	123,[illegible]70	[illegible],0 1	2[illegible],[illegible]0	[illegible],0 1	[illegible],[illegible]	[illegible],000
B1	1,[illegible]00	[illegible]	0,[illegible]0	0,[illegible]0	0,[illegible]00	[illegible],0 0	1,0[illegible] 1	[illegible],0 0	[illegible],[illegible]50	[illegible],[illegible]00

TOP OF [illegible] CROSS SECTION 0C37

[illegible]	[illegible],[illegible]50	[illegible],0[illegible]	[illegible],[illegible]1	0,[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0	[illegible],[illegible]0	[illegible],[illegible]00
A2	0,[illegible]00	[illegible],0[illegible]	0,[illegible]7	3[illegible],[illegible]0[illegible]	1[illegible],500	[illegible],0[illegible]0	[illegible],0[illegible]3	[illegible],0[illegible]0	[illegible],0[illegible]0	[illegible],[illegible]30
B2	0,[illegible]00	[illegible],0[illegible]3	[illegible],[illegible]7	[illegible],[illegible]0[illegible]	[illegible],[illegible]00	[illegible],0[illegible]3	[illegible],0[illegible]	[illegible],0[illegible]0	[illegible],[illegible]0[illegible]	[illegible],[illegible]00

U/S ACT DAM U/S CAPITAL AVE. CROSS SECTION 0C37

A	[illegible]6,[illegible]40	[illegible],0[illegible]3	[illegible],0,[illegible]1	0,[illegible]0[illegible]	[illegible],[illegible]20[illegible]	[illegible],[illegible]7[illegible]	[illegible],0[illegible]3	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]
B	[illegible],[illegible]50	[illegible],[illegible]0[illegible]	[illegible],[illegible]7[illegible]	[illegible]7[illegible],[illegible]0[illegible]	[illegible]3[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],000
A3	0,[illegible]50	59[illegible],[illegible]0[illegible]	0,[illegible]3[illegible]	0,000	0,200	[illegible],0[illegible]	[illegible],0[illegible]3	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]00
B3	0,[illegible]30	0,[illegible]03	0,[illegible]03	0,000	7,100	[illegible],0[illegible]	403,0[illegible]3	1164,0[illegible]8	[illegible],[illegible]3[illegible]	[illegible],[illegible]50

[illegible]	[illegible]6,[illegible]0	[illegible],[illegible]0[illegible]	[illegible]0[illegible],[illegible]7[illegible]	[illegible]5[illegible],[illegible]30[illegible]	[illegible]7[illegible],[illegible]30	[illegible]2[illegible],[illegible]0[illegible]	[illegible]3[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0	[illegible],000
[illegible]	[illegible]9[illegible],[illegible]00	[illegible]70[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]3[illegible]	[illegible]3[illegible],[illegible]0[illegible]	[illegible]6[illegible],[illegible]30[illegible]	[illegible]6[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]7[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0	[illegible],[illegible]0[illegible]
[illegible]	[illegible]2[illegible],[illegible]30	[illegible]3[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]9[illegible]	[illegible]9[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]3[illegible]	[illegible],[illegible]03[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]7[illegible]	[illegible]04[illegible],[illegible]0[illegible]	[illegible]9[illegible],[illegible]3[illegible]	[illegible],[illegible]0[illegible]
S3	5[illegible],[illegible]00	1055,[illegible]0[illegible]	9[illegible],[illegible]0[illegible]	10[illegible],[illegible]0[illegible]	907,400	1112,[illegible]0[illegible]	9[illegible],[illegible]0[illegible]	11[illegible],[illegible]0[illegible]	9[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]
B3	5[illegible],[illegible]00	1[illegible]0[illegible],[illegible]0[illegible]	9[illegible],[illegible]0[illegible]	1[illegible],[illegible]0[illegible]	0,[illegible]00	0,[illegible]30	[illegible],0[illegible]	[illegible],0[illegible]	0,[illegible]0[illegible]	[illegible],[illegible]0[illegible]

A[illegible]	[illegible],[illegible]0	[illegible],0[illegible]	0,[illegible]7[illegible]	0,[illegible]0[illegible]	[illegible]30,[illegible]00	[illegible],0[illegible]0	[illegible]3[illegible],0[illegible]	[illegible],[illegible]30	[illegible],[illegible]0[illegible]	[illegible],[illegible]00
B[illegible]	0,[illegible]00	[illegible],0[illegible]	[illegible],[illegible]30	0,[illegible]0[illegible]	0,[illegible]00	[illegible],[illegible]30	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],000

[illegible] CROSS SECTION 0C37

A[illegible]	1[illegible],[illegible]00	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible]0[illegible],[illegible]00	[illegible],[illegible]0[illegible]	[illegible]3[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],000
B[illegible]	[illegible],[illegible]00	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]	[illegible],[illegible]0[illegible]

SR	907.500	1051.300	902.000	1241.500	921.500	1052.000	902.300	1054.500	905.300	1055.000
SC	910.500	1059.300	915.300	1241.300	910.500	1156.000	920.000	1165.000	0.300	0.000
MC	3.030	0.700	3.000	0.700	0.300	3.020	0.010	3.030	0.300	0.000
ST	3.030	0.000	3.100	0.000	1.500	3.000	0.000	3.030	0.300	0.000

WS 18' DAM AXE ALONG ST.

CROSS SECTION 1

B1	17.900	13.000	1037.000	1303.000	134.300	138.000	128.000	0.000	0.000	0.000
C1	999.300	300.000	990.900	916.000	909.000	997.000	902.900	992.300	905.000	1367.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	937.300	918.000	939.400	917.000	913.000	1141.530	0.000	3.300	0.000	0.000
[illegible]	0.300	0.000	0.330	0.000	0.000	0.530	0.010	0.130	0.000	0.000

TOP OF DAM

CROSS SECTION 4A

A1	21.000	0.150	0.340	0.000	0.000	0.370	0.000	0.000	0.000	0.000
A2	0.300	0.000	0.300	913.100	904.100	0.300	0.300	0.300	0.000	0.000
AC	0.300	0.000	0.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible]

CROSS SECTION 3

A1	11.100	15.000	1377.000	1995.000	0.000	0.000	0.000	0.000	0.000	0.000
A2	0.000	0.000	0.000	902.000	895.000	0.000	0.000	0.000	0.000	0.000
AS	922.000	920.000	910.000	896.000	909.000	950.000	926.000	992.000	905.000	1027.000
AC	902.200	1040.000	902.100	1000.000	902.400	1000.000	902.000	1363.000	900.500	1022.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

WALLEY SECTIO.

CROSS SECTION 2

A1	15.200	21.000	1374.000	1995.000	680.000	680.000	680.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
A3	909.200	1732.200	901.200	1632.200	922.400	1376.000	932.900	1974.000	902.100	1005.000
AC	909.600	1139.200	907.400	1735.200	903.600	1301.000	901.400	1914.000	900.100	1.000
AR	914.000	2010.000	914.000	2040.000	913.400	2120.000	913.900	2130.000	910.000	2014.000
AR	919.100	2294.200	0.000	0.000	0.000	0.000	0.300	0.000	0.000	0.000
NI	0.000	0.200	1666.000	10.000	1695.000	0.035	1726.000	0.000	1710.000	10.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

100 FT D/S ESTATE ROAD

CROSS SECTION 3C

A1	18.700	13.000	1695.000	1703.000	901.000	1010.000	1010.000	0.000	0.000	0.000
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
A3	208.900	1015.200	904.400	1640.200	903.900	1695.000	923.800	1730.000	903.600	705.000
AC	904.100	1712.000	901.000	1710.000	911.000	1731.000	911.600	1730.700	902.000	1002.000
AT	0.000	7.100	0.000	0.000	0.000	0.000	1695.000	1715.000	0.000	0.000

E/S ESTATE ROAD

CROSS SECTION 3C

A1	18.000	7.200	0.700	3.000	99.000	99.300	97.000	0.300	0.000	0.000
[illegible]	0.000	[illegible]	[illegible]	[illegible]	1695.000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
AC	1798.000	0.000	1690.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
AT	0.000	7.100	0.000	3.000	0.000	0.000	1695.000	1719.000	0.000	0.000

INTERSTATE ROAD

CROSS SECTION 3C

A1	18.000	84.000	1695.000	705.000	1.000	0.000	1.000	0.000	0.000	0.000
AR	0.000	903.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FROM AN IMPRINT BY THE LIBRARY OF THE UNIVERSITY OF CALIFORNIA, BERKELEY
DIGITIZED BY THE INTERNET ARCHIVE IN 2011 WITH FUNDING FROM MICROSOFT CORPORATION

R5	4.020	810.410	2.000	0.300	0.070	2.070	0.000	2.000	0.000	0.000
R7	25.020	1207.700	915.400	0.000	1336.300	911.100	1.000	9306.010	911.000	0.000
R7	1686.230	810.300	2.070	1605.000	579.900	0.070	1602.000	909.900	0.300	1685.570
R7	909.930	805.300	2675.000	905.900	536.100	1605.130	909.950	907.130	1697.300	909.950
R7	9.720	1202.000	915.400	905.000	1602.100	9.000	907.000	909.000	909.000	0.000
R7	1951.500	801.300	913.130	1701.200	579.300	911.130	1703.130	159.170	202.130	1701.000
R7	673.530	702.300	907.070	905.000	672.700	907.130	907.000	909.900	909.900	1690.500
R7	9.300	1212.000	909.900	1.000	12.300	9.930	1758.000	911.000	0.000	0.000
R7	1690.300	911.600	0.700	1392.000	320.700	0.300	2.070	0.070	0.000	0.000
R8	920.300	1206.000	913.400	1207.000	911.100	1336.300	911.020	1506.030	910.300	1666.000
R7	1.300	1202.000	9.300	901.000	905.300	0.300	2.000	0.000	0.000	0.000
R7	913.300	1202.000	911.500	1697.900	206.300	1670.300	905.530	907.270	905.300	1701.000
R7	1.300	1209.200	911.500	1205.100	203.300	1535.700	905.530	1513.530	906.300	1706.000
R7	915.300	1209.000	906.470	1212.000	907.300	1210.300	911.020	1758.230	911.500	1206.000
R7	920.300	1207.000	0.300	2.000	0.000	0.300	0.070	0.030	0.000	0.000
R7	0.300	7.100	0.300	2.000	0.000	0.300	1695.070	1713.030	0.000	0.000

U/3 PAUL STATE ROAD — SPECIAL SECTION 2B

R7	19.300	1.000	0.300	2.000	48.000	46.000	44.070	0.070	0.000	0.000
R7	0.300	0.000	0.300	2.070	0.000	0.300	1.000	0.300	0.000	0.000
R7	1.300	1202.500	0.300	1.000	2.000	0.000	1.000	1.000	0.000	1.000
R7	1.000	911.530	0.000	0.170	1.000	0.000	0.00	0.300	1.00	1.000
R7	1.000	1.530	1906.000	10.000	1605.000	0.000	1703.300	0.100	711.000	11.000
R7	1710.300	0.030	1690.000	0.070	2.000	0.000	0.000	0.300	0.000	0.000
R7	0.000	7.100	0.000	0.000	2.000	0.000	1695.300	1715.300	1.000	0.000

U/3 STATE ROUTE — CROSS SECTION 3

R7	19.100	15.000	1595.000	1705.000	1.000	1.000	1.000	0.000	0.000	0.000
R8	10.000	964.500	0.000	0.000	0.000	0.000	0.000	909.900	909.900	0.000
R8	920.000	1206.000	905.400	1207.000	911.100	1336.000	911.000	1506.000	910.500	1666.000
R7	16.100	1713.000	905.000	1713.000	911.000	1706.000	911.020	1698.200	910.000	1701.000
R7	0.300	7.100	1696.300	12.000	1593.000	0.100	1707.000	0.200	1711.000	10.000
R7	1710.300	0.000	1690.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
R7	0.000	7.100	0.000	0.000	0.000	0.000	1695.000	1715.000	0.000	0.000

U/3 LOW 30 FT U/3 STATE ROAD — CROSS SECTION 3C

R7	19.400	12.000	1695.000	1707.000	97.000	97.000	97.000	0.000	0.000	0.000
R8	920.300	1206.000	915.400	1207.000	911.100	1336.000	911.000	1306.000	910.500	1666.000
R8	959.030	1695.000	905.700	1693.000	954.700	1702.000	905.705	1707.000	909.200	1711.000
R7	0.300	7.100	2.000	0.000	0.000	2.000	1500.000	1500.000	0.100	1.000

TOP OF SP — CROSS SECTION 3C

R7	19.000	0.000	2.000	0.000	2.000	2.000	2.000	0.000	2.000	2.000
R8	0.070	0.300	2.000	934.700	901.000	2.000	0.000	0.000	2.000	2.000
R8	0.000	0.300	1666.000	10.000	1693.000	1.000	1707.300	0.000	711.000	10.000
R7	1710.300	0.000	1690.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
R7	0.000	7.100	0.000	0.000	2.000	0.000	1600.300	1500.000	0.000	0.000


U/3 [illegible] STATE ROAD — CROSS SECTION 4

R7	19.000	15.000	1595.000	1705.000	1.000	1.000	1.000	0.000	0.000	0.000
R8	920.000	1206.000	915.400	1207.000	911.100	1336.000	911.000	1506.000	910.500	1666.000

FORM 1411-00 PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF DAF AN, RINGWOOD, DETROIT

FORM 1011-GD PRINTED BY ACTION MANIFOLD FORMS, DIVISION OF LAKE-AIRE PRODUCTS, DETROIT

FORM 1111 SD PRINTED BY R.KAY HAROLD & JOHN, GRIGGS CO. AND MINN.



550.	169.	436.	25.	237.	130.	39.	10.	3.	301.32
3.19	3.79	5.37	0.35	2.170	0.045	0.107	0.240	850.40	396.49
0.023&4*	565.	595.	450.	2	0	0	0.00	165.34	551.03

6.00 SECTION NO. 432 SEC DA= 6.41 CHSEL= 395.17

STA=	230.	400.	459.	911.	552.
P50 3=	0.0	20.0	49.3	4.0	
AREA=	17.4	212.6	129.5	35.9	
Q=	1.0	7.1	3.9	1.0	

*****SEC 6.42.

SEC ID	DEPTH	SPEED	CTIPS	USELK	HB	AV	TL	VELOCITY	ACS ELEV
Q	ORCH	OCH	230B	ALOB	ACH	SQDB	VOL	T.A	LEFT/RIGHT
TIME	VLOB	VCH	830E	XSA	SPEC	BMB	DTM	ELEV	DATA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6.42	5.55	865.65	0.00	0.00	865.65	2.35	0.75	0.75	865.00
632.	99.	514.	17.	115.	105.	20.	16.	4.	363.00
0.20	0.03	4.87	0.05	0.130	0.040	0.100	0.241	360.10	401.77
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

FLOW DISTRIBUTION FOR SECNO= 6.42 CHSEL= 865.65

STA=	402.	439.	591.	926.	
P50 3=	0.0	12.5	82.2	5.3	
AREA=	1.9	93.0	99.7	5.8	
Q=	0.0	1.9	94.3	0.9	

*****SECTION 6.43

VALLEY SECTION CROSS SECTION 16

6.50	3.13	860.78	0.00	0.00	869.09	0.31	1.82	0.00	866.50
630.	32.	469.	1001	42.	97.	97.	19.	7.	866.50
0.37	0.77	1.1	1.1	1.10	2.04	0.00	0.341	133.90	419.30
0.002933	455.	595.	450.	2	3	0	0.30	164.23	559.32

FLOW DISTRIBUTION FOR SECNO= 6.50 CHSEL= 869.78

PET =	0.0	2.2	2.0	21.0	11.4	5.0	0		
AREA=	0.0	24.8	16.7	32.8	55.1	41.8	0.0		
Q=	0.0	0.5	0.3	6.9	2.2	1.0	0.0		

SECNO 6.600

FORM 1611-LB PRINTED BY ROTARY MASTERCOLD FUSING DIVISION OF RAPID-AMERICAN CORPORATION, PHILADELPHIA, PENNSYLVANIA
PRINTED IN U.S.A.

5.63	3.29	269.59	3.00	0.00	869.36	0.20	0.77	0.00	367.20
550.	37.	449.	15.	49.	110.	103.	21.	5.	847.20
0.25	0.75	4.21	1.78	0.100	0.240	0.100	3.041	864.33	459.41
3.0526&4	30?.	302.	305.	2	0	0	0.30	150.73	560.16

1.00 DISTRIBUTION FOR SEC%0= 4.60 CUSEL= 27 .59

STA=	430.	434.	666.	474.	496.	522.	546.	560.
PER =	0.7	2.3	3.2	79.1	11.5	6.4	0.1	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
VEL=	0.2	0.3	1.1	4.0	2.7	2.0	0.3	

SCFW= 0.50 CFHV= 0.500
ASSUM 6,700

[illegible] 100 FT /S [illegible] 0.178 [illegible] 0.00

5.72	5.44	872.44	3.00	0.70	871.96	0.42	1.93	0.07	865.32
590.	1?0.	369.	125.	77.	55.	72.	23.	9.	865.70
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
.07356	30?.	323.	300.	2	0	0	0.24	[illegible]	342.50

1.00 DISTRIBUTION FOR SECT0= 4.70 CUSEL= 371.24

[illegible]	0.9	11.3	57.9	[illegible]	19.0	
[illegible]	47.3	52.7	56.7	2..2	[illegible]	
VEL=	1.3	2.2	6.6	2.1	1.6	

ASSUMED 5.230

[illegible]	LEFT	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.0?	FOH	6500	ALDO	45P	PIPE	VEL	TYP	LEFT/RIGHT
TLBL	Y OF	VCH	V500	ABL	RHC=	HEP	RCT	CL"IA	[illegible]
ELOPE	RLOBL	RLCR	RLOBR	ITRIAL	[illegible]	ICONT	CCR,R	TOPWID	EMBST

3470 [illegible] 794.0 [illegible] 0.00 871.22 0.78 0.13 [illegible] 865.30

[illegible]	115.	[illegible]	72.	45.	55.	32.	23.	9.	[illegible]
0.33	2.41	8.24	2.25	0.100	0.340	0.100	5.041	865.00	794.00
3.0?6&&	2.	63.	50.	2	0	0	0.01	32.00	826.00

1.00 DISTRIBUTION FOR SECT0= 4.75 CUSEL= 870.54

[illegible]	794.	798.	806.	817.	832.	82?.
PER =	2.7	14.1	[illegible]	6.5	3.0	
[illegible]	[illegible]	22.7	[illegible]	70.1	[illegible]	
VEL=	1.5	2.7	3.2	2.6	1.5	

3301 NO CHANGE> [illegible] TRAN [illegible]

3470 [illegible] 350.0 [illegible] 850.3 TYPE= 2 TARGET= 200.300

3405 [illegible] [illegible] NCROSS ELEV= [illegible] ELEV= 871.00

... D/S FACE RIVERSIDE DR. CROSS SECTION 13

5.60	5.11	872.11	870.39	3.00	872.64	2.33	0.45	3.77	865.70
35[illegible]	0.	[illegible]0.	1.	[illegible]	31.	0.	[illegible]	5.	[illegible]
0.31	3.01	12.14	1.00	3.150	0.043	0.02	-0.041	0.120	865.20
0.009537	15.	30.	10.	3	1°	2	0.00	10.23	316.90

FLOW DISTRIBUTION FOR SECTION= 6.90 CHSEL= 870.11

SAT= 135. 137.
LOB= 41.5
CHNL= 21.5
ROB= 12.2

HYDRAULIC TABLE

SEC ID	XSID	CORL	RDLEN	BETA	EXP	AREA	PS	ELTRD	ELCHD
2.00	1.74	1.00	3.00	3.30	0.00	65.03	0.00	865.70	865.10

[illegible]

ENTER BY LOB, CHNL OR ROB FOR SUBDIVISIONS

PRESSURE FLOW

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	TRANSITION	[illegible]	[illegible]
						[illegible]		
172.47	872.35	0.00	0.	650.	69.	69.	871.90	870.50

[illegible] EXCHANGE SECTION= 650.0 653.0 TYPE= 1 TARGET= 200.000

USER OVERRIDE WHEN ASSUMED NON-EFFECTIVE/BLOCK= 870.30 ELREF.= 870.30

D/S FACE RIVERSIDE DR. CROSS SECTION 13

7.50	5.61	871.77	5.00	0.73	872.07	1.27	0.93	7.05	865.20
63.	0.	650.	0.	0.	70.	0.	23.	9.	866.00
0.31	0.00	9.03	0.00	0.150	0.043	0.100	-0.041	865.10	806.20
0.009537	15.	30.	10.	3	2	0	0.00	10.23	316.90

FLOW DISTRIBUTION FOR SECTION= 7.00 SWSEL= 871.72

STA= 805. 817.
PER Q= 100.0

[illegible]
PER= 3.0

SEC 7.2

3301 NO CHANGES FOR THIS RUN.

[illegible] EXCHANGE STATION= 795.0 [illegible] TYPE= 1 TARGET= 111.000

7.20	0.84	873.54	0.00	0.00	873.38	0.04	0.15	0.37	866.30
630.	219.	321.	150.	277.	87.	237.	23.	9.	866.00
0.32	0.76	2.53	5.76	3.150	0.042	0.102	0.241	853.90	756.30
0.0003J7	63.	77.	50.	2		5	0.30	121.50	867.30

FLOW DISTRIBUTION FOR SECTION= 7.20 CHSEL= 873.54

STA=	730.	730.	604.	317.	122.	052.	167.
PE: %=	25.7	7.7	15.0	5.7	20.9	5.7	
FLOW=	5.41	55.7	17.1	11.3	15.1	5.1	
VEL=	0.7	0.3	0.1	0.2	0.2	0.1	

DCIVE= 0.100 CEND= 0.500
ASECND 7.900

CROSS SECTION 128

7.90	0.0	873.50	0.00	0.00	873.75	0.15	0.34	0.75	867.00
630.	629.	333.	70.	159.	66.	62.	19.	10.	869.00
0.56	1.21	6.03	1.66	0.330	0.040	0.052	0.341	865.50	691.50
0.0001332	550.	557.	550.	7	0	3	0.00	141.30	833.30

FLOW DISTRIBUTION FOR SECTION= 7.90 CHSEL= 873.50

STA=	591.	575.	559.	072.	520.	633.
PE: %=	10.1	28.3	52.4	9.7	1.4	
FLOW=	12.6	70.4	11.1	5.1	0.1	
VEL=	0.7	1.0	0.1	0.2	0.3	

ASECND 8.000

SECNO	DEPTH	CHSEL	CRIMS	USELK	EG	HV	HL	CLOSS	BANK ELEV
0	BLCH	BCH	GROB	ALOB	ACH	AROD	VOL	THA	LEFT/RIGHT
TYPE	BLCH	BCH	GROB	ALOB	ACH	AROD	VOL	THA	LEFT/RIGHT
ICONC	BLCH	BCH	BLTHR	ETICAL	142	JCONT	CORAD	VOL.CO	BANK

BOTTOM OF BRIDGE,MRD= 3.MIN ELTRD= 866.00 MAX ELLC= 865.50

CROSS SECTION 128

8.00	0.04	873.54	0.00	0.00	873.79	0.25	0.00	0.33	869.30
630.	224.	336.	70.	182.	63.	42.	29.	12.	869.00
1.35	1.23	5.41	1.68	1.190	1.042	0.064	0.241	865.50	691.23
0.3013?6	2.	2.	2.	2	2	1	-15.90	136.96	833.20

FLOW DISTRIBUTION FOR SECTION= 8.00 CHSEL= 873.54

STA=	591.	575.	559.	520.	633.
PE: %=	9.1	23.1	53.4	7.7	1.4
FLOW=	11.2	69.6	13.4	5.3	0.1
VEL=	0.7	1.0	0.1	0.2	0.3

ASECND 8.100

CROSS SECTION 129

8.10	0.04	873.54	0.00	0.00	873.79	0.25	0.00	0.33	869.30
630.	224.	336.	70.	182.	63.	42.	29.	12.	869.00
1.35	1.23	5.41	1.68	1.190	1.042	0.064	0.241	865.50	691.23
0.3013?6	2.	2.	2.	2	2	1	-15.90	136.96	833.20

0.001970 2. 2. 2. 2 3 7 0.00 162.78 633.31

FLOW DISTRIBUTION FOR SECTION= 0.10 CHSEL= 675.51

STA=	491.	50.	220.	0...	321.	684.	0.1.
	11.3	12.2	11.5	1.1	0.	.	
AREA=	87.1	102.5	23.5	5.3	25.2	7.5	
VEL=	0.8	1.7	1.7	1.7	2.0	1.2	

SECTION 0.30

F.P.	SECTION	SECTION NUMBER 1?							
3.30	5.62	374.10	0.30	0.50	874.22	0.12	0.42	3.03	879.30
330.	961.	447.	23.	202.	137.	22.	32.	12.	660.50
0.43	1.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1.0 0756	300.	700.	[illegible]	2.	1	0	0.20	162.78	633.31

FLOW DISTRIBUTION FOR SECNO= 0.30 CHSEL= 874.10

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	13.3	7.6	2.0	70.2	2.9	1..	
[illegible]	154.3	55.3	14.0	[illegible]	3.7	15.6	
VEL=	0.5	1.1	1.3	2.3	1.3	1.8	

SECTION 0.310

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
330.	0.	12.	28.	.1.	11.7.	14.	34.	.13.	63.40
[illegible]	1.11	[illegible]	[illegible]	[illegible]	0.340	[illegible]	0.069	[illegible]	[illegible]
0.002078	350.	445.	350.	2	0	0	0.00	112.97	652.35

FLOW DISTRIBUTION FOR SECNO= 0.31 CHSEL= 772.35

C.S.=	513.	576.	576.	610.	626.	620.	633.
VEL H=	4.6	6.9	2.6	62.4	2.3	1.1	
AREA=	39.6	31.6	9.6	104.9	7.4	6.4	
VEL=	0.7	1.4	1.7	4.9	2.0	1.1	

SECTION 0.312

F.P.	SECTION	SECTION NUMBER 2?							
3.33	4.12	375.32	0.10	0.00	876.33	0.40	1.34	5.03	877.50
620.	69.	540.	21.	57.	98.	12.	36.	15.	877.70
0.47	1.21	5.50	4.73	0.060	0.060	0.080	0.061	871.70	883.78
1.0029	350.	445.	350.	2	0	0	0.00	95.16	631.66

FLOW DISTRIBUTION FOR SECNO= 0.32 CHSEL= 875.22

STA=	534.	576.	596.	610.	626.	620.	633.
VEL H=	2.6	5.9	2.4	65.6	2.6	1.0	
AREA=	22.7	21.7	7.1	93.0	6.3	5.1	
VEL=	0.7	1.4	1.0	5.2	1.3	1.2	

SECNO	DEPTH	CHSEL	CHORD	WSELK	ES	HV	HL	QLOSS	BANK ELEV
	QLOB	ACH	QROB	ALOB	ACH	QROB	VOL	TWA	LEFT/RIGHT
TYPE	XLOB	XCH		ELOB	STAGL		ICONT	IDRAG	UP LO
3.33	4.12	877.52	0.10	0.00	877.84	0.40	1.01	0.00	875.10
330.	69.	540.	21.	57.	98.	12.	37.	14.	878.30

0.49	1.21	5.40	1.77	0.000	0.040	0.000	0.041	873.30	553.36
0.393717	350.	475.	350.	2	0	1	0.01	90.52	631.07

FLO, PASTIC TIDE BY STA= 3.30 SUMEL= 177.52

STA=	325.	341.	355.	401.	421.	481.	509.
PER SH=	3.7	5.7	2.6	65.7	2.5	5.5	
AREA=	23.1	23.1	3.3	9.5	6.3	5.1	
VEL=	5.7	1.1	1.7	5.2	2.2	1.7	

PLOW 1.703

VALLEY SECTION

CROSS SECTION

8.40	5.38	879.38	0.30	0.02	875.91	0.33	2.33	0.01	870.58
0.2	0.29	0.20	1.91	0.003	0.042	0.300	0.41	42.23	665.
0.0232	350.	65.	191.	2	1	0	0.30	39.45	705.15

FLOW DISTRIBUTION FOR STA= 8.40 SUMEL= 879.38

STA=	750.	825.	900.	975.	1050.	1125.
PER SH=	0.3	72.2	3.3	21.3	20.8	
AREA=	5.9	54.2	3.3	21.3	20.8	
VEL=	0.8	5.4	2.0	1.7	1.1	

0.53	0.75	7.73	1.74	0.030	0.040	0.000	0.041	877.50	612.56
0.210606	225.	309.	225.	5	19	0	0.01	85.01	697.59

FLOW DISTRIBUTION FOR STA= 0.51 SUMEL= 891.49

STA=	575.	820.	844.	860.	876.	898.
PER SH=	0.2	87.9	3.9	9.0	2.0	
AREA=	1.8	79.7	2.5	29.6	10.6	
VEL=	0.7	7.7	2.2	1.1	.2	

PLOW 3.130

3501 HV CLASSED MORE THAN 4VIS

R/S OF STR BAR B/C SEPTAL ABE.

CROSS SECTION 'D'

8.90	3.52	883.62	0.00	0.0	883.79	0.16	1.92	0.13	881.50
630.	127.	253.	155.	83.	82.	191.	17.	16.	1101.60
0.55	1.55	4.31	1.39	0.090	0.040	0.000	0.041	890.50	645.03
0.132077	245.	105.	223.				0.00	147.27	592.10

FLOW DISTRIBUTION FOR STA= 6.90 SUMEL= 813.62

STA=	445.	460.	505.	550.	592.
PER SH=	5.5	6.6	21.2	3.5	62.5
AREA=	5.5	1.7	4.3	1.2	4.0

FLOW 9.630

3370 NORMAL DEPTH= [illegible] DIM ELEV= [illegible] DWN E.LE= [illegible]

TOP OF [illegible]

[illegible]										
0.35	1.31	5.53	1.16	0.230	[illegible]	0.001	0.321	930.00	936.35
0.302379	2.	2.	2.	2	3	1	-12.56	141.0	588.16

[illegible]

STA=	465.	480.	490.	516.	550.	593.
PCP NO=	1.8	12.9	27.1	13.6	4.7	
AREA=	11.2	30.3	64.3	62.3	35.0	
VEL=	1.0	1.7	2.3	1.5	1.0	

[illegible]

SECNO	DP.TP	CHNEL	BANKS	PSELR	SO	FV	FL	OLOSS	BANK ELEV
C	VLCH	ACH	STOR	ALOB	ACH	ATOR	VOL	TRA	LEFT/RIGHT
TYPE	VLTP	VCH	WTOP	X-L	XNCH	RHR	LTH	ELMIN	SSTA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

D/S OF [illegible]

[illegible]										
0.002325	2.	2.	2.	3	0	0	0.00	151.21	595.19

[illegible]

STA=	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PCP NO=	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
AREA=	18.2	60.1	95.6	71.0	49.0	
VEL=	1.0	1.5	2.0	1.5	1.0	

[illegible]

D/S [illegible] AVE. CROSS SECTION [illegible]

[illegible]										
0.00	6.23	103.93	0.00	0.00	384.09	0.16	0.17	1.00	862.09	
0.55	3.75	5.56	0.19	0.005	0.320	2.050	2.04	877.73	941.19	
2.007253	30.	183.	55.	1	0	0	0.02	177.45	511.56	

FLOW DISTRIBUTION FOR GECNO= 0.90 CHSEL= 803.93

STA=	360.	365.	400.	480.	515.	570.
PCP NO=	.8	12.3	76.2	6.6	3.2	
AREA=	1.2	10.5	42.2	14.0	3.2	
VEL=	1.2	10.5	10.8	9.6	10.6	

[illegible]

[illegible] PHYSICAL DEPTH REQUIRED BELOW LOC OF 1277.700 WSLCH= 1284.700 AOC= 384.293 AVEL= 883.980

3301 [illegible]

3370 TOT AL UPSTREAM= 0 CFS ELTRD= 861.00 MAX ELLC= 877.70

11.5	1.5	12.1	37.7	0.3	63.13	0.07	0.20	0.	83.10
33%.	11%.	51%.	4%.	10%.	7%.	2%.	1%.	1%.	362.00
0.55	1.37	7.13	0.03	1.000	0.013	0.000	0.241	377.70	345.37
3.0231?6	2.	2.	2.	6	43	1	-60.45	369.39	517.97

[illegible] SYSTEM TOTAL 50 S[illegible] 10.30 C.ELL= 543.51

STA= 340. 430. 785. 915. 913.
PCT CA 1.4 16.2 12.1 0.3
[illegible]
[illegible] P.2 1.1 7.2 0.1

SECOND 10.10

3371 TOTAL UPSTREAM= 0 CFS ELTRD= 861.00 MAX ELLC= 880.20

10.10	3.55	364.10	0.20	7.00	384.30	0.20	0.21	0.03	851.60
33%.	30%.	78%.	3%.	7%.	3%.	2%.	1%.	1%.	900.60
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2.0 [illegible]	[illegible]	2.	2.	5	1	0	-9.10	130.55	[illegible]

FLOW DISTRIBUTION FOR SECNO= 10.10 CMSEL= 864.10

PCT CA	0.2	7.5	55.4	3.5	65.2	5.[illegible]	0.7	
[illegible]	3.[illegible]	42.5	156.0	13.[illegible]	152.[illegible]	15.[illegible]	[illegible]	
VEL=	0.5	1.1	1.3	2.2	3.1	2.2	1.[illegible]	

COOR= 0.300 COAV= 0.300

[illegible] 10.150

[illegible] [illegible] PT STATION= 450.1 525.0 TYPE= 1 TRISET= 75.000

[illegible] [illegible] CAPITAL AVE.] CROSS-SECTION 9

10.10	3.63	314.[illegible]	0.10	1.03	165.32	0.37	0.32	0.12	844.31
63%.	6%.	6%.	2%.	2%.	1%.	1%.	1%.	1%.	861.60
0.57	2.29	7.25	0.03	0.000	0.041	0.000	0.041	891.10	450.30
3.027547	150.	150.	150.	2	2	0	0.30	39.71	510.71

[illegible] [illegible] ST SECNO= 10.20 CMSEL= 864.13

STA= 450. 488. 491. 530. 515. 517.

PER CA	0.[illegible]	0.[illegible]	0.[illegible]	0.[illegible]	0.[illegible]	0.1
AREA=	56.[illegible]	14.[illegible]	60.[illegible]	110.[illegible]	0.5	
VEL=	2.2	2.0	7.2	2.4	0.7	

SECNO 10.150

ELEMTYP	DEPTH	CHNEL	ACTIVE	WSELK	EG	VH	HL	OLOSS	BANKELEV
TEMP	LOC	QI	VOL	QI	XNC	WP	ELMIN	SSTA	
SLOPE	SLOPE	XLOC	XLOB	XTRIAL	EM2	ICONT	CORAR	TCHMID	ENDST

Property of Bryant Laboratories, Inc. Unauthorized use prohibited.

PREA= 34.3
DEL= 19.6

	5.00	1.33	3.00	0.10	1.50	0.00	69.000	1.00	82.40	509.40

[illegible] 11.500

[illegible]

[illegible]

	11.00	3.30	656.77	5.00	0.00	650.30	1.20	0.33	0.00	581.60

U/S PSI CAPITAL AVE. CROSS SECTION REF.

FLOW DISTRIBUTION FOR SECNO= 11.00 C.SEL= 656.70

STA= 510. 530.
DEL= 110.3
PREA= 60.9
DEL= 9.9

SECNO 11.01

[illegible]

BYPASS EMBANKMENT STATIONS= 497.0 650.0 TYPE= 1 TARGET= 113.000

	11.20	9.88	653.28	5.00	0.30	653.45	2.17	0.71	0.36	681.40
	630.	169.	575.	71.	169.	86.	53.	43.	17.	281.40
	0.38	1.87	4.14	1.32	0.080	0.040	0.060	0.041	681.40	487.00

U/S PSI CAPITAL AVE. CROSS SECTION 9

FLOW DISTRIBUTION FOR SECNO= 11.00 C.SEL= 656.70

STA= 497. 533. 587. 530. 956. 967.

PREA= 151.2 10.4 [illegible] 32.3 3.1
DEL= 9.3 2.2 [illegible] 1.4 0.4

SECNO 11.010

SECNO	DEPTH	CHANEL	CUTTING	DESIGN	CUTTING	CE	MW	TL	C.OBS	DOWN SLEW
0	OLOB	OCK	3.OOF	FLOB	X.CI	X.CW	JOL	TWA	LEFT/RIGHT	
TIME	VLOB	VCK	WHOC	X.IL	X.CW	MTV	ELNIN		95TW	
ELOPE	XLOBE	XLOCI	XLOCI	1+2	ICONT	JORNH	TOP XE		EWOCI	

FORM 441-600 PRINTED BY DAILY HANSOLD FORMS DIVISION OF RAPID-AMERICAN CORPORATION

3420 CRITICAL DEPTH ASSUMED

3420 MINIMUM SPECIFIC ENERGY

FLL: LAST ITERATION FOR SECANT= 11.2ft dQ=0.67 dH=0.67

FLL: FINAL SECT. PROP. COMPUTED BY

FLL: SECTION FOR SPECIFIC ENERGY

FLL: SECTION FOR DISCHARGE

FLL: SECTION FOR SECANT

SEC.10 11.10C

AREA=	0.3	69.2	22.6	6.9	75.2	2.3
VEL=	0.3	0.9	1.6	1.9	6.6	0.3

*SECNO 11.310

11.31	4.17	392.11	392.93	0.00	396.40	0.53	1.00	0.03	396.40
150.	248.	4...	3.	12.	75.	7.	44.	27.	395.2-
1.03	1.17	1.85	1.79	2.0[illegible]	2.0[illegible]	2.0[illegible]	0.[illegible]	291.30	1554.0[illegible]
0.0[illegible]3105	110.	204.	110.	3	3	1	0.00	230.70	1554.75

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]	1332.	1740.	1741.	1326.	1535.	1556.	1363.
AREA=	0.3	71.5	9.9	2.2	76.5	0.4
AREA=	0.6	80.7	24.0	7.3	77.2	3.5
VEL=	0.3	0.9	1.6	1.9	6.3	0.3

* [illegible] 1,382

11.32	4.66	396.96	396.32	0.00	397.31	0.35	1.00	0.03	393.60
150.	133.	532.	2.	92.	76.	3.	43.	27.	896.20
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
0.0[illegible]4913	410.	93.	110.	4	2	1	0.00	152.[illegible]	[illegible]

FLOW DISTRIBUTION FOR SECNO= 11.32 CHSEL= 396.96

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
AREA=	51.8	25.2	7.0	75.7	0.4
AREA=	51.8	25.2	7.0	75.7	3.1
VEL=	1.1	1.7	1.9	6.6	0.8

*SECNO 11.900

11.90	3.57	397.97	0.00	0.00	690.40	0.59	3.97	0.00	396.40
[illegible]	2.	2[illegible]	[illegible]	2[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
0.07	1.33	5.95	1.25	0.030	0.040	0.000	0.042	894.40	397.0[illegible]
0.0[illegible]9538	110.	163.	110.	2	0	0	0.02	70.00	430.0[illegible]

FLOW DISTRIBUTION FOR SECNO= 11.90 CHSEL= 397.97

STA=	587.	365.	495.	130.
AREA=	41.1	42.2	8.0
AREA=	26.	67.7	15.2
VEL=	1.2	6.0	1.8

*SECNO 12.000

SECID	DEPTH	CHSL.	CHVL	ISELK	ES	PV.	ML	QLOSS	PAVE ELEV
	WLC	WSL	QTOT	QLOS	ASW	AVDF	VOL	TWP	LEFT/BLOFT
SLOPE	WLCOL	RLCI	WLJOB	ITRIAL	142	1POINT	COMP	TOPWID	ERRST

3270 ORIAL DESIGNATION= 3 NEW E.1200= 394.90 RNA BLOB= 654.40

3420 ENCROACHMENT STATIONS= 340.0 430.0 TYPE= 1 TARGET= 70.200

TOP OF [illegible] CROSS SECTION 70

12.30	6.68	894.73	0.00	0.30	899.03	3.62	0.01	0.01	896.45
0.4.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15.	[illegible]	[illegible]	[illegible]
0.37	1.27	5.98	[illegible]	0.[illegible]0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-92.79	[illegible]	[illegible]

FLOW DISTRIBUTION FOR SECTION= 12.00 CHSEL= 896.06

STA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	6.0	[illegible]	[illegible]	
AREA=	27.0	909.0	15.[illegible]	
VEL=	1.1	5.6	1.[illegible]	

[illegible]

[illegible] PEAK FLOW= [illegible] WS ELEV= 894.62

BRIDGE DISCHARGE FOR STATION= 460.3 450.5 TYPE= 2 TARGET= 70.300

[illegible] CROSS SECTION 70

12.70	3.92	197.72	0.10	0.00	898.58	0.60	0.17	[illegible]	895.42
630.	30.	572.	20.	23.	84.	13.	49.	22.	896.90
0.27	1.45	0.62	1.56	0.083	0.760	0.330	0.042	896.60	360.30
[illegible]	[illegible]	[illegible]	[illegible]	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

FLOW DISTRIBUTION FOR SECTION= 12.00 CHSEL= 897.92

STA= 360. 365. 415. 460.

[illegible]	[illegible]	[illegible]	[illegible]	
AREA=	[illegible]	15.[illegible]	12.7	
VEL=	[illegible]	[illegible]	1.3	

SECNO 12.200

12.20	5.43	898.68	0.00	0.20	899.09	2.20	0.45	0.05	896.40
670.	41.	551.	20.	66.	69.	30.	69.	29.	897.[illegible]
0.61	0.79	1.[illegible]	1.77	3.030	2.04[illegible]	0.06	0.252	893.40	333.59
0.[illegible]	[illegible]	[illegible]	100.	2	[illegible]	2	0.00	1[illegible].7	44[illegible].36

FLOW DISTRIBUTION FOR SECTION= 12.20 CHSEL= 898.58

STA=	333.	373.	415.	466.
FSS [illegible]=	0.[illegible]	57.6	[illegible].5	
AREA=	45.9	146.[illegible]	55.3	
VEL=	0.3	3.3	0.8	

SECNO 12.90

[illegible] HAS CHANGED [illegible] TRIAL WIDTHS

BRIDGE ENCROACHMENT STATIONS= 250.0 320.0 TYPE= 2 TARGET= 70.300

[illegible] CROSS SECTION 70

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
630.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	897.30
[illegible]	32	7.28	1.59	0.300	0.040	[illegible].080	0.04[illegible]	894.60	850.00

0.007561 100. 170. 200. S 1 3 3.00 70.00 370.00

FLO. DISTRIBUTION FOR SECTION= 12.90 CHSEL= 100.00

STA=	200.	240.	280.	320.
FLOW=	14.1	77.9	29.1	
VEL=	1.5	2.3	1.3	

SECTION 1.00

CRITICAL DISCHARGE= 1 CRITICAL= 85.62 MAX FLOW= 83.40

3470 INCREMENT STATION= 251.0 320.0 TYPE= 1 TARGET= 77.000

					CROSS SECTION PC				
3.00	3.71	399.33	0.00	0.00	099.70	0.71	0.02	0.13	897.30
630.	40.	497.	123.	23.	77.	41.	50.	23.	897.10
0.59	2.04	5.77	3.01	0.030	0.042	0.062	0.542	594.60	250.00

FLO. DISTRIBUTION FOR SECTION= 13.00 CHSEL= 099.99

STA=	230.	270.	290.	320.
FLOW=	14.3	77.7	13.0	
VEL=	2.	3.4	1.0	

SECTION 3.500

SECTION	DEPTH	CHSEL	CHINV	LSEL	ES	HV	HL	CLOSS	ROW ELEV
	0								
TOP	4.00	100	0030	4HL	N.CH	30K	HT=	ELOSS	SSTA
BLOB	4.00	100	0030	STRIAL	1.2	FCONT	20K1F	TOT.TD	ELOSS

[illegible] CRITICAL DEPTH= 290.30 QX ELLC= 193.1

3010 2' TRIALS ATTEMPTED MSL=CHSEL

3095 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

[illegible] ENERGY= 290.. 290.0 TYPE= 1 SHEET= 70.030

U/S 2ND DAM DVE CAPITAL AVE. CROSS SECTION PC

13.10	3.40	399.20	899.20	0.30	900.05	0.05	0.03	0.13	897.50
630.	46.	493.	00.	24.	59.	37.	50.	23.	897.10
0.59	2.23	4.27	4.04	0.050	0.061	0.050	0.542	594.50	250.10
0.0 5250	2.	2.	2.	20	18	L	-7.30	70.10	320.30

FLOW DISTRIBUTION FOR SECTION= 13.70 CHSEL= 899.24

STA=	230.	270.	290.	320.
FLOW=	7.5	78.3	14.3	
VEL=	2.5	55.2	35.0	

SECTION 13.900

3201 HV CHANGE ' ORE TRAN RUNS

630.	129.	341.	102.	72.	53.	98.	14.	35.	69.10
5.70	1.75	3.91	1.74	0.012	0.370	3.010	3.042	196.52	323.45
0.304642	120.	123.	122.	2	0	0	0.70	125.45	349.41

FLOW DISTRIBUTION FOR SECNO= 12.00 ENGEL= 900.70

STA= 324. 250. 273. 287. 340. 349.
% A= 5.2 20.3 54.1 25.1 0.3

SECNO 14.000

3201 MODEL STREAMLINE= 0 MIN ELTRO= 397.00 MAX ELLO= 396.50

14.00	4.20	830.70	0.03	4.00	901.00	0.30	0.01	7.00	398.07
630.	143.	302.	179.	73.	51.	93.	55.	23.	86W.30
5.71	1.74	3.93	1.73	0.011	0.370	3.010	3.042	196.52	323.45
0.304642	2.	2.	2.	2	0	0	-4.73	125.17	349.41

FLOW DISTRIBUTION FOR SECNO= 14.00 ENGEL= 900.70

5.2	22.7	41.7	29.0	0.4	
2.1	72.7	91.2	97.6	3.9	
0.7	2.0	6.0	2.0	0.7	

SECNO 14.100

3201 MODEL STREAMLINE= 0 MIN ELTRO= 397.00 MAX ELLO= 396.00

0.	3.01	0.	0.00	0.00	0.	0.01	0.00	0.00	
630.	164.	304.	178.	74.	55.	94.	30.	23.	159.13
0.70	1.53	3.03	1.69	0.010	0.040	0.002	0.072	197.00	325.03
0.305238	2.	2.	2.	0	0	0	-4.70	126.29	349.92

FLOW DISTRIBUTION FOR SECNO= 14.0 ENGEL= 900.7

STA=	324.	250.	273.	287.	340.	349.
PE=	5.2	22.7	41.7	29.0	0.4	
ABE=	2.1	72.7	91.2	97.6	3.9	
VBE=	0.7	2.0	6.0	2.0	0.7	

SECNO 14.200

14.20	4.261	90.35	5.01	0.00	90.51	0.15	0.42	0.02	99.00
0.	0.	0.	0.	0.	0.	0.	0.	0.	
630.	150.	55.	190.	2	0	0	0.00	111.32	359.00

FLOW DISTRIBUTION FOR RESNO= 14.20 CWSEL= 902.25

CHNL=	0.	14.2	47.4	30.2	4.2	
LOB=	0.	12.2	42.2	28.2	17.3	
VEL=	0.7	4.5	5.3	5.3	0.7	

*SECNO 4.000

SLOPE	KLOB	KCHN	XLOBF	FTRIAL	IWR	ZCH.T	CORAR	TOPWID	ENDST

3493 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLOB= 903.30 ELROB= 903.00

D/S FACE FOOTBRIDGE CROSS SECTION 7A

0.72	0.50	4.67	5.00	3.70	3.067	0.002	0.21	196.20	1121.00
.0111E+12	150.	150.	150.	2	0	3	0.00	72.00	1256.00

FLOW DISTRIBUTION FOR RESNO= 14.00 CWSEL= 902.00

CHNL= 119.6
VEL= 5.3

SPECIAL BRIDGE

SM XS	XTOP	COPC	PDLE	PNC	PUP	DAREA	SS	ELCHD	ELCHD
0.00	1.58	3.03	79.00	13.00	0.00	53.00	1.20	897.10	897.10

*ELCHD 15.000
*PRESSURE ONE*PREDP FLO.

PPRS	EGLWC	VH	QWEIR	QBR	ZAREA	TRPEZOID AREA	ELLC	ELTRD
904.11	903.39	0.72	60.	372.	63.	63.	901.30	903.30


3493 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLOB= 903.30 ELROB= 903.00

D/S FACE FOOTBRIDGE CROSS SECTION 7A

15.00	5.83	903.62	0.30	0.00	903.71	0.09	1.49	3.00	901.20
580.	0.	630.	0.	0.	262.	0.	52.	36.	931.70
0.00	1.2	0.	0.	0.	0.	0	0.57	73.00	1345.00

FLOW DISTRIBUTION FOR RESNO= 13.00 CWSEL= 903.02

PRINTED BY BAKER MANUFACTURING COMPANY, DIVISION OF BAKER INTERNATIONAL



3570 NORMAL DEPTH(FEET)= 0.70 CRITICAL DEPTH(FEET)= 1.50 TOP WIDTH= 202.10

16.10	6.20	905.00	1.00	0.00	904.30	0.50	3.00	2.02	901.27
623.	69.	305.	966.	65.	67.	92.	94.	25.	901.00
0.25	1.11	2.92	.37	0.00	0.00	.0000	.0000	.00	51.4
1.710430	1.	1.	1.	2	0	0	-99.00	104.75	253.56

FLOW DISTRIBUTION FOR SECNO= 16.10 QWSEL= 903.95

STA=	1035.	1000.	1011.	1025.	1050.
FLOW=	95.0	40.3	10.3	41.5	3.2
VEL=	4.0	1.7	0.4	1.8	0.5

WSEL= 3 16.030

13.97	6.20	905.03	1.00	0.00	904.31	0.50	3.00	1.73	902.30
623.	75.	307.	972.	62.	67.	92.	94.	25.	901.00
0.26	0.80	2.93	.37	0.00	0.000	0.000	0.000	692.50	1009.15
1.732159	200.	220.	200.	2	0	0	0.00	92.21	1079.75

FLOW DISTRIBUTION FOR SECNO= 16.00 QWSEL= 905.03

STA=	1011.	1035.	1060.	1085.	1100.
FLOW=	3.5	94.6	1.9		
AREA=	27.7	134.5	17.3		
VEL=	0.8	4.4	0.7		

WSECNO 16.000

13.97	6.20	905.03	0.00	.00	905.30	0.50	0.53	1.73	903.30
630.	77.	315.	5.	15.	120.	6.	56.	25.	901.00
2.77	0.80	5.11	0.46	0.000	0.040	0.000	0.041	698.50	2010.35
0.003639	200.	220.	200.	2	0	0	0.50	74.93	1085.29

FLOW DISTRIBUTION FOR SECNO= 15.97 QWSEL= 905.00

STA=	1011.	1035.	1060.	1085.	1100.
FLOW=	1.9	97.3	0.8		
AREA=	16.8	135.9	7.1		
VEL=	0.8	5.1	0.7		


CCTW= .300 CSAVE= 0.500

WSECNO 16.000

13.83	6.25	905.05	0.70	1.00	904.26	0.64	0.97	0.52	904.10
631.	79.	319.	3.	11.	119.	5.	56.	20.	903.10
0.78	0.79	5.35	0.03	0.000	0.045	0.000	0.041	650.50	1019.50
0.005286	200.	220.	250.	2	50	0	0.00	68.69	1082.27

FLOW DISTRIBUTION FOR SECNO= 15.50 CWSEL= 903.85

STA=	1011.	1035.	1060.	1085.	1100.
FLOW=	1.4	98.1	0.5		



0.64	0.37	1.13	0.37	0.030	3.040	3.090	0.043	902.10	914.17
0.000052	428.	428.	120.	2	0	0	0.03	262.00	1176.15

FLOW DISTRIBUTION FOR SEC 0= 0.00 CHSEL= 911.00

0.70	0.73	911.11	3.07	1.00	911.17	0.12	0.07	0.05	905.00
623.	155.	329.	155.	497.	199.	465.	59.	27.	934.70
0.84	0.31	1.46	0.31	0.060	0.020	0.030	0.041	902.13	914.17
0.000046	2.	2.	2.	1	0	0	-43.40	261.97	1176.14

FLOW DISTRIBUTION FOR SEC0= 12.00 CHSEL= 911.65

ITN=	914.	916.	950.	992.	1057.	1067.	1170.	1172.	1173.	1176.
% K 0=	2.0	1.6	7.2	19.4	52.6	3.6	11.0	6.3	0.3	
	2.7	2.0	0.3	0.4	1.7	0.4	0.4	0.3	0.1	

*SEC.0 10.100

1370 NORMAL BRIDGE,ORD= 0 HIT ELTRD= 904.70 MAX ELLC= 902.10

16.70	9.76	911.86	3.00	0.00	911.87	0.21	0.05	0.00	905.00
630.	259.	285.	190.	497.	199.	465.	39.	27.	934.70
0.52	0.42	1.13	0.51	0.00	0.060	0.060	0.021	902.10	914.17
0.000019	2.	2.	2.	1	0	0	-43.40	261.99	1176.15

FLOW DISTRIBUTION FOR SEC0= 18.30 CHSEL= 911.96

ITN=	914.	916.	950.	992.	1057.	1067.	1170.	1172.	1173.	1176.
% K 0=	1.0	2.5	9.0	24.2	55.7	3.2	10.0	5.2	1.7	
	1.0	66.4	164.0	404.7	199.4	60.3	210.2	100.5	24.1	
	0.1	0.2	0.6	1.5	1.7	0.5	0.5	0.6	0.2	

*SECND 18.200

4.90	2.31	1.03	1.61	4.02	1.35	2.96	0.75	0.51	934.40
0.02	0.55	1.03	0.54	0.003	0.040	0.030	0.046	904.11	1719.99
0.00	2.00	1.00	0.00	0	0	0	0.00	262.52	2003.00

STA= 1725. 1764. 1862. 1874. 1895. 1897. 1950. 1963. 2010.

SECT C=	3.4	23.0	3.5	34.3	0.3	0.3	17.1	7.7
AREA=	85.1	25.7	33.8	135.0	6.1	60.3	193.1	34.8
VEL=	0.4	0.6	0.7	1.8	0.5	0.9	0.2	0.2

TYPE OF SECTION

STATION	ELEV	LEFT	CHORD	WEIGHT	.D	.V		FLOW	TOP WIDTH
	5.0	FLOW	FLOW	AREA	SEC	AREA	VEL		LEFT/RIGHT
TIRE	W.P.	.WCH	W.CH	MAN	MEAN	MAX	.TW	FLOW%	DATA
S_OBJ	X_O	X_CI	X_OBJ	TRIAL	END	CORR	CORAT	TOPPED	E'OST

TOP OF L/S ESTATE ROAD CROSS SECTION 3C

18.70	6.37	912.17	0.30	0.03	912.25	0.11	0.30	0.02	903.90	
[illegible]	177.	[illegible]	154.	[illegible]	[illegible]	250.	90.	8.	203.[illegible]	
1.16	0.56	1.20	0.30	0.175	0.058	0.213	0.341	903.90	1 11.56	
0.000455	101.	101.	91.	2		1	0.20	546.73	193.14	

FLOW DISTRIBUTION FOR SECTION= 13.73 CHSEL= 912.17

SECT C=	1.1	11.0	0.3	22.2	1.3	4.0	2.5	
AREA=	158.7	227.5	704.7	33.5	50.6	25.0	205.5	
VEL=	0.4	0.5	0.0	5.7	1.4	1.1	0.2	

S/E ESTATE ROAD LOSS SECTION 3C

13.62	8.42	912.22	0.00	0.30	912.32	0.10	0.04	0.00	903.90
550.	132.	303.	144.	505.	84.	295.	96.	42.	903.90
1.11	1.30	1.32	0.39	[illegible]	[illegible]	0.11	[illegible]	[illegible]	1.[illegible]
0.205425	59.	60.	99.	1	2	0	0.00	548.49	193.14

FLOW DISTRIBUTION FOR SECTION= 18.00 CHSEL= 912.22

SECT C=	10.5	13.4	0.1	41.1	11.2	4.3	6.9	
AREA=	105.4	234.1	125.9	83.9	50.3	39.2	213.3	
VEL=	0.4	0.5	0.0	5.0	1.4	1.0	0.2	

1490 NH SERD USEL

3370 NORMAL DISCHARGE,WR= 25 01% BLOCK= 903.90 MAX ELEV= 907.30

D/S PACE ESTATE ROAD CROSS SECTION 3C

13.62	1.42	912.27	0.00	0.30	912.33	2.04	2.03	0.00	903.37
550.	253.	157.	120.	477.	45.	219.	96.	42.	903.30
1.11	1.16	1.08	0.32	[illegible]	[illegible]	0.12	[illegible]	[illegible]	[illegible]
0.000329	1.	1.	1.	1	0	1	-146.65	550.70	1903.16

FLOW DISTRIBUTION FOR SECTION= 11.93 CHSEL= 912.27

SECT C=	2.0	5.4	0.1	45.4	16.	212.0		
AREA=	174.2	242.6	2.3	43.4	16.	212.0		

FORM 218 REVISED 1977 / PRINTED ON OLD FORM / MANUFACTURED BY THE HYDROLOGIC ENGINEERING CENTER / U.S. ARMY CORPS OF ENGINEERS / DAVIS, CALIFORNIA

VEL= 0.7 0.5 0.0 2.7 1.8 0.3

*SECNO 10.305

[illegible]

D/S RAIL ESTATE ROAD CROSS SECTION 30

19.00	7.34	912.34	0.00	0.30	992.39	3.05	0.06	0.00	905.30
0.	.3	1.	1.	1.	1.	1.	1.	1.	3.
1.19	0.24	1.12	0.13	3.154	.021	0.124	0.349	267.72	1334.52
0.200720	4.	4.	0.	2	1	0	25.25	357.25	1331.19

FLOW DISTRIBUTION FOR SECNO= 10.30 CHSEL= 912.34

[illegible]							
[illegible]	6.2	13.0	5.1	32.0	2.2	14.4	
Q*EL=	117.0	254.6	65.1	42.3	7.1	225.7	
V*EL=	0.7	1.0	0.0	3.2	1.2	0.5	

[illegible]
*SEC 0 10.30

D/S ESTATE ROADWAY CROSS SECTION 30

19.50	7.32	912.32	0.00	0.00	992.40	0.02	0.30	0.71	905.30
1.	1.	1.	1.	1.	1.	1.	1.	1.	1.
1.0	0.30	3.50	0.09	.027	0.135	0.127	3.744	5.4.30	1335.23
1.10012	1.	1.	1.	2	1	0	0.00	357.51	1331.19

FLOW DISTRIBUTION FOR SECNO= 10.10 CHSEL= 912.32

S*E=	1155.	1506.	1666.	1695.	1705.	1712.	1718.	1810.
[illegible]	12.2	20.7	0.1	42.9	10.0	5.7	0.1	
Q*EL=	185.2	251.3	107.4	78.2	45.1	29.0	233.2	
V*EL=	0.6	0.3	0.0	3.5	1.4	1.1	0.2	

[illegible]
*ELSEC=0.200

S*E*D	DEPTH	F.SEC	LEIMS	HSSL=	SC	*V	FL	DLOSS	SAVE ELEV	
	XLOS	CCH	CROD	XLOB	XCH	XROB	WSEL	TWA	LEFT/RIGHT	
ZERO	XLOS	XLCH	XROD	XNL	XNCH	XNR	WSEL	ELMIN	SETT	
CLOSE	XLOSE	XLCH	XLOBR	ITRIAL	IH2	ICONT	CONVR	TOPWID	SHOST	

D/S CAR 90 FT D/S ESTATE ROAD CROSS SECTION 30

19.20	7.45	912.38	0.00	0.00	912.44	0.39	0.04	0.00	905.70
1.	1.	1.	1.	1.	1.	1.	1.	1.	1.
1.30	0.42	3.36	0.11	0.109	0.135	0.154	0.04	904.42	1334.02
1.010013	1.	1.	1.	2	0	1	1.00	351.17	1331.19

FLOW DISTRIBUTION FOR SECNO= 19.20 CHSEL= 912.38

S*E=	1334.	1339.	1554.	1665.	1695.	1693.	1707.	1717.	1758.	1814.
PE*=	1.5	21.1	22.1	2.0	0.1	53.5	2.4	0.1	0.6	1.4
VEL=	0.3	0.5	0.5	0.0	0.0	0.5	0.2	0.0	0.2	0.3

*SECNO 19.300

3370 TOTAL UPSTREAM= 0 *** FLOW= 906.00 DSN ELL= 954.70

19.30	2.01	912.37	0.00	0.00	912.37	0.13	3.02	1.02	905.2	
630.	305.	237.	130.	537.	61.	964.	94.	66.	905.20	
1.22	2.64	3.37	0.30	0.103	0.035	0.162	0.048	904.20	1332.52	
0.00	0.0	0.0	0.0			0	0	0.00	0.00	0.0

FLOW DISTRIBUTION FOR SECNO= 19.30 CHSEL= 912.37

STA=	1323.	1386.	1500.	1666.	1685.	1693.	1707.	1711.	1758.	1880.
			19.1	31.7	1.1	0.0	2.7	2.7	1.1	11.1
			191.2	261.6	57.1	31.7	51.1	13.1	117.4	140.2
			2.1	2.6	0.0	0.0	0.5	0.1	0.1	1.3

1680 HH CARD USED
*SECNO 19.400

19.40	0.27	912.37	0.00	0.00	912.37	0.00	0.00	0.21	906.10	
631.	251.	296.	83.	342.	38.	250.	59.	44.	906.10	
1.20	0.44	3.37	0.32	0.107	0.035	0.169	0.041	906.10	1332.79	
0.00	0.0	0.0	0.0			0	0	0.00	0.00	0.0

FLOW DISTRIBUTION FOR SECNO= 19.40 CHSEL= 912.37

STA=	1333.	1386.	1500.	1666.	1685.	1693.	1707.	1711.	1758.	1880.
			11.6	21.6	0.1	0.1	2.0	0.3	0.1	10.
			159.6	201.5	42.9	26.6	37.5	8.5	170.	140.2
			2.1	2.6	0.0	0.0	0.5	0.1	0.2	0.5

1680 HH CARD USED
*SECNO 19.720

19.72	5.06	912.02	0.00	0.00	912.33	0.11	3.47	2.01	907.10	
630.	247.	234.	159.	559.	53.	353.	211.	51.	902.40	
1.20	0.80	4.36	0.46	0.030	0.038	0.152	0.041	907.00	1100.85	
0.01	0.0	0.0	0.0	0	0	0	0.0	902.20	1100.15	

FLOW DISTRIBUTION FOR SECNO= 19.7 CHSEL= 912.34

STA=	1131.	1150.	1212.	1296.	1318.	1326.	1535.	1476.	1903.
	55.7	1.0	0.0	0.7	1.1	25.5	1.9	14.7	
	55.7	100.9	30.5	50.2	32.1	59.4	224.9	191.7	
	0.7	0.7	0.4	0.9	0.5	5.4	0.3	0.7	

*SECNO 19.800

19.80	3.66	912.34	0.00	0.00	911.01	0.09	0.00	0.00	907.0	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	482.32	1583.1

FLOW DISTRIBUTION FOR SEC.0= 19.00 QPSEL= 913.54

ENTER W. CARD DATA

0.0?0967 1. 1. 1. 2 0 0 3.03 ?62.27 1503.11

FLOW DISTRIBUTION OF BOTTOM= 20.'0 RISE= 913.00

	0.1	0.5	0.4	1.0	1.5	4.3	0.3	0.0	

FORM 1491-GR PRINTED BY GARY MANIFOLD FORMS, DIVISION OF SAFETY PRINTING CORP., DETROIT
PRINTED IN U.S.A.



1) COUNTY: Calhoun

2) STUDY NAME: Battle Creek Twp

3) WATERCOURSE: Minges Brook

4) DOCUMENT TYPE: Summary



R

****

PLEASE RELEASE DATED 10/ TO UPDATED FEB 1971

PERIOD CODE = 01

SPECIFICATION = 50,51,52

****

[illegible] INCREASE IN FLOW AT LEFT OF CROSS-SECTION DOWNSTR ENTRANCE TO MERRIMACK R. FROM [illegible] DEPTH LOSS

MIDGES BROOK B.C.TOP

SUMMARY PRINTOUT TABLE 151

	AFCAP	DLTP	FLTRO	DSCP	FLOUT				ET	TOPRS	WCR	ADDO	DOTP
	6.200	50.00	0.00	0.00	836.70	310.00	861.55	[illegible].00	661.49	10.77	3.36	140.06	97.25
	6.200	50.00	0.00	0.00	836.70	525.00	863.08	0.00	653.23	7.95	3.61	280.26	156.25
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	30.00	0.00	0.00	[illegible]	400.00	[illegible]	.00	[illegible]	[illegible]	2.85	225.00	304.00
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.300	410.00	0.00	0.00	855.90	525.00	865.58	0.00	863.30	5.62	2.93	227.58	225.75
	6.300	410.00	0.00	0.00	855.90	630.00	864.12	0.00	866.24	5.46	3.16	295.72	270.07
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.400	585.00	0.00	0.00	856.70	525.00	863.44	0.00	863.47	6.28	3.14	174.42	182.47
	6.400	635.00	0.00	0.00	856.70	630.00	864.52	0.00	864.69	7.90	3.37	201.62	224.12
	6.400	635.00	0.00	0.00	856.70	900.00	867.25	0.00	867.41	4.51	3.26	321.17	424.02
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.410	595.00	0.00	0.00	856.40	310.00	863.13	0.00	863.31	17.56	2.56	126.57	76.75
	6.410	595.00	0.00	0.00	856.40	525.00	865.45	0.00	865.61	10.76	3.51	196.95	100.20
	6.410	595.00	0.00	0.00	856.40	630.00	865.94	0.00	865.78	8.61	3.57	176.65	117.20
	6.410	595.00	0.00	0.00	856.40	900.00	867.96	0.00	867.81	2.75	2.44	950.69	542.76
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.420	595.00	0.00	0.00	860.10	525.00	865.15	0.00	865.46	25.91	4.82	106.04	103.16
	6.420	595.00	0.00	0.00	860.10	630.00	865.65	0.00	865.95	23.15	4.87	240.55	130.96
	6.420	595.00	0.00	0.00	860.10	900.00	867.76	0.00	867.90	7.76	3.39	303.78	329.56
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.430	595.00	0.00	0.00	861.80	310.00	865.79	0.00	866.05	20.79	6.18	96.10	57.81
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.430	595.00	0.00	0.00	861.30	630.00	867.36	0.00	867.45	29.69	5.97	209.33	145.53
	6.430	595.00	0.00	0.00	861.30	900.00	868.16	0.00	868.25	19.98	5.01	370.04	201.60
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.500	595.00	0.00	0.00	865.60	310.00	867.31	0.00	867.77	29.55	4.77	101.62	57.03
	6.500	595.00	0.00	0.00	863.60	525.00	868.43	0.00	868.73	20.16	4.83	190.83	98.93
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	6.600	595.00	0.00	0.00	866.50	525.00	869.24	0.00	869.52	26.36	4.98	207.14	106.34
	6.600	595.00	0.00	0.00	866.50	630.00	869.59	0.00	869.86	24.44	4.98	235.83	120.96
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF [illegible] THE COMPANY—SYRACUSE

PRINTED IN U.S.A.

SECND	XLCH	ELTRO	ELLC	ELMIN	Q	DUCEL	CRICS	EG	TOK*S	VCH	APER	.01K
6.700	325.00	0.00	0.00	865.00	310.00	868.19	0.00	869.65	29.25	4.99	127.92	57.32
6.700	325.00	0.00	0.00	865.00	525.00	869.19	0.00	870.65	29.25	4.99	127.92	57.32
6.700	325.00	0.00	0.00	865.00	630.00	870.19	0.00	870.65	29.25	4.99	127.92	57.32
6.700	325.00	0.00	0.00	865.00	900.00	871.19	0.00	871.65	29.25	4.99	127.92	57.32
6.750	50.00	0.00	0.00	865.00	310.00	869.27	0.00	869.83	34.66	5.49	95.86	52.82
6.750	50.00	0.00	0.00	865.00	525.00	870.33	0.00	870.76	48.04	7.38	120.90	75.75
6.750	50.00	0.00	0.00	865.00	630.00	871.27	0.00	871.83	59.25	8.96	139.62	94.13
6.750	50.00	0.00	0.00	865.00	900.00	871.26	0.00	871.63	22.04	5.70	475.46	191.69
6.300	50.00	0.00	0.00	865.00	310.00	869.20	0.00	870.10	72.00	7.21	42.50	30.14
6.300	50.00	0.00	0.00	865.00	525.00	869.94	0.00	871.67	130.21	10.55	49.38	46.61
6.300	50.00	0.00	0.00	865.00	630.00	870.14	870.03	872.44	170.96	12.24	51.45	48.19
6.300	50.00	0.00	0.00	865.00	900.00	871.20	0.00	871.78	90.71	5.49	248.20	105.30
7.000	50.00	874.30	871.90	865.10	310.00	870.20	0.00	870.85	88.86	6.75	68.04	32.70
7.000	55.00	874.30	871.90	865.10	525.00	870.96	0.00	872.57	182.55	9.56	52.43	50.40
7.000	39.00	874.30	871.90	865.10	630.00	871.70	0.00	872.97	93.07	9.03	69.47	45.02
7.000	50.00	874.30	871.90	865.10	900.00	874.91	0.00	874.93	1.72	2.05	1215.56	690.16
7.200	55.00	0.00	0.00	865.10	310.00	870.17	0.00	870.82	5.20	2.60	575.15	133.53
7.200	55.00	0.00	0.00	865.10	525.00	870.94	0.00	872.57	3.70	2.00	1140.54	203.37
7.200	50.00	0.00	0.00	865.10	630.00	871.69	0.00	872.96	3.24	2.35	911.00	348.67
7.200	50.00	0.00	0.00	865.10	900.00	876.92	0.00	874.94	1.69	2.05	1215.70	691.67
7.970	550.70	0.00	0.00	865.50	525.00	870.34	0.00	872.63	17.07	3.19	631.20	124.21
7.970	550.70	0.00	0.00	865.50	630.00	871.34	0.00	873.75	15.21	3.13	811.26	159.06
7.900	550.00	0.00	0.00	865.50	900.00	875.05	0.00	875.16	9.21	3.59	1644.74	296.05
8.300	2.00	868.00	866.50	865.50	310.00	870.74	870.64	871.98	98.91	7.98	61.17	32.08
8.300	2.00	868.00	866.50	865.50	525.00	871.74	0.00	873.25	19.78	4.79	253.26	101.27
8.300	2.00	868.00	866.50	865.50	630.00	872.74	0.00	873.79	16.24	5.33	232.25	146.35
8.300	2.00	868.00	866.50	865.50	900.00	875.01	0.00	875.16	6.96	4.57	322.67	301.76
8.100	2.00	0.00	0.00	867.70	310.00	871.15	0.00	871.63	63.40	6.26	80.38	58.93
8.100	2.00	0.00	0.00	867.70	525.00	873.04	0.00	873.26	21.49	4.38	224.73	113.24
8.100	2.00	0.00	0.00	867.70	630.00	873.91	0.00	873.96	7.80	3.75	583.70	209.05
8.100	2.00	0.00	0.00	867.70	900.00	876.03	0.00	875.16	5.89	4.06	583.70	209.05
8.300	390.00	0.00	0.00	865.50	525.00	870.63	0.00	873.75	9.23	5.19	287.70	172.85
8.300	390.00	0.00	0.00	865.50	630.00	871.10	0.00	874.32	8.56	5.87	360.58	215.58
8.300	390.00	0.00	0.00	865.50	900.00	874.10	0.00	874.82	8.56	5.87	360.58	215.58
8.310	445.00	0.00	0.00	870.10	310.00	873.13	0.00	873.58	35.25	4.23	87.90	52.21
8.310	445.00	0.00	0.00	870.10	525.00	874.13	0.00	874.75	20.08	3.84	201.75	123.14
8.310	445.00	0.00	0.00	870.10	630.00	874.56	0.00	874.86	26.18	4.86	201.75	123.14
8.310	445.00	0.00	0.00	870.10	900.00	875.62	0.00	875.68	18.76	4.60	347.23	207.77
8.320	445.00	0.00	0.00	871.70	310.00	874.59	0.00	874.78	36.31	4.27	87.17	51.97
8.320	445.00	0.00	0.00	871.70	525.00	875.31	0.00	875.53	57.95	4.78	157.16	95.67
8.320	445.00	0.00	0.00	871.70	630.00	875.74	0.00	875.84	55.31	5.72	259.05	154.05
8.320	445.00	0.00	0.00	871.70	900.00	876.55	0.00	876.75	55.31	5.72	259.05	154.05

SECND	XLCN	ELTTD	ELLC	ELMCN	Q	CNSEL	CNTLS	EG	TORQS	VCU	AREA	.01R
8.350	445.00	0.00	0.00	875.70	310.00	876.30	0.00	876.57	36.47	6.28	84.11	51.35
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8.250	445.30	0.00	0.00	875.70	320.00	877.04	0.00	877.09	37.27	6.31	101.54	103.34
8.130	445.00	0.00	0.00	875.70	321.00	878.04	0.00	878.56	37.96	6.18	261.32	146.07
8.400	445.00	0.00	0.00	875.70	340.00	878.34	0.00	878.77	69.06	5.56	89.01	57.30
8.400	445.00	0.00	0.00	875.00	525.00	879.39	0.00	879.60	63.94	6.12	125.39	65.66
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8.410	300.00	0.00	0.00	877.50	525.00	881.25	883.14	882.00	103.39	7.21	93.14	51.65
8.410	300.00	0.00	0.00	877.50	630.00	881.49	891.42	882.31	106.86	7.23	110.28	60.94
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8.900	300.00	0.00	0.00	870.70	310.00	870.30	0.00	881.23	36.61	6.21	140.14	51.30
8.900	300.00	0.00	0.00	880.00	525.00	883.33	0.00	883.52	50.94	6.16	252.71	94.36
8.900	300.00	0.00	0.00	880.00	630.00	883.62	0.00	883.79	29.71	6.31	272.49	115.58
8.973	300.00	0.00	0.00	880.00	900.00	884.20	0.00	884.40	26.58	6.26	362.55	168.36
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9.330	2.20	880.30	880.00	880.00	310.00	880.30	0.00	880.31	37.16	6.37	202.77	49.34
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9.300	2.00	880.30	880.00	880.00	630.00	880.30	0.00	880.31	22.52	7.31	314.09	109.66
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9.900	125.00	0.00	0.00	877.70	310.00	883.01	0.00	883.10	3.61	2.37	158.65	103.55
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9.930	125.30	0.00	0.00	877.70	320.00	883.97	0.00	884.10	32.43	5.38	305.71	179.50
9.910	125.30	0.00	0.00	877.70	900.00	884.54	0.00	884.72	18.49	6.15	416.35	249.42
10.000	2.00	881.00	877.70	877.70	310.00	882.55	877.70	883.38	70.38	7.38	54.05	38.95
10.000	2.00	881.30	877.70	877.70	525.00	883.17	877.70	884.02	48.68	7.87	119.56	75.24
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.001	2.00	881.30	877.70	877.70	900.00	883.24	0.00	884.04	22.30	7.93	502.00	170.24
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.100	2.00	881.00	880.00	880.00	525.00	883.99	883.30	884.10	60.20	6.81	259.84	82.72
10.100	2.00	881.00	880.00	880.00	630.00	884.10	0.00	884.30	41.75	6.10	278.27	97.60
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.000	150.00	0.00	0.00	881.10	310.00	886.28	0.00	886.34	69.00	6.04	97.63	45.93
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.800	150.00	0.00	0.00	881.10	630.00	884.73	0.00	885.32	75.27	7.25	143.72	72.67
10.800	150.00	0.00	0.00	881.10	900.00	885.18	0.00	885.99	90.63	8.65	174.50	94.54
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.850	50.00	0.00	0.00	881.25	900.00	885.32	0.25	886.90	130.65	10.71	112.05	60.55

	SECNO	XLCN	SLTRO	ECLC	ELMIN	D	CASEL	CRICS	EG	TONKS	VCN	AREA	.01K
	10.000	25.00	0.00	0.00	301.35	310.00	304.31	0.00	284.31	74.25	6.22	55.46	35.98

SGCNO	XLCH	BLT30	ELLC	SLMIN	Q	CMGSL	CMJ.3	SG	10K*G	VCH	APHA	.DIK
11.310	165.00	3.00	0.00	891.50	310.00	895.22	0.00	895.60	57.67	5.07	75.13	40.82
11.310	165.00	0.00	0.00	891.50	525.00	893.07	0.00	893.30	51.43	5.02	130.79	75.19
11.310	165.00	0.00	0.00	891.50	630.00	895.01	895.02	895.01	61.03	5.25	236.26	110.64
11.310	165.00	0.00	0.00	891.50	900.00	895.02	0.00	895.01	81.51	6.71	456.00	116.36
11.320	165.00	0.00	0.00	892.50	310.00	896.17	0.00	896.58	69.22	5.18	70.70	39.02
11.320	165.00	0.00	0.00	892.50	525.00	896.73	896.52	897.27	70.52	6.35	157.25	82.52
11.320	165.00	0.00	0.00	892.50	630.00	897.00	897.00	897.00	69.89	6.02	179.02	95.30
11.320	165.00	0.00	0.00	892.50	900.00	897.31	0.00	897.97	81.20	7.66	226.00	98.06
11.900	165.00	0.00	0.00	896.40	310.00	897.14	0.00	897.40	68.92	6.20	80.39	43.46
11.900	165.00	0.00	0.00	896.40	525.00	897.70	0.00	898.20	47.05	5.54	122.63	75.19
11.900	165.00	0.00	0.00	896.40	630.00	897.97	0.00	898.40	55.52	5.95	156.95	84.71
11.900	165.00	0.00	0.00	896.40	900.00	898.41	0.00	898.75	67.52	7.77	166.56	109.31
12.000	3.00	895.50	894.20	895.80	310.00	896.22	0.00	897.49	58.45	5.79	80.67	62.76
12.000	2.00	896.90	894.20	895.80	525.00	897.07	0.00	898.22	50.05	5.07	135.20	86.33
12.000	2.00	896.90	894.20	895.80	630.00	898.09	0.00	898.50	35.08	5.40	149.90	106.60
12.000	2.00	896.90	894.20	895.80	900.00	898.54	0.00	899.15	44.29	6.19	182.37	135.26
12.100	2.00	896.90	894.20	896.60	310.00	897.01	0.00	897.16	85.70	5.85	69.52	35.20
12.100	2.00	896.90	894.20	896.60	525.00	897.29	0.00	897.36	73.77	6.15	10 .00	57.71
12.100	2.00	896.90	894.20	896.60	630.00	897.42	0.00	897.55	68.08	6.22	179.70	80.75
12.100	2.00	896.90	894.20	896.60	900.00	897.63	0.00	897.84	101.90	8.05	150.58	89.16
12.200	165.00	0.00	0.00	897.50	310.00	897.85	0.00	897.87	8.56	2.47	144.47	99.41
12.200	165.00	0.00	0.00	897.50	525.00	897.91	0.00	897.93	12.35	3.16	234.58	1841.30
12.200	165.00	0.00	0.00	897.50	630.00	897.94	0.00	897.95	13.78	3.31	276.27	169.74
12.200	165.00	0.00	0.00	897.50	900.00	897.98	0.00	897.99	15.84	4.47	328.78	225.58
12.900	170.00	0.00	0.00	894.60	310.00	897.85	0.00	898.32	67.66	5.69	61.10	37.69
12.900	170.00	0.00	0.00	894.60	525.00	897.91	0.00	898.23	75.37	6.86	109.66	66.47
12.900	170.00	0.00	0.00	894.60	630.00	897.94	0.00	898.03	76.61	7.25	121.40	71.95
12.900	170.00	0.00	0.00	894.60	900.00	897.98	0.00	898.15	75.35	8.06	169.67	103.70
13.000	2.00	896.20	895.80	894.60	310.00	897.73	0.00	898.41	481.95	6.06	49.14	14.12
13.000	2.00	896.20	895.80	894.60	525.00	898.80	0.00	899.35	270.56	6.45	103.69	31.92
13.000	2.00	896.20	895.80	894.60	630.00	899.35	0.00	899.87	177.06	6.67	141.13	47.25
13.000	2.00	896.20	895.80	894.60	900.00	900.15	0.00	900.32	160.42	8.01	196.78	75.96
13.100	2.00	896.20	895.80	895.30	310.00	898.44	898.24	898.98	183.73	7.01	54.77	24.23
13.100	2.00	896.20	895.80	895.30	525.00	898.99	898.99	899.76	128.85	7.75	102.94	46.25
13.100	2.00	896.20	895.80	895.80	630.00	899.20	899.20	900.05	133.69	8.29	117.72	54.48
13.100	2.00	896.20	895.80	895.80	900.00	899.75	0.00	900.15	128.00	9.42	136.99	69.11
13.900	120.00	0.00	0.00	896.30	310.00	899.70	0.00	900.04	51.55	5.79	112.99	68.11
13.900	120.00	0.00	0.00	896.50	525.00	900.67	0.00	900.99	46.45	5.91	223.38	92.46
13.900	120.00	0.00	0.00	896.50	630.00	900.67	0.00	900.99	46.45	5.91	223.38	92.46
13.900	120.00	0.00	0.00	896.50	900.00	901.30	0.00	901.61	62.92	6.25	306.49	137.37
14.000	2.00	897.00	896.30	896.50	310.00	899.69	0.00	900.04	77.35	5.96	105.21	55.75
14.000	2.00	897.00	896.30	896.50	525.00	900.10	0.00	900.72	61.08	6.38	163.35	86.35
14.000	2.00	897.00	896.30	896.50	630.00	900.30	0.00	900.92	60.76	6.62	203.09	108.00
14.000	2.00	897.00	896.30	896.50	900.00	901.33	0.00	901.82	60.76	6.62	303.09	125.20

FORM 1-11 (H PRINTED BY LOVART HANDY OLD FORD DIVISION OF SPERRY RAND PRINTING COMPANY, INC.
PRINTED IN U.S.A.

SECND	WLCK	ELTRD	ELLC	ELTION	Q	CUSEL	CTILS	EG	TORES	VCH	AREA	.01K
14.100	2.00	897.00	896.00	896.00	310.00	899.70	0.00	900.05	73.07	5.68	106.47	36.27
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	330.00	[illegible]	[illegible]	[illegible]	53.84	4.00	221.10	56.34
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
14.200	150.00	0.00	0.00	895.80	310.00	900.45	0.00	900.38	17.71	3.41	190.67	73.67
14.200	150.00	0.00	0.00	896.80	525.00	901.10	0.00	901.25	20.20	4.08	274.37	116.81
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
14.200	150.00	0.00	0.00	896.80	900.00	901.53	0.00	902.18	22.01	4.87	341.43	159.21
14.900	150.00	0.00	0.00	896.80	310.00	900.45	0.00	901.24	137.09	5.66	99.49	26.44
14.900	150.00	0.00	0.00	896.80	525.00	901.52	0.00	901.95	138.28	5.27	99.57	64.65
14.900	150.00	0.00	0.00	896.80	630.00	901.78	0.00	902.21	118.22	5.28	119.39	57.94
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	13.00	903.30	901.50	896.00	310.00	901.47	0.00	[illegible]	133.19	6.19	73.92	30.67
[illegible]	13.00	903.30	901.50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15.000	13.00	903.30	901.30	896.00	630.00	903.62	0.00	903.71	8.90	2.40	262.27	214.60
15.000	13.00	903.30	901.50	896.00	900.00	904.36	0.00	904.48	9.02	2.81	520.46	299.69
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15.200	140.00	0.00	0.00	897.10	900.00	904.49	0.00	904.66	13.96	4.26	373.90	240.17
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.000	2.00	899.50	897.70	897.70	310.00	901.70	0.00	902.74	69.12	8.28	47.42	37.29
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	2.00	899.50	897.70	897.70	630.00	[illegible]	0.00	904.16	12.01	4.05	210.33	176.01
[illegible]	2.00	899.50	897.70	897.70	[illegible]	[illegible]	0.00	904.97	12.64	5.04	290.14	259.24
16.100	2.00	899.50	898.10	897.70	310.00	901.49	0.00	902.87	638.92	9.54	50.46	14.87
16.100	2.00	899.50	898.10	897.70	525.00	903.43	0.00	903.70	31.76	4.53	193.70	93.16
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	2.00	899.50	898.10	897.70	[illegible]	[illegible]	0.00	905.01	22.09	[illegible]	329.53	[illegible]
[illegible]	220.00	0.00	0.00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.600	220.00	0.00	0.00	897.50	525.00	904.05	0.00	904.31	24.18	4.20	143.84	106.76
16.600	220.00	0.00	0.00	897.50	630.00	904.44	0.00	904.75	23.49	4.43	177.48	137.98
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.700	220.00	0.00	0.00	898.50	630.00	905.00	0.00	905.40	36.59	5.11	142.56	104.43
16.700	220.00	0.00	0.00	898.50	900.00	905.74	0.00	906.22	36.29	5.77	208.48	149.40
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.800	220.00	0.00	0.00	898.50	900.00	[illegible]	0.00	907.[illegible]	48.65	4.09	197.15	157.84

FORM [illegible] CO PRINTED BY MOFFATT MANIFOLD FORMS DIVISION OF [illegible] PRINTING CORPORATION

SECND	XLCH	CLTDD	ELLC	CLNIV	?	CMSE	CRIJS	EG	TOTAS	VCW	APSA	.U1K
16.900	150.00	0.00	0.00	899.50	310.00	904.93	0.00	905.57	63.78	5.93	44.76	30.22
16.900	150.00	0.00	0.00	899.50	525.00	905.64	0.00	906.31	41.00	3.83	130.02	87.41
16.900	150.00	0.00	0.00	899.50	630.00	906.19	0.00	906.91	33.77	3.55	157.11	99.22
16.900	150.00	0.00	0.00	899.50	900.00	907.85	0.00	907.52	65.09	3.36	225.38	135.15
17.000	46.00	911.00	905.50	901.60	310.00	904.29	0.00	905.72	65.15	5.26	58.95	46.14
17.000	46.00	911.00	905.50	901.60	525.00	911.46	0.00	911.60	9.43	3.86	323.77	170.96
17.000	46.00	911.00	905.50	901.60	630.00	911.93	0.00	911.97	10.90	4.01	413.70	199.77
17.000	46.00	911.00	905.50	901.60	900.00	912.57	0.00	912.61	15.27	5.70	633.55	230.33
17.900	123.00	0.00	0.00	902.10	310.00	910.17	0.00	910.86	1.67	1.25	677.01	544.22
17.900	123.00	0.00	0.00	902.10	525.00	911.42	0.00	911.63	0.41	0.99	1142.90	819.90
17.900	123.00	0.00	0.00	902.10	630.00	911.96	0.00	911.97	0.52	1.13	1204.55	977.63
17.900	123.00	0.00	0.00	902.10	900.00	912.31	0.00	912.32	0.82	1.67	1325.70	1405.90
18.000	2.00	904.10	902.10	902.10	310.00	910.17	0.00	910.85	2.36	1.80	455.12	326.71
18.000	2.00	904.10	902.10	902.10	525.00	911.41	0.00	911.63	0.24	1.43	1099.25	770.30
18.000	2.00	904.10	902.10	902.10	630.00	911.95	0.00	911.97	0.56	1.66	1160.24	7044.07
18.000	2.00	904.10	902.10	902.10	900.00	912.30	0.00	912.36	0.51	2.17	1280.54	1185.95
18.100	2.00	904.10	902.10	902.10	310.00	910.17	0.00	910.86	1.97	1.33	435.57	322.37
18.100	2.00	904.10	902.10	902.10	525.00	911.41	0.00	911.63	0.39	1.01	1060.21	774.15
18.100	2.00	904.10	902.10	902.10	630.00	911.95	0.00	911.97	0.51	1.15	1140.44	970.34
18.100	2.00	904.10	902.10	902.10	900.00	912.35	0.00	912.36	1.05	1.45	1285.54	688.17
18.900	607.00	0.00	0.00	903.10	310.00	910.17	0.00	910.86	1.63	1.27	760.67	602.90
18.900	607.00	0.00	0.00	903.10	525.00	911.41	0.00	911.63	2.15	1.15	844.40	629.73
18.900	607.00	0.00	0.00	903.10	630.00	911.95	0.00	911.97	2.00	2.22	910.00	730.72
18.900	607.00	0.00	0.00	903.10	900.00	912.30	0.00	912.36	2.00	2.22	910.00	730.72
18.700	5013.00	0.00	0.00	903.80	310.00	910.04	0.00	910.25	7.41	5.91	175.47	113.05
18.700	5013.00	0.00	0.00	903.80	525.00	911.39	0.00	911.60	4.97	4.69	338.61	248.45
18.700	5013.00	0.00	0.00	903.80	630.00	912.17	0.00	912.20	4.41	5.70	368.32	297.07
18.700	5013.00	0.00	0.00	903.80	900.00	912.77	0.00	912.84	4.59	5.91	1779.41	480.30
18.800	99.00	0.00	0.00	903.80	310.00	910.11	0.00	910.31	7.53	5.97	140.17	112.98
18.800	99.00	0.00	0.00	903.80	525.00	911.96	0.00	912.05	4.18	5.51	737.96	286.80
18.800	99.00	0.00	0.00	903.80	630.00	912.72	0.00	912.82	4.27	5.53	1209.27	430.57
18.800	99.00	0.00	0.00	903.80	900.00	912.77	0.00	912.84	4.59	5.91	1779.41	480.30
18.900	1.00	908.90	907.30	903.80	310.00	910.11	0.00	910.32	19.12	6.20	575.47	120.05
18.900	1.00	908.90	907.30	903.80	525.00	911.96	0.00	912.05	19.12	6.20	575.47	120.05
18.900	1.00	908.90	907.30	903.80	630.00	912.27	0.00	912.55	13.29	3.68	754.14	172.76
18.900	1.00	908.90	907.30	903.80	900.00	912.77	0.00	912.84	4.59	5.91	1779.41	480.30
19.000	48.00	909.90	907.30	903.80	310.00	910.11	0.00	910.30	2.80	5.88	1201.50	145.14
19.000	48.00	909.90	907.30	903.80	525.00	911.96	0.00	912.05	19.12	6.20	575.47	120.05
19.000	48.00	909.90	907.30	903.80	630.00	912.34	0.00	912.39	12.08	3.43	791.88	181.34
19.000	48.00	909.90	907.30	903.80	900.00	912.90	0.00	912.93	9.21	3.26	1100.47	296.54
19.100	1.00	0.00	0.00	904.50	310.00	910.13	0.00	910.32	2.80	5.88	1201.50	145.14
19.100	1.00	0.00	0.00	904.50	525.00	911.38	0.00	911.60	4.78	5.55	1199.28	258.72
19.100	1.00	0.00	0.00	904.50	630.00	912.17	0.00	912.20	4.41	5.70	1368.32	297.07
19.100	1.00	0.00	0.00	904.50	900.00	912.87	0.00	912.94	4.58	5.87	1792.47	429.66

PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF UNIVAC DIVISION
PRINTED IN U.S.A.

SECND	XLCH	ELTRD	ELLC	ELMIN	J	CHSEL	CHSUB	EG	TOX*S	VCH	ATEN	.OTK
19.200	87.00	0.00	0.00	904.70	310.00	911.63	0.00	911.74	4.07	2.96	535.41	153.59
19.300	87.00	0.00	0.00	904.70	525.00	912.11	0.00	912.19	4.90	3.56	793.06	245.73
19.300	87.00	0.00	0.00	904.70	530.00	913.35	0.00	913.44	4.95	3.52	699.44	255.94
19.300	87.00	0.00	0.00	904.70	900.00	913.35	0.00	913.44	8.25	3.59	1208.24	422.09
19.300	2.00	903.00	904.70	904.70	310.00	911.54	0.00	911.79	22.56	4.65	267.10	83.26
19.300	2.00	903.00	904.70	904.70	525.00	912.11	0.00	912.19	10.56	3.52	711.84	161.58
19.300	2.00	903.00	904.70	904.70	530.00	913.35	0.00	913.44	8.96	3.17	590.22	211.45
19.300	2.00	903.00	904.70	904.70	900.00	913.35	0.00	913.44	7.25	3.29	1179.72	354.70
19.400	2.00	0.00	0.00	906.10	310.00	911.66	0.00	911.83	6.07	3.21	322.29	120.47
19.400	2.00	0.00	0.00	906.10	525.00	912.20	0.00	912.20	5.77	3.57	759.40	218.62
19.400	2.00	0.00	0.00	906.10	530.00	912.57	0.00	912.45	5.46	3.57	808.90	270.17
19.400	2.00	0.00	0.00	906.10	900.00	913.35	0.00	913.44	9.19	4.39	969.17	298.66
19.700	645.00	0.00	0.00	907.00	310.00	911.71	0.00	911.80	9.02	3.97	497.53	96.62
19.700	645.00	0.00	0.00	907.00	525.00	912.26	0.00	912.21	10.43	4.04	547.42	153.20
19.700	645.00	0.00	0.00	907.00	530.00	912.62	0.00	912.93	10.35	4.56	719.04	195.81
19.700	645.00	0.00	0.00	907.00	900.00	913.35	0.00	913.44	9.19	4.39	969.17	298.66
19.800	93.00	0.00	0.00	907.00	310.00	911.71	0.00	911.80	7.54	3.43	510.35	113.60
19.800	93.00	0.00	0.00	907.00	525.00	912.26	0.00	912.21	8.69	3.74	655.81	177.16
19.800	99.00	0.00	0.00	907.00	530.00	912.62	0.00	912.93	8.39	4.01	772.83	235.43
19.800	99.00	0.00	0.00	907.00	900.00	913.45	0.00	913.52	7.99	4.10	1010.52	314.32
19.900	1.00	911.40	909.00	907.00	310.00	912.73	0.00	912.77	17.87	3.15	424.20	73.34
19.900	1.00	911.40	909.00	907.00	525.00	913.12	0.00	913.19	26.07	4.30	510.01	128.41
19.900	1.00	911.40	909.00	907.00	530.00	913.36	0.00	913.62	16.84	3.65	630.55	209.59
20.100	1.00	0.00	0.00	907.00	310.00	912.72	0.00	912.78	4.51	2.89	355.22	146.00
20.100	1.00	0.00	0.00	907.00	525.00	912.92	0.00	913.04	8.98	4.17	647.52	175.17
20.100	1.00	0.00	0.00	907.00	530.00	913.36	0.00	913.62	6.97	4.55	793.19	287.87

PRINTED BY ISOLA STANDARD FORMS DIVISION OF ... PRINTING CO. IN ... PRINTED IN U.S.A.

MINGES 3700K 3.C.TMP

SUMMARY PRINTOUT TABLE 150

SECND	F	SUBEL	DIF.SF	DIF.D	STEMS	TIMED	DIST
6.200	310.00	861.35	0.00	0.30	0.30	36.36	50.00
6.200	525.00	863.08	0.00	0.70	0.00	115.02	50.00
[illegible]							
6.300	310.00	867.77	0.30	0.30	0.30	30.00	410.00
6.300	525.00	865.33	0.30	0.30	0.00	49.01	410.00
6.300	630.00	866.10	0.00	0.25	0.00	52.49	410.00
[illegible]							
6.400	310.00	863.93	0.00	0.24	0.00	37.49	405.00
6.400	525.00	865.91	0.00	0.45	0.00	57.15	405.00
6.400	630.00	866.52	0.00	0.48	0.00	39.38	405.00
6.400	900.00	867.25	0.00	0.24	0.00	43.72	405.00
[illegible]							
6.420	310.00	867.13	0.00	0.00	0.00	41.17	595.00
[illegible]							
6.420	900.00	867.56	0.00	0.39	0.00	241.33	595.00
[illegible]							
6.430	310.00	865.79	0.00	1.72	0.00	65.99	595.00
[illegible]							
6.430	900.00	869.26	0.00	1.53	0.00	196.00	595.00
[illegible]							
6.500	310.00	867.51	0.00	1.72	0.00	72.43	595.00
6.500	525.00	868.43	0.00	1.71	0.00	125.26	595.00
[illegible]							
6.500	900.00	866.63	0.00	1.23	0.00	146.58	595.00
[illegible]							
6.600	310.00	868.56	0.00	0.85	0.00	77.65	360.00
6.600	525.00	869.25	0.00	0.82	0.00	131.72	360.00
6.600	630.00	869.59	0.00	0.86	0.00	130.75	360.00
[illegible]							
6.700	310.00	868.15	0.00	0.58	0.00	83.13	525.00
[illegible]							
6.700	630.00	870.44	0.00	0.85	1.25	87.00	525.00
6.700	900.00	871.11	0.00	0.84	0.92	230.00	525.00
[illegible]							
[illegible]							
[illegible]							

FORM 11-11 PRINTED BY ROYARY MANIFOLD FORMS DIVISION OF ANTHONY PRINTING EQUIPMENT DETROIT PRINTED IN U.S.A.

SECJO	C	C.GEL	DIFMSP	DIFMSN	DIFMDS	TQPUSO	XLCH
7.000	310.00	869.75	0.00	0.46	0.00	10.66	3?.0?
7.000	525.00	870.96	0.00	1.00	1.21	11.0?	??.??
7.000	630.00	871.70	0.00	1.24	1.96	11.??	??.??
7.000	900.00	874.??	0.00	2.??	5.1?	??.??	??.?
7.200	310.00	870.67	0.00	0.92	0.00	111.07	50.00
7.200	525.00	872.79	0.00	1.63	2.12	111.07	50.00
7.?00	630.00	873.??	0.00	1.??	?.??	11?.??	??.??
7.?00	900.00	876.??	0.00	2.??	?.??	???.??	???.?
7.400	310.00	871.04	0.00	0.42	0.00	45.20	550.00
7.400	525.00	873.04	0.00	1.24	1.94	116.49	550.00
7.400	630.00	873.87	0.00	1.20	2.51	141.80	550.00
7.400	900.00	876.??	0.00	1.??	3.??	1??.??	???.??
8.000	310.00	873.??	0.??	-0.??	0.??	0.??	?.??
8.000	525.00	872.??	0.00	-0.??	2.22	1?5.??	2.00
8.000	630.00	873.54	0.00	-0.06	2.30	130.96	2.00
8.000	900.00	876.??	0.00	-0.04	4.27	167.57	2.00
8.?00	310.??	?71.??	0.30	0.??	?.??	??.??	?.0
?.???	525.??	???.??	0.00	0.??	?.?	??.??	?.??
8.100	630.00	873.91	0.00	0.??	2.??	162.0?	2.0?
8.100	900.00	876.05	0.00	0.04	3.90	167.??	2.00
?.???	310.??	???.??	?.??	?.??	?.??	??.??	?.?
?.?0	525.00	?73.??	?.0?	?.??	?.??	??.??	??.??
?.???	630.00	876.??	?.00	?.??	?.??	??.??	??.??
?.???	900.00	876.55	0.00	0.27	2.93	168.??	390.00
8.310	310.00	873.12	0.00	0.72	0.00	50.38	445.00
?.??0	525.00	874.??	0.00	0.??	?.??	??.??	???.??
?.??0	630.00	874.30	0.00	0.??	?.??	??.??	???.??
?.??0	900.00	875.62	0.00	0.29	?.??	??.??	???.??
8.320	310.00	874.69	0.00	1.57	0.00	69.81	445.00
8.320	525.00	875.51	0.00	1.36	0.01	83.08	445.00
?.??0	630.00	876.??	0.??	?.??	?.??	??.??	???.??
?.??0	900.00	876.35	0.00	0.??	?.??	??.??	???.??
8.330	310.00	876.30	0.00	1.??	0.00	69.??	445.00
8.330	525.00	877.13	0.00	1.62	0.??	84.62	445.00
8.330	630.00	877.64	0.00	1.61	1.14	98.52	445.00
8.330	900.00	878.??	0.00	1.??	?.??	??.??	???.??
8.400	310.00	876.34	0.00	1.09	0.00	61.??	???.??
8.400	525.00	877.??	0.00	1.??	?.??	??.??	???.??
8.400	630.00	879.30	0.00	1.04	1.04	99.04	445.00
8.400	900.00	880.00	0.00	1.91	1.65	122.52	445.00
8.410	310.00	880.55	0.00	0.?0	0.00	5?.??	500.00
8.410	525.00	881.??	0.00	0.??	0.?2	70.??	500.00
8.410	630.00	881.??	0.00	0.??	?.??	??.??	???.??
8.410	900.00	882.00	0.00	0.??	1.?0	104.07	500.00

FORM 14TH GO PRINTED BY ROYAL MANIFOLD DATA DIVISION OF ... PRINTING COMPANY ... PRINTED IN U.S.A.

SECND	Z	CHSEL	DIFHSP	DIFHSX	DCFK.S	TCPUSD	XLCI
8.900	310.00	882.66	0.00	2.01	0.00	126.29	300.00
[illegible]	525.00	882.35	0.00	[illegible]	[illegible]	[illegible]	[illegible]
8.900	630.00	867.02	0.00	2.12	0.94	147.07	300.00
8.900	900.00	864.96	0.00	2.01	0.15	189.79	300.00
9.000	310.00	892.47	0.00	-2.19	0.00	114.53	2.00
9.000	525.00	883.17	0.00	-0.18	0.70	134.64	2.00
9.000	630.00	893.93	0.00	-0.19	0.93	131.71	2.00
9.000	900.00	885.97	0.00	-1.23	1.50	187.11	2.00
9.100	310.00	882.43	0.00	0.36	0.00	126.15	2.00
9.100	525.00	883.69	0.00	0.32	0.66	145.48	2.00
9.100	630.00	883.77	0.00	0.34	0.96	151.21	2.00
9.100	900.00	[illegible]	0.00	0.11	1.53	[illegible]	2.00
9.900	310.00	883.01	0.00	0.00	0.00	114.53	125.00
9.900	525.00	883.68	0.00	0.17	0.65	134.67	125.00
9.900	630.00	883.97	0.00	0.16	0.93	177.46	125.00
9.900	900.00	884.54	0.00	0.15	1.53	190.67	125.00
[illegible]	310.00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	525.00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.000	630.00	885.53	0.00	-0.33	1.32	139.89	2.00
10.000	900.00	886.26	0.00	-0.28	1.70	134.45	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	525.00	[illegible]	0.00	0.24	0.00	[illegible]	[illegible]
[illegible]	630.00	[illegible]	0.00	0.13	[illegible]	[illegible]	[illegible]
[illegible]	900.00	[illegible]	0.00	0.46	1.52	[illegible]	2.00
10.100	310.00	884.02	0.00	0.35	0.00	64.01	150.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.100	630.00	884.73	0.00	0.13	0.91	[illegible]	[illegible]
10.100	900.00	885.19	0.00	0.36	1.16	67.49	[illegible]
10.850	310.00	884.24	0.00	0.22	0.00	34.97	50.00
10.850	525.00	884.77	0.00	0.25	0.53	35.00	50.00
[illegible]	630.00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.850	900.00	885.38	0.00	0.20	1.14	35.00	50.00
10.860	310.00	884.31	0.00	0.00	0.00	20.00	25.00
10.860	525.00	884.80	0.00	0.03	0.49	20.00	25.00
10.860	630.00	884.96	0.00	-0.01	0.85	20.00	25.00
[illegible]	900.00	885.77	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10.900	310.00	884.34	0.00	0.04	0.00	13.00	25.00
10.900	525.00	885.09	0.00	0.29	0.43	13.00	25.00
10.900	630.00	885.57	0.00	0.61	1.28	13.00	25.00
10.900	900.00	886.68	0.00	0.92	2.32	13.00	25.00
11.000	310.00	885.16	0.00	0.81	0.00	13.00	12.00
11.000	525.00	886.61	0.00	1.78	1.60	13.00	12.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
11.000	900.00	890.73	0.00	4.10	5.62	13.00	12.00

FORM 111-68 PRINTED BY MOTLEY MANIFOLD FORMS DIVISION OF [illegible] PRINTED IN U.S.A.

SECNO		CHSEL	DIFUSP	DIFUSX	DIFUSS	TOPWID	BLTH
11.200	310.00	935.72	0.00	0.65	0.00	72.96	50.00
11.200	525.00	938.07	0.00	1.20	2.25	79.90	50.00
11.200	630.00	936.26	0.00	1.59	2.74	95.09	50.00
11.200	900.00	934.01	0.00	1.37	3.01	91.04	50.00
11.210	310.00	386.60	0.00	0.76	0.00	29.54	280.00
11.210	525.00	388.35	0.00	0.20	1.75	182.60	250.00
11.210	630.00	388.84	0.00	0.55	2.04	15.44	280.00
11.210	900.00	389.04	0.00	0.13	3.74	213.47	280.00
11.220	310.00	887.52	0.00	0.92	0.00	27.48	140.00
11.220	525.00	888.59	0.00	0.24	1.67	164.75	140.00
11.220	630.00	888.87	0.00	0.25	1.35	170.23	140.00
11.220	900.00	891.93	0.00	1.00	1.98	224.17	140.00
11.230	310.00	890.83	0.00	0.93	0.00	27.92	140.00
11.230	525.00	889.91	0.00	0.92	0.00	81.37	140.00
11.230	630.00	889.77	0.00	0.80	1.12	165.41	140.00
11.230	900.00	892.01	0.00	0.35	3.35	209.09	140.00
11.240	310.00	895.60	0.00	1.15	0.00	31.37	140.00
11.240	525.00	895.70	0.00	1.20	1.90	74.27	140.00
11.240	630.00	894.01	0.00	1.25	1.21	167.10	140.00
11.240	900.00	892.14	0.00	0.94	2.34	169.55	140.00
11.290	310.00	893.00	0.00	1.07	0.00	55.63	140.00
11.290	525.00	895.21	0.00	1.21	1.01	82.62	140.00
11.290	630.00	894.75	0.00	1.78	1.75	221.56	140.00
11.290	900.00	894.09	0.00	1.30	1.84	227.83	140.00
11.300	310.00	893.94	0.00	0.94	0.00	66.31	140.00
11.300	525.00	896.65	0.00	1.33	0.70	100.11	140.00
11.300	630.00	896.94	0.00	1.80	1.00	227.60	140.00
11.300	900.00	895.20	0.00	1.19	1.34	231.39	140.00
11.310	310.00	895.22	0.00	1.27	0.00	41.31	165.00
11.310	525.00	895.90	0.00	1.26	0.69	226.69	165.00
11.310	630.00	894.01	0.00	1.07	0.80	230.70	165.00
11.310	900.00	892.10	0.00	1.15	1.15	234.47	165.00
11.320	310.00	896.17	0.00	0.94	0.00	36.77	165.00
11.320	525.00	898.79	0.00	0.83	0.50	154.76	165.00
11.320	630.00	896.96	0.00	0.96	0.78	156.76	165.00
11.320	900.00	897.31	0.00	0.91	1.14	157.99	165.00
11.900	310.00	897.15	0.00	0.95	0.00	30.10	165.00
11.900	525.00	897.79	0.00	1.23	0.60	70.20	165.00
11.900	630.00	896.44	0.00	1.44	0.00	70.00	165.00
11.900	900.00	894.41	0.00	1.00	1.29	70.00	165.00

FORM 1511 LJ PRINTED BY ROTARY MANIFOLD FORMS DIVISION OF THE HAAS PRINTING CO., INC., DAYTON, OHIO
PRINTED IN U.S.A.

SECNO	Q	CUSEL	DIF.SP	DIF.SX	DIF.WS	TOPWID	W.CH
12.000	310.00	897.22	0.00	0.07	0.30	60.30	2.00
12.000	525.00	897.47	0.00	0.10	0.47	70.30	2.00
12.000	630.00	898.10	0.00	0.13	0.58	70.30	2.00
12.000	900.00	898.34	0.00	0.13	1.36	70.30	2.00
12.100	310.00	897.06	0.00	-0.14	0.00	68.00	2.00
12.100	525.00	897.72	0.00	-0.15	0.67	70.00	2.00
12.100	630.00	897.92	0.00	-0.16	0.98	70.00	2.00
12.100	900.00	898.36	0.00	-0.18	1.57	70.00	2.00
12.200	310.00	897.76	0.00	0.70	0.00	71.34	165.00
12.200	525.00	898.58	0.00	0.85	0.82	102.02	165.00
12.200	630.00	898.80	0.00	0.96	1.12	112.17	165.00
12.200	900.00	899.44	0.00	1.19	1.91	140.45	165.00
12.900	310.00	897.85	0.00	0.05	0.00	57.75	170.00
12.900	525.00	898.64	0.00	0.00	0.79	93.75	170.00
12.900	630.00	898.94	0.00	0.06	1.09	70.00	170.00
12.900	900.00	899.82	0.00	0.07	1.77	70.00	170.00
13.000	310.00	897.79	0.00	-0.12	0.00	58.75	2.00
13.000	525.00	898.79	0.00	0.17	0.87	70.00	2.00
13.000	630.00	899.33	0.00	0.30	1.50	70.00	2.00
13.000	900.00	900.15	0.00	0.51	2.40	70.00	2.00
13.100	310.00	897.77	0.00	0.01	0.00	57.75	2.00
13.100	525.00	898.90	0.00	0.16	0.72	70.00	2.00
13.100	630.00	899.20	0.00	0.16	1.01	70.00	2.00
13.100	900.00	899.75	0.00	-0.32	1.51	70.00	2.00
13.900	310.00	899.70	0.00	1.46	0.00	95.19	120.00
13.900	525.00	900.51	0.00	1.59	0.00	114.71	120.00
13.900	630.00	900.87	0.00	1.67	0.92	85.14	97.01
13.900	900.00	901.50	0.00	1.54	1.62	59.67	97.01
14.000	310.00	899.69	0.00	-0.01	0.00	94.87	2.00
14.000	525.00	900.60	0.00	0.02	0.72	119.16	2.00
14.000	630.00	900.80	0.00	0.02	1.01	25.00	2.00
14.000	900.00	901.33	0.00	0.03	1.65	25.00	2.00
14.100	310.00	899.70	0.00	0.02	0.00	93.50	2.00
14.100	525.00	900.61	0.00	0.01	0.71	119.47	2.00
14.100	630.00	900.71	0.00	0.01	1.01	120.29	2.00
14.100	900.00	901.34	0.00	0.01	1.64	140.43	2.00
14.200	310.00	900.65	0.00	0.75	0.00	20.00	150.00
14.200	525.00	901.10	0.00	0.75	0.00	55.00	150.00
14.200	630.00	901.34	0.00	0.65	0.91	141.32	150.00
14.200	900.00	901.95	0.00	0.61	1.50	154.82	150.00
14.900	310.00	900.75	0.00	0.31	0.00	54.75	150.00
14.900	525.00	901.32	0.00	0.43	0.77	73.25	150.00
14.900	630.00	901.60	0.00	0.49	1.07	70.00	150.00
14.900	900.00	901.35	0.00	0.36	1.67	70.00	150.00

FORM 1141-CD PRINTED BY ROTARY-TRANSFOLD CORP., DIVISION OF TAFFAN PRINTING COMPANY-DETROIT
PRINTED IN U.S.A.

SECNO	Q	CHSEL	DIFMSP	DIFMSA	DIFKWS	TOPWID	XLOB
15.600	310.00	901.18	0.00	0.39	0.00	60.71	13.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15.200	310.00	901.07	0.00	0.72	0.00	23.13	140.00
15.200	525.00	905.18	0.00	0.13	1.32	93.67	140.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15.000	310.00	902.21	0.00	0.34	0.00	77.97	135.00
15.000	525.00	903.37	0.00	0.18	1.16	93.84	135.00
15.000	630.00	903.88	0.00	0.15	1.67	99.99	135.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.000	310.00	901.71	0.00	-0.51	0.00	76.79	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.000	630.00	903.71	0.00	-0.16	2.51	90.24	2.00
16.000	900.00	904.44	0.00	-0.21	2.78	106.70	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.100	900.00	904.79	0.00	0.35	3.30	119.97	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.300	900.00	905.29	0.00	0.62	1.55	122.25	220.00
16.700	310.00	904.01	0.00	0.33	0.00	36.85	220.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.800	310.00	904.68	0.00	0.67	0.00	51.04	220.00
16.800	525.00	905.50	0.00	0.07	0.03	55.02	220.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.900	310.00	904.93	0.00	0.25	0.00	70.00	100.00
16.900	525.00	905.84	0.00	0.34	0.01	68.33	100.00
16.900	630.00	906.19	0.00	0.34	1.26	82.26	100.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17.000	310.00	908.29	0.00	2.37	0.00	10.00	46.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17.000	630.00	911.66	0.00	5.47	5.36	207.53	46.00
17.000	900.00	912.05	0.00	5.11	3.76	207.46	46.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17.900	900.00	912.51	0.00	0.86	5.55	208.28	28.00

FORM 1411-CO PRINTED BY ROTARY MANIFOLD PRINTING DIVISION OF CURTIS 1000 INC.
PRINTED IN U.S.A.

SECNO	P	C.SEL	DIFNS?	DIFNSR	DIFNUS	TOPHID	XLOC
18.000	310.00	908.77	0.00	-0.01	0.00	193.03	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.000	630.00	912.15	0.00	-0.11	0.07	561.07	2.00
18.000	900.00	912.50	0.00	-0.08	0.55	[illegible]	[illegible]
18.100	310.00	908.79	0.00	0.02	0.00	192.55	2.00
18.100	525.00	911.62	0.00	0.01	2.83	259.97	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.200	310.00	908.98	0.00	0.10	0.00	190.11	650.00
18.200	525.00	911.68	0.00	0.05	2.70	285.17	680.00
18.200	630.00	911.93	0.00	0.06	2.95	289.92	690.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.700	525.00	911.67	0.00	0.00	1.55	535.05	1010.00
18.700	630.00	912.17	0.00	0.25	2.13	546.78	1010.00
18.700	900.00	912.76	0.00	0.32	2.70	570.57	1010.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.800	630.00	912.22	0.00	0.05	2.11	562.49	59.00
18.800	900.00	912.79	0.00	0.05	2.68	572.57	95.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.900	900.00	912.83	0.00	0.05	2.72	574.63	1.00
19.000	310.00	911.50	0.00	1.39	0.00	30.00	49.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.100	310.00	911.56	0.00	0.06	0.00	30.00	1.00
19.100	525.00	912.06	0.00	-0.01	0.50	542.50	1.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.200	310.00	911.63	0.00	0.07	0.00	200.00	87.00
19.200	525.00	912.08	0.00	0.03	0.46	543.13	87.00
19.200	630.00	912.35	0.00	0.03	0.72	556.17	87.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.300	310.00	911.34	0.00	-0.09	0.00	100.00	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.300	630.00	912.38	0.00	0.04	0.85	556.67	2.00
19.300	900.00	912.94	0.00	0.04	1.41	579.02	2.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.400	900.00	912.95	0.00	0.02	1.42	579.45	2.00

FORM 14510 PRINTED BY ROTAR MANIFOLD FOR [illegible] DIVISION OF [illegible] PRINTING CO. [illegible] TROY
PRINTED IN U.S.A.

SECNO	Q	CHSEL	DIF.SF	DIF.SW	DIFKE	TOPWID	XLOCP
19.700	310.00	912.15	0.07	0.49	0.00	482.73	545.00
19.700	525.00	912.59	0.00	0.83	0.43	482.23	0.00
19.700	630.00	912.82	0.04	0.93	0.57	482.29	0.00
19.700	700.00	913.33	0.19	0.93	1.30	482.43	0.00
19.800	310.00	912.20	0.00	0.13	0.00	482.16	90.00
19.800	525.00	912.72	0.00	0.14	0.44	482.27	90.00
19.800	630.00	912.96	0.00	0.12	0.56	482.32	90.00
19.800	700.00	913.45	0.00	0.10	1.17	482.44	90.00
19.900	310.00	912.59	0.00	0.10	0.00	482.15	0.00
19.900	525.00	912.69	0.00	-0.03	0.30	482.17	0.00
19.900	630.00	912.96	0.00	0.00	0.56	482.24	0.00
19.900	700.00	913.47	0.00	0.00	1.07	482.37	0.00
20.000	310.00	912.99	0.00	0.35	0.00	482.13	90.00
20.000	525.00	912.96	0.00	0.26	0.23	482.24	90.00
20.000	630.00	913.12	0.00	0.16	0.37	482.28	90.00
20.000	700.00	913.59	0.00	0.11	0.83	482.40	90.00
20.100	310.00	912.99	0.04	-0.01	0.00	482.26	0.00
20.100	525.00	913.03	0.01	-0.04	0.23	482.27	0.00
20.100	630.00	913.09	0.00	-0.03	0.36	482.27	0.00
20.100	700.00	913.54	0.00	-0.04	0.82	482.38	0.00

LIST OF ERRORS

CAUTION SECNO= 8.410 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 10.000 PROFILE= 1 MSF. ASSUMED EQUAL TO 1.00

CAUTION SECNO= 10.000 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 10.800 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 10.900 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 10.900 PROFILE= 2 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 10.900 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 10.900 PROFILE= 3 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 10.900 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 10.900 PROFILE= 4 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 10.900 PROFILE= 4 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 11.280 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.280 PROFILE= 2 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.280 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.280 PROFILE= 3 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.280 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.280 PROFILE= 4 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 11.410 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.410 PROFILE= 2 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.410 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.410 PROFILE= 3 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.410 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.410 PROFILE= 4 20 TRIALS ATTEMPTED TO BALANCE WSEL

FORM 541-GD PRINTED BY ROYAL MANIFOLD FORMS DIVISION OF LAWSON COMPANY CHICAGO

```
CAUTION  SECNO=   11.300  PROFILE= 2  MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   11.300  PROFILE= 3  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=   11.300  PROFILE= 3  MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   11.300  PROFILE= 4  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=   11.300  PROFILE= 4  MINIMUM SPECIFIC ENERGY

CAUTION  SECNO=   13.100  PROFILE= 1  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=   13.100  PROFILE= 1  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   13.100  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=   13.100  PROFILE= 2  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=   13.100  PROFILE= 2  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   13.100  PROFILE= 2  20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION  SECNO=   13.100  PROFILE= 3  CRITICAL DEPTH ASSUMED
CAUTION  SECNO=   13.100  PROFILE= 3  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   13.100  PROFILE= 3  20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION  SECNO=   18.000  PROFILE= 1  USED MINIMUM SPECIFIC ENERGY OR CRITICAL
CAUTION  SECNO=   18.000  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL

NOTE     SECNO=   19.000  PROFILE= 1  WSEL BASED ON X5 CARD

NOTE     SECNO=   19.000  PROFILE= 1  WSEL BASED ON X5 CARD

CAUTIC   SECNO=   19.000  PROFILE= 1  CRITICAL DEPTH ASSUMED
CAUTIC   SECNO=   19.000  PROFILE= 1  PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION  SECNO=   19.000  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL
```

FLOOD INSURANCE ZONE DATA FOR WIAGES BROOK B.C.T.P

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10%	2%	0.2%
5.350	0.	-2.5	-0.3	3.1
5.360	40.	-2.5	-0.7	2.9
5.400	1079.	-2.6	-0.7	2.7
6.410	1690.	-2.2	-0.7	2.5
6.420	2285.	-1.6	-0.5	2.1
6.450	2501.	-1.3	-0.4	1.8
6.510	3475.	-1.5	-0.3	2.2
6.530	3775.	-1.2	-0.3	1.7
6.700	4702.	-1.3	-0.3	1.7
6.750	4950.	-1.2	-0.3	1.6
6.800	4200.	-0.8	-0.2	1.2
7.[illegible]	4331.	-2.1	-0.[illegible]	2.[illegible]
7.200	4351.	-2.2	-0.[illegible]	2.[illegible]
7.[illegible]	4351.	-2.5	-0.[illegible]	2.[illegible]
8.000	5147.	-2.2	-0.6	1.5
8.100	4043.	-2.5	-0.6	1.4
8.300	5233.	-1.7	-0.5	1.2
8.31[illegible]	5271.	-1.[illegible]	-0.[illegible]	1.[illegible]
8.360	6122.	-1.[illegible]	-0.2	0.7
8.370	6558.	-1.[illegible]	-0.1	0.7
8.400	7015.	-1.3	-0.3	0.5
8.410	7313.	-0.3	-0.2	0.5
8.900	7613.	-1.0	-0.3	0.6
9.000	7615.	-1.[illegible]	-0.[illegible]	0.[illegible]
9.100	7617.	-0.3	-0.[illegible]	0.[illegible]
9.200	7742.	-0.3	-0.[illegible]	0.6
10.000	7745.	-1.0	-0.[illegible]	0.[illegible]
10.100	7746.	-0.9	-0.2	0.5
10.000	7846.	-0.7	-0.2	0.5
11.000	7905.	-0.7	-0.2	1.[illegible]
11.060	7976.	-0.[illegible]	-0.2	0.8
11.[illegible]10	7956.	-1.2	-0.5	1.[illegible]
11.000	8020.	-1.3	-0.[illegible]	1.[illegible]
11.200	8028.	-2.5	-0.2	3.5
11.210	8358.	-2.3	-0.[illegible]	3.3
11.[illegible]	8[illegible].	-1.[illegible]	-0.[illegible]	1.[illegible]
11.[illegible]	8772.	-1.2	-0.[illegible]	1.[illegible]
11.200	8910.	-1.3	-0.4	0.[illegible]
11.290	9058.	-0.8	-0.2	0.3
11.300	9198.	-1.0	-0.3	0.3
12.[illegible]	9[illegible].	-1.[illegible]	-0.[illegible]	0.[illegible]
12.[illegible]	9[illegible].	-1.[illegible]	-0.[illegible]	0.[illegible]
12.[illegible]	9[illegible].	-1.[illegible]	-0.[illegible]	0.[illegible]
12.100	9697.	-1.[illegible]	-0.[illegible]	0.[illegible]
12.200	9848.	-1.[illegible]	-0.[illegible]	0.[illegible]
13.000	10014.	-1.[illegible]	-0.[illegible]	0.[illegible]
13.[illegible]	10[illegible]

14.200	10310.	-0.9	-0.3	0.5
14.900	10460.	-1.0	-0.3	0.3
15.000	10473.	-2.5	-0.6	0.7
15.200	10513.	-1.9	-0.5	0.3
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16.200	10760.	-2.0	-0.5	0.7
16.400	10782.	-2.5	-0.6	0.6
16.500	10902.	-1.0	-0.4	0.6
16.700	11102.	-1.0	-0.4	0.7
16.800	11402.	-1.2	-0.3	0.7
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17.400	11541.	-3.4	-0.9	0.4
17.900	11674.	-3.4	-0.2	0.5
18.000	11678.	-3.1	-0.2	0.5
18.100	11680.	-3.1	-0.2	0.5
18.200	12360.	-2.9	-0.2	0.5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18.800	13448.	-2.1	-0.4	0.6
18.900	13470.	-2.3	-0.3	0.4
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.100	13590.	-0.3	-0.3	0.6
19.200	13606.	-0.7	-0.3	0.6
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.400	13810.	-0.7	-0.3	0.5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19.800	14354.	-0.7	-0.2	0.5
19.900	14355.	-0.6	-0.3	0.5
20.000	14403.	-0.4	-0.2	0.5
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	-1.6	-0.7	1.0

FIT FOR THE REACH = 015 WITH 35.9% OF THE REACH WITHIN 0.5 FEET

[illegible]

CONTINUOUS FLOOD ROUTE RESULTS BY ELEM INCREMENTS

EL. NO.	INCR. LENGTH	AVG ELEVATION DATA 10%	1%	DIFF.	INCR. AVG.	FRF	PERCENT WITHIN
					SEC.		
1	100.	661.4	364.9	+2.5	+2.5	025	100.
2	200.	661.5	364.0	+2.1	+2.1	025	100.
3	300.	661.6	364.0	+2.6	+2.5	025	100.
4	400.	661.7	364.1	-2.6	-2.4	025	100.
	610.				SEC.	6.300	
5	500.	661.8	364.1	+2.4	+2.4	025	100.
6	600.	661.8	364.2	+2.4	+2.4	025	100.
7	700.	661.9	364.2	+2.4	+2.4	025	100.
8	800.	662.0	364.3	+2.4	+2.4	025	100.
9	900.	662.0	364.4	+2.4	+2.4	025	100.
10	1000.	662.1	364.5	+2.4	+2.4	025	100.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

16	1600.	862.7	864.9	-2.2	-2.4	025	100.	
	1690.				SEC.		6.410	
17	1700.	862.8	865.0	-2.2	-2.4	025	100.	
18	1800.	863.0	865.1	-2.1	-2.3	025	100.	
19	1900.	864.2	865.2	-1.0	-2.3	025	100.	
20	2000.	867.4	865.3	+1.9	+2.3	025	100.	
21	2100.	867.6	865.4	+1.3	+2.3	025	80.	
22	2200.	863.6	865.5	-1.7	-2.3	025	100.	
	2285.				SEC.		6.620	
23	2300.	864.0	865.6	-1.6	-2.2	020	100.	
24	2400.	863.2	865.7	-1.5	-2.2	020	100.	
25	2500.	863.2	865.8	-1.5	-2.2	020	100.	
26	2600.	864.2	865.9	-1.7	-2.1	020	100.	
27	2700.	865.1	866.0	-1.6	-2.1	020	100.	
28	2800.	865.4	866.0	-1.4	-2.1	020	100.	
	2880.				SEC.		6.430	
29	2900.	865.7	867.0	-1.3	-2.1	020	100.	
30	3000.	866.0	867.2	-1.3	-2.1	020	100.	
31	3100.	866.3	867.4	-1.1	-2.1	020	100.	
32	3200.	866.6	867.5	-1.0	-2.0	020	75.	
33	3300.	866.9	868.1	-1.3	-2.0	020	75.	
34	3400.	867.2	868.4	-1.3	-2.0	020	50.	
	3660.				SEC.		6.580	
35	3500.	867.4	868.5	-1.1	-1.9	020	50.	
36	3600.	867.7	868.6	-1.0	-1.9	020	50.	
37	3700.	868.0	868.7	-1.2	-1.9	020	50.	
	3775.				SEC.		6.600	
38	3800.	868.3	869.5	-1.2	-1.9	020	50.	
39	3900.	868.2	870.1	-1.9	-1.9	020	50.	
40	4000.	868.6	870.2	-1.6	-1.9	020	50.	
	4100.				SEC.		6.700	
41	4200.	869.1	870.3	-1.3	-1.9	020	50.	
42	4200.	868.2	870.3	-1.0	-1.0	020	38.	
	4280.				SEC.		7.000	
	4290.				SEC.		7.000	
	4310.				SEC.		7.200	
43	4300.	872.7	873.5	-2.7	-1.9	020	38.	
44	4400.	872.7	873.4	-2.7	-1.9	020	38.	
45	4500.	872.6	873.4	-2.6	-1.9	020	38.	
46	4600.	872.9	873.5	-2.5	-1.9	020	38.	
47	4700.	872.9	873.5	-2.6	-1.9	020	38.	
48	4800.	871.0	873.6	-2.7	-1.9	020	38.	
	4839.				SEC.		7.200	
	4891.				SEC.		8.000	
	4843.				SEC.		8.100	
49	4900.	871.8	873.7	-2.9	-1.9	020	38.	
50	5000.	872.5	873.7	-2.3	-1.9	020	38.	
51	5100.	871.8	873.9	-2.1	-1.9	020	31.	
52	5200.	872.1	874.0	-1.9	-1.9	020	38.	
	5233.				SEC.		8.300	
53	5300.	872.4	874.1	-1.7	-1.9	020	53.	
54	5400.	872.0	874.3	-1.5	-1.9	020	53.	
55	5500.	872.9	874.4	-1.5	-1.9	020	35.	
56	5600.	872.9	874.5	-1.6	-1.9	020	38.	
57	5700.	873.1	874.6	-1.5	-1.9	020	38.	
58	5800.	873.2	874.8	-1.6	-1.9	020	38.	
59	5900.	873.1	874.9	-1.8	-1.9	020	38.	
60	6000.	873.1	875.0	-1.9	-1.9	020	38.	
61	6100.	873.1	875.1	-2.0	-1.9	020	38.	

64	6400.	875.5	876.6	-1.1	-1.8	020	38.	
65	6500.	875.9	877.0	-1.1	-1.8	020	38.	
	6568.				SEC.		8.330	
66	6600.	876.2	877.4	-1.1	-1.7	020	39.	
67	6700.	876.7	877.8	-1.1	-1.7	020	41.	
68	6800.	877.1	878.2	-1.1	-1.8	020	41.	
69	6900.	877.3	878.4	-1.1	-1.8	020	42.	
70	7000.	878.1	879.1	-1.1	-1.7	020	45.	
	7013.				SEC.		8.400	
71	7100.	878.6	879.7	-1.0	-1.8	020	46.	
72	7200.	879.0	880.0	-1.0	-1.7	020	48.	
73	7300.	880.2	881.0	-0.9	-1.7	020	49.	
	7313.				SEC.		5.617	
74	7400.	880.9	881.8	-0.9	-1.7	015	47.	
75	7500.	881.6	882.5	-0.9	-1.7	015	45.	
76	7600.	882.2	883.2	-0.9	-1.7	015	45.	
	7613.				SEC.		7.617	
	7615.				SEC.		5.083	
	7677.				SEC.		5.717	
77	7700.	882.9	883.9	-0.9	-1.7	015	54.	
	7742.				SEC.		9.900	
	7744.				SEC.		10.050	
	7800.				SEC.		15.417	
78	7900.	883.7	884.8	-0.9	-1.7	015	58.	
	7905.				SEC.		11.150	
79	8000.	884.5	885.5	-0.8	-1.7	015	54.	
	8046.				SEC.		10.850	
	8071.				SEC.		10,260	
	8073.				SEC.		10,710	
80	8100.	884.4	885.6	-1.2	-1.7	015	63.	
	8173.				SEC.		11,200	
	8178.				SEC.		11.200	
81	8100.	885.8	886.3	-2.4	-1.7	015	44.	
82	8200.	886.0	888.4	-2.4	-1.7	015	44.	
83	8300.	886.3	888.5	-2.2	-1.7	015	41.	
	8391.				SEC.		11,210	
84	8400.	886.7	888.6	-2.0	-1.7	015	40.	
	8493.				SEC.		11.220	
85	8500.	887.2	888.8	-1.6	-1.7	015	44.	
86	8600.	887.9	889.2	-1.3	-1.7	015	44.	
	8623.				SEC.		1.250	
87	8700.	888.0	889.9	-1.2	-1.7	013	45.	
	8771.				SEC.		11.210	
88	8800.	888.8	890.0	-1.2	-1.7	015	47.	
89	8900.	890.5	891.9	-1.4	-1.7	015	47.	
	8918.				SEC.		11.280	
	9023.				SEC.		11.210	
	9053.				SEC.		11.290	
91	9100.	893.0	894.7	-1.0	-1.7	015	47.	
	9146.				SEC.		11.200	
92	9200.	893.6	894.5	-0.9	-1.6	015	47.	
93	9300.	894.3	895.3	-0.9	-1.6	015	46.	
	9323.				SEC.		11.210	
94	9400.	893.1	895.8	-0.8	-1.6	015	50.	
95	9500.	893.7	896.3	-0.8	-1.6	015	51.	
	9523.				SEC.		11.210	
96	9600.	894.5	897.	-0.8	-1.6	015	50.	
	9693.				SEC.		11.200	
	9724.				SEC.		11.210	
	9807.				SEC.		12.110	
	9850.	897.2	898.1	-0.9	-1.6	015	50.	
	9900.				SEC.		10.600	
99	9900.	897.6	898.7	-1.1	-1.6	015	49.	

FORM 111 68 PRINTED AT YOUR EARTH OLD | DRUG DIVISION OF JAPAN PRINTING CO. (U.S.A.) INC.

100	10300.	897.8	898.9	-1.1	-1.6	015		50.
	10032.					SEC.	12.900	
	10034.					SEC.	13.050	
	10036.					SEC.	13.100	
101	10100.	899.6	900.5	-1.0	-1.6	015		51.
	10156.					SEC.	13.450	
	10158.					SEC.	13.500	
	10160.					SEC.	13.550	
102	10200.	899.8	900.8	-1.0	-1.6	015		49.
103	10300.	900.1	901.1	-0.9	-1.6	015		50.
	10310.					SEC.	10.900	
104	10400.	900.5	901.5	-1.0	-1.6	015		50.
	10460.					SEC.	14.300	
	10475.					SEC.	15.300	
105	10500.	901.2	903.6	-2.4	-1.6	015		49.
106	10600.	901.5	903.7	-2.1	-1.6	015		47.
	10675.					SEC.	15.850	
107	10700.	902.0	903.8	-1.8	-1.6	015		50.
	10730.					SEC.	15.950	
	10740.					SEC.	16.000	
	10742.					SEC.	16.100	
108	10800.	901.0	904.0	-2.8	-1.6	015		47.
109	10900.	902.0	904.2	-2.2	-1.6	015		47.
	10905.					SEC.	16.400	
110	11000.	903.4	904.4	-1.0	-1.6	015		47.
111	11100.	903.6	904.7	-1.0	-1.6	015		47.
	11102.					SEC.	13.750	
112	11200.	904.0	904.9	-1.0	-1.6	015		47.
113	11300.	904.2	905.3	-1.1	-1.6	015		47.
114	11400.	904.2	905.6	-1.4	-1.6	015		47.
	11402.					SEC.	14.000	
115	11500.	904.8	906.0	-1.2	-1.6	015		49.
	11502.					SEC.	16.900	
	11548.					SEC.	17.000	
116	11600.	905.4	911.7	-6.3	-1.6	015		47.
	11675.					SEC.	17.950	
	11678.					SEC.	14.000	
	11680.					SEC.	18.150	
117	11700.	908.8	911.9	-3.1	-1.6	015		46.
118	11800.	908.8	911.9	-3.1	-1.6	015		45.
119	11900.	908.1	911.9	-3.8	-1.6	015		44.
120	12000.	908.8	911.9	-3.0	-1.6	015		43.
121	12101.	909.3	911.9	-3.0	-1.6	015		41.
122	12200.	908.9	911.9	-3.0	-1.6	015		39.
123	12300.	908.9	911.9	-3.0	-1.7	015		38.
	12360.					SEC.	13.200	
124	12400.	909.2	911.9	-2.7	-1.7	015		37.
125	12500.	909.1	911.9	-2.9	-1.7	015		37.
126	12600.	909.3	912.0	-2.6	-1.7	015		36.
127	12700.	909.5	912.0	-2.5	-1.7	015		35.
128	12800.	909.4	912.0	-2.6	-1.7	015		35.
129	12900.	909.5	912.0	-2.6	-1.7	015		36.
130	13000.	909.6	912.1	-2.5	-1.7	015		34.
131	13101.	909.7	912.1	-2.4	-1.7	015		34.
132	13200.	910.1	912.1	-2.0	-1.7	015		34.
133	13300.	910.1	912.1	-2.0	-1.7	015		34.
	13370.					SEC.	12.700	
134	13400.	910.3	912.2	-1.9	-1.7	015		35.
135	13500.	910.5	912.2	-1.7	-1.7	015		36.
	13510.					SEC.	12.900	
136	13600.	910.5	912.2	-1.7	-1.7	015		36.
137	13700.	911.0	912.3	-1.3	-1.7	015		35.
138	13800.	911.6	912.3	-0.7	-1.7	015		35.

FORM 111-60 PRINTED BY HOOVEY MANIFOLD FORMS DIVISION OF ... PRINTING CORP. ... PRINTED IN U.S.A.

	13604.					SEC.	19.300	
	13609.					SEC.	19.300	
	13613.					SEC.	19.400	
137	13700.	911.7	912.4	-0.7	-1.7	015		35.
138	13800.	911.8	912.5	-0.7	-1.7	015		35.
139	13900.	911.8	912.5	-0.7	-1.7	015		34.
140	14000.	911.9	912.6	-0.7	-1.7	015		34.
141	14100.	912.0	912.7	-0.7	-1.7	015		35.
142	14200.	912.0	912.7	-0.7	-1.7	015		34.
	14255.					SEC.	19.700	
143	14300.	912.2	912.8	-0.7	-1.7	015		34.
	14354.					SEC.	19.900	
	14355.					SEC.	19.900	
144	14400.	912.3	913.0	-0.7	-1.7	015		34.
	14405.					SEC.	20.000	
	14404.					SEC.	20.100	

THIS FIELD CAN BE SUBDIVIDED BY INC NO. TO MEET FEA REQUIREMENTS
OF EACH MODEL BY INC NO. FOR EXAMPLE 202 31 100
A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

FORM 1111-0 PRINTED AT NCR PAT MANIFOLD FORMS DIVISION OF - FULL PRINTING C

****
HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MINGES BROOK E.C.TWP

SUMMARY PRINTOUT TABLE 150

SECNO	XLOB	ELTRD	ELLOC	ELMIN	Q	CHSEL	CRIWS	EG	VCH	AREA	.DIS
6.200	50.00	0.00	0.00	856.70	630.00	863.85	0.00	863.99	6.65	3.56	368.84	244.26
6.300	410.00	0.00	0.00	856.90	630.00	864.10	0.00	864.24	5.44	3.14	263.72	270.07
6.400	605.00	0.00	0.00	856.70	630.00	864.52	0.00	864.69	7.90	3.37	201.42	224.12
6.410	595.00	0.00	0.00	856.40	630.00	865.04	0.00	865.16	8.41	3.57	398.45	217.26
6.420	595.00	0.00	0.00	860.10	630.00	865.65	0.00	869.95	23.13	6.67	260.39	130.98
6.435	595.00	0.00	0.00	861.00	630.00	867.04	0.00	867.46	29.69	5.32	209.35	115.63
6.500	595.00	0.00	0.00	863.60	630.00	868.78	0.00	869.09	27.53	5.03	236.91	120.07
6.600	300.00	0.00	0.00	864.30	630.00	869.59	0.00	869.86	24.24	4.61	253.93	127.96
6.700	325.00	0.00	0.00	865.00	630.00	873.44	0.00	870.36	35.90	6.64	204.53	105.15
6.750	50.00	0.00	0.00	865.00	630.00	870.44	0.00	871.22	55.26	8.24	130.72	84.75
6.800	50.00	0.00	0.00	865.00	630.00	869.11	870.03	872.44	170.94	12.24	51.45	60.79
6.900	55.00	874.30	871.90	865.10	630.00	871.20	0.00	872.97	93.82	9.03	69.77	65.42
7.200	50.00	0.00	0.00	865.10	630.00	873.34	0.00	873.38	3.27	2.53	611.60	348.61
7.900	55.00	0.00	0.00	865.50	630.00	873.00	0.00	873.75	15.53	4.13	316.54	159.34
8.000	2.00	868.00	866.50	865.90	630.00	873.54	0.00	873.79	16.24	5.30	286.53	156.33
8.100	2.00	0.00	0.00	867.70	630.00	873.61	0.00	873.79	17.70	4.74	298.30	149.75
8.300	390.00	0.00	0.00	868.30	630.00	874.10	0.00	874.28	8.56	3.27	360.66	215.58
8.310	445.00	0.00	0.00	870.30	630.00	874.94	0.00	874.85	25.18	5.82	201.75	123.16
8.320	445.00	0.00	0.00	871.70	630.00	875.82	0.00	876.23	37.51	5.50	166.75	102.87
8.330	445.00	0.00	0.00	873.30	630.00	877.44	0.00	877.85	37.19	5.48	167.54	103.35

PRINTED IN U.S.A.
FORM 1411-GS PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CUSEL	CRIUS	EG	10K*S	VCH	AREA	.01K
8.400	445.00	0.00	0.00	875.00	630.00	879.39	0.00	879.91	62.13	6.40	152.66	79.93
8.410	300.00	0.00	0.00	875.30	630.00	881.65	1.00	880.35	19.51	4.24	266.26	142.62
8.900	300.00	0.00	0.00	875.60	630.00	881.25	0.00	881.90	61.00	6.51	96.72	80.66
9.000	2.00	880.30	875.70	875.60	630.00	883.86	0.00	884.09	11.65	3.83	164.48	184.59
9.100	2.00	0.00	0.00	878.90	630.00	883.41	0.00	884.21	48.66	6.22	101.26	89.82
9.900	125.00	0.00	0.00	877.70	630.00	884.31	0.00	884.48	10.18	3.55	218.37	197.48
10.000	2.00	881.00	877.70	877.70	630.00	884.08	0.00	884.59	15.42	6.06	146.51	160.44
10.100	2.00	881.00	880.60	880.60	630.00	884.20	0.00	884.60	60.66	6.28	152.51	80.89
10.800	150.00	0.00	0.00	881.50	630.00	885.30	0.00	886.04	104.60	8.51	102.54	61.60
10.850	50.00	0.00	0.00	881.65	630.00	885.50	0.00	886.71	108.01	9.08	80.86	60.62
10.860	25.00	0.00	0.00	881.75	630.00	885.72	0.00	887.03	107.46	9.26	75.67	60.77
10.900	25.00	0.00	0.00	881.40	630.00	885.76	0.00	887.67	182.74	11.10	56.75	46.80
11.000	32.00	892.40	886.40	881.40	630.00	887.04	0.00	888.18	85.47	8.59	73.34	68.15
11.200	50.00	0.00	0.00	881.40	630.00	886.43	0.00	888.54	3.60	4.00	315.84	214.78
11.210	280.00	0.00	0.00	883.50	630.00	888.75	0.00	888.85	14.53	3.44	341.36	165.27
11.220	140.00	0.00	0.00	884.65	630.00	888.95	0.00	889.30	56.29	5.69	168.49	83.97
11.230	140.00	0.00	0.00	885.80	630.00	889.77	889.15	890.35	94.56	6.86	112.12	64.79
11.240	140.00	0.00	0.00	886.95	630.00	891.02	890.89	891.52	82.01	6.52	127.61	69.57
11.280	140.00	0.00	0.00	888.20	630.00	892.67	892.67	893.18	65.88	6.44	194.93	77.62
11.290	140.00	0.00	0.00	889.35	630.00	893.76	893.76	894.53	76.30	6.75	180.46	73.09
11.300	140.00	0.00	0.00	890.50	630.00	894.94	894.96	895.48	70.05	6.60	187.51	75.27
11.310	165.00	0.00	0.00	891.50	630.00	896.01	895.92	896.48	60.98	6.25	204.36	80.68
11.320	165.00	0.00	0.00	892.50	630.00	896.96	896.92	897.50	69.89	6.62	171.02	75.36
11.900	165.00	0.00	0.00	894.40	630.00	897.97	0.00	898.48	55.35	5.95	134.91	84.68
12.000	2.00	894.90	894.40	893.40	630.00	898.08	0.00	898.50	34.88	5.40	149.90	106.68
12.100	2.00	894.90	894.40	894.40	630.00	897.91	0.00	898.50	70.02	6.82	119.70	66.75
12.200	165.00	0.00	0.00	893.40	630.00	898.88	0.00	899.08	13.78	3.81	244.84	169.74
12.900	170.00	0.00	0.00	894.60	630.00	898.94	0.00	899.68	76.61	7.28	121.90	71.98
13.000	2.00	896.20	895.80	894.60	630.00	899.53	0.00	899.74	177.68	5.77	141.06	67.26

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS,

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRIHS	EG	10K*S	VCH	AREA	.01K
*	13.100	2.00	896.20	895.00	895.80	630.00	899.20	899.20	900.05	133.69	8.29	117.72	54.49
	13.900	120.00	0.00	0.00	896.50	630.00	900.67	0.00	900.99	66.43	5.99	225.50	92.60
	14.000	2.00	897.00	896.50	896.50	630.00	900.70	0.00	901.00	55.96	5.99	210.90	84.22
	14.100	2.00	897.00	896.80	896.80	630.00	900.71	0.00	901.01	53.24	6.00	221.18	86.34
	14.200	150.00	0.00	0.00	896.80	630.00	901.36	0.00	901.58	21.11	4.34	310.71	137.13
	14.900	150.00	0.00	0.00	896.80	630.00	901.78	0.00	902.21	118.22	5.28	119.39	57.94
	15.000	13.00	903.30	901.30	896.80	630.00	903.62	0.00	903.71	8.60	2.40	262.27	214.80
	15.200	160.00	0.00	0.00	897.10	630.00	903.72	0.00	903.87	12.87	3.22	294.05	175.62
	15.900	125.00	0.00	0.00	897.70	630.00	903.68	0.00	904.08	19.70	4.32	240.01	141.95
	16.000	2.00	899.50	897.70	897.70	630.00	903.71	0.00	904.16	12.81	6.06	216.53	176.01
	16.100	2.00	899.50	898.10	897.70	630.00	903.90	0.00	904.19	24.90	4.47	244.14	126.28
	16.600	220.00	0.00	0.00	897.50	630.00	904.44	0.00	904.73	23.49	4.43	179.48	129.98
	16.700	220.00	0.00	0.00	898.50	630.00	905.00	0.00	905.40	36.39	5.11	142.56	104.43
	16.800	220.00	0.00	0.00	899.50	630.00	905.05	0.00	906.29	62.06	5.39	131.24	96.24
	16.900	100.00	0.00	0.00	899.50	630.00	906.19	0.00	906.81	43.77	7.53	157.11	95.22
	17.000	46.00	911.00	905.50	901.60	630.00	912.08	0.00	912.25	10.44	4.22	276.20	195.00
	17.900	123.00	0.00	0.00	902.10	630.00	912.26	0.00	912.28	0.41	1.03	1315.89	986.06
	18.000	2.00	904.10	902.10	902.10	630.00	912.27	0.00	912.29	0.29	1.53	1272.69	1176.53
	18.100	2.00	904.10	902.10	902.10	630.00	912.28	0.00	912.29	0.52	1.03	1272.10	875.37
	18.200	680.00	0.00	0.00	904.11	630.00	912.33	0.00	912.35	1.52	1.60	953.51	511.15
	18.700	1010.00	0.00	0.00	903.80	630.00	912.51	0.00	912.57	2.96	3.09	1047.27	366.07
	18.800	99.00	0.00	0.00	903.80	630.00	912.56	0.00	912.60	2.88	3.05	1059.88	371.05
	18.900	1.00	909.90	907.30	903.80	630.00	912.57	0.00	912.60	7.36	2.86	924.70	232.15
	19.000	48.00	909.90	907.30	903.80	630.00	912.61	0.00	912.64	7.29	2.77	938.68	233.29
	19.100	1.00	0.00	0.00	904.50	630.00	912.59	0.00	912.65	2.96	2.95	1091.72	365.88
	19.200	67.00	0.00	0.00	904.70	630.00	912.62	0.00	912.68	5.15	2.65	1044.53	353.24
	19.300	2.00	908.00	904.70	904.70	630.00	912.64	0.00	912.68	5.66	2.79	1006.73	264.82
	19.400	2.00	0.00	0.00	904.10	630.00	912.63	0.00	912.69	3.74	2.87	1034.17	325.72
	19.700	645.00	0.00	0.00	907.00	630.00	912.96	0.00	913.04	8.54	3.97	779.92	218.17

SECNO	XLCH	ELTRO	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
19.600	99.00	0.00	0.00	907.00	630.00	913.05	0.00	913.12	7.16	3.71	823.37	235.38
19.900	1.00	911.40	909.00	907.00	630.00	913.06	0.00	913.12	29.26	4.35	573.96	316.77
20.000	48.00	911.40	909.00	907.00	630.00	913.19	0.00	913.24	20.38	3.73	643.90	139.55
20.100	1.00	0.00	0.00	907.00	630.00	913.15	0.00	913.26	8.71	4.21	757.60	213.51

PRINTED IN U.S.A.

RINGES BROOK B.C.TWP

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CMSEL	DIF.SP	DIF.SX	DIF.HS	TOPWID	KLOP
6.200	630.00	863.85	0.00	0.00	0.00	115.08	50.00
6.300	630.00	864.10	0.00	0.25	0.00	52.49	410.00
6.400	630.00	864.52	0.00	0.42	0.00	39.32	585.00
6.410	630.00	865.04	0.00	0.52	0.00	165.34	595.00
6.420	630.00	865.65	0.00	0.61	0.00	123.97	595.00
6.430	630.00	867.09	0.00	1.44	0.00	113.92	595.00
6.500	630.00	868.78	0.00	1.69	0.00	144.03	595.00
6.600	630.00	869.59	0.00	0.81	0.00	150.75	300.00
6.700	630.00	870.44	0.00	0.85	0.00	61.00	325.00
6.750	630.00	870.44	0.00	-0.00	0.00	32.00	50.00
6.800	630.00	870.11	0.00	-0.32	0.00	10.60	50.00
7.100	630.00	871.70	0.00	1.59	0.00	13.65	39.00
7.200	630.00	873.34	0.00	1.64	0.00	111.00	50.00
7.900	630.00	873.60	0.00	0.26	0.00	141.65	350.00
8.000	630.00	873.54	0.00	-0.06	0.00	138.96	2.00
8.100	630.00	873.61	0.00	0.07	0.00	142.08	2.00
8.300	630.00	874.10	0.00	0.49	0.00	104.06	390.00
8.310	630.00	874.56	0.00	0.46	0.00	112.97	445.00
8.320	630.00	875.82	0.00	1.27	0.00	98.16	445.00
8.330	630.00	877.46	0.00	1.64	0.00	86.58	445.00
8.400	630.00	879.38	0.00	1.92	0.00	99.61	445.00
8.410	630.00	880.65	0.00	1.27	0.00	139.45	300.00
8.900	630.00	881.25	0.00	0.60	0.00	25.58	300.00
9.000	630.00	883.36	0.00	2.12	0.00	36.00	2.00
9.100	630.00	883.61	0.00	-0.26	0.00	26.00	2.00
9.900	630.00	884.31	0.00	0.70	0.00	50.51	225.00
10.000	630.00	884.08	0.00	-0.23	0.00	50.13	2.00

PRINTED IN U.S.A.
FORM 1411-08 PRINTED BY ROTARY MANIFOLD FORMS

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	10.100	630.00	884.20	0.00	0.12	0.00	50.33	2.00
	10.830	630.00	885.10	0.00	0.90	0.00	41.66	150.00
	10.850	630.00	885.50	0.00	0.40	0.00	25.00	50.00
	10.860	630.00	885.72	0.00	0.22	0.00	20.00	25.00
	10.900	630.00	885.76	0.00	0.04	0.00	13.00	25.00
	11.000	630.00	887.04	0.00	1.20	0.00	13.00	32.00
	11.200	630.00	888.43	0.00	1.39	0.00	80.30	50.00
	11.210	630.00	888.75	0.00	0.32	0.00	190.55	200.00
	11.220	630.00	888.95	0.00	0.20	0.00	171.82	140.00
	11.230	630.00	889.77	0.00	0.82	0.00	165.26	140.00
	11.240	630.00	891.02	0.00	1.25	0.00	167.39	140.00
*	11.280	630.00	892.67	0.00	1.65	0.00	229.12	140.00
*	11.290	630.00	893.76	0.00	1.09	0.00	226.64	140.00
*	11.300	630.00	894.94	0.00	1.18	0.00	227.35	140.00
	11.310	630.00	896.01	0.00	1.07	0.00	230.72	165.00
	11.320	630.00	896.96	0.00	0.94	0.00	154.14	165.00
	11.900	630.00	897.87	0.00	1.02	0.00	70.00	165.00
	12.000	630.00	898.08	0.00	0.11	0.00	70.00	2.00
	12.100	630.00	897.92	0.00	-0.16	0.00	70.00	2.00
	12.230	630.00	898.83	0.00	0.90	0.00	112.17	165.00
	12.900	630.00	898.94	0.00	0.06	0.00	70.00	170.00
	13.000	630.00	899.33	0.00	0.39	0.00	70.00	2.00
	13.100	630.00	898.23	0.00	-1.10	0.00	70.00	2.00
	13.900	630.00	900.67	0.00	1.47	0.00	125.46	120.00
	14.000	630.00	900.70	0.00	0.03	0.00	125.87	2.00
	14.100	630.00	900.71	0.00	0.01	0.00	126.29	2.00
	14.200	630.00	901.36	0.00	0.65	0.00	141.22	150.00
	14.900	630.00	901.78	0.00	0.42	0.00	78.00	150.00
	15.000	630.00	903.62	0.00	1.83	0.00	78.00	15.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
15.200	630.00	903.72	0.00	0.11	0.00	105.35	143.00
15.900	630.00	903.88	0.00	0.15	0.00	99.98	125.00
16.000	630.00	903.71	0.00	-0.16	0.00	98.04	2.00
16.100	630.00	903.98	0.00	0.27	0.00	104.35	2.00
16.600	630.00	904.44	0.00	0.46	0.00	92.41	220.00
16.700	630.00	905.00	0.00	0.56	0.00	74.93	220.00
16.800	630.00	905.85	0.00	0.84	0.00	63.69	220.00
16.900	630.00	906.19	0.00	0.34	0.00	52.24	110.00
17.000	630.00	912.06	0.00	5.88	0.00	68.47	46.00
17.900	630.00	912.28	0.00	0.21	0.00	265.62	120.00
18.000	630.00	912.27	0.00	-0.01	0.00	265.63	2.00
18.100	630.00	912.28	0.00	0.01	0.00	265.61	2.00
18.200	630.00	912.33	0.00	0.05	0.00	297.62	680.00
18.700	630.00	912.51	0.00	0.18	0.00	560.77	1010.00
18.800	630.00	912.54	0.00	0.03	0.00	561.71	99.00
18.900	630.00	912.57	0.00	0.03	0.00	565.52	1.00
19.000	630.00	912.61	0.00	0.04	0.00	564.34	98.00
19.100	630.00	912.59	0.00	-0.02	0.00	564.83	1.00
19.200	630.00	912.62	0.00	0.02	0.00	565.33	87.00
19.300	630.00	912.64	0.00	0.03	0.00	566.45	2.00
19.400	630.00	912.63	0.00	-0.01	0.00	566.24	2.00
19.700	630.00	912.96	0.00	0.33	0.00	482.32	645.00
19.800	630.00	913.05	0.00	0.09	0.00	482.34	99.00
19.900	630.00	913.06	0.00	0.01	0.00	482.26	1.00
20.000	630.00	913.19	0.00	0.14	0.00	482.30	48.00
20.100	630.00	913.15	0.00	-0.04	0.00	482.27	1.00

SUMMARY OF ERRORS

CAUTION SECNO= 11.280 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 11.280 PROFILE= 1 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.290 PROFILE= 1 CRITICAL DEPTH ASSUMED

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

CAUTION SECNO= 11.290 PROFILE= 1 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 11.300 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 11.300 PROFILE= 1 MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 13.100 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 13.100 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 13.100 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD-FORMS.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: East channel of Sperry Drain

4) DOCUMENT TYPE: 4 profiles

00BREAK00

```
JOBID=HEC2          USER=DBHUD17W          PROJECT=HU202507          BILLING=HU202507          RON=XU132

13:20:06                                JOB INTRODUCED FROM                                JUN 04, 1981
                                          HEC2 ENG

13:20:25  START OF TRANSLATION
**          PARAMETER VALUES          **

&1        = DB-SPERRYEAST
&PAPER    = 3PART

          $JOB HEC2,USER=DBHUD17W;
WARNING   36  THIS STATEMENT HAS BEEN GENERATED
          VALUE FILENAM,NHOLD,UK=UTAPAK,CPU=30,PAPER=1PART,SIZE=200,STEP=HEC2,
                SUB=SUBNAME,COPIES=1,WKDVC=400;
          JUMP &PAPER$$X;
          2PARTX:
          OUTVAL &2,MD=112PRT,DVC=PR;
          JUMP CONTX;
          3PARTX:
          OUTVAL &2,MD=113PRT,DVC=PR;
          JUMP CONTX;
          1PARTX:
          OUTVAL &2;
          CONTX:
          INVOKE HEC2,ENGJCLLIB,VALUES=(&1,&2,UK=&UK,CPU=&CPU,PAPER=&PAPER,SIZE=&SIZE,
                STEP=&STEP,SUB=&SUB,COPIES=&COPIES,WKDVC=&WKDVC);

          RECORD COUNT :     16

13:21:11  END OF TRANSLATION
```

EAST CHANNEL
4-PROFILE EXHIBIT 2

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

```
JOBID=HEC2          USER=DBHUD17U          PROJECT=HU202507          BILLING=HU202507          RON=X0132

13:27:18                                JOB EXECUTION LISTING                                JUN 04, 1981

          JUMP DONE TO 3PARTX
          JUMP DONE TO CONTX
          JUMP DONE TO HEC2
          START OF HEC□2 EXECUTION
          STEP 4
          LOAD MODULE = HEC□2 (79/2 /22 23:58)
          LIBRARY = UTAENGLG
13:28:12  STEP STARTED XPRTY=9
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□B
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□C
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□D
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□A
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□E
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: UTAPAK FOR EFN: ;000132.FILE□F
          TASK MAIN J=DA P=00 COMPLETED
          DUF01.IFN=FILE□F       REMEMBER REUSE=        0
          DUF01.IFN=FILE□E       REMEMBER REUSE=        0
          DUF01.IFN=FILE□C       REMEMBER REUSE=        0
          DUF01.IFN=FILE□B       REMEMBER REUSE=        0
          DUF01.IFN=FILE□D       REMEMBER REUSE=        0
          DUF01.IFN=FILE□A       REMEMBER REUSE=        0    UNLOCK BUFFER=        0    CREATE BUFFER=       31
          TEMPORARY  FILES USED=    228 TRACKS
          FILE□F     ON  UTAPAK :  NB  OF  IO  CONNECTS=        30
          FILE□E     ON  UTAPAK :  NB  OF  IO  CONNECTS=       119
          FILE□C     ON  UTAPAK :  NB  OF  IO  CONNECTS=        98
          H□PR       ON  MES2DC :  NB  OF  IO  CONNECTS=        14
          FILE□F     ON  UTAPAK :  NB  OF  IO  CONNECTS=       133
          H□RD       ON  UTAPAK :  NB  OF  IO  CONNECTS=         2
          FILE□D     ON  UTAPAK :  NB  OF  IO  CONNECTS=        67
          FILE□A     ON  UTAPAK :  NB  OF  IO  CONNECTS=       113
          CPU          1.503                    PROG MISSING SEGTS      371    STACKOV      81
          ELAPSED      7.772                    SYS  MISSING SEGTS      615
          LINES          313  LIMIT    NOLIM    BACKING STORE        507936
          CARDS            0  LIMIT    NOLIM    BUFFER SIZE           15920    OPSIZE     2272
13:35:58  STEP COMPLETED

          JUMP DONE TO FINISH
          JUMP DONE TO 3PART
          ***********************************
          *  READY 3PART  GREEN BAR PAPER   *
          ***********************************

          START    13:27:18   LINES        313
          STOP     13:36:07   CARDS          0
          CPU         1.503
          ELAPSE      8.816
13:36:07  RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY-MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

C
T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     W         WSEL      FQ
        0.        2.        0.        0.  0.000000      0.00      3.0       0.    804.200     0.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IBW       CHNIM     ITRACE
        1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT

      150.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRNT     NUMSEC                        ********REQUESTED SECTION NUMBERS********
      -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
QT      5.000    55.000    85.000   145.000   145.000   190.000     0.000     0.000     0.000     0.000
NC      0.120     0.120     0.035     0.300     0.500     0.000     0.000     0.000     0.000     0.000

                D/S FACE JACKSON ST. 60 INCH CONCRETE CULVERT

X1      1.000    14.000   241.750   246.250     0.000     0.000     0.000     0.000     0.000     0.000
X3     10.000     0.000     0.000     0.000     0.000     0.000     0.000   817.800   817.800     0.000
GR    817.800   195.000   808.600   196.000   808.100   220.000   808.100   241.740   802.500   241.750
GR    801.500   242.000   800.500   243.000   800.250   244.000   800.500   245.000   801.500   246.000
GR    802.500   246.250   809.300   246.260   809.300   294.000   817.800   295.000     0.000     0.000
SD      2.000     4.360     5.900     0.000     4.000     0.000    16.000     0.000   802.250   800.750

                U/S FACE JACKSON ST. 60 INCH CONCRETE CULVERT

X1      4.900    14.000   241.750   246.250   175.000   175.000   175.000     0.000     0.000     0.000
X2      0.000     0.000     1.000   806.250   817.800     0.000     0.000     0.000     0.000     0.000
X3     10.000     0.000     0.000     0.000     0.000     0.000     0.000   817.800   817.800     0.000
BT     14.000   195.000   815.800     0.000   196.000   815.700     0.000   220.000   815.700     0.000
BT    241.740   815.700     0.000   241.750   815.700   804.000   242.000   815.700   805.000   245.000
BT    815.700   806.000   244.000   815.700   806.250   245.000   815.700   806.000   246.000   815.700
BT    805.000   246.250   815.700   804.000   246.260   815.700     0.000   294.000   815.700     0.000
BT    295.000   817.800     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
GR    815.700   195.000   808.600   196.000   808.100   220.000   808.100   241.740   804.000   241.750
GR    803.000   242.000   802.000   243.000   801.750   244.000   802.000   245.000   805.000   246.000
GR    804.000   246.250   809.300   246.260   809.300   294.000   817.800   295.000     0.000     0.000

                50 FT U/S JACKSON ST.

X1      2.100     9.000   239.000   246.000    50.000    50.000    50.000     0.000     0.000     0.000
GR    815.700   195.000   808.600   196.000   808.600   229.000   802.100   239.000   801.950   244.000
```

PRINTED IN U.S.A.
FORM 1411.08 PRINTED BY ROTARY MANIFOLD FORMS

NC	0.120	0.120	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000
X1	2.150	9.000	293.000	307.000	275.000	275.000	275.000	0.000	-2.850	0.000
X3	0.000	0.000	0.000	250.000	0.000	350.000	0.000	0.000	0.000	0.000
GR	817.800	0.000	810.000	50.000	810.000	215.000	305.400	293.000	805.200	300.000
GR	805.900	307.000	810.000	319.000	810.000	599.000	810.000	600.000	0.000	0.000

VALLEY SECTION

X1	2.200	0.000	0.000	0.000	275.000	275.000	275.000	0.000	2.850	0.000
X3	0.000	0.000	0.000	250.000	0.000	350.000	0.000	0.000	0.000	0.000
QT	5.000	100.000	145.000	225.000	225.000	330.000	0.000	0.000	0.000	0.000

X1	3.000	9.000	222.000	238.000	300.000	310.000	300.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	150.000	0.000	280.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	810.000	50.000	810.000	215.000	806.700	222.000	806.000	230.000
GR	806.700	238.000	810.000	249.000	810.000	330.000	820.000	380.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  NEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR - 01
  MODIFICATION - 50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         HSEL      FQ

        0.       3.        0.        0.  0.000000      0.00      0.0       0.    604.200     0.000
J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE

      2.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.

FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR - 01
  MODIFICATION - 50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1   ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.        4.         0.         0.   0.000000       0.00       0.0        0.    804.203      2.000
J2   NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IDW        CHNIM      ITRACE
         3.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  D1
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1  ICHECK     INQ      NINV     IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.       5.       0.       0.  0.000000      0.00      0.0       0.   804.200     0.050
J2  NPROF      IPLOT    PRFVS    XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
       15.000    0.000   -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-08 PRINTED BY ROTARY MANIFOLD FORMS.

****
HEC2 RELEASE DATE) NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	1.000	0.00	0.00	0.00	800.25	55.00	804.20	0.00	804.40	34.54	3.63	15.15	9.36
	1.000	0.00	0.00	0.00	800.25	85.00	804.20	0.00	804.69	82.49	5.61	15.15	9.36
	1.000	0.00	0.00	0.00	800.25	145.00	804.20	0.00	805.62	240.04	9.57	15.15	9.36
*	1.000	0.00	0.00	0.00	800.25	190.00	806.63	806.63	806.55	293.75	11.11	17.10	11.09
	1.900	175.00	817.80	806.25	801.75	55.00	804.97	0.00	805.31	70.92	4.66	11.79	6.53
	1.900	175.00	817.80	806.25	801.75	85.00	806.01	0.00	806.51	134.78	5.66	15.01	7.32
	1.900	175.00	817.80	806.25	801.75	145.00	809.44	0.00	809.76	32.10	4.53	31.99	25.59
	1.900	175.00	817.80	806.25	801.75	190.00	813.98	0.00	814.16	16.14	3.63	52.40	47.30
	2.100	50.00	0.00	0.00	801.50	55.00	805.40	0.00	805.44	2.71	1.62	46.25	33.41
	2.100	50.00	0.00	0.00	801.50	85.00	806.64	0.00	806.68	2.28	1.81	69.29	56.33
	2.100	50.00	0.00	0.00	801.50	145.00	809.83	0.00	809.86	0.94	1.64	211.49	149.60
	2.100	50.00	0.00	0.00	801.50	190.00	814.23	0.00	814.24	0.17	0.93	647.57	463.08
	2.150	275.00	0.00	0.00	802.35	55.00	805.48	0.00	805.50	2.10	1.26	57.63	37.97
	2.150	275.00	0.00	0.00	802.35	85.00	806.71	0.00	806.73	1.46	1.33	95.41	70.23
	2.150	275.00	0.00	0.00	802.35	145.00	809.87	0.00	809.88	0.37	0.98	379.75	237.66
	2.150	275.00	0.00	0.00	802.35	190.00	814.24	0.00	814.25	0.09	0.65	817.27	640.91
*	2.200	275.00	0.00	0.00	805.20	55.00	806.13	806.13	806.56	194.86	5.00	11.61	3.96
	2.200	275.00	0.00	0.00	805.20	85.00	806.89	0.00	806.97	107.55	4.96	18.96	8.20
	2.200	275.00	0.00	0.00	805.20	145.00	809.85	0.00	809.92	3.34	2.10	103.09	79.38
	2.200	275.00	0.00	0.00	805.20	190.00	814.24	0.00	814.25	0.28	0.96	532.58	360.28
	3.000	300.00	0.00	0.00	806.00	100.00	808.05	0.00	808.24	35.01	3.57	32.22	16.90
	3.000	300.00	0.00	0.00	806.00	145.00	809.37	0.00	809.65	61.11	4.33	39.85	22.61
	3.000	300.00	0.00	0.00	806.00	225.00	809.97	0.00	810.16	12.89	3.59	87.12	62.87
	3.000	300.00	0.00	0.00	806.00	330.00	814.25	0.00	814.27	0.96	1.64	512.90	537.36

PRINTED IN U.S.A
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS,

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
1.000	55.00	804.20	0.00	0.00	0.00	4.50	0.00
1.000	85.00	804.20	0.00	0.00	0.00	4.50	0.00
1.000	145.00	804.20	0.00	0.00	0.00	4.50	0.00
* 1.000	190.00	804.63	0.00	0.00	0.43	4.50	0.00
1.900	55.00	804.97	0.00	0.77	0.00	4.50	175.00
1.900	85.00	806.01	0.00	1.81	0.00	4.50	175.00
1.900	145.00	809.44	0.00	5.24	0.00	4.50	175.00
1.900	190.00	813.98	0.00	9.34	0.00	4.50	175.00
2.100	55.00	805.40	0.00	0.43	0.00	17.20	50.00
2.100	85.00	806.64	0.00	0.62	0.00	20.09	50.00
2.100	145.00	809.83	0.00	0.38	0.00	98.25	50.00
2.100	190.00	814.23	0.00	0.26	0.00	99.56	50.00
2.150	55.00	805.48	0.00	0.00	0.00	26.32	275.00
2.150	85.00	806.71	0.00	0.07	0.00	31.97	275.00
2.150	145.00	809.87	0.00	0.04	0.00	100.00	275.00
2.150	190.00	814.24	0.00	0.01	0.00	100.00	275.00
* 2.200	55.00	306.18	0.00	0.70	0.00	16.43	275.00
2.200	85.00	806.59	0.00	-0.12	0.00	16.37	275.00
2.200	145.00	809.85	0.00	-0.01	0.00	33.33	275.00
2.200	190.00	814.24	0.00	0.00	0.00	100.00	275.00
3.000	100.00	806.05	0.00	1.87	0.00	23.30	300.00
3.000	145.00	808.37	0.00	1.77	0.00	25.09	300.00
3.000	225.00	809.97	0.00	0.12	0.00	33.34	300.00
3.000	330.00	814.25	0.00	0.00	0.00	100.00	300.00

SUMMARY OF ERRORS

CAUTION SECNO= 1.000 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 2.200 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 2.200 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 2.200 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WEEL

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.



1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Sperry Drain

4) DOCUMENT TYPE: 4 profiles



14:30:06 X315 DRILLPIT, PSCS F32025D7 JAN 05, 1981

Speedy Drawn

4-Drawn to scale

4-PROFILE FROM SECNO 3
TO SECNO 4 EXHIBIT 6

#400 12*3 SM:1223 LH:12*3 FW:EE-041 22A0D561 PROT PE/H112/F1/SI/4/H132

FORM 1411-38-PRINTED BY ROYARY MANIFOLD FORMS.
PRINTED IN U.S.A.

```
14:16:20                                  JOB INTRODUCED FROM                                  JUL 09, 1987
                                          HEC2 E 16

14:16:25  START OF TRANSLATION

**          PARAMETER VALUES          **

@1        = DB-SPERRY4
@PAPER    = 3PART

          $JOB HEC2,USER=DRHUD17W;
WARNING   36  THIS STATEMENT HAS BEEN GENERATED
          VALUE FILE:AP,NHOLD,LK=@TAPNK,CPU=30,PAPER=1PART,SIZE=200,STEP=HEC2,
              SUB=SUBNAME,COPIES=1,UKDVC=400;
          JUMP @PAPER&&&X;
          2PARTX:
          OUTVAL 2,ND=I12PRT,DVC=PR;
          JUMP CONTX;
          3PARTX:
          OUTVAL &2,ND=I13PRT,DVC=PR;
          JUMP CONTX;
          1PARTX:
          OUTVAL 2;
          CONTX:
          INVOKE HEC2,ENGJCLL2B,VALUES=(@1,@2,LK=JNK,CPU=@CPU,PAPER=@PAPER,SIZE=@SIZE,
                STEP=@STEP,SUB=@SUB,COPIES=@COPIES,UKDVC=@UKDVC);

          RECORD COUNT :     15

14:16:40  END OF TRANSLATION
```

PRINTED IN U.S.A.
FORM 1011-00 PRINTED BY ROTARY MANIFOLD FORMS.

```
JOBID=HEC2          USER=DBHUD17W          PROJECT=HL-202507          BILLING=HU202507          RON=X0315

NOT  : PLEASE SIGN OFF SYSTEM AT 3:00 TODAY INSTEAD OF 3:30.

14:16:42                                JOB EXECUTION LISTING                                JUL 05, 1981

          JUMP DONE TO 3PARTX
          JUMP DONE TO CONTX
          JUMP DONE TO HEC2
          START OF HEC=2 EXECUTION
          STEP 4
          LOAD MODULE = HEC=2 (7972 722 23:58)
          LIBRARY = HTAENGLP
14:17:00  STEP STARTED XPRTY=9
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=B
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=C
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=D
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=A
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=E
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HTAPAK FOR EFN: ;000315.FILE=F
          TASK MAIN J=0A P=00 COMPLETED
          DUF01.IFN=FILE=B       REMEMBER REUSE=        0
          DUF01.IFN=FILE=C       REMEMBER REUSE=        0
          DUF01.IFN=FILE=D       REMEMBER REUSE=        0
          DUF01.IFN=FILE=A       REMEMBER REUSE=        0
          DUF01.IFN=FILE=E       REMEMBER REUSE=        0
          DUF01.IFN=FILE=F       REMEMBER REUSE=        0    UNLOCK BUFFER=        0    CREATE BUFFER=       51
          TEMPORARY  FILES USED=   228 TRACKS
          H=RD      ON  HTAPAK :  NB  OF  IO  CONNECTS=        2
          FILE=B    ON  HTAPAK :  NB  OF  IO  CONNECTS=      133
          FILE=C    ON  HTAPAK :  NB  OF  IO  CONNECTS=       98
          FILE=D    ON  HTAPAK :  NB  OF  IO  CONNECTS=       67
          H=PR      ON  PE6200 :  NB  OF  IO  CONNECTS=       16
          FILE=A    ON  HTAPAK :  NB  OF  IO  CONNECTS=      113
          FILE=E    ON  HTAPAK :  NB  OF  IO  CONNECTS=      105
          FILE=F    ON  HTAPAK :  NB  OF  IO  CONNECTS=       30
          CPU          1.003                    POOL MISSING SEGTS:      69   STACKOV      64.
          ELAPSED      3.287                    SYS  MISSING SEGTS:     278
          LINES          304   LIMIT     NOLIM      BACKING STORE      507936
          CARDS            0   LIMIT     NOLIM      BUFFER SIZE         15220   CPSIZE     2272
14:20:25  STEP COMPLETED

          JUMP DONE TO FINISH
          JUMP DONE TO 3PART
          ***********************************
          *  READY 3PART  GREEN BAR PAPER   *
          ***********************************

          START    14:16:42   LINES          304
          STOP     14:20:31   CARDS            0
          CPU          1.003
          ELAPSE       3.815
14:20:33  RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.
FORM 1431 GB-PRINTED BY ROTARY MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

C
T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3      SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.        2.         0.         0.  0.005000       5.00        0.0         0.    903.150      0.00

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CINSM      IFRZCS
      1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    150.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

J5  LPRNT      LUNSEC                        ********REQUESTED SECTION NUMBERS********
    -10.000    -10.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
NC      3.000    100.000    145.000    245.000    225.000    350.000      0.000      0.000      0.000      0.000
NC      0.120      0.120      0.035      0.300      0.500      2.000      0.000      0.000      0.000      0.000

      VALLEY SECTION                                CROSS SECTION 62
X1      3.000      9.000    222.000    230.000    300.000    300.000    320.000      0.000      0.000      0.000
X3      0.000      0.000      0.000    180.000      0.000    230.000      0.000      0.000      0.000      0.000
GR    820.000      0.000    810.000     50.000    810.000    215.000    806.700    222.000    806.000    230.000
GR    806.700    230.000    810.000    249.000    810.000    330.000    820.000    380.000      0.000      0.000

      100 FT D/S MICHIGAN AVE.                      CROSS SECTION 62
X1      3.700     16.000    164.000    180.000    350.000    350.000    350.000      0.000     -0.500      0.000
GR    826.400      0.000    825.000     18.000    825.000     84.000    825.200    112.000    822.400    122.000
GR    814.600    150.000    807.900    164.000    807.300    169.500    807.300    172.000    807.300    174.500
GR    807.300    180.000    811.300    186.000    813.700    197.000    817.300    220.000    824.000    260.000
GR    825.200    320.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
ET      7.100      7.100      7.100      7.100      7.100      0.000    164.000    160.000      0.000      0.000

X1      3.800      0.000      0.000      0.000     50.000     50.000     50.000      0.000      0.150      0.000

      D/S FACE MICHIGAN AVE.                        CROSS SECTION 62
X1      3.900     16.000    169.500    174.500     50.000     50.000     50.000      0.000      0.000      0.000
X3     10.000      0.000      0.000      0.000      0.000      0.000      0.000    812.000    812.000      0.000
GR    826.400      0.000    825.000     18.000    825.000     84.000    825.200    172.000    822.400    122.000
GR    814.600    150.000    807.900    164.000    807.300    169.500    807.300    172.000    807.300    174.500
GR    807.300    180.000    811.300    186.000    813.700    197.000    817.300    220.000    824.000    260.000
GR    825.200    320.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
ET      0.000      2.720      3.000      0.000      5.200      0.000     17.000      0.000    807.300    807.300
```

PRINTED IN U.S.A.
FORM 1411-GB-PRINTED BY ROTARY MANIFOLD FORMS

ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	842.000	942.000

U/S FACE MICHIGAN AVE CROSS SECTION 65C64

XT	4.000	16.000	889.500	894.500	160.000	162.000	167.000	0.000	0.000	0.000
X2	0.300	0.000	1.000	812.900	825.300	0.000	0.000	0.000	0.000	0.000
X3	10.000	1.000	0.000	0.000	0.000	0.000	0.000	825.000	825.000	1.000
ET	16.000	504.000	835.600	0.000	570.000	833.300	5.000	680.000	828.300	0.000
ET	832.000	826.000	0.000	876.000	825.300	0.000	889.500	825.300	810.100	890.000
ET	825.300	811.600	891.000	825.300	812.400	892.000	825.300	812.600	893.000	825.300
ET	812.400	894.000	825.300	811.600	894.500	825.300	810.100	956.000	825.300	0.000
ET	1108.000	828.500	0.000	1156.000	832.000	0.000	1182.000	832.000	0.000	0.000
GR	830.700	504.000	825.300	570.000	519.600	680.000	815.000	832.000	812.600	374.000
GR	810.700	889.500	808.500	890.000	807.800	891.000	807.600	892.000	807.800	893.000
GR	808.600	894.000	810.100	894.500	811.300	906.000	813.200	1108.000	827.000	1156.000
GR	832.000	1180.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.300	3.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
EDEM-1311-SB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3       SPERRY DRAIN

J1   ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.       3.        0.        0.  0.000000      0.00       0.0       0.    808.350     0.000

J2   NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IBW       CHNIM     ITRACE
       2.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-GB-PRINTED BY ROYARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3       SPERRY DRAIN

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
         0.        4.        0.        0.  0.300000      0.00      0.0        0.   810.100     0.600

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IDV       CHNIM     ITRACE
     5.000     0.000    -1.000     0.000     0.050     0.000     0.030     0.000     0.000     0.120
```

PRINTED IN U.S.A.
FORM 1811-OD PRINTED BY LOTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3      SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ

        0.       6.         0.         0.  0.000000       0.00       0.0        0.     814.350      0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IDP        CHNIM      ITRACE

       15.000     0.000    -1.000     0.500      0.500      0.000      0.000      1.000      0.000      0.000
```

FORM 1411-08-PRINTED BY ROTARY MANIFOLD FORMS.

PRINTED IN U.S.A.

PRINTED IN U.S.A.

****
HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	IOPT	VCH	AREA	.01K
	3.000	300.00	0.00	0.00	806.00	100.00	808.15	0.00	808.32	20.92	3.37	34.55	18.60
	3.000	300.00	0.00	0.00	806.00	145.00	808.35	0.00	808.64	42.32	4.37	39.43	22.29
	3.000	300.00	0.00	0.00	806.00	225.00	810.10	0.00	810.27	11.30	3.44	95.11	66.94
	3.000	300.00	0.00	0.00	806.00	330.00	814.35	0.00	814.38	0.91	1.67	525.11	346.30
	3.700	350.00	0.00	0.00	807.00	100.00	809.06	0.00	809.21	21.90	3.11	35.72	21.33
	3.700	350.00	0.00	0.00	807.00	145.00	809.52	0.00	809.72	22.60	3.63	47.21	30.50
	3.700	350.00	0.00	0.00	807.00	225.00	810.54	0.00	810.76	16.14	3.88	73.47	56.01
	3.700	350.00	0.00	0.00	807.00	330.00	814.37	0.00	814.45	2.36	2.46	224.66	213.91
	3.800	50.00	0.00	0.00	807.15	100.00	809.15	0.00	809.35	31.50	3.23	30.95	17.22
	3.800	50.00	0.00	0.00	807.15	145.00	809.65	0.00	809.87	34.57	3.78	38.32	24.66
	3.800	50.00	0.00	0.00	807.15	225.00	810.63	0.00	810.90	30.23	4.18	53.85	40.92
	3.800	50.00	0.00	0.00	807.15	330.00	814.38	0.00	814.47	2.57	2.52	216.59	205.76
*	3.900	50.00	0.00	0.00	807.30	100.00	809.61	809.61	810.77	169.29	8.65	11.56	7.69
*	3.900	50.00	0.00	0.00	807.30	145.00	810.27	810.27	811.75	171.69	9.77	14.84	11.07
*	3.900	50.00	0.00	0.00	807.30	225.00	811.27	811.27	813.27	103.09	11.33	19.86	16.59
	3.900	50.00	0.00	0.00	807.30	330.00	814.36	0.00	814.53	8.56	4.52	207.84	114.10
	4.000	160.00	825.30	812.90	807.60	100.00	812.56	0.00	812.98	94.47	5.19	19.27	10.29
	4.000	160.00	825.30	812.90	807.60	145.00	812.76	0.00	813.40	80.07	6.40	22.67	16.20
	4.000	160.00	825.30	812.90	807.60	225.00	813.51	0.00	813.81	22.63	4.38	51.59	47.30
	4.000	160.00	825.30	812.90	807.60	330.00	825.80	0.00	825.80	0.11	0.71	1389.47	989.26

FORM 1411-GB-PRINTED BY ROTARY MANIFOLD FORMS.

S*ERRY DRAIN

SUM*ARY PRINTOUT TA?LE 150

	SECNO	Q	CWSEL	DIFWSP	LIFWSX	DEPK.S	TOPWID	XLCH
	3.000	100.00	808.15	0.00	0.00	0.00	23.91	300.00
	3.000	145.00	808.35	0.00	0.00	0.00	25.00	300.00
	3.000	225.00	810.10	0.00	0.00	0.00	100.00	300.00
	3.000	330.00	814.35	0.00	0.00	0.00	100.00	300.00
	3.700	100.00	809.08	0.00	3.91	0.00	22.14	350.00
	3.700	145.00	809.52	0.00	1.17	0.00	25.78	350.00
	3.700	225.00	810.54	0.00	0.44	0.00	27.46	350.00
	3.700	330.00	814.37	0.00	0.02	0.00	55.68	350.00
	3.800	100.00	809.19	0.00	3.12	0.00	16.00	50.00
	3.800	145.00	809.65	0.00	0.13	0.47	16.00	50.00
	3.800	225.00	810.63	0.00	0.08	1.44	16.00	50.00
	3.800	330.00	814.38	0.00	0.01	0.00	53.99	50.00
*	3.900	100.00	809.67	0.00	0.49	0.00	5.00	50.00
*	3.900	145.00	810.27	0.00	0.62	0.66	5.00	50.00
*	3.900	225.00	811.27	0.00	0.65	1.66	5.00	50.00
	3.900	330.00	814.36	0.00	-0.02	0.00	52.23	50.00
	4.000	100.00	812.56	0.00	2.95	0.00	5.00	160.00
	4.000	145.00	812.76	0.00	2.49	0.20	5.00	160.00
	4.000	225.00	813.51	0.00	7.24	5.95	5.00	160.00
	4.000	330.00	825.80	0.00	11.43	15.24	130.00	160.00

SUMMARY OF ERRORS

CAUTION SECNO= 3.900 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 3.900 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 3.900 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 3.900 PROFILE= 2 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 3.900 PROFILE= 2 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 3.900 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 3.900 PROFILE= 3 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 3.900 PROFILE= 3 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 3.900 PROFILE= 3 20 TRIALS ATTEMPTED TO BALANCE WSEL

PRINTED IN U.S.A.
FORM 1411.08-PRINTED BY ROTARY MANIFOLD FORMS.

00BREAK00


1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Sperry Drain

4) DOCUMENT TYPE: 100 yr encroachment

00BREAK00


4600 12+3 SN:1225 LN:12+3 C:J00+041 224D0961 PR01 PR/M112/FD1/SL1/A/M132
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.
09:50:16 X258 DOHU017W HEC2 #U2C2507 JUN 05, 1981
100 YEAR + EXCIROACHMENT
UPSTREAM SECND 3 EXHIBIT 5
100 YR + EXC.
Spec. Dept.

```
JOBID=HEC2          USER=DBHUD17U          PROJECT=HU202507          BILLING=HU202507          RUN=X0238

09:26:56                                JOB INTRODUCED FROM                                JUN 05, 1981
                                          HEC2 ENG

09:27:02  START OF TRANSLATION

**          PARAMETER VALUES          **

&1          = DB-SPERRY
&PAPER      = 3PART

            $JOB HEC2,USER=DBHUD17U;
WARNING     56  THIS STATEMENT HAS BEEN GENERATED
            VALUE FILENAM,NHOLD,WK=UTAPAK,CPU=30,PAPER=1PART,SIZE=200,STEP=HEC2,
                  SUB=SUBNAME,COPIES=1,WKDVC=400;
            JUMP &PAPER%%X;
            2PARTX:
            OUTVAL &2,RD=I12PRT,DVC=PR;
            JUMP CONTX;
            3PARTX:
            OUTVAL &2,RD=I13PRT,DVC=PR;
            JUMP CONTX;
            1PARTX:
            OUTVAL &2;
            CONTX:
            INVOKE HEC2,ENGJCLLIB,VALUES=(&1,&2,WK=&WK,CPU=&CPU,PAPER=&PAPER,SIZE=&SIZE,
                  STEP=&STEP,SUB=&SUB,COPIES=&COPIES,WKDVC=&WKDVC);
            RECORD COUNT :    16

09:27:21  END OF TRANSLATION
```

PRINTED IN U.S.A.

FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
JOBID=HEC2          USER=DBHUD17W          PROJECT=HU202507          BILLING=HU202507          RON=XU238
MOT  : PLEASE SIGN OFF SYSTEM AT 3:15 TODAY INSTEAD OF 3:30.

09:31:25                                JOB EXECUTION LISTING                                JUN 05, 1981

          JUMP DONE TO 3PARTX
          JUMP DONE TO CONTX
          JUMP DONE TO HEC2
          START OF HEC□2 EXECUTION
          STEP 4
          LOAD MODULE = HEC□2 (79/2 /22 23:58)
          LIBRARY = WTAZNGLN
09:31:50  STEP STARTED XPRTY=9
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□P
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□C
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□D
          FP04.    8 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□A
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□E
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000238.FILE□F
          TASK MAIN J=01 P=00 COMPLETED
          DUF01,IFN=FILE□F      REMEMBER REUSE=       0
          DUF01,IFN=FILE□M      REMEMBER REUSE=       0
          DUF01,IFN=FILE□C      REMEMBER REUSE=       0
          DUF01,IFN=FILE□D      REMEMBER REUSE=       0
          DUF01,IFN=FILE□A      REMEMBER REUSE=       0
          DUF01,IFN=FILE□E      REMEMBER REUSE=       0    UNLOCK BUFFER=       0    CREATE BUFFER=      26
          TEMPORARY  FILES USED=    228 TRACKS
          FILE□F    ON  WTAPAK :  NB  OF  IO  CONNECTS=       30
          FILE□E    ON  WTAPAK :  NB  OF  IO  CONNECTS=      133
          FILE□C    ON  WTAPAK :  NB  OF  IO  CONNECTS=       02
          H□PR      ON  MEG200 :  NB  OF  IO  CONNECTS=       50
          H□RD      ON  WTAPAK :  NB  OF  IO  CONNECTS=        6
          FILE□D    ON  WTAPAK :  NB  OF  IO  CONNECTS=       83
          FILE□A    ON  WTAPAK :  NB  OF  IO  CONNECTS=      229
          FILE□E    ON  WTAPAK :  NB  OF  IO  CONNECTS=      325
          CPU          3.187                    PROG MISSING SEGTS      95    STACKOV      76
          ELAPSED      4.881                    SYS  MISSING SEGTS     187
          LINES         1805   LIMIT    NOLIM   BACKING STORE       507936
          CARDS            0   LIMIT    NOLIM   BUFFER SIZE          15920   CPSIZE     2272
09:35:43  STEP COMPLETED

          JUMP DONE TO FINISH
          JUMP DONE TO 3PART
          ************************************
          * READY 3PART  GREEN BAR PAPER     *
          ************************************
          START     09:31:25   LINES      1805
          STOP      09:36:44   CARDS         0
          CPU          3.187
          ELAPSE       5.317
09:36:44  RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************


C
T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3      SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         4.         0.         0.  0.000000       0.00       0.0         0.    810.100      0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
      1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    150.000    110.000    200.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

QT      5.000    100.000    145.000    225.000    225.000    330.000      0.000      0.000      0.000      0.000
NC      0.120      0.120      0.035      0.300      0.500      0.000      0.000      0.000      0.000      0.000
ET      0.000      0.000      0.000      0.000      0.000      0.100      0.000      0.000    130.000    330.000

        VALLEY SECTION                                CROSS SECTION 62

X1      3.000      9.000    222.000    238.000    300.000    300.000    300.000      0.000      0.000      0.000
GR    820.000      0.000    810.000     50.000    810.000    215.000    806.700    222.000    806.000    230.000
GR    806.700    238.000    810.000    249.000    810.000    330.000    820.000    810.000      0.000      0.000

        100 FT D/S MICHIGAN AVE.                      CROSS SECTION 62

X1      3.700     16.000    164.000    180.000    350.000    350.000    350.000      0.000     -0.300      0.000
GR    826.400      0.000    825.000     18.000    825.000     84.000    825.200    112.000    822.400    122.000
GR    814.600    150.000    807.900    164.000    807.300    169.500    807.300    172.000    807.300    174.500
GR    807.300    180.000    811.300    186.000    813.700    197.000    817.300    228.000    824.000    260.000
GR    825.200    320.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

X1      3.800      0.000      0.000      0.000     50.000     50.000     50.000      0.000      0.150      0.000
X3      0.000      0.000      0.000    164.000      0.000    180.000      0.000      0.000      0.000      0.000

        D/S FACE MICHIGAN AVE.                        CROSS SECTION 62

X1      3.900     16.000    169.500    174.500     50.000     50.000     50.000      0.000      0.000      0.000
X3     10.000      0.000      0.000      0.000      0.000      0.000      0.000    825.000    825.000      0.000
GR    826.400      0.000    825.000     18.000    825.000     84.000    825.200    112.000    822.400    122.000
GR    814.600    150.000    807.900    164.000    807.300    169.500    807.300    172.000    807.300    174.500
GR    807.300    180.000    811.300    186.000    813.700    197.000    817.300    228.000    824.000    260.000
GR    825.200    320.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
SB      0.000      2.770      3.000      0.000      3.220      0.000     17.000      0.000    837.000    837.300
ET      0.000      0.000      0.000      0.000      0.000      9.100      0.000      0.000    842.000    942.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

U/S FACE MICHIGAN AVE — CROSS SECTION 63&64

X1	4.000	16.000	889.500	894.500	160.000	169.000	160.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	812.900	825.300	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	825.000	825.000	0.000
BT	16.000	504.000	835.600	0.000	570.000	833.300	0.000	600.000	828.300	0.000
BT	832.000	825.000	0.000	876.000	825.300	0.000	809.500	825.300	810.100	890.000
BT	825.300	811.600	891.000	825.300	812.400	892.000	825.300	812.600	893.000	825.300
BT	812.400	894.000	825.300	811.600	894.500	825.300	810.100	906.000	825.300	0.000
BT	1108.000	828.500	0.000	1156.000	832.000	0.000	1180.000	832.000	0.000	0.000
GR	830.700	504.000	825.300	570.000	819.600	680.000	815.000	832.000	812.600	876.000
GR	810.100	889.500	808.600	890.000	807.800	891.000	807.600	892.000	807.600	893.000
GR	808.600	894.000	810.300	894.500	811.300	906.000	813.200	1108.000	827.000	1156.000
GR	832.000	1180.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

50 FT U/S MICHIGAN AVE. — CROSS SECTION 64

X1	4.100	12.000	884.000	900.000	50.000	50.000	50.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	842.000	0.000	942.000	0.000	0.000	0.000	0.000
GR	830.700	504.000	825.300	570.000	819.600	680.000	815.000	832.000	812.600	876.000
GR	808.500	884.000	807.800	892.000	807.800	930.000	811.300	906.000	813.200	1108.000
GR	827.000	1156.000	332.000	1180.000	0.000	0.000	0.000	0.000	0.000	0.000

VALLEY SECTION — 2 FT CONTOUR MAP

X1	4.500	11.000	752.000	760.000	350.000	350.000	350.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	800.000	0.000	800.000	0.000	0.000	0.000	0.000
GR	840.000	500.000	812.000	501.000	811.500	732.000	808.500	760.000	811.500	768.000
GR	812.300	920.000	814.000	960.000	816.000	980.000	810.000	990.500	820.000	1010.000
GR	830.000	1060.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

100 FT D/S RIDGEMOOR ST. — CROSS SECTION 66

X1	4.700	15.000	686.000	698.000	375.000	375.000	375.000	0.000	0.000	0.000
GR	829.500	300.000	820.000	520.000	814.600	560.000	813.200	586.000	812.600	612.000
GR	811.700	686.000	809.200	687.500	809.200	690.000	809.200	692.500	811.400	698.000
GR	811.400	746.000	812.400	736.000	820.600	850.200	825.200	902.000	830.200	926.000

D/S RIDGEMOOR ST. — CROSS SECTION 66

X1	4.800	19.000	687.500	692.500	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	812.200	812.200	0.000
GR	829.500	300.000	820.000	520.000	814.600	560.000	813.200	586.000	812.600	612.000
GR	811.700	686.000	809.200	687.500	809.200	690.000	809.200	692.500	811.400	698.000
GR	809.200	691.000	809.200	692.000	809.700	692.500	811.400	698.000	811.400	746.000
GR	812.400	784.000	820.600	850.000	825.200	902.000	830.200	926.000	0.000	0.000

D/S FACE RIDGEMOOR ST. — CROSS SECTION 65&66

X1	4.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	812.200	812.200	0.000
BT	19.000	300.000	829.500	0.000	520.000	820.000	0.000	560.000	818.000	0.000
BT	586.000	816.000	0.000	812.000	816.400	0.000	688.000	816.100	0.000	687.500
BT	816.100	809.700	658.000	816.100	811.200	639.500	816.100	812.000	695.000	816.100
BT	812.200	991.000	816.100	812.000	692.000	816.100	811.200	692.500	816.100	809.700
BT	698.000	816.100	0.000	746.000	816.800	0.000	784.000	817.300	0.000	850.000
BT	820.600	0.000	902.000	825.200	0.000	926.000	830.200	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

U/S FACE RIDGEMOOR ST. CROSS SECTION 65&66

X1	5.000	19.000	687.500	692.500	104.000	104.000	104.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.100	816.100	0.000
BT	19.000	300.000	929.500	0.000	520.000	820.000	0.000	560.000	818.000	0.000
BT	586.000	816.800	0.000	812.000	816.400	0.000	686.000	816.100	0.000	687.500
BT	816.100	811.300	688.000	816.100	812.800	689.000	816.100	813.600	690.000	816.100
BT	813.800	691.000	816.100	813.600	692.000	816.100	812.800	692.500	816.100	811.300
BT	698.000	816.100	0.000	746.000	816.800	0.000	784.000	817.300	0.000	850.000
BT	820.600	0.000	902.000	825.200	0.000	925.000	830.200	0.000	0.000	0.000
GR	829.500	300.000	820.000	520.000	814.600	560.000	813.200	586.000	812.600	612.000
GR	811.700	686.000	811.300	687.500	810.800	688.000	810.800	689.000	810.800	690.000
GR	810.800	691.000	810.800	692.000	811.300	692.500	811.400	698.000	811.400	746.000
GR	812.400	784.000	820.600	850.000	825.200	902.000	830.200	926.000	0.000	0.000

U/S RIDGEMOOR ST. CROSS SECTION 66

X1	5.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	815.000	815.000	0.000

51 FT U/S RIDGEMOOR ST. CROSS SECTION 66

X1	5.200	13.000	686.000	698.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	829.500	300.000	820.000	520.000	814.600	560.000	813.200	586.000	812.600	612.000
GR	811.500	686.000	811.100	690.000	811.500	698.000	812.100	714.000	812.400	784.000
GR	820.600	850.000	825.200	902.000	830.200	926.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.035	0.100	0.300	0.030	0.000	0.000	0.000	0.000

VALLEY SECTION CROSS SECTION 67

X1	5.300	14.000	319.000	337.000	560.000	905.000	850.000	0.000	0.000	0.000
GR	830.000	40.000	821.800	68.000	819.000	156.000	814.500	256.000	815.000	310.000
GR	812.700	319.000	812.800	326.000	812.000	337.000	814.000	342.000	814.200	378.000
GR	813.800	444.000	813.800	556.000	820.000	560.000	830.000	565.000	0.000	0.000

VALLEY SECTION 2 FT CONTOUR MAP

X1	5.350	12.000	490.000	510.000	475.000	400.000	440.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	400.000	0.000	560.000	0.000	0.000	0.000	0.000
GR	830.000	100.000	818.000	150.000	816.000	220.000	815.500	400.000	815.500	490.000
GR	814.200	496.000	813.900	500.000	814.200	506.000	815.500	510.000	816.000	560.000
GR	816.000	650.000	830.000	660.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	0.000	0.000	0.000	0.000	0.100	0.000	0.000	0.000	1.000	512.000

VALLEY SECTION CROSS SECTION 68

X1	5.400	15.000	371.000	377.000	475.000	440.000	440.000	0.000	0.000	0.000
GR	831.200	0.000	828.300	176.000	824.800	168.000	823.700	236.000	820.200	346.000
GR	818.800	366.000	816.000	371.000	815.800	374.000	816.000	377.000	816.800	384.000
GR	817.600	418.000	823.400	444.000	832.600	466.000	839.600	492.000	842.300	512.000

VALLEY SECTION 2 FT CONTOUR MAP

X1	5.450	10.000	807.000	505.000	200.000	200.000	220.000	0.300	0.000	0.000
X3	0.000	0.000	0.000	475.000	0.000	555.000	0.000	0.000	0.000	0.000
GR	830.000	400.000	822.000	410.000	820.000	475.000	818.000	490.000	817.200	497.000
GR	817.000	500.000	817.200	505.000	816.000	510.000	820.000	600.000	830.000	610.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

100 FT D/S BALBOA BLVD. CROSS SECTION 70

X1	5.700	9.000	597.000	603.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	840.000	460.000	820.000	470.000	819.600	593.000	818.500	597.000	818.300	600.000
GR	818.500	603.000	819.400	620.000	820.000	665.000	840.000	655.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	560.000	760.000

D/S FACE BALBOASCON RD. CROSS SECTION 70

X1	5.900	9.000	709.000	721.000	50.000	150.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	819.000	819.000	0.000
GR	330.000	560.000	824.000	570.000	820.000	560.000	820.000	709.000	818.600	711.500
SH	819.100	718.900	820.000	721.000	820.300	750.000	330.000	760.000	0.000	0.000
SH	0.000	4.660	3.300	0.000	6.900	5.030	13.000	0.000	818.700	818.600
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	560.000	760.000

D/S FACE BALBOASCON RD. CROSS SECTION 69870

X1	6.000	21.000	709.700	721.000	62.000	62.000	62.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	820.900	823.600	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	823.600	823.600	0.000
BT	21.000	560.000	830.000	0.000	570.000	824.000	0.000	580.000	823.600	0.000
BT	700.000	823.600	0.000	709.700	823.600	610.800	709.500	823.600	819.900	710.500
BT	823.600	820.700	711.500	823.600	820.900	712.500	823.600	820.700	713.500	823.600
BT	819.900	716.000	823.600	618.800	716.000	823.600	618.700	716.500	823.600	820.000
BT	717.500	823.600	820.900	718.500	823.600	821.100	719.500	823.600	820.900	720.500
BT	823.600	820.000	721.000	823.600	818.700	730.000	823.600	0.000	750.000	823.600
BT	0.000	760.000	830.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	830.000	560.000	824.000	570.000	822.000	580.000	822.000	700.000	818.800	709.000
GR	818.800	709.500	818.800	710.500	818.800	711.500	818.800	712.500	818.800	713.500
GR	818.800	714.000	818.700	716.000	818.700	716.500	818.700	717.500	818.700	718.500
GR	818.700	719.500	818.700	720.500	818.700	721.000	822.000	730.000	822.000	750.000
GR	830.000	760.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	1.000	400.000

X1	6.100	12.000	297.000	303.000	325.000	325.000	325.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	255.000	0.000	345.000	0.000	0.000	0.000	0.000
GR	830.000	0.000	828.000	110.000	826.000	130.000	824.000	180.000	822.000	290.000
GR	821.000	297.000	820.700	300.000	821.000	303.000	822.000	310.000	824.000	320.000
GR	826.000	375.000	830.000	400.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	6.200	11.000	997.000	1003.000	325.000	325.000	325.000	0.000	0.000	0.000
GR	831.000	850.000	828.200	960.000	825.500	980.000	825.200	990.000	823.000	997.000
GR	822.700	1000.000	823.000	1003.000	825.200	1010.000	825.500	1040.000	828.500	1075.000
GR	840.000	1160.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

VALLEY SECTION CROSS SECTION 71

X1	6.300	13.000	1143.000	1149.000	300.000	300.000	300.000	0.000	0.000	0.000
X4	1.030	827.000	1136.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	844.400	696.000	832.000	780.000	831.200	936.000	830.800	1076.000	829.100	1104.000
GR	824.800	1143.000	824.500	1166.000	824.000	1149.000	827.000	1159.000	827.700	1178.000
GR	829.400	1202.000	829.900	1268.000	840.300	1286.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

X1	6.350	0.000	0.000	0.000	200.000	200.000	200.000	0.000	2.100	0.000
X1	6.500	11.000	217.000	223.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	840.000	0.000	835.000	35.000	834.000	80.000	831.200	210.000	829.000	217.000
GR	828.700	227.000	829.000	223.000	831.200	230.000	832.000	250.000	835.000	290.000
GR	860.000	340.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	6.550	0.000	0.000	0.000	200.000	200.000	200.000	0.000	2.100	0.000
X1	6.600	9.000	127.000	133.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	840.000	0.000	838.000	30.000	835.400	120.000	833.200	127.000	832.900	130.000
GR	833.200	133.000	835.400	140.000	838.000	220.000	840.000	285.000	0.000	0.000
X1	6.650	0.000	0.000	0.000	200.000	200.000	200.000	0.000	2.100	0.000
X1	6.700	10.000	227.000	233.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	844.000	0.000	841.000	190.000	839.000	220.000	837.400	227.000	837.100	230.000
GR	837.400	233.000	839.000	240.000	841.000	230.000	844.000	340.000	850.000	390.000

100 FT D/S HAUBASCON RD. CROSS SECTION 72

X1	6.800	11.000	915.000	923.000	275.000	275.000	275.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	894.300	0.000	964.000	0.000	0.000	0.000	0.000
GR	849.300	650.000	844.500	740.300	844.100	834.000	843.900	882.000	843.200	926.000
GR	841.800	915.000	841.500	919.000	841.500	923.000	842.700	940.000	846.200	952.000
GR	851.400	1028.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S FACE HAUBASCON RD. CROSS SECTION 72

X1	6.900	14.000	127.500	132.500	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	847.500	847.500	0.000
GR	870.000	0.000	860.000	30.000	850.000	70.000	848.000	95.000	843.500	124.000
GR	842.400	127.500	842.100	130.000	842.600	132.500	843.500	134.000	850.000	170.000
GR	854.000	300.000	858.000	390.000	860.000	430.000	870.000	580.000	0.000	0.000
SS	0.000	1.910	3.000	0.000	3.000	0.000	20.500	0.000	842.100	842.800

U/S FACE HAUBASCON RD. CROSS SECTION 72873

X1	7.000	0.000	0.000	0.000	41.000	41.000	41.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	846.200	850.300	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	850.300	850.300	0.000
BT	15.000	0.000	870.000	0.000	30.000	860.000	0.000	70.000	850.300	0.000
BT	95.000	850.300	0.000	124.000	850.300	0.000	127.500	850.300	0.000	127.500
BT	850.300	846.200	132.500	850.300	846.200	132.500	850.300	0.000	136.000	850.300
BT	0.000	171.000	850.300	0.000	300.000	854.000	0.000	300.000	856.000	0.000
BT	430.000	862.000	0.000	380.000	870.000	0.000	0.000	0.000	0.000	0.000

250 FT U/S HAUBSCON RD. BATTLE CREEK CORP. BOUND. CROSS SECTION 74

X1	7.200	10.000	513.000	519.000	250.000	250.000	250.000	0.000	0.000	0.000
GR	885.500	294.000	851.800	322.000	848.200	360.000	854.400	384.000	852.500	404.200
GR	849.400	448.000	848.500	508.000	844.700	513.000	844.700	516.000	845.700	519.000
GR	850.200	522.000	857.100	542.000	857.100	622.000	857.800	636.000	865.400	802.000
GR	877.000	906.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS, INC.

EJ 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000

PRINTED IN U.S.A.

FORM 1411-OB PRINTED BY ROTARY MANIFOLD FORMS

```
*PROF 1

CCHV=   0.300 CEHV=   0.500
*SECNO 3.000
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS      BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA     LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IN2        ICONT      CORAR      TOPWID      ENDST

        VALLEY SECTION                                  CROSS SECTION 62

      3.00       4.10     810.10       0.00     810.10     810.26       0.16       0.00       0.00     806.70
       225.         8.      205.        12.        29.        60.        27.         0.         0.     806.70
      0.00       0.79       3.41       0.44      0.120      0.035      0.120      0.000     806.00      49.50
  0.001114       300.       300.       300.          0          0          0       0.00     231.00     330.50

*SECNO 3.700

        100 FT D/S MICHIGAN AVE.                        CROSS SECTION 62

      3.79       3.54     810.34       0.00       0.00     810.76       0.22       0.42       0.03     807.60
       225.         5.      214.         6.         9.        55.         9.         1.         1.     807.00
      0.03       0.60       3.89       0.65      0.120      0.035      0.120      0.035     807.00     157.86
  0.001621       350.       350.       350.          2          0          0       0.00      27.44     185.31

*SECNO 3.800

3470 ENCROACHMENT STATIONS=      164.0      180.0  TYPE=       1  TARGET=       16.000
      3.80       3.47     810.62       0.00       0.00     810.89       0.27       0.11       0.02     807.75
       225.         0.      225.         0.         0.        54.         0.         1.         1.  100000.00
      0.03       0.00       4.19       0.00      0.120      0.035      0.120      0.035     807.15     164.00
  0.003039         50.        50.        50.          1          0          0       0.00      12.00     180.00

*SECNO 3.900

3301 HV CHANGED MORE THAN NUINS

   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS      BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA     LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN       SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IN2        ICONT      CORAR      TOPWID      ENDST

3685 20 TRIALS ATTEMPTED WSEL,CWSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,FLLEA=      825.00 FLREA=      825.00

        D/S FACE MICHIGAN AVE.                          CROSS SECTION 62

      3.90       3.77     811.27     811.27       0.00     813.27       1.99       0.31       0.88     807.30
       225.         0.      225.         0.         0.        20.         0.         1.         1.     807.30
      0.03       0.00       4.32       0.00      0.120      0.035      0.120      0.035     807.30     169.50
  0.018350         50.        50.        50.         20          8          0       0.00       5.00     174.50
```

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

SPECIAL BRIDGE

SP	XK	XKOR	COFQ	RDLEN	DWC	DWP	BAREA	SS	ELCHU	ELCHD
	0.00	2.77	3.00	0.00	3.20	0.00	17.00	0.00	807.40	807.30

*SECNO 4.000

3391 HV CHANGED MORE THAN HVINS

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	XL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	STW	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
818.81	814.39	0.00	0.	225.	17.	17.	812.90	825.30

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 825.00 ELREA= 825.00

D/S FACE MICHIGAN AVE CROSS SECTION 63&64

4.00	10.91	818.5*	0.00	0.00	818.81	0.30	5.54	0.00	810.10
225.	0.	225.	0.	0.	51.	0.	1.	1.	810.10
0.04	0.00	4.38	0.00	0.120	0.035	0.120	0.035	807.60	889.50
0.002261	160.	160.	160.	2	0	0	0.00	5.00	894.50

*SECNO 4.100

3470 ENCROACHMENT STATIONS= 842.0 942.0 TYPE= 1 TARGET= 100.000

50 FT U/S MICHIGAN AVE. CROSS SECTION 64

4.10	11.09	818.39	0.00	0.00	818.90	0.01	0.00	0.09	808.50
225.	36.	137.	52.	249.	175.	323.	1.	1.	807.80
0.07	0.14	0.78	0.16	0.120	0.035	0.120	0.035	807.80	842.00
0.000014	50.	50.	50.	2	0	0	0.00	100.00	942.00

*SECNO 4.500

3470 ENCROACHMENT STATIONS= 600.0 850.0 TYPE= 1 TARGET= 250.000

VALLEY SECTION 2 FT CONTOUR MAP

4.50	10.40	818.50	0.00	0.00	813.90	0.00	0.00	0.00	811.50
225.	111.	56.	59.	1102.	142.	596.	12.	3.	811.50
0.63	0.10	0.39	0.10	0.120	0.035	0.120	0.035	808.50	600.00
0.000005	350.	350.	350.	2	0	0	0.00	250.00	850.00

*SECNO 4.700

100 FT D/S RIDGEMOOR ST. CROSS SECTION 66

PRINTED IN U.S.A.
FORM 141-OD PRINTED BY ROTARY MANIFOLD FORMS

4.70	9.71	818.91	0.00	0.00	818.91	0.00	0.00	0.00	811.70
225.	90.	47.	88.	855.	109.	797.	27.	5.	811.40
1.22	0.11	0.44	0.11	0.120	0.035	0.120	0.035	809.20	528.10
0.000007	375.	375.	375.	0	0	0	0.00	308.27	836.37

*SECNO 4.600

D/S RIDGEMOOR ST. CROSS SECTION 66

4.80	9.71	818.91	0.00	0.00	818.91	0.00	0.00	0.00	809.70
225.	99.	25.	101.	867.	40.	843.	31.	6.	809.70
1.40	0.11	0.51	0.12	0.120	0.035	0.120	0.035	809.20	528.11
0.000008	100.	100.	100.	0	0	0	0.00	308.25	836.36

*SECNO 4.900

SECNO	DEPTH	CHSEL	CRIWS	USELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOD	QCH	QROB	ALOB	ACH	AROD	VOL	TWA	LEFT/RIGHT
TIME	VLOD	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOCL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 19 MIN ELTRD= 816.10 MAX ELLC= 812.20

D/S FACE RIDGEMOOR ST. CROSS SECTION 65866

4.90	9.70	818.90	0.00	0.00	818.91	0.00	0.00	0.00	809.70
225.	116.	27.	82.	314.	26.	246.	31.	6.	809.70
1.40	0.37	1.06	0.33	0.120	0.035	0.120	0.035	809.20	528.11
0.000292	1.	1.	1.	0	0	0	-1172.50	308.26	836.36

*SECNO 5.000

3370 NORMAL BRIDGE,NRD= 19 MIN ELTRD= 816.10 MAX ELLC= 813.80

U/S FACE RIDGEMOOR ST. CROSS SECTION 65866

5.00	8.13	818.93	0.00	0.00	818.94	0.00	0.03	0.00	811.30
225.	116.	27.	82.	317.	26.	249.	33.	7.	811.30
1.46	0.37	1.05	0.33	0.120	0.035	0.120	0.035	810.80	527.95
0.000282	104.	104.	104.	1	0	0	-1159.59	308.59	836.54

*SECNO 5.100

U/S RIDGEMOOR ST. CROSS SECTION 66

5.10	8.14	818.94	0.00	0.00	818.94	0.00	0.00	0.00	811.30
225.	102.	29.	104.	871.	40.	843.	33.	7.	811.30
1.47	0.12	0.47	0.12	0.120	0.035	0.120	0.035	810.80	527.89
0.000008	1.	1.	1.	0	0	0	0.00	308.70	836.60

*SECNO 5.200

50 FT U/S RIDGEMOOR ST. CROSS SECTION 66

5.20	7.84	818.94	0.00	0.00	818.94	0.00	0.00	0.00	811.50
225.	99.	22.	35.	9.	92.	255.	35.	7.	811.50

1.54	0.11	0.66	0.11	0.120	0.035	0.120	0.035	811.10	527.81
0.000008	50.	50.	50.	0	0	0	0.00	308.88	836.69

CCHV= 0.100 CEHV= 0.300
*SECNO 5.300

VALLEY SECTION — CROSS SECTION 67

5.30	6.95	818.95	0.00	0.00	818.95	0.00	0.01	0.00	812.70
225.	43.	53.	129.	492.	115.	1115.	64.	13.	812.00
2.65	0.09	2.66	0.12	0.120	0.035	0.120	0.036	812.00	157.23
0.000010	500.	850.	930.	0	0	0	0.00	402.09	559.32

*SECNO 5.350

SECNO	DEPTH	CHSEL	CRITD	HSELK	EG	HV	KL	DLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TIME	LEFT/RIGHT
TIME	VLOB	VCH	VROB	KSL	XNCH	XNR	STN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 400.0 560.0 TYPE= 1 TARGET= 160.000

VALLEY SECTION — 2 FT CONTOUR MAP

5.35	5.05	818.95	0.00	0.00	818.96	0.01	0.01	0.00	815.50
225.	94.	101.	41.	510.	90.	160.	75.	16.	815.50
2.83	0.27	1.12	0.25	0.120	0.035	0.120	0.036	813.90	420.00
0.000096	475.	440.	400.	0	0	0	0.00	160.00	560.00

*SECNO 5.400

VALLEY SECTION — CROSS SECTION 68

5.40	3.12	818.92	0.00	0.00	819.16	0.23	0.13	0.07	816.00
225.	29.	102.	94.	26.	18.	80.	79.	17.	816.00
2.87	1.12	5.63	1.17	0.120	0.035	0.120	0.036	815.80	353.52
0.304935	475.	440.	440.	2	3	0	0.00	70.40	423.92

*SECNO 5.450

3470 ENCROACHMENT STATIONS= 475.0 555.0 TYPE= 1 TARGET= 80.000

VALLEY SECTION — 2 FT CONTOUR MAP

5.45	2.83	819.83	0.00	0.00	820.10	0.27	0.93	0.01	817.20
225.	35.	100.	90.	28.	16.	75.	79.	17.	817.20
2.89	1.24	6.12	1.19	0.120	0.035	0.120	0.036	817.00	476.28
0.005470	200.	200.	200.	3	0	0	0.00	78.72	555.00

CCHV= 0.300 CEHV= 0.500
*SECNO 5.700

100 FT DIA CALDASCON RD — CROSS SECTION 70

5.70	2.57	820.87	0.00	0.00	820.96	0.09	0.81	0.65	818.50
225.	103.	64.	58.	140.	15.	62.	80.	18.	818.50
2.92	0.74	4.55	0.92	0.120	0.035	0.120	0.038	818.30	469.56
0.003115	200.	200.	200.	2	0	69	0.00	175.87	645.44

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 5.900

D/S FACE MANBASCOM RD.					CROSS SECTION 70				
5.90	2.54	821.14	0.00	0.00	821.23	0.09	0.26	0.00	820.00
225.	110.	90.	25.	149.	25.	34.	81.	18.	820.00
2.93	0.74	3.66	0.74	0.120	0.035	0.120	0.036	818.60	577.15
0.003025	50.	100.	150.	2	0	0	0.00	173.99	751.14

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	B/C	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	4.66	3.00	0.00	6.00	0.00	13.00	0.00	820.70	818.60

*SECNO 6.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

PRESSURE AND WEIR FLOW

EGPRS	EGLMC	WS	CWSIR	QPR	AREA	TRAPEZOID AREA	ELLC	ELTRD
842.32	822.12	0.00	165.	82.	13.	13.	820.90	823.60

U/S FACE MANBASCOM RD.					CROSS SECTION 6970				
6.00	5.30	824.00	0.00	0.00	824.02	0.03	2.80	0.00	818.60
225.	83.	117.	25.	282.	63.	75.	81.	18.	818.70
2.95	0.29	1.86	0.33	0.120	0.035	0.120	0.036	818.70	570.02
0.000210	62.	62.	62.	2	0	7	0.00	182.48	752.50

*SECNO 6.100

3470 ENCROACHMENT STATIONS= 255.0 345.0 TYPE= 1 TARGET= 90.000

6.10	3.38	824.08	0.00	0.00	824.30	0.22	0.18	0.10	821.00
225.	83.	105.	33.	80.	19.	29.	83.	19.	821.00
2.98	1.10	5.40	1.12	0.120	0.035	0.120	0.036	820.70	255.00
0.003408	325.	325.	325.	2	0	0	0.00	67.24	322.24

*SECNO 6.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3220 CRITICAL DEPTH ASSUMED

6.20	3.36	826.06	826.06	0.00	826.75	0.70	1.89	0.24	823.00
225.	29.	155.	41.	22.	19.	37.	84.	20.	823.00
2.99	1.33	8.04	1.13	0.120	0.035	0.120	0.036	822.70	975.89
0.007832	325.	325.	325.	7	5	0	0.00	70.59	1046.48

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

*SECNO 6.300

VALLEY SECTION					CROSS SECTION 71				
6.30	3.66	828.16	0.30	0.00	828.70	0.53	1.90	0.05	824.80
225.	30.	150.	44.	26.	21.	38.	84.	20.	824.80
3.01	1.16	7.13	1.16	0.120	0.035	0.120	0.036	824.50	1118.29
0.005319	300.	300.	300.	2	0	0	0.00	66.24	1184.53

*SECNO 6.350

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.35	3.33	829.93	829.93	0.00	830.74	0.81	1.33	0.14	826.90
225.	27.	162.	37.	19.	19.	27.	85.	21.	826.90
3.02	1.42	8.48	1.37	0.120	0.035	0.120	0.036	826.60	1123.40
0.008590	200.	200.	200.	1	11	0	0.00	56.39	1179.79

*SECNO 6.500

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.50	3.64	832.14	832.14	0.00	832.84	0.69	1.57	0.03	829.00
225.	37.	157.	31.	35.	20.	25.	85.	21.	829.00
3.03	1.05	7.97	1.23	0.120	0.035	0.120	0.035	828.70	166.28
0.007236	200.	200.	200.	2	8	0	0.00	85.61	251.89

*SECNO 6.550

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.55	3.44	834.24	834.24	0.00	834.94	0.69	1.45	0.00	831.10
225.	37.	157.	31.	35.	20.	25.	85.	21.	831.10
3.04	1.05	7.96	1.23	0.120	0.035	0.120	0.035	830.80	166.28
0.007216	200.	200.	200.	2	5	0	0.00	85.71	251.91

*SECNO 6.600

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.60	3.42	836.32	836.32	0.00	837.06	-0.74	1.49	0.02	833.20
225.	33.	160.	32.	29.	20.	27.	86.	22.	833.20
3.04	1.15	5.15	1.18	0.120	0.035	0.120	0.035	832.90	86.23
0.007658	200.	200.	200.	2	5	0	0.00	80.00	168.24

*SECNO 6.650

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.65	3.42	838.4	838.42	0.00	839.16	0.73	1.59	0.00	835.30
225.	33.	160.	32.	29.	20.	27.	86.	22.	835.30
3.05	1.15	8.13	1.18	0.120	0.035	0.120	0.035	835.00	88.05
0.007595	200.	200.	200.	2	5	0	0.00	80.35	168.40

*SECNO 6.700

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.70	3.10	840.20	840.20	0.00	840.96	0.76	1.70	0.01	837.40
225.	36.	151.	39.	25.	18.	28.	86.	22.	837.40
3.06	1.44	8.51	1.37	0.120	0.035	0.123	0.035	837.10	202.01
0.009552	200.	200.	200.	2	11	0	0.00	61.97	263.98

*SECNO 6.800

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 896.0 964.0 TYPE= 1 TARGET= 50.000

100 FT D/S WAUBASCON RD. CROSS SECTION 72

6.80	2.21	843.71	845.71	0.00	846.41	0.70	3.15	0.02	841.30
225.	25.	142.	58.	17.	17.	30.	87.	23.	841.50
3.08	1.46	8.39	1.92	0.120	0.035	0.120	0.035	841.50	894.00
0.013969	275.	275.	275.	3	19	0	0.00	50.00	944.00

CCHVE 0.300 CEHV= 0.500
*SECNO 6.900

3301 HV CHANGED MORE THAN HVINS

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3685 20 TRIALS ATTEMPTED ,SEL,CNSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 847.50 ELREA= 847.50

D/S FACE BAUBASCON RD. CROSS SECTION 72

6.90	4.12	846.22	846.22	0.00	848.22	2.00	1.62	0.65	842.40
225.	0.	225.	0.	0.	20.	0.	87.	23.	842.40
3.00	0.00	11.34	0.00	0.120	0.035	0.120	0.035	842.10	127.50
0.013944	100.	100.	100.	20	16	0	0.00	5.00	132.50

SPECIAL BRIDGE

SL	XK	KKOR	COFC	ROLEN	SPC	SUP	BAREA	SS	ELCHU	ELCHD
	3.00	1.91	3.00	0.00	5.00	0.00	21.50	0.00	842.10	842.83

*SECNO 7.000

3301 HV CHANGED MORE THAN HVINS

PRESSURE FLOW

EGPRS	EGLUC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
849.79	848.22	0.00	0.	225.	21.	20.	846.20	850.30

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 850.30 ELREA= 850.30

U/S FACE BAUBASCON RD. CROSS SECTION 72873

7.00	7.03	849.13	0.00	0.00	849.79	0.66	1.57	0.00	842.40
225.	0.	225.	0.	0.	34.	0.	87.	23.	842.40
3.00	0.00	6.54	0.00	0.120	0.035	0.120	0.035	842.10	127.50
0.004560	41.	41.	41.	2	0	0	0.00	5.00	132.50

*SECNO 7.200

250 FT U/S BAUBASCON RD. BATTLE CREEK CORP. BOUND. CROSS SECTION 74

7.20	5.55	850.25	0.10	0.00	850.52	0.27	0.41	0.12	844.70
225.	64.	157.	4.	101.	32.	7.	88.	23.	845.70
3.10	0.63	4.94	0.57	0.120	0.035	0.120	0.035	844.70	435.98
0.001521	250.	250.	250.	2	0	0	0.00	186.16	522.14

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED JUN 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,52,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN
T3      SPERRY DRAIN

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.       5.        0.        0.  0.000000      0.00       0.0        0.    910.100     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IDC       CHNIM     ITRACE
     15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

*PROF 2

CCHV= 0.300 CEHV= 0.500

*SECNO 3.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

VALLEY SECTION CROSS SECTION 62

3.00	4.10	810.10	0.00	810.10	810.26	0.16	0.00	0.00	806.70
225.	0.	205.	12.	29.	60.	27.	0.	0.	806.70
0.00	0.29	3.41	0.44	0.120	0.035	0.120	0.000	806.00	49.50
0.001114	300.	300.	300.	0	0	0	0.00	291.00	330.50

*SECNO 3.700

100 FT D/E MICHIGAN AVE. CROSS SECTION 62

3.70	3.54	810.34	0.03	0.09	810.76	0.22	0.47	0.03	807.60
225.	5.	214.	6.	9.	55.	9.	1.	1.	807.00
0.03	0.60	3.89	0.65	0.120	0.035	0.120	0.035	807.00	157.86
0.001621	350.	350.	350.	2	0	0	0.00	27.44	185.31

*SECNO 3.800

3470 ENCROACHMENT STATIONS= 164.0 180.0 TYPE= 1 TARGET= 16.000

3.80	3.47	810.62	0.00	0.00	810.89	0.27	0.11	0.02	807.75
225.	0.	225.	0.	0.	54.	0.	1.	1.	100160.00
0.03	0.00	4.19	0.00	0.120	0.035	0.120	0.035	807.15	164.00
0.003035	50.	50.	50.	1	0	0	0.00	16.00	180.00

*SECNO 3.900

3301 HV CHANGED NOTE THAT HVINC

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3685 20 TRIALS ATTEMPTED WSEL/CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 825.00 ELREA= 825.00

D/S FACE MICHIGAN AVE. CROSS SECTION 62

3.90	3.97	811.37	811.27	0.00	813.27	1.99	0.31	0.65	807.50
225.	0.	225.	0.	0.	20.	0.	1.	1.	807.50
0.03	0.00	11.32	0.00	0.120	0.035	0.120	0.035	807.50	199.50
0.018350	50.	50.	50.	20	8	0	0.30	5.00	174.50

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SPECIAL BRIDGE

SO	XK	XKOR	COPO	RDLEN	BLC	BHP	BAREA	SS	ELCHO	ELCHD
	0.00	2.77	3.03	0.00	3.20	0.00	17.03	0.00	807.40	807.30

*SECNO 4.000

3301 HV CHANGED MORE THAN HVINS

SECNO	DEPTH	CHSEL	CTINS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QTOB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTS	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

PRESSURE FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
818.81	814.39	0.00	0.	225.	17.	17.	812.90	825.30

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 825.00 ELREA= 825.00

U/S FACE MICHIGAN AVE — CROSS SECTION 63P64

4.00	10.91	810.91	0.00	0.00	810.91	0.30	5.54	0.00	810.10
225.	0.	225.	0.	0.	51.	0.	1.	1.	810.10
0.04	0.00	4.38	0.00	0.120	0.035	0.120	0.035	807.60	889.50
0.002261	160.	160.	160.	2	0	0	0.00	5.00	894.50

*SECNO 4.100

3470 ENCROACHMENT STATIONS= 842.0 942.0 TYPE= 1 TARGET= 100.000

50 FT U/S MICHIGAN AVE. — CROSS SECTION 64

6.10	11.09	818.89	0.00	0.00	818.90	0.01	0.30	0.09	808.50
225.	36.	137.	52.	249.	175.	323.	1.	1.	807.80
0.07	0.14	0.78	0.16	0.120	0.035	0.120	0.035	807.80	842.00
0.000014	50.	50.	50.	2	0	0	0.00	100.00	942.00

*SECNO 4.500

3470 ENCROACHMENT STATIONS= 600.0 850.0 TYPE= 1 TARGET= 250.000

VALLEY SECTION — 2 FT CONTOUR MAP

4.50	10.40	818.90	0.00	0.00	818.90	0.00	3.00	0.00	811.50
225.	111.	56.	59.	1102.	142.	596.	12.	3.	811.50
0.63	0.10	0.39	0.10	0.120	0.035	0.120	0.035	808.50	600.00
0.000005	350.	350.	350.	2	0	0	0.00	250.00	850.00

*SECNO 4.700

2800 NAT Q1= 866.23 WSEL= 818.91 ENC Q1= 866.23 WSEL= 819.01 RATIO= 0.0000
NAT Q1= REG. RATIOS LOB,CH,ROB= 0.4011 0.2087 0.3902 WSEL= 819.01

PRINTED IN U.S.A.
FORM 1411-GS PRINTED BY ROTARY MANIFOLD FORMS

3470 ENCROACHMENT STATIONS= 556.2 804.6 TYPE= 4 TARGET= 0.024

100 FT D/S RIDGEMOOR ST. CROSS SECTION 66

	4.70	9.71	818.91	0.00	818.91	818.91	0.00	0.00	0.00	811.70
	225.	98.	40.	87.	302.	109.	734.	27.	5.	811.40
	1.19	0.11	0.45	0.12	0.120	0.035	0.120	0.035	809.20	556.17
0.000007	375.	375.	375.	0	0	0	0.00	248.45	804.62	

*SECNO 4.000
2800 NAT Q1= 799.38 WSEL= 818.91 ENC Q1= 799.38 WSEL= 819.01 RATIO= 0.0000
NAT Q1= 820. RATIOS LOB,CH,ROB= 0.4598 0.1094 0.4508 WSEL= 819.01

3470 ENCROACHMENT STATIONS= 555.7 805.0 TYPE= 4 TARGET= 0.025

D/S RIDGEMOOR ST. CROSS SECTION 66

	4.80	9.71	818.91	0.00	818.91	818.91	0.00	0.00	0.00	809.70
	225.	98.	25.	101.	816.	48.	782.	31.	5.	809.70
	1.35	0.12	0.53	0.13	0.120	0.035	0.120	0.035	809.20	555.71
0.000008	100.	100.	100.	0	0	0	0.00	249.30	805.01	

*SECNO 4.900
2800 NAT Q1= 131.66 WSEL= 818.90 ENC Q1= 131.66 WSEL= 819.00 RATIO= 0.0000
NAT Q1= 141. RATIOS LOB,CH,ROB= 0.5159 0.1171 0.3670 WSEL= 819.00

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	VLOB	VCH	VROB	ALOB	ACH	AROB	WCL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	PTY	ELTRD	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CDSAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 19 MIN ELTRD= 816.10 MAX ELLC= 812.20

3470 ENCROACHMENT STATIONS= 575.0 785.8 TYPE= 4 TARGET= 0.065

D/S FACE RIDGEMOOR ST. CROSS SECTION 65&66

	4.90	9.70	818.90	0.00	818.90	818.91	0.00	0.00	0.00	809.70
	225.	116.	29.	80.	281.	25.	207.	31.	5.	809.70
	1.36	0.41	1.14	0.39	0.120	0.035	0.120	0.035	809.20	575.03
0.000335	1.	1.	1.	0	0	0	-946.50	218.72	785.76	

*SECNO 5.000
2800 AT Q1= 134.01 WSEL= 818.93 ENC Q1= 134.01 WSEL= 819.03 RATIO= 0.0000
NAT Q1= 144. RATIOS LOB,CH,ROB= 0.5167 0.1156 0.3677 WSEL= 819.03

3370 NORMAL BRIDGE,NRD= 19 MIN ELTRD= 816.10 MAX ELLC= 813.80

3470 ENCROACHMENT STATIONS= 575.9 784.7 TYPE= 4 TARGET= 0.069

U/S FACE RIDGEMOOR ST. CROSS SECTION 65&66

	5.00	8.14	818.94	0.00	818.93	818.94	0.00	0.03	0.10	811.30
	225.	116.	29.	80.	283.	26.	207.	32.	6.	811.30
	1.41	0.46	1.12	0.39	0.120	0.035	0.120	0.035	810.60	575.85
0.000323	104.	104.	104.	0	0	0	-924.85	208.83	784.68	

PRINTED IN U.S.A.
FORM 1411-GB-PRINTED BY ROTARY MANIFOLD FORMS.

*SECNO 5.100
2800 NAT Q1= 780.04 WSEL= 818.94 ENC Q1= 780.04 WSEL= 819.04 RATIO= 0.0000
NAT Q1= 801. RATIOS LOB,CH,ROB= 0.4550 0.0836 0.4614 WSEL= 819.04

3470 ENCROACHMENT STATIONS= 555.8 805.0 TYPE= 4 TARGET= 0.026

U/S RIDGEMOOR ST. CROSS SECTION 66

5.10	8.14	818.94	0.00	818.94	818.94	0.00	0.00	0.00	811.30
225.	102.	19.	104.	819.	40.	781.	32.	6.	811.30
1.62	0.12	0.40	0.13	0.120	0.035	0.120	0.035	810.00	555.80
0.000009	1.	1.	1.	0	0	0	0.00	249.15	304.95

*SECNO 5.200
2800 NAT Q1= 812.20 WSEL= 818.94 ENC Q1= 812.20 WSEL= 819.04 RATIO= 0.0000
NAT Q1= 832. RATIOS LOB,CH,ROB= 0.4385 0.1851 0.3765 WSEL= 819.04

3470 ENCROACHMENT STATIONS= 555.2 805.4 TYPE= 4 TARGET= 0.024

50 FT U/S RIDGEMOOR ST. CROSS SECTION 66

5.20	7.04	818.94	0.00	818.94	818.94	0.00	0.00	0.00	811.50
225.	98.	43.	84.	818.	92.	695.	34.	6.	811.50
1.49	0.12	0.47	0.12	0.120	0.035	0.120	0.035	811.10	553.21
0.000008	50.	50.	50.	0	0	0	0.00	250.24	805.44

CCHV= 0.100 CERV= 0.300
*SECNO 5.300
2800 NAT Q1= 707.38 WSEL= 818.95 ENC Q1= 707.38 WSEL= 819.05 RATIO= 0.0000
NAT Q1= 732. RATIOS LOB,CH,ROB= 0.1945 0.2343 0.5713 WSEL= 819.05

3470 ENCROACHMENT STATIONS= 221.2 553.9 TYPE= 4 TARGET= 0.034

VALLEY SECTION CROSS SECTION 67

5.30	6.95	818.95	0.00	818.95	818.95	0.00	0.01	0.00	812.70
225.	41.	55.	129.	400.	115.	1097.	61.	11.	812.00
2.54	0.10	0.48	0.12	0.120	0.035	0.120	0.036	812.00	221.15
0.000019	500.	850.	900.	0	0	0	0.00	332.71	553.06

*SECNO 5.350

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	EL MIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 400.0 560.0 TYPE= 1 TARGET= 160.000

VALLEY SECTION 2 FT CONTOUR MAP

5.35	5.06	818.96	0.00	818.95	818.96	0.01	0.01	0.00	815.50
225.	84.	101.	41.	511.	90.	160.	72.	14.	815.50
2.73	0.27	1.12	0.25	0.120	0.035	0.120	0.036	813.90	400.00
0.000095	475.	440.	400.	0	0	0	0.00	160.00	560.00

*SECNO 5.400
3470 ENCROACHMENT STATIONS= 511.0 512.0 TYPE= 1 TARGET= 511.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

VALLEY SECTION CROSS SECTION 68

5.40	3.13	818.93	0.00	818.92	819.16	0.23	0.13	0.07	816.00
225.	29.	102.	94.	26.	18.	30.	76.	19.	816.00
2.77	1.12	5.61	1.17	0.120	0.035	0.120	0.036	815.80	353.49
0.004002	475.	460.	440.	2	0	0	0.00	70.46	423.95

*SECNO 5.450

3470 ENCROACHMENT STATIONS= 475.0 555.0 TYPE= 1 TARGET= 80.000

VALLEY SECTION 2 FT CONTOUR MAP

5.45	2.83	819.83	0.00	819.83	820.10	0.27	0.93	0.01	817.20
225.	35.	100.	90.	20.	16.	75.	76.	19.	817.20
2.78	1.24	6.12	1.19	0.120	0.035	0.120	0.036	817.00	476.23
0.005463	200.	200.	200.	3	0	0	0.00	78.72	555.00

CCHV= 0.300 CEHV= 0.500

*SECNO 5.700

2800 NAT Q1= 40.32 HSEL= 820.87 CNC Q1= 40.32 USEL= 820.97 RATIO= 0.0000

NAT Q1= 65. RATIOS LOB,CH,ROB= 0.4734 0.2726 0.2540 HSEL= 820.97

3470 ENCROACHMENT STATIONS= 488.6 630.5 TYPE= 4 TARGET= 0.107

100 FT D/S WAIMANALO RD. CROSS SECTION 70

5.70	2.61	820.91	0.00	820.87	821.02	0.12	0.86	0.05	818.50
225.	104.	71.	51.	126.	15.	48.	77.	16.	818.50
2.81	0.82	4.69	1.07	0.120	0.035	0.120	0.036	818.30	488.57
0.003589	200.	200.	200.	2	0	0	0.00	141.90	630.47

*SEC 0 5.900

3470 ENCROACHMENT STATIONS= 560.0 760.0 TYPE= 1 TARGET= 200.000

D/S FACE WAIMANALO RD. CROSS SECTION 70

5.90	2.61	821.21	0.30	821.14	821.29	0.00	0.25	0.01	820.00
225.	112.	88.	25.	158.	25.	36.	77.	16.	820.00
2.82	0.71	3.44	0.70	0.120	0.035	0.120	0.036	818.60	576.97
0.002549	50.	100.	150.	2	0	0	0.00	174.25	751.21

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	4.66	3.00	0.00	6.00	0.00	13.00	0.00	818.70	818.60

*SECNO 6.000

SECNO	DEPTH	QWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IX2	ICONT	CORAR	TOPWID	ENDST

PRESSURE AND WEIR FLOW

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

EGPRS	EGLNC	H3	QWEIR	QPR	BARCA	TRAPEZOID AREA	ELLC	ELTRD
842.89	822.14	0.00	146.	81.	13.	13.	820.90	823.60

3470 ENCROACHMENT STATIONS= 560.0 760.0 TYPE= 1 TARGET= 200.000

U/S FACE HAUBASCON RD. CROSS SECTION 69870

6.00	5.30	824.00	0.00	824.00	824.03	0.03	2.74	0.00	818.70
225.	83.	117.	25.	282.	63.	75.	78.	16.	818.70
2.84	0.29	1.66	0.33	0.120	0.035	0.120	0.036	818.70	570.01
0.000209	62.	62.	62.	2	0	7	0.00	182.49	752.50

*SEC'O 6.100

3470 ENCROACHMENT STATIONS= 255.0 345.0 TYPE= 1 TARGET= 90.000

6.10	3.38	824.08	0.00	824.08	824.30	0.22	0.17	0.10	821.00
225.	88.	105.	33.	80.	19.	29.	80.	17.	821.00
2.87	1.10	5.40	1.12	0.120	0.035	0.120	0.036	820.70	255.00
0.003404	325.	325.	325.	2	7	0	0.00	67.26	322.26

*SECNO 6.200

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.20	3.35	826.05	826.05	826.06	826.75	0.70	1.59	0.24	827.00
225.	29.	155.	41.	22.	19.	37.	80.	18.	823.00
2.98	1.33	9.04	1.53	0.120	0.035	0.120	0.036	822.70	975.69
0.007641	325.	325.	325.	7	5	0	0.00	70.58	1046.47

*SECNO 6.300

VALLEY SECTION CROSS SECTION 71

6.30	3.66	828.16	0.00	828.16	828.70	0.53	1.90	0.05	824.80
225.	30.	150.	44.	26.	21.	38.	81.	18.	824.80
2.90	1.16	7.13	1.16	0.120	0.035	0.120	0.036	824.50	1118.28
0.005315	300.	300.	300.	2	0	0	0.00	66.25	1184.54

*SECNO 6.350

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

6.36	3.33	829.93	829.93	829.93	830.74	0.91	1.33	0.14	826.90
225.	27.	162.	37.	19.	19.	27.	81.	18.	826.90
2.91	1.42	8.48	1.37	0.120	0.035	0.120	0.036	826.60	1123.41
0.003596	200.	200.	200.	1	11	0	0.00	56.37	1179.78

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 6.500

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

	6.50	3.44	832.14	832.14	832.14	832.84	0.70	1.55	0.03	829.00
	225.	37.	157.	31.	35.	20.	25.	62.	19.	829.00
	2.92	1.05	7.97	1.23	0.120	0.035	0.120	0.035	828.70	166.33
0.007247	200.	200.	200.	2	8	0	0.00	85.55	251.88	

*SECNO 6.550

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

	6.55	3.44	834.24	834.24	834.24	834.94	0.69	1.45	0.00	831.10
	225.	37.	157.	31.	35.	20.	25.	62.	19.	831.10
	2.92	1.05	7.95	1.23	0.120	0.035	0.120	0.035	830.80	166.16
0.007205	200.	200.	200.	2	5	0	0.00	85.77	251.92	

*SECNO 6.600

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

	6.60	3.42	836.32	836.32	835.32	837.06	0.74	1.49	0.02	833.20
	225.	33.	160.	32.	29.	20.	27.	62.	20.	833.20
	2.93	1.15	8.16	1.18	0.120	0.035	0.120	0.035	832.90	88.24
0.007672	200.	200.	200.	2	5	0	0.00	79.92	168.20	

*SECNO 6.650

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

	6.65	3.42	838.42	838.42	838.42	839.16	0.73	1.53	0.00	835.30
	225.	33.	160.	32.	29.	20.	27.	83.	20.	835.30
	2.94	1.15	8.13	1.18	0.120	0.035	0.120	0.035	835.00	88.05
0.007595	200.	200.	200.	2	5	0	0.00	80.35	168.40	

*SECNO 6.700

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT

PRINTED IN U.S.A.
FORM 1411-08 PRINTED BY ROTARY MANIFOLD FORMS

TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST
7185 MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
6.70	3.10	840.20	840.20	840.20	840.96	0.76	1.70	0.01	837.40
225.	36.	151.	39.	25.	18.	28.	83.	70.	837.40
2.95	1.46	8.51	1.37	0.120	0.035	0.120	0.035	837.10	202.01
0.009552	200.	200.	200.	2	11	0	0.00	61.97	263.98
*SECNO 6.800									
SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST
7185 MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
3470 ENCROACHMENT STATIONS=	894.0	944.3	TYPE=	1	TARGET=	50.000			
100 FT D/S WAUBASCON RD.					CROSS SECTION 72				
6.80	2.21	843.71	843.71	843.71	844.41	0.70	3.15	0.02	841.80
225.	25.	142.	58.	17.	17.	30.	84.	21.	841.50
2.96	1.46	8.51	1.92	0.120	0.035	0.120	0.035	841.50	894.00
0.013969	275.	275.	275.	3	19	0	0.00	50.00	944.00
CCHV= 0.300 CEHV= 0.500									
*SECNO 6.900									
3301 HV CHANGED MORE THAN HVINS									
SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST
3685 20 TRIALS ATTEMPTED WSEL/CWSEL									
3693 PROBABLE MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
3495 OVERBANK AREA ASSUMED NON-EFFECTIVE, BLLEA=	847.50	ELREA=	847.50						
D/S FACE WAUBASCON RD.					CROSS SECTION 72				
6.90	4.12	845.22	846.22	846.22	848.22	2.00	1.62	0.65	842.40
225.	0.	225.	0.	0.	20.	0.	84.	21.	842.40
2.97	0.00	11.34	0.00	0.120	0.035	0.120	0.035	842.10	127.50
0.018944	100.	100.	100.	20	14	0	0.00	5.00	132.50
SPECIAL BRIDGE									
SB XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
0.00	1.91	3.00	0.00	5.00	0.00	20.50	0.00	842.10	842.20

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 7.000

3301 HV CHANGED MORE THAN HVINS

PRESSURE FLOW

EGPRS	ECLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
849.79	848.22	0.00	0.	225.	21.	20.	846.20	850.30

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 850.30 ELREA= 850.30

U/S FACE WAUBASCON RD. CROSS SECTION 72&73

7.00	7.03	849.13	0.00	849.13	849.79	0.66	1.37	0.00	842.40
225.	0.	225.	0.	0.	34.	0.	84.	21.	842.40
2.97	0.00	6.54	0.00	0.120	0.035	0.120	0.035	842.10	127.50
0.004548	41.	41.	41.	2	0	0	0.00	5.00	132.50

*SECNO 7.200

250 FT U/S WAUBSCON RD. BATTLE CREEK CORP. BOUND. CROSS SECTION 74

7.20	5.55	150.25	0.00	850.25	850.52	0.27	0.61	0.12	846.70
225.	64.	157.	4.	101.	32.	7.	84.	21.	845.70
2.99	0.63	4.94	0.57	0.120	0.035	0.120	0.035	866.70	435.96
0.001521	250.	250.	250.	2	0	0	0.00	86.16	522.14

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

****

HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52

****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 110

	SECNO	CHSEL	DIFKOS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
	3.000	810.10	0.00	810.26	281.00	8.35	204.70	11.95	0.00	0.00	222.00	238.00	0.00
	3.000	810.10	0.00	810.26	281.00	8.35	204.70	11.95	0.00	0.00	222.00	238.00	0.00
	3.700	810.54	0.00	810.76	27.44	5.42	213.52	6.05	0.00	0.00	164.00	180.00	0.00
	3.700	810.54	0.00	810.76	27.44	5.42	213.52	6.05	0.00	0.00	164.00	180.00	0.00
	3.800	810.62	0.00	810.89	16.00	0.00	225.00	0.00	16.00	164.00	164.00	180.00	180.00
	3.800	810.62	0.00	810.89	16.00	0.00	225.00	0.00	16.00	164.00	164.00	180.00	180.00
*	3.900	811.27	0.00	813.27	5.00	0.00	225.00	0.00	0.00	0.00	169.50	174.50	0.00
*	3.900	811.27	0.00	813.27	5.00	0.00	225.00	0.00	0.00	0.00	169.50	174.50	0.00
	4.000	818.51	0.00	818.87	5.00	0.00	225.00	0.00	0.00	0.00	889.50	894.50	0.00
	4.000	818.51	0.00	818.87	5.00	0.00	225.00	0.00	0.00	0.00	889.50	894.50	0.00
	4.100	818.89	0.00	818.90	100.00	35.75	136.91	52.34	100.00	842.00	884.00	900.00	942.00
	4.100	818.89	0.00	818.90	100.00	35.75	136.91	52.34	100.00	842.00	884.00	900.00	942.00
	4.500	818.90	0.00	818.90	250.00	110.87	55.58	58.55	250.00	600.00	752.00	768.00	850.00
	4.500	818.90	0.00	818.90	250.00	110.87	55.58	58.55	250.00	600.00	752.00	768.00	850.00
	4.700	818.91	0.00	818.91	308.27	89.98	47.26	87.76	0.00	0.00	686.00	698.00	0.00
	4.700	818.91	0.00	818.91	248.45	89.33	48.47	87.20	0.02	556.17	686.00	698.00	804.62
	4.800	818.91	0.00	818.91	308.25	98.72	24.81	101.47	0.00	0.00	687.50	692.50	0.00
	4.800	818.91	0.00	818.91	249.30	98.27	25.46	101.27	0.02	555.71	687.50	692.50	805.01
	4.900	818.90	0.00	818.91	308.26	115.82	27.29	81.06	0.00	0.00	687.50	692.50	0.00
	4.900	818.90	0.00	818.91	210.72	115.91	29.24	79.85	0.06	575.03	687.50	692.50	785.76
	5.000	818.93	0.00	818.94	308.59	116.01	27.00	81.99	0.00	0.00	687.50	692.50	0.00
	5.000	818.94	0.00	818.94	208.83	116.01	28.98	80.01	0.07	575.85	687.50	692.50	784.68
	5.100	818.94	0.00	818.96	308.70	102.19	18.91	103.90	0.00	0.00	687.50	692.50	0.00
	5.100	818.94	0.01	818.96	249.15	101.82	19.44	103.74	0.03	555.46	687.50	692.50	806.95
	5.200	818.94	0.00	818.94	308.88	98.54	41.81	84.64	0.00	0.00	686.00	698.00	0.00
	5.200	818.94	0.01	818.94	250.24	98.10	42.88	84.02	0.02	555.21	686.00	698.00	805.44

PRINTED IN U.S.A.
FORM 141-GD PRINTED BY ROTARY MANIFOLD FORMS.

	SECNO	CWSEL	DIFKUS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
	5.300	818.95	0.00	818.95	402.09	63.16	53.14	128.70	0.00	0.00	319.00	337.00	0.00
	5.300	818.95	0.01	818.95	332.71	61.07	54.85	129.07	0.03	221.15	319.00	337.00	553.86
	5.350	818.95	0.00	818.96	160.00	83.78	100.71	40.52	160.00	400.00	490.00	510.00	560.00
	5.350	818.96	0.01	818.96	160.00	83.79	100.67	40.54	160.00	400.00	490.00	510.00	560.00
	5.400	818.92	0.00	819.16	70.40	28.94	102.04	94.02	0.00	0.00	371.00	377.00	0.00
	5.400	818.93	0.01	819.16	70.46	28.97	101.93	94.11	511.20	1.00	371.00	377.00	512.00
	5.450	819.83	0.00	820.10	78.72	35.04	100.27	89.69	80.00	475.00	497.00	503.00	555.00
	5.450	819.83	0.00	820.10	78.72	35.05	100.25	89.70	80.00	475.00	497.00	503.00	555.00
	5.700	820.87	0.00	820.96	175.87	103.17	64.26	57.57	0.00	0.00	597.00	603.00	0.00
	5.700	820.91	0.03	821.02	141.90	103.55	70.52	50.93	0.11	488.57	597.00	603.00	630.47
	5.900	821.14	0.03	821.23	173.99	110.09	90.03	24.83	0.00	0.00	709.00	721.00	0.00
	5.900	821.21	0.07	821.29	174.25	112.08	87.64	25.28	200.00	560.00	709.00	721.00	760.00
	6.000	824.00	0.00	824.02	182.48	83.00	116.90	25.11	0.00	0.00	709.00	721.00	0.00
	6.000	824.00	0.00	824.03	182.49	83.06	116.86	25.11	200.00	560.00	709.00	721.00	760.00
	6.100	824.00	0.00	824.30	67.24	87.70	104.58	32.34	90.00	255.00	297.00	303.00	345.00
	6.100	824.08	0.00	824.30	67.26	87.79	104.67	32.55	90.00	255.00	297.00	303.00	345.00
*	6.200	826.06	0.00	826.75	70.59	29.01	154.58	41.41	0.00	0.00	997.00	1003.00	0.00
*	6.200	826.05	-0.00	826.75	70.58	29.00	154.61	41.39	0.00	0.00	997.00	1003.00	0.00
	6.300	828.16	0.00	828.70	66.24	30.35	150.28	44.37	0.00	0.00	1143.00	1149.00	0.00
	6.300	828.16	0.00	828.70	66.25	30.36	150.27	44.38	0.00	0.00	1143.00	1149.00	0.00
*	6.350	829.93	0.00	830.74	56.39	26.54	161.54	36.92	0.00	0.00	1143.00	1149.00	0.00
*	6.350	829.93	-0.00	830.74	56.37	26.53	161.56	36.91	0.00	0.00	1143.00	1149.00	0.00
*	6.500	832.14	0.00	832.84	85.61	36.60	157.32	31.08	0.00	0.00	217.00	223.00	0.00
*	6.500	832.14	-0.00	832.84	85.55	36.57	157.36	31.06	0.00	0.00	217.00	223.00	0.00
*	6.550	834.24	0.00	834.94	85.71	36.65	157.24	31.11	0.00	0.00	217.00	223.00	0.00
*	6.550	834.24	0.00	834.94	85.77	36.67	157.20	31.13	0.00	0.00	217.00	223.00	0.00
*	6.600	836.32	0.00	837.06	80.00	33.03	159.89	32.03	0.00	0.00	127.00	133.00	0.00
*	6.600	836.32	-0.00	837.06	79.92	33.05	159.94	32.01	0.00	0.00	127.00	133.00	0.00
*	6.650	838.42	0.00	839.16	80.35	33.19	159.67	32.14	0.00	0.00	127.00	133.00	0.00
*	6.650	838.42	0.00	839.16	80.35	33.19	159.67	32.14	0.00	0.00	127.00	133.00	0.00
*	6.700	840.20	0.00	840.96	61.97	35.70	150.51	38.79	0.00	0.00	227.00	233.00	0.00
*	6.700	840.20	0.00	840.96	61.97	35.70	150.51	38.79	0.00	0.00	227.00	233.00	0.00
*	6.800	843.71	0.00	844.41	50.00	24.55	142.06	58.39	50.00	894.00	915.00	923.00	944.00
*	6.800	843.71	0.00	844.41	50.00	24.55	142.06	58.39	50.00	894.00	915.00	923.00	944.00
*	6.900	846.22	0.00	848.22	5.00	0.00	225.00	0.00	0.00	0.00	127.50	132.50	0.00
*	6.900	846.22	0.00	848.22	5.00	0.00	225.00	0.00	0.00	0.00	127.50	132.50	0.00
	7.000	849.13	0.00	849.79	5.00	0.00	225.00	0.00	0.00	0.00	127.50	132.50	0.00
	7.000	849.13	0.00	849.79	5.00	0.00	225.00	0.00	0.00	0.00	127.50	132.50	0.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
7.200	850.25	0.00	850.52	86.16	64.00	157.09	3.91	0.00	0.00	513.00	519.00	0.00
7.200	850.25	0.00	850.52	86.16	64.00	157.09	3.91	0.00	0.00	513.00	519.00	0.00

PRINTED IN U.S.A.
FORM 1411.08 PRINTED BY ROTARY MANIFOLD FORMS.

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCN	ELTRD	ELLC	ELMIN	Q	CWSEL	CRITWS	ES	10K*S	VCR	AREA	.01K
	3.000	300.00	0.00	0.00	806.00	225.00	810.10	0.00	810.26	11.14	3.41	116.18	67.42
	3.000	300.00	0.00	0.00	806.00	225.00	810.10	0.00	810.26	11.14	3.41	116.18	67.42
	3.700	350.00	0.00	0.00	807.00	225.00	810.54	0.00	810.76	16.21	3.89	73.35	55.66
	3.700	350.00	0.00	0.00	807.00	225.00	810.54	0.00	810.76	16.21	3.89	73.35	55.80
	3.800	50.00	0.00	0.00	807.15	225.00	810.62	0.00	810.89	30.35	4.19	53.76	40.84
	3.800	50.00	0.00	0.00	807.15	225.00	810.62	0.00	810.89	30.35	4.19	53.76	40.84
*	3.900	50.00	0.00	0.00	807.30	225.00	811.27	811.27	813.27	103.50	11.32	19.87	16.61
*	3.900	50.00	0.00	0.00	807.30	225.00	811.27	811.27	813.27	103.50	11.32	19.87	16.61
	4.000	160.00	825.30	812.90	807.60	225.00	818.51	0.00	818.81	22.61	4.38	51.41	47.32
	4.000	160.00	825.30	812.90	807.60	225.00	818.51	0.00	818.81	22.61	4.38	51.41	47.32
	4.100	50.00	0.00	0.00	807.80	225.00	818.69	0.00	818.90	0.14	0.78	767.20	599.18
	4.100	50.00	0.00	0.00	807.80	225.00	818.89	0.00	818.90	0.14	0.78	767.20	599.18
	4.500	350.00	0.00	0.00	808.50	225.00	818.90	0.00	818.90	0.05	0.39	1840.57	1006.61
	4.500	350.00	0.00	0.00	808.50	225.00	818.90	0.00	818.90	0.05	0.39	1840.57	1006.61
	4.700	375.00	0.00	0.00	809.20	225.00	818.91	0.00	818.91	0.07	0.44	1760.49	866.23
	4.700	375.00	0.00	0.00	809.20	225.00	818.91	0.00	818.91	0.07	0.45	1664.35	844.43
	4.800	100.00	0.00	0.00	809.20	225.00	818.91	0.00	818.91	0.08	0.51	1758.19	799.38
	4.800	100.00	0.00	0.00	809.20	225.00	818.91	0.00	818.91	0.08	0.53	1645.76	778.91
	4.900	1.00	816.10	812.20	809.20	225.00	818.90	0.00	818.91	2.92	1.06	585.77	131.66
	4.900	1.00	816.10	812.20	809.20	225.00	818.90	0.00	818.91	3.35	1.14	513.25	122.90
	5.000	104.00	816.10	813.80	810.80	225.00	818.93	0.00	818.94	2.82	1.05	591.70	134.01
	5.000	104.00	816.10	813.80	810.80	225.00	818.94	0.00	818.94	3.23	1.12	516.07	125.14
	5.100	1.00	0.00	0.00	810.80	225.00	818.94	0.00	818.94	0.08	0.47	1753.55	780.04
	5.100	1.00	0.00	0.00	810.80	225.00	818.94	0.00	818.94	0.09	0.48	1639.76	759.63
	5.200	50.00	0.00	0.00	811.10	225.00	818.94	0.00	818.94	0.08	0.46	1715.84	812.20
	5.200	50.00	0.00	0.00	811.10	225.00	818.94	0.00	818.94	0.08	0.47	1604.10	791.79
	5.300	350.00	0.00	0.00	812.00	225.00	818.95	0.00	818.95	0.10	0.48	1721.80	707.38
	5.300	350.00	0.00	0.00	812.00	225.00	818.95	0.00	818.95	0.11	0.48	1612.17	686.28
	5.350	440.00	0.00	0.00	813.90	225.00	818.95	0.00	818.96	0.96	1.12	560.37	229.87
	5.350	440.00	0.00	0.00	813.90	225.00	818.96	0.00	818.96	0.95	1.12	561.27	230.43
	5.400	440.00	0.00	0.00	815.80	225.00	818.93	0.00	819.16	40.35	5.63	124.06	35.42
	5.400	440.00	0.00	0.00	815.80	225.00	818.93	0.00	819.16	40.02	5.61	124.45	35.57
	5.450	200.00	0.00	0.00	817.00	225.00	819.83	0.00	820.10	54.70	6.12	119.94	30.42
	5.450	200.00	0.00	0.00	817.00	225.00	819.83	0.00	820.10	54.63	6.12	119.99	30.44
	5.700	200.00	0.00	0.00	818.30	225.00	820.87	0.00	820.96	31.15	4.33	216.72	60.32
	5.700	200.00	0.00	0.00	818.30	225.00	820.91	0.00	821.02	58.68	4.69	408.98	57.56

PRINTED IN U.S.A.
FORM 1411-08 PRINTED BY ROTARY MANIFOLD FORMS

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRIMS	EG	10K*S	VCH	AREA	.01K
	5.900	100.00	0.00	0.00	818.60	225.00	821.14	0.00	821.23	30.25	3.66	207.06	60.91
	5.900	100.00	0.00	0.00	818.60	225.00	821.21	0.00	821.29	25.69	3.44	219.73	64.56
	6.300	62.00	823.60	820.90	818.70	225.00	824.00	0.00	824.02	2.10	1.86	420.08	155.32
	6.000	62.00	823.60	820.90	818.70	225.00	824.00	0.00	824.03	2.09	1.86	420.48	155.50
	6.100	325.00	0.00	0.00	820.70	225.00	824.08	0.00	824.30	34.08	5.40	128.14	38.54
	6.100	325.00	0.00	0.00	820.70	225.00	824.09	0.00	824.30	34.04	5.40	128.19	38.56
*	6.200	325.00	0.00	0.00	822.70	225.00	826.06	826.06	826.75	76.32	8.04	77.77	25.75
*	6.200	325.00	0.00	0.00	822.70	225.00	826.05	826.05	826.75	76.41	8.04	77.72	25.74
	6.300	300.00	0.00	0.00	824.50	225.00	828.16	0.00	828.70	53.19	7.13	85.32	30.85
	6.300	300.00	0.00	0.00	824.50	225.00	828.16	0.00	828.70	53.15	7.13	85.35	30.86
*	6.350	200.00	0.00	0.00	826.60	225.00	829.93	829.93	830.74	85.90	8.48	64.74	24.28
*	6.350	200.00	0.00	0.00	826.60	225.00	829.93	829.93	830.74	85.96	8.48	64.71	24.27
*	6.500	200.00	0.00	0.00	828.70	225.00	832.14	832.14	832.84	72.36	7.97	79.88	26.45
*	6.500	200.00	0.00	0.00	828.70	225.00	832.14	832.14	832.84	72.47	7.97	79.80	26.43
*	6.550	200.00	0.00	0.00	830.80	225.00	834.24	834.24	834.96	72.16	7.96	80.03	26.49
*	6.550	200.00	0.00	0.00	830.80	225.00	834.24	834.24	834.94	72.05	7.95	80.11	26.51
*	6.600	200.00	0.00	0.00	832.90	225.00	836.32	836.32	837.06	76.58	8.15	75.39	25.71
*	6.600	200.00	0.00	0.00	832.90	225.00	836.32	836.32	837.05	76.72	8.16	75.29	25.69
*	6.650	200.00	0.00	0.00	835.00	225.00	838.42	838.42	839.16	75.95	8.13	75.82	25.82
*	6.650	200.00	0.00	0.00	835.00	225.00	838.42	838.42	839.16	75.95	8.13	75.82	25.82
*	6.700	200.00	0.00	0.00	837.10	225.00	840.20	840.20	840.96	95.52	8.51	70.85	23.02
*	6.700	200.00	0.00	0.00	837.10	225.00	840.20	840.20	840.96	95.57	8.51	70.85	23.02
*	6.800	275.00	0.00	0.00	841.50	225.00	843.71	843.71	844.41	139.69	8.31	64.34	19.04
*	6.800	275.00	0.00	0.00	841.50	225.00	843.71	843.71	844.41	139.69	8.31	64.34	19.04
*	6.900	100.00	0.00	0.00	842.10	225.00	846.22	846.22	848.22	189.44	11.34	19.84	16.35
*	6.900	100.00	0.00	0.00	842.10	225.00	846.22	846.22	848.22	189.44	11.34	19.84	16.35
	7.000	41.00	850.30	846.30	842.10	225.00	849.13	0.00	849.79	45.48	6.54	34.43	33.36
	7.000	41.00	850.30	846.20	842.10	225.00	849.13	0.00	849.79	45.48	6.54	34.43	33.36
	7.200	250.00	0.00	0.00	844.70	225.00	850.25	0.00	850.52	15.21	4.94	139.83	57.70
	7.200	250.00	0.00	0.00	844.70	225.00	850.25	0.00	850.52	15.21	4.94	139.83	57.70

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CHBEL	DIFNSP	DIFNSX	DIFNIS	TOPWID	XLCH
	3.000	225.00	810.10	0.00	0.00	0.00	281.00	300.00
	3.000	225.00	810.10	0.00	0.00	0.00	281.00	300.00
	3.700	225.00	810.54	0.00	0.44	0.00	27.44	350.00
	3.700	225.00	810.54	0.00	0.44	0.00	27.44	350.00
	3.800	225.00	810.62	0.00	0.08	0.00	16.00	50.00
	3.800	225.00	810.62	0.00	0.08	0.00	16.00	50.00
*	3.900	225.00	811.27	0.00	0.65	0.00	5.00	50.00
*	3.900	225.00	811.27	0.00	0.65	0.00	5.00	50.00
	4.000	225.00	818.51	0.00	7.24	0.00	5.00	160.00
	4.000	225.00	818.51	0.00	7.24	0.00	5.00	160.00
	4.100	225.00	818.89	0.00	0.38	0.00	100.00	50.00
	4.100	225.00	818.89	0.00	0.38	0.00	100.00	50.00
	4.500	225.00	818.90	0.00	0.01	0.00	250.00	350.00
	4.500	225.00	818.90	0.00	0.01	0.00	250.00	350.00
	4.700	225.00	818.91	0.00	0.00	0.00	308.27	375.00
	4.700	225.00	818.91	0.00	0.00	0.00	248.45	375.00
	4.800	225.00	818.91	0.00	0.00	0.00	308.25	100.00
	4.800	225.00	818.91	0.00	0.00	0.00	249.30	100.00
	4.900	225.00	818.90	0.00	-0.00	0.00	308.26	1.00
	4.900	225.00	818.90	0.00	-0.00	-0.00	210.72	1.00
	5.000	225.00	818.93	0.00	0.03	0.00	308.59	104.00
	5.000	225.00	818.94	0.00	0.03	0.00	208.83	104.00
	5.100	225.00	818.94	0.00	0.00	0.00	308.70	1.00
	5.100	225.00	818.94	0.00	0.01	0.01	249.15	1.00
	5.200	225.00	818.94	0.00	0.00	0.00	308.88	50.00
	5.200	225.00	818.94	0.00	0.00	0.01	250.24	50.00
	5.300	225.00	818.95	0.00	0.01	0.00	402.09	850.00
	5.300	225.00	818.95	0.00	0.01	0.01	332.73	850.00
	5.350	225.00	818.95	0.00	0.00	0.00	160.00	440.00
	5.350	225.00	818.96	0.00	0.00	0.01	160.00	440.00
	5.400	225.00	818.92	0.00	-0.03	0.00	70.40	440.00
	5.400	225.00	818.90	0.00	-0.03	0.01	70.44	440.00
	5.450	225.00	819.83	0.00	0.91	0.00	78.72	200.00
	5.450	225.00	819.83	0.00	0.90	0.00	78.72	200.00
	5.700	225.00	820.87	0.00	1.05	0.00	175.87	200.00
	5.700	225.00	820.91	0.00	1.08	0.03	141.90	200.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKUS	TOPWID	XLCH
	5.900	225.00	821.14	0.00	0.26	0.00	173.99	100.00
	5.900	225.00	821.21	0.00	0.31	0.07	174.25	100.00
	6.000	225.00	824.00	0.00	2.86	0.00	182.48	62.00
	6.000	225.00	824.00	0.00	2.79	0.00	182.49	62.00
	6.100	225.00	824.08	0.00	0.08	0.00	67.24	325.00
	6.100	225.00	824.08	0.00	0.08	0.00	67.26	325.00
*	6.200	225.00	826.06	0.00	1.90	0.00	70.59	325.00
*	6.200	225.00	826.05	0.00	1.98	-0.00	70.58	325.00
	6.300	225.00	828.16	0.00	2.11	0.00	66.24	300.00
	6.300	225.00	828.16	0.00	2.11	0.00	66.25	300.00
*	6.350	225.00	829.94	0.00	1.76	0.00	36.39	200.00
*	6.350	225.00	829.93	0.00	1.76	-0.00	56.37	200.00
*	6.500	225.00	832.14	0.00	2.21	0.00	85.61	200.00
*	6.500	225.00	832.14	0.00	2.21	-0.00	85.55	200.00
*	6.550	225.00	834.26	0.00	2.10	0.00	85.71	200.00
*	6.550	225.00	834.24	0.00	2.10	0.00	85.77	200.00
*	6.600	225.00	836.32	0.00	2.07	0.00	80.00	200.00
*	6.600	225.00	836.32	0.00	2.07	-0.00	79.92	200.00
*	6.650	225.00	838.42	0.00	2.11	0.00	80.35	200.00
*	6.650	225.00	838.42	0.00	2.11	0.00	80.35	200.00
*	6.700	225.00	840.20	0.00	1.78	0.00	61.97	200.00
*	6.700	225.00	840.20	0.00	1.78	0.00	61.97	200.00
*	6.800	225.00	843.71	0.00	3.51	0.00	50.00	275.00
*	6.800	225.00	843.71	0.00	3.51	0.00	50.00	275.00
*	6.900	225.00	846.22	0.00	2.51	0.00	5.00	100.00
*	6.900	225.00	846.22	0.00	2.51	0.00	5.00	100.00
	7.000	225.00	849.13	0.00	2.91	0.00	5.00	41.00
	7.000	225.00	849.13	0.00	2.91	0.00	5.00	41.00
	7.200	225.00	850.25	0.00	1.13	0.00	86.16	250.00
	7.200	225.00	850.25	0.00	1.13	0.00	86.16	250.00

SUMMARY OF ERRORS

CAUTION SECNO= 5.900 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 5.900 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 5.900 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 5.900 PROFILE= 2 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 5.900 PROFILE= 2 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 5.900 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 6.900 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 6.200 PROFILE= 1 MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 6.200 PROFILE= 2 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 6.200 PROFILE= 2 MINIMUM SPECIFIC ENERGY

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

```
 CAUTION  SECNO=    6.350  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.350  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.350  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.350  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.500  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.500  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.500  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.500  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.550  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.550  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.550  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.550  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.600  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.600  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.600  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.600  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.650  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.650  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.650  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.650  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.700  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.700  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.700  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.700  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.800  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.800  PROFILE= 1  MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.800  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.800  PROFILE= 2  MINIMUM SPECIFIC ENERGY

 CAUTION  SECNO=    6.900  PROFILE= 1  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.900  PROFILE= 1  PROBABLE MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.900  PROFILE= 1  20 TRIALS ATTEMPTED TO BALANCE WSEL
 CAUTION  SECNO=    6.900  PROFILE= 2  CRITICAL DEPTH ASSUMED
 CAUTION  SECNO=    6.900  PROFILE= 2  PROBABLE MINIMUM SPECIFIC ENERGY
 CAUTION  SECNO=    6.900  PROFILE= 2  20 TRIALS ATTEMPTED TO BALANCE WSEL
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

FLOODWAY DATA, SPERRY DRAIN
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WATER SURFACE ELEVATION WITHOUT FLOODWAY	WATER SURFACE ELEVATION DIFFERENCE
3.000	281.	116.	1.9	810.1	810.1	0.0
3.700	27.	73.	3.1	810.5	810.5	0.0
3.800	16.	56.	4.2	810.6	810.6	0.0
3.900	5.	20.	11.3	811.3	811.3	0.0
4.000	5.	51.	4.4	818.5	818.5	0.0
4.100	100.	747.	0.3	818.9	818.9	0.0
4.500	250.	1341.	0.1	818.9	818.9	0.0
4.700	248.	1644.	0.1	818.9	818.9	0.0
4.800	249.	1666.	0.1	818.9	818.9	0.0
4.900	211.	513.	0.4	818.9	818.9	0.0
5.000	209.	516.	0.4	818.9	818.9	0.0
5.100	249.	1640.	0.1	818.9	818.9	0.0
5.200	250.	1604.	0.1	818.9	818.9	0.0
5.300	333.	1612.	0.1	818.9	818.9	0.0
5.350	160.	561.	0.4	818.9	818.9	0.0
5.400	70.	124.	1.8	818.9	818.9	0.0
5.450	79.	120.	1.9	819.8	819.8	0.0
5.700	142.	189.	1.2	820.9	820.9	0.0
5.900	174.	220.	1.0	821.2	821.1	0.1
6.000	102.	420.	0.5	824.0	824.0	0.0
6.100	67.	123.	1.8	824.1	824.1	0.0
6.200	71.	78.	2.9	826.1	826.1	0.0
6.300	66.	85.	2.6	828.2	828.2	0.0
6.350	56.	65.	3.5	829.9	829.9	0.0
6.500	86.	90.	2.5	832.1	832.1	0.0
6.550	64.	90.	2.5	834.2	834.2	0.0
6.600	60.	75.	3.0	836.3	836.3	0.0
6.650	80.	76.	3.0	838.4	838.4	0.0
6.700	62.	71.	3.2	840.2	840.2	0.0
6.800	50.	64.	3.5	843.7	843.7	0.0
6.900	5.	20.	11.3	846.2	846.2	0.0
7.000	5.	34.	6.5	849.1	849.1	0.0
7.200	66.	140.	1.6	850.3	850.3	0.0

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Sperry Drain & Waubascon creek

4) DOCUMENT TYPE: report

RECEIVED
MAR 6 1981
WATER MANAGEMENT

SPERRY DRAIN AND WAUBASCON CREEK
HYDRAULIC ANALYSIS FOR
BEDFORD TOWNSHIP AND
CITY OF BATTLE CREEK
Calhoun Co
FLOOD INSURANCE STUDIES

HUD 2023-07
HUD 2021-07
February, 1981

Prepared By:
Wade, Trim & Associates, Inc.
25185 Goddard Road
Taylor, Michigan 48180

I INTRODUCTION

This hydraulic study investigates the existence and severity of flood hazards along the Sperry Drain in the City of Battle Creek and the Waubascon Creek in Bedford Township and the City of Battle Creek, Calhoun County, Michigan.

Bedford Township covers an area of approximately 30 square miles and the City of Battle Creek covers approximately 12 square miles. The flood plains of the Sperry Drain and Waubascon Creek basins have basically remained undeveloped but are presently experiencing residential development.

II DETAILED STUDY OF THE SPERRY DRAIN

A detailed hydraulic study was performed for the entire length of the Sperry Drain within the City of Battle Creek. This study began at the confluence of the Kalamazoo River and ended at the northern boundary of the City of Battle Creek.

A total of 4 bridge and 11 valley cross sections were field surveyed by Wade, Trim & Associates, Inc. in February, 1980. These cross sections were supplemented by aerial topography, 2-foot contour maps and U.S.G.S. Quad Maps which consist of 10-foot contour intervals (References 1, 2 and 3, respectively).

Cross section locations are shown on Exhibit 1. Table 1 cross references section designations by showing the computer section number which corresponds to each cross section letter shown in Exhibit 1. Table 2 lists discharges which have been approved by the Michigan Department of Natural Resources (M.D.N.R.) for this stream.

A. METHOD OF ANALYSIS

The HEC-2 backwater computer program was used in developing water surface profiles (Reference 4). Table 2 presents water surface elevations at selected locations for the four storms (10, 50, 100 and 500-year) analyzed in this report. HEC-2 printouts including computer cross section plots are presented as Exhibit 2. (Exhibit 2 is contained in the 11" x 15" folder enclosed with this report.) Water surface profiles resulting from the backwater analyses are presented as Exhibit 3.

TABLE 1

CITY OF BATTLE CREEK
SPERRY DRAIN
CROSS REFERENCE INDEX

X-SECT.	COMPUTER NO.	DESCRIPTION
A	2.0	U/S Face Jackson Street Bridge
B	3.0	Valley Section
C	3.9	D/S Face Michigan Avenue Bridge
D	4.0	U/S Face Michigan Avenue Bridge
E	4.5	Valley Section
F	4.9	D/S Face Ridgemoor Street Bridge
G	5.0	U/S Face Ridgemoor Street Bridge
H	5.3	Valley Section
I	5.4	Valley Section
J	5.9	D/S Face Limit Street Bridge
K	6.0	U/S Face Limit Street Bridge
L	6.3	Valley Section
M	6.8	100 FT. D/S Waubascon Road Bridge
N	6.9	D/S Face Waubascon Road Bridge
O	7.0	U/S Face Waubascon Road Bridge
P	7.2	Valley Section, Corporate Limit

TABLE 2

CITY OF BATTLE CREEK
SPERRY DRAIN
FLOOD ELEVATIONS AT SELECTED LOCATIONS*

LOCATION	X-SECT.	Frequency 10-YEAR	50-YEAR	100-YEAR	500-YEAR
		Q= 100 CFS	Q= 145 CFS	Q= 225 CFS	Q= 330 CFS
D/S Michigan Avenue Bridge	C	809.6	810.3	811.3	812.4
U/S Michigan Avenue Bridge	D	812.6	812.8	818.5	825.7
U/S Ridgemoor Street Bridge	G	816.4	817.0	818.9	825.7
U/S Limit Street Bridge	K	823.7	823.8	824.0	825.8
Corporate Boundary	P	847.3	848.7	850.2	850.8

* All elevations are based upon National Geodetic Vertical Datum

B. VARIABLES AND COEFFICIENTS

Roughness coefficients (Mannings "n") were estimated from field inspections, quad maps, and photographs. Typical roughness values for the main channel and overbank areas of the Sperry Drain are .035 and .12, respectively, for all floods. These values are indicative of summer month conditions and are consistent with values recommended and used in engineering practice (Reference 5). Contraction and expansion coefficients were selected as 0.3 and 0.5, respectively, at bridge sections and 0.1 and 0.3, respectively, for gradual channel transitions. Bridge loss coefficient computations are included in Exhibit 4.

C. HIGH WATER MARKS

There are no documented high water marks for this reach of the Sperry Drain.

D. STARTING CONDITIONS

The starting water surface elevation used in all backwater computations for the Sperry Drain was the mean annual Kalamazoo River level. A storm frequency/discharge rating curve was developed for the Kalamazoo River (Reference 6) to determine the mean annual flow (2.33 year recurrence interval) of 2,850 cfs. This flow was then applied to the stage/discharge rating curve to obtain the mean annual elevation of 804.2 (Exhibit 5). The 10, 50, 100 and 500 year flood elevations of the Kalamazoo River, located at its confluence with Sperry Drain, were plotted horizontally on the stream profile where these elevations exceeded Sperry Drain elevations, to reflect flood conditions from both streams.

E. SPECIAL PROBLEMS

Downstream of Michigan Avenue, Sperry Drain divides into two separate channels, hereinafter referred to as east and west channels in this analysis. These channels discharge directly into the Kalamazoo River downstream of Jackson Avenue. A divided flow analysis was performed to determine the impact of this divided flow upon flood elevations and obtain the distribution of flow between the east and west channels.

Results of this analysis, as presented in Exhibit 6, indicate that approximately one third of the flow passes through the west channel and two thirds passes through the east channel for the four storms analyzed in this report. HEC-2 printouts and water surface profiles resulting from this analysis are presented in Exhibits 2 and 3, respectively.

F. GENERAL

Computed water surface elevations were developed to an accuracy of 0.5 feet for floods of the selected recurrence intervals.

All elevations are referenced to the U.S. Geological Survey (U.S.G.S.) Datum. This datum is equivalent to the National Geodetic Vertical Datum (N.G.V.D.).

The hydraulic analyses for this study were based only on the effects of flow unobstructed by ice or debris. The flood elevations are considered valid only if hydraulic structures, in general, remain unobstructed and do not fail.

III DETAILED STUDY OF WAUBASCON CREEK

A detailed hydraulic study was performed for approximately 1.7 miles of the Waubascon Creek, beginning at its confluence with the Kalamazoo River in Bedford Township, and ending approximately 1,000 feet upstream of the Mason Street Bridge in the City of Battle Creek.

A total of 3 bridge and 10 valley cross sections were field surveyed by Wade, Trim & Associates, Inc. in March, 1980. These cross sections were supplemented by aerial topography and U.S.G.S. Quad Maps which consist of 10-foot contour intervals (References 7, 8 and 3, respectively).

Cross section locations are shown on Exhibit 1. Table 3 cross references section designations by showing the computer section number which corresponds to each cross section letter shown in Exhibit 1. Table 4 lists discharges which have been approved by the Michigan Department of Natural Resources (M.D.N.R.) for this stream.

A. METHOD OF ANALYSIS

The HEC-2 backwater computer program was used in developing water surface profiles (Reference 4). Table 4 presents water surface elevations at selected locations for the four storms (10, 50, 100 and 500-year) analyzed in this report. HEC-2 printouts including computer cross section plots are presented as Exhibit 2. (Exhibit 2 is contained in the 11" x 15" folder enclosed with this report.) Water surface profiles resulting from the backwater analyses are presented as Exhibit 7.

TABLE 3

BEDFORD TOWNSHIP
AND THE
CITY OF BATTLE CREEK
WAUBASCON CREEK
CROSS REFERENCE INDEX

X-SECT.	COMPUTER NO.	DESCRIPTION
A	112.0	Valley Section
B	113.0	Valley Section
C	114.9	D/S Face Michigan Avenue Bridge
D	115.0	U/S Face Michigan Avenue Bridge
E	116.9	D/S Face Cross Street Bridge
F	117.0	U/S Face Cross Street Bridge
G	119.0	Valley Section
H	119.5	Valley Section
I	120.9	D/S Face Mason Street Bridge
J	121.0	U/S Face Mason Street Bridge
K	122.0	Valley Section

TABLE 4

BEDFORD TOWNSHIP
AND THE
CITY OF BATTLE CREEK

WAUBASCON CREEK

FLOOD ELEVATIONS AT SELECTED LOCATIONS*

LOCATION	X-SECT.	Frequency 10-YEAR	50-YEAR	100-YEAR	500-YEAR
		Q= 270 CFS	Q= 490 CFS	Q= 650 CFS	Q= 1,230 CFS
U/S Michigan Avenue Bridge	C	804.7	805.6	806.1	807.3
U/S Cross Street Bridge	E	807.2	808.5	809.3	811.2
U/S Mason Street Bridge	J	814.6	816.0	817.0	819.2
U/S Limit of Study	K	816.0	817.4	818.1	820.2

* All elevations are based upon National Geodetic Vertical Datum

B. VARIABLES AND COEFFICIENTS

Roughness coefficients (Mannings "n") were estimated from field inspections, quad maps, and photographs. Typical roughness values for the main channel and overbank areas of the Waubascon Creek range from .035 to .045 and .10 to .12, respectively, for all floods. These values are indicative of summer month conditions and are consistent with values recommended and used in engineering practice (Reference 5). Contraction and expansion coefficients were selected as 0.3 and 0.5, respectively, at bridge sections and 0.1 and 0.3, respectively, for gradual channel transitions. Bridge loss coefficient computations are included in Exhibit 8.

C. HIGH WATER MARKS

There are no documented high water marks for this reach of the Waubascon Creek.

D. STARTING CONDITIONS

The starting water surface elevation used in all backwater computations for the Waubascon Creek was the mean annual Kalamazoo River level. A storm frequency/discharge rating curve was developed for the Kalamazoo River (Reference 6) to determine the mean annual flow (2.33 year recurrence interval) of 2,850 cfs. This flow was then applied to the stage/discharge rating curve to obtain the mean annual elevation of 801.3 (Exhibit 9). The 10, 50, 100 and 500 year flood elevations of the Kalamazoo River, located at its confluence with Waubascon Creek, were plotted horizontally on the stream profile, where these elevations exceeded Waubascon Creek elevations, to reflect flood conditions from both streams.

E. SPECIAL PROBLEMS

No special problems were encountered during the analysis of the Waubascon Creek in the Study Area.

F. GENERAL

Computed water surface elevations were developed to an accuracy of 0.5 feet for floods of the selected recurrence intervals.

All elevations are referenced to the U.S. Geological Survey (U.S.G.S.) Datum. This datum is equivalent to the National Geodetic Vertical Datum (N.G.V.D.).

The hydraulic analyses for this study were based upon only the effects of flow unobstructed by ice or debris. The flood elevations are considered valid only if hydraulic structures, in general, remain unobstructed and do not fail.

LIST OF REFERENCES

1. Abrams Aerial Survey Corporation, Aerial Topography for Sperry Drain in City of Battle Creek, Michigan, 1979.

2. Abrams Aerial Survey Corporation, 2-Foot Contour Topographic Map, Section 35, Bedford Township, Calhoun County, Michigan, 1964.

3. U.S. Geological Survey, Topographic Maps - Battle Creek Quadrangle, Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

4. U.S. Department of the Army, Corps of Engineers, HEC-2 Water Surface Profiles, Users Manual, Davis, California, August, 1979.

5. Chow, Ven Te, Open Channel Hydraulics, McGraw Hill, Inc., 1959.

6. Wade, Trim & Associates, Inc., Hydraulic Report, Kalamazoo River Basin, Bedford Township and City of Battle Creek, Michigan, 1980.

7. Abrams Aerial Survey Corporation, Aerial Topography for Waubascon Creek in Bedford Township and City of Battle Creek, Michigan, 1979.

8. U.S. Geological Survey, Topographic Maps - Augusta Quadrangle, Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

INDEX OF EXHIBITS

EXHIBIT 1 — Field Cross Section Location and 100-Year Flood Plain - Floodway Map, Sperry Drain, 2 Sheets, Waubascon Creek, 1 Sheet.

EXHIBIT 2 — Computer Printouts, HEC-2 Backwater Analysis With Cross Section Plots (In Separate Folder) Sperry Drain and Waubascon Creek.

EXHIBIT 3 — Sperry Drain Profiles, City of Battle Creek, 5 Sheets.

EXHIBIT 4 — Sperry Drain Bridge Notes and Sketches, City of Battle Creek, 16 Sheets.

EXHIBIT 5 — Kalamazoo River Mean Annual Water Surface, Sperry Drain, City of Battle Creek, 2 Sheets.

EXHIBIT 6 — Sperry Drain, Divided Flow Analysis D/S Michigan Avenue, 3 Sheets.

EXHIBIT 7 — Waubascon Creek Profiles, Bedford Township and City of Battle Creek, 2 Sheets.

EXHIBIT 8 — Waubascon Creek Bridge Notes and Sketches, Bedford Township and City of Battle Creek, 7 Sheets.

EXHIBIT 9 — Kalamazoo River Mean Annual Water Surface, Waubascon Creek, Bedford Township, 2 Sheets.

SPERRY DRAIN AND
WAUBASCON CREEK

CITY OF BATTLE CREEK AND
BEDFORD TOWNSHIP

EXHIBIT 1

FIELD CROSS SECTION LOCATION AND
100 YEAR FLOOD PLAIN-FLOODWAY MAPS

SPERRY DRAIN AND
WAUBASCON CREEK

CITY OF BATTLE CREEK AND
BEDFORD TOWNSHIP

EXHIBIT 2

COMPUTER PRINTOUTS
HEC-2 BACKWATER ANALYSIS WITH
CROSS SECTION PLOTS
(SEE SEPARATE FOLDER)

SPERRY DRAIN

CITY OF BATTLE CREEK

EXHIBIT 3


SPERRY DRAIN PROFILES

SPERRY DRAIN

CITY OF BATTLE CREEK

EXHIBIT 4


SPERRY DRAIN BRIDGE NOTES AND SKETCHES




CROSS SECTION #59 ~~[illegible] CREEK~~ AT JACKSON
SPERRY DRAIN

HUD 2021-07
1/81 SHEET 1 OF 16

Cross-Sections #58-59 Spooky Drain



Cross Section #59A Sperry Drain



HUD 7021-07



CROSS SECTION #64 SPERRY DRAIN AT MICHIGAN AVE. (UPSTREAM)



CROSS SECTION #63 SPERRY DRAIN AT MICHIGAN AVE (DOWNSTREAM)

HUD 2021-07
1/81 SHEET 40 OF 16

Bridge Location: Michigan Ave. STA 41.0

REFERENCE

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, $\Sigma k = k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1 n^2 L / R^{4/3}$ for English units

Area = = 17.3 Wp = 16.5

R = A/wp 1.05 $R^{4/3}$ = 1.06 L = 160'

n (composite) = $.013\left(\frac{13.5}{16.5}\right) + .035\left(\frac{3}{16.5}\right)$ =

$K_f = 29.1 \times (0.017)^2 \times 160 / 1.06 = 1.27$

$K_e = 0.5$ — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 Pg. 45

($K_p = 0$) if bridge has no intermediate piers

$K_p = 0.05$ if bridge has intermediate piers — HEC-2 manual

60 INCH CONCRETE CULVERT

		SILTED AREA	
U/S FACE .2' SILTED	19.6 FT²	19.6(.013) = 19.3 FT²	17.3 FT² COMPOSITE AREA
D/S FACE 1.3' SILTED	19.6 FT²	19.6(.207) = 15.3 FT²	

2. XKOE = 1 + 1.27 + 0.5 + 0 = 2.77

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN = Length of weir = 0.0 (0 if read off BT cards)

5. BWC = Known width of bridge opening (inc. piers) = 3.2

6. Known width of obstruction = 0


7. Known bridge opening inc. piers = 17. — field data

8. SS = side slope = 0.
(horizontal per 1 vertical unit)

9. ELCHU = Elevation of channel invert U/S side = 807.6
(0 if equal to minimum elevation in previous X-sect.)

10. ELCHD = Elevation of channel invert D/S side = 807.3
(0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No) Project Suffix
SPERRY DRIVE - B.C. CNTY	DRB		5 OF 16	Owner HUD • 2021 • 07
	DATE 3/85	DATE		


3/4 SHERRY DRAIN
6' @ S62°E
6' @ S80°E
INSIDE HEADWALL WIDTH
0+00 DOWNSTR END
+37 TOP BANK
+46 T/CURB
1+05 EMICH AVE
L 28°E
L 52°W
1+15 T/CURB (A.P. COW)
1+28 TOP BANK
L 38°E
60" CORR CULV.
1+60 UPSTR END (NO H.W.)
L 20°E
D/S FACE MICH. AVE
80709
80703 (EX GD)
80661 (INVERT)
164
170
172
175
180
STATION
HUD 2021-07



CROSS SECTION #65 SPERRY DRAIN AT ~~LONDINE~~ (DOWNSTREAM)
RIDGEMOOR STREET

HUD 2021-07
1/81 SHEET 7 OF 16

Bridge Location: RIDGEMOOR STA 5+0

REFERENCE

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 58"x35" ARCH CMP = 11.04 Wp = 12.05

R = A/wp 0.91 $R^{4/3}$ = 0.88 L = 104

n (composite).

$K_f = 29.1 \times (0.024)^2 \times 104 / 0.88 = 1.98$

K_c = 0.5 (HEADWALL)


Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45

(K_p = 0) if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual

2. XKOR = 1 + 1.98 + 0.5 + 0.0 = 3.48
3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual
4. RDLEN = Length of weir = 0.0 (0 if read off BT cards)
5. BWC = Bottom width of bridge opening (inc. piers): 3.8
6. [illegible] width of obstruction: 0.0 — field data
7. [illegible] = bridge opening inc. piers = 11.04
8. SS = side slope = 0. (horizontal per 1 vertical unit)
9. ELCHU = Elevation of channel invert U/S side = 810.8 (0 if equal to minimum elevation in previous X-sect.)
10. ELCHD = Elevation of channel invert D/S side = 809.2 (0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No) Owner Project Suffix
SPERRY DRAIN	DRB		8 OF 16	HUD • 2021 • 07
	DATE 1/00	DATE		



HDD 2021-07
1/81 SHEET 9 of 16



CROSS SECTION #L9 - SPERRY DRAIN AT ~~SMITH STREET~~ LIMIT STREET

HUD 2021-0
1/81 SHEET 10 OF 16

Bridge Location : ~~HAUGASCOND~~ RED LIMIT ST. STA 6.0

Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, $\Sigma k = k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = = 13.0 Wp ≅ (AVE 22.5) BASED ON 0.9 FT OF FILL IN EACH PIPE

$R = A/wp$ 0.58 $R^{4/3}$ = 0.48 L = 62

n (composite) = .024(6.5/11.25) + 0.035(4.75/11.25) = 0.029

K_f = 29.1 x (0.029)^2 x 62 / 0.48 = 3.16

K_e = 0.5 (HEADWALL)

Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45

k_p = 0 if bridge has no intermediate piers

(K_p = 0.05) if bridge has intermediate piers — HEC-2 manual

TWIN 58"x36" ARCH CMP's

U/S FACE (EFFECTIVE FLOW AREA)

11.4 FT^2 − 4.0 FT^2 (SILTED AREA) = 7.4

11.4 − 2.7 = 8.7

15.1 FT^2

D/S FACE (EFFECTIVE FLOW AREA)

11.4 − 4.5 = 6.9

11.4 − 7.3 = 4.1

11.0

AVE. EFFECTIVE FLOW AREA = 13.0 FT^2

2. XKOE = 1 + 3.16 + 0.5 + 0.0 = 4.66

COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN = Length of weir = 0.0 (0 if read off BT cards)

BWC = Known width of bridge opening (inc. piers) = 60

[illegible] width of obstruction = 0.0 — field data


[illegible] = bridge opening inc. piers = 13.

8. SS = side slope = 0.0
(horizontal per 1 vertical unit)

9. ELCHU = Elevation of channel invert U/S side = 818.7
(0 if equal to minimum elevation in previous x-sect.)

10. ELCHD = Elevation of channel invert D/S side = 818.6
(0 if equal to minimum elevation in previous x-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No / Job No / Project / Suffix
PERRY DRAIN - B.C. CITY	DRB		11 of 16	Owner HUD • 2021 • 07
	DATE 3/90	DATE		


TWIN 36"x54" LOW HEAD CMP'S
2' WIDE BEVELED CONC HW'S
12'@N24°W
12'@S18°W
S40°W
S28°W
11'@N40°E
13'@S22°E
N76°E
32SR & R COLV
C.LVS. S74°W
32SL & L COLV
℄ DRAIN
2'
0+16 EDGE OF RD
0+26 ℄ RD
0+36 EDGE OF RD
0+62 DOWNSTR END
0+00 DWNSTR END
L 60'
HUD 2021-07
1/81 SHEET 12 OF 16



CROSS SECTION #73 - SPERRY DRAIN AT OAKLEY-WAGNSCON

HUD 2021-07

1/81 SHEET 13 OF 16

Bridge Location : WAUBASCON [illegible] STA 7.0

REFERENCE

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 Manual

XKOR (Loss Coefficient) = 1.0 + ΣK, $\Sigma k = k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = $\frac{20.5}{1.017}$ Wp = 18.2
R = A/wp = 1.13 L = 41
n (composite) =


$K_f = 29.1 \times (0.02)^2 \times 41 / 1.17 = 0.41$

K_c = 0.4 (WINGWALL 30° TO BARREL)

Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45


(K_p = 0) if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



2. XKOR = 1 + 0.41 + 0.5 + 0.0 = 1.91
3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual
4. RDLEN = Length of weir = 0.0 (0 if read off BT cards)
5. BWC = bottom width of bridge opening (inc. piers) = 5.0
6. [illegible] width of obstruction = 0. — field data
7. [illegible] bridge opening inc. piers = 20.5
8. SS = side slope = 0.
(horizontal per 1 vertical unit)
9. ELCHU = Elevation of channel invert U/S side = 842.01
(0 if equal to minimum elevation in previous X-sect.)
ELCHD = Elevation of channel invert D/S side = 842.8
(0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO	File Code No. (Job No.) Project	Suffix
SPERRY DRAIN - B.C. CMP	DRB		14 OF 16	HUD • 2021 • 07	
	DATE 2/90	DATE		Owner	



HUD 2021-07

1/81 SHEET 5 OF 16

HUD 2021-07


1/A1 SHEET 16 OF 16

SPERRY DRAIN

CITY OF BATTLE CREEK

EXHIBIT 5

KALAMAZOO RIVER MEAN ANNUAL WATER SURFACE



46 5506

K&E SEMI-LOGARITHMIC • 3 CYCLES X 70 DIVISIONS
KEUFFEL & ESSER CO MADE IN U.S.A.

HUD 2021-17

SHEET 1 OF 2

NRB 5/80

SPERRY DRAIN


DIVIDED FLOW ANALYSIS D/S MICHIGAN AVE.

LOCATION SKETCH (REVISED)


FIELD CROSS SECTION LOCATIONS

RECEIVED
JUN 19 1981
WATER MANAGEMENT

HUD 2021-07
DRB 1/81
REVISED 6/81



MATCH LINE SEE SHEET 3



SHEET 2 OF 2
DRR 5/80

SPERRY DRAIN
CITY OF BATTLE CREEK


EXHIBIT 6

DIVIDED FLOW ANALYSIS
D/S MICHIGAN AVENUE

SPERRY DRAIN


DIVIDED FLOW ANALYSIS D/S MICHIGAN AVE.
LOCATION SKETCH
FIELD CROSS SECTION LOCATIONS

HOO 2021-07
DRB 1/81




MATCH LINE SEE SHEET 3

SHEET 1 of 3


RECEIVED
JUN 19 1981
WATER MANAGEMENT
140 CFS
190 CFS
WEST CHANNEL
JOTAC RATING CURVE
CITY OF BATTLE CREEK FIS DIVIDE FLOW ANALYSIS D/S MICHIGAN AVE. SPERRY DRAIN HUD 2021-07 DRB 6/81
800 CFS
145 CFS
80 CFS
65 CFS
60 CFS
10 YR - 100 CFS
50 YR - 145 CFS
100 YR - 225 CFS
500 YR - 330 CFS
ELEVATION, NGVD
DISCHARGE, CFS
815
814
813
812
811
810
809
808
807
806
0
100
200
300

SHEET 2 OF 2


CITY OF BATTLE CREEK
DIVIDED FLOW ANALYSIS
D/S MICHIGAN AVE.
SPERRY DRAIN
HUD 2021-07 DRB 10/80
FIGURE 1
125 CFS
WEST CHANNEL
205
EAST CHANNEL
ELEVATIONS
@ CROSS SECTION #3
10 YR 807.90
50 YR 808.20
100 YR 808.65
500 YR 812.5
TOTAL
85 CFS
110 CFS
110 CFS
105 CFS
30
70
10 YR 100 CFS
50 YR 175 CFS
100 YR 225 CFS
500 YR 320 CFS
ELEVATION, NGVD
DISCHARGE, CFS
814
813
812
811
810
809
808
807
806
805
0
100
200
300
325

SPRING BRANCH - EAST CHANNEL PROFILES

REACH 1 ZONE A6

JACKSON STREET

ELEVATION IN FEET (NGVD)

820
816
812
808
804
800
796
792

0 200 400 600 800 1000 1200 1400 1600 1800 2000 2200 2400

DISTANCE IN FEET

A


B

SCALE
HORIZ. 1"=200'
VERT. 1"=4'

LEGEND

- 500 YEAR WATER SURFACE
- 100 YEAR WATER SURFACE
- 50 YEAR WATER SURFACE
- 10 YEAR WATER SURFACE
- CHANNEL BOTTOM

CITY OF BATTLE CREEK



RECEIVED
JUN 19 1981
WATER MANAGEMENT

2/81 REVISED 6/81
SHEET 1 OF 5
HUD 2021-07

SPERRY DRAIN - WEST CHANNEL PROFILES

REACH 1 ZONE A6

JACKSON STREET

ELEVATION IN FEET (N.G.W.D.)

820
816
812
808
804
800
796
792

0 200 400 600 800 1000 1200 1400 1600 1800 2000 2200 2400


DISTANCE IN FEET

A

SCALE
HORIZ. 1"=200'
VERT. 1"=4'

LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM



RECEIVED
JUN 19 1981
WATER MANAGEMENT

2/81 REVISED 6/81
SHEET 2 OF 5
HUD 2021-07

STACK DIAGRAM

REACH 1 ZONE A6 | REACH 2 ZONE A11 | REACH 3

MICHIGAN AVENUE

RIDGEMADE STREET

ELEVATION IN FEET (NGVD)

828
824
820
816
812
808
804
800

3200 3400 3600 3800 4000 4200 4400 4600 4800 5000 5200 5400 5600

DISTANCE IN FEET

B C D E F G

MEAN STREAM BED

MEAN STREAM BED

SCALE
HORIZ. 1"=200'
VERT. 1"=4'

LEGEND
500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
MEAN STREAM BOTTOM

CITY OF BATTLE CREEK

WEST

828

824

820

816

812

808

804

800

5800 6000 6200 6400

RECEIVED
JUN 1 9 1981
WATER MANAGEMENT

2/81 REVISED 6/81
SHEET 3 OF 5
HUC 2021-01

K&E 10 X 10 TO THE INCH
KEUFFEL & ESSER CO
PRINTED IN U.S.A. 7K1001

SPERRY UKIAH

LIMIT OF

REACH 3 ZONE A3

836
832
828
824
820
816
812
808

ELEVATION IN FEET (NGVD)

6400 6600 6800 7000 7200 7400 7600 7800 8000 8200 8400 8600 8800

DISTANCE IN FEET


J K L

SCALE
HORIZ. 1"=200'
VERT. 1"=4'

LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM

CITY OF BATTLE CREEK



RECEIVED
JUN 19 1981
WATER MANAGEMENT

2/81 REVISED 6/81
SHEET 4 of 5
HUD 2021-07

10 X 10 TO THE INCH
KEUFFEL & ESSER CO

ROCKY ARROYO

REACH 3 ZONE A3

MANDARSON ROAD

ELEVATION IN FEET (NGVD)

860
856
852
848
844
840
836
832
828

8600 8800 9000 9200 9400 9600 9800 10,000 10,200 10,400 10,600 10,800 11,000

DISTANCE IN FEET

M N O P

SCALE
HORIZ. 1"=200'
VERT. 1"=4'

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM

UNIT OF OHIO EXCESS

860

856

852

848

844

840

836

832


828

11,200 11,400 11,600 11,800

RECEIVED
JUN 19 1981
WATER MANAGEMENT

2/81 REVISED 6/81
SHEET 5 OF 5
HUD 2021-07

10 X 10 TO THE INCH
KEUFFEL & ESSER CO
PRINTED IN U.S.A.
79-1001


CITY OF BATTLE CREEK
DIVIDED FLOW ANALYSIS
D/S MICHIGAN AVE.
FLOOD ELEVATION
DETERMINATION @
JACKSON AVE. (X-SECT 2)
HUD 2021-07
FIGURE 2
WEST CHANNEL
EAST CHANNEL
ELEVATION, N.G.V.D.
814
812
810
808
806
804
802
800
0
100
200
300
DISCHARGE C.F.S.
10-YR (30 CFS)
50-YR (40 CFS)
10-YR (70 CFS)
100-YR (85 CFS)
50-YR (105 CFS)
500-YR (125 CFS)
100-YR (140 CFS)
500-YR (205 CFS)

SHEET 3 OF 3

WAUBASCON CREEK
BEDFORD TOWNSHIP AND
CITY OF BATTLE CREEK

EXHIBIT 7

WAUBASCON CREEK PROFILES

BEDFORD TOWNSHIP, CITY OF BATTLE CREEK

BACKWATER FROM KALAMAZOO RIVER

ELEVATION IN FEET (NGVD)

816
812
808
804
800
796
792
788

0 500 1,000 1,500 2,000 2,500 3,000 3,500 4,000 4,500 5,000 5,500


A

DISTANCE IN FEET

SCALE
HORIZ. 1"=500'
VERT. 1"=4'

LEGEND


- 500 YEAR WATER SURFACE
- 100 YEAR WATER SURFACE
- 50 YEAR WATER SURFACE
- 10 YEAR WATER SURFACE
- CHANNEL BOTTOM



2-81

SHEET 1 OF 2

HUD 2021/23-07


REACH 1
ZONE A-3
REACH 2
ZONE A-4
CROSS ST.
BEDFORD TOWNSHIP
CITY OF BATTLE CREEK
MASON ST.
824
820
816
812
808
804
800
796
ELEVATION IN FEET (U.S.G.S. DATUM)
8,000
8,500
9,000
9,500
10,000
10,500
11,000
11,500
12,000
12,500
13,000
13,5
E
F
G
H
I
J
K
DISTANCE IN FEET
SCALE
HORIZ. 1"=500'
VERT. 1"=4'
LEGEND
500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
RIVER CHANNEL BOTTOM

824

820

816

812

808

804

800

796

2-81

SHEET 2 of 2

HUD 2021/23-07


WAUBASCON CREEK

BEDFORD TOWNSHIP AND

CITY OF BATTLE CREEK

EXHIBIT 8

WAUBASCON CREEK BRIDGE NOTES AND SKETCHES



SEC #115 - TOP VIEW MICHIGAN AVE. BRIDGE AT WABASCON CREEK (DOWNSTREAM)



3

CROSS-SECTION # 115 WABASCON DR. AT MICH AVE.

HUD 2023-07
1/81 SHEET 1 OF 1

HUD 2023-07

CROSS SECTION #115 WABASCON CREEK AT MICH AVE.

L&R

BANKS

L & R OFFSETS FROM ℄ BRIDGE FACING DOWNSTR.

1' WIDE WINGWALLS

N76E

MAC BEAD

UPSTR.

N38°E

15'

27'

1.5

27'

+60 UPSTR END

4 0'

+52 BICWB

+30 ℄ RD

S38°W

℄ MICH AVE

N38°W

+08 BICWB

0+00 DWNSTR END

1.5

27'

1.5

27'

S38°W

814.6 (417')

814.4 (417')

UPSTR END FACING DOWNSTR

1.60 THICK CONC

2.35 STEEL I-BEAM

CONC

812.5

CONC

℄ 15 (417')

802.6 @ 15

802.3 @ W3

801.5 @ 15

801.7 @ W6

802.8 @ 15

802.7 @ W3


20'

0.00


20'

HUD 2023-07

1/81 SHEET 2 OF 7



SEC #117 - TOP VIEW CROSS ST & WARNSCOM CREEK BRIDGE (UPSTREAM)




CROSS SECTION #117 - WARNSCOM CREEK IN CROSS STREET (UPSTREAM) 1/81

HUD 2023-07
SHEET 3 OF 7

HUD 2023-05

103 Book 5

CROSS-SECTION #117 WABASCON CREEK



HUD 2023-07
1.181 SHEET 4 OF 7

Bridge Location: Cross St.
Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 Manual

XKOR (Loss Coefficient) = 1.0 + Σk, Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 3-72" CMP's = 85 Wp = 56

$R = A/wp$ 85/56 $R^{4/3} = 2.02$ $L = 35$

n (composite) =

$K_f = 29.1 \times (0.024)^2 \times 35 / 2.02 = 0.27$


K_e = 0.7 (MITERED TO CONFORM TO FILL SLOPE) — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45

K_p = 0 if bridge has no intermediate piers


K_p = 0.05 if bridge has intermediate piers — HEC-2 manual

2. XKOR = 1 + 0.27 + 0.7 + .05 = 2.02
3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual
4. RDLEN = Length of weir = 0 (0 if read off BT cards)
5. BWC = Bottom width of bridge opening (inc. piers) = 14.4
   Bottom width of obstruction = 0. — field data
   Bridge opening inc. piers = 85
8. SS = side slope = 0
   (horizontal per 1 vertical unit)
9. ELCHU = Elevation of channel invert U/S side = 804.1
   (0 if equal to minimum elevation in previous X-sect.)
10. ELCHD = Elevation of channel invert D/S side = 804.1
    (0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No. (Job No.) Project Suffix
Wabscon Cr.	DRB DATE 11/80	DATE	5 OF 7	Owner HUD • 2023 • 07



SEC "C" - DOWNSTREAM END MASON ST AND WABASON CREEK BRIDGE



SEC "D" - TOP VIEW MASON ST AND WABASSON BRIDGE (UPSTREAM)

HUD 2021-07
1/81 SHEET 6 OF 7

HUD 2021-0

Cross-Section #1 Lombard Creek at Wood

Book 5

L&R OFFSETS FROM ℄ BRIDGE FACING DOWNSTR

MAC BEAR

0.7' WIDE WOOD IWW'S

UPSTR.

℄ CREEK AND RDWAY

7' TYP

WOOD SPILLWAY

+52 UPSTR. END

+42 BTCORB

LIB 20'W

℄ MASON N 89°E

+25.5 ℄RD

+09 BTCORB

0+00 DOWNSTR END

WOOD SPILLWAY

L

R

UPSTR END FACING DOWNSTR

1.40'

WOOD

0.7'

0.3'

0.3'

5'

5'

5'

817.6 D/S

817.7 U/S

D/S INVERT 811.1

U/S INVERT 811.2

7.8L

5.3L

6447

650

0+00.653

655

5.3R

7.8R

6551.3

6447.7


HUD 2021-02


1/61 SHEET 3 OF 7

WAUBASCON CREEK
BEDFORD TOWNSHIP AND
CITY OF BATTLE CREEK

EXHIBIT 9

KALAMAZOO RIVER MEAN ANNUAL WATER SURFACE


MEAN ANNUAL FLOW
KALAMAZOO RIVER
BEDFORD TWP
HUD 2023-07
4/80 DRB
2.33 YR
2850
STORM FREQUENCY, YRS
DISCHARGE, CFS
1.0
2000
4000
6000
8000
10000
SEMI-LOGARITHMIC • 3 CYCLES X 70 DIVISIONS
KEUFFEL & ESSER CO MADE IN U.S.A.
16 5506



46 1320
K+E 10 X 10 TO ½ INCH 7 X 10 INCHES
KEUFFEL & ESSER CO MADE IN U.S.A.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Sperry Drain East Channel

4) DOCUMENT TYPE: rating curve

00BREAK00

```
JOBID=HEC2          USER=JOHJ0179        PRIORITY=L3D2507        SKILL='GENU2785C7'        JOB=XQDH2
```

```
14:43:17                                                                    PAGE  1, 19
```

```
14:43:21  START OF TRANSLATION

*          SUBMITTED FILE:          #2

21        = JOB-SPERRYEAST
SPAPER    = SPART

                  JOB HEC2,USER=JOHJ0179;
*ADVISE     IF THIS STATEMENT HAS BEEN SKIPPED
                  VALUE FILENAM,NHOLD,LK=HEG2LIB,CPU=30,PAPER=TRAP,SIZE=200,STEP=HEC2,
                       SUB=SUBNAME,COPIES=1,HKDVC=452;
                  JUMP &PAPER&%%;
                  SPART%:
                  OUTVAL 32,"D=LINEPRT,DVC=PR;
                  JUMP &CONTX;
                  TRAP %:
                  OUTVAL 32;
                  CONT%:
                  INVOKE HEC2,ERGOCLLIB,VALUES=(21,32,UK=BUK,CPU=&CPU,PAPER=&PAPER,SIZE=&SIZE,
                       STEP=&STEP,SUB=&SUB,COPIES=&COPIES,HKDVC=&HKDVC);
```

```
          RECORD COUNT :     16

14:43.34  END OF TRANSLATION
```

RECEIVED
JUN 19 1981
DISTRICT MANAGER'S STAFF

EAST CHANNEL RATING
CURVE EXHIBIT 2

FORM 1611-OC-PRINTED BY NCR/ATT LINFOLD 1981

14:43:56 JOB EXECUTION LISTING

```
            JUMP DONE TO SPARTX
            JUMP DONE TO CONTX
            JUMP DONE TO HEC2
            START OF HEC2 EXECUTION
            STEP 5
            LOAD MODULE = HEC2 (79/2 /22 23:58)
            LIBRARY = MTAENGLM
14:43:57    STEP STARTED XPRTY=9
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=D
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=A
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=E
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=A
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=F
            FT04.    2 CYLINDER(S) ALLOCATED ON VOLUME: HE3200 FOR EFN: #000082,FILE=F
            TASK  XII  IS  0  COMPLETED
            OUFO1,DFN=FILE=C      REMEMBER; REUSE=      0
            OUFO1,DFN=FILE=C      REMEMBER; REUSE=      0
            OUFO1,IFN=FILE=D      REMEMBER REUSE=       0
            OUFO1,IFN=FILE=F      REMEMBER REUSE=       0
            OUFO1,IFN=FILE=A      REMEMBER REUSE=       0
            OUFO1,DFN=FILE=E      REMEMBER; REUSE=      0    FILES=    1    CONNECTS=
            TOTAL NUMBER  FILES USED =    22  TRACKS
            FILE=D    ON  HE3200 :  NB  OF  IO  CONNECTS=      131
            FILE=C    ON  HE3200 :  NB  OF  IO  CONNECTS=      115
            H=P9      ON  HE3200 :  NB  OF  IO  CONNECTS=       15
            H=RD      ON  MTAPAK :  NB  OF  IO  CONNECTS=        2
            FILE=D    ON  HE3200 :  NB  OF  IO  CONNECTS=        3
            FILE=F    ON  HE3200 :  NB  OF  IO  CONNECTS=       37
            FILE=A    ON  HE3200 :  NB  OF  IO  CONNECTS=      127
            FILE=E    ON  HE3200 :  NB  OF  IO  CONNECTS=      139
            CPU          1.047                    PROG MISSING SEGTS       55   STACKOV      03
            ELAPSED      2.143                    SYS  MISSING SEGTS      137
            LINES          359   LIMIT     2ULIM     DACKING STORE       423792
            CARDS            0   LIMIT     2ULIM     BUFFER SIZE          15920   CPSIZE     2272
14:46:00    STEP COMPLETED

            JUMP DONE TO FINISH
            JUMP DONE TO SPART
            ***********************************
            *  READY SPART SCREEN PAD PAGER   *
            ***********************************

            START    14:43:56   LINES        359
            F-UP     14:46:00   CARDS          0
            CPU          .047
            ELAPSED     2.57
14:46:00    RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.
PERFECTION FORM PRINTED BY CONTROL MASTER FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 79 UPDATED FEB 1982
  ERROR CODE =  51
  MODIFICATION -  50,51,52
**************************************************

C
CITY OF BATTLE CREEK FLOOD CLEARANCE STUDY
TSPERRY DRAIN EXISTING FLOW ANALYSIS
T3      SPERRY DRAIN

J1   ICHECK     INQ       NINV      IDIR      STRT      METRIC    HOURS     Q         USEL      FQ
          0.        0.        0.        0.  0.000000      0.00      1.0       0.    137.200     1.000

J2   NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IDW       CHNIM     ITRACE
        1.000     0.000    -1.000     0.000     0.000     0.000     3.000     0.000     0.000     0.000

J3   VARIABLE CODES FOR SUMMARY PRINTOUT

       150.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5   LPRNT     NUMSEC                    ********REQUESTED SECTION NUMBERS********

         -10.000   -10.000     1.000     1.000     1.000     1.000      .000      .000     0.000     0.000
QT       3.000    10.000    73.000   100.000   150.000   200.000     0.000     0.000     0.000     0.000
QC       0.120     0.120     0.035     0.300     0.500     0.060     0.300     0.000     0.000     0.000

                U/S FACE JACKSON ST. 60 INCH CONCRETE CULVEIT

X1       1.000    14.000   241.750   246.250     5.000     5.000     0.000     0.000     0.000     0.000
X3      10.000     0.000     0.000     0.000     5.000     0.000     0.000   617.800   617.800     0.000
GR     317.000   193.000   300.600   196.000   308.100   220.000   808.100   241.740   802.500   241.750
GR     801.500   242.000   800.500   243.000   800.250   244.000   302.500   245.000   801.500   246.000
GR     802.500   245.250   809.300   245.250   804.500   297.000   817.000   253.000     1.000     1.000
SB       0.000     4.350     3.000     3.000     4.000     0.000     1.000     0.000   802.250   802.750

                U/S FACE JACKSON ST. 60 INCH CONCRETE CULVERT

X1       1.000    14.000   247.750   246.250   175.000   175.000   175.000     0.000     0.000     0.000
X2       0.000     0.000     1.000   806.250   617.800     0.000     0.000     0.000     0.000     0.000
X3      13.000     0.000     0.000     0.000     0.000     0.000     0.000   617.800   617.800     0.000
BT      14.000   195.000   815.600     0.000   196.000   815.700     0.000   220.000   815.700     0.000
BT     241.740   815.700     0.000   241.750   815.700   804.000   242.000   815.700   805.000   243.000
BT     815.700   806.000   244.000   815.700   806.250   245.000   815.700   806.300   246.000   815.700
BT     809.000   246.250   815.700   804.300   246.250   815.700     0.000   294.700   815.700     0.000
BT     295.000   617.800     0.000     0.000     1.000     0.000     0.000     0.000     0.000     0.000
SB     815.700   195.000   808.600   196.000   808.100   220.000   804.100   241.740   804.000   241.750
GR     303.000   242.000   802.000   243.000   801.750   246.000   802.000   245.000   825.000   246.000
GR     804.000   246.250   809.300   246.260   809.300   296.000   817.650   253.000     0.000     0.000

                SD FT U/S JACKSON ST.

X1       2.000     9.000   239.000   248.000   50.000    50.000    50.000     0.000     0.000     0.000
GR     815.700   195.000   800.600   196.000   808.900   239.000   302.100   239.000   801.900   244.000
SB      60.600   249.000   939.340   334.000   829.300   254.000   315.700   305.000     0.000     0.000
```

MC	0.120	0.120	0.035	0.100	0.300	0.030	0.000	0.000	0.000	0.000
X*	2.150	9.000	293.000	307.000	275.000	275.000	275.000	0.000	-2.450	0.000
YS	0.000	0.000	0.000	253.000	0.000	330.000	0.000	0.000	0.000	0.000
CR	817.000	0.000	310.000	50.000	810.000	535.000	553.400	835.300	805.200	330.000
EJ	305.000	237.200	310.000	279.000	810.000	500.000	530.000	370.000	0.000	0.000

VALLEY SECTION

XT	2.230	0.000	7.000	0.000	275.000	275.000	275.000	0.000	2.000	0.000
YS	0.000	0.000	0.000	250.000	0.000	330.000	0.000	0.000	0.000	0.000
QT	5.000	225.000	225.000	225.000	225.000	225.000	0.000	0.000	0.000	0.000
XT	3.000	9.000	222.000	258.000	300.000	300.000	300.000	0.000	0.000	0.000
YS	0.000	0.000	0.000	100.000	0.000	280.000	0.000	0.000	0.000	0.000
SJ	720.000	0.000	810.000	55.000	310.000	210.000	300.000	222.000	805.000	230.000
GR	806.700	239.000	810.000	249.000	810.000	530.000	529.000	380.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 1411-OS PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

```
**************************************************
   FEB2 RELEASE DATED NOV 75 UPDATED FEB 1977
   ERROR CODE -  01
   MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ

          0.        1.        0.        0.  0.003000      0.30      0.0        0.   634.200     5.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IDM       CHAIN     ITRACE

       2.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-0104 PRINTED BY ROTARY MANIFOLD FORMS

```
**********************************************************
   HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
   ERROR CORR -  21
   MODIFICATION -  5*,51,52
**********************************************************

TICNTY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      C          WSEL       FQ
          0.        4.         0.         0.  0.002000       2.00        0.1          .  804.230     0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLOC      12H        CHNOL      ITRACE
      3.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

FORM 1411-00 PRINTED BY ROTARY HARRIS & FORD

```
**************************************************
  IEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3.     SPERRY DRAIN

J1   ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         USEL      FQ

        3.        5.        0.        0.  0.002000      0.00      0.0       0.    804.200     0.300

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH          ALLOC     IEN       CHNL      ITRACE

      4.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

FORM NO. 21 1401-OD PRINTED IN U.S.A. BY ROTARY MANIFOLD PRINTING

```
**********************************************************************
  HEC2 RELEASE DATE NOW TO BE UPDATED FEB 1977
  CENTER CORE =  0
  MODIFICATION =  30,31,32
**********************************************************************


TITLE OF BATTLE CREEK FLOOD INSURANCE STUDY
TSPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK    INQ      NINV     IDIR     STRT     METRIC   HVINS    Q        WSEL     FQ
        0.       6.       0.       0.  0.300000   0.00     1.0      0.   804.20     1.000

J2  NPROF     IPLOT    PRFVS    XSECV    XSECH    FN       ALLDC    IBW      CHNIM    ITRACE
    15.000    0.000   -1.000    0.000    0.000    0.000    0.000    0.000    0.000    0.000
```

PRINTED IN U.S.A.

ROCKET ELECTRONICS BY ROYAL MANIFOLD FORMS

****

HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977

ERROR CORR - 01

MODIFICATION - 51,51,52

****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	XLOB	ELTRD	ELLOB	ELMIN	Q	CWSEL	CRIWS	VOL	TOPWID	VCH	AREA	ENRGY
	1.000	0.00	0.00	0.00	800.25	50.00	804.20	0.00	804.37	25.54	3.30	15.15	9.36
	1.000	0.00	0.00	0.00	800.25	75.00	804.20	0.00	804.56	64.22	4.95	15.15	9.36
	1.000	0.00	0.00	0.00	800.25	100.00	804.21	0.00	804.80	114.17	5.50	18.18	9.46
	1.000	0.00	0.00	0.00	800.25	150.00	804.23	0.00	805.22	255.69	8.80	18.18	9.36
*	1.000	0.00	0.00	0.00	800.25	200.00	804.27	804.27	806.75	394.30	11.28	18.18	11.66
	1.900	175.00	817.80	806.25	801.75	50.00	805.96	0.00	805.17	66.37	4.43	11.30	6.14
	1.900	175.00	817.80	806.25	801.75	75.00	805.98	0.00	806.04	105.99	5.48	13.69	7.21
	1.900	175.00	817.80	806.25	801.75	100.00	806.04	0.00	806.14	93.12	5.56	14.64	12.17
	1.900	175.00	817.80	806.25	801.75	150.00	809.44	0.00	810.13	80.53	6.47	23.10	27.67
	1.900	175.00	817.80	806.25	801.75	200.00	815.27	0.00	815.35	14.16	3.46	57.75	53.16
	2.100	50.00	0.00	0.00	801.50	50.00	805.25	0.00	805.28	2.69	1.56	45.66	30.97
	2.100	50.00	0.00	0.00	801.50	75.00	806.16	0.00	806.21	2.55	1.79	60.06	46.96
	2.100	50.00	0.00	0.00	801.50	100.00	806.95	0.00	807.00	2.52	1.97	73.66	62.96
	2.100	50.00	0.00	0.00	801.50	150.00	810.22	0.00	810.25	0.79	1.55	247.84	198.24
	2.100	50.00	0.00	0.00	801.50	200.00	815.40	0.00	815.41	0.12	0.84	764.06	576.10
	2.150	275.00	0.00	0.00	802.35	50.00	805.33	0.00	805.35	2.10	1.21	55.60	34.54
	2.150	275.00	0.00	0.00	802.35	75.00	806.24	0.00	806.27	1.74	1.33	78.99	56.90
	2.150	275.00	0.00	0.00	802.35	100.00	807.03	0.00	807.06	1.55	1.46	105.97	80.28
	2.150	275.00	0.00	0.00	802.35	150.00	810.25	0.00	810.26	0.42	0.68	411.08	266.55
	2.150	275.00	0.00	0.00	802.35	200.00	815.41	0.00	815.41	0.07	0.60	933.60	772.72
*	2.200	275.00	0.00	0.00	805.20	50.00	806.13	806.13	806.69	200.99	4.86	10.80	3.53
*	2.200	275.00	0.00	0.00	805.20	75.00	806.35	806.35	806.82	181.32	5.53	14.59	5.87
	2.200	275.00	0.00	0.00	805.20	100.00	805.97	0.00	807.27	59.05	4.41	28.15	13.02
	2.200	275.00	0.00	0.00	805.20	150.00	810.24	0.00	810.29	2.59	3.95	132.00	53.12
	2.200	275.00	0.00	0.00	805.20	200.00	815.41	0.00	815.42	0.18	3.64	629.00	467.53
	3.000	300.00	0.00	0.00	806.00	225.00	808.55	0.00	809.11	73.53	6.14	66.50	26.24
	3.000	300.00	0.00	0.00	806.00	225.00	808.69	0.00	809.18	62.24	5.83	67.36	28.52
	3.000	300.00	0.00	0.00	806.00	225.00	808.86	0.00	809.17	52.58	5.64	67.32	28.48
	3.000	300.00	0.00	0.00	806.00	225.00	810.53	0.00	810.47	8.37	3.17	120.82	75.55
	3.000	300.00	0.00	0.00	806.00	225.00	815.41	0.00	815.42	0.25	0.93	829.33	645.66

PRINTED IN U.S.A.

FORM 1611-20-PRINTED BY NATIONAL MANIFOLD FORMS

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	WSEL	DIF.SP	DIFCH	DIFCHS	TOP.ID	VLOC
	1.000	50.00	804.20	0.00	0.00	0.00	4.57	0.00
	1.000	75.00	804.20	0.00	0.00	0.00	4.50	0.00
	1.000	100.00	804.20	0.00	0.00	0.00	4.50	0.00
	1.000	150.00	804.20	0.00	0.00	0.00	4.50	0.00
	1.000	200.00	804.77	0.00	0.00	0.57	4.50	0.00
	1.900	50.00	804.86	0.00	0.66	0.00	4.50	175.00
	1.900	75.00	805.58	0.00	1.38	0.00	4.50	175.00
	1.900	100.00	806.20	0.00	2.10	0.00	7.90	175.00
	1.900	150.00	809.84	0.00	5.44	0.00	4.50	175.00
	1.900	200.00	815.17	0.00	10.33	0.00	4.50	175.00
	2.100	50.00	805.25	0.00	0.39	0.00	16.44	50.00
	2.100	75.00	806.16	0.00	0.58	0.00	18.98	50.00
	2.100	100.00	806.93	0.00	0.67	0.00	20.91	50.00
	2.100	150.00	810.22	0.00	0.37	0.00	98.37	50.00
	2.100	200.00	815.40	0.00	0.24	0.00	97.91	50.00
	2.150	50.00	805.33	0.00	0.08	0.00	25.61	275.00
	2.150	75.00	806.24	0.00	0.08	0.00	29.42	275.00
	2.150	100.00	807.03	0.00	0.10	0.00	32.65	275.00
	2.150	150.00	811.25	0.00	0.04	0.00	100.00	275.00
	2.150	200.00	815.41	0.00	0.01	0.00	100.00	275.00
*	2.200	50.00	806.13	0.00	0.30	0.00	16.20	275.00
*	2.200	75.00	806.35	0.00	0.11	0.00	17.24	275.00
	2.200	100.00	806.97	0.00	-0.06	0.00	80.09	275.00
	2.200	150.00	810.24	0.00	-0.01	0.00	100.00	275.00
	2.200	200.00	815.41	0.00	0.00	0.00	100.00	275.00
	3.000	225.00	808.55	0.00	2.42	0.00	26.08	300.00
	3.000	225.00	808.65	0.00	2.30	0.00	26.68	300.00
	3.000	225.00	808.66	0.00	1.69	0.00	26.67	300.00
	3.000	225.00	810.33	0.00	0.09	0.00	100.00	300.00
	3.000	225.00	815.41	0.00	0.01	0.00	100.00	300.00

SUMMARY OF ERRORS

CAUTION SECNO= 1.000 PROFILE= 5 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 2.200 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 2.200 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 2.200 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE HSEL
CAUTION SECNO= 2.200 PROFILE= 2 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 2.200 PROFILE= 2 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 2.200 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE HSEL

FORM FAILSAFE PRINTED BY MOORE BUSINESS FORMS

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Waubason Creek

4) DOCUMENT TYPE: 100 Yr. Encroachment

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 ADOPTED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 4300 FT. U/S MASON ST.
T3      KALAMAZOO CREEK

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Z         USEL      FQ
          0.        5.        0.        0.  2.000000     1.00      0.1       0.    301.300     0.002

J2  NPLOT     IPLOT     PRFVS     XSECV     XSECH     XN        ALLDN     IF        CHNIM     ITRACE
       15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

FORM SJ1500 PRINTED BY ROYAL MANIFOLD FORMS

```
*PROF 2

CCHV=   0.100 CEHV=   0.300
*SECNO 110.000
 2800 NAT Q1=   1130.20  WSEL=    801.30  ENC Q1=   1164.37  WSEL=    801.46  RATIO= -0.0247
 NAT Q1=   1156.  RATIOS LOB,CH,ROB=  0.0005  0.9990  0.0005  WSEL=    801.40
    SECNO     DEPTH     CWSEL     CRIWS     WSELS     EG        HV        HL        CLOSS   BANK ELEV
    C         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA   LEFT/RIGHT
    TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       PLAIN      SSIA
    SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IRB       ICONT     CONAD     TOPWID     ENDST


3470 ENCROACHMENT STATIONS=     578.0     713.0  TYPE=     4  TARGET=     0.001

          CROSS SECTION 110 AT CONFLUENCE TO KALAMAZOO RIVER

    110.00      7.90    801.30      0.00    801.30    801.31      0.01      0.00      0.00    793.40
       650.        0.      650.        0.        0.      880.        0.        0.        0.    798.30
      0.00       0.00      0.74      0.00     0.120     0.040     0.120     0.000    793.40    573.00
  0.000035          0.        0.        0.         0         0         0      0.00    135.00    713.00


*SECNO 111.000
 2800 NAT Q1=   1042.85  WSEL=    801.36  ENC Q1=   1073.33  WSEL=    801.46  RATIO= -0.0292
 NAT Q1=   1076.  RATIOS LOB,CH,ROB=  0.0017  0.9970  0.0005  WSEL=    801.46

3470 ENCROACHMENT STATIONS=     903.0    1061.0  TYPE=     4  TARGET=     0.002

          CROSS SECTION 111

    111.00      7.60    801.36      0.00    801.36    801.37      0.01      0.04      0.00    798.70
       520.        0.      650.        0.        0.      889.        0.       33.       4.    798.80
      0.62       0.00      0.71      0.00     0.120     0.040     0.120     0.040    793.70    933.30
 0.000049       1640.     1640.     1640.         0         0         0      0.00    139.00   1061.10


*SECNO 112.000
 2800 NAT Q1=    844.05  WSEL=    801.41  ENC Q1=    864.34  WSEL=    801.51  RATIO= -0.0240
 NAT Q1=    873.  RATIOS LOB,CH,ROB=  0.0019  0.9934  0.0047  WSEL=    801.51

3470 ENCROACHMENT STATIONS=     543.0     653.0  TYPE=     4  TARGET=     0.010

          CROSS SECTION 112

    112.00      6.32    801.42      0.00    801.41    801.43      0.01      0.06      0.00    795.80
       650.        0.      650.        0.        0.      743.        0.       55.       10.   797.90
      1.30       0.00      0.67      0.00     0.120     0.040     0.120     0.040    795.10    569.00
 0.000064       1200.     1200.     1200.         0         0         0      0.00    140.00    683.00


*SECNO 112.500
 2800 NAT Q1=    317.18  WSEL=    801.58  ENC Q1=    329.54  WSEL=    801.66  RATIO= -0.0391
 NAT Q1=    330.  RATIOS LOB,CH,ROB=  0.0011  0.9958  0.0030  WSEL=    801.68

3470 ENCROACHMENT STATIONS=     407.0     495.0  TYPE=     4  TARGET=     0.004
    112.50      4.93    801.62      0.00    801.58    801.65      0.05      0.21      0.01    800.10
       650.        0.      650.        0.        0.      546.        0.       75.       14.   799.50
       .23       0.00      1.08      0.00     0.120     0.040     0.120     0.040    798.70    407.00
 0.000440       1550.     1550.     1552.         2         0         0      0.00     68.00    495.00


*SECNO 113.000
```

2800 NAT Q1= 101.23 WSEL= 801.75 ENC Q1= 101.23 WSEL= 801.85 RATIO= 0.0000
NAT 91= 109. RATIOS LOB,CH,ROB= 0.0618 0.9012 0.0370 WSEL= 801.05

SECNO	DEPTH	CHSEL	CRIMS	HSELK	EG	KV	HL	OLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	VCH	TPA	LEFT/RIGHT
TIME	VLOB	WCH	WROB	XNL	ANCH	WSEL	QTOT	ELMIN	SSTA
SLOPE	XLOBL	KLCH	XLOBR	ITRIAL	LHS	ZCONT	CCHAN	TOPWID	SMCHT

3470 ENCROACHMENT STATIONS= 353.2 419.6 TYPE= 4 TARGET= 0.060

112.60	4.64	801.74	0.00	801.75	802.14	0.40	0.39	0.10	800.30
650.	17.	631.	2.	21.	423.	2.	77.	14.	800.60
1.25	0.87	5.12	0.66	0.120	0.040	0.120	0.040	797.10	355.79
0.004652	375.	375.	375.	3	2	0	0.00	66.41	419.60

*SECNO 112.700
2800 NAT Q1= 102.92 WSEL= 802.85 ENC Q1= 102.92 WSEL= 802.95 RATIO= 0.0000
NAT 91= 174. RATIOS LOB,CH,ROB= 0.1084 0.7937 0.0979 WSEL= 802.55

3470 ENCROACHMENT STATIONS= 327.1 461.4 TYPE= 4 TARGET= 0.062

112.70	5.45	802.93	0.00	802.85	803.11	0.17	0.95	0.02	801.00
650.	54.	553.	43.	79.	197.	67.	79.	19.	801.20
1.29	0.66	5.52	0.64	0.120	0.040	0.120	0.040	797.50	327.09
0.001595	375.	375.	375.	2	0	1	0.00	136.36	461.45

*SECNO 112.800
2800 NAT Q1= 103.33 WSEL= 803.42 ENC Q1= 103.33 WSEL= 803.52 RATIO= 0.0000
NAT 91= 193. RATIOS LOB,CH,ROB= 0.1168 0.7765 0.1067 WSEL= 803.52

3470 ENCROACHMENT STATIONS= 323.6 473.4 TYPE= 4 TARGET= 0.060

112.80	5.62	803.52	0.00	803.42	803.66	0.14	0.54	0.00	801.40
650.	60.	537.	53.	93.	164.	88.	82.	16.	801.60
1.32	0.65	5.27	0.67	0.120	0.040	0.120	0.040	797.90	323.57
0.001299	375.	375.	375.	2	0	0	0.00	149.03	473.40

*SECNO 113.000
2800 NAT Q1= 189.06 WSEL= 803.89 ENC Q1= 189.06 WSEL= 803.99 RATIO= 0.0000
NAT 91= 201. RATIOS LOB,CH,ROB= 0.1204 0.7667 0.1128 WSEL= 803.99

3470 ENCROACHMENT STATIONS= 321.5 480.2 TYPE= 4 TARGET= 0.058

CROSS SECTION 113

113.00	5.69	803.99	0.00	803.89	804.12	0.15	0.46	0.00	801.05
650.	63.	527.	58.	100.	167.	99.	85.	18.	802.00
1.36	0.65	5.16	0.68	0.120	0.040	0.120	0.040	798.30	321.69
0.001179	375.	375.	375.	1	2	0	0.00	150.69	480.18

*SECNO 113.100
2800 NAT Q1= 151.58 WSEL= 804.44 ENC Q1= 151.58 WSEL= 804.54 RATIO= 0.0000
NAT Q1= 162. RATIOS LOB,CH,ROB= 0.1065 0.8146 0.0834 WSEL= 804.54

3470 ENCROACHMENT STATIONS= 329.6 453.5 TYPE= 4 TARGET= 0.062

113.10	5.33	804.53	0.00	804.44	804.72	0.19	0.58	0.02	802.70
650.	49.	564.	36.	79.	153.	34.	88.	19.	802.90
1.30	0.70	5.79	0.66	0.120	0.040	0.120	0.040	799.20	329.63
0.001828	400.	400.	400.	1	2	0	0.00	123.92	453.56

*SECNO 113.200

2800 NAT Q1= 139.96 WSEL= 805.21 ENC Q1= 139.94 WSEL= 805.31 RATIO= 0.0000
MAT 31= 149. RATIOS LOB,CH,ROB= 0.0947 0.8321 0.0732 WSEL= 805.31

SECNO	DEPTH	CWSEL	CRWS	WSELK	EG	HV	HL	DLOSS	BANK ELEV
Q	LOB	ICH	CROB	LOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	ENCR	XNR	MTY	ELMIN	ESTA
SLOPE	XICOL	WLCH	WLOST	ITRIAL	IIB	ICONT	CONVR	TOPWID	EWDST

3470 ENCROACHMENT STATIONS= 333.3 445.2 TYPE= 4 TARGET= 0.064

193.20	5.21	805.31	0.00	805.21	805.52	0.21	0.30	0.0	803.60
650.	43.	578.	29.	60.	147.	40.	52.	20.	803.00
1.43	0.79	3.93	0.71	0.120	0.040	0.120	0.040	800.10	333.24
0.002173	400.	400.	400.	2	0	0	0.00	111.91	445.17

*SECNO 114.000
CCHV= 0.300 CEHV= 0.500

3470 ENCROACHMENT STATIONS= 1.0 749.0 TYPE= 1 TARGET= 747.000

K200 Controls

100 D/S MICHIGAN AVE. CROSS SECTION 114

114.00	5.16	805.16	0.00	806.26	806.32	0.11	0.00	0.21	802.60
650.	15.	627.	6.	23.	103.	10.	33.	2.	802.10
1.47	0.67	3.43	0.63	0.120	0.045	0.120	0.040	801.00	362.17
0.001423	460.	460.	460.	2	0	0	0.00	57.84	420.01

*SECNO 115.000

3495 OVERBANK AREA ASSURED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

D/S MICHIGAN AVE CROSS SECTION 116

114.00	4.80	806.10	0.00	806.31	806.51	0.21	0.16	0.02	802.60
650.	0.	650.	0.	0.	175.	0.	93.	21.	802.10
1.47	0.00	3.72	0.00	0.120	0.045	0.120	0.040	801.50	414.00
0.001805	100.	100.	100.	2	0	0	0.00	40.00	454.00

*SECNO 114.900

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 816.50 MAX ELLC= 812.50

3495 OVERBANK AREA ASSURED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

D/S FACE MICHIGAN AVE. CROSS SECTION 115 116

114.90	4.63	806.30	0.00	805.21	806.51	0.21	0.00	0.00	802.60
650.	0.	650.	0.	0.	175.	0.	93.	21.	802.10
1.47	0.00	3.71	0.00	0.120	0.045	0.120	0.040	801.50	414.00
0.001802	1.	1.	1.	0	0	0	0.00	40.00	454.00

*SECNO 115.000

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 816.50 MAX ELLC= 812.79

3495 OVERBANK AREA ASSURED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

FORM 141-UD PRINTED BY ROBERT HANSFIELD FORMS.
PRINTED IN U.S.A.

U/S FACE MICHIGAN AVE. CROSS SECTION 115 116

115.00	4.7[illegible]	806.41	0.00	805.33	806.63	0.22	0.17	0.00	802.[illegible]
650.	0.	650.	0.	0.	171.	0.	94.	21.	802.30
1.48	0.00	3.79	0.00	0.120	0.045	0.120	0.040	801.70	414.00
0.001933	60.	60.	60.	0	0	0	0.00	40.00	454.00

*SECNO 115.100

SECNO	DEPTH	QPSTL	QPISS	PSELV	ZL	ZV	HL	OLOSS	BANK ELEV
Q	SLOP	QLN	QDCS	ALOB	ACH	ARCH	VOL	TAN	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IP2	ICONT	CORAR	TOPWID	ENDST

3455 OVERBANK AREA ASSUMED NON-EFFECTIVE,FLEL= 816.50 SLOPE= 806.50

U/S MICHIGAN AVE CROSS SECTION 116

115.10	4.71	806.41	0.00	806.33	806.63	0.22	0.00	0.10	802.50
650.	0.	650.	0.	0.	171.	0.	94.	21.	802.30
1.48	0.00	3.79	0.00	0.120	0.045	0.120	0.040	801.70	414.00
0.001931	1.	1.	1.	0	0	0	0.00	40.00	454.00

*SECNO 116.600

50 FT U/S MICHIGAN AVE. CROSS SECTION 116

116.00	5.06	806.56	0.00	806.49	806.73	0.16	0.08	0.02	802.60
650.	0.	650.	13.	15.	190.	10.	94.	21.	802.30
1.48	0.66	3.31	0.68	0.120	0.045	0.120	0.040	801.50	341.36
0.001266	50.	50.	50.	2	0	0	0.00	56.05	397.72

*SECNO 116.700

2650 SAT QI= 104.79 QSEL= 809.26 EXC QI= 184.79 WSEL= 809.36 RATIO= 0.0000
MAT QI= 192. RATIOS LOB/CH/ROB= 0.0209 0.9581 0.0211 USEL= 809.36

3470 ENCROACHMENT STATIONS= 449.7 489.0 TYPE= 4 TARGET= 0.035

100 FT D/S CROSS ST CROSS SECTION 118

116.70	3.49	809.51	0.00	809.28	809.51	0.19	2.75	0.01	804.90
650.	2.	632.	15.	5.	179.	16.	106.	25.	803.50
1.66	0.45	3.55	0.97	0.120	0.045	0.120	0.042	803.90	469.66
0.001278	1350.	2200.	1350.	2	0	0	0.00	39.38	439.04

CCHV= 0.300 CEHV= 0.500
*SECNO 106.900

3470 ENCROACHMENT STATIONS= 394.0 543.0 TYPE= 1 TARGET= 149.000

D/S FACE CROSS ST. CROSS SECTION 118

116.90	5.16	809.46	0.00	809.29	809.52	2.56	0.25	0.13	807.00
650.	28.	602.	20.	25.	197.	196.	104.	24.	807.00
1.66	1.11	6.22	4.07	0.120	0.035	0.120	0.041	804.20	426.87
0.00529	100.	100.	100.	2	0	0	0.00	84.90	503.76

FORM 1417-D PRINTED BY COTTON MANIFOLD FORMS.
PRINTED IN U.S.A.

SPECIAL BRIDGE

SK	XK	XRCD	CFRD	DELEN	DPC	BWF	DANGL	SE	ELCHL	ELCRD
	0.30	2.02	3.00	0.00	13.00	0.70	75.00	0.00	804.13	804.30

*SECNO 117.000
PRESSURE AND MEMR FLOW

SGPRS	EGLLC	WP	QHEAD	QPR	BOREA	TRAPEZOID AREA	ELLC	ELTRD
811.72	810.15	0.00	89.	565.	75.	77.	810.00	810.00

U/S FACE CROSS ST. CROSS SECTION 117+10

117.00	5.83	810.83	0.00	810.00	811.14	0.31	1.22	0.00	807.00
650.	33.	584.	34.	58.	124.	60.	126.	24.	807.00
1.06	0.56	6.72	1.56	0.120	0.033	0.122	0.041	805.30	395.93
0.0028?3	35.	59.	35.	2	0	3	0.00	160.45	542.38

*SECNO 117.200
2800 NAT Q1= 661.89 USEL= 811.16 ENC Q1= 661.89 USEL= 811.26 RATIO= 0.0050
NAT Q= 477. RATIOS LOB/CH/ROB= 0.0636 0.1960 0.2125 USEL= 811.26

SECNO	DEPTH	CWSL	CRIWS	USELK	ES	HV	HL	CLOSS	DARK ELEV
3	3LO	CCH	CROB	ALCH	ACH	AROB	VOL	INA	LEFT/RIGHT
TIME	VLOB	WCH	VROB	XNL	XNCH	XNR	BTN	ELMIN	SSTA
SLOPE	KLOBL	KLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3670 ENCROACHMENT STATIONS= 440.7 573.5 TYPE= 4 TARGET= 0.081

50 FT U/S CROSS ST. CROSS SECTION 110

117.20	7.27	811.17	0.00	811.16	811.24	0.07	0.12	0.07	804.91
650.	31.	569.	74.	94.	241.	220.	105.	24.	803.90
1.57	0.32	2.26	0.33	0.120	0.034	0.120	0.041	803.90	410.73
0.000238	50.	50.	50.	2	0	0	0.00	162.81	573.54

CCHV= 0.100 CEHV= 0.300
*SECNO 119.000
2800 NAT Q1= 84.36 WSEL= 811.65 ENC Q1= 26.34 WSEL= 811.75 RATIO= 3.0000
NAT Q1= 92. RATIOS LOB/CH/ROB= 0.1491 0.6620 0.1889 WSEL= 811.75

3470 ENCROACHMENT STATIONS= 157.5 320.2 TYPE= 4 TARGET= 0.080

CROSS SECTION 119

119.00	3.66	811.66	0.00	811.65	812.15	0.49	0.78	0.13	808.40
650.	72.	479.	99.	58.	74.	75.	115.	28.	809.00
1.74	1.23	6.47	1.32	0.100	0.040	0.100	0.042	808.00	157.47
0.006163	900.	385.	1100.	4	0	2	0.00	162.74	320.21

CCHV= 0.100 CEHV= 0.500
*SECNO 119.500

3470 ENCROACHMENT STATIONS= 507.0 853.0 TYPE= 1 TARGET= 346.000

119.50	4.89	813.49	0.00	813.40	814.02	0.53	1.85	0.02	810.90
650.	11.	631.	8.	11.	107.	8.	117.	29.	810.60
1.76	0.93	5.92	0.97	0.120	0.035	0.120	0.041	803.60	629.91
0.003315	400.	400.	401.	2	0	0	0.00	42.61	672.52

*SECNO 119.600

119.60	4.86	814.66	0.00	814.65	815.20	0.54	1.18	0.00	812.10
650.	10.	632.	8.	11.	106.	8.	118.	29.	811.80
1.70	0.93	5.97	0.98	0.120	0.035	0.120	0.041	679.80	630.03
0.003434	350.	350.	350.	2		0	0.00	42.49	672.43

*SECNO 120.000

3470 ENCROACHMENT STATIONS= 638.0 660.0 TYPE= 1 TARGET= 30.000

100 FT D/S MASON ST. CROSS SECTION 2

120.00	4.67	815.37	0.00	815.86	816.30	0.43	1.06	0.03	812.10
650.	2.	646.	2.	4.	123.	4.	119.	30.	811.80
1.30	2.47	5.25	0.50	0.120	0.035	0.120	0.041	641.03	638.03
1.012151	400.	400.	400.	2	2	1	0.00	30.30	660.00

*SECNO 120.800

ZONE DV CHANGED CODE THAT EXIST

ISECNO	DEPTH	CHSEL	CQIWS	WSELS	EC	AV		QLOSS	BANK F EV
Q	QLOB	QCH	QROB	ALOB	ACH	ARDB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 818.50 ELREA= 818.50

D/S MASON ST. CROSS SECTION 2

120.85	4.52	815.62	0.00	813.61	816.93	1.32	0.19	0.45	811.10
650.	0.	650.	0.	0.	71.	0.	119.	30.	811.10
1.80	0.00	9.21	0.00	0.120	0.035	0.120	0.041	811.10	644.70
0.008761	50.	50.	50.	2	0	0	0.00	15.60	660.30

*SECNO 120.900

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 818.50 MAX ELLC= 817.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 816.30 ELREA= 818.30

D/S FACE MASON ST. CROSS SECTION 182

130.90	4.45	815.50	0.00	813.56	817.00	1.43	0.01	0.05	811.10
650.	0.	650.	0.	0.	68.	0.	119.	30.	811.10
1.60	0.00	8.61	0.00	0.120	0.035	0.120	0.041	811.10	644.70
0.005158	1.	1.	1.	2	0	0	-29.97	15.60	660.30

*SECNO 12[illegible].000

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 818.50 MAX ELLC= 817.60

3670 ENCROACHMENT STATIONS= 617.0 680.0 TYPE= 1 TARGET= 63.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEN= 818.50 ELREA= 818.50

U/S FACE PACO ST. CROSS SECTION 62

121.60	5.15	816.23	0.00	816.23	817.32	1.09	0.21	0.13	811.10
650.	0.	650.	0.	0.	78.	0.	119.	30.	811.10
1.80	0.00	6.36	0.00	0.120	0.025	0.120	0.041	811.10	644.70
0.003377	52.	52.	52.	3	0	0	-36.34	15.60	660.30

*SECNO 121.100

3470 ENCROACHMENT STATIONS= 617.0 680.0 TYPE= 1 TARGET= 63.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEN= 818.50 ELREA= 818.50

U/S MASON ST. CROSS SECTION 2

121.10	5.30	816.40	0.00	816.40	817.36	0.96	0.01	0.04	811.10
650.	0.	650.	0.	0.	85.	0.	119.	30.	811.10
1.80	0.00	7.55	0.00	0.120	0.045	0.120	0.041	811.10	644.70
0.000893	1.	1.	1.	2	0	0	0.00	15.60	660.30

*SECNO 121.200

3301 HV CHANGED MORE THAN 1 VELS

3470 ENCROACHMENT STATIONS= 608.0 688.0 TYPE= 1 TARGET= 80.000

50 FT D/S MASON ST. CROSS SECTION 2

121.20	6.47	817.47	0.00	817.47	817.75	0.28	0.10	0.20	811.30
650.	68.	481.	101.	74.	98.	90.	119.	30.	812.00
1.80	0.92	4.89	1.12	0.120	0.045	0.120	0.041	811.00	808.00
0.001963	50.	50.	50.	3	0	0	0.00	80.00	888.00

CCHV= 0.100 CEHV= 0.300

*SECNO 122.000

2800 NAT Q1= 371.66 WSEL= 818.35 ENC Q1= 371.66 WSEL= 818.45 RATIO= 0.0000

NAT Q1= 388. RATIOS LOB,CH,ROB= 0.1236 0.3582 0.5182 WSEL= 818.45


SECNO	DEPTH	Q SEL	CROHS	WSELK	EG	HV	AL	CLOSS	BANK ELEV
3	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XCH	XNR	TH	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IK2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 777.6 1052.5 TYPE= 4 TARGET= 2.042

CROSS SECTION 3

122.00	7.38	818.38	0.00	811.35	818.49	0.11	0.12	0.07	811.31

650.	69.	246.	335.	159.	113.	658.	133.	34.	812.00
2.04	0.43	2.98	0.51	0.120	0.245	0.129	0.061	811.00	777.57
0.000325	965.	965.	965.	2	0	0	0.00	274.93	1052.49



****
HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERROR LIST

WAUBASCON CREEK

SUMMARY PRINTOUT TABLE 110

SECNO	CHSEL	DIFSHF	E3	TOPWID	ALOB	ROB	CODE	PREMIS	PIPSEL	STHVEL	STMAXE	STCRIT
110.000	801.30	0.00	801.31	144.77	0.31	649.30	0.31	0.00	0.00	578.00	713.00	0.00
110.000	801.30	0.00	801.31	135.00	0.00	650.00	0.00	0.00	578.00	578.00	713.00	713.00
111.000	801.36	0.00	801.37	170.00	0.00	650.00	0.00	0.00	0.00	903.00	1061.00	0.00
111.000	801.36	0.00	801.37	150.00	0.00	650.00	0.00	0.00	903.00	903.00	1061.00	1061.00
112.000	801.41	0.00	801.42	166.23	0.70	646.17	5.16	0.00	0.00	543.00	683.00	0.00
112.000	801.42	0.01	801.43	140.00	0.00	650.00	0.00	0.01	543.00	543.00	683.00	683.00
112.500	801.54	0.00	801.55	99.29	0.44	647.54	1.62	0.00	0.00	507.00	495.00	0.00
112.500	801.60	0.02	801.61	80.00	0.01	650.00	0.00	0.00	407.00	407.00	495.00	495.00
112.600	801.75	0.00	802.08	186.09	35.05	594.84	20.11	0.00	0.00	375.00	417.00	0.00
112.600	801.74	-0.00	802.14	66.41	17.25	631.13	1.62	0.07	353.19	375.00	417.00	419.60
112.700	802.55	0.00	803.00	251.23	63.73	628.30	36.80	0.00	0.00	375.00	417.00	0.00
112.700	802.95	0.10	803.11	134.36	53.73	553.32	42.97	0.06	327.09	375.00	417.00	461.45
112.800	803.42	0.00	803.54	260.33	72.57	513.70	63.73	0.00	0.00	375.00	417.00	0.00
112.800	803.52	0.10	803.66	149.83	60.17	537.03	52.80	0.06	323.57	375.00	417.00	473.40
113.000	803.89	0.00	804.01	261.69	75.14	501.06	64.03	0.00	0.00	375.00	417.00	0.00
113.000	803.99	0.10	804.12	158.09	63.62	528.08	57.69	0.06	321.69	375.00	417.00	480.18
113.100	804.44	0.00	804.61	244.56	62.41	538.86	48.73	0.00	0.00	375.00	417.00	0.00
113.100	804.53	0.10	804.72	123.92	49.30	564.31	36.39	0.06	329.63	375.00	417.00	453.54
113.200	805.21	0.00	805.41	237.37	57.41	550.49	47.13	0.00	0.00	375.00	417.00	0.00
113.200	805.31	0.09	805.52	111.91	45.44	588.10	28.46	0.06	333.86	375.00	417.00	445.17
114.000	806.06	0.00	806.24	57.37	14.71	628.04	6.25	0.00	0.00	375.00	415.00	0.00
114.000	806.16	0.10	806.33	57.84	15.27	628.30	6.63	747.00	1.00	375.00	415.00	748.00
114.800	806.21	0.00	806.43	60.00	0.00	650.00	0.00	0.00	0.00	414.00	454.00	0.00
114.800	806.30	0.09	806.51	40.00	0.30	650.00	0.00	0.00	0.00	414.00	454.00	0.00
114.900	806.21	0.00	806.44	40.00	0.30	650.00	0.00	0.00	0.00	414.00	454.00	0.00
114.900	806.30	0.09	806.51	40.00	0.30	650.00	0.00	0.00	0.00	414.00	454.00	0.00

FORM 11(1)-D PRINTED IN U.S.A.
FOR SALE BY ROYAT HADFOLD FORMS.

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROT	PERENC	STENCL	STCHL	STCHR	STENCT
115.000	806.33	0.00	806.56	40.00	0.00	650.00	0.00	0.00	0.00	414.00	454.00	0.00
115.000	806.41	0.00	806.63	40.00	0.00	650.00	0.00	0.00	0.00	414.00	454.00	0.00
115.100	806.33	0.00	806.55	40.00	0.00	650.00	0.00	0.00	0.00	414.00	454.00	0.00
115.100	806.41	0.00	806.63	40.00	0.00	650.00	0.00	0.00	0.00	414.00	454.00	0.00
116.000	806.49	0.00	806.66	55.78	9.08	628.53	12.39	0.00	0.00	349.00	389.00	0.00
116.000	806.56	0.07	806.73	56.00	9.30	630.00	12.63	0.00	0.00	349.00	389.00	0.00
116.700	809.24	0.00	809.44	131.33	12.79	612.91	25.13	0.00	0.00	451.00	485.00	0.00
116.700	809.31	0.05	809.51	39.30	2.29	632.00	15.71	0.04	449.56	451.00	485.00	489.04
116.900	809.29	0.00	809.48	75.33	26.20	606.66	19.14	0.00	0.00	456.00	480.00	0.00
116.900	809.36	0.07	809.72	71.00	27.71	601.27	20.32	0.00	396.30	456.00	480.00	561.00
117.000	810.00	0.00	811.12	140.24	31.49	585.90	32.71	0.00	0.00	456.00	480.00	0.00
117.000	810.83	0.03	811.14	140.15	32.56	583.43	33.81	0.00	0.00	456.00	480.00	0.00
117.200	811.16	0.00	811.22	207.37	39.66	529.63	80.73	0.00	0.00	451.00	485.00	0.00
117.200	811.17	0.01	811.24	192.41	81.27	545.00	73.73	0.00	440.73	451.00	485.00	573.54
119.000	811.65	0.00	812.07	230.12	80.36	469.13	115.19	0.00	0.00	223.00	247.00	0.00
119.000	811.66	0.01	812.15	182.76	71.56	479.36	99.10	0.00	157.47	223.00	247.00	320.21
119.500	813.40	0.00	813.95	42.10	10.04	632.38	7.59	0.00	0.00	639.00	667.00	0.00
119.500	813.49	0.09	814.02	42.41	10.62	631.46	7.91	546.20	537.00	639.00	667.00	853.00
119.600	814.65	0.10	815.19	42.42	10.40	631.30	7.80	0.00	0.00	639.00	667.00	0.00
119.600	814.66	0.01	815.20	42.43	10.42	631.77	7.81	0.00	0.00	639.00	667.00	0.00
120.000	815.86	0.00	816.29	30.00	1.79	646.31	1.90	30.00	638.00	639.00	667.00	660.00
120.000	815.87	0.01	816.30	30.30	1.79	646.31	1.90	30.00	638.00	639.00	667.00	660.00
120.800	815.61	0.00	816.93	15.60	0.00	650.00	0.00	0.00	0.00	644.70	660.30	0.00
120.800	815.62	0.01	816.93	15.60	0.00	650.00	0.00	0.00	0.00	644.70	660.30	0.00
120.900	815.56	0.00	817.00	15.60	0.00	650.00	0.00	0.00	0.00	644.70	660.30	0.00
120.900	815.56	0.00	817.00	15.60	0.00	650.00	0.00	0.00	0.00	644.70	660.30	0.00
121.000	816.23	0.00	817.32	15.60	0.00	650.00	0.00	63.00	617.00	644.70	660.30	680.00
121.000	816.23	0.00	817.32	15.60	0.00	650.00	0.00	63.00	617.00	644.70	660.30	680.00
121.100	816.40	0.00	817.36	15.60	0.00	650.00	0.00	63.00	617.00	644.70	660.30	680.00
121.100	816.40	0.00	817.36	15.60	0.00	650.00	0.00	63.00	617.00	644.70	660.30	680.00
121.200	817.67	0.00	817.75	80.00	66.45	400.76	100.80	80.00	808.00	840.00	856.00	888.00
121.200	817.67	0.00	817.75	80.00	66.47	400.71	100.82	80.00	808.00	840.00	856.00	888.00
122.000	818.35	0.00	818.38	392.49	78.30	237.56	334.13	0.00	0.00	840.00	856.00	0.00
122.000	818.38	0.02	818.41	274.93	66.64	256.22	339.13	0.24	777.57	840.00	856.00	1052.49

FORM 1411-CO4 UNITED DISTRIBUTORS MANIFOLD FORMS PRINTED IN U.S.A.

HAUBASCON CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	NLSW	ELTRB	FLLC	ELTTY	Q	CANEL	CRITS	DF	10**S	WCI	AREA	PERM
110.000	0.00	0.00	0.00	793.40	650.00	801.30	0.00	801.31	0.33	0.74	888.95	1136.20
110.000	0.00	0.00	0.00	793.40	650.00	801.30	0.00	801.31	0.35	0.74	879.77	1106.55
111.000	1640.00	0.00	0.00	793.70	650.00	801.36	0.00	801.37	0.39	0.73	903.14	1042.03
111.000	1640.00	0.00	0.00	793.70	650.00	801.36	0.00	801.37	0.41	0.73	888.64	1019.08
112.000	1200.00	0.00	0.00	795.10	650.00	801.41	0.00	801.42	0.59	0.87	706.10	844.05
112.000	1200.00	0.00	0.00	795.10	650.00	801.42	0.00	801.43	0.64	0.87	763.20	813.94
112.500	1530.00	0.00	0.00	796.70	650.00	801.50	0.00	802.03	4.20	1.80	354.79	317.10
112.500	1530.00	0.00	0.00	796.70	650.00	801.50	0.00	802.05	4.40	1.85	366.13	308.85
112.600	375.00	0.00	0.00	797.10	650.00	801.75	0.00	802.08	41.23	4.02	210.03	101.23
112.600	375.00	0.00	0.00	797.10	650.00	801.76	0.00	802.14	46.52	5.12	166.94	95.30
112.700	375.00	0.00	0.00	797.50	650.00	802.35	0.00	803.03	15.92	2.66	350.92	102.92
112.700	375.00	0.00	0.00	797.50	650.00	802.95	0.00	803.11	15.85	3.52	302.07	102.77
112.800	375.00	0.00	0.00	797.90	650.00	803.42	0.00	803.54	12.99	3.22	410.87	100.33
112.800	375.00	0.00	0.00	797.90	650.00	803.52	0.00	803.66	12.98	3.27	344.32	100.41
113.000	375.00	0.00	0.00	798.50	650.00	803.89	0.00	804.01	11.82	3.11	431.75	100.06
113.000	375.00	0.00	0.00	798.50	650.00	803.99	0.00	804.12	11.79	3.16	386.79	100.20
113.100	400.00	0.00	0.00	799.20	650.00	804.44	0.00	804.61	18.39	3.64	360.96	151.50
113.100	400.00	0.00	0.00	799.20	650.00	804.53	0.00	804.72	18.28	3.70	276.87	152.02
113.200	400.00	0.00	0.00	800.10	650.00	805.21	0.00	805.61	21.58	3.85	311.69	139.94
113.200	400.00	0.00	0.00	800.10	650.00	805.31	0.00	805.52	21.75	3.93	266.96	139.44
114.000	460.00	0.00	0.00	801.00	650.00	806.06	0.00	806.24	15.33	3.51	210.67	166.01
114.000	460.00	0.00	0.00	801.00	650.00	806.16	0.00	806.33	14.23	3.43	216.33	172.31
114.500	100.00	0.00	0.00	801.50	650.00	806.21	0.00	806.48	19.23	5.79	171.46	148.05
114.600	100.00	0.00	0.00	801.50	650.00	806.30	0.00	806.51	18.05	5.72	174.90	152.78
114.900	1.00	816.50	812.50	801.50	650.00	806.21	0.00	806.44	19.26	3.79	171.51	148.12
114.900	1.00	816.50	812.50	801.50	650.00	806.30	0.00	806.51	18.02	3.71	174.99	155.11
115.000	50.00	816.50	812.70	801.70	650.00	806.33	0.00	806.56	20.56	3.87	168.15	143.36
115.000	50.00	816.50	812.70	801.70	650.00	806.43	0.00	806.63	19.33	3.79	171.53	147.66
115.100	1.00	0.00	0.00	801.70	650.00	806.33	0.00	806.56	20.54	3.86	168.20	143.43
115.100	1.00	0.00	0.00	801.70	650.00	806.41	0.00	806.63	19.31	3.79	171.38	147.93
116.000	50.00	0.00	0.00	801.30	650.00	806.69	0.00	806.66	13.33	3.96	218.85	170.05
116.000	50.00	0.00	0.00	801.30	650.00	806.56	0.00	806.73	12.66	3.31	222.81	182.70
116.700	2200.00	0.00	0.00	803.90	650.00	809.26	0.00	809.44	12.37	3.47	230.23	184.79
116.700	2200.00	0.00	0.00	803.90	650.00	809.31	0.00	809.51	12.78	3.55	199.10	181.85
116.900	00.00	0.00	0.00	804.20	650.00	809.29	0.00	809.08	54.74	6.37	135.01	86.29
116.900	00.00	0.00	0.00	804.20	650.00	809.36	0.00	809.92	52.95	6.22	140.67	89.32

FORM 1411-0-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRO	ELLC	ELMIN	Q	CHSEL	CTILS	FS	TOK*S	VCH	AREA	.01A
117.000	35.00	810.80	810.00	805.00	650.00	810.30	0.00	811.12	20.75	4.76	237.43	142.69
117.000	35.00	810.80	810.00	805.00	650.00	810.33	0.00	811.14	20.23	4.72	241.55	144.33
117.200	50.00	0.00	0.00	803.90	650.00	811.16	0.00	811.22	1.98	2.25	627.71	466.35
117.200	50.00	0.00	0.00	803.90	650.00	811.17	0.00	811.24	2.06	2.26	557.09	450.29
119.000	1365.00	0.00	0.00	808.00	650.00	811.65	0.00	812.04	39.60	6.01	255.04	84.34
119.000	1365.00	0.00	0.00	808.00	650.00	811.66	0.00	812.13	37.69	6.47	207.43	75.47
119.300	400.00	0.00	0.00	808.60	650.00	813.40	0.00	813.93	36.13	6.00	122.36	108.14
119.300	400.00	0.00	0.00	808.60	650.00	813.69	0.00	814.02	33.15	5.92	126.33	112.89
119.600	350.00	0.00	0.00	809.80	650.00	814.65	0.00	815.19	36.23	5.98	124.83	111.10
119.600	350.00	0.00	0.00	809.80	650.00	814.66	0.00	815.20	34.14	5.97	126.95	111.28
120.000	400.00	0.00	0.00	811.00	650.00	815.96	0.00	816.29	21.42	5.26	130.32	140.65
120.000	400.00	0.00	0.00	811.00	650.00	815.87	0.00	816.30	21.31	5.25	130.51	140.80
120.300	50.00	0.00	0.00	811.10	650.00	815.61	0.00	816.33	08.17	9.23	70.46	69.22
120.300	50.00	0.00	0.00	811.10	650.00	815.62	0.00	816.93	07.31	9.21	70.55	69.37
120.900	1.00	818.50	817.60	811.10	650.00	815.54	0.00	817.00	51.39	9.62	67.56	90.50
120.900	1.00	818.50	817.60	811.10	650.00	815.54	0.00	817.00	51.38	9.61	67.64	90.60
121.000	52.00	818.50	817.60	811.10	650.00	816.23	0.00	817.32	33.03	8.37	77.67	111.75
121.000	52.50	818.50	817.60	811.10	650.00	816.23	0.00	817.32	32.77	8.31	77.72	111.81
121.100	1.00	0.00	0.00	811.10	650.00	816.40	0.00	817.36	09.79	7.86	82.75	68.20
121.100	1.00	0.00	0.00	811.10	650.00	816.40	0.00	817.36	09.65	7.85	82.79	68.65
121.200	50.00	0.00	0.00	811.00	650.00	817.47	0.00	817.75	15.64	4.89	262.87	146.66
121.200	50.00	0.00	0.00	811.00	650.00	817.47	0.00	817.75	15.63	4.89	262.97	146.72
122.000	965.00	0.00	0.00	811.00	650.00	818.39	0.00	818.38	3.06	2.11	1035.42	371.66
122.000	965.00	0.00	0.00	811.00	650.00	818.38	0.00	818.41	3.25	2.18	929.80	360.48

FORMATI DI PRODOTTO DA: ROTARY MANUFACTURING BOARD

WAUBASCON CREEK

SUMMARY PRINTOUT TABLE 150

SECTION	Q	XUSER	DIFSP	DIFGEN	DIFCUS	TOPWID	VLOU
110.300	650.00	801.30	0.00	0.00	0.00	146.77	0.00
110.300	650.00	801.30	0.00	0.00	0.00	135.00	0.00
111.000	650.00	801.36	0.00	0.06	0.01	170.60	1640.00
111.000	650.00	801.36	0.00	0.06	0.00	158.00	1640.00
112.000	650.00	801.41	0.00	0.05	0.00	166.25	1200.00
112.000	650.00	801.42	0.00	0.06	0.01	160.00	1200.00
112.300	650.00	801.58	0.00	0.18	0.00	99.25	1550.00
112.300	650.00	801.60	0.00	0.18	0.01	96.00	1550.00
112.600	650.00	801.75	0.00	0.17	0.00	186.09	375.00
112.600	650.00	801.76	0.00	0.15	-0.00	66.41	375.00
112.700	650.00	802.85	0.00	1.11	0.10	251.25	375.00
112.700	650.00	802.95	0.00	1.21	0.10	233.36	375.00
112.800	650.00	803.42	0.00	0.56	0.00	260.33	375.00
112.800	650.00	803.52	0.00	0.57	0.10	169.63	375.00
113.000	650.00	803.84	0.00	0.40	0.00	261.46	375.00
113.000	650.00	803.99	0.00	0.47	0.10	158.66	375.00
113.100	650.00	804.44	0.00	0.55	0.00	244.56	400.00
113.100	650.00	804.53	0.00	0.54	0.10	123.92	400.00
113.200	650.00	805.21	0.00	0.75	0.00	237.37	400.00
113.200	650.00	805.31	0.00	0.78	0.09	111.91	400.00
114.000	650.00	806.06	0.00	0.84	0.00	57.37	460.00
114.000	650.00	806.16	0.00	0.85	0.10	57.04	460.00
114.300	650.00	806.21	0.00	0.15	0.00	60.00	100.00
114.300	650.00	806.30	0.00	0.14	0.09	60.00	100.00
114.900	650.00	806.21	0.00	0.00	0.00	60.00	1.00
114.900	650.00	806.30	0.00	0.00	0.09	60.00	1.00
115.000	650.00	806.33	0.00	0.11	0.00	60.00	60.00
115.000	650.00	806.41	0.00	0.11	0.00	60.00	60.00
115.100	650.00	806.33	0.00	0.00	0.00	60.00	1.00
115.100	650.00	806.41	0.00	0.00	0.08	60.00	1.00
116.000	650.00	806.49	0.00	0.16	0.00	55.76	50.00
116.000	650.00	806.56	0.00	0.15	0.07	56.06	50.00
116.700	650.00	809.26	0.00	2.77	0.00	101.33	2200.00
116.700	650.00	809.31	0.00	2.75	0.05	39.38	2200.00
116.900	650.00	809.29	0.00	0.02	0.00	79.33	100.00
116.900	650.00	809.36	0.00	0.05	0.07	81.80	100.00

PRINTED IN U.S.A.

FROM TATTOL-THRYED LYC ROTARY MANIFOLD FORD?

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKUS	TOPWID	XLCH
117.000	650.00	810.80	0.00	1.52	0.00	148.14	35.00
117.000	650.00	812.63	0.00	1.47	0.03	148.15	35.00
117.200	650.00	811.16	0.00	0.36	0.01	207.07	50.00
117.200	650.00	811.17	0.00	0.34	0.01	162.81	50.00
119.000	650.00	811.65	0.00	0.49	0.00	224.12	1365.00
119.000	650.00	811.65	0.00	0.49	0.01	162.74	1365.00
119.500	650.00	813.41	0.00	1.74	0.00	42.11	400.00
119.500	650.00	813.49	0.00	1.83	0.09	42.61	400.00
119.600	650.00	814.65	0.00	1.25	0.00	42.42	350.00
119.600	650.00	814.66	0.00	1.17	0.01	42.43	350.00
120.000	650.00	815.85	0.00	1.21	0.00	30.00	400.00
120.000	650.00	815.87	0.00	1.21	0.01	30.00	400.00
120.800	650.00	815.61	0.00	-0.24	0.00	15.60	50.00
120.800	650.00	815.62	0.00	-0.23	0.01	15.60	50.00
120.900	650.00	815.56	0.00	-0.05	0.00	15.60	1.00
120.900	650.00	815.56	0.00	-0.05	0.01	15.60	1.00
121.000	650.00	816.23	0.00	0.67	0.00	15.60	52.00
121.000	650.00	816.23	0.00	0.67	0.00	15.60	52.00
121.100	650.00	816.40	0.00	0.17	0.00	15.60	1.00
121.100	650.00	816.40	0.00	0.17	0.00	15.60	1.00
121.200	650.00	817.47	0.00	1.06	0.00	80.00	50.00
121.200	650.00	817.47	0.00	1.06	0.00	80.00	50.00
122.000	650.00	818.35	0.00	0.86	0.00	392.69	965.00
122.000	650.00	818.36	0.00	0.91	0.02	274.93	965.00

SUMMARY OF ERRORS

FORM 3211.02 PRINTED BY MOTOR MANIFOLD FORMS
PRINTED IN U.S.A.

FLOODWAY DATA, WAUBASCON CREEK
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
110.000	185.	830.	0.7	801.3	801.3	0.0
111.000	150.	839.	0.7	801.4	801.4	0.0
112.000	140.	743.	0.7	801.4	801.4	0.0
112.500	88.	346.	1.9	801.6	801.6	0.0
112.600	66.	147.	4.4	801.7	801.7	0.0
112.700	134.	303.	2.1	803.0	802.9	0.1
112.800	150.	344.	1.9	803.5	803.4	0.1
113.000	159.	367.	1.8	804.0	803.9	0.1
113.100	124.	277.	2.3	804.5	804.4	0.1
113.200	112.	247.	2.6	805.3	805.2	0.1
114.000	58.	216.	3.0	806.2	806.1	0.1
114.800	40.	175.	3.7	806.3	806.2	0.1
114.900	40.	175.	3.7	806.3	806.2	0.1
115.000	50.	171.	3.8	806.4	806.3	0.1
115.100	40.	171.	3.8	806.4	806.3	0.1
116.000	56.	223.	2.9	806.6	806.5	0.1
116.700	39.	199.	3.3	809.4	809.3	0.1
116.900	82.	141.	4.6	809.4	809.3	0.1
117.000	176.	243.	2.7	810.9	810.8	0.0
117.200	163.	558.	1.2	811.2	811.2	0.0
119.300	163.	207.	3.1	811.7	811.7	0.0
119.500	43.	126.	5.1	813.5	813.4	0.1
119.600	42.	125.	5.2	814.6	814.6	0.0
120.000	50.	133.	5.0	815.9	815.9	0.0
120.800	16.	79.	9.2	815.6	815.6	0.0
120.900	16.	80.	9.0	815.6	815.6	0.0
121.000	16.	78.	9.4	816.2	816.2	0.0
121.100	16.	83.	7.9	816.4	816.4	0.0
121.200	80.	263.	2.5	817.5	817.5	0.0
122.000	275.	930.	0.7	818.4	818.4	0.0

PRINTED IN U.S.A.
PGEB-1011.00-PRINTED BY GRAPHIC MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

C
T1HEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2WAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 1000 FT. U/S MASON ST.
T3       WAUBASCON CREEK.

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.        2.        0.        0.  0.000000      0.00      0.0       0.   801.300     0.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
      1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT

    150.000   201.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRNT     NUMSEC                        ********REQUESTED SECTION NUMBERS********

    -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET    0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000     0.000
QT    5.000   270.000   490.000   650.000   650.000  1230.000     0.000     0.000     0.000     0.000
NC    0.120     0.120     0.040     0.100     0.300     0.000     0.000     0.000     0.000     0.000

          CROSS SECTION 110 AT CONFLUENCE TO KALAMAZOO RIVER

X1  110.000    15.000   578.000   713.000     0.000     0.000     0.000     0.000     0.000     0.000
GR  812.400   518.000   808.600   538.000   803.700   562.000   805.000   566.000   799.200   578.000
GR  794.900   593.000   794.000   623.000   793.400   653.000   794.000   683.000   798.300   713.000
GR  800.700   715.000   802.100   723.000   803.400   744.000   804.100   772.000   810.500   860.000

          CROSS SECTION 111

X1  111.000    22.000   903.000  1061.000  1640.000  1640.000  1640.000     0.000     0.000     0.000
GR  814.200    48.000   811.600    82.000   803.200   118.000   802.500   400.000   802.000   800.000
GR  801.800   893.000   798.700   903.000   796.200   943.000   794.400   983.000   793.700  1003.000
GR  794.700  1033.000   798.000  1061.000   800.700  1083.000   803.900  1073.000   808.300  1098.000
GR  811.600  1122.000   813.900  1142.000   815.900  1164.000   817.200  1190.000   817.200  1256.000
GR  819.100  1278.000   820.000  1300.000     0.000     0.000     0.000     0.000     0.000     0.000

          CROSS SECTION 112

X1  112.000    18.000   543.000   683.000  1200.000  1200.000  1200.000     0.000     0.000     0.000
GR  811.800    56.000   803.600    82.000   803.000   300.000   802.700   536.000   798.500   543.000
GR  795.900   573.000   795.100   603.000   795.300   633.000   796.400   663.000   797.900   683.000
GR  802.000   708.000   801.900   728.000   806.400   746.000   811.400   766.000   813.800   770.000
GR  814.600   808.000   818.000   832.000   825.000   840.000     0.000     0.000     0.000     0.000

X1  112.500    14.000   407.000   493.000  1550.000  1550.000  1550.000     0.000     0.000     0.000
GR  810.000     0.000   804.000    24.000   802.500    90.200   802.500   400.000   802.100   407.000
```

GR	797.500	437.000	796.700	467.000	796.900	490.000	799.500	495.000	802.500	505.000
GR	802.500	750.000	802.500	1000.000	810.000	1050.000	815.000	1100.000	0.000	0.000
X1	112.600	19.000	375.000	417.000	375.000	375.000	375.000	0.000	-1.200	0.000
GR	815.000	150.000	809.800	200.000	808.200	234.000	805.400	270.000	802.500	306.000
GR	802.000	364.000	801.800	375.000	802.800	330.000	800.300	393.000	798.700	399.000
GR	798.300	404.000	799.000	409.000	802.000	417.000	802.000	430.000	802.800	466.000
GR	803.200	522.000	803.800	550.000	810.000	565.000	815.000	575.000	0.000	0.000
X1	112.700	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	0.000
X1	112.800	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	0.000

CROSS SECTION 113

X1	113.000	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	0.000
X1	113.100	0.000	0.000	0.000	400.000	400.000	400.000	0.000	0.900	0.000
X1	113.200	0.000	0.000	0.000	400.000	400.000	400.000	0.000	0.900	0.000

100 D/S DICHICAN AVE. CROSS SECTIO 114

X1	114.000	19.000	375.000	415.000	460.000	460.000	460.000	0.000	0.000	0.000
NC	0.120	0.120	0.045	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	1.000	748.000
GR	815.200	0.000	815.300	54.000	812.400	92.000	812.600	176.000	813.200	210.000
GR	813.000	312.000	812.300	360.000	802.600	375.000	802.400	381.000	801.200	386.000
GR	801.000	396.000	801.300	404.000	802.100	413.000	810.200	425.000	811.000	436.000
GR	813.000	534.000	813.200	634.000	812.800	716.000	815.600	748.000	0.000	0.000

D/S MICHIGAN AVE CROSS SECTION 116

X1	114.800	5.000	414.000	454.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
GR	816.500	413.000	802.600	414.000	801.500	434.000	802.100	454.000	816.500	455.000

D/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	114.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
BT	5.000	413.000	816.500	0.000	414.000	816.500	812.500	434.000	816.500	812.500
BT	454.000	816.500	812.500	455.000	816.500	0.000	0.000	0.000	0.000	0.000

U/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	115.000	0.000	0.000	0.000	60.000	60.000	60.000	0.000	0.200	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000

U/S MICHIGAN AVE CROSS SECTION 116

X1	115.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 141-00 PRINTED BY HOLARY MANIFOLD FORMS.

X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000

50 FT U/S MICHIGAN AVE. CROSS SECTION 116

X1	116.000	13.000	349.000	389.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	815.800	0.000	815.600	122.300	815.400	105.000	815.200	315.000	810.700	334.000
GR	802.600	349.000	801.600	356.300	801.500	369.000	802.300	389.000	806.700	398.000
GR	810.600	426.000	813.300	436.000	816.000	526.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

100 FT D/S CROSS ST CROSS SECTION 118

X1	116.700	13.000	451.000	485.000	1350.000	1350.000	2200.000	0.000	0.000	0.000
GR	820.000	393.000	810.000	394.000	809.400	405.000	809.400	430.000	808.100	445.000
GR	806.700	469.000	804.900	451.000	804.000	481.000	804.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	542.000	820.000	593.000	0.000	0.000	0.000	0.000
XC	0.120	0.120	0.035	0.300	0.900	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	394.000	543.000

D/S FACE CROSS ST. CROSS SECTION 118

X1	116.900	32.000	456.000	486.000	150.000	101.000	100.000	0.000	0.000	0.000
X3	10.000	804.200	0.000	0.000	0.000	0.000	0.000	809.000	809.000	0.000
GR	820.000	393.000	810.200	394.000	809.000	441.000	807.000	454.000	807.000	456.000
GR	805.300	456.500	804.400	457.500	806.100	458.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.300	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	806.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	805.300	479.500	807.000	480.000	807.000	482.000	809.000	490.000
GR	810.000	542.000	820.000	543.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.000	2.020	3.000	0.000	13.000	0.000	75.000	0.000	804.100	804.100

U/S FACE CROSS ST. CROSS SECTION 1178130

X1	117.000	32.000	456.000	480.000	35.000	35.000	35.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	810.000	810.800	0.000	0.000	0.000	0.000	0.000
X3	10.000	805.000	0.300	0.000	0.000	0.000	0.000	810.800	810.800	0.000
BT	32.000	393.000	820.000	0.000	394.000	810.600	0.000	441.000	810.800	0.000
BT	454.000	810.800	0.000	456.000	810.800	807.000	456.500	810.800	808.700	457.500
BT	810.800	809.600	458.500	810.800	810.000	459.500	810.800	810.000	460.500	810.800
BT	809.600	461.500	810.800	808.700	462.000	810.800	807.000	465.000	810.800	807.000
BT	465.500	810.800	808.700	466.500	810.800	809.600	467.500	810.800	810.000	468.500
BT	810.800	810.000	469.500	810.800	809.600	470.500	810.800	808.700	471.000	810.800
BT	807.000	474.000	810.800	807.000	474.500	810.000	808.700	475.500	810.800	809.600
BT	476.500	810.800	810.000	477.500	810.800	810.000	478.500	810.800	809.600	479.500
BT	810.800	808.700	480.000	810.800	807.000	482.000	810.800	0.000	490.000	810.800
BT	0.000	542.000	810.800	0.000	543.000	820.000	0.000	0.000	0.000	0.000
GR	820.000	393.000	810.200	394.000	810.000	441.000	809.000	454.000	807.000	456.000
GR	805.300	456.500	804.400	457.500	804.100	458.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.000	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	804.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	805.300	479.500	807.000	480.000	809.000	482.000	810.000	490.000
GR	810.000	542.000	820.000	543.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	9.100	0.000	1.410	0.000	0.000	0.000	406.000	530.000

50 FT U/S CROSS ST. CROSS SECTION 118

X1	117.200	13.000	451.000	485.000	50.000	50.000	50.000	0.000	0.000	0.000

GR	820.000	363.000	810.000	388.000	809.400	400.000	809.400	430.000	808.100	445.000
GR	806.700	449.000	804.900	451.000	804.000	460.000	803.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	592.000	820.000	593.000	0.000	0.000	0.000	0.000
NC	0.100	0.100	0.040	0.100	0.300	0.000	0.000	0.000	0.000	0.000
X1	118.000	13.000	223.000	247.000	450.000	550.000	680.000	0.000	-2.000	0.000
GR	825.000	122.000	811.000	123.000	810.000	102.000	811.200	214.000	808.400	223.000
GR	808.400	235.000	808.000	238.000	809.100	240.000	809.000	247.000	810.000	251.000
GR	811.200	306.000	810.600	347.000	825.000	348.000	0.000	0.000	0.000	0.000

CROSS SECTION 119

X1	119.000	0.000	0.000	0.000	450.000	550.000	605.000	0.000	2.000	0.000
NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	507.000	853.000
X1	119.500	10.000	639.000	667.000	400.000	400.000	400.000	0.000	0.000	0.000
GR	819.200	506.000	817.000	566.000	817.000	617.000	812.100	635.000	810.900	639.000
GR	808.600	653.000	810.600	667.000	812.100	670.000	817.600	680.000	818.000	833.000
X1	119.600	0.000	0.000	0.000	350.000	350.000	350.000	0.000	1.200	0.000

100 FT D/S MASON ST. CROSS SECTION 2

X1	120.000	11.000	639.000	667.000	400.000	400.000	400.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	617.000	0.000	680.000	0.000	0.000	0.000	0.000
GR	825.000	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.000	653.000	811.800	667.000	813.300	670.000	817.600	680.000	818.000	727.000
GR	825.000	728.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S MASON ST. CROSS SECTION 2

X1	120.800	22.000	644.700	660.300	50.000	50.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	617.000	0.000	680.000	0.000	816.000	816.000	0.000
GR	825.000	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.100	644.700	811.100	646.800	811.100	669.700	811.100	649.800	811.100	649.900
GR	811.100	650.000	811.100	655.000	811.100	655.100	811.100	655.200	811.100	655.300
GR	811.100	660.200	811.100	660.300	811.800	667.000	813.300	670.000	817.600	680.000
GR	818.000	727.000	825.000	728.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	1.250	2.350	3.000	0.000	15.600	0.600	98.000	0.000	811.100	811.100

U/S FACE MASON ST. CROSS SECTION 1&2

X1	121.000	0.000	0.000	0.000	52.000	52.000	52.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	817.600	818.500	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	817.000	0.000	680.000	0.000	817.000	817.000	0.000
BT	22.000	578.000	825.000	825.000	579.000	818.500	817.000	617.000	818.500	817.000
BT	639.000	818.500	813.300	639.000	818.500	812.100	664.700	818.500	811.100	664.800
BT	818.500	817.600	649.700	818.500	817.600	649.800	818.500	811.100	669.900	818.500
BT	811.100	650.000	818.500	817.600	655.000	818.500	817.600	655.100	818.500	811.100
BT	655.200	818.500	811.100	655.300	818.500	817.600	660.200	818.500	817.600	660.300
BT	818.500	811.100	667.000	818.500	811.800	670.000	818.500	813.300	680.000	818.500
BT	817.600	727.000	818.500	818.000	728.000	825.000	825.000	0.000	0.000	0.000

50 FT U/S MASON ST. CROSS SECTION 2

FORM 1411.08 PRINTED BY ROYALITE MANIFOLD FORMS
PRINTED IN U.S.A.

X1	121.200	11.000	840.000	856.000	50.000	50.000	50.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	808.000	0.000	888.000	0.000	0.000	0.000	0.000
GR	821.800	660.000	818.800	724.000	816.800	762.000	815.100	836.000	811.300	840.000
GR	811.000	848.000	812.000	856.000	814.300	864.000	815.000	870.000	816.000	900.000
GR	820.000	913.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MC	0.120	0.120	0.045	0.130	0.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 3

X1	122.000	21.000	840.000	856.000	965.000	965.000	965.000	0.000	0.000	0.000
GR	825.200	0.000	821.700	56.000	823.000	106.000	823.000	152.000	821.600	198.000
GR	821.200	376.000	820.400	520.000	821.800	660.000	818.800	724.000	816.800	762.000
GR	815.900	830.000	811.300	840.000	811.000	848.000	812.000	856.000	814.300	864.000
GR	815.000	978.000	816.600	1052.000	819.000	1152.000	819.200	1260.000	819.100	1488.000
GR	830.000	1650.000	0.000	0.000	0.000	0.500	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************

T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2WAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 1000 FT. U/S MASON ST.
T3      WAUBASCON CREEK

J1  ICHECK    INQ      NINV     IDIR      STRT      METRIC    HVINS     Q        WSEL      FQ
          0.       3.       0.       0.  0.000000      0.00      0.0       0.   801.303     0.000

J2  NPROF     IPLOT    PRFVS    XSECV     XSECH     FN        ALLOC     XDP      CHNIM     ITRACE
      2.000     0.000    -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 11140-00 PRINTED BY ROTARE MANIFOLD FORMS

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************

T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2WAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 1000 FT. U/S MASON ST.
T3      WAUBASCON CREEK

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         4.         3.         0.  0.000000       0.00       0.0        0.     901.500      0.000

J2  NPROP      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
      3.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

FORM 141FDS PRINTED BY ROTARY MARIGOLD FORMS

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************

T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2WAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 1000 FT. U/S MASON ST.
T3      WAUBASCON CREEK

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.        6.        0.        0.  0.000000      0.0       0.0       0.  RC*.300     0.000
J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
       15.000    0.000    -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1217-0002 PRINTED BY ROTARY MANIFOLD FORMS.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Waubason Creek

4) DOCUMENT TYPE:

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  30,51,52
**************************************************

C
T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD ENCLOSURE STUDY
T2WAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 10750 FT. D/S M.C.R.R.
T3      WAUBASCON CREEK

J1  ICHECK      INQ         NINV        IDIR        STRT        METRIC      HVINS       Q           WSEL        FQ
          0.          0.          0.          0.    .000000          1.          0.          0.      800.300     0.000

J2  NPROF       IPLOT       PRFVS       XSECV       XSECH       FN          ALLDC       IBW         CHNIM       ITRACE
        1.000       0.000      -1.000       0.000       0.000       0.000       0.000       0.000       3.000       0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT

      150.000     110.000     200.000       0.000       0.000       0.000       0.000       0.000       0.000       0.000

ET @ Mouth    5.000     270.000✓    490.000✓    650.000✓    650.000     1250.000✓     0.000       0.000       0.000       0.000
ET            0.300       3.020       0.000       0.000       1.413       0.000       0.000       0.000       0.000       0.000
IC            0.125       0.120       0.040       0.100       0.100       0.100       0.000       0.000       0.000       0.000


                CROSS SECTION 110 AT CONFLUENCE TO KALAMAZOO RIVER

    X1      110.000      15.000     575.000     715.000       0.000       0.000       0.000       0.000       0.000       0.000
    GR      812.400     518.000     806.600     538.000     807.700     542.200     805.000     561.000     769.200     578.000
    GR      794.900     593.000     796.000     628.000     793.400     633.200     794.000     648.000     798.300     713.000
    GR      800.700     715.000     802.100     723.000     803.400     744.000     804.100     772.000     810.500     860.000


                CROSS SECTION 111

    X1      111.000      82.000     903.000    1061.000    1640.000    1640.000    1640.000       0.000       0.000       0.000
    GR      814.200      48.000     811.600      82.000     803.200     115.000     302.500     400.000     802.000     800.000
    GR      801.800     893.000     798.700     903.000     796.200     943.000     794.400     983.000     793.700    1003.000
    GR      794.700    1033.000     798.800    1061.000     800.700    1063.000     803.900    1073.000     808.300    1098.000
    GR      811.800    1122.000     815.900    1162.000     813.500    1194.000     817.200    1190.000     817.200    1254.000
    GR      819.700    1278.000     820.000    1300.000       0.000       0.000       0.000       0.000       0.000       0.000


                CROSS SECTION 112

    X1      113.000      15.000     543.000     683.000     820.000    1200.000    1230.300       0.000       0.000       0.000
    GR      811.800      56.000     809.600      82.000     803.000     300.000     802.700     536.000     798.500     543.000
    GR      795.900     575.000     795.100     603.000     795.300     653.000     796.400     663.000     797.900     683.000
    GR      802.000     700.000     801.900     728.000     806.400     746.000     811.400     760.000     813.800     770.000
    GR      816.600     808.000     818.000     832.000     825.000     840.000       0.000       0.000       0.000       0.000

    X1      112.500      14.000     407.000     495.000    1550.000    1550.000     550.000       0.000       0.000       0.000
    GR      810.000       1.000     804.000      86.000     802.500      50.000     802.500     400.000     802.100     407.000
    GR      797.500     437.000     796.700     467.000     796.900     490.000     799.500     895.000     802.500     506.000
    GR      802.500     750.000     802.500    1000.000     810.000    1050.000     815.000    1100.000       0.000       0.000
```

X1	112.600	19.000	375.000	417.300	375.000	375.000	375.000	0.300	-1.200	0.000
GR	815.000	150.000	809.800	200.300	808.200	234.000	805.400	270.300	802.500	336.900
GR	802.300	364.000	801.800	375.300	802.000	300.000	800.300	393.000	798.700	399.000
GR	798.300	404.000	799.000	409.300	802.000	417.300	802.000	430.300	802.800	486.000
GR	803.200	322.000	803.800	550.300	812.000	365.000	815.000	575.300	0.300	0.000
X1	112.700	0.000	0.000	0.300	375.000	375.300	375.000	0.300	0.400	0.000
X1	112.800	0.000	0.000	0.700	375.000	375.000	375.000	0.000	0.400	0.000

CROSS SECTION 113

X1	113.000	0.500	0.000	0.300	375.000	375.300	375.000	0.300	0.400	0.700
X1	113.100	0.000	0.000	0.000	400.000	400.300	400.000	0.000	0.900	0.300
X1	113.200	0.000	0.000	0.000	700.000	400.300	400.000	0.000	0.900	0.300

100 D/S MICHIGAN AVE. CROSS SECTION 114

X1	114.000	19.000	375.000	413.000	660.000	460.300	460.000	0.000	0.000	0.000
RC	0.120	0.120	0.065	0.350	0.500	0.300	0.020	0.000	0.000	0.000
CT	0.000	0.000	0.000	0.000	0.100	0.300	0.000	0.300	1.000	748.300
GR	815.200	0.000	815.300	56.000	812.400	96.000	812.000	176.300	813.200	810.000
GR	813.000	312.000	812.300	340.000	802.600	375.000	802.400	381.000	801.200	386.000
GR	801.000	395.000	801.300	404.000	802.100	415.000	810.200	425.000	811.000	436.000
GR	813.000	534.000	813.200	634.000	812.800	716.000	815.400	740.000	0.000	0.000

D/S MICHIGAN AVE CROSS SECTION 116

X1	414.000	5.000	414.000	454.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.300	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
GR	816.500	413.000	802.600	414.000	801.500	454.000	802.100	454.000	816.500	435.000

D/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	114.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
BT	5.000	413.000	816.500	0.000	414.000	816.500	812.500	434.000	816.500	812.300
BT	454.000	816.500	812.500	455.300	816.500	0.000	0.000	0.000	0.000	0.000

U/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	115.000	0.000	0.000	0.000	60.000	60.000	60.000	0.000	0.200	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000

D/S MICHIGAN AVE CROSS SECTION 116

X1	115.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000

PRINTED IN U.S.A.
FORM 141.00 PRINTED BY ROTARY-RANFOLD PRESS.

50 FT U/S MICHIGAN AVE. CROSS SECTION 116

X1	116.000	13.000	349.000	389.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	815.900	0.000	815.600	122.000	815.400	135.300	615.000	315.000	810.700	334.000
GR	832.400	349.000	801.600	356.700	801.300	349.300	832.300	389.300	806.700	394.000
GR	810.300	426.000	813.300	406.300	816.000	526.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

100 FT D/S CROSS ST CROSS SECTION 118

X1	116.700	13.000	451.000	435.000	1350.000	1350.000	2820.300	0.300	0.300	0.300
GR	820.300	393.000	810.000	396.300	809.600	400.000	839.400	430.000	808.100	446.000
GR	806.700	449.000	804.900	451.000	804.000	460.000	803.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	542.000	820.000	593.000	0.300	0.000	0.300	0.000
NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.300	0.000
ET	0.000	0.000	0.000	0.300	1.100	0.000	0.300	0.300	598.300	543.000

D/S FACE CROSS ST. CROSS SECTION 118

X1	116.900	32.000	656.000	480.000	100.000	100.000	100.000	0.000	0.000	0.000
X2	10.300	804.200	0.000	0.300	0.000	0.000	0.300	800.000	809.300	0.300
GR	820.300	393.000	810.200	396.000	809.000	441.000	807.000	454.000	807.500	456.300
GR	803.300	456.300	804.400	457.300	804.100	456.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.000	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	804.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	804.300	479.300	807.000	480.000	809.000	482.000	809.300	490.000
GR	810.000	562.000	820.000	563.000	0.000	0.000	0.300	0.000	0.300	0.300
ET	0.000	0.000	0.000	0.000	1.490	0.000	0.000	0.000	0.000	0.000

U/S FACE CROSS ST. CROSS SECTION 1173118

X1	117.000	32.000	456.000	480.000	35.000	35.000	35.000	0.000	0.000	0.000
X2	0.000	0.200	1.000	810.300	810.600	0.000	0.000	0.000	0.000	0.000
X3	10.000	805.000	0.000	0.000	0.000	0.000	0.000	810.800	810.800	0.000
DT	32.000	393.000	820.000	0.000	394.000	810.800	0.000	441.000	810.800	0.000
BT	454.000	810.800	0.000	456.000	810.800	807.000	456.500	810.800	808.700	457.500
BT	810.000	809.600	458.500	810.800	810.000	459.500	810.800	810.300	460.500	810.800
BT	809.600	461.500	810.800	808.700	462.000	810.800	807.000	465.000	810.800	807.000
DT	465.500	810.800	808.700	466.500	810.000	809.600	467.500	810.800	810.000	468.500
BT	810.000	810.000	469.500	810.800	809.600	470.500	810.800	808.700	471.000	810.800
BT	807.000	474.000	810.800	807.000	474.500	810.800	808.700	475.500	810.800	809.600
BT	476.500	810.800	810.000	477.500	810.800	810.000	478.500	810.800	809.600	479.500
DT	810.800	808.700	480.300	810.800	807.000	482.000	810.000	0.000	490.000	810.000
BT	0.000	542.000	810.800	0.000	543.000	820.000	0.000	0.000	0.000	0.000
BT	820.000	393.000	810.200	394.000	810.000	441.000	806.000	454.000	807.000	456.000
GR	805.300	456.500	804.400	457.500	804.100	858.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.000	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	804.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	805.300	479.500	807.000	480.000	809.000	482.000	810.000	490.000
GR	810.000	562.000	820.000	563.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.490	0.000	0.000	0.000	0.000	0.000

50 FT U/S CROSS ST. CROSS SECTION 118

X1	117.200	13.000	451.000	435.000	50.000	50.000	50.000	0.300	0.000	0.000
GR	820.000	393.000	810.000	396.000	809.400	400.000	839.400	430.000	808.100	445.000
GR	806.700	449.000	804.900	451.300	804.000	460.300	803.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	542.000	820.000	593.300	0.000	0.300	0.000	0.000

NC	0.100	0.100	0.040	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 119

X1	119.000	13.000	223.300	247.000	300.000	1150.300	1363.000	0.000	0.000	0.000
GR	825.000	122.300	811.000	123.000	810.600	122.300	611.250	216.300	803.430	223.000
GR	808.400	255.000	806.000	238.000	809.100	240.300	809.000	247.000	810.000	251.000
GR	811.200	306.000	810.600	347.000	825.000	346.300	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.300	0.101	0.000	0.300	0.000	507.300	653.000

XT	119.500	10.000	639.000	667.000	400.000	400.000	400.000	0.000	0.000	0.000
GR	819.200	506.000	817.000	566.000	617.000	617.000	812.100	635.000	810.900	639.000
GR	808.600	653.000	810.600	667.000	812.100	670.000	817.600	680.000	818.000	853.000

XT	119.600	0.000	0.000	0.000	350.000	350.000	350.000	0.000	1.300	0.000

100 FT D/S MASON ST. CROSS SECTION 2

X1	120.000	11.000	639.000	667.000	400.000	400.000	400.000	0.000	1.000	0.000
X3	0.000	0.000	0.000	639.000	0.000	639.000	0.000	0.000	0.000	0.000
GR	825.000	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.000	653.000	811.800	667.000	813.300	670.000	817.600	680.000	818.000	727.000
GR	825.000	728.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S MASON ST. CROSS SECTION 2

X1	120.800	22.000	644.700	660.300	50.000	50.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	818.500	818.500	0.000
GR	825.300	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.100	644.700	811.100	646.800	811.100	649.700	811.100	649.900	811.100	649.900
GR	811.100	650.000	811.100	655.000	811.100	655.900	811.100	655.200	811.100	655.300
GR	811.100	660.200	811.100	660.300	811.800	667.000	813.300	670.000	817.600	680.000
GR	818.000	727.000	825.000	728.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000


D/S FACE MASON ST. CROSS SECTION 123

X1	120.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	818.500	818.500	0.000
BT	22.000	578.000	825.000	0.000	579.000	614.500	0.000	617.000	813.500	0.000
BT	635.000	818.500	0.000	639.000	818.500	0.000	644.700	818.500	0.000	644.800
BT	818.500	817.600	649.700	818.500	817.600	649.800	818.500	0.000	649.900	818.500
BT	0.000	680.000	818.500	817.600	655.000	812.500	817.600	655.100	818.500	0.000
BT	655.200	818.500	0.000	655.300	818.500	817.600	660.200	818.500	817.600	660.300
BT	818.500	0.000	667.000	818.500	0.000	670.000	818.500	0.000	680.000	818.500
BT	0.000	727.000	818.500	0.000	728.500	823.000	0.000	0.000	0.000	0.000

U/S FACE MASON ST. CROSS SECTION 182

X1	121.000	0.000	0.000	0.000	52.000	52.000	52.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	617.000	0.000	667.000	0.000	818.500	818.500	0.000
X3	0.000	0.000	0.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S MASON ST. CROSS SECTION 2



*PROB 1

CCHV= 0.100 CEHV= 0.300

*SECNO 110.000

SECNO	DEPTH	CWSEL	CRWS	WSELK	EG	HV	IL	ELOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

CROSS SECTION 110 AT CONFLUENCE TO KALAMAZOO RIVER

110.00	7.90	801.30	0.00	801.30	801.31	0.01	0.00	0.00	799.20
650.	0.	649.	0.	3.	883.	5.	0.	0.	798.30
0.00	0.07	0.74	0.07	0.120	0.040	0.120	0.000	797.60	573.66
0.000033	0.	0.	0.	0	0	0	0.00	144.77	713.73

*SECNO 111.000

CROSS SECTION 111

111.00	7.66	801.36	0.01	0.00	801.37	0.01	0.00	0.00	799.75
650.	1.	649.	0.	11.	883.	4.	34.	6.	798.80
0.62	0.09	0.73	0.08	0.120	0.040	0.120	0.040	793.70	894.44
0.000039	1640.	1640.	1640.	0	0	0	0.00	170.60	1065.04

*SECNO 112.000

CROSS SECTION 112

112.00	6.31	801.41	0.00	0.00	801.42	0.01	0.00	0.00	796.56
650.	1.	644.	5.	7.	742.	36.	37.	11.	797.90
1.01	0.11	0.87	0.14	0.120	0.040	0.120	0.040	795.10	538.15
0.000059	1200.	1200.	1200.	1	0	0	0.00	166.23	704.39

*SECNO 112.500

112.50	4.08	801.53	0.00	0.00	801.65	0.05	0.19	0.01	630.10
650.	1.	648.	2.	3.	344.	2.	27.	15.	799.50
1.24	0.20	1.88	0.25	0.120	0.040	0.120	0.040	796.70	402.69
0.000420	1550.	1550.	1550.	2	0	0	0.00	99.23	501.92

*SECNO 112.600

SECNO	DEPTH	CWSEL	CRWS	WSELK	EG	HV	IL	ELOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

112.60	4.65	801.75	0.00	0.00	802.06	0.33	0.36	0.08	800.60
650.	55.	595.	20.	53.	123.	33.	80.	37.	800.80
1.24	0.66	4.82	0.60	0.120	0.040	0.120	0.040	797.10	300.45
0.004123	375.	375.	375.	2	0	0	0.00	186.09	496.55

*SECNO 113.000

113.70	6.35	802.95	0.00	0.00	803.00	0.15	0.91	0.02	801.00
650.	57.	524.	69.	129.	153.	107.	82.	19.	801.20
1.30	0.	0.46	0.91	0.120	0.040	0.120	0.040	797.60	54.42

0.001592	375.	375.	375.	2	0	0	0.00	251.23	562.96

*SECNO 112.300

112.80	5.52	803.42	0.00	0.00	803.54	0.13	0.54	0.00	302.42
650.	73.	514.	64.	122.	150.	129.	66.	21.	801.60
1.36	0.59	3.82	0.50	0.120	0.045	0.120	0.040	797.61	209.79
0.001299	375.	375.	375.	2	0	0	0.00	260.33	550.03

*SECNO 113.000

CROSS SECTION 113

113.00	5.59	803.89	0.00	0.00	804.01	0.12	0.46	0.00	801.90
650.	75.	507.	68.	129.	163.	139.	69.	23.	802.00
1.38	0.58	3.71	0.50	0.120	0.045	0.120	0.040	758.30	280.79
0.001182	375.	375.	375.	2	0	0	0.00	251.49	550.23

*SECNO 113.100

113.10	5.24	804.44	0.00	0.00	804.61	0.17	0.50	0.02	802.70
650.	82.	550.	49.	99.	71.	96.	53.	29.	802.00
1.42	0.63	3.84	0.52	0.120	0.041	0.120	0.040	739.20	303.13
0.001859	400.	400.	400.	2	0	0	0.00	244.34	537.70

*SECNO 113.200

SECNO	DEPTH	CHSEL	CRIMS	LSELK	FS	HV	AL	FLOSS	BANK ELEV
J	ALOB	CCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIMS	VLOB	VCH	VROB	XNL	XNCH	XNR	ITW	ELUID	SST
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	EXPST
113.20	5.11	805.27	0.00	0.00	805.43	0.16	0.80	0.01	803.40
650.	57.	552.	42.	89.	143.	79.	36.	27.	803.00
1.45	0.66	3.83	0.53	0.120	0.040	0.120	0.040	700.10	326.65
0.002158	400.	400.	400.	2	0	0	0.00	237.37	532.01

*SECNO 114.000

CCHV= 0.300 CEHV= 0.500

100 D/S MICHIGAN AVE. CROSS SECTION 114

114.00	5.06	806.06	0.00	0.00	806.24	0.18	0.85	0.00	802.60
650.	15.	620.	6.	22.	179.	10.	99.	29.	802.00
1.49	0.60	3.51	0.55	0.120	0.045	0.120	0.040	808.05	362.52
0.001533	460.	450.	460.	2	5	0	0.00	57.37	419.69

*SECNO 114.800

3693 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 816.50 ELTEA= 814.50

D/S MICHIGAN AVE CROSS SECTION 116

114.80	4.2	806.21	0.00	0.00	806.43	0.22	5.17	0.02	802.60
650.	0.	650.	0.	0.	175.	0.	99.	29.	802.13
1.49	0.00	3.79	0.00	0.120	0.045	0.120	0.040	801.90	414.00
0.001928	100.	100.	200.	2	0	0	0.00	40.00	495.00

FORM 141-09 PRINTED BY ROTARY HARWOOD SYSTEMS

*SECNO 114.900

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 816.50 MAX ELLC= 822.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

D/S FACE MICHIGAN AVE. CROSS SECTION 115 116

114.90	4.71	806.21	0.00	0.00	806.44	0.23	0.30	0.70	802.60
650.	0.	690.	0.	0.	172.	0.	99.	29.	802.10
1.49	0.00	3.79	0.00	0.120	0.045	0.120	0.040	801.50	414.00
0.001926	1.	1.	1.	0	0	0	0.00	40.00	454.00

*SECNO 115.000

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 816.50 MAX ELLC= 822.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

U/S FACE MICHIGAN AVE. CROSS SECTION 115 116

115.00	4.63	806.33	0.00	0.00	806.56	0.23	0.12	0.00	802.00
650.	0.	650.	0.	0.	163.	0.	99.	29.	802.30
1.50	0.00	3.87	0.00	0.120	0.045	0.120	0.040	801.70	414.00
0.002056	60.	60.	60.	0	0	0	0.00	40.00	454.00

*SECNO 115.100

SECNO	DEPTH	CUSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	SLOB	CCH	QROB	ALOB	PCH	AROB	VOL	THR	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTR	SLOIN	SSTA
SLOPE	XLOB	XLCH	XLOBR	ITRIAL	CH2	ICONT	CORAR	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 816.50 ELREA= 816.50

U/S MICHIGAN AVE CROSS SECTION 116

115.10	4.63	806.33	0.00	0.00	806.56	0.23	0.00	0.00	802.30
650.	0.	650.	0.	0.	163.	0.	99.	29.	802.30
1.50	0.00	3.66	0.00	0.120	0.045	0.120	0.040	801.70	414.00
0.002056	1.	1.	1.	0	0	0	0.00	40.00	454.00

*SECNO 116.000

50 FT U/S MICHIGAN AVE. CROSS SECTION 116

116.00	4.99	806.69	0.00	0.00	806.66	0.17	0.08	0.00	802.60
650.	9.	629.	12.	14.	187.	18.	99.	29.	802.30
1.50	0.65	3.36	0.69	0.120	0.045	0.120	3.040	801.50	341.79
0.001933	50.	50.	50.	2	0	0	0.00	53.79	597.93

*SECNO 116.700

1000 FT U/S OF MICHIGAN AVE CROSS SECTION 116

	116.70	5.36	809.26	0.00	0.00	809.44	0.18	2.77	0.00	806.90
	650.	13.	612.	25.	22.	176.	40.	110.	32.	803.90
	1.68	0.58	3.47	0.63	0.120	0.045	0.120	0.042	803.90	431.50
	0.001237	1350.	2200.	1350.	1	3	5	0.00	101.13	933.41

CCHV= 0.300 CEHV= 0.500
*SECNO 116.900

D/S FACE CROSS ST. CROSS SECTION 118

	116.90	5.09	809.29	0.00	0.00	809.80	0.59	3.03	0.20	807.00
	650.	26.	605.	19.	23.	95.	17.	110.	33.	807.00
	1.69	1.14	6.37	1.12	0.120	0.035	0.120	0.042	804.20	429.69
	0.005676	100.	100.	100.	2	0	0	0.00	75.33	505.02

SPECIAL BRIDGE

SB XX	KKOR	COPC	ROLEN	BHC	THP	BAREA	SS	ELCHU	ELCHD
0.00	1.02	0.00	0.00	10.00	0.00	70.00	0.00	[illegible]	[illegible]

*SECNO 117.000
PRESSURE AND WEIR FLOW

FSKKK	ECOEC	XS	CWEIR	BPR	BAREA	TRAPEZOID AREA	FLOW	ELTRD
811.64	810.10	0.00	61.	576.	77.	77.	910.00	810.00

U/S FACE CROSS ST. CROSS SECTION 117&110

	117.00	5.00	810.69	0.00	0.00	811.12	0.52	1.25	0.00	807.00
	650.	31.	506.	33.	56.	123.	56.	111.	33.	807.00
	1.69	0.56	4.76	0.96	0.120	0.035	0.120	0.042	805.00	393.94
	0.002075	35.	35.	35.	2	0	3	0.00	148.14	542.06

*SECNO 117.200

	SECNO	DEPTH	CWSEL	CRIWS	SELK	EG	HV	HL	OLOSS	BANK ELEV
	Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
	TIME	VLOB	VCH	VROB	XNL	XLCH	XNR	UTN	ELMIN	SSTA
	SLOPE	XLOFL	XLCH	XLOBR	ITRIAL	IHP	ICONT	CORAR	TOPWID	ESTA

50 FT U/S CROSS ST. CROSS SECTION 110

	117.20	7.25	811.16	0.00	0.00	811.23	0.06	0.02	0.18	806.90
	650.	40.	530.	81.	134.	241.	253.	111.	33.	807.90
	1.70	0.30	2.20	0.32	0.120	0.035	0.120	0.041	803.90	335.10
	0.000198	50.	50.	50.	2	0	0	0.00	207.07	592.17

CCHV= 0.100 CEHV= 0.300
*SECNO 119.000

CROSS SECTION 119

	119.00	5.45	811.55	0.00	0.00	812.04	0.36	0.78	0.10	809.40

650.	89.	445.	115.	83.	74.	90.	135.	38.	809.00
1.78	1.08	6.01	1.16	0.100	0.043	0.100	0.042	800.00	122.95
0.005940	900.	1365.	1100.	3	0	0	0.00	224.12	347.07

CCHV= 0.300 CEHV= 0.300

*SECNO 119.520

119.50	4.79	813.40	0.00	0.00	813.93	0.56	1.62	0.06	813.99
650.	10.	632.	8.	11.	134.	8.	124.	39.	810.60
1.80	0.94	6.38	0.99	0.120	0.035	0.120	0.041	809.60	630.25
0.003613	400.	400.	400.	2	0	0	0.00	42.19	672.31

*SECNO 119.600

119.60	4.85	814.65	0.00	0.00	815.19	0.54	1.23	0.01	812.10
650.	10.	632.	8.	11.	136.	8.	125.	40.	811.00
1.81	0.97	6.38	0.99	0.120	0.035	0.120	0.041	800.10	630.37
0.003623	350.	350.	350.	2	0	0	0.00	42.42	672.46

*SECNO 120.000

3470 ENCROACHMENT STATIONS 650.0 668.0 TYPE= 1 TARGET= 30.000

D/S MASON ST. CROSS SECTION 2

120.00	4.86	815.86	0.00	0.00	816.29	0.43	1.07	0.03	812.10
650.	2.	646.	2.	4.	922.	4.	127.	40.	811.00
1.33	0.49	5.88	0.98	0.120	0.035	0.120	0.041	811.00	630.00
0.002162	400.	400.	400.	2	0	0	0.00	30.00	665.00

*SECNO 120.800

3301 NV CHANGED MORE THAN 0.01 3

SECNO	CRTI	CWSEL	CRIWS	WSELS	EG	NV	FL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XMCH	XMR	LTN	ELMIN	SSTA
SLOPE	KLOBL	XLCH	XLOBR	ITRIAL	IT2	ICONT	CORAD	TOPWID	ENDST

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLBA= 818.50 ELRBA= 818.50

D/S MASON ST. CROSS SECTION 2

120.80	4.54	815.61	0.00	0.00	815.98	1.36	0.79	0.43	811.10
650.	0.	650.	0.	0.	70.	0.	127.	40.	811.10
1.84	0.00	9.23	0.00	0.120	0.035	0.120	0.041	811.10	644.70
0.008817	50.	50.	50.	2	0	0	0.00	15.60	660.30

*SECNO 120.900

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 818.50 MAX ELLC= 817.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLBA= 818.50 ELRBA= 818.50

D/S PACE MASON ST. CROSS SECTION 182

20.90	4.46	815.56	0.00	0.00	817.00	1.44	0.01	0.00	811.10
650.	0.	650.	0.	0.	68.	0.	127.	40.	811.10
1.84	0.00	9.62	0.00	0.120	0.025	0.120	0.041	811.10	644.70
0.005159	1.	1.	1.	2	0	0	-29.53	15.60	660.30

*SECNO 121.030

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 818.50 MAX ELLC= 817.60

3470 ENCROACHMENT STATIONS= 617.0 660.0 TYPE= 1 TARGET= 65.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 818.50 ELREA= 818.50

U/S FACE MASON ST. CROSS SECTION 2

121.00	5.13	816.29	0.00	0.00	817.52	1.24	0.21	0.11	811.10
650.	0.	650.	0.	0.	70.	0.	127.	40.	811.10
1.84	0.00	8.37	0.00	0.120	0.025	0.120	0.041	811.10	644.70
0.003383	52.	52.	52.	3	3	0	-36.31	15.60	660.30

*SECNO 121.100

3470 ENCROACHMENT STATIONS= 617.0 680.0 TYPE= 1 TARGET= 63.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 811.50 ELREA= 811.50

U/S MASON ST. CROSS SECTION 2

121.10	5.30	816.40	0.00	0.00	817.36	0.96	0.01	0.04	811.10
650.	0.	650.	0.	1.	0.	0.	127.	40.	811.10
1.84	0.00	7.85	0.00	0.120	0.045	0.120	0.041	811.10	644.70
0.006979	1.	1.	1.	2	2	0	0.00	15.60	660.30

A=85

*SECNO 121.200

817.36
817.56

3301 HV CHANGED FORE TIAN KWIAS .

3470 ENCROACHMENT STATIONS= 808.0 888.0 TYPE= 1 TARGET= 80.000

50 FT U/S MASON ST. CROSS SECTION 2

121.20	6.47	817.67	0.00	0.00	817.75	0.08	0.16	7.22	811.30
650.	68.	481.	101.	74.	98.	90.	127.	40.	812.00
1.84	0.92	4.89	1.12	0.120	0.045	0.120	0.041	811.00	808.00
0.001964	50.	50.	50.	3	0	0	0.00	80.00	888.00

A=262

CCHV= 0.100 CEHV= 0.300

*SECNO 122.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV velocity head	HL friction	OLOSS transition	BANK ELEV LEFT/RIGHT
Q	ALOB	QCH	QROB	ALOB	ACH	AROB	WC	TWA	
TYPE	WLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	NLOBL	NLCH	NLOBR	LTRIAL	FRZ	ICONT	CORAR	TOPWID	ESST

CROSS SECTION

	122.00	7.35	818.35	0.00	0.00	818.38	0.03	0.61	0.03	811.30
	650.	70.	238.	334.	207.	112.	716.	141.	45.	812.00
	2.09	0.38	2.11	0.47	0.120	0.065	0.120	0.041	811.03	732.51
	0.003306	565.	955.	965.	4	1	0	0.30	352.49	2125.20

A = 1035

PRINTED IN U.S.A.

PRINTED IN U.S.A. BY BOTANY MATHEWS FORMS

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: Waubasem creek

4) DOCUMENT TYPE: Summary

00BREAK00

****
HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

WAUBASCON CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	TOPWS	VCH	AREA	.01K
110.000	0.00	0.00	0.00	793.40	270.00	801.30	0.00	801.30	0.06	0.31	868.95	1136.20
110.000	0.00	0.00	0.00	793.40	490.00	801.30	0.00	801.30	0.19	0.56	868.95	1136.20
110.000	0.00	0.00	0.00	793.40	650.00	801.30	0.00	801.31	0.33	0.74	868.95	1136.20
110.000	0.00	0.00	0.00	793.40	1230.00	801.30	0.00	801.33	1.17	1.40	868.95	1136.20
111.000	1640.00	0.00	0.00	793.70	270.00	801.31	0.00	801.31	0.07	0.31	895.56	1029.08
111.000	1640.00	0.00	0.00	793.70	490.00	801.33	0.00	801.34	0.22	0.55	899.18	1035.65
111.000	1640.00	0.00	0.00	793.70	650.00	801.36	0.00	801.37	0.39	0.73	903.14	1042.85
111.000	1640.00	0.00	0.00	793.70	1230.00	801.50	0.00	801.53	1.28	1.35	927.78	1086.04
112.000	1200.00	0.00	0.00	795.10	270.00	801.32	0.00	801.32	0.11	0.37	771.24	820.07
112.000	1200.00	0.00	0.00	795.10	490.00	801.37	0.00	801.37	0.35	0.66	777.95	830.88
112.000	1200.00	0.00	0.00	795.10	650.00	801.41	0.00	801.42	0.59	0.87	786.10	844.05
112.000	1200.00	0.00	0.00	795.10	1230.00	801.68	0.00	801.71	1.80	1.56	831.23	917.97
112.500	1550.00	0.00	0.00	796.70	270.00	801.35	0.00	801.36	0.89	0.83	331.65	285.83
112.500	1550.00	0.00	0.00	796.70	490.00	801.46	0.00	801.50	2.64	1.46	343.47	301.72
112.500	1550.00	0.00	0.00	796.70	650.00	801.58	0.00	801.63	4.20	1.88	354.79	317.16
112.500	1550.00	0.00	0.00	796.70	1230.00	802.14	0.00	802.29	9.56	3.10	411.72	397.82
112.600	375.00	0.00	0.00	797.10	270.00	801.38	0.00	801.47	12.36	2.81	149.00	76.80
112.600	375.00	0.00	0.00	797.10	490.00	801.56	0.00	801.79	30.81	3.99	177.76	88.27
112.600	375.00	0.00	0.00	797.10	650.00	801.75	0.00	802.00	41.23	4.82	210.03	101.23
112.600	375.00	0.00	0.00	797.10	1230.00	802.60	0.00	803.06	46.56	6.09	410.68	180.25
112.700	375.00	0.00	0.00	797.50	270.00	801.83	0.00	801.91	11.39	2.35	157.11	79.99
112.700	375.00	0.00	0.00	797.50	490.00	802.46	0.00	802.59	15.22	3.13	276.46	125.62
112.700	375.00	0.00	0.00	797.50	650.00	802.85	0.00	803.00	15.98	3.46	368.92	162.92
112.700	375.00	0.00	0.00	797.50	1230.00	803.90	0.00	804.10	17.62	4.30	666.81	293.05
112.800	375.00	0.00	0.00	797.90	270.00	802.25	0.00	802.33	10.97	2.32	160.96	81.52
112.800	375.00	0.00	0.00	797.90	490.00	803.00	0.00	803.11	12.58	2.93	306.98	138.13
112.800	375.00	0.00	0.00	797.90	650.00	803.42	0.00	803.54	12.99	3.22	410.87	180.33
112.800	375.00	0.00	0.00	797.90	1230.00	804.53	0.00	804.69	14.16	3.90	709.54	326.85
113.000	375.00	0.00	0.00	798.30	270.00	802.66	0.00	802.74	10.75	2.30	163.01	82.34
113.000	375.00	0.00	0.00	798.30	490.00	803.46	0.00	803.56	11.59	2.84	321.80	143.95
113.000	375.00	0.00	0.00	798.30	650.00	803.89	0.00	804.01	11.82	3.11	431.25	189.08
113.000	375.00	0.00	0.00	798.30	1230.00	805.04	0.00	805.20	12.68	3.83	742.90	345.40

PRINTED IN U.S.A.
FORM 1611.09 PRINTED BY NOTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRIUS	EG	10K*S	VCH	AREA	.01K
113.100	400.00	0.00	0.00	799.20	270.00	803.20	0.00	803.31	19.11	2.78	111.28	61.77
113.100	400.00	0.00	0.00	799.20	490.00	804.00	0.00	804.16	18.79	3.37	240.86	113.05
113.100	400.00	0.00	0.00	799.20	650.00	804.64	0.00	804.81	18.39	3.64	340.96	151.58
113.100	400.00	0.00	0.00	799.20	1230.00	805.80	0.00	805.80	17.69	4.29	648.01	296.10
113.200	400.00	0.00	0.00	800.10	270.00	804.01	0.00	804.14	22.06	2.91	101.74	57.69
113.200	400.00	0.00	0.00	800.10	490.00	804.80	0.00	804.97	21.80	3.55	219.58	104.96
113.200	400.00	0.00	0.00	800.10	650.00	805.41	0.00	805.41	21.53	3.85	311.61	139.94
113.200	400.00	0.00	0.00	800.10	1230.00	806.56	0.00	806.57	20.59	4.55	604.39	271.06
114.000	460.00	0.00	0.00	801.00	270.00	804.71	0.00	804.77	9.05	2.12	137.37	89.73
114.000	460.00	0.00	0.00	801.00	490.00	805.60	0.00	805.74	12.59	2.96	185.03	138.11
114.000	460.00	0.00	0.00	801.00	650.00	806.06	0.00	806.24	15.33	3.51	210.67	166.01
114.000	460.00	0.00	0.00	801.00	1230.00	807.28	0.00	807.67	23.90	5.14	284.27	251.58
114.800	100.00	0.00	0.00	801.50	270.00	804.80	0.00	804.89	12.43	2.35	115.13	76.57
114.800	100.00	0.00	0.00	801.50	490.00	805.73	0.00	805.89	16.21	3.22	152.28	121.69
114.800	100.00	0.00	0.00	801.50	650.00	806.21	0.00	806.43	19.28	3.79	171.46	148.05
114.800	100.00	0.00	0.00	801.50	1230.00	807.50	0.00	807.97	29.03	5.51	223.06	228.27
114.900	1.00	816.50	812.50	801.50	270.00	804.80	0.00	804.89	12.42	2.34	115.17	76.61
114.900	1.00	816.50	812.50	801.50	490.00	805.73	0.00	805.89	16.20	3.22	152.32	121.75
114.900	1.00	816.50	812.50	801.50	650.00	806.21	0.00	806.44	19.26	3.79	171.51	148.12
114.900	1.00	816.50	812.50	801.50	1230.00	807.51	0.00	807.98	28.98	5.51	223.17	228.46
115.000	60.00	816.50	812.70	801.70	270.00	804.18	0.00	804.97	14.60	2.45	110.16	71.19
115.000	60.00	816.50	812.70	801.70	490.00	805.13	0.00	806.00	17.72	3.31	168.23	116.39
115.000	60.00	816.50	812.70	801.70	650.00	806.33	0.00	806.56	20.56	3.87	168.15	143.36
115.000	60.00	816.50	812.70	801.70	1230.00	807.68	0.00	808.15	29.42	5.54	222.17	226.70
115.100	1.00	0.00	0.00	801.70	270.00	804.88	0.00	804.98	14.34	2.45	110.27	71.29
115.100	1.00	0.00	0.00	801.70	490.00	805.83	0.00	806.00	17.70	3.30	168.30	116.48
115.100	1.00	0.00	0.00	801.70	650.00	806.53	0.00	806.56	20.54	3.86	168.20	143.43
115.100	1.00	0.00	0.00	801.70	1230.00	807.68	0.00	808.16	29.38	5.53	222.25	226.91
116.000	50.00	0.00	0.00	801.50	270.00	804.97	0.00	805.04	8.89	2.11	138.06	90.53
116.000	50.00	0.00	0.00	801.50	490.00	805.96	0.00	806.09	11.65	2.88	189.74	144.81
116.000	50.00	0.00	0.00	801.50	650.00	806.60	0.00	806.66	13.33	3.36	218.85	178.05
116.000	50.00	0.00	0.00	801.50	1230.00	807.98	0.00	808.31	18.24	4.73	310.63	288.01
116.700	2200.00	0.00	0.00	803.90	270.00	807.22	0.00	807.31	12.22	2.47	118.31	77.25
116.700	2200.00	0.00	0.00	803.90	490.00	808.52	0.00	808.67	12.24	3.12	182.18	140.06
116.700	2200.00	0.00	0.00	803.90	650.00	809.26	0.00	809.46	12.37	3.47	238.23	184.79
116.700	2200.00	0.00	0.00	803.90	1230.00	811.18	0.00	811.40	11.86	4.19	520.69	357.16
116.900	100.00	0.00	0.00	804.20	270.00	807.29	0.00	807.80	119.17	5.76	47.02	24.73
116.900	100.00	0.00	0.00	804.20	490.00	808.53	0.00	809.16	80.22	6.38	76.78	54.71
116.900	100.00	0.00	0.00	804.20	650.00	809.29	0.00	809.88	56.74	6.37	135.01	86.29
116.900	100.00	0.00	0.00	804.20	1230.00	811.23	0.00	811.73	34.62	6.49	393.27	209.06
117.000	35.00	810.80	810.00	805.00	270.00	807.71	0.00	808.31	145.59	6.21	43.48	22.38
117.000	35.00	810.80	810.00	805.00	490.00	808.76	0.00	809.76	192.21	8.04	60.91	35.34
117.000	35.00	810.80	810.00	805.00	650.00	810.80	0.00	811.12	20.75	4.76	237.43	142.69
117.000	35.00	810.80	810.00	805.00	1230.00	811.71	0.00	812.29	34.07	6.80	371.77	210.74

FORM 1411-00 PRINTED BY ROTARY MANIFOLD FORMS, PRINTED IN U.S.A.

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
117.200	50.00	0.00	0.00	803.90	270.00	808.46	0.00	808.51	2.40	1.76	178.88	174.44
117.200	50.00	0.00	0.00	803.90	490.00	810.01	0.00	810.08	2.59	2.24	332.08	304.31
117.200	50.00	0.00	0.00	803.90	650.00	811.16	0.00	811.22	2.90	2.20	627.71	461.89
117.200	50.00	0.00	0.00	803.90	1230.00	812.36	0.00	812.47	3.52	3.25	875.38	655.95
118.000	680.00	0.00	0.00	806.00	270.00	808.71	0.00	809.04	61.31	4.79	77.09	34.43
118.000	680.00	0.00	0.00	806.00	490.00	810.31	0.00	810.39	11.82	3.05	400.73	142.53
118.000	680.00	0.00	0.00	806.00	650.00	811.37	0.00	811.42	5.86	2.53	638.27	260.57
118.000	680.00	0.00	0.00	806.00	1230.00	812.69	0.00	812.76	6.70	3.21	934.73	472.50
119.000	685.00	0.00	0.00	808.00	270.00	811.25	0.00	811.39	22.96	3.40	162.58	56.34
119.000	685.00	0.00	0.00	808.00	490.00	811.47	0.00	811.78	48.73	5.22	211.49	70.19
119.000	685.00	0.00	0.00	808.00	650.00	811.95	0.00	812.19	36.28	4.99	318.96	107.91
119.000	685.00	0.00	0.00	808.00	1230.00	813.27	0.00	813.46	25.24	4.98	615.81	255.15
119.500	400.00	0.00	0.00	808.60	270.00	812.14	0.00	812.39	24.79	3.85	74.63	54.23
119.500	400.00	0.00	0.00	808.60	490.00	812.96	0.00	813.38	31.37	5.22	104.73	87.49
119.500	400.00	0.00	0.00	808.60	650.00	813.29	0.00	813.89	39.83	6.26	118.02	102.99
119.500	400.00	0.00	0.00	808.60	1230.00	814.13	0.00	815.69	66.52	9.37	157.20	150.81
119.600	350.00	0.00	0.00	809.80	270.00	813.14	0.00	813.42	33.84	4.23	67.06	46.47
119.600	350.00	0.00	0.00	809.80	490.00	814.09	0.00	814.52	33.73	5.33	102.00	84.36
119.600	350.00	0.00	0.00	809.80	650.00	814.65	0.00	815.19	34.15	5.97	124.93	111.23
119.600	350.00	0.00	0.00	809.80	1230.00	816.38	0.00	817.22	32.90	7.54	206.71	214.44
120.000	400.00	0.00	0.00	811.00	270.00	813.21	0.00	813.38	17.12	3.43	90.37	65.26
120.000	400.00	0.00	0.00	811.00	490.00	815.23	0.00	815.54	18.31	4.40	137.81	116.30
120.000	400.00	0.00	0.00	811.00	650.00	815.80	0.00	816.24	18.81	4.94	170.05	149.87
120.000	400.00	0.00	0.00	811.00	1230.00	817.73	0.00	818.29	19.36	6.33	280.06	279.53
120.800	50.00	0.00	0.00	811.10	270.00	814.19	0.00	814.67	49.05	5.61	48.14	38.55
120.800	50.00	0.00	0.00	811.10	490.00	815.00	0.00	816.04	73.64	7.89	62.10	57.10
120.800	50.00	0.00	0.00	811.10	650.00	815.56	0.00	816.92	91.55	9.34	69.59	67.93
120.800	50.00	0.00	0.00	811.10	1230.00	817.71	0.00	818.56	33.28	8.63	286.06	213.20
121.000	52.00	818.50	817.60	811.10	270.00	814.29	0.00	814.75	44.24	5.43	49.77	40.59
121.000	52.00	818.50	817.60	811.10	490.00	815.36	0.00	816.21	59.72	7.37	66.51	63.41
121.000	52.00	818.50	817.60	811.10	650.00	815.82	0.00	817.05	77.37	8.84	73.57	73.90
121.000	52.00	818.50	817.60	811.10	1230.00	819.10	0.00	819.62	16.30	6.86	331.73	304.69
121.200	50.00	0.00	0.00	811.00	270.00	814.60	0.00	814.95	27.54	4.90	70.02	51.45
121.200	50.00	0.00	0.00	811.00	490.00	816.05	0.00	816.50	22.85	5.70	149.99	102.52
121.200	50.00	0.00	0.00	811.00	650.00	817.00	0.00	817.43	18.75	5.83	225.08	150.12
121.200	50.00	0.00	0.00	811.00	1230.00	819.16	0.00	819.72	17.56	7.00	398.91	293.56
122.000	965.00	0.00	0.00	811.00	270.00	816.04	0.00	816.10	6.34	2.33	307.63	107.25
122.000	965.00	0.00	0.00	811.00	490.00	817.35	0.00	817.39	4.61	2.34	671.97	228.20
122.000	965.00	0.00	0.00	811.00	650.00	818.13	0.00	818.16	3.75	2.29	949.07	335.88
122.000	965.00	0.00	0.00	811.00	1230.00	820.23	0.00	820.25	2.28	2.14	2217.00	813.89

FORM 1311-DB PRINTED BY ROTARY MANIFOLD FORM

UAUBASCON CREEK

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CHSEL	DIFWSP	DIFWSH	DIFKWS	TOPWID	XLOF
110.000	270.00	801.30	0.00	0.00	0.00	144.77	0.00
110.000	490.00	801.30	0.00	0.00	0.00	144.77	0.00
110.000	650.00	801.30	0.00	0.00	0.00	144.77	0.00
110.000	1230.00	801.30	0.00	0.00	0.00	144.77	0.00
111.000	270.00	801.31	0.00	0.01	0.00	170.32	1640.00
111.000	490.00	801.33	0.00	0.03	0.00	170.46	1640.00
111.000	650.00	801.36	0.00	0.06	0.00	170.60	1640.00
111.000	1230.00	801.50	0.00	0.20	0.00	171.52	1640.00
112.000	270.00	801.32	0.00	0.01	0.00	165.54	1200.00
112.000	490.00	801.37	0.00	0.03	0.00	165.85	1200.00
112.000	650.00	801.41	0.00	0.05	0.00	166.23	1200.00
112.000	1230.00	801.68	0.00	0.17	0.00	168.33	1200.00
112.300	270.00	801.35	0.00	0.03	0.00	97.77	1550.00
112.300	490.00	801.46	0.00	0.10	0.00	98.52	1550.00
112.500	650.00	801.58	0.00	0.16	0.00	99.23	1550.00
112.500	1230.00	802.14	0.00	0.46	0.00	102.76	1550.00
112.600	270.00	801.33	0.00	0.03	0.00	150.82	375.00
112.600	490.00	801.56	0.00	0.13	0.00	161.43	375.00
112.600	650.00	801.75	0.00	0.17	0.00	186.09	375.00
112.600	1230.00	802.60	0.00	0.46	0.00	260.32	375.00
112.700	270.00	801.83	0.00	0.45	0.00	153.87	375.00
112.700	490.00	802.46	0.00	0.98	0.00	227.93	375.00
112.700	650.00	802.85	0.00	1.11	0.00	251.29	375.00
112.700	1230.00	803.90	0.00	1.30	0.00	273.44	375.00
112.800	270.00	802.25	0.00	0.42	0.00	155.30	375.00
112.800	490.00	803.00	0.00	0.54	0.00	236.21	375.00
112.800	650.00	803.42	0.00	0.56	0.00	260.33	375.00
112.800	1230.00	804.53	0.00	0.63	0.00	276.83	375.00
113.000	270.00	802.66	0.00	0.41	0.00	156.06	375.00
113.000	490.00	803.66	0.00	0.46	0.00	239.89	375.00
113.000	650.00	803.89	0.00	0.48	0.00	261.69	375.00
113.000	1230.00	805.04	0.00	0.52	0.00	278.61	375.00
113.100	270.00	803.20	0.00	0.53	0.00	113.64	400.00
113.100	490.00	804.00	0.00	0.55	0.00	209.84	400.00
113.100	650.00	804.44	0.00	0.55	0.00	244.56	400.00
113.100	1230.00	805.60	0.00	0.56	0.00	273.55	400.00
113.200	270.00	804.01	0.00	0.81	0.00	99.21	400.00
113.200	490.00	804.80	0.00	0.79	0.00	193.76	400.00
113.200	650.00	805.21	0.00	0.78	0.00	237.37	400.00
113.200	1230.00	806.34	0.00	0.74	0.00	271.13	400.00
114.000	270.00	804.71	0.00	0.70	0.00	50.81	460.00
114.000	490.00	805.60	0.00	0.81	0.00	55.16	460.00
114.000	650.00	806.06	0.00	0.84	0.00	57.37	460.00
114.000	1230.00	807.28	0.00	0.94	0.00	65.23	460.00

PRINTED IN U.S.A.
ISOM TAYLOR PRINTED-AT-BOTTOM MANIFOLD FORMS

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
114.800	270.00	804.80	0.00	0.10	0.00	40.00	100.00
114.800	490.00	805.73	0.00	0.13	0.00	43.00	100.00
114.800	650.00	806.21	0.00	0.15	0.00	42.00	100.00
114.800	1230.00	807.50	0.00	0.22	0.00	43.00	100.00
114.900	270.00	804.80	0.00	0.00	0.00	40.00	1.00
114.900	490.00	805.73	0.00	0.00	0.00	40.00	1.00
114.900	650.00	806.21	0.00	0.00	0.00	40.00	1.00
114.900	1230.00	807.51	0.00	0.00	0.00	40.00	1.00
115.000	270.00	804.88	0.00	0.08	0.00	40.00	60.00
115.000	490.00	805.83	0.00	0.10	0.00	40.00	60.00
115.000	650.00	806.33	0.00	0.11	0.00	40.00	60.00
115.000	1230.00	807.60	0.00	0.17	0.00	40.00	60.00
115.100	270.00	804.88	0.00	0.00	0.00	40.00	1.00
115.100	490.00	805.83	0.00	0.00	0.00	40.00	1.00
115.100	650.00	806.33	0.00	0.00	0.00	40.00	1.00
115.100	1230.00	807.68	0.00	0.00	0.00	40.00	1.00
116.000	270.00	804.97	0.00	0.09	0.00	49.82	50.00
116.000	490.00	805.96	0.00	0.13	0.00	53.71	50.00
116.000	650.00	806.49	0.00	0.16	0.00	55.78	50.00
116.000	1230.00	807.98	0.00	0.30	0.00	68.19	50.00
116.700	270.00	807.22	0.00	2.25	0.00	63.65	2200.00
116.700	490.00	808.52	0.00	2.56	0.00	57.04	2200.00
116.700	650.00	809.26	0.00	2.77	0.00	101.03	2200.00
116.700	1230.00	811.18	0.00	3.19	0.00	156.64	2200.00
116.900	270.00	807.29	0.00	0.07	0.00	24.00	100.00
116.900	490.00	808.53	0.00	0.01	0.00	24.00	100.00
116.900	650.00	809.29	0.00	0.02	0.00	75.33	100.00
116.900	1230.00	811.23	0.00	0.05	0.00	148.23	100.00
117.000	270.00	807.71	0.00	0.42	0.00	24.00	35.00
117.000	490.00	808.76	0.00	0.23	0.00	24.00	35.00
117.000	650.00	810.00	0.00	1.52	0.00	148.14	35.00
117.000	1230.00	811.71	0.00	0.66	0.00	148.35	35.00
117.200	270.00	808.46	0.00	0.76	0.00	56.11	50.00
117.200	490.00	810.01	0.00	1.25	1.55	124.00	50.00
117.200	650.00	811.16	0.00	0.36	0.00	207.07	50.00
117.200	1230.00	812.35	0.00	0.63	0.00	210.15	50.00
118.000	270.00	808.71	0.00	0.25	0.00	76.29	680.00
118.000	490.00	810.31	0.00	0.30	1.60	224.21	680.00
118.000	650.00	811.37	0.00	0.21	0.00	224.36	680.00
118.000	1230.00	812.69	0.00	0.35	0.00	224.55	680.00
119.000	270.00	811.25	0.00	2.53	0.00	224.06	685.00
119.000	490.00	811.47	0.00	1.16	0.22	224.09	685.00
119.000	650.00	811.95	0.00	0.58	0.00	224.16	685.00
119.000	1230.00	813.27	0.00	0.58	0.00	224.35	685.00

FORM 3431-00 PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	119.500	270.00	812.16	0.00	0.91	0.00	35.32	400.00
	119.500	490.00	812.95	0.00	1.50	0.80	39.73	400.00
	119.500	650.00	813.29	0.00	1.35	0.00	41.53	400.00
	119.500	1230.00	814.13	0.00	0.91	0.00	46.42	400.00
	119.600	270.00	813.14	0.00	0.98	0.00	34.15	350.00
	119.600	490.00	814.09	0.00	1.13	0.95	39.35	350.00
	119.600	650.00	814.65	0.00	1.36	0.00	42.43	350.00
	119.600	1230.00	816.38	0.00	2.27	0.00	51.95	350.00
	120.000	270.00	814.21	0.00	1.06	0.00	41.51	400.00
	120.000	490.00	815.25	0.00	1.16	1.05	49.04	400.00
	120.000	650.00	815.88	0.00	1.23	0.00	53.56	400.00
	120.000	1230.00	817.73	0.00	1.35	0.00	63.00	400.00
	120.800	270.00	814.19	0.00	-0.02	0.00	15.60	50.00
	120.800	490.00	815.08	0.00	-0.18	0.89	15.60	50.00
	120.800	650.00	815.56	0.00	-0.32	0.00	15.60	50.00
	120.800	1230.00	817.71	0.00	-0.02	0.00	63.00	50.00
	121.000	270.00	814.29	0.00	0.20	0.00	15.60	52.00
	121.000	490.00	815.36	0.00	0.29	1.37	15.60	52.00
*	121.000	650.00	815.82	0.00	0.25	0.00	15.60	52.00
*	121.000	1230.00	819.10	0.00	1.39	0.00	63.00	52.00
	121.200	270.00	814.60	0.00	0.31	0.00	30.02	50.00
	121.200	490.00	816.05	0.00	0.69	1.46	00.00	50.00
	121.200	650.00	817.00	0.00	1.16	0.00	00.00	50.00
	121.200	1230.00	819.16	0.00	0.07	0.00	80.00	50.00
	122.000	270.00	816.04	0.00	1.45	0.00	206.95	965.00
	122.000	490.00	817.35	0.00	1.29	1.31	331.58	965.00
	122.000	650.00	818.13	0.00	1.13	0.00	370.91	965.00
	122.000	1230.00	820.23	0.00	1.06	0.00	810.80	965.00

SUMMARY OF ERRORS

CAUTION SECNO= 121.000 PROFILE= 3 HYDRAULIC JUMP D.S.
CAUTION SECNO= 121.000 PROFILE= 4 HYDRAULIC JUMP D.S.

FORM 14 1/2 PRINTED BY ROTARY MANIFOLD FORMS

FLOOD INSURANCE ZONE DATA FOR WAUBASCON CREEK

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND@ 10@	2@	0.2@
110.000	0.	0.0	0.0	0.0
111.000	1660.	-0.0	-0.0	0.1
112.000	2840.	-0.1	-0.0	0.3
112.500	4390.	-0.2	-0.1	0.6
112.600	4765.	-0.6	-0.2	0.9
112.700	5160.	-1.0	-0.4	1.0
112.800	5515.	-1.2	-0.6	1.1
113.000	5890.	-1.2	-0.4	1.2
113.100	6290.	-1.2	-0.4	1.2
113.200	6690.	-1.2	-0.6	1.1
114.000	7150.	-1.4	-0.5	1.2
114.800	7250.	-1.4	-0.5	1.3
114.900	7251.	-1.4	-0.5	1.3
115.000	7311.	-1.4	-0.5	1.4
115.100	7312.	-1.4	-0.5	1.4
116.000	7362.	-1.5	-0.5	1.5
116.700	9562.	-2.0	-0.7	1.9
116.900	9662.	-2.0	-0.8	1.9
117.000	9697.	-3.1	-2.0	0.9
117.200	9747.	-2.7	-1.1	1.2
118.000	10427.	-2.7	-1.1	1.3
119.000	11112.	-0.7	-0.5	1.3
119.500	11512.	-1.1	-0.3	0.9
119.600	11862.	-1.5	-0.6	1.7
120.000	12262.	-1.7	-0.6	1.8
120.800	12312.	-1.4	-0.5	2.1
121.000	12364.	-1.5	-0.5	3.3
121.200	12414.	-2.4	-0.9	2.2
122.000	13379.	-2.1	-0.8	2.1
WEIGHTED AVG FOR REACH		-1.1	-0.4	1.0

FHF FOR THE REACH = 010 WITH 28.8@ OF THE REACH WITHIN 0.5 FEET

ZONE FOR THE REACH = A 2

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 10@	1@	DIFF.	WTD. AVG.	FHF	PERCENT WITHIN
	0.				SEC.	110.000	
1	100.	801.3	801.3	-0.0	-0.0	005	100.
2	200.	801.3	801.3	-0.0	-0.0	005	100.
3	300.	801.3	801.3	-0.1	-0.0	005	100.
4	400.	801.3	801.3	-0.0	-0.0	005	100.
5	500.	801.3	801.3	-0.0	-0.0	005	100.
6	600.	801.3	801.3	-0.0	-0.0	005	100.

PRINTED IN U.S.A.

FORM 1411.00 PRINTED BY ROTARY-HARRYSLOB FORMS

7	700.	801.3	801.3	-0.0	-0.0	005	100.
8	800.	801.3	801.3	-0.0	-0.0	005	100.
9	900.	801.3	801.3	-0.0	-0.0	005	100.
10	1000.	801.3	801.3	-0.0	-0.0	005	100.
11	1100.	801.3	801.3	-0.0	-0.0	005	100.
12	1200.	801.3	801.3	-0.0	-0.0	005	100.
13	1300.	801.3	801.3	-0.0	-0.0	005	100.
14	1400.	801.3	801.3	-0.0	-0.0	005	100.
15	1500.	801.3	801.4	-0.0	-0.0	005	100.
16	1600.	801.3	801.4	-0.0	-0.0	005	100.
	1640.				SEC.	111.000	
17	1700.	801.3	801.4	-0.0	-0.0	005	100.
18	1800.	801.3	801.4	-0.1	-0.0	005	100.
19	1900.	801.3	801.4	-0.1	-0.0	005	100.
20	2000.	801.3	801.4	-0.1	-0.0	005	100.
21	2100.	801.3	801.4	-0.1	-0.0	005	100.
22	2200.	801.3	801.4	-0.1	-0.0	005	100.
23	2300.	801.3	801.4	-0.1	-0.0	005	100.
24	2400.	801.3	801.4	-0.1	-0.0	005	100.
25	2500.	801.3	801.4	-0.1	-0.0	005	100.
26	2600.	801.3	801.4	-0.1	-0.0	005	100.
27	2700.	801.3	801.4	-0.1	-0.0	005	100.
28	2800.	801.3	801.4	-0.1	-0.0	005	100.
	2840.				SEC.	112.000	
29	2900.	801.3	801.4	-0.1	-0.0	005	100.
30	3000.	801.3	801.4	-0.1	-0.0	005	100.
31	3100.	801.3	801.4	-0.1	-0.0	005	100.
32	3200.	801.3	801.4	-0.1	-0.1	005	100.
33	3300.	801.3	801.5	-0.1	-0.1	005	100.
34	3400.	801.3	801.5	-0.1	-0.1	005	100.
35	3500.	801.3	801.5	-0.1	-0.1	005	100.
36	3600.	801.3	801.5	-0.2	-0.1	005	100.
37	3700.	801.3	801.5	-0.2	-0.1	005	100.
38	3800.	801.3	801.5	-0.2	-0.1	005	100.
39	3900.	801.3	801.5	-0.2	-0.1	005	100.
40	4000.	801.3	801.5	-0.2	-0.1	005	100.
41	4100.	801.3	801.5	-0.2	-0.1	005	100.
42	4200.	801.3	801.6	-0.2	-0.1	005	100.
43	4300.	801.3	801.6	-0.2	-0.1	005	100.
	4390.				SEC.	112.500	
44	4400.	801.6	801.6	-0.2	-0.1	005	100.
45	4500.	801.4	801.6	-0.2	-0.1	005	100.
46	4600.	801.6	801.6	-0.3	-0.1	005	100.
47	4700.	801.4	801.7	-0.3	-0.1	005	100.
	4765.				SEC.	112.600	
48	4800.	801.4	801.8	-0.4	-0.1	005	100.
49	4900.	801.5	802.0	-0.5	-0.1	005	100.
50	5000.	801.6	802.3	-0.7	-0.1	005	98.
51	5100.	801.7	802.6	-0.9	-0.1	005	96.
	5140.				SEC.	112.700	
52	5200.	801.8	802.8	-1.0	-0.2	005	94.
53	5300.	802.0	803.0	-1.1	-0.2	005	92.
54	5400.	802.1	803.2	-1.1	-0.2	005	91.
55	5500.	802.2	803.3	-1.1	-0.2	005	91.
	5515.				SEC.	112.800	
56	5600.	802.3	803.5	-1.2	-0.2	005	89.
57	5700.	802.4	803.6	-1.2	-0.2	005	88.
58	5800.	802.5	803.7	-1.2	-0.3	005	86.
	5890.				SEC.	113.000	
59	5900.	802.6	803.8	-1.2	-0.3	005	85.
60	6000.	802.7	804.0	-1.2	-0.3	005	83.
61	6100.	802.9	804.1	-1.2	-0.3	005	82.
62	6200.	803.0	804.2	-1.2	-0.3	005	81.
	6290.				SEC.	113.100	

FORM 1411-CO PRINTED BY COTAPT MANIFOLD FORTRAN

63	6300.	803.1	804.4	-1.2	-0.3	005	79.
64	6400.	803.3	804.6	-1.2	-0.3	005	78.
65	6500.	803.5	804.7	-1.2	-0.4	005	77.
66	6600.	803.7	804.9	-1.2	-0.4	005	77.
	6690.				SEC.	113.200	
67	6700.	803.9	805.1	-1.2	-0.4	005	76.
68	6800.	804.1	805.3	-1.2	-0.4	005	75.
69	6900.	804.3	805.5	-1.3	-0.4	005	74.
70	7000.	804.4	805.7	-1.3	-0.4	005	73.
71	7100.	804.6	805.9	-1.3	-0.4	005	72.
	7150.				SEC.	114.000	
72	7200.	804.7	806.1	-1.4	-0.5	005	71.
	7250.				SEC.	114.800	
	7251.				SEC.	114.900	
73	7300.	804.8	806.3	-1.4	-0.5	005	70.
	7311.				SEC.	115.000	
	7312.				SEC.	115.100	
	7362.				SEC.	116.000	
74	7400.	805.0	806.5	-1.5	-0.5	005	69.
75	7500.	805.1	806.6	-1.5	-0.5	005	68.
76	7600.	805.2	806.7	-1.6	-0.5	005	66.
77	7700.	805.3	806.9	-1.6	-0.5	003	58.
78	7800.	805.4	807.0	-1.6	-0.5	005	51.
79	7900.	805.5	807.1	-1.6	-0.5	005	46.
80	8000.	805.6	807.2	-1.7	-0.6	005	41.
81	8100.	805.7	807.4	-1.7	-0.6	005	36.
82	8200.	805.8	807.5	-1.7	-0.6	005	30.
83	8300.	805.9	807.6	-1.7	-0.6	005	29.
84	8400.	806.0	807.7	-1.8	-0.6	005	27.
85	8500.	806.1	807.9	-1.8	-0.6	005	25.
86	8600.	806.2	808.0	-1.8	-0.6	005	24.
87	8700.	806.3	808.1	-1.8	-0.7	005	22.
88	8800.	806.4	808.2	-1.9	-0.7	005	20.
89	8900.	806.5	808.4	-1.9	-0.7	005	19.
90	9000.	806.6	808.5	-1.9	-0.7	005	18.
91	9100.	806.7	808.6	-1.9	-0.7	005	18.
92	9200.	806.8	808.7	-1.9	-0.7	005	10.
93	9300.	806.9	808.9	-2.0	-0.7	005	25.
94	9400.	807.0	809.0	-2.0	-0.8	010	24.
95	9500.	807.1	809.1	-2.0	-0.8	010	25.
	9562.				SEC.	116.700	
96	9600.	807.2	809.2	-2.0	-0.8	010	25.
	9662.				SEC.	116.900	
	9697.				SEC.	117.000	
97	9700.	807.7	810.8	-3.1	-0.8	010	25.
	9747.				SEC.	117.200	
98	9800.	808.1	811.0	-2.9	-0.8	010	24.
99	9900.	808.5	811.2	-2.7	-0.8	010	24.
100	10000.	808.5	811.2	-2.7	-0.9	010	25.
101	10100.	808.6	811.3	-2.7	-0.9	010	25.
102	10200.	808.6	811.3	-2.7	-0.9	010	24.
103	10300.	808.6	811.3	-2.7	-0.9	010	23.
104	10400.	808.7	811.3	-2.7	-0.9	010	24.
	10427.				SEC.	118.000	
105	10500.	808.8	811.4	-2.6	-0.9	010	24.
106	10600.	809.2	811.5	-2.3	-1.0	010	24.
107	10700.	809.5	811.6	-2.0	-1.0	010	23.
108	10800.	809.9	811.6	-1.7	-1.0	010	23.
109	10900.	810.3	811.7	-1.4	-1.0	010	24.
110	11000.	810.6	811.8	-1.2	-1.0	010	25.
111	11100.	811.0	811.9	-0.9	-1.0	010	25.
	11112.				SEC.	119.000	
112	11200.	811.3	812.1	-0.8	-1.0	010	26.
113	11300.	811.6	812.4	-0.9	-1.0	010	26.

FORM 5A1510 PRINTED QT ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

116	11400.	811.8	812.7	-1.0	-1.0	010	27.
115	11500.	812.0	813.1	-1.1	-1.0	010	28.
	11512.				SEC.	119.500	
116	11600.	812.3	813.4	-1.2	-1.0	010	28.
117	11700.	812.5	813.0	-1.3	-1.0	010	29.
118	11800.	812.8	814.2	-1.4	-1.0	010	30.
	11862.				SEC.	119.600	
119	11900.	813.1	814.6	-1.5	-1.0	010	30.
120	12000.	813.4	814.9	-1.5	-1.0	010	30.
121	12100.	813.6	815.2	-1.6	-1.0	010	30.
122	12200.	813.9	815.5	-1.6	-1.0	010	30.
	12262.				SEC.	120.000	
123	12300.	814.1	815.7	-1.5	-1.0	010	29.
	12312.				SEC.	120.800	
	12364.				SEC.	121.000	
124	12400.	814.4	816.2	-1.8	-1.0	010	28.
	12414.				SEC.	121.200	
125	12500.	814.6	816.9	-2.3	-1.0	010	29.
126	12600.	814.8	817.2	-2.4	-1.0	010	29.
127	12700.	815.0	817.3	-2.3	-1.0	010	29.
128	12800.	815.1	817.4	-2.3	-1.1	010	30.
129	12900.	815.2	817.5	-2.3	-1.1	010	30.
130	13000.	815.4	817.6	-2.2	-1.1	010	31.
131	13100.	815.5	817.7	-2.2	-1.1	010	31.
132	13200.	815.7	817.9	-2.2	-1.1	010	32.
133	13300.	815.8	818.0	-2.1	-1.1	010	32.
	13379.				SEC.	122.000	

THIS REACH CAN BE SUBDIVIDED BY INC NO. TO MEET FIA REQUIREMENTS
INPUT 20X WHERE N IS THE NUMBER OF REACHES AND THEN INPUT THE END
OF EACH REACH BY INC NO. FOR EXAMPLE 202 62 133
A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

PRINTED IN U.S.A.
FORM 141-80 PRINTED BY FOXBOY HANIFIELD 10SHG.

```
**********************************************************
   REC2 RELEASE DATED NOV 76 UPDATED FEB 1977
   ERROR CORR -  01
   MODIFICATION -  50,51,52
**********************************************************

C
T1BEDFORD TOWNSHIP & CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2HAUBASCON CREEK FROM CONFLUENCE OF KALAMAZOO RIVER TO 1000 FT. D/S MASON ST.
T3      HAUBASCON CREEK

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.        4.        3.        0.  0.000000      3.00      0.3       0.   801.300     0.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBU       CHNIM     ITRACE
      1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRNT     IUNSEC                    ********REQUESTED SECTION NUMBERS********
     -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000     0.000
QT     5.000   270.000   490.000   650.000   650.000  1230.000     0.000     0.000     0.000     0.000
NC     0.120     0.120     0.040     0.100     0.300     0.000     0.000     0.000     0.000     0.000

          CROSS SECTION 110 AT CONFLUENCE TO KALAMAZOO RIVER

X1   110.000    15.000   578.000   713.000     0.000     0.000     0.000     0.000     0.000     0.000
GR   812.400   518.000   808.600   598.000   803.700   582.000   805.300   566.000   799.200   570.000
GR   794.900   593.000   794.000   623.000   793.400   653.000   794.000   683.000   798.300   713.000
GR   800.700   715.000   802.100   723.000   803.400   744.000   806.100   772.000   810.500   840.300

          CROSS SECTION 111

X1   111.000    22.000   903.000  1061.000  1640.000  1640.000  1640.000     0.000     0.000     0.000
GR   814.200    68.000   811.600    82.000   803.200   116.000   802.500   600.000   802.000   800.000
GR   801.800   893.000   798.700   903.000   796.200   943.000   794.400   983.000   793.700  1003.000
GR   794.700  1033.000   798.800  1061.000   800.700  1063.000   803.900  1073.000   808.300  1098.000
GR   811.600  1122.000   813.900  1142.000   815.900  1164.000   817.200  1190.000   817.200  1256.000
GR   819.100  1278.000   820.000  1300.000     0.000     0.000     0.000     0.000     0.000     0.000

          CROSS SECTION 112

X1   112.000    18.000   543.000   683.000  1200.000  1200.000  1200.000     0.000     0.000     1.000
GR   811.800    56.000   803.600    82.000   803.000   350.000   802.700   536.000   798.500   543.000
GR   795.900   573.000   795.100   603.000   795.300   633.000   796.400   663.000   797.900   683.000
GR   802.000   708.000   801.900   728.000   806.400   746.000   811.400   760.000   813.800   770.000
GR   816.600   808.000   818.000   832.000   825.000   840.000     0.000     0.000     0.000     0.000

X1   112.500    14.000   407.000   495.000  1550.000  1550.000  1550.000     0.000     0.000     0.000
GR   810.000     0.000   804.000   126.000   802.500    50.000   802.500   400.000   800.100   407.000
GR   797.500   438.000   796.700   447.000   796.900   490.000   799.500   495.000   802.500   805.000
GR   802.500   750.000   802.500  1000.000   810.000  1050.000   815.000  1100.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1911-ST-PRINTED BY ROTARY MANIFOLD FORMS

X1	112.600	19.000	375.000	417.000	375.000	375.000	375.000	0.000	-1.200	0.000
GR	815.000	150.000	809.800	200.000	808.200	234.000	805.400	270.000	802.500	306.000
GR	802.000	364.000	801.800	375.000	800.800	300.000	800.300	393.000	796.700	399.000
GR	798.300	404.000	799.000	409.000	802.000	417.000	802.000	430.000	802.800	466.000
GR	803.200	522.000	803.000	550.000	810.000	565.000	815.000	575.000	0.000	0.000
X1	112.700	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	0.000
X1	112.800	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	0.000

CROSS SECTION 113

X1	113.000	0.000	0.000	0.000	375.000	375.000	375.000	0.000	0.400	1.000
X1	113.100	0.000	0.000	0.000	400.000	400.000	400.000	0.000	0.900	0.000
X1	113.200	0.000	0.000	0.000	400.000	400.000	400.000	0.000	0.900	0.000

100 D/S MICHIGAN AVE. CROSS SECTION 116

X1	116.000	19.000	375.000	415.000	460.000	460.000	460.000	0.000	0.000	1.000
NC	0.120	0.120	0.045	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	1.000	748.000
GR	815.200	0.000	815.300	54.000	812.400	92.000	812.600	176.000	813.200	210.000
GR	813.000	312.000	812.300	340.000	802.600	375.000	802.400	381.000	801.200	385.000
GR	801.000	395.000	801.300	404.000	802.100	415.000	810.200	425.000	811.000	436.000
GR	813.000	534.000	813.200	634.000	812.800	716.000	815.400	748.000	0.000	0.000

D/S MICHIGAN AVE CROSS SECTION 116

X1	114.800	5.000	414.000	454.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
GR	816.500	413.000	802.600	414.000	801.500	436.000	802.100	654.000	816.500	455.000

D/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	114.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000
BT	5.000	413.000	816.500	0.000	414.000	816.500	812.500	434.000	816.500	812.500
BT	454.000	816.500	812.500	455.000	816.500	0.000	0.000	0.000	0.000	0.000

U/S FACE MICHIGAN AVE. CROSS SECTION 115 116

X1	115.000	0.000	0.000	0.000	60.000	60.000	60.000	0.000	0.200	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.300	816.500	816.500	0.000

U/S MICHIGAN AVE CROSS SECTION 116

X1	115.100	0.000	0.000	0.000	0.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	816.500	816.500	0.000

50 FT. U/S MICHIGAN AVE. CROSS SECTION 116

PRINTED IN U.S.A.
FORM 1611-GO PRINTED BY ROYALY MANIFOLD FORMS

X1	116.000	13.000	349.000	389.000	50.000	50.000	50.000	0.000	0.000	1.000
GR	815.800	0.000	815.600	122.000	815.400	185.000	815.000	315.000	810.700	334.000
GR	802.600	349.000	801.600	356.000	821.500	369.000	802.300	389.000	806.700	398.000
GR	810.600	426.000	813.300	486.000	816.000	526.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

100 FT D/S CROSS ST CROSS SECTION 118

X1	116.700	13.000	451.000	485.000	1350.000	1350.000	2200.000	0.000	0.000	1.000
GR	820.000	393.000	810.000	394.000	809.400	402.000	809.400	430.000	806.100	445.000
GR	806.700	449.000	804.900	451.000	806.000	460.000	803.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	542.000	820.000	593.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.035	0.300	0.500	0.030	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	394.000	543.000

D/S FACE CROSS ST. CROSS SECTION 118

X1	116.900	32.000	436.000	480.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	804.200	0.000	0.000	0.000	0.000	0.000	809.000	809.000	0.000
GR	820.000	393.300	810.200	394.000	809.000	441.000	807.000	454.000	807.000	456.000
GR	805.300	456.500	804.400	457.500	804.100	458.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.000	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	804.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	805.300	479.500	807.000	480.000	809.000	482.000	809.000	490.000
GR	810.000	542.000	820.000	543.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	9.100	0.000	1.410	0.000	0.000	0.000	406.000	530.000

U/S FACE CROSS ST. CROSS SECTION 117B118

X1	117.000	32.000	456.000	480.000	35.000	35.000	35.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	810.000	810.800	0.000	0.000	0.000	0.000	0.000
X3	10.000	805.000	0.000	0.000	0.000	0.000	0.000	810.800	810.800	0.000
BT	32.000	393.000	820.000	0.000	394.000	810.800	0.000	441.000	810.800	0.000
BT	454.000	810.800	0.000	456.000	810.800	807.000	456.500	810.800	808.700	457.300
BT	810.800	809.600	458.500	810.800	810.000	459.500	810.800	810.000	460.500	810.800
BT	809.600	461.500	810.800	808.700	462.000	810.800	807.000	465.000	810.800	807.000
BT	465.500	810.800	808.700	466.500	810.800	807.600	467.500	810.800	810.000	468.500
BT	810.800	810.000	469.500	810.800	809.600	472.500	810.000	808.700	471.000	810.800
BT	807.000	474.000	810.800	807.000	474.500	810.800	808.700	475.500	810.800	809.600
BT	476.500	810.800	810.000	477.500	810.000	810.000	478.500	810.800	809.600	479.500
BT	810.800	808.700	480.000	810.800	807.000	482.000	810.800	0.000	490.000	810.800
BT	0.000	542.000	810.800	0.000	543.000	820.000	0.000	0.000	0.000	0.000
GR	820.000	393.000	810.200	394.000	810.000	441.000	809.000	454.000	807.000	456.000
SR	805.300	456.500	804.400	457.500	804.100	458.500	804.100	459.500	804.400	460.500
GR	805.300	461.500	807.000	462.000	807.000	465.000	805.300	465.500	804.400	466.500
GR	804.100	467.500	804.100	468.500	804.400	469.500	805.300	470.500	807.000	471.000
GR	807.000	474.000	805.300	474.500	804.400	475.500	804.100	476.500	804.100	477.500
GR	804.400	478.500	805.300	479.500	807.000	480.000	809.000	482.000	810.000	490.000
GR	810.000	542.000	820.000	543.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	9.100	0.000	1.410	0.000	0.000	0.000	406.000	530.000

50 FT U/S CROSS ST. CROSS SECTION 118

X1	117.200	13.000	456.000	485.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	820.000	393.000	810.000	388.000	809.400	400.000	809.400	430.000	808.100	445.000
GR	806.700	449.000	804.900	451.000	804.000	460.000	803.900	485.000	806.700	489.000
GR	808.700	498.000	809.400	542.000	820.000	593.000	0.000	0.000	0.000	0.000
NC	0.100	0.100	0.040	0.120	0.450	0.000	0.000	0.000	0.000	0.000

X1	118.000	13.000	223.000	247.000	450.000	550.000	680.000	0.000	-2.000	0.000
GR	825.000	122.000	811.000	123.000	810.800	182.000	811.200	214.000	808.400	223.000
GR	808.400	235.000	808.000	230.000	809.100	240.000	809.000	247.000	810.000	251.000
GR	811.200	306.000	810.600	367.000	825.000	348.000	0.000	0.000	0.000	0.000

CROSS SECTION 119

X1	119.000	0.000	0.000	0.000	450.000	550.000	685.000	0.000	2.300	1.000
NC	0.120	0.120	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	507.000	853.000

X1	119.500	10.000	639.000	667.000	400.000	400.000	400.000	0.000	0.000	0.000
GR	819.200	506.000	817.000	566.000	817.000	617.000	812.100	635.000	810.900	639.000
GR	808.600	653.000	810.600	667.000	812.100	670.000	817.600	680.000	815.000	853.000

X1	119.600	0.000	0.000	0.000	350.000	350.000	350.000	0.000	1.200	0.000

100 FT D/S MASON ST. CROSS SECTION 2

X1	120.000	11.000	639.000	667.000	400.000	400.000	400.000	0.000	0.000	1.000
X3	0.000	0.000	0.000	617.000	0.000	680.000	0.000	0.000	0.000	0.000
GR	825.000	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.000	653.000	811.300	667.000	813.300	670.000	817.600	680.000	815.000	727.000
GR	825.000	720.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S MASON ST. CROSS SECTION 2

X1	120.800	22.000	664.700	660.300	50.000	50.300	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	617.000	0.000	680.000	0.000	816.000	816.000	0.000
GR	825.000	578.000	817.000	579.000	817.000	617.000	813.300	635.000	812.100	639.000
GR	811.100	644.700	811.100	644.800	811.100	649.700	811.100	649.800	811.100	649.900
GR	811.100	650.000	811.100	655.000	811.100	655.100	811.100	655.200	811.100	655.300
GR	811.100	660.200	811.100	660.300	811.800	667.000	813.300	670.000	817.600	680.000
GR	818.000	727.000	825.000	728.000	0.000	0.000	0.000	0.000	0.000	0.000
SE	1.250	2.350	3.000	0.000	15.600	0.600	98.000	0.000	811.100	811.100

U/S FACE MASON ST. CROSS SECTION 1&2

X1	121.000	0.000	0.000	0.000	52.000	52.000	52.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	817.600	818.500	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	617.000	0.000	680.000	0.000	817.000	817.000	0.000
BT	22.000	578.000	825.000	825.000	579.000	818.500	817.000	617.000	818.500	817.000
BT	635.000	818.500	813.300	639.000	818.500	812.100	664.700	818.500	811.100	644.800
BT	818.500	817.600	649.700	818.500	817.600	649.800	818.500	811.100	649.900	818.500
BT	811.100	650.000	818.500	817.600	655.000	818.500	817.600	655.100	818.500	811.100
BT	655.200	818.500	811.100	655.300	818.500	817.600	660.200	818.500	817.600	660.300
BT	818.500	811.100	667.000	818.500	811.800	670.000	818.500	813.300	680.000	818.500
BT	817.600	727.000	818.500	818.000	728.000	825.000	825.000	0.000	0.000	0.000

50 FT U/S MASON ST. CROSS SECTION 2

X1	121.200	11.000	840.000	856.000	50.000	50.000	50.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	808.000	0.000	856.000	0.000	0.000	0.000	0.000
GR	821.800	660.000	818.800	724.000	816.800	762.000	815.100	836.000	811.300	840.000
GR	811.000	848.000	812.000	856.000	814.300	864.000	815.000	870.000	814.000	900.000

FORM 1411-60 PRINTED BY ROTARY MANIFOLD FORMS PRINTED IN U.S.A.

GR	820.000	910.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.045	0.100	0.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 3

X1	122.000	21.000	840.000	056.000	965.000	965.000	965.000	0.000	0.000	1.000
GR	825.200	0.000	821.700	56.000	823.000	106.000	823.000	152.000	821.600	198.000
GR	821.200	376.000	820.400	520.000	821.300	660.000	818.800	724.000	816.800	762.000
GR	815.900	830.000	811.300	840.000	811.000	848.000	812.000	856.000	814.300	864.000	
GR	815.000	978.000	816.600	1052.000	819.000	1152.000	819.200	1260.000	819.100	1488.000
GR	830.000	1650.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GP-PRINTED BY ROTARY MANIFOLD-FORMS.

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: West channel of Sperry Drain

4) DOCUMENT TYPE: Rating Curve

```
JOBID=HEC2          USER=DBHUD17W          PROJECT=HU202507          BILLING=HU202507          RON=X0065

13:48:03                                JOB INTRODUCED FROM                                MAY 21, 1981
                                        HEC2 ENG

13:48:07  START OF TRANSLATION

**          PARAMETER VALUES          **

&1        = DB-SPERRYWEST
&PAPER    = 3PART

                SJOB HEC2,USER=DBHUD17U;
WARNING  - 36  THIS STATEMENT HAS BEEN GENERATED
                VALUE FILENAM,NHOLD,WK=TEG2UU,CPU=30,PAPER=1PART,SIZE=2J0,STEP=HEC2,
                      SUB=SUBNAME,COPIES=1,WKDVC=452;
                JUMP &PAPER%%X;
                2PART:
                OUTVAL &2,MD=I12PRT,DVC=P8;
                JUMP CONTX;
                3PARTX:
                OUTVAL &2,MD=I13PRT,DVC=P9;
                JUMP CONTX;
                1PARTX:
                OUTVAL &2;
                CONTX;
                INVOKE HEC2,ENGJCLLIB,VALUES=(&1,&2,WK=&WK,CPU=&CPU,PAPER=&PAPER,SIZE=&SIZE,
                      STEP=&STEP,SUB=&SUB,COPIES=&COPIES,WKDVC=&WKDVC);

          RECORD COUNT :    16

13:48:21  END OF TRANSLATION
```

WEST CHANNEL RATING CURVE — EXHIBIT 2

FORM 1411-GD-PRINTED BY ROTARY MANIFOLD FORMS.

JOBID=HEC2 USER=DPHUD17W PROJECT=HU202507 BILLING=HU202507 ROM=XU065

13:46:22 JOB EXECUTION LISTING MAY 21, 1987

```
            JUMP DONE TO 3PARTX
            JUMP DONE TO CONTX
            JUMP DONE TO HFC2
            START OF HEC□2 EXECUTION
            STEP 4
            LOAD MODULE = HEC□2 (7972 722 23:58)
            LIBRARY = UTAENGL□
13:48:44    STEP STARTED XPRTY=9
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□F
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□C
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□D
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□A
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□E
            FP04.   2 CYLINDER(S) ALLOCATED ON VOLUME: MEG200 FOR EFN: J000065.FILE□F
            TASK MAIN J=09 P=00 COMPLETED
            DUFC1.IFN=FILE□B      REMEMBER REUSE=       0
            DUFC1.IFN=FILE□C      REMEMBER REUSE=       0
            DUFD1.IFN=FILE□D      REMEMBER REUSE=       0
            DUFD1.IFN=FILE□A      REMEMBER REUSE=       0
            DUFD1.IFN=FILE□E      REMEMBER REUSE=       0
            DUFD1.IFN=FILE□F      REMEMBER REUSE=       0    UNLOCK BUFFER=      0    CREATE BUFFER=     34
            TEMPORARY  FILES USED=   226 TRACKS
            FILE□B    ON  MEG200 :  NB  OF  IO  CONNECTS=       133
            FILE□C    ON  MEG200 :  NB  OF  IO  CONNECTS=       120
            H□PR      ON  MEG200 :  NB  OF  IO  CONNECTS=        16
            H□RD      ON  MTAPAK :  NB  OF  IO  CONNECTS=         3
            FILE□D    ON  MEG200 :  NB  OF  IO  CONNECTS=        71
            FILE□A    ON  MEG200 :  NB  OF  IO  CONNECTS=       139
            FILE□E    ON  MEG200 :  NB  OF  IO  CONNECTS=       171
            FILE□F    ON  MEG200 :  NB  OF  IO  CONNECTS=        30
            CPU          1.265                PROG MISSING SEGTS      94   STACKOV     86
            ELAPSED      2.559                SYS  MISSING SEGTS     213
            LINES          407   LIMIT   NOLIM   STACKING STORE     468064
            CARDS            0   LIMIT   NOLIM   BUFFER SIZE        15920   CPSIZE    2272
13:51:18    STEP COMPLETED

            JUMP DONE TO FINISH
            JUMP DONE TO 3PART
            ********************************
            *  READY 3PART, GREEN BAR PAPER  *
            ********************************

            START     13:48:22   LINES        407
            STOP      13:51:21   CARDS          0
            CPU          1.265
            ELAPSE       2.972
13:51:21    RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.

FORM 1411-05-PRINTED BY ROTARY MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************


C
T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          USEL       FQ
          0.         2.         0.         0.   0.000000       0.00       0.0         0.    804.200      0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECE      FN         ALLOC      ICV        CHNIM      ITRACE
      1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    150.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
J5  LPRNT      NUMSEC                          ********REQUESTED SECTION NUMBERS********
     -10.000    -10.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
QT        5.000     25.000     50.000     75.000    100.000    125.000      0.000      0.000      0.000      0.000
NC        0.120      0.120      0.035      0.300      0.500      0.000      0.000      0.000      0.000      0.000

          D/S FACE JACKSON ST. 29X45 INCH CONCRETE CULVERT

X1        1.000     11.000      2.000      5.000      0.000      0.000      0.000      0.000      0.000      0.000
X3       10.000      0.000      0.000      0.000      0.000      0.000      0.000    812.600    812.600      0.000
GR      812.600      1.000    801.100      2.000    800.600      2.100    800.100      2.400    799.700      3.000
GR      799.600      3.500    799.700      4.000    800.100      4.600    800.600      4.900    801.100      5.000
GR      812.600      6.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
SB        0.000      3.250      3.000      0.000      2.720      0.000      7.400      0.000    800.600    799.880


          U/S FACE JACKSON ST. 29X45 INCH CONCRETE CULVERT

X1        2.000     11.000      2.000      5.000    146.000    146.000    146.000      0.000      0.000      0.000
X2        0.000      0.000      1.000    803.200    812.600      0.000      0.000      0.000      0.000      0.000
X3       10.000      0.000      0.000      0.000      0.000      0.000      0.000    812.600    812.600      0.000
BT       11.000      1.000    812.600      0.000      2.000    812.600    801.700      2.100    812.600    802.200
BT        2.400    812.600    802.700      3.000    812.600    803.100      3.500    812.600    803.200      4.000
BT      812.600    803.100      4.600    812.600    802.700      4.900    812.600    802.200      5.000    812.600
BT      801.700      6.000    812.600      0.000      0.000      0.000      0.000      0.000      0.000      0.000
GR      812.600      1.000    801.700      2.000    801.200      2.100    800.700      2.400    800.300      3.000
GR      800.200      3.500    800.300      4.000    800.700      4.600    801.200      4.900    801.700      5.000
GR      812.600      6.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000


          50 FT U/S JACKSON ST.

X1        2.100      9.000     45.000     35.000     55.000     50.000     50.000      0.000      0.000      0.000
GR      815.000      0.000    805.000      1.000    805.000     20.000    800.500     45.000    800.200     50.000
GR      800.500     55.000    805.000     55.000    805.000     60.000    815.000    110.000      0.000      0.000
NC        0.120      0.120      0.035      0.100      0.300      0.000      0.000      0.000      0.000      0.000
```

GR	806.700	0.000	238.000	0.000	810.000	0.000	249.000	0.000	810.000	0.000
EJ	0.000	0.000	0.000	380.000	0.000	330.000	0.000	820.000	0.000	0.000

FORM 1411-CTH-PRINTED BY ROTARY MANIFOLD FORMS.

GR	820.000	0.000	810.000	0.000	810.000	0.000	50.000	0.000	215.000	0.000
X1	5.000	0.000	9.000	0.000	222.500	0.000	259.000	0.000	150.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	225.000	225.000	0.000	225.000	0.000	225.000	0.000	0.000	0.000
GR	806.500	208.000	810.000	219.000	810.000	0.000	50.000	0.000	215.000	0.000
G1	820.000	0.000	416.050	1.000	430.200	0.000	192.050	0.000	192.050	0.000
X3	0.000	0.000	2.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	2.400	0.000	192.050	0.000	210.000	0.000	0.000	0.000	0.000	0.000

VALLEY SECTION

X1	2.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	805.400	0.000	255.000	807.000	264.000	807.000	820.000	0.000	0.000	0.000
GR	820.000	0.000	807.000	1.000	807.000	229.000	805.600	265.000	805.500	250.000
X3	0.000	0.000	0.000	250.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	2.250	0.000	265.000	0.000	255.000	0.000	250.000	0.000	-2.500	0.000

GR	800.300	256.000	806.000	265.000	806.000	499.000	820.000	0.000	500.000	0.000
GR	820.000	0.000	806.000	1.000	806.000	230.000	820.500	242.000	800.300	250.000
X2	0.001	0.000	0.300	250.000	0.000	320.000	0.000	0.000	0.000	0.000
X1	2.200	9.000	242.500	256.020	600.000	670.500	670.000	0.000	0.000	0.000

VALLEY SECTION

PRINTED IN U.S.A.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

TICITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3     SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         3.         0.         1.  0.300500       3.00        0.0         0.    604.200     0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XPRCH      FN         ALLDC      IBW        CHNIM      ITRACE
      2.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

FORM 1411.08 PRINTED BY ROTARY MANIFOLD FORMS.
PRINTED IN U.S.A.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.       4.        5.        1.   0.030000      0.00      1.0       0.    804.200     0.000

J2  NPRCP      IPLOT     PRFVS     XSECV     XSLCH     SN        ALLDC     IDV       CHNIM     ITRACE
    3.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

FORM 1411-GR PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     NVINS      Q          WSEL       FQ
          3.         5.         0.         3.  0.200000       0.00       0.0         2.     200.200     0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBH        CHNIM      ITRACE
      4.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

FORM 1411.00 PRINTED BY BOYARD MANIFOLD FORMS.
PRINTED IN U.S.A.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.      5.        0.        0.  0.000300      0.00      0.0       0.    804.200     0.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECD     FN        ALLOC     IEP       CHNIM     ITRACE
    15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 121.00 PRINTED BY BOTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE  150
```

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	IOK*S	VCH	AREA	.01K
1.000	0.00	0.00	0.00	799.60	25.00	804.20	0.00	804.26	11.16	1.97	12.69	7.49
1.000	0.00	0.00	0.00	799.60	50.00	804.20	0.00	804.44	44.56	3.94	12.69	7.49
1.000	0.00	0.00	0.00	799.60	75.00	804.20	0.00	804.74	100.22	5.91	12.69	7.49
1.000	0.00	0.00	0.00	799.60	100.00	804.20	0.00	805.16	178.17	7.88	12.69	7.49
1.000	0.00	0.00	0.00	799.60	125.00	804.20	0.00	805.71	278.40	9.85	12.69	7.49
2.000	146.00	812.60	803.20	800.20	25.00	804.71	0.00	804.78	11.75	2.01	12.43	7.29
2.000	146.00	812.60	803.20	800.20	50.00	806.58	0.00	806.50	19.84	2.87	17.42	11.23
2.000	146.00	812.60	803.20	800.20	75.00	809.22	0.00	809.38	16.70	2.68	28.06	18.35
2.000	146.00	812.60	803.20	800.20	100.00	812.84	0.00	812.95	2.52	2.68	48.17	62.96
2.000	146.00	812.60	803.20	800.20	125.00	813.76	0.00	813.91	3.08	3.11	52.80	71.20
2.100	50.00	0.00	0.00	800.20	25.00	804.79	0.00	804.80	0.19	0.51	75.15	56.62
2.100	50.00	0.00	0.00	800.20	50.00	806.54	0.00	806.54	0.17	0.58	231.10	122.32
2.100	50.00	0.00	0.00	800.20	75.00	809.42	0.00	809.42	0.06	0.44	515.45	314.60
2.100	50.00	0.00	0.00	800.20	100.00	812.98	0.00	812.98	0.02	0.55	808.39	659.35
2.100	50.00	0.00	0.00	800.20	125.00	813.95	0.00	813.95	0.03	0.39	965.62	772.09
2.200	600.00	0.00	0.00	800.30	25.00	804.80	0.00	804.80	0.10	0.37	98.46	78.41
2.200	600.00	0.00	0.00	800.30	50.00	806.55	0.00	806.55	0.12	0.49	192.58	144.89
2.200	600.00	0.00	0.00	800.30	75.00	809.42	0.00	809.43	0.05	0.40	480.10	343.17
2.200	600.00	0.00	0.00	800.30	100.00	812.98	0.00	812.98	0.02	0.53	835.52	693.65
2.200	600.00	0.00	0.00	800.30	125.00	813.95	0.00	813.96	0.02	0.36	933.85	805.98
2.250	700.00	0.00	0.00	802.80	25.00	804.82	0.00	804.83	2.16	0.96	65.75	17.01
2.250	700.00	0.00	0.00	802.80	50.00	806.56	0.00	806.57	0.39	0.63	240.53	79.71
2.250	700.00	0.00	0.00	802.80	75.00	809.43	0.00	809.43	0.09	0.43	527.19	256.74
2.250	700.00	0.00	0.00	802.80	100.00	812.98	0.00	812.98	0.03	0.55	882.59	567.61
2.250	700.00	0.00	0.00	802.80	125.00	813.96	0.00	813.96	0.04	0.39	979.95	667.50
2.300	700.00	0.00	0.00	805.30	25.00	805.97	805.97	806.23	207.13	4.19	7.38	1.74
2.300	700.00	0.00	0.00	805.30	50.00	806.51	0.00	806.73	78.32	4.02	19.21	5.65
2.300	700.00	0.00	0.00	805.30	75.00	809.44	0.00	809.64	0.58	0.82	277.78	98.22
2.300	700.00	0.00	0.00	805.30	100.00	812.98	0.00	812.98	0.09	0.48	632.61	339.63
2.300	700.00	0.00	0.00	805.30	125.00	813.96	0.00	813.96	0.09	0.52	730.19	423.67

PRINTED IN U.S.A.
FORM 1411-SB-PRINTED BY ROTARY MANIFOLD FORMS.

	SECNO	XLCH	FLTRD	ELLC	ELMIN	Q	CHSCL	CRIBS	EG	TDK*S	VCH	APCA	.01K
	2.400	1000.00	0.00	0.00	805.90	25.00	807.50	0.00	807.60	4.43	1.11	25.15	11.88
	2.400	1000.00	0.00	0.00	805.90	50.00	808.13	0.00	808.17	5.73	1.57	37.59	20.09
	2.400	1000.00	0.00	0.00	805.90	75.00	809.52	0.00	809.55	1.94	1.32	76.66	53.82
	2.400	1000.00	0.00	0.00	805.90	100.00	812.99	0.00	813.00	0.17	0.63	391.22	241.32
	2.400	1000.00	0.00	0.00	805.90	125.00	813.97	0.00	813.97	0.15	0.65	485.83	321.57
*	3.000	150.00	0.00	0.00	806.00	225.00	808.16	808.16	809.02	143.84	7.54	34.75	18.76
	3.000	150.00	0.00	0.00	806.00	225.00	808.23	808.17	809.02	113.46	7.01	37.90	21.12
	3.000	150.00	0.00	0.00	806.00	225.00	809.49	0.00	809.75	21.29	4.19	71.46	48.76
	3.000	150.00	0.00	0.00	806.00	225.00	812.99	0.00	813.01	0.92	1.43	387.61	234.77
	3.000	150.00	0.00	0.00	806.00	225.00	813.97	0.00	813.98	0.52	1.18	485.12	313.31

FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS PRINTED IN U.S.A.

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CHSEL	DIFWSP	DIFWSR	DIFWCS	TOPWID	XLOB
1.000	25.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	50.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	75.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	100.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	125.00	804.20	0.00	0.00	0.00	3.00	0.00
2.000	25.00	804.71	0.00	0.51	0.00	3.00	146.00
2.000	50.00	806.38	0.00	2.18	0.00	3.00	146.00
2.000	75.00	809.25	0.00	5.06	0.00	3.00	146.00
2.000	100.00	812.84	0.00	8.64	0.00	3.00	146.00
2.000	125.00	813.76	0.00	9.56	0.00	3.00	146.00
2.100	25.00	804.79	0.00	0.08	0.00	24.31	50.00
2.100	50.00	806.54	0.00	0.16	0.00	98.31	50.00
2.100	75.00	809.42	0.00	0.17	0.00	98.38	50.00
2.100	100.00	812.93	0.00	0.14	0.00	99.50	50.00
2.100	125.00	813.93	0.00	0.19	0.00	99.79	50.00
2.200	25.00	804.80	0.00	0.01	0.00	30.50	600.00
2.200	50.00	806.55	0.00	0.01	0.00	100.00	600.00
2.200	75.00	809.42	0.00	0.00	0.00	100.00	600.00
2.200	100.00	812.98	0.00	0.00	0.00	100.00	600.00
2.200	125.00	813.95	0.00	0.00	0.00	100.00	600.00
2.250	25.00	804.82	0.00	0.01	0.00	100.00	700.00
2.250	50.00	806.56	0.00	0.01	0.00	100.00	700.00
2.250	75.00	809.43	0.00	0.00	0.00	100.00	700.00
2.250	100.00	812.98	0.00	0.00	0.00	100.00	700.00
2.250	125.00	813.96	0.00	0.00	0.00	100.00	700.00
* 2.300	25.00	805.97	0.00	1.15	0.00	17.42	700.00
2.300	50.00	806.51	0.00	-0.06	0.00	26.59	700.00
2.300	75.00	809.44	0.00	0.01	0.00	100.00	700.00
2.300	100.00	812.98	0.00	0.00	0.00	100.00	700.00
2.300	125.00	813.96	0.00	0.00	0.00	100.00	700.00
2.400	25.00	807.58	0.00	1.61	0.00	21.57	1000.00
2.400	50.00	808.13	0.00	1.62	0.00	24.36	1000.00
2.400	75.00	809.57	0.00	0.08	0.00	31.55	1000.00
2.400	100.00	812.99	0.00	0.01	0.00	100.00	1000.00
2.400	125.00	813.97	0.00	0.01	0.00	100.00	1000.00
* 3.000	225.00	808.16	0.00	0.58	0.00	23.96	150.00
3.000	225.00	808.28	0.00	0.15	0.00	24.67	150.00
3.000	225.00	809.49	0.00	-0.03	0.00	31.22	150.00
3.000	225.00	812.99	0.00	-0.01	0.00	100.00	150.00
3.000	225.00	813.97	0.00	-0.00	0.00	100.00	150.00

SUMMARY OF ERRORS

CAUTION SECNO= 2.300 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 2.300 PROFILE= 1 TERCRABLE MINIMU SPECIFIC ENERGY

CAUTION SECNO= 2.300 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE ...

PRINTED IN U.S.A.

FORM 34166 PRINTED BY ROTARY MANIFOLD FORMS.

CAUTION SECNO= 3.000 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 3.000 PROFILE= 1 MINIMUM SPECIFIC ENERGY

FORM [41]-GB-PRINTED BY ROTARY MANIFOLD FORMS.
PRINTED IN U.S.A.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp & City of Battle Creek

3) WATERCOURSE: west channel

4) DOCUMENT TYPE: 4 profiles

00BREAK00

13:29:38 X150 08HUD17U HEC2 HU202507 JUN 04, 1981

WEST CHANNEL
4-PROFILE

WEST CHANNEL
4-PROFILE EXHIBIT 2

PRINTED IN U.S.A.
FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORMS

```
13:10:57                          JCU INTRODUCED FROM                          JUN 04, 1981
                                    HEC2 ENG

13:15:50  START OF TRANSLATION

**          PARAMETER VALUES          **

&1        = DB-SPERRYWEST
&PAPER    = 3PART

          $JOB HEC2,USER=DBHUD17W;
WARNING   36  THIS STATEMENT HAS BEEN GENERATED
          VALUE FILENAM,WHOLD,WK=WTAPAK,CPU=30,PAPER=1PART,SIZE=200,STEP=HEC2,
                SUB=SUBNAME,COPIES=1,WKDVC=400;
          JUMP &PAPER&X;
          2PARTX:
          OUTVAL &2,MD=112PRT,DVC=PR;
          JUMP CONTX;
          3PARTX:
          OUTVAL &2,MD=113PRT,DVC=PR;
          JUMP CONTX;
          1PARTX:
          OUTVAL &2;
          CONTX:
          INVOKE HEC2,ENGJCLLIB,VALUES=(&1,&2,WK=&WK,CPU=&CPU,PAPER=&PAPER,SIZE=&SIZE,
                STEP=&STEP,SUB=&SUB,COPIES=&COPIES,WKDVC=&WKDVC);

          RECORD COUNT :    16

13:16:38  END OF TRANSLATION
```

PRINTED IN U.S.A.
FORM 1411.GO PRINTED BY ROTARY MANIFOLD FORMS.

```
JOBID=HEC2          USER=DBHUD17H          PROJECT=HU202507          BILLING=HU202507          RON=X0130

13:16:44                                JOB EXECUTION LISTING                                JUN 04, 1981

          JUMP DONE TO 3PARTX
          JUMP DONE TO CONTX
          JUMP DONE TO HEC2
          START OF HEC□2 EXECUTION
          STEP 4
          LOAD MODULE = HEC□2 (79/2 /22 23:58)
          LIBRARY = HTAENGLN
13:17:54  STEP STARTED XPRTY=9
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□B
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□C
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□D
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□A
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□E
          FP04.    2 CYLINDER(S) ALLOCATED ON VOLUME: WTAPAK FOR EFN: ;000130.FILE□F
          TASK MAIN J=0A P=00 COMPLETED
          DUF01.IFN=FILE□E       REMEMBER REUSE=        0
          DUF01.IFN=FILE□C       REMEMBER REUSE=        0
          DUF01.IFN=FILE□B       REMEMBER REUSE=        0
          DUF01.IFN=FILE□F       REMEMBER REUSE=        0
          DUF01.IFN=FILE□D       REMEMBER REUSE=        0
          DUF01.IFN=FILE□A       REMEMBER REUSE=        0    BLOCK BUFFER=        0    CREATE BUFFER=       31
          TEMPORARY  FILES USED=    225 TRACKS
          FILE□E     ON  WTAPAK :  NB  OF  IO  CONNECTS=        145
          FILE□C     ON  WTAPAK :  NB  OF  IO  CONNECTS=        102
          FILE□B     ON  WTAPAK :  NB  OF  IO  CONNECTS=        133
          HARD       ON  WTAPAK :  NB  OF  IO  CONNECTS=          2
          FILE□F     ON  WTAPAK :  NB  OF  IO  CONNECTS=         30
          HARD       ON  WTAPAK :  NB  OF  IO  CONNECTS=         15
          FILE□D     ON  WTAPAK :  NB  OF  IO  CONNECTS=         67
          FILE□A     ON  WTAPAK :  NB  OF  IO  CONNECTS=        123
          CPU          1.666                    PROG MISSING SEGTS      382   STACKOV      81
          ELAPSED      8.620                    SYS  MISSING SEGTS      679
          LINES          352   LIMIT    NOLIM   BACKING STORE        547008
          CARDS            0   LIMIT    NOLIM   BUFFER SIZE           15920   CPSIZE     2272
13:26:32  STEP COMPLETED

          JUMP DONE TO FINISH
          JUMP DONE TO 3PART
          ************************************
          *  READY 3PART  GREEN BAR PAPER    *
          ************************************

          START     13:16:44    LINES        352
          STOP      13:26:34    CARDS          0
          CPU          1.666
          ELAPSE       9.838
13:26:34  RESULT:  JOB COMPLETED
```

PRINTED IN U.S.A.
FORM 1411-00 PRINTED BY ROTARY MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

C
T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q          WSEL      FQ
        0.       2.        0.        0.  0.000000      0.00      0.0       0.    804.200     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
        1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    150.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRNT     NUMSEC                    ********REQUESTED SECTION NUMBERS*********
      -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
GT      5.000    45.000    60.000    80.000    80.000   140.000     0.000     0.000     0.000     0.000
NC      0.120     0.120     0.035     0.300     0.500     0.000     0.000     0.000     0.000     0.000

                D/S FACE JACKSON ST, 29X45 INCH CONCRETE CULVERT
X1      1.000    11.000     2.000     5.000     0.000     0.000     0.000     0.000     0.000     0.000
X3     10.000     0.000     0.000     0.000     0.000     0.000     0.000   812.600   812.600     0.000
GR    812.600     1.000   801.100     2.000   800.600     2.100   800.100     2.400   799.700     3.000
GR    799.600     3.000   799.700     4.000   800.100     4.600   800.600     4.900   801.100     5.000
GR    812.600     6.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
SB      0.000     3.250     3.000     0.000     2.720     0.000     7.400     0.000   800.480   799.880

                U/S FACE JACKSON ST, 29X45 INCH CONCRETE CULVERT
X1      2.000    11.000     2.000     5.000   146.000   146.000   146.000     0.000     0.000     0.000
X2      0.000     0.000     1.000   803.200   812.600     0.300     0.000     0.000     0.000     0.000
X3     10.000     0.000     0.000     0.000     0.000     0.000     0.000   812.600   812.600     0.000
BT     11.000     1.000   812.600     0.000     2.000   812.600   801.700     2.100   812.600   802.200
BT      2.400   812.600   802.700     3.000   812.600   803.100     3.500   812.600   803.200     4.000
BT    812.600   803.100     4.600   812.600   802.700     4.900   812.600   802.200     5.000   812.600
BT    801.700     6.000   812.600     0.000     0.000     0.000     0.000     0.000     0.000     0.000
GR    812.600     1.000   801.700     2.000   801.200     2.100   800.700     2.400   800.500     3.000
GR    800.200     3.500   800.300     4.000   800.700     4.600   801.200     4.900   801.700     5.000
GR    812.600     6.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

                50 FT U/S JACKSON ST.
X1      2.100     9.000    45.000    55.000    50.000    50.000    50.000     0.000     0.000     0.000
GR    815.000     0.000   805.000     1.000   805.000    40.000   800.500    45.000   800.200    50.000
GR    800.500    55.000   805.000    65.000   805.000   190.000   815.000   200.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-09 PRINTED BY ROTARY MANIFOLD FORMS

NC	0.420	0.120	0.035	0.100	0.300	1.000	0.000	0.000	0.000	0.000

VALLEY SECTION

X1	2.200	9.000	242.000	250.000	600.000	600.000	600.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	200.000	0.000	300.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	806.000	1.000	806.000	230.000	800.500	242.000	800.300	250.000
GR	800.300	256.000	806.000	265.000	806.000	499.000	820.000	500.000	0.000	0.000

X1	2.250	9.000	245.000	255.000	700.000	700.000	700.000	0.000	-2.500	0.000
X3	0.000	0.000	0.000	200.000	0.000	300.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	807.000	1.000	807.000	229.000	805.600	245.000	805.300	250.000
GR	805.400	255.000	807.000	264.000	807.000	499.000	820.000	500.000	0.000	0.000

VALLEY SECTION

X1	2.300	0.000	0.000	0.000	700.000	700.000	700.000	0.000	2.500	0.000
X3	0.000	0.000	0.000	200.000	0.000	300.000	0.000	0.000	0.000	0.000

X1	2.400	9.000	192.000	200.000	1000.000	1000.000	1000.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	150.000	0.000	250.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	810.000	1.000	810.000	185.000	806.500	192.000	805.900	200.000
GR	806.500	208.000	810.000	219.000	810.000	250.000	820.000	280.000	0.000	0.000
QT	5.000	100.000	145.000	225.000	225.000	330.000	0.000	0.000	0.000	0.000

X1	3.000	9.000	222.000	258.000	150.000	150.000	150.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	180.000	0.000	280.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	810.000	50.000	810.000	215.000	806.700	222.000	806.000	230.000
GR	806.700	238.000	810.000	249.000	810.000	330.000	820.000	380.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RTLEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     NVINS      O          WSEL       FQ
         0.        3.         0.         3.  0.000000       0.00       C.0         0.     804.200      0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
     2.000      0.000     -1.000      0.000      0.000      C.000      0.000      0.000      0.000      0.000
```

PRINTED IN U.S.A.
FORM 1411-GS PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3       SPERRY DRAIN

J1   ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         4.         0.         0.  0.000000       0.00       0.0        0.      804.200    0.000

J2   NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
        3.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2SPERRY DRAIN DIVIDED FLOW ANALYSIS
T3      SPERRY DRAIN

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.        0.        0.        0.  0.000000      0.00      0.0       0.   004.200     0.000
J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
       15.000    0.000    -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

****
JEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRINS	EG	10K*S	VCH	AREA	.01K
1.000	0.00	0.00	0.00	799.60	45.00	804.20	0.00	804.40	36.08	3.55	12.69	7.49
1.000	0.00	0.00	0.00	799.60	60.00	804.20	0.00	804.55	64.14	4.73	12.69	7.49
1.000	0.00	0.00	0.00	799.60	80.00	804.20	0.00	804.82	114.03	6.30	12.69	7.49
1.000	0.00	0.00	0.00	799.60	140.00	804.20	0.00	806.09	349.22	11.03	12.69	7.49
2.000	146.00	812.60	803.20	800.20	45.00	805.95	0.00	806.07	19.51	2.79	16.13	10.19
2.000	146.00	812.60	803.20	800.20	60.00	807.38	0.00	807.52	19.22	2.94	20.44	13.69
2.000	146.00	812.60	803.20	800.20	80.00	809.97	0.00	810.10	15.74	2.84	28.21	20.17
2.000	146.00	812.60	803.20	800.20	140.00	814.20	0.00	814.37	3.47	3.37	54.97	75.19
2.100	50.00	0.00	0.00	800.20	45.00	806.10	0.00	806.10	0.20	0.61	187.41	101.06
2.100	50.00	0.00	0.00	800.20	60.00	807.56	0.00	807.56	0.11	0.53	331.41	180.13
2.100	50.00	0.00	0.00	800.20	80.00	810.13	0.00	810.14	0.05	0.41	586.05	374.93
2.100	50.00	0.00	0.00	800.20	140.00	814.42	0.00	814.42	0.03	0.42	1012.20	828.61
2.200	600.00	0.00	0.00	800.30	45.00	806.11	0.00	806.11	0.13	0.49	148.73	124.13
2.200	600.00	0.00	0.00	800.30	60.00	807.56	0.00	807.56	0.09	0.47	293.87	203.92
2.200	600.00	0.00	0.00	800.30	80.00	810.14	0.00	810.14	0.04	0.38	551.34	405.26
2.200	600.00	0.00	0.00	800.30	140.00	814.42	0.00	814.42	0.03	0.40	979.73	861.98
2.250	700.00	0.00	0.00	802.80	45.00	806.13	0.00	806.13	0.56	0.69	196.63	60.15
2.250	700.00	0.00	0.00	802.80	60.00	807.57	0.00	807.57	0.20	0.53	341.28	133.02
2.250	700.00	0.00	0.00	802.80	80.00	810.14	0.00	810.14	0.07	0.41	598.58	311.78
2.250	700.00	0.00	0.00	802.80	140.00	814.42	0.00	814.42	0.04	0.42	1026.68	717.33
* 2.300	700.00	0.00	0.00	805.30	45.00	806.23	806.23	806.59	178.86	5.01	12.48	3.36
2.300	700.00	0.00	0.00	805.30	60.00	807.59	0.00	807.62	8.82	1.61	92.60	23.68
2.300	700.00	0.00	0.00	805.30	80.00	810.15	0.00	810.15	0.54	0.70	548.85	137.46
2.300	700.00	0.00	0.00	805.30	140.00	814.43	0.00	814.43	0.09	0.55	776.97	466.30
2.400	1000.00	0.00	0.00	805.90	45.00	808.08	0.00	808.11	5.07	1.45	36.40	19.99
2.400	1000.00	0.00	0.00	805.90	60.00	808.24	0.00	808.29	8.79	1.77	40.54	23.02
2.400	1000.00	0.00	0.00	805.90	80.00	810.19	0.00	810.21	1.13	1.14	111.76	75.16
2.400	1000.00	0.00	0.00	805.90	140.00	814.44	0.00	814.46	0.15	0.67	535.61	361.77
3.000	150.00	0.00	0.00	806.00	100.00	808.19	0.00	808.35	26.93	3.50	35.44	19.27
3.000	150.00	0.00	0.00	806.00	145.00	808.38	0.00	808.66	40.27	4.31	40.16	22.85
3.000	150.00	0.00	0.00	806.00	225.00	810.16	0.00	810.32	10.50	3.56	104.26	69.16
3.000	150.00	0.00	0.00	806.00	330.00	814.43	0.00	814.45	0.87	1.59	531.92	354.24

PRINTED IN U.S.A.
FORM 1411-08-PRINTED BY ROTARY MANIFOLD FORMS

SPERRY DRAIN

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CHSEL	DIFUSP	DIFWSX	DIFKWS	TOPWID	XLCH
1.000	45.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	60.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	80.00	804.20	0.00	0.00	0.00	3.00	0.00
1.000	140.00	804.20	0.00	0.00	0.00	3.00	0.00
2.000	45.00	805.95	0.00	1.75	0.00	3.00	146.00
2.000	60.00	807.38	0.00	3.18	0.00	3.00	146.00
2.000	80.00	809.97	0.00	5.77	0.00	3.00	146.00
2.000	140.00	814.20	0.00	10.00	0.00	5.00	146.00
2.100	45.00	806.10	0.00	0.15	0.00	98.22	50.00
2.100	60.00	807.56	0.00	0.17	0.00	98.51	50.00
2.100	80.00	810.13	0.00	0.16	0.00	99.03	50.00
2.100	140.00	814.42	0.00	0.22	0.00	99.88	50.00
2.200	45.00	806.11	0.00	0.01	0.00	100.00	600.00
2.200	60.00	807.56	0.00	0.01	0.00	100.00	600.00
2.200	80.00	810.14	0.00	0.00	0.00	100.00	600.00
2.200	140.00	814.42	0.00	0.00	0.00	100.00	600.00
2.250	45.00	806.13	0.00	0.02	0.00	100.00	700.00
2.250	60.00	807.57	0.00	0.01	0.00	100.00	700.00
2.250	80.00	810.14	0.00	0.00	0.00	100.00	700.00
2.250	140.00	814.42	0.00	0.00	0.00	100.00	700.00
* 2.300	45.00	806.23	0.00	0.10	0.00	21.85	700.00
2.300	60.00	807.59	0.00	0.02	0.00	100.00	700.00
2.300	80.00	810.19	0.00	0.01	0.00	100.00	700.00
2.300	140.00	814.43	0.00	0.00	0.00	100.00	700.00
2.400	45.00	808.08	0.00	1.85	0.00	24.10	1000.00
2.400	60.00	809.24	0.00	0.65	0.00	24.93	1000.00
2.400	80.00	810.19	0.00	0.05	0.00	100.00	1000.00
2.400	140.00	814.44	0.00	0.01	0.00	100.00	1000.00
3.000	100.00	808.19	0.00	-0.11	0.00	24.12	150.00
3.000	145.00	808.38	0.00	0.14	0.00	25.16	150.00
3.000	225.00	810.16	0.00	-0.03	0.00	100.00	150.00
3.000	330.00	814.43	0.00	-0.01	0.00	100.00	150.00

SUMMARY OF ERRORS

CAUTION SECNO= 2.300 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 2.300 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 2.300 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL

PRINTED IN U.S.A.
FORM 1411-GB-PRINTED BY ROTARY MANIFOLD FORMS

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp.

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100 yr Encroached

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  14
  MODIFICATION -  50,51,52
**********************************************************

C
T1BEDFORD TOWNSHIP AND CITY OF BATTLE CREEK FLOOD ENCLIANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3      KALAMAZOO RIVER

J1  ICHECK     INQ       NINV      IDIT      STRT      METRIC    HVINC     U         PSEL      FQ
        0.        2.        0.        0.  0.005429      1.00       0.0        0.    797.620     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IDV       CHNIM     ITRACE
      1.000     0.000    -1.000     0.100     0.300     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    150.000   201.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRINT    NUMSEC                    ********REQUESTED SECTION NUMBERS********
    -13.000   -13.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET      0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000     0.000
QT      5.000  4390.000  6000.000  6700.000  6700.000  8420.000     0.000     0.000     0.000     0.000
NC      0.120     0.120     0.040     0.100     0.300     0.000     0.000     0.000     0.000     0.000

            CROSS SECTION 102A

X1    102.000    34.000  2023.000  2234.000  1100.000   400.000  3575.000     0.000     0.000     0.000
GR    810.000     0.000   806.000   100.000   805.600   250.000   802.700   450.000   800.800   534.000
GR    795.600   568.000   795.000   850.000   794.800  1026.000   795.700  1116.000   795.700  1348.000
GR    796.200  1528.000   797.000  1532.000   794.600  1714.000   796.000  1884.000   795.700  2016.000
GR    794.300  2023.000   792.300  2049.000   791.300  2079.000   789.800  2109.000   790.600  2139.000
GR    791.300  2169.000   790.100  2199.000   793.700  2234.000   795.200  2241.000   795.900  2249.000
GR    797.800  2438.000   797.000  2800.000   796.600  3250.000   795.600  3450.000   796.500  3626.000
GR    796.800  3872.000   799.000  3934.000   807.000  3990.000   810.600  4086.000     0.000     0.000

            CROSS SECTION 102C

X1    102.500    32.000  3697.000  3902.000  1050.000  1200.000  2950.000     0.000     0.000     0.000
GR    805.500     0.000   806.200   130.000   803.700   158.000   801.200   214.000   800.300   290.000
GR    800.000   516.000   797.400   716.000   793.400   862.000   797.100   962.000   796.800  1128.000
GR    795.400  1366.300   797.000  1646.000   797.000  1926.000   798.700  2166.000   798.400  2398.000
GR    796.600  2568.300   796.000  2700.000   796.200  3100.000   796.400  3550.000   797.400  3692.000
GR    792.400  3697.000   789.500  3712.000   791.000  3722.000   792.200  3772.000   792.500  3812.000
GR    792.100  3867.000   792.700  3902.000   796.200  3907.000   796.700  3912.000   796.200  3962.000
GR    800.000  4050.000   810.000  4150.000     0.000     0.000     0.000     0.000     0.000     0.000

            CROSS SECTION 103.

X1    103.000    29.000  2669.000  2809.000   400.000  1300.000  1590.000     0.000     0.000     0.000
```

FORM 1611-00 PRINTED BY COTARY MANIFOLD FORMS,

	300.000	515.000	797.400	715.000	795.400	881.000	797.100	902.000	798.000	1126.000
GR	796.400	1366.000	797.800	1646.000	797.000	1926.000	798.700	2166.000	798.400	2398.000
GR	796.600	2568.000	796.700	2654.000	796.100	2659.000	794.200	2669.000	793.400	2669.000
GR	791.900	2719.000	789.600	2746.000	790.100	2799.000	793.600	2809.000	797.100	2819.000
GR	796.800	2922.000	797.200	3000.000	800.300	3100.300	803.500	3182.000	0.000	0.000

CROSS SECTION 104

X1	104.000	28.000	1453.000	1561.000	1450.000	3000.000	4025.000	0.000	0.000	0.000
GR	808.000	142.700	802.500	655.000	801.500	900.000	797.700	905.000	798.500	1174.000
GR	800.100	1334.000	800.300	1446.000	795.300	1430.000	798.100	1486.000	791.000	1507.000
GR	793.200	1536.000	795.000	1591.000	796.300	1596.000	797.100	1675.000	798.100	1596.000
GR	798.900	1607.000	797.400	1720.000	797.500	1936.000	796.600	2132.000	798.100	2280.000
GR	796.000	2464.000	798.000	2666.000	797.300	2832.000	798.000	3070.000	801.200	3522.000
GR	801.900	3510.000	805.800	3618.000	818.500	3660.000	0.000	0.000	0.000	0.000

CROSS SECTION 105

X1	105.000	29.000	1137.000	1303.000	675.000	675.000	675.000	0.000	0.000	0.000
GR	816.600	0.000	807.100	118.000	809.200	144.000	803.500	306.000	802.100	496.000
GR	802.000	658.000	801.600	802.000	797.600	998.000	795.400	1127.000	798.900	1131.000
GR	795.500	1137.000	792.500	1141.000	793.000	1191.000	793.500	1220.000	793.000	1241.000
GR	795.000	1271.000	795.500	1303.000	800.200	1306.000	803.600	1311.000	796.200	1512.000
GR	797.700	1734.000	797.600	1846.000	797.000	2091.000	797.800	2220.000	797.400	2350.000
GR	799.200	2474.000	799.300	2496.000	799.000	2548.000	810.000	2850.000	0.000	0.000

CROSS SECTION 106

X1	106.000	27.000	278.000	368.000	1435.000	1000.000	1435.000	0.000	0.000	0.000
GR	820.000	0.000	812.300	100.000	812.800	228.000	811.600	250.000	812.000	263.000
GR	796.800	278.000	790.900	298.000	790.900	323.000	790.900	348.000	795.100	368.000
GR	799.600	378.000	799.200	484.000	900.000	660.000	800.400	394.000	800.700	1084.000
GR	799.800	1360.000	800.600	1608.000	800.400	1696.000	799.900	2099.000	810.000	2100.000
CH	5.000	0.120	629.000	0.040	605.000	0.120	608.000	0.040	916.000	0.120
NH	1600.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 107

X1	107.000	27.000	678.000	916.000	553.000	600.000	1275.000	0.300	0.300	0.000
GR	820.000	0.000	813.000	90.000	815.200	130.000	808.200	164.000	810.000	296.000
GR	807.400	374.000	798.600	400.000	800.300	424.000	797.100	429.000	795.800	444.000
GR	795.300	457.000	796.200	474.000	796.300	485.000	799.300	489.000	798.700	628.000
GR	798.400	764.050	802.100	803.000	797.100	808.000	788.900	833.300	794.200	862.000
GR	794.900	893.000	796.200	916.000	800.200	923.000	830.200	1172.000	799.700	1428.000
GR	793.100	1599.000	810.200	1600.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000
QT	5.000	3790.000	5200.000	5800.000	5800.000	7290.000	0.000	0.000	0.000	0.000

350 FT D/S CUSTER RD.

RT	708.700	10.000	85.000	236.000	700.000	1075.000	1075.000	0.000	0.000	0.000
GR	810.000	0.000	797.500	85.000	794.400	100.000	792.800	156.000	793.100	175.000
GR	794.500	205.000	798.500	219.000	798.900	236.000	800.500	268.000	810.000	350.000

D/S CUSTER RD. ACROSS SECTION 108

X1	108.000	15.000	1410.400	1577.600	350.000	350.000	350.000	0.000	0.000	0.000

FORM 1411-GD PRINTED BY LOTARY SANIFOLD FORMS.

GR	795.000	1443.800	795.000	1446.700	795.400	1464.300	796.300	1481.300	796.300	1497.400
GR	794.300	1482.900	794.300	1483.000	795.000	1502.000	797.100	1517.300	810.700	1517.600
BT	5.000	4390.300	6000.000	6700.000	6700.300	8420.000	0.000	0.000	0.000	0.000

D/S FACE CUSTER RD. CROSS SECTION 108

XT	108.900	9.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	12.000	1410.400	810.700	0.000	1410.500	810.700	808.700	1445.000	810.700	808.700
BT	1445.100	810.700	0.000	1446.600	810.700	0.000	1446.700	810.700	808.700	1481.300
BT	810.700	808.700	1481.400	810.700	0.000	1482.900	810.700	0.000	1483.000	810.700
BT	808.700	1517.500	810.700	808.700	1517.600	810.700	0.000	0.000	0.000	0.000

U/S FACE CUSTER RD. CROSS SECTION 108 & 109

XT	109.000	15.000	1470.400	1577.600	15.000	35.300	35.300	0.000	0.000	0.000
BT	12.000	1410.400	810.700	0.000	1410.500	810.700	808.700	1445.000	810.700	808.700
BT	1445.100	810.700	0.000	1446.600	810.700	0.000	1446.700	810.700	808.700	1481.300
BT	810.700	808.700	1481.400	810.700	0.000	1482.900	810.700	0.000	1483.000	810.700
BT	808.700	1517.500	810.700	808.700	1517.600	810.700	0.000	0.000	0.000	0.000
GR	810.700	1410.400	796.700	1410.500	794.200	1426.000	791.600	1445.000	791.600	1465.100
GR	791.600	1446.600	791.800	1463.700	795.100	1482.000	795.300	1501.300	796.300	1497.400
GR	796.300	1482.900	794.300	1483.000	795.400	1502.200	796.500	1517.500	810.700	1517.600

U/S CUSTER RD. ACROSS SECTION 109

XT	109.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

100 FT U/S CUSTER RD.

X1	109.200	9.000	1410.500	1517.500	100.000	100.000	100.000	0.000	0.000	0.000
GR	800.000	1310.000	796.700	1410.500	794.200	1426.000	791.600	1445.000	790.100	1465.000
GR	794.300	1481.000	793.400	1502.000	796.500	1517.300	808.000	1625.000	0.000	0.000
NC	0.100	0.100	0.033	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 110 SURVEY SECTION 4

X1	110.000	31.000	1690.000	1937.000	650.000	650.000	650.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1632.000	0.000	1994.000	0.000	0.000	0.000	0.000
GR	613.900	666.000	809.400	702.000	805.700	712.000	803.600	620.000	803.200	966.000
GR	803.300	1078.000	801.700	1184.000	799.200	1300.000	799.200	1442.000	801.400	1532.000
GR	802.800	1602.000	804.000	1632.000	802.800	1666.000	801.700	1688.000	798.400	1698.000
GR	796.900	1748.000	793.300	1804.000	793.600	1853.000	795.000	1913.000	799.000	1937.000
GR	799.400	1944.000	801.000	1966.000	805.700	1980.000	809.500	1994.000	809.500	2004.000
GR	804.300	2014.000	801.100	2120.000	802.400	2420.000	802.800	2800.000	804.100	2970.000
GR	811.600	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.100	0.100	0.033	0.100	0.300	0.300	0.000	0.000	0.000	0.000

D/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

X1	110.900	25.000	1120.000	1385.000	5150.000	3750.000	3450.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1038.000	0.000	1406.000	0.000	0.000	0.000	0.000
GR	811.800	620.000	802.800	782.000	803.200	930.000	790.600	990.000	802.800	1038.000
GR	802.600	1106.000	800.600	1113.000	799.200	1120.000	796.300	1131.300	795.100	1198.000
GR	795.300	1253.000	795.600	1277.000	796.100	1329.000	799.600	1385.000	802.700	1400.000
GR	803.400	1408.000	804.600	1468.000	802.700	1562.000	803.600	1794.000	804.400	1896.000
GR	806.700	2066.000	802.900	2248.000	802.900	2290.000	806.200	2870.000	810.600	2998.000

TOP OF 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

X1	111.000	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	795.100	797.300	0.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	795.100	0.000	1483.000	0.000	0.000	0.000	0.000

U/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

X1	111.100	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1531.000	0.000	1482.000	0.000	0.000	0.000	0.000

CROSS SECTION 112 SURVEY SECTION 6

X1	112.000	20.000	1230.000	1510.000	1800.000	900.000	1400.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1012.000	0.000	1544.000	0.000	0.000	0.000	0.000
GR	822.500	1250.000	812.500	1042.000	806.600	1114.000	806.200	1204.000	808.200	1220.000
GR	800.100	1250.000	794.700	1240.000	795.000	1330.000	794.700	1370.000	796.100	1445.000
GR	796.500	1460.000	800.200	1510.000	803.100	1520.000	806.600	1532.000	850.200	1544.000
GR	805.000	1612.000	805.300	1806.000	806.000	1912.000	808.000	2026.000	810.400	2126.000

CROSS SECTION 113 SURVEY SECTION 7

X1	113.000	23.000	1505.000	1739.000	1700.000	1720.000	1700.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1466.000	0.000	1822.000	0.000	0.000	0.000	0.000
GR	628.100	1152.000	819.800	1266.000	809.900	1342.000	807.800	1430.000	811.000	1466.000
GR	802.200	1606.000	804.900	1470.000	794.500	1505.000	795.500	1587.000	795.200	1614.000
GR	794.500	1654.000	794.200	1685.000	795.400	1726.000	800.300	1769.000	806.000	1789.000
GR	807.400	1810.000	808.200	1822.000	809.000	1842.000	802.700	1966.000	802.300	2166.000
GR	802.900	2306.000	802.100	2498.000	820.000	2500.000	0.000	0.000	0.000	0.000

CROSS SECTION 114 SURVEY SECTION 8

X1	114.000	25.000	1505.300	1259.000	1400.300	1301.000	1450.300	0.000	0.000	0.000
X3	0.000	0.000	0.000	964.000	0.000	1338.000	0.000	0.000	0.000	0.000
GR	825.000	696.800	825.300	758.000	821.800	826.000	813.800	876.000	810.900	906.000
GR	808.500	932.000	805.800	964.000	805.600	980.000	801.900	1005.000	795.100	1027.000
GR	795.100	1356.000	796.700	1120.000	794.700	1159.000	795.100	1205.000	796.500	1228.000
GR	800.600	1255.000	802.600	1275.000	803.900	1296.000	811.000	1338.000	809.400	1448.000
GR	805.600	1550.000	810.000	1636.000	811.000	1640.000	808.100	1748.000	828.000	1748.000

CROSS SECTION 115 SURVEY SECTION 9

X1	115.000	26.000	760.000	1016.000	1200.000	1700.000	1500.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	500.000	0.000	1066.000	0.000	0.000	0.000	0.000
GR	817.000	172.000	812.900	206.000	812.000	238.000	812.000	500.000	802.400	501.000
GR	801.200	584.000	801.800	696.000	802.400	726.000	802.900	749.000	799.100	760.000
GR	795.600	773.000	796.200	803.000	796.700	853.000	796.400	913.000	796.800	958.000
GR	800.300	1016.000	805.700	1022.000	806.200	1044.000	812.000	1068.000	872.000	1140.000
GR	806.400	1204.000	804.200	1438.000	806.200	1634.000	813.700	1670.000	815.800	1716.000
GR	821.400	1772.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

1300 FT D/S BEDFORD RD. SURVEY SECTION 9 REPEATED

X1	115.700	0.000	0.000	0.000	1900.000	1405.000	1600.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	500.000	0.000	1066.000	0.000	0.000	0.000	0.000
GR	0.000	0.100	0.000	0.300	0.000	0.000	0.000	0.000	0.000	0.000

FORM 1411-CD PRINTED BY KOSTAL MANIFOLD FORMS

D/S BEDFORD RD. SURVEY SECTION 11

X1	115.800	29.000	0.000	330.000	1300.000	1300.000	1300.000	0.000	0.000	0.000
GR	816.000	0.000	809.000	1.000	807.000	20.000	805.600	35.000	799.000	54.000
GR	797.900	65.000	797.900	65.100	797.900	66.900	797.900	67.000	796.200	99.000
GR	797.600	131.000	797.600	131.100	797.600	132.900	797.600	133.000	797.600	165.000
GR	797.200	197.000	797.200	197.100	797.200	198.900	797.200	199.000	797.400	231.000
GR	797.900	263.000	797.900	263.100	797.900	264.900	797.900	265.000	799.000	231.000
GR	803.600	292.000	803.600	296.000	803.200	329.000	816.000	330.000	0.000	0.000

D/S FACE BEDFORD RD. SURVEY SECTION 11

X1	115.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	20.000	0.000	816.000	0.000	1.000	816.000	811.600	65.000	816.000	811.600
BT	65.100	816.000	0.000	66.900	816.000	0.000	67.000	816.000	811.600	131.000
BT	816.000	811.600	131.100	816.000	0.000	132.900	816.000	0.000	133.000	816.000
BT	811.600	197.000	816.000	811.600	197.100	816.000	0.000	199.900	816.000	0.000
BT	199.000	816.000	811.600	263.000	816.000	811.600	263.100	816.000	0.000	264.900
BT	816.000	0.000	265.000	816.000	811.600	329.000	816.000	811.600	330.000	816.000
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE BEDFORD RD. SURVEY SECTION 11

XT	116.000	29.000	0.000	330.000	64.000	64.000	64.000	0.000	0.000	0.000
BT	20.000	0.000	816.000	0.000	1.000	816.000	811.600	65.000	816.000	811.600
BT	65.100	816.000	0.000	66.900	816.000	0.000	67.000	816.000	811.600	131.000
BT	816.000	811.600	131.100	816.000	0.000	132.900	816.000	0.000	133.000	816.000
BT	811.600	197.000	816.000	811.600	197.100	816.000	0.000	199.900	816.000	0.000
BT	199.000	816.000	811.600	263.000	816.000	811.600	263.100	816.000	0.000	264.900
BT	816.000	0.000	265.000	816.000	811.600	329.000	816.000	811.600	330.000	816.000
BT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	816.000	0.000	810.000	1.000	807.200	20.000	805.700	35.000	799.100	54.000
GR	797.200	65.000	797.200	65.100	797.200	66.900	797.200	67.000	796.700	99.000
GR	796.200	131.000	796.200	131.100	796.200	132.900	796.200	133.000	797.400	165.000
GR	796.700	197.000	796.700	197.100	796.700	198.900	796.700	199.000	797.100	231.000
GR	796.000	263.000	796.000	263.100	796.000	264.900	796.000	265.000	797.000	231.000
GR	803.200	292.000	803.600	296.000	808.200	329.000	816.000	330.000	0.000	0.000

U/S BEDFORD Rd. SURVEY SECTION 11

XT	116.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

350 FT U/S BEDFORD RD.

X1	110.200	10.000	330.000	576.000	400.000	400.000	400.000	0.000	0.000	0.000
GR	815.400	0.000	817.500	122.000	813.100	160.000	813.800	270.000	807.200	296.000
GR	805.300	317.000	799.000	330.000	796.900	368.000	797.100	413.000	798.400	453.000
GR	797.400	493.000	797.600	533.000	801.100	576.000	804.400	583.000	806.200	648.000
GR	813.000	690.000	814.200	704.000	814.800	818.000	0.000	0.000	0.000	0.000
XC	0.080	0.100	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 117 SURVEY SECTION 12

XT	117.000	22.000	1075.000	1325.000	2050.000	2100.000	2050.000	0.000	0.000	0.000
XS	0.000	0.000	0.000	875.000	0.000	1420.000	0.000	0.000	0.000	0.000
GR	820.400	762.300	820.401	762.000	809.600	762.000	810.700	878.000	810.100	940.000
GR	813.400	986.000	806.000	1046.000	801.800	1086.000	799.100	1075.000	797.400	1120.000
GR	797.200	1145.000	796.700	1200.000	797.200	1255.000	797.300	1205.000	798.200	1330.000

	505.600	1654.100	820.100	1655.000	0.100	0.100	0.000	0.000	0.000	0.000
NC	0.080	0.100	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S FACE 20 YR STREET SURVEY SECTION 15

X1	117.900	6.000	9.000	918.000	1310.000	1300.000	1300.300	0.000	0.000	0.000
X3	10.000	0.000	0.300	0.000	0.000	0.000	0.000	814.200	814.200	0.000
GR	816.100	0.000	812.300	9.000	798.600	47.900	798.600	297.000	811.700	318.000
GR	816.700	326.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	1.050	1.500	3.000	0.500	260.000	10.000	4590.000	2.200	790.300	769.800

D/S FACE 20 YR STREET SURVEY SECTION 13

X1	116.300	0.000	0.000	0.000	40.000	40.000	40.000	0.000	-0.300	0.000
X2	0.000	0.000	1.300	814.200	196.500	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.300	0.000	0.300	0.000	0.000	814.200	814.200	0.000

400 FT D/S 20 TH STREET SURVEY SECTION 14

X1	118.700	19.000	657.000	878.000	500.000	500.000	420.200	0.000	0.000	0.000
GR	612.300	212.000	811.200	364.000	811.200	364.000	812.200	626.300	679.500	635.200
GR	830.200	657.000	798.400	706.000	787.720	747.000	797.300	758.300	797.900	795.900
GR	797.700	840.000	799.900	878.000	811.500	852.000	804.700	590.000	809.400	920.000
GR	810.700	936.000	815.800	948.000	816.000	1018.000	816.200	1044.000	0.000	0.000

CROSS SECTION 119 SURVEY SECTION 15

X1	119.000	19.000	645.000	879.000	500.000	500.000	500.000	0.000	0.000	0.000
GR	813.000	0.000	810.200	350.000	810.200	410.000	809.600	494.000	812.100	504.000
GR	812.900	538.000	812.100	578.000	809.700	613.000	802.600	635.000	799.700	645.000
GR	797.100	682.000	797.900	792.300	797.600	782.300	797.500	827.000	798.500	842.000
GR	801.200	879.100	807.100	920.000	812.000	954.000	815.200	912.000	0.000	0.000
NC	0.500	0.080	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 120 SURVEY SECTION 16

X1	120.000	13.000	661.000	901.000	1050.000	850.000	850.300	0.000	0.000	0.000
GR	812.000	594.000	808.400	608.000	807.900	636.000	802.600	651.000	800.000	661.000
GR	798.600	701.000	798.400	731.000	798.200	791.000	797.700	846.000	800.500	901.000
GR	805.600	937.000	812.900	954.000	813.200	1004.000	0.000	0.000	0.000	0.000

CROSS SECTION 121 SURVEY SECTION 17

X1	121.000	22.000	819.000	1039.000	2650.000	2650.000	2650.000	0.000	0.000	0.000
GR	815.000	316.000	813.000	362.000	812.300	424.000	812.200	616.000	812.200	748.000
GR	810.300	792.000	802.500	807.000	801.400	812.000	806.100	819.000	798.600	879.000
GR	797.400	919.000	796.000	949.000	797.400	1039.500	800.200	1039.000	802.600	1049.000
GR	806.500	1065.000	812.200	1094.000	813.200	1104.300	813.000	1214.000	815.000	1230.000
GR	817.300	1244.000	822.200	1250.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.080	0.000	0.035	0.300	0.500	0.300	0.000	0.000	0.000	0.000

D/S ANGELL ST. SURVEY SECTION 19

X1	121.800	14.000	0.000	174.000	700.000	700.000	700.000	0.000	0.000	0.000
GR	820.000	5.000	811.100	55.000	804.400	82.000	800.200	45.000	798.300	78.000
GR	800.400	78.100	800.400	85.000	800.000	85.000	800.000	0.000	0.000	0.000

FORM 1411-98 PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

GR	820.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE ANGELL ST. SURVEY SECTION 19

X1	121.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	0.000	0.000	820.000	0.000	1.000	820.000	814.500	85.000	820.000	814.500
BT	85.100	820.000	0.000	88.900	820.000	0.000	89.000	820.000	814.500	173.000
BT	820.000	815.500	174.000	820.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE ANGELL ST. SURVEY SECTION 19

X1	122.000	16.000	0.000	174.000	58.000	59.000	58.000	0.000	0.000	0.000
BT	0.000	0.000	820.000	0.000	1.000	820.000	814.500	85.000	820.000	814.500
BT	85.100	820.000	0.000	88.900	820.000	0.000	89.000	820.000	814.500	173.000
BT	820.000	815.500	174.000	820.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	820.000	0.000	811.100	1.000	801.000	22.300	799.900	44.300	798.700	78.700
GR	800.400	75.100	800.900	35.000	800.900	15.100	801.300	38.900	801.300	89.000
GR	801.300	96.900	799.900	97.000	799.900	130.000	801.700	149.000	801.900	173.000
GR	820.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S ANGELL ST. SURVEY SECTION 19

X1	122.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

200 FT U/S ANGELL ST. SURVEY SECTION 19

X1	122.200	13.000	704.000	854.300	200.000	200.000	220.000	0.000	0.000	0.000
GR	816.200	552.000	816.000	640.000	816.600	676.000	809.000	690.000	801.600	704.000
GR	795.200	729.000	797.800	779.000	798.400	814.000	801.300	854.000	815.200	892.000
GR	819.200	906.000	819.500	986.000	820.200	1006.000	0.000	0.000	0.000	0.000
CC	0.080	0.080	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000
BT	0.000	0.000	0.000	0.000	0.100	0.000	0.000	0.000	535.000	916.000

700 FT D/S KENDALL ST. SURVEY SECTION 20

XT	123.000	11.000	693.000	845.000	1100.000	1100.000	1100.000	0.000	0.000	0.000
GR	814.100	584.000	815.600	664.000	814.000	680.000	801.700	693.000	797.600	723.000
GR	799.200	760.000	801.400	819.000	802.200	843.000	815.000	877.000	815.200	904.000
GR	818.100	918.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.080	0.080	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S KENDALL ST. SURVEY SECTION 22

XT	123.800	12.300	1.000	174.000	700.000	700.000	700.000	0.000	0.000	0.000
GR	821.000	1.000	811.200	2.000	801.600	20.000	800.300	44.000	800.400	85.000
GR	800.400	85.100	800.400	88.900	800.400	89.000	801.400	130.000	802.500	153.000
GR	811.400	173.000	821.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE KENDALL ST. SURVEY SECTION 22

X1	123.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	0.000	1.000	821.000	0.100	2.000	821.000	817.700	85.000	821.000	817.700
BT	85.100	821.000	3.000	88.900	821.000	0.000	89.000	824.000	817.700	173.000
BT	821.000	817.700	174.000	821.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 541-PRINTED BY KEUFFEL MANIFOLD FORMS

X1	124.300	12.000	1.000	174.000	58.000	58.000	58.000	0.000	0.000	0.000
QT	8.000	1.000	821.000	0.000	2.000	821.000	817.700	85.000	821.000	817.700
QT	85.100	821.000	0.000	88.900	821.300	1.000	89.000	821.000	817.700	173.000
ST	821.000	817.700	173.000	821.000	0.100	0.000	0.000	0.000	0.000	0.000
CR	821.000	1.000	817.300	2.000	302.300	20.000	104.900	64.000	802.200	53.000
SM	802.200	35.100	402.300	80.900	402.300	29.200	802.300	130.000	802.800	153.200
SR	812.200	173.000	821.000	174.000	0.000	0.000	0.000	0.300	0.900	0.000

U/S KENDALL ST. SURVEY SECTION 22

X1	124.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X1	10.000	0.000	0.000	0.000	0.300	0.000	0.000	321.000	321.000	0.000
QT	5.000	4270.000	5920.000	6650.000	6650.300	6620.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

200 FT U/S KENDALL ST. SURVEY SECTION 21

X1	124.200	9.000	315.000	945.000	200.000	830.300	200.000	0.000	0.300	0.300
GR	818.100	772.000	301.400	815.300	802.800	845.000	832.000	845.000	602.000	915.000
GR	802.200	745.000	815.800	779.300	815.900	790.000	824.200	1112.000	0.000	0.000
NC	0.030	0.000	0.035	0.100	0.300	0.000	0.300	0.000	0.000	0.000

CROSS SECTION 125 SURVEY SECTION 23

X1	125.000	16.000	301.000	955.000	1000.000	1000.300	1000.000	0.300	0.000	0.100
CR	317.500	726.000	816.300	730.000	815.800	771.300	804.000	804.000	803.900	815.000
GR	804.000	830.000	803.800	851.000	802.200	893.000	802.800	910.000	804.700	934.000
GR	803.300	944.000	803.700	955.000	815.100	986.300	816.900	994.000	818.600	1102.000
GR	823.200	1208.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 1411-6M-PRINTED BY ROYJAY HAND-OLD FORMS.

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR - 01
  MODIFICATION - 50,51,52
**********************************************************

T1BEDFORD TOWNSHIP AND CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3      KALAMAZOO RIVER

J1  ICHECK      INQ         NINV        IDIR        STRT        METRIC      HVINS       G           WSEL        FQ
          0.          3.          0.          1.  0.070821        0.00        0.0         0.     793.550       0.000

J2  NPROF       IPLOT       PRINTS      XSECV       XSECH       FN          ALLDC       IBW         CHNIM       ITRACE
        2.000       0.000      -1.000       0.000       0.000       0.000       0.000       0.000       0.000       0.000
```

PRINTED IN U.S.A.
FORM HEC-GD-PRINTED BY ISOTAPE MANIFOLD FORMS

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CODE -  01
  MODIFICATION -  50,51,52
**********************************************************

T1BEDFORD TOWNSHIP AND CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3       KALAMAZOO RIVER

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q          WSEL      FQ
          5.        4.        0.        0.  0.030225      0.0       0.0       0.  793.650     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IBW       CHNIM     ITRACE
       3.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

FORM 1411-80 PRINTED BY ROTARY MANIFOLD FORMS

```
**********************************************************
  HEC2 RELEASE DATED NOV 75 UPDATED FEB 1977
  ERROR CORR - 01
  MODIFICATION - 50,51,52
**********************************************************

T1BEDFORD TOWNSHIP AND CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3      KALAMAZOO RIVER

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ

        0.        5.        0.        3.  0.200000      0.00      1.0       1.   798.350      0.000

J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IBW       CHNIM     ITRACE

     15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 141.00 PRINTED BY ROTARY MANIFOLD FORMS.

*PROF 2

```
CCHV=   0.100 CEHV=   0.300
*SECNO 102.000
 2400 NAT Q1=   4497.65  WSEL=    798.85  ENC Q1=   4497.65  WSEL=    798.95  RATIO=  0.0000
 NAT Q1=   4675.  RATIOS LOB,CH,ROB=  0.3303  0.4999  0.1698  WSEL=    798.95
   SECNO      DEPTH     CWSEL     CRIWS     WSELK      EG         HV         HL        QLOSS     BANK ELEV
   Q          QLOB      QCH       QROB      ALOB       ACH        AROB       VOL       TWA    LEFT/RIGHT
   TIME       VLOB      VCH       VROB      XTL        XNCH       XNB        PTN       EL TP      SSTA
   SLOPE      XLOBL     XLCH      XLOBR     ITRIAL     IH2        ISORT      CORAN     TOPWID     ENDST

3470 ENCROACHMENT STATIONS=     666.2     3705.7  TYPE=     4  TARGET=       0.038

        CROSS SECTION 102A

   102.00      9.05    798.85      0.00    798.85    796.39      0.34      0.03      0.00    794.30
   6700.      2151.     3530.     1011.     4775.     1597.     3109.        0.        0.    793.70
     0.00      0.45      2.21      0.33     3.120     0.040     0.120     0.000    789.00    666.20
 0.000240     4100.     3575.      430.         0         0         0      0.00   3039.49   3705.68

*SECNO 102.500
 2800 NAT Q1=   3936.75  WSEL=    799.36  ENC Q1=   3934.75  WSEL=    799.46  RATIO=  0.0050
 NAT Q1=   4101.  RATIOS LOB,CH,ROB=  0.4435  0.5339  0.0176  WSEL=    799.46

3470 ENCROACHMENT STATIONS=     663.8     3902.0  TYPE=     4  TARGET=       0.040

        CROSS SECTION 102C

   102.50      9.91    799.41      0.00    799.36    799.46      0.05      0.57      0.00    792.40
   6700.      2972.     3728.        0.     7017.     1520.        0.      291.       36.    792.70
     0.38      0.42      2.44      0.00     3.120     0.040     0.120     0.056    789.50    803.78
 0.000310     1050.     8950.     1200.         2         0         0      0.00   3098.22   3902.00

*SECNO 103.000
 2800 NAT Q1=   3122.59  WSEL=    799.73  ENC Q1=   3122.59  WSEL=    799.83  RATIO=  0.0300
 NAT Q1=   3245.  RATIOS LOB,CH,ROB=  0.3771  0.5665  0.0563  WSEL=    799.83

3470 ENCROACHMENT STATIONS=     757.3     2967.3  TYPE=     4  TARGET=       0.038

        CROSS SECTION 103.

   103.00     10.19    799.79      3.00    799.73    799.90      0.10      0.42      0.02    794.20
   6700.      2472.     3969.      259.     4697.     1186.      469.      401.      116.    793.60
     0.52      0.53      3.35      0.55     0.120     0.040     0.120     0.057    789.60    757.31
 0.000473      400.     1590.     1300.         2         0         0      0.00   2210.00   2967.30

*SECNO 104.000
 2800 NAT Q1=   3492.45  WSEL=    801.06  ENC Q1=   3492.45  WSEL=    801.16  RATIO=  0.0000
 NAT Q1=   3623.  RATIOS LOB,CH,ROB=  0.0783  0.4244  0.4973  WSEL=    801.16

3470 ENCROACHMENT STATIONS=     973.7     3079.3  TYPE=     4  TARGET=       0.036

        CROSS SECTION 104

   104.00      5.08    801.16      0.00    801.06    801.22      0.07      1.33      0.00    795.80
   6700.       418.     2951.     3331.     1004.      967.     5741.      8"4       "?     794.00
```

0.000569 1400. 4025. 3300. 2 0 - 0.00 2505.39 3079.29

*SECNO 105.000
2000 NAT Q1= 3264.46 WSEL= 801.52 ENC Q1= 3264.46 WSEL= 801.42 RATIO= 0.0000
NAT Q1= 3383. RATIOS LOB,CH,ROB= 0.2528 0.3519 0.3953 WSEL= 801.42

SECNO	DEPTH	CWSEL	CRIWS	VSELS	3G	HV	FL	OLOSS	BANK FLOW
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TOA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	XTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 979.2 2729.5 TYPE= 4 TARGET= 0.035

CROSS SECTION 105

105.00	8.41	801.41	0.00	801.32	801.50	0.36	0.27	0.00	795.50
6700.	273.	3835.	2622.	466.	1285.	4571.	915.	254.	796.50
1.14	0.52	2.98	0.57	0.120	0.040	0.120	0.052	793.00	979.17
0.000423	675.	675.	675.	0	0	0	0.00	1750.52	2729.49

*SECNO 106.000
2000 NAT Q1= 2097.32 WSEL= 801.95 ENC Q1= 2791.32 WSEL= 802.05 RATIO= 0.0000
NAT Q1= 2170. RATIOS LOB,CH,ROB= 0.0072 0.7715 0.2876 WSEL= 802.05

3470 ENCROACHMENT STATIONS= 278.0 1886.2 TYPE= 4 TARGET= 0.036

CROSS SECTION 106

106.00	11.16	802.06	0.00	801.95	802.39	0.33	0.82	0.07	796.80
6700.	0.	4879.	1821.	0.	904.	2376.	1044.	294.	795.10
1.23	0.00	5.40	0.63	0.120	0.040	0.120	0.051	790.90	278.00
0.001072	1435.	1435.	1065.	2	0	0	0.00	1606.20	1886.20

1490 NH CARD USED
*SECNO 107.000
2800 NAT Q1= 3131.93 WSEL= 802.87 ENC Q1= 3131.93 WSEL= 802.97 RATIO= 0.0000
NAT QT= 5224. RATIOS LOB,CH,ROB= 0.3020 0.5124 0.1859 WSEL= 802.97

3470 ENCROACHMENT STATIONS= 427.2 1573.2 TYPE= 4 TARGET= 0.029

CROSS SECTION 107

107.00	14.08	802.98	0.00	802.87	803.09	0.14	5.67	0.02	797.10
6700.	2003.	3516.	1181.	1702.	1014.	2078.	1417.	315.	796.20
1.36	1.13	3.47	0.57	0.075	0.040	0.120	0.051	786.90	427.23
0.000450	550.	1275.	600.	2	0	0	0.00	1145.93	1573.16

CCRV= 0.300 CERV= 0.500
*SECNO 108.700
2800 NAT Q1= 2133.22 WSEL= 803.56 ENC Q1= 2133.22 WSEL= 803.46 RATIO= 0.0000
NAT Q1= 2177. RATIOS LOB,CH,ROB= 0.0147 0.9686 0.0193 WSEL= 803.46

3470 ENCROACHMENT STATIONS= 80.0 293.7 TYPE= 6 TARGET= 0.020

350 FT D/S CUSTER RD.

108.70	10.66	803.46	0.00	803.36	803.55	0.28	0.57	0.09	797.50
5800.	18.	5726.	56.	20.	1393.	73.	1386.	329	798.9

FORM 1411-CB-PRINTED BY ROTARY MANIFOLD FORMS

0.000758 760. 7075. 1.75. 2 3 4 0.00 175.71 255.75

*SECNO 108.300
2900 NAT Q1= 1599.33 WSEL= 803.59 ENC Q1= 1625.17 WSEL= 803.69 RATIO= -0.0102
NAT Q1= 1626. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 801.69

3470 ENCROACHMENT STATIONS= 1410.4 1517.6 TYPE= 4 TARGET= 0.000

D/S CUSTER RD. ACROSS SECTION 108

108.00	10.70	803.70	0.00	803.69	804.18	0.48	0.35	0.10	810.70
5580.	0.	5800.	0.	0.	1345.	0.	1196.	330.	810.70
1.44	0.00	5.35	0.00	0.120	0.040	0.120	0.050	793.00	1410.45
0.001267	350.	350.	350.	2	0	0	0.00	107.10	1517.55

*SECNO 108.900
2300 NAT Q1= 1491.35 WSEL= 803.46 ENC Q1= 1516.32 WSEL= 803.53 RATIO= -0.0164
NAT Q1= 1516. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 803.56

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	DLOSS	BANK ELEV
S	QLOB	QCH	ZRO3	ALOD	ACH	AROB	VOL	TUA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XSL	XNCH	XNR	LTN	RLPIV	SSTA
SLOPE	XLOL	XLCH	XLOBR	ITRIAL	IP2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 810.70 MAX ELLC= 808.70

3470 ENCROACHMENT STATIONS= 1410.4 1517.6 TYPE= 4 TARGET= 0.000

D/S FACE CUSTER RD. CROSS SECTION 108

108.90	13.59	803.59	0.00	803.48	804.29	0.69	0.00	0.11	810.70
6700.	0.	6700.	0.	0.	1002.	0.	1196.	330.	810.70
1.44	0.00	6.69	0.00	0.120	0.040	0.120	0.050	793.00	1410.45
0.001942	1.	1.	1.	2	0	0	-31.81	107.10	1517.55

*SECNO 109.000
2600 NAT Q1= 1707.11 WSEL= 803.68 ENC Q1= 1732.71 WSEL= 803.78 RATIO= -0.0150
NAT Q1= 1733. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 803.78

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 810.70 MAX ELLC= 808.70

3470 ENCROACHMENT STATIONS= 1410.4 1517.6 TYPE= 4 TARGET= 0.000

D/S FACE CUSTER RD. CROSS SECTION 108 & 109

109.00	13.69	803.79	0.00	803.68	804.38	0.59	0.06	0.03	810.70
6700.	0.	6700.	0.	0.	1089.	0.	1197.	331.	810.70
1.44	0.00	6.15	0.00	0.120	0.040	0.120	0.050	790.10	1410.45
0.001492	35.	35.	35.	2	0	0	-34.69	107.10	1517.55

*SECNO 109.100
2600 NAT Q1= 1814.07 WSEL= 803.74 ENC Q1= 1841.07 WSEL= 803.84 RATIO= -0.0149
NAT Q1= 1841. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 803.84

3470 ENCROACHMENT STATIONS= 1410.4 1517.6 TYPE= 4 TARGET= 0.000

FORM 1411-66-PRINTED BY ROYAL MANIFOLD FORMS.

109.10	13.75	803.85	0.00	803.74	804.39	0.55	0.00	0.01	810.70	
6700.	0.	6700.	0.	0.	1130.	0.	1197.	331.	810.70	
1.44	0.00	5.93	0.00	0.120	0.040	0.120	0.050	790.10	1410.45	
0.001322	1.	1.	1.	2		0	0.00	107.00	1517.55	

*SECNO 109.200
2300 NAT Q1= 2219.07 WSEL= 804.02 ENC Q1= 2219.07 WSEL= 804.12 RATIO= 0.0000
NAT Q1= 2257. RATIOS LOB,CH,ROB= 0.0353 0.9285 0.0362 LSEL= 804.12

3470 ENCROACHMENT STATIONS= 1502.6 1544.3 TYPE= 4 TARGET= 0.517

100 FT U/S CUSTER RD.

109.20	13.99	804.09	0.00	804.02	804.53	0.44	0.11	0.03	796.71
6700.	100.	6333.	196.	962.	1157.	165.	1201.	331.	796.50
1.65	1.12	5.47	1.13	0.100	0.040	0.120	0.050	791.10	1503.65
0.000922	100.	100.	100.	2	1	0	0.00	103.65	1544.20

CCHV= 0.100 CEHV= 0.300
*SECNO 110.000

3470 ENCROACHMENT STATIONS= 1632.0 1594.0 TYPE= 1 TARGET= 302.000

CROSS SECTION 110 SURVEY SECTION 4

110.00	11.39	804.69	0.00	804.61	804.31	0.12	0.25	0.03	796.60
6700.	58.	6553.	89.	144.	2.54.	151.	1231.	355.	799.30
1.51	0.40	2.70	0.56	0.100	0.735	0.120	0.049	793.30	1632.00
0.000204	650.	650.	650.	2	0	0	0.00	345.00	1977.00

CCHV= 0.100 CEHV= 0.300
*SECNO 110.900

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1038.0 1488.0 TYPE= 1 TARGET= 450.000

D/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

110.90	10.32	805.42	0.00	805.36	805.53	0.11	5.72	0.00	799.20
6700.	314.	6512.	74.	248.	2411.	195.	1449.	366.	799.60
1.88	0.46	2.70	0.38	0.100	0.535	0.100	0.046	795.10	1036.00
0.000213	3150.	3450.	3750.	2	0	0	0.00	450.00	1488.00

*SECNO 111.000

3370 NORMAL BRIDGE,NRD= 0 *IN ELTRD= 797.30 MAX.ELLC= 795.10

3470 ENCROACHMENT STATIONS= 1038.0 1486.0 TYPE= 1 TARGET= 450.000

TOP OF 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

111.00	10.29	805.39	0.00	805.33	805.54	0.15	5.00	0.01	799.20

7.68	0.59	5.15	0.49	0.100	0.055	0.100	0.046	795.10	1038.00
0.000360	2.	2.	2.	2	0	0	-356.59	450.00	1480.00

*SEC 0 111.100

3470 ENCROACHMENT STATIONS= 1038.0 1480.0 TYPE= 1 TARGET= 450.000

U/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

111.10	10.34	803.44	0.00	805.39	805.53	0.11	0.06	0.00	799.20
6700.	115.	6610.	75.	250.	2617.	196.	1449.	366.	799.60
1.08	0.46	2.69	0.36	0.100	0.035	0.100	0.046	795.10	1046.02
0.000211	2.	2.	2.	2	0	0	0.00	450.00	1458.02

*SECNO 112.000

3470 ENCROACHMENT STATIONS= 1092.0 1546.0 TYPE= 1 TARGET= 452.000

CROSS SECTION 112 SURVEY SECTION 6

112.00	11.60	805.72	0.00	805.54	805.78	0.00	0.23	0.00	800.70
6700.	21.	6680.	20.	57.	2563.	32.	1543.	372.	800.20
2.04	0.36	2.33	0.36	0.100	0.035	0.100	0.045	796.10	1206.66
0.000136	1400.	1400.	900.	2	0	0	0.00	322.25	1520.92

*SECNO 113.000

3470 ENCROACHMENT STATIONS= 1466.0 1822.0 TYPE= 1 TARGET= 356.000

CROSS SECTION 113 SURVEY SECTION 7

113.00	11.74	805.94	0.00	805.89	806.04	0.10	0.25	0.00	799.50
6700.	49.	6615.	37.	102.	2645.	38.	1656.	391.	800.30
2.24	0.40	2.50	0.42	0.100	0.035	0.100	0.044	796.20	1477.49
0.000161	1700.	1700.	1700.	2	0	0	0.00	325.51	1801.00

*SECNO 114.000

SECNO	DEPTH	CUSEL	CRIWS	WSELK	EG	HV	HL	CLOSS	BANK ELEV
0	ELOB	ECH	OROB	ALOB	ZCH	AROB	VOL	TOA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	CTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 964.0 1338.0 TYPE= 1 TARGET= 374.000

CROSS SECTION 114 SURVEY SECTION 8

114.00	11.48	806.18	0.00	806.43	805.29	0.11	0.24	0.00	804.90
6700.	23.	6599.	78.	68.	3514.	169.	1750.	402.	800.60
2.39	0.33	2.63	0.46	0.100	0.035	0.100	0.043	796.70	964.00
0.000177	1400.	1450.	1500.	2	0	0	0.00	345.49	1309.49

*SECNO 115.000

3470 ENCROACHMENT STATIONS= 590.0 1065.0 TYPE= 1 TARGET= 586.000

CROSS SECTION 115 SURVEY SECTION 9

FORM 1411-UDSPRINTED BY ROYLEY MANIFOLD FORMS

115.00	10.36	806.46	0.00	806.42	806.50	0.08	0.26	0.00	799.10

6700.	663.	5997.	40.	1223.	2433.	98.	1856.	417.	800.30
2.57	0.54	2.47	0.41	0.100	0.035	0.100	0.043	795.60	800.53
0.000168	1200.	1500.	1700.	2	0	0	0.00	549.80	1050.37

*SECNO 115.700

3470 ENCROACHMENT STATIONS= 500.0 1066.0 TYPE= 1 TARGET= 566.000

1300 FT D/S BEDFORD RD. SURVEY SECTION 9 REPEATED

115.70	11.22	806.72	0.00	806.68	806.80	0.08	0.26	0.00	799.10
6700.	690.	5966.	43.	1293.	2502.	107.	2004.	438.	800.30
2.76	0.53	2.38	0.40	0.100	0.035	0.100	0.042	795.60	800.55
0.000151	1800.	1600.	1400.	1	0	0	0.00	550.59	1051.14

CLRV= 0.300 CEHV= 0.500

*SECNO 115.800

2800 NAT Q1= 3952.11 WSEL= 806.63 ENC Q1= 4020.55 WSEL= 807.03 RATIO= -0.0173

NAT Q1= 4021. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 807.03

D/S BEDFORD RD. SURVEY SECTION 11

115.80	10.76	806.96	0.00	806.93	807.09	0.12	0.26	0.02	816.00
6700.	0.	6700.	0.	0.	2372.	0.	2097.	451.	816.00
2.91	0.00	2.82	0.00	0.100	0.035	0.100	0.042	796.20	20.38
0.000286	1500.	1500.	1500.	2	0	0	0.00	799.76	320.14

*SECNO 115.900

2800 NAT Q1= 3757.50 WSEL= 806.92 ENC Q1= 3820.35 WSEL= 807.02 RATIO= -0.0167

NAT Q1= 3820. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 807.02

3370 NORMAL BRIDGE,XRD= 20 MIN ELTRD= 816.10 MAX ELLC= 811.60

D/S FACE BEDFORD RD. SURVEY SECTION 11

115.90	10.76	806.96	0.00	806.92	807.09	0.13	0.00	0.20	816.00
6700.	0.	6700.	0.	0.	2301.	0.	2097.	451.	816.00
2.91	0.00	2.91	0.00	0.100	0.035	0.100	0.042	796.20	20.38
0.000314	1.	1.	1.	0	0	0	-70.79	299.76	320.14

*SECNO 116.000

2800 NAT Q1= 4204.10 WSEL= 806.96 ENC Q1= 4271.45 WSEL= 807.06 RATIO= -0.0160

NAT Q1= 4271. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 807.06

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	IL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CONAR	TOPWID	ENDST

3370 NORMAL BRIDGE,XRD= 20 MIN ELTRD= 816.00 MAX ELLC= 811.60

U/S FACE BEDFORD RD. SURVEY SECTION 11

116.00	11.00	807.0.	0.00	806.76	807.12	0.12	0.02	0.00	816.00
6700.	6.	6700.	0.	0.	2439.	0.	2101.	451.	816.00

FORM 1411.60 PRINTED BY ROTARY MANIFOLD FORMS.

```
0.000251      64.      64.      64.       2        0        0    -79.61    291.40    321.39


*SECNO 116.100
 2800 NAT Q1=   4433.77  WSEL=    806.97  ENC Q1=   4510.52  WSEL=    807.07  RATIO= -0.0174
 NAT Q1=   4511.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    807.07

        U/S BEDFORD RD. SURVEY SECTION 11

   116.10    11.01   807.01     0.00   806.97   807.12     0.11     0.00     0.00   816.00
   6700.        0.     6700.       0.      0.     2339.       0.     2110.     459.   316.00
     2.91     0.00     2.64     0.00    0.100    0.033    0.100    0.042   796.30    21.99
0.000226        1.       1.       1.        0        0        0     0.00   298.40   320.39


*SECNO 116.200
 2800 NAT Q1=   4243.12  WSEL=    807.06  ENC Q1=   4255.82  WSEL=    807.16  RATIO= -0.0098
 NAT Q1=   4324.  RATIOS LOB,CH,ROB=  0.0067  0.9933  0.0000  WSEL=    807.13

3470 ENCROACHMENT STATIONS=      330.0      576.0  TYPE=      4  TARGET=       0.016

        350 FT U/S BEDFORD RD.

   116.20    10.19   807.09     0.00   807.06   807.23     0.14     0.10     0.01   799.00
   6700.        0.     6700.       0.      0.     2262.       3.     2125.     454.   801.10
     2.95     0.00     2.96     0.00    0.100    0.035    0.100    0.042   796.90   330.00
0.000273      400.     400.     400.        0        0        0     0.00   246.00   576.00


CCHV=    0.100 CCHV=    0.300
*SECNO 117.000

3470 ENCROACHMENT STATIONS=      878.0     1420.0  TYPE=      1  TARGET=     542.000

        CROSS SECTION 117 SURVEY SECTION 12

   117.00    10.85   807.55     0.00   807.50   807.65     0.10     0.42     0.00   799.10
   6700.       97.     6571.      52.     147.     2561.      87.     2239.     467.   799.20
     3.17     0.66     2.57     0.39    0.080    0.035    0.100    0.041   796.70  1033.43
0.000164     2000.    2000.    2000.        2        0        0     0.00   334.02  1367.44


CCHV=    0.300 CCHV=    0.500
*SECNO 117.900
 2800 NAT Q1=   4338.32  WSEL=    807.75  ENC Q1=   4411.31  WSEL=    807.85  RATIO= -0.0168
 NAT Q1=   4411.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    807.85

3470 ENCROACHMENT STATIONS=        9.0      318.0  TYPE=      4  TARGET=       0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      814.20 ELREA=      814.20


        D/S FACE 20 TH STREET SURVEY SECTION 13

   117.90     9.20   807.80     0.00   807.75   807.91     0.11     0.25     0.01   892.30
   6700.        0.     6700.       0.      0.     2486.       0.     2317.     476.   811.70
     3.31     0.00     2.70     0.00    0.080    0.035    0.100    0.041   798.60    21.46
0.000234     1300.    1300.    1300.        1        0        0     0.00   290.20   311.75


SPECIAL BRIDGE
```

FORM 1411-CD PRINTED BY ROTARY MANIFOLD FORMS

1.45 1.36 3.00 3.00 260.00 16.00 4550.00 2.72 791.30 796.30

*SECNO 118.000

SECNO	DEPTH	CNSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	AJB	AROB	VOL	TMP	LEFT/RIGHT
TIME	VLOB	VCH	VROB	TWL	KNCH	XSA	MTA	SLICE	SSTA
SLOPE	XLOBL	XLOB	XLOBR	ITRIAL	FUZ	ICONT	CDRAG	TOPWID	ENDST

CLASS A LOW FLOW

3420 BRIDGE W.S.= 807.64 BRIDGE VELOCITY= 2.70 CALCULATED CHANNEL AREA= 2527.

EGPRS	EGLOC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLOB	ELTRD
0.00	807.96	0.00	0.	6700.	4530.	4531.	814.20	816.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 814.20 ELREA= 816.20

U/S FACE 20 TH STREET SURVEY SECTION 13

118.00	9.55	807.35	0.30	807.75	807.96	0.10	2.09	0.00	812.00
6700.	0.	6700.	0.	0.	2538.	0.	2320.	476.	811.40
3.31	0.00	2.59	0.00	0.060	0.035	0.100	0.041	798.30	20.51
0.000207	40.	40.	40.	0	0	0	0.00	291.81	312.31

*SECNO 118.100

2800 NAT Q1= 4056.64 WSEL= 807.83 ENC Q1= 4056.64 WSEL= 807.93 RATIO= 0.0000

NAT Q1= 4123. RATIOS LOB,CH,ROB= 0.0082 0.9827 0.0091 WSEL= 807.93

3470 ENCROACHMENT STATIONS= 656.9 880.5 TYPE= 4 TARGET= 0.016

400 FT U/S 20 TH STREET SURVEY SECTION 14

118.10	10.42	807.92	0.00	807.83	808.08	0.16	0.09	0.03	800.20
6700.	0.	6693.	7.	1.	2116.	19.	2361.	479.	799.90
3.35	0.03	3.16	0.36	0.060	0.035	0.100	0.041	797.50	656.93
0.050273	400.	400.	400.	2	0	0	0.00	223.37	800.50

*SECNO 119.000

2800 NAT Q1= 4607.11 WSEL= 807.98 ENC Q1= 4607.11 WSEL= 808.08 RATIO= 0.0000

NAT Q1= 4687. RATIOS LOB,CH,ROB= 0.0132 0.9804 0.0064 WSEL= 808.08

3470 ENCROACHMENT STATIONS= 640.9 879.0 TYPE= 4 TARGET= 0.017

CROSS SECTION 119 SURVEY SECTION 15

119.00	10.98	808.08	0.00	807.98	808.21	0.13	0.12	0.01	799.70
6700.	17.	6683.	0.	32.	2335.	0.	2367.	481.	801.20
3.39	0.55	2.06	0.00	0.060	0.035	0.100	0.041	797.10	640.89
0.000220	500.	500.	500.	2	0	0	0.00	236.11	879.00

CCTV= 0.100 CEPV= 0.300

*SECNO 120.000

2300 NAT Q1= 4725.41 WSEL= 808.19 ENC Q1= 4725.41 WSEL= 808.29 RATIO= 0.0000

NAT Q1= 4859. RATIOS LOB,CH,ROB= 0.0133 0.9644 0.0224 WSEL= 808.29

FORM 1411-CO-PRINTED BY ROTARY MANIFOLD FORMS.

CROSS SECTION 120 SURVEY SECTION 16

120.00	11.19	806.29	0.00	803.19	808.41	0.12	0.20	0.00	800.00
6700.	32.	6576.	92.	91.	2372.	119.	2621.	407.	800.50
3.49	2.63	2.77	0.77	0.080	0.035	0.080	0.040	797.10	854.15
0.00020	1250.	950.	850.	1	2	0	0.00	255.27	919.42

*SECNO 121.000
2800 NAT Q1= 4752.38 USEL= 808.71 ENC Q1= 4752.38 USEL= 808.71 RATIO= 0.0000
NAT Q1= 4831. RATIOS LOB,CH,ROB= 0.0162 0.9665 0.0174 WSEL= 808.81

3470 ENCROACHMENT STATIONS= 809.8 1050.6 TYPE= 4 TARGET= 0.016

CROSS SECTION 121 SURVEY SECTION 17

121.00	11.41	808.81	0.00	808.71	810.94	0.12	0.58	0.00	800.10
6700.	65.	6562.	73.	72.	2357.	83.	2573.	502.	800.20
3.75	0.89	2.85	0.89	0.080	0.035	0.080	0.040	797.20	809.76
0.000198	2650.	2650.	2650.	0	0	0	0.00	240.69	1050.64

CCHW= 0.300 CCHV= 0.300
*SECNO 121.800
2800 NAT Q1= 1965.03 USEL= 808.82 ENC Q1= 2024.41 USEL= 808.92 RATIO= -0.0193
NAT Q1= 2024. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 808.92

SECNO	DEPTH	CWSEL	CRIWS	WSELK	ES	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTA	SLRZW	SSTA
SLOPE	KLOSL	KLCH	KLOBR	ITRIAL	IHZ	ICONT	CONAF	TOP.ID	ENDST

D/S ANGELL ST. SURVEY SECTION 19

121.60	10.42	808.92	0.00	808.82	809.37	0.45	0.27	0.16	820.00
6700.	0.	6700.	0.	0.	1249.	0.	2603.	506.	820.00
3.79	0.00	5.36	0.00	0.080	0.035	0.080	0.040	798.50	5.71
0.001093	700.	700.	700.	2	0	0	0.00	161.00	166.71

*SECNO 121.900
2800 NAT Q1= 1897.79 USEL= 808.81 ENC Q1= 1933.14 USEL= 808.91 RATIO= -0.0186
NAT Q1= 1933. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 808.91

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 820.00 MAX ELLC= 815.50

D/S FACE ANGELL ST. SURVEY SECTION 19

121.90	10.41	808.91	0.00	808.81	809.38	0.47	0.00	0.01	820.00
6700.	0.	6700.	0.	0.	1216.	0.	2603.	506.	820.00
3.79	0.00	5.51	0.00	0.080	0.035	0.080	0.040	798.50	5.72
0.001196	1.	1.	1.	1	0	0	-32.45	160.97	166.69

*SECNO 122.000
2800 NAT Q1= 1905.30 USEL= 808.88 ENC Q1= 1945.66 USEL= 808.90 RATIO= -0.0212
NAT Q1= 1946. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 808.96

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 820.00 MAX ELLC= 815.50

FORM 141 OB-PRINTED BY BOJARY MANIFOLD FORMS.

U/S ANGELL ST. SURVEY SECTION 19

122.00	10.29	808.99	0.00	808.80	809.45	0.47	0.07	0.00	820.00
6700.	0.	6700.	0.	0.	1220.	0.	2604.	536.	820.00
3.79	0.00	3.49	0.00	0.000	0.035	0.060	0.040	795.70	5.70
0.001107	53.	58.	56.	0	0	3	-32.74	160.73	160.14

*SECNO 122.100
2800 NAT Q1= 2003.63 WSEL= 808.92 ENC Q1= 2043.34 USEL= 809.02 RATIO= -0.0198
NAT Q1= 2043. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 809.02

U/S ANGELL ST. SURVEY SECTION 19

122.10	10.32	809.02	0.00	806.92	809.46	0.64	0.00	0.01	820.00
6700.	0.	6700.	0.	0.	1257.	0.	2604.	536.	820.00
3.79	0.00	3.33	0.00	0.000	0.035	0.060	0.040	795.70	5.32
0.001075	1.	1.	1.	2	3	5	0.00	160.91	166.25

*SECNO 122.200
2800 NAT Q1= 3639.36 USEL= 809.32 ENC Q1= 3639.36 USEL= 809.42 RATIO= 0.0000
NAT Q1= 3599. RATIOS LOB,CH,ROB= 0.0369 0.9421 0.0211 WSEL= 809.22

3470 ENCROACHMENT STATIONS= 784.0 856.0 TYPE= 4 TARGET= 5.045

200 FT U/S ANGELL ST. SURVEY SECTION 18

122.20	14.20	809.40	0.00	809.32	809.84	1.24	0.12	0.06	801.60
6700.	0.	6667.	15.	0.	1695.	21.	2611.	536.	801.30
3.81	0.00	3.94	3.59	0.000	0.035	0.060	0.040	795.20	704.00
0.000366	200.	200.	200.	2	0	0	0.00	152.83	856.83

CCHV= 0.100 CEHV= 0.300
*SECNO 123.000

SECNO	DEPTH	CHSEL	CHINS	HSELK	ES	HV	HL	CLOSS	BANK ELEV
0	XLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TOA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	GSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 585.0 918.0 TYPE= 1 TARGET= 553.300

700 FT D/S KENDALL ST. SURVEY SECTION 20

123.00	12.23	809.93	0.00	809.73	810.12	0.29	0.47	0.02	801.70
6700.	60.	6565.	75.	59.	1497.	77.	2653.	581.	802.20
3.68	1.02	4.39	0.97	0.080	0.035	0.080	0.040	797.60	677.99
0.000498	1100.	1100.	1100.	2	0	0	0.00	185.28	863.27

CCHV= 0.300 CEHV= 0.500
*SECNO 123.800

D/S KENDALL ST. SURVEY SECTION 22

123.60	9.93	810.23	0.00	810.14	810.50	0.37	0.44	0.04	821.00
6700.	0.	6700.	0.	0.	1327.	0.	2678.	584.	821.00
3.92	0.00	4.47	0.00	0.000	0.035	0.060	0.040	800.30	3.82
0.000813	700.	700.	700.	2	0	0	0.00	166.96	870.37

FORM 1411-CD PRINTED BY ROTARY MANIFOLD FORMS.

*SECNO 125.900

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 821.00 MAX ELLC= 817.70

D/S FACE KENDALL ST. SURVEY SECTION 22

125.90	9.92	810.22	0.00	810.13	810.61	0.39	0.00	0.01	821.00
6700.	0.	6700.	0.	0.	1338.	0.	2678.	514.	821.00
3.92	0.00	5.01	0.00	0.080	0.035	0.080	0.040	800.30	3.82
0.000391	1.	1.	1.	1	0	0	-38.32	166.54	170.36

*SECNO 124.000

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 821.00 MAX ELLC= 817.70

D/S FACE KENDALL ST. SURVEY SECTION 22

124.00	8.31	810.21	0.00	810.12	810.75	0.54	0.37	0.08	821.00
6700.	0.	6700.	0.	0.	1137.	0.	2679.	514.	821.00
3.92	0.00	5.09	0.00	0.080	0.035	0.080	0.040	831.90	5.50
0.001490	56.	56.	56.	2	0	0	-31.05	163.27	168.77

*SECNO 124.100

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLC1= 821.00 ELREA= 821.00

O/S KENDALL ST. SURVEY SECTION 22

124.10	8.36	810.24	0.00	810.17	810.76	0.50	0.00	0.01	821.00
6700.	0.	6700.	0.	0.	1176.	0.	2679.	514.	821.00
3.92	0.00	5.73	0.00	0.080	0.035	0.080	0.040	831.90	5.41
0.001335	1.	1.	1.	2	0	0	0.00	163.46	168.87

*SECNO 124.200

2800 NAT QT= 1975.63 WSEL= 810.43 ENC QT= 1975.63 WSEL= 810.53 RATIO= 0.0000

NAT QT= 2016. RATIOS LOB,CH,ROB= 0.0260 0.9540 0.0200 WSEL= 810.53

SECNO	DEPTH	CWSEL	CRIWS	∆SELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 807.0 950.6 TYPE= 4 TARGET= 0.520

200 FT U/S KENDALL ST. SURVEY SECTION 21

124.20	9.09	810.49	0.00	810.43	811.03	0.56	0.25	0.02	801.40
6650.	99.	6495.	56.	61.	1090.	40.	2695.	513.	802.20
3.93	1.63	5.96	1.41	0.080	0.035	0.080	0.039	801.40	806.97
0.001155	200.	200.	200.	1	0	0	0.00	143.62	950.58

CCHV= 0.100 CEHV= 0.300

*SECNO 123.000

2802 NAT QT= 2224.54 WSEL= 811.56 ENC QT= 2224.54 WSEL= 811.66 RATIO= 0.0000

NAT QT= 2271. RATIOS LOB,CH,ROB= 0.0142 0.9703 0.0155 WSEL= 811.66

0470 ENCROACHMENT STATIONS= 795.3 950.4 TYPE= 4 TANGLT= 0.20

CROSS SECTION 125 SURVEY SECTION 23

1	125.00	9.44	811.64	0.00	871.56	872.56	3.42	1.02	0.01	904.01
2	3650.	17.	6676.	25.	13.	1969.	25.	2716.	596.	603.70
3	3.96	0.69	5.21	1.00	0.030	2.025	0.06.	0.035	302.20	798.31
4	0.000905	1000.	1000.	1000.	2	0	0	0.00	160.06	958.39

FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORMS.

```
**********************************************************
  PROGRAM RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 110

SECNO	CWSEL	DIFKWS	CG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
102.000	798.85	0.22	798.89	3375.61	2196.75	3406.46	1596.79	0.00	0.00	2023.00	2234.00	0.00
102.000	798.85	-0.50	798.79	3039.48	2150.30	3530.25	1510.96	0.04	650.20	2023.00	2234.00	3765.05
102.500	799.36	0.00	799.41	3469.19	2939.62	3365.15	715.22	0.00	0.00	3697.00	3902.00	0.00
102.500	799.41	0.05	799.46	3098.22	2972.02	3727.98	0.00	0.04	803.78	3697.00	3902.00	3902.00
103.000	799.73	0.00	799.83	2534.98	2463.19	3867.00	369.81	0.00	0.00	2669.00	2809.00	0.00
103.000	799.79	0.06	799.90	2210.00	2472.37	3965.63	253.97	0.04	757.31	2669.00	2809.00	2967.30
104.000	801.06	0.00	801.13	2610.66	507.17	2093.76	3299.07	0.00	0.00	1453.00	1561.00	0.00
104.000	801.16	0.10	801.22	2105.59	418.18	2953.61	3331.21	0.04	973.71	1453.00	1561.00	3079.30
105.000	801.32	0.00	801.40	2042.41	343.92	3749.56	2606.52	0.00	0.00	1137.00	1303.00	0.00
105.000	801.41	0.10	801.50	1750.32	242.56	3835.25	2622.19	0.04	979.17	1137.00	1303.00	2729.49
106.000	801.95	0.00	802.26	1026.26	7.69	4663.07	1029.24	0.00	0.00	278.00	368.00	0.00
106.000	802.06	0.12	802.39	1608.20	0.00	4878.75	1021.26	0.04	278.00	278.00	368.00	1886.20
107.000	802.87	0.00	802.97	1212.00	2015.78	3470.38	1213.84	0.00	0.00	808.00	916.00	0.00
107.000	802.98	0.12	803.09	1145.93	2002.01	3515.89	1181.32	0.03	427.23	808.00	916.00	1573.16
108.700	803.36	0.00	803.63	247.65	79.73	5611.97	108.30	0.00	0.00	85.00	236.00	0.00
108.700	803.46	0.11	803.75	173.71	16.25	5726.07	55.69	0.02	80.03	85.00	236.00	253.73
108.800	803.59	0.00	804.07	107.10	0.00	5800.00	0.00	0.00	0.00	1410.40	1517.60	0.00
108.800	803.70	0.11	804.18	107.10	0.00	5800.00	0.00	0.00	1410.40	1410.40	1517.60	1517.60
108.900	803.68	0.00	804.19	107.10	0.00	6700.00	0.00	0.00	0.00	1410.40	1517.60	0.00
108.900	803.59	0.12	804.29	107.10	0.00	6700.00	0.00	0.00	1410.40	1410.40	1517.60	1517.60
109.000	803.68	0.00	804.28	107.10	0.00	6700.00	0.00	0.00	0.00	1410.40	1517.60	0.00
109.000	803.79	0.11	804.38	107.10	0.00	6700.00	0.00	0.00	1410.40	1410.40	1517.60	1517.60
109.100	803.74	0.00	804.30	107.10	0.00	6700.00	0.00	0.00	0.00	1410.40	1517.60	0.00
109.100	803.85	0.11	804.39	107.10	0.00	6700.00	0.00	0.00	1410.40	1410.40	1517.60	1517.60
109.200	804.02	0.00	804.45	248.91	231.99	6229.01	238.21	0.00	0.00	1410.50	1517.50	0.00
109.200	804.09	0.07	804.53	180.63	180.26	6353.35	186.39	0.02	1383.65	1410.50	1517.50	1544.28

FORM 1411.00 PRINTED BY HOTAPY HARFOLD FORMS, INC. U.S.A.

SECNO	CHSEL	DIFKHS	ZG	TOPUZO	QLOB	SCH	SAOb	PCPENC	STENCL	STCHL	STCHR	STENCR
110.000	804.67	0.00	804.73	344.74	55.75	6537.72	87.13	302.00	1632.00	1598.00	1937.00	1994.00
110.000	804.69	0.09	804.81	349.00	58.09	6553.24	80.67	302.00	1632.00	1598.00	1937.00	1994.00
110.900	805.36	0.00	805.47	450.00	111.34	6577.20	77.61	450.00	1036.00	1120.00	1385.00	1488.00
110.900	805.42	0.07	805.53	450.00	113.76	6512.21	74.03	450.00	1036.00	1120.00	1385.00	1488.00
111.000	805.33	0.00	805.42	450.00	163.29	6465.29	97.62	450.00	1036.00	1120.00	1385.00	1486.00
111.000	805.39	0.07	805.54	450.00	166.96	6459.16	94.69	450.00	1036.00	1120.00	1385.00	1488.00
111.100	805.37	0.00	805.48	450.00	112.20	6515.48	72.33	450.00	1038.00	1120.00	1385.00	1488.00
111.100	805.44	0.06	805.55	450.00	114.60	6510.44	74.96	450.00	1038.00	1120.00	1385.00	1488.00
112.000	805.64	0.00	805.73	321.76	20.17	6662.52	19.31	432.00	1092.00	1230.00	1510.00	1544.00
112.000	805.70	0.05	805.78	322.15	20.59	6659.74	19.67	432.00	1092.00	1230.00	1510.00	1544.00
113.000	805.89	0.00	805.99	323.05	48.10	6616.00	35.89	336.00	1466.00	1595.00	1769.00	1822.00
113.000	805.94	0.05	806.04	323.51	48.69	6614.79	36.52	336.00	1466.00	1595.00	1769.00	1822.00
114.000	806.13	0.00	806.24	345.20	21.02	6609.24	76.96	374.00	964.00	1035.00	1255.00	1336.00
114.000	806.18	0.05	806.29	345.69	22.51	6590.47	78.37	374.00	964.00	1035.00	1255.00	1336.00
115.000	806.42	0.00	806.50	549.67	658.19	6002.69	39.12	566.00	500.00	760.00	1016.00	1066.00
115.000	806.46	0.04	806.54	549.00	662.66	5997.43	39.71	566.00	500.00	760.00	1016.00	1066.00
115.700	806.68	0.00	806.76	551.47	686.37	5970.91	42.72	566.00	500.00	760.00	1016.00	1066.00
115.700	806.72	0.04	806.80	553.59	690.35	5966.45	43.23	566.00	500.00	760.00	1016.00	1066.00
115.800	806.93	0.00	807.05	299.11	0.30	6700.00	0.00	0.00	0.00	0.00	330.00	0.00
115.800	806.96	0.04	807.09	299.76	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	330.00
115.900	806.92	0.00	807.06	299.12	0.30	6700.00	0.00	0.00	0.00	0.00	330.00	0.00
115.900	806.96	0.04	807.09	299.76	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	330.00
116.000	806.96	0.00	807.08	297.78	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	0.00
116.000	807.00	0.04	807.12	298.40	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	330.00
116.100	806.97	0.00	807.05	297.79	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	0.00
116.100	807.01	0.04	807.12	298.40	0.00	6700.00	0.00	0.00	0.00	0.00	330.00	330.00
116.200	807.06	0.00	807.19	355.64	44.04	6598.86	57.09	0.00	0.00	330.00	576.00	0.00
116.200	807.09	0.04	807.23	246.00	0.00	6700.00	0.00	0.02	330.00	330.00	576.00	576.00
117.000	807.50	0.00	807.60	332.51	96.13	6572.65	31.32	562.00	878.00	1075.00	1325.00	1420.00
117.000	807.55	0.06	807.65	334.02	97.16	6570.93	31.92	562.00	878.00	1075.00	1325.00	1420.00
117.900	807.75	0.00	807.86	290.07	0.00	6700.00	0.00	0.00	0.00	9.00	318.00	0.00
117.900	807.80	0.05	807.91	290.28	0.00	6700.00	0.00	0.00	9.00	9.00	318.00	318.00
118.000	807.75	0.00	807.86	291.37	0.00	6700.00	0.00	0.00	0.00	9.00	318.00	0.00
118.000	807.85	0.10	807.96	291.81	0.00	6700.00	0.00	0.00	0.00	9.00	318.00	0.00
118.100	807.83	0.00	807.98	272.71	53.78	6586.28	59.94	0.00	0.00	657.00	878.00	0.00
118.100	807.92	0.09	808.08	223.57	0.08	8692.79	7.19	0.02	656.93	657.00	878.00	880.50
119.000	807.98	0.00	808.10	207.79	87.56	6573.60	41.84	0.00	0.00	645.00	879.00	0.00
119.000	808.08	0.10	808.21	236.11	17.49	8682.52	0.00	0.02	640.89	645.00	879.00	879.00

FORM 1411-GS PRINTED BY ROTARY MANIFOLD FORMS.
PRINTED IN U.S.A.

	SECNO	CWSEL	DIFKWS	EC	TOPWID	QLOD	QCH	CROS	PERENC	STENCL	STCHL	STCHR	STENCR
1	120.000	805.19	0.00	808.30	323.11	97.29	6486.35	166.36	0.00	0.00	661.00	961.00	0.00
2	120.000	808.29	0.10	808.41	265.27	32.16	6575.76	97.17	0.02	664.15	661.00	961.00	919.42
3													
4	121.000	808.71	0.00	808.83	261.20	107.80	6477.22	114.99	0.00	0.00	819.00	1039.00	0.00
5	121.000	808.81	0.10	808.94	240.89	64.65	6562.00	73.35	0.02	809.76	819.00	1039.00	1050.65
6													
7	121.800	808.92	0.00	809.03	160.52	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	0.00
8	121.800	808.92	0.10	809.37	161.20	0.00	6700.00	0.00	0.10	0.00	0.00	174.00	174.00
9													
10	121.900	808.81	0.00	809.29	160.50	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	0.00
11	121.900	808.91	0.11	809.33	160.97	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	174.00
12													
13	122.000	808.46	0.01	809.37	160.27	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	0.00
14	122.000	808.99	0.10	809.45	160.73	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	174.00
15													
16	122.100	808.92	0.00	809.38	160.47	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	0.00
17	122.100	809.02	0.10	809.46	160.91	0.00	6700.00	0.00	0.00	0.00	0.00	174.00	174.00
18													
19	122.200	809.32	0.00	809.55	160.32	44.65	6642.34	72.81	0.00	0.00	704.00	954.00	0.00
20	122.200	809.42	0.10	809.64	162.03	0.01	6687.50	12.62	0.02	704.00	704.00	954.00	956.65
21													
22	123.000	809.73	0.00	810.03	164.77	59.81	6567.66	73.54	0.02	0.00	693.00	843.00	0.00
23	123.000	809.83	0.10	810.12	165.28	60.08	6565.03	74.89	333.05	555.00	693.00	843.00	918.00
24													
25	123.800	810.14	0.00	810.52	166.23	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
26	123.800	810.23	0.09	810.62	166.55	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
27													
28	123.900	810.13	0.00	810.53	166.18	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
29	123.900	810.22	0.09	810.61	166.54	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
30													
31	124.000	810.12	0.00	810.65	162.91	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
32	124.000	810.21	0.09	810.75	163.27	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
33													
34	124.100	810.17	0.00	810.69	163.11	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
35	124.100	810.26	0.09	810.76	163.46	0.00	6700.00	0.00	0.00	0.00	1.00	174.00	0.00
36													
37	124.200	810.43	0.00	810.94	174.13	171.07	6567.48	151.65	0.00	0.00	815.00	945.00	0.00
38	124.200	810.49	0.06	811.03	148.62	98.69	6494.85	56.66	0.02	806.97	815.00	945.00	950.58
39													
40	125.000	811.56	0.00	811.96	192.85	93.21	6435.25	101.53	0.00	0.00	801.00	955.00	0.00
41	125.000	811.64	0.08	812.06	160.08	17.04	6608.25	24.70	0.02	798.31	801.00	955.00	958.39
42													
43													
44													
45													
46													
47													
48													
49													
50													
51													
52													
53													
54													
55													
56													
57													

FORM 1471-GS PRINTED BY ROTARY MANIFOLD FORMS.

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 153

SECNO	XLCH	ELYRD	ELLC	ELMIN	Q	CHSEL	CRIWS	EG	TOPWS	VCH	AREA	.01K
102.000	3575.00	0.00	0.00	789.80	6700.00	798.65	0.00	798.89	2.22	2.13	10221.53	4497.65
102.000	3575.00	0.00	0.00	789.80	6700.00	798.65	0.00	798.89	2.40	2.21	9480.87	4328.03
102.500	2950.00	0.00	0.00	789.50	6700.00	799.36	0.00	799.41	2.90	2.40	9119.81	3934.75
102.500	2950.00	0.00	0.00	789.50	6700.00	799.41	0.00	799.46	3.10	2.46	8546.73	3803.58
103.000	1590.00	0.00	0.00	789.60	6700.00	799.73	0.00	799.83	4.60	3.28	6782.06	3122.59
103.000	1590.00	0.00	0.00	789.60	6700.00	799.79	0.00	799.90	4.73	3.35	6552.20	3000.98
104.000	4025.00	0.00	0.00	783.10	6700.00	801.06	0.00	801.13	3.68	3.05	6087.74	3492.65
104.000	4025.00	0.00	0.00	782.70	6700.00	801.16	0.00	801.22	3.69	3.05	7711.25	3407.55
105.000	675.00	0.00	0.00	793.00	6700.00	801.32	0.00	801.40	4.21	2.96	6722.76	3264.46
105.000	675.00	0.00	0.00	793.00	6700.00	801.41	0.00	801.50	4.25	2.99	6524.02	3259.23
106.000	1435.00	0.00	0.00	790.90	6700.00	801.95	0.00	802.28	10.21	5.44	3933.71	2091.32
106.000	1435.00	0.00	0.00	790.90	6700.00	802.06	0.00	802.39	10.72	5.40	3779.44	2046.55
107.000	1275.00	0.00	0.00	793.90	6700.00	802.87	0.00	802.97	4.58	3.47	4900.45	3131.93
107.000	1275.00	0.00	0.00	793.90	6700.00	802.92	0.00	803.09	4.50	3.47	4793.32	3156.02
108.700	1075.00	0.00	0.00	792.80	5800.00	803.36	0.00	803.63	7.39	4.26	1585.44	2133.22
108.700	1075.00	0.00	0.00	792.80	5800.00	803.46	0.00	803.75	7.38	4.30	1434.06	2134.31
108.800	350.00	0.00	0.00	793.00	5800.00	803.59	0.00	804.07	13.14	5.62	1032.84	1599.83
108.800	350.00	0.00	0.00	793.00	5800.00	803.70	0.00	804.18	12.67	5.55	1044.98	1629.24
108.900	1.00	810.70	808.70	795.00	6700.00	803.43	0.00	804.19	20.17	6.77	909.71	1491.83
108.900	1.00	810.70	808.70	795.00	6700.00	803.59	0.00	804.29	19.42	6.69	1001.76	1520.28
109.000	35.00	810.70	808.70	790.10	6700.00	803.68	0.00	806.28	15.40	6.22	1077.78	1707.11
109.000	35.00	810.70	808.70	790.10	6700.00	803.79	0.00	806.38	14.92	6.15	1088.97	1734.71
109.100	1.00	0.00	0.00	790.10	6700.00	803.74	0.00	806.30	13.64	5.99	1118.22	1814.07
109.100	1.00	0.00	0.00	790.10	6700.00	803.85	0.00	806.39	13.22	5.93	1129.56	1842.73
109.200	100.00	0.00	0.00	790.10	6700.00	804.02	0.00	804.45	9.12	5.42	1676.17	2219.07
109.200	100.00	0.00	0.00	790.10	6700.00	804.09	0.00	804.53	9.22	5.47	1663.71	2206.65
110.000	650.00	0.00	0.00	793.30	6700.00	804.61	0.00	804.73	2.10	2.31	2626.38	4619.41
110.000	650.00	0.00	0.00	793.30	6700.00	804.69	0.00	804.81	2.04	2.28	2656.10	4690.33
110.900	3450.00	0.00	0.00	795.10	6700.00	805.36	0.00	805.47	2.19	2.72	2825.82	4529.84
110.900	3450.00	0.00	0.00	795.10	6700.00	805.42	0.00	805.53	2.13	2.70	2855.04	4587.79
111.000	2.00	797.30	795.10	795.10	6700.00	805.33	0.00	805.48	3.71	3.18	2461.45	3479.18
111.000	2.00	797.30	795.10	795.10	6700.00	805.39	0.00	805.54	3.60	3.15	2491.22	3532.67
111.100	2.00	0.00	0.00	795.10	6700.00	805.37	0.00	805.48	2.17	2.71	2836.15	4550.27
111.100	2.00	0.00	0.00	795.10	6700.00	805.44	0.00	805.55	2.11	2.69	2865.26	4606.15
112.000	1400.00	0.00	0.00	794.10	6700.00	805.64	0.00	805.73	1.38	2.34	2953.61	5695.04
112.000	1400.00	0.00	0.00	794.10	6700.00	805.70	0.00	805.78	1.36	2.33	2972.39	5751.10

FORM 1411-GS-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLOC	ELTRD	ELLC	ELDIN	Q	CWSEL	CRINS	EG	10*S	VCH	ARCA	.01K
113.000	2700.00	0.00	0.00	794.20	6700.00	805.29	0.00	805.99	1.65	2.51	2617.56	5233.64
113.000	2700.00	0.00	0.00	794.20	6700.00	805.94	0.00	806.04	1.61	2.50	2634.65	5271.49
114.000	1450.00	0.00	0.00	796.70	6700.00	806.15	0.00	806.24	1.81	2.64	2733.89	4986.62
114.000	1450.00	0.00	0.00	796.70	6700.00	806.16	0.00	806.29	1.77	2.63	2750.93	5029.04
115.000	1500.00	0.00	0.00	795.60	6700.00	806.52	0.00	806.50	1.71	2.48	3728.44	5124.44
115.000	1500.00	0.00	0.00	795.60	6700.00	806.46	0.00	806.56	1.66	2.47	3753.00	5169.36
115.700	1600.00	0.00	0.00	795.60	6700.00	806.68	0.00	806.76	1.54	2.40	3879.79	5403.91
115.700	1600.00	0.00	0.00	795.60	6700.00	806.72	0.00	806.80	1.51	2.38	3901.69	5464.87
115.800	1300.00	0.00	0.00	796.20	6700.00	806.93	0.00	807.15	2.87	2.84	2360.97	3952.11
115.800	1300.00	0.00	0.00	796.20	6700.00	806.98	0.00	807.09	2.64	2.32	2371.37	3976.79
115.900	1.00	816.00	811.60	796.20	6700.00	806.92	0.00	807.06	3.18	2.93	2290.53	3757.50
115.900	1.00	816.00	811.60	796.20	6700.00	806.96	0.00	807.09	3.14	2.91	2301.07	3780.94
116.000	64.00	816.00	811.60	796.20	6700.00	806.98	0.00	807.08	2.54	2.76	2641.46	4234.10
116.000	64.00	816.00	811.60	796.20	6700.00	807.00	0.00	807.12	2.51	2.72	2656.90	4228.17
116.100	1.00	0.00	0.00	796.00	6700.00	806.97	0.00	807.08	2.20	2.65	2527.89	4433.77
116.100	1.00	0.00	0.00	796.00	6700.00	807.01	0.00	807.12	2.26	2.64	2538.52	4455.79
116.200	400.00	0.00	0.00	796.90	6700.00	807.06	0.00	807.19	2.39	2.93	2481.00	4264.12
116.200	400.00	0.00	0.00	796.90	6700.00	807.09	0.00	807.23	2.73	2.96	2262.21	4057.75
117.000	2000.00	0.00	0.00	796.70	6700.00	807.50	0.00	807.60	1.67	2.58	2770.53	5180.80
117.000	2000.00	0.00	0.00	796.70	6700.00	807.55	0.00	807.65	1.64	2.57	2789.08	5229.35
117.900	1300.00	0.00	0.00	796.60	6700.00	807.75	0.00	807.86	2.39	2.71	2472.39	4358.32
117.900	1300.00	0.00	0.00	796.60	6700.00	807.80	0.00	807.91	2.36	2.70	2485.85	4375.54
118.000	40.00	816.50	814.20	798.30	6700.00	807.75	0.00	807.86	2.14	2.62	2558.34	4577.78
118.000	40.00	816.50	814.20	798.30	6700.00	807.85	0.00	807.96	2.07	2.59	2587.53	4660.07
118.100	400.00	0.00	0.00	797.30	6700.00	807.83	0.00	807.98	2.73	3.14	2269.42	4056.64
118.100	400.00	0.00	0.00	797.30	6700.00	807.92	0.00	808.03	2.73	3.16	2135.03	4053.23
119.000	500.00	0.00	0.00	797.10	6700.00	807.98	0.00	808.10	2.11	2.64	2508.62	4607.11
119.000	500.00	0.00	0.00	797.10	6700.00	808.08	0.00	808.21	2.20	2.86	2367.34	4516.26
120.000	950.00	0.00	0.00	797.10	6700.00	808.19	0.00	808.30	2.01	2.75	2656.58	4725.41
120.000	950.00	0.00	0.00	797.10	6700.00	808.29	0.00	808.41	2.01	2.77	2541.72	4723.36
121.000	2650.00	0.00	0.00	797.40	6700.00	808.71	0.00	808.83	1.99	2.64	2554.69	4752.38
121.000	2650.00	0.00	0.00	797.40	6700.00	808.81	0.00	808.94	1.98	2.85	2455.72	4766.78
121.800	700.00	0.00	0.00	796.50	6700.00	808.82	0.00	809.20	11.39	5.44	1232.46	1985.03
121.800	700.00	0.00	0.00	796.50	6700.00	808.92	0.00	809.37	10.93	5.36	1249.45	2026.63
121.900	1.00	820.00	815.50	796.50	6700.00	808.81	0.00	809.29	12.46	5.59	1199.60	1897.79
121.900	1.00	820.00	815.50	796.50	6700.00	808.91	0.00	809.38	11.96	5.51	1216.10	1937.49
122.000	58.00	820.00	815.50	796.70	6700.00	808.88	0.00	809.37	12.37	5.57	1203.27	1905.30
122.000	58.00	820.00	815.50	796.70	6700.00	808.99	0.00	809.45	11.87	5.49	1219.75	1965.01

FORM 141-GD-PRINTED BY ROTARY MANIFOLD FORMS,

SECNO	XLCH	ELTRO	ELLC	CLUIN	Q	CNSEL	CRIHS	EG	10K*S	VCH	AREA	.01K
122.100	1.00	0.00	0.00	798.70	6700.00	809.92	0.00	809.56	11.13	5.40	1240.07	2003.63
122.100	1.00	0.00	0.00	798.70	6700.00	809.02	0.00	809.46	10.75	5.33	1257.05	2043.56
122.200	200.00	0.00	0.00	795.20	6700.00	809.32	0.00	809.55	5.39	3.90	1850.04	3639.36
122.200	200.00	0.00	0.00	795.20	6700.00	809.40	0.00	809.64	3.66	3.96	1719.03	3503.15
123.000	1000.00	0.00	0.00	797.60	6700.00	809.73	0.00	810.03	5.76	4.43	1614.65	2950.80
123.000	1000.00	0.00	0.00	797.60	6700.00	809.84	0.00	810.12	4.98	4.39	1635.55	3002.49
123.800	700.00	0.00	0.00	800.30	6700.00	810.14	0.00	810.52	6.36	4.92	1362.80	2317.45
123.800	700.00	0.00	0.00	800.30	6700.00	810.23	0.00	810.60	6.10	4.87	1377.17	2354.69
123.900	1.00	821.30	317.70	800.30	6700.00	810.25	0.00	810.53	9.20	5.06	1324.56	2208.93
123.900	1.00	821.00	317.70	800.30	6700.00	810.22	0.00	810.61	8.91	5.01	1335.20	2264.83
124.000	58.00	821.00	317.70	801.90	6700.00	810.12	0.00	810.60	15.40	5.97	1122.93	1703.10
124.000	58.00	821.00	317.70	801.90	6700.00	810.21	0.00	810.75	14.90	5.89	1136.84	1735.65
124.100	1.00	0.00	0.00	801.90	6700.00	810.17	0.00	810.59	13.05	5.77	1151.81	1800.66
124.100	1.00	0.00	0.00	801.90	6700.00	810.26	0.00	810.70	13.35	5.79	1175.63	1833.89
124.200	200.00	0.00	0.00	801.40	6650.00	810.43	0.00	810.94	11.33	5.87	1272.87	1975.63
124.200	200.00	0.00	0.00	801.40	6650.00	810.49	0.00	811.03	11.55	5.96	1191.11	1956.46
125.000	1000.00	0.00	0.00	802.20	6650.00	811.52	0.00	811.98	8.94	5.16	1406.02	2224.34
125.000	1000.00	0.00	0.00	802.20	6650.00	811.64	0.00	812.06	9.05	5.21	1312.97	2210.56

FORM 1611-GB-PRINTED BY ROTARY MANIFOLD FORMS.

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFUSP	DIFUSX	DIFRUS	TOPWID	XLCH
102.000	6700.00	798.85	0.00	0.00	0.22	3375.61	3575.00
102.000	6700.00	798.35	0.00	0.00	-0.00	3539.40	3575.00
102.500	6700.00	799.36	0.00	0.51	0.00	3469.89	2951.00
102.500	6700.00	799.41	0.00	0.56	0.05	3696.22	2951.00
103.000	6700.00	799.73	0.00	0.36	0.00	2534.98	1590.00
103.000	6700.00	799.79	0.00	0.33	0.06	2290.00	1590.00
104.000	6700.00	801.06	0.00	1.24	0.00	2410.46	4025.00
104.000	6700.00	801.16	0.00	1.37	0.10	2105.59	4025.00
105.000	6700.00	801.32	0.00	0.26	0.00	2042.41	675.00
105.000	6700.00	801.41	0.00	0.26	0.10	1755.32	675.00
106.000	6700.00	801.95	0.00	0.63	0.00	1825.29	1435.00
106.000	6700.00	802.06	0.00	0.65	0.12	1603.20	1435.00
107.000	6700.00	802.87	0.00	0.92	0.00	1212.00	1275.00
107.000	6700.00	802.98	0.00	0.92	0.12	1145.95	1275.00
108.700	5800.00	803.36	0.00	0.49	0.00	247.45	1075.00
108.700	5800.00	803.46	0.00	0.46	0.11	173.71	1075.00
108.800	5800.00	803.59	0.00	0.23	0.00	107.10	350.00
108.800	5800.00	803.70	0.00	0.23	0.11	107.10	350.00
108.900	6700.00	803.48	0.00	-0.11	0.00	107.10	1.00
108.900	6700.00	803.59	0.00	-0.11	0.12	107.10	1.00
109.000	6700.00	803.68	0.00	0.21	0.00	107.10	35.00
109.000	6700.00	803.79	0.00	0.20	0.11	107.10	35.00
109.100	6700.00	803.74	0.00	0.06	0.00	107.10	1.00
109.100	6700.00	803.85	0.00	0.06	0.11	107.10	1.00
109.200	6700.00	804.02	0.00	0.28	0.00	248.91	100.00
109.200	6700.00	804.09	0.00	0.25	0.07	163.63	100.00
110.000	6700.00	804.61	0.00	0.58	0.00	344.74	650.00
110.000	6700.00	804.69	0.00	0.60	0.09	345.00	650.00
110.900	6700.00	805.36	0.00	0.75	0.00	450.00	3450.00
110.900	6700.00	805.42	0.00	0.73	0.07	450.00	3450.00
111.000	6700.00	805.33	0.00	-0.03	0.00	450.00	2.00
111.000	6700.00	805.39	0.00	-0.03	0.07	450.00	2.00
111.100	6700.00	805.37	0.00	0.04	0.00	450.00	2.00
111.100	6700.00	805.44	0.00	0.04	0.06	450.00	2.00
112.000	6700.00	805.64	0.00	0.27	0.00	321.74	1400.00
112.000	6700.00	805.70	0.00	0.24	0.06	322.25	1400.00

FORM 1-011-9R-PRINTED BY BOTANY MANIFOLD FORMS.

SECNO	Z	CLSEL	DIFWSP	DIFUSR	DIFKWS	TOPWID	XLCH
113.000	6700.00	805.89	0.10	0.25	0.07	325.03	1700.00
113.000	6700.00	806.94	0.00	0.24	0.05	325.51	1700.00
114.000	6700.00	806.13	0.00	0.24	0.00	345.20	1450.00
114.000	6700.00	806.18	0.00	0.24	0.05	345.49	1450.00
115.000	6700.00	806.42	0.00	0.23	0.00	549.67	1500.00
115.000	6700.00	806.46	0.00	0.23	0.04	549.80	1500.00
115.700	6700.00	806.68	0.00	0.27	0.00	550.47	1600.00
115.700	6700.00	806.72	0.00	0.26	0.04	550.59	1600.00
115.800	6700.00	806.93	0.10	0.24	0.00	299.71	1300.00
115.800	6700.00	806.96	0.00	0.24	0.04	299.76	1300.00
115.900	6700.00	806.92	0.00	-0.00	0.00	299.72	1.00
115.900	6700.00	806.96	0.00	-0.00	0.04	299.76	1.00
115.000	6700.00	806.96	0.00	0.25	0.00	297.73	600.00
115.000	6700.00	837.00	0.00	0.26	0.04	298.40	600.00
116.100	6700.00	806.97	0.00	0.01	0.00	297.79	1.00
116.100	6700.00	807.01	0.00	0.01	0.04	298.40	1.00
116.200	6700.00	837.36	0.00	0.23	0.00	335.14	400.00
116.200	6700.00	807.09	0.00	0.23	0.04	446.20	400.00
117.000	6700.00	807.50	0.00	0.44	0.00	332.51	2000.00
117.000	6700.00	807.55	0.00	0.46	0.06	334.02	2000.00
117.900	6700.00	807.75	0.00	0.23	0.00	290.07	1300.00
117.900	6700.00	807.80	0.00	0.23	0.04	290.28	1300.00
118.000	6700.00	807.75	0.00	0.00	0.00	291.37	40.00
118.000	6700.00	807.85	0.00	0.05	0.10	291.01	40.00
118.100	6700.00	807.83	0.00	0.07	0.00	272.71	400.00
118.100	6700.00	807.92	0.00	0.07	0.09	223.57	400.00
119.000	6700.00	807.98	0.00	0.16	0.00	287.79	500.00
119.000	6700.00	808.08	0.00	0.16	0.10	238.11	500.00
120.800	6700.00	808.19	0.00	0.21	0.00	323.10	930.00
120.800	6700.00	808.29	0.00	0.21	0.10	269.27	930.00
121.000	6700.00	808.71	0.00	0.52	0.00	261.20	2650.00
121.000	6700.00	808.81	0.00	0.52	0.10	240.89	2650.00
121.800	6700.00	808.82	0.00	0.11	0.00	160.52	700.00
121.800	6700.00	808.92	0.00	0.11	0.10	161.00	700.00
121.900	6700.00	808.81	0.00	-0.01	0.00	160.50	1.00
121.900	6700.00	808.91	0.00	-0.01	0.11	160.97	1.00
122.000	6700.00	808.88	0.00	0.08	0.00	160.27	58.00
122.000	6700.00	808.99	0.00	0.07	0.10	160.75	58.00

FORM 1411-GO PRINTED BY DOTARY MANIFOLD FORMS.

SECNO	Q	CUSEL	DIFWSP	DIFWSX	DIFKUS	TOPWID	XLCH
122.100	6700.00	309.92	0.00	0.04	0.00	160.47	1.00
122.100	6700.00	309.02	0.00	0.04	0.10	160.91	1.00
122.200	6700.00	309.32	0.00	0.45	0.02	166.52	200.00
122.200	6700.00	309.40	0.00	0.38	0.03	152.83	200.00
123.000	6700.00	809.73	0.00	0.41	0.00	165.77	1100.00
123.000	6700.00	809.83	0.00	0.43	0.10	165.20	1100.00
123.800	6700.00	810.14	0.00	0.42	0.00	166.20	700.00
123.800	6700.00	810.23	0.00	0.40	0.09	166.56	700.00
123.900	6700.00	810.13	0.00	-0.01	0.00	165.16	1.00
123.900	6700.00	810.22	0.00	-0.01	0.09	165.54	1.00
124.000	6700.00	810.12	0.00	-0.01	0.00	162.91	50.00
124.000	6700.00	810.21	0.00	-0.01	0.09	163.27	50.00
124.100	6700.00	810.17	0.00	0.05	0.00	165.11	1.00
124.100	6700.00	810.26	0.00	0.05	0.09	165.70	1.00
124.200	6650.00	810.43	0.00	0.26	0.00	174.13	200.00
124.200	6650.00	810.49	0.00	0.23	0.06	143.62	200.00
125.000	6650.00	811.56	0.00	1.13	0.00	142.15	1020.00
125.000	6650.00	811.64	0.00	1.15	0.03	160.10	1020.00

SUMMARY OF ERRORS

PRINTED IN U.S.A.

FORM 1611-CD PRINTED BY NOTARY MANIFOLD FORMS,

FLOODWAY DATA, KALAMAZOO RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WATER SURFACE ELEVATION WITHOUT FLOODWAY	DIFFERENCE
102.300	3039.	9481.	0.7	798.9	798.9	0.0
102.500	3098.	8543.	0.8	799.4	799.4	0.0
103.000	2210.	6352.	1.1	799.8	799.7	0.1
104.000	2106.	7711.	0.9	801.2	801.1	0.1
105.000	1750.	6325.	1.1	801.4	801.3	0.1
106.000	1608.	5779.	1.3	802.0	801.9	0.1
107.000	1146.	4795.	1.4	803.0	802.9	0.1
108.700	174.	1434.	4.0	805.5	805.4	0.1
108.800	107.	1065.	5.6	805.7	805.6	0.1
108.900	107.	1002.	6.7	803.6	803.5	0.1
109.000	107.	1089.	6.2	803.8	803.7	0.1
109.100	107.	1151.	5.9	805.8	805.7	0.1
109.200	161.	1484.	4.5	804.1	804.0	0.1
110.000	345.	2656.	3.5	804.9	804.8	0.1
110.900	450.	2855.	2.3	805.5	805.4	0.1
111.000	450.	2491.	2.7	805.4	805.3	0.1
111.100	450.	2365.	2.3	805.5	805.4	0.1
112.000	322.	2972.	2.5	805.7	805.6	0.1
113.000	324.	2635.	2.4	806.0	805.9	0.1
114.000	345.	2791.	2.4	806.1	806.1	0.0
115.000	550.	3753.	1.8	806.4	806.4	0.0
115.700	551.	3902.	1.7	806.7	806.7	0.0
115.800	300.	2372.	2.8	806.9	806.9	0.0
115.900	300.	2301.	2.9	806.9	806.9	0.1
116.000	298.	2459.	2.7	807.0	807.0	0.0
116.100	298.	2539.	2.6	807.0	807.0	0.0
116.200	246.	2262.	3.0	807.1	807.1	0.0
117.000	334.	2789.	2.4	807.6	807.5	0.1
117.900	290.	2486.	2.7	807.8	807.7	0.1
118.000	292.	2588.	2.6	807.9	807.8	0.1
118.100	224.	2135.	3.1	807.9	807.8	0.1
119.000	250.	2347.	2.8	808.1	808.0	0.1
120.000	265.	2542.	2.6	808.3	808.2	0.1
121.000	241.	2456.	2.7	808.8	808.7	0.1
121.800	161.	1249.	5.4	808.9	808.8	0.1
121.900	161.	1216.	5.5	808.9	808.8	0.1
122.000	161.	1220.	5.5	809.0	808.9	0.1
122.100	161.	1257.	5.3	809.0	808.9	0.1
122.200	153.	1719.	3.9	809.4	809.3	0.1
123.000	185.	1634.	4.1	809.8	809.7	0.1
123.800	167.	1377.	4.9	810.2	810.1	0.1
123.900	167.	1338.	5.0	810.2	810.1	0.1
124.000	163.	1137.	5.9	810.2	810.1	0.1
124.100	163.	1176.	5.7	810.3	810.2	0.1
124.200	144.	1191.	5.6	810.5	810.4	0.1
125.000	160.	1313.	5.1	811.7	811.6	0.1

PRINTED BY POTARY MANIFOLD FORMS

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**************************************************
```

FORM SB 152 U.S.A.

FORM 1473-ED PRINTED BY ROTARY MANIFOLD FORMS.



1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp

3) WATERCOURSE: Kalamazoo River.

4) DOCUMENT TYPE: 100 yr natural



```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
**********************************************************

C
T1BRODRICK TOWNSHIP AND CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3      KALAMAZOO RIVER

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         4.         3.         0.   0.000221       0.00       0.0         0.   793.630       0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
          1.000      0.000     -7.000      1.500      0.100      0.300      0.300      0.000      0.100     99.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
        110.000    150.000    200.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

LT        2.000      1.000      0.300      0.300      7.490      0.000      0.000      0.000      0.000      0.000
QT        5.000   4390.000   6000.000   6700.000   6700.000   8420.000      0.000      0.000      0.000      0.000
NC        0.120      0.120      0.040      0.100      0.300      0.000      0.000      0.000      0.000      0.000

        CROSS SECTION 102A

X1      102.000     34.000   2023.000   2234.000   1100.000    400.000   3575.000      0.000      0.000      0.000
GR      810.000      0.000    806.000    100.000    805.600    250.000    302.700    450.000    800.000    534.000
GR      795.600    588.000    795.000    850.000    794.800   1026.000    793.700   1116.000    795.700   1348.000
GR      796.200   1528.000    797.000   1632.000    794.600   1714.000    796.000   1804.000    795.700   2016.000
GR      794.300   2023.000    792.000   2049.000    791.300   2079.000    789.800   2109.000    790.600   2139.000
GR      791.300   2169.000    790.700   2199.000    793.700   2234.000    795.200   2261.000    795.900   2269.000
GR      797.800   2438.000    797.000   2300.000    796.600   3250.000    795.600   3450.000    796.500   3526.000
GR      796.800   3872.000    799.000   3934.000    807.000   3990.000    810.600   4066.000      0.000      0.000

        CROSS SECTION 102C

X1      102.500     32.000   3697.000   3902.000   1050.000   1200.000   2950.000      0.000      0.000      0.000
GR      805.500      0.000    806.200    830.000    803.700    158.000    301.200    214.000    800.300    290.000
GR      800.000    516.000    797.400    718.000    793.400    868.000    797.100    962.000    796.800   1128.000
GR      796.400   1366.000    797.800   1646.000    797.000   1926.000    798.700   2166.000    798.400   2398.000
GR      796.600   2568.000    796.000   2700.000    796.200   3100.000    796.400   3550.000    797.400   3692.000
GR      792.400   3697.000    789.500   3712.000    791.000   3722.000    792.200   3772.000    792.500   3912.000
GR      792.100   3867.000    792.700   3902.000    796.200   3907.000    796.700   3912.000    796.200   3962.000
GR      800.000   4350.000    810.000   4150.000      0.000      0.000      0.000      0.000      0.000      0.000

        CROSS SECTION 103.

X1      103.000     29.000   2669.000   2809.000    470.000    300.000   1590.000      0.000      0.000      0.000
GR      805.300      0.000    807.000    134.000    805.700    158.000    301.200    216.000    800.300    290.000
GR      800.000    516.000    797.400    718.000    793.400    868.000    797.100    962.000    796.800   1125.000
GR      796.400   1366.000    797.800   1646.000    797.000   1926.000    798.700   2166.000    796.400   2398.000
```

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

GR	791.900	2715.000	799.500	2744.000	790.100	2735.300	795.800	2839.300	797.100	2[illegible]
GR	796.900	2922.000	797.200	3050.000	801.300	3[illegible]	805.200	3102.300	0.300	0.000

CROSS SECTION 104

X1	104.300	20.100	1552.000	1561.200	1[illegible]	3001.000	4[illegible]	0.300	0.000	[illegible]
GR	808.000	142.000	802.400	656.000	801.500	7[illegible]	797.700	706.000	798.400	1144.000
GR	800.100	1334.000	800.300	1446.000	795.800	1453.000	788.100	1486.000	791.800	1507.000
GR	793.200	1536.000	795.000	1561.000	796.300	1566.000	797.100	1576.000	798.100	1593.000
GR	798.900	1607.000	797.400	1720.000	797.400	1935.000	795.000	2132.000	797.100	2273.000
GR	796.000	2464.000	798.000	2666.000	797.300	2682.000	758.000	3078.000	801.200	3582.000
GR	801.800	3510.000	805.800	3618.000	818.500	3660.300	0.000	0.000	0.000	0.000

CROSS SECTION 105

X1	105.500	29.000	1137.000	1303.000	675.000	675.300	675.300	0.300	0.100	0.000
GR	806.300	0.000	807.700	119.000	805.200	154.000	803.500	306.300	632.100	436.000
GR	802.300	636.000	801.400	602.000	797.600	936.000	799.400	1121.000	798.900	1131.000
GR	795.500	1137.000	793.500	1161.000	793.000	1191.000	793.500	1220.000	793.300	1241.000
GR	793.700	1271.000	796.500	1303.000	800.200	1306.000	800.600	1311.000	796.300	1512.000
GR	797.700	1754.000	797.800	1843.000	797.000	2091.000	797.300	2220.300	797.400	2310.000
GR	799.200	2474.000	799.300	2696.000	799.000	2841.000	310.000	2850.000	0.000	0.000

CROSS SECTION 106

X1	106.000	20.000	278.100	366.000	1436.000	1000.000	1435.000	0.100	0.000	0.100
GR	320.000	0.700	812.600	100.000	812.300	228.000	811.600	253.000	812.000	263.000
GR	796.800	276.000	790.900	298.000	790.900	323.000	790.900	348.000	795.100	363.000
GR	799.800	378.000	799.200	464.000	800.000	660.000	800.400	894.000	800.700	1066.000
GR	799.800	1360.000	800.600	1608.000	800.400	1694.000	799.900	2099.000	810.000	2100.000
NH	5.000	0.120	429.000	0.040	485.000	0.120	808.000	0.040	916.000	0.120
NR	1600.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 107

X1	107.000	27.000	808.000	916.000	550.000	600.000	1275.000	0.000	0.000	0.000
GR	823.000	0.000	813.000	90.000	815.200	130.000	808.200	164.000	815.000	215.000
GR	807.400	374.000	798.600	400.000	800.300	424.000	797.100	429.000	795.800	444.000
GR	795.300	457.000	796.200	474.000	796.300	485.000	799.300	489.000	798.700	629.000
GR	798.400	764.000	802.100	803.000	797.100	808.000	788.900	833.000	794.200	862.000
GR	794.900	893.000	796.200	916.000	800.200	923.000	800.200	1172.000	799.700	1628.000
GR	798.100	1599.000	810.200	1600.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000
QT	5.000	3790.000	5209.000	5300.000	5800.300	7290.000	0.000	0.000	0.000	0.000

350 FT D/S CUSTER RD.

X1	104.700	10.000	85.000	236.000	700.300	1075.000	1075.000	0.000	0.000	0.000
GR	810.000	0.000	797.500	85.000	794.400	100.000	792.800	156.000	793.100	173.000
GR	794.500	205.000	798.500	219.000	790.900	236.000	800.500	268.000	814.000	350.000

D/S CUSTER RD. ACROSS SECTION 103

X1	104.800	15.000	1410.400	1517.600	350.300	350.000	350.000	0.000	0.000	0.000
GR	810.700	1410.400	796.700	1410.500	795.400	1426.000	794.000	1445.000	793.000	1445.100
GR	793.000	1446.500	793.000	1446.700	793.400	1464.000	794.300	1481.300	794.500	1514.400
GR	794.300	1482.900	794.300	1483.000	795.000	1502.000	797.100	1517.500	813.700	1517.600
QT	5.100	4390.000	6020.200	6700.000	6700.300	8620.500	0.000	0.000	0.000	0.000

FORM 1411-00-PRINTED BY ROTARY MANIFOLD FORMS

D/S FACE CUSTER RD. CROSS SECTION 108

XT	109.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
AT	12.000	1410.400	810.700	0.000	1410.500	810.700	808.700	1445.000	810.700	808.700
BT	1445.100	810.700	0.000	1446.600	810.700	0.000	1446.700	810.700	808.700	1461.300
BT	810.700	808.700	1461.600	810.700	0.000	1462.900	810.700	0.000	1483.000	810.700
DT	808.700	1517.500	810.700	808.700	1517.600	810.700	0.000	0.000	0.000	0.000

U/S FACE CUSTER RD. CROSS SECTION 108 & 109

XT	109.000	15.000	1410.400	1517.600	35.000	35.000	35.000	0.000	0.000	0.000
DT	12.000	1410.400	810.700	0.000	1410.500	810.700	808.700	1445.000	810.700	808.700
BT	1445.100	810.700	0.000	1446.600	810.700	0.000	1446.700	810.700	808.700	1461.300
BT	810.700	808.700	1461.600	810.700	0.000	1462.900	810.700	0.000	1483.000	810.700
DT	808.700	1517.500	810.700	808.700	1517.600	810.700	0.000	0.000	0.000	0.000
GR	810.700	1410.400	796.700	1410.500	796.200	1426.000	791.600	1445.000	791.600	1445.100
GR	791.300	1446.600	791.600	1446.700	790.700	1464.000	794.300	1481.300	794.300	1481.400
GR	794.300	1462.900	794.300	1483.000	793.400	1502.000	796.500	1517.500	810.700	1517.600

U/S CUSTER RD. ACROSS SECTION 106

XT	109.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

100 FT U/S CUSTER RD.

XT	109.200	9.000	1410.300	1517.500	100.000	100.000	100.000	0.000	0.000	0.000
GR	808.000	1500.000	796.700	1410.500	794.200	1426.000	791.600	1445.000	790.100	1464.000
GR	794.300	1481.000	793.400	1502.000	796.500	1517.500	808.000	1625.000	0.000	0.000
NC	0.100	0.100	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 110 SURVEY SECTION 4

X1	110.000	31.000	1698.000	1937.000	650.000	650.000	650.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1632.000	0.000	1994.000	0.000	0.000	0.000	0.000
GR	813.900	666.000	809.600	732.000	805.700	772.000	803.600	820.000	803.200	966.000
GR	803.300	1078.000	801.700	1186.000	799.200	1300.000	799.200	1442.000	801.400	1532.000
GR	802.800	1602.000	804.000	1632.000	802.800	1666.000	801.700	1688.000	798.400	1696.000
GR	794.900	1748.000	793.300	1804.000	793.600	1853.000	795.000	1913.000	799.000	1937.000
GR	799.400	1944.000	801.000	1966.000	805.700	1980.000	809.500	1996.000	809.500	2004.000
GR	804.300	2016.000	801.100	2100.000	802.400	2420.000	802.800	2830.000	804.100	2970.000
GR	871.600	3120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.100	0.100	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

D/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

XT	110.900	25.000	1120.000	1385.000	3150.000	3750.000	3450.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1036.000	0.000	1686.000	0.000	0.000	0.000	0.000
GT	811.300	620.000	802.800	782.000	803.200	930.000	796.600	990.000	802.300	1036.000
GR	802.600	1109.000	800.600	1111.000	799.200	1120.000	796.300	1151.000	795.100	1196.000
GR	795.300	1233.000	795.600	1277.000	796.100	1329.000	800	1365.000	802.700	1400.000
GR	803.400	1466.700	804.600	1488.000	802.700	1562.000	804.600	1734.000	804.400	1896.000
GR	804.700	2036.000	802.900	2248.000	802.900	2292.000	801.200	2310.000	810.600	2694.000

TOP OF 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION

XT	111.700	0.000	0.000	0.000						

FORM 1411-60 PRINTED IN U.S.A. PRIMARY MANIFOLD FORMS.

FORM 1411-05-PRINTED BY ROTARY MANIFOLD FORMS.

PRINTED IN U.S.A.

0/S BEDFORD RD. SURVEY SECTION 11

X1	114.000	25.000	1005.000	1255.000	1400.000	1500.000	1450.000	0.000	0.300	0.000
X3	0.000	0.000	0.000	964.000	0.000	1336.000	0.000	0.200	0.000	0.000
4R	825.000	694.000	825.300	754.000	826.000	813.800	876.000	810.900	936.000	
5R	908.500	932.000	805.900	964.000	905.600	980.020	1005.020	795.100	1027.200	
6R	795.100	1056.000	796.900	1120.000	794.700	795.100	1175.000	1205.000	796.500	1223.000
6R	800.600	1255.000	802.600	1275.000	803.900	811.000	1296.000	1338.000	805.400	1443.000
6R	805.600	1550.000	610.000	1606.000	811.000	1646.020	1748.000	308.100	820.000	1748.000

CROSS SECTION 115 SURVEY SECTION 9

X1	115.000	26.000	760.000	1016.000	1200.000	1700.000	1500.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	500.000	0.000	1066.000	0.000	0.000	0.000	0.000
6R	817.000	172.000	812.900	254.000	912.000	736.000	812.000	500.000	852.400	507.300
6R	801.200	584.000	801.300	694.000	802.400	736.300	802.900	749.000	799.120	790.000
5R	795.600	773.000	796.200	796.700	796.430	735.000	913.000	796.800	796.800	953.000
3R	800.300	1016.000	805.100	1022.000	804.200	1044.020	812.000	1066.000	812.003	1102.000
3R	821.400	1772.000	0.000	0.000	0.000	0.003	0.000	0.000	0.000	3.000
6R	306.400	1204.000	804.200	1438.000	806.200	1034.000	813.700	1670.000	815.800	1716.000

1300 FT O/S BEDFORD RD. SURVEY SECTION 9 REPEATED

X1	175.700	0.300	0.000	0.000	1800.000	1400.000	1600.000	0.300	0.600	0.000
X3	0.000	0.200	0.000	0.000	500.000	0.000	1666.300	0.300	0.000	0.000
NC	0.700	0.900	0.755	0.300	0.502	0.300	0.000	0.300	0.000	0.000

0/S BEDFORD RD. SURVEY SECTION 11

X1	114.800	29.000	0.000	332.000	1300.700	1500.000	1300.000	0.000	0.000	0.000

CROSS SECTION 113 SURVEY SECTION 9

X1	115.000	25.000	1255.000	1400.000	1500.000	1450.000	0.000	0.300	0.000	
X3	0.000	0.000	0.000	0.000	0.000	1666.300	0.000	0.000	0.000	
X4	175.700	0.300	0.000	0.000	1800.000	1400.000	1600.000	0.300	0.600	0.000
X3	0.000	0.200	0.000	0.000	500.000	0.000	1666.300	0.300	0.000	0.000
NC	0.700	0.900	0.755	0.300	0.502	0.300	0.000	0.300	0.000	0.000

CROSS SECTION 114 SURVEY SECTION 8

X1	114.000	25.000	1005.000	1255.000	1400.000	1500.000	1450.000	0.000	0.300	0.000
X3	0.000	0.000	0.000	964.000	0.000	1336.000	0.000	0.200	0.000	0.000
4R	825.000	694.000	825.300	754.000	826.000	813.800	876.000	810.900	936.000	
5R	908.500	932.000	805.900	964.000	905.600	980.020	1005.020	795.100	1027.200	
6R	795.100	1056.000	796.900	1120.000	794.700	795.100	1175.000	1205.000	796.500	1223.000
6R	800.600	1255.000	802.600	1275.000	803.900	811.000	1296.000	1338.000	805.400	1443.000
6R	805.600	1550.000	610.000	1606.000	811.000	1646.020	1748.000	308.100	820.000	1748.000

CROSS SECTION 112 SURVEY SECTION 6

X1	112.000	25.000	1230.000	1312.000	1300.000	950.000	1413.020	1.000	0.000	0.000
X3	0.000	0.000	0.000	1092.000	0.000	1544.020	0.000	0.000	0.000	0.000
6R	822.500	1050.000	812.500	1092.000	806.600	1114.020	1204.000	803.200	1220.000	
6R	600.100	1234.000	794.700	1290.000	795.000	1320.020	1370.000	794.100	1445.000	
6R	796.500	1466.000	800.200	1310.000	805.300	1532.000	805.200	801.200	1525.100	
6R	805.300	1612.000	805.320	1906.020	1912.020	2026.020	708.000	813.400	2.25.100	

CROSS SECTION 113 SURVEY SECTION 7

X1	115.000	25.000	1252.000	1320.000	1270.000	1700.000	1.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1466.000	0.000	1422.000	0.020	0.000	0.000	0.000
6R	311.000	1452.000	819.800	1296.000	819.900	1342.020	1432.020	1.000	1466.000	
6R	795.200	1486.000	804.100	1496.000	799.900	1505.000	1537.000	796.500	1814.000	
6R	794.500	1654.000	794.200	1685.000	795.400	1728.000	1769.000	800.300	1804.000	1729.000
6R	807.400	1810.000	308.200	1822.000	608.000	1842.020	1966.000	802.300	2166.020	
6R	802.900	2306.000	302.100	2440.000	820.000	2510.020	0.000	0.000	0.000	

0/S ... INCH ENCLOSED SERIES CONCRETE CURB SECTION 5

X1	111.700	0.000	0.000	0.000	2.000	2.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	0.000	0.000	1438.000	1038.000	0.000	0.000	0.000

7973

CROSS SECTION 12 SURVEY SECTION 12

NC	0.080	0.100	0.035	0.300	0.000	0.000	0.000	0.000	0.000	0.000
GR	813.000	690.000	814.200	764.000	814.600	808.000	0.000	0.000	0.000	0.000
SR	797.400	693.000	797.600	533.000	601.100	576.005	864.400	943.300	836.200	648.300
GR	805.300	317.000	799.000	330.000	796.600	346.005	797.100	815.000	798.400	453.300
GR	815.400	3.000	817.500	122.000	813.100	160.005	813.800	270.000	807.200	296.900
X1	116.200	18.000	330.000	576.000	400.000	400.000	0.000	0.000	0.000	0.000

350 FT U/S BEDFORD RD.

X1	116.100	0.000	0.000	0.000	1.000	1.000	1.000	1.000	0.000	0.000

U/S BEDFORD RD. SURVEY SECTION 11

GR	803.200	792.200	303.400	296.000	806.200	329.100	016.000	333.010	0.000	0.000
GR	796.000	253.300	796.000	263.100	796.000	264.900	796.000	265.000	797.010	257.000
GR	796.700	197.000	296.700	197.100	796.700	198.900	796.700	199.000	797.100	231.000
GR	796.200	131.000	296.200	131.100	796.200	132.900	796.200	133.000	797.490	165.000

U/S FACE BEDFORD RD. SURVEY SECTION 11

X1	116.030	0.000	0.000	0.000	1.000	1.000	1.000	1.000	0.000	0.000
BT	25.080	0.000	0.000	0.000	1.000	0.000	816.000	816.000	816.200	811.600
BT	65.130	816.000	816.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	116.030	811.600	131.100	816.000	0.000	132.900	0.000	0.000	0.000	133.000
BT	119.600	197.000	811.600	816.000	197.100	816.000	0.000	198.900	816.200	0.000
BT	199.000	816.000	811.600	263.100	811.600	816.000	816.200	0.000	0.000	266.900
BT	116.000	000.0	000.0	000.0	000.0	329.000	811.600	816.000	330.000	816.000

U/S FACE JEDFORD RD. SURVEY SECTION 11

GR	803.600	292.000	303.400	296.000	806.200	329.100	016.000	330.000	0.000	0.000
GR	797.900	263.000	797.900	263.100	797.900	264.900	797.900	265.000	797.900	281.000
GR	797.200	197.000	797.200	197.100	797.200	196.900	797.200	199.000	797.400	231.000
GR	797.600	131.000	797.600	131.100	797.600	132.900	797.600	133.000	797.600	165.000
GR	797.900	69.000	797.900	65.100	797.900	66.900	797.000	67.000	796.200	99.200

FORM 1511-CD PRINTED AT ROYAPE MANIFOLD FORMS

D/S FACE 20 TH STREET SURVEY SECTION 13

X1	117.900	6.000	9.000	314.000	1300.000	1300.000	1300.000	0.000	0.000	0.000
X2	10.000	0.000	0.000	0.000	0.000	0.000	0.000	814.200	814.200	0.000
GR	816.100	0.000	812.300	0.000	798.600	47.000	796.600	297.000	811.700	516.000
GR	816.700	326.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000	0.000
SL	7.050	1.505	3.000	0.000	250.300	10.000	4550.000	2.200	798.300	798.600

D/S FACE 20 TH STREET SURVEY SECTION 13

X1	116.000	0.000	0.000	0.000	40.000	40.000	40.000	0.000	-0.300	0.000
X2	0.000	0.000	1.000	814.200	816.500	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	814.200	814.200	0.000

400 FT U/S 20 TH STREET SURVEY SECTION 14

XT	118.700	19.000	657.000	878.000	400.000	430.000	400.000	0.000	0.000	0.000
GR	612.000	212.000	811.200	364.000	811.200	566.000	612.000	626.000	609.500	633.000
GR	800.200	657.000	796.600	706.000	797.700	747.000	797.500	783.000	797.900	830.000
GR	797.700	843.000	796.900	870.000	801.500	882.000	504.700	890.300	809.400	921.000
GR	810.700	936.000	815.000	948.000	816.000	1017.000	816.200	1044.000	0.000	0.000

CROSS SECTION 119 SURVEY SECTION 15

XT	119.000	19.000	645.000	879.000	500.000	500.000	500.000	0.000	0.000	0.000
GR	813.000	0.000	810.200	355.000	810.200	410.000	609.600	494.000	812.100	534.000
GR	812.900	538.000	812.100	576.000	809.700	613.000	802.600	635.000	799.700	645.000
GR	797.100	682.000	797.900	732.000	797.600	762.000	797.500	807.000	795.300	842.000
GR	801.200	879.000	807.100	900.000	812.000	934.000	815.200	932.000	0.000	0.000
NC	0.080	0.080	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 120 SURVEY SECTION 16

X1	120.000	13.000	661.000	901.000	1050.000	850.000	950.000	0.000	0.000	0.000
GR	812.300	594.000	808.400	608.000	807.900	636.000	802.600	651.000	800.000	661.000
GR	798.600	701.000	798.100	731.000	796.200	797.000	797.100	846.000	800.500	901.000
GR	805.600	937.000	812.900	954.000	813.200	1004.000	0.000	0.000	0.000	0.000

CROSS SECTION 121 SURVEY SECTION 17

XT	121.000	22.000	819.000	1039.000	2650.000	2650.000	2650.000	0.000	0.000	0.000
GR	815.000	316.000	813.000	362.000	812.300	424.000	612.200	616.800	812.200	748.000
GR	810.300	792.000	802.500	807.000	801.400	812.000	800.100	819.000	798.600	879.000
GR	797.400	919.000	798.000	949.000	797.400	1009.000	800.200	1039.000	802.800	1049.000
GR	806.500	1065.000	812.200	1094.000	813.200	1104.000	813.000	1214.000	815.000	1230.000
GR	817.800	1244.000	822.200	1258.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.080	0.080	0.035	0.300	0.500	0.000	0.000	0.000	0.300	0.000

D/S ANGELL ST. SURVEY SECTION 19

X1	121.800	16.000	0.000	174.000	700.000	700.000	700.000	0.000	0.000	0.000
GR	820.000	0.000	811.100	1.000	801.400	22.000	802.200	44.000	798.500	78.000
GR	800.400	74.100	800.400	85.000	800.400	85.100	800.800	88.900	800.800	89.000
GR	800.800	96.900	799.500	97.000	800.000	130.000	801.400	149.000	811.600	175.000
GR	820.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 1411-ED PRINTED BY ROTARY MANIFOLD FORMS.

D/S FACE ANGELL ST. SURVEY SECTION 19

X1	121.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
DT	8.000	0.000	820.000	0.000	1.000	820.000	814.500	65.000	820.000	814.500
DT	85.100	820.000	0.000	82.900	820.000	0.000	89.000	820.000	814.500	173.000
BT	820.000	815.500	174.000	820.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE ANGELL ST. SURVEY SECTION 19

X1	122.300	12.000	0.000	174.000	53.000	54.000	54.000	0.000	0.000	0.000
BT	8.000	0.000	820.000	0.000	1.000	820.000	814.500	65.000	820.000	814.500
BT	85.100	820.000	0.000	82.900	820.000	0.000	89.000	820.000	814.500	173.000
BT	820.000	815.500	174.000	820.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	520.000	0.000	811.100	1.000	801.300	22.000	799.900	44.000	798.700	78.000
GR	800.900	78.100	800.900	65.000	800.900	85.100	801.300	88.900	801.300	89.000
GR	801.300	90.900	799.900	97.000	799.900	150.000	801.700	149.000	811.900	173.300
GP	820.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S ANGELL ST. SURVEY SECTION 19

XT	122.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

200 FT U/S ANGELL ST. SURVEY SECTION 18

X1	122.200	13.000	704.000	654.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	316.200	552.000	316.000	660.000	313.600	672.000	639.000	690.000	311.600	704.000
GR	795.200	729.000	797.000	779.000	793.400	814.000	801.300	854.000	315.200	192.000
GR	819.200	906.000	819.600	902.000	820.200	1002.000	0.000	0.000	0.000	0.000
NC	0.080	0.080	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	565.000	918.000

700 FT D/S KENDALL ST. SURVEY SECTION 20

XT	123.000	11.000	693.000	843.000	1150.900	1100.000	1100.000	0.000	0.000	0.000
GR	314.100	564.000	815.600	664.000	809.300	680.000	801.700	693.000	797.600	723.000
GR	799.200	768.000	801.400	818.000	802.200	843.000	815.000	877.000	815.200	904.000
GP	115.100	919.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.080	0.080	0.035	0.300	0.500	0.000	0.000	0.000	0.010	0.000

D/S KENDALL ST. SURVEY SECTION 22

XT	123.800	12.000	1.000	174.000	700.000	700.000	700.000	0.000	0.200	0.000
GR	821.000	1.000	311.200	2.000	301.600	20.000	800.300	44.000	830.400	85.300
GR	800.400	85.100	800.400	88.900	800.600	89.000	801.400	130.000	802.500	153.000
GR	811.400	173.000	821.000	174.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE KENDALL ST. SURVEY SECTION 22

X1	123.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	8.000	1.000	821.000	0.000	2.000	821.000	817.700	65.000	821.000	817.700
BT	85.100	821.000	0.000	88.900	821.000	0.000	89.000	821.000	817.700	173.000
BT	821.000	817.700	174.000	821.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE KENDALL ST. SURVEY SECTION 22

X1	124.000	12.000	1.200	174.000	58.200	58.000	58.000	0.000	0.000	0.000
BT	8.000	1.000	821.200	0.000	2.000					

FORM 1411-OE PRINTED BY ROTARY MANIFOLD FORMS.

ET	85.100	821.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BT	821.000	817.700	174.300	821.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	321.000	1.000	812.300	2.000	802.800	20.000	501.900	64.000	802.200	85.000
GR	802.200	85.100	802.300	88.900	802.300	89.000	802.300	130.000	802.800	153.000
GR	812.200	175.000	821.300	174.000	0.200	0.000	0.000	0.000	0.000	0.000

U/S KENDALL ST. SURVEY SECTION 22

X1	124.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
XS	10.000	0.000	0.000	0.000	0.000	0.000	0.000	821.300	821.300	0.000
GT	5.000	4270.000	5920.000	6650.300	6650.000	8420.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

200 FT U/S KENDALL ST. SURVEY SECTION 21

X1	124.200	9.000	815.300	945.000	200.000	200.000	200.000	0.000	0.000	0.000
GR	818.100	772.000	801.400	815.000	802.800	845.000	802.000	865.000	802.000	915.000
GR	802.200	945.000	815.600	979.000	816.900	990.000	824.300	1014.000	0.000	0.000
NC	0.080	0.080	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

CROSS SECTION 125 SLAVEY SECTION 25

X1	125.000	16.000	801.000	955.000	1000.000	1000.000	1000.000	0.000	0.000	0.000
GR	817.500	726.000	816.300	768.000	815.000	771.000	864.000	801.000	803.900	815.000
GR	804.000	830.000	803.800	851.000	802.200	893.000	802.800	918.000	804.700	934.000
GR	803.300	942.000	803.700	935.000	818.100	946.000	876.900	994.000	818.300	1154.300
GR	823.200	1200.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

FORM 1411.00 PRINTED BY ROTARY MANIFOLD FORMS.

*PROF 1

CCHV= 0.100 CEHV= 0.300
*SECNO 102.000

SECNO	DEPTH	CWSEL	CRITS	PSELS	SS	RW	LL	DLOFS	BANK ELEV
	SLOB	QCH	QROB	ALOB	ACH	ARCB	VOL	TOA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

CROSS SECTION 102A

102.00	9.05	798.85	0.00	798.63	798.89	0.04	0.03	0.00	794.30
6700.	2797.	3406.	1097.	5594.	1594.	3530.	0.	0.	795.70
0.00	0.43	2.13	0.31	0.120	0.040	0.120	0.000	769.60	534.23
0.000222	1100.	3575.	600.	2	0	4	0.00	3575.61	3929.64

FLOW DISTRIBUTION FOR SECNO= 102.00 CWSEL= 796.85

STA=	554.	850.	1026.	1110.	1343.	1637.	1884.	2025.	2234.	2800.	3250.	3436.	3950.
PER Q=	6.2	4.8	3.2	6.3	4.0	5.3	2.5	50.5	3.9	4.1	3.7	2.7	
AREA=	905.6	695.6	423.4	955.0	756.7	854.2	423.5	1597.9	961.4	923.5	1043.5	651.1	
VEL=	0.4	0.5	0.5	0.5	0.4	0.4	0.4	2.1	0.3	0.3	0.4	0.3	

*SECNO 102.500

CROSS SECTION 102C

102.50	9.86	799.36	0.00	0.00	799.41	0.05	0.52	0.00	792.40
6700.	2940.	3645.	115.	7301.	1518.	301.	308.	95.	792.70
0.38	0.45	2.40	0.38	0.120	0.040	0.120	0.357	785.50	565.39
0.000290	1350.	2950.	1200.	2	0	6	0.00	3469.89	4035.20

FLOW DISTRIBUTION FOR SECNO= 102.50 CWSEL= 799.36

STA=	565.	868.	962.	1646.	2166.	2710.	3100.	3350.	3697.	3902.	4035.
PER Q=	5.2	3.1	6.3	4.2	6.7	9.0	9.2	2.2	54.4	1.7	
AREA=	744.5	386.7	1288.7	913.4	910.3	1305.7	1378.9	372.3	1818.4	300.8	
VEL=	0.5	0.5	0.3	0.3	0.5	0.5	0.4	0.4	2.4	0.4	

*SECNO 103.000

CROSS SECTION 103.

103.00	10.13	799.73	0.00	0.00	799.83	0.10	0.40	0.01	796.20
6700.	2463.	3867.	370.	4898.	1177.	707.	428.	131.	793.60
0.53	0.50	3.28	0.52	0.120	0.040	0.120	0.357	789.60	537.21
0.000460	400.	1590.	1500.	2	0	6	0.00	2532.98	3072.19

FLOW DISTRIBUTION FOR SECNO= 103.00 CWSEL= 799.73

STA=	537.	868.	962.	1366.	1646.	1926.	2398.	2654.	2669.	2809.	3050.	3072.
PER Q=	7.8	4.5	5.1	5.6	4.5	3.9	4.6	0.6	57.7	5.4	0.1	
AREA=	859.4	423.8	801.2	735.6	651.6	723.6	643.2	62.4	1177.3	676.9	26.0	
VEL=	0.6	1.7	0.4	0.5	0.5	0.4	0.5	0.7	3.3	0.5	0.3	

*SECNO 104.000

PRINTED IN U.S.A.
FORM 3411-GB-PRINTED BY ROTARY MANIFOLD FORMS.

CROSS SECTION 104

104.00	12.96	801.06	0.00	0.00	801.15	0.06	1.30	0.00	795.00
6700.	507.	2894.	3299.	1184.	956.	5947.	853.	255.	795.50
1.07	2.43	2.03	0.55	0.120	0.040	0.120	0.054	788.10	800.92
0.000363	1400.	4025.	3000.	2	0	0	2.00	2611.46	3311.59

FLOW DISTRIBUTION FOR SECNO= 104.00 CWSEL= 801.06

STA=	901.	1144.	1453.	1551.	1724.	1934.	2132.	2270.	2464.	2656.	2882.	3071.	3311.
PER Q=	5.3	2.3	43.2	4.0	6.4	7.2	4.7	6.6	7.4	5.4	5.4	1.7	
AREA=	722.5	661.0	956.3	520.3	767.5	795.0	549.2	730.0	820.3	736.7	668.5	357.2	
VEL=	0.5	0.3	3.0	0.5	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.3	

*SECNO 105.000

SECNO	DEPTH	CWSEL	CRIWS	ESELX	EG	IV	FL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	XLOB	XCH	XROB	SOL	T.A	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	STN	LLIM	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

CROSS SECTION 105

105.00	6.32	801.32	0.00	0.00	801.40	0.08	0.27	0.00	795.50
6700.	344.	3750.	2607.	759.	1269.	4695.	968.	290.	796.50
1.17	0.45	2.96	0.56	0.120	0.040	0.120	0.353	793.00	806.02
0.000621	675.	675.	675.	2	0	0	0.00	2062.61	2636.42

FLOW DISTRIBUTION FOR SECNO= 105.00 CWSEL= 801.32

STA=	806.	1121.	1137.	1303.	1734.	1846.	2098.	2220.	2350.	2696.	2848.	
PER Q=	4.0	0.4	55.0	8.7	5.7	9.7	4.5	4.6	5.3	2.1		
AREA=	713.1	46.4	1268.0	1146.7	410.8	1012.5	476.0	483.3	633.3	330.0		
VEL=	0.4	0.5	3.0	0.5	0.6	0.6	0.6	0.6	0.5	0.4		

*SECNO 106.000

CROSS SECTION 106

106.00	11.05	801.95	0.00	0.00	802.28	0.34	0.81	0.00	796.30
6700.	8.	4863.	1829.	13.	893.	3077.	1106.	557.	795.10
1.26	0.59	5.44	0.59	0.120	0.040	0.120	0.051	790.90	272.92
0.001026	1435.	1435.	1000.	2	0	0	0.00	1826.28	2099.20

FLOW DISTRIBUTION FOR SECNO= 106.00 CWSEL= 801.95

STA=	273.	278.	368.	378.	464.	660.	894.	1066.	1360.	1608.	1894.	2099.	2099.
PER Q=	0.1	72.6	0.7	2.3	4.8	3.5	1.8	4.2	3.7	3.1	3.2	0.0	
AREA=	15.1	893.1	45.0	210.4	459.8	408.6	240.1	698.6	433.0	413.6	368.2	0.2	
VEL=	0.6	5.4	1.0	0.7	0.7	0.8	0.5	0.6	0.6	0.5	0.6	0.1	

1490 NH CARD USED

*SECNO 107.000

CROSS SECTION 107

107.00	13.97	802.87	0.30	0.00	802.97	0.10	0.67	0.00	797.12
6700.	2016.	3470.	214.	1778.	4101.	2122.	1170.	559.	796.20
1.39	1.13	3.47	0.57	0.078	0.040	0.120	0.051	766.90	387.40
0.002458	550.	1375.	400.	2	0	0	0.00	1313.00	1599.38

FLOW DISTRIBUTION FOR SECNO= 107.00 CWSEL= 802.37

STA=	367.	444.	457.	474.	485.	630.	764.	803.	918.	1172.	1428.	1595.	1599.
PER Q=	5.0	4.2	3.3	3.0	5.4	6.2	0.9	5'.6	5.4	6.0	6.7	3.0	
AREA=	225.9	95.1	121.0	72.6	557.6	586.9	111.3	1000.9	696.4	746.4	672.1	3.4	
VEL=	1.5	3.0	2.9	2.8	0.7	0.7	0.5	3.5	0.5	0.5	0.7	0.1	

CCHV= 0.300 CEHV= 0.500

*SECNO 106.700

350 FT D/S CUSTER RD. not Oxbow

106.70	10.56	803.36	0.00	0.00	803.63	0.27	0.57	0.08	797.50
5800.	80.	5612.	108.	117.	1317.	152.	1252.	375.	798.90
1.45	0.68	4.26	0.71	0.120	0.040	0.120	0.050	792.00	45.19
0.000739	700.	1075.	1075.	2	0	0	0.00	267.65	292.64

FLOW DISTRIBUTION FOR SECNO= 108.70 CWSEL= 803.36

STA=	93.	65.	296.	700.	793.
PER Q=	1.4	96.6	1.6	0.3	
AREA=	116.5	1016.6	117.0	35.2	
VEL=	0.7	4.3	0.8	0.4	

*SECNO 108.800

D/S CUSTER RD. ACROSS SECTION TUB

108.80	10.58	803.59	0.00	0.00	804.07	0.49	0.34	0.11	810.70
5800.	0.	5800.	0.	0.	1033.	0.	1263.	377.	810.70
1.47	0.00	5.62	0.00	0.120	0.040	0.120	0.050	793.00	1410.45
0.007314	350.	390.	350.	2	0	0	5.00	107.10	1517.55

FLOW DISTRIBUTION FOR SECNO= 108.80 CWSEL= 803.59

STA= 1410. 1518.

PER Q= 100.0

AREA= 1032.8

VEL= 5.6

*SECNO 108.900

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTV	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,LRD= 12 MIN ELTRD= 811.75 MAX ELLC= 800.70

D/S FACE CUSTER RD. CROSS SECTION TUB

108.90	10.48	803.48	0.00	0.00	804.19	0.71	0.00	0.11	810.70
5700.	0.	5700.	0.	0.	990.	0.	1263.	377.	810.70
1.47	0.00	6.77	0.00	0.120	0.040	0.120	0.050	793.00	1413.49
0.002917	1.	1.	1.	2	3	0	-31.46	107.10	1517.55

FLOW DISTRIBUTION FOR SECNO= 107.00 CWSEL= 802.37

PRINTED IN U.S.A.
BOOK 1411-00 PRINTED BY ROTARY MANIFOLD FORMS.

STA= 1410. 1518.
PER Q= 100.0
AREA= 989.7
VEL= 6.3

*SECNO 109.100

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 810.70 MAX ELLC= 808.70

U/S FACE CUSTER RD. CROSS SECTION 108 & 109

109.00	13.58	803.68	0.00	0.00	804.28	0.60	0.06	0.03	810.70
6700.	0.	6700.	0.	0.	1078.	0.	1264.	377.	810.70
1.47	0.00	6.22	0.00	0.120	0.040	0.120	0.050	790.10	1410.45
0.001540	35.	35.	35.	2	0	0	-34.58	107.10	1517.55

FLOW DISTRIBUTION FOR SECNO= 109.00 CNSEL= 803.68

STA= 1410. 1518.
PER Q= 100.0
AREA= 1077.3
VEL= 6.2

*SECNO 109.100

U/S CUSTER RD. ACROSS SECTION 108

109.10	13.64	803.74	0.00	0.00	804.30	0.56	0.03	0.01	810.70
6700.	0.	6700.	0.	0.	1118.	0.	1264.	377.	810.70
1.47	0.00	5.99	0.00	0.120	0.040	0.120	0.050	790.10	1410.45
0.001364	1.	1.	1.	2	0	0	0.00	107.10	1517.55

FLOW DISTRIBUTION FOR SECNO= 109.10 CNSEL= 803.76

STA= 1410. 1518.
PER Q= 100.0
AREA= 1116.2
VEL= 6.0

*SECNO 109.200

100 FT U/S CUSTER RD.

109.20	13.92	804.02	0.00	0.00	804.45	0.42	0.11	0.04	796.70
6700.	292.	6230.	230.	262.	8150.	264.	1267.	377.	796.50
1.48	0.89	5.42	0.90	0.120	0.040	0.120	0.050	790.10	1338.90
0.000912	100.	100.	100.	2	0	0	0.00	248.91	1587.81

FLOW DISTRIBUTION FOR SECNO= 109.20 CNSEL= 804.02

STA=	1339.	1411.	1518.	1588.
PER Q=	3.5	93.0	3.6	
AREA=	262.1	1149.6	264.4	
VEL=	0.9	5.4	0.9	

CCHV= 0.100 CEHV= 0.300

*SECNO 110.000

3370 BRIDGE AT STATION= 1632. 1904. TYPE= 1 TARGET= 5.2 000

CROSS SECTION 110 SURVEY SECTION 4

110.00	11.31	804.61	0.00	0.00	804.73	0.12	0.25	0.03	798.40
6700.	56.	6557.	87.	156.	2338.	154.	1296.	301.	799.00
1.54	0.40	2.31	0.57	0.100	0.035	0.100	0.049	793.30	1632.00
0.000210	650.	650.	650.	2	0	0	0.00	544.74	1975.74

FLOW DISTRIBUTION FOR SECNO= 110.00 CHSEL= 804.61

STA=	1632.	1668.	1688.	1696.	1937.	1944.	1966.	1977.
PER Q=	0.1	0.3	0.6	97.9	0.4	0.6	0.1	
AREA=	41.0	51.8	45.6	2393.8	37.8	96.9	19.4	
VEL=	0.2	0.4	0.6	2.8	0.7	0.6	0.3	

CCHV= 0.100 CEHV= 0.300

*SECNO 110.900

SECNO	DEPTH	CHSEL	CRIWS	MSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1038.0 1498.0 TYPE= 1 TARGET= 450.000

D/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

110.10	10.26	805.36	0.00	0.00	805.47	0.11	0.24	0.00	799.20
6700.	111.	6517.	71.	342.	2394.	189.	1515.	493.	799.60
1.90	0.46	2.72	0.38	0.100	0.035	0.100	0.046	795.10	1038.00
0.000219	3150.	3450.	3750.	2	0	0	0.00	450.00	1488.00

FLOW DISTRIBUTION FOR SECNO= 110.90 CHSEL= 805.36

STA=	1038.	1108.	1113.	1120.	1385.	1400.	1403.	1468.
PER Q=	1.1	0.1	0.4	97.3	0.5	0.1	0.4	
AREA=	105.5	16.8	38.2	2394.0	63.0	18.4	108.0	
VEL=	0.4	0.5	0.7	2.7	0.6	0.4	0.5	

*SECNO 111.000

3370 NORMAL BRIDGE,NRD= 0 MIN ELTRD= 797.30 MAX ELLC= 795.10

3470 ENCROACHMENT STATIONS= 1038.0 1468.0 TYPE= 1 TARGET= 450.000

TOP OF 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

111.00	10.23	805.33	0.00	0.00	805.48	0.15	0.05	0.01	799.20
6700.	143.	6465.	91.	241.	2034.	167.	1515.	493.	799.60
1.90	0.60	3.18	0.49	0.100	0.035	0.100	0.046	795.10	1038.00
0.000577	2.	2.	2.	2	0	0	0.00	450.00	1488.00

FLOW DISTRIBUTION FOR SECNO= 111.00 CHSEL= 805.33

STA=	1038.	1108.	1113.	1120.	1385.	1400.	1408.	1468.
PER Q=	1.5	0.2	0.5	96.5	0.7	0.1	0.5	
AREA=	184.0	18.6	58.0	2033.7	62.7	18.2	156.8	
VEL=	0.5	0.7	0.9	3.2	0.7	0.3	0.5	

FORM 14140C PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 111.100

3470 ENCROACHMENT STATIONS= 1030.0 1488.0 TYPE= 1 TARGET= 450.000

U/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

111.10	10.27	805.37	0.00	0.00	805.48	0.11	0.20	0.00	799.20
6700.	112.	6515.	72.	244.	2400.	192.	1515.	413.	799.60
1.90	0.46	2.71	0.33	0.100	0.035	0.100	0.046	795.10	1038.00
0.000217	2.	2.	2.	2	0	0	0.00	450.00	1488.00

FLOW DISTRIBUTION FOR SECNO= 111.10 CUSEL= 805.37

STA=	1030.	1108.	1113.	1120.	1385.	1400.	1408.	1488.
PER Q=	1.1	0.1	0.4	97.2	0.5	0.1	0.4	
AREA=	187.1	18.9	33.3	2400.7	23.7	19.6	109.6	
VEL=	0.4	0.5	1.7	2.7	0.6	0.4	0.5	

*SECNO 112.000

3470 ENCROACHMENT STATIONS= 1092.0 1544.0 TYPE= 1 TARGET= 452.000

CROSS SECTION 112 SURVEY SECTION 6

112.00	11.54	805.64	0.00	0.00	805.73	0.08	0.24	0.00	800.10
6700.	20.	6661.	19.	56.	2847.	51.	1608.	425.	800.20
2.07	0.36	2.34	0.33	0.100	0.035	0.100	0.043	794.10	1206.90
0.002138	1600.	1400.	903.	2	0	0	0.00	522.74	1528.72

FLOW DISTRIBUTION FOR SECNO= 112.00 CUSEL= 805.64

STA=	1207.	1220.	1230.	1510.	1520.	1529.
PER Q=	0.0	0.3	99.4	0.3	0.0	
AREA=	15.9	39.9	2846.8	39.9	11.1	
VEL=	0.2	0.4	2.3	0.4	0.2	

*SECNO 113.000

3470 ENCROACHMENT STATIONS= 1666.0 1022.0 TYPE= 1 TARGET= 356.000

CROSS SECTION 113 SURVEY SECTION 7

113.00	11.69	805.89	0.00	0.00	805.99	0.10	0.20	0.00	799.50
6700.	48.	6616.	36.	101.	2631.	86.	1721.	438.	800.30
2.20	0.48	2.51	0.42	0.105	0.035	0.100	0.044	794.20	1477.62
0.000164	1700.	1700.	1700.	2	0	0	0.00	523.05	1800.67

FLOW DISTRIBUTION FOR SECNO= 113.00 CUSEL= 805.89

STA=	1473.	1486.	1496.	1505.	1769.	1789.	1801.
PER Q=	0.1	0.3	0.4	98.7	0.5	0.3	
AREA=	15.5	38.6	46.7	2631.2	74.8	11.0	
VEL=	0.3	0.5	0.6	2.5	0.5	0.2	

*SECNO 114.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	ULOSS	BANK EL,V
Q	WLOB	WCH	WROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TICE	VLOB	VCH	VROB	XNL	XNCH	XNR	WTH	BEGIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORARE	TOPWID	ESTOST

3470 ENCROACHMENT STATIONS= 964.0 1338.0 TYPE= 1 TARGET= 374.000

CROSS SECTION 114 SURVEY SECTION 8

114.00	11.43	806.13	0.00	0.00	806.24	0.11	0.25	0.00	801.90
6700.	22.	6681.	77.	66.	2502.	166.	1513.	465.	800.60
2.42	0.33	2.64	0.46	0.100	0.035	0.100	0.043	794.70	964.00
0.000181	1400.	1450.	1500.	2	0	0	0.00	545.23	1309.20

FLOW DISTRIBUTION FOR SECNO= 114.00 CHSEL= 806.13

STA=	964.	980.	1005.	1255.	1275.	1296.	1309.
PER Q=	0.0	0.3	98.5	0.7	0.4	0.0	
AREA=	6.9	59.5	2501.6	90.6	60.5	14.7	
VEL=	0.1	0.6	2.6	0.5	0.4	0.2	

*SECNO 115.000

3470 ENCROACHMENT STATIONS= 500.0 1066.0 TYPE= 1 TARGET= 566.000

CROSS SECTION 115 SURVEY SECTION 9

115.00	10.52	806.42	0.00	0.00	806.53	0.09	0.26	0.00	799.90
6700.	656.	6003.	39.	1211.	2421.	96.	1921.	465.	800.30
2.60	0.54	2.48	0.41	0.100	0.035	0.100	0.043	795.60	500.30
0.000171	1200.	1500.	1700.	2	0	0	0.00	549.67	1050.25

FLOW DISTRIBUTION FOR SECNO= 115.00 CHSEL= 806.42

STA=	501.	584.	696.	728.	749.	760.	1016.	1022.	1044.	1050.
PER Q=	3.1	4.6	1.1	0.6	0.5	89.6	0.2	0.3	0.0	
AREA=	383.9	550.5	136.1	79.1	59.6	2421.3	26.3	60.8	6.9	
VEL=	0.5	0.6	0.5	0.5	0.6	2.5	0.5	0.4	0.2	

*SECNO 115.700

3470 ENCROACHMENT STATIONS= 500.0 1066.0 TYPE= 1 TARGET= 566.000

1300 FT D/S BEDFORD RD. SURVEY SECTION 9 REPEATED

115.70	11.08	806.68	0.00	0.00	806.76	0.08	0.26	0.00	799.10
6700.	686.	5971.	43.	1282.	2492.	106.	2066.	485.	800.30
2.80	0.54	2.40	0.40	0.100	0.035	0.100	0.042	795.60	500.55
0.000154	1800.	1600.	1400.	1	0	0	0.00	553.47	1051.02

FLOW DISTRIBUTION FOR SECNO= 115.70 CHSEL= 806.68

STA=	501.	584.	696.	728.	749.	760.	1016.	1022.	1044.	1051.
PER Q=	3.2	4.8	1.1	0.6	0.5	89.1	0.2	0.6	0.0	
AREA=	406.9	581.3	145.9	84.8	62.4	2491.7	29.9	66.9	8.7	
VEL=	0.5	0.6	0.5	0.5	0.6	2.4	0.5	0.6	0.2	

CCHV= 0.300 CEHV= 0.500

*SECNO 115.800

D/S BEDFORD RD. SURVEY SECTION 11

115.80	10.75	806.95	0.00	0.00	807.35	0.13	0.27	0.02	816.00
6700.	0.	6700.	0.	0.	2361.	0.	2159.	497.	816.00
2.93	0.00	3.84	0.00	0.100	0.035	0.100	0.042	796.20	20.77

FLOW DISTRIBUTION FOR SECNO= 115.00 CWSEL= 806.93

STA= 21. 330.
PER Q= 100.0
AREA= 2367.0
VEL= 2.8

*SECNO 115.900

3370 NORMAL BRIDGE,XHD= 20 MIN ELTRD= 816.00 MAX ELLC= 811.60

D/S FACE BEDFORD RD. SURVEY SECTION 11

115.90	20.72	806.92	0.00	0.00	807.20	0.13	0.00	0.00	816.00
6700.	0.	6700.	0.	0.	2291.	0.	2159.	497.	816.00
2.93	0.00	2.93	0.00	0.100	0.035	0.100	0.042	796.20	20.76
0.000318	1.	1.	1.	0	0	0	-70.52	299.12	319.88

FLOW DISTRIBUTION FOR SECNO= 115.90 CWSEL= 806.72

STA= 21. 330.
PER Q= 100.0
AREA= 2290.5
VEL= 2.9

*SECNO 115.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOSL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,XHD= 20 MIN ELTRD= 816.00 MAX ELLC= 811.60

U/S FACE BEDFORD RD. SURVEY SECTION 11

116.00	10.96	806.96	0.00	0.00	807.08	0.12	0.02	0.00	816.00
6700.	0.	6700.	0.	0.	2448.	0.	2162.	498.	816.00
2.94	0.00	2.74	0.00	0.100	0.035	0.100	0.042	796.00	22.35
0.000254	64.	64.	64.	2	0	0	-79.37	297.78	320.14

FLOW DISTRIBUTION FOR SECNO= 116.00 CWSEL= 806.96

STA= 22. 330.
PER Q= 100.0
AREA= 2448.5
VEL= 2.7

*SECNO 116.100

U/S BEDFORD RD. SURVEY SECTION 11

116.10	10.97	806.97	0.00	0.00	807.08	0.11	0.00	0.00	816.00
6700.	0.	6700.	0.	0.	2523.	0.	2162.	498.	816.00
2.94	0.00	2.65	0.00	0.100	0.035	0.100	0.042	796.00	22.35
0.000226	1.	1.	1.	1	0	0	0.00	297.79	320.14

FLOW DISTRIBUTION FOR SECNO= 116.10 CWSEL= 806.97

STA= 22. 330.
PER Q= 100.0
AREA= 2527.9
VEL= 2.7

*SECNO 116.200

350 FT U/S BEDFORD RD.

116.20	10.16	807.06	0.00	0.00	807.19	0.13	0.10	0.01	799.00
6700.	44.	6599.	57.	81.	2253.	147.	2183.	501.	801.10
2.97	0.54	2.93	0.39	0.100	0.035	0.100	0.042	796.90	297.50
0.000249	400.	430.	490.	7	-	0	0.00	555.84	633.34

FLOW DISTRIBUTION FOR SECNO= 116.20 CWSEL= 807.06

STA= 297. 317. 330. 576. 583. 648. 653.
PER Q= 0.1 0.8 91.3 0.3 0.6 6.8
AREA= 17.2 63.9 2252.7 30.7 14.7 2.5
VEL= 0.2 3.6 2.9 0.3 0.3 3.1

CCHV= 0.100 CEHV= 0.300
*SECNO 117.000

3470 ENCROACHMENT STATIONS= 370.0 1420.0 TYPE= 1 TARGET= 542.200

CROSS SECTION 117 SURVEY SECTION 12

117.00	10.80	807.50	0.00	0.00	807.60	0.10	0.40	0.00	799.10
6710.	96.	6573.	91.	144.	2548.	79.	2306.	517.	799.20
3.19	0.67	2.58	0.60	0.100	0.033	0.100	0.041	796.70	1033.88
0.000167	2000.	2000.	2000.	2	0	0	0.00	332.51	1366.38

FLOW DISTRIBUTION FOR SECNO= 117.00 CWSEL= 807.50

STA= 1034. 1046. 1066. 1075. 1325. 1336. 1366.
PER Q= 0.8 0.6 0.8 98.1 0.6 0.1
AREA= 9.1 71.9 63.4 2547.5 54.4 24.2
VEL= 0.2 0.6 0.9 2.6 0.5 0.2

CCHV= 0.300 CEHV= 0.500
*SECNO 117.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 814.20 ELREA= 814.20

D/S FACE 20 TR STREET SURVEY SECTION 13

117.90	9.15	807.75	0.00	0.00	807.86	0.11	0.26	0.01	812.30
6700.	0.	6700.	0.	0.	2472.	0.	2304.	526.	811.70
3.33	0.00	2.71	0.00	0.080	0.035	0.100	0.041	796.60	21.60
0.000239	1300.	1300.	1300.	1	0	0	0.00	290.07	311.68

FLOW DISTRIBUTION FOR SECNO= 117.90 CWSEL= 807.75

STA= 22. 350.
PER Q= 100.0

FORM 1411.00 PRINTED BY BOTTARF MANIFOLD FORMS

VEL= 2.7

SPECIAL BRIDGE

S	WK	WKOR	COFQ	WDLEN	WWC	WWP	AREA	SS	ELCHU	ELCHD
	1.05	1.50	3.00	0.00	250.00	10.00	4530.00	2.20	798.30	798.60

*SECNO 118.000

SECNO	DEPTH	CWSEL	CRIWS	FPELR	EG	WV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	ENCH	XNR	WTN	LL IU	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

CLASS A LOW FLOW

3423 BRIDGE W.S.= 807.39 BRIDGE VELOCITY= 2.71 CALCULATED CHANNEL AREA= 2512.

FGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
0.00	807.36	0.00	0.	6700.	4530.	4537.	814.20	826.30

3495 OVER BANK AREA ASSUMED NON-EFFECTIVE, ELLEA= 814.20 ELREA= 814.20

U/S FACE 21ST STREET SURVEY SECTION 13

118.00	9.45	807.75	0.00	0.00	807.86	0.11	-0.00	0.00	812.00	
6700.	0.	6700.	0.	0.	2558.	0.	2386.	526.	811.40	
3.33	0.00	2.62	0.00	0.080	0.035	0.100	0.041	798.30	20.78	
0.000274	40.	40.	40.	0	0	0	0.00	291.37	312.15	

FLOW DISTRIBUTION FOR SECNO= 118.00 CWSEL= 807.75

STA= 21. 316.

PER Q=	100.0	
AREA=	2558.3	
VEL=	2.6	

*SECNO 118.100

400 FT U/S 20TH STREET SURVEY SECTION 14

118.10	10.33	807.83	0.00	0.00	807.98	0.15	0.10	0.02	800.20	
6700.	54.	6586.	60.	75.	2096.	98.	2409.	529.	799.90	
3.37	0.72	3.14	0.61	0.080	0.035	0.100	0.041	797.50	637.30	
0.000273	400.	400.	400.	1	0	0	0.00	272.71	910.00	

FLOW DISTRIBUTION FOR SECNO= 118.10 CWSEL= 807.83

STA= 637. 657. 878. 882. 890. 910.

PER Q=	0.8	98.3	0.4	0.4	0.2
AREA=	75.2	2095.5	28.5	37.9	31.3
VEL=	0.7	3.1	0.9	0.7	2.3

*SECNO 119.000

CROSS SECTION 119 SURVEY SECTION 15

FORM 1811-CO PRINTED BY ROTARY MANIFOLD FORMS.

119.00	10.88	807.98	0.00	0.00	808.10	0.12	0.12	3.01	799.70
6700.	87.	6571.	42.	113.	2312.	83.	2436.	532.	801.20
3.42	0.77	2.84	0.50	0.060	0.035	0.100	0.041	797.10	618.33
0.000211	500.	500.	500.	2	0	0	0.00	287.79	906.11

FLOW DISTRIBUTION FOR SECNO= 119.00 CHSEL= 807.98

STA=	618.	635.	645.	679.	900.	906.
PER Q=	0.3	1.0	96.4	0.6	0.0	
AREA=	44.9	66.3	2312.3	80.5	3.7	
VEL=	0.5	0.9	2.8	0.5	0.1	

CCHV= 0.100 CEHV= 0.300

*SECNO 120.000

CROSS SECTION 120 SURVEY SECTION 6

120.00	11.09	808.19	0.00	0.00	808.30	0.11	0.20	0.00	800.30
6700.	67.	6466.	146.	115.	2349.	193.	2492.	539.	800.50
3.51	0.76	2.75	0.76	0.080	0.035	0.080	0.040	797.10	619.92
0.000203	1050.	950.	850.	2	1	0	0.00	323.70	943.02

FLOW DISTRIBUTION FOR SECNO= 120.00 CHSEL= 808.19

STA=	620.	651.	661.	901.	937.	943.
PER Q=	0.3	1.0	96.5	2.2	0.2	
AREA=	46.4	68.9	2348.6	104.9	7.8	
VEL=	0.5	0.9	2.8	0.8	0.3	

*SECNO 121.000

CROSS SECTION 121 SURVEY SECTION 17

121.00	11.31	808.71	0.00	0.00	808.83	0.12	0.53	0.00	800.10
6700.	108.	6477.	115.	127.	2279.	150.	2651.	557.	800.20
5.78	0.85	2.84	0.77	0.080	0.035	0.060	0.040	797.40	795.05
0.000199	2650.	2650.	2650.	2	0	0	0.00	281.20	1076.25

FLOW DISTRIBUTION FOR SECNO= 121.00 CHSEL= 808.71

STA=	795.	807.	812.	819.	1039.	1049.	1065.	1076.
PER Q=	0.3	0.5	0.9	96.7	1.0	0.6	0.1	
AREA=	37.1	53.8	55.7	2278.5	72.1	65.0	12.4	
VEL=	0.5	0.9	1.0	2.8	1.0	0.7	0.3	

CCHV= 0.300 CEHV= 0.500

*SECNO 121.800

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
3	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TRA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTH	CLMIN	SSTA
SLOPS	XLOBL	XLCH	XLOBR	ITRIAL	IHE	ICONT	CONAR	TOPWID	ENDST

D/S ANGELL ST. SURVEY SECTION 19

121.80	10.32	808.82	0.00	0.00	809.28	0.46	0.29	0.17	820.00
5700.	0.	5700.	0.	0.	6252.		2651.	561.	820.00
3.82	0.00	5.44	0.00	0.080	0.035	0.080	0.042	798.50	5.94
0.001139	700.	700.	700.	2	0	0	0.00	140.52	166.46

FLOW DISTRIBUTION FOR SECNO= 121.80 CUSEL= 808.82

STA= 6. 174.
PER Q= 100.0
AREA= 1232.5
VEL= 5.4

*SECNO 121.900

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 820.00 MAX ELLC= 815.50

D/S FACE ANGELL ST. SURVEY SECTION 19

121.90	10.31	808.81	0.00	0.00	809.29	0.48	0.04	0.01	820.00
6700.	0.	6700.	0.	0.	1270.	0.	2661.	561.	820.00
3.82	0.00	5.59	0.00	0.080	0.035	0.030	0.040	798.50	5.95
0.001246	1.	1.	1.	1	0	0	-32.24	160.50	166.45

FLOW DISTRIBUTION FOR SECNO= 121.90 CHSEL= 808.31

STA= 6. 174.
PER Q= 100.0
AREA= 1199.6
VEL= 5.6

*SECNO 122.000

3370 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 820.00 MAX ELLC= 815.50

U/S FACE ANGELL ST. SURVEY SECTION 19

122.00	10.16	808.86	0.00	0.00	809.37	0.48	0.07	0.00	820.00
6700.	0.	6700.	0.	0.	1203.	0.	2663.	561.	820.00
3.82	0.00	5.57	0.00	0.080	0.035	0.030	0.040	798.70	5.62
0.001237	58.	58.	58.	0	0	0	-30.33	160.27	165.89

FLOW DISTRIBUTION FOR SECNO= 122.00 CHSEL= 808.86

STA= 6. 174.
PER Q= 100.0
AREA= 1203.3
VEL= 5.6

*SECNO 122.100

U/S ANGELL ST. SURVEY SECTION 19

122.10	10.22	808.92	0.00	0.00	809.38	0.45	0.00	0.01	820.00
6700.	0.	6700.	0.	0.	1241.	0.	2683.	561.	820.00
3.82	0.00	5.40	0.00	0.080	0.035	0.080	0.040	798.70	5.53
0.001116	1.	1.	1.	2	0	0	0.00	160.47	165.99

FLOW DISTRIBUTION FOR SECNO= 122.10 CHSEL= 808.92

STA= 6. 174.
PER Q= 100.0
AREA= 1240.8

FORM 1411-00 PRINTED BY ROTARY MANIFOLD FORMS.

*SECNO 122.200

200 FT D/S ANCELL ST. SURVEY SECTION 23

122.20	14.52	839.32	0.00	0.00	309.55	0.23	0.11	0.07	801.60
6700.	45.	6582.	73.	56.	1680.	68.	2693.	562.	801.30
3.83	0.80	3.90	0.83	0.080	0.035	0.080	0.040	795.20	669.41
0.000339	200.	200.	200.	2	0	0	0.00	186.52	875.93

FLOW DISTRIBUTION FOR SECNO= 122.2 CMSEL= 309.52

STA= 689. 704. 854. 876.
PER Q= 0.7 98.2 1.1
AREA= 56.3 1605.7 37.9
VEL= 5.0 3.9 0.8

CCHV= 0.100 CEHV= 0.300
*SECNO 123.000

SECNO	DEPTH	CMSEL	CRIWS	ASELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	WOL	TRD	LEFT/RIGHT
TIME	VLOB	VCH	VROB	RNL	XLOB	SPR	XTW	ZLEFT	SSTA
SLOPE	XLOBL	XLCH	XLOB	ATRIAL	IN2	ICONT	CORAR	TOPWID	EXOST

700 FT D/S KENDALL ST. SURVEY SECTION 20

123.00	12.13	809.73	0.00	0.00	810.73	0.30	0.45	0.02	801.70
6700.	59.	6568.	74.	58.	1482.	75.	2733.	566.	802.20
3.90	1.02	4.43	0.98	0.080	0.035	0.080	0.040	797.60	678.23
0.000516	1100.	1100.	1100.	2	0	0	0.00	184.77	863.00

FLOW DISTRIBUTION FOR SECNO= 123.00 CMSEL= 809.73

STA= 678. 693. 843. 863.
PER Q= 0.9 98.0 1.1
AREA= 57.6 1482.0 75.5
VEL= 1.0 4.4 1.0

CCHV= 0.300 CEHV= 0.500
*SECNO 123.800

D/S KENDALL ST. SURVEY SECTION 22

123.80	9.84	810.14	0.00	0.00	810.62	0.38	0.45	0.04	821.00
6700.	0.	6700.	0.	0.	1363.	0.	2757.	569.	821.00
3.94	0.00	4.92	0.00	0.080	0.035	0.080	0.040	800.30	3.98
0.000836	700.	700.	700.	2	0	0	0.00	166.20	170.18

FLOW DISTRIBUTION FOR SECNO= 123.80 CMSEL= 810.14

STA= 4. 174.
PER Q= 100.0
AREA= 1362.8
VEL= 4.9

*SECNO 123.900

3370 NORMAL BRIDGE,WRT= 0 "[illegible]= 821.00 MAX E.LC= 817.70

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTART MANIFOLD FORMS.

D/S FACE KENDALL ST. SURVEY SECTION 22

123.90	9.63	810.13	0.00	0.00	810.53	0.40	0.00	0.01	821.00
6700.	0.	6700.	0.	0.	1324.	0.	2757.	569.	821.00
3.94	0.00	5.06	0.00	0.000	0.035	0.000	0.040	801.90	5.99
0.000920	1.	1.	1.	1	0	0	-37.96	158.73	170.97

FLOW DISTRIBUTION FOR SECNO= 123.90 CWSEL= 810.13

STA= 6. 174.
PER Q= 100.0
AREA= 1324.0
VEL= 5.1

*SECNO 124.000

3570 NORMAL BRIDGE,NRD= 8 MIN ELTRD= 821.00 MAX ELLC= 877.70

D/S FACE KENDALL ST. SURVEY SECTION 22

124.00	8.22	810.92	0.00	0.00	810.66	0.55	0.57	0.08	821.00
6700.	0.	6700.	0.	0.	1123.	0.	2759.	569.	821.00
3.95	0.00	5.97	0.00	0.000	0.035	0.000	0.040	801.90	5.67
0.001343	58.	58.	58.	2	0	0	-30.71	162.91	168.58

FLOW DISTRIBUTION FOR SECNO= 124.00 CWSEL= 810.12

STA= 6. 174.
PER Q= 100.0
AREA= 1122.9
VEL= 6.0

*SECNO 124.100

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 821.00 ELREA= 821.00

U/S KENDALL ST. SURVEY SECTION 22

124.10	8.27	810.17	0.00	0.00	810.69	0.52	0.00	0.01	821.00
6700.	0.	6700.	0.	0.	1162.	0.	2759.	569.	821.00
3.95	0.00	5.77	0.00	0.000	0.035	0.000	0.040	801.90	5.57
0.001385	1.	1.	1.	2	0	0	0.00	163.11	168.69

FLOW DISTRIBUTION FOR SECNO= 124.10 CWSEL= 810.17

STA= 6. 174.
PER Q= 100.0
AREA= 1161.6
VEL= 5.8

*SECNO 124.200

SECNO	DEPTH	CWSEL	CRWS	XSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	NTS	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST

FORM 1411-CO PRINTED BY ROTARY MANIFOLD FORMS, PRINTED IN U.S.A.

200 FT U/S KENDALL ST. SURVEY SECTION 21

124.20	9.03	810.43	0.00	0.00	810.94	0.51	0.25	0.00	801.40
6650.	171.	6347.	131.	105.	1032.	86.	2765.	570.	802.20
3.96	1.63	5.07	1.53	0.060	0.055	0.300	0.040	801.43	791.75
0.007133	200.	200.	200.	2	0	0	0.00	174.13	965.38

FLOW DISTRIBUTION FOR SECNO= 124.20 CHSEL= 810.43

STA=	792.	815.	945. 950.
PER Q=	2.6	95.5	2.0
AREA=	105.0	1061.8	85.9
VEL=	1.6	5.9	1.5

CCTV= 0.700 CEHV= 0.300
*SECNO 125.000

CROSS SECTION 125 SURVEY SECTION 23

125.00	9.36	811.56	0.00	0.00	811.96	0.40	1.00	0.01	804.00
6650.	93.	6455.	102.	75.	1255.	77.	2795.	576.	805.70
4.01	1.28	5.16	1.32	0.060	0.055	0.080	0.039	802.20	791.79
0.005394	1000.	1000.	1000.	2	0	0	0.00	192.85	974.64

FLOW DISTRIBUTION FOR SECNO= 125.00 CHSEL= 811.56

STA=	732.	801.	955. 975.
PER Q=	1.4	97.1	1.5
AREA=	72.6	1256.3	77.2
VEL=	1.3	5.1	1.3

00BREAK00


1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Covergence Rwy

00BREAK00



```
**********************************************************
  HEC2 RELEASE DATED JUL 76 UPDATED FEB 1977
  ERROR CORR - 01
  MODIFICATION - 50,51,52
**********************************************************

C
BEDFORD TOWNSHIP FLOOD INSURANCE STUDY
RECONVERGENCE FOR STARTING FROM L/S LIMIT OF ADJUSTED FIS
T1    KALAMAZOO RIVER

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          3.         4.         0.         0. -1.000000       0.00       0.0        3.      0.000      0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
      1.000      0.000     -1.000      0.500      0.300      0.000      0.000      0.010      0.000      0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
      150.000      0.500      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

QT      5.000   4270.000   5920.000   6700.000   6700.000   3420.000      0.000      0.000      0.000      0.000
NC      0.100      0.100      0.040      0.100      0.300      0.000      0.020      0.020      0.040      0.100

KT    113.000     17.000    375.000    485.000      0.000      0.000      0.000      0.000      0.000      0.000
GR    610.000      0.000    600.800    120.000    800.000    260.000    796.000    290.000    794.200    365.000
GR    791.200    375.000    786.700    390.000    785.700    430.300    785.200    430.000    785.700    460.000
GR    788.700    470.000    791.200    485.000    794.200    495.000    794.000   1000.000    794.000   2430.000
GR    800.000   2650.000    810.000   3300.000      0.000      0.000      0.000      0.000      0.000      0.000

          SURVEY CROSS SECTION 101 BEDFORD TWP.

XT    779.300     37.000    577.300    652.000   5200.000   3750.000   3000.000      0.000      0.000      0.000
GR    810.300      0.000    805.300    200.000    802.300    240.500    803.200    324.000    799.200    360.000
GR    796.900    360.000    796.000    442.000    795.100    494.000    795.600    512.000    793.300    517.000
GR    787.800    575.000    787.000    585.000    786.700    618.000    785.800    640.000    790.500    652.000
GR    795.300    660.000    794.700    702.000    796.200    786.000    795.500    898.000    794.400    960.000
GR    795.400   1053.000    794.800   1154.000    793.600   1310.000    796.400   1408.000    796.600   1640.000
GR    795.600   1846.000    796.000   2054.000    795.800   2246.000    798.400   2524.000    795.600   2786.000
GR    796.600   3018.000    796.300   3150.000    797.200   3242.000    799.000   3270.000    802.800   3334.000
GR    807.000   3326.000    810.600   3422.000      0.000      0.000      0.000      0.000      0.000      0.000

          SURVEY CROSS SECTION 102A

XT    120.000     34.000   2023.000   2234.000   1100.000    450.000   3575.000      0.000      0.000      0.000
GR    810.000      0.000    806.000    100.000    805.600    250.000    802.700    450.000    800.800    534.000
GR    795.600    583.000    795.000    650.000    794.800   1026.000    793.700   1118.000    795.700   1348.000
GR    796.200   1528.000    797.000   1632.000    794.600   1714.000    796.000   1884.000    795.700   2016.000
GR    794.300   2023.000    792.000   2049.000    791.300   2079.000    789.800   2109.000    790.600   2139.000
GR    791.300   2169.000    790.100   2199.000    793.700   2234.000    795.200   2244.000    795.900   2249.000
GR    797.800   2430.000    797.000   2800.000    796.600   3250.000    795.600   5451.000    796.500   3626.000
GR    796.800   3672.000    799.000   3934.000    807.000   3990.000    810.600   4026.000      0.000      0.000
EX      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

FORM 1411.08 PRINTED BY ROTARY MANIFOLD FORMS.

*PROF 1

CCHV= 0.100 CEHV= 0.300

*SECNO 110.000

3290 WSEL NOT GIVEN,AVG OF MAX&MIN USED

STCHO	DLPTH	CWSEL	CRI S	PSELS	CC	AV	FL	OLOSS	BANK ELEV
Q	CLOB	CCH	TROS	ALOB	ACH	AROB	VOL	T+A	LEFT/RIGHT
TIME	VLOB	VCH	VROS	ARL	XNCH	XNR	PTR	CLMIN	SSTA
SLOPE	XLOBL	XLCH	XLOSR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST
119.00	6.18	797.58	791.38	0.30	793.84	2.46	0.00	0.00	791.20
6700.	0.	6700.	0.	0.	533.	0.	3.	0.	791.20
0.00	0.02	12.56	0.02	0.100	0.040	0.100	0.000	785.20	374.39
0.001429	0.	0.	0.	0	7	0	0.00	791.23	805.07

*SECNO 119.000

3301 HV CHANGED MORE THAN 4 PTS

SURVEY CROSS SECTION 101 MEDFORD T.P.

119.00	11.96	797.74	0.00	0.00	797.84	0.10	3.77	0.24	793.30
6700.	120.	4109.	2472.	256.	1247.	5004.	286.	125.	793.50
0.39	0.47	1.29	0.29	0.100	0.040	0.100	0.052	785.80	372.75
0.000461	3000.	3300.	3750.	9	9	3	0.00	2877.00	3250.53

*SECNO 120.000

SURVEY CROSS SECTION 102A

120.00	3.72	798.52	0.00	0.00	798.56	0.04	0.71	0.01	794.30
6700.	2346.	5305.	1049.	4675.	1529.	2977.	490.	179.	793.70
0.36	0.51	2.16	0.35	0.100	0.040	0.100	0.068	789.80	557.62
0.000242	1100.	3575.	400.	4	0	0	0.00	3363.01	3920.63

FORM 1611-CB-PRINTED BY ROYAL MANIFOLD FORMS

```
**************************************************
  RECS RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CODE =  01
  IDENTIFICATION =  51.50.52
**************************************************

 TIMBERFORD TOWNSHIP FLOOD INSURANCE STUDY
 TICONVERGENCE RUN STARTING FROM U/S POINT OF AUGUSTA FIS
 TS     BALA 0200 RIVER

 JT  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
          0.       4.        0.        0.  0.000350      1.00      0.0       0.     777.00    0.300

 IP  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLOC     IA.       CLNI.     ITRACE
       2.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

1411.0B PRINTED BY NOTARY MANIFOLD FORMS.

*PROF 2

CCEV= 0.100 CSHV= 0.300

*SECNO 110.000

SECNO	DEPTH	CHSEL	CRIWS	SELK	EG	HV	HL	OLOSS	BANK ELEV
C	QLOB	WCH	QROB	XLOB	WCH	PROB	VOL	TRA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XSA	PTS	EL.IN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST
	110.00	11.57	796.57	0.00	797.00	796.96	0.09	0.50	0.00	791.20
	6700.	67.	3557.	3022.	978.	1937.	3643.	7.	0.	791.20
	0.00	0.48	3.16	0.54	0.100	0.040	0.100	0.050	783.20	263.44
	0.000328	0.	0.	0.	0	0	4	0.00	2236.34	2519.73

*SECNO 119.000

SURVEY CROSS SECTION TOT REDFORD TWP.

119.00	12.18	797.98	0.00	0.00	798.06	0.06	1.80	0.00	793.30
6700.	132.	3676.	2817.	797.	1640.	3633.	3.3.	270.	790.30
0.97	1.22	1.07	0.46	0.100	0.040	0.100	1.36	709.00	570.54
0.000334	2700.	3700.	3750.	2	1	0	0.00	2305.47	3256.10

*SECNO 120.000

SURVEY CROSS SECTION TOT

120.00	0.43	798.63	0.00	0.00	798.66	0.03	3.60	0.00	794.30
6700.	2365.	3237.	1099.	4767.	1551.	3153.	805.	270.	793.70
0.97	0.50	2.09	0.35	0.100	0.040	0.100	0.047	709.00	556.54
0.000221	1130.	3573.	400.	2	0	0	3.05	3387.03	3923.57

PRINTED IN U.S.A.
FORM 1411.08 PRINTED BY ROTARY MANIFOLD FORMS,

```
**************************************************
  IECZ RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  00
  MODIFICATION -  50,51,52
**************************************************

T1BEDFORD TOWNSHIP FLOOD INSURANCE STUDY
T2CONVEIGENCE RUN STARTING FROM U/S LIMIT OF AUGUSTA FIS
T3       KALAMAZOO RIVER

J1   ICHECK      INQ         NINV        IDIR        STRT        METRIC      HVINS       Q           WSEL        FQ
              0.          0.          0.          0.    0.000.000     2.00        0.0         0.    797.530     0.000

J2   NPROF       ITEST       PRTVS       WSEW        WSEC        FN          ALLOC       ITR         CHNIM       ITRACE
        15.000      0.000      -1.000      0.000      0.000      0.000      0.300      0.000      0.000      0.000
```

PRINTED IN U.S.A.

AIT-GO PRINTED BY ROTARY MANIFOLD FORMS.

*PROF 3

CCHV= 0.100 CEHV= 0.300

*SECNO 119.000

SECNO	DEPTH	CWSEL	CRIWS	.SELS	EG	HV	HL	XLOSS	BANK ELEV
Q	ULOB	UCH	AROB	*LOB	ACH	AROB	VOL	TAE	LEFTBIGI*
TIME	VLOB	VCH	VROB	XPL	XACH	XAR	BTX	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST
119.00	12.48	799.28	0.00	0.00	798.35	0.06	0.79	0.00	793.30
2700.	176.	3516.	2952.	336.	1321.	6452.	511.	276.	793.30
0.55	3.43	2.74	0.42	0.100	0.040	0.100	0.056	765.60	367.96
0.000263	3000.	3500.	3750.	2	0	0	0.00	3591.90	3354.67

*SECNO 120.000

SURVEY CROSS SECTION 1024

120.00	9.00	798.80	0.00	0.00	796.83	0.03	0.43	0.00	794.30
6700.	2392.	3133.	1175.	5015.	1587.	3639.	914.	272.	793.70
1.07	0.48	1.97	0.34	0.100	0.040	0.100	0.043	769.80	554.70
0.001192	4100.	5575.	400.	2	0	0	0.00	5573.54	5923.32

PRINTED IN U.S.A.
FORM 1411-CD PRINTED BY ROTARY MANIFOLD FORMS.

****

IFCC RELEASE DATED NOV 76 UPDATED FEB 1977

ERROR CORR - 01

MODIFICATIONS - 50,51,52


****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

	SECNO	XLOC	ELTRD	ELLOC	ELMIN	Q	CWSEL	CRITS	FROUD	TOPWID	VCHAN	AREA	DEPTH
*	119.000	0.00	0.00	0.00	785.20	6700.00	791.36	791.36	793.84	142.29	12.58	532.83	561.67
	118.000	0.00	0.00	0.00	785.20	6700.00	796.97	0.00	796.96	3.28	3.16	6954.30	3699.96
	119.000	0.00	0.00	0.00	785.20	6700.00	797.50	0.00	797.55	2.73	2.09	9362.76	4509.15
	119.000	3200.00	0.00	0.00	785.20	6700.00	797.71	0.00	797.64	4.11	3.20	6507.09	3300.76
	119.000	3000.00	0.00	0.00	785.80	6700.00	797.90	0.00	798.05	3.36	3.03	7204.02	3657.24
	119.000	3000.00	0.00	0.00	785.80	6700.00	798.20	0.00	798.35	2.63	2.74	8089.34	4133.71
	121.000	3575.00	0.00	0.00	789.00	6700.00	796.32	0.00	796.58	2.42	2.11	9120.71	4307.75
	121.000	3575.00	0.00	0.00	789.30	6700.00	796.69	0.00	796.84	2.21	2.09	9471.51	4503.98
	122.000	3575.00	0.00	0.00	789.50	6700.00	796.70	0.00	796.83	1.92	1.97	10040.00	4632.61



KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CWSEL	DIFWSP	DIFKSE	DIFKTO	TOPWID	XLCH
*	118.000	6700.00	791.35	0.00	0.00	0.00	1119.23	0.00
	118.000	6700.00	796.67	0.00	0.00	-0.13	2236.34	0.00
	118.000	6700.00	797.53	0.00	0.00	0.00	2267.05	0.00
	119.000	6700.00	797.74	0.00	5.35	0.00	2277.80	3000.00
	119.000	6700.00	797.99	0.00	1.10	0.00	2283.47	3000.00
	119.000	6700.00	798.28	0.00	0.78	0.00	2290.90	3000.00
	120.000	6700.00	798.52	0.00	0.75	0.00	3563.01	3575.00
	120.000	6700.00	799.63	0.00	1.66	0.00	3567.11	3575.00
	120.100	6700.00	798.82	0.00	0.59	0.00	3575.54	3575.00

SUMMARY OF ERRORS

CAUTION SECNO= 118.000 PROFILE= 1 CRITICAL DEPTH ASSUMED

FORM 1611-GB-PRINTED BY ROTARY MANIFOLD FORMS.
PRINTED IN U.S.A.


```
*********************************************************
TECO RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CODE - 01
MODIFICATION - 50.51.32
*********************************************************
```

FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

ERROR SUMMARY

0 ERROR(S) DETECTED BY THE USER PROGRAM
0 ERROR(S) DETECTED BY THE MATHEMATICAL PACKAGE
0 ERROR(S) DETECTED FOR INPUT/OUTPUT STATEMENTS

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY BOTANY MANIFOLD FORMS.



00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: Bedford Twp

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Summary of profiles

00BREAK00

```
*************************************************************
  NEC2 RELEASE DATED NOV 78 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATIONS -  50,51,52
*************************************************************

TIDEDFORD TOWNSHIP AND CITY OF BATTLE CREEK FLOOD INSURANCE STUDY
T2KALAMAZOO RIVER FROM KALAMAZOO/CALHOUN COUNTY BOUNDARY TO BATTLE CREEK RIVER
T3      KALAMAZOO RIVER

J1  ICHECK      IPO         KENV        IDIR        STRT        METRIC      HVINS       G           BSEL        FQ
        0.          6.          0.          0.   0.700221        0.00        1.0         0.      799.352     0.020

J2  NPROF       IPLOT       PREVS       XSECV       XSECH       FN          ALLDC       IBW         CHNIM       ITRACE
     15.000      0.000      -1.000      0.000       0.000       0.000       1.000       0.000       0.000       0.000
```

4-PROFILE

****
 LFO2 RELEASE DATED NOV 76 UPDATED FEB 1977
 ERROR CODE - 01
 MODIFICATION - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CPSEL	CRIMS	EG	FRK*S	VCH	AREA	.01K
102.000	3575.00	0.00	0.00	789.80	4390.00	797.66	0.00	797.89	2.23	1.95	6832.93	2936.64
102.000	3575.00	0.00	0.00	789.80	6000.00	798.51	0.00	798.81	2.27	2.22	9291.56	4026.95
102.000	3575.00	0.00	0.00	789.80	6700.00	798.93	0.00	799.09	2.22	2.13	10221.33	4497.65
102.000	3575.00	0.00	0.00	789.80	8420.00	799.46	0.00	799.56	2.23	2.25	12290.69	5640.10
102.500	2950.00	0.00	0.00	789.50	4390.00	793.42	0.00	793.47	2.87	2.10	5941.08	2589.95
102.500	2950.00	0.00	0.00	789.50	6000.00	799.10	0.00	799.15	2.91	2.35	8211.77	3519.80
102.500	2950.00	0.00	0.00	789.50	6700.00	799.36	0.00	799.41	2.93	2.48	9119.87	3934.75
102.500	2950.00	0.00	0.00	789.50	8420.00	799.93	0.00	800.00	2.98	2.52	11177.96	4961.36
103.100	1590.00	0.00	0.00	789.60	4390.00	798.81	0.00	798.91	4.19	2.90	4504.04	2165.71
103.000	1590.00	0.00	0.00	789.60	6000.00	799.47	0.00	799.57	4.51	3.18	6141.81	2826.08
103.000	1590.00	0.00	0.00	789.60	6700.00	799.73	0.00	799.83	4.60	3.28	6702.06	3122.59
103.000	1590.00	0.00	0.00	789.60	8420.00	800.30	0.00	800.40	4.77	3.49	8265.62	3856.44
104.000	4025.00	0.00	0.00	788.10	4390.00	800.11	0.00	800.17	3.35	2.67	5830.81	2599.19
104.000	4025.00	0.00	0.00	788.10	6000.00	800.80	0.00	800.86	3.59	2.93	7456.63	3168.11
104.000	4025.00	0.00	0.00	788.10	6700.00	801.06	0.00	801.13	3.68	3.03	8087.74	3492.45
104.000	4025.00	0.00	0.00	788.10	8420.00	801.66	0.00	801.71	3.87	3.24	9530.60	4278.29
105.000	675.00	0.00	0.00	793.00	4390.00	800.36	0.00	800.41	3.83	2.37	4775.56	2264.24
105.000	675.00	0.00	0.00	793.00	6000.00	801.05	0.00	801.12	4.11	2.85	6177.03	2959.39
105.000	675.00	0.00	0.00	793.00	6700.00	801.32	0.00	801.40	4.21	2.96	6722.76	3264.46
105.000	675.00	0.00	0.00	793.00	8420.00	801.91	0.00	802.00	4.42	3.18	7976.29	4004.17
106.000	1435.00	0.00	0.00	790.90	4390.00	800.93	0.00	801.26	9.55	4.89	2128.81	1420.83
106.000	1435.00	0.00	0.00	790.90	6000.00	801.67	0.00	802.05	10.16	5.31	3473.68	1882.58
106.000	1435.00	0.00	0.00	790.90	6700.00	801.95	0.00	802.28	10.26	5.44	3983.71	2091.32
106.000	1435.00	0.00	0.00	790.90	8420.00	802.56	0.00	802.89	10.41	5.71	5109.29	2610.29
107.000	1275.00	0.00	0.00	788.90	4390.00	801.82	0.00	801.90	3.74	2.90	3636.41	2269.03
107.000	1275.00	0.00	0.00	788.90	6000.00	802.59	0.00	802.68	4.32	3.30	4560.59	2885.49
107.000	1275.00	0.00	0.00	788.90	6700.00	802.87	0.00	802.97	4.58	3.47	4900.45	3131.93
107.000	1275.00	0.00	0.00	788.90	8420.00	803.49	0.00	803.60	5.16	3.84	5646.10	3707.45
108.700	1075.00	0.00	0.00	792.80	3790.00	802.22	0.00	802.38	5.13	3.24	1315.08	1673.36
108.700	1075.00	0.00	0.00	792.80	5200.00	803.05	0.00	803.29	6.73	3.97	1510.58	2004.16
108.700	1075.00	0.00	0.00	792.80	5800.00	803.36	0.00	803.63	7.39	4.26	1585.44	2133.22
108.700	1075.00	0.00	0.00	792.80	7290.00	804.02	0.00	804.39	9.01	4.94	1736.48	2428.97

FORM 1411-GB PRINTED BY LISTAUT MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	EL*IN	Q	LUSEL	CRINS	EG	10K*S	VCH	AREA	.01K
108.300	350.00	0.00	0.00	793.00	3790.00	802.55	0.00	802.67	8.51	4.19	934.39	1259.35
108.300	350.00	0.00	0.00	793.00	5200.00	803.[illegible]	0.00	803.68	11.75	5.21	995.38	1517.23
108.300	350.00	0.00	0.00	793.00	5800.00	803.56	0.00	804.07	13.14	5.82	1032.64	1699.63
108.300	350.00	0.00	0.00	793.00	7290.00	804.29	0.00	804.96	16.71	6.58	1107.34	1783.13
108.900	1.30	810.70	808.70	793.00	4390.00	802.33	0.00	802.73	12.92	5.06	871.09	1221.29
108.900	1.30	810.70	808.70	793.00	6000.00	803.17	0.00	803.78	17.97	6.26	957.96	1417.68
108.900	1.30	810.70	808.70	793.00	6700.00	803.43	0.00	804.19	20.17	6.77	989.71	1491.93
108.900	1.30	810.70	808.70	793.00	8420.00	804.14	0.00	805.12	25.84	7.96	1058.38	1656.27
109.000	35.00	810.70	808.70	790.10	4390.00	802.45	0.00	802.79	9.79	4.62	950.25	1402.72
109.000	35.00	810.70	808.70	790.10	6000.00	803.35	0.00	803.86	13.67	5.75	1063.16	1622.59
109.000	35.00	810.70	808.70	790.10	6700.00	803.71	0.00	804.28	15.43	6.32	1077.78	1707.11
109.000	35.00	810.70	808.70	790.10	8420.00	804.42	0.00	805.24	19.65	7.29	1154.34	1693.77
109.100	1.00	0.00	0.00	790.10	4390.00	802.40	0.00	802.79	8.79	4.46	983.83	1485.02
109.100	1.00	0.00	0.00	790.10	6000.00	803.40	0.00	803.87	12.13	5.55	1081.56	1722.45
109.100	1.00	0.00	0.00	790.10	6700.00	803.74	0.00	804.32	13.64	5.99	1118.22	1814.07
109.100	1.00	0.00	0.00	790.10	8420.00	804.50	0.00	805.25	17.32	7.02	1199.78	2023.18
109.200	100.00	0.00	0.00	790.10	4390.00	802.65	0.00	802.84	6.46	4.16	1546.25	1726.67
109.200	100.00	0.00	0.00	790.10	6000.00	803.63	0.00	803.81	8.38	5.08	1580.93	2075.45
109.200	100.00	0.00	0.00	790.10	6700.00	804.02	0.00	804.45	9.12	5.42	1676.17	2219.07
109.200	100.00	0.00	0.00	790.10	8420.00	804.91	0.00	805.46	10.76	6.21	1905.70	2567.29
110.000	650.00	0.00	0.00	793.30	4390.00	802.92	0.00	803.04	1.06	2.22	2095.96	3402.29
110.000	650.00	0.00	0.00	793.30	6000.00	804.15	0.00	804.27	1.96	2.64	2472.46	4259.19
110.000	650.00	0.00	0.00	793.30	6700.00	804.61	0.00	804.73	2.10	2.87	2626.38	4619.41
110.000	650.00	0.00	0.00	793.30	8420.00	805.63	0.00	805.79	2.35	3.17	2982.46	5496.79
110.900	3450.00	0.00	0.00	795.10	4390.00	803.64	0.00	803.72	1.96	2.24	2085.28	3133.96
110.900	3450.00	0.00	0.00	795.10	6000.00	804.67	0.00	804.98	2.13	2.59	2609.17	4111.13
110.900	3450.00	0.00	0.00	795.10	6700.00	805.38	0.00	805.47	2.19	2.72	2825.62	4529.66
110.900	3450.00	0.00	0.00	795.10	8420.00	806.45	0.00	806.59	2.30	3.01	3379.43	5554.30
111.000	2.00	797.30	795.10	795.10	4390.00	803.61	0.00	803.73	3.07	2.74	1721.93	2232.77
111.000	2.00	797.30	795.10	795.10	6000.00	804.65	0.00	804.99	3.76	3.08	2244.69	3101.27
111.000	2.00	797.30	795.10	795.10	6700.00	805.33	0.00	805.40	3.71	3.18	2461.45	3479.18
111.000	2.00	797.30	795.10	795.10	8420.00	806.63	0.00	806.80	3.56	3.44	2955.61	4414.34
111.100	2.00	0.00	0.00	795.10	4390.30	803.66	0.00	803.73	1.94	2.23	2093.09	3146.94
111.100	2.00	0.00	0.00	795.10	6000.30	804.89	0.00	804.99	2.11	2.58	2619.06	4129.01
111.100	2.00	0.00	0.00	795.10	6700.30	805.37	0.00	805.43	2.17	2.71	2836.15	4550.27
111.100	2.00	0.00	0.00	795.10	8420.30	806.47	0.00	806.61	2.28	3.00	3330.86	5579.21
112.000	1400.00	0.00	0.00	794.10	4390.00	803.46	0.00	803.94	1.13	1.86	2401.58	4157.79
112.000	1400.00	0.00	0.00	794.10	6000.00	805.15	0.00	805.22	1.31	2.20	2796.31	5238.65
112.000	1400.00	0.00	0.00	794.10	6700.00	805.64	0.00	805.73	1.38	2.34	2953.61	5695.24
112.000	1400.00	0.00	0.00	794.10	8420.00	806.76	0.00	806.87	1.53	2.64	3350.83	6797.71
113.000	1700.00	0.00	0.00	794.20	4390.00	804.09	0.00	804.15	1.38	2.02	2249.74	3732.30
113.000	1700.00	0.00	0.00	794.20	6000.00	805.39	0.00	805.47	1.57	2.38	2655.85	4791.81
113.000	1700.00	0.00	0.00	794.20	6700.00	805.89	0.00	805.99	1.64	2.51	2817.56	5233.64
113.000	1700.00	0.00	0.00	794.20	8420.00	807.05	0.00	807.19	1.79	2.82	3192.27	6296.41

FORM 4411 PRINTED BY BOEING MANIFOLD FORMS.

SECNO	XLCN	ELTRO	ELLC	ELMIN	Q	CUSEL	COILS	FG	10K*S	VCH	AREA	.01K
114.000	1450.00	0.00	0.00	794.70	4390.00	804.50	0.00	804.57	1.55	2.14	2138.63	3527.37
114.000	1450.00	0.00	0.00	794.70	6000.00	805.62	0.00	805.71	1.76	2.50	2558.69	4554.78
114.000	1450.00	0.00	0.00	794.70	6700.00	806.15	0.00	806.24	1.81	2.64	2733.29	4946.62
114.000	1450.00	0.00	0.00	794.70	8420.00	807.30	0.00	807.45	1.95	2.95	3139.82	6030.66
115.000	1500.00	0.00	0.00	795.60	4390.00	804.54	0.00	804.61	1.67	2.11	2703.86	3401.02
115.000	1500.00	0.00	0.00	795.60	6000.00	805.66	0.00	805.77	1.89	2.38	3440.19	4609.34
115.000	1500.00	0.00	0.00	795.60	6700.00	806.18	0.00	806.50	1.71	2.48	3723.44	5124.44
115.000	1500.00	0.00	0.00	795.60	8420.00	807.60	0.00	807.70	1.76	2.71	4384.04	6578.23
115.700	1600.00	0.00	0.00	795.60	4390.00	804.60	0.00	804.66	1.47	2.03	2843.88	3618.37
115.700	1600.00	0.00	0.00	795.60	6000.00	806.16	0.00	806.23	1.51	2.29	3590.84	4875.73
115.700	1600.00	0.00	0.00	795.60	6700.00	806.86	0.00	806.78	1.54	2.41	3879.79	5403.91
115.700	1600.00	0.00	0.00	795.60	8420.00	807.98	0.00	807.97	1.58	2.63	4542.16	6697.65
115.800	1300.00	0.00	0.00	796.20	4390.00	805.05	0.00	805.12	2.54	2.41	1824.56	2756.02
115.800	1300.00	0.00	0.00	796.20	6000.00	806.60	0.00	806.51	2.78	2.72	2204.10	3601.00
115.800	1300.00	0.00	0.00	796.20	6700.00	806.95	0.00	807.06	2.87	2.84	2360.97	3952.11
115.800	1300.00	0.00	0.00	796.20	8420.00	808.14	0.00	808.25	3.06	3.08	2732.71	4828.84
115.900	1.00	816.00	811.60	796.20	4390.00	805.01	0.00	805.12	2.31	2.68	1748.45	2616.56
115.900	1.00	816.00	811.60	796.20	6000.00	806.59	0.00	806.51	2.67	2.81	2137.77	3422.14
115.900	1.00	816.00	811.60	796.20	6700.00	806.92	0.00	807.06	3.18	2.93	2290.53	3757.50
115.900	1.00	816.00	811.60	796.20	8420.00	808.13	0.00	808.28	3.36	3.17	2653.20	4596.73
116.000	64.00	816.00	811.60	796.00	4390.00	805.06	0.00	805.14	2.13	2.20	1924.09	3006.23
116.000	64.00	816.00	811.60	796.00	6000.00	806.63	0.00	806.54	2.43	2.62	2293.24	3849.33
116.000	64.00	816.00	811.60	796.00	6700.00	806.96	0.00	807.06	2.54	2.74	2448.48	4204.10
116.000	64.00	816.00	811.60	796.00	8420.00	808.17	0.00	808.31	2.74	3.00	2808.68	5086.94
116.100	1.00	0.00	0.00	795.00	4390.00	805.07	0.00	805.15	1.90	2.20	1991.42	3182.85
116.100	1.00	0.00	0.00	796.00	6000.00	806.64	0.00	806.54	2.17	2.53	2371.34	4069.26
116.100	1.00	0.00	0.00	796.00	6700.00	806.97	0.00	807.08	2.28	2.65	2527.89	4433.77
116.100	1.00	0.00	0.00	796.00	8420.00	808.16	0.00	808.31	2.47	2.90	2898.94	5361.42
116.200	400.00	0.00	0.00	796.90	4390.00	805.15	0.00	805.24	2.30	2.45	1848.21	2847.72
116.200	400.00	0.00	0.00	796.90	6000.00	806.72	0.00	806.64	2.46	2.80	2242.19	3527.16
116.200	400.00	0.00	0.00	796.90	6700.00	807.06	0.00	807.19	2.49	2.93	2481.00	4248.12
116.200	400.00	0.00	0.00	796.90	8420.00	808.27	0.00	808.42	2.56	3.22	2920.33	5271.49
117.000	2000.00	0.00	0.00	796.70	4390.00	805.56	0.00	805.61	1.48	2.11	2171.93	3609.35
117.000	2000.00	0.00	0.00	796.70	6000.00	806.95	0.00	807.04	1.62	2.45	2592.68	4714.66
117.000	2000.00	0.00	0.00	796.70	6700.00	807.50	0.00	807.61	1.67	2.56	2770.53	5180.80
117.000	2000.00	0.00	0.00	796.70	8420.00	808.75	0.00	808.85	1.78	2.87	3198.64	6304.11
117.900	1300.00	0.00	0.00	798.60	4390.00	805.77	0.00	805.86	2.32	2.30	1908.97	2861.78
117.900	1300.00	0.00	0.00	798.60	6000.00	807.19	0.00	807.30	2.36	2.59	2312.65	3905.00
117.900	1300.00	0.00	0.00	798.60	6700.00	807.75	0.00	807.86	2.39	2.71	2472.39	4338.32
117.900	1300.00	0.00	0.00	798.60	8420.00	809.00	0.00	809.13	2.45	2.97	2836.16	5300.55
118.000	40.00	816.50	814.20	798.30	4390.00	805.78	0.00	805.85	2.03	2.20	1991.02	3083.16
118.000	40.00	816.50	814.20	798.30	6000.00	807.20	0.00	807.29	2.11	2.50	2397.68	4133.73
118.000	40.00	816.50	814.20	798.30	6700.00	807.75	0.00	807.86	2.14	2.62	2558.34	4577.78
118.000	40.00	816.50	814.20	798.30	8420.00	809.00	0.00	809.12	2.23	2.88	2924.16	5643.66

FORM 141.00 PRINTED BY MOODY MANIFOLD FORMS

SECNO	XLCN	ELTRD	ELLC	ELMIX	Q	CLSEL	CRITS	EG	TOK*S	VCP	AREA	.C1K
118.100	400.00	0.00	0.00	797.50	6390.00	805.95	0.00	805.95	2.50	2.52	1748.47	2732.79
118.100	400.00	0.00	0.00	797.50	6600.00	807.27	0.00	807.47	2.68	2.99	2119.56	3662.79
118.100	400.00	0.00	0.00	797.50	6700.00	807.93	0.00	807.98	2.73	3.14	2269.42	4056.64
118.100	400.00	0.00	0.00	797.50	8420.00	809.07	0.00	809.25	2.84	3.48	2612.73	4994.66
119.000	500.00	0.00	0.00	797.10	4390.00	805.99	0.00	806.08	1.95	2.35	1954.12	3147.18
119.000	500.00	0.00	0.00	797.10	6000.00	807.42	0.00	807.53	2.07	2.70	2349.50	4173.02
119.000	500.00	0.00	0.00	797.10	6700.00	807.98	0.00	808.10	2.11	2.84	2508.62	4607.11
119.000	500.00	0.00	0.00	797.10	8420.00	809.24	0.00	809.39	2.22	3.15	2877.66	5648.92
120.000	950.00	0.00	0.00	797.10	4390.00	806.16	0.00	806.26	1.90	2.30	2047.00	3185.81
120.000	950.00	0.00	0.00	797.10	6000.00	807.62	0.00	807.73	1.98	2.62	2481.82	4267.23
120.000	950.00	0.00	0.00	797.10	6700.00	808.19	0.00	808.30	2.01	2.75	2656.56	4725.41
120.000	950.00	0.00	0.00	797.10	8420.00	809.65	0.00	809.79	2.08	3.04	3084.18	5836.77
121.000	2650.00	0.00	0.00	797.40	4390.00	806.67	0.00	806.75	1.81	2.34	1990.91	3264.90
121.000	2650.00	0.00	0.00	797.40	6000.00	808.14	0.00	808.25	1.94	2.70	2394.58	4310.92
121.000	2650.00	0.00	0.00	797.40	6700.00	808.71	0.00	808.83	1.99	2.84	2554.69	4752.38
121.000	2650.00	0.00	0.00	797.40	8420.00	810.08	0.00	810.15	2.11	3.18	2923.06	5811.49
121.800	700.00	0.00	0.00	798.50	4390.00	806.87	0.00	807.15	13.06	4.79	917.27	1264.29
121.800	700.00	0.00	0.00	798.50	6000.00	808.25	0.00	808.68	11.52	5.25	1161.95	1767.97
121.800	700.00	0.00	0.00	798.50	6700.00	808.82	0.00	809.28	11.39	5.44	1232.46	1955.03
121.800	700.00	0.00	0.00	798.50	8420.00	810.19	0.00	810.63	11.22	5.84	1441.14	2513.29
121.900	1.00	820.00	815.50	798.50	4390.00	806.79	0.00	807.16	13.19	4.92	892.77	1263.57
121.900	1.00	820.00	815.50	798.50	6000.00	808.24	0.00	808.69	12.60	5.40	1111.40	1669.59
121.900	1.00	820.00	815.50	798.50	6700.00	808.81	0.00	809.29	12.46	5.59	1199.60	1897.79
121.900	1.00	820.00	815.50	798.50	8420.00	810.08	0.00	810.64	12.27	6.00	1403.11	2404.01
122.000	50.00	820.00	815.50	798.70	4390.00	806.87	0.00	807.24	13.04	4.59	898.92	1215.61
122.000	50.00	820.00	815.50	798.70	6000.00	808.32	0.00	808.77	12.49	5.38	1115.42	1667.64
122.000	50.00	820.00	815.50	798.70	6700.00	808.88	0.00	809.37	12.37	5.57	1203.27	1905.30
122.000	50.00	820.00	815.50	798.70	8420.00	810.16	0.00	810.71	12.20	5.99	1406.11	2410.89
122.100	1.00	0.00	0.00	798.70	4390.00	806.90	0.00	807.25	11.78	4.75	925.12	1278.97
122.100	1.00	0.00	0.00	798.70	6000.00	808.35	0.00	808.78	11.29	5.22	1150.32	1785.20
122.100	1.00	0.00	0.00	798.70	6700.00	808.92	0.00	809.38	11.18	5.40	1240.89	2003.63
122.100	1.00	0.00	0.00	798.70	8420.00	810.27	0.00	810.73	11.04	5.81	1449.76	2534.53
122.200	200.00	0.00	0.00	795.20	4390.00	807.24	0.00	807.41	2.90	3.16	1454.93	2577.81
122.200	200.00	0.00	0.00	795.20	6000.00	808.74	0.00	808.95	3.26	3.69	1722.75	3325.22
122.200	200.00	0.00	0.00	795.20	6700.00	809.32	0.00	809.55	3.39	3.91	1830.04	3639.36
122.200	200.00	0.00	0.00	795.20	8420.00	810.62	0.00	810.91	3.68	4.38	2076.58	4389.92
123.000	1100.00	0.00	0.00	797.60	4390.00	807.63	0.00	807.86	4.99	3.72	1238.99	1965.66
123.000	1100.00	0.00	0.00	797.60	6000.00	809.14	0.00	809.41	5.10	4.23	1506.70	2656.70
123.000	1100.00	0.00	0.00	797.60	6700.00	809.73	0.00	810.03	5.16	4.43	1614.85	2950.80
123.000	1100.00	0.00	0.00	797.60	8420.00	811.05	0.00	811.42	5.30	4.89	1863.93	3657.95
123.800	700.00	0.00	0.00	800.30	4390.00	806.04	0.00	806.33	8.65	4.29	1022.31	1492.23
123.800	700.00	0.00	0.00	800.30	6000.00	807.55	0.00	807.90	8.41	4.74	1265.20	2069.57
123.800	700.00	0.00	0.00	800.30	6700.00	810.14	0.00	810.52	8.36	4.92	1362.80	2317.45
123.800	700.00	0.00	0.00	800.30	8420.00	811.47	0.00	811.91	8.29	5.30	1587.59	2923.92

FORM 1411 RE-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRICS	EG	10K*S	VCM	ARSA	.01K
123.900	1.00	821.00	817.70	801.30	4392.00	806.03	0.00	808.36	9.55	4.42	992.06	1620.77
123.900	1.00	821.00	817.70	802.30	5002.00	809.54	0.00	809.91	9.26	4.08	1228.84	1971.54
123.900	1.00	821.00	817.70	802.30	5702.00	810.13	0.00	810.53	9.20	5.06	1334.04	2200.83
123.900	1.00	821.00	817.70	800.30	3620.00	811.46	0.00	811.93	9.11	5.46	1545.42	2709.65
124.000	50.00	821.00	817.70	801.90	4390.00	808.03	0.00	808.50	19.15	5.50	798.36	1003.27
124.000	50.00	821.00	817.70	801.90	5002.00	809.53	0.00	810.00	16.21	5.53	1029.85	1490.66
124.000	50.00	821.00	817.70	801.90	5702.00	810.12	0.00	810.66	15.48	5.97	1122.93	1703.10
124.000	50.00	821.00	817.70	801.90	3620.00	811.45	0.00	812.07	14.31	5.29	1337.64	2226.19
124.100	1.00	0.00	0.00	801.90	4390.00	805.07	0.00	808.51	17.01	5.30	827.64	1064.43
124.100	1.00	0.00	0.00	801.90	6000.00	809.59	0.00	810.07	14.48	5.63	1065.86	1576.94
124.100	1.00	0.00	0.00	801.90	5702.00	810.17	0.00	810.69	13.85	5.77	1161.64	1800.46
124.100	1.00	0.00	0.00	801.90	3620.00	811.52	0.00	812.08	12.65	6.09	1332.24	2349.15
124.200	250.00	0.00	0.00	801.40	4270.00	808.49	0.00	808.81	17.69	5.01	935.12	1238.20
124.200	200.00	0.00	0.00	801.40	3920.00	809.87	0.00	810.34	11.41	5.62	1175.36	1752.90
124.200	200.00	0.00	0.00	801.40	6650.00	810.43	0.00	810.94	11.33	5.87	1272.67	1975.63
124.200	250.00	0.00	0.00	801.40	5420.00	811.99	0.00	812.55	11.05	6.30	1505.37	2532.52
125.000	1500.00	0.00	0.00	802.20	4270.00	809.53	0.00	809.87	9.45	4.39	1034.46	1386.64
125.000	1000.00	0.00	0.00	802.20	5920.00	810.99	0.00	811.36	9.04	4.95	1297.70	1988.74
125.000	1000.00	0.00	0.00	802.20	6650.00	811.56	0.00	811.96	8.94	5.16	1406.02	2224.34
125.000	1000.00	0.00	0.00	802.20	5420.00	812.85	0.00	813.32	8.67	5.56	1660.03	2858.85

FORM 1911-GB PRINTED BY ROTARY HARIFOLD FORMS.

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 153

SECNO	Q	CHSEL	DIFUSP	DIFUSX	DIFKUS	TOPWID	XLCH
102.000	4390.00	797.86	0.00	0.00	0.04	3337.25	3575.00
102.000	6000.00	798.36	0.00	0.00	0.00	3554.97	3575.00
102.000	6700.00	798.05	0.00	0.00	0.22	3375.41	3575.00
102.000	8420.00	799.46	0.00	0.00	-0.07	3389.37	3575.00
102.500	4390.00	796.42	0.00	0.56	0.00	3044.97	2950.00
102.500	6000.00	799.10	0.00	0.53	0.00	3443.40	2950.00
102.500	6700.00	799.32	0.00	0.51	0.00	3439.99	2950.00
102.500	8420.00	799.95	0.00	0.49	0.00	3529.97	2950.00
103.000	4390.00	798.01	0.00	0.59	0.00	2456.05	1590.00
103.000	6000.00	799.47	0.00	0.37	0.00	2513.05	1590.00
103.000	6700.00	799.73	0.00	0.36	0.00	2534.90	1590.00
103.000	8421.00	800.50	0.00	0.47	0.00	2733.30	1590.00
104.000	4390.00	800.11	0.00	1.39	0.00	2270.16	4025.00
104.000	6000.00	800.80	0.00	1.33	0.00	2389.06	4025.00
104.000	6700.00	801.06	0.00	1.34	0.00	2410.46	4025.00
104.000	8420.00	801.64	0.00	1.35	0.00	2599.61	4025.00
105.000	4390.00	800.54	0.00	0.24	0.00	1971.05	675.00
105.000	6000.00	801.05	0.00	0.25	0.00	2029.24	675.00
105.000	6700.00	801.32	0.00	0.26	0.00	2042.41	675.00
105.000	8420.00	801.91	0.00	0.27	0.00	2193.34	675.00
106.000	4390.00	800.93	0.00	0.59	0.00	1325.16	1435.00
106.000	6000.00	801.67	0.00	0.62	0.00	1325.98	1435.00
106.000	6700.00	301.95	0.00	0.63	0.00	1326.26	1435.00
106.000	8420.00	802.56	0.00	0.65	0.00	1826.95	1435.00
107.000	4390.00	801.82	0.00	0.39	0.00	1205.60	1275.00
107.000	6000.00	302.59	0.00	0.92	0.00	1211.75	1275.00
107.000	6700.00	802.87	0.00	0.92	0.00	1212.00	1275.00
107.000	8420.00	803.46	0.00	0.93	0.00	1213.86	1275.00
108.700	3790.00	802.22	0.00	0.40	0.00	229.98	1075.00
108.700	5200.00	803.05	0.00	0.46	0.00	242.74	1075.00
108.700	5800.00	803.36	0.00	0.49	0.00	247.45	1075.00
108.700	7290.00	804.22	0.00	0.54	0.00	257.70	1075.00
108.800	3790.00	802.39	0.00	0.17	0.00	107.08	350.00
108.800	5200.00	803.26	0.00	0.21	0.00	107.09	350.00
108.800	5800.00	803.59	0.00	0.23	0.00	107.10	350.00
108.800	7290.00	804.29	0.00	0.27	0.00	107.11	350.00
108.900	4390.00	802.33	0.00	-0.06	0.00	107.08	1.00
108.900	6000.00	803.17	0.00	-0.09	0.00	107.09	1.00
108.900	6700.00	803.48	0.00	-0.11	0.00	107.10	1.00
108.900	8420.00	804.14	0.00	-0.15	0.00	107.11	1.00
109.000	4390.00	802.45	0.00	0.12	0.00	107.08	35.00
109.000	6000.00	803.35	0.00	0.18	0.00	107.10	35.00
109.000	6700.00	803.66	0.00	0.21	0.00	107.10	35.00
109.000	8420.00	804.42	0.00	0.28	0.00	107.11	35.00

FORM 1411-GR PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	D	CUSEL	DIFUSP	DIFUSY	DIFKUS	TOPWID	XLCH
109.100	4390.00	802.43	0.00	0.03	0.00	107.08	0.00
109.100	6000.00	803.40	0.00	0.06	0.00	107.10	0.00
109.100	6700.00	805.74	0.00	0.06	0.00	107.12	0.00
109.100	8420.00	804.50	0.00	0.08	0.00	107.11	0.00
109.200	4390.00	802.63	0.00	0.14	0.00	222.29	100.00
109.200	6000.00	803.63	0.00	0.24	0.00	240.49	100.00
109.200	6700.00	804.32	0.00	0.29	0.00	248.91	100.00
109.200	8420.00	806.91	0.00	0.41	0.00	265.96	100.00
110.000	4390.00	803.02	0.00	0.39	0.00	312.17	650.00
110.000	6000.00	804.16	0.00	0.53	0.00	343.41	650.00
110.000	6700.00	804.87	0.00	0.61	0.00	344.74	650.00
110.000	8420.00	805.63	0.00	0.72	0.00	347.61	650.00
110.900	4390.00	803.54	0.00	0.62	0.00	385.73	3450.00
110.900	6000.00	804.87	0.00	0.79	0.00	450.00	3450.00
110.900	6700.00	805.36	0.00	0.75	0.00	450.00	3450.00
110.900	8420.00	806.53	0.00	0.82	0.00	450.00	3450.00
111.000	4390.00	803.91	0.00	-0.73	0.00	214.19	2.00
111.000	6000.00	804.85	0.00	-0.53	0.00	450.00	2.00
111.000	6700.00	805.33	0.00	-0.03	0.00	450.00	2.00
111.000	8420.00	806.43	0.00	-0.03	0.00	450.00	2.00
111.100	4390.00	803.66	0.00	0.24	0.00	287.65	2.00
111.100	6000.00	804.39	0.00	0.34	0.00	450.00	2.00
111.100	6700.00	805.37	0.00	0.34	0.00	450.00	2.00
111.100	8420.00	806.47	0.00	0.05	0.00	450.00	2.00
112.000	4390.00	803.90	0.00	0.23	0.00	323.34	1400.00
112.000	6000.00	805.15	0.00	0.26	0.00	317.43	1400.00
112.000	6700.00	805.64	0.00	0.27	0.00	321.94	1400.00
112.000	8420.00	806.76	0.00	0.29	0.00	419.61	1400.00
113.000	4390.00	804.09	0.00	0.20	0.00	307.64	1700.00
113.000	6000.00	805.39	0.00	0.24	0.00	319.80	1700.00
113.000	6700.00	805.89	0.00	0.25	0.00	323.08	1700.00
113.000	8420.00	807.03	0.00	0.27	0.00	332.71	1700.00
114.000	4390.00	804.30	0.00	0.21	0.00	309.53	1450.00
114.000	6000.00	805.62	0.00	0.23	0.00	327.95	1450.00
114.000	6700.00	806.13	0.00	0.24	0.00	345.20	1450.00
114.000	8420.00	807.30	0.00	0.26	0.00	352.09	1450.00
115.000	4390.00	804.54	0.00	0.25	0.00	544.19	1500.00
115.000	6000.00	805.89	0.00	0.27	0.00	546.13	1500.00
115.000	6700.00	806.42	0.00	0.28	0.00	549.67	1500.00
115.000	8420.00	807.60	0.00	0.31	0.00	553.74	1500.00
115.700	4390.00	804.80	0.00	0.26	0.00	544.94	1600.00
115.700	6000.00	806.16	0.00	0.27	0.00	548.93	1600.00
115.700	6700.00	806.68	0.00	0.27	0.00	550.47	1600.00
115.700	8420.00	807.88	0.00	0.28	0.00	553.98	1600.00

FORM 141-08 PRINTED BY ROYALTY MANIFOLD FORMS.

SECNO	Q	CJSEL	DIFJSP	DIFJSX	DIFKHS	TOPJID	XLCH
115.000	4390.00	805.03	0.00	0.23	0.00	269.65	1500.00
115.000	6000.00	806.40	0.00	0.29	0.00	280.51	1500.00
115.000	6700.00	806.91	0.00	0.29	0.00	290.17	1500.00
115.000	8420.00	808.13	0.00	0.25	0.00	319.25	1500.00
115.900	4390.00	805.03	0.00	-0.00	0.00	269.65	1.00
115.900	6000.00	806.39	0.00	-0.00	0.00	280.59	1.00
115.900	6700.00	806.92	0.00	-0.00	0.00	290.17	1.00
115.900	8420.00	808.13	0.00	-0.00	0.00	319.25	1.00
116.000	4390.00	805.06	0.00	0.03	0.00	269.53	66.00
116.000	6000.00	806.43	0.00	0.04	0.00	280.45	66.00
116.000	6700.00	806.96	0.00	0.04	0.00	290.03	66.00
116.000	8420.00	808.17	0.00	0.04	0.00	319.14	66.00
116.100	4390.00	805.07	0.00	0.01	0.00	269.52	1.00
116.100	6000.00	806.44	0.00	0.01	0.00	280.62	1.00
116.100	6700.00	806.97	0.00	0.01	0.00	290.19	1.00
116.100	8420.00	808.18	0.00	0.01	0.00	319.42	1.00
116.200	4390.00	805.10	0.00	0.00	0.00	269.52	400.00
116.200	6000.00	806.52	0.00	0.00	0.00	280.53	400.00
116.200	6700.00	807.06	0.00	0.00	0.00	290.04	400.00
116.200	8420.00	808.27	0.00	0.00	0.00	319.05	400.00
117.000	4390.00	805.34	0.00	0.40	0.00	269.24	1300.00
117.000	6000.00	806.95	0.00	0.43	0.00	317.59	1300.00
117.000	6700.00	807.50	0.00	0.44	0.00	332.51	2000.00
117.000	8420.00	808.73	0.00	0.46	0.00	361.77	2000.00
117.900	4390.00	805.77	0.00	0.25	0.00	281.46	1300.00
117.900	6000.00	807.19	0.00	0.25	0.00	297.95	1300.00
117.900	6700.00	807.75	0.00	0.25	0.00	290.37	1300.00
117.900	8420.00	808.99	0.00	0.25	0.00	295.51	1300.00
118.000	4390.00	805.78	0.00	0.00	0.00	282.73	40.00
118.000	6000.00	807.21	0.00	0.01	0.00	298.54	40.00
118.000	6700.00	807.75	0.00	0.00	0.00	291.37	40.00
118.000	8420.00	809.00	0.00	0.01	0.00	296.61	40.00
118.100	4390.00	805.85	0.00	0.08	0.00	255.01	600.00
118.100	6000.00	807.27	0.00	0.07	0.00	267.74	600.00
118.100	6700.00	807.83	0.00	0.07	0.00	272.71	600.00
118.100	8420.00	809.07	0.00	0.07	0.00	283.77	600.00
119.000	4390.00	805.99	0.00	0.14	0.00	271.57	500.00
119.000	6000.00	807.42	0.00	0.15	0.00	282.18	500.00
119.000	6700.00	807.98	0.00	0.16	0.00	287.79	500.00
119.000	8420.00	809.24	0.00	0.17	0.00	300.38	500.00
120.000	4390.00	806.10	0.00	0.19	0.00	297.40	950.00
120.000	6000.00	807.62	0.00	0.20	0.00	304.95	950.00
120.000	6700.00	808.19	0.00	0.21	0.00	323.10	950.00
120.000	8420.00	809.49	0.00	0.22	0.00	342.08	950.00

FORM 1311-HD PRINTED BY ROYAFF MANIFOLD FORMS

SECNO	Q	CHSEL	DIFHSP	DIFHSX	DIFKHS	TOPWID	X_CH
121.000	4390.00	806.67	0.00	0.49	0.00	156.98	2650.00
121.000	6000.00	808.14	0.00	0.51	0.00	277.18	2650.00
121.000	6700.00	808.71	0.00	0.52	0.00	241.20	2650.00
121.000	8420.00	810.00	0.00	0.55	0.00	290.24	2650.00
121.900	4390.00	806.80	0.00	0.13	0.00	151.39	700.00
121.900	6000.00	808.25	0.00	0.14	0.00	157.95	700.00
121.900	6700.00	808.82	0.00	0.14	0.00	160.52	700.00
121.900	8420.00	810.10	0.00	0.10	0.00	166.29	700.00
121.900	4390.00	806.79	0.00	-0.01	0.00	151.38	1.00
121.900	6000.00	808.24	0.00	-0.01	0.00	157.93	1.00
121.900	6700.00	808.81	0.00	-0.01	0.00	160.50	1.00
121.900	8420.00	810.09	0.00	-0.01	0.00	166.26	1.00
122.000	4390.00	806.87	0.00	0.00	0.00	151.55	50.00
122.000	6000.00	808.32	0.00	0.00	0.00	157.76	50.00
122.000	6700.00	808.88	0.00	0.00	0.00	160.27	50.00
122.000	8420.00	810.16	0.00	0.00	0.00	165.91	50.00
122.100	4390.00	806.90	0.00	0.03	0.00	151.49	1.00
122.100	6000.00	808.35	0.00	0.04	0.00	157.95	1.00
122.100	6700.00	808.92	0.00	0.04	0.00	160.47	1.00
122.100	8420.00	810.20	0.00	0.04	0.00	166.16	1.00
122.200	4390.00	807.24	0.00	0.36	0.00	176.99	200.00
122.200	6000.00	808.74	0.00	0.39	0.00	183.36	200.00
122.200	6700.00	809.32	0.00	0.40	0.00	186.52	200.00
122.200	8420.00	810.62	0.00	0.42	0.00	192.47	200.00
123.000	4390.00	807.63	0.00	0.57	0.00	174.97	1100.00
123.000	6000.00	809.14	0.00	0.60	0.00	181.72	1100.00
123.000	6700.00	809.73	0.00	0.61	0.00	184.77	1100.00
123.000	8420.00	811.05	0.00	0.63	0.00	191.50	1100.00
123.800	4390.00	808.04	0.00	0.41	0.00	157.53	700.00
123.800	6000.00	809.55	0.00	0.41	0.00	163.76	700.00
123.800	6700.00	810.14	0.00	0.42	0.00	166.20	700.00
123.800	8420.00	811.47	0.00	0.42	0.00	171.04	700.00
123.900	4390.00	808.03	0.00	-0.01	0.00	157.53	1.00
123.900	6000.00	809.54	0.00	-0.01	0.00	163.74	1.00
123.900	6700.00	810.13	0.00	-0.01	0.00	166.18	1.00
123.900	8420.00	811.46	0.00	-0.01	0.00	171.03	1.00
124.000	4390.00	808.03	0.00	-0.01	0.00	154.35	50.00
124.000	6000.00	809.53	0.00	-0.01	0.00	160.50	50.00
124.000	6700.00	810.12	0.00	-0.01	0.00	162.91	50.00
124.000	8420.00	811.45	0.00	-0.01	0.00	168.34	50.00
124.100	4390.00	808.07	0.00	0.04	0.00	154.52	1.00
124.100	6000.00	809.58	0.00	0.05	0.00	160.70	1.00
124.100	6700.00	810.17	0.00	0.05	0.00	163.11	1.00
124.100	8420.00	811.50	0.00	0.05	0.00	168.55	1.00

FORM 101-60-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	C	CNSEL	DIFWSP	DIFWSX	DIFSWS	TOPJID	XLCH
124.200	6270.00	638.49	0.00	0.35	0.00	165.92	200.00
124.200	5920.00	609.87	0.00	0.25	0.00	171.84	200.00
124.200	6650.00	670.46	0.00	0.25	0.00	174.13	200.00
124.200	6420.00	641.73	0.00	0.22	0.01	180.77	200.00
125.000	6270.00	639.58	0.00	1.15	0.00	182.88	1000.00
125.000	5920.00	610.99	0.00	1.13	0.00	190.00	1000.00
125.000	6650.00	671.56	0.00	1.18	0.00	192.86	1000.00
125.000	6420.00	642.63	0.00	1.12	0.00	199.13	1000.00

SUMMARY OF ERRORS

FORM 1411-GR-PRINTED BY ROTARY MANIFOLD FORMS.

FLOOD INSURANCE ZONE DATA FOR KALAMAZOO RIVER

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND		
		10%	2%	0.2%
102.000	0.	-1.8	-0.2	0.6
102.500	2950.	-0.9	-0.3	0.6
103.000	6540.	-0.9	-0.3	0.6
104.000	8565.	-1.0	-0.3	0.6
105.000	9240.	-1.2	-0.3	0.6
106.000	10675.	-1.0	-0.3	0.6
107.000	11950.	-1.2	-0.2	0.6
108.700	13025.	-1.1	-0.3	0.7
108.800	13375.	-1.2	-0.3	0.7
108.900	13376.	-1.1	-0.3	0.7
109.000	13611.	-1.2	-0.3	0.7
109.100	13612.	-1.2	-0.3	0.7
109.200	13612.	-1.2	-0.4	0.7
110.000	14162.	-1.6	-0.4	1.0
110.900	17612.	-1.7	-0.5	1.1
111.000	17614.	-1.7	-0.5	1.1
111.100	17616.	-1.7	-0.5	1.1
112.000	19016.	-1.8	-0.4	1.1
113.000	20716.	-1.8	-0.5	1.1
114.000	22166.	-1.8	-0.5	1.2
115.000	23666.	-1.9	-0.5	1.2
115.700	25266.	-1.9	-0.5	1.2
115.800	26566.	-1.9	-0.5	1.2
115.900	26567.	-1.9	-0.5	1.2
116.000	26651.	-1.9	-0.5	1.2
116.100	26652.	-1.9	-0.5	1.2
116.200	27032.	-1.9	-0.5	1.2
117.000	29032.	-2.0	-0.5	1.2
117.900	30932.	-2.0	-0.6	1.2
118.000	30972.	-2.0	-0.6	1.2
118.100	30772.	-2.0	-0.6	1.2
119.000	31272.	-2.0	-0.5	1.3
120.000	32222.	-2.0	-0.6	1.3
121.000	34872.	-2.0	-0.6	1.3
121.800	35572.	-2.0	-0.6	1.3
121.900	35573.	-2.0	-0.6	1.3
122.000	35631.	-2.0	-0.6	1.3
122.100	35632.	-2.0	-0.6	1.3
122.200	35832.	-2.1	-0.6	1.3
123.000	36932.	-2.1	-0.6	1.3
123.800	37632.	-2.1	-0.6	1.3
123.900	37633.	-2.1	-0.6	1.3
124.000	37691.	-2.1	-0.6	1.3
124.100	37692.	-2.1	-0.6	1.3
124.200	37892.	-2.0	-0.6	1.3
125.000	38892.	-2.0	-0.6	1.3
WEIGHTED AVG FOR REACH		-1.6	-0.4	1.0

THE FOR THE REACH IS 0.15 WITH 64.5% OF THE REACH WITHIN 0.5 FEET
ZONE FOR THE REACH IS A3

FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 100	10	DIFF.	NTD. AVG.	FHF	PERCENT WITHIN
	C.				SEC.	102.000	
1	169.	797.9	798.9	-1.0	-1.0	010	100.
2	338.	797.9	798.9	-1.0	-1.0	010	100.
3	507.	797.9	798.9	-1.0	-1.0	010	100.
4	676.	798.0	799.0	-1.0	-1.0	010	100.
5	845.	798.0	799.0	-1.0	-1.0	010	100.
6	1014.	798.0	799.0	-1.0	-1.0	010	100.
7	1183.	798.0	799.0	-1.0	-1.0	010	100.
8	1352.	798.1	799.1	-1.0	-1.0	010	100.
9	1521.	798.1	799.1	-1.0	-1.0	010	100.
10	1690.	798.2	799.1	-1.0	-1.0	010	100.
11	1859.	798.2	799.2	-1.0	-1.0	010	100.
12	2028.	798.2	799.2	-1.0	-1.0	010	100.
13	2197.	798.3	799.2	-1.0	-1.0	010	100.
14	2366.	798.3	799.2	-1.0	-1.0	010	100.
15	2535.	798.3	799.3	-1.0	-1.0	010	100.
16	2704.	798.4	799.3	-0.9	-1.0	010	100.
17	2873.	798.4	799.3	-0.9	-1.0	010	100.
	2950.				SEC.	102.500	
18	3042.	798.4	799.4	-0.9	-1.0	010	100.
19	3211.	798.5	799.4	-0.9	-1.0	010	100.
20	3380.	798.5	799.4	-0.9	-1.0	010	100.
21	3549.	798.5	799.5	-0.9	-1.0	010	100.
22	3718.	798.6	799.5	-0.9	-1.0	010	100.
23	3887.	798.6	799.6	-0.9	-1.0	010	100.
24	4056.	798.7	799.6	-0.9	-1.0	010	100.
25	4225.	798.7	799.6	-0.9	-1.0	010	100.
26	4394.	798.8	799.7	-0.9	-1.0	010	100.
	4540.				SEC.	103.000	
27	4563.	798.8	799.7	-0.9	-1.0	010	100.
28	4732.	798.8	799.8	-0.9	-1.0	010	100.
29	4901.	798.9	799.8	-0.9	-1.0	010	100.
30	5070.	799.0	799.9	-0.9	-1.0	010	100.
31	5239.	799.0	799.9	-0.9	-0.9	010	100.
32	5408.	799.1	800.0	-0.9	-0.9	010	100.
33	5577.	799.1	800.0	-0.9	-0.9	010	100.
34	5746.	799.2	800.1	-0.9	-0.9	010	100.
35	5915.	799.2	800.2	-0.9	-0.9	010	100.
36	6084.	799.3	800.2	-0.9	-0.9	010	100.
37	6253.	799.3	800.3	-0.9	-0.9	010	100.
38	6422.	799.4	800.3	-0.9	-0.9	010	100.
39	6591.	799.4	800.4	-0.9	-0.9	010	100.
40	6760.	799.5	800.4	-0.9	-0.9	010	100.
41	6929.	799.6	800.5	-0.9	-0.9	010	100.
42	7098.	799.6	800.5	-0.9	-0.9	010	100.
43	7267.	799.7	800.6	-0.9	-0.9	010	100.
44	7436.	799.7	800.7	-0.9	-0.9	010	100.
45	7605.	799.8	800.7	-0.9	-0.9	010	100.
46	7774.	799.8	800.8	-0.9	-0.9	010	100.
47	7943.	799.9	800.8	-0.9	-0.9	010	100.
48	8112.	799.9	800.9	-0.9	-0.9	010	100.
49	8281.	800.0	800.9	-0.9	-0.9	010	100.
50	8450.	800.0	801.0	-1.0	-0.9	010	100.

FORM 32H-CO PRINTED BY ROYALTY HABIT-O-D FORMS, INC. IN U.S.A.

51	8619.	800.1	801.1	-1.0	-0.9	010	100.
52	8788.	800.2	801.1	-1.0	-0.9	010	100.
53	8957.	800.2	801.2	-1.0	-0.9	010	100.
54	9125.	800.3	801.2	-1.0	-0.9	010	100.
	9240.				SEC.	105.000	
55	9294.	800.3	801.3	-1.0	-0.9	010	100.
56	9463.	800.4	801.4	-1.0	-0.9	010	100.
57	9633.	800.5	801.5	-1.0	-0.9	010	100.
58	9802.	800.5	801.5	-1.0	-0.9	010	100.
59	9971.	800.6	801.6	-1.0	-0.9	010	100.
60	10140.	800.7	801.7	-1.0	-1.0	010	100.
61	10309.	800.7	801.7	-1.0	-1.0	010	100.
62	10478.	800.8	801.8	-1.0	-1.0	010	100.
63	10647.	800.9	801.9	-1.0	-1.0	010	100.
	10675.				SEC.	106.000	
64	10676.	801.0	802.0	-1.0	-1.0	010	100.
65	10955.	801.1	802.1	-1.1	-1.0	010	100.
66	11154.	801.2	802.2	-1.1	-1.0	010	100.
67	11323.	801.3	802.4	-1.0	-1.0	010	100.
68	11492.	801.4	802.5	-1.0	-1.0	010	100.
69	11661.	801.6	802.6	-1.2	-1.0	010	100.
70	11830.	801.7	802.7	-1.2	-1.0	010	100.
	11950.				SEC.	107.200	
71	11999.	801.8	802.8	-1.2	-1.0	010	100.
72	12168.	801.9	802.9	-1.1	-1.0	010	100.
73	12337.	801.9	803.0	-1.1	-1.0	010	100.
74	12506.	802.0	803.1	-1.1	-1.0	010	100.
75	12675.	802.1	803.2	-1.1	-1.0	010	100.
76	12844.	802.1	803.2	-1.1	-1.0	010	100.
77	13013.	802.2	803.3	-1.1	-1.0	010	100.
	13025.				SEC.	108.700	
78	13182.	802.3	803.4	-1.1	-1.0	010	100.
79	13351.	802.3	803.5	-1.2	-1.0	010	100.
	13375.				SEC.	110.800	
	13376.				SEC.	110.900	
	13411.				SEC.	109.300	
	13412.				SEC.	109.100	
	13512.				SEC.	109.200	
80	13520.	802.6	804.0	-1.4	-1.0	010	100.
81	13689.	802.7	804.1	-1.4	-1.0	010	100.
82	13858.	802.8	804.3	-1.5	-1.0	010	100.
83	14027.	802.9	804.4	-1.5	-1.0	010	99.
	14162.				SEC.	110.000	
84	14196.	803.0	804.5	-1.6	-1.0	010	98.
85	14365.	803.0	804.6	-1.6	-1.0	010	96.
86	14534.	803.1	804.7	-1.6	-1.0	010	95.
87	14703.	803.1	804.7	-1.6	-1.0	010	95.
88	14872.	803.1	804.7	-1.6	-1.0	010	94.
89	15041.	803.2	804.8	-1.6	-1.0	010	93.
90	15210.	803.2	804.8	-1.6	-1.0	010	92.
91	15379.	803.2	804.9	-1.6	-1.1	010	91.
92	15548.	803.3	804.9	-1.6	-1.1	010	90.
93	15717.	803.3	804.9	-1.6	-1.1	010	89.
94	15886.	803.3	805.0	-1.6	-1.1	010	89.
95	16055.	803.3	805.0	-1.7	-1.1	010	88.
96	16224.	803.4	805.0	-1.7	-1.1	010	88.
97	16393.	803.4	805.1	-1.7	-1.1	010	87.
98	16562.	803.4	805.1	-1.7	-1.1	010	87.
99	16731.	803.5	805.1	-1.7	-1.1	010	87.
100	16900.	803.5	805.2	-1.7	-1.1	010	87.
101	17069.	803.5	805.2	-1.7	-1.1	010	87.
102	17238.	803.6	805.3	-1.7	-1.1	010	87.
103	17407.	803.6	805.3	-1.7	-1.1	010	87.

FORM 1511 GO-PRINTED BY ROTARY MANIFOLD FORMS.

	17612.				SEC.	110.900	
	17614.				SEC.	111.000	
	17616.				SEC.	111.100	
105	17745.	803.7	805.4	-1.7	-1.1	010	87.
106	17914.	803.7	805.4	-1.7	-1.1	010	87.
107	18083.	803.7	805.4	-1.7	-1.1	010	87.
108	18252.	803.7	805.5	-1.7	-1.2	010	87.
109	18421.	803.8	805.5	-1.7	-1.2	010	87.
110	18590.	803.8	805.5	-1.7	-1.2	010	87.
111	18759.	803.8	805.6	-1.7	-1.2	010	87.
112	18928.	803.9	805.6	-1.7	-1.2	010	87.
	19016.				SEC.	112.000	
113	19097.	803.9	805.6	-1.8	-1.2	010	87.
114	19266.	803.9	805.7	-1.8	-1.2	010	87.
115	19435.	803.9	805.7	-1.8	-1.2	010	87.
116	19604.	803.9	805.7	-1.8	-1.2	010	87.
117	19773.	804.0	805.7	-1.8	-1.2	010	86.
118	19942.	804.0	805.8	-1.8	-1.2	010	86.
119	20111.	804.0	805.8	-1.8	-1.2	010	87.
120	20280.	804.0	805.8	-1.8	-1.2	010	87.
121	20449.	804.0	805.8	-1.8	-1.2	010	86.
122	20617.	804.1	805.9	-1.8	-1.2	010	86.
	20716.				SEC.	113.000	
123	20787.	804.1	805.9	-1.8	-1.2	010	15.
124	20956.	804.1	805.9	-1.8	-1.2	010	85.
125	21125.	804.1	805.9	-1.8	-1.2	010	85.
126	21294.	804.2	806.0	-1.8	-1.2	010	87.
127	21463.	804.2	806.0	-1.8	-1.2	010	87.
128	21632.	804.2	806.0	-1.8	-1.3	015	87.
129	21801.	804.2	806.1	-1.8	-1.3	015	87.
130	21970.	804.3	806.1	-1.8	-1.3	015	87.
131	22139.	804.3	806.1	-1.8	-1.3	015	87.
	22166.				SEC.	114.000	
132	22308.	804.3	806.1	-1.8	-1.3	015	87.
133	22477.	804.3	806.2	-1.8	-1.3	015	87.
134	22646.	804.4	806.2	-1.8	-1.3	015	87.
135	22815.	804.4	806.2	-1.8	-1.3	015	87.
136	22984.	804.4	806.3	-1.9	-1.3	015	88.
137	23153.	804.4	806.3	-1.9	-1.3	015	88.
138	23322.	804.5	806.3	-1.9	-1.3	015	83.
139	23491.	804.5	806.4	-1.9	-1.3	015	88.
140	23660.	804.5	806.4	-1.9	-1.3	015	88.
	23666.				SEC.	115.000	
141	23829.	804.6	806.4	-1.9	-1.3	015	88.
142	23998.	804.6	806.5	-1.9	-1.3	015	88.
143	24167.	804.6	806.5	-1.9	-1.3	015	86.
144	24336.	804.6	806.5	-1.9	-1.3	015	88.
145	24505.	804.7	806.5	-1.9	-1.3	015	00.
146	24674.	804.7	806.6	-1.9	-1.3	015	86.
147	24843.	804.7	806.6	-1.9	-1.3	015	86.
148	25012.	804.7	806.6	-1.9	-1.3	015	89.
149	25181.	804.8	806.7	-1.9	-1.3	015	89.
	25266.				SEC.	115.700	
150	25350.	804.8	806.7	-1.9	-1.3	015	88.
151	25519.	804.8	806.7	-1.9	-1.3	015	88.
152	25688.	804.9	806.7	-1.9	-1.3	015	88.
153	25857.	804.9	806.8	-1.9	-1.4	015	88.
154	26026.	804.9	806.8	-1.9	-1.4	015	88.
155	26195.	805.0	806.8	-1.9	-1.4	015	38.
156	26364.	805.0	806.9	-1.9	-1.4	015	88.
157	26533.	805.0	806.9	-1.9	-1.4	015	88.
	26566.				SEC.	115.900	
	26587.				SEC.	115.900	

PRINTED IN U.S.A.
FORM 1011-AR-PRINTED BY ROTARY MANIFOLD FORMS.

	26632.				SEC.	116.900	
158	26702.	805.1	807.0	-1.9	-1.4	015	38.
159	26871.	805.1	807.0	-1.9	-1.4	015	38.
	27032.				SEC.	118.200	
160	27040.	805.1	807.0	-1.9	-1.4	015	80.
161	27209.	805.2	807.1	-1.9	-1.4	015	89.
162	27378.	805.2	807.1	-1.9	-1.4	015	91.
163	27547.	805.2	807.2	-1.9	-1.4	015	92.
164	27716.	805.3	807.2	-1.9	-1.4	015	93.
165	27885.	805.3	807.2	-1.9	-1.4	015	93.
166	28054.	805.3	807.3	-1.9	-1.4	015	94.
167	28223.	805.4	807.3	-1.9	-1.4	015	94.
168	28392.	805.4	807.3	-1.9	-1.4	015	93.
169	28561.	805.4	807.4	-1.9	-1.4	015	93.
170	28730.	805.5	807.4	-1.9	-1.4	015	94.
171	28899.	805.5	807.4	-1.9	-1.4	015	94.
	29032.				SEC.	117.000	
172	29068.	805.5	807.5	-2.0	-1.4	015	93.
173	29237.	805.6	807.5	-2.0	-1.4	015	92.
174	29406.	805.6	807.6	-2.0	-1.4	015	90.
175	29575.	805.6	807.6	-2.0	-1.4	015	88.
176	29744.	805.7	807.6	-2.0	-1.4	015	87.
177	29913.	805.7	807.6	-2.0	-1.4	015	85.
178	30082.	805.7	807.7	-2.0	-1.4	015	84.
179	30251.	805.7	807.7	-2.0	-1.4	015	82.
	30332.				SEC.	117.900	
	30372.				SEC.	118.000	
180	30420.	805.8	807.8	-2.0	-1.4	015	81.
181	30589.	805.8	807.8	-2.0	-1.4	015	80.
182	30758.	805.8	807.8	-2.0	-1.4	015	79.
	30772.				SEC.	118.100	
183	30927.	805.9	807.8	-2.0	-1.4	015	77.
184	31096.	805.9	807.9	-2.0	-1.4	015	75.
185	31265.	806.0	808.0	-2.0	-1.5	015	74.
	31272.				SEC.	119.000	
186	31434.	806.0	808.0	-2.0	-1.5	015	73.
187	31603.	806.0	808.0	-2.0	-1.5	015	73.
188	31772.	806.1	808.1	-2.0	-1.5	015	72.
189	31941.	806.1	808.1	-2.0	-1.5	015	71.
190	32110.	806.1	808.1	-2.0	-1.5	015	71.
	32222.				SEC.	120.000	
191	32279.	806.2	808.2	-2.0	-1.5	015	70.
192	32448.	806.2	808.2	-2.0	-1.5	015	70.
193	32617.	806.2	808.2	-2.0	-1.5	015	69.
194	32786.	806.3	808.3	-2.0	-1.5	015	69.
195	32955.	806.3	808.3	-2.0	-1.5	015	68.
196	33124.	806.3	808.3	-2.0	-1.5	015	67.
197	33293.	806.4	808.4	-2.0	-1.5	015	66.
198	33462.	806.4	808.4	-2.0	-1.5	015	66.
199	33631.	806.4	808.4	-2.0	-1.5	015	65.
200	33800.	806.5	808.5	-2.0	-1.5	015	64.
201	33969.	806.5	808.5	-2.0	-1.5	015	64.
202	34139.	806.5	808.5	-2.0	-1.5	015	64.
203	34307.	806.5	808.6	-2.0	-1.5	015	64.
204	34476.	806.6	808.6	-2.0	-1.5	015	63.
205	34645.	806.6	808.6	-2.0	-1.5	015	63.
206	34814.	806.6	808.7	-2.0	-1.5	015	63.
	34872.				SEC.	121.000	
207	34983.	806.7	808.7	-2.0	-1.5	015	63.
208	35152.	806.7	808.7	-2.0	-1.5	015	63.
209	35321.	806.7	808.8	-2.0	-1.5	015	63.
210	35490.	806.8	808.8	-2.0	-1.5	015	63.
	35572.				SEC.	122.000	

FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORMS, INC. PRINTED IN U.S.A.


	35631.					SEC.	122.000	
	35632.					SEC.	122.100	
211	35659.	806.9	808.9	-2.0	-1.5	015		63.
212	35628.	807.1	809.1	-2.0	-1.5	015		63.
	35632.					SEC.	122.200	
213	35997.	807.3	809.3	-2.1	-1.5	015		63.
214	36166.	807.3	809.4	-2.1	-1.5	015		64.
215	36335.	807.4	809.5	-2.1	-1.5	015		64.
216	36504.	807.5	809.5	-2.1	-1.5	015		64.
217	36673.	807.5	809.6	-2.1	-1.5	015		64.
218	36842.	807.6	809.7	-2.1	-1.5	015		64.
	36932.					SEC.	123.000	
219	37011.	807.6	809.7	-2.1	-1.5	015		64.
220	37180.	807.7	809.8	-2.1	-1.5	015		64.
221	37349.	807.8	809.9	-2.1	-1.5	015		64.
222	37518.	807.9	810.0	-2.1	-1.6	015		64.
	37632.					SEC.	123.100	
	37635.					SEC.	123.900	
223	37687.	808.0	810.1	-2.1	-1.6	015		63.
	37691.					SEC.	124.000	
	37692.					SEC.	124.100	
224	37856.	808.2	810.3	-2.1	-1.6	015		63.
	37892.					SEC.	124.200	
225	38025.	808.5	810.5	-2.0	-1.5	015		63.
226	38194.	808.7	810.7	-2.0	-1.5	015		63.
227	38363.	808.9	810.9	-2.0	-1.5	015		63.
228	38532.	809.1	811.1	-2.0	-1.5	015		64.
229	38701.	809.3	811.2	-2.0	-1.5	015		64.
230	38870.	809.5	811.4	-2.0	-1.5	015		64.
	38892.					SEC.	125.000	

THIS REACH CAN BE SUBDIVIDED BY INC NO. TO MEET FIA REQUIREMENTS
INPUT ZON WHERE N IS THE NUMBER OF REACHES AND THEY INPUT THE END
OF EACH REACH BY INC NO. FOR EXAMPLE 212 100 230
A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

FORM 1011-GR PRINTED BY ROTARY MANIFOLD FORMS,

```
*****************************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION -  50,51,52
*****************************************************************
```

FORM 1411.6D PRINTED BY BOTARY MANIFOLD FORMS.



LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

(A)—(A) CROSS SECTION

CORPORATE LIMIT

COUNTY BOUNDARY

FLOOD MAP

WAUBASCON CREEK
2/81

BEDFORD TOWNSHIP
CALHOUN COUNTY, MICHIGAN


SCALE: 1" = 400'

N

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK/PENNFIELD TOWNSHIP

RECEIVED
MAR 1 81981
WATER MANAGEMENT



SCALE
HORIZ. 1" = 500'
VERT. 1" = 5'


NOVEMBER 1980
REVISED MARCH 1981

SHEET 1 OF 6

HUD 2029-07
HUD 2021-07

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK / PENNFIELD TOWNSHIP



RECEIVED
MAR 18 1981
WATER MANAGEMENT

LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM

NOVEMBER-1980
REVISED MARCH-1981

SCALE
HORIZ: 1"=500'
VERT: 1"=5'

SHEET 2 OF 6

HUD 2029-07
HUD 2021-07

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK / PENNFIELD TOWNSHIP

VERONA DAM

PENNFIELD TOWNSHIP

REACH 2 ZONE A8

CITY OF BATTLE CREEK

REACH 3 ZONE A8

PENNFIELD TOWNSHIP

ELEVATION IN FEET (N.G.V.D.)

835
830
825
820
815
810
805

AF AG AH AI AJ AK

16000 16500 17000 17500 18000 18500 19000 19500 20000 20500 21000 21500 22000 22500 23000 23500 24000

DISTANCE IN FEET

LEGEND


500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

NOVEMBER - 1980
REVISED MARCH - 1981

SHEET 3 OF 6
FIRM 260229-07
FIRM 2021-07

RECEIVED
MAR 18 1981
WATER MANAGEMENT



LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

CROSS SECTION

CORPORATE LIMIT

COUNTY BOUNDARY

FLOOD MAP

BEDFORD TOWNSHIP
CALHOUN COUNTY, MICHIGAN


SCALE: 1" = 400'

N

KALAMAZOO RIVER
11/80

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK/PENNFIELD TOWNSHIP



DISTANCE IN FEET

RECEIVED
MAR 18 1981
WATER MANAGEMENT


LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

NOVEMBER-1980
REVISED MARCH-1981

SHEET 4 OF 6
HUD 2029-07
HUD 2021-07



LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

A — A CROSS SECTION

CORPORATE LIMIT

COUNTY BOUNDARY

FLOOD MAP

BEDFORD TOWNSHIP

CALHOUN COUNTY, MICHIGAN

SCALE: 1" = 400'


KALAMAZOO RIVER

11/80

N

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK/PENNFIELD TOWNSHIP



RECEIVED
MAR 6 1981
WATER MANAGEMENT

SCALE
HORIZ. 1" = 500'
VERT. 1" = 5'


NOVEMBER - 1980
REVISED MARCH - 1981

SHEET 5 OF 6

HUD 2029-07
HUD 2021-07

BATTLE CREEK RIVER PROFILE

CITY OF BATTLE CREEK / PENNFIELD TOWNSHIP



RECEIVED
MAR 16 1981
WATER MANAGEMENT

SCALE
1 INCH = 500'

NOVEMBER-1980
REVISED MARCH-1981

SHEET 6 OF 6
HUD 260291-07

MATCH LINE SEE SHEET 2

Eruin Corners

Maplehurst

CREEK

WESTERN

BM 844

School No 2

Joy Sch

Pumping Station

Poelsen Sch

Greenfield Park

BAILEY PARK

BATTLE CREEK AVE

32

33

34

27

847

850

844

840

837

838

900

920

1000

1064

950

907

906

933

AL AM AK AJ AI AH AG AO AN

LEGEND

FLOODWAY — 100 YEAR BOUNDARY — 500 YEAR BOUNDARY

A — A CROSS SECTION

CORPORATE BOUNDARIES


FLOOD MAP

PENNFIELD TOWNSHIP
CALHOUN COUNTY, MICHIGAN

RECEIVED
MAR 18 1981
WATER MANAGEMENT

N

SHEET 3 of 3
HUD 2029-10



FLOOD MAP

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

A——A CROSS SECTION

CORPORATE BOUNDARY

BATTLE CREEK RIVER
11/80


KALAMAZOO RIVER
11/80

CITY OF BATTLE CREEK
CALHOUN COUNTY, MICHIGAN

SCALE: 1"=400'

RECEIVED
MAR 18 1981
WATER MANAGEMENT

RECEIVED
MAR 18 1981
WATER MANAGEMENT



FLOOD MAP

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY


A — A CROSS SECTION

CORPORATE BOUNDARY


CITY OF BATTLE CREEK

CALHOUN COUNTY, MICHIGAN


SCALE: 1" = 400'



FLOOD MAP



LEGEND




CITY OF BATTLE CREEK
CALHOUN COUNTY, MICHIGAN

SCALE: 1" = 400'

BATTLE CREEK RIVER
11/80

KALAMAZOO RIVER
11/80



N

FLOOD MAP

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

A — A CROSS SECTION

CORPORATE BOUNDARY


CITY OF BATTLE CREEK

CALHOUN COUNTY, MICHIGAN

SCALE: 1"= 400'

BATTLE CREEK RIVER 11/80

KALAMAZOO RIVER 11/80



N

FLOOD MAP

RECEIVED
JUN 19 1981
WATER MANAGEMENT

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

A — A CROSS SECTION


CORPORATE BOUNDARY

CITY OF BATTLE CREEK
CALHOUN COUNTY, MICHIGAN

SCALE: 1" = 400'

BATTLE CREEK RIVER
11/80

KALAMAZOO RIVER
11/80



FLOOD MAP

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

CROSS SECTION

CORPORATE BOUNDARY


CITY OF BATTLE CREEK

CALHOUN COUNTY, MICHIGAN

SCALE: 1" = 400'

BATTLE CREEK RIVER
11/80

KALAMAZOO RIVER
11/80



CITY OF MARSHALL


MILL RACE

FLOOD PROFILE

FLOOD PROFILE

RICE CREEK

CITY OF MARSHALL



ELEVATION (M.S.L.)

875 880 885 890 895 900

4.5 5.0 5.5 6.0 6.5

STREAM DISTANCE (THOUSANDS OF FEET)

REACH 2
ZONE A-1


CORPORATE BOUNDARY

500 YEAR FLOOD
100 YEAR FLOOD
50 YEAR FLOOD
10 YEAR FLOOD
STREAM BED
CROSS SECTION LOCATION

CITY OF MARSHALL

RICE CREEK

FLOOD PROFILE


MARENGO TOWNSHIP
RICE CREEK
MILL RACE
KALAMAZOO RIVER
KALAMAZOO RIVER
CITY OF MARSHALL
ZONE A1
ZONE A1
ZONE A1
ZONE A
ZONE A-2
RM 1
RM 2
RM 4
RM 6
RM 7
RM 8
RM 9
RM 10
RM 11
RM 12
RM 13
RM 14
RM 15
RM 16
RM 17
RM 18
RM 19
RM 20
RM 21
RM 22
RM 23
RM 24
RM 25
RM 26
RM 27
RM 28
RM 29
RM 30
RM 31
RM 32
RM 33
RM 34
RM 35
RM 36
RM 37
RM 38
RM 39
RM 40
RM 41
RM 42
RM 43
RM 44
RM 45
RM 46
RM 47
RM 48
RM 49
RM 50
RM 51
RM 52
RM 53
RM 54
RM 55
RM 56
RM 57
RM 58
RM 59
RM 60
RM 61
RM 62
RM 63
RM 64
RM 65
RM 66
RM 67
RM 68
RM 69
RM 70
RM 71
RM 72
RM 73
RM 74
RM 75
RM 76
RM 77
RM 78
RM 79
RM 80
RM 81
RM 82
RM 83
RM 84
RM 85
RM 86
RM 87
RM 88
RM 89
RM 90
RM 91
RM 92
RM 93
RM 94
RM 95
RM 96
RM 97
RM 98
RM 99
RM 100
RM 101
RM 102
RM 103
RM 104
RM 105
RM 106
RM 107
RM 108
RM 109
RM 110
RM 111
RM 112
RM 113
RM 114
RM 115
RM 116
RM 117
RM 118
RM 119
RM 120
RM 121
RM 122
RM 123
RM 124
RM 125
RM 126
RM 127
RM 128
RM 129
RM 130
RM 131
RM 132
RM 133
RM 134
RM 135
RM 136
RM 137
RM 138
RM 139
RM 140
RM 141
RM 142
RM 143
RM 144
RM 145
RM 146
RM 147
RM 148
RM 149
RM 150
RM 151
RM 152
RM 153
RM 154
RM 155
RM 156
RM 157
RM 158
RM 159
RM 160
RM 161
RM 162
RM 163
RM 164
RM 165
RM 166
RM 167
RM 168
RM 169
RM 170
RM 171
RM 172
RM 173
RM 174
RM 175
RM 176
RM 177
RM 178
RM 179
RM 180
RM 181
RM 182
RM 183
RM 184
RM 185
RM 186
RM 187
RM 188
RM 189
RM 190
RM 191
RM 192
RM 193
RM 194
RM 195
RM 196
RM 197
RM 198
RM 199
RM 200
RM 201
RM 202
RM 203
RM 204
RM 205
RM 206
RM 207
RM 208
RM 209
RM 210
RM 211
RM 212
RM 213
RM 214
RM 215
RM 216
RM 217
RM 218
RM 219
RM 220
RM 221
RM 222
RM 223
RM 224
RM 225
RM 226
RM 227
RM 228
RM 229
RM 230
RM 231
RM 232
RM 233
RM 234
RM 235
RM 236
RM 237
RM 238
RM 239
RM 240
RM 241
RM 242
RM 243
RM 244
RM 245
RM 246
RM 247
RM 248
RM 249
RM 250
RM 251
RM 252
RM 253
RM 254
RM 255
RM 256
RM 257
RM 258
RM 259
RM 260
RM 261
RM 262
RM 263
RM 264
RM 265
RM 266
RM 267
RM 268
RM 269
RM 270
RM 271
RM 272
RM 273
RM 274
RM 275
RM 276
RM 277
RM 278
RM 279
RM 280
RM 281
RM 282
RM 283
RM 284
RM 285
RM 286
RM 287
RM 288
RM 289
RM 290
RM 291
RM 292
RM 293
RM 294
RM 295
RM 296
RM 297
RM 298
RM 299
RM 300
RM 301
RM 302
RM 303
RM 304
RM 305
RM 306
RM 307
RM 308
RM 309
RM 310
RM 311
RM 312
RM 313
RM 314
RM 315
RM 316
RM 317
RM 318
RM 319
RM 320
RM 321
RM 322
RM 323
RM 324
RM 325
RM 326
RM 327
RM 328
RM 329
RM 330
RM 331
RM 332
RM 333
RM 334
RM 335
RM 336
RM 337
RM 338
RM 339
RM 340
RM 341
RM 342
RM 343
RM 344
RM 345
RM 346
RM 347
RM 348
RM 349
RM 350
RM 351
RM 352
RM 353
RM 354
RM 355
RM 356
RM 357
RM 358
RM 359
RM 360
RM 361
RM 362
RM 363
RM 364
RM 365
RM 366
RM 367
RM 368
RM 369
RM 370
RM 371
RM 372
RM 373
RM 374
RM 375
RM 376
RM 377
RM 378
RM 379
RM 380
RM 381
RM 382
RM 383
RM 384
RM 385
RM 386
RM 387
RM 388
RM 389
RM 390
RM 391
RM 392
RM 393
RM 394
RM 395
RM 396
RM 397
RM 398
RM 399
RM 400
RM 401
RM 402
RM 403
RM 404
RM 405
RM 406
RM 407
RM 408
RM 409
RM 410
RM 411
RM 412
RM 413
RM 414
RM 415
RM 416
RM 417
RM 418
RM 419
RM 420
RM 421
RM 422
RM 423
RM 424
RM 425
RM 426
RM 427
RM 428
RM 429
RM 430
RM 431
RM 432
RM 433
RM 434
RM 435
RM 436
RM 437
RM 438
RM 439
RM 440
RM 441
RM 442
RM 443
RM 444
RM 445
RM 446
RM 447
RM 448
RM 449
RM 450
RM 451
RM 452
RM 453
RM 454
RM 455
RM 456
RM 457
RM 458
RM 459
RM 460
RM 461
RM 462
RM 463
RM 464
RM 465
RM 466
RM 467
RM 468
RM 469
RM 470
RM 471
RM 472
RM 473
RM 474
RM 475
RM 476
RM 477
RM 478
RM 479
RM 480
RM 481
RM 482
RM 483
RM 484
RM 485
RM 486
RM 487
RM 488
RM 489
RM 490
RM 491
RM 492
RM 493
RM 494
RM 495
RM 496
RM 497
RM 498
RM 499
RM 500
RM 501
RM 502
RM 503
RM 504
RM 505
RM 506
RM 507
RM 508
RM 509
RM 510
RM 511
RM 512
RM 513
RM 514
RM 515
RM 516
RM 517
RM 518
RM 519
RM 520
RM 521
RM 522
RM 523
RM 524
RM 525
RM 526
RM 527
RM 528
RM 529
RM 530
RM 531
RM 532
RM 533
RM 534
RM 535
RM 536
RM 537
RM 538
RM 539
RM 540
RM 541
RM 542
RM 543
RM 544
RM 545
RM 546
RM 547
RM 548
RM 549
RM 550
RM 551
RM 552
RM 553
RM 554
RM 555
RM 556
RM 557
RM 558
RM 559
RM 560
RM 561
RM 562
RM 563
RM 564
RM 565
RM 566
RM 567
RM 568
RM 569
RM 570
RM 571
RM 572
RM 573
RM 574
RM 575
RM 576
RM 577
RM 578
RM 579
RM 580
RM 581
RM 582
RM 583
RM 584
RM 585
RM 586
RM 587
RM 588
RM 589
RM 590
RM 591
RM 592
RM 593
RM 594
RM 595
RM 596
RM 597
RM 598
RM 599
RM 600
RM 601
RM 602
RM 603
RM 604
RM 605
RM 606
RM 607
RM 608
RM 609
RM 610
RM 611
RM 612
RM 613
RM 614
RM 615
RM 616
RM 617
RM 618
RM 619
RM 620
RM 621
RM 622
RM 623
RM 624
RM 625
RM 626
RM 627
RM 628
RM 629
RM 630
RM 631
RM 632
RM 633
RM 634
RM 635
RM 636
RM 637
RM 638
RM 639
RM 640
RM 641
RM 642
RM 643
RM 644
RM 645
RM 646
RM 647
RM 648
RM 649
RM 650
RM 651
RM 652
RM 653
RM 654
RM 655
RM 656
RM 657
RM 658
RM 659
RM 660
RM 661
RM 662
RM 663
RM 664
RM 665
RM 666
RM 667
RM 668
RM 669
RM 670
RM 671
RM 672
RM 673
RM 674
RM 675
RM 676
RM 677
RM 678
RM 679
RM 680
RM 681
RM 682
RM 683
RM 684
RM 685
RM 686
RM 687
RM 688
RM 689
RM 690
RM 691
RM 692
RM 693
RM 694
RM 695
RM 696
RM 697
RM 698
RM 699
RM 700
RM 701
RM 702
RM 703
RM 704
RM 705
RM 706
RM 707
RM 708
RM 709
RM 710
RM 711
RM 712
RM 713
RM 714
RM 715
RM 716
RM 717
RM 718
RM 719
RM 720
RM 721
RM 722
RM 723
RM 724
RM 725
RM 726
RM 727
RM 728
RM 729
RM 730
RM 731
RM 732
RM 733
RM 734
RM 735
RM 736
RM 737
RM 738
RM 739
RM 740
RM 741
RM 742
RM 743
RM 744
RM 745
RM 746
RM 747
RM 748
RM 749
RM 750
RM 751
RM 752
RM 753
RM 754
RM 755
RM 756
RM 757
RM 758
RM 759
RM 760
RM 761
RM 762
RM 763
RM 764
RM 765
RM 766
RM 767
RM 768
RM 769
RM 770
RM 771
RM 772
RM 773
RM 774
RM 775
RM 776
RM 777
RM 778
RM 779
RM 780
RM 781
RM 782
RM 783
RM 784
RM 785
RM 786
RM 787
RM 788
RM 789
RM 790
RM 791
RM 792
RM 793
RM 794
RM 795
RM 796
RM 797
RM 798
RM 799
RM 800
RM 801
RM 802
RM 803
RM 804
RM 805
RM 806
RM 807
RM 808
RM 809
RM 810
RM 811
RM 812
RM 813
RM 814
RM 815
RM 816
RM 817
RM 818
RM 819
RM 820
RM 821
RM 822
RM 823
RM 824
RM 825
RM 826
RM 827
RM 828
RM 829
RM 830
RM 831
RM 832
RM 833
RM 834
RM 835
RM 836
RM 837
RM 838
RM 839
RM 840
RM 841
RM 842
RM 843
RM 844
RM 845
RM 846
RM 847
RM 848
RM 849
RM 850
RM 851
RM 852
RM 853
RM 854
RM 855
RM 856
RM 857
RM 858
RM 859
RM 860
RM 861
RM 862
RM 863
RM 864
RM 865
RM 866
RM 867
RM 868
RM 869
RM 870
RM 871
RM 872
RM 873
RM 874
RM 875
RM 876
RM 877
RM 878
RM 879
RM 880
RM 881
RM 882
RM 883
RM 884
RM 885
RM 886
RM 887
RM 888
RM 889
RM 890
RM 891
RM 892
RM 893
RM 894
RM 895
RM 896
RM 897
RM 898
RM 899
RM 900
RM 901
RM 902
RM 903
RM 904
RM 905
RM 906
RM 907
RM 908
RM 909
RM 910
RM 911
RM 912
RM 913
RM 914
RM 915
RM 916
RM 917
RM 918
RM 919
RM 920
RM 921
RM 922
RM 923
RM 924
RM 925
RM 926
RM 927
RM 928
RM 929
RM 930
RM 931
RM 932
RM 933
RM 934
RM 935
RM 936
RM 937
RM 938
RM 939
RM 940
RM 941
RM 942
RM 943
RM 944
RM 945
RM 946
RM 947
RM 948
RM 949
RM 950
RM 951
RM 952
RM 953
RM 954
RM 955
RM 956
RM 957
RM 958
RM 959
RM 960
RM 961
RM 962
RM 963
RM 964
RM 965
RM 966
RM 967
RM 968
RM 969
RM 970
RM 971
RM 972
RM 973
RM 974
RM 975
RM 976
RM 977
RM 978
RM 979
RM 980
RM 981
RM 982
RM 983
RM 984
RM 985
RM 986
RM 987
RM 988
RM 989
RM 990
RM 991
RM 992
RM 993
RM 994
RM 995
RM 996
RM 997
RM 998
RM 999
RM 1000
RM 1001
RM 1002
RM 1003
RM 1004
RM 1005
RM 1006
RM 1007
RM 1008
RM 1009
RM 1010
RM 1011
RM 1012
RM 1013
RM 1014
RM 1015
RM 1016
RM 1017
RM 1018
RM 1019
RM 1020
RM 1021
RM 1022
RM 1023
RM 1024
RM 1025
RM 1026
RM 1027
RM 1028
RM 1029
RM 1030
RM 1031
RM 1032
RM 1033
RM 1034
RM 1035
RM 1036
RM 1037
RM 1038
RM 1039
RM 1040
RM 1041
RM 1042
RM 1043
RM 1044
RM 1045
RM 1046
RM 1047
RM 1048
RM 1049
RM 1050
RM 1051
RM 1052
RM 1053
RM 1054
RM 1055
RM 1056
RM 1057
RM 1058
RM 1059
RM 1060
RM 1061
RM 1062
RM 1063
RM 1064
RM 1065
RM 1066
RM 1067
RM 1068
RM 1069
RM 1070
RM 1071
RM 1072
RM 1073
RM 1074
RM 1075
RM 1076
RM 1077
RM 1078
RM 1079
RM 1080
RM 1081
RM 1082
RM 1083
RM 1084
RM 1085
RM 1086
RM 1087
RM 1088
RM 1089
RM 1090
RM 1091
RM 1092
RM 1093
RM 1094
RM 1095
RM 1096
RM 1097
RM 1098
RM 1099
RM 1100
RM 1101
RM 1102
RM 1103
RM 1104
RM 1105
RM 1106
RM 1107
RM 1108
RM 1109
RM 1110
RM 1111
RM 1112
RM 1113
RM 1114
RM 1115
RM 1116
RM 1117
RM 1118
RM 1119
RM 1120
RM 1121
RM 1122
RM 1123
RM 1124
RM 1125
RM 1126
RM 1127
RM 1128
RM 1129
RM 1130
RM 1131
RM 1132
RM 1133
RM 1134
RM 1135
RM 1136
RM 1137
RM 1138
RM 1139
RM 1140
RM 1141
RM 1142
RM 1143
RM 1144
RM 1145
RM 1146
RM 1147
RM 1148
RM 1149
RM 1150
RM 1151
RM 1152
RM 1153
RM 1154
RM 1155
RM 1156
RM 1157
RM 1158
RM 1159
RM 1160
RM 1161
RM 1162
RM 1163
RM 1164
RM 1165
RM 1166
RM 1167
RM 1168
RM 1169
RM 1170
RM 1171
RM 1172
RM 1173
RM 1174
RM 1175
RM 1176
RM 1177
RM 1178
RM 1179
RM 1180
RM 1181
RM 1182
RM 1183
RM 1184
RM 1185
RM 1186
RM 1187
RM 1188
RM 1189
RM 1190
RM 1191
RM 1192
RM 1193
RM 1194
RM 1195
RM 1196
RM 1197
RM 1198
RM 1199
RM 1200
RM 1201
RM 1202
RM 1203
RM 1204
RM 1205
RM 1206
RM 1207
RM 1208
RM 1209
RM 1210
RM 1211
RM 1212
RM 1213
RM 1214
RM 1215
RM 1216
RM 1217
RM 1218
RM 1219
RM 1220
RM 1221
RM 1222
RM 1223
RM 1224
RM 1225
RM 1226
RM 1227
RM 1228
RM 1229
RM 1230
RM 1231
RM 1232
RM 1233
RM 1234
RM 1235
RM 1236
RM 1237
RM 1238
RM 1239
RM 1240
RM 1241
RM 1242
RM 1243
RM 1244
RM 1245
RM 1246
RM 1247
RM 1248
RM 1249
RM 1250
RM 1251
RM 1252
RM 1253
RM 1254
RM 1255
RM 1256
RM 1257
RM 1258
RM 1259
RM 1260
RM 1261
RM 1262
RM 1263
RM 1264
RM 1265
RM 1266
RM 1267
RM 1268
RM 1269
RM 1270
RM 1271
RM 1272
RM 1273
RM 1274
RM 1275
RM 1276
RM 1277
RM 1278
RM 1279
RM 1280
RM 1281
RM 1282
RM 1283
RM 1284
RM 1285
RM 1286
RM 1287
RM 1288
RM 1289
RM 1290
RM 1291
RM 1292
RM 1293
RM 1294
RM 1295
RM 1296
RM 1297
RM 1298
RM 1299
RM 1300
RM 1301
RM 1302
RM 1303
RM 1304
RM 1305
RM 1306
RM 1307
RM 1308
RM 1309
RM 1310
RM 1311
RM 1312
RM 1313
RM 1314
RM 1315
RM 1316
RM 1317
RM 1318
RM 1319
RM 1320
RM 1321
RM 1322
RM 1323
RM 1324
RM 1325
RM 1326
RM 1327
RM 1328
RM 1329
RM 1330
RM 1331
RM 1332
RM 1333
RM 1334
RM 1335
RM 1336
RM 1337
RM 1338
RM 1339
RM 1340
RM 1341
RM 1342
RM 1343
RM 1344
RM 1345
RM 1346
RM 1347
RM 1348
RM 1349
RM 1350
RM 1351
RM 1352
RM 1353
RM 1354
RM 1355
RM 1356
RM 1357
RM 1358
RM 1359
RM 1360
RM 1361
RM 1362
RM 1363
RM 1364
RM 1365
RM 1366
RM 1367
RM 1368
RM 1369
RM 1370
RM 1371
RM 1372
RM 1373
RM 1374
RM 1375
RM 1376
RM 1377
RM 1378
RM 1379
RM 1380
RM 1381
RM 1382
RM 1383
RM 1384
RM 1385
RM 1386
RM 1387
RM 1388
RM 1389
RM 1390
RM 1391
RM 1392
RM 1393
RM 1394
RM 1395
RM 1396
RM 1397
RM 1398
RM 1399
RM 1400
RM 1401
RM 1402
RM 1403
RM 1404
RM 1405
RM 1406
RM 1407
RM 1408
RM 1409
RM 1410
RM 1411
RM 1412
RM 1413
RM 1414
RM 1415
RM 1416
RM 1417
RM 1418
RM 1419
RM 1420
RM 1421
RM 1422
RM 1423
RM 1424
RM 1425
RM 1426
RM 1427
RM 1428
RM 1429
RM 1430
RM 1431
RM 1432
RM 1433
RM 1434
RM 1435
RM 1436
RM 1437
RM 1438
RM 1439
RM 1440
RM 1441
RM 1442
RM 1443
RM 1444
RM 1445
RM 1446
RM 1447
RM 1448
RM 1449
RM 1450
RM 1451
RM 1452
RM 1453
RM 1454
RM 1455
RM 1456
RM 1457
RM 1458
RM 1459
RM 1460
RM 1461
RM 1462
RM 1463
RM 1464
RM 1465
RM 1466
RM 1467
RM 1468
RM 1469
RM 1470
RM 1471
RM 1472
RM 1473
RM 1474
RM 1475
RM 1476
RM 1477
RM 1478
RM 1479
RM 1480
RM 1481
RM 1482
RM 1483
RM 1484
RM 1485
RM 1486
RM 1487
RM 1488
RM 1489
RM 1490
RM 1491
RM 1492
RM 1493
RM 1494
RM 1495
RM 1496
RM 1497
RM 1498
RM 1499
RM 1500
RM 1501
RM 1502
RM 1503
RM 1504
RM 1505
RM 1506
RM 1507
RM 1508
RM 1509
RM 1510
RM 1511
RM 1512
RM 1513
RM 1514
RM 1515
RM 1516
RM 1517
RM 1518
RM 1519
RM 1520
RM 1521
RM 1522
RM 1523
RM 1524
RM 1525
RM 1526
RM 1527
RM 1528
RM 1529
RM 1530
RM 1531
RM 1532
RM 1533
RM 1534
RM 1535
RM 1536
RM 1537
RM 1538
RM 1539
RM 1540
RM 1541
RM 1542
RM 1543
RM 1544
RM 1545
RM 1546
RM 1547
RM 1548
RM 1549
RM 1550
RM 1551
RM 1552
RM 1553
RM 1554
RM 1555
RM 1556
RM 1557
RM 1558
RM 1559
RM 1560
RM 1561
RM 1562
RM 1563
RM 1564
RM 1565
RM 1566
RM 1567
RM 1568
RM 1569
RM 1570
RM 1571
RM 1572
RM 1573
RM 1574
RM 1575
RM 1576
RM 1577
RM 1578
RM 1579
RM 1580
RM 1581
RM 1582
RM 1583
RM 1584
RM 1585
RM 1586
RM 1587
RM 1588
RM 1589
RM 1590
RM 1591
RM 1592
RM 1593
RM 1594
RM 1595
RM 1596
RM 1597
RM 1598
RM 1599
RM 1600
RM 1601
RM 1602
RM 1603
RM 1604
RM 1605
RM 1606
RM 1607
RM 1608
RM 1609
RM 1610
RM 1611
RM 1612
RM 1613
RM 1614
RM 1615
RM 1616
RM 1617
RM 1618
RM 1619
RM 1620
RM 1621
RM 1622
RM 1623
RM 1624
RM 1625
RM 1626
RM 1627
RM 1628
RM 1629
RM 1630
RM 1631
RM 1632
RM 1633
RM 1634
RM 1635
RM 1636
RM 1637
RM 1638
RM 1639
RM 1640
RM 1641
RM 1642
RM 1643
RM 1644
RM 1645
RM 1646
RM 1647
RM 1648
RM 1649
RM 1650
RM 1651
RM 1652
RM 1653
RM 1654
RM 1655
RM 1656
RM 1657
RM 1658
RM 1659
RM 1660
RM 1661
RM 1662
RM 1663
RM 1664
RM 1665
RM 1666
RM 1667
RM 1668
RM 1669
RM 1670
RM 1671
RM 1672
RM 1673
RM 1674
RM 1675
RM 1676
RM 1677
RM 1678
RM 1679
RM 1680
RM 1681
RM 1682
RM 1683
RM 1684
RM 1685
RM 1686
RM 1687
RM 1688
RM 1689
RM 1690
RM 1691
RM 1692
RM 1693
RM 1694
RM 1695
RM 1696
RM 1697
RM 1698
RM 1699
RM 1700
RM 1701
RM 1702
RM 1703
RM 1704
RM 1705
RM 1706
RM 1707
RM 1708
RM 1709
RM 1710
RM 1711
RM 1712
RM 1713
RM 1714
RM 1715
RM 1716
RM 1717
RM 1718
RM 1719
RM 1720
RM 1721
RM 1722
RM 1723
RM 1724
RM 1725
RM 1726
RM 1727
RM 1728
RM 1729
RM 1730
RM 1731
RM 1732
RM 1733
RM 1734
RM 1735
RM 1736
RM 1737
RM 1738
RM 1739
RM 1740
RM 1741
RM 1742
RM 1743
RM 1744
RM 1745
RM 1746
RM 1747
RM 1748
RM 1749
RM 1750
RM 1751
RM 1752
RM 1753
RM 1754
RM 1755
RM 1756
RM 1757
RM 1758
RM 1759
RM 1760
RM 1761
RM 1762
RM 1763
RM 1764
RM 1765
RM 1766
RM 1767
RM 1768
RM 1769
RM 1770
RM 1771
RM 1772
RM 1773
RM 1774
RM 1775
RM 1776
RM 1777
RM 1778
RM 1779
RM 1780
RM 1781
RM 1782
RM 1783
RM 1784
RM 1785
RM 1786
RM 1787
RM 1788
RM 1789
RM 1790
RM 1791
RM 1792
RM 1793
RM 1794
RM 1795
RM 1796
RM 1797
RM 1798
RM 1799
RM 1800
RM 1801
RM 1802
RM 1803
RM 1804
RM 1805
RM 1806
RM 1807
RM 1808
RM 1809
RM 1810
RM 1811
RM 1812
RM 1813
RM 1814
RM 1815
RM 1816
RM 1817
RM 1818
RM 1819
RM 1820
RM 1821
RM 1822
RM 1823
RM 1824
RM 1825
RM 1826
RM 1827
RM 1828
RM 1829
RM 1830
RM 1831
RM 1832
RM 1833
RM 1834
RM 1835
RM 1836
RM 1837
RM 1838
RM 1839
RM 1840
RM 1841
RM 1842
RM 1843
RM 1844
RM 1845
RM 1846
RM 1847
RM 1848
RM 1849
RM 1850
RM 1851
RM 1852
RM 1853
RM 1854
RM 1855
RM 1856
RM 1857
RM 1858
RM 1859
RM 1860
RM 1861
RM 1862
RM 1863
RM 1864
RM 1865
RM 1866
RM 1867
RM 1868
RM 1869
RM 1870
RM 1871
RM 1872
RM 1873
RM 1874
RM 1875
RM 1876
RM 1877
RM 1878
RM 1879
RM 1880
RM 1881
RM 1882
RM 1883
RM 1884
RM 1885
RM 1886
RM 1887
RM 1888
RM 1889
RM 1890
RM 1891
RM 1892
RM 1893
RM 1894
RM 1895
RM 1896
RM 1897
RM 1898
RM 1899
RM 1900
RM 1901
RM 1902
RM 1903
RM 1904
RM 1905
RM 1906
RM 1907
RM 1908
RM 1909
RM 1910
RM 1911
RM 1912
RM 1913
RM 1914
RM 1915
RM 1916
RM 1917
RM 1918
RM 1919
RM 1920
RM 1921
RM 1922
RM 1923
RM 1924
RM 1925
RM 1926
RM 1927
RM 1928
RM 1929
RM 1930
RM 1931
RM 1932
RM 1933
RM 1934
RM 1935
RM 1936
RM 1937
RM 1938
RM 1939
RM 1940
RM 1941
RM 1942
RM 1943
RM 1944
RM 1945
RM 1946
RM 1947
RM 1948
RM 1949
RM 1950
RM 1951
RM 1952
RM 1953
RM 1954
RM 1955
RM 1956
RM 1957
RM 1958
RM 1959
RM 1960
RM 1961
RM 1962
RM 1963
RM 1964
RM 1965
RM 1966
RM 1967
RM 1968
RM 1969
RM 1970
RM 1971
RM 1972
RM 1973
RM 1974
RM 1975
RM 1976
RM 1977
RM 1978
RM 1979
RM 1980
RM 1981
RM 1982
RM 1983
RM 1984
RM 1985
RM 1986
RM 1987
RM 1988
RM 1989
RM 1990
RM 1991
RM 1992
RM 1993
RM 1994
RM 1995
RM 1996
RM 1997
RM 1998
RM 1999
RM 2000
RM 2001
RM 2002
RM 2003
RM 2004
RM 2005
RM 2006
RM 2007
RM 2008
RM 2009
RM 2010
RM 2011
RM 2012
RM 2013
RM 2014
RM 2015
RM 2016
RM 2017
RM 2018
RM 2019
RM 2020
RM 2021
RM 2022
RM 2023
RM 2024
RM 2025
RM 2026
RM 2027
RM 2028
RM 2029
RM 2030
RM 2031
RM 2032
RM 2033
RM 2034
RM 2035
RM 2036
RM 2037
RM 2038
RM 2039
RM 2040
RM 2041
RM 2042
RM 2043
RM 2044
RM 2045
RM 2046
RM 2047
RM 2048
RM 2049
RM 2050
RM 2051
RM 2052
RM 2053
RM 2054
RM 2055
RM 2056
RM 2057
RM 2058
RM 2059
RM 2060
RM 2061
RM 2062
RM 2063
RM 2064
RM 2065
RM 2066
RM 2067
RM 2068
RM 2069
RM 2070
RM 2071
RM 2072
RM 2073
RM 2074
RM 2075
RM 2076
RM 2077
RM 2078
RM 2079
RM 2080
RM 2081
RM 2082
RM 2083
RM 2084
RM 2085
RM 2086
RM 2087
RM 2088
RM 2089
RM 2090
RM 2091
RM 2092
RM 2093
RM 2094
RM 2095
RM 2096
RM 2097
RM 2098
RM 2099
RM 2100
RM 2101
RM 2102
RM 2103
RM 2104
RM 2105
RM 2106
RM 2107
RM 2108
RM 2109
RM 2110
RM 2111
RM 2112
RM 2113
RM 2114
RM 2115
RM 2116
RM 2117
RM 2118
RM 2119
RM 2120
RM 2121
RM 2122
RM 2123
RM 2124
RM 2125
RM 2126
RM 2127
RM 2128
RM 2129
RM 2130
RM 2131
RM 2132
RM 2133
RM 2134
RM 2135
RM 2136
RM 2137
RM 2138
RM 2139
RM 2140
RM 2141
RM 2142
RM 2143
RM 2144
RM 2145
RM 2146
RM 2147
RM 2148
RM 2149
RM 2150
RM 2151
RM 2152
RM 2153
RM 2154
RM 2155
RM 2156
RM 2157
RM 2158
RM 2159
RM 2160
RM 2161
RM 2162
RM 2163
RM 2164
RM 2165
RM 2166
RM 2167
RM 2168
RM 2169
RM 2170
RM 2171
RM 2172
RM 2173
RM 2174
RM 2175
RM 2176
RM 2177
RM 2178
RM 2179
RM 2180
RM 2181
RM 2182
RM 2183
RM 2184
RM 2185
RM 2186
RM 2187
RM 2188
RM 2189
RM 2190
RM 2191
RM 2192
RM 2193
RM 2194
RM 2195
RM 2196
RM 2197
RM 2198
RM 2199
RM 2200
RM 2201
RM 2202
RM 2203
RM 2204
RM 2205
RM 2206
RM 2207
RM 2208
RM 2209
RM 2210
RM 2211
RM 2212
RM 2213
RM 2214
RM 2215
RM 2216
RM 2217
RM 2218
RM 2219
RM 2220
RM 2221
RM 2222
RM 2223
RM 2224
RM 2225
RM 2226
RM 2227
RM 2228
RM 2229
RM 2230
RM 2231
RM 2232
RM 2233
RM 2234
RM 2235
RM 2236
RM 2237
RM 2238
RM 2239
RM 2240
RM 2241
RM 2242
RM 2243
RM 2244
RM 2245
RM 2246
RM 2247
RM 2248
RM 2249
RM 2250
RM 2251
RM 2252
RM 2253
RM 2254
RM 2255
RM 2256
RM 2257
RM 2258
RM 2259
RM 2260
RM 2261
RM 2262
RM 2263
RM 2264
RM 2265
RM 2266
RM 2267
RM 2268
RM 2269
RM 2270
RM 2271
RM 2272
RM 2273
RM 2274
RM 2275
RM 2276
RM 2277
RM 2278
RM 2279
RM 2280
RM 2281
RM 2282
RM 2283
RM 2284
RM 2285
RM 2286
RM 2287
RM 2288
RM 2289
RM 2290
RM 2291
RM 2292
RM 2293
RM 2294
RM 2295
RM 2296
RM 2297
RM 2298
RM 2299
RM 2300
RM 2301
RM 2302
RM 2303
RM 2304
RM 2305
RM 2306
RM 2307
RM 2308
RM 2309
RM 2310
RM 2311
RM 2312
RM 2313
RM 2314
RM 2315
RM 2316
RM 2317
RM 2318
RM 2319
RM 2320
RM 2321
RM 2322
RM 2323
RM 2324
RM 2325
RM 2326
RM 2327
RM 2328
RM 2329
RM 2330
RM 2331
RM 2332
RM 2333
RM 2334
RM 2335
RM 2336
RM 2337
RM 2338
RM 2339
RM 2340
RM 2341
RM 2342
RM 2343
RM 2344
RM 2345
RM 2346
RM 2347
RM 2348
RM 2349
RM 2350
RM 2351
RM 2352
RM 2353
RM 2354
RM 2355
RM 2356
RM 2357
RM 2358
RM 2359
RM 2360
RM 2361
RM 2362
RM 2363
RM 2364
RM 2365
RM 2366
RM 2367
RM 2368
RM 2369
RM 2370
RM 2371
RM 2372
RM 2373
RM 2374
RM 2375
RM 2376
RM 2377
RM 2378
RM 2379
RM 2380
RM 2381
RM 2382
RM 2383
RM 2384
RM 2385
RM 2386
RM 2387
RM 2388
RM 2389
RM 2390
RM 2391
RM 2392
RM 2393
RM 2394
RM 2395
RM 2396
RM 2397
RM 2398
RM 2399
RM 2400
RM 2401
RM 2402
RM 2403
RM 2404
RM 2405
RM 2406
RM 2407
RM 2408
RM 2409
RM 2410
RM 2411
RM 2412
RM 2413
RM 2414
RM 2415
RM 2416
RM 2417
RM 2418
RM 2419
RM 2420
RM 2421
RM 2422
RM 2423
RM 2424
RM 2425
RM 2426
RM 2427
RM 2428
RM 2429
RM 2430
RM 2431
RM 2432
RM 2433
RM 2434
RM 2435
RM 2436
RM 2437
RM 2438
RM 2439
RM 2440
RM 2441
RM 2442
RM 2443
RM 2444
RM 2445
RM 2446
RM 2447
RM 2448
RM 2449
RM 2450
RM 2451
RM 2452
RM 2453
RM 2454
RM 2455
RM 2456
RM 2457
RM 2458
RM 2459
RM 2460
RM 2461
RM 2462
RM 2463
RM 2464
RM 2465
RM 2466
RM 2467
RM 2468
RM 2469
RM 2470
RM 2471
RM 2472
RM 2473
RM 2474
RM 2475
RM 2476
RM 2477
RM 2478
RM 2479
RM 2480
RM 2481
RM 2482
RM 2483
RM 2484
RM 2485
RM 2486
RM 2487
RM 2488
RM 2489
RM 2490
RM 2491
RM 2492
RM 2493
RM 2494
RM 2495
RM 2496
RM 2497
RM 2498
RM 2499
RM 2500
RM 2501
RM 2502
RM 2503
RM 2504
RM 2505
RM 2506
RM 2507
RM 2508
RM 2509
RM 2510
RM 2511
RM 2512
RM 2513
RM 2514
RM 2515
RM 2516
RM 2517
RM 2518
RM 2519
RM 2520
RM 2521
RM 2522
RM 2523
RM 2524
RM 2525
RM 2526
RM 2527
RM 2528
RM 2529
RM 2530
RM 2531
RM 2532
RM 2533
RM 2534
RM 2535
RM 2536
RM 2537
RM 2538
RM 2539
RM 2540
RM 2541
RM 2542
RM 2543
RM 2544
RM 2545
RM 2546
RM 2547
RM 2548
RM 2549
RM 2550
RM 2551
RM 2552
RM 2553
RM 2554
RM 2555
RM 2556
RM 2557
RM 2558
RM 2559
RM 2560
RM 2561
RM 2562
RM 2563
RM 2564
RM 2565
RM 2566
RM 2567
RM 2568
RM 2569
RM 2570
RM 2571
RM 2572
RM 2573
RM 2574
RM 2575
RM 2576
RM 2577
RM 2578
RM 2579
RM 2580
RM 2581
RM 2582
RM 2583
RM 2584
RM 2585
RM 2586
RM 2587
RM 2588
RM 2589
RM 2590
RM 2591
RM 2592
RM 2593
RM 2594
RM 2595
RM 2596
RM 2597
RM 2598
RM 2599
RM 2600
RM 2601
RM 2602
RM 2603
RM 2604
RM 2605
RM 2606
RM 2607
RM 2608
RM 2609
RM 2610
RM 2611
RM 2612
RM 2613
RM 2614
RM 2615
RM 2616
RM 2617
RM 2618
RM 2619
RM 2620
RM 2621
RM 2622
RM 2623
RM 2624
RM 2625
RM 2626
RM 2627
RM 2628
RM 2629
RM 2630
RM 2631
RM 2632
RM 2633
RM 2634
RM 2635
RM 2636
RM 2637
RM 2638
RM 2639
RM 2640
RM 2641
RM 2642
RM 2643
RM 2644
RM 2645
RM 2646
RM 2647
RM 2648
RM 2649
RM 2650
RM 2651
RM 2652
RM 2653
RM 2654
RM 2655
RM 2656
RM 2657
RM 2658
RM 2659
RM 2660
RM 2661
RM 2662
RM 2663
RM 2664
RM 2665
RM 2666
RM 2667
RM 2668
RM 2669
RM 2670
RM 2671
RM 2672
RM 2673
RM 2674
RM 2675
RM 2676
RM 2677
RM 2678
RM 2679
RM 2680
RM 2681
RM 2682
RM 2683
RM 2684
RM 2685
RM 2686
RM 2687
RM 2688
RM 2689
RM 2690
RM 2691
RM 2692
RM 2693
RM 2694
RM 2695
RM 2696
RM 2697
RM 2698
RM 2699
RM 2700
RM 2701
RM 2702
RM 2703
RM 2704
RM 2705
RM 2706
RM 2707
RM 2708
RM 2709
RM 2710
RM 2711
RM 2712
RM 2713
RM 2714
RM 2715
RM 2716
RM 2717
RM 2718
RM 2719
RM 2720
RM 2721
RM 2722
RM 2723
RM 2724
RM 2725
RM 2726
RM 2727
RM 2728
RM 2729
RM 2730
RM 2731
RM 2732
RM 2733
RM 2734
RM 2735
RM 2736
RM 2737
RM 2738
RM 2739
RM 2740
RM 2741
RM 2742
RM 2743
RM 2744
RM 2745
RM 2746
RM 2747
RM 2748
RM 2749
RM 2750
RM 2751
RM 2752
RM 2753
RM 2754
RM 2755
RM 2756
RM 2757
RM 2758
RM 2759
RM 2760
RM 2761
RM 2762
RM 2763
RM 2764
RM 2765
RM 2766
RM 2767
RM 2768
RM 2769
RM 2770
RM 2771
RM 2772
RM 2773
RM 2774
RM 2775
RM 2776
RM 2777
RM 2778
RM 2779
RM 2780
RM 2781
RM 2782
RM 2783
RM 2784
RM 2785
RM 2786
RM 2787
RM 2788
RM 2789
RM 2790
RM 2791
RM 2792
RM 2793
RM 2794
RM 2795
RM 2796
RM 2797
RM 2798
RM 2799
RM 2800
RM 2801
RM 2802
RM 2803
RM 2804
RM 2805
RM 2806
RM 2807
RM

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek and Pennfield Twp

3) WATERCOURSE: Battle Creek River

4) DOCUMENT TYPE: 100-yr encroachment

00BREAK00

```
**************************************************
    HEC2 RELEASE DATED NOV 75 UPDATED FEB 1977
    ERROR CORR -  01
    MODIFICATION -  50,51,52
**************************************************

T1CITY OF BATTLE CREEK/PENNFIELD TOWNSHIP FLOOD INSURANCE STUDY
T2BATTLE CREEK RIVER FROM ITS CONFLUENCE TO "D ALLESTER ST. BRIDGE
T3      BATTLE CREEK RIVER

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      @          USEL       FQ

          0.         5.         0.         0.  0.000000       0.00       0.0         0.    307.830      0.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE

       15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

PRINTED IN U.S.A.
FORM 1411-80-PRINTED BY ROTARY DANIFOLD FORMS.

*PROF 2

CCHV= 0.300 CEHV= 0.500

*SECNO 23.000

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	FW	ML	QLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	CHL	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTY	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION AT CONFLUENCE TO KALAMAZOO RIVER

23.00	5.60	807.80	0.00	807.80	808.37	0.57	0.00	0.00	804.00
4200.	27.	4141.	32.	18.	678.	21.	0.	0.	803.70
0.00	1.66	6.11	0.73	0.080	0.035	0.080	0.035	802.20	20.34
0.002376	0.	0.	0.	0	0	7	0.00	173.91	194.25

*SECNO 23.900

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

23.90	6.52	809.22	0.00	0.00	813.26	0.35	1.82	2.01	807.30
4200.	3.	4196.	1.	3.	707.	2.	11.	3.	800.00
0.03	0.88	3.94	0.73	0.080	0.035	0.080	0.035	803.20	12.43
0.002703	675.	675.	675.	2	2	0	0.00	164.53	177.02

SPECIAL BRIDGE

SB	XK	XKOR	COFC	RDLEN	BWC	BWP	AREA	SS	ELCHU	ELCHD
	0.00	1.50	2.64	0.00	10.00	0.00	0.10	0.00	803.23	803.20

*SECNO 24.000

PRESSURE AND WEIR FLOW

EGPRS	EGLOC	WS	QWEIR	QPR	BAREA	TIMEPERIOD AREA	ELLC	ELWD
**********	810.26	0.00	4201.	1.	0.	1.	803.30	808.60

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

24.00	9.79	812.99	0.03	0.00	813.17	0.18	2.91	0.00	807.30
4200.	10.	4181.	9.	17.	1231.	15.	11.	3.	808.00
0.03	0.62	3.40	0.59	0.080	0.035	0.080	0.035	803.20	9.07
0.000622	3.	3.	3.	2	0	8	0.00	171.81	180.88

*SECNO 24.800

D/S WASHINGTON AVE. SURVEY SECTION 25

24.80	4.22	812.82	0.00	0.00	813.37	0.55	0.01	0.19	822.00
4200.	0.	4200.	0.	0.	703.	0.	11.	3.	822.00
0.03	3.00	5.97	0.00	0.080	0.035	0.080	0.035	800.80	9.57
0.000350	11.	11.	11.	2	0	0	0.00	166.86	167.43

PRINTED BY GEOTAIL MANIFOLD FORM

*SECNO 24.900

SECNO	DEPTH	CWSEL	CRITS	WSELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBT	ITRIAL	IHS	ICONT	CORAR	TOPWID	ESTA

3370 NORMAL BRIDGE,NRC= 21 MIN ELTRD= 822.00 MAX ELLC= 819.60

D/S FACE WASHINGTON AVE. SURVEY SECTION 25

24.90	4.10	812.70	0.00	0.00	813.49	0.79	0.00	0.12	822.00
4200.	0.	4200.	0.	0.	587.	0.	11.	3.	822.00
0.03	0.00	7.15	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.005651	1.	1.	1.	2	0	0	-95.74	166.06	167.63

*SECNO 25.000

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 819.60

U/S FACE WASHINGTON AVE. SURVEY SECTION 25

25.00	4.62	813.22	0.00	0.00	813.85	0.62	0.30	0.03	822.00
4200.	0.	4200.	0.	0.	663.	0.	12.	3.	822.00
0.04	0.00	6.34	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.003001	66.	66.	66.	2	0	0	-102.22	166.87	167.63

*SECNO 25.100

U/S WASHINGTON AVE. SURVEY SECTION 25

25.10	4.91	813.51	0.00	0.00	813.92	0.41	0.00	0.06	822.00
4200.	0.	4200.	0.	0.	819.	0.	12.	3.	822.00
0.04	0.00	5.13	0.00	0.080	0.035	0.080	0.035	808.60	0.56
0.001684	1.	1.	1.	2	0	0	0.00	166.87	167.64

*SECNO 26.000

SURVEY VALLEY SECTION 26

26.00	6.62	813.62	0.00	0.00	814.43	0.81	0.31	0.20	830.60
4200.	93.	4005.	102.	51.	543.	56.	15.	3.	809.70
0.04	1.22	7.38	1.33	0.080	0.035	0.080	0.033	807.00	1.55
0.002923	135.	135.	135.	2	0	0	0.00	141.86	143.41

CCHV= 0.300 CEHV= 0.500

*SECNO 26.800

D/S PENN CENTRAL RAILROAD SURVEY SECTION 27

26.80	7.21	814.51	0.00	0.00	814.86	0.33	0.27	0.14	825.00
4200.	0.	4200.	0.	0.	691.	0.	17.	4.	825.00
0.05	0.00	4.61	0.00	0.100	0.035	0.100	0.035	807.30	1.90
0.001455	135.	135.	135.	3	0	0	0.00	137.14	139.04

*SECNO 26.900

SECNO	DEPTH	C.SEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	PCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	CTM	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IPR	ICONT	CORAR	IOPTYP	ENDST

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 818.80

D/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

26.90	7.17	814.67	0.00	0.00	814.89	0.41	0.21	0.04	825.00
4200.	0.	4200.	0.	0.	816.	0.	17.	4.	825.00
0.05	0.00	5.15	0.00	0.100	0.035	0.100	0.035	807.30	1.90
0.002106	1.	1.	1.	2	0	0	-80.33	187.13	189.03

*SECNO 27.000

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 818.00

U/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

27.00	7.25	814.55	0.00	0.00	814.95	0.40	0.06	0.00	825.00
4200.	0.	4200.	0.	0.	829.	0.	18.	4.	825.00
0.05	0.00	5.07	0.00	0.100	0.035	0.100	0.035	807.30	1.89
0.001996	30.	30.	30.	2	0	0	-99.71	187.15	189.04

*SECNO 27.100

U/S PENN CENTRAL RAILROAD SURVEY SECTION 27

27.10	7.37	814.67	0.00	0.00	814.98	0.31	0.10	0.03	825.00
4200.	0.	4200.	0.	0.	841.	0.	18.	4.	825.00
0.05	0.00	4.46	0.00	0.100	0.035	0.100	0.035	807.30	1.88
0.001312	1.	1.	1.	2	0	0	0.00	187.17	189.05

*SECNO 28.000

SURVEY VALLEY SECTION 28

28.00	7.27	814.87	0.00	0.00	815.60	0.73	0.41	0.21	809.00
4200.	57.	4084.	50.	43.	590.	46.	22.	5.	809.40
0.06	1.33	4.93	1.29	0.100	0.035	0.100	0.035	807.60	1026.65
0.002110	250.	250.	250.	2	0	0	0.00	119.63	1145.08

*SECNO 28.800

D/S BARNEY STD FOOTBRIDGE

28.80	7.22	815.72	0.00	0.00	816.25	0.53	0.60	0.06	822.00
4200.	0.	4200.	0.	0.	716.	0.	27.	6.	822.00
0.07	0.00	5.87	0.00	0.100	0.035	0.100	0.035	806.50	0.85
0.001979	300.	300.	300.	2	0	0	0.00	923.16	132.00

*SECNO 26.900

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	PCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT

TIME	VLOB	VCH	VROB	XL_	XNCH	XNR	UTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 822.00 M/X ELLC= 827.62

D/S FACE BARNEY ST FOOTBRIDGE

28.90	7.21	815.71	0.00	0.00	816.26	0.55	0.00	0.01	822.00
4200.	0.	4200.	0.	0.	718.	0.	27.	6.	822.00
0.08	0.00	5.93	0.00	0.100	0.035	0.100	0.035	808.50	8.05
0.001943	1.	1.	1.	3	0	0	-7.15	123.15	132.00

*SECNO 29.000

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 822.00 M/X ELLC= 821.62

U/S FACE BARNEY ST FOOTBRIDGE

29.00	7.23	815.73	0.00	0.00	816.27	0.54	0.01	0.00	822.00
4200.	0.	4200.	0.	0.	718.	0.	27.	6.	822.00
0.08	0.00	5.92	0.00	0.100	0.035	0.100	0.035	808.50	8.03
0.001930	6.	6.	6.	0	0	0	-7.15	123.16	132.02

*SECNO 29.100

U/S BARNEY ST FOOTBRIDGE

29.10	7.24	815.76	0.00	0.00	816.28	0.53	0.00	0.00	822.00
4200.	0.	4200.	0.	0.	718.	0.	27.	6.	822.00
0.08	0.00	5.89	0.00	0.100	0.035	0.100	0.035	808.50	8.01
0.001963	1.	1.	1.	1	0	0	-7.00	123.24	132.05

*SECNO 29.200

SURVEY VALLEY SECTION 29

29.20	7.45	815.95	0.00	0.00	816.45	0.49	0.16	0.01	822.00
4200.	0.	4200.	0.	0.	745.	0.	29.	6.	822.00
0.08	0.00	5.64	0.00	0.100	0.035	0.100	0.035	808.50	8.29
0.001670	90.	90.	90.	2	2	0	0.00	124.33	132.63

*SECNO 29.800

D/S JACKSON AVE. CROSS SECTION 30

29.80	8.73	816.35	0.00	0.00	816.61	0.27	0.10	0.07	816.00
4200.	0.	4200.	0.	0.	1011.	0.	31.	6.	816.00
0.09	0.00	4.16	0.00	0.100	0.035	0.100	0.035	807.60	0.96
0.000806	90.	90.	90.	2	0	0	0.00	156.11	157.06

*SECNO 29.900

SECNO	DEPTH	CLSEL	CRI.S	HSELV	EG	HV	HL	QLOSS	TANK ELEV
	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XXL	XNCH	XNR	HTX	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

FORM 101-80 PRINTED BY ROTARY HANSOLD FORMS.

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 822.10 MAX ELLC= 819.00

D/S FACE JACKSON AVE. SURVEY SECTION 30

29.90	8.74	816.34	0.00	0.00	816.62	0.20	0.00	0.01	816.00
4200.	0.	4200.	0.	0.	980.	0.	31.	6.	816.00
0.09	0.00	4.20	0.00	0.100	0.035	0.100	0.035	807.60	0.94
0.000892	1.	1.	1.	0	0	2	-30.20	156.91	157.06

*SECNO 30.000

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 822.10 MAX ELLC= 819.00

U/S FACE JACKSON AVE. SURVEY SECTION 30

30.00	8.79	816.79	0.00	0.00	816.67	0.28	0.09	0.00	816.00
4200.	0.	4200.	0.	0.	916.	0.	32.	7.	816.00
0.09	0.00	4.20	0.00	0.100	0.035	0.100	0.035	807.60	0.94
0.000875	54.	54.	54.	0	0	2	-30.34	156.13	157.06

*SECNO 30.100

U/S JACKSON AVE. CROSS SECTION 30

30.10	8.82	816.42	0.00	0.00	816.68	0.26	0.00	0.01	816.00
4200.	0.	4200.	0.	0.	1022.	0.	32.	7.	816.00
0.09	0.00	4.11	0.00	0.100	0.035	0.100	0.035	807.60	0.93
0.000772	1.	1.	1.	2	0	0	0.00	156.14	157.07

CCRV= 0.500 CERV= 0.000

*SECNO 31.000

SURVEY VALLEY SECTION 31

31.00	9.74	816.64	0.00	0.00	817.00	0.36	3.00	0.24	810.40
4200.	46.	4078.	75.	50.	670.	70.	33.	7.	809.20
0.09	0.93	6.09	1.07	0.120	0.035	0.120	0.035	806.70	907.02
0.001467	80.	80.	80.	2	0	0	0.00	128.42	1035.46

*SECNO 31.100

D/S STRUCTURE OVER BATTLE CREEK RIVER STA.2+74.3

31.10	8.55	816.85	0.00	0.00	817.21	0.36	0.11	0.10	817.60
4200.	0.	4200.	0.	0.	868.	0.	35.	7.	820.00
0.10	0.00	4.84	0.00	0.120	0.035	0.120	0.035	800.30	1.01
0.001085	90.	90.	90.	2	0	0	0.00	121.96	122.97

*SECNO 31.200

SECNO	DEPTH	CHSEL	CRCHS	LSELK	ES	HV	NL	QLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	AGH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	TN	ELTRIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

FORM 1411-CO PRINTED BY ROZARY MANIFOLD FORMS

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 817.60

STRUCTURE OVER BATTLE CREEK STA.2+74.1

31.20	8.54	816.36	0.00	0.00	817.23	0.30	0.00	0.02	817.60
4200.	0.	4200.	0.	0.	844.	0.	35.	7.	322.00
0.10	0.00	6.97	0.00	0.120	0.035	0.120	0.035	806.30	1.01
0.001107	1.	1.	1.	0	0	2	-23.03	121.96	122.97

*SECNO 31.300

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 820.00 MAX ELLC= 818.10

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.30	8.11	816.99	0.00	0.30	817.34	0.64	0.07	0.36	818.10
4200.	0.	4200.	0.	0.	792.	0.	36.	7.	820.50
0.10	0.30	7.07	0.00	0.120	0.035	0.120	0.035	808.30	1.02
0.001465	55.	56.	56.	0	2	0	-21.65	121.93	122.97

*SECNO 31.400

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.40	8.17	816.97	0.00	0.00	817.37	0.39	0.00	0.02	819.70
4200.	0.	4200.	0.	0.	843.	0.	36.	7.	822.00
0.10	0.00	7.04	0.00	0.120	0.035	0.120	0.035	808.00	1.03
0.001262	1.	1.	1.	2	0	2	-21.77	121.93	122.96

*SECNO 31.500

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.50	7.59	817.09	0.00	0.00	817.81	0.72	0.18	0.26	821.60
4200.	0.	4200.	0.	0.	816.	0.	30.	7.	822.00
0.11	0.00	6.82	0.00	0.120	0.035	0.120	0.035	809.50	1.05
0.002682	105.	105.	105.	2	0	0	-19.68	100.91	101.96

*SECNO 31.600

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.60	7.06	817.04	0.00	0.00	817.93	0.89	0.00	0.13	822.00
4200.	0.	4200.	0.	0.	586.	0.	38.	7.	822.00
0.11	0.00	7.55	0.00	0.120	0.035	0.120	0.035	809.20	1.06
0.003731	1.	1.	1.	2	0	0	-63.66	100.90	101.96

FORM 1441-80 PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 31.700

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	WPL	TIA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	ANCH	XNR	LTI	ELMIN	SSTA
SLOPE	XLOFL	XLCH	XLOTR	TYPICAL	IN2	ICO Y	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER BATTLE CREEK STA 1+61.5

31.70	8.14	817.34	0.00	0.00	818.15	0.81	0.16	0.04	822.00
4200.	0.	4200.	0.	0.	582.	0.	39.	8.	822.00
0.11	0.00	7.21	0.00	0.120	0.035	0.120	0.035	109.70	1.05
0.003219	47.	47.	47.	2	0	0	-45.56	109.91	101.96

*SECNO 32.900

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 823.00 MAX ELLC= 821.90

D/S FACE MICHIGAN AVE. SURVEY SECTION 33

32.90	7.74	817.44	0.00	0.00	818.18	0.75	0.00	0.03	823.00
4200.	0.	4200.	0.	0.	606.	0.	39.	8.	823.00
0.11	0.00	6.93	0.00	0.120	0.035	0.120	0.035	109.70	1.06
0.005014	1.	1.	1.	2	0	0	-106.39	109.90	110.94

*SECNO 33.000

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 823.00 MAX ELLC= 820.90

U/S FACE MICHIGAN AVE. SURVEY SECTION 33

33.30	9.14	817.84	0.00	0.00	818.54	0.70	0.00	0.02	823.00
4200.	0.	4200.	0.	0.	627.	0.	40.	8.	823.00
0.11	0.00	6.70	0.00	0.120	0.035	0.120	0.035	109.70	1.05
0.004502	70.	70.	70.	2	0	0	-129.95	109.89	110.94

*SECNO 33.100

U/S MICHIGAN AVE.

33.10	8.55	818.25	0.00	0.00	818.68	0.43	0.00	0.14	823.00
4200.	0.	4200.	0.	0.	803.	0.	40.	8.	823.00
0.11	0.00	5.23	0.00	0.120	0.035	0.120	0.035	109.70	1.05
0.001203	1.	1.	1.	2	0	0	0.30	109.90	110.95

*SECNO 34.000

SURVEY VALLEY SECTION 34.

34.00	0.23	813.33	0.00	0.00	813.22	0.39	0.17	0.37	814.30
4200.	3.	4935.	65.	5.	541.	47.	41.	8.	811.20
0.11	0.66	7.63	1.35	0.120	0.035	0.120	0.035	810.10	809.45
0.022589	100.	100.	100.	2	0	0	2.00	96.73	786.18

PRINTED IN U.S.A.
FORM 1411-80-PRINTED BY ROTARY MANIFOLD FORMS

*SECNO 35.000

SECNO	DEPTH	CHSEL	CRIWS	USELK	EG	EV	HL	DLOSS	BANK ELEV
0	OLOB	TCH	QROB	ALOB	QCH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	NTI	CLMTN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	XNP	ICONV	CCTAB	TOPWID	ENDST

SURVEY VALLEY SECTION 35

35.00	7.05	819.95	0.00	0.00	820.62	0.67	0.50	0.21	812.30
4200.	1.	4127.	72.	5.	745.	54.	51.	9.	813.10
0.14	0.30	5.54	1.32	0.120	0.035	0.120	0.035	812.10	579.60
0.001139	600.	600.	600.	2	0	0	0.00	109.70	608.50

*SECNO 35.000

D/S MC CALMLY AVE

35.00	8.01	820.21	0.00	0.00	820.58	0.36	0.21	0.05	826.00
4200.	0.	4200.	0.	0.	846.	0.	53.	10.	826.00
0.15	0.00	4.85	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.000979	100.	100.	100.	2	0	0	0.00	109.91	110.96

*SECNO 35.900

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.10

D/S FACE MC CALMLY AVE.

35.90	7.99	820.19	0.00	0.00	820.67	0.48	0.30	0.09	826.00
4200.	0.	4200.	0.	0.	753.	0.	53.	10.	826.30
0.15	0.00	5.57	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.001938	1.	1.	1.	2	0	0	-110.56	109.91	110.96

*SECNO 36.000

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.10

U/S FACE MC CALMLY AVE.

36.00	8.13	820.33	0.00	0.00	820.80	0.47	0.12	0.01	826.00
4200.	0.	4200.	0.	0.	765.	0.	54.	10.	826.00
0.15	0.00	5.49	0.00	0.120	0.035	0.120	0.035	812.20	1.04
0.001844	65.	65.	65.	2	1	0	-114.63	109.91	110.96

*SECNO 36.120

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 827.00 MAX ELLC= 823.30

D/S FACE PARKING LOT BRIDGE CROSS SECTION 37

36.10	8.20	820.50	0.00	0.00	820.86	0.36	0.06	0.06	827.00
4200.	0.	4200.	0.	0.	878.	0.	54.	10.	827.00
0.15	0.00	4.78	0.00	0.120	0.035	0.120	0.035	812.30	1.05

FORM 1411-02 PRINTED BY ROTARY MANIFOLD FORMS

0.000942	1.	1.	1.	2	0	0	-15.59	129.91	110.95

*SECNO 36.200

3301 RW CHANGED MORE THAN TWINS

SECNO	DEPTH	CMSFL	CRITS	USELK	EG	RV	FL	DLOSS	ELEV
Q	QLO	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XMCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	LTRZ/L	XNB	ICONT	COPAR	TOPWID	COST

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 827.00 MAX ELLC= 823.30

U/S FACE PARKING LOT BRIDGE

36.20	8.20	820.57	0.00	0.00	821.38	0.65	0.11	0.42	812.30
4200.	0.	4200.	0.	0.	556.	0.	55.	10.	827.00
0.16	0.00	7.53	0.00	0.120	0.035	0.120	0.035	812.30	0.44
0.002289	74.	74.	74.	2	1	1	-15.28	70.59	70.95

*SECNO 36.300

3370 NORMAL BRIDGE,NRD= 3 MIN ELTRD= 827.00 MAX ELLC= 823.30

U/S FACE PARKING LOT STRUCTUR

36.30	8.31	820.61	0.00	0.00	821.42	0.81	0.00	0.03	812.30
4200.	0.	4200.	0.	0.	581.	0.	55.	10.	827.00
0.16	0.00	7.24	0.00	0.120	0.035	0.120	0.035	812.30	0.43
0.002005	1.	1.	1.	2	0	0	-2.75	70.52	70.96

*SECNO 37.000

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 827.00 MAX ELLC= 822.40

U/S FACE PARKING LOT STRUCTURE

37.00	10.12	821.82	0.00	0.00	822.37	0.55	0.01	0.13	811.70
4200.	0.	4200.	0.	0.	700.	0.	56.	11.	826.40
0.16	0.00	5.56	0.00	0.120	0.035	0.120	0.035	811.70	0.31
0.001069	570.	570.	570.	1	1	0	-3.99	70.66	70.97

*SECNO 37.100

U/S PARKING LOT STRUCTURE

37.10	10.12	821.82	0.00	0.00	822.37	0.55	0.00	0.00	811.70
4200.	1.	4199.	0.	3.	700.	0.	64.	11.	826.40
0.18	0.20	5.93	0.00	0.120	0.035	0.120	0.035	811.70	0.31
0.001067	1.	1.	1.	0	0	0	0.00	70.65	70.97

CCHV= 0.300 CEHV= 0.500

*SECNO 37.800

FORM 6811-V-PRINTED BY BOYARY MANIFOLD FORMS

D/S BUILDING OVER RIVER D/S CAPITAL AVE CROSS SECTION 38

37.80	12.06	821.86	0.00	0.00	822.63	0.76	0.15	0.11	830.00
4200.	0.	4200.	0.	0.	599.	0.	65.	11.	830.00
0.19	0.00	7.02	0.00	0.120	0.035	0.120	0.035	809.00	1.07
0.001595	115.	115.	115.	2	0	0	0.00	58.00	57.95

*SECNO 37.900

SECNO	DEPTH	CHSEL	CRIWS	HSELK	EG	HW	TW	QLOSS	BANK ELEV
0	QLOB	QCH	CROB	ALOB	ASF	AROB	VOL	TRP	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	WMOM	FR	PT	TLOSS	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	Z42	ICONT	CORAR	IOPTIC	ENDST

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 830.00 MAX ELLC= 825.30

D/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

37.90	12.75	821.75	0.00	0.00	822.74	0.99	0.00	0.11	830.00
4200.	0.	4200.	0.	0.	599.	0.	65.	11.	830.00
0.19	0.00	7.02	0.00	0.120	0.035	0.120	0.035	809.00	1.07
0.002644	1.	1.	1.	2	0	0	-84.22	58.00	57.95

*SECNO 38.000

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 830.00 MAX ELLC= 825.30

U/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

38.00	13.01	822.51	0.00	0.00	823.00	0.49	0.11	0.15	830.00
4200.	0.	4200.	0.	0.	599.	0.	65.	11.	830.00
0.19	0.00	5.67	0.00	0.120	0.035	0.120	0.035	809.50	1.05
0.001164	66.	66.	66.	2	0	0	-60.10	60.90	81.95

*SECNO 38.900

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.30 MAX ELLC= 823.47

D/S FACE CAPITAL AVE. CROSS SECTION 39

38.90	12.98	822.45	0.00	0.00	823.06	0.61	0.00	0.06	825.50
4210.	0.	4230.	0.	0.	600.	0.	66.	11.	825.50
0.19	0.00	6.29	0.00	0.120	0.035	0.120	0.035	809.50	1.03
0.001691	1.	1.	1.	2	0	0	-98.62	60.94	81.97

*SEC[illegible].000

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.50 MAX ELLC= 825.10

U/S FACE CAPITAL AVE.

39.00	13.08	822.58	0.00	0.00	823.17	0.60	0.11	0.11	825.50
4200.	0.	4200.	0.	0.	599.	0.	67.	11.	825.50
0.19	0.00	6.20	0.00	0.120	0.035	0.120	0.035	809.50	1.03
0.001619	66.	66.	66.	2	0	0	-99.79	60.95	81.98

FORM 1411-02-PRINTED BY COTAPY MANIFOLD FORMS.

*SECNO 39.100

L/S CAPITAL AVE.

39.10	15.29	822.79	0.00	0.00	823.22	0.43	0.00	0.05	825.30
4200.	0.	4200.	0.	0.	794.	0.	67.	11.	825.50
0.19	0.00	5.29	0.00	0.120	0.035	0.120	0.035	809.50	1.03
0.000957	1.	1.	1.	2	0	0	3.06	80.95	81.98

*SECNO 40.200

SECNO	DEPTH	CWSEL	CRITHS	CWSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	OLOB	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	MIN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	ZWP	ICONT	CCHAN	TOPWID	ENDST

SURVEY VALLEY SECTION 40

40.00	14.66	822.96	0.00	0.00	823.36	0.40	0.46	0.00	816.40
4200.	165.	4035.	11.	279.	769.	32.	71.	12.	814.90
0.20	1.06	5.20	0.53	0.120	0.035	0.120	0.035	809.30	819.33
0.000624	165.	165.	165.	2	2	0	0.00	102.05	921.37

*SECNO 40.900

D/S FACE MONROE ST.

40.90	13.93	823.13	0.00	0.00	823.46	0.34	0.08	0.02	827.40
4200.	0.	4200.	0.	0.	802.	0.	74.	12.	827.60
0.21	0.00	4.66	0.00	0.120	0.035	0.120	0.035	809.20	1.03
0.000615	135.	135.	135.	2	2	0	0.00	77.96	70.97

SPECIAL BRIDGE

SE	MX	KROR	COFC	ROLEN	BYC	BYP	BAREA	SS	ELCHU	ELCHD
	0.00	1.62	3.00	0.00	73.13	0.10	790.00	0.00	811.60	811.60

*SECNO 41.000

PRESSURE FLOW

EGPRS	EGLKC	HS	QWEIR	QBR	AREA	TRAPEZOID AREA	ELLC	ELTRD
823.84	823.46	0.00	0.	4200.	790.	768.	821.70	827.40

U/S FACE MONROE ST.

41.00	14.32	823.52	0.00	0.00	823.84	0.32	0.37	0.00	827.40
4200.	0.	4200.	0.	0.	932.	0.	75.	12.	827.40
0.21	0.00	4.98	0.00	0.120	0.035	0.120	0.035	809.20	1.03
0.000555	46.	46.	46.	2	0	0	0.00	77.96	70.97

*SECNO 42.000

FORM 1011-87-PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

SURVEY VALLEY SECTION 42

42.00	12.79	823.79	0.00	0.00	823.97	0.18	0.09	0.04	821.60
4200.	C.	4104.	96.	0.	1197.	128.	80.	13.	816.70
0.25	0.06	3.43	0.75	0.120	0.035	0.120	0.035	311.00	723.69
0.000308	225.	225.	225.	2	0	0	0.00	157.24	060.97

*SECNO 43.900

D/S FACE DIVISION ST.

43.90	13.04	823.84	0.00	0.00	824.06	0.22	0.07	0.02	826.90
4200.	C.	4200.	0.	0.	1109.	0.	87.	13.	826.90
0.25	0.00	3.79	0.00	0.120	0.035	0.120	0.035	808.80	1.02
0.000344	225.	225.	225.	2	0	0	0.00	81.96	82.98

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BHC	BWP	DAREA	SS	SLCHD	FLCHD
	0.90	1.74	3.00	0.00	12.00	2.00	245.00	0.00	810.32	810.70

*SECNO 44.000

SECNO	DEPTH	QUSEL	CRIWS	WSELK	EG	HV	AL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROD	ALOB	ACH	AROB	VOL	TOA	LEFT/RIGHT
TIME	VLOB	VCH	VROD	XNL	XNCH	XNR	WTN	FLMIX	SETA
SLOPE	XLOBL	XLCH	XLOBR	STRICKL	ICONT	COMMT	TOPWID	CRDST	

PRESSURE FLOW

EGPRS	EGLOC	HS	QWEIR	QPR	RATIO	TRAPEZOID AREA	CLLC	ELTRD
824.37	824.07	3.00	0.	4200.	965.	966.	822.10	826.00

D/S FACE DIVISION ST.

44.00	15.36	824.16	0.00	0.00	824.37	0.21	0.31	0.00	826.90
4200.	0.	4200.	0.	0.	1136.	0.	89.	13.	826.90
0.25	0.00	3.78	0.00	0.120	0.035	0.120	0.035	808.80	1.02
0.000321	76.	76.	76.	2	0	0	0.00	81.96	82.98

*SECNO 44.900

3280 CROSS SECTION 44.90 EXTENDED 0.19 FEET

D/S FACE PENN CENTRAL R.R.

44.90	14.18	824.18	0.00	0.00	824.43	0.24	0.04	0.02	824.00
4200.	0.	4200.	0.	0.	1062.	0.	91.	14.	826.00
0.26	0.07	3.95	0.00	0.120	0.035	0.120	0.035	10.00	0.00
0.000420	100.	100.	100.	1	2	0	0.00	93.00	93.00

SPECIAL BRIDGE

PUNCHED AND PRINTED BY ROTARY MANIFOLD FORMS.

SD	XK	XKOR	COFC	RDLEN	BIC	BUP	BAREA	SS	ELCHU	ELCHD
	1.25	1.93	3.00	0.00	94.00	8.00	695.00	0.00	812.80	812.00

*SECNO 45.000

3290 CROSS SECTION 45.00 EXTENDED 0.00 FEET

PRESSURE AND WEIR FLOW

WSPRS	EGLWC	WB	QWEIR	QPR	BAREA	VHPRBOD AREA	ELLC	ELTRD
825.26	824.67	0.05	323.	3667.	695.	697.	820.90	824.00

U/S FACE PENN CENTRAL R.R.

45.00	14.90	824.90	0.00	0.00	823.11	0.22	0.09	0.00	824.00	
4200.	0.	4200.	0.	1.	1127.	0.	94.	14.	824.00	
0.27	0.14	3.73	0.00	0.120	0.035	0.120	0.035	810.00	0.00	
0.000368	96.	96.	96.	2	0	3	0.00	93.00	93.00	

*SECNO 46.000

100 FT U/S PENN CENTRAL R.R. CROSS SECTION 46

46.00	15.09	824.89	0.00	0.00	825.19	0.31	0.18	0.05	815.70	
4200.	62.	4093.	60.	90.	536.	134.	94.	14.	814.50	
0.23	0.61	4.01	0.58	0.120	0.035	0.120	0.035	809.00	912.80	
0.000389	100.	100.	100.	2	0	0	0.00	135.99	1048.84	

*SECNO 46.500

2000 PAT 01= 3174.02 WSEL= 825.27 ENC 01= 3174.02 WSEL= 825.37 RATIO= 0.0500

PAT 01= 3220. RATIOS LOB,CH,ROB= 0.0210 0.9614 0.0176 WSEL= 825.37

3470 ENCROACHMENT STATIONS= 193.7 327.4 TYPE= 6 TARGET= 0.014

VALLEY SECTION

46.50	14.77	825.27	0.00	825.27	825.42	0.15	0.14	0.05	814.00	
4200.	58.	4096.	46.	116.	1302.	94.	117.	16.	814.00	
0.34	0.50	3.15	0.49	0.120	0.035	0.120	0.035	810.50	193.65	
0.000180	700.	700.	700.	2	0	0	0.00	133.78	327.44	

*SECNO 47.000

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITPENL	IR2	ICONT	COPCT	TOPWID	ENDST

3670 ENCROACHMENT STATIONS= 1380.0 1605.0 TYPE= 1 TARGET= 225.000

100 FT D/S SLA ST. CROSS SECTION 47

47.00	14.12	825.42	0.00	825.42	825.54	0.12	0.11	0.01	813.30	
4200.	114.	3997.	89.	248.	1393.	207.	144.	19.	814.50	
0.41	0.46	2.86	0.46	0.120	0.035	0.120	0.035	811.30	1380.00	
0.000151	700.	700.	700.	2	0	0	0.00	134.51	1384.91	

*SECNO 47.900
2000 NAT Q1= 4245.76 WSEL= 825.50 ENC Q1= 4303.24 WSEL= 825.40 RATIO= -0.0135
NAT Q1= 4303. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 825.60

3470 ENCROACHMENT STATIONS= 1.0 175.0 TYPE= 4 TARGET= 0.000

D/S FACE ELN ST.

47.90	14.91	825.31	0.00	825.50	825.57	0.07	0.01	0.02	826.60
4200.	0.	4200.	0.	0.	2036.	0.	164.	19.	826.60
0.42	0.00	2.06	0.00	0.120	0.035	0.120	0.035	810.60	1.02
0.000098	100.	100.	100.	2	2	0	0.00	173.97	176.98

SPECIAL BRIDGE

SB	XK	XKOR	COPC	RDLEN	BUC	BAP	DAREA	SS	ELCHU	ELCHD
	0.90	1.74	3.00	0.00	174.00	4.00	1453.00	0.00	814.00	814.00

*SECNO 48.000
CLASS A LOW FLOW

3420 BRIDGE W.S.= 825.51 BRIDGE VELOCITY= 2.15 CALCULATED CHANNEL AREA= 1956.

EGRRS	EGLUC	H3	QWEIR	QPR	DAREA	TRAPEZOID	FLLC	ELTRD
825.73	825.00	0.70	0.	4200.	1453.	1420.	822.40	824.00

U/S FACE ELN ST.

48.00	15.16	825.76	0.00	825.66	825.80	0.06	0.25	0.00	826.50
4200.	0.	4200.	0.	0.	2061.	0.	151.	20.	826.60
0.43	0.00	2.02	0.00	0.120	0.035	0.120	0.035	810.60	1.01
0.000091	60.	60.	60.	0	0	0	0.00	173.97	176.99

*SECNO 48.200
2000 NAT Q1= 5511.60 WSEL= 825.69 ENC Q1= 5511.60 WSEL= 825.79 RATIO= 0.0000
NAT Q1= 5581. RATIOS LOB,CH,ROB= 0.0338 0.8573 0.1089 WSEL= 825.79

3470 ENCROACHMENT STATIONS= 249.4 467.3 TYPE= 4 TARGET= 0.012

D/S DAN 150 FT U/S ELN ST.

48.20	15.48	825.78	0.00	825.69	825.84	0.05	0.01	0.00	810.60
4200.	117.	3643.	441.	266.	1824.	880.	160.	20.	810.30
0.45	0.44	2.00	0.50	0.120	0.035	0.120	0.035	810.30	249.43
0.000058	150.	150.	150.	1	0	0	0.00	817.06	467.29

*SECNO 48.300
2000 NAT Q1= 2509.43 WSEL= 825.65 ENC Q1= 2509.43 WSEL= 825.75 RATIO= 0.0000
NAT Q1= 2558. RATIOS LOB,CH,ROB= 0.0551 0.8056 0.1394 WSEL= 825.75

3370 NORMAL BRIDGE,NPC= 0 MIN ELTRD= 816.50 MAX ELLC= 810.30

3470 ENCROACHMENT STATIONS= 244.6 469.5 TYPE= 4 TARGET= 0.019

FORM 141-60 PRINTED BY ROTARY MANIFOLD FORMS.
PRINTED IN U.S.A.

AT DAM

48.30	15.45	825.75	0.00	825.65	825.08	0.13	0.00	0.04	810.60
4200.	791.	3453.	556.	245.	1131.	646.	160.	20.	810.30
0.45	0.78	2.14	0.86	0.120	0.035	0.120	0.035	810.30	244.57
0.000281	2.	2.	2.	2	0	0	-1011.59	224.69	669.45

*SECNO 48.400

2000 NAT Q1= 2031.22 USEL= 825.67 ENC Q1= 2831.22 USEL= 825.77 RATIO= 0.0000

NAT Q1= 2887. RATIOS LOB,CH,ROB= 0.0520 0.0134 0.1525 USEL= 825.77

SECNO	DELTA	CWSEL	CRIWS	WSELK	EG	HV	HL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	WOL	TIE	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	UTK	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 246.5 667.0 TYPE= 4 TARGET= 0.019

U/S DAM

48.40	13.17	825.77	0.00	825.67	825.09	0.11	0.00	0.00	815.60
4200.	197.	2497.	523.	240.	1191.	650.	160.	20.	815.90
0.65	0.74	2.94	0.00	0.120	0.035	0.120	0.035	813.40	246.36
0.000222	2.	2.	2.	1	0	0	0.00	220.67	467.02

*SECNO 48.900

2800 NAT Q1= 3690.20 USEL= 825.82 ENC Q1= 3860.21 USEL= 825.92 RATIO= 0.0000

NAT Q1= 3752. RATIOS LOB,CH,ROB= 0.3145 0.6853 0.0002 USEL= 825.92

3470 ENCROACHMENT STATIONS= 7.8 490.1 TYPE= 4 TARGET= 0.019

CROSS SECTION 494

48.90	11.92	825.92	0.00	825.82	825.90	0.06	0.09	0.01	825.00
4200.	1300.	2793.	107.	2546.	1142.	179.	196.	26.	815.00
0.53	0.51	2.45	0.59	0.120	0.035	0.120	0.035	814.00	7.79
0.000129	520.	520.	520.	2	0	3	0.00	402.33	490.13

*SECNO 49.000

3470 ENCROACHMENT STATIONS= 851.0 1017.0 TYPE= 1 TARGET= 166.000

SURVEY CROSS SECTION 49

49.00	17.68	825.90	0.00	825.80	826.10	0.12	0.09	0.03	817.30
4200.	80.	3946.	174.	160.	1363.	301.	238.	29.	815.10
0.60	0.50	2.90	0.58	0.120	0.035	0.120	0.035	808.30	651.00
0.000151	650.	650.	650.	2	0	0	0.00	166.00	1017.00

*SECNO 49.900

2300 NAT Q1= 2486.24 USEL= 825.88 ENC Q1= 2516.80 USEL= 825.98 RATIO= -0.0131

NAT Q1= 2517. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 USEL= 825.98

3470 ENCROACHMENT STATIONS= 1.0 917.5 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 826.90 SLREA= 826.90

D/S FACE UNION ST. CROSS SECTION 50

49.90	13.18	825.98	0.00	825.88	826.14	0.16	0.02	0.02	826.90	
4200.	0.	4200.	0.	0.	1303.	0.	242.	30.	826.90	
0.61	0.00	3.22	0.00	0.120	0.035	0.120	0.035	812.00	1.01	
0.000279	100.	100.	100.	2	0	0	0.00	116.48	117.49	

SPECIAL BRIDGE

SH	XK	XKOR	CDCD	RDLEV	S C	TOP	BAREA	SS	ELCHD	ELCRD
	0.90	1.75	0.00	0.00	116.50	10.50	1120.00	0.00	813.90	813.90

*SECNO 50.000
2000 MAT 01= 2559.29 WSEL= 826.10 ENC 01= 2594.50 WSEL= 826.20 RATIO= -0.0138
MAT 01= 2594. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 HSEL= 826.20

PRESSURE FLOW

EGPRS	EGLUC	AS	QJET	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
826.36	826.36	0.01	0.	4200.	1125.	1124.	826.50	826.90

3470 ENCROACHMENT STATIONS= 1.0 117.5 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLBA= 826.90 ELRBA= 826.90

U/S FACE UNION ST.

50.00	13.40	826.20	0.00	826.10	826.36	0.16	0.22	0.00	826.90
4200.	0.	4200.	0.	0.	1329.	0.	263.	30.	826.90
0.61	0.00	3.16	0.00	0.120	0.035	0.120	0.035	812.00	1.01
0.000262	50.	50.	50.	0	0	0	0.00	116.49	117.49

*SECNO 50.100

SECNO	DEPTH	CHSEL	CRIWS	HSELK	EG	HV	AL	QLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	WOL	TRA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XAL	XNCH	XNR	ATH	ELMIN	AGTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ELDST

3470 ENCROACHMENT STATIONS= 87.0 403.0 TYPE= 1 TARGET= 316.000

100 FT U/S UNION ST.

50.10	13.49	826.29	0.00	826.18	826.39	0.11	0.02	0.01	814.00
4200.	101.	3626.	472.	287.	1289.	837.	268.	30.	816.00
0.62	0.35	2.91	0.56	0.120	0.035	0.120	0.035	812.80	87.00
0.000165	100.	100.	100.	2	0	0	0.00	316.00	403.00

QCHV= 0.100 CENV= 0.300
*SECNO 51.000
2000 MAT 01= 5391.47 WSEL= 826.35 ENC 01= 5591.47 WSEL= 826.45 RATIO= 0.0000
MAT 01= 5707. RATIOS LOB,CH,ROB= 0.4907 0.4391 0.0702 WSEL= 826.45

3470 ENCROACHMENT STATIONS= 743.4 1789.4 TYPE= 4 TARGET= 0.000

SURVEY VALLEY SECTION 51

FORM 1011.00 PRINTED BY RIVERS MANIFOLD FORMS

51.00	13.45	826.45	0.00	826.35	826.47	0.02	0.07	0.01	816.40
4200.	2060.	1882.	257.	5606.	1272.	958.	342.	63.	815.10
0.07	0.37	1.48	0.27	0.120	0.040	0.120	0.035	813.00	763.45
0.000036	650.	730.	730.	2	2	0	0.00	1036.22	1789.45

*SECNO 52.000
2800 NAT Q1= 7280.09 WSEL= 826.40 ENC Q1= 7280.09 WSEL= 826.50 RATIO= 0.0000
NAT Q1= 7420. RATIOS LOB,CH,ROB= 0.6686 0.3230 0.0084 WSEL= 826.50

3470 ENCROACHMENT STATIONS= 1030.1 2456.0 TYPE= 4 TARGET= 0.019

SURVEY VALLEY SECTION 52

52.00	13.20	826.50	0.00	826.40	826.30	0.01	0.03	0.00	816.30
6200.	2060.	1320.	0.	5951.	1249.	0.	513.	65.	815.60
1.20	0.29	1.00	0.00	0.120	0.040	0.120	0.033	813.30	1060.07
0.000038	600.	800.	800.	1	2	0	0.30	1376.93	2456.00

*SECNO 53.000
2800 NAT Q1= 5461.62 WSEL= 826.49 ENC Q1= 5461.62 WSEL= 826.59 RATIO= 0.0000
NAT Q1= 5540. RATIOS LOB,CH,ROB= 0.4559 0.5361 0.0079 WSEL= 826.59

3470 ENCROACHMENT STATIONS= 554.5 1570.0 TYPE= 4 TARGET= 0.018

SURVEY VALLEY SECTION 53

53.00	14.30	826.60	0.00	826.49	826.62	0.02	0.13	0.00	815.90
6200.	2065.	2235.	0.	5731.	1475.	0.	1012.	129.	816.40
1.98	0.34	1.52	0.00	0.120	0.040	0.120	0.037	812.30	554.54
0.000063	2300.	2600.	2600.	1	0	0	0.00	1015.46	1570.00

*SECNO 54.000
2800 NAT Q1= 4103.00 WSEL= 826.59 ENC Q1= 4103.00 WSEL= 826.69 RATIO= 0.0000
NAT Q1= 4183. RATIOS LOB,CH,ROB= 0.0249 0.5659 0.4092 WSEL= 826.69

3470 ENCROACHMENT STATIONS= 603.6 1384.0 TYPE= 4 TARGET= 0.019

SURVEY VALLEY SECTION 54

54.00	13.80	826.70	0.00	826.59	826.74	0.04	0.11	0.01	816.50
4200.	66.	2417.	1718.	220.	1217.	3755.	1211.	156.	817.20
2.27	0.30	1.98	0.46	0.120	0.040	0.120	0.037	812.90	683.57
0.000104	1550.	1450.	2100.	1	0	0	0.00	700.39	1383.96

*SECNO 55.000
2800 NAT Q1= 2394.19 WSEL= 826.79 ENC Q1= 2394.19 WSEL= 826.89 RATIO= 0.0000
NAT Q1= 2434. RATIOS LOB,CH,ROB= 0.0198 0.9203 0.0599 WSEL= 826.89

SECNO	DEPTH	CHSEL	CRIWS	WSELR	EG	FR	ML	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XIM	XNCH	XNR	MTH	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1935.0 2119.3 TYPE= 4 TARGET= 0.016

100 FT W/S ERROR ST. CROSS SECTION 55

55.00	12.49	826.89	0.00	826.79	827.04	0.15	0.27	0.03	814.30

FORM 1411.RD PRINTED BY NOTARY MANIFOLD FORMS

4200.	51.	3927.	222.	84.	1216.	343.	1340.	173.	816.80
2.42	0.61	3.23	0.65	0.120	0.040	0.120	0.038	814.40	1935.04
0.000307	1650.	1650.	1650.	2	0	0	0.00	184.23	2119.32

*SECNO 55.600
2800 NAT Q1= 2093.65 WSEL= 826.82 ENC Q1= 2060.35 WSEL= 826.90 RATIO= -1.0146
NAT Q1= 2062. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 826.90

3470 ENCROACHMENT STATIONS= 1965.0 2061.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

D/S EMMETT ST. CROSS SECTION 56

55.83	11.41	826.91	0.00	826.80	827.20	0.11	0.04	0.01	817.70
4200.	0.	4200.	0.	0.	1284.	0.	1336.	173.	816.60
2.43	0.00	3.66	0.00	0.120	0.060	0.120	0.038	815.50	1965.00
0.000458	100.	100.	100.	2	0	0	0.00	116.00	2061.00

*SECNO 55.900
2800 NAT Q1= 1229.12 WSEL= 826.72 ENC Q1= 1243.35 WSEL= 826.82 RATIO= -0.0132
NAT Q1= 1243. RATIOS LOB,CH,ROB= 0.0000 1.0000 1.0000 WSEL= 826.82

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 830.00 MAX ELLC= 828.60

3470 ENCROACHMENT STATIONS= 1945.0 2041.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

D/S FACE EMMETT ST. CROSS SECTION 56

55.90	11.33	826.83	0.00	826.72	827.12	0.29	0.00	1.03	817.70
4200.	0.	4200.	0.	0.	976.	0.	1344.	173.	816.60
2.43	0.00	4.30	0.00	0.120	0.060	0.120	0.038	815.50	1965.00
0.001240	1.	1.	1.	2	0	0	-236.84	116.00	2061.00

*SECNO 56.000
2800 NAT Q1= 1239.21 WSEL= 826.79 ENC Q1= 1253.48 WSEL= 826.89 RATIO= -0.0131
NAT Q1= 1255. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 826.89

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 830.00 MAX ELLC= 828.60

3470 ENCROACHMENT STATIONS= 1945.0 2061.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S FACE EMMETT ST.

56.00	11.40	826.90	0.00	826.79	827.19	0.28	0.06	0.00	817.70
4200.	0.	4200.	0.	0.	981.	0.	1345.	173.	816.60
2.43	0.00	4.28	0.00	0.120	0.060	0.120	0.038	815.50	1965.00
0.001222	51.	51.	51.	0	0	0	-239.38	116.00	2061.00

*SECNO 56.100
2800 NAT Q1= 2070.44 WSEL= 826.91 ENC Q1= 2102.09 WSEL= 827.00 RATIO= -0.0153

NAT Q1= 2102. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 827.00

3470 ENCROACHMENT STATIONS= 1945.0 2061.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S EMMETT ST.

56.10	11.52	827.02	0.00	826.90	827.20	0.10	0.00	0.01	817.70
4200.	0.	4200.	0.	0.	1234.	0.	1545.	173.	816.60
2.43	0.00	3.41	0.00	0.120	0.040	0.120	0.038	814.50	1945.00
0.000463	1.	1.	1.	2	0	0	0.00	186.00	2061.00

*SECNO 56.200

2800 NAT Q1= 2477.52 WSEL= 826.99 ENC Q1= 2771.52 WSEL= 827.00 RATIO= 0.0000

NAT Q1= 2512. RATIOS LOB,CH,ROB= 0.0000 0.9977 0.0023 WSEL= 827.03

SECNO	DEPTH	CWSEL	CRWS	WSELK	EG	HV	HL	FLOBS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TOP	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	I42	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1934.2 2119.9 TYPE= 4 TARGET= 0.017

100 FT U/S EMMETT ST.

56.20	12.69	827.09	0.00	826.90	827.24	0.15	0.04	0.00	816.30
4200.	56.	3917.	229.	90.	1239.	351.	1360.	174.	816.60
2.44	0.60	3.16	0.64	0.120	0.040	0.120	0.038	814.60	1934.18
0.000288	100.	100.	100.	2	0	0	0.00	185.75	2119.93

CCHV= 0.300 CEHV= 0.500

*SECNO 56.900

2800 NAT Q1= 1947.15 WSEL= 827.09 ENC Q1= 1976.96 WSEL= 827.19 RATIO= -0.0153

NAT Q1= 1977. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 827.19

3470 ENCROACHMENT STATIONS= 2237.0 2363.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

D/S VERONA DAM CROSS SECTION 57

56.90	11.10	827.20	0.00	827.09	827.37	0.17	0.12	0.01	827.83
4200.	0.	4200.	0.	0.	1257.	0.	1360.	175.	826.80
2.47	0.00	3.34	0.00	0.120	0.040	0.120	0.038	816.10	2237.06
0.000451	350.	350.	350.	1	0	0	0.00	125.94	2363.00

SPECIAL BRIDGE

SB	XK	XKQQ	COFQ	ROLEN	SKC	BUP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	3.50	0.00	10.00	0.00	1.10	0.00	816.10	826.10

*SECNO 57.000

2800 NAT Q1= 2393.82 WSEL= 828.46 ENC Q1= 2428.35 WSEL= 828.54 RATIO= -0.0144

NATIQ1= 2428. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 828.54

PRESSURE AND WEIR FLOW

ESPRS	ECLHC	KB	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
**********	828.72	0.00	4209.	1.	0.	1.	816.20	825.90

3470 ENCROACHMENT STATIONS= 2237.0 2363.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,FLEA= 835.00 ELREA= 835.00

AT VERONA DAM

57.00	12.37	828.67	0.00	828.64	828.60	0.14	1.23	0.00	827.80
4200.	0.	4200.	0.	0.	1616.	0.	1360.	175.	826.80
2.47	0.00	2.97	0.00	0.120	0.040	0.120	0.038	816.10	2237.00
0.000311	4.	4.	4.	2	0	1	0.00	126.00	2363.00

*SECNO 57.100
2800 NAT Q1= 481.25 WSEL= 820.22 ENC Q1= 702.33 WSEL= 820.32 RATIO= -0.0309
NAT Q1= 704. RATIOS LOB,CH,ROB= 1.0001 0.9919 0.0015 WSEL= 820.32

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 2237.0 2363.0 TYPE= 4 TARGET= 0.002

U/S VERONA DAM

57.10	5.24	828.24	0.00	828.22	828.90	0.66	0.04	0.26	827.80
4200.	0.	4200.	0.	0.	646.	0.	1361.	175.	826.80
2.48	0.00	6.52	0.00	0.120	0.040	0.120	0.038	823.00	2237.00
0.003023	50.	30.	50.	2	0	0	0.00	126.00	2363.00

*SECNO 200.000
2800 NAT Q1= 1868.68 WSEL= 829.38 ENC Q1= 1027.73 WSEL= 829.48 RATIO= -0.0105
NAT Q1= 1856. RATIOS LOB,CH,ROB= 0.0148 0.9866 0.0005 WSEL= 829.48

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 1930.0 2130.0 TYPE= 4 TARGET= 0.015

200.00	10.41	829.41	0.00	829.38	829.56	0.15	0.50	0.15	825.00
4200.	0.	4200.	0.	0.	1335.	0.	1371.	177.	828.70
2.51	0.00	3.10	0.00	0.120	0.040	0.120	0.038	819.00	1930.00
0.000566	425.	425.	425.	2	0	0	0.00	200.00	2130.00

CCHV= 0.100 CEHV= 0.300

*SECNO 201.000
2800 NAT Q1= 6475.13 WSEL= 829.36 ENC Q1= 6475.13 WSEL= 829.66 RATIO= 0.0000
NAT Q1= 4552. RATIOS LOB,CH,ROB= 0.0332 0.9369 0.0299 WSEL= 829.66

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	UTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOP.ID	ENDST

3470 ENCROACHMENT STATIONS= 1856.7 2220.9 TYPE= 4 TARGET= 0.017

FORM 1411-6R-PRINTED BY ROTARY MANIFOLD FORM
PRINTED IN U.S.A.

SURVEY VALLEY SECTION 201

201.00	14.50	829.60	0.00	829.56	829.65	0.05	0.08	0.01	825.00
4200.	105.	4006.	89.	336.	2265.	326.	1392.	179.	823.30
2.58	0.51	1.77	2.27	0.120	0.240	0.120	0.038	817.10	1856.70
0.000090	425.	425.	425.	2	0	0	0.00	367.22	2220.92

*SECNO 202.000
2800 NAT Q1= 3758.33 WSEL= 829.69 ENC Q1= 3774.06 WSEL= 829.79 RATIO= -0.0062
NAT Q1= 3027. RATIOS LOB,CH,ROB= 0.0025 0.9863 0.0112 WSEL= 829.79

3470 ENCROACHMENT STATIONS= 1647.0 1881.0 TYPE= 4 TARGET= 0.016

SURVEY VALLEY SECTION 202

202.00	16.54	829.74	0.00	829.69	829.76	0.05	0.14	0.00	825.30
4200.	0.	4200.	0.	0.	2241.	0.	1669.	193.	824.60
2.78	0.00	1.67	0.00	0.120	0.140	0.120	0.038	813.70	1647.00
0.000134	1300.	1300.	1300.	0	0	0	0.00	234.00	1881.00

*SECNO 203.000
2800 NAT Q1= 3930.57 WSEL= 829.99 ENC Q1= 3930.57 WSEL= 830.09 RATIO= 0.0030
NAT Q1= 4016. RATIOS LOB,CH,ROB= 0.0030 0.9491 0.0491 WSEL= 830.09

3470 ENCROACHMENT STATIONS= 1895.0 2262.5 TYPE= 4 TARGET= 0.019

SURVEY VALLEY SECTION 203

203.00	11.75	830.05	0.00	829.99	830.10	0.05	0.11	0.00	825.90
4200.	0.	4055.	145.	0.	2159.	409.	1603.	203.	824.30
3.15	0.00	1.88	0.30	0.120	0.040	0.120	0.038	818.30	1895.00
0.000120	2500.	2500.	1300.	2	0	0	0.00	367.51	2262.51

*SECNO 204.000
2800 NAT Q1= 3549.59 WSEL= 830.13 ENC Q1= 3549.59 WSEL= 830.23 RATIO= 0.0000
NAT Q1= 3620. RATIOS LOB,CH,ROB= 0.0031 0.9516 0.0453 WSEL= 830.23

3470 ENCROACHMENT STATIONS= 2469.0 2752.5 TYPE= 4 TARGET= 0.019

SURVEY VALLEY SECTION 204

204.00	13.50	830.20	0.00	830.13	830.26	0.06	0.16	0.00	822.90
4200.	0.	4074.	126.	0.	2041.	317.	1672.	212.	826.10
3.32	0.00	2.00	0.40	0.120	0.040	0.120	0.038	816.70	2469.00
0.000140	1200.	1200.	1200.	0	0	0	0.00	283.52	2752.52

*SECNO 205.000
2800 NAT Q1= 6183.73 WSEL= 830.32 ENC Q1= 6183.73 WSEL= 830.42 RATIO= 0.0000
NAT Q1= 6312. RATIOS LOB,CH,ROB= 0.0038 0.6493 0.3469 WSEL= 830.42

3470 ENCROACHMENT STATIONS= 2269.0 3910.1 TYPE= 4 TARGET= 0.220

SURVEY VALLEY SECTION 205

205.00	13.09	830.39	0.00	830.32	830.41	0.01	0.14	0.00	826.80
4200.	0.	2772.	1428.	0.	2430.	5450.	1883.	244.	823.00
3.92	0.00	1.14	0.26	0.120	0.040	0.120	0.038	817.30	2249.00
0.000022	1100.	1800.	1800.	2	0	0	0.00	1261.10	3510.10

*SECNO 206.000
2800 NAT Q1= 3812.36 WSEL= 830.40 ENC Q1= 3812.36 WSEL= 830.50 RATIO= 0.0000
NAT Q1= 3097. RATIOS LOB,CH,ROB= 0.0202 0.7698 0.2100 WSEL= 830.50

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	NL	CLOSS	BANK ELEV
Q	CLOB	VCH	VROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XPL	XMCH	XPR	VTX	ELMIN	SSTA
SLOPE	XLOBL	XLCH	X_OBR	DTHALL	I42	ICONT	CONVR	TOPWID	ESTA

3470 ENCROACHMENT STATIONS= 1356.1 1900.9 TYPE= 4 TARGET= 0.022

SURVEY VALLEY SECTION 206

206.00	11.48	830.48	0.00	830.40	830.52	0.04	0.10	0.01	823.90
4200.	60.	3307.	853.	100.	1894.	1875.	2062.	271.	823.80
4.19	0.37	1.75	0.43	0.120	0.040	0.120	0.039	816.00	1356.09
0.000122	1525.	1525.	1200.	2	0	0	0.00	1344.78	1900.89

*SECNO 207.000
2800 NAT Q1= 5131.38 WSEL= 830.69 ENC Q1= 5131.38 WSEL= 830.59 RATIO= 0.0200
NAT Q1= 3284. RATIOS LOB,CH,ROB= 0.1741 0.3741 0.2518 WSEL= 830.59

3470 ENCROACHMENT STATIONS= 936.7 2314.8 TYPE= 4 TARGET= 0.025

SURVEY VALLEY SECTION 207

207.00	13.29	830.69	0.00	830.49	830.60	0.02	0.11	0.00	823.90
4200.	60.	2341.	1157.	2201.	1552.	3120.	2144.	207.	823.40
4.43	0.39	1.51	0.30	0.120	0.040	0.120	0.039	816.30	984.73
0.000068	1200.	925.	500.	1	0	0	0.00	1330.12	2314.84

*SECNO 208.000
2800 NAT Q1= 5582.09 WSEL= 830.60 ENC Q1= 5582.09 WSEL= 830.70 RATIO= 0.0000
NAT Q1= 5727. RATIOS LOB,CH,ROB= 0.4194 0.3475 0.2331 WSEL= 830.70

3470 ENCROACHMENT STATIONS= 333.2 2143.4 TYPE= 4 TARGET= 0.025

SURVEY VALLEY SECTION 208

208.00	14.36	830.60	0.00	830.60	830.70	0.01	0.10	0.00	822.30
4200.	1751.	1502.	968.	6150.	1084.	3126.	2451.	336.	824.00
5.07	0.28	1.39	0.30	0.120	0.040	0.120	0.039	816.30	333.23
0.000057	1300.	1900.	1300.	1	0	0	0.00	1810.18	2143.60

*SECNO 209.000
2000 NAT Q1= 3922.08 WSEL= 830.80 ENC Q1= 3922.08 WSEL= 830.90 RATIO= 0.0000
NAT Q1= 4030. RATIOS LOB,CH,ROB= 0.0725 0.4117 0.5158 WSEL= 830.90

3470 ENCROACHMENT STATIONS= 202.8 1519.9 TYPE= 4 TARGET= 0.027

SURVEY VALLEY SECTION 209

209.00	13.78	830.88	0.00	830.80	830.91	0.03	0.21	0.00	824.40
4200.	254.	1779.	2167.	703.	925.	5492.	2884.	409.	823.60
5.78	0.36	1.92	0.39	0.120	0.040	0.120	0.041	817.10	202.78
0.000115	1900.	3700.	2000.	1	0	0	0.00	1317.17	1519.93

*SECNO 210.000
2800 NAT Q1= 3682.00 WSEL= 830.96 ENC Q1= 3682.00 WSEL= 831.06 RATIO= 0.0000

NAT Q1= 3701. RATIOS LOB,CH,ROB= 0.4791 0.3481 0.1728 WSEL= 831.06

3470 ENCROACHMENT STATIONS= 1670.2 2836.6 TYPE= 4 TARGET= 0.026

SURVEY VALLEY SECTION 210

210.00	10.34	831.06	0.00	830.96	831.06	0.10	0.14	0.00	823.30
4200.	2012.	1501.	687.	6350.	614.	1663.	3072.	462.	823.30
6.15	0.46	1.04	0.41	0.120	0.040	0.120	0.041	820.70	1678.16
0.000131	1400.	1450.	950.	0	0	0	0.00	1150.40	2836.56

*SECNO 211.000

SECNO	DEPTH	QWSEL	CRIWS	WSELK	EG	HV	EL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	KTN	ELWID	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	ILP	ICONV	CONVG	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 2108.0 3526.0 TYPE= 1 TARGET= 1618.000

SURVEY VALLEY SECTION 211

211.00	12.11	831.31	0.00	831.22	831.35	0.04	0.36	0.51	824.50
4200.	8.	1838.	2354.	25.	784.	4330.	3257.	672.	823.00
6.51	0.32	2.34	0.54	0.120	0.040	0.120	0.042	819.30	2507.68
0.000192	1200.	2675.	1100.	2	0	0	0.00	875.36	3383.05

*SECNO 212.000

SURVEY VALLEY SECTION 212

212.00	10.01	831.61	0.00	831.56	831.64	0.02	0.29	0.00	823.60
4200.	2030.	2136.	27.	5233.	1317.	35.	3482.	511.	825.00
7.07	0.39	1.62	0.31	0.120	0.040	0.120	0.042	821.60	2409.82
0.000109	900.	2400.	2400.	0	0	0	0.00	1185.23	3675.05

CCHV= 0.300 CEHV= 0.500

*SECNO 213.000

SURVEY VALLEY SECTION 213

213.00	10.27	832.17	0.00	832.12	832.27	0.10	0.63	0.04	826.70
3370.	1051.	2300.	19.	1707.	774.	43.	3803.	566.	827.30
7.51	0.62	2.97	0.49	0.120	0.040	0.120	0.043	821.90	2250.00
0.000358	2600.	4100.	4000.	2	0	0	0.00	696.00	2746.00

*SECNO 214.900

2000 NAT Q1= 1346.22 WSEL= 832.44 ENC Q1= 1370.32 WSEL= 832.54 RATIO= -0.0179

NAT Q1= 1370. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 832.54

3470 ENCROACHMENT STATIONS= 1.0 106.0 TYPE= 4 TARGET= 0.000

D/S FACE OF ALLISTER ROAD SURVEY SECTION 215

214.90	10.49	832.69	0.00	832.64	832.69	0.20	0.37	0.05	833.40
3370.	0.	3370.	0.	0.	928.	0.	3035.	571.	833.40
7.57	0.00	3.63	0.00	0.120	0.040	0.120	0.043	822.00	1.01
0.000617	000.	000.	800.	2	0	0	0.00	104.98	105.99

SPECIAL BRIDGE

SB	WX	WROR	COFQ	QQLEN	BHC	BUF	BAREA	SS	ELCHJ	ELCHD
	0.00	1.91	3.00	0.00	805.00	2.00	700.00	5.00	824.00	824.00

*SECNO 215.000
CLASS A LOW FLOW

3420 BRIDGE U.S.= 832.40 BRIDGE VELOCITY= 5.86 CALCULATED CHANNEL AREA= 873.

ESPRS	EGLLC	H3	QWEIR	QBR	BAREA	TRAPEZOID AREA	FLLC	E.TRD
833.17	833.23	0.00	0.	3370.	700.	700.	830.80	833.40

U/S FACE NC ALLNSTED POLD SURVEY SECTION 205

215.00	11.05	833.05	0.00	832.95	833.23	0.18	0.54	0.00	833.40
3370.	0.	3370.	0.	0.	986.	0.	3685.	571.	833.60
7.37	0.00	3.42	3.00	0.120	0.040	0.120	0.043	822.00	1.00
0.000509	37.	37.	37.	0	0	0	0.00	107.99	106.00

*SECNO 215.100
2800 WAT 01= 1765.58 WSEL= 833.07 ENC 01= 1765.58 HSEL= 833.17 RATIO= 0.0000
WAT 01= 1802. RATIOS LOB,CH,ROB= 2.0510 0.7967 0.1543 WSEL= 833.07

SECNO	DEPTH	QLOB	QCH	QROB	WSELK	ES	HV	HL	OLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	WOL	CMA	LEFT/RIGHT	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTX	ELMIN	SSTA	
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST	

3470 ENCROACHMENT STATIONS=		1276.6	1543.2	TYPE=	1	TARGET=		0.020	
215.10	10.75	833.15	0.00	833.07	833.29	0.13	0.04	0.01	827.40
3370.	141.	2732.	497.	275.	851.	622.	3839.	572.	824.90
7.58	0.51	3.21	0.80	0.120	0.040	0.120	0.043	822.40	1276.56
0.000365	100.	100.	100.	2	0	0	0.00	266.61	1543.16

****
HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
ERROR CORR - 01
MODIFICATIO. - 50,51,52
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES LEGEND IN SUMMARY OF ERRORS LIST

BATTLE CREEK RIVER

SUMMARY PRINTOUT TABLE 110

	SECNO	CWSEL	DIFKUS	FR	TOPWID	ALOB	CHL	ORCH	PERIMO	STRCK	STCHL	STORT	STORCH
	23.000	807.90	0.00	808.37	173.91	26.75	4141.10	32.16	0.00	0.00	30.00	186.00	0.00
	23.000	807.30	0.00	808.37	173.91	26.75	4141.10	32.16	0.00	0.00	30.00	186.00	0.00
	23.900	809.72	0.00	810.26	166.53	2.66	4196.07	1.26	0.00	0.00	15.00	175.00	0.00
	23.900	809.72	0.00	810.26	166.53	2.66	4196.07	1.26	0.00	0.00	15.00	175.00	0.00
	24.000	812.99	0.00	813.17	171.81	10.41	4101.00	8.59	0.00	0.00	15.00	175.00	0.00
	24.000	812.99	0.00	813.17	171.81	10.41	4101.00	8.59	0.00	0.00	15.00	175.00	0.00
	24.000	812.62	0.00	813.37	166.86	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	24.000	812.62	0.00	813.37	166.86	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	24.900	812.70	0.00	813.49	166.86	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	24.900	812.70	0.00	813.49	166.86	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	25.000	813.22	0.00	813.85	166.87	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	25.000	813.22	0.00	813.85	166.87	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	25.100	813.51	0.00	813.92	166.87	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	25.100	813.51	0.00	813.92	166.87	0.00	4200.00	0.00	0.00	0.00	0.50	167.50	0.00
	26.000	813.62	0.00	814.43	141.84	93.60	4004.73	101.87	0.00	0.00	22.00	116.00	0.00
	26.000	813.62	0.00	814.43	141.84	93.60	4004.73	101.87	0.00	0.00	22.00	116.00	0.00
	26.800	814.51	0.00	814.84	187.14	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	26.800	814.51	0.00	814.84	187.14	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	26.900	814.47	0.00	814.89	187.13	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	26.900	814.47	0.00	814.89	187.13	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	27.000	814.55	0.00	814.95	187.15	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	27.000	814.55	0.00	814.95	187.15	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	27.100	814.67	0.00	814.90	187.17	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	27.100	814.67	0.00	814.90	187.17	0.00	4200.00	0.00	0.00	0.00	1.00	190.00	0.00
	28.000	814.87	0.00	815.60	119.43	56.84	6083.50	59.66	0.00	0.00	1041.00	1129.00	0.00
	28.000	814.87	0.00	815.60	119.43	56.84	6083.50	59.66	0.00	0.00	1041.00	1129.00	0.00

FORM 1411.02-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	CUSEL	DIFKUS	EG	TOPVID	GLOB	GCH	GROB	PERESC	STENCL	STCHL	STCHR	STENCR
28.800	815.72	0.00	816.25	123.16	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
28.800	815.72	0.00	816.25	123.16	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
28.900	815.71	0.00	816.26	123.15	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
28.900	815.71	0.00	816.26	123.15	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.000	815.73	0.00	816.27	123.10	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.000	815.73	0.00	816.27	123.10	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.100	815.74	0.00	816.28	123.24	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.100	815.74	0.00	816.28	123.24	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.200	815.93	0.00	816.45	124.33	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.200	815.93	0.00	816.45	124.33	0.00	4200.00	0.00	0.00	0.00	1.00	141.00	0.00
29.800	816.35	0.00	816.81	156.11	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
29.800	816.35	0.00	816.81	156.11	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
29.900	816.36	0.00	816.82	156.11	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
29.900	816.36	0.00	816.82	156.11	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
30.000	816.39	0.00	816.87	156.13	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
30.000	816.39	0.00	816.87	156.13	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
30.100	816.42	0.00	816.88	156.14	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
30.100	816.42	0.00	816.88	156.14	0.00	4200.00	0.00	0.00	0.00	1.00	157.00	0.00
31.000	816.46	0.00	817.00	120.42	46.29	4078.34	75.38	0.00	0.00	924.00	1016.00	0.00
31.000	816.46	0.00	817.00	120.42	46.29	4078.34	75.38	0.00	0.00	924.00	1016.00	0.00
31.100	816.85	0.00	817.21	121.96	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.100	816.85	0.00	817.21	121.96	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.200	816.86	0.00	817.23	121.96	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.200	816.86	0.00	817.23	121.96	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.300	816.91	0.00	817.34	121.95	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.300	816.91	0.00	817.34	121.95	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.400	816.97	0.00	817.37	121.93	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.400	816.97	0.00	817.37	121.93	0.00	4200.00	0.00	0.00	0.00	1.00	123.00	0.00
31.500	817.09	0.00	817.31	100.91	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
31.500	817.09	0.00	817.31	100.91	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
31.600	817.06	0.00	817.95	100.90	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
31.600	817.06	0.00	817.95	100.90	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
31.700	817.34	0.00	818.15	100.91	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
31.700	817.34	0.00	818.15	100.91	0.00	4200.00	0.00	0.00	0.00	1.00	102.00	0.00
32.900	817.44	0.00	818.10	109.80	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
32.900	817.44	0.00	818.10	109.80	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
33.000	817.84	0.00	818.54	109.89	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
33.000	817.84	0.00	818.54	109.89	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00

FOLDS 1411-80 PRINTED BY "ROYALTY MANIFOLD FORMS"

SECNO	CUSEL	DIFK'IS	EG	TOPWID	QLOB	QC1	QROB	PESENC	STENCL	STCHL	STC.R	STENCR
33.100	818.25	0.00	818.68	109.90	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
33.100	818.25	0.00	818.68	109.90	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
34.000	819.33	0.00	819.22	96.73	3.40	4133.19	53.41	0.00	0.00	692.00	773.00	0.00
34.000	819.33	0.00	819.22	96.73	3.40	4133.19	53.41	0.00	0.00	692.00	773.00	0.00
35.000	819.95	0.00	820.42	108.70	1.36	4127.30	71.63	0.00	0.00	581.00	679.00	0.00
35.000	819.95	0.00	820.42	108.70	1.36	4127.30	71.63	0.00	0.00	581.00	679.00	0.00
35.900	820.21	0.00	820.58	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
35.800	820.21	0.00	820.58	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
35.900	820.19	0.00	820.67	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
35.900	820.19	0.00	820.67	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
36.000	820.33	0.00	820.80	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
36.000	820.33	0.00	820.80	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
36.100	820.50	0.00	820.96	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
36.100	820.50	0.00	820.96	109.91	0.00	4200.00	0.00	0.00	0.00	1.00	111.00	0.00
36.200	820.30	0.00	821.30	70.31	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
36.200	820.30	0.00	821.30	70.31	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
36.300	820.61	0.00	821.42	70.32	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
36.300	820.61	0.00	821.42	70.32	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
37.000	821.82	0.00	822.37	70.66	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
37.000	821.82	0.00	822.37	70.66	0.00	4200.00	0.00	0.00	0.00	1.00	71.00	0.00
37.100	821.82	0.00	822.37	70.66	0.69	4199.31	0.00	0.00	0.00	1.00	71.00	0.00
37.100	821.82	0.00	822.37	70.66	0.69	4199.31	0.00	0.00	0.00	1.00	71.00	0.00
37.800	821.86	0.00	822.63	56.88	0.00	4200.00	0.00	0.00	0.00	1.00	58.00	0.00
37.800	821.86	0.00	822.63	56.88	0.00	4200.00	0.00	0.00	0.00	1.00	58.00	0.00
37.900	821.75	0.00	822.74	56.88	0.00	4200.00	0.00	0.00	0.00	1.00	58.00	0.00
37.900	821.75	0.00	822.74	56.88	0.00	4200.00	0.00	0.00	0.00	1.00	58.00	0.00
38.000	822.51	0.00	823.00	80.90	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
38.000	822.51	0.00	823.00	80.90	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
38.900	822.45	0.00	823.06	80.94	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
38.900	822.45	0.00	823.06	80.94	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
39.000	822.58	0.00	823.17	80.95	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
39.000	822.58	0.00	823.17	80.95	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
39.100	822.79	0.00	823.22	80.95	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
39.100	822.79	0.00	823.22	80.95	0.00	4200.00	0.00	0.00	0.00	1.00	82.00	0.00
40.000	822.96	0.00	823.36	102.05	185.06	4003.49	11.45	0.00	0.00	867.00	916.00	0.00
40.000	822.96	0.00	823.36	102.05	185.06	4003.49	11.45	0.00	0.00	867.00	916.00	0.00
40.900	823.13	0.00	823.46	77.94	0.00	4200.00	0.00	0.00	0.00	1.00	79.00	0.00
40.900	823.13	0.00	823.46	77.94	0.00	4200.00	0.00	0.00	0.00	1.00	79.00	0.00

FORM 1111-00-PRINTED BY ROTARY LIGHTFOLD FORMS

SECNO	CUSEL	DIFKWS	SG	TOPHID	CLOC	QCR	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
41.000	823.52	0.00	823.86	77.94	0.00	4200.00	0.00	0.00	0.00	1.00	79.00	0.00
41.000	823.52	0.00	823.84	77.94	0.00	4200.00	0.00	0.00	0.00	1.00	79.00	0.00
42.000	823.79	0.00	823.97	137.24	0.02	4204.35	95.67	0.00	0.00	724.00	841.00	0.00
42.000	823.79	0.00	823.97	137.24	0.02	4204.35	95.67	0.00	0.00	724.00	841.00	0.00
43.900	823.84	0.00	824.06	81.96	0.00	4200.00	0.00	0.00	0.00	1.00	93.00	0.00
43.900	823.84	0.00	824.06	81.96	0.00	4200.00	0.00	0.00	0.00	1.00	93.00	0.00
44.000	824.16	0.00	824.37	81.95	0.00	4200.00	0.00	0.00	0.00	1.00	93.00	0.00
44.000	824.16	0.00	824.37	81.95	0.00	4200.00	0.00	0.00	0.00	1.00	93.00	0.00
44.900	824.18	0.00	824.43	93.00	0.01	4199.99	0.00	0.00	0.00	1.00	93.00	0.00
44.900	824.18	0.10	824.43	93.00	0.01	4199.99	0.00	0.00	0.00	1.00	93.00	0.00
45.000	824.90	0.00	825.11	93.00	0.13	4199.86	0.00	0.00	0.00	1.00	93.00	0.00
45.000	824.90	0.00	825.11	93.00	0.13	4199.86	0.00	0.00	0.00	1.00	93.00	0.00
46.000	824.89	0.00	825.19	135.99	42.31	4097.89	59.81	1.00	0.00	928.00	1000.00	0.00
46.000	824.89	0.00	825.19	135.99	42.31	4097.89	59.81	0.00	0.00	928.00	1000.00	0.00
46.500	825.27	0.00	825.42	306.54	86.44	4044.34	74.27	0.00	0.00	215.00	315.00	0.00
46.500	825.27	-3.00	825.42	133.78	57.74	4096.01	46.25	0.01	193.65	215.00	315.00	327.44
47.000	825.42	0.00	825.54	204.90	114.27	3990.74	94.99	225.00	1380.00	1439.00	1547.00	1605.00
47.000	825.42	0.00	825.54	204.90	114.35	3990.69	95.01	225.00	1380.00	1439.00	1547.00	1605.00
47.900	825.50	0.00	825.57	173.97	0.00	4200.00	0.00	0.00	0.00	1.00	175.00	0.00
47.900	825.51	0.00	825.57	173.97	0.00	4200.00	0.00	0.00	1.00	1.00	175.00	175.00
48.000	825.66	0.00	825.73	173.97	0.00	4200.00	0.00	0.00	0.00	1.00	175.00	0.00
48.000	825.70	0.10	825.33	173.97	0.00	4200.00	0.00	0.00	0.00	1.00	175.00	0.00
48.200	825.69	0.00	825.74	303.72	140.78	3603.39	455.23	0.00	0.00	275.00	394.00	0.00
48.200	825.78	0.10	825.84	217.86	116.67	3642.64	440.69	0.01	249.63	275.00	394.00	467.29
48.300	825.65	0.00	825.78	332.80	229.93	3386.99	583.07	0.00	0.00	275.00	394.00	0.00
48.300	825.75	0.09	825.89	224.69	190.79	3469.08	598.23	0.02	244.37	275.00	394.00	469.45
48.400	825.67	0.00	825.78	333.11	215.74	3428.76	554.51	0.00	0.00	275.00	394.00	0.00
48.400	825.77	0.10	825.88	220.67	177.29	3496.78	525.94	0.02	246.36	275.00	394.00	467.02
48.900	825.82	0.00	825.80	510.11	1312.16	2764.48	126.36	0.00	0.00	370.00	470.00	0.00
48.900	825.92	0.10	825.98	482.33	1300.25	2793.17	106.58	0.02	7.79	370.00	470.00	490.13
49.000	825.88	0.00	826.00	166.00	79.70	3967.33	173.68	166.00	841.00	883.00	985.00	1017.00
49.000	825.98	0.10	826.10	166.00	79.98	3945.57	174.45	166.00	851.00	883.00	985.00	1017.00
49.900	825.88	0.00	826.04	116.48	0.00	4200.00	0.00	0.00	0.00	1.00	117.50	0.00
49.900	825.98	0.10	826.14	116.48	0.00	4200.00	0.00	0.00	1.00	1.00	117.50	117.50
50.000	826.10	0.00	826.25	116.48	0.00	4200.00	0.00	0.00	0.00	1.00	117.50	0.00
50.000	826.20	0.10	826.36	116.49	0.00	4200.00	0.00	0.00	1.00	1.00	117.50	117.50
50.100	826.18	0.00	826.29	316.00	98.14	3632.44	469.42	316.00	87.00	195.00	295.00	403.00
50.100	826.29	0.10	826.39	316.00	101.38	3626.75	472.37	316.00	87.00	195.00	295.00	403.00

PRINTED IN U.S.A.

FORMS APPROVED PRINTED BY REPAFY MANIFOLD FORMS.

SECNO	CHSEL	DIFKHS	EG	TOPWID	GLOB	GCH	GRCB	PERENC	STENCL	STCHL	STCHR	STENCR
51.000	826.35	0.00	826.37	1135.05	2055.71	1055.21	289.03	0.00	0.00	1474.00	1578.00	0.00
51.000	826.45	0.10	826.47	1026.02	2060.50	1882.28	257.22	0.02	783.43	1474.00	1578.00	1789.25
52.000	826.40	0.30	826.40	1483.92	2870.72	1386.26	35.22	0.00	0.00	2356.00	2456.00	0.00
52.000	826.50	0.10	826.50	1375.93	2890.44	1389.57	0.00	0.02	1060.07	2356.00	2456.00	2456.00
53.000	826.69	0.00	826.51	1110.59	1901.79	2267.38	30.33	0.00	0.00	1434.00	1570.00	0.00
53.000	826.80	0.11	826.82	1015.46	1965.03	2254.07	0.00	0.02	554.54	1434.00	1570.00	1570.00
54.000	826.59	0.00	826.63	352.90	100.69	2389.59	1709.73	0.01	0.00	739.00	840.00	0.00
54.000	826.70	0.11	826.74	700.39	65.83	2416.57	1717.60	0.02	633.57	739.00	840.00	1383.96
55.000	826.79	0.00	826.94	237.39	81.14	3079.82	248.04	0.00	0.00	1948.00	2058.00	0.00
55.000	826.89	0.10	827.04	184.29	53.95	3927.07	227.93	0.02	1785.04	1948.00	2058.00	2119.32
55.800	826.80	0.00	826.97	116.00	0.00	4200.00	0.00	0.00	0.00	1945.00	2061.00	0.00
55.800	826.91	0.11	827.09	116.00	0.00	4200.00	0.00	0.00	1945.00	1945.00	2061.00	2061.00
55.900	826.72	0.00	827.02	116.00	0.00	4200.00	0.00	0.00	0.00	1945.00	2061.00	0.00
55.900	826.83	0.11	827.13	116.00	0.00	4200.00	0.00	0.00	1945.00	1945.00	2061.00	2061.00
56.000	826.79	0.00	827.08	116.00	0.00	4200.00	0.00	0.00	0.00	1945.00	2061.00	0.00
56.000	826.90	0.11	827.19	116.00	0.00	4200.00	0.00	0.00	1945.00	1945.00	2061.00	2061.00
56.100	826.90	0.00	827.09	116.00	0.00	4200.00	0.00	0.00	0.00	1945.00	2061.00	0.00
56.100	827.02	0.11	827.20	116.00	0.00	4200.00	0.00	0.00	1945.00	1945.00	2061.00	2061.00
56.200	826.98	0.00	827.13	239.01	64.60	3862.13	255.19	0.00	0.00	1948.00	2058.00	0.00
56.200	827.09	0.11	827.24	185.75	54.09	3916.90	229.01	0.02	1934.18	1948.00	2058.00	2119.96
56.900	827.09	0.00	827.27	125.93	0.00	4203.00	0.00	0.00	0.00	2237.00	2363.00	0.00
56.900	827.20	0.11	827.37	125.94	0.00	4203.00	0.00	0.00	2237.00	2237.00	2363.00	2363.00
57.000	828.44	0.00	828.58	126.00	0.00	4203.00	0.00	0.00	0.00	2237.00	2363.00	0.00
57.000	828.47	0.02	828.60	126.00	0.00	4200.00	0.00	0.00	2237.00	2237.00	2363.00	2363.00
57.100	828.22	0.00	828.80	156.31	1.19	4193.18	5.63	0.00	0.00	2237.00	2363.00	0.00
57.100	828.24	0.01	828.80	126.00	0.00	4200.00	0.00	0.00	2237.00	2237.00	2363.00	2363.00
200.000	829.38	0.00	829.52	321.19	57.79	4140.52	1.69	0.00	0.00	1930.00	2130.00	0.00
200.000	829.41	0.03	829.56	200.00	0.00	4200.00	0.00	0.02	1930.00	1930.00	2130.00	2130.00
201.000	829.56	0.00	829.61	572.69	135.73	3943.89	120.37	0.00	0.00	1930.00	2130.00	0.00
201.000	829.60	0.04	829.65	364.22	104.72	4006.14	69.14	0.02	1856.70	1930.00	2130.00	2220.92
202.000	829.69	0.00	829.74	348.10	9.33	4144.77	45.90	0.00	0.00	1647.00	1881.00	0.00
202.000	829.74	0.04	829.79	234.00	0.00	4200.00	0.00	0.01	1647.00	1647.00	1881.00	1881.00
203.000	829.99	0.00	830.04	841.37	15.41	3990.62	194.18	0.00	0.00	1895.00	2105.00	0.00
203.000	830.05	0.06	830.10	367.51	0.00	4054.75	145.25	0.02	1695.80	1895.00	2105.00	2262.53
204.000	830.13	0.00	830.19	511.40	12.93	4007.51	183.55	0.00	0.00	2469.00	2681.00	0.00
204.000	830.20	0.07	830.26	283.52	0.00	4073.54	126.66	0.02	2469.00	2469.00	2681.00	2752.52
205.000	830.32	0.00	830.33	1418.90	15.72	2739.36	1444.90	0.00	0.00	2249.00	2501.00	0.00
205.000	830.39	0.08	830.41	1261.10	0.00	2771.94	1422.06	0.02	2249.00	2249.00	2501.00	3510.10

PRINTED IN U.S.A.

FORM 1011-G PRINTED BY ROTARY MANIFOLD FORMS

SECNO	CUSEL	DIFKMS	EG	TOP.ID	QLOB	QCK	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
206.000	830.40	0.00	830.44	754.39	82.37	3242.47	875.17	0.00	0.00	1375.00	1591.00	0.00
206.000	830.49	0.08	830.52	544.73	40.27	3396.99	852.87	0.02	1356.01	1375.00	1591.00	1900.86
207.000	830.49	0.00	830.51	1430.77	724.25	2405.95	1169.30	0.00	0.00	1412.00	1552.00	0.00
207.000	830.58	0.08	830.60	1330.12	694.66	2368.40	1156.96	0.03	906.73	1412.00	1552.00	2314.84
208.000	830.60	0.00	830.61	1956.12	1749.38	1674.86	975.56	0.00	0.00	1511.00	1609.00	0.00
208.000	830.69	0.08	830.70	1950.10	1750.37	1501.50	947.92	0.03	333.25	1511.00	1609.00	2143.40
209.000	830.80	0.00	830.82	1612.69	300.29	1749.51	2165.20	0.00	0.00	357.00	443.00	0.00
209.000	830.88	0.09	830.91	1317.17	253.06	1778.63	2167.30	0.03	202.76	357.00	443.00	1519.93
210.000	830.96	0.00	830.98	1292.99	2007.53	1673.56	718.91	0.00	0.00	2415.00	2505.00	0.00
210.000	831.04	0.09	831.06	1150.42	2012.08	1651.69	696.68	0.03	1670.16	2415.00	2505.00	2836.56
211.000	831.22	0.00	831.26	874.93	7.75	1849.58	2342.67	0.00	0.00	2513.00	2593.00	0.00
211.000	831.31	0.08	831.35	875.36	7.86	1830.13	2354.01	1418.00	2108.00	2513.00	2595.00	3526.00
212.000	831.54	0.00	831.56	1184.65	2027.35	2165.90	26.25	0.00	0.00	3695.00	3669.00	0.00
212.000	831.61	0.07	831.64	1183.63	2039.09	2135.59	26.56	0.00	0.00	3695.00	3669.00	0.00
213.000	832.12	0.00	832.22	496.70	1048.01	2307.17	19.24	0.00	0.00	2646.00	2736.00	0.00
213.000	832.17	0.05	832.27	496.00	1050.60	2299.97	19.36	0.00	0.00	2646.00	2736.00	0.00
214.900	832.64	0.00	832.65	104.98	0.00	3370.00	0.00	0.00	0.00	1.00	106.00	0.00
214.900	832.69	0.04	832.69	104.99	0.00	3370.00	0.00	0.00	1.00	1.00	106.00	106.00
215.000	832.95	0.00	833.13	104.99	0.00	3370.00	0.00	0.00	0.00	1.00	106.00	0.00
215.000	833.05	0.10	833.23	104.99	0.00	3370.00	0.00	0.00	0.00	1.00	106.00	0.00
215.100	833.07	0.00	833.19	300.00	166.25	2686.18	517.57	0.00	0.00	1361.00	1449.00	0.00
215.100	833.15	0.09	833.29	266.61	140.65	2732.29	497.05	0.02	1276.56	1361.00	1449.00	1564.17

FORM 1411-GO-PRINTED BY ROTARY MANIFOLD FORMS

BATTLE CREEK RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	XLOB	ELTRD	ELLOB	ELMIN	Q	SOMEL	CRIWS	FR	TOPWS	VCH	AREA	QCH
23.000	0.00	0.00	0.00	802.20	4200.00	807.60	0.00	803.37	28.78	6.11	717.13	702.95
23.000	0.00	0.00	0.00	802.20	4200.00	807.60	0.00	803.37	28.78	6.11	717.13	702.95
23.900	675.00	0.00	0.00	803.20	4200.00	809.72	0.00	810.26	27.03	5.74	731.64	807.78
23.900	675.00	0.00	0.00	803.20	4200.00	809.72	0.00	810.26	27.03	5.74	731.64	807.78
24.000	3.00	808.60	803.30	803.20	4200.00	812.99	0.00	813.17	4.22	3.40	1263.04	2044.92
24.000	3.00	808.60	803.30	803.20	4200.00	812.99	0.00	813.17	4.22	3.40	1263.04	2044.92
24.800	11.00	0.00	0.00	808.60	4200.00	812.82	0.00	813.37	31.00	5.97	703.43	756.36
24.800	11.00	0.00	0.00	808.60	4200.00	812.82	0.00	813.37	31.00	5.97	703.43	756.36
24.900	1.00	822.00	819.40	808.60	4200.00	812.70	0.00	813.49	56.51	7.13	587.16	558.73
24.900	1.00	822.00	819.40	808.60	4200.00	812.70	0.00	813.49	56.51	7.13	587.16	558.73
25.000	64.00	822.00	819.40	808.60	4200.00	813.32	0.00	813.85	38.51	6.34	662.91	881.24
25.000	64.00	822.00	819.40	808.60	4200.00	813.32	0.00	813.83	38.21	6.34	662.91	881.24
25.100	1.00	0.00	0.00	808.60	4200.00	813.51	0.00	813.92	18.84	5.13	819.32	967.60
25.100	1.00	0.00	0.00	808.60	4200.00	813.51	0.00	813.92	18.84	5.13	819.32	967.60
26.000	135.00	0.00	0.00	807.30	4200.00	813.62	0.00	814.43	29.33	7.30	669.45	776.50
26.000	135.00	0.00	0.00	807.00	4200.00	813.62	0.00	814.43	29.35	7.38	669.45	776.50
26.800	135.00	0.00	0.00	807.30	4200.00	814.51	0.00	814.84	14.55	4.61	911.24	1101.04
26.800	135.00	0.00	0.00	807.30	4200.00	814.51	0.00	814.84	14.55	4.61	911.24	1101.04
26.900	1.00	825.00	818.30	807.30	4200.00	814.47	0.00	814.89	21.04	5.15	815.65	915.60
26.900	1.00	825.00	818.30	807.30	4200.00	814.47	0.00	814.89	21.04	5.15	815.65	915.60
27.000	30.00	825.00	818.80	807.30	4200.00	814.55	0.00	814.95	19.96	5.07	828.93	940.06
27.000	30.00	825.00	818.80	807.30	4200.00	814.55	0.00	814.95	19.96	5.07	828.93	940.06
27.100	1.00	0.00	0.00	807.30	4200.00	814.67	0.00	814.98	13.12	4.46	940.67	1159.63
27.100	1.00	0.00	0.00	807.30	4200.00	814.67	0.00	814.98	13.12	4.46	940.67	1159.63
28.000	250.00	0.00	0.00	807.60	4200.00	814.87	0.00	815.60	21.10	6.93	678.44	914.33
28.000	250.00	0.00	0.00	807.60	4200.00	814.87	0.00	815.60	21.10	6.93	678.44	914.33
28.800	300.00	0.00	0.00	808.50	4200.00	815.72	0.00	816.25	18.79	5.87	715.85	963.91
28.800	300.00	0.00	0.00	808.50	4200.00	815.72	0.00	816.25	18.79	5.87	715.85	963.91
28.900	1.00	822.00	821.60	808.50	4200.00	815.71	0.00	816.26	19.43	5.93	708.65	952.72
28.900	1.00	822.00	821.60	808.50	4200.00	815.71	0.00	816.26	19.43	5.93	708.65	952.72
29.000	6.00	822.00	821.60	808.50	4200.00	815.73	0.00	816.27	19.38	5.92	709.36	954.16
29.000	6.00	822.00	821.60	808.50	4200.00	815.73	0.00	816.27	19.38	5.92	709.36	954.16
29.100	1.00	0.00	0.00	808.50	4200.00	815.74	0.00	816.28	18.63	5.85	717.87	973.00
29.100	1.00	0.00	0.00	808.50	4200.00	815.74	0.00	816.28	18.63	5.85	717.87	973.00
29.200	90.00	0.00	0.00	808.50	4200.00	815.95	0.00	816.45	16.70	5.64	744.64	1027.84
29.200	90.00	0.00	0.00	808.50	4200.00	815.95	0.00	816.45	16.70	5.64	744.64	1027.84

FORM 1411-00 PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRO	ELLC	ELHIS	Q	CUSEL	CRIMS	EG	TOKES	VCH	AREA	.01K
29.800	90.00	0.00	0.00	807.50	4200.00	816.35	0.00	816.69	8.06	4.16	1010.63	1470.96
29.800	90.00	0.00	0.00	807.50	4200.00	816.35	0.00	816.69	8.06	4.16	1010.63	1470.96
29.900	1.00	822.10	819.00	807.60	4200.00	816.34	0.00	816.62	6.92	4.28	980.50	1456.21
29.900	1.00	822.10	819.00	807.60	4200.00	816.34	0.00	816.62	6.92	4.28	980.50	1456.21
30.000	54.00	822.10	819.00	807.60	4200.00	816.39	0.00	816.67	8.79	4.26	986.20	1419.83
30.000	54.00	822.10	819.00	807.60	4200.00	816.39	0.00	816.67	8.79	4.26	986.20	1419.83
30.100	1.00	0.00	0.00	807.60	4200.00	816.42	0.00	816.68	7.79	4.11	1021.57	1505.71
30.100	1.00	0.00	0.00	807.60	4200.00	816.42	0.00	816.68	7.79	4.11	1021.57	1505.71
31.000	80.00	0.00	0.00	806.70	4200.00	816.46	0.00	817.00	14.67	6.09	789.68	1096.55
31.000	80.00	0.00	0.00	806.70	4200.00	816.46	0.00	817.00	14.67	6.09	789.68	1096.55
31.100	90.00	0.00	0.00	806.30	4200.00	816.44	0.00	817.21	10.85	4.84	867.51	1275.06
31.100	90.00	0.00	0.00	806.30	4200.00	816.85	0.00	817.21	10.85	4.84	867.51	1275.06
31.200	1.00	820.00	817.60	806.30	4200.00	816.04	0.00	817.23	11.87	4.97	844.61	1218.99
31.200	1.00	820.00	817.60	806.30	4200.00	816.04	0.00	817.23	11.87	4.97	844.61	1218.99
31.300	96.00	820.00	818.10	806.80	4200.00	816.91	0.00	817.36	14.55	5.30	792.32	1101.05
31.300	96.00	820.00	818.10	806.80	4200.00	816.91	0.00	817.36	14.55	5.30	792.32	1101.05
31.400	1.00	822.00	819.70	808.80	4200.00	816.97	0.00	817.37	12.42	5.04	833.24	1191.71
31.400	1.00	822.00	819.70	808.80	4200.00	816.97	0.00	817.37	12.42	5.04	833.24	1191.71
31.500	105.00	822.00	819.70	809.50	4200.00	817.09	0.00	817.81	26.82	6.82	615.60	811.04
31.500	105.00	822.00	819.70	809.50	4200.00	817.09	0.00	817.81	26.82	6.82	615.60	811.04
31.600	1.00	822.00	821.00	809.20	4200.00	817.06	0.00	817.95	37.31	7.55	556.17	667.62
31.600	1.00	822.00	821.00	809.20	4200.00	817.06	0.00	817.95	37.31	7.55	556.17	667.62
31.700	67.00	822.00	821.00	809.20	4200.00	817.34	0.00	818.15	32.19	7.21	582.48	740.21
31.700	67.00	822.00	821.00	809.20	4200.00	817.34	0.00	818.15	32.19	7.21	582.48	740.21
32.900	1.00	823.00	820.90	809.70	4200.00	817.46	0.00	818.18	50.14	6.93	606.07	593.13
32.900	1.00	823.00	820.90	809.70	4200.00	817.46	0.00	818.18	50.14	6.93	606.07	593.13
33.000	70.00	823.00	820.90	809.70	4200.00	817.86	0.00	818.54	45.02	6.70	627.18	625.99
33.000	70.00	823.00	820.90	809.70	4200.00	817.86	0.00	818.54	45.02	6.70	627.18	625.99
33.100	1.00	0.00	0.00	809.70	4200.00	818.25	0.00	818.68	12.03	5.23	802.53	1210.95
33.100	1.00	0.00	0.00	809.70	4200.00	818.25	0.00	818.68	12.03	5.23	802.53	1210.95
34.000	100.00	0.00	0.00	810.10	4200.00	818.33	0.00	819.22	25.89	7.63	593.47	825.51
34.000	100.00	0.00	0.00	810.10	4200.00	818.33	0.00	819.22	25.89	7.63	593.47	825.51
35.000	600.00	0.00	0.00	812.10	4200.00	819.95	0.00	820.42	11.39	5.56	803.96	1246.47
35.000	600.00	0.00	0.00	812.10	4200.00	819.95	0.00	820.42	11.39	5.56	803.96	1246.47
35.800	100.00	0.00	0.00	812.20	4200.00	820.21	0.00	820.58	9.79	4.85	866.36	1342.41
35.800	100.00	0.00	0.00	812.20	4200.00	820.21	0.00	820.58	9.79	4.85	866.36	1342.41
35.900	1.00	826.00	823.10	812.20	4200.00	820.19	0.00	820.67	19.38	5.57	753.39	953.96
35.900	1.00	826.00	823.10	812.20	4200.00	820.19	0.00	820.67	19.38	5.57	753.39	953.96

FORM 1415 PRINTED BY ROYALTY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CUSEL	CRIUS	EG	10K*S	VCH	AREA	.01K
36.000	65.00	826.30	823.10	812.20	4200.00	820.33	0.00	820.80	10.44	5.49	765.31	977.95
36.000	65.00	826.00	823.10	812.20	4200.00	820.33	0.00	820.80	10.44	5.49	765.31	977.95
36.100	1.00	827.00	823.30	812.30	4200.00	820.50	0.00	820.86	9.42	4.73	870.02	1363.39
36.100	1.00	827.00	823.30	812.30	4200.00	820.50	0.00	820.86	9.42	4.73	870.02	1363.39
36.200	74.00	827.00	823.30	812.30	4200.00	820.50	0.00	821.30	22.89	7.53	557.61	877.86
36.200	74.00	827.00	823.30	812.30	4200.00	820.50	0.00	821.36	22.89	7.53	557.61	877.86
36.300	1.00	827.00	823.30	812.30	4200.00	820.51	0.00	821.42	20.05	7.24	580.50	937.90
36.300	1.00	827.00	823.30	812.30	4200.00	820.51	0.00	821.42	20.05	7.24	580.50	937.90
37.000	570.00	827.00	822.70	811.70	4200.00	821.82	0.00	822.37	10.69	5.94	707.61	1284.77
37.000	570.00	827.00	822.70	811.70	4200.00	821.82	0.00	822.37	10.69	5.94	707.61	1284.77
37.100	1.00	0.00	0.00	811.70	4200.00	821.82	0.00	822.37	10.67	5.93	711.30	1285.63
37.100	1.00	0.00	0.00	811.70	4200.00	821.82	0.00	822.37	10.67	5.93	711.30	1285.63
37.300	115.00	0.00	0.00	809.00	4200.00	821.86	0.00	822.63	15.95	7.02	598.55	1051.55
37.300	115.00	0.00	0.00	809.00	4200.00	821.86	0.00	822.63	15.95	7.02	598.55	1051.55
37.900	1.00	830.00	823.80	809.00	4200.00	821.75	0.00	822.76	24.64	7.98	526.02	849.63
37.900	1.00	830.00	823.80	809.00	4200.00	821.75	0.00	822.76	24.64	7.98	526.02	849.63
38.000	66.00	830.00	823.80	809.50	4200.00	822.51	0.00	823.00	11.64	5.63	746.46	1231.28
38.000	66.00	830.00	823.80	809.50	4200.00	822.51	0.00	823.00	11.64	5.63	746.46	1231.28
38.900	1.00	825.50	823.10	809.50	4200.00	822.45	0.00	823.06	16.91	6.29	667.64	1021.29
38.900	1.00	825.50	823.10	809.50	4200.00	822.45	0.00	823.06	16.91	6.29	667.64	1021.29
39.000	66.00	825.50	823.10	809.50	4200.00	822.58	0.00	823.17	16.19	6.20	677.16	1043.82
39.000	66.00	825.50	823.10	809.50	4200.00	822.58	0.00	823.17	16.19	6.20	677.16	1043.82
39.100	1.00	0.00	0.00	809.50	4200.00	822.79	0.00	823.22	9.57	5.29	794.16	1357.47
39.100	1.00	0.00	0.00	809.50	4200.00	822.79	0.00	823.22	9.57	5.29	794.16	1357.47
40.000	165.00	0.00	0.00	808.30	4200.00	822.96	0.00	823.36	6.24	5.20	965.99	1681.06
40.000	165.00	0.00	0.00	808.30	4200.00	822.96	0.00	823.36	6.24	5.20	965.99	1681.06
40.900	135.00	0.00	0.00	809.20	4200.00	823.13	0.00	823.46	6.15	4.66	901.52	1696.17
40.900	135.00	0.00	0.00	809.20	4200.00	823.13	0.00	823.46	6.15	4.66	901.52	1696.17
41.000	46.00	827.40	821.70	809.20	4200.00	823.52	0.00	823.84	5.55	4.50	932.38	1782.23
41.000	46.00	827.40	821.70	809.20	4200.00	823.52	0.00	823.84	5.55	4.50	932.38	1782.23
42.000	225.00	0.00	0.00	811.00	4200.00	823.79	0.00	823.97	3.08	3.46	1315.17	2391.82
42.000	225.00	0.00	0.00	811.00	4200.00	823.79	0.00	823.97	3.08	3.46	1315.17	2391.82
43.900	225.00	0.00	0.00	808.80	4200.00	823.84	0.00	824.06	3.44	3.79	1109.40	2263.98
43.900	225.00	0.00	0.00	808.30	4200.00	823.84	0.00	824.06	3.44	3.79	1109.40	2263.98
44.000	76.00	826.90	822.10	808.30	4200.00	824.16	0.00	824.37	3.21	3.70	1135.73	2344.72
44.000	76.00	826.90	822.10	808.80	4200.00	824.16	0.00	824.37	3.21	3.70	1135.73	2344.72
44.900	100.00	0.00	0.00	810.00	4200.00	824.10	0.00	824.43	4.20	3.95	1062.16	2049.03
44.900	100.00	0.00	0.00	810.00	4200.00	824.10	0.00	824.43	4.20	3.95	1062.16	2049.03

FORM 7331-00-PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	XLCH	ELTPC	ELLC	ELMIN	Q	CUSEL	CRIMS	EC	TOKOS	VCH	AREA	.01K
45.000	96.00	824.00	820.90	810.00	4200.00	824.90	0.00	825.11	3.48	3.73	1127.86	2252.69
45.000	96.00	824.00	820.90	810.00	4200.00	824.90	0.00	825.11	3.48	3.73	1127.86	2252.69
46.000	100.00	0.00	0.00	809.80	4200.00	824.89	0.00	825.19	3.89	4.51	1081.93	2129.60
46.000	100.00	0.00	0.00	809.80	4200.00	824.89	0.00	825.19	3.89	4.51	1081.93	2129.60
46.500	700.00	0.00	0.00	810.50	4200.00	825.27	0.00	825.42	1.75	3.11	1771.35	3174.02
46.500	700.00	0.00	0.00	810.50	4200.00	825.27	0.00	825.42	1.80	3.15	1541.38	3132.16
47.000	700.00	0.00	0.00	811.20	4200.00	825.42	0.00	825.54	1.51	2.86	1847.18	3422.06
47.000	700.00	0.00	0.00	811.30	4200.00	825.42	0.00	825.54	1.51	2.86	1868.08	3422.12
47.900	130.00	0.20	0.00	810.60	4200.00	825.50	0.00	825.57	0.93	2.06	2035.61	4265.76
47.900	130.00	0.20	0.00	810.60	4200.00	825.51	0.00	825.57	0.93	2.06	2036.17	4268.29
48.000	60.00	826.60	822.60	810.60	4200.00	825.76	0.00	825.83	0.91	2.02	2080.73	4396.32
48.000	60.00	826.60	822.60	810.60	4200.00	825.76	0.00	825.83	0.91	2.02	2080.73	4396.32
48.200	150.00	0.00	0.00	810.30	4200.00	825.69	0.00	825.76	0.56	1.99	3198.23	5511.60
48.200	150.00	0.00	0.00	810.30	4200.00	825.70	0.00	825.86	0.57	2.00	2969.94	5511.08
48.300	2.00	816.50	810.30	810.30	4200.00	825.65	0.00	825.70	2.00	3.11	2176.17	2509.43
48.300	2.00	816.50	810.30	810.30	4200.00	825.75	0.00	825.88	2.81	3.14	1990.85	2504.24
48.400	2.00	0.00	0.00	816.60	4200.00	825.67	0.00	825.78	2.20	2.91	2300.28	2831.27
48.400	2.00	0.00	0.00	816.60	4200.00	825.77	0.00	825.88	2.22	2.94	2091.09	2820.04
48.900	520.00	0.00	0.00	814.00	4200.00	825.92	0.00	825.98	1.30	2.46	3932.50	3690.21
48.900	520.00	0.00	0.00	814.00	4200.00	825.92	0.00	825.98	1.29	2.45	3867.36	3696.63
49.000	650.00	0.00	0.00	808.30	4200.00	825.88	0.00	826.00	1.55	2.92	1807.97	3376.10
49.000	650.00	0.00	0.00	808.30	4200.00	825.98	0.00	826.10	1.51	2.90	1824.46	3419.90
49.900	100.00	0.00	0.00	812.30	4200.00	825.38	0.00	826.04	2.86	3.25	1292.53	2496.24
49.900	100.00	0.00	0.00	812.80	4200.00	825.96	0.00	826.14	2.79	3.22	1303.33	2516.84
50.000	50.00	826.90	824.50	812.80	4200.00	826.10	0.00	826.26	2.69	3.19	1317.50	2559.29
50.000	50.00	826.90	824.50	812.80	4200.00	826.20	0.00	826.36	2.62	3.16	1329.13	2594.50
50.100	100.00	0.00	0.00	812.80	4200.00	826.10	0.00	826.29	1.50	2.84	2380.26	3431.19
50.100	100.00	0.00	0.00	812.80	4200.00	826.29	0.00	826.39	1.45	2.81	2412.20	3482.45
51.000	730.00	0.00	0.00	813.00	4200.00	826.35	0.00	826.37	0.56	1.47	8075.06	5591.47
51.000	730.00	0.00	0.00	813.00	4200.00	826.45	0.00	826.47	0.56	1.48	7835.84	5591.00
52.000	800.00	0.00	0.00	813.30	4200.00	826.40	0.00	826.40	0.33	1.13	11455.68	7280.09
52.000	800.00	0.00	0.00	813.30	4200.00	826.50	0.00	826.50	0.35	1.08	11169.64	7112.81
53.000	2600.00	0.00	0.00	812.30	4200.00	826.49	0.00	826.51	0.60	1.55	7459.88	5441.62
53.000	2600.00	0.00	0.00	812.30	4200.00	826.60	0.00	826.62	0.63	1.52	7253.23	5209.21
54.000	1450.00	0.00	0.00	812.90	4200.00	826.58	0.00	826.63	1.05	1.99	5405.98	4203.06
54.000	1450.00	0.00	0.00	812.90	4200.00	826.70	0.00	826.74	1.04	1.98	5193.35	4121.77
55.000	1650.00	0.00	0.00	814.40	4200.00	826.79	0.00	826.94	3.08	3.21	1741.35	2394.19
55.000	1650.00	0.00	0.00	814.40	4200.00	826.86	0.00	827.04	3.07	3.23	1644.47	2397.14

PRINTED IN U.S.A.
FORM 1411-DD PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	C	CMSEL	CRIMS	EC	10K*S	VCH	AREA	.01K
55.800	130.00	0.00	0.00	815.50	4200.00	826.87	0.01	826.98	4.24	3.47	1209.25	2036.66
55.800	130.00	0.00	0.00	815.50	4200.00	826.91	0.00	827.09	4.30	3.44	1221.26	1963.07
55.900	1.00	830.00	823.60	815.50	4200.00	826.72	0.30	827.02	11.68	4.37	967.78	1229.12
55.900	1.00	830.00	820.60	815.50	4200.00	826.83	0.30	827.12	12.40	4.30	976.05	1192.55
56.000	81.00	830.00	826.60	815.50	4200.00	826.79	0.30	827.08	11.49	4.32	972.69	1239.21
56.000	81.00	830.00	826.60	815.50	4200.00	826.90	0.00	827.19	12.22	4.28	900.81	1207.64
56.100	1.00	0.00	0.00	815.50	4200.00	826.90	0.00	827.09	4.12	3.44	1220.90	2070.44
56.100	1.00	0.00	0.00	815.50	4200.00	827.02	0.00	827.20	4.43	3.40	1236.06	1996.32
56.200	100.00	0.00	0.00	816.40	4200.00	826.98	0.00	827.13	2.39	3.14	1787.31	2671.52
56.200	100.00	0.00	0.00	816.40	4200.00	827.09	0.00	827.24	2.38	3.16	1807.72	2675.63
56.900	350.00	0.00	0.00	816.10	4200.00	827.09	0.00	827.27	4.35	3.30	1269.69	1907.15
56.900	350.00	0.00	0.00	816.10	4200.00	827.20	0.00	827.37	4.51	3.34	1257.45	1978.02
57.000	4.00	823.90	815.20	816.10	4200.00	828.44	0.00	828.56	3.00	2.97	1612.78	2395.02
57.000	4.00	823.90	815.20	816.10	4200.00	828.47	0.00	828.60	3.11	2.97	1615.74	2382.98
57.100	50.00	0.00	0.00	823.00	4200.00	828.22	0.20	828.80	38.01	6.54	652.77	681.45
57.100	50.00	0.00	0.00	823.00	4200.00	828.24	0.20	828.90	38.28	6.52	643.96	678.87
200.000	425.00	0.00	0.00	819.00	4200.00	829.38	0.00	829.52	5.39	3.27	1503.18	1808.68
200.000	425.00	0.00	0.00	819.00	4200.00	829.41	0.00	829.56	5.06	3.10	1355.00	1766.17
201.000	425.00	0.00	0.00	815.10	4200.00	829.51	0.00	829.61	0.68	1.75	3257.95	6675.13
201.000	425.00	0.00	0.00	815.10	4200.00	829.60	0.00	829.65	0.90	1.77	2928.07	4430.40
202.000	1300.00	0.00	0.00	813.70	4200.00	829.69	0.00	829.74	1.25	1.86	2465.62	3758.33
202.000	1300.00	0.00	0.00	813.70	4200.00	829.74	0.00	829.79	1.34	1.87	2240.97	3533.37
203.000	2500.00	0.00	0.00	818.30	4200.00	829.99	0.00	830.04	1.14	1.86	3068.75	3938.57
203.000	2500.00	0.00	0.00	818.30	4200.00	830.05	0.00	830.10	1.20	1.88	2648.72	3840.53
204.000	1200.00	0.00	0.00	816.70	4200.00	830.13	0.00	830.19	1.40	1.98	2630.96	3549.59
204.000	1200.00	0.00	0.00	816.70	4200.00	830.20	0.00	830.26	1.48	2.00	2358.41	3652.95
205.000	1800.00	0.00	0.00	817.30	4200.00	830.32	0.00	830.33	0.46	1.14	8160.29	6183.73
205.000	1800.00	0.00	0.00	817.30	4200.00	830.39	0.00	830.41	0.47	1.14	7879.98	6095.33
206.000	1525.00	0.00	0.00	819.00	4200.00	830.40	0.00	830.46	1.21	1.73	4154.23	3812.36
206.000	1525.00	0.00	0.00	819.00	4200.00	830.48	0.00	830.52	1.22	1.75	3876.33	3795.35
207.000	925.00	0.00	0.00	816.30	4200.00	830.69	0.00	830.51	0.67	1.50	7931.42	5131.38
207.000	925.00	0.00	0.00	816.30	4200.00	830.58	0.00	830.60	0.68	1.51	7673.49	5103.47
208.000	1930.00	0.00	0.00	816.30	4200.00	830.60	0.00	830.61	0.57	1.37	10687.79	5582.09
208.000	1930.00	0.00	0.00	816.30	4200.00	830.66	0.00	830.70	0.57	1.39	10359.61	5543.16
209.000	3700.00	0.00	0.00	817.10	4200.00	830.80	0.00	830.82	1.15	1.91	7498.17	3922.68
209.000	3700.00	0.00	0.00	817.10	4200.00	830.88	0.00	830.91	1.15	1.92	7119.61	3912.79
210.000	1450.00	0.00	0.00	820.70	4200.00	830.96	0.00	830.98	1.30	1.83	7082.04	3682.00
210.000	1450.00	0.00	0.00	820.70	4200.00	831.04	0.00	831.06	1.31	1.84	6827.76	3666.14

FORM 141-GD PRINTED BY ROTARY MANIFOLD FORMS

SECND	XLCH	ELTTD	ELLC	ELMIN	C	CUSEL	CRIUS	EG	10K*3	VCH	AREA	.01K
211.000	2673.00	0.00	0.00	819.20	4200.00	831.22	0.00	831.26	2.01	2.38	5093.17	2965.73
211.000	2673.00	0.00	0.00	819.20	4200.00	831.31	0.00	831.33	1.92	2.34	5147.52	3027.01
212.000	2600.00	0.00	0.00	821.60	4200.00	831.54	0.00	831.56	1.13	1.64	6543.02	3943.00
212.000	2600.00	0.00	0.00	821.60	4200.00	831.61	0.00	831.66	1.09	1.62	6635.59	4023.15
213.000	4100.00	0.00	0.00	821.90	3371.00	832.12	0.00	832.22	3.67	3.00	2495.74	1759.63
213.000	4100.00	0.00	0.00	821.90	3370.00	832.17	0.00	832.27	3.58	2.97	2570.57	1731.99
214.900	100.00	0.00	0.00	822.00	3370.00	832.44	0.00	832.65	6.27	3.65	973.05	1346.22
214.900	800.00	0.00	0.00	822.00	3370.00	832.49	0.00	832.69	6.17	3.63	927.51	1356.43
215.000	37.00	833.40	830.80	822.00	3370.00	832.95	0.00	833.13	5.27	3.45	975.00	1668.59
215.000	37.00	833.40	830.80	822.00	3370.00	833.00	0.00	833.23	5.09	3.42	986.28	1693.32
215.100	100.00	0.00	0.00	822.40	3370.00	833.07	0.00	833.19	3.64	3.16	1835.25	1765.58
215.100	100.00	0.00	0.00	822.40	3370.00	833.15	0.00	833.29	3.65	3.21	1747.64	1762.91

FORM 1411-HD-PRINTED BY ROTARY MANIFOLD FORMS

BATTLE CREEK RIVER

SUMMARY PRINTOUT TABLE 150

RECNO	Q	CHSEL	DIFSQ	DIFSX	DIFXSQ	TOP.LO	XLOH
23.000	4200.00	807.80	0.00	0.00	0.00	173.91	0.00
23.000	4200.00	807.80	0.00	0.00	0.00	173.91	0.00
23.900	4200.00	809.72	0.00	1.92	0.00	166.53	675.00
23.900	4200.00	809.72	0.00	1.92	0.00	166.53	675.00
24.000	4200.00	812.99	0.00	3.20	0.00	171.81	3.00
24.000	4200.00	812.99	0.00	3.20	0.00	171.81	3.00
24.800	4200.00	812.92	0.00	-0.08	0.00	166.36	11.00
24.800	4200.00	812.92	0.00	-0.08	0.00	166.36	11.00
24.900	4200.00	812.70	0.00	-0.12	0.00	166.36	1.00
24.900	4200.00	812.70	0.00	-0.12	0.00	166.36	1.00
25.000	4200.00	813.22	0.00	0.52	0.00	166.47	66.00
25.000	4200.00	813.22	0.00	0.52	0.00	166.47	66.00
25.100	4200.00	813.51	0.00	0.28	0.00	166.87	1.00
25.100	4200.00	813.51	0.00	0.28	0.00	166.87	1.00
26.000	4200.00	813.62	0.00	0.11	0.00	141.66	135.00
26.000	4200.00	813.62	0.00	0.11	0.00	141.66	135.00
26.800	4200.00	814.51	0.00	0.89	0.00	187.14	135.00
26.800	4200.00	814.51	0.00	0.89	0.00	187.14	135.00
26.900	4200.00	814.47	0.00	-0.04	0.00	187.13	1.00
26.900	4200.00	814.47	0.00	-0.04	0.00	187.13	1.00
27.000	4200.00	814.55	0.00	0.08	0.00	187.15	30.00
27.000	4200.00	814.55	0.00	0.08	0.00	187.15	30.00
27.100	4200.00	814.67	0.00	0.12	0.00	187.17	1.00
27.100	4200.00	814.67	0.00	0.12	0.00	187.17	1.00
28.000	4200.00	814.87	0.00	0.20	0.00	119.43	250.00
28.000	4200.00	814.87	0.00	0.20	0.00	119.43	250.00
28.800	4200.00	815.72	0.00	0.86	0.00	123.16	300.00
28.800	4200.00	815.72	0.00	0.86	0.00	123.16	300.00
28.900	4200.00	815.71	0.00	-0.00	0.00	123.15	1.00
28.900	4200.00	815.71	0.00	-0.00	0.00	123.15	1.00
29.000	4200.00	815.73	0.00	0.01	0.00	123.18	4.00
29.000	4200.00	815.73	0.00	0.01	0.00	123.18	4.00
29.100	4200.00	815.74	0.00	0.02	0.00	123.24	1.00
29.100	4200.00	815.74	0.00	0.02	0.00	123.24	1.00
29.200	4200.00	815.95	0.00	0.21	0.00	124.33	90.00
29.200	4200.00	815.95	0.00	0.21	0.00	124.33	90.00

PRINTED IN U.S.A.

FORM 1411-C-PRINTED BY ROTARY MANIFOLD FORMS

SECNO	C	CUSEL	DIFUSP	DIFUSX	DIFKUS	TOPMID	XLOC
29.000	4200.00	816.35	0.00	0.39	0.00	156.11	90.00
29.000	4200.00	816.35	0.00	0.39	0.00	156.11	90.00
29.900	4200.00	816.34	0.00	-0.01	0.00	156.11	1.00
29.900	4200.00	816.34	0.00	-0.01	0.00	156.11	1.00
30.000	4200.00	816.39	0.00	0.05	0.00	156.17	54.00
30.000	4200.00	816.39	0.00	0.05	0.00	156.17	54.00
30.100	4200.00	816.42	0.00	0.03	0.00	156.14	1.00
30.100	4200.00	816.42	0.00	0.03	0.00	156.14	1.00
31.000	4200.00	816.46	0.00	0.02	0.00	129.42	90.00
31.000	4200.00	816.46	0.00	0.02	0.00	129.42	90.00
31.100	4200.00	816.85	0.00	0.41	0.00	121.96	90.00
31.100	4200.00	816.85	0.00	0.41	0.00	121.96	90.00
31.200	4200.00	816.84	0.00	-0.00	0.00	121.96	1.00
31.200	4200.00	816.84	0.00	-0.00	0.00	121.96	1.00
31.300	4200.00	816.91	0.00	0.06	0.00	121.95	56.00
31.300	4200.00	816.91	0.00	0.06	0.00	121.95	56.00
31.600	4200.00	816.97	0.00	0.06	0.00	121.93	1.00
31.600	4200.00	816.97	0.00	0.06	0.00	121.93	1.00
31.500	4200.00	817.09	0.00	0.12	0.00	100.91	105.00
31.500	4200.00	817.09	0.00	0.12	0.00	100.91	105.00
31.600	4200.00	817.06	0.00	-0.03	0.00	100.90	1.00
31.600	4200.00	817.06	0.00	-0.03	0.00	100.90	1.00
31.700	4200.00	817.34	0.00	0.28	0.00	100.91	47.00
31.700	4200.00	817.36	0.00	0.28	0.00	100.91	47.00
32.900	4200.00	817.44	0.00	0.10	0.00	109.88	1.00
32.900	4200.00	817.44	0.00	0.10	0.00	109.88	1.00
33.000	4200.00	817.04	0.00	0.41	0.00	109.89	70.00
33.000	4200.00	817.04	0.00	0.41	0.00	109.89	70.00
33.100	4200.00	818.25	0.00	0.41	0.00	109.90	1.00
33.100	4200.00	818.25	0.00	0.41	0.00	109.90	1.00
34.000	4200.00	810.33	0.00	0.08	0.00	96.73	100.00
34.000	4200.00	810.33	0.00	0.08	0.00	96.73	100.00
35.000	4200.00	819.95	0.00	1.62	0.00	108.70	600.00
35.000	4200.00	819.95	0.00	1.62	0.00	108.70	600.00
35.800	4200.00	820.21	0.00	0.26	0.00	109.91	100.00
35.800	4200.00	820.21	0.00	0.26	0.00	109.91	100.00
35.900	4200.00	820.19	0.00	-0.02	0.00	109.91	1.00
35.900	4200.00	820.19	0.00	-0.02	0.00	109.91	1.00

PRINTED IN U.S.A.

FORM 1411.00 PRINTED BY ROYAFT MANIFOLD FORMS

SECNO	C	CUSEL	DIFHSP	DIFHSX	DTEKHS	TCPHID	XLCH
36.000	4200.00	820.33	0.00	0.13	0.00	109.91	65.00
36.000	4200.00	820.33	0.00	0.13	0.00	109.91	65.00
36.100	4200.00	820.50	0.00	0.17	0.00	109.91	1.00
36.100	4200.00	820.50	0.00	0.17	0.00	109.91	1.00
36.200	4200.00	820.50	0.00	-0.00	0.00	70.51	76.00
36.200	4200.00	820.50	0.00	-0.00	0.00	70.51	76.00
36.300	4200.00	820.61	0.00	0.10	0.00	70.52	1.00
36.300	4200.00	820.61	0.00	0.10	0.00	70.52	1.00
37.000	4200.00	821.82	0.00	1.21	0.00	70.66	570.00
37.000	4200.00	821.82	0.00	1.21	0.00	70.66	570.00
37.100	4200.00	821.82	0.00	0.00	0.00	70.66	1.00
37.100	4200.00	821.82	0.00	0.00	0.00	70.66	1.00
37.800	4200.00	821.66	0.00	-0.04	0.00	56.68	115.00
37.800	4200.00	821.66	0.00	-0.04	0.00	56.68	115.00
37.900	4200.00	821.75	0.00	-0.11	0.00	56.68	1.00
37.900	4200.00	821.75	0.00	-0.11	0.00	56.68	1.00
38.000	4200.00	822.51	0.00	0.76	0.00	80.90	66.00
38.000	4200.00	822.51	0.00	0.76	0.00	80.90	66.00
38.900	4200.00	822.45	0.00	-0.06	0.00	80.94	1.00
38.900	4200.00	822.45	0.00	-0.06	0.00	80.94	1.00
39.000	4200.00	822.58	0.00	0.13	0.00	80.95	66.00
39.000	4200.00	822.58	0.00	0.13	0.00	80.95	66.00
39.100	4200.00	822.79	0.00	0.21	0.00	80.93	1.00
39.100	4200.00	822.79	0.00	0.21	0.00	80.95	1.00
40.300	4200.00	822.96	0.00	0.17	0.00	102.05	165.00
40.300	4200.00	822.96	0.00	0.17	0.00	102.05	165.00
40.900	4200.00	823.13	0.00	0.17	0.00	77.94	135.00
40.900	4200.00	823.13	0.00	0.17	0.00	77.94	135.00
41.000	4200.00	823.52	0.00	0.40	0.00	77.96	66.00
41.000	4200.00	823.52	0.00	0.40	0.00	77.94	66.00
42.000	4200.00	823.79	0.00	0.26	0.00	137.24	225.00
42.000	4200.00	823.79	0.00	0.26	0.00	137.24	225.00
43.900	4200.00	823.84	0.00	0.05	0.00	81.96	225.00
43.900	4200.00	823.84	0.00	0.05	0.00	81.96	225.00
44.000	4200.00	824.16	0.00	0.32	0.00	81.96	76.00
44.000	4200.00	824.16	0.00	0.32	0.00	81.96	76.00
44.900	4200.00	824.18	0.00	0.02	0.00	93.00	100.00
44.900	4200.00	824.18	0.00	0.02	0.00	93.00	100.00

FORM 1411-02 PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	Q	CUSEL	DIFHSP	DIFUSX	DIFKHS	TOPUID	XLCH
45.000	4200.00	824.90	0.00	0.21	0.00	93.00	96.00
45.000	4200.00	824.90	0.00	0.21	0.00	93.00	96.00
46.000	4200.00	824.89	0.00	-0.01	0.00	135.99	100.00
46.000	4200.00	824.89	0.00	-0.01	0.00	135.99	100.00
46.500	4200.00	825.27	0.00	0.39	0.00	386.56	700.00
46.500	4200.00	825.27	0.00	0.34	-0.00	133.74	700.00
47.000	4200.00	825.42	0.00	0.15	0.00	204.80	700.00
47.000	4200.00	825.42	0.00	0.15	0.00	204.91	700.00
47.900	4200.00	825.50	0.00	0.08	0.00	173.97	100.00
47.900	4200.00	825.51	0.00	0.08	0.00	173.77	100.00
48.000	4200.00	825.66	0.00	0.16	0.00	173.97	60.00
48.000	4200.00	825.76	0.00	0.26	0.10	173.97	60.00
48.200	4200.00	825.69	0.00	0.33	0.00	333.72	150.00
48.200	4200.00	825.79	0.00	0.23	0.10	217.76	150.00
48.300	4200.00	825.65	0.00	-0.25	0.00	532.30	2.00
48.300	4200.00	825.75	0.00	-0.06	0.39	224.39	2.00
48.400	4200.00	825.67	0.00	0.12	0.00	333.11	2.00
48.400	4200.00	825.77	0.00	0.22	0.10	220.57	2.00
48.900	4200.00	825.82	0.00	0.13	0.00	510.11	520.00
48.900	4200.00	825.92	0.00	0.15	0.10	482.33	520.00
49.000	4200.00	825.88	0.00	0.06	0.00	166.00	650.00
49.000	4200.00	825.98	0.00	0.16	0.10	166.00	650.00
49.900	4200.00	825.93	0.00	0.20	0.00	116.40	100.00
49.900	4200.00	825.98	0.00	0.00	0.10	116.40	100.00
50.000	4200.00	826.19	0.00	0.22	0.00	116.48	50.00
50.000	4200.00	826.29	0.00	0.22	0.10	116.49	50.00
50.100	4200.00	826.18	0.00	0.08	0.00	316.00	100.00
50.100	4200.00	826.29	0.00	0.08	0.10	316.00	100.00
51.000	4200.00	826.35	0.00	0.17	0.00	1135.05	730.00
51.000	4200.00	826.45	0.00	0.16	0.10	1036.02	730.00
52.000	4200.00	826.40	0.00	0.06	0.00	1433.92	800.00
52.000	4200.00	826.50	0.00	0.05	0.10	1375.93	800.00
53.000	4200.00	826.49	0.00	0.10	0.00	1110.59	2600.00
53.000	4200.00	826.60	0.00	0.10	0.10	1015.46	2600.00
54.000	4200.00	826.59	0.00	0.10	0.00	632.90	1650.00
54.000	4200.00	826.70	0.00	0.10	0.11	700.39	1650.00
55.000	4200.00	826.79	0.00	0.20	0.00	737.39	1650.00
55.000	4200.00	826.89	0.00	0.19	0.10	104.28	1650.00

PRINTED IN U.S.A.
FORM 1011-SS PRINTED BY ROTARY MANIFOLD FORMS

SECNO	Q	CHSEL	DIFWSP	DIFWSX	DIFKUS	TOPWID	XLCH
55.800	4200.00	826.80	0.00	0.01	0.00	116.00	100.00
55.800	4200.00	826.91	0.00	0.01	0.11	116.00	100.00
55.900	4200.00	826.72	0.00	-0.07	0.00	116.00	1.00
55.900	4200.00	826.83	0.00	-0.07	0.11	116.00	1.00
56.000	4200.00	826.79	0.00	0.06	0.00	116.00	51.00
56.000	4200.00	826.90	0.00	0.07	0.11	116.00	51.00
56.100	4200.00	826.90	0.00	0.12	0.00	116.00	1.00
56.100	4200.00	827.02	0.00	0.12	0.11	116.00	1.00
56.200	4200.00	826.98	0.00	0.08	0.00	239.61	100.00
56.200	4200.00	827.09	0.00	0.07	0.11	125.79	100.00
56.900	4200.00	827.09	0.00	0.11	0.00	125.83	350.00
56.900	4200.00	827.20	0.00	0.11	0.11	125.94	350.00
57.000	4200.00	828.64	0.00	1.35	0.00	126.00	4.00
57.000	4200.00	828.47	0.00	1.27	0.12	126.00	4.00
57.100	4200.00	828.22	0.00	-0.23	0.00	126.31	50.00
57.100	4200.00	828.24	0.00	-0.22	0.05	126.00	50.00
200.000	4200.00	829.38	0.00	1.16	0.00	321.19	425.00
200.000	4200.00	829.41	0.00	1.17	0.05	200.00	425.00
201.000	4200.00	829.56	0.00	0.19	0.00	972.69	425.00
201.000	4200.00	829.60	0.00	0.19	0.04	364.22	425.00
202.000	4200.00	829.69	0.00	0.13	0.00	348.10	1300.00
202.000	4200.00	829.74	0.00	0.14	0.04	236.00	1300.00
203.000	4200.00	829.99	0.00	0.30	0.00	641.37	2500.00
203.000	4200.00	830.05	0.00	0.31	0.06	367.51	2500.00
204.000	4200.00	830.13	0.00	0.15	0.00	511.40	1200.00
204.000	4200.00	830.20	0.00	0.15	0.07	293.52	1200.00
205.000	4200.00	830.32	0.00	0.18	0.00	1718.90	1800.00
205.000	4200.00	830.39	0.00	0.19	0.08	1261.10	1800.00
206.000	4200.00	830.40	0.00	0.09	0.00	756.31	1525.00
206.000	4200.00	830.48	0.00	0.09	0.08	564.70	1525.00
207.000	4200.00	830.49	0.00	0.09	0.00	1439.77	925.00
207.000	4200.00	830.58	0.00	0.09	0.08	1330.12	925.00
208.000	4200.00	830.60	0.00	0.11	0.00	1956.12	1900.00
208.000	4200.00	830.68	0.00	0.11	0.08	1710.18	1900.00
209.000	4200.00	830.80	0.00	0.20	0.00	1612.49	3700.00
209.000	4200.00	830.88	0.00	0.20	0.09	1317.17	3700.00
210.000	4200.00	830.96	0.00	0.16	0.00	1292.99	1450.00
210.000	4200.00	831.04	0.00	0.15	0.09	1158.40	1450.00

PRINTED IN U.S.A.
FORM 16100 PRINTED BY GUTHRY MANIFOLD FORMS

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKHS	TOPWID	XLCH
211.000	6200.00	833.22	0.00	0.26	0.00	874.93	2675.00
211.000	6200.00	833.39	0.00	0.26	0.00	873.36	2675.00
212.000	6200.00	832.54	0.00	0.32	0.00	1134.65	2400.00
212.000	6200.00	832.61	0.00	0.31	0.07	1105.23	2400.00
213.000	3370.00	832.12	0.00	0.58	0.00	496.00	6100.00
213.000	3370.00	832.17	0.00	0.56	0.05	496.00	6100.00
214.900	3370.00	832.44	0.00	0.32	0.00	106.93	800.00
214.900	3370.00	832.49	0.00	0.31	0.04	106.93	800.00
215.000	3370.00	832.95	0.00	0.50	0.00	106.99	37.00
215.000	3370.00	833.01	0.00	0.33	0.01	106.99	37.00
215.100	3370.00	833.07	0.00	0.12	0.00	300.00	100.00
215.100	3370.00	833.15	0.00	0.11	0.09	266.61	100.00

SUMMARY OF ERRORS

FORM 1611-ED PRINTED BY ROTARY MANIFOLD FORMS.

FLOODWAY DATA, BATTLE CREEK RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
23.000	174.	717.	5.9	807.8	807.8	0.0
23.900	165.	712.	5.9	809.7	109.7	0.0
24.000	172.	1263.	3.3	813.0	813.0	0.0
24.000	167.	703.	6.0	812.8	812.8	0.0
24.900	167.	587.	7.2	812.7	812.7	0.0
25.000	167.	663.	6.3	813.2	813.2	0.0
25.100	137.	819.	5.1	813.5	813.5	0.0
26.000	142.	649.	6.5	813.6	813.6	0.0
26.800	187.	911.	4.6	814.5	814.5	0.0
26.900	187.	316.	5.1	814.5	814.5	0.0
27.000	197.	329.	5.1	814.6	814.6	0.0
27.100	187.	941.	4.5	814.7	814.7	0.0
27.000	199.	378.	6.2	814.9	814.9	0.0
28.000	123.	716.	5.9	815.7	815.7	0.0
28.900	123.	709.	5.9	815.7	815.7	0.0
29.000	123.	709.	5.9	815.7	815.7	0.0
29.100	123.	716.	5.9	815.7	815.7	0.0
29.200	124.	765.	5.6	816.0	816.0	0.0
29.800	156.	1011.	4.2	816.3	816.3	0.0
29.900	156.	901.	4.3	816.3	816.3	0.0
30.000	156.	986.	4.3	816.4	816.4	0.0
30.100	156.	1022.	4.1	816.4	816.4	0.0
31.000	128.	790.	5.3	816.4	816.4	0.0
31.100	122.	868.	4.8	816.8	816.8	0.0
31.200	122.	844.	5.0	816.8	816.8	0.0
31.300	122.	792.	5.3	816.9	816.9	0.0
31.400	122.	835.	5.0	817.0	817.0	0.0
31.500	101.	616.	6.8	817.1	817.1	0.0
31.600	101.	556.	7.6	817.1	817.1	0.0
31.700	101.	582.	7.2	817.3	817.3	0.0
32.900	110.	606.	5.9	817.4	817.4	0.0
33.000	110.	627.	5.7	817.8	817.8	0.0
33.100	110.	803.	5.2	818.3	818.3	0.0
34.000	97.	593.	7.1	818.3	818.3	0.0
35.000	109.	804.	5.2	820.0	820.0	0.0
35.800	110.	866.	4.8	820.2	820.2	0.0
35.900	110.	753.	5.6	820.2	820.2	0.0
36.000	110.	765.	5.5	820.3	820.3	0.0
36.100	110.	878.	4.8	820.5	820.5	0.0
36.200	71.	550.	7.5	820.5	820.5	0.0
36.300	71.	591.	7.2	820.6	820.6	0.0
37.000	71.	708.	5.9	821.8	821.8	0.0
37.100	71.	711.	5.9	821.8	821.8	0.0
37.800	57.	599.	7.0	821.9	821.9	0.0
37.900	57.	525.	8.0	821.8	821.3	0.0
38.000	81.	746.	5.6	822.5	822.5	0.0
38.900	81.	668.	6.3	822.4	822.4	0.0
39.000	81.	677.	6.2	822.6	822.6	0.0
39.100	81.	794.	5.3	822.8	822.8	0.0
40.000	102.	966.	4.3	823.0	823.0	0.0

FORM 1411.08 PRINTED BY DIVAMY MANIFOLD FORMS

FLOODWAY DATA, BATTLE CREEK RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
40.900	78.	902.	4.7	823.1	823.1	0.0
41.000	78.	932.	4.5	823.1	823.5	0.0
42.000	137.	1315.	3.2	823.8	123.8	0.0
43.900	82.	1109.	3.8	823.8	823.8	0.0
44.000	82.	1136.	3.7	824.2	824.2	0.0
44.900	93.	1062.	4.0	824.2	824.2	0.0
45.000	93.	1120.	3.7	824.9	824.9	0.0
46.000	136.	1062.	3.9	824.9	824.9	0.0
46.500	136.	1511.	2.8	825.3	825.3	0.0
47.000	295.	1848.	2.3	825.4	825.4	0.0
47.900	174.	2035.	2.1	825.5	825.5	0.0
48.000	174.	2088.	2.0	825.8	825.7	0.1
48.200	218.	2970.	1.4	825.8	825.7	0.1
48.300	225.	1991.	2.1	825.8	825.7	0.1
48.400	221.	2091.	2.0	825.8	825.7	0.1
48.900	402.	3867.	1.1	825.9	825.8	0.1
49.000	166.	1826.	2.3	826.0	825.9	0.1
49.900	116.	1303.	3.2	826.0	825.9	0.1
50.000	116.	1329.	3.2	826.2	826.1	0.1
50.100	316.	2462.	1.7	826.3	826.2	0.1
51.000	1026.	7336.	0.5	826.5	826.4	0.1
52.000	1376.	11170.	0.4	826.5	826.4	0.1
53.000	1015.	7255.	0.6	826.6	826.5	0.1
54.000	700.	5193.	0.8	826.7	826.6	0.1
55.000	164.	1384.	2.6	826.9	826.8	0.1
55.300	116.	1221.	3.4	826.9	826.8	0.1
55.900	116.	976.	4.3	826.8	826.7	0.1
56.000	116.	901.	4.3	826.9	826.8	0.1
56.100	116.	1234.	3.4	827.0	826.9	0.1
56.200	106.	1680.	2.5	827.1	827.0	0.1
56.900	126.	1257.	3.3	827.2	827.1	0.1
57.000	126.	1416.	3.0	820.4	820.4	0.0
57.100	126.	646.	6.5	820.2	820.2	0.0
200.000	200.	1355.	3.1	829.4	829.4	0.0
201.000	364.	2928.	1.6	829.6	829.6	0.0
202.000	234.	2241.	1.9	829.7	829.7	0.0
203.000	368.	2649.	1.6	830.1	830.0	0.1
204.000	204.	2359.	1.8	830.2	830.1	0.1
205.000	1261.	7880.	0.5	830.4	830.3	0.1
206.000	565.	3876.	1.1	830.5	830.4	0.1
207.000	1330.	7673.	0.5	830.6	830.5	0.1
208.000	1810.	10360.	0.4	830.7	830.6	0.1
209.000	1317.	7120.	0.6	830.9	830.8	0.1
210.000	1150.	6028.	0.6	831.1	831.0	0.1
211.000	975.	5168.	0.8	831.3	831.2	0.1
212.000	1185.	6636.	0.6	831.6	831.5	0.1
213.000	496.	2521.	1.3	832.2	832.1	0.1
214.900	105.	928.	3.6	832.4	832.4	0.0
215.000	103.	966.	3.4	833.0	832.9	0.1
215.100	257.	1748.	1.9	833.2	833.1	0.1



1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek and Pennfield Twp

3) WATERCOURSE: Battle Creek

4) DOCUMENT TYPE: 1975 Storm



*PROF 1

CCHV= 0.300 CEHV= 0.500

*SECNO 23.000

SECNO	DEPTH	CHLBL	CROPS	USELK	SA	PW	WL	QLOSS	BANK ELEV
Q	QLOB	SCH	CROR	ALOB	SCH	AROB	VOL	T.A	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTP	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	BADST

SURVEY VALLEY SECTION AT CONFLUENCE TO ROCKAWAY RIVER

23.00	5.60	807.00	0.00	807.30	808.22	0.42	0.00	0.00	804.00
3590.	23.	3540.	27.	18.	678.	21.	0.	0.	803.70
0.00	.23	5.22	1.31	0.000	0.035	0.080	0.000	802.20	23.34
0.002102	0.	0.	0.	0	0	0	0.00	178.91	194.25

*SECNO 23.900

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

23.90	6.10	812.30	0.00	0.00	808.63	0.37	1.51	0.3	807.30
3590.	2.	3588.	1.	2.	649.	2.	11.	3.	808.00
0.03	0.70	5.53	0.01	0.000	0.035	0.080	0.035	803.20	12.86
0.002427	675.	675.	675.	2	0	0	0.00	163.73	176.59

SPECIAL BRIDGE

SD	AK	XKOR	CORC	RDLEN	BHC	BHP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	2.64	0.00	90.00	0.00	0.00	0.00	803.20	803.20

*SECNO 24.000

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	WS	Q.WEIR	OPR	BAREA	TRAPEZOID AREA	EL_C	ELTRD
**********	809.83	0.00	3592.	1.	0.	1.	803.30	808.60

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

24.00	9.37	812.67	0.00	0.00	812.71	0.13	2.89	0.03	807.30
3590.	3.	3576.	6.	14.	1163.	12.	11.	3.	808.00
0.03	0.55	3.07	0.52	0.000	0.035	0.080	0.035	803.20	9.51
0.000373	3.	3.	3.	2	0	8	0.00	170.86	180.37

*SECNO 24.800

D/S WASHINGTON AVE. SURVEY SECTION 25

24.80	3.80	812.40	0.00	0.00	812.90	0.50	0.01	0.18	822.00
3590.	0.	3590.	0.	0.	634.	0.	11.	3.	822.00
0.03	0.00	5.66	0.00	0.000	0.035	0.080	0.035	808.60	9.57
0.003177	11.	11.	11.	2	0	2	0.00	166.86	187.43

FORM 1411.00 PRINTED ON ROTARY MANIFOLD FORM

*SECNO 24.900

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	KL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TCA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTH	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBT	ITRIAL	IP2	ICONT	CORAR	YSPEED	ERDST

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 819.60

D/S FACE WASHINGTON AVE. SURVEY SECTION 25

24.90	3.70	812.30	0.00	0.00	813.01	0.71	0.00	0.11	822.00
3590.	0.	3590.	0.	0.	530.	0.	11.	3.	822.00
0.03	0.00	6.78	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.003715	1.	1.	1.	2	0	0	-87.27	166.56	167.43

*SECNO 25.000

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 819.60

U/S FACE WASHINGTON AVE. SURVEY SECTION 25

25.00	4.22	812.82	0.00	0.00	813.36	0.55	0.30	0.05	822.00
3590.	0.	3590.	0.	0.	604.	0.	12.	3.	822.00
0.04	0.00	5.94	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.003756	66.	66.	66.	2	0	0	-99.98	166.06	167.43

*SECNO 25.100

U/S WASHINGTON AVE. SURVEY SECTION 25

25.10	4.46	813.06	0.00	0.00	813.42	0.36	0.00	0.06	822.00
3590.	0.	3590.	0.	0.	745.	0.	12.	3.	822.00
0.04	0.00	4.82	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.001876	1.	1.	1.	2	0	0	0.00	166.37	167.43

*SECNO 26.000

SURVEY VALLEY SECTION 26

26.00	6.20	813.80	0.00	0.00	813.90	0.70	0.31	0.17	808.60
3590.	72.	3442.	76.	43.	503.	45.	16.	3.	808.70
0.04	1.67	5.64	1.70	0.080	0.035	0.080	0.035	807.00	3.26
0.002780	135.	135.	135.	2	0	0	0.00	137.03	140.29

CCHV= 0.300 CEHV= 0.500

*SECNO 26.800

D/S PENN CENTRAL RAILROAD SURVEY SECTION 27

26.80	6.69	813.99	0.00	0.00	814.29	0.30	0.27	0.12	825.00
3590.	0.	3590.	0.	0.	314.	0.	16.	4.	825.00
0.05	0.00	4.41	0.00	0.100	0.035	0.100	0.035	807.30	1.94
0.001525	135.	135.	135.	2	0	0	0.00	185.79	187.73

*SECNO 26.900

FORM 1610-D-PRINTED BY HOTAIR MANIFOLD FORMS

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	KV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 910.00

D/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

26.90	6.93	813.93	0.00	0.00	814.33	0.36	0.00	0.36	825.00
3590.	0.	3590.	0.	0.	727.	0.	14.	4.	825.00
0.05	0.00	4.94	0.00	0.100	0.035	0.100	0.035	807.30	1.94
0.002212	1.	1.	1.	2	0	0	-79.07	185.30	187.25

*SECNO 27.000

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 915.00

U/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

27.00	6.73	814.03	0.00	0.00	814.40	0.36	0.06	0.00	825.00
3590.	0.	3590.	0.	0.	741.	0.	17.	6.	825.00
0.05	0.00	4.84	0.00	0.100	0.035	0.100	0.035	807.30	1.94
0.002092	1.	35.	50.	2	0	0	-[illegible]	[illegible]	188.22

*SECNO 27.100

U/S PENN CENTRAL RAILROAD SURVEY SECTION 27

27.10	6.84	814.19	0.00	0.00	814.42	0.23	0.00	0.02	825.00
3590.	0.	3590.	0.	0.	842.	0.	17.	4.	825.00
0.05	0.00	4.26	0.00	0.100	0.035	0.100	0.035	807.30	1.93
0.001377	1.	1.	1.	2	0	0	0.00	187.08	189.00

*SECNO 28.000

SURVEY VALLEY SECTION 28

28.00	6.78	814.38	0.00	0.00	815.00	0.62	0.41	0.17	809.00
3590.	44.	3501.	45.	36.	546.	30.	29.	5.	309.40
0.06	1.22	6.41	1.10	0.100	0.035	0.100	0.035	807.60	1027.67
0.001997	253.	250.	250.	2	0	0	0.00	116.71	3144.37

*SECNO 28.800

D/S BARNEY STD FOOTBRIDGE

28.80	6.65	815.15	0.00	0.00	815.63	0.48	0.58	0.04	822.00
3590.	0.	3590.	0.	0.	646.	0.	25.	6.	822.00
0.08	0.00	5.55	0.00	0.100	0.035	0.100	0.035	808.50	10.20
0.001865	300.	300.	300.	2	0	0	0.00	120.27	130.47

*SECNO 28.900

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	KV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT

TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	MTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE, NOD= 9 MIN ELTRD= 822.00 MAX ELLC= 821.60

D/S FACE BARNEY ST FOOTBRIDGE

20.90	6.55	815.13	0.00	0.00	815.63	0.49	0.00	0.00	822.00
3590.	0.	3590.	0.	0.	640.	0.	25.	6.	822.00
0.00	0.00	5.61	0.00	0.100	0.035	0.100	0.035	808.50	10.20
0.001929	90.	90.	90.	2	0	0	-6.50	120.28	130.48

*SECNO 29.000

3370 NORMAL BRIDGE, NOD= 9 MIN. ELTRD= 822.00 MAX. ELLC= 821.60

U/S FACE BARNEY ST FOOTBRIDGE

29.00	6.56	815.13	0.00	0.00	815.63	0.49	0.01	0.00	822.00
3590.	0.	3590.	0.	0.	641.	0.	25.	6.	822.00
0.08	0.00	5.60	0.00	0.100	0.035	0.100	0.035	808.50	10.18
0.001922	90.	90.	90.	0	0	0	-6.59	120.31	130.49

*SECNO 29.100

U/S BARNEY ST FOOTBRIDGE

29.10	6.60	815.18	0.00	0.00	815.65	0.48	0.00	0.00	822.00
3590.	0.	3590.	0.	0.	649.	0.	25.	6.	822.00
0.08	0.00	5.53	0.00	0.100	0.035	0.100	0.035	808.50	10.16
0.001847	90.	90.	90.	2	0	0	-6.64	120.36	130.52

*SECNO 29.200

SURVEY VALLEY SECTION 29

29.20	6.80	815.38	0.00	0.00	815.82	0.44	0.16	0.01	822.00
3590.	0.	3590.	0.	0.	674.	0.	27.	6.	822.00
0.09	0.00	5.33	0.00	0.100	0.035	0.100	0.035	808.50	9.66
0.001644	90.	90.	90.	2	0	0	0.00	121.43	131.09

*SECNO 29.800

D/S JACKSON AVE. CROSS SECTION 30

29.80	8.16	815.74	0.00	0.00	815.98	0.24	0.10	0.06	816.00
3590.	0.	3590.	0.	0.	916.	0.	22.	6.	816.00
0.09	0.00	3.92	0.00	0.100	0.035	0.100	0.035	807.60	2.21
0.000803	90.	90.	90.	2	0	0	0.00	154.09	156.30

*SECNO 29.900

SECNO	DEPTH	CHSEL	CRIHS	HSELK	EG	HV	HL	QLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	MTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORMS

3370 NORMAL BRIDGE,NRD= 92 MIN ELTRD= 822.10 MAX ELLC= 819.00

D/S FACE JACKSON AVE. SURVEY SECTION 30

29.90	8.13	815.73	0.00	0.00	815.99	0.25	0.00	0.01	816.00
3590.	0.	3590.	0.	0.	889.	0.	28.	6.	816.00
0.09	0.00	4.04	0.00	0.100	0.035	0.100	0.035	807.60	2.20
0.000890	1.	1.	1.	0	0	0	-27.50	154.13	156.31

*SECNO 30.000

3370 NORMAL BRIDGE,NRD= 92 MIN ELTRD= 822.10 MAX ELLC= 819.00

U/S FACE JACKSON AVE. SURVEY SECTION 30

30.00	8.19	815.79	0.00	0.00	816.04	0.25	0.00	0.00	816.00
3590.	0.	3590.	0.	0.	894.	0.	29.	6.	816.00
0.09	0.00	4.01	0.00	0.100	0.035	0.100	0.035	807.60	2.00
0.000878	98.	98.	98.	0	1	0	-26.98	154.58	156.49

*SECNO 30.100

U/S JACKSON AVE. CROSS SECTION 30

30.10	8.21	815.81	0.00	0.00	816.04	0.23	0.00	0.01	816.00
3590.	0.	3590.	0.	0.	927.	0.	29.	6.	816.00
0.10	0.00	3.67	0.00	0.100	0.035	0.100	0.035	807.60	1.89
0.000777	1.	1.	1.	2	1	0	0.00	156.59	156.49

CCHV= 0.500 CEKV= 0.300

*SECNO 31.000

SURVEY VALLEY SECTION 31

31.00	9.14	815.84	0.00	0.30	815.33	0.49	0.00	0.21	810.60
3590.	34.	3496.	59.	40.	614.	59.	31.	7.	809.20
0.10	0.06	5.69	1.00	0.120	0.035	0.120	0.035	806.70	908.77
0.001637	80.	80.	80.	2	0	0	0.00	125.06	1033.83

*SECNO 31.100

D/S STRUCTURE OVER BATTLE CREEK RIVER STA.2+76.3

31.10	7.90	816.20	0.00	0.00	816.53	0.32	0.11	0.06	817.60
3590.	0.	3590.	0.	0.	789.	0.	32.	7.	820.00
0.10	0.00	4.55	0.00	0.120	0.035	0.120	0.035	806.30	1.02
0.001073	90.	90.	90.	2	0	0	0.00	121.94	122.96

*SECNO 31.200

SECNO	DEPTH	CHSEL	CRIWS	ASELK	EG	HV	HL	CLOSS	BANK ELEV
S	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

FORM 1411-GO-PRINTED IN U.S.A. RAPIFOLD FORMS.

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 820.00 MAX ELLC= 817.60

STRUCTURE OVER BATTLE CREEK STA.2+74.3

31.20	7.93	816.20	0.00	0.00	816.54	0.34	0.00	0.01	817.60
3590.	0.	3590.	0.	0.	760.	0.	32.	7.	820.00
0.10	0.00	4.67	0.00	0.120	0.035	0.120	0.035	800.30	1.02
0.001173	1.	1.	1.	0	0	0	-20.72	121.55	122.96

*SECNO 31.300

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 820.00 MAX ELLC= 818.10

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.30	7.46	816.26	0.00	0.00	816.66	0.39	0.07	0.06	818.10
3590.	0.	3590.	0.	0.	716.	0.	33.	7.	820.50
0.11	0.00	5.01	0.00	0.120	0.035	0.120	0.035	806.30	1.03
0.001669	56.	56.	56.	0	0	0	-19.17	121.93	122.96

*SECNO 31.400

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.40	7.53	816.33	0.00	0.00	816.68	0.35	0.00	0.02	819.70
3590.	0.	3590.	0.	0.	757.	0.	33.	7.	822.00
0.11	0.00	4.74	0.00	0.120	0.035	0.120	0.035	808.30	1.04
0.001233	1.	1.	1.	0	0	0	-19.45	121.91	122.95

*SECNO 31.500

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.50	6.95	816.45	0.00	0.00	817.10	0.65	0.19	0.24	821.40
3590.	0.	3590.	0.	0.	554.	0.	35.	7.	822.05
0.11	0.00	6.48	0.00	0.120	0.035	0.120	0.035	809.50	1.05
0.002737	105.	105.	105.	1	0	0	-17.41	100.90	101.95

*SECNO 31.600

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.60	7.22	816.62	0.00	0.00	817.24	0.61	0.00	0.13	822.00
3590.	0.	3590.	0.	0.	496.	0.	35.	7.	822.00
0.11	0.00	7.23	0.00	0.120	0.035	0.120	0.035	809.20	1.06
0.003920	1.	1.	1.	0	0	0	-39.05	100.89	101.95

FORM 1A-1 48-PRINTED IN U.S.A. MANIFOLD FORM

*SECNO 31.700

SECNO	DEPTH	CUSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	DTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CODENR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER CATTLE CREEK STA. 3690.5

31.70	7.52	816.72	0.00	0.00	817.45	0.73	0.17	0.04	822.00
3590.	0.	3590.	0.	0.	326.	0.	35.	8.	822.00
0.11	0.00	6.05	0.00	0.120	0.035	0.120	0.035	809.20	1.06
0.003293	67.	67.	67.	2	2	0	-41.09	100.90	101.95

*SECNO 32.900

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 823.00 MAX ELLC= 820.90

D/S FACE MICHICAN AVE. SURVEY SECTION 33

32.90	7.22	816.92	0.00	0.00	817.52	0.60	0.00	0.07	823.00
3590.	0.	3590.	0.	0.	366.	0.	36.	8.	823.00
0.11	0.00	6.19	0.00	0.120	0.035	0.120	0.035	809.70	1.06
0.004218	1.	1.	1.	2	0	0	-76.37	109.87	110.93

*SECNO 33.000

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 823.00 MAX ELLC= 820.90

U/S FACE MICHIGAN AVE. SURVEY SECTION 33

33.00	7.55	817.25	0.00	0.00	817.61	0.36	0.28	0.32	823.00
3590.	0.	3590.	0.	0.	397.	0.	37.	9.	823.00
0.12	0.00	8.02	0.00	0.120	0.035	0.120	0.035	809.70	1.06
0.003852	70.	70.	70.	2	0	0	-95.74	109.88	110.94

*SECNO 33.100

U/S MICHIGAN AVE.

33.10	7.02	817.32	0.00	0.00	817.91	0.38	0.03	0.09	823.00
3590.	0.	3590.	0.	0.	722.	0.	37.	8.	823.00
0.12	0.00	4.97	0.00	0.120	0.035	0.120	0.035	809.70	1.06
0.001229	1.	1.	1.	2	0	0	0.00	109.08	110.94

*SECNO 34.000

SURVEY VALLEY SECTION 34.

34.00	7.51	817.41	0.00	0.00	818.43	0.62	0.16	0.35	814.30
3590.	2.	3538.	49.	3.	683.	38.	38.	8.	811.20
0.12	0.60	7.32	1.30	0.120	0.035	0.120	0.035	810.10	689.90
0.002769	100.	100.	100.	2	0	0	0.00	94.95	784.86

FORM 1411.68 PRINTED BY NOTAG MANIFOLD FORMS

*SECNO 35.000

SECNO	DEPTH	CWSEL	CRI.S	MSELK	EG	HV	HL	CLOSS	BANK ELEV
Q	SLOS	LCH	ORCS	ALOB	ACH	ARCB	VOL	TOA	LEFT/RIGHT
TIME	VLOS	VCH	VRCS	XNL	XICH	XNR	WTN	ELMCN	ESTA
SLOPE	XLO.L	XLCH	XLC30	ITRIAL	IXP	ICONT	CORAT	TOP.ID	ENDST

SURVEY VALLEY SECTION 35

35.00	7.14	819.24	0.00	0.00	820.66	0.42	0.02	0.20	812.30
3590.	1.	3591.	38.	4.	675.	48.	47.	9.	813.10
0.15	0.28	5.23	1.22	0.120	0.035	0.120	0.035	312.10	579.91
0.001156	600.	600.	600.	2	0	0	0.00	108.52	688.42

*SECNO 35.050

D/S MC CALMLY AVE

35.03	7.25	819.49	0.03	0.00	819.81	0.32	0.01	0.05	826.00
3590.	0.	3590.	0.	0.	737.	0.	46.	10.	826.00
0.16	0.00	5.26	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.000970	100.	100.	100.	2	0	0	0.00	109.90	110.95

*SECNO 35.900

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.30

D/S FACE MC CALMLY AVE.

35.90	7.27	819.47	0.00	0.00	819.89	0.41	0.01	0.07	826.00
3590.	0.	3590.	0.	0.	635.	0.	46.	10.	826.00
0.16	0.00	5.16	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.001826	1.	1.	1.	1	0	0	-90.74	109.90	110.95

*SECNO 36.000

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.10

D/S FACE MC CALMLY AVE.

36.00	7.41	819.61	0.00	0.00	820.01	0.40	0.12	0.01	826.00
3590.	0.	3590.	0.	0.	706.	0.	49.	10.	826.00
0.16	0.00	5.09	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.001764	65.	65.	65.	2	0	0	-94.23	109.90	110.95

*SECNO 36.100

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 827.00 MAX ELLC= 823.30

D/S FACE PARKING LOT BRIDGE CROSS SECTION 37

36.10	7.43	819.73	0.00	0.00	820.05	0.32	0.00	0.04	827.00
3590.	0.	3590.	0.	0.	795.	0.	49.	10.	827.00
0.16	0.30	4.52	0.00	0.120	0.035	0.120	0.035	812.30	1.05

FORM 1411 CO PRINTED BY ROTARY MANIFOLD FORMS.

0.000963	1.	1.	1.	2	0	0	-14.13	109.90	110.95

*SECNO 36.200

SECNO	DEPTH	CHSEL	CRIVS	ASELX	EG	HV	IL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	WML	XNCH	XWR	STA	ELTRW	EST#
SLOPE	XLOBL	XLCH	XLOBR	XTRIAL	IN2	ICOUT	CORAR	TOP_ID	ENDST

3370 NORMAL BRIDGE,NPD= 0 MIN ELTRD= 827.00 MAX ELLC= 823.30

U/S FACE PARKING LOT BRIDGE

36.20	7.44	819.74	0.00	0.00	820.53	0.78	0.15	0.37	812.30
3590.	0.	3590.	0.	0.	536.	0.	51.	10.	827.00
0.17	0.00	5.09	0.00	0.120	0.035	0.120	0.035	812.30	0.49
0.002283	74.	74.	74.	2	0	0	-16.40	70.46	70.95

*SECNO 36.300

3370 NORMAL BRIDGE,NPD= 5 MIN ELTRD= 827.00 MAX ELLC= 823.30

D/S FACE PARKING LOT STRUCTURE

36.30	7.54	819.04	0.00	0.00	820.53	0.72	0.20	0.13	812.30
3590.	0.	3590.	0.	0.	527.	0.	50.	10.	827.00
0.17	0.00	6.02	0.00	0.120	0.035	0.120	0.035	812.30	0.49
0.002000	1.	1.	1.	2	0	0	-2.31	70.46	70.95

*SECNO 37.000

3370 NORMAL BRIDGE,NPD= 5 MIN ELTRD= 827.00 MAX ELLC= 822.70

U/S FACE PARKING LOT STRUCTURE

37.00	9.30	821.00	0.00	0.00	821.47	0.47	0.79	2.12	811.70
3590.	0.	3590.	0.	0.	650.	0.	58.	11.	826.40
0.20	0.00	5.52	0.00	0.120	0.035	0.120	0.035	811.70	0.37
0.001022	570.	570.	570.	2	0	0	-3.41	70.60	70.96

*SECNO 37.100

U/S PARKING LOT STRUCTURE

37.10	9.30	821.00	0.00	0.00	821.40	0.47	0.00	0.00	811.70
3590.	1.	3589.	0.	3.	651.	0.	58.	11.	826.40
0.20	0.18	5.52	0.00	0.120	0.035	0.120	0.035	811.70	0.37
0.001019	1.	1.	1.	0	0	0	0.00	70.60	70.96

CCHV= 0.300 CEHV= 0.500

*SECNO 37.800

D/S BUILDING OVER RIVER D/S CAPITAL AVE CROSS SECTION 38

37.30	12.05	821.05	0.00	0.00	821.71	0.66	0.14	0.09	830.00

FORM 1411-GD PRINTED IN U.S.A. ROTARY MANIFOLD FORMS

3590.	0.	3590.	0.	0.	553.	0.	60.	11.	830.00
0.20	0.00	6.50	0.00	0.120	0.035	0.120	0.035	809.00	1.07
0.001476	115.	115.	115.	2	0	0	0.00	56.87	57.94

*SECNO 37.900

SECNO	DEPTH	CHSQL	CHLS	USELK	SO	AV	I_	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TRA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XLL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAT	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 830.00 MAX ELLC= 823.80

D/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

37.90	11.96	821.54	0.00	0.00	821.50	0.46	0.00	0.10	830.00
3590.	0.	3590.	0.	0.	605.	0.	60.	11.	830.00
0.20	0.00	7.40	0.00	0.120	0.035	0.120	0.035	809.00	1.07
0.002264	1.	1.	1.	2	0	0	-61.69	56.87	57.94

*SECNO 36.000

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 830.00 MAX ELLC= 823.80

D/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

36.00	12.10	821.60	0.00	0.00	822.03	0.44	0.10	0.12	830.00
3590.	0.	3590.	0.	0.	678.	0.	61.	11.	830.00
0.20	0.00	5.29	0.00	0.120	0.035	0.120	0.035	809.50	1.06
0.001162	66.	66.	66.	2	0	0	-54.92	00.89	61.95

*SECNO 35.900

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.50 MAX ELLC= 823.10

D/S FACE CAPITAL AVE. CROSS SECTION 39

38.90	12.04	821.54	0.00	0.00	822.09	0.55	0.00	0.06	825.50
3590.	0.	3590.	0.	0.	602.	0.	61.	11.	825.50
0.20	0.00	5.96	0.00	0.120	0.035	0.120	0.035	809.50	1.06
0.001698	1.	1.	1.	2	0	0	-90.66	80.93	81.97

*SECNO 39.000

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.50 MAX ELLC= 823.10

U/S FACE CAPITAL AVE.

39.00	12.17	821.67	0.00	0.00	822.21	0.53	0.11	0.01	825.50
3590.	0.	3590.	0.	0.	612.	0.	62.	11.	825.50
0.21	0.00	5.67	0.00	0.120	0.035	0.120	0.035	809.50	1.04
0.001618	66.	66.	66.	2	0	0	-91.82	80.93	81.97

*SECNO 39.100

FORM 1417-LB PRINTED BY ROTARY MANIFOLD FORMS

U/S CAPITAL AVE.

39.10	12.37	821.87	0.00	0.00	822.25	0.39	0.00	0.04	825.50
3590.	0.	3590.	0.	0.	719.	0.	87.	11.	825.50
0.21	0.00	4.99	0.00	0.120	0.035	0.120	0.035	809.50	1.04
0.000948	1.	1.	1.	2	0	0	0.00	81.93	81.97

*SECNO 40.000

SECNO	DEPTH	CHSEL	CRIPS	HSELK	SG	AV	TL	OLDSS	BANK ELEV
Q	VLOB	WCH	WTOP	ALOB	ACH	AROB	WSL	T.A	LEFT/RIGHT
TIME	VLCH	WSH	WBOT	XSL	XNCH	XSR	ICH	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 40

40.00	13.73	822.03	0.00	0.00	822.39	0.35	0.12	0.01	816.40
3590.	142.	3440.	8.	150.	705.	17.	65.	12.	814.90
0.22	2.95	6.86	0.40	0.120	0.035	0.120	0.035	808.30	819.45
0.330615	165.	165.	165.	2	1	1	0.00	151.23	920.76

*SECNO 40.900

D/S FACE MONROE ST.

40.90	13.01	822.20	0.00	0.00	822.49	0.29	0.06	0.03	827.50
3590.	0.	3590.	0.	0.	829.	0.	87.	12.	827.40
0.23	0.00	4.33	0.00	0.120	0.035	0.120	0.035	809.20	1.04
0.000579	135.	135.	135.	2	0	0	0.00	77.92	78.96

SPECIAL BRIDGE

SB	XK	XKOR	COF2	RDLEN	BWC	BHP	BAREA	SS	ELCHU	ELCHD
	0.00	1.62	3.00	0.00	70.10	0.10	790.00	0.00	811.60	811.60

*SECNO 41.000
PRESSURE FLOW

EGPRS	EGLWC	HS	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
822.72	822.49	0.00	0.	3590.	790.	788.	821.70	827.40

U/S FACE MONROE ST.

41.00	13.24	822.44	0.00	0.00	822.72	0.28	0.23	0.00	827.40
3590.	0.	3590.	0.	0.	843.	0.	86.	12.	827.40
0.23	0.00	4.23	0.00	0.120	0.035	0.120	0.035	809.20	1.04
0.000541	46.	46.	46.	2	0	0	0.00	77.93	78.96

*SECNO 42.000

SURVEY VALLEY SECTION 42

42.00	11.67	822.67	0.00	0.00	822.84	0.17	0.09	0.03	821.60

FORM 141-60 PRINTED BY ROTARY MANIFOLD FORMS

3590.	0.	3517.	73.	0.	1057.	106.	73.	13.	816.20
0.25	0.00	3.33	0.69	0.120	0.035	0.120	0.035	811.30	723.85
0.000334	225.	225.	225.	2	0	0	0.00	136.90	860.75

*SECNO 43.900

D/S FACE DIVISION ST.

43.90	13.94	822.74	0.00	0.00	822.93	0.19	0.07	0.01	826.90
3590.	0.	3590.	0.	0.	1219.	0.	79.	13.	826.90
0.27	0.00	3.52	0.00	0.120	0.035	0.120	0.035	806.30	1.03
0.000325	225.	225.	225.	2	0	0	0.00	91.96	82.97

SPECIAL BRIDGE

SB	XK	XKCI	COFQ	BDLEN	BUC	BUP	BAREA	SS	ELCHU	ELCHD
	0.90	1.74	3.00	0.00	82.00	2.00	945.00	0.00	810.30	810.30

*SECNO 44.000

SEC U	ESPT	C.SEL	SPLIC	.SELM	EC	HV	HL	BLCSe	BANK ELEV
U	C_UT	ACI	UNCU	XLOS	ACH	GROD	VOL	TOP	LEFT/FLOW
TIME	W.O	UCA	UNCO	XUL	2.2.0	UNI	LTA	ELIZO	SSTO
SLOPE	XLOSL	XLCH	XLOBR	STRIAL	IH2	ICONT	CORAR	TOPUID	ENDST

PRESSURE FLO

EGPRS	EGLUC	M3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
823.13	822.93	0.00	0.	3590.	945.	944.	822.10	826.90

U/S FACE DIVISION ST.

44.00	14.14	822.94	0.00	0.00	823.13	0.19	0.20	0.00	826.90
3590.	0.	3590.	0.	0.	1056.	0.	31.	13.	825.90
0.27	0.00	3.47	0.00	0.120	0.035	0.120	0.035	806.00	1.02
0.000309	76.	76.	76.	2	0	0	0.00	91.96	82.97

*SECNO 44.900

D/S FACE PENN CENTRAL R.R.

44.90	12.96	822.96	0.00	0.00	823.18	0.22	0.04	0.02	824.00
3590.	0.	3590.	0.	0.	949.	0.	83.	13.	824.00
0.28	0.00	3.78	0.00	0.120	0.035	0.120	0.035	810.00	1.01
0.000436	100.	100.	100.	1	0	0	0.00	91.97	92.99

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	BDLEM	BUC	BUP	BAREA	SS	ELCHU	ELCHD
	1.25	1.93	3.00	0.00	94.00	8.00	695.00	0.00	812.60	812.80

*SECNO 45.000
PRESSURE FLOW

FORM 1411 UB PRINTED BY HOLABIRD MANIFOLD FORMS.

EGPRS	EGLOC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
823.76	823.22	0.04	0.	3590.	695.	697.	820.90	824.00

U/S FACE PENN CENTRAL R.R.

45.00	13.56	823.56	0.00	0.00	823.76	0.20	0.58	0.00	824.00
3590.	0.	3590.	0.	0.	1004.	0.	15.	24.	823.50
0.29	0.30	3.83	0.00	0.120	0.035	0.120	0.035	811.00	1.01
0.000365	96.	96.	96.	2	0	0	2.00	91.99	92.95

*SECNO 46.000

100 FT U/S PENN CENTRAL R.R. CROSS SECTION 46

46.00	13.75	823.55	0.00	0.00	823.36	0.29	0.04	0.04	815.70
3590.	29.	3323.	38.	51.	813.	61.	88.	24.	813.60
0.29	0.57	4.34	0.63	0.120	0.035	0.120	0.035	809.00	915.05
0.000417	100.	100.	100.	2	0	0	1.00	10.99	1015.11

*SECNO 46.500

VALLEY SECTION

46.50	13.64	839.14	0.00	0.00	826.07	0.16	0.19	0.04	816.00
3590.	42.	3503.	40.	111.	1159.	97.	106.	16.	814.30
0.36	0.38	3.00	0.42	0.120	0.035	0.120	0.035	810.50	137.81
0.000189	700.	700.	700.	2	0	0	0.00	225.00	362.81

*SECNO 47.000

SECNO	DEPTH	CHSEL	CRSUS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	BLOS	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAN	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1380.0 1605.0 TYPE= 1 TARGET= 225.000

100 FT D/S ELM ST. CROSS SECTION 47

47.00	12.79	824.09	0.00	0.00	824.20	0.11	0.12	0.01	813.30
3590.	76.	3445.	70.	169.	1249.	150.	130.	20.	814.50
0.43	0.45	2.76	0.44	0.120	0.035	0.120	0.035	811.30	1380.30
0.000161	700.	700.	700.	2	0	0	0.00	200.29	1580.29

*SECNO 47.900

D/S FACE ELM ST.

47.90	13.57	824.17	0.00	0.00	824.23	0.06	0.01	0.02	826.60
3590.	0.	3590.	0.	0.	1604.	0.	134.	20.	826.60
0.45	0.00	1.99	0.00	0.120	0.035	0.120	0.035	810.60	1.04
0.000105	100.	100.	900.	2	0	0	0.00	173.93	174.97

POINT 1411 UB PRINTED BY ROTARY MANIFOLD FORMS.

SPECIAL BRIDGE

SB	XK	XKQ	COEQ	BDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.90	1.74	3.00	0.00	174.00	4.00	1455.00	0.00	814.00	814.00

*SECNO 46.000
PRESSURE FLOW

EGPRS	ESLPC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
824.33	824.23	0.00	0.	3590.	1455.	1420.	822.40	826.60

U/S FACE EL. ST.

48.00	13.57	824.27	0.00	0.00	824.33	0.06	0.15	0.00	826.60
3590.	7.	3590.	0.	1.	1022.	0.	130.	21.	826.60
0.45	0.30	1.97	0.00	0.120	0.035	0.120	0.035	810.60	1.04
0.000102	60.	60.	60.	2	0	0	0.00	173.93	174.97

*SECNO 46.200

D/S DAM 150 FT U/S ELM ST.

48.20	16.00	824.30	0.00	0.00	824.35	0.05	0.01	0.00	810.60
3590.	146.	3198.	366.	334.	1643.	814.	144.	21.	870.30
0.48	0.35	2.19	0.45	0.120	0.035	0.120	0.035	810.30	217.79
0.000060	150.	150.	150.	1	0	0	0.01	295.27	303.06

*SECNO 46.300

3370 NORMAL BRIDGE,NRO= 0 MIN ELTWD= 816.50 MAX ELLC= 810.30

AT DAM

48.30	13.96	824.26	0.00	0.00	824.39	0.13	0.00	0.03	810.60
3590.	179.	2935.	476.	253.	523.	567.	144.	21.	810.30
0.48	0.71	3.16	0.84	0.120	0.035	0.120	0.035	810.30	210.32
0.000365	2.	2.	2.	2	0	0	-1011.59	289.17	507.20

*SECNO 46.400

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TBA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

U/S DAM

48.40	8.69	824.29	0.00	0.00	824.40	0.11	0.00	0.01	815.60
3590.	168.	2972.	450.	260.	1016.	596.	144.	21.	815.90
0.48	0.65	2.93	0.76	0.120	0.035	0.120	0.035	815.60	217.86
0.000272	2.	2.	2.	2	0	0	0.00	289.96	507.82

*SECNO 46.900

FORM 1411 GS PRINTED BY NCRARY MANIFOLD FORMS

CROSS SECTION 49A

48.90	10.45	824.45	0.00	0.00	824.52	0.07	0.11	0.01	815.00
3590.	1013.	2476.	101.	2053.	995.	194.	175.	26.	815.00
0.58	0.49	2.49	0.52	0.120	0.035	0.120	0.035	814.00	0.45
0.000161	520.	520.	520.	0	0	0	0.00	805.90	506.35

*SECNO 49.000

3473 ENCROACHMENT STATIONS= 850.0 1017.0 TYPE= 1 TARGET= 165.000

SURVEY CROSS SECTION 48

49.00	16.23	824.53	0.00	0.00	824.65	0.11	0.11	0.02	817.30
3590.	54.	3395.	141.	117.	1215.	255.	211.	31.	815.10
0.62	0.48	2.79	0.35	0.120	0.035	0.120	0.035	810.30	856.45
0.000164	650.	650.	650.	2	0	0	0.00	150.55	1017.00

*SECNO 49.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 826.90 ELREA= 826.90

U/S FACE UNION ST. CROSS SECTION 50

49.90	11.73	824.53	0.00	0.00	824.69	0.16	0.02	0.02	826.90
3590.	0.	3590.	0.	0.	1136.	0.	215.	32.	826.90
0.63	0.00	3.16	0.00	0.120	0.035	0.120	0.035	812.80	1.02
0.000313	100.	100.	100.	2	0	0	0.00	116.45	117.48

SPECIAL BRIDGE

SU	XR	ABDW	CDSD	RDLEN	BAC	SKP	SAREA	SS	ELCHU	E.CFS
	0.90	1.75	3.00	0.00	116.50	10.50	1125.00	0.00	813.90	813.90

*SECNO 50.000

PRESSURE FLOW

EGPRS	EGLOC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
824.81	824.70	0.01	0.	3590.	1125.	1124.	826.50	826.90

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 826.90 ELREA= 826.90

U/S FACE UNION ST.

50.00	11.86	824.66	0.00	0.00	824.81	0.15	0.12	0.00	826.90
3590.	0.	3590.	0.	0.	1149.	0.	215.	32.	826.90
0.64	0.00	3.12	0.00	0.120	0.035	0.120	0.035	812.80	1.02
0.000301	50.	50.	50.	2	0	0	0.00	116.45	117.48

*SECNO 50.100

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
0	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA

GRM 1411-GD PRINTED BY NOTARY MANIFOLD FORMS

SLOPS	XLOSL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST
3470 ENCROACHMENT STATIONS=		67.0	603.0	TYPE=	1	TARGET=	316,300		
100 FT C/S UNION ST.									
50.10	11.94	824.74	0.00	0.00	824.84	0.11	0.02	0.01	814.00
3590.	51.	3180.	358.	719.	1134.	669.	219.	32.	816.00
0.65	0.02	2.31	0.56	0.120	0.035	0.120	0.035	812.80	92.86
0.000171	100.	100.	100.	2	0	0	0.00	810.14	603.00
CCHV= 0.100 CEHV= 0.300									
*SECNO 51.000									
SURVEY VALLEY SECTION 51									
51.00	11.92	824.92	0.00	0.00	824.94	0.02	0.09	0.01	816.40
3590.	1680.	1732.	179.	4610.	1113.	742.	295.	45.	815.10
0.87	0.36	1.56	0.24	0.120	0.040	0.120	0.035	813.00	726.95
0.000075	900.	900.	900.	0	0	0	0.00	812.15	1653.10
*SECNO 52.000									
SURVEY VALLEY SECTION 52									
52.00	11.67	824.97	0.00	0.00	824.98	0.01	0.05	0.00	816.30
3590.	2287.	1275.	28.	3169.	1067.	113.	447.	69.	815.60
1.24	0.28	1.19	0.25	0.120	0.040	0.120	0.035	813.30	1000.80
0.000044	800.	800.	800.	2	0	0	0.00	1479.82	2480.62
*SECNO 53.000									
SURVEY VALLEY SECTION 53									
53.00	12.80	825.10	0.00	0.00	825.13	0.03	0.14	0.01	815.90
3590.	1433.	2133.	24.	4544.	1301.	86.	953.	130.	816.40
1.36	0.32	1.64	0.27	0.120	0.040	0.120	0.037	812.50	508.03
0.000070	2300.	2600.	2400.	1	3	0	0.00	1069.22	1569.65
*SECNO 54.000									
SURVEY VALLEY SECTION 54									
54.00	12.33	825.23	0.00	0.00	825.27	0.04	0.14	0.01	816.50
3590.	43.	2216.	1331.	196.	1069.	3020.	1016.	168.	817.20
2.13	0.22	2.07	0.44	0.120	0.040	0.120	0.037	812.90	607.60
0.000135	1550.	1650.	1100.	2	0	0	0.00	805.70	1403.30
CCHV= 0.300 CEHV= 0.500									
*SECNO 55.000									
SECNO	DEPTH	CWSEL	CRIWS	QSELK	EG	KV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TRA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IM2	ICONT	CORAR	TOPWID	ENDST

FORM 1411-6B PRINTED BY TOTAFF HANIFOLD FORMS.

100 FT D/S EMMETT ST. CROSS SECTION 55

55.00	11.12	825.52	0.00	0.00	825.67	0.15	0.34	0.05	816.30
3590.	51.	3371.	168.	95.	1067.	289.	1124.	188.	816.80
2.28	0.54	3.16	0.50	0.120	0.040	0.120	0.030	816.40	1911.67
0.000352	1650.	1650.	1650.	2	0	0	0.00	221.46	2132.93

*SECNO 55.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLOB= 831.00 ELTOB= 831.00

D/S EMMETT ST. CROSS SECTION 56

55.80	10.04	825.54	0.00	0.00	825.72	0.18	0.04	0.02	817.70
3590.	0.	3590.	0.	0.	1063.	0.	1127.	188.	816.80
2.29	0.00	3.33	0.00	0.120	0.040	0.120	0.038	815.50	1945.00
0.000479	100.	100.	100.	0	0	0	0.00	116.00	2061.00

*SECNO 55.900

3370 NORMAL BRIDGE,NRO= 22 MIN ELTRD= 830.00 MAX ELLC= 828.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

D/S FACE EMMETT ST. CROSS SECTION 56

55.90	10.00	825.50	0.00	0.00	825.76	0.26	0.00	0.04	817.70
3590.	0.	3590.	0.	0.	871.	0.	1127.	188.	816.60
2.29	0.00	4.12	0.00	0.120	0.040	0.120	0.038	815.50	1945.00
0.001193	1.	1.	1.	2	0	0	-227.73	116.00	2061.00

*SECNO 56.000

3370 NORMAL BRIDGE,NRO= 22 MIN ELTRD= 830.00 MAX ELLC= 828.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S FACE EMMETT ST.

56.00	10.07	825.57	0.00	0.00	825.83	0.26	0.00	0.00	817.70
3590.	0.	3590.	0.	0.	876.	0.	1128.	188.	816.60
2.29	0.00	4.10	0.00	0.120	0.040	0.120	0.038	815.50	1945.00
0.001176	51.	51.	51.	2	0	0	-230.55	116.00	2061.00

*SECNO 56.100

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S EMMETT ST.

56.10	10.18	825.68	0.00	0.00	825.85	0.17	0.00	0.03	817.70
3590.	0.	3590.	0.	0.	1079.	0.	1128.	188.	816.60
2.29	0.00	3.33	0.00	0.120	0.040	0.120	0.038	815.50	1945.00
0.000443	1.	1.	1.	2	0	0	0.00	116.00	2061.00

FORM 1411-AB PRINTED BY ROTARY MANIFOLD FORMS.

*SECNO 56.200

SECNO	DEPTH	CUSEL	CROSS	USELK	EG	HV	HL	QLOSS	BANK ELEV
Q	CLOD	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XSCH	XNR	NT.	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ATHIAL	I/2	ICONT	CORAR	TOPWID	ENDST
	100 FT U/S EMBETT ST.								
56.20	11.36	833.74	0.00	0.00	825.90	0.14	0.04	0.01	813.30
3590.	54.	3359.	177.	104.	1093.	307.	1131.	186.	816.80
2.30	0.52	3.07	0.58	0.120	0.040	0.120	0.038	814.40	1900.99
0.000321	100.	100.	100.	0	0	0	0.00	224.53	2133.51

*SECNO 56.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

D/S WEIGH BAT CROSS SECTION 57

56.90	9.79	825.89	0.00	0.00	826.06	0.17	0.14	0.02	827.80
3590.	0.	3590.	0.	0.	1092.	0.	1141.	190.	826.80
2.33	0.00	3.29	0.00	0.120	0.040	0.120	0.038	816.10	2237.20
0.000313	300.	300.	300.	2	0	0	0.00	125.72	2362.92

SPECIAL BRIDGE

SW	XX	KKOR	COFQ	ROLEV	SHC	SHP	BAREA	SS	E_CHD	ELCHD
	0.00	1.50	3.90	0.00	10.00	0.00	0.10	0.00	816.10	816.10

*SECNO 57.000

PRESSURE AND WEIR FLOW

EGPRS	EGLLC	HI	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
**********	826.06	0.00	3622.	1.	0.	1.	816.20	823.90

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

AT VERONA DAM

57.00	11.86	827.94	0.00	0.00	828.05	0.11	2.00	0.00	827.80
3590.	0.	3590.	0.	0.	1350.	0.	1142.	190.	826.80
2.33	0.00	2.66	0.00	0.120	0.040	0.120	0.038	816.10	2237.00
0.000261	4.	4.	4.	2	0	8	0.00	126.00	2363.00

*SECNO 57.100

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

U/S VERONA DAM

FORM 1311-GD PRINTED BY ROTARY MANIFOLD FORMS

57.10	4.73	827.73	0.00	0.00	828.33	0.60	0.03	0.24	827.80
3590.	0.	3590.	0.	0.	580.	0.	1143.	190.	826.80
2.33	0.00	6.19	0.00	0.120	0.040	0.120	0.038	823.00	2237.01
0.003882	50.	50.	50.	2	0	0	0.00	125.99	2363.00

CCHV= 0.100 CEHV= 0.300

*SECNO 201.000

3301 HV CHANGED MORE THAN EVERY

SURVEY VALLEY SECTION 201

201.00	13.48	828.58	0.00	0.00	828.62	0.04	0.23	0.06	825.00
3590.	65.	3463.	62.	337.	2062.	321.	1173.	196.	825.80
2.40	0.25	1.67	0.19	0.120	0.040	0.120	0.038	815.10	1795.95
0.000091	350.	850.	650.	2	0	0	0.00	916.29	2310.24

*SECNO 202.000

SECNO	DEPTH	WSEL	CRIWS	AREAF	ED	HV	AL	ELOBS	CHNL ELEV
Q	VLOB	HCH	VROB	AREA	ACH	AROB	WOL	THA	LEFT/RIGHT
TIME	VLOB	VLW	VROB	XNL	XICL	WLB	ITA	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 202

202.00	15.01	828.71	0.00	0.00	828.76	0.05	0.14	0.00	825.00
3590.	5.	3562.	23.	24.	2000.	112.	1247.	209.	824.40
2.68	0.21	1.78	0.21	0.120	0.040	0.120	0.038	813.70	1633.80
0.000133	1300.	1300.	1300.	2	0	0	0.00	920.14	1953.94

*SECNO 203.000

SURVEY VALLEY SECTION 203

203.00	10.73	829.03	0.00	0.30	829.00	0.05	0.31	0.00	823.90
3590.	10.	3490.	90.	41.	1944.	426.	1370.	228.	824.30
3.08	0.25	1.79	0.21	0.120	0.040	0.120	0.038	818.30	1879.11
0.000121	2500.	2500.	1300.	2	0	0	0.00	506.51	2385.62

*SECNO 204.000

SURVEY VALLEY SECTION 204

204.00	12.48	829.18	0.00	0.00	829.24	0.05	0.16	0.00	822.90
3590.	9.	3463.	113.	32.	1826.	379.	1434.	260.	826.10
3.26	0.29	1.90	0.30	0.120	0.040	0.120	0.038	816.70	2458.95
0.000149	1200.	1200.	1200.	0	0	0	0.00	385.16	2844.11


*SECNO 205.000

SURVEY VALLEY SECTION 205


205.00	12.08	829.38	0.00	0.00	829.39	0.01	0.15	0.00	824.80
3590.	11.	2464.	1115.	56.	2175.	4655.	1622.	276.	823.80
3.84	0.20	1.13	0.24	0.120	0.040	0.120	0.038	817.30	2230.33

FORM 1411.00 PRINTED BY LOTART MANIFOLD FORMS

0.000353 1130. 1800. 1800. 1 0 0 0.00 1348.96 3579.29



FORM 1411.UD PRINTED BY ROTARY MANIFOLD FORMS.



1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek and Pennfield Twp

3) WATERCOURSE: Battle creek River

4) DOCUMENT TYPE: input & 100 yr natual



```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
  ERROR CORR -  01
  MODIFICATION - 50,51,52
**************************************************

C
T1CITY OF BATTLE CREEK/PENNFIELD TOWNSHIP FLOOD INSURANCE STUDY
T2BATTLE CREEK RIVER FROM ITS CONFLUENCE TO MC ALLISTER ST. BRIDGE
T3       BATTLE CREEK RIVER

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
          0.         4.         0.         0.  0.000000       0.00       0.0         0.    807.800      1.000

J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
      1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000     15.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT

    110.000    150.000    200.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

QT      5.000   2360.000   3600.000   4200.000   4200.000   5000.000   3590.000      0.000      0.000      0.000
NC      0.080      0.080      0.035      0.300      0.300      0.000      0.000      0.000      0.000      0.000

          SURVEY VALLEY SECTION AT CONFLUENCE TO KALAMAZOO RIVER

X1     23.000     11.000     30.000    184.000      0.000      0.000      0.000      0.000      0.000      0.000
GR    815.800      0.000    804.000     30.000    803.900     44.000    804.000     59.000    803.800     80.300
GR    802.200    122.000    802.800    147.000    806.700    163.000    803.300    173.000    803.700    191.200
GR    816.100    215.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

          SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

X1     23.900      8.000     15.000    175.000    675.000    675.000    675.000      0.000      0.000      0.000
GR    821.700      0.000    807.300     15.000    805.000     44.000    803.200     70.000    803.900    112.200
GR    807.200    146.000    808.000    175.000    821.600    191.000      0.000      0.000      0.000      0.000
SB      0.000      1.500      2.640      0.000     10.000      0.000      0.100      0.000    803.200    803.200

          SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

X1     24.000      0.000      0.000      0.000      3.000      3.000      3.000      0.000      0.000      0.000
X2      0.000      0.000      1.000    803.300    808.600      0.000      0.000      0.000      0.000      0.000
BT      8.000      0.000    821.700      0.000     15.000    808.600      0.000     44.000    808.600      0.000
BT     70.000    808.600    803.300    112.000    800.600      0.000    146.000    808.600      0.000    175.000
BT    808.600      0.000    191.000    821.600      0.000      0.000      0.000      0.000      0.000      0.000

          D/S WASHINGTON AVE. SURVEY SECTION 25

X1     24.000     21.000      0.500    167.300     11.300     11.000     11.000      0.000      0.000      0.000
GR    822.000      0.000    832.000      0.500    800.600      0.000    808.600     20.300    808.600     35.120
GR    808.600     35.900    808.600     36.000    808.600     64.000    800.600     64.100    808.600     69.800
GR    808.600     70.000    800.600     98.000    808.600     98.100    808.600    103.900    808.600    104.000
GR    808.600    132.000    800.600    132.100    808.600    137.900    808.600    138.000    808.600    167.430
GR    822.000    167.500      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
```

PRINTED IN U.S.A.

FORM 1411.00 PRINTED BY ROTARY MANIFOLD FORMS

D/S FACE WASHINGTON AVE. SURVEY SECTION 25

X1	24.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	21.000	0.000	822.000	0.000	0.500	822.000	0.000	0.000	822.000	819.400
BT	35.000	822.000	819.400	39.100	822.000	0.000	35.900	822.000	0.000	36.000
BT	822.000	819.400	64.000	822.000	819.400	64.100	822.000	0.000	69.900	822.000
BT	0.000	70.000	822.000	819.400	98.000	822.000	819.400	98.100	822.000	0.000
BT	103.900	822.000	0.000	104.000	822.000	819.400	132.000	822.000	819.400	132.100
BT	822.000	0.000	137.900	822.000	0.000	137.000	822.000	819.400	167.400	822.000
BY	819.400	167.500	822.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE WASHINGTON AVE. SURVEY SECTION 25

X1	25.000	0.000	0.000	0.000	66.000	66.000	66.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S WASHINGTON AVE. SURVEY SECTION 25

X1	25.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 26

X1	26.000	10.000	22.000	116.000	135.000	135.000	135.000	0.000	0.000	0.000
GR	820.500	0.000	814.000	0.000	808.600	22.000	807.000	46.000	803.000	78.000
GR	807.800	92.000	808.700	116.000	811.000	124.000	813.700	144.000	817.600	144.000
NC	0.100	0.100	0.035	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S PENN CENTRAL RAILROAD SURVEY SECTION 27

X1	26.000	21.000	1.000	190.000	135.000	135.000	135.000	0.000	0.000	0.000
GR	825.000	0.000	825.000	1.000	813.300	2.000	809.100	18.000	809.300	44.000
GR	809.300	44.100	809.300	49.900	809.300	50.000	807.400	74.000	809.000	92.000
GR	809.000	92.100	809.000	97.900	809.000	98.000	807.300	122.000	808.700	139.000
GR	809.700	142.000	809.700	142.100	810.600	147.900	810.600	148.000	814.100	189.000
GR	825.000	190.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

X1	26.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	17.000	0.000	825.000	0.000	1.000	825.000	0.000	2.000	825.000	818.000
BT	44.000	825.000	818.800	44.100	825.000	0.000	49.900	825.000	0.000	50.000
BT	825.000	818.800	92.000	825.000	818.800	92.100	825.000	0.000	92.900	825.000
BT	0.000	98.000	825.000	818.800	142.000	825.000	818.800	142.100	825.000	0.000
BT	147.900	825.000	0.000	148.000	825.000	818.800	189.000	825.000	818.800	190.000
BT	825.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

X1	27.000	0.000	0.000	0.000	30.000	30.000	30.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S PENN CENTRAL RAILROAD SURVEY SECTION 27

X1	27.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1411-OD-PRINTED BY ROYARY MANIFOLD FORMS

SURVEY VALLEY SECTION 28

X1	28.000	7.000	1061.000	1129.070	250.000	250.000	250.000	0.000	0.000	0.000
GR	819.900	1014.000	305.000	1041.070	307.800	1055.200	807.600	1079.000	308.250	1105.000
GR	809.400	1129.000	818.800	1150.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S BARNEY STD FOOTBRIDGE

X1	28.800	14.000	1.000	461.000	300.000	300.000	300.000	0.000	0.000	0.000
GR	822.000	0.000	822.000	1.000	818.600	2.000	800.500	26.000	800.500	30.250
GR	800.500	70.260	800.500	71.240	800.500	71.250	810.500	140.000	810.700	140.000
GR	822.000	141.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE BARNEY ST FOOTBRIDGE

X1	28.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	1.000
BT	9.000	0.000	822.000	0.000	1.000	822.000	0.000	2.000	822.000	816.600
ET	70.250	824.500	821.600	70.260	824.500	0.000	71.240	824.500	0.000	71.250
BT	824.500	821.600	140.000	822.000	818.700	141.000	822.000	0.000	0.000	0.000

U/S FACE BARNEY ST FOOTBRIDGE

X1	29.000	0.000	0.000	0.000	6.000	6.000	6.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S BARNEY ST FOOTBRIDGE

X1	29.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 29

X1	29.200	0.000	0.000	0.000	90.000	90.000	90.000	0.000	0.000	0.000

D/S JACKSON AVE. CROSS SECTION 30

X1	29.800	15.000	1.000	157.000	90.000	90.000	90.000	0.000	0.000	0.000
GR	822.100	0.000	816.000	1.000	810.000	29.000	807.900	63.000	807.900	63.100
GR	807.900	64.900	807.900	65.000	807.600	79.000	808.900	140.000	808.900	110.100
GR	808.900	111.900	808.900	112.000	809.300	139.000	816.000	157.000	822.100	158.000

D/S FACE JACKSON AVE. SURVEY SECTION 30

X1	29.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	12.000	0.000	822.100	0.000	1.000	822.100	819.000	63.000	822.100	819.000
BT	63.100	822.100	0.000	64.900	822.100	0.000	65.000	822.100	819.000	110.000
BT	822.100	819.000	110.100	822.100	0.000	111.900	822.100	0.000	112.000	822.100
BT	819.000	157.000	822.100	819.000	159.000	822.100	0.000	0.000	0.000	0.000

U/S FACE JACKSON AVE. SURVEY SECTION 30

X1	30.000	0.000	0.000	0.000	54.000	54.000	54.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S JACKSON AVE. CROSS SECTION 30

PRINTED BY U.S.G.A.
FORM 1011-CO-PRINTED BY NOTARY MANIFOLD FORMS

X1	30.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.500
NC	0.120	0.120	0.035	0.500	0.800	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 3+

X1	31.000	9.000	924.000	1016.000	60.000	30.000	60.000	0.000	0.000	0.000
GR	819.200	899.000	810.600	924.000	811.200	943.000	809.700	960.000	809.100	973.000
GR	807.600	988.000	806.700	1003.000	809.200	1016.000	820.000	1045.000	0.000	0.000

D/S STRUCTURE OVER BATTLE CREEK RIVER STA.2+76.3

X1	31.100	22.000	1.000	123.000	90.000	90.000	90.000	0.000	0.000	0.000
GR	820.000	0.000	817.600	1.000	811.600	1.100	811.300	12.500	811.300	12.600
GR	811.300	13.400	811.300	13.500	810.700	28.500	810.700	29.600	810.700	29.600
GR	810.700	29.500	810.500	44.500	810.500	44.600	810.500	45.400	810.500	45.500
GR	809.300	60.500	809.300	60.600	809.300	61.400	809.300	61.500	809.300	92.000
GR	809.300	122.900	820.000	123.000	0.000	0.000	0.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.2+74.3

X1	31.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	21.000	0.000	820.000	0.000	1.000	820.000	0.000	1.100	820.000	817.600
BT	12.500	820.000	817.600	12.600	820.000	0.000	13.400	820.000	0.000	13.500
BT	820.000	817.600	28.500	820.000	817.600	28.600	820.000	0.000	29.600	820.000
BT	0.000	29.500	820.000	817.600	44.500	820.000	817.600	44.600	820.000	0.000
BT	45.400	820.000	0.000	45.500	820.000	817.600	60.500	820.000	817.600	60.600
BT	820.000	0.000	61.400	820.000	0.000	61.500	820.000	817.600	122.900	820.000
BT	817.600	123.000	820.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.2+17.8

X1	31.300	0.000	0.000	0.000	56.000	56.000	56.000	0.000	0.500	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.2+17.8

X1	31.400	22.000	1.000	123.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	22.000	0.000	822.000	0.000	1.000	822.000	0.000	1.100	822.000	819.700
BT	11.500	822.000	819.700	11.600	822.000	0.000	12.400	822.000	0.000	12.500
BT	822.000	819.700	22.500	822.000	819.700	22.600	822.000	0.000	23.400	822.000
BT	0.000	23.500	822.000	819.700	33.500	822.000	819.700	33.600	822.000	0.000
BT	34.400	822.000	0.000	34.500	822.000	819.700	44.500	822.000	819.700	44.600
BT	822.000	0.000	45.400	822.000	0.000	45.500	822.000	819.700	92.000	822.000
BT	819.700	122.900	822.000	819.700	123.000	822.000	0.000	0.000	0.000	0.000
GR	822.000	0.000	819.700	1.000	811.300	1.100	811.300	11.500	811.300	11.600
GR	811.300	12.400	811.300	12.500	811.300	22.500	811.300	22.600	811.300	23.400
GR	811.300	23.500	811.300	33.500	811.300	33.600	811.300	34.400	811.300	34.500
GR	809.800	44.500	809.800	44.600	809.800	45.400	809.800	45.500	809.800	92.000
GR	809.800	122.900	822.000	123.000	0.000	0.000	0.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.1+16.5

X1	31.500	22.000	1.000	102.000	105.000	105.000	105.000	0.000	0.000	0.000
BT	22.000	0.000	822.000	0.000	1.000	822.000	0.000	1.100	822.000	819.700
BT	11.500	822.000	819.700	11.600	822.000	0.000	12.400	822.000	0.000	12.500
BT	822.000	819.700	22.500	822.000	819.700	22.600	822.000	0.000	23.400	822.000
BT	0.000	23.500	822.000	819.700	33.500	822.000	819.700	33.600	822.000	0.000

FORM 1611 3D-PRINTED BY BURLEY MAP-FOLD FORMS

BT	34.400	822.000	0.000	34.500	822.000	819.700	44.500	822.000	819.700	44.600
BT	822.000	0.000	45.400	822.000	0.000	45.500	822.000	819.700	73.000	822.000
BT	819.700	101.900	822.000	819.700	102.000	822.000	0.000	0.000	0.000	0.000
GR	822.000	0.000	821.600	1.000	812.000	1.100	812.000	11.500	812.000	11.600
GR	812.000	12.400	812.000	12.500	812.000	22.500	812.000	22.600	812.000	23.400
GR	812.000	23.500	812.000	33.500	812.000	33.600	812.000	34.400	812.000	34.500
GR	810.500	44.500	810.500	44.600	810.500	45.400	810.500	65.500	809.300	73.000
GR	810.500	101.900	822.000	102.000	0.000	0.000	0.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.1+16.5

X1	31.600	37.000	1.000	102.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	37.000	0.000	822.000	0.000	1.000	822.000	0.000	1.100	822.000	821.000
BT	11.500	822.000	821.000	11.600	822.000	0.000	12.400	822.000	0.000	12.500
BT	822.000	821.000	22.500	822.000	821.000	22.600	822.000	0.000	23.400	822.000
BT	0.000	23.500	822.000	821.000	33.500	822.000	821.000	33.600	822.000	0.000
BT	34.400	822.000	0.000	34.500	822.000	821.000	44.500	822.000	821.000	44.600
BT	822.000	0.000	45.600	822.000	0.000	45.500	822.000	821.000	66.500	822.000
BT	821.000	66.600	822.000	0.000	67.400	822.000	0.000	67.500	822.000	821.000
BT	69.500	822.000	821.000	69.600	822.000	0.000	70.400	822.000	0.000	70.500
BT	822.000	821.000	79.500	822.000	821.000	79.600	822.000	0.000	80.400	822.000
BT	0.000	80.500	822.000	821.000	95.500	822.000	821.000	95.600	822.000	0.000
BT	96.600	822.000	0.000	96.500	822.000	821.000	101.900	822.000	821.000	102.000
BT	822.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	822.000	0.000	822.000	1.000	812.800	1.100	812.000	11.500	812.000	11.600
GR	812.000	12.400	812.000	12.500	812.000	22.500	812.000	22.600	812.000	23.400
GR	812.000	23.500	812.000	33.500	812.000	33.600	812.000	34.400	812.000	34.500
GR	812.000	44.500	812.000	44.600	812.000	45.600	812.000	45.500	810.400	66.500
GR	810.400	66.600	810.400	67.400	810.400	67.500	810.400	69.500	810.400	69.600
GR	810.400	70.400	810.400	70.500	809.200	79.500	809.200	79.600	809.200	80.400
GR	809.200	80.500	810.000	95.500	810.000	95.600	810.000	96.400	810.000	96.500
GR	810.400	101.900	822.000	102.000	0.000	0.000	0.000	0.000	0.000	0.000

STRUCTURE OVER BATTLE CREEK STA.1+68.5

X1	31.700	0.000	0.000	0.000	47.000	47.000	47.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

D/S FACE MICHIGAN AVE. SURVEY SECTION 33

X1	32.900	11.000	1.000	111.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	11.000	0.000	823.000	0.000	1.000	823.000	0.000	1.100	823.000	816.000
BT	27.000	823.000	820.600	52.000	823.000	816.000	52.100	823.000	0.000	57.900
BT	823.000	0.000	58.000	823.000	816.000	31.000	823.000	820.900	110.900	823.000
BT	816.800	111.000	823.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	823.000	0.000	823.000	1.000	813.200	1.100	810.400	27.000	809.700	52.000
GR	809.700	52.100	810.400	57.900	810.400	58.000	809.800	81.000	813.800	110.900
GR	823.000	111.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE MICHIGAN AVE. SURVEY SECTION 33

X1	33.000	0.000	0.000	0.000	70.000	70.000	70.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S MICHIGAN AVE.

X1	33.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 34.

X1	34.000	6.000	692.000	773.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	822.200	607.000	814.300	692.000	814.200	711.000	811.800	719.000	810.200	736.000
GR	810.100	761.000	811.200	773.000	823.100	795.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 35

X1	35.000	8.000	581.000	679.000	600.000	600.000	600.000	0.000	0.000	0.000
GR	825.000	579.000	812.300	581.000	812.200	605.000	812.600	630.000	812.100	655.000
GR	813.100	679.000	815.000	688.000	825.300	689.000	0.000	0.000	0.000	0.000

D/S MC CALMLY AVE

X1	35.800	15.000	1.000	111.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	826.000	0.000	826.000	1.000	813.200	1.100	812.300	12.000	812.300	27.000
GR	812.300	42.000	812.300	53.000	812.300	58.900	812.200	59.000	812.200	56.000
GR	812.200	70.000	812.200	85.000	812.200	100.000	812.800	110.900	826.000	111.000

D/S FACE MC CALMLY AVE.

X1	35.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	15.000	0.000	826.000	0.000	1.000	826.000	0.000	1.100	826.000	817.300
BT	12.000	826.000	822.600	27.000	826.000	823.100	42.000	826.000	822.600	53.000
BT	826.000	817.300	53.100	826.000	0.000	58.900	826.000	0.000	59.000	826.000
BT	817.300	70.000	826.000	822.600	85.000	826.000	823.100	100.000	826.300	822.600
BT	110.900	826.000	817.300	111.000	826.000	0.000	0.000	0.000	0.000	0.000

U/S FACE MC CALMLY AVE.

X1	36.000	0.000	0.000	0.000	65.000	65.000	65.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

D/S FACE PARKING LOT BRIDGE CROSS SECTION 37

X1	36.100	11.000	1.000	111.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	9.000	0.000	827.000	0.000	1.000	827.000	0.000	1.100	827.000	823.300
BT	55.000	827.000	823.300	55.100	827.000	0.000	56.900	827.000	0.000	57.000
BT	827.000	823.300	110.900	827.000	823.300	111.000	827.000	0.000	0.000	0.000
GR	827.000	0.000	827.000	1.000	813.200	1.100	812.300	12.000	812.300	55.000
GR	812.300	55.100	812.300	56.900	812.300	57.000	812.300	100.000	812.800	110.900
GR	827.000	111.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE PARKING LOT BRIDGE

X1	36.200	9.000	1.000	71.000	74.000	74.000	74.000	0.000	0.000	0.000
BT	9.000	0.000	827.000	0.000	1.000	827.000	0.000	1.100	827.000	823.300
BT	35.000	827.000	823.300	35.100	827.000	0.000	36.900	827.000	0.000	37.000
BT	827.000	823.300	70.900	827.000	823.300	71.000	827.000	0.000	0.000	0.000
GR	827.000	0.000	812.300	1.000	812.300	1.100	812.300	35.000	812.300	35.100
GR	812.300	36.900	812.300	37.000	812.300	70.900	827.000	71.000	0.000	0.000

D/S FACE PARKING LOT STRUCTURE

X1	36.300	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	9.000	0.000	827.000	0.000	1.000	827.000	0.000	1.100	827.000	823.300
BT	70.900	827.000	823.300	71.000	827.000	0.000	0.000	0.000	0.000	0.000

U/S FACE PARKING LOT STRUCTURE

X1	37.000	0.000	0.000	0.000	570.000	570.000	570.000	0.000	-0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S PARKING LOT STRUCTURE

X1	37.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.200	0.500
XC	0.120	0.120	0.030	0.300	0.500	0.000	0.000	0.000	0.200	0.000

D/S BUILDING OVER RIVER D/S CAPITAL AVE CROSS SECTION 38

X1	37.000	17.000	1.000	58.000	113.000	115.000	115.000	0.000	0.000	0.000
GR	830.000	0.000	830.000	1.000	809.900	1.100	210.400	13.000	810.400	13.000
GR	810.400	16.900	810.500	15.000	809.000	29.000	809.000	29.100	809.000	30.000
GR	809.000	31.000	811.000	45.000	811.000	45.100	811.000	46.900	811.000	47.000
GR	814.400	57.900	830.000	58.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

X1	37.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	17.000	0.000	830.000	0.000	1.000	830.000	0.000	1.100	830.000	823.800
BT	13.000	830.000	823.800	13.100	830.000	0.000	14.900	830.000	0.000	15.000
BT	830.000	823.800	29.000	830.000	823.800	29.100	830.000	0.000	30.900	830.000
BT	0.000	31.000	830.000	823.800	45.000	830.000	823.800	45.100	830.000	0.000
BT	46.900	830.000	0.000	47.000	830.000	823.800	57.900	830.000	823.800	58.000
BT	830.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

U/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

X1	38.000	17.000	1.000	82.000	66.000	66.000	66.000	0.000	0.000	0.000
BT	17.000	0.000	830.000	0.000	1.000	830.000	0.000	1.100	830.000	823.800
BT	18.000	830.000	823.800	18.100	830.000	0.000	19.900	830.000	0.000	20.000
BT	830.000	823.800	41.000	830.000	823.800	41.100	830.000	0.000	42.900	830.000
BT	0.000	43.000	830.000	823.800	64.000	830.000	823.800	64.100	830.000	0.000
BT	65.900	830.000	0.000	66.000	830.000	823.800	81.900	830.000	823.800	82.000
BT	830.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	830.000	0.000	830.000	1.000	815.500	1.100	814.000	18.000	814.000	18.100
GR	814.000	19.900	814.000	20.000	812.400	41.000	812.400	41.100	812.400	42.900
GR	812.400	43.000	809.500	64.000	809.500	64.100	809.500	65.900	809.500	66.000
GR	813.700	81.900	830.000	82.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE CAPITAL AVE. CROSS SECTION 39

X1	38.900	15.000	1.000	82.000	1.000	1.000	1.000	0.000	0.000	0.000
BT	13.000	0.000	825.500	0.000	1.000	825.500	0.000	1.100	825.500	823.100
BT	28.000	825.500	823.100	28.100	825.500	0.000	31.400	825.500	0.000	31.500
BT	825.500	823.100	56.000	825.500	823.100	56.100	825.500	0.000	61.600	825.500
BT	0.000	61.500	825.500	823.100	81.900	825.500	823.100	82.000	825.500	0.000
GR	825.500	0.000	825.500	1.000	815.500	1.100	815.700	23.000	814.000	28.000
GR	814.000	28.100	814.000	31.400	814.000	31.500	812.400	43.000	809.500	56.000
GR	809.500	56.100	809.500	61.400	809.500	61.500	813.700	81.900	825.500	82.000

U/S FACE CAPITAL AVE.

X1	39.000	0.000	0.000	0.000	66.000	66.000	66.000	0.000	0.000	0.000

FORM 1413-GP-PRINTED BY ROTARY MANIFOLD FORMS

X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000

U/S CAPITAL AVE.

X1	39.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 40

X1	40.000	9.000	847.000	916.300	165.000	165.300	165.000	0.000	0.000	0.000
GR	826.000	819.000	816.700	820.300	816.400	847.000	811.000	855.000	812.300	868.000
GR	808.300	895.000	816.900	916.000	823.900	922.000	826.600	986.800	0.000	0.000

D/S FACE MONROE ST.

X1	40.900	6.300	1.000	79.000	135.000	135.000	135.000	0.000	0.000	0.000
GR	827.400	0.000	827.400	1.000	811.100	1.100	809.300	32.000	813.700	78.500
GR	827.400	79.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.000	1.620	3.000	0.000	78.100	0.100	790.000	0.000	811.600	811.600

U/S FACE MONROE ST.

X1	41.000	0.000	0.000	0.000	46.000	46.000	46.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	821.700	827.400	0.000	0.000	0.000	0.000	0.000
BT	6.000	0.000	827.400	0.000	1.000	827.400	0.000	1.100	827.400	821.700
BT	39.000	827.400	821.700	78.900	827.400	821.700	78.000	827.400	0.000	0.000

SURVEY VALLEY SECTION 42

X1	42.000	9.000	724.000	841.000	225.000	225.000	225.000	0.000	0.000	0.000
GR	826.700	723.000	821.600	724.000	813.500	750.000	811.000	793.000	814.000	836.000
GR	816.200	841.000	818.200	860.000	824.200	861.000	826.800	986.000	0.000	0.000

D/S FACE DIVISION ST.

X1	43.900	11.000	1.000	33.000	225.000	225.000	225.000	0.000	0.000	0.000
GR	826.900	0.000	826.900	1.000	810.800	1.100	808.800	21.000	810.400	61.000
GR	810.600	41.100	810.400	42.900	810.400	43.000	809.500	63.000	814.100	82.900
GR	826.900	83.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.900	1.740	3.000	0.000	82.000	2.000	945.000	0.000	810.300	810.300

U/S FACE DIVISION ST.

X1	44.000	0.000	0.000	0.000	76.000	76.000	76.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	822.100	826.900	0.000	0.000	0.000	0.000	0.000
BT	9.000	0.000	826.900	0.000	1.000	826.900	0.000	1.100	826.900	822.100
BT	41.000	826.900	822.100	41.100	826.900	0.000	82.900	826.900	0.000	43.000
BT	826.900	822.100	82.900	826.900	822.100	83.000	826.900	0.000	0.000	0.000

D/S FACE PENN CENTRAL R.R.

X1	44.900	16.000	1.000	93.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	824.000	0.000	824.000	1.000	815.700	1.100	813.100	15.000	812.200	30.000
GR	812.200	32.100	812.200	33.900	812.200	34.000	810.000	47.000	812.300	62.000
GR	812.000	62.100	812.800	65.900	812.800	66.000	812.000	80.000	816.000	92.900
GR	824.000	93.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	1.250	1.930	3.000	0.000	94.000	3.000	695.000	0.000	812.800	812.800

FORM 441-00-PRINTED BY HO ARY MANIFOLD FORMS.

U/S FACE PENN CENTRAL R.R.

X1	45.000	0.000	0.000	0.000	96.000	96.000	96.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	820.900	824.000	1.000	0.000	0.000	0.000	0.000
ET	13.000	0.000	826.000	0.000	1.000	824.000	0.000	1.100	824.000	820.900
BT	30.000	824.000	820.900	30.100	824.000	0.000	33.900	824.000	0.000	34.000
BT	824.000	820.900	82.000	824.000	820.900	32.100	824.000	0.000	65.950	824.000
BT	0.000	66.000	824.000	820.900	92.900	824.000	820.900	93.000	826.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	817.000	1110.000

100 FT U/S PENN CENTRAL R.R. CROSS SECTION 46

X1	46.000	10.000	928.000	1000.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	829.000	422.000	826.700	434.000	823.900	672.000	823.400	912.000	825.700	923.000
GR	809.800	967.000	313.500	1000.000	823.400	1012.000	825.900	1074.000	820.100	1196.000
ET	0.000	0.000	0.000	0.000	1.400	5.100	0.200	0.000	1.200	543.000

VALLEY SECTION

X1	46.500	10.000	215.000	315.000	700.000	700.000	700.000	0.000	0.000	0.000
GR	830.000	0.000	826.000	1.000	823.000	200.000	814.000	215.000	310.500	265.000
GR	814.000	315.000	823.000	330.000	825.000	400.000	827.000	660.000	330.000	661.000

100 FT D/S ELM ST. CROSS SECTION 47

X1	47.000	13.000	1439.000	1347.000	700.000	700.000	700.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1380.000	0.000	1605.000	0.000	0.000	0.000	0.000
GR	830.000	1041.000	826.300	1042.000	825.200	1162.000	823.200	1412.000	821.600	1419.000
GR	813.300	1439.000	812.800	1461.000	811.300	1483.000	812.000	1513.000	814.500	1547.000
GR	826.600	1589.000	827.900	1668.000	829.800	1700.000	0.000	0.000	0.000	0.000

D/S FACE ELM ST.

X1	47.900	16.000	1.000	175.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	826.600	0.000	826.600	1.000	820.400	1.700	815.000	24.000	812.700	51.000
GR	812.700	51.100	812.700	52.900	812.700	53.000	810.600	91.000	810.700	129.000
GR	810.700	129.100	810.700	130.900	810.700	131.000	815.200	140.000	819.600	174.900
GR	826.600	175.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.900	1.740	3.000	0.000	174.000	4.000	1455.000	0.000	814.000	816.000

U/S FACE ELM ST.

X1	48.000	0.000	0.000	0.000	60.000	60.000	60.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	822.400	826.600	0.000	0.000	0.000	0.000	0.000
BT	13.000	0.000	826.600	0.000	1.000	826.600	0.000	1.100	826.600	822.400
BT	51.000	826.600	822.400	51.100	826.600	0.000	52.900	826.600	0.000	53.000
BT	826.600	822.400	129.000	826.600	822.400	129.100	826.600	0.000	130.900	826.600
BT	0.000	131.000	826.600	822.400	174.900	826.600	822.400	175.000	826.600	0.000

D/S DAM 150 FT U/S ELM ST.

X1	48.200	10.000	275.000	344.000	150.000	150.000	150.000	0.000	0.000	0.000
GR	829.600	0.000	827.000	250.000	819.400	250.000	815.400	263.000	810.600	275.000
GR	810.300	394.000	814.000	444.000	819.600	464.000	823.000	476.000	827.000	575.000

AT DAM

X1	48.300	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	810.300	816.500	0.200	0.000	0.000	0.000	0.000

U/S DAM

X1	48.400	10.000	275.000	394.000	2.000	2.000	2.000	0.000	0.000	0.000
GR	829.600	0.000	827.000	200.000	819.400	250.000	816.500	243.000	815.600	275.000
GR	815.900	394.000	816.200	464.000	819.600	464.000	823.200	476.000	827.000	575.000

CROSS SECTION 49A

X1	48.900	3.000	370.000	470.000	520.000	520.000	520.000	0.000	0.000	0.000
GR	829.000	0.000	819.000	0.000	819.000	350.000	815.000	370.000	814.000	420.000
GR	815.000	470.000	819.000	490.000	829.000	520.000	0.000	0.000	0.000	0.000

SURVEY CROSS SECTION 49

X1	49.000	15.000	803.000	985.000	650.000	650.300	650.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	851.300	0.000	1279.000	0.000	0.000	0.000	0.000
GR	830.000	650.000	826.300	651.000	825.200	855.000	820.600	865.000	819.500	871.000
GR	817.300	883.000	803.300	905.000	811.400	930.000	814.200	955.000	815.100	985.000
GR	816.600	991.000	817.200	1055.000	819.500	1113.000	825.800	1125.000	829.200	1272.000

D/S FACE UNION ST. CROSS SECTION 50

X1	49.900	20.000	1.000	117.500	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	826.900	826.900	0.000
GR	826.900	0.000	826.900	1.000	816.900	1.100	815.300	14.000	814.600	27.500
GR	814.600	27.600	816.600	30.900	814.600	31.000	812.900	44.000	812.900	57.000
GR	812.900	57.100	812.900	60.600	812.900	60.500	815.300	87.500	815.300	87.600
GR	815.300	90.900	815.300	91.000	816.500	104.000	817.400	117.400	826.900	117.500
SB	0.900	1.750	3.000	0.000	116.500	10.500	1125.000	0.000	813.900	813.900

825.98
Q = 4200

D/S FACE UNION ST.

X1	50.000	0.000	0.000	0.000	50.000	50.000	50.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	824.500	826.900	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	826.900	826.900	0.000
BT	17.000	0.000	826.900	0.000	1.000	826.900	0.000	1.100	826.900	824.500
BT	27.500	825.900	826.500	27.600	826.900	0.000	30.900	826.900	0.000	31.000
BT	826.900	824.500	57.000	826.900	824.500	57.100	826.900	0.000	60.400	826.900
BT	0.000	60.500	826.900	824.500	87.500	826.900	824.500	87.600	826.900	0.000
BT	90.900	826.900	0.000	91.000	826.900	824.500	117.400	826.900	824.500	117.500
BT	826.900	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

100 FT D/S UNION ST.

X1	50.100	10.000	195.000	295.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	87.000	0.000	403.000	0.000	0.000	0.000	0.000
GR	830.000	0.000	825.000	1.000	824.500	175.000	814.000	195.000	812.800	245.000
GR	814.000	295.000	819.000	315.000	819.000	450.300	825.000	465.000	829.000	650.000
NC	0.120	0.120	0.040	0.100	0.300	0.300	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 51

FORM 141-60 PRINTED BY ROTARY MANIFOLD FORMS

X1	51.000	16.000	1474.000	1578.000	850.000	730.000	735.000	0.000	0.000	0.000
GR	830.000	711.000	827.200	712.000	821.400	750.000	818.800	792.000	818.000	1034.000
GR	818.000	1302.000	818.700	1462.000	816.400	1474.000	815.000	1499.000	813.000	1526.000
GR	813.400	1557.000	815.100	1578.000	818.000	1588.000	822.800	1644.000	823.000	1842.000
GR	831.800	1870.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 52

X1	52.000	15.000	2356.000	2456.000	800.000	800.000	800.000	0.000	0.000	0.000
GR	830.000	1000.000	823.700	1001.000	820.200	1202.000	813.100	1424.000	818.200	1772.000
GR	818.100	2024.000	813.600	2276.000	815.000	2364.000	816.300	2356.000	813.300	2379.000
GR	813.500	2414.000	813.900	2426.000	815.600	2456.000	819.600	2466.000	832.100	2500.000

SURVEY VALLEY SECTION 53

X1	53.000	16.000	1454.000	1570.000	2300.000	2400.000	2600.000	0.000	0.000	0.000
GR	850.200	102.000	828.200	122.000	827.600	238.000	827.600	468.000	821.800	944.000
GR	820.200	780.000	820.000	1242.000	810.600	1429.000	822.800	1437.000	822.500	1447.000
GR	815.900	1454.000	812.300	1487.000	812.400	1512.000	816.200	1537.000	816.400	1570.000
GR	832.200	1600.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 54

X1	54.000	16.000	739.000	840.000	1550.000	1100.000	1450.000	0.000	0.000	0.000
GR	831.600	528.000	829.600	576.000	825.500	596.000	823.000	660.000	822.400	734.000
GR	816.500	739.000	812.900	764.000	814.000	789.000	814.800	814.000	817.200	540.000
GR	819.400	850.000	819.600	996.000	820.000	1150.000	820.400	1502.000	827.500	1428.000
GR	831.200	1462.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

100 FT D/S EMMETT ST. CROSS SECTION 55

X1	55.000	14.000	1948.000	2058.000	1650.000	1650.000	1650.000	0.000	0.000	0.000
GR	835.000	1707.000	830.200	1708.000	829.400	1872.000	823.500	1932.000	818.300	1948.000
GR	814.400	1970.000	814.600	1995.000	816.400	2020.000	816.800	2058.000	819.700	2061.000
GR	820.800	2067.000	822.600	2126.000	830.600	2145.000	835.000	2220.000	0.000	0.000

FILL

D/S EMMETT ST. CROSS SECTION 56

X1	55.800	22.000	1945.000	2061.000	100.000	100.000	100.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	831.000	831.000	0.000
GR	835.000	1707.000	830.200	1708.000	829.400	1872.000	823.500	1932.000	817.700	1945.000
GR	817.700	1945.100	817.000	1956.000	816.200	1971.000	816.400	1984.000	816.600	1998.000
GR	816.600	1998.100	816.600	2007.900	816.600	2008.000	816.300	2021.000	815.500	2034.000
GR	816.000	2047.000	816.600	2060.900	816.600	2061.000	820.800	2067.000	822.600	2126.000
GR	830.600	2145.000	835.000	2220.000	0.000	0.000	0.000	0.000	0.000	0.000

D/S FACE EMMETT ST. CROSS SECTION 56

X1	55.900	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	831.000	831.000	0.000
BT	22.000	1707.000	835.000	0.000	1708.000	830.200	0.000	1872.000	830.000	0.000
BT	1932.000	831.000	0.000	1945.000	831.000	0.000	1945.100	831.000	822.300	1958.000
BT	831.000	827.500	1971.000	831.000	826.600	1984.000	831.000	827.500	1998.000	831.000
BT	821.700	1998.100	831.000	0.000	2007.900	831.000	0.000	2008.000	831.000	821.700
BT	2021.000	831.000	827.500	2034.000	831.000	828.600	2067.000	831.000	827.500	2060.900
BT	831.000	821.800	2061.000	831.000	0.000	2067.000	831.000	0.000	2126.000	833.000
BT	0.000	2145.000	833.100	0.000	2220.000	835.000	0.000	0.000	0.000	0.000

FORM 1211-SD PRINTED BY ROTARY MANIFOLD FORMS

U/S FACE EMMETT ST.

X1	56.000	0.000	0.000	0.000	51.000	51.000	51.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	1.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	831.000	831.000	0.000

U/S EMMETT ST.

X1	56.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	831.000	831.000	0.000

100 FT U/S EMMETT ST.

X1	36.200	14.000	1948.000	2038.000	100.000	100.000	100.000	0.000	0.000	0.000
GR	835.000	1707.000	830.200	1700.000	829.400	1672.000	823.500	1932.000	818.300	1940.000
GR	816.400	1970.000	814.600	1995.000	816.400	2021.000	816.800	2058.000	819.700	2061.000
GR	820.800	2067.000	822.600	2126.000	830.600	2145.000	835.000	2220.000	0.000	0.000
NC	0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S VERONA DAM CROSS SECTION 57

X1	56.900	9.000	2237.000	2363.000	350.000	350.000	350.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	835.000	835.000	0.000
GR	835.000	2170.000	829.100	2171.000	827.800	2237.000	818.200	2238.000	816.100	2362.000
GR	826.800	2363.000	827.000	2366.000	829.000	2376.000	835.000	2377.000	0.000	0.000
SS	0.000	1.500	3.300	0.000	10.000	0.000	0.100	0.000	816.100	816.100

AT VERONA DAM

X1	57.000	0.000	0.000	0.000	4.000	4.000	4.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	816.200	823.900	0.000	0.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	835.000	835.000	0.000
BT	9.000	2170.000	835.000	0.000	2171.000	829.100	0.000	2237.000	827.800	0.000
BT	2238.000	823.900	816.200	2362.000	823.900	816.200	2363.000	826.800	0.000	2366.000
BT	827.000	0.000	2376.000	829.000	0.000	2377.000	835.000	0.000	0.000	0.000

U/S VERONA DAM

X1	57.100	9.000	2237.000	2363.000	50.000	50.000	50.000	0.000	0.000	0.000
GR	835.000	2170.000	829.100	2171.000	827.800	2237.000	823.200	2238.000	823.000	2362.000
GR	826.800	2363.000	827.000	2366.000	829.000	2376.000	835.000	2377.000	0.000	0.000
X1	200.000	20.000	1930.000	2130.000	425.000	425.000	425.000	0.000	0.000	0.000
GR	833.200	1448.000	832.900	1570.000	831.800	1678.000	830.300	1830.000	828.400	1836.000
GR	828.000	1856.000	828.000	1918.000	825.000	1930.000	824.300	1941.000	822.000	1970.000
GR	821.000	2010.000	819.000	2040.000	820.000	2065.000	825.000	2090.000	828.700	2130.000
GR	828.900	2142.000	830.000	2170.000	830.500	2316.000	831.200	2360.000	833.200	2364.000
NC	0.120	0.120	0.040	0.100	0.300	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 201

X1	201.000	29.000	1930.000	2130.000	425.000	425.000	425.000	0.000	0.000	0.000
GR	836.400	808.000	836.400	936.000	835.100	1036.000	833.800	1134.000	834.200	1260.000
GR	833.200	1448.000	832.900	1570.000	831.800	1678.000	830.300	1732.000	827.400	1836.000
GR	824.900	1856.000	825.100	1918.000	825.000	1930.000	824.300	1941.000	817.900	1970.000
GR	815.900	2010.000	815.100	2040.000	815.100	2065.000	818.100	2090.000	823.800	2130.000

FORM 1411-00-PRINTED BY COTARY MANIFOLD FORMS.

GR	825.900	2142.000	826.400	2212.000	828.700	2316.000	831.200	2360.000	833.200	2394.000
GR	832.000	2428.000	835.000	2436.000	839.400	2490.000	0.300	0.000	0.300	0.000

SURVEY VALLEY SECTION 202

X1	202.000	19.000	1647.000	1801.000	1300.000	1300.000	1300.000	0.000	0.000	0.000
GR	835.000	1604.000	830.900	1626.000	825.300	1647.000	822.300	1699.000	822.300	1734.000
GR	821.300	1744.000	817.700	1784.000	813.700	1811.000	819.100	1857.000	819.300	1862.000
GR	824.600	1881.000	826.100	1889.000	830.300	2006.000	830.600	2160.000	831.900	2342.000
GR	831.200	2506.000	832.900	2638.000	833.200	2678.000	835.200	2740.000	0.000	0.000

SURVEY VALLEY SECTION 203

X1	203.000	36.000	1895.000	2105.000	2500.000	1500.000	2500.000	0.000	0.000	0.000
GR	840.000	44.000	837.000	88.000	836.000	174.000	835.000	198.000	834.000	230.000
GR	832.000	366.000	832.000	544.000	830.600	650.000	833.200	1162.000	833.300	1426.000
GR	836.000	1470.000	833.000	1814.000	831.000	1879.000	829.900	1893.000	818.300	1935.000
GR	818.400	1980.000	818.400	2020.000	818.900	2065.000	821.300	2070.000	822.600	2080.000
GR	824.300	2105.000	825.800	2122.000	827.600	2194.000	827.800	2294.000	829.300	2406.000
GR	829.500	2636.000	830.600	2820.000	831.800	3002.000	833.600	3212.000	834.000	3444.000
GR	835.000	3530.000	837.400	3654.000	839.000	4026.000	841.200	4092.000	0.000	0.000

SURVEY VALLEY SECTION 204

X1	204.000	31.000	2469.000	2681.000	1200.000	1200.000	1200.000	0.000	0.000	0.000
GR	839.900	18.000	837.800	42.000	835.600	294.000	836.600	614.000	843.600	864.000
GR	835.000	946.000	834.000	1120.000	833.600	1404.000	834.800	1626.000	833.300	1852.000
GR	832.600	2054.000	830.600	2230.000	830.400	2437.000	832.900	2469.000	810.400	2515.000
GR	816.700	2555.000	820.100	2585.000	822.100	2600.000	822.100	2630.000	824.100	2681.000
GR	825.600	2700.000	827.300	2790.000	829.800	2862.000	830.400	3056.000	830.800	3242.000
GR	831.400	3486.000	833.500	3780.000	835.400	3928.000	835.400	4062.000	836.100	4160.000
GR	841.000	4268.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 205

X1	205.000	34.000	2249.000	2501.000	1100.000	1800.000	1800.000	0.000	0.000	0.000
GR	840.000	28.000	837.200	56.000	836.400	200.300	834.600	430.000	834.400	639.000
GR	836.400	864.000	836.300	1092.000	835.000	1280.000	834.400	1444.000	833.400	1572.000
GR	831.900	1606.000	832.200	1926.000	831.600	2132.000	831.600	2225.000	826.200	2238.000
GR	825.400	2243.000	824.800	2249.000	817.800	2305.000	817.300	2335.000	818.200	2350.000
GR	821.000	2400.000	822.700	2460.000	823.800	2501.000	824.900	2520.000	824.800	2748.000
GR	825.000	3036.000	825.200	3354.000	825.300	3550.000	830.600	3588.000	830.200	3758.000
GR	832.700	3922.000	836.400	4062.000	838.200	4118.000	842.000	4158.000	0.000	0.000

SURVEY VALLEY SECTION 206

X1	206.000	17.000	1375.000	1591.000	1525.000	1200.000	1525.000	0.000	0.000	0.000
GR	840.000	250.000	835.000	650.000	830.300	1300.000	825.300	1355.000	823.900	1375.000
GR	822.900	1432.000	821.700	1471.000	821.300	1510.000	819.600	1549.000	819.000	1566.000
GR	822.600	1591.000	824.300	1618.000	824.300	1700.000	824.900	1900.000	829.800	1950.000
GR	830.200	2000.000	835.000	2050.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 207

X1	207.000	20.000	1412.000	1552.000	1200.000	500.000	925.000	0.000	0.000	0.000
GR	837.300	566.000	835.200	628.000	835.000	702.000	835.000	949.000	825.800	950.000
GR	825.000	1266.000	825.300	1406.000	823.900	1412.000	816.300	1452.000	816.600	1477.000
GR	820.100	1512.000	823.400	1532.000	824.600	1562.000	825.600	1724.000	825.700	1950.000

FORM 7011-SM-PRINTED BY ROTARY MANIFOLD FORMS

GR	825.600	2210.000	825.700	2332.300	830.200	2300.000	836.200	2510.000	836.700	2586.000

SURVEY VALLEY SECTION 208

X1	208.000	23.000	1311.000	1309.000	1300.000	1300.000	1900.000	0.000	0.000	0.000
GR	839.800	14.000	835.600	90.000	833.100	218.000	827.800	266.000	825.300	430.000
GR	827.400	626.000	826.000	750.000	825.000	988.000	824.600	1234.000	824.800	1466.000
GR	825.400	1500.000	822.500	1511.000	816.300	1545.000	816.500	1560.000	822.100	1590.000
GR	824.000	1609.000	825.300	1620.000	825.000	1726.000	824.600	1904.000	824.800	2134.000
GR	826.100	2174.000	835.200	2220.000	837.200	2276.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 209

X1	209.000	21.000	357.000	443.000	1900.000	2000.000	3700.000	0.000	0.000	0.000
GR	840.600	14.000	835.100	70.000	828.500	147.000	826.400	230.000	826.300	344.000
GR	824.400	357.000	820.900	370.000	818.900	400.000	817.100	413.000	823.600	445.000
GR	823.700	457.000	825.200	652.300	825.000	822.300	825.800	1044.000	825.600	1296.000
GR	826.200	1460.000	829.400	1604.000	830.400	1720.000	835.500	1804.000	836.400	1894.000
GR	837.200	2090.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 210

X1	210.000	23.000	2415.000	2505.000	1400.000	950.000	1450.000	0.000	0.000	0.000
GR	840.100	454.000	638.200	688.000	835.300	774.000	835.400	980.000	836.000	1242.000
GR	836.200	1436.000	833.300	1654.000	832.400	1608.000	824.900	1682.000	824.800	1932.000
GR	825.400	2200.000	825.600	2413.000	823.500	2415.000	821.500	2455.000	821.300	2470.000
GR	820.700	2405.000	823.300	2505.000	825.300	2514.000	825.800	2428.000	826.600	2336.000
GR	830.600	2914.000	835.200	2930.000	839.000	2964.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.100	0.000	0.000	0.000	2108.000	3526.000

SURVEY VALLEY SECTION 211

X1	211.000	17.000	2515.000	2595.000	1200.000	1100.000	2675.000	0.000	0.000	0.000
GR	849.100	2108.000	840.500	2310.000	837.900	2650.000	835.600	2492.000	833.800	2505.000
GR	824.500	2515.000	819.400	2540.000	819.200	2555.000	822.600	2575.000	823.800	2595.000
GR	825.000	2600.000	825.600	2612.000	825.800	2836.000	825.200	3080.000	826.600	3364.000
GR	835.000	3393.000	838.000	3526.000	0.000	0.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 212

X1	212.000	14.000	3495.000	3649.000	900.000	2400.000	2400.000	0.000	0.000	0.000
GR	838.400	2466.000	827.000	2506.000	826.200	2722.000	826.600	2980.000	826.000	3220.000
GR	826.400	3491.000	825.600	3495.000	823.700	3522.000	821.600	3562.000	822.300	3592.000
GR	825.000	3649.000	827.100	3657.000	832.600	3675.000	841.300	3701.000	0.000	0.000
NC	0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000
ET	5.000	1850.000	2890.000	3370.000	3370.000	4650.000	0.000	0.000	0.000	0.000

SURVEY VALLEY SECTION 213

X1	213.000	12.000	2648.000	2736.000	2600.000	4000.000	4100.000	0.000	0.000	0.000
GR	840.000	2250.000	827.500	2250.000	827.600	2450.000	828.600	2592.000	829.000	2632.000
GR	826.700	2648.000	822.300	2667.000	821.900	2692.000	823.000	2717.000	827.300	2736.000
GR	829.100	2746.000	840.000	2746.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	9.410	0.000	0.000	0.000	0.000	0.000

D/S FACE MC ALLISTER ROAD SURVEY SECTION 215

X1	214.900	12.000	1.000	106.000	800.300	600.000	300.000	0.000	0.000	0.000
GR	835.000	0.000	833.400	1.000	825.800	1.100	823.000	27.000	823.800	52.000
GR	823.800	52.100	823.900	53.900	823.800	54.000	822.000	80.000	825.700	105.900
GR	833.400	106.000	835.000	106.100	0.000	0.000	0.000	0.000	0.000	0.000
SD	0.900	1.900	3.000	0.900	105.000	2.300	799.000	0.010	824.000	824.900

U/S FACE MC ALLISTER ROAD SURVEY SECTION 215

X1	215.000	0.000	0.000	0.000	37.000	37.000	37.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	830.800	833.400	0.000	0.300	0.000	0.000	0.000
BT	12.000	0.000	833.400	0.000	1.000	833.400	0.000	1.100	833.400	830.200
BT	27.000	833.400	830.600	52.000	833.400	830.800	52.100	833.400	0.000	33.900
BT	833.400	0.000	54.000	833.400	830.800	80.000	833.400	830.800	105.900	833.400
BT	830.800	106.000	833.400	0.000	106.100	833.400	0.000	0.000	0.000	0.000

X1	215.100	12.000	1361.000	1649.000	100.300	100.000	100.000	0.000	0.000	0.000
GT	860.000	1250.100	830.300	1250.000	329.900	1352.000	327.400	1361.000	322.400	1385.000
GR	822.600	1415.300	822.300	1430.000	824.900	1449.000	824.200	1453.000	826.300	1468.000
GR	827.100	1550.000	860.000	1550.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

PRINTED IN U.S.A.
FORM 1811.CO PRINTED BY NOTARY "ARIVOLD FORMS.

*PROF 1

CCHV= 0.300 CEHV= 0.500

*SECNO 23.000

SECNO	DEPTH	CWSEL	CRITS	WSELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	ETM	ELMIN	SST4
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION AT CONFLUENCE TO KALAMAZOO RIVER

23.00	5.60	807.80	0.00	807.80	808.37	0.57	0.00	0.00	804.00
4200.	27.	4141.	32.	13.	678.	21.	0.	0.	803.70
0.00	1.66	6.11	1.93	0.000	0.035	0.000	0.000	802.20	20.34
0.002879	0.	0.	0.	0	0	0	0.00	171.91	194.25

FLOW DISTRIBUTION FOR SECNO= 23.00 CWSEL= 807.80

STA=	20.	30.	164.	194.
PER Q=	0.5	98.6	0.8	
AREA=	10.4	677.8	21.0	
VEL=	1.5	6.1	1.5	

*SECNO 23.900

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

23.90	6.52	809.72	0.00	0.00	810.26	0.55	1.88	0.01	807.30
4200.	3.	4196.	1.	3.	707.	2.	11.	3.	808.00
0.03	0.88	5.94	0.73	0.080	0.035	0.080	0.035	803.20	12.68
0.002703	675.	675.	675.	2	0	0	0.00	164.53	177.02

FLOW DISTRIBUTION FOR SECNO= 23.90 CWSEL= 809.72

STA=	12.	15.	175.	177.
PER Q=	0.1	99.9	0.0	
AREA=	3.0	706.9	1.7	
VEL=	0.9	5.9	0.7	

SPECIAL BRIDGE

SA	XK	XKOR	CORD	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	2.64	0.00	10.00	0.00	0.10	0.00	803.20	803.20

*SECNO 24.000

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	CWEIR	OPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
**********	810.26	0.00	4201.	1.	0.	1.	803.30	808.60

SURVEY SPILLWAY LOCATED 13 FT D/S WASHINGTON AVE.

24.00	9.79	812.99	0.00	0.00	813.17	0.18	2.91	0.00	807.30
4200.	10.	4181.	9.	17.	1231.	15.	11.	3.	808.00

FORM 1411-GD PRINTED BY ROTARY MANIFOLD FORM

0.03	0.62	3.40	0.59	0.080	0.035	0.080	0.035	803.20	9.07
0.003422	3.	3.	3.	2	0	0	0.00	171.81	180.88

FLOW DISTRIBUTION FOR SECNO= 24.00 CHSEL= 812.99

STA= 9. 15. 175. 191.

PER Q=	0.2	99.5	0.2	
AREA=	16.9	1231.5	14.7	
VEL=	0.6	3.4	0.6	

*SECNO 24.800

D/S WASHINGTON AVE. SURVEY SECTION 25

24.30	4.22	812.82	0.00	0.00	813.37	0.55	0.01	0.19	822.00
4200.	0.	4200.	0.	0.	703.	0.	11.	3.	822.00
0.03	0.00	5.97	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.003100	11.	11.	11.	2	0	0	0.00	166.36	167.43

FLOW DISTRIBUTION FOR SECNO= 24.80 CHSEL= 812.32

STA= 1. 160.

PER Q=	100.0	
AREA=	703.4	
VEL=	6.0	

*SECNO 24.900

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
0	WLOB	TCH	CROB	ALOB	ACH	AROB	VOL	TMA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 819.40

D/S FACE WASHINGTON AVE. SURVEY SECTION 25

24.90	4.10	812.70	0.00	0.00	813.49	0.79	0.00	0.12	822.00
4200.	0.	4200.	0.	0.	367.	0.	11.	3.	822.00
0.03	0.00	7.15	0.00	0.080	0.035	0.080	0.035	808.60	0.57
0.005651	1.	1.	1.	2	0	0	-96.74	166.86	167.43

FLOW DISTRIBUTION FOR SECNO= 24.90 CHSEL= 812.70

STA= 1. 168.

PER Q=	100.0	
AREA=	587.2	
VEL=	7.2	

*SECNO 25.000

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 822.00 MAX ELLC= 819.40

U/S FACE WASHINGTON AVE. SURVEY SECTION 25

25.00	4.62	813.22	0.00	0.00	813.85	0.62	0.30	0.05	822.00
4200.	0.	4200.	0.	0.	663.	0.	12.	13.	822.00
0.04	0.00	6.34	0.00	0.080	0.035	0.080	0.035	808.60	0.57

PRINTED IN U.S.A.
LOTUS 1-2-3 LID PRINTED BY HOYARY MANIFOLD FORMS

```
 0.003801       66.       66.       66.        2         0         0  -109.22    165.87    167.43

 FLOW DISTRIBUTION FOR SECNO=     25.00          CHSEL=    813.22

 STA=        1.      160.
   PER Q=    100.0
    AREA=    662.9
     VEL=      6.3

 *SECNO 25.100

          U/S WASHINGTON AVE. SURVEY SECTION 25

      25.10      4.91    813.51      0.00      0.00    813.92      0.41      0.00      0.06    822.00
       4200.        0.      4200.        0.        0.      819.        0.        12.        3.    822.00
       0.04      0.00      5.13      0.00     0.080     0.035     0.080     0.035    807.60      0.36
  0.001884         1.        1.        1.         2         1         1      0.00    166.87    167.44

 FLOW DISTRIBUTION FOR SECNO=     25.10          CHSEL=    813.51

 STA=        1.      160.
   PER Q=    100.0
    AREA=    319.3
     VEL=      5.1

 *SECNO 26.000

          SURVEY VALLEY SECTION 26

      26.00      6.62    813.62      0.00      0.00    814.43      0.81      0.31      0.20    808.60
       4200.       93.      4005.       102.        51.       543.        56.        15.        3.    808.70
       0.04      1.82      7.38      1.83     0.080     0.035     0.080     0.035    807.00      1.55
  0.002923       135.      135.       135.         2         0         0      0.00    141.86    143.41

 FLOW DISTRIBUTION FOR SECNO=     26.00          CHSEL=    813.62

 STA=        2.       22.      116.      124.      143.
   PER Q=    2.2      95.4       1.7       0.7
    AREA=    51.3     542.5      30.2      25.4
     VEL=    1.8       7.4       2.6       1.2

 CCHV=   0.300 CEHV=   0.500
 *SECNO 26.800

          D/S PENN CENTRAL RAILROAD SURVEY SECTION 27

      26.80      7.21    814.51      0.00      0.00    814.84      0.33      0.27      0.14    825.00
       4200.        0.      4200.        0.        0.       911.        0.        17.        4.    825.00
       0.05      0.00      4.61      0.00     0.100     0.035     0.100     0.035    807.30      1.90
  0.001455       135.      135.       135.         3         0         0      0.00    187.14    189.04

 FLOW DISTRIBUTION FOR SECNO=     26.80          CHSEL=    814.51

 STA=        2.      190.
   PER Q=    100.0
    AREA=    915.2
     VEL=      4.6

 *SECNO 26.900
    SECNO     DEPTH     CHSEL     CRIWS     WSELK      EG        FW        AL      OLOSS     BANK ELEV
```

PRINTED IN U.S.A.
FORM 1411-SD PRINTED BY ROTARY MANIFOLD FORMS

	Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
IN	TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
	SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	SM2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 838.80

D/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

26.90	7.17	814.17	0.00	0.00	814.89	0.61	0.00	0.04	825.00
4200.	0.	4200.	0.	0.	316.	0.	17.	4.	825.00
0.05	0.00	5.15	0.00	0.100	0.035	0.100	0.035	807.30	1.90
0.002104	1.	1.	1.	2	0	0	-88.33	187.13	189.03

FLOW DISTRIBUTION FOR SECNO= 26.90 CWSEL= 814.17

STA= 2. 190.
PER Q= 100.0
AREA= 815.7
VEL= 5.1

*SECNO 27.000

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 825.00 MAX ELLC= 838.80

U/S FACE PENN CENTRAL RAILROAD SURVEY SECTION 27

27.00	7.25	814.55	0.00	0.00	814.95	0.40	0.06	0.00	825.00
4200.	0.	4200.	0.	0.	829.	0.	18.	4.	825.00
0.05	0.00	5.07	0.00	0.100	0.035	0.100	0.035	807.30	1.89
0.001996	30.	30.	30.	2	0	0	-89.71	187.15	189.04

FLOW DISTRIBUTION FOR SECNO= 27.00 CWSEL= 814.55

STA= 2. 190.
PER Q= 100.0
AREA= 828.9
VEL= 5.1

*SECNO 27.100

U/S PENN CENTRAL RAILROAD SURVEY SECTION 27

27.10	7.37	814.67	0.00	0.00	814.98	0.31	0.00	0.03	825.00
4200.	0.	4200.	0.	0.	961.	0.	18.	4.	825.00
0.05	0.00	4.46	0.00	0.100	0.035	0.100	0.035	807.30	1.88
0.001312	1.	1.	1.	2	0	0	0.00	187.17	189.05

FLOW DISTRIBUTION FOR SECNO= 27.10 CWSEL= 814.67

STA= 2. 190.
PER Q= 100.0
AREA= 940.7
VEL= 4.5

*SECNO 28.000

SURVEY VALLEY SECTION 28

PRINTED IN U.S.A.
Form 1a11-OD-PRINTED BY ROTARY MANIFOLD FORMS

28.30	7.27	814.87	0.00	0.00	815.60	0.73	0.41	0.21	809.00
4200.	57.	4084.	60.	43.	590.	46.	22.	5.	809.40
0.06	1.33	6.93	1.29	0.100	0.035	0.100	0.035	307.60	1026.45
0.002110	250.	250.	250.	2	0	0	0.00	119.43	1145.03

FLOW DISTRIBUTION FOR SECNO= 28.00 CUSEL= 814.87

STA=	1026.	1041.	1129.	1146.
PER Q=	1.4	97.2	1.4	
AREA=	42.7	589.5	46.2	
VEL=	1.3	6.9	1.3	

*SECNO 28.800

D/S BARNEY ST FOOTBRIDGE

28.80	7.22	815.72	0.00	0.00	816.25	0.53	0.60	0.76	822.00
4200.	0.	4200.	0.	0.	716.	0.	27.	6.	822.00
0.07	0.00	5.87	0.00	0.100	0.035	0.100	0.035	800.50	8.85
0.001879	300.	300.	300.	2	0	0	0.00	123.16	132.00

FLOW DISTRIBUTION FOR SECNO= 28.30 CUSEL= 815.72

STA=	9.	141.
PER Q=	100.0	
AREA=	715.9	
VEL=	5.9	

*SECNO 28.900

SECNO	DEPTH	CUSEL	CRIWS	WSELK	EG	MV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	THA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTX	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 822.00 MAX ELLC= 821.60

D/S FACE BARNEY ST FOOTBRIDGE

28.90	7.21	815.71	0.00	0.00	816.26	0.55	0.00	0.01	822.00
4200.	0.	4200.	0.	0.	709.	0.	27.	6.	822.00
0.08	0.00	5.93	0.00	0.100	0.035	0.100	0.035	800.50	8.85
0.001943	1.	1.	1.	0	3	0	-7.15	123.15	132.00

FLOW DISTRIBUTION FOR SECNO= 28.90 CUSEL= 815.71

STA=	9.	141.
PER Q=	100.0	
AREA=	703.6	
VEL=	5.9	

*SECNO 29.000

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 822.00 MAX ELLC= 821.60

D/S FACE BARNEY ST FOOTBRIDGE

29.00	7.23	815.73	0.00	0.00	816.27	0.54	0.01	0.00	822.00
4200.	0.	4200.	0.	0.	709.	0.	27.	6.	822.00
0.08	0.00	5.92	0.00	0.100	0.035	0.100	0.035	808.50	8.83
0.001938	6.	6.	6.	0	0	0	-7.15	123.18	132.02

FLOW DISTRIBUTION FOR SECNO= 29.00 CHSEL= 815.73

STA= 9. 141.
PER Q= 100.0
AREA= 709.4
VEL= 5.9

*SECNO 29.100

U/S BARNEY ST FOOTBRIDGE

29.10	7.24	815.74	0.00	0.00	816.28	0.53	0.00	0.00	822.00
4200.	0.	4200.	0.	0.	708.	0.	27.	6.	822.70
0.08	0.00	5.85	0.00	0.100	0.035	0.100	0.035	808.50	8.81
0.001363	1.	1.	1.	1	0	0	0.00	123.24	132.05

FLOW DISTRIBUTION FOR SECNO= 29.10 CHSEL= 815.74

STA= 9. 141.
PER Q= 100.0
AREA= 717.9
VEL= 5.9

*SECNO 29.200

SURVEY VALLEY SECTION 29

29.20	7.45	815.95	0.00	0.00	816.45	0.49	0.16	0.01	822.00
4200.	0.	4200.	0.	0.	745.	0.	29.	6.	822.00
0.08	0.00	5.64	0.00	0.100	0.035	0.100	0.035	808.50	8.29
0.001670	90.	90.	90.	2	0	0	0.00	124.33	132.63

FLOW DISTRIBUTION FOR SECNO= 29.20 CHSEL= 815.95

STA= 8. 141.
PER Q= 100.0
AREA= 744.6
VEL= 5.6

*SECNO 29.800

D/S JACKSON AVE. CROSS SECTION 30

29.80	8.75	816.35	0.00	0.00	816.61	0.27	0.10	0.07	816.00
4200.	0.	4200.	0.	0.	1011.	0.	31.	6.	816.00
0.09	0.00	4.16	0.00	0.100	0.035	0.100	0.035	807.60	0.94
0.000806	90.	90.	90.	2	0	0	0.00	156.11	957.06

FLOW DISTRIBUTION FOR SECNO= 29.80 CHSEL= 816.35

STA= 1. 957.
PER Q= 100.0
AREA= 1010.6
VEL= 4.2

*SECNO 29.900

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XLCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IT2	ICONT	CORAR	TOPWID	ESDST

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 822.10 MAX ELLC= 819.00

D/S FACE JACKSON AVE. SURVEY SECTION 30

29.90	8.76	816.34	0.00	0.00	816.62	0.28	0.00	0.01	816.00
4200.	0.	4200.	0.	0.	980.	0.	31.	6.	816.30
0.09	0.00	4.28	0.00	0.100	0.035	0.100	0.035	807.60	0.94
0.000692	1.	1.	1.	0	0	0	-30.20	156.11	157.05

FLOW DISTRIBUTION FOR SECNO= 29.90 CWSEL= 816.34

STA= 1. 157.
PER Q= 100.0
AREA= 980.5
VEL= 4.3

*SECNO 30.000

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 822.10 MAX ELLC= 819.00

U/S FACE JACKSON AVE. SURVEY SECTION 30

30.00	8.79	816.39	0.00	0.00	816.67	0.28	0.05	0.00	816.00
4200.	0.	4200.	0.	0.	986.	0.	32.	7.	816.00
0.09	0.00	4.26	0.00	0.100	0.035	0.100	0.035	807.60	0.94
0.000875	54.	54.	54.	0	0	0	-30.36	156.13	157.06

FLOW DISTRIBUTION FOR SECNO= 30.00 CWSEL= 816.39

STA= 1. 157.
PER Q= 100.0
AREA= 986.2
VEL= 4.3

*SECNO 30.100

U/S JACKSON AVE. CROSS SECTION 30

30.10	8.82	816.42	0.00	0.00	816.68	0.26	0.00	0.01	816.00
4200.	0.	4200.	0.	0.	1022.	0.	32.	7.	816.00
0.09	0.00	4.11	0.00	0.100	0.035	0.100	0.035	807.60	0.93
0.000778	1.	1.	1.	2	0	2	0.00	156.14	157.07

FLOW DISTRIBUTION FOR SECNO= 30.10 CWSEL= 816.42

STA= 1. 157.
PER Q= 100.0
AREA= 1021.5
VEL= 4.1

CONV= 0.500 CEIV= 0.800

*SECNO 31.000

SURVEY VALLEY SECTION 31

	31.00	9.76	816.44	0.00	0.00	817.00	0.56	0.00	0.24	810.00
	4200.	46.	4077.	75.	30.	670.	70.	32.	7.	809.20
	0.09	0.93	6.09	1.07	0.120	0.035	0.120	0.035	806.70	807.02
	0.001467	80.	30.	50.	2	0	0	0.00	120.42	1035.46

FLOW DISTRIBUTION FOR SECNO= 31.00 CHSEL= 816.44

STA=	907.	924.	1016.	1035.
PER Q=	1.1	97.1	1.8	
AREA=	49.6	669.7	70.4	
VEL=	0.9	6.1	1.1	

*SECNO 31.100

D/S STRUCTURE OVER BATTLE CREEK RIVER STA.2+74.3

31.10	8.55	816.95	0.00	0.00	817.21	0.36	0.11	0.10	817.60
4200.	0.	4200.	0.	0.	864.	0.	35.	7.	820.00
0.10	0.00	4.94	0.00	0.120	0.035	0.120	0.035	808.30	1.01
0.001035	60.	90.	90.	2	0	0	0.00	121.96	122.97

FLOW DISTRIBUTION FOR SECNO= 31.10 CHSEL= 816.85

STA=	1.	123.
PER Q=	100.0	
AREA=	867.5	
VEL=	4.8	

*SECNO 31.200

SECNO	DEPTH	CHSEL	CRIMS	HSELK	ZR	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	IHA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	FLMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 820.00 MAX ELLC= 817.60

STRUCTURE OVER BATTLE CREEK STA.2+76.3

31.20	8.56	816.84	0.00	0.00	817.23	0.38	0.00	0.02	817.60
4200.	0.	4200.	0.	0.	864.	0.	35.	7.	820.00
0.10	0.00	4.97	0.00	0.120	0.035	0.120	0.035	808.30	1.01
0.001187	1.	1.	1.	0	0	0	-23.03	121.96	122.97

FLOW DISTRIBUTION FOR SECNO= 31.20 CHSEL= 816.84

STA=	1.	123.
PER Q=	100.0	
AREA=	844.4	
VEL=	5.0	

*SECNO 31.300

3370 NORMAL BRIDGE,NRD= 21 MIN ELTRD= 820.00 MAX ELLC= 818.10

FORM 1411-CD PRINTED BY HOTANY MARIFOLD FORMS

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.30	8.11	816.91	0.00	0.00	817.34	0.46	0.07	0.04	818.10	
4200.	0.	4200.	0.	0.	792.	0.	38.	7.	820.50	
0.10	0.00	5.30	0.00	0.120	0.035	0.120	0.035	808.80	1.02	
0.001655	56.	56.	56.	0	0	0	-21.42	121.93	122.97	

FLOW DISTRIBUTION FOR SECNO= 31.30 CHSEL= 816.91

STA= 1. 123.
PER Q= 100.0
AREA= 792.3
VEL= 5.3

*SECNO 31.400

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.2+17.8

31.40	8.17	816.97	0.00	0.00	817.37	0.39	0.00	0.02	819.70	
4200.	0.	4200.	0.	0.	833.	0.	46.	7.	822.00	
0.10	0.00	5.04	0.00	0.120	0.035	0.120	0.035	808.80	1.03	
0.001242	1.	1.	1.	2	0	0	-21.77	121.93	122.96	

FLOW DISTRIBUTION FOR SECNO= 31.40 CHSEL= 816.97

STA= 1. 123.
PER Q= 100.0
AREA= 833.2
VEL= 5.0

*SECNO 31.500

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 822.00 MAX ELLC= 819.70

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.50	7.59	817.09	0.00	0.00	817.81	0.72	0.18	0.26	821.40	
4200.	0.	4200.	0.	0.	616.	0.	38.	7.	822.00	
0.11	0.00	6.82	0.00	0.120	0.035	0.120	0.035	809.50	1.05	
0.002682	105.	105.	105.	2	1	0	-19.68	100.91	101.96	

FLOW DISTRIBUTION FOR SECNO= 31.50 CHSEL= 817.09

STA= 1. 102.
PER Q= 100.0
AREA= 615.6
VEL= 6.8

*SECNO 31.600

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER BATTLE CREEK STA.1+16.5

31.60	7.86	817.06	0.00	0.00	817.95	0.89	0.00	0.13	822.00	

PRINTED IN U.S.A.
FORM 1611 CO-PRINTED BY NOTARY MANIFOLD FORMS

4200.	0.	4200.	0.	0.	556.	0.	38.	7.	822.00	
0.11	0.00	7.55	0.00	0.120	0.035	0.120	0.035	809.20	1.05	
0.003731	1.	1.	1.	2	0	0	-43.64	100.90	101.96	

FLOW DISTRIBUTION FOR SECNO= 31.80 CHSEL= 817.06

STA= 1. 102.
PER Q= 100.0
AREA= 586.2
VEL= 7.6

*SECNO 31.700

SECNO	DEPTH	CHSEL	CRIWS	LSELK	ES	NV	XL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	HTN	FLMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IT2	ICONT	CODWR	TOPWID	FLOST

3370 NORMAL BRIDGE,NRD= 37 MIN ELTRD= 822.00 MAX ELLC= 821.00

STRUCTURE OVER BATTLE CREEK STA.1966.5

31.70	8.14	817.34	0.00	0.00	816.15	0.81	0.14	0.04	822.00
4200.	0.	4200.	0.	0.	582.	0.	39.	8.	822.00
0.11	0.00	7.21	0.00	0.120	0.035	0.120	0.035	809.20	1.05
0.003219	47.	47.	47.	2	0	0	-45.65	100.91	101.96

FLOW DISTRIBUTION FOR SECNO= 31.70 CHSEL= 817.34

STA= 1. 102.
PER Q= 100.0
AREA= 582.5
VEL= 7.2

*SECNO 32.900

3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD= 823.00 MAX ELLC= 820.90

D/S FACE MICHIGAN AVE. SURVEY SECTION 33

32.90	7.74	817.44	0.00	0.00	818.18	0.75	0.00	0.03	823.00
4200.	0.	4200.	0.	0.	606.	0.	39.	9.	823.00
0.11	0.00	6.93	0.00	0.120	0.035	0.120	0.035	809.70	1.06
0.005016	1.	1.	1.	2	0	0	-106.59	100.88	110.94

FLOW DISTRIBUTION FOR SECNO= 32.90 CHSEL= 817.44

STA= 1. 111.
PER Q= 100.0
AREA= 606.1
VEL= 6.9

*SECNO 33.000

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 823.00 MAX ELLC= 820.90

D/S FACE MICHIGAN AVE. SURVEY SECTION 33

FORM H-7D-GO PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

33.00	5.14	817.84	0.00	0.00	818.54	0.70	0.33	0.02	823.00
4200.	0.	4200.	0.	0.	627.	0.	40.	8.	823.00
0.11	0.00	6.70	0.00	0.120	0.035	0.120	0.035	809.70	1.05
0.006502	70.	70.	70.	2	0	0	-129.95	109.89	110.94

FLOW DISTRIBUTION FOR SECNO= 33.00 CHSEL= 817.84

STA= 1. 111.
PER Q= 100.0
AREA= 627.2
VEL= 6.7

*SECNO 33.100

U/S MICHIGAN AVE.

33.10	3.55	818.25	0.00	0.00	818.68	0.43	0.00	0.26	823.70
4200.	0.	4200.	0.	0.	803.	0.	40.	8.	823.00
0.11	0.00	5.23	0.00	0.120	0.035	0.120	0.035	809.70	1.05
0.001203	1.	1.	1.	2	0	0	0.00	109.90	110.95

FLOW DISTRIBUTION FOR SECNO= 33.10 CHSEL= 818.25

STA= 1. 111.
PER Q= 100.0
AREA= 802.5
VEL= 5.2

*SECNO 34.000

SURVEY VALLEY SECTION 34.

34.00	8.23	818.33	0.00	0.00	819.22	0.89	0.17	0.37	814.30
4200.	3.	4133.	63.	5.	541.	47.	41.	8.	813.23
0.11	0.66	7.63	1.35	0.120	0.035	0.120	0.035	810.10	689.65
0.002589	100.	100.	100.	2	0	0	0.00	96.73	786.18

FLOW DISTRIBUTION FOR SECNO= 34.00 CHSEL= 818.33

STA=	689.	692.	773.	786.
PER Q=	0.1	98.4	1.5	
AREA=	5.1	541.4	47.0	
VEL=	0.7	7.6	1.3	

*SECNO 35.000

SECNO	DEPTH	CHSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHS	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 35

35.00	7.05	819.95	0.00	0.00	820.42	0.47	0.99	0.21	812.30
4200.	1.	4127.	72.	5.	745.	54.	51.	9.	313.10
0.14	0.30	5.58	1.32	0.120	0.035	0.120	0.035	812.10	579.80
0.001139	600.	600.	600.	2	0	0	0.00	108.70	636.50

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORM

FLOW DISTRIBUTION FOR SECNO= 35.00 CHSEL= 819.95

STA=	580.	581.	679.	688.	688.
PER Q=	0.0	98.3	1.7	0.0	
AREA=	4.3	745.0	53.1	1.2	
VEL=	0.3	3.5	1.3	0.2	

*SECNO 35.800

D/S MC CALMLY AVE

35.30	8.01	820.21	0.00	0.00	820.50	0.36	0.11	0.03	826.00
4200.	0.	4200.	0.	0.	866.	0.	53.	10.	826.00
0.15	0.00	4.85	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.000979	100.	100.	100.	2	0	0	0.00	109.91	110.96

FLOW DISTRIBUTION FOR SECNO= 35.00 CHSEL= 820.21

STA=	1.	111.
PER Q=	100.0	
AREA=	865.6	
VEL=	4.0	

*SECNO 35.900

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.10

D/S FACE MC CALMLY AVE.

35.90	7.99	820.19	0.00	0.00	820.67	0.48	0.00	0.09	826.00
4200.	0.	4200.	0.	0.	753.	0.	53.	10.	826.00
0.15	0.00	5.57	0.00	0.120	0.035	0.120	0.035	812.20	1.05
0.001938	1.	1.	1.	2	0	0	-110.56	109.91	110.96

FLOW DISTRIBUTION FOR SECNO= 35.90 CHSEL= 820.19

STA=	1.	111.
PER Q=	100.0	
AREA=	753.4	
VEL=	5.6	

*SECNO 36.000

3370 NORMAL BRIDGE,NRD= 15 MIN ELTRD= 826.00 MAX ELLC= 823.10

U/S FACE MC CALMLY AVE.

36.00	8.13	820.33	0.00	0.00	820.80	0.47	0.12	0.01	826.00
4200.	0.	4200.	0.	0.	763.	0.	54.	10.	826.00
0.15	0.00	5.49	0.00	0.120	0.035	0.120	0.035	812.20	1.04
0.001864	65.	63.	65.	2	0	0	-114.63	109.91	110.96

FLOW DISTRIBUTION FOR SECNO= 36.00 CHSEL= 820.33

STA=	1.	111.
PER Q=	100.0	
AREA=	765.3	
VEL=	5.5	

FORM 1011-60-PRINTED-BY-HEADY MANIFOLD FORMS

*SECNO 36.100

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 827.00 MAX ELLC= 823.30

D/S FACE PARKING LOT BRIDGE CROSS SECTION 37

36.10	0.20	820.50	0.00	0.00	820.86	0.36	0.00	0.06	827.00
4200.	0.	4200.	0.	0.	879.	0.	54.	10.	827.00
0.15	0.00	6.70	0.00	0.120	0.035	0.120	0.035	812.30	1.05
0.000962	1.	1.	1.	2	0	0	-15.59	109.91	110.95

FLOW DISTRIBUTION FOR SECNO= 36.10 CUSEL= 820.50

STA= 1. 111.

PER Q= 100.0
AREA= 870.0
VEL= 4.8

*SECNO 36.200

3301 HV CHANGED MORE THAN 4VINS

SECNO	DEPTH	CUSEL	CFWNS	WSELS	FR	HV	HL	CLOSS	TANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TNP	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	UTN	ELMIN	SSTA
SLOPE	XLOAL	XLCH	XLOBR	ETRIAL	THP	TCOUT	COSAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 827.00 MAX ELLC= 823.30

U/S FACE PARKING LOT BRIDGE

36.20	8.20	820.50	0.00	0.00	821.35	0.86	0.10	0.62	812.30
4200.	0.	4200.	0.	0.	558.	0.	55.	10.	827.00
0.16	0.00	7.53	0.00	0.120	0.035	0.120	0.035	812.30	0.64
0.002289	74.	74.	74.	2	0	0	-18.26	70.51	70.96

FLOW DISTRIBUTION FOR SECNO= 36.20 CUSEL= 820.50

STA= 0. 71.

PER Q= 100.0
AREA= 557.6
VEL= 7.5

*SECNO 36.300

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 827.00 MAX ELLC= 823.30

D/S FACE PARKING LOT STRUCTURE

36.30	8.31	820.61	0.00	0.00	821.42	0.81	0.00	0.03	812.30
4200.	0.	4200.	0.	0.	581.	0.	55.	10.	827.00
0.16	0.00	7.24	0.00	0.120	0.035	0.120	0.035	812.30	0.45
0.002005	1.	1.	1.	2	0	0	-2.76	70.52	70.96

FLOW DISTRIBUTION FOR SECNO= 36.30 CUSEL= 820.61

STA= 0. 71.
PER Q= 100.0
AREA= 580.5
VEL= 7.2

*SECNO 37.000

3370 NORMAL BRIDGE,NRD= 5 MIN ELTRD= 827.00 MAX ELLC= 822.70

U/S FACE PARKING LOT STRUCTURE

37.00	10.12	821.82	0.00	0.00	822.37	0.55	0.00	0.13	811.70	
4200.	0.	4200.	0.	0.	708.	0.	64.	11.	826.40	
0.18	0.00	5.94	0.00	0.120	0.035	0.120	0.035	811.70	0.31	
0.001069	570.	570.	570.	1	0	0	-3.99	70.66	70.97	

FLOW DISTRIBUTION FOR SECNO= 37.00 CUSEL= 821.32

STA= 0. 71.
PER Q= 100.0
AREA= 707.6
VEL= 5.9

*SECNO 37.100

U/S PARKING LOT STRUCTURE

37.10	10.12	821.82	0.00	0.00	822.37	0.55	0.00	0.00	811.70	
4200.	1.	4199.	0.	1.	708.	0.	64.	11.	826.40	
0.18	0.20	5.93	0.00	0.120	0.035	0.120	0.035	811.70	0.31	
0.001067	1.	1.	1.	0	0	0	0.00	70.66	70.97	

FLOW DISTRIBUTION FOR SECNO= 37.10 CUSEL= 821.82

STA= 0. 1. 71.
PER Q= 0.0 100.0
AREA= 3.5 707.8
VEL= 0.2 5.9

CCHV= 0.300 CEHV= 0.500

*SECNO 37.800

D/S BUILDING OVER RIVER D/S CAPITAL AVE CROSS SECTION 38

37.80	12.86	821.66	0.00	0.00	822.67	0.76	0.15	0.11	830.00	
4200.	0.	4200.	0.	0.	599.	0.	65.	11.	830.00	
0.19	0.00	7.02	0.00	0.120	0.035	0.120	0.035	809.00	1.07	
0.001595	115.	115.	115.	2	0	0	0.00	56.88	57.95	

FLOW DISTRIBUTION FOR SECNO= 37.80 CUSEL= 821.86

STA= 1. 58.
PER Q= 100.0
AREA= 598.6
VEL= 7.0

*SECNO 37.900

SECNO	DEPTH	QUSEL	CRIWS	QSELK	EG	XV	FL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TLA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XLCH	XNR	LTN	ELMIN	SSTA

	SLOPE	XLCOL	XLCH	XLOBR	ITPIAL	IN2	ICONT	CORAR	TOPWID	EXPST

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 830.00 MAX ELLC= 823.00

D/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

37.90	12.75	821.75	0.00	0.00	822.74	0.99	0.00	0.11	830.00
4200.	0.	4200.	0.	0.	526.	0.	65.	11.	830.00
0.19	0.00	7.98	0.00	0.120	0.035	0.120	0.035	809.00	1.07
0.002464	1.	1.	1.	2	0	0	-66.22	56.08	57.99

FLOW DISTRIBUTION FOR SECNO= 37.90 CHSEL= 821.75

STA= 1. 58.
PER Q= 100.0
AREA= 526.0
VEL= 8.0

*SECNO 38.000

3370 NORMAL BRIDGE,NRD= 17 MIN ELTRD= 830.00 MAX ELLC= 823.00

U/S FACE BUILDING OVER RIVER D/S CAPITAL AVE.

38.00	13.01	822.51	0.00	0.00	823.00	0.49	0.11	0.19	830.00
4200.	0.	4200.	0.	0.	746.	0.	66.	11.	830.00
0.19	0.00	5.63	0.00	0.120	0.035	0.120	0.035	809.50	1.05
0.001164	66.	66.	66.	2	0	0	-60.10	60.90	81.95

FLOW DISTRIBUTION FOR SECNO= 38.00 CHSEL= 822.51

STA= 1. 82.
PER Q= 100.0
AREA= 746.5
VEL= 5.6

*SECNO 38.900

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.50 MAX ELLC= 823.10

D/S FACE CAPITAL AVE. CROSS SECTION 39

38.90	12.95	822.45	0.00	0.00	823.06	0.61	0.00	0.06	825.50
4200.	0.	4200.	0.	0.	668.	0.	66.	11.	825.50
0.19	0.00	6.29	0.00	0.120	0.035	0.120	0.035	809.50	1.03
0.001691	1.	1.	1.	2	0	0	-90.62	60.94	81.97

FLOW DISTRIBUTION FOR SECNO= 38.90 CHSEL= 822.45

STA= 1. 82.
PER Q= 100.0
AREA= 667.6
VEL= 6.3

*SECNO 39.000

3370 NORMAL BRIDGE,NRD= 13 MIN ELTRD= 825.50 MAX ELLC= 823.10

U/S FACE CAPITAL AVE.

39.00	13.03	822.56	0.00	0.00	823.17	0.60	0.11	0.01	825.50
4200.	0.	4200.	0.	0.	677.	0.	67.	11.	825.50
0.19	0.00	6.20	0.00	0.120	0.035	0.120	0.035	809.50	1.00
0.001619	66.	66.	66.	2	0	0	-99.79	60.95	81.98

FLOW DISTRIBUTION FOR SECNO= 39.00 CHSEL= 822.56

STA= 1. 82.
PER Q= 100.0
AREA= 677.2
VEL= 6.2

*SECNO 39.100

U/S CAPITAL AVE.

39.10	13.26	822.79	0.00	0.00	823.22	0.43	0.09	0.05	825.50
4200.	0.	4200.	0.	0.	794.	0.	67.	11.	825.50
0.19	0.00	5.29	0.00	0.120	0.035	0.120	0.035	809.59	1.00
0.000957	1.	1.	1.	2	0	0	0.00	60.95	81.98

FLOW DISTRIBUTION FOR SECNO= 39.10 CHSEL= 822.79

STA= 1. 82.
PER Q= 100.0
AREA= 794.2
VEL= 5.3

*SECNO 40.000

SECNO	DEPTH	CHSEL	CRITHS	HSEL	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IP2	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 40

40.00	14.66	822.96	0.00	0.00	823.36	0.40	0.13	0.01	816.40
4200.	185.	4001.	11.	175.	769.	22.	71.	12.	814.90
0.20	1.06	5.20	0.53	0.120	0.035	0.120	0.035	808.30	819.33
0.000626	165.	165.	165.	2	0	0	0.00	102.05	921.37

FLOW DISTRIBUTION FOR SECNO= 40.00 CHSEL= 822.96

STA= 819. 847. 916. 921.
PER Q= 6.4 93.3 0.3
AREA= 175.2 769.2 21.7
VEL= 1.1 5.2 0.5

*SECNO 40.900

D/S FACE MONROE ST.

40.90	13.93	823.19	0.00	0.00	823.44	0.34	0.08	0.02	827.40
4200.	0.	4200.	0.	0.	902.	0.	74.	12.	827.40

FORM 1411-GO-PRINTED BY ROTARY MANIFOLD FORMS

0.21	0.00	4.66	0.00	0.120	0.035	0.120	0.035	809.20	1.03
0.000615	135.	135.	135.	2	0	0	0.00	77.94	78.97

FLOW DISTRIBUTION FOR SECNO= 40.90 CWSEL= 823.13

STA= 1. 79.
PER Q= 100.0
AREA= 901.5
VEL= 4.7

SPECIAL BRIDGE

SS	XK	XKOR	COFQ	RDLEN	BUC	BNP	BAREA	SS	ELCHU	ELCHD
	0.00	1.62	3.00	0.00	78.10	0.10	790.00	0.00	811.60	811.60

*SECNO 41.000
PRESSURE FLOW

SGPRS	EGLEC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
823.84	823.44	0.00	0.	4200.	790.	736.	821.70	827.40

U/S FACE MONROE ST.

41.00	14.32	823.32	0.00	0.00	823.04	0.32	0.37	0.00	827.60
4200.	0.	4200.	0.	0.	432.	0.	75.	12.	827.40
0.21	0.00	4.50	0.00	0.120	0.035	0.120	0.035	809.20	1.03
0.000555	46.	46.	46.	2	0	0	0.00	77.94	78.97

FLOW DISTRIBUTION FOR SECNO= 41.00 CWSEL= 823.32

STA= 1. 79.
PER Q= 100.0
AREA= 932.4
VEL= 4.5

*SECNO 42.000

SURVEY VALLEY SECTION 42

42.00	12.79	823.79	0.00	0.00	823.97	0.18	0.09	0.04	821.60
4200.	0.	4106.	96.	0.	1187.	128.	80.	13.	816.20
0.23	0.06	3.66	0.75	0.120	0.035	0.120	0.035	811.00	823.69
0.000308	225.	225.	225.	2	0	0	0.00	137.24	860.93

FLOW DISTRIBUTION FOR SECNO= 42.00 CWSEL= 823.79

STA= 724. 724. 841. 862. 861.
PER Q= 0.0 97.7 2.3 0.0
AREA= 0.3 1187.1 125.2 2.6
VEL= 0.1 3.5 0.8 0.1

*SECNO 43.900

D/S FACE DIVISION ST.

43.90	15.04	823.34	0.00	0.00	824.26	0.92	0.07	0.02	826.90

FORM 1411-GO-PRINTED BY ROYALTY MANIFOLD FORMS, HOUSTON, TEXAS

4200.	0.	4200.	0.	0.	1109.	0.	97.	13.	826.90	
0.25	0.00	3.79	0.00	0.120	0.035	0.120	0.035	808.80	1.02	
0.000344	225.	225.	225.	2	0	0	0.00	81.96	82.98	

FLOW DISTRIBUTION FOR SECNO= 43.90 CHSEL= 823.37

STA= 1. 03.
PER Q= 100.0
AREA= 1109.4
VEL= 3.0

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BHC	BHF	BAREA	SS	ELCHU	ELCHD
	0.90	1.74	1.00	0.00	82.00	2.00	945.00	0.00	810.30	810.30

*SECNO 44.300

SECNO	DEPTH	CHSEL	CRIMS	USELK	EG	HV	HL	QLOSS	BANK ELEV	
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	UTW	ELWTR	SSTA	
SLOPE	XLOBL	YLCH	XLOBR	XTRIAL	IN2	ICONT	CURAR	YOPNID	ENDST	

PRESSURE FLOW

EGPRS	EGLNC	IS	CHSIS	DPR	BAREA	TRAPEZOID AREA	ELLC	ELTOP
824.37	824.07	0.20	0.	4200.	945.	944.	822.10	826.20

U/S FACE DIVISION ST.

44.00	15.36	824.16	0.00	0.00	824.37	0.21	0.31	0.00	826.97
4200.	0.	4200.	0.	0.	1136.	0.	89.	13.	826.90
0.25	0.00	3.70	0.00	0.120	0.035	0.120	0.035	808.80	1.02
0.000321	76.	76.	76.	2	0	0	0.00	81.96	82.98

FLOW DISTRIBUTION FOR SECNO= 44.00 CHSEL= 824.16

STA= 1. 03.
PER Q= 100.0
AREA= 1135.7
VEL= 3.7

*SECNO 44.900
3280 CROSS SECTION 44.90 EXTENDED 0.19 FEET

D/S FACE PENN CENTRAL R.R.

44.90	14.18	824.18	0.00	0.00	824.43	0.24	0.04	0.02	824.00
4200.	0.	4200.	0.	0.	1062.	0.	91.	14.	824.00
0.26	0.07	3.95	0.00	0.120	0.035	0.120	0.035	810.00	0.30
0.000420	100.	100.	100.	1	0	0	0.00	97.00	95.00

FLOW DISTRIBUTION FOR SECNO= 44.90 CHSEL= 824.18

PRINTED IN U.S.A.
FORM 1411-SS PRINTED BY ROTARY MANIFOLD ENDING

STA= 0. 1. 93.
PER Q= 0.0 100.0
AREA= 0.2 1062.0
VEL= 0.1 6.0

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	ROLEN	BUC	DWP	BAREA	SS	ELCHU	ELCHD
	1.25	1.93	3.00	0.00	94.00	8.00	695.00	0.00	812.80	812.80

*SECNO 45.000
3280 CROSS SECTION 45.00 EXTENDED 0.90 FEET

PRESSURE AND WEIR FLOW

SGPRS	EGLWC	P3	QWEIR	QP3	PAREA	TRAPEZOID AREA	FLTC	FLTCD
825.28	824.47	0.05	323.	3867.	695.	697.	820.90	824.00

D/S FACE PENN CENTRAL R.R.

43.00	14.90	824.90	0.00	0.00	825.11	0.22	0.69	0.00	824.00
4200.	0.	6200.	0.	1.	1127.	0.	94.	14.	824.00
0.27	3.16	3.73	0.00	0.120	0.035	0.120	0.035	810.00	0.00
0.000343	96.	96.	96.	2	0	2	0.00	93.00	93.00

FLOW DISTRIBUTION FOR SECNO= 45.00 CWSEL= 824.90

STA= 0. 97.
PER Q= 0.0 100.0
AREA= 0.9 1127.0
VEL= 0.1 3.7

*SECNO 46.000

100 FT U/S PENN CENTRAL R.R. CROSS SECTION 46

46.00	15.09	824.89	0.00	0.00	825.19	0.31	0.04	0.05	815.70
4200.	42.	4098.	60.	70.	908.	104.	96.	14.	813.60
0.28	0.61	4.51	0.58	0.120	0.035	0.120	0.035	809.80	912.85
0.000389	100.	100.	100.	2	0	0	0.00	135.99	1048.84

FLOW DISTRIBUTION FOR SECNO= 46.00 CWSEL= 824.89

STA= 913. 928. 1000. 1012. 1049.
PER Q= 1.0 97.6 1.3 0.1
AREA= 69.6 908.4 76.6 27.6
VEL= 0.6 4.5 0.7 0.2

*SECNO 46.500

VALLEY SECTION

46.50	14.77	825.27	0.00	0.00	825.42	0.14	0.16	0.05	816.00
4200.	84.	4044.	71.	275.	1302.	196.	119.	18.	814.00
0.34	0.31	3.11	0.36	0.120	0.035	0.120	0.035	810.50	49.15
0.000475	700.	700.	700.	2	0	2	0.00	286.56	435.67

PRINTED IN U.S.A.
FORM 3411-CO PRINTED BY ROTARY MANIFOLD FORMS.

FLOW DISTRIBUTION FOR SECNO= 46.50 CHSEL= 825.27

STA=	49.	200.	215.	315.	330.	400.	435.
PER Q=	0.7	1.3	95.3	1.3	0.4	0.0
AREA=	171.6	121.6	1392.4	101.6	39.2	4.6
VEL=	0.2	0.5	3.1	0.5	0.2	0.0

*SECNO 47.000

SECNO	DEPTH	CHSEL	CRIWS	USELK	EG	FV	HL	OLOSS	BANK ELEV
Q	CLOB	CCH	CROB	ALOB	ACH	AMOB	VOL	TPA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	ITRW	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IN2	ICONT	CORAR	TOPWID	ENDST
47.00	14.12	825.42	0.00	0.00	825.54	0.12	0.01	0.01	813.30
4200.	114.	3991.	95.	247.	1393.	207.	140.	23.	814.30
0.41	0.46	2.06	0.66	0.120	0.033	0.120	0.035	811.30	1380.00
0.000131	700.	700.	700.	2	0	0	0.00	204.90	1536.90

3470 ENCROACHMENT STATIONS= 1380.0 1605.0 TYPE= 1 TARGET= 225.000

100 FT D/S ELM ST. CROSS SECTION 67

FLOW DISTRIBUTION FOR SECNO= 47.00 CHSEL= 825.42

STA=	1380.	1412.	1420.	1439.	1547.	1585.
PER Q=	0.4	0.2	2.2	95.0	2.3
AREA=	66.9	21.1	159.4	1392.9	206.9
VEL=	0.2	0.3	0.6	2.9	0.5

*SECNO 47.900

D/S FACE ELM ST.

47.90	14.90	825.50	0.00	0.00	825.57	0.07	0.01	0.02	826.60
4200.	0.	4200.	0.	0.	2035.	0.	153.	23.	826.60
0.42	0.00	2.06	0.00	0.120	0.035	0.120	0.035	810.60	1.02
0.000090	100.	100.	100.	2	0	0	0.00	173.97	174.98

FLOW DISTRIBUTION FOR SECNO= 47.90 CHSEL= 825.50

STA=	1.	175.
PER Q=	100.0	
AREA=	2035.4	
VEL=	2.1	

SPECIAL BRIDGE

SB	XX	XKOR	CORC	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.90	1.74	3.00	0.00	174.00	4.00	1455.00	0.00	814.00	814.00

*SECNO 48.000

PRESSURE FLOW

EGRRS	EGLKC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELUC	ELTRD
825.73	825.57	0.00	0.	4200.	1455.	1428.	822.40	826.0

FORM 1411-CD PRINTED BY ROTARY MANIFOLD FORMS

U/S FACE ELM ST.

48.00	15.06	825.66	0.00	0.00	825.73	0.06	0.16	0.00	826.60
4200.	0.	4200.	0.	0.	2643.	0.	55.	24.	826.40
0.43	0.00	2.04	0.00	0.120	0.035	0.120	0.035	810.60	1.02
0.000094	60.	60.	60.	2	0	0	0.30	173.97	176.99

FLOW DISTRIBUTION FOR SECNO= 48.00 C.SEL= 825.66

STA= 1. 175.
PER Q= 100.0
AREA= 2063.4
VEL= 2.0

*SECNO 48.200

D/S DAM 150 FT U/S ELM ST.

48.20	15.39	825.59	0.00	0.00	825.74	0.15	0.54	0.00	810.60
4200.	981.	3626.	455.	395.	1913.	966.	164.	24.	810.30
0.46	0.56	1.99	0.46	0.120	0.035	0.120	0.035	810.30	208.67
0.000050	150.	150.	150.	1	3	0	0.30	333.72	542.39

FLOW DISTRIBUTION FOR SECNO= 48.20 C.SEL= 825.49

STA=	209.	250.	263.	275.	394.	444.	464.	476.	542.
PER Q=	0.6	1.0	1.8	85.8	8.6	1.7	0.3	0.2	
AREA=	129.8	107.7	152.2	1812.6	676.6	177.6	52.6	89.0	
VEL=	0.2	0.4	0.5	2.0	0.5	0.4	0.2	0.1	

*SECNO 48.300

3370 NORMAL BRIDGE,ARD= 0 MIN ELTRD= 816.50 MAX ELLC= 810.30

AT DAM

48.30	15.35	825.65	0.00	0.00	825.78	0.12	0.00	0.13	810.60
4200.	230.	3307.	583.	339.	1089.	749.	165.	24.	810.30
0.46	0.68	3.11	0.78	0.120	0.035	0.120	0.035	810.30	208.86
0.000280	2.	2.	2.	2	0	0	-1011.59	332.80	541.66

FLOW DISTRIBUTION FOR SECNO= 48.30 C.SEL= 825.65

STA=	209.	250.	263.	275.	394.	444.	464.	476.	542.
PER Q=	1.3	1.9	2.3	80.6	9.9	2.8	0.7	0.5	
AREA=	128.6	100.1	109.8	1089.2	457.7	152.1	52.2	87.1	
VEL=	0.4	0.8	0.9	3.1	0.9	0.3	0.5	0.3	

*SECNO 48.400

SECNO	DEPTH	CUSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	CLMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	STRIAL	IN2	ICONT	CORFR	TOPWID	ENDST

U/S DAM

FORM 1611-ED-PRINTED BY ROYAL MANUFACTURING

	48.40	10.07	825.67	0.00	0.00	825.70	0.11	0.00	0.00	815.60
	4200.	217.	3429.	555.	345.	1180.	776.	165.	25.	815.90
	0.46	0.63	2.91	0.71	0.120	0.035	0.120	0.035	815.60	208.00
	0.000220	2.	2.	2.	1	0	0	0.00	333.11	541.91

FLOW DISTRIBUTION FOR SECNO= 48.40 CHSEL= 825.67

STA=	209.	250.	263.	275.	394.	464.	466.	476.	542.
PER Q=	1.2	1.7	2.3	91.6	0.5	2.0	0.0	0.5	
AREA=	129.0	200.3	115.4	1179.6	400.6	155.9	52.4	87.7	
VEL=	0.4	0.7	0.8	2.9	0.0	0.7	0.5	0.2	

*SECNO 48.900

CROSS SECTION 49A

48.90	11.82	825.82	0.00	0.00	825.85	0.04	0.09	0.01	815.00
4200.	1312.	2761.	126.	2556.	1131.	246.	202.	30.	815.00
0.54	0.31	2.44	0.51	0.120	0.035	0.120	0.035	814.00	0.32
0.000130	520.	520.	520.	1	0	0	0.00	510.11	510.43

FLOW DISTRIBUTION FOR SECNO= 48.90 CHSEL= 825.32

STA=	0.	350.	370.	470.	490.	510.
PER Q=	28.7	2.5	65.7	2.5	0.5	
AREA=	2379.4	176.2	1191.1	176.2	65.6	
VEL=	0.5	0.6	2.4	0.6	0.3	

*SECNO 49.000

3470 ENCROACHMENT STATIONS= 851.0 1017.0 TYPE= 1 TARGET= 166.000

SURVEY CROSS SECTION 49

49.00	17.58	825.88	0.00	0.00	826.00	0.12	0.09	0.03	817.30
4200.	79.	3947.	174.	157.	1352.	298.	245.	35.	815.10
0.60	0.50	2.92	0.58	0.120	0.035	0.120	0.035	808.30	851.00
0.000153	650.	650.	650.	2	0	0	0.00	165.00	1017.00

FLOW DISTRIBUTION FOR SECNO= 49.00 CHSEL= 825.88

STA=	851.	865.	871.	883.	965.	991.	1017.
PER Q=	0.2	0.4	1.2	94.0	1.0	3.1	
AREA=	32.5	35.0	39.8	1352.4	60.2	230.1	
VEL=	0.3	0.5	0.6	2.9	0.7	0.6	

*SECNO 49.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 826.90 ELREA= 826.90

D/S FACE UNION ST. CROSS SECTION 50

49.90	13.08	825.86	0.00	0.00	826.04	0.16	0.02	0.02	826.90
4200.	0.	4200.	0.	0.	1293.	0.	248.	35.	826.90
0.61	0.00	3.25	0.00	0.120	0.035	0.120	0.035	812.80	1.01
0.000286	100.	100.	100.	1	0	0	0.00	116.46	197.49

FLOW DISTRIBUTION FOR SECNO= 49.90 CHSEL= 825.93

FORM 1411-GO PRINTED BY ROTARY MANIFOLD FORMS
PRINTED IN U.S.A.

STA= 1. 116.
PER Q= 100.0
AREA= 1292.5
VEL= 3.2

SPECIAL BRIDGE

SA	XK	XKOR	COFQ	ADLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.90	1.75	1.00	0.00	116.50	10.50	1125.00	0.00	813.90	813.90

*SECNO 50.000
PRESSURE FLOW

EGPRS	EGLWC	HO	QWEIR	CPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
826.25	826.56	0.21	0.	4200.	1125.	1124.	824.30	826.90

3695 OVERBANK AREA ASSUMED NOT-EFFECTIVE,FLLEP= 826.90 ELRGP= 826.90

U/S FACE UNION ST.

50.00	13.30	826.10	0.00	0.00	826.26	0.16	0.21	0.00	826.90
4200.	0.	4200.	0.	0.	1317.	0.	20.	35.	826.90
0.62	0.00	3.19	0.00	0.120	0.035	0.120	0.035	812.80	1.01
0.000269	50.	50.	50.	2	0	0	0.00	116.48	117.49

FLOW DISTRIBUTION FOR SECNO= 50.00 CWSEL= 826.10

STA= 1. 116.
PER Q= 100.0
AREA= 1317.5
VEL= 3.2

*SECNO 50.100

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	FV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VCH	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 87.0 403.0 TYPE= 1 TARGET= 316.000

100 FT U/S UNION ST.

50.10	13.30	826.18	0.00	0.00	826.29	0.11	0.02	0.01	814.07
4200.	98.	3632.	469.	276.	1278.	826.	234.	36.	814.30
0.63	0.36	2.84	0.57	0.120	0.035	0.120	0.035	812.80	87.00
0.000150	100.	100.	100.	2	0	0	0.00	316.00	403.00

FLOW DISTRIBUTION FOR SECNO= 50.10 CWSEL= 826.10

STA=	87.	175.	195.	293.	315.	403.
PER Q=	0.7	3.7	86.5	3.1	8.1	
AREA=	137.1	138.7	1276.5	193.7	632.5	
VEL=	0.2	0.9	2.8	0.7	0.3	

CCHV= 0.100 CEHV= 0.300
*SECNO 51.000

SURVEY VALLEY SECTION 51

51.00	13.35	826.35	0.00	0.00	820.37	0.32	0.57	3.01	816.40	
4200.	2056.	1055.	289.	3683.	1261.	1131.	350.	49.	815.10	
0.88	0.36	1.47	0.26	0.120	0.040	0.120	0.035	813.00	717.60	
0.000056	850.	730.	730.	0	0	0	0.00	1135.05	1852.65	

FLOW DISTRIBUTION FOR SECNO= 51.00 CHSEL= 826.3

STA=	710.	750.	792.	1034.	1302.	1462.	1474.	1578.	1588.	1644.	1842.	1853.
PER Q=	0.3	2.0	15.6	18.8	11.3	1.3	44.2	1.0	2.4	3.4	0.1	
AREA=	90.1	262.3	1026.1	2129.5	1279.4	132.3	1261.0	99.0	333.0	682.3	17.8	
VEL=	0.2	0.3	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.2	0.1	

*SECNO 52.000

SURVEY VALLEY SECTION 52

52.00	13.10	826.40	0.00	0.00	820.60	0.31	0.54	0.00	816.30	
4200.	2001.	1364.	35.	10091.	1229.	152.	525.	72.	815.60	
1.20	0.27	1.13	0.23	0.120	0.040	0.120	0.035	813.30	1000.57	
0.000033	800.	800.	800.	2	0	0	0.00	1483.92	2464.49	

FLOW DISTRIBUTION FOR SECNO= 52.00 CHSEL= 826.40

STA=	1001.	1202.	1424.	1772.	2024.	2276.	2346.	2356.	2456.	2466.	2664.
PER Q=	4.1	10.2	19.9	14.4	13.9	3.5	0.6	32.5	0.6	0.2	
AREA=	894.4	1608.8	2869.9	2078.2	2027.8	531.8	87.5	1209.4	68.0	62.8	
VEL=	0.2	0.3	0.3	0.3	0.3	0.3	0.3	1.1	0.3	0.2	

*SECNO 53.000

SURVEY VALLEY SECTION 53

53.00	14.19	826.69	0.00	0.00	820.51	0.08	0.11	0.00	816.90
4200.	1902.	2287.	31.	5881.	1462.	116.	1028.	142.	816.40
1.96	0.32	1.55	0.27	0.120	0.060	0.120	0.037	812.30	482.42
0.000060	2300.	2600.	2400.	1	0	0	0.00	1110.59	1593.01

FLOW DISTRIBUTION FOR SECNO= 53.00 CHSEL= 826.69

STA=	482.	564.	780.	1242.	1429.	1437.	1447.	1454.	1570.	1593.
PER Q=	0.6	9.2	23.2	11.4	0.3	0.2	0.4	54.0	0.7	
AREA=	144.7	1297.8	2956.5	1346.3	46.4	38.5	51.1	1462.5	116.2	
VEL=	0.2	0.3	0.3	0.4	0.3	0.2	0.3	1.6	0.3	

*SECNO 54.000

SURVEY VALLEY SECTION 54

54.00	13.69	826.59	0.00	0.00	826.63	0.04	0.11	0.00	816.50	
4200.	101.	2596.	1710.	394.	1206.	3806.	244.	179.	817.20	
2.26	0.26	1.93	0.45	0.120	0.060	0.120	0.037	812.50	589.21	
0.000105	1550.	1450.	1100.	2	0	0	0.00	832.99	1422.12	

FLOW DISTRIBUTION FOR SECNO= 54.00 CHSEL= 826.59

PRINTED IN U.S.A.
FORM 1411-C2 PRINTED BY HOYARY MACIFOLD FORMS

STA=	589.	680.	736.	759.	840.	850.	996.	1160.	1382.	1422.
PER Q=	0.8	1.3	0.3	56.9	1.0	11.8	12.4	14.7	0.8	
AREA=	169.6	130.5	35.7	1206.0	82.9	1049.9	1130.2	1410.3	126.2	
VEL=	0.2	0.3	0.4	2.0	0.5	0..	0.5	0.4	0.3	

*SECNO 55.000

SECNO	DEPTH	CHSEL	CRIWS	LSELX	EG	HV	HL	CLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	PTN	PJMIN	SSTA
SLOPE	KLOBL	KLCH	KLOBR	ITRIAL	IC2	ICONT	CORAR	TOPWID	ENDST

100 FT D/S EMMETT ST. CROSS SECTION 55

55.00	12.39	826.79	0.00	0.00	826.96	0.13	0.28	0.03	818.60
4200.	31.	3971.	248.	149.	1206.	306.	1379.	194.	816.60
2.41	0.54	3.21	0.64	0.120	0.040	0.120	0.038	814.40	1896.56
0.000308	1650.	1650.	1650.	2	0	0	0.00	237.39	2135.95

FLOW DISTRIBUTION FOR SECNO= 55.00 CHSEL= 826.79

STA=	1699.	1932.	1943.	2059.	2061.	2067.	2126.	2136.
PER Q=	0.4	1.5	92.2	0.4	0.7	4.6	0.2	
AREA=	55.0	94.2	1206.2	25.6	39.2	300.2	20.8	
VEL=	0.3	0.7	3.2	0.7	0.8	0.6	0.3	

*SECNO 55.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

D/S EMMETT ST. CROSS SECTION 56

55.30	11.30	826.80	0.00	0.00	826.96	0.19	0.26	0.01	817.70
4200.	0.	4200.	0.	0.	1209.	0.	1383.	194.	816.60
2.42	0.00	3.47	0.00	0.120	0.040	0.120	0.038	815.50	1965.00
0.000424	100.	100.	100.	1	0	0	0.00	116.00	2061.00

FLOW DISTRIBUTION FOR SECNO= 55.80 CHSEL= 826.80

STA=	1945.	2061.
PER Q=	100.0	
AREA=	1209.2	
VEL=	3.5	

*SECNO 55.900

3370 NORMAL BRIDGE,NRD= 22 MIN ELTRD= 830.00 MAX ELLC= 828.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

D/S FACE EMMETT ST. CROSS SECTION 56

55.90	11.22	826.72	0.00	0.00	827.08	0.29	0.30	0.03	817.75
4200.	0.	4200.	0.	0.	963.	0.	1383.	194.	816.60
2.42	0.00	4.34	0.00	0.120	0.040	0.120	0.038	815.50	1965.00
0.001168	1.	1.	1.	2	0	0	-280.42	116.00	2061.00

FLOW DISTRIBUTION FOR SECNO= 55.90 CHSEL= 826.72

STA= 1965. 2061.
PER Q= 100.0
AREA= 967.8
VEL= 4.3

*SECNO 56.000

3570 NORMAL BRIDGE,NRB= 22 MIN ELTRD= 833.00 MAX ELLC= 828.60

3695 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S FACE EMMETT ST.

56.00	11.29	826.79	0.00	0.00	827.05	0.29	0.06	0.00	817.72
4200.	0.	4200.	0.	0.	973.	0.	1364.	194.	816.60
2.42	0.00	4.32	0.00	0.120	0.040	0.120	0.030	815.50	1965.00
0.001169	51.	51.	51.	2	0	0	-213.10	116.00	2061.00

FLOW DISTRIBUTION FOR SECNO= 56.05 CHSEL= 826.75

STA= 1965. 2061.
PER Q= 100.0
AREA= 972.7
VEL= 4.3

*SECNO 56.100

3695 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 831.00 ELREA= 831.00

U/S EMMETT ST.

56.10	11.40	826.90	0.00	0.00	827.09	0.18	0.00	0.01	817.70
4200.	0.	4200.	0.	0.	1221.	0.	1304.	194.	816.60
2.42	0.00	3.44	0.00	0.120	0.040	0.120	0.039	815.50	1965.00
0.000412	1.	1.	1.	2	0	0	0.00	116.00	2061.00

FLOW DISTRIBUTION FOR SECNO= 56.10 CHSEL= 826.90

STA= 1965. 2061.
PER Q= 100.0
AREA= 1220.9
VEL= 3.4

*SECNO 56.200

SECNO	DSPTH	CHSEL	CRIWS	WSELK	EG	KV	IL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VCL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

100 FT U/S EMMETT ST.

56.20	12.58	826.98	0.00	0.00	827.13	0.14	0.03	0.00	818.30
4200.	85.	3860.	259.	159.	1227.	401.	1387.	193.	816.80
2.43	0.53	3.14	0.64	0.120	0.040	0.120	0.038	814.40	1896.60

0.000289	100.	100.	100.	0	0	0	0.00	239.81	2136.41

FLOW DISTRIBUTION FOR SECNO= 56.20 CHSEL= 826.96

STA=	1097.	1932.	1948.	2058.	2061.	2067.	2126.	2154.
PER Q=	0.4	1.6	91.9	5.4	0.7	4.7	0.2	
AREA=	61.6	97.3	1227.4	26.2	40.4	311.6	22.3	
VEL=	0.3	0.7	3.1	0.7	0.7	0.6	0.3	

CCHV= 0.300 CEHV= 0.500
*SECNO 56.900

3695 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

D/S VERONA DAM CROSS SECTION 57

56.90	10.99	827.09	0.00	0.00	827.27	0.10	0.13	0.32	827.00
4200.	0.	4200.	0.	0.	1243.	0.	1399.	196.	826.80
2.66	0.00	3.30	0.00	0.120	0.040	0.120	0.038	816.10	2237.07
0.000465	350.	350.	350.	1	3	0	0.00	125.93	2363.00

FLOW DISTRIBUTION FOR SECNO= 56.90 CHSEL= 827.09

STA=	2237.	2363.
PER Q=	100.0	
AREA=	1243.5	
VEL=	3.4	

SPECIAL BRIDGE

SS	XK	XKOR	COFQ	CDLEN	BPC	BPP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	3.50	0.00	10.00	0.00	0.10	0.00	816.10	816.10

*SECNO 57.000
PRESSURE AND WEIR FLOW

EGPRS	EGLWC	WS	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
**********	827.27	0.00	4206.	1.	0.	1.	816.20	823.90

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 835.00 ELREA= 835.00

AT VERONA DAM

57.00	12.54	820.46	0.00	0.00	828.50	0.14	1.37	0.00	827.00
4200.	0.	4200.	0.	0.	1413.	0.	1399.	196.	826.80
2.46	0.00	2.97	0.00	0.120	0.040	0.120	0.038	816.10	2237.00
0.000308	4.	4.	4.	2	0	3	0.00	126.00	2363.00

FLOW DISTRIBUTION FOR SECNO= 57.00 CHSEL= 828.40

STA=	2237.	2363.
PER Q=	100.0	
AREA=	1412.8	
VEL=	3.1	

FORM 1411-GD PRINTED BY ISOTAPE MANIFOLD FORMS

*SECNO 57.100

3301 HV CHANGED MORE THAN XVI'S

U/S VERONA DAM

57.10	5.22	828.22	0.00	0.00	829.88	0.66	0.04	0.26	827.80
4200.	1.	4193.	5.	4.	661.	0.	1401.	196.	824.00
2.46	0.27	5.54	0.73	0.120	0.040	0.120	0.038	823.70	2215.78
0.003601	90.	90.	90.	2	0	0	0.00	156.39	2372.39

FLOW DISTRIBUTION FOR SECNO= 57.10 CHSEL= 828.22

STA=	2216.	2237.	2363.	2366.	2372.
PER Q=	0.0	99.8	0.1	0.0	
AREA=	6.4	640.7	4.0	3.7	
VEL=	0.3	6.5	0.9	0.5	

*SECNO 200.000

3301 HV CHANGED MORE THAN XVI'S

200.00	10.38	829.38	0.00	0.00	829.52	0.14	0.48	0.16	825.00
4200.	58.	4161.	2.	145.	1349.	10.	1401.	199.	828.70
2.30	0.40	3.07	0.17	0.120	0.040	0.120	0.038	819.00	1832.92
0.000539	425.	425.	425.	2	0	0	0.00	321.19	2154.11

FLOW DISTRIBUTION FOR SECNO= 200.00 CHSEL= 829.38

STA=	1833.	1856.	1918.	1930.	2130.	2142.	2154.
PER Q=	0.2	0.7	0.3	98.5	0.0	0.0	
AREA=	25.0	85.3	34.3	1340.6	6.9	2.9	
VEL=	0.3	2.4	0.6	3.7	0.2	0.1	

CCHV= 0.100 CEHV= 0.300

*SECNO 201.000

SECNO	DEPTH	CHSEL	CTIWS	WSELK	FR	AV	HL	OLOSS	SAVE ELEV
Q	QLOB	QCH	QROB	ELOB	ACH	AROB	VSL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	MEN	ELTRN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IH2	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 201

201.00	14.46	829.56	0.00	0.00	829.61	0.04	0.08	0.01	825.00
4200.	136.	3964.	120.	489.	2258.	511.	1434.	203.	823.80
2.57	0.28	1.75	0.24	0.120	0.040	0.120	0.038	815.10	1758.48
0.000088	425.	425.	425.	2	0	0	0.00	572.69	2331.17

FLOW DISTRIBUTION FOR SECNO= 201.00 CHSEL= 829.56

STA=	1758.	1836.	1856.	1918.	1930.	2130.	2142.	2212.	2316.	2331.
PER Q=	0.2	0.4	2.2	0.4	93.9	0.4	1.5	0.9	0.0	
AREA=	83.0	68.2	282.8	54.1	2257.8	56.5	238.8	209.2	6.5	
VEL=	0.1	0.3	0.3	0.3	1.7	0.3	0.3	0.2	0.1	

*SECNO 202.000

PUNCH LABELS PRINTED BY ROTARY BURROUGHS FOLIO

SURVEY VALLEY SECTION 202

202.00	15.99	829.69	0.00	0.00	829.74	0.05	0.14	0.00	825.00	
4200.	9.	4145.	66.	39.	2230.	196.	1320.	217.	824.40	
2.77	0.24	1.86	0.23	0.120	0.040	0.120	0.038	813.70	1630.30	
0.000125	1320.	1300.	1300.	2	0	0	0.00	343.10	1971.40	

FLOW DISTRIBUTION FOR SECNO= 202.00 CHSEL= 829.69

STA=	1630.	1647.	1801.	1889.	1978.
PER Q=	2.2	90.7	0.3	0.8	
AREA=	38.2	2230.6	35.5	150.5	
VEL=	0.2	1.9	0.4	0.2	

*SECNO 203.000

SURVEY VALLEY SECTION 203

203.00	11.69	829.99	0.00	0.00	830.04	0.05	0.29	0.00	823.90	
4200.	15.	3990.	196.	57.	2146.	985.	1634.	241.	824.30	
3.16	0.27	1.86	0.22	0.120	0.040	0.120	0.038	810.30	1876.14	
0.000114	2500.	2500.	1330.	2	0	1	0.00	141.37	2717.51	

FLOW DISTRIBUTION FOR SECNO= 203.00 CHSEL= 829.99

STA=	1676.	1695.	2103.	2122.	2194.	2296.	2606.	2636.	2718.
PER Q=	0.5	9.0	0.0	1.6	1.2	0.6	0.3	0.0	
AREA=	37.4	2146.1	13.9	236.7	220.7	141.2	125.1	19.9	
VEL=	0.3	1.9	0.6	0.3	0.2	0.2	0.1	0.1	

*SECNO 204.000

SURVEY VALLEY SECTION 204

204.00	13.43	830.13	0.00	0.00	830.19	0.06	0.15	0.00	822.90	
4200.	13.	4004.	184.	42.	2026.	563.	1742.	260.	824.10	
3.33	0.31	1.98	0.33	0.120	0.040	0.120	0.038	816.70	2457.43	
0.000140	1200.	1200.	1200.	0	0	0	0.00	511.60	2966.83	

FLOW DISTRIBUTION FOR SECNO= 204.00 CHSEL= 830.13

STA=	2457.	2469.	2681.	2700.	2790.	2862.	2969.
PER Q=	0.3	95.3	1.1	2.8	0.5	0.0	
AREA=	41.8	2026.1	100.3	331.2	113.8	17.6	
VEL=	0.3	2.0	0.4	0.3	0.2	0.0	

*SECNO 205.000

3265 DIVIDED FLOW

SURVEY VALLEY SECTION 205

205.00	13.02	830.32	0.00	0.00	830.33	0.01	0.13	0.00	824.80	
6200.	16.	2739.	1445.	74.	2412.	5674.	1965.	299.	823.80	
3.93	0.21	1.94	0.25	0.120	0.040	0.120	0.038	817.30	2226.07	
0.000046	1100.	1800.	1300.	1	0	0	0.00	1418.90	3766.15	

FLOW DISTRIBUTION FOR SECNO= 205.00 CHSEL= 830.32

FOR 1401-GP PRINTED BY ROTARY MANIFOLD FORMS

STA=	2228.	2238.	2243.	2269.	2501.	2320.	2748.	3036.	3354.	3550.	3586.	3756.
PER Q=	0.1	0.1	0.2	65.2	2.7	7.8	9.7	10.0	5.9	0.3	0.0	
AREA=	20.5	22.6	31.3	2411.9	113.5	1248.1	1562.2	1661.3	994.5	90.5	3.8	
VEL=	0.1	0.2	0.3	1.1	0.3	0.3	0.3	0.3	0.2	0.2	0.0	

*SECNO 206.000

SECNO	DEPTH	C.SEL	SCINS	WSEL	EG	IW	J	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	LTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IHR	ICONT	CORAR	TOPWID	ENDST

SURVEY VALLEY SECTION 206

206.00	11.40	830.40	0.00	0.00	830.44	0.04	0.10	0.01	823.90
4200.	62.	3262.	875.	251.	1877.	2510.	2151.	332.	827.80
4.21	0.32	1.73	0.63	0.120	0.060	0.120	0.139	819.00	1247.79
0.000121	1525.	1525.	1200.	2	2	0	0.20	756.31	2052.10

FLOW DISTRIBUTION FOR SECNO= 206.00 CHSEL= 830.40

STA=	1248.	1300.	1355.	1375.	1541.	1611.	1700.	1800.	1950.	2700.	2802.	
PER Q=	0.0	0.0	0.1	77.2	2.2	5.7	12.2	1.7	0.0	0.0		
AREA=	10.5	137.6	111.0	1876.6	185.0	500.3	1960.3	152.6	20.1	0.2		
VEL=	0.0	0.3	0.4	1.7	0.5	0.5	0.4	0.3	0.1	0.0		

*SECNO 207.000

SURVEY VALLEY SECTION 207

207.00	14.19	830.49	0.00	0.00	830.51	0.02	0.07	0.00	823.90
4200.	724.	2306.	1170.	2390.	1560.	4001.	2259.	351.	823.40
4.46	0.30	1.53	0.29	0.120	0.040	0.120	0.039	816.30	949.49
0.000067	1200.	925.	500.	1	1	0	0.00	1459.77	2389.26

FLOW DISTRIBUTION FOR SECNO= 207.00 CHSEL= 830.49

STA=	969.	1266.	1406.	1412.	1552.	1562.	1726.	1950.	2210.	2382.	2388.	2389.
PER Q=	11.5	5.5	0.3	54.9	0.5	6.5	7.5	8.7	4.1	0.5	0.0	
AREA=	1608.0	746.9	35.3	1540.6	66.8	883.1	1003.0	1257.1	589.9	121.7	1.3	
VEL=	0.3	0.3	0.3	1.5	0.4	0.3	0.3	0.3	0.3	0.2	0.0	

*SECNO 208.000

SURVEY VALLEY SECTION 208

208.00	14.30	830.60	0.00	0.00	830.61	0.01	0.10	0.00	822.50
4200.	1750.	1475.	976.	6321.	1076.	3290.	2555.	403.	824.00
5.11	0.28	1.37	0.30	0.120	0.040	0.120	0.039	816.30	240.63
0.000057	1300.	1900.	1300.	2	0	0	0.00	1956.12	2196.75

FLOW DISTRIBUTION FOR SECNO= 208.00 CHSEL= 830.60

STA=	241.	438.	626.	988.	1234.	1466.	1541.	1609.	1726.	1904.	2134.	2197.
PER Q=	4.2	4.0	0.6	13.2	9.9	1.9	13.1	4.4	7.4	9.6	1.6	
AREA=	749.5	818.0	1697.7	1627.0	1309.0	250.2	1078.3	663.2	1032.5	1357.2	257.2	
VEL=	0.2	0.3	0.3	0.3	0.3	0.3	1.4	0.3	0.3	0.3	0.3	

*SECNO 209.000

SURVEY VALLEY SECTION 209

209.00	13.70	830.80	0.00	0.00	830.82	0.02	0.21	0.00	824.40	
4200.	300.	1750.	2150.	895.	917.	5686.	3003.	487.	825.60	
5.04	0.34	1.91	0.38	0.120	0.040	0.120	0.041	817.10	119.25	
0.000115	1900.	3700.	2000.	2	0	0	0.00	1812.49	1730.74	

FLOW DISTRIBUTION FOR SECNO= 209.00 CWSEL= 830.80

STA=	110.	364.	357.	443.	652.	322.	1064.	1296.	1440.	1606.	1731.
PER Q=	6.5	0.7	21.7	11.3	9.4	5.9	12.0	6.4	3.2	0.3	
AREA=	324.2	75.8	917.2	1128.6	803.4	1007.0	1206.3	705.2	491.4	106.1	
VEL=	0.3	0.4	1.9	0.4	0.4	0.6	0.4	0.4	0.3	0.1	

*SECNO 210.000

SURVEY VALLEY SECTION 210

210.00	10.23	830.96	0.00	0.00	830.99	0.02	0.15	0.00	823.50
4200.	2008.	1474.	719.	4652.	307.	1823.	3199.	525.	823.30
6.22	0.45	1.83	0.39	0.120	0.040	0.120	0.041	820.70	1622.25
0.000130	1600.	1550.	950.	2	3	3	0.00	1292.99	2915.26

FLOW DISTRIBUTION FOR SECNO= 210.00 CWSEL= 830.96

STA=	1622.	1682.	1932.	2200.	2413.	2615.	2505.	2514.	2628.	2838.	2916.	2915.
PER Q=	1.3	17.2	17.1	12.1	0.1	36.9	0.7	5.9	9.5	1.1	0.0	
AREA=	180.9	1526.5	1569.4	1162.1	2.8	807.3	57.7	507.8	596.7	179.0	0.2	
VEL=	0.3	0.5	0.5	0.6	0.4	1.1	0.5	0.4	0.6	0.2	0.0	

*SECNO 211.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	KLOB	KCH	KROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	PTS	ELMIN	SST
SLOPE	XLOBL	XLCH	XLOBR	STRTAL	IRS	ICONT	CORAR	TOPWID	ELRST

SURVEY VALLEY SECTION 211

211.00	12.02	831.22	0.00	0.30	831.26	0.04	0.26	0.21	824.50
4200.	8.	1890.	2343.	24.	777.	6292.	3387.	556.	823.80
6.58	0.32	2.38	0.55	0.120	0.040	0.120	0.042	819.20	2507.77
0.000201	1200.	2675.	1100.	2	0	0	0.00	874.93	3382.70

FLOW DISTRIBUTION FOR SECNO= 211.00 CWSEL= 831.22

STA=	2508.	2515.	2595.	2600.	2612.	2836.	3080.	3364.	3383.
PER Q=	0.2	46.0	0.5	1.0	16.1	18.6	19.2	0.3	
AREA=	24.3	777.4	34.1	71.0	1236.5	1395.7	1510.9	43.2	
VEL=	0.3	2.4	0.6	0.6	0.5	0.6	0.5	0.3	

*SECNO 212.000

SURVEY VALLEY SECTION 212

212.00	9.94	831.54	0.00	0.00	831.56	0.02	0.30	0.00	823.60
4200.	2028.	2466.	26.	3155.	1805.	33.	3618.	595.	825.00
7.12	0.39	1.64	0.32	0.120	0.040	0.120	0.042	821.60	2490.09
0.000113	900.	2400.	2400.	0	0	0	0.00	1184.65	3674.74

FLOW DISTRIBUTION FOR SECNO= 212.00 CWSEL= 831.54

STA=	2490.	2506.	2722.	2990.	3220.	3491.	3495.	3649.	3657.	3673.
PER Q=	0.2	9.7	12.4	21.9	13.9	0.3	31.1	0.4	1.2	
AREA=	36.1	1065.0	1324.7	1256.3	1645.6	26.1	1305.2	43.9	79.3	
VEL=	0.2	0.6	0.6	0.6	2.6	0.2	1.6	0.6	0.2	

CCHV= 0.300 CEHV= 0.500
*SECNO 213.000

SURVEY VALLEY SECTION 213

213.00	10.22	832.12	0.00	0.00	832.22	0.10	0.62	0.04	826.70
3370.	1064.	2307.	19.	1687.	770.	39.	3926.	650.	827.30
7.56	0.62	3.00	0.69	0.120	0.040	0.120	0.068	821.90	2250.00
0.000367	2600.	4000.	4500.	2	2	0	0.00	496.70	2746.30

FLOW DISTRIBUTION FOR SECNO= 213.00 CWSEL= 832.12

STA=	2250.	2650.	2592.	2632.	2648.	2736.	2746.
PER Q=	17.5	17.7	2.1	1.3	51.5	7.6	
AREA=	946.5	571.2	152.9	60.4	740.7	39.2	
VEL=	0.6	2.6	0.5	0.6	3.0	0.5	

*SECNO 214.900

U/S FACE MC ALLISTER ROAD SURVEY SECTION 215

214.90	10.44	832.44	0.00	0.00	832.65	0.21	0.50	0.15	833.40
3370.	0.	3370.	0.	0.	923.	0.	3957.	656.	833.40
7.62	0.00	3.65	0.00	0.120	0.040	0.120	0.063	822.00	1.01
0.000627	800.	800.	800.	2	0	0	0.00	106.98	105.99

FLOW DISTRIBUTION FOR SECNO= 215.00 CWSEL= 832.44

STA=	1.	106.
PER Q=	100.0	
AREA=	923.1	
VEL=	3.7	

SPECIAL BRIDGE

SB	KK	XKOR	COPD	RDLEN	BUC	BUP	BAREA	SS	ELCHU	ELCHD
	0.90	1.91	3.00	0.00	105.00	2.00	700.00	0.00	824.00	824.00

*SECNO 215.000
PRESSURE FLOW

ESPRS	EGLNC	K3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
833.13	832.65	0.00	0.	3370.	700.	700.	830.80	833.40

U/S FACE MC ALLISTER ROAD SURVEY SECTION 215

215.00	10.95	832.95	0.00	0.00	833.13	0.19	0.48	0.00	833.40	
3370.	0.	3370.	0.	0.	976.	0.	3950.	656.	833.40	
7.62	0.00	3.45	0.00	0.120	0.040	0.120	0.043	822.00	1.01	

FORM 11E80-PRINTED BY HOTALY MANIFOLD FORMS.
PRINTED IN U.S.A.

0.000527	37.	37.	37.	2	0	0	0.00	104.99	105.99

FLOW DISTRIBUTION FOR SECNO= 215.00 C/SEL= 832.95

STA= 1. 106.
PER Q= 100.0
AREA= 975.8
VEL= 3.5

*SECNO 215.100

SECNO	DSPTH	CWSEL	CWLS	USELK	EG	HV	HL	CLOSS	BANK ELEV
Q	CLOB	QCH	QROB	ALOB	ACH	AROB	WOI	TLA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	CTM	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IF2	ICONT	CORAT	TOPWID	ENDST
215.10	10.37	833.07	0.00	0.00	833.19	0.12	0.06	0.02	827.40
3370.	166.	2606.	599.	334.	363.	656.	3926.	656.	824.90
7.63	0.49	3.10	0.79	0.120	0.040	0.120	0.043	822.40	1250.00
0.000364	100.	100.	100.	2	0	0	0.00	300.00	1550.00

FLOW DISTRIBUTION FOR SECNO= 215.10 C/SEL= 833.07

STA=	1250.	1352.	1361.	1449.	1453.	1468.	1550.
PER Q=	4.2	0.7	79.7	0.8	2.6	12.0	
AREA=	297.3	40.2	643.5	30.5	102.2	521.9	
VEL=	0.5	0.5	3.2	0.9	0.9	2.1	

PRINTED IN U.S.A.
POINT SATIGO PRINTED BY ROTARY MANIFOLD FORMS.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek and Pennfield Twp

3) WATERCOURSE: Battle Creek

4) DOCUMENT TYPE: report

00BREAK00

BATTLE CREEK RIVER BASIN
HYDRAULIC ANALYSIS
FOR
CITY OF BATTLE CREEK
AND
PENNFIELD TOWNSHIP
FLOOD INSURANCE STUDIES

Prepared By:

Wade, Trim & Associates, Inc.
25185 Goddard Road
Taylor, Michigan 48180

HUD 2021-07
HUD 2029-07

November, 1980

I INTRODUCTION

This hydraulic study investigates the existence and severity of flood hazards along the Battle Creek River in the City of Battle Creek and Pennfield Township, Calhoun County, Michigan.

The City of Battle Creek covers an area of about 17 square miles and Pennfield Township covers approximately 35.5 square miles. The flood plain of the Battle Creek River within the study reach is basically undeveloped at present with the exception of a few residential and commercial structures.

II DETAILED STUDY OF THE BATTLE CREEK RIVER

Detailed hydraulic studies were performed on approximately 8.2 miles of the Battle Creek River beginning at its confluence with the Kalamazoo River in the City of Battle Creek and ending upstream of the McAllister Road Bridge in Pennfield Township.

A total of 14 bridge, 3 structure and 30 valley cross sections were field surveyed by Wade, Trim & Associates, Inc. in April, 1980. These cross sections were supplemented by aerial topography and U.S.G.S. Quad Maps which consist of 10 foot contour intervals (Reference 1, 2 and 3).

Cross section locations are shown on Exhibit 1. Table 1 cross references section designations by showing the computer section number which corresponds to each cross section letter shown in Exhibit 1. Table 2 lists discharges which have been approved by the Michigan Department of Natural Resources (M.D.N.R.) for this stream.

A. METHOD OF ANALYSIS

The HEC-2 backwater computer program was used in developing water surface profiles (Reference 4). Table 2 presents water surface elevations at selected locations for the four floods (10, 50, 100 and 500 year) analyzed in this report. HEC-2 printouts including computer cross section plots are presented as Exhibit 2. (Exhibit 2 is contained in the 11" x 15" folder enclosed with this report.) Water surface profiles resulting from the backwater analyses are presented as Exhibit 3.

TABLE 1

CITY OF BATTLE CREEK

AND

PENNFIELD TOWNSHIP

BATTLE CREEK RIVER

CROSS REFERENCE INDEX

X-SECT.	COMPUTER NO.	DESCRIPTION
A	23.0	Confluence Kalamazoo River
B	24.9	D/S Face Washington Ave. Bridge
C	25.0	U/S Face Washington Ave. Bridge
D	26.9	D/S Face Penn Central R.R. Bridge
E	27.0	U/S Face Penn Central R.R. Bridge
F	29.0	Footbridge
G	29.9	D/S Face Jackson St. Bridge
H	30.0	U/S Face Jackson St. Bridge
I	31.1	D/S Face of Building Over River
J	33.0	U/S Face Michigan Ave. Bridge
K	35.8	D/S Face McCamly St. Bridge
L	37.0	U/S Face Parking Lot Structure
M	37.9	D/S Face of Building Over River
N	39.0	U/S Face Capital Ave. Bridge
O	40.9	D/S Face Monroe St. Bridge
P	41.0	U/S Face Monroe St. Bridge
Q	43.9	D/S Face Division St. Bridge
R	44.0	U/S Face Division St. Bridge
S	44.9	D/S Face Penn Central R.R. Bridge
T	45.0	U/S Face Penn Central R.R. Bridge
U	47.9	D/S Face Elm St. Bridge
V	48.0	U/S Face Elm St. Bridge
W	48.4	Dam
X	49.9	D/S Face Union St. Bridge
Y	50.0	U/S Face Union St. Bridge
Z	51.0	Valley Section

TABLE 1
CITY OF BATTLE CREEK
AND
PENNFIELD TOWNSHIP
BATTLE CREEK RIVER
CROSS REFERENCE INDEX
(CONTINUED)

X-SECT.	COMPUTER NO.	DESCRIPTION
AA	52.0	Valley Section
AB	53.0	Valley Section
AC	54.0	Valley Section
AD	55.9	D/S Face Emmett St. Bridge
AE	56.0	U/S Face Emmett St. Bridge
AF	57.0	Verona Dam
AG	201.0	Valley Section
AH	202.0	Valley Section
AI	203.0	Valley Section
AJ	204.0	Valley Section
AK	205.0	Valley Section
AL	206.0	Valley Section
AM	207.0	Valley Section
AN	208.0	Valley Section
AO	209.0	Valley Section
AP	210.0	Valley Section
AQ	211.0	Valley Section
AR	212.0	Valley Section
AS	213.0	Valley Section
AT	214.9	D/S Face McAllister Rd. Bridge
AU	215.0	U/S Face McAllister Rd. Bridge

TABLE 2

CITY OF BATTLE CREEK AND

PENNFIELD TOWNSHIP

BATTLE CREEK RIVER FLOOD ELEVATIONS*

LOCATION	Selected Frequencies 10 YEAR	50 YEAR	100 YEAR	500 YEAR
	Q= 2,360 cfs	Q=3600 ~~Q= 3,430 cfs~~	Q= 4200 ~~Q= 3,910 cfs~~	Q= 5800 ~~Q= 5,110~~ cfs ok Hope
Confluence to Kalamazoo River	~~809.58~~	810.99	~~811.56~~	~~812.85~~
Union St. Bridge	821.64	~~824.24~~	~~825.52~~	~~828.56~~
Verona Dam	826.77	827.58	~~827.98~~	~~829.74~~
u/s of Waadoga Creek	Q= 1,850 cfs	2890 ~~Q= 2,690~~ cfs	3370 ~~Q= 3,070~~ cfs	4650 ~~Q= 4,010~~ cfs ok Hope
McAllister Rd. Bridge	~~830.54~~	~~832.04~~	~~832.66~~	834.16

See printout for correct elev. that coorespond to new Qs

*Elevations based on N.G.V.D.

B. VARIABLES AND COEFFICIENTS

Roughness coefficients (Mannings "n") were estimated from field inspection, quad maps and photographs. Typical roughness values for the main channel and overbank areas of the Battle Creek River range from .035 to .040 and .08 to .12, respectively, for all floods. These values are indicative of summer month conditions and are consistent with values recommended and used in engineering practice (Reference 5). Contraction and expansion coefficients were selected as 0.3 and 0.5, respectively, at bridge sections, 0.1 and 0.3, respectively, for gradual channel transitions and .5 and .8, respectively, for abrupt channel transitions. Bridge loss coefficient computations are included in Exhibit 4.

C. HIGH WATER MARKS

A 1975 flood high water mark (824.8 feet) for the Union Street Bridge was obtained from the City of Battle Creek engineering department. The 1975 storm discharge of 3,590 cfs (Reference 6) was then applied to the HEC-2 computer model for the Battle Creek River and the Union Street high water mark was matched; therefore, the backwater model has been calibrated with an historical event. The backwater analysis for the 1975 flood was run up to the Verona Dam gaging station, located 1.5 miles upstream of Union Street and tied into the rating curve for the Dam (Reference 7). Exhibit 5 presents the backup data generated for this analysis. HEC-2 printouts for the 1975 flood are presented as part of Exhibit 2.

D. STARTING CONDITIONS

The starting water surface elevation used in all backwater computations for the Battle Creek was the mean annual Kalamazoo River level. A storm frequency/discharge rating curve was developed for the Kalamazoo River (Reference 8) to determine the mean annual flow (2.33 year recurrence interval) of 2,700 cfs. This flow was then applied to the stage/discharge rating curve to obtain the mean annual elevation of 807.8 (Exhibit 6).

E. SPECIAL PROBLEM

A divided flow condition occurs along the Battle Creek River between cross sections AP and AS during the 100 year flood. A diversion analysis was performed to determine the distribution of flow between the main channel and the diversion area on the left overbank of the stream. Results of this analysis (Exhibit 7) indicate that the diversion area will carry a small percentage of the total flow (5.5%) and will not be considered as a portion of the floodway necessary to pass floodwater.

The HEC-2 computer backwater program was utilized for this analysis. Backwater analyses were performed for both the main channel and the diversion area. Exhibit 7 presents the data produced in this analysis including a location map, computer printouts, and rating curves. Stage/discharge rating curves were developed at the start of the divided flow area (cross section AS) for both flow paths. These curves were combined to form a total rating curve for the system thereby allowing for the determination of flow distribution for each flow path. Inspection of this graph indicates the following for the 100 year flood event:

1. The diversion area carries 170 cfs (5.5% of total flow).

2. The flood elevation at cross section AS is increased by 0.08 feet when the diversion area is considered ineffective for the passage of floodwater.

Therefore, the diversion area will not be considered as part of the floodway and will be delineated as a flood fringe area. Furthermore, encroachment within the 100 year flood plain along the main channel, upstream of cross section AQ, was not permitted.

F. GENERAL

Computed water surface elevations were developed to an accuracy of 0.5 feet for floods of the selected recurrence intervals.

All elevations are referenced to the U.S. Geological Survey (U.S.G.S.) Datum. This datum is equivalent to the National Geodetic Vertical Datum (N.G.V.D.).

The hydraulic analyses for this study were based only on the effects of flow unobstructed by ice or debris. The flood elevations are considered valid only if hydraulic structures, in general, remain unobstructed and do not fail.

REFERENCES

1. Abrams Aerial Survey, Kalamazoo River in City of Battle Creek and Pennfield Township, 1979.

2. U.S. Geological Survey Topographical Maps - Battle Creek Quadrangle, Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

3. U.S. Geological Survey Topographical Maps - Ceresco Quadrangle, Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

4. HEC-2 Water Surface Profile - Users Manual - U.S. Army Corps of Engineers - 1976.

5. Open Channel Hydraulics, Chow, Ven Te, McGraw Hill, Inc., 1959.

6. Log Pearson Type III Distribution, U.S. Geological Survey, Computer Printouts, October, 1979.

7. United States Department of the Interior, Water Resources Data for Michigan - Part 1, Surface Water Records, 1974.

8. Hydraulic Analysis For Kalamazoo River, Bedford Township and City of Battle Creek, Wade, Trim & Associates, Inc., November, 1980.

BATTLE CREEK RIVER

INDEX OF EXHIBITS

EXHIBIT 1	Field Cross Section Location and 100 Year Flood Plain - Floodway Map, City of Battle Creek and Pennfield Township, 5 Sheets.
EXHIBIT 2	Computer Printouts, HEC-2 Backwater Analysis with Cross Section Plots (in separate folder) City of Battle Creek and Pennfield Township.
EXHIBIT 3	Stream Profile, City of Battle Creek and Pennfield Township, 6 Sheets.
EXHIBIT 4	Bridge Notes and Sketches, City of Battle Creek and Pennfield Township, 59 Sheets.
EXHIBIT 5	Documented High Water Data and Verona Dam Rating Curve, City of Battle Creek and Pennfield Township, 4 Sheets.
EXHIBIT 6	Kalamazoo River Mean Flood Elevation, City of Battle Creek, 2 Sheets.
EXHIBIT 7	Battle Creek River Divided Flow Analysis, Pennfield Township, 12 Sheets.

BATTLE CREEK RIVER

CITY OF BATTLE CREEK

AND

PENNFIELD TOWNSHIP

EXHIBIT 1

Field Cross Section Location and

100 Year Flood Plain - Floodway Map

BATTLE CREEK RIVER

CITY OF BATTLE CREEK

AND

PENNFIELD TOWNSHIP

EXHIBIT 2

Computer Printouts

HEC-2 Backwater Analysis With

Cross Section Plots (See Separte Folder)

new submittal - Separate

BATTLE CREEK RIVER
CITY OF BATTLE CREEK
AND
PENNFIELD TOWNSHIP

EXHIBIT 3

Stream Profile

BATTLE CREEK RIVER

CITY OF BATTLE CREEK


AND

PENNFIELD TOWNSHIP

EXHIBIT 4


Bridge Notes and Sketches

SEC #24



13

SECTION #25 BATTLE CREEK RIVER AT WASHINGTON




SEC #25 TOP VIEW OF WASHINGTON ST BRIDGE & BATTLE CREEK RIVER

HUD 2021-07
SHEET 1 OF 59


[redacted] CROSS-SECT [redacted] #2 [redacted] BRIDGE


L&R OFFSETS FROM ℄ BRIDGE FACING DWNSTR.




HWB 2021-07

20-59


MAG BEAC.
DWNSTR
VS # 24
END OF CONC
3'
10'
CONC BOTTOM
N48°E
4'
4' TYP.
GRADE BEIC
13'
12' WLK
42'
66'
E WASHINGTON
N 42°E
6
30°
36°
32.5
30
36
34'
6'
70
34'
132
130
32.5
12.25
12' WLK
9 CONC BOTTOM
R 10'
CONCWALL
UPSTR
S48°E




SEC #27 - TOP VIEW RAILROAD BRIDGE UPSTREAM FROM WASHINGTON




SEC #27 - DOWNSTREAM VIEW FROM RAILROAD BRIDGE


L&R. OFFSETS FROM ℄ BRIDGE FACING DOWNSTR.


U/STR
DOWNSTR. END FACING DOWNSTR.
DOWNSTR
STEEL PLATE 0.65' UPSTR 0.85' DWNSTR
0.85' E/W I-BEAMS
4.65' N/S I-BEAMS
813.9
814.3
811.
816.2
819.
823.8
813.5
813.9
814.3
814.7
815.1
815.5
815.9
816.3
816.7
817.1
817.5
817.9
818.3
818.7
819.1
819.5
819.9
820.3
820.7
821.1
821.5
821.9
822.3
822.7
823.1
823.5
823.9
824.3
824.7
825.1
825.5
825.9
826.3
826.7
827.1
827.5
827.9
828.3
828.7
829.1
829.5
829.9
830.3
830.7
831.1
831.5
831.9
832.3
832.7
833.1
833.5
833.9
834.3
834.7
835.1
835.5
835.9
836.3
836.7
837.1
837.5
837.9
838.3
838.7
839.1
839.5
839.9
840.3
840.7
841.1
841.5
841.9
842.3
842.7
843.1
843.5
843.9
844.3
844.7
845.1
845.5
845.9
846.3
846.7
847.1
847.5
847.9
848.3
848.7
849.1
849.5
849.9
850.3
850.7
851.1
851.5
851.9
852.3
852.7
853.1
853.5
853.9
854.3
854.7
855.1
855.5
855.9
856.3
856.7
857.1
857.5
857.9
858.3
858.7
859.1
859.5
859.9
860.3
860.7
861.1
861.5
861.9
862.3
862.7
863.1
863.5
863.9
864.3
864.7
865.1
865.5
865.9
866.3
866.7
867.1
867.5
867.9
868.3
868.7
869.1
869.5
869.9
870.3
870.7
871.1
871.5
871.9
872.3
872.7
873.1
873.5
873.9
874.3
874.7
875.1
875.5
875.9
876.3
876.7
877.1
877.5
877.9
878.3
878.7
879.1
879.5
879.9
880.3
880.7
881.1
881.5
881.9
882.3
882.7
883.1
883.5
883.9
884.3
884.7
885.1
885.5
885.9
886.3
886.7
887.1
887.5
887.9
888.3
888.7
889.1
889.5
889.9
890.3
890.7
891.1
891.5
891.9
892.3
892.7
893.1
893.5
893.9
894.3
894.7
895.1
895.5
895.9
896.3
896.7
897.1
897.5
897.9
898.3
898.7
899.1
899.5
899.9
900.3
900.7
901.1
901.5
901.9
902.3
902.7
903.1
903.5
903.9
904.3
904.7
905.1
905.5
905.9
906.3
906.7
907.1
907.5
907.9
908.3
908.7
909.1
909.5
909.9
910.3
910.7
911.1
911.5
911.9
912.3
912.7
913.1
913.5
913.9
914.3
914.7
915.1
915.5
915.9
916.3
916.7
917.1
917.5
917.9
918.3
918.7
919.1
919.5
919.9
920.3
920.7
921.1
921.5
921.9
922.3
922.7
923.1
923.5
923.9
924.3
924.7
925.1
925.5
925.9
926.3
926.7
927.1
927.5
927.9
928.3
928.7
929.1
929.5
929.9
930.3
930.7
931.1
931.5
931.9
932.3
932.7
933.1
933.5
933.9
934.3
934.7
935.1
935.5
935.9
936.3
936.7
937.1
937.5
937.9
938.3
938.7
939.1
939.5
939.9
940.3
940.7
941.1
941.5
941.9
942.3
942.7
943.1
943.5
943.9
944.3
944.7
945.1
945.5
945.9
946.3
946.7
947.1
947.5
947.9
948.3
948.7
949.1
949.5
949.9
950.3
950.7
951.1
951.5
951.9
952.3
952.7
953.1
953.5
953.9
954.3
954.7
955.1
955.5
955.9
956.3
956.7
957.1
957.5
957.9
958.3
958.7
959.1
959.5
959.9
960.3
960.7
961.1
961.5
961.9
962.3
962.7
963.1
963.5
963.9
964.3
964.7
965.1
965.5
965.9
966.3
966.7
967.1
967.5
967.9
968.3
968.7
969.1
969.5
969.9
970.3
970.7
971.1
971.5
971.9
972.3
972.7
973.1
973.5
973.9
974.3
974.7
975.1
975.5
975.9
976.3
976.7
977.1
977.5
977.9
978.3
978.7
979.1
979.5
979.9
980.3
980.7
981.1
981.5
981.9
982.3
982.7
983.1
983.5
983.9
984.3
984.7
985.1
985.5
985.9
986.3
986.7
987.1
987.5
987.9
988.3
988.7
989.1
989.5
989.9
990.3
990.7
991.1
991.5
991.9
992.3
992.7
993.1
993.5
993.9
994.3
994.7
995.1
995.5
995.9
996.3
996.7
997.1
997.5
997.9
998.3
998.7
999.1
999.5
999.9
1000.3
1000.7
1001.1
1001.5
1001.9
1002.3
1002.7
1003.1
1003.5
1003.9
1004.3
1004.7
1005.1
1005.5
1005.9
1006.3
1006.7
1007.1
1007.5
1007.9
1008.3
1008.7
1009.1
1009.5
1009.9
1010.3
1010.7
1011.1
1011.5
1011.9
1012.3
1012.7
1013.1
1013.5
1013.9
1014.3
1014.7
1015.1
1015.5
1015.9
1016.3
1016.7
1017.1
1017.5
1017.9
1018.3
1018.7
1019.1
1019.5
1019.9
1020.3
1020.7
1021.1
1021.5
1021.9
1022.3
1022.7
1023.1
1023.5
1023.9
1024.3
1024.7
1025.1
1025.5
1025.9
1026.3
1026.7
1027.1
1027.5
1027.9
1028.3
1028.7
1029.1
1029.5
1029.9
1030.3
1030.7
1031.1
1031.5
1031.9
1032.3
1032.7
1033.1
1033.5
1033.9
1034.3
1034.7
1035.1
1035.5
1035.9
1036.3
1036.7
1037.1
1037.5
1037.9
1038.3
1038.7
1039.1
1039.5
1039.9
1040.3
1040.7
1041.1
1041.5
1041.9
1042.3
1042.7
1043.1
1043.5
1043.9
1044.3
1044.7
1045.1
1045.5
1045.9
1046.3
1046.7
1047.1
1047.5
1047.9
1048.3
1048.7
1049.1
1049.5
1049.9
1050.3
1050.7
1051.1
1051.5
1051.9
1052.3
1052.7
1053.1
1053.5
1053.9
1054.3
1054.7
1055.1
1055.5
1055.9
1056.3
1056.7
1057.1
1057.5
1057.9
1058.3
1058.7
1059.1
1059.5
1059.9
1060.3
1060.7
1061.1
1061.5
1061.9
1062.3
1062.7
1063.1
1063.5
1063.9
1064.3
1064.7
1065.1
1065.5
1065.9
1066.3
1066.7
1067.1
1067.5
1067.9
1068.3
1068.7
1069.1
1069.5
1069.9
1070.3
1070.7
1071.1
1071.5
1071.9
1072.3
1072.7
1073.1
1073.5
1073.9
1074.3
1074.7
1075.1
1075.5
1075.9
1076.3
1076.7
1077.1
1077.5
1077.9
1078.3
1078.7
1079.1
1079.5
1079.9
1080.3
1080.7
1081.1
1081.5
1081.9
1082.3
1082.7
1083.1
1083.5
1083.9
1084.3
1084.7
1085.1
1085.5
1085.9
1086.3
1086.7
1087.1
1087.5
1087.9
1088.3
1088.7
1089.1
1089.5
1089.9
1090.3
1090.7
1091.1
1091.5
1091.9
1092.3
1092.7
1093.1
1093.5
1093.9
1094.3
1094.7
1095.1
1095.5
1095.9
1096.3
1096.7
1097.1
1097.5
1097.9
1098.3
1098.7
1099.1
1099.5
1099.9
1100.3
1100.7
1101.1
1101.5
1101.9
1102.3
1102.7
1103.1
1103.5
1103.9
1104.3
1104.7
1105.1
1105.5
1105.9
1106.3
1106.7
1107.1
1107.5
1107.9
1108.3
1108.7
1109.1
1109.5
1109.9
1110.3
1110.7
1111.1
1111.5
1111.9
1112.3
1112.7
1113.1
1113.5
1113.9
1114.3
1114.7
1115.1
1115.5
1115.9
1116.3
1116.7
1117.1
1117.5
1117.9
1118.3
1118.7
1119.1
1119.5
1119.9
1120.3
1120.7
1121.1
1121.5
1121.9
1122.3
1122.7
1123.1
1123.5
1123.9
1124.3
1124.7
1125.1
1125.5
1125.9
1126.3
1126.7
1127.1
1127.5
1127.9
1128.3
1128.7
1129.1
1129.5
1129.9
1130.3
1130.7
1131.1
1131.5
1131.9
1132.3
1132.7
1133.1
1133.5
1133.9
1134.3
1134.7
1135.1
1135.5
1135.9
1136.3
1136.7
1137.1
1137.5
1137.9
1138.3
1138.7
1139.1
1139.5
1139.9
1140.3
1140.7
1141.1
1141.5
1141.9
1142.3
1142.7
1143.1
1143.5
1143.9
1144.3
1144.7
1145.1
1145.5
1145.9
1146.3
1146.7
1147.1
1147.5
1147.9
1148.3
1148.7
1149.1
1149.5
1149.9
1150.3
1150.7
1151.1
1151.5
1151.9
1152.3
1152.7
1153.1
1153.5
1153.9
1154.3
1154.7
1155.1
1155.5
1155.9
1156.3
1156.7
1157.1
1157.5
1157.9
1158.3
1158.7
1159.1
1159.5
1159.9
1160.3
1160.7
1161.1
1161.5
1161.9
1162.3
1162.7
1163.1
1163.5
1163.9
1164.3
1164.7
1165.1
1165.5
1165.9
1166.3
1166.7
1167.1
1167.5
1167.9
1168.3
1168.7
1169.1
1169.5
1169.9
1170.3
1170.7
1171.1
1171.5
1171.9
1172.3
1172.7
1173.1
1173.5
1173.9
1174.3
1174.7
1175.1
1175.5
1175.9
1176.3
1176.7
1177.1
1177.5
1177.9
1178.3
1178.7
1179.1
1179.5
1179.9
1180.3
1180.7
1181.1
1181.5
1181.9
1182.3
1182.7
1183.1
1183.5
1183.9
1184.3
1184.7
1185.1
1185.5
1185.9
1186.3
1186.7
1187.1
1187.5
1187.9
1188.3
1188.7
1189.1
1189.5
1189.9
1190.3
1190.7
1191.1
1191.5
1191.9
1192.3
1192.7
1193.1
1193.5
1193.9
1194.3
1194.7
1195.1
1195.5
1195.9
1196.3
1196.7
1197.1
1197.5
1197.9
1198.3
1198.7
1199.1
1199.5
1199.9
1200.3
1200.7
1201.1
1201.5
1201.9
1202.3
1202.7
1203.1
1203.5
1203.9
1204.3
1204.7
1205.1
1205.5
1205.9
1206.3
1206.7
1207.1
1207.5
1207.9
1208.3
1208.7
1209.1
1209.5
1209.9
1210.3
1210.7
1211.1
1211.5
1211.9
1212.3
1212.7
1213.1
1213.5
1213.9
1214.3
1214.7
1215.1
1215.5
1215.9
1216.3
1216.7
1217.1
1217.5
1217.9
1218.3
1218.7
1219.1
1219.5
1219.9
1220.3
1220.7
1221.1
1221.5
1221.9
1222.3
1222.7
1223.1
1223.5
1223.9
1224.3
1224.7
1225.1
1225.5
1225.9
1226.3
1226.7
1227.1
1227.5
1227.9
1228.3
1228.7
1229.1
1229.5
1229.9
1230.3
1230.7
1231.1
1231.5
1231.9
1232.3
1232.7
1233.1
1233.5
1233.9
1234.3
1234.7
1235.1
1235.5
1235.9
1236.3
1236.7
1237.1
1237.5
1237.9
1238.3
1238.7
1239.1
1239.5
1239.9
1240.3
1240.7
1241.1
1241.5
1241.9
1242.3
1242.7
1243.1
1243.5
1243.9
1244.3
1244.7
1245.1
1245.5
1245.9
1246.3
1246.7
1247.1
1247.5
1247.9
1248.3
1248.7
1249.1
1249.5
1249.9
1250.3
1250.7
1251.1
1251.5
1251.9
1252.3
1252.7
1253.1
1253.5
1253.9
1254.3
1254.7
1255.1
1255.5
1255.9
1256.3
1256.7
1257.1
1257.5
1257.9
1258.3
1258.7
1259.1
1259.5
1259.9
1260.3
1260.7
1261.1
1261.5
1261.9
1262.3
1262.7
1263.1
1263.5
1263.9
1264.3
1264.7
1265.1
1265.5
1265.9
1266.3
1266.7
1267.1
1267.5
1267.9
1268.3
1268.7
1269.1
1269.5
1269.9
1270.3
1270.7
1271.1
1271.5
1271.9
1272.3
1272.7
1273.1
1273.5
1273.9
1274.3
1274.7
1275.1
1275.5
1275.9
1276.3
1276.7
1277.1
1277.5
1277.9
1278.3
1278.7
1279.1
1279.5
1279.9
1280.3
1280.7
1281.1
1281.5
1281.9
1282.3
1282.7
1283.1
1283.5
1283.9
1284.3
1284.7
1285.1
1285.5
1285.9
1286.3
1286.7
1287.1
1287.5
1287.9
1288.3
1288.7
1289.1
1289.5
1289.9
1290.3
1290.7
1291.1
1291.5
1291.9
1292.3
1292.7
1293.1
1293.5
1293.9
1294.3
1294.7
1295.1
1295.5
1295.9
1296.3
1296.7
1297.1
1297.5
1297.9
1298.3
1298.7
1299.1
1299.5
1299.9
1300.3
1300.7
1301.1
1301.5
1301.9
1302.3
1302.7
1303.1
1303.5
1303.9
1304.3
1304.7
1305.1
1305.5
1305.9
1306.3
1306.7
1307.1
1307.5
1307.9
1308.3
1308.7
1309.1
1309.5
1309.9
1310.3
1310.7
1311.1
1311.5
1311.9
1312.3
1312.7
1313.1
1313.5
1313.9
1314.3
1314.7
1315.1
1315.5
1315.9
1316.3
1316.7
1317.1
1317.5
1317.9
1318.3
1318.7
1319.1
1319.5
1319.9
1320.3
1320.7
1321.1
1321.5
1321.9
1322.3
1322.7
1323.1
1323.5
1323.9
1324.3
1324.7
1325.1
1325.5
1325.9
1326.3
1326.7
1327.1
1327.5
1327.9
1328.3
1328.7
1329.1
1329.5
1329.9
1330.3
1330.7
1331.1
1331.5
1331.9
1332.3
1332.7
1333.1
1333.5
1333.9
1334.3
1334.7
1335.1
1335.5
1335.9
1336.3
1336.7
1337.1
1337.5
1337.9
1338.3
1338.7
1339.1
1339.5
1339.9
1340.3
1340.7
1341.1
1341.5
1341.9
1342.3
1342.7
1343.1
1343.5
1343.9
1344.3
1344.7
1345.1
1345.5
1345.9
1346.3
1346.7
1347.1
1347.5
1347.9
1348.3
1348.7
1349.1
1349.5
1349.9
1350.3
1350.7
1351.1
1351.5
1351.9
1352.3
1352.7
1353.1
1353.5
1353.9
1354.3
1354.7
1355.1
1355.5
1355.9
1356.3
1356.7
1357.1
1357.5
1357.9
1358.3
1358.7
1359.1
1359.5
1359.9
1360.3
1360.7
1361.1
1361.5
1361.9
1362.3
1362.7
1363.1
1363.5
1363.9
1364.3
1364.7
1365.1
1365.5
1365.9
1366.3
1366.7
1367.1
1367.5
1367.9
1368.3
1368.7
1369.1
1369.5
1369.9
1370.3
1370.7
1371.1
1371.5
1371.9
1372.3
1372.7
1373.1
1373.5
1373.9
1374.3
1374.7
1375.1
1375.5
1375.9
1376.3
1376.7
1377.1
1377.5
1377.9
1378.3
1378.7
1379.1
1379.5
1379.9
1380.3
1380.7
1381.1
1381.5
1381.9
1382.3
1382.7
1383.1
1383.5
1383.9
1384.3
1384.7
1385.1
1385.5
1385.9
1386.3
1386.7
1387.1
1387.5
1387.9
1388.3
1388.7
1389.1
1389.5
1389.9
1390.3
1390.7
1391.1
1391.5
1391.9
1392.3
1392.7
1393.1
1393.5
1393.9
1394.3
1394.7
1395.1
1395.5
1395.9
1396.3
1396.7
1397.1
1397.5
1397.9
1398.3
1398.7
1399.1
1399.5
1399.9
1400.3
1400.7
1401.1
1401.5
1401.9
1402.3
1402.7
1403.1
1403.5
1403.9
1404.3
1404.7
1405.1
1405.5
1405.9
1406.3
1406.7
1407.1
1407.5
1407.9
1408.3
1408.7
1409.1
1409.5
1409.9
1410.3
1410.7
1411.1
1411.5
1411.9
1412.3
1412.7
1413.1
1413.5
1413.9
1414.3
1414.7
1415.1
1415.5
1415.9
1416.3
1416.7
1417.1
1417.5
1417.9
1418.3
1418.7
1419.1
1419.5
1419.9
1420.3
1420.7
1421.1
1421.5
1421.9
1422.3
1422.7
1423.1
1423.5
1423.9
1424.3
1424.7
1425.1
1425.5
1425.9
1426.3
1426.7
1427.1
1427.5
1427.9
1428.3
1428.7
1429.1
1429.5
1429.9
1430.3
1430.7
1431.1
1431.5
1431.9
1432.3
1432.7
1433.1
1433.5
1433.9
1434.3
1434.7
1435.1
1435.5
1435.9
1436.3
1436.7
1437.1
1437.5
1437.9
1438.3
1438.7
1439.1
1439.5
1439.9
1440.3
1440.7
1441.1
1441.5
1441.9
1442.3
1442.7
1443.1
1443.5
1443.9
1444.3
1444.7
1445.1
1445.5
1445.9
1446.3
1446.7
1447.1
1447.5
1447.9
1448.3
1448.7
1449.1
1449.5
1449.9
1450.3
1450.7
1451.1
1451.5
1451.9
1452.3
1452.7
1453.1
1453.5
1453.9
1454.3
1454.7
1455.1
1455.5
1455.9
1456.3
1456.7
1457.1
1457.5
1457.9
1458.3
1458.7
1459.1
1459.5
1459.9
1460.3
1460.7
1461.1
1461.5
1461.9
1462.3
1462.7
1463.1
1463.5
1463.9
1464.3
1464.7
1465.1
1465.5
1465.9
1466.3
1466.7
1467.1
1467.5
1467.9
1468.3
1468.7
1469.1
1469.5
1469.9
1470.3
1470.7
1471.1
1471.5
1471.9
1472.3
1472.7
1473.1
1473.5
1473.9
1474.3
1474.7
1475.1
1475.5
1475.9
1476.3
1476.7
1477.1
1477.5
1477.9
1478.3
1478.7
1479.1
1479.5
1479.9
1480.3
1480.7
1481.1
1481.5
1481.9
1482.3
1482.7
1483.1
1483.5
1483.9
1484.3
1484.7
1485.1
1485.5
1485.9
1486.3
1486.7
1487.1
1487.5
1487.9
1488.3
1488.7
1489.1
1489.5
1489.9
1490.3
1490.7
1491.1
1491.5
1491.9
1492.3
1492.7
1493.1
1493.5
1493.9
1494.3
1494.7
1495.1
1495.5
1495.9
1496.3
1496.7
1497.1
1497.5
1497.9
1498.3
1498.7
1499.1
1499.5
1499.9
1500.3
1500.7
1501.1
1501.5
1501.9
1502.3
1502.7
1503.1
1503.5
1503.9
1504.3
1504.7
1505.1
1505.5
1505.9
1506.3
1506.7
1507.1
1507.5
1507.9
1508.3
1508.7
1509.1
1509.5
1509.9
1510.3
1510.7
1511.1
1511.5
1511.9
1512.3
1512.7
1513.1
1513.5
1513.9
1514.3
1514.7
1515.1
1515.5
1515.9
1516.3
1516.7
1517.1
1517.5
1517.9
1518.3
1518.7
1519.1
1519.5
1519.9
1520.3
1520.7
1521.1
1521.5
1521.9
1522.3
1522.7
1523.1
1523.5
1523.9
1524.3
1524.7
1525.1
1525.5
1525.9
1526.3
1526.7
1527.1
1527.5
1527.9
1528.3
1528.7
1529.1
1529.5
1529.9
1530.3
1530.7
1531.1
1531.5
1531.9
1532.3
1532.7
1533.1
1533.5
1533.9
1534.3
1534.7
1535.1
1535.5
1535.9
1536.3
1536.7
1537.1
1537.5
1537.9
1538.3
1538.7
1539.1
1539.5
1539.9
1540.3
1540.7
1541.1
1541.5
1541.9
1542.3
1542.7
1543.1
1543.5
1543.9
1544.3
1544.7
1545.1
1545.5
1545.9
1546.3
1546.7
1547.1
1547.5
1547.9
1548.3
1548.7
1549.1
1549.5
1549.9
1550.3
1550.7
1551.1
1551.5
1551.9
1552.3
1552.7
1553.1
1553.5
1553.9
1554.3
1554.7
1555.1
1555.5
1555.9
1556.3
1556.7
1557.1
1557.5
1557.9
1558.3
1558.7
1559.1
1559.5
1559.9
1560.3
1560.7
1561.1
1561.5
1561.9
1562.3
1562.7
1563.1
1563.5
1563.9
1564.3
1564.7
1565.1
1565.5
1565.9
1566.3
1566.7
1567.1
1567.5
1567.9
1568.3
1568.7
1569.1
1569.5
1569.9
1570.3
1570.7
1571.1
1571.5
1571.9
1572.3
1572.7
1573.1
1573.5
1573.9
1574.3
1574.7
1575.1
1575.5
1575.9
1576.3
1576.7
1577.1
1577.5
1577.9
1578.3
1578.7
1579.1
1579.5
1579.9
1580.3
1580.7
1581.1
1581.5
1581.9
1582.3
1582.7
1583.1
1583.5
1583.9
1584.3
1584.7
1585.1
1585.5
1585.9
1586.3
1586.7
1587.1
1587.5
1587.9
1588.3
1588.7
1589.1
1589.5
1589.9
1590.3
1590.7
1591.1
1591.5
1591.9
1592.3
1592.7
1593.1
1593.5
1593.9
1594.3
1594.7
1595.1
1595.5
1595.9
1596.3
1596.7
1597.1
1597.5
1597.9
1598.3
1598.7
1599.1
1599.5
1599.9
1600.3
1600.7
1601.1
1601.5
1601.9
1602.3
1602.7
1603.1
1603.5
1603.9
1604.3
1604.7
1605.1
1605.5
1605.9
1606.3
1606.7
1607.1
1607.5
1607.9
1608.3
1608.7
1609.1
1609.5
1609.9
1610.3
1610.7
1611.1
1611.5
1611.9
1612.3
1612.7
1613.1
1613.5
1613.9
1614.3
1614.7
1615.1
1615.5
1615.9
1616.3
1616.7
1617.1
1617.5
1617.9
1618.3
1618.7
1619.1
1619.5
1619.9
1620.3
1620.7
1621.1
1621.5
1621.9
1622.3
1622.7
1623.1
1623.5
1623.9
1624.3
1624.7
1625.1
1625.5
1625.9
1626.3
1626.7
1627.1
1627.5
1627.9
1628.3
1628.7
1629.1
1629.5
1629.9
1630.3
1630.7
1631.1
1631.5
1631.9
1632.3
1632.7
1633.1
1633.5
1633.9
1634.3
1634.7
1635.1
1635.5
1635.9
1636.3
1636.7
1637.1
1637.5
1637.9
1638.3
1638.7
1639.1
1639.5
1639.9
1640.3
1640.7
1641.1
1641.5
1641.9
1642.3
1642.7
1643.1
1643.5
1643.9
1644.3
1644.7
1645.1
1645.5
1645.9
1646.3
1646.7
1647.1
1647.5
1647.9
1648.3
1648.7
1649.1
1649.5
1649.9
1650.3
1650.7
1651.1
1651.5
1651.9
1652.3
1652.7
1653.1
1653.5
1653.9
1654.3
1654.7
1655.1
1655.5
1655.9
1656.3
1656.7
1657.1
1657.5
1657.9
1658.3
1658.7
1659.1
1659.5
1659.9
1660.3
1660.7
1661.1
1661.5
1661.9
1662.3
1662.7
1663.1
1663.5
1663.9
1664.3
1664.7
1665.1
1665.5
1665.9
1666.3
1666.7
1667.1
1667.5
1667.9
1668.3
1668.7
1669.1
1669.5
1669.9
1670.3
1670.7
1671.1
1671.5
1671.9
1672.3
1672.7
1673.1
1673.5
1673.9
1674.3
1674.7
1675.1
1675.5
1675.9
1676.3
1676.7
1677.1
1677.5
1677.9
1678.3
1678.7
1679.1
1679.5
1679.9
1680.3
1680.7
1681.1
1681.5
1681.9
1682.3
1682.7
1683.1
1683.5
1683.9
1684.3
1684.7
1685.1
1685.5
1685.9
1686.3
1686.7
1687.1
1687.5
1687.9
1688.3
1688.7
1689.1
1689.5
1689.9
1690.3
1690.7
1691.1
1691.5
1691.9
1692.3
1692.7
1693.1
1693.5
1693.9
1694.3
1694.7
1695.1
1695.5
1695.9
1696.3
1696.7
1697.1
1697.5
1697.9
1698.3
1698.7
1699.1
1699.5
1699.9
1700.3
1700.7
1701.1
1701.5
1701.9
1702.3
1702.7
1703.1
1703.5
1703.9
1704.3
1704.7
1705.1
1705.5
1705.9
1706.3
1706.7
1707.1
1707.5
1707.9
1708.3
1708.7
1709.1
1709.5
1709.9
1710.3
1710.7
1711.1
1711.5
1711.9
1712.3
1712.7
1713.1
1713.5
1713.9
1714.3
1714.7
1715.1
1715.5
1715.9
1716.3
1716.7
1717.1
1717.5
1717.9
1718.3
1718.7
1719.1
1719.5
1719.9
1720.3
1720.7
1721.1
1721.5
1721.9
1722.3
1722.7
1723.1
1723.5
1723.9
1724.3
1724.7
1725.1
1725.5
1725.9
1726.3
1726.7
1727.1
1727.5
1727.9
1728.3
1728.7
1729.1
1729.5
1729.9
1730.3
1730.7
1731.1
1731.5
1731.9
1732.3
1732.7
1733.1
1733.5
1733.9
1734.3
1734.7
1735.1
1735.5
1735.9
1736.3
1736.7
1737.1
1737.5
1737.9
1738.3
1738.7
1739.1
1739.5
1739.9
1740.3
1740.7
1741.1
1741.5
1741.9
1742.3
1742.7
1743.1
1743.5
1743.9
1744.3
1744.7
1745.1
1745.5
1745.9
1746.3
1746.7
1747.1
1747.5
1747.9
1748.3
1748.7
1749.1
1749.5
1749.9
1750.3
1750.7
1751.1
1751.5
1751.9
1752.3
1752.7
1753.1
1753.5
1753.9
1754.3
1754.7
1755.1
1755.5
1755.9
1756.3
1756.7
1757.1
1757.5
1757.9
1758.3
1758.7
1759.1
1759.5
1759.9
1760.3
1760.7
1761.1
1761.5
1761.9
1762.3
1762.7
1763.1
1763.5
1763.9
1764.3
1764.7
1765.1
1765.5
1765.9
1766.3
1766.7
1767.1
1767.5
1767.9
1768.3
1768.7
1769.1
1769.5
1769.9
1770.3
1770.7
1771.1
1771.5
1771.9
1772.3
1772.7
1773.1
1773.5
1773.9
1774.3
1774.7
1775.1
1775.5
1775.9
1776.3
1776.7
1777.1
1777.5
1777.9
1778.3
1778.7
1779.1
1779.5
1779.9
1780.3
1780.7
1781.1
1781.5
1781.9
1782.3
1782.7
1783.1
1783.5
1783.9
1784.3
1784.7
1785.1
1785.5
1785.9
1786.3
1786.7
1787.1
1787.5
1787.9
1788.3
1788.7
1789.1
1789.5
1789.9
1790.3
1790.7
1791.1
1791.5
1791.9
1792.3
1792.7
1793.1
1793.5
1793.9
1794.3
1794.7
1795.1
1795.5
1795.9
1796.3
1796.7
1797.1
1797.5
1797.9
1798.3
1798.7
1799.1
1799.5
1799.9
1800.3
1800.7
1801.1
1801.5
1801.9
1802.3
1802.7
1803.1
1803.5
1803.9
1804.3
1804.7
1805.1
1805.5
1805.9
1806.3
1806.7
1807.1
1807.5
1807.9
1808.3
1808.7
1809.1
1809.5
1809.9
1810.3
1810.7
1811.1
1811.5
1811.9
1812.3
1812.7
1813.1
1813.5
1813.9
1814.3
1814.7
1815.1
1815.5
1815.9
1816.3
1816.7
1817.1
1817.5
1817.9
1818.3
1818.7
1819.1
1819.5
1819.9
1820.3
1820.7
1821.1
1821.5
1821.9
1822.3
1822.7
1823.1
1823.5
1823.9
1824.3
1824.7
1825.1
1825.5
1825.9
1826.3
1826.7
1827.1
1827.5
1827.9
1828.3
1828.7
1829.1
1829.5
1829.9
1830.3
1830.7
1831.1
1831.5
1831.9
1832.3
1832.7
1833.1
1833.5
1833.9
1834.3
1834.7
1835.1
1835.5
1835.9
1836.3
1836.7
1837.1
1837.5
1837.9
1838.3
1838.7
1839.1
1839.5
1839.9
1840.3
1840.7
1841.1
1841.5
1841.9
1842.3
1842.7
1843.1
1843.5
1843.9
1844.3
1844.7
1845.1
1845.5
1845.9
1846.3
1846.7
1847.1
1847.5
1847.9
1848.3
1848.7
1849.1
1849.5
1849.9
1850.3
1850.7
1851.1
1851.5
1851.9
1852.3
1852.7
1853.1
1853.5
1853.9
1854.3
1854.7
1855.1
1855.5
1855.9
1856.3
1856.7
1857.1
1857.5
1857.9
1858.3
1858.7
1859.1
1859.5
1859.9
1860.3
1860.7
1861.1
1861.5
1861.9
1862.3
1862.7
1863.1
1863.5
1863.9
1864.3
1864.7
1865.1
1865.5
1865.9
1866.3
1866.7
1867.1
1867.5
1867.9
1868.3
1868.7
1869.1
1869.5
1869.9
1870.3
1870.7
1871.1
1871.5
1871.9
1872.3
1872.7
1873.1
1873.5
1873.9
1874.3
1874.7
1875.1
1875.5
1875.9
1876.3
1876.7
1877.1
1877.5
1877.9
1878.3
1878.7
1879.1
1879.5
1879.9
1880.3
1880.7
1881.1
1881.5
1881.9
1882.3
1882.7
1883.1
1883.5
1883.9
1884.3
1884.7
1885.1
1885.5
1885.9
1886.3
1886.7
1887.1
1887.5
1887.9
1888.3
1888.7
1889.1
1889.5
1889.9
1890.3
1890.7
1891.1
1891.5
1891.9
1892.3
1892.7
1893.1
1893.5
1893.9
1894.3
1894.7
1895.1
1895.5
1895.9
1896.3
1896.7
1897.1
1897.5
1897.9
1898.3
1898.7
1899.1
1899.5
1899.9
1900.3
1900.7
1901.1
1901.5
1901.9
1902.3
1902.7
1903.1
1903.5
1903.9
1904.3
1904.7
1905.1
1905.5
1905.9
1906.3
1906.7
1907.1
1907.5
1907.9
1908.3
1908.7
1909.1
1909.5
1909.9
1910.3
1910.7
1911.1
1911.5
1911.9
1912.3
1912.7
1913.1
1913.5
1913.9
1914.3
1914.7
1915.1
1915.5
1915.9
1916.3
1916.7
1917.1
1917.5
1917.9
1918.3
1918.7
1919.1
1919.5
1919.9
1920.3
1920.7
1921.1
1921.5
1921.9
1922.3
1922.7
1923.1
1923.5
1923.9
1924.3
1924.7
1925.1
1925.5
1925.9
1926.3
1926.7
1927.1
1927.5
1927.9
1928.3
1928.7
1929.1
1929.5
1929.9
1930.3
1930.7
1931.1
1931.5
1931.9
1932.3
1932.7
1933.1
1933.5
1933.9
1934.3
1934.7
1935.1
1935.5
1935.9
1936.3
1936.7
1937.1
1937.5
1937.9
1938.3
1938.7
1939.1
1939.5
1939.9
1940.3
1940.7
1941.1
1941.5
1941.9
1942.3
1942.7
1943.1
1943.5
1943.9
1944.3
1944.7
1945.1
1945.5
1945.9
1946.3
1946.7
1947.1
1947.5
1947.9
1948.3
1948.7
1949.1
1949.5
1949.9
1950.3
1950.7
1951.1
1951.5
1951.9
1952.3
1952.7
1953.1
1953.5
1953.9
1954.3
1954.7
1955.1
1955.5
1955.9
1956.3
1956.7
1957.1
1957.5
1957.9
1958.3
1958.7
1959.1
1959.5
1959.9
1960.3
1960.7
1961.1
1961.5
1961.9
1962.3
1962.7
1963.1
1963.5
1963.9
1964.3
1964.7
1965.1
1965.5
1965.9
1966.3
1966.7
1967.1
1967.5
1967.9
1968.3
1968.7
1969.1
1969.5
1969.9
1970.3
1970.7
1971.1
1971.5
1971.9
1972.3
1972.7
1973.1
1973.5
1973.9
1974.3
1974.7
1975.1
1975.5
1975.9
1976.3
1976.7
1977.1
1977.5
1977.9
1978.3
1978.7
1979.1
1979.5
1979.9
1980.3
1980.7
1981.1
1981.5
1981.9
1982.3
1982.7
1983.1
1983.5
1983.9
1984.3
1984.7
1985.1
1985.5
1985.9
1986.3
1986.7
1987.1
1987.5
1987.9
1988.3
1988.7
1989.1
1989.5
1989.9
1990.3
1990.7
1991.1
1991.5
1991.9
1992.3
1992.7
1993.1
1993.5
1993.9
1994.3
1994.7
1995.1
1995.5
1995.9
1996.3
1996.7
1997.1
1997.5
1997.9
1998.3
1998.7
1999.1
1999.5
1999.9
2000.3
2000.7
2001.1
2001.5
2001.9
2002.3
2002.7
2003.1
2003.5
2003.9
2004.3
2004.7
2005.1
2005.5
2005.9
2006.3
2006.7
2007.1
2007.5
2007.9
2008.3
2008.7
2009.1
2009.5
2009.9
2010.3
2010.7
2011.1
2011.5
2011.9
2012.3
2012.7
2013.1
2013.5
2013.9
2014.3
2014.7
2015.1
2015.5
2015.9
2016.3
2016.7
2017.1
2017.5
2017.9
2018.3
2018.7
2019.1
2019.5
2019.9
2020.3
2020.7
2021.1
2021.5
2021.9
2022.3
2022.7
2023.1
2023.5
2023.9
2024.3
2024.7
2025.1
2025.5
2025.9
2026.3
2026.7
2027.1
2027.5
2027.9
2028.3
2028.7
2029.1
2029.5
2029.9
2030.3
2030.7
2031.1
2031.5
2031.9
2032.3
2032.7
2033.1
2033.5
2033.9
2034.3
2034.7
2035.1
2035.5
2035.9
2036.3
2036.7
2037.1
2037.5
2037.9
2038.3
2038.7
2039.1
2039.5
2039.9
2040.3
2040.7
2041.1
2041.5
2041.9
2042.3
2042.7
2043.1
2043.5
2043.9
2044.3
2044.7
2045.1
2045.5
2045.9
2046.3
2046.7
2047.1
2047.5
2047.9
2048.3
2048.7
2049.1
2049.5
2049.9
2050.3
2050.7
2051.1
2051.5
2051.9
2052.3
2052.7
2053.1
2053.5
2053.9
2054.3
2054.7
2055.1
2055.5
2055.9
2056.3
2056.7
2057.1
2057.5
2057.9
2058.3
2058.7
2059.1
2059.5
2059.9
2060.3
2060.7
2061.1
2061.5
2061.9
2062.3
2062.7
2063.1
2063.5
2063.9
2064.3
2064.7
2065.1
2065.5
2065.9
2066.3
2066.7
2067.1
2067.5
2067.9
2068.3
2068.7
2069.1
2069.5
2069.9
2070.3
2070.7
2071.1
2071.5
2071.9
2072.3
2072.7
2073.1
2073.5
2073.9
2074.3
2074.7
2075.1
2075.5
2075.9
2076.3
2076.7
2077.1
2077.5
2077.9
2078.3
2078.7
2079.1
2079.5
2079.9
2080.3
2080.7
2081.1
2081.5
2081.9
2082.3
2082.7
2083.1
2083.5
2083.9
2084.3
2084.7
2085.1
2085.5
2085.9
2086.3
2086.7
2087.1
2087.5
2087.9
2088.3
2088.7
2089.1
2089.5
2089.9
2090.3
2090.7
2091.1
2091.5
2091.9
2092.3
2092.7
2093.1
2093.5
2093.9
2094.3
2094.7
2095.1
2095.5
2095.9
2096.3
2096.7
2097.1
2097.5
2097.9
2098.3
2098.7
2099.1
2099.5
2099.9
2100.3
2100.7
2101.1
2101.5
2101.9
2102.3
2102.7
2103.1
2103.5
2103.9
2104.3
2104.7
2105.1
2105.5
2105.9
2106.3
2106.7
2107.1
2107.5
2107.9
2108.3
2108.7
2109.1
2109.5
2109.9
2110.3
2110.7
2111.1
2111.5
2111.9
2112.3
2112.7
2113.1
2113.5
2113.9
2

[redacted] Cross Section #27 R/2 Bridge over Battle Creek Lower Portage [redacted]




Hyo 2021-09
607-59




16

SECTION #29 BATTLE CREEK RIVER




2021-02

Page 59




17


SEC. #30 BATTLE CREEK RIVER AT JACKSON




SEC #30 - TOP VIEW JACKSON ST BRIDGE + BATTLE CREEK RIVER


HUD 2021-07
9 of 59


CROSS-SECTION #30 JACKSON AVE BRIDGE OVER BATTLE CREEK DRAIN
L & R OFFSETS FROM E BRIDGE FACING DWNSTR
L EDGE RDE
UPSTR 16.45L
DWN 80.15L
L TOE
UPSTR 58L
DWN 61L
℄ COLUMN
UPSTR 29.85L
DWN 29.15L
MIDPT OPENING
℄ COLUMN
UPSTR 29.85R
DWN 33.55R
R TOE
UPSTR 5R
DWN 62R
R EDGE RDE
UPSTR 16.45R
DWN 80.15R
DWN STR END FACING UPSTR
25° SKEW
1'-1" CONC
2' CONC BEAM
2.5% S/CL
814
822.1
816.4
816.9
810.6
809.4
807.3
808.5
808.1
807.1
808.6
809.2
809.1
808.9
815.7
816.3



MAG. BEAR.
UPSTR.
46.6'
59.7'
46.6'
N 54° W
S 54° E
N 88° E
N 56° E
N 74° E
N 83° E
73.8'
71.3'
40.2'
53'
60.7'
46.6'
DWNSTR.
1'-0" WING WALLS
BRICK ORIFICE SHIELD




CROSS SEC # 32 - BIANCE CREEK RIVER


Ref. Jackson & Mich. Ave
Mad Bear
0+00
52'
32'
Mich Ave Br.
(Ref Book 17
Pg 29-31)
Dual 33
6 @ S 50° E
0+68.5
116
9' @ N 23° W
48'
3'
16'
10'
1+16.5
1+24.8
354' @ N 30° W
8.3' @ S 60° W
20' @ N 30° W
100' @ S 60° E
Main Flow
Ver. Columns
12" to 18" (O.D)
Steel Supports
4'-6" Dia
Conc. Bases
14' @ N 20° W
2+11.8
110
52
16
4
16
16
10
57 ft
60' ±
2+14.3
(Scaled)
15.5
16
16
13.5
42' @ S 29° E
Dual St.
HUD 2021-07
12n-59

CROSS-SECTION # 32 DAITH CREEK R-WCV-



HDD 2021-9
14 OF 5*


BLOCK
810-5
810-7
810-8
809-7
809-8
124.8
137.8
162.3
184.8
211.8
DRIVE
DRIVE


Wade, Trim & Associates, Inc.
Civil Engineers • Land Surveyors
WORK SHEET

25185 GODDARD ROAD
TAYLOR, MICHIGAN 48180

REFERENCE


MULTIPLE STRUCTURE BETW. JACKSON & MICHIGAN AVE.

STARTING D/S END
STATION 2+74.3 TO 2+12.8 (NORMAL BRIDGE)




29
16
15
16
C1

STATION 2+05 TO 1+24.8 (NORMAL BRIDGE)



STATION 1+16.5 TO 68.5 (NORMAL BRIDGE)




SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No) Owner Project Suffix
BATTLE CR. RIVER	DATE 10-80	DATE	16 OF 59	HUD • 2025 • 07




CROSS-SEC # 54 MICH AVE AT BATTLE CREEK RIVER

H00 2021-07
17n=59


MAC. BEAR
DSTR
2'x11'w/w@U80E
52'
S70°E
S70°E
16'
S70°E
E MICH AVE
S23°E
43'
61'
14'
BLDG
UPSTR. E.O.F. FACING DOWNSTR.
0.8' CURB LEVEL
823+
820.6
820.9
816.8
816
816
816.8
52'
52'
813.8
813.2
811.6
813.2
811.6
810.44
810.44
809.8
55'L
40'L
35'L
26'L
13'L
10'
38'
26'R
55'R
6'x


HDD 2021-05




20

Sect 36 McCalmly At B.C. River (Dwn Stream)


[redacted] [redacted] [redacted] [


MacBeal
Top of Rd
826
S 24°E
Top of Rd
827.0
25'
McCaghey Ave Be
Park Lot Bridge
34'
River
6'
N 24°W
2' wide Conc. wall
S 15°E
74'
65'
33'
34'
25'
S 24°E
S 39°E
74'



21

SECTION # ~~SG~~ 3T UPSTREAM




NOD 2021-07

230F5




22

SECTION #39 (DOWN-STR) B.C. RIVER




23


SEC #39 (UPSTR) BATTLE CREEK RIVER


LAD. OFFSETS FROM ℄ BR. FACING DWNSTR.
U/S FACE
ELEV.
R106.
0.85 I-BEAM
823.8
0.60
CONC. WALL
14'
12.5
1.8 O.D.
VER. STEEL
SUPPORTS
S1CE W 20°
32'R
811.1
18' ℄ CONC.
811.0
22'
18' ℄ CONC.
810.4
CONC. ℄ CONC.
80°
DWNSTR.
DWNSTR. END FACING UPSTR.
UPSTR. END FACING DWNSTR.
S2E W 23°
825.5
1.75' CONC.
1.5' STEEL I-BEAM
823.1
0.8'x26'
STEEL I-BEAM
31'
28.5
3.5 VER. CONC.
SUPPORTS
4.8'
7.5
24
CONC. WALL
44'
20'
34'
815.5
815.7
814
CONC. ℄ CONC.
812.4
18' ℄ CONC.
809.5
31'
44'
813.7


CROSS-SECTIONS CAPITAL IMPROVEMENT PROJECTS

#39


MAG. BEAD
SLEW ± 26°
SLEW ± 23°
66'
66'
66'
85'
S
S
S



SEC. #41 - TOP VIEW MONROE ST BRIDGE ON BATTLE CREEK RIVER



SEC #41 - DOWNSTREAM FROM MONROE BRIDGE

Bridge Location : Monroe St.

Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 0.0 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, $\Sigma k = k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 790 Wp = 178

$R = A/wp$ 790/178 $R^{4/3} = 7.3$ L =


n (composite) =

$K_f = 29.1 \times (.025)^2 \times 46 / 7.3 = 0.12$

K_e = 0.5 (HEADWALLS & WINGWALLS SQUARE EDGE) — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 43

K_p = 0 if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



2. XKOE = 1 + 0.12 + 0.5 + 0 = 1.62

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN = Length of weir = 0. (0 if read off BT cards)

5. BWC = bottom width of bridge opening (inc. piers) = 78.

6. [illegible] width of obstruction = 0. — field data

7. [illegible] = Bridge opening inc. piers = 790.


8. SS = side slope = 0.
(horizontal per 1 vertical unit)

9. ELCHU = Elevation of channel invert U/S side = 811.6
(0 if equal to minimum elevation in previous X-sect.)


10. ELCHD = Elevation of channel invert D/S side = 811.6
(0 if equal to minimum elevation in previous X-sect.)


SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No.) Owner Project Suffix
Monroe St, Battle Cr.	DRB			1105 • 2021 • 07
	DATE 9-80	DATE	OF	

L & R. OFFSETS FROM ℄ BRIDGE FACING DWNSTR.




HW 2021-03
2/0/65


Cross-Sec #41 Mouth of Battle Creek Drain
Mac Bear
2'x27'S w/w
Dwy Ste
N 7.5° E 42 Lucas
78'
7.2' wide walk
2'x11.4' w/w
S 40° W
N 3.5° E
N 27.5° E
N 27.5° E
S 3.5° E
℄ Mouse
7.2' wide walk
2'x27'S w/w
2'x11.4' w/w
Upstr
S 27.5° E 42 Lucas



SEC #44 - DOWNSTREAM FROM DIVISION ST BRIDGE



SEC #41 - TOP VIEW DIVISION ST AND BATTLE CREEK RIVER

Bridge Location : Division St

Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 0.90 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk , Σk = k_f + k_e + k_p

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 945 WP = 211

R = A/wp 945/211 $R^{4/3}$ = 7.14 L = 76


n (composite) =

$K_f = 29.1 \times (0.025)^2 \times 76 / 7.14 = 0.19$

K_c = 0.5 WINGWALLS EXTENSION OF SIDES (11.0 EMBOUCHEMENT) — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 Pg. 43

K_p = 0 if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



2. XKOE = 1 + 0.19 + 0.7 + 105 = 1.74

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN = Length of weir = 0. (0 if read off BT cards)

5. BWC = bottom width of bridge opening (inc. piers) = 82.

6. [illegible] width of obstruction = 2.0 — field data


[illegible] = bridge opening inc. piers = 945


8. SS = side slope = 0.
(horizontal per 1 vertical unit)

9. ELCHU = Elevation of channel invert U/S side = 810.3
(0 if equal to minimum elevation in previous X-sect.)


10. ELCHD = Elevation of channel invert D/S side = 810.3
(0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No.) Owner Project Suffix
Division St.	DRB		32 of 54	HUD • 2021 • 07
	DATE 10-80	DATE		



Cross-Sec. #44 Division St At B.C. River
L&R offsets from ℄ Br. Facing Downstr.
826.0
1.80' Conc.
2.95' Conc Beam
822.1
40
40
2 Side Ditch Conc.
Downstr. Side Facing Upstr.



HOD 2021-02
340F-59



SEC #15 - DOWNSTREAM FROM RAILROAD BRIDGE, (IN VIEW DIVISION ST BRIDGE)



SEC #15 - TOP VIEW OF RAILROAD BRIDGE @ BATTLE CREEK RIVER

Bridge Location : PENN. CENTRAL RR.

Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 1.25 — HEC-2 Manual

XKOR (Loss Coefficient) = 1.0 + Σk , Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 695 Wp = 220

R = A/wp 695/220 $R^{4/3}$ = 4.16 L =


n (composite) =

$K_f = 29.1 \times (0.025)^2 \times 96 / 4.16 = .38$

K_e = 0.5 (WINGWALLS PARALLEL TO EMBANKMENT) — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 43

K_p = 0 if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



2. XKOE = 1 + .38 + .5 + .05 = 1.93

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN : Length of weir = 0, (0 if read off BT cards)

5. BWC : Bottom width of bridge opening (inc. piers) : 94

6. [illegible] width of obstruction) = 8 — field data

7. [illegible] : bridge opening ~~inc. piers~~ = 695


8. SS = side slope = 0.
(horizontal per 1 vertical unit)

9. ELCHU = Elevation of channel invert U/S side = 812.8
(0 if equal to minimum elevation in previous x-sect.)

10. ELCHD = Elevation of channel invert D/S side = 812.8
(0 if equal to minimum elevation in previous x-sect.)


SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No.) Owner Project Suffix
PENN CENT RR-B.C.	DRB DATE 10-80	DATE	36 OF 59	HUD • 2021 • 07

[redacted] L&R OFFSETS FROM ℄ BRIDGE FACING DWNSTR.



[redacted]

3 of 57


Cross-Sec. 1145 RR Bridge Over Battle Creek
Upstr From Division St.
Mat. Bead
Upstr.
Tracks
Dwnstr.
Skew ≈ 10°
℄ Br.
To Division St.
Fdtn
0+96
0+86
0+77
0+68
0+61
0+50
0+43
0+33
0+25
2+02



27

SECTION #48 BATTLE CREEK RIVER AT ELM



SEC #48 - DOWNSTREAM FROM ELM STREET BRIDGE

REFERENCE

Bridge Location : ELM ST.

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) .9 — HEC-2 Manual

XKOR (Loss Coefficient) = 1.0 + Σk , Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge :

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 1455 Wp = 392

$R = A/wp$ 1455/392 $R^{4/3}$ = 5.675 L =


n (composite) =

$K_f = 29.1 \times (0.025)^2 \times 60 / 5.675 = 0.19$

$K_c = 0.5$ — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 43

$K_p = 0$ if bridge has no intermediate piers

$K_p = 0.05$ if bridge has intermediate piers — HEC-2 manual



2. XKOR = 1 + .19 + .5 + .05 = 1.74

COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN : Length of weir = 0. (0 if read off BT cards)

BWC : bottom width of bridge opening (inc. piers) : 174

[illegible] total width of (construction) = 4 — field data

[illegible] bridge opening inc. piers = 1755

8. SS = side slope = 0.
(horizontal per 1 vertical unit)


9. ELCHU = Elevation of channel invert U/S side = 814.
(0 if equal to minimum elevation in previous X-sect.)

10. ELCHD : Elevation of channel invert D/S side = 814.
(0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No.) Project Suffix
ELM ST. - BATTLE CR.	DRB		40 OF 59	HUD • 2021 • 07
	DATE 10-80	DATE		

[redacted] Bridge


L&R Offsets From & Bridge Facing Downstr



Hyd 2021-4

5 of 5


MAG. BEAR.
RELAS N 22°E
22°
60-20'
RIVER
S 48° W
PLUSTR
7.2° WW
& BRIDGE
S 70° W
7.2° WW
RIVER
J 80° E
7.2° WW
SIXES CAMP (EXIT)




28/HOD 2021-03
430F59

SECTION #48A BATTLE CREEK RIDGE (UPSTR of I/. G

LOCATION OF BLDGS.
Bldg. 1
Bldg. 2
Bldg. 3
Bldg. 4
Bldg. 5
Bldg. 6
Bldg. 7
Bldg. 8
Bldg. 9
Bldg. 10
Bldg. 11
Bldg. 12
Bldg. 13
Bldg. 14
Bldg. 15
Bldg. 16
Bldg. 17
Bldg. 18
Bldg. 19
Bldg. 20
Bldg. 21
Bldg. 22
Bldg. 23
Bldg. 24
Bldg. 25
Bldg. 26
Bldg. 27
Bldg. 28
Bldg. 29
Bldg. 30
Bldg. 31
Bldg. 32
Bldg. 33
Bldg. 34
Bldg. 35
Bldg. 36
Bldg. 37
Bldg. 38
Bldg. 39
Bldg. 40
Bldg. 41
Bldg. 42
Bldg. 43
Bldg. 44
Bldg. 45
Bldg. 46
Bldg. 47
Bldg. 48
Bldg. 49
Bldg. 50
Bldg. 51
Bldg. 52
Bldg. 53
Bldg. 54
Bldg. 55
Bldg. 56
Bldg. 57
Bldg. 58
Bldg. 59
Bldg. 60
Bldg. 61
Bldg. 62
Bldg. 63
Bldg. 64
Bldg. 65
Bldg. 66
Bldg. 67
Bldg. 68
Bldg. 69
Bldg. 70
Bldg. 71
Bldg. 72
Bldg. 73
Bldg. 74
Bldg. 75
Bldg. 76
Bldg. 77
Bldg. 78
Bldg. 79
Bldg. 80
Bldg. 81
Bldg. 82
Bldg. 83
Bldg. 84
Bldg. 85
Bldg. 86
Bldg. 87
Bldg. 88
Bldg. 89
Bldg. 90
Bldg. 91
Bldg. 92
Bldg. 93
Bldg. 94
Bldg. 95
Bldg. 96
Bldg. 97
Bldg. 98
Bldg. 99
Bldg. 100
Bldg. 101
Bldg. 102
Bldg. 103
Bldg. 104
Bldg. 105
Bldg. 106
Bldg. 107
Bldg. 108
Bldg. 109
Bldg. 110
Bldg. 111
Bldg. 112
Bldg. 113
Bldg. 114
Bldg. 115
Bldg. 116
Bldg. 117
Bldg. 118
Bldg. 119
Bldg. 120
Bldg. 121
Bldg. 122
Bldg. 123
Bldg. 124
Bldg. 125
Bldg. 126
Bldg. 127
Bldg. 128
Bldg. 129
Bldg. 130
Bldg. 131
Bldg. 132
Bldg. 133
Bldg. 134
Bldg. 135
Bldg. 136
Bldg. 137
Bldg. 138
Bldg. 139
Bldg. 140
Bldg. 141
Bldg. 142
Bldg. 143
Bldg. 144
Bldg. 145
Bldg. 146
Bldg. 147
Bldg. 148
Bldg. 149
Bldg. 150
Bldg. 151
Bldg. 152
Bldg. 153
Bldg. 154
Bldg. 155
Bldg. 156
Bldg. 157
Bldg. 158
Bldg. 159
Bldg. 160
Bldg. 161
Bldg. 162
Bldg. 163
Bldg. 164
Bldg. 165
Bldg. 166
Bldg. 167
Bldg. 168
Bldg. 169
Bldg. 170
Bldg. 171
Bldg. 172
Bldg. 173
Bldg. 174
Bldg. 175
Bldg. 176
Bldg. 177
Bldg. 178
Bldg. 179
Bldg. 180
Bldg. 181
Bldg. 182
Bldg. 183
Bldg. 184
Bldg. 185
Bldg. 186
Bldg. 187
Bldg. 188
Bldg. 189
Bldg. 190
Bldg. 191
Bldg. 192
Bldg. 193
Bldg. 194
Bldg. 195
Bldg. 196
Bldg. 197
Bldg. 198
Bldg. 199
Bldg. 200
Bldg. 201
Bldg. 202
Bldg. 203
Bldg. 204
Bldg. 205
Bldg. 206
Bldg. 207
Bldg. 208
Bldg. 209
Bldg. 210
Bldg. 211
Bldg. 212
Bldg. 213
Bldg. 214
Bldg. 215
Bldg. 216
Bldg. 217
Bldg. 218
Bldg. 219
Bldg. 220
Bldg. 221
Bldg. 222
Bldg. 223
Bldg. 224
Bldg. 225
Bldg. 226
Bldg. 227
Bldg. 228
Bldg. 229
Bldg. 230
Bldg. 231
Bldg. 232
Bldg. 233
Bldg. 234
Bldg. 235
Bldg. 236
Bldg. 237
Bldg. 238
Bldg. 239
Bldg. 240
Bldg. 241
Bldg. 242
Bldg. 243
Bldg. 244
Bldg. 245
Bldg. 246
Bldg. 247
Bldg. 248
Bldg. 249
Bldg. 250
Bldg. 251
Bldg. 252
Bldg. 253
Bldg. 254
Bldg. 255
Bldg. 256
Bldg. 257
Bldg. 258
Bldg. 259
Bldg. 260
Bldg. 261
Bldg. 262
Bldg. 263
Bldg. 264
Bldg. 265
Bldg. 266
Bldg. 267
Bldg. 268
Bldg. 269
Bldg. 270
Bldg. 271
Bldg. 272
Bldg. 273
Bldg. 274
Bldg. 275
Bldg. 276
Bldg. 277
Bldg. 278
Bldg. 279
Bldg. 280
Bldg. 281
Bldg. 282
Bldg. 283
Bldg. 284
Bldg. 285
Bldg. 286
Bldg. 287
Bldg. 288
Bldg. 289
Bldg. 290
Bldg. 291
Bldg. 292
Bldg. 293
Bldg. 294
Bldg. 295
Bldg. 296
Bldg. 297
Bldg. 298
Bldg. 299
Bldg. 300
Bldg. 301
Bldg. 302
Bldg. 303
Bldg. 304
Bldg. 305
Bldg. 306
Bldg. 307
Bldg. 308
Bldg. 309
Bldg. 310
Bldg. 311
Bldg. 312
Bldg. 313
Bldg. 314
Bldg. 315
Bldg. 316
Bldg. 317
Bldg. 318
Bldg. 319
Bldg. 320
Bldg. 321
Bldg. 322
Bldg. 323
Bldg. 324
Bldg. 325
Bldg. 326
Bldg. 327
Bldg. 328
Bldg. 329
Bldg. 330
Bldg. 331
Bldg. 332
Bldg. 333
Bldg. 334
Bldg. 335
Bldg. 336
Bldg. 337
Bldg. 338
Bldg. 339
Bldg. 340
Bldg. 341
Bldg. 342
Bldg. 343
Bldg. 344
Bldg. 345
Bldg. 346
Bldg. 347
Bldg. 348
Bldg. 349
Bldg. 350
Bldg. 351
Bldg. 352
Bldg. 353
Bldg. 354
Bldg. 355
Bldg. 356
Bldg. 357
Bldg. 358
Bldg. 359
Bldg. 360
Bldg. 361
Bldg. 362
Bldg. 363
Bldg. 364
Bldg. 365
Bldg. 366
Bldg. 367
Bldg. 368
Bldg. 369
Bldg. 370
Bldg. 371
Bldg. 372
Bldg. 373
Bldg. 374
Bldg. 375
Bldg. 376
Bldg. 377
Bldg. 378
Bldg. 379
Bldg. 380
Bldg. 381
Bldg. 382
Bldg. 383
Bldg. 384
Bldg. 385
Bldg. 386
Bldg. 387
Bldg. 388
Bldg. 389
Bldg. 390
Bldg. 391
Bldg. 392
Bldg. 393
Bldg. 394
Bldg. 395
Bldg. 396
Bldg. 397
Bldg. 398
Bldg. 399
Bldg. 400
Bldg. 401
Bldg. 402
Bldg. 403
Bldg. 404
Bldg. 405
Bldg. 406
Bldg. 407
Bldg. 408
Bldg. 409
Bldg. 410
Bldg. 411
Bldg. 412
Bldg. 413
Bldg. 414
Bldg. 415
Bldg. 416
Bldg. 417
Bldg. 418
Bldg. 419
Bldg. 420
Bldg. 421
Bldg. 422
Bldg. 423
Bldg. 424
Bldg. 425
Bldg. 426
Bldg. 427
Bldg. 428
Bldg. 429
Bldg. 430
Bldg. 431
Bldg. 432
Bldg. 433
Bldg. 434
Bldg. 435
Bldg. 436
Bldg. 437
Bldg. 438
Bldg. 439
Bldg. 440
Bldg. 441
Bldg. 442
Bldg. 443
Bldg. 444
Bldg. 445
Bldg. 446
Bldg. 447
Bldg. 448
Bldg. 449
Bldg. 450
Bldg. 451
Bldg. 452
Bldg. 453
Bldg. 454
Bldg. 455
Bldg. 456
Bldg. 457
Bldg. 458
Bldg. 459
Bldg. 460
Bldg. 461
Bldg. 462
Bldg. 463
Bldg. 464
Bldg. 465
Bldg. 466
Bldg. 467
Bldg. 468
Bldg. 469
Bldg. 470
Bldg. 471
Bldg. 472
Bldg. 473
Bldg. 474
Bldg. 475
Bldg. 476
Bldg. 477
Bldg. 478
Bldg. 479
Bldg. 480
Bldg. 481
Bldg. 482
Bldg. 483
Bldg. 484
Bldg. 485
Bldg. 486
Bldg. 487
Bldg. 488
Bldg. 489
Bldg. 490
Bldg. 491
Bldg. 492
Bldg. 493
Bldg. 494
Bldg. 495
Bldg. 496
Bldg. 497
Bldg. 498
Bldg. 499
Bldg. 500
Bldg. 501
Bldg. 502
Bldg. 503
Bldg. 504
Bldg. 505
Bldg. 506
Bldg. 507
Bldg. 508
Bldg. 509
Bldg. 510
Bldg. 511
Bldg. 512
Bldg. 513
Bldg. 514
Bldg. 515
Bldg. 516
Bldg. 517
Bldg. 518
Bldg. 519
Bldg. 520
Bldg. 521
Bldg. 522
Bldg. 523
Bldg. 524
Bldg. 525
Bldg. 526
Bldg. 527
Bldg. 528
Bldg. 529
Bldg. 530
Bldg. 531
Bldg. 532
Bldg. 533
Bldg. 534
Bldg. 535
Bldg. 536
Bldg. 537
Bldg. 538
Bldg. 539
Bldg. 540
Bldg. 541
Bldg. 542
Bldg. 543
Bldg. 544
Bldg. 545
Bldg. 546
Bldg. 547
Bldg. 548
Bldg. 549
Bldg. 550
Bldg. 551
Bldg. 552
Bldg. 553
Bldg. 554
Bldg. 555
Bldg. 556
Bldg. 557
Bldg. 558
Bldg. 559
Bldg. 560
Bldg. 561
Bldg. 562
Bldg. 563
Bldg. 564
Bldg. 565
Bldg. 566
Bldg. 567
Bldg. 568
Bldg. 569
Bldg. 570
Bldg. 571
Bldg. 572
Bldg. 573
Bldg. 574
Bldg. 575
Bldg. 576
Bldg. 577
Bldg. 578
Bldg. 579
Bldg. 580
Bldg. 581
Bldg. 582
Bldg. 583
Bldg. 584
Bldg. 585
Bldg. 586
Bldg. 587
Bldg. 588
Bldg. 589
Bldg. 590
Bldg. 591
Bldg. 592
Bldg. 593
Bldg. 594
Bldg. 595
Bldg. 596
Bldg. 597
Bldg. 598
Bldg. 599
Bldg. 600
Bldg. 601
Bldg. 602
Bldg. 603
Bldg. 604
Bldg. 605
Bldg. 606
Bldg. 607
Bldg. 608
Bldg. 609
Bldg. 610
Bldg. 611
Bldg. 612
Bldg. 613
Bldg. 614
Bldg. 615
Bldg. 616
Bldg. 617
Bldg. 618
Bldg. 619
Bldg. 620
Bldg. 621
Bldg. 622
Bldg. 623
Bldg. 624
Bldg. 625
Bldg. 626
Bldg. 627
Bldg. 628
Bldg. 629
Bldg. 630
Bldg. 631
Bldg. 632
Bldg. 633
Bldg. 634
Bldg. 635
Bldg. 636
Bldg. 637
Bldg. 638
Bldg. 639
Bldg. 640
Bldg. 641
Bldg. 642
Bldg. 643
Bldg. 644
Bldg. 645
Bldg. 646
Bldg. 647
Bldg. 648
Bldg. 649
Bldg. 650
Bldg. 651
Bldg. 652
Bldg. 653
Bldg. 654
Bldg. 655
Bldg. 656
Bldg. 657
Bldg. 658
Bldg. 659
Bldg. 660
Bldg. 661
Bldg. 662
Bldg. 663
Bldg. 664
Bldg. 665
Bldg. 666
Bldg. 667
Bldg. 668
Bldg. 669
Bldg. 670
Bldg. 671
Bldg. 672
Bldg. 673
Bldg. 674
Bldg. 675
Bldg. 676
Bldg. 677
Bldg. 678
Bldg. 679
Bldg. 680
Bldg. 681
Bldg. 682
Bldg. 683
Bldg. 684
Bldg. 685
Bldg. 686
Bldg. 687
Bldg. 688
Bldg. 689
Bldg. 690
Bldg. 691
Bldg. 692
Bldg. 693
Bldg. 694
Bldg. 695
Bldg. 696
Bldg. 697
Bldg. 698
Bldg. 699
Bldg. 700
Bldg. 701
Bldg. 702
Bldg. 703
Bldg. 704
Bldg. 705
Bldg. 706
Bldg. 707
Bldg. 708
Bldg. 709
Bldg. 710
Bldg. 711
Bldg. 712
Bldg. 713
Bldg. 714
Bldg. 715
Bldg. 716
Bldg. 717
Bldg. 718
Bldg. 719
Bldg. 720
Bldg. 721
Bldg. 722
Bldg. 723
Bldg. 724
Bldg. 725
Bldg. 726
Bldg. 727
Bldg. 728
Bldg. 729
Bldg. 730
Bldg. 731
Bldg. 732
Bldg. 733
Bldg. 734
Bldg. 735
Bldg. 736
Bldg. 737
Bldg. 738
Bldg. 739
Bldg. 740
Bldg. 741
Bldg. 742
Bldg. 743
Bldg. 744
Bldg. 745
Bldg. 746
Bldg. 747
Bldg. 748
Bldg. 749
Bldg. 750
Bldg. 751
Bldg. 752
Bldg. 753
Bldg. 754
Bldg. 755
Bldg. 756
Bldg. 757
Bldg. 758
Bldg. 759
Bldg. 760
Bldg. 761
Bldg. 762
Bldg. 763
Bldg. 764
Bldg. 765
Bldg. 766
Bldg. 767
Bldg. 768
Bldg. 769
Bldg. 770
Bldg. 771
Bldg. 772
Bldg. 773
Bldg. 774
Bldg. 775
Bldg. 776
Bldg. 777
Bldg. 778
Bldg. 779
Bldg. 780
Bldg. 781
Bldg. 782
Bldg. 783
Bldg. 784
Bldg. 785
Bldg. 786
Bldg. 787
Bldg. 788
Bldg. 789
Bldg. 790
Bldg. 791
Bldg. 792
Bldg. 793
Bldg. 794
Bldg. 795
Bldg. 796
Bldg. 797
Bldg. 798
Bldg. 799
Bldg. 800
Bldg. 801
Bldg. 802
Bldg. 803
Bldg. 804
Bldg. 805
Bldg. 806
Bldg. 807
Bldg. 808
Bldg. 809
Bldg. 810
Bldg. 811
Bldg. 812
Bldg. 813
Bldg. 814
Bldg. 815
Bldg. 816
Bldg. 817
Bldg. 818
Bldg. 819
Bldg. 820
Bldg. 821
Bldg. 822
Bldg. 823
Bldg. 824
Bldg. 825
Bldg. 826
Bldg. 827
Bldg. 828
Bldg. 829
Bldg. 830
Bldg. 831
Bldg. 832
Bldg. 833
Bldg. 834
Bldg. 835
Bldg. 836
Bldg. 837
Bldg. 838
Bldg. 839
Bldg. 840
Bldg. 841
Bldg. 842
Bldg. 843
Bldg. 844
Bldg. 845
Bldg. 846
Bldg. 847
Bldg. 848
Bldg. 849
Bldg. 850
Bldg. 851
Bldg. 852
Bldg. 853
Bldg. 854
Bldg. 855
Bldg. 856
Bldg. 857
Bldg. 858
Bldg. 859
Bldg. 860
Bldg. 861
Bldg. 862
Bldg. 863
Bldg. 864
Bldg. 865
Bldg. 866
Bldg. 867
Bldg. 868
Bldg. 869
Bldg. 870
Bldg. 871
Bldg. 872
Bldg. 873
Bldg. 874
Bldg. 875
Bldg. 876
Bldg. 877
Bldg. 878
Bldg. 879
Bldg. 880
Bldg. 881
Bldg. 882
Bldg. 883
Bldg. 884
Bldg. 885
Bldg. 886
Bldg. 887
Bldg. 888
Bldg. 889
Bldg. 890
Bldg. 891
Bldg. 892
Bldg. 893
Bldg. 894
Bldg. 895
Bldg. 896
Bldg. 897
Bldg. 898
Bldg. 899
Bldg. 900
Bldg. 901
Bldg. 902
Bldg. 903
Bldg. 904
Bldg. 905
Bldg. 906
Bldg. 907
Bldg. 908
Bldg. 909
Bldg. 910
Bldg. 911
Bldg. 912
Bldg. 913
Bldg. 914
Bldg. 915
Bldg. 916
Bldg. 917
Bldg. 918
Bldg. 919
Bldg. 920
Bldg. 921
Bldg. 922
Bldg. 923
Bldg. 924
Bldg. 925
Bldg. 926
Bldg. 927
Bldg. 928
Bldg. 929
Bldg. 930
Bldg. 931
Bldg. 932
Bldg. 933
Bldg. 934
Bldg. 935
Bldg. 936
Bldg. 937
Bldg. 938
Bldg. 939
Bldg. 940
Bldg. 941
Bldg. 942
Bldg. 943
Bldg. 944
Bldg. 945
Bldg. 946
Bldg. 947
Bldg. 948
Bldg. 949
Bldg. 950
Bldg. 951
Bldg. 952
Bldg. 953
Bldg. 954
Bldg. 955
Bldg. 956
Bldg. 957
Bldg. 958
Bldg. 959
Bldg. 960
Bldg. 961
Bldg. 962
Bldg. 963
Bldg. 964
Bldg. 965
Bldg. 966
Bldg. 967
Bldg. 968
Bldg. 969
Bldg. 970
Bldg. 971
Bldg. 972
Bldg. 973
Bldg. 974
Bldg. 975
Bldg. 976
Bldg. 977
Bldg. 978
Bldg. 979
Bldg. 980
Bldg. 981
Bldg. 982
Bldg. 983
Bldg. 984
Bldg. 985
Bldg. 986
Bldg. 987
Bldg. 988
Bldg. 989
Bldg. 990
Bldg. 991
Bldg. 992
Bldg. 993
Bldg. 994
Bldg. 995
Bldg. 996
Bldg. 997
Bldg. 998
Bldg. 999
Bldg. 1000
Bldg. 1001
Bldg. 1002
Bldg. 1003
Bldg. 1004
Bldg. 1005
Bldg. 1006
Bldg. 1007
Bldg. 1008
Bldg. 1009
Bldg. 1010
Bldg. 1011
Bldg. 1012
Bldg. 1013
Bldg. 1014
Bldg. 1015
Bldg. 1016
Bldg. 1017
Bldg. 1018
Bldg. 1019
Bldg. 1020
Bldg. 1021
Bldg. 1022
Bldg. 1023
Bldg. 1024
Bldg. 1025
Bldg. 1026
Bldg. 1027
Bldg. 1028
Bldg. 1029
Bldg. 1030
Bldg. 1031
Bldg. 1032
Bldg. 1033
Bldg. 1034
Bldg. 1035
Bldg. 1036
Bldg. 1037
Bldg. 1038
Bldg. 1039
Bldg. 1040
Bldg. 1041
Bldg. 1042
Bldg. 1043
Bldg. 1044
Bldg. 1045
Bldg. 1046
Bldg. 1047
Bldg. 1048
Bldg. 1049
Bldg. 1050
Bldg. 1051
Bldg. 1052
Bldg. 1053
Bldg. 1054
Bldg. 1055
Bldg. 1056
Bldg. 1057
Bldg. 1058
Bldg. 1059
Bldg. 1060
Bldg. 1061
Bldg. 1062
Bldg. 1063
Bldg. 1064
Bldg. 1065
Bldg. 1066
Bldg. 1067
Bldg. 1068
Bldg. 1069
Bldg. 1070
Bldg. 1071
Bldg. 1072
Bldg. 1073
Bldg. 1074
Bldg. 1075
Bldg. 1076
Bldg. 1077
Bldg. 1078
Bldg. 1079
Bldg. 1080
Bldg. 1081
Bldg. 1082
Bldg. 1083
Bldg. 1084
Bldg. 1085
Bldg. 1086
Bldg. 1087
Bldg. 1088
Bldg. 1089
Bldg. 1090
Bldg. 1091
Bldg. 1092
Bldg. 1093
Bldg. 1094
Bldg. 1095
Bldg. 1096
Bldg. 1097
Bldg. 1098
Bldg. 1099
Bldg. 1100
Bldg. 1101
Bldg. 1102
Bldg. 1103
Bldg. 1104
Bldg. 1105
Bldg. 1106
Bldg. 1107
Bldg. 1108
Bldg. 1109
Bldg. 1110
Bldg. 1111
Bldg. 1112
Bldg. 1113
Bldg. 1114
Bldg. 1115
Bldg. 1116
Bldg. 1117
Bldg. 1118
Bldg. 1119
Bldg. 1120
Bldg. 1121
Bldg. 1122
Bldg. 1123
Bldg. 1124
Bldg. 1125
Bldg. 1126
Bldg. 1127
Bldg. 1128
Bldg. 1129
Bldg. 1130
Bldg. 1131
Bldg. 1132
Bldg. 1133
Bldg. 1134
Bldg. 1135
Bldg. 1136
Bldg. 1137
Bldg. 1138
Bldg. 1139
Bldg. 1140
Bldg. 1141
Bldg. 1142
Bldg. 1143
Bldg. 1144
Bldg. 1145
Bldg. 1146
Bldg. 1147
Bldg. 1148
Bldg. 1149
Bldg. 1150
Bldg. 1151
Bldg. 1152
Bldg. 1153
Bldg. 1154
Bldg. 1155
Bldg. 1156
Bldg. 1157
Bldg. 1158
Bldg. 1159
Bldg. 1160
Bldg. 1161
Bldg. 1162
Bldg. 1163
Bldg. 1164
Bldg. 1165
Bldg. 1166
Bldg. 1167
Bldg. 1168
Bldg. 1169
Bldg. 1170
Bldg. 1171
Bldg. 1172
Bldg. 1173
Bldg. 1174
Bldg. 1175
Bldg. 1176
Bldg. 1177
Bldg. 1178
Bldg. 1179
Bldg. 1180
Bldg. 1181
Bldg. 1182
Bldg. 1183
Bldg. 1184
Bldg. 1185
Bldg. 1186
Bldg. 1187
Bldg. 1188
Bldg. 1189
Bldg. 1190
Bldg. 1191
Bldg. 1192
Bldg. 1193
Bldg. 1194
Bldg. 1195
Bldg. 1196
Bldg. 1197
Bldg. 1198
Bldg. 1199
Bldg. 1200
Bldg. 1201
Bldg. 1202
Bldg. 1203
Bldg. 1204
Bldg. 1205
Bldg. 1206
Bldg. 1207
Bldg. 1208
Bldg. 1209
Bldg. 1210
Bldg. 1211
Bldg. 1212
Bldg. 1213
Bldg. 1214
Bldg. 1215
Bldg. 1216
Bldg. 1217
Bldg. 1218
Bldg. 1219
Bldg. 1220
Bldg. 1221
Bldg. 1222
Bldg. 1223
Bldg. 1224
Bldg. 1225
Bldg. 1226
Bldg. 1227
Bldg. 1228
Bldg. 1229
Bldg. 1230
Bldg. 1231
Bldg. 1232
Bldg. 1233
Bldg. 1234
Bldg. 1235
Bldg. 1236
Bldg. 1237
Bldg. 1238
Bldg. 1239
Bldg. 1240
Bldg. 1241
Bldg. 1242
Bldg. 1243
Bldg. 1244
Bldg. 1245
Bldg. 1246
Bldg. 1247
Bldg. 1248
Bldg. 1249
Bldg. 1250
Bldg. 1251
Bldg. 1252
Bldg. 1253
Bldg. 1254
Bldg. 1255
Bldg. 1256
Bldg. 1257
Bldg. 1258
Bldg. 1259
Bldg. 1260
Bldg. 1261
Bldg. 1262
Bldg. 1263
Bldg. 1264
Bldg. 1265
Bldg. 1266
Bldg. 1267
Bldg. 1268
Bldg. 1269
Bldg. 1270
Bldg. 1271
Bldg. 1272
Bldg. 1273
Bldg. 1274
Bldg. 1275
Bldg. 1276
Bldg. 1277
Bldg. 1278
Bldg. 1279
Bldg. 1280
Bldg. 1281
Bldg. 1282
Bldg. 1283
Bldg. 1284
Bldg. 1285
Bldg. 1286
Bldg. 1287
Bldg. 1288
Bldg. 1289
Bldg. 1290
Bldg. 1291
Bldg. 1292
Bldg. 1293
Bldg. 1294
Bldg. 1295
Bldg. 1296
Bldg. 1297
Bldg. 1298
Bldg. 1299
Bldg. 1300
Bldg. 1301
Bldg. 1302
Bldg. 1303
Bldg. 1304
Bldg. 1305
Bldg. 1306
Bldg. 1307
Bldg. 1308
Bldg. 1309
Bldg. 1310
Bldg. 1311
Bldg. 1312
Bldg. 1313
Bldg. 1314
Bldg. 1315
Bldg. 1316
Bldg. 1317
Bldg. 1318
Bldg. 1319
Bldg. 1320
Bldg. 1321
Bldg. 1322
Bldg. 1323
Bldg. 1324
Bldg. 1325
Bldg. 1326
Bldg. 1327
Bldg. 1328
Bldg. 1329
Bldg. 1330
Bldg. 1331
Bldg. 1332
Bldg. 1333
Bldg. 1334
Bldg. 1335
Bldg. 1336
Bldg. 1337
Bldg. 1338
Bldg. 1339
Bldg. 1340
Bldg. 1341
Bldg. 1342
Bldg. 1343
Bldg. 1344
Bldg. 1345
Bldg. 1346
Bldg. 1347
Bldg. 1348
Bldg. 1349
Bldg. 1350
Bldg. 1351
Bldg. 1352
Bldg. 1353
Bldg. 1354
Bldg. 1355
Bldg. 1356
Bldg. 1357
Bldg. 1358
Bldg. 1359
Bldg. 1360
Bldg. 1361
Bldg. 1362
Bldg. 1363
Bldg. 1364
Bldg. 1365
Bldg. 1366
Bldg. 1367
Bldg. 1368
Bldg. 1369
Bldg. 1370
Bldg. 1371
Bldg. 1372
Bldg. 1373
Bldg. 1374
Bldg. 1375
Bldg. 1376
Bldg. 1377
Bldg. 1378
Bldg. 1379
Bldg. 1380
Bldg. 1381
Bldg. 1382
Bldg. 1383
Bldg. 1384
Bldg. 1385
Bldg. 1386
Bldg. 1387
Bldg. 1388
Bldg. 1389
Bldg. 1390
Bldg. 1391
Bldg. 1392
Bldg. 1393
Bldg. 1394
Bldg. 1395
Bldg. 1396
Bldg. 1397
Bldg. 1398
Bldg. 1399
Bldg. 1400
Bldg. 1401
Bldg. 1402
Bldg. 1403
Bldg. 1404
Bldg. 1405
Bldg. 1406
Bldg. 1407
Bldg. 1408
Bldg. 1409
Bldg. 1410
Bldg. 1411
Bldg. 1412
Bldg. 1413
Bldg. 1414
Bldg. 1415
Bldg. 1416
Bldg. 1417
Bldg. 1418
Bldg. 1419
Bldg. 1420
Bldg. 1421
Bldg. 1422
Bldg. 1423
Bldg. 1424
Bldg. 1425
Bldg. 1426
Bldg. 1427
Bldg. 1428
Bldg. 1429
Bldg. 1430
Bldg. 1431
Bldg. 1432
Bldg. 1433
Bldg. 1434
Bldg. 1435
Bldg. 1436
Bldg. 1437
Bldg. 1438
Bldg. 1439
Bldg. 1440
Bldg. 1441
Bldg. 1442
Bldg. 1443
Bldg. 1444
Bldg. 1445
Bldg. 1446
Bldg. 1447
Bldg. 1448
Bldg. 1449
Bldg. 1450
Bldg. 1451
Bldg. 1452
Bldg. 1453
Bldg. 1454
Bldg. 1455
Bldg. 1456
Bldg. 1457
Bldg. 1458
Bldg. 1459
Bldg. 1460
Bldg. 1461
Bldg. 1462
Bldg. 1463
Bldg. 1464
Bldg. 1465
Bldg. 1466
Bldg. 1467
Bldg. 1468
Bldg. 1469
Bldg. 1470
Bldg. 1471
Bldg. 1472
Bldg. 1473
Bldg. 1474
Bldg. 1475
Bldg. 1476
Bldg. 1477
Bldg. 1478
Bldg. 1479
Bldg. 1480
Bldg. 1481
Bldg. 1482
Bldg. 1483
Bldg. 1484
Bldg. 1485
Bldg. 1486
Bldg. 1487
Bldg. 1488
Bldg. 1489
Bldg. 1490
Bldg. 1491
Bldg. 1492
Bldg. 1493
Bldg. 1494
Bldg. 1495
Bldg. 1496
Bldg. 1497
Bldg. 1498
Bldg. 1499
Bldg. 1500
Bldg. 1501
Bldg. 1502
Bldg. 1503
Bldg. 1504
Bldg. 1505
Bldg. 1506
Bldg. 1507
Bldg. 1508
Bldg. 1509
Bldg. 1510
Bldg. 1511
Bldg. 1512
Bldg. 1513
Bldg. 1514
Bldg. 1515
Bldg. 1516
Bldg. 1517
Bldg. 1518
Bldg. 1519
Bldg. 1520
Bldg. 1521
Bldg. 1522
Bldg. 1523
Bldg. 1524
Bldg. 1525
Bldg. 1526
Bldg. 1527
Bldg. 1528
Bldg. 1529
Bldg. 1530
Bldg. 1531
Bldg. 1532
Bldg. 1533
Bldg. 1534
Bldg. 1535
Bldg. 1536
Bldg. 1537
Bldg. 1538
Bldg. 1539
Bldg. 1540
Bldg. 1541
Bldg. 1542
Bldg. 1543
Bldg. 1544
Bldg. 1545
Bldg. 1546
Bldg. 1547
Bldg. 1548
Bldg. 1549
Bldg. 1550
Bldg. 1551
Bldg. 1552
Bldg. 1553
Bldg. 1554
Bldg. 1555
Bldg. 1556
Bldg. 1557
Bldg. 1558
Bldg. 1559
Bldg. 1560
Bldg. 1561
Bldg. 1562
Bldg. 1563
Bldg. 1564
Bldg. 1565
Bldg. 1566
Bldg. 1567
Bldg. 1568
Bldg. 1569
Bldg. 1570
Bldg. 1571
Bldg. 1572
Bldg. 1573
Bldg. 1574
Bldg. 1575
Bldg. 1576
Bldg. 1577
Bldg. 1578
Bldg. 1579
Bldg. 1580
Bldg. 1581
Bldg. 1582
Bldg. 1583
Bldg. 1584
Bldg. 1585
Bldg. 1586
Bldg. 1587
Bldg. 1588
Bldg. 1589
Bldg. 1590
Bldg. 1591
Bldg. 1592
Bldg. 1593
Bldg. 1594
Bldg. 1595
Bldg. 1596
Bldg. 1597
Bldg. 1598
Bldg. 1599
Bldg. 1600
Bldg. 1601
Bldg. 1602
Bldg. 1603
Bldg. 1604
Bldg. 1605
Bldg. 1606
Bldg. 1607
Bldg. 1608
Bldg. 1609
Bldg. 1610
Bldg. 1611
Bldg. 1612
Bldg. 1613
Bldg. 1614
Bldg. 1615
Bldg. 1616
Bldg. 1617
Bldg. 1618
Bldg. 1619
Bldg. 1620
Bldg. 1621
Bldg. 1622
Bldg. 1623
Bldg. 1624
Bldg. 1625
Bldg. 1626
Bldg. 1627
Bldg. 1628
Bldg. 1629
Bldg. 1630
Bldg. 1631
Bldg. 1632
Bldg. 1633
Bldg. 1634
Bldg. 1635
Bldg. 1636
Bldg. 1637
Bldg. 1638
Bldg. 1639
Bldg. 1640
Bldg. 1641
Bldg. 1642
Bldg. 1643
Bldg. 1644
Bldg. 1645
Bldg. 1646
Bldg. 1647
Bldg. 1648
Bldg. 1649
Bldg. 1650
Bldg. 1651
Bldg. 1652
Bldg. 1653
Bldg. 1654
Bldg. 1655
Bldg. 1656
Bldg. 1657
Bldg. 1658
Bldg. 1659
Bldg. 1660
Bldg. 1661
Bldg. 1662
Bldg. 1663
Bldg. 1664
Bldg. 1665
Bldg. 1666
Bldg. 1667
Bldg. 1668
Bldg. 1669
Bldg. 1670
Bldg. 1671
Bldg. 1672
Bldg. 1673
Bldg. 1674
Bldg. 1675
Bldg. 1676
Bldg. 1677
Bldg. 1678
Bldg. 1679
Bldg. 1680
Bldg. 1681
Bldg. 1682
Bldg. 1683
Bldg. 1684
Bldg. 1685
Bldg. 1686
Bldg. 1687
Bldg. 1688
Bldg. 1689
Bldg. 1690
Bldg. 1691
Bldg. 1692
Bldg. 1693
Bldg. 1694
Bldg. 1695
Bldg. 1696
Bldg. 1697
Bldg. 1698
Bldg. 1699
Bldg. 1700
Bldg. 1701
Bldg. 1702
Bldg. 1703
Bldg. 1704
Bldg. 1705
Bldg. 1706
Bldg. 1707
Bldg. 1708
Bldg. 1709
Bldg. 1710
Bldg. 1711
Bldg. 1712
Bldg. 1713
Bldg. 1714
Bldg. 1715
Bldg. 1716
Bldg. 1717
Bldg. 1718
Bldg. 1719
Bldg. 1720
Bldg. 1721
Bldg. 1722
Bldg. 1723
Bldg. 1724
Bldg. 1725
Bldg. 1726
Bldg. 1727
Bldg. 1728
Bldg. 1729
Bldg. 1730
Bldg. 1731
Bldg. 1732
Bldg. 1733
Bldg. 1734
Bldg. 1735
Bldg. 1736
Bldg. 1737
Bldg. 1738
Bldg. 1739
Bldg. 1740
Bldg. 1741
Bldg. 1742
Bldg. 1743
Bldg. 1744
Bldg. 1745
Bldg. 1746
Bldg. 1747
Bldg. 1748
Bldg. 1749
Bldg. 1750
Bldg. 1751
Bldg. 1752
Bldg. 1753
Bldg. 1754
Bldg. 1755
Bldg. 1756
Bldg. 1757
Bldg. 1758
Bldg. 1759
Bldg. 1760
Bldg. 1761
Bldg. 1762
Bldg. 1763
Bldg. 1764
Bldg. 1765
Bldg. 1766
Bldg. 1767
Bldg. 1768
Bldg. 1769
Bldg. 1770
Bldg. 1771
Bldg. 1772
Bldg. 1773
Bldg. 1774
Bldg. 1775
Bldg. 1776
Bldg. 1777
Bldg. 1778
Bldg. 1779
Bldg. 1780
Bldg. 1781
Bldg. 1782
Bldg. 1783
Bldg. 1784
Bldg. 1785
Bldg. 1786
Bldg. 1787
Bldg. 1788
Bldg. 1789
Bldg. 1790
Bldg. 1791
Bldg. 1792
Bldg. 1793
Bldg. 1794
Bldg. 1795
Bldg. 1796
Bldg. 1797
Bldg. 1798
Bldg. 1799
Bldg. 1800
Bldg. 1801
Bldg. 1802
Bldg. 1803
Bldg. 1804
Bldg. 1805
Bldg. 1806
Bldg. 1807
Bldg. 1808
Bldg. 1809
Bldg. 1810
Bldg. 1811
Bldg. 1812
Bldg. 1813
Bldg. 1814
Bldg. 1815
Bldg. 1816
Bldg. 1817
Bldg. 1818
Bldg. 1819
Bldg. 1820
Bldg. 1821
Bldg. 1822
Bldg. 1823
Bldg. 1824
Bldg. 1825
Bldg. 1826
Bldg. 1827
Bldg. 1828
Bldg. 1829
Bldg. 1830
Bldg. 1831
Bldg. 1832
Bldg. 1833
Bldg. 1834
Bldg. 1835
Bldg. 1836
Bldg. 1837
Bldg. 1838
Bldg. 1839
Bldg. 1840
Bldg. 1841
Bldg. 1842
Bldg. 1843
Bldg. 1844
Bldg. 1845
Bldg. 1846
Bldg. 1847
Bldg. 1848
Bldg. 1849
Bldg. 1850
Bldg. 1851
Bldg. 1852
Bldg. 1853
Bldg. 1854
Bldg. 1855
Bldg. 1856
Bldg. 1857
Bldg. 1858
Bldg. 1859
Bldg. 1860
Bldg. 1861
Bldg. 1862
Bldg. 1863
Bldg. 1864
Bldg. 1865
Bldg. 1866
Bldg. 1867
Bldg. 1868
Bldg. 1869
Bldg. 1870
Bldg. 1871
Bldg. 1872
Bldg. 1873
Bldg. 1874
Bldg. 1875
Bldg. 1876
Bldg. 1877
Bldg. 1878
Bldg. 1879
Bldg. 1880
Bldg. 1881
Bldg. 1882
Bldg. 1883
Bldg. 1884
Bldg


MAG BEARINGS
DWNSTR.
STA 250°
8.5'
45'
1' WIDE CONCRETE CURB
11.5'
30' SLOPE
RUN-OFF
MAIN FLOW
UPSTR.
DAM COMPOSED OF STEEL PILINGS



29

SECTION #50 BATTLE CREEK RIVER AT UNION



SEC #50 - TOP VIEW UNION ST BRIDGE

HOD 2021-07
4601-59

Bridge Location: UNION ST.

Bridge Losses - SB Card

REFERENCE

1. XK (Pier Shape Coefficient) 0.090 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = 917 WP = 289

$R = A/wp$ 917/289 $R^{4/3} = 4.66$ $L = 50$


n (composite) =

$K_f = 29.1 \times (0.025)^2 \times 50 / 4.66 = 0.20$

K_c = 0.5 (WINGWALL 10 TO 25° TO BARREL) — Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 Pg. 43

K_p = 0 if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



AREA TOTAL = $(9.6 \times 26.5 \times 4) - [5.6(3.5)3] = 917\ FT^2$

2. XKOR = 1 + 0.20 + 0.5 + 0.05 = 1.75

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual

4. RDLEN = Length of weir = 0. (0 if read off BT cards)

5. BWC = bottom width of bridge opening (inc. piers) = 116.5

6. [illegible] width of obstruction = 10.5 — field data

7. [illegible] = bridge opening ~~inc. piers~~ = 1125.

8. SS = side slope = 0.
(horizontal per 1 vertical unit)


9. LCHU = Elevation of channel invert U/S side = 813.9
(0 if equal to minimum elevation in previous X-sect.)

10. LCHD = Elevation of channel invert D/S side = 813.9
(0 if equal to minimum elevation in previous X-sect.)


SUBJECT	BY	CHK.	SHEET NO.	File Code No. (Job No.) Owner Project Suffix
UNION ST, BATTLE CREEK CITY	DRB		42 OF 59	HUD 2021 07
	DATE 10/80	DATE		


[redacted] CROSS SECTION OF UNION ST. [redacted] BRIDGE [redacted] & [redacted] RIVER

L&R OFFSET FROM ℄ BRIDGE FACING DOWNSTR.




HDD 2021-03
48 of 59


MAG. BEAR.
USGS DATUM
E. @ S49°E
U88°E
DUKE
DWLLSTR.
13 @ N31°E
8' WLK
BRIDGE
U88°E
3.5'
49.4'
E. UNION ST.
N8°W
26.5' (TYP)
8' WLK
S.@ S30°E
S.@ S3.5°E
RIVER
2.5' W/WALLS
11 @ N16°E
UPSTR.




SEC. "E 6- TOP VIEW EMMETT ST BRIDGE @ BATTLE CREEK RIVER





SECTION #5 BATTLE CREEK RIVER AT EMMETT

Cross Section #5 Emmett St At Battle Creek

L&R. Offsets From ℄ Tsr. Facing Dwn Sta.




CROSS SECTION #56 EMMETT ST AT BATTLE CREEK DR
MAG. BEARINGS
3' WIDEWLK
85' @ N66°W
77' WLK
4' PLANTER
DWAY
N66°W
4' WIDE WLK
16' @ N23°E
1'
6'
10'
50'
53'
53'
EMMETT
N76°E
0.5' WIDE WALL
0.5' WIDE WALK
DWLSTR
4' WIDE WLK
16' @ S38°W
2' WIDE WLK
16' @ S38°W
16' @ S38°W
DWAY
S14°E
50'
1'
1'




31


SECTION #57 BATTLE CREEK RIVER AT VARONA DAM

(

RIGHT

Cross-Sec. #57 Varoja Dam




MAC Reeves
Court Drive
Court Square
Court Square
Court Drive
Court Square
Court Square
Court Square

Wade, Trim & Associates, Inc.
Civil Engineers • Land Surveyors


WORK SHEET

25185 GODDARD ROAD
TAYLOR, MICHIGAN 48180


REFERENCE

BATTLE CREEK RIVER
PENNFIELD TOWNSHIP
BRIDGE NOTES + SKETCHES

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No.) Owner Project Suffix
B.C. - PENNFIELD TWP	DRB		56 OF 59	HUD • 2029 • 07
	DATE 10-80	DATE		



SEC #215 - TOP VIEW MCALLISTER ST AND BATTLE CREEK RIVER (UPSTREAM)



32

SEC #215 BATTLE CREEK RIVER AT MCALLISTER I.D.

Bridge Location: McALLISTER ROAD STA 215

REFERENCE

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) 0.9 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, $\Sigma k = k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1 n^2 L / R^{4/3}$ for English units

Area = = 700 Wp = 233

$R = A/wp = 3.0$ $R^{4/3} = 4.33$ $L = 37$

n (composite) = .035(102.5/233) + 0.017(130/233)


$K_f = 29.1 \times (0.025)^2 \times 37 / 4.33 = 0.16$

$K_c = 0.7$ (WINGWALLS PARALLEL)

Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45


$K_p = 0$ if bridge has no intermediate piers

✓ $K_p = 0.05$ if bridge has intermediate piers — HEC-2 manual



2. XKOE = 1 + 0.16 + 0.7 + 0.05 = 1.91
3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual
4. RDLEN = Length of weir = 0. (0 if read off BT cards)
5. BWC = Bottom width of bridge opening (inc. piers): 105.
   [illegible] width of obstruction: 2.
   [illegible] bridge opening ~~inc. piers~~ = 700. — field data
8. SS = side slope = 0.
   (horizontal per 1 vertical unit)
9. ELCHU = Elevation of channel invert U/S side = 824.
   (0 if equal to minimum elevation in previous X-sect.)
10. ELCHD = Elevation of channel invert D/S side = 824.
    (0 if equal to minimum elevation in previous X-sect.)

SUBJECT	BY	CHK.	SHEET NO.	File Code No (Job No) Project Owner Suffix
BATTLE CREEK - PENNFIELD TWP	DRP		58 OF 59	HUD • 2029 • CS
	DATE 5/80	DATE		


MAG. BEAR.
DOWNSTR.
52.5'
52.5'
& McALISTER
DUE N.
2'
37'
S 60° E
ALLWLW'S
2.3' WIDE - 16' LONG
UPSTR.
DOWNSTR. END FACING UPSTR.
833.4
2.40' CONC & ST. I-BEAM
930.3
52.5' L
25.5' S.L & L OPENING
11'
12'
OPENING
25.75' E.R. OPENING
52.5' R.
825.6
823.
823.
820.9
825.8
U/S
826
823.
824.6
823.2
824.5
D/S

BATTLE CREEK RIVER
CITY OF BATTLE CREEK
AND
PENNFIELD TOWNSHIP

EXHIBIT 5

Documented High Water Data
and
Verona Dam Rating Curve

UNION Q=3590 ≈60YR-TOTAL

UNION ST. 1975 HIGH WATER ELEVATION

4-20-75		
12:40 P.M.	13.40'	823.070

See Eng. Notes

10:25 P.M.	14.60'	824.270
11:15 P.M.	14.65'	824.320
4-21-75		
12:07 A.M.	14.70'	824.370
1:00 " "	14.75'	824.420
4:20 " "	14.95'	824.620
6:15 " "	15.00'	824.670
7:45 " "	15.00'	824.670
10:15 " "	15.10'	(Crest) 824.770
Crest	15.00'	824.670

See Eng. Notes

4-22-75		
12:15 P.M.	13.85'	823.520
3:30 " "	13.70'	823.370
4:10 " "	13.60'	823.270
6:10 " "	13.50'	823.170
8:10 " "	13.40'	823.070
10:10 " "	13.20'	822.870
4-23-75		
12:15 A.M.	13.05'	822.720
2:00 A.M.	12.95'	822.620


THIS FLOOD RECORDED THE HIGHEST KNOWN HIGH WATER ON THE BATTLE CREEK WITHIN THE CITY OF BATTLE CREEK. THE B.C. WILL PEAK ≈ 12 TO 16 HR AFTER IT PEAKS @ BELLEVUE

HUD 2021-07
SHEET 1-4

UNION

4-23-75		
4:15 A.M.	12.85'	822.520
6:10 " "	12.65'	822.320
7:00 " "	12.60'	822.270
9:00 " "	12.40'	822.070
12:30 P.M.	12.25'	821.920
3:30 " "	12.10'	821.770
4:15 " "	12.05'	821.720
6:15 " "	11.95'	821.620
8:15 " "	11.80'	821.470
10:15 " "	11.75'	821.420
4-24-75		
12:18 A.M.	11.65'	821.320
2:00 " "	11.50'	821.170
4:00 " "	11.45'	821.120
6:15 " "	11.40'	821.070
6:45 " "	11.40'	821.070
1:00 P.M.	11.10'	820.770
4:10 P.M.	10.95'	820.620
4-25-75		
1:00 A.M.	10.65'	820.320
10:10 P.M.	10.50'	820.170
1:15 P.M.	10.40'	820.070
5:12 P.M.	10.30'	819.970
4-26-75		
12:05 A.M.	10.20'	819.870
8:21 A.M.	9.90'	819.570
5:43 P.M.	9.72'	819.390
4-27-75		
12:10 A.M.	9.60'	819.270
9.25 A.M.	9.40'	819.070
4.53 P.M.	9.35'	819.020
4-28-75		
1:15 A.M.	9.20'	818.870

HUD 2021-07
SHEET 2 OF 4


VERONA DRAINAGE CURVE
CITY OF BATTLE CREEK
BATTLE CREEK RIVER
HUD 2021-C
DRB 10/80
REFERENCE 7
CUMULATIVE PERCENTAGE OF DRAINAGE AREA
0
1000
2000
3000
4000
5000
6000
7000
DISCHARGE CFS

SHEET 3 OF 4

04105000 Battle Creek at Battle Creek, Mich.

LOCATION.--Lat 42°19'55", long 85°09'15", in NW¼ sec.5, T.2 S., R.7 W., Calhoun County, on right bank 350 ft (107 m) upstream from Errett Street Bridge at Battle Creek, and 3.0 mi (4.8 km) upstream from mouth.

DRAINAGE AREA.--241 mi² (624 km²).

PERIOD OF RECORD.--October 1930 to September 1931, October 1932 to July 1933, January 1934 to current year. Monthly discharge only for some periods, published in WSP 1307.

GAGE.--Water-stage recorder. Datum of gage is 823.24 ft (250.924 m) above mean sea level (levels by Michigan Department of Natural Resources). Prior to May 14, 1951, nonrecording gage, at same site and datum.

AVERAGE DISCHARGE.--41 years (1930-31, 1934-74) 195 ft³/s (5.522 m³/s), 10.99 in/yr (279 mm/yr).

EXTREMES.--Current year: Maximum discharge, 1,940 ft³/s (54.9 m³/s) Mar. 10 (gage height, 3.05 ft or 0.930 m); minimum, 60 ft³/s (1.70 m³/s) Sept. 27; minimum gage height, 0.64 ft (0.195 m) Aug. 26, 27, Sept. 1, 2.
Period of record: Maximum discharge, 3,640 ft³/s (103 m³/s) Apr. 7, 1947 (gage height, 4.48 ft or 1.366 m, from floodmark); minimum, 22 ft³/s (0.62 m³/s) Aug. 14, 1934; minimum gage height, about -0.5 ft (-.152 m) in July 1936 and on Aug. 31, 1939, due to opening of gates at dam forming control.

REMARKS.--Records good except those for the winter period and those for period of no gage-height record, which are fair. Occasional slight regulation prior to November 1943.

REVISION (WATER YEARS).--WSP 1387: 1931, 1944. WSP 1507: 1956.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	216	156	483	505	700	712	795	280	289	131	81	65
2	234	172	514	500	576	766	976	270	278	124	87	68
3	234	184	472	460	568	829	986	270	252	120	98	75
4	220	192	431	370	528	892	1,060	260	232	121	92	72
5	192	194	408	300	415	1,030	1,050	250	213	123	93	72
6	171	191	404	270	370	1,190	1,080	250	198	123	86	72
7	159	184	399	250	330	1,300	976	250	198	121	80	72
8	151	175	398	240	310	1,300	884	250	218	115	80	66
9	144	165	381	230	294	1,290	852	260	223	108	96	66
10	138	158	356	220	294	1,770	828	270	257	104	101	66
11	132	151	329	210	289	1,830	736	280	289	102	97	66
12	127	146	296	200	284	1,510	643	300	305	100	97	67
13	138	142	257	200	273	1,220	598	320	289	96	91	69
14	165	138	212	200	257	1,030	550	340	268	93	87	81
15	185	164	237	200	247	867	500	360	242	90	84	81
16	200	195	234	200	242	759	480	450	223	87	89	78
17	211	216	202	200	228	690	450	550	210	82	97	78
18	208	250	183	210	223	638	428	650	200	78	99	75
19	190	292	165	230	237	618	400	780	192	78	93	71
20	169	307	154	300	257	584	390	820	197	77	89	69
21	154	294	159	450	316	550	370	650	216	75	82	68
22	144	269	159	700	360	509	350	600	250	77	77	68
23	137	251	161	1,100	520	485	330	500	290	82	74	68
24	132	259	168	1,200	721	452	320	440	287	84	72	68
25	126	268	202	1,100	1,140	392	310	400	249	81	71	69
26	124	281	249	1,000	991	399	290	350	209	84	78	69
27	122	303	317	950	775	371	280	310	181	95	71	68
28	120	344	474	950	739	352	280	290	164	84	74	78
29	126	373	803	950	------	345	280	290	151	86	75	83
30	133	403	909	900	------	391	280	294	140	85	74	82
31	142	------	835	800	------	500	------	294	------	84	70	------
TOTAL	5,044	6,817	10,951	15,595	12,484	25,571	17,744	11,878	6,910	2,990	2,619	2,142
MEAN	163	227	353	503	446	825	591	383	230	96.5	84.5	72.1
MAX	234	403	909	1,200	1,140	1,830	1,080	820	305	131	101	82
MIN	120	138	154	200	223	345	280	250	140	75	70	65
CFSM	.68	.94	1.46	2.09	1.85	3.42	2.45	1.59	.95	.40	.35	.30
IN.	.78	1.05	1.69	2.41	1.93	3.95	2.74	1.83	1.07	.46	.40	.33

CAL YR 1973 TOTAL 117,810 MEAN 323 MAX 1,500 MIN 53 CFSM 1.34 IN 18.18
WTR YR 1974 TOTAL 120,765 MEAN 331 MAX 1,830 MIN 65 CFSM 1.37 IN 18.64

NOTE.--No gage-height record Apr. 14 to May 29.

REFERENCE 7
EXHIBIT 5
SHEET 4 OF 4
HUD 2021-07

BATTLE CREEK RIVER


CITY OF BATTLE CREEK

AND


PENNFIELD TOWNSHIP

EXHIBIT 6

Kalamazoo River Mean Flood Elevation


MEAN ANNUAL FLOW
KALAMAZOO RIVER
AT BATTLE CREEK
GAGE LOCATED U/S
KENDALL ST.
DRB 5/80
FREQUENCY, YEARS
2.33 YEARS
MEAN ANNUAL
2700 CFS
0
2000
4000
6000
8000
10000
12000
100
10
1
46 5506

SHEET 1 OF 2



SHEET 2 of 2
EXHIBIT 7

BATTLE CREEK RIVER

CITY OF BATTLE CREEK

AND


PENNFIELD TOWNSHIP


EXHIBIT 7

Divided Flow Analysis

INDEX

Page 1	Location Map showing cross section locations.
Page 2	Rating curve resulting from HEC-2 backwater analysis.
Page 3	Flood elevations with and without diversion.
Pages 4 - 7	Battle Creek River, HEC-2 input and output for flood elevation with and without diversion.
Pages 8 - 9	Battle Creek River, HEC-2 output for rating curve.
Pages 10 - 12	Diversion Channel, HEC-2 input and output for rating curve.


FLOODWAY
100 YR
Pennfield Sch
843
214.9
213
215
212
211
210
BATTLE CREEK
RIVER DIVERSION
100 YR FLOODWAY
FLOOD BOUNDARY MAP
FIGURE 1
HUD 2029-07
L
D
DR610/80
SHEET 1 OF 12


BATTLE CREEK RIVER
PENNFIELD TOWNSHIP
DIVERSION ANALYSIS
HUD 2029-07
10/80 DR3
FIGURE 2
ELEVATION, N.G.V.D
836
835
834
833
832
831
830
0
100
200
300
2000
3000
4000
DISCHAGE, CFS
DIVERSION CHANNEL
Q = 170 CFS.
X-SECTION 6
BATTLE CREEK RIVER
X-SECTION 213
Q = 2900
TOTAL RATING
CURVE
100 YR.
Q = 3070 CFS

SHEET 2 of 12.

REFERENCE

TABLE 1
BATTLE CREEK RIVER
PENNFIELD TOWNSHIP
HUD 2029-07

HEC-2 X-SECTION	100 YR FLOOD ELEVATION		DIFF.
	WITHOUT DIVERSION	WITH DIVERSION	
210 (AP)	830.67	830.67	-0.00
211 (AQ)	830.94	830.93	-0.01
212 (AR)	831.26	831.23	-0.03
213 (AS)	831.84	831.76	-0.08
214.9 (AT)	832.15	832.06	-0.09
215 (AU)	832.55	832.46	-0.09

BATTLE CREEK RIVER
FLOOD ELEVATION WITH AND
WITHOUT DIVERSION

FLOOD INSURANCE STUDY
DIVERSION ANALYSES
RIVER

J	ICHECK	INQ	NINV	IDIR	STRT	METRIC	ITINS	Q	WSEL	FQ
			0.	0.	0.000000	0.00	0.0	0.	630.670	0.000

J	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	A	OC	IBW	CHNIM	XTRAC
	1.000	0.000	-1.000	0.000	0.000	0.000		0.000	0.000	0.000	0.000

J CODES FOR SUMMARY PRINTOUT

0.	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

J	LPRNT	NUMSEC	********REQUESTED SECTION NUMBERS********							
		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	0.000	0.040	0.100	0.300	0.000	0.000	0.000	0.000	0.000	0.000
	3910.000	3910.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

1	210.000	23.000	2415.000	2505.000	1400.000		0.000	1450.000	0.000	0.000	0.000
		454.000	838.200	699.000	835.300		0.000	835.410	980.000	836.000	1271.000
3		30.	14.000	833.300	1454.000	832.400	1	18.000	824.910	1652.000	824.100	1923.000
4		0.000	0.000	825.600	2413.000	825.500	2	5.000	821.510	2455.000	821.500	2470.000
5		20.000	2435.000	823.300	2505.000	825.800	2	4.000	825.800	2623.000	826.600	2353.000
6		0.000	2914.000	835.200	2930.000	839.000	2	4.000	0.000	0.000	0.000	0.000
9		2.000	2918.000	3740.000	0.000	0.000		0.000	0.000	0.000	0.000	0.000

X			2513.000	2595.000	1200.000	1	00.000	2675.000	0.000	0.000	0.000
5		24.000	838.500	2310.000	837.900	2	0.000	835.630	2492.000	833.300	2505.000
6		0.000	815.000	819.700	2340.000	819.200	2	5.000	822.630	2545.000	833.800	2515.000
7		15.000	2511.000	825.000	2612.000	825.300	2	56.000	825.200	3010.000	826.600	2364.000
8				833.300	2626.000	0.000		0.000	0.000	0.000	0.000	0.000

			3495.000	3549.000	900.000	2	00.000	2400.000	0.000	0.000	0.000
31		34.000	827.000	2306.000	826.200	2	2.000	826.610	2910.000	826.000	2 0.000
32		3491.000	823.600	3495.000	825.200	3	2.000	821.610	3562.000	826.000	3562.000
				2657.000		3		840.300	3701.		
				0.000	0.000		0.000	0.000	0.000	0.	0.
47			2900.000	0.000	0.000		0.000	0.000	0.000	0.	0.

1		10.000	2640.000	2734.000	2600.000	4	00.000	4100.000	0.000	0.	0.
		824.000	827.000	2.000	2.000	2	00.000	830.500	2		
	0.000	3491.000	823.000	2.000	2.000	2	22.000	3.000	27		
				2.000			0.000	1.000	0.		
			2.000	0.000	0.000		0.000	0.000	0.		0.

SHEET 4 OF 12

| | | |

[redacted]

[redacted] 1977

[redacted]

[redacted]

NOTE: (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST.

[redacted] RIVER

SUMMARY PRINTOUT TABLE 150

RIVER	XLOC	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10 *S	VCH	AREA	[illegible]
210.000	1450.00	0.00	0.00	821.70	3910.00	830.67	0.00	830.69	.32	1.80	6712.93	3407.38
210.000	1450.00	0.00	0.00	821.70	3910.00	830.67	0.00	830.69	.32	1.80	6712.93	3407.38
211.000	2475.00	0.00	0.00	819.20	3910.00	830.94	0.00	830.98	.00	2.33	4846.87	[illegible]
211.000	2475.00	0.00	0.00	819.20	3740.00	830.93	0.00	830.97	.84	2.23	4833.77	[illegible]
212.000	2400.00	0.00	0.00	821.60	3910.00	831.26	0.00	831.28	1.14	1.61	6210.47	3660.75
212.000	2400.00	0.00	0.00	821.60	3740.00	831.23	0.00	831.25	1.06	1.55	6181.24	3634.39
[illegible]	4150.00	0.00	0.00	821.90	3070.00	831.84	0.00	831.93	3.54	2.88	2350.93	[illegible]
[illegible]	150.00	0.00	0.00	821.90	2900.00	831.76	0.00	831.85	3.29	2.76	2312.77	[illegible]
214.900	800.00	0.00	0.00	822.00	3070.00	832.15	0.00	832.33	5.79	3.44	892.11	1275.1
214.900	800.00	0.00	0.00	822.00	3070.00	832.06	0.00	832.25	5.98	3.48	882.81	1254.24
[illegible]	37.00	833.40	830.80	822.00	3070.00	832.55	0.00	832.72	5.00	3.29	934.40	[illegible]
[illegible]	37.00	833.40	830.80	822.00	3070.00	832.46	0.00	832.63	5.17	3.32	924.74	[illegible]
215.100	100.00	0.00	0.00	822.40	3070.00	832.66	0.00	832.78	5.58	3.07	1712.72	1624.55
215.100	100.00	0.00	0.00	822.40	3070.00	832.57	0.00	832.69	5.73	3.11	1685.62	1598.47

Sheet 6 of 12

[illegible]	3	910.00	[illegible]	0.01	0.00	0.00	1	89.17	1450.00	
[illegible]	0	910.00	[illegible]	0.01	0.00	0.00	1	89.17	1450.00	
[illegible]	0	910.00	[illegible]	0.01	0.27	0.00		73.48	2675.00	
[illegible]	0	740.00	830.93	0.00	0.26	0.00		73.44	2675.00	
212.[illegible]	0	910.00	831.26	0.00	0.32	0.00	1	82.54	2400.00	
212.[illegible]	0	740.00	831.23	0.01	0.30	0.00	1	82.35	2400.00	
213.[illegible]	0	070.00	831.84	0.01	0.58	0.00		96.00	4100.00	
213.[illegible]	0	900.00	831.76	0.01	0.54	0.00		96.00	4100.00	
214.[illegible]	0	070.00	832.1[illegible]	0.01	0.31	0.00		04.97	800.00	
214.[illegible]	0	020.00	832.0[illegible]	0.01	0.30	0.00		04.97	800.00	
215.[illegible]	0	070.00	832.55	0.00	0.40	0.00		04.98	37.00	
215.[illegible]	0	020.00	832.46	0.00	0.40	0.00		04.98	37.00	
215.1	0	070.00	832.66	0.00	0.10	0.00		00.00	100.00	
215.1	0	070.00	832.57	0.01	0.11	0.00		00.00	100.00	

SUMMARY OF ERRORS

Sheet Nr. 12

BATTLE CREEK RIVER
RATING CURVE @
X-SECTION 213

T HI ( ) A FFT OF ROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

BATTLE CREEK RIVER

SUMMARY PRINTOUT TABLE 150

E	O	XLCH	ELTRD	ELLC	LMIN	Q	CWSEL	CRIWS	EG	TOKOS	VCH	APLH	L X
210	00	1450.00	0.0	0.0	20.70	3910.00	830.67	0.00	830.69	1.32	1.80	6712.93	340 .3
210	00	1450.00	0.0	0.0	20.70	3910.00	830.67	0.00	830.69	1.32	1.80	6712.93	340 .3
210	00	1450.00	0.0	0.0	20.70	3910.00	830.67	0.00	830.69	1.32	1.80	6712.93	340 .3
210	00	1450.00	0.0	0.0	20.70	3910.00	830.67	0.00	830.69	1.32	1.80	6712.93	340 .3
211	00	2675.00	0.0	0.0	19.20	3000.00	830.89	0.00	830.91	1.21	1.80	4812.95	272 .3
211	00	2675.00	0.0	0.0	19.20	3300.00	830.91	0.00	830.94	1.46	1.98	4811.05	273 .3
211	00	2675.00	0.0	0.0	19.20	3600.00	830.92	0.00	830.96	1.71	2.15	4851.95	275 .3
211	00	2675.00	0.0	0.0	19.20	3910.00	830.94	0.00	830.98	2.00	2.35	4876.87	277 .3
212	00	2400.00	0.0	0.0	21.60	3000.00	831.09	0.00	831.11	0.73	1.20	6026.32	351 .3
212	00	2400.00	0.0	0.0	21.60	3300.00	831.15	0.00	831.16	0.86	1.39	6063.14	353 .3
212	00	2400.00	0.0	0.0	21.60	3600.00	831.20	0.00	831.22	0.99	1.50	6158.17	361 .3
212	00	2400.00	0.0	0.0	21.60	3910.00	831.26	0.00	831.28	1.14	1.61	6210.42	366 .3
213	00	4100.00	0.0	0.0	21.90	2100.00	831.45	0.00	831.50	2.05	2.12	2176.53	146 .3
213	00	4100.00	0.0	0.0	21.90	2400.00	831.57	0.00	831.63	2.50	2.37	2270.71	151 .3
213	00	4100.00	0.0	0.0	21.90	2700.00	831.69	0.00	831.77	2.96	2.60	2279.71	157 .3
213	00	4100.00	0.0	0.0	21.90	3070.00	831.84	0.00	831.93	3.54	2.88	2350.92	163 .3
214	00	800.00	0.0	0.0	22.00	3070.00	831.68	0.00	831.80	6.93	3.84	892.12	127 .3
214	00	800.00	0.0	0.0	22.00	3070.00	831.82	0.00	832.02	6.54	3.58	892.12	127 .3
214	00	800.00	0.0	0.0	22.00	3070.00	831.97	0.00	832.16	6.18	3.51	892.12	127 .3
214	00	800.00	0.0	0.0	22.00	3070.00	832.15	0.00	832.33	5.79	3.44	892.12	127 .3

SHEET 8 of 12

[redacted]

	0	0	3210	00	830.67	0.00	0.00	0.00	1	89.17	1450.00
	0	0	3210	00	830.67	0.00	0.00	0.00	1	89.17	1450.00
	0	0	3210	00	830.67	0.00	0.00	0.00	1	89.17	1450.00
	0	0	3210	00	830.67	0.00	0.00	0.00	1	89.17	1450.00
	211.0	0	3500	00	830.89	0.00	0.22	0.00		73.23	2675.00
	211.0	0	3500	00	830.91	0.00	0.24	0.00		73.27	2675.00
	211.0	0	3500	00	830.92	0.00	0.25	0.00		73.40	2675.00
	0	0	3210	00	830.94	0.00	0.27	0.00		73.48	2675.00
	212.0	0	3500	00	831.09	0.00	0.20	0.00	1	81.32	2400.00
	212.0	0	3500	00	831.15	0.00	0.24	0.00	1	81.73	2400.00
	212.0	0	3500	00	831.20	0.00	0.28	0.00	1	82.21	2400.00
	212.0	0	3210	00	831.26	0.00	0.32	0.00	1	82.54	2400.00
	0	0	2700	00	831.45	0.00	0.35	0.00		96.00	4100.00
	0	0	2700	00	831.57	0.00	0.42	0.00		96.00	4100.00
	213.0	0	2700	00	831.69	0.00	0.49	0.00		96.00	4100.00
	213.0	0	3170	00	831.84	0.00	0.58	0.00		96.00	4100.00
	214.9	0	3170	00	831.68	0.00	0.23	0.00		04.95	800.00
	214.9	0	3170	00	831.82	0.00	0.26	0.00		04.96	800.00
	214.9	0	3170	00	831.97	0.00	0.28	0.00		04.96	800.00
	214.9	0	3170	00	832.15	0.00	0.31	0.00		04.97	800.00

SHEET 90=12

DIVERSION CHANNEL
RATING CURVE @
X-SECTION 6

	VINV	IDIR	STRT	METRIC	VINS	Q	WSEL	FQ	
	J.	0.	0.000000	0.00	0.0	0.	30.810	0.000	
	PREVS	XSECV	XSECH	FN	LOC	IBW	CHNIM	ITRACE	
1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	
FOR SUMMARY PRINTOUT									
1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
5 LPRNT	NUMSEC	********REQUESTED SECTION NUMBERS********							
	-10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
0.100	0.150	0.100	0.100	0.300	0.000	0.000	0.000	0.000	0.000
0.100	30.000	100.000	200.000	300.000	0.000	0.000	0.000	0.000	0.000
0.100	0.120	0.100	0.100	0.300	0.000	0.000	0.000	0.000	0.000
1.000	4.000	1.000	250.000	0.000	0.000	0.000	0.000	0.000	0.000
0.100	0.000	825.500	1.000	825.500	250.000	835.000	251.000	0.000	0.000
0.100	0.150	40.000	10.000	80.000	0.150	110.000	10.000	150.000	0.150
1.000	1.000	220.000	0.150	251.000	0.000	0.00	0.000	0.000	0.000
0.100	80.000	110.000	250.000	0.000	250.00	0.000	0.000	0.000	0.000
0.100	0.000	829.000	1.000	829.000	40.000	829.00	80.000	829.000	110.000
0.100	151.000	829.000	180.000	829.000	20.000	829.00	250.000	835.000	251.000
0.100	0.150	0.100	0.100	0.300	0.000	0.000	0.000	0.000	0.000
0.100	4.000	1.000	250.000	950.000	250.000	950.00	0.000	0.000	0.000
0.100	0.000	829.000	1.000	828.700	250.000	835.00	251.000	0.000	0.000
4.000	4.000	1.000	151.000	550.000	250.000	550.000	0.000	0.000	0.000
835.000	0.000	830.000	1.000	829.500	50.000	835.000	151.000	0.000	0.000
0.100	4.000	1.000	250.000	800.000	800.000	800.00	0.000	0.000	0.000
0.000	0.000	827.600	1.000	827.600	250.000	835.00	251.000	0.000	0.000
		1.000	250.000	600.000	600.000	600.000	0.000	0.000	0.000
		829.000	1.000	829.000	250.000	835.000	251.000	0.000	0.000
		170.000	3070.000	3070.000	170.000	0.000	0.000	0.000	0.000
1.900	12.000	1.000	106.000	200.000	200.000	210.000	0.000	0.000	0.000
0.000	833.400	1.000	825.800	1.100	813.00	27.000	823.800	3.000	
	823.900	53.900	823.800	54.000	812.00	80.000	825.000	0.000	
	835.000	106.100	0.000	0.000	0.00	0.000	0.000	0.000	
	0.000	0.000	0.000	0.000	0.00	0.000	0.000	0.000	

SHEET 10 of 12

UPDATED FEB 1977

(*) RISE (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

EASTILL CREEK RIVER

SUMMARY PRINTOUT TABLE 150

	LOB	ELTRD	ELLOC	ELMIN	Q	CWSEL	CRIWS	EG	TOPWS	VCH	AREA	
1.000	0.00	0.00	0.00	825.50	50.00	830.81	0.00	830 81	0 01	0.04	1325.	
1.000	0.00	0.00	0.00	825.50	100.00	830.81	0.00	830 81	0.04	0.08	1325.	
[illegible]	0.00	0.00	0.00	825.50	200.00	830.81	0.00	830 81	0.16	0.15	1325.	
[illegible]	0.00	0.00	0.00	825.50	300.00	830.81	0.00	830 81	0.36	0.23	1325.	6
2.000	250.00	0.00	0.00	829.00	50.00	830.81	0.00	830 81	2 06	0.21	451.3	54.
2.000	250.00	0.00	0.00	829.00	100.00	830.81	0.00	830 81	8.22	0.42	451.4	34.
2.000	250.00	0.00	0.00	829.00	200.00	830.82	0.00	830 83	32.70	0.84	452.2	34.0
[illegible]	250.00	0.00	0.00	829.00	300.00	830.84	0.00	830 85	71.01	1.25	455.5	[illegible]
[illegible]	950.00	0.00	0.00	828.70	50.00	830.88	0.00	830 88	0.39	0.10	506.	[illegible]
3.000	950.00	0.00	0.00	828.70	100.00	831.05	0.00	831 05	1.19	0.18	548.	[illegible]
3.000	950.00	0.00	0.00	828.70	200.00	831.45	0.00	831 45	2.71	0.31	648.	[illegible]
3.000	950.00	0.00	0.00	828.70	300.00	831.82	0.00	831 82	5.90	0.40	742.	[illegible]
[illegible]	550.00	0.00	0.00	827.50	50.00	830.94	0.00	830 94	6.43	0.20	177.	[illegible]
[illegible]	550.00	0.00	0.00	827.50	100.00	831.20	0.00	831 21	13.35	0.44	216.	[illegible]
[illegible]	550.00	0.00	0.00	827.50	200.00	831.75	0.00	831 76	31.50	0.67	295.	[illegible]
[illegible]	550.00	0.00	0.00	827.50	300.00	832.23	0.00	832 24	61.41	0.81	370.	[illegible]
[illegible]	[illegible]	0.00	0.00	827.60	50.00	830.96	0.00	830.96	[illegible]	0.06	837.	[illegible]
[illegible]	[illegible]	0.00	0.00	827.60	100.00	831.26	0.00	831.26	[illegible]	0.11	913.	[illegible]
[illegible]	[illegible]	0.00	0.00	827.60	200.00	831.88	0.00	831.88	[illegible]	0.19	1067.	[illegible]
[illegible]	[illegible]	0.00	0.00	827.60	300.00	832.41	0.00	832.42	[illegible]	0.25	1200.	[illegible]
6.000	600.00	0.00	0.00	829.00	50.00	830.97	0.00	830.97	[illegible]	0.10	489.	76.07
[illegible]	[illegible]	0.00	0.00	829.00	100.00	831.29	0.00	831.29	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	0.00	0.00	829.00	200.00	831.94	0.00	831.94	[illegible]	0.2[illegible]	732.	[illegible]
[illegible]	[illegible]	0.00	0.00	829.00	300.00	832.49	0.00	832.49	[illegible]	0.3[illegible]	[illegible]	[illegible]
[illegible]	200.00	0.00	0.00	822.00	3070.00	832.01	0.00	832.20	85.88	3.50	877.[illegible]	[illegible]
[illegible]	200.00	0.00	0.00	822.00	3070.00	832.19	0.00	832.38	80.11	3.4[illegible]	896.	[illegible]
[illegible]	[illegible]	0.00	0.00	822.00	3070.00	832.67	0.00	832.88	67.[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	0.00	0.00	822.00	3070.00	833.03	0.00	833.18	59.87	3.[illegible]	9[illegible]	[illegible]

Sheet 11 of 12

1.00		50.00	830.81	0.00	0.00	0.00	50.12	0.00
1.00		00.00	830.81	0.00	0.00	0.00	50.12	0.00
1.00		00.00	830.81	0.00	0.00	0.00	50.12	0.00
1.00		00.00	830.81	0.00	0.00	0.00	50.12	0.00
2.00		50.00	830.81	0.00	0.00	0.00	49.60	250.00
2.00		00.00	830.81	0.00	0.00	0.00	49.60	250.00
2.00		00.00	830.82	0.00	0.01	0.00	49.60	250.00
2.00		00.00	830.84	0.00	0.03	0.00	49.61	250.00
3.00		50.00	830.38	0.00	0.07	0.00	49.66	950.00
3.00		00.00	831.05	0.00	0.24	0.00	49.71	950.00
3.00		00.00	831.45	0.00	0.63	0.00	49.85	950.00
3.00		00.00	831.82	0.00	0.98	0.00	49.97	950.00
4.00		50.00	830.94	0.00	0.05	0.00	49.45	550.00
4.00		100.00	831.20	0.00	0.15	0.00	49.55	550.00
4.00		200.00	831.75	0.00	0.31	0.00	49.76	550.00
4.00		300.00	832.23	0.00	0.41	0.00	49.94	550.00
5.00		50.00	830.96	0.00	0.02	0.00	49.91	800.00
5.00		00.00	831.26	0.00	0.06	0.00	49.99	800.00
5.00		00.00	831.88	0.00	0.13	0.00	50.16	800.00
5.00		00.00	832.41	0.00	0.19	0.00	50.30	800.00
6.00		50.00	830.97	0.00	0.01	0.00	49.66	600.00
6.00		00.00	831.29	0.00	0.02	0.00	49.76	600.00
6.00		00.00	831.94	0.00	0.05	0.00	49.98	600.00
6.00		00.00	832.49	0.00	0.07	0.00	50.16	600.00
214.9		370.00	832.01	0.00	.04	0.00	14.96	200.00
214.9		370.00	832.19	0.00	.91	0.00	14.97	200.00
214.9		370.00	832.62	0.00	0.68	0.00	14.98	200.00
214.9		370.00	833.03	0.00	0.54	0.00	14.99	200.00

SUMMARY OF ERRORS

SHEET 12 OF 12

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek and Pennfield Twp

3) WATERCOURSE: Battle Creek River

4) DOCUMENT TYPE: Summary

00BREAK00

PRINTED IN U.S.A.

FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

(SEE REF 153 LATER) ... W/ 2% ADDED FOR 1977

NOTE= ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES "BASKET" OR SLOPE OF CHORD LIST

23,200	2.05	2.05	2.05	304.20	3600.00	307.40	0.00	003.22	21.96	8.24	716.15	782.55
24,800	2.00	2.00	2.00	322.40	4200.00	313.40	0.00	003.22	23.70	8.11	717.13	785.55
25,400	2.00	2.00	2.00	342.20	5400.00	317.40	0.00	003.22	25.18	8.44	717.15	743.55

23.900	675.00	0.00	0.00	803.20	2360.00	808.64	0.00	808.94	21.62	4.41	536.29	507.57
23.900	675.00	0.00	0.00	803.20	3600.00	809.36	0.00	809.83	26.30	5.54	653.17	701.98
23.900	675.00	0.00	0.00	803.20	4200.00	809.72	0.00	810.26	27.03	5.94	711.64	807.78
23.900	675.00	0.00	0.00	803.20	5800.00	810.76	0.00	811.64	25.35	6.62	884.86	1152.00
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
24.000	3.00	808.60	303.30	803.20	5800.00	814.05	0.00	814.32	5.22	4.11	1446.66	2539.79
24.900	11.00	0.00	0.00	808.60	2360.00	811.50	0.00	811.87	33.26	4.87	484.42	409.22
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
24.900	1.00	822.00	819.40	808.60	2360.00	811.43	0.00	811.96	60.28	5.83	405.12	303.96
24.900	1.00	822.00	819.40	808.60	3600.00	812.50	0.00	813.02	57.86	6.79	530.53	473.27
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
25.000	66.00	822.00	819.40	808.60	2360.00	811.92	0.00	812.30	35.69	4.97	475.17	305.02
25.000	86.00	822.00	819.40	808.60	3600.00	812.82	0.00	813.37	37.55	5.95	605.65	587.47
25.000	96.00	822.00	819.40	808.60	4200.00	813.22	0.00	813.85	38.01	6.34	662.91	681.24
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
25.100	1.00	0.00	0.00	808.60	3600.00	813.07	0.00	813.43	18.78	4.82	746.23	830.71
25.100	1.00	0.00	0.00	808.60	4200.00	813.51	0.00	813.92	18.86	5.13	819.32	967.60
25.100	1.00	0.00	0.00	808.60	5800.00	814.60	0.00	815.12	18.68	5.79	1001.80	1341.80
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
25.100	135.00	0.00	0.00	807.00	4200.00	813.62	0.00	814.45	29.23	7.38	649.45	776.00
25.100	135.00	0.00	0.00	807.00	5800.00	814.65	0.00	815.71	31.24	8.51	797.52	1037.62

PRINTED IN U.S.A.

FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CUSEL	CRILS	EG	10K*S	VCH	AREA	.01K
26.800	135.00	1.00	0.00	807.30	2360.00	812.31	0.00	813.04	15.36	3.92	602.75	592.58
26.900	135.00	0.00	0.00	807.30	3600.00	814.00	0.00	814.30	15.27	4.61	815.74	929.26
26.900	135.00	0.00	0.00	807.30	4200.00	814.51	0.00	814.82	14.35	4.61	911.44	1101.74
26.900	135.00	0.00	0.00	807.30	5800.00	815.77	0.00	816.17	13.30	5.06	1147.37	1402.33
26.900	1.00	825.00	818.80	807.30	2360.00	812.76	0.00	813.08	22.06	4.37	539.43	603.40
26.900	1.00	825.00	818.80	807.30	3600.00	813.96	0.00	814.34	22.12	4.96	728.59	765.46
26.900	1.00	825.00	818.80	807.30	4200.00	814.57	0.00	814.89	21.07	5.15	815.65	915.60
26.900	1.00	825.00	818.80	807.30	5800.00	816.24	0.00	816.58	19.87	5.64	1026.20	1335.11
27.000	30.00	825.00	818.80	807.30	2360.00	812.87	0.00	813.15	21.37	4.27	552.28	510.50
27.000	30.00	825.00	818.80	807.30	3600.00	814.04	0.00	814.41	20.92	4.85	742.51	787.03
27.000	30.00	825.00	818.80	807.30	4200.00	814.55	0.00	814.95	19.96	5.07	828.93	940.06
27.000	30.00	825.00	818.80	807.30	5800.00	816.01	0.00	816.28	18.13	5.51	1140.00	1380.28
27.100	1.00	0.00	0.00	807.30	2360.00	812.53	0.00	813.17	14.19	3.77	626.50	526.71
27.100	1.00	0.00	0.00	807.30	3600.00	814.15	0.00	814.63	13.76	4.27	843.63	970.60
27.100	1.00	0.00	0.00	807.30	4200.00	814.67	0.00	814.98	13.12	4.46	940.67	1159.65
27.100	1.00	0.00	0.00	807.30	5800.00	816.34	0.00	816.31	12.03	4.82	1178.06	1672.51
27.800	250.00	0.00	0.00	807.60	2360.00	812.87	0.00	813.65	17.23	3.90	677.67	560.67
27.800	250.00	0.00	0.00	807.60	3600.00	814.39	0.00	815.09	16.51	4.49	871.70	875.29
27.800	250.00	0.00	0.00	807.60	4200.00	814.87	0.00	815.60	21.10	6.93	678.44	914.33
27.800	250.00	0.00	0.00	807.60	5800.00	816.04	0.00	817.02	23.19	8.08	821.97	1204.36
28.000	500.00	0.00	0.00	807.60	2360.00	813.23	0.00	813.83	18.23	4.27	494.35	552.56
28.000	500.00	0.00	0.00	807.60	3600.00	814.76	0.00	815.64	18.56	5.36	667.47	833.55
28.000	500.00	0.00	0.00	807.60	4200.00	815.22	0.00	816.23	18.79	5.77	771.35	964.91
28.000	500.00	0.00	0.00	807.60	5800.00	816.38	0.00	817.74	18.78	6.52	809.12	1338.21
28.900	1.00	822.00	821.60	808.50	2360.00	813.09	0.00	814.21	18.87	4.82	489.14	543.31
28.900	1.00	822.00	821.60	808.50	3600.00	815.12	0.00	815.64	19.29	5.62	641.14	819.57
28.900	1.00	822.00	821.60	808.50	4200.00	815.71	0.00	816.26	19.43	5.93	708.65	952.72
28.900	1.00	822.00	821.60	808.50	5800.00	817.20	0.00	817.75	19.45	6.59	838.14	1335.91
29.000	6.00	822.00	821.60	808.50	2360.00	813.80	0.00	814.22	18.77	4.82	490.00	544.76
29.000	6.00	822.00	821.60	808.50	3600.00	815.17	0.00	815.66	19.22	5.61	641.92	821.09
29.000	6.00	822.00	821.60	808.50	4200.00	815.73	0.00	816.27	19.33	5.92	709.36	954.16
29.000	6.00	822.00	821.60	808.50	5800.00	817.20	0.00	817.74	19.30	6.59	839.74	1317.23
29.100	1.00	0.00	0.00	808.50	2360.00	813.87	0.00	814.22	17.99	4.75	496.36	556.44
29.100	1.00	0.00	0.00	808.50	3600.00	815.18	0.00	815.66	18.47	5.54	649.79	837.66
29.100	1.00	0.00	0.00	808.50	4200.00	815.74	0.00	816.28	18.63	5.85	717.87	973.00
29.100	1.00	0.00	0.00	808.50	5800.00	817.12	0.00	817.77	18.56	6.56	892.71	1346.22
29.200	90.00	0.00	0.00	808.50	2360.00	814.43	0.00	814.91	15.72	4.55	518.79	595.32
29.200	90.00	0.00	0.00	808.50	3600.00	815.39	0.00	815.83	16.45	5.33	675.27	887.61
29.200	90.00	0.00	0.00	808.50	4200.00	815.95	0.00	816.45	16.70	5.64	744.64	1027.84
29.200	90.00	0.00	0.00	808.50	5800.00	817.33	0.00	817.94	16.97	6.30	920.26	1408.11
29.600	90.00	0.00	0.00	807.60	2360.00	814.35	0.00	814.52	7.62	3.33	709.28	566.31
29.600	90.00	0.00	0.00	807.60	3600.00	815.75	0.00	815.99	8.03	3.92	917.95	1270.17
29.600	90.00	0.00	0.00	807.60	4200.00	816.35	0.00	816.61	8.06	4.16	1010.63	1478.96
29.600	90.00	0.00	0.00	807.60	5800.00	817.79	0.00	818.12	7.89	4.70	1234.96	2064.31

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS, INC.

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRILS	EG	10K*S	VCH	AREA	.01K
29.900	1.00	822.10	819.00	807.60	2360.00	814.35	0.00	814.53	8.26	3.44	686.71	820.95
29.900	1.00	822.10	819.00	807.60	3600.00	815.77	0.00	816.00	8.90	4.09	880.05	1305.41
29.900	1.00	822.10	819.00	807.60	4200.00	816.34	0.00	816.62	8.92	4.21	940.50	1406.11
29.900	1.00	822.10	819.00	807.60	5300.00	817.77	0.00	818.14	8.72	4.24	1198.00	1963.15
30.000	56.00	822.10	819.00	807.60	2360.00	814.39	0.00	814.57	8.09	3.41	691.77	830.02
30.000	56.00	822.10	819.00	807.60	3600.00	815.80	0.00	816.05	8.74	4.02	895.70	1217.73
30.000	56.00	822.10	819.00	807.60	4200.00	816.39	0.00	816.67	8.75	4.26	986.30	1419.63
30.000	56.00	822.10	819.00	807.60	5300.00	817.75	0.00	818.19	8.53	4.32	1207.69	1910.54
30.100	1.00	0.00	0.00	807.60	2360.00	814.41	0.00	814.58	7.20	3.29	716.53	879.69
30.100	1.00	0.00	0.00	807.60	3600.00	815.82	0.00	816.09	7.77	3.88	928.43	1291.51
30.100	1.00	0.00	0.00	807.60	4200.00	816.42	0.00	816.68	7.78	4.11	1021.57	1505.71
30.100	1.00	0.00	0.00	807.60	5300.00	817.77	0.00	818.19	7.65	4.24	1236.67	2056.56
31.300	56.00	0.00	0.00	806.70	2360.00	814.63	0.00	814.80	13.62	4.75	566.52	639.46
31.300	56.00	0.00	0.00	806.70	3600.00	815.85	0.00	816.34	14.37	5.70	714.42	969.51
31.300	56.00	0.00	0.00	806.70	4200.00	816.44	0.00	817.00	14.67	6.09	789.68	1096.55
31.300	56.00	0.00	0.00	806.70	5300.00	817.81	0.00	818.59	15.23	6.99	977.67	1466.31
31.400	56.00	0.00	0.00	807.40	2360.00	814.71	0.00	814.90	10.87	3.69	604.39	721.46
31.400	56.00	0.00	0.00	807.40	3600.00	815.82	0.00	816.04	10.73	4.55	790.42	1093.73
31.400	56.00	0.00	0.00	807.40	4200.00	816.65	0.00	817.21	10.85	4.74	867.51	1275.06
31.400	56.00	0.00	0.00	807.40	5300.00	818.37	0.00	818.84	11.09	5.51	1053.18	1741.76
31.500	1.00	820.00	817.60	807.30	2360.00	814.72	0.00	814.97	11.65	3.98	633.31	669.53
31.500	1.00	820.00	817.60	807.30	3600.00	816.21	0.00	816.38	11.73	4.69	759.06	1051.79
31.500	1.00	820.00	817.60	807.30	4200.00	816.84	0.00	817.04	11.87	4.97	844.41	1212.98
31.500	1.00	820.00	817.60	807.30	5300.00	818.34	0.00	818.94	38.01	6.21	933.45	940.77
31.300	56.00	820.00	818.10	808.80	2360.00	814.79	0.00	815.08	15.68	4.36	541.23	596.04
31.300	56.00	820.00	818.10	808.80	3600.00	816.28	0.00	816.47	15.69	5.02	717.52	939.24
31.300	56.00	820.00	818.10	808.80	4200.00	816.91	0.00	817.24	14.55	5.30	792.32	1101.05
31.300	56.00	820.00	818.10	808.80	5300.00	818.36	0.00	819.15	37.53	6.21	933.44	941.66
31.400	1.00	822.00	819.70	808.00	2360.00	814.85	0.00	815.11	12.41	4.05	582.30	669.97
31.400	1.00	822.00	819.70	808.80	3600.00	816.34	0.00	816.69	12.34	4.75	758.31	1024.93
31.400	1.00	822.00	819.70	808.80	4200.00	816.97	0.00	817.37	12.43	5.04	933.24	1191.21
31.400	1.00	822.00	819.70	808.80	5300.00	818.36	0.00	819.22	11.03	5.57	1042.10	1700.55
31.500	105.00	822.00	819.70	809.50	2360.00	814.99	0.00	815.50	30.71	5.73	411.97	425.87
31.500	105.00	822.00	819.70	809.50	3600.00	816.46	0.00	817.12	27.36	6.48	555.41	688.27
31.500	105.00	822.00	819.70	809.50	4200.00	817.09	0.00	817.81	27.82	6.82	615.60	911.04
31.500	105.00	822.00	819.70	809.50	5300.00	818.53	0.00	819.68	23.49	7.39	785.00	1191.74
31.600	1.00	822.00	821.00	809.20	2360.00	814.97	0.00	815.63	47.73	6.56	359.99	361.67
31.600	1.00	822.00	821.00	809.20	3600.00	816.45	0.00	817.25	39.15	7.24	497.51	575.36
31.600	1.00	822.00	821.00	809.20	4200.00	817.06	0.00	817.95	37.31	7.55	556.17	687.62
31.600	1.00	822.00	821.00	809.20	5800.00	818.80	0.00	819.61	31.44	8.06	719.31	1034.35
31.700	47.00	822.00	821.00	809.20	2360.00	815.32	0.00	815.80	35.74	6.99	353.68	394.78
31.700	47.00	822.00	821.00	809.20	3600.00	816.73	0.00	817.46	32.99	8.06	525.01	627.11
31.700	47.00	822.00	821.00	809.20	4200.00	817.34	0.00	818.15	32.19	7.21	582.48	740.21
31.700	47.00	822.00	821.00	809.20	5300.00	819.05	0.00	819.98	28.68	7.83	740.59	1083.03

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	XLCH	ELTRD	ELLC	ELMIN	R	CWSEL	CRIUS	EG	10K*S	VCH	AREA	.01K
32.900	1.00	823.00	823.90	809.70	2360.00	815.60	0.00	815.97	20.13	6.94	477.35	526.00
32.900	1.00	823.00	823.90	809.70	3600.00	816.97	0.00	819.53	42.35	8.21	380.05	155.43
32.900	1.00	824.00	823.90	809.70	4200.00	817.44	0.00	820.10	50.16	8.73	806.07	953.17
32.900	1.00	826.00	823.90	809.70	5300.00	818.00	0.00	820.11	65.31	8.62	807.56	722.14
33.000	77.00	823.00	823.90	809.70	2360.00	815.77	0.00	816.12	17.93	6.76	495.29	557.29
33.000	95.00	823.00	823.90	809.70	3600.00	817.24	0.00	817.83	38.62	8.23	597.04	579.26
33.000	74.00	823.00	823.90	809.70	4200.00	817.64	0.00	818.24	45.02	8.70	827.15	825.53
33.000	74.00	823.00	823.90	809.70	5300.00	817.15	0.00	820.57	66.04	8.10	736.78	770.64
33.100	1.00	0.00	0.00	809.70	2360.00	815.45	0.00	816.15	13.68	4.39	538.11	639.27
33.100	1.00	0.00	0.00	809.70	3600.00	817.53	0.00	817.92	12.29	4.98	723.30	1026.77
33.100	1.00	0.00	0.00	809.70	4200.00	818.26	0.00	818.68	12.03	5.23	802.53	1210.95
33.100	1.00	0.00	0.00	809.70	5300.00	817.54	0.00	820.77	11.56	5.62	1132.62	1671.19
34.300	100.00	0.00	0.00	812.10	2360.00	815.95	0.00	816.16	34.97	7.65	373.09	358.07
34.300	100.00	0.00	0.00	812.10	3600.00	817.62	0.00	818.45	27.66	7.33	525.91	694.51
34.300	100.00	0.00	0.00	812.10	4200.00	818.33	0.00	819.22	25.89	7.63	593.47	825.51
34.300	100.00	0.00	0.00	812.10	5300.00	820.35	0.00	821.37	19.95	8.02	798.56	1298.66
34.900	100.00	0.00	0.00	812.10	2360.00	817.11	0.00	817.73	11.84	6.61	557.47	615.68
34.900	600.00	0.00	0.00	812.10	3600.00	818.48	0.00	819.07	11.36	5.23	725.07	1016.62
35.000	600.00	0.00	0.00	812.10	4200.00	819.95	0.00	820.42	11.39	5.54	803.96	1244.67
35.000	600.00	0.00	0.00	812.10	5300.00	821.94	0.00	822.41	10.31	6.11	1010.22	1806.17
35.000	100.00	0.00	0.00	812.20	2360.00	817.91	0.00	818.12	9.32	7.09	612.77	772.00
35.000	100.00	0.00	0.00	812.20	3600.00	819.58	0.00	819.12	9.70	4.57	768.28	1155.71
35.000	100.00	0.00	0.00	812.20	4200.00	820.31	0.00	820.59	9.79	4.85	850.58	1362.45
35.000	100.00	0.00	0.00	812.20	5300.00	822.12	0.00	822.57	9.43	5.39	1076.20	1888.50
35.900	1.00	826.00	823.10	812.20	2360.00	817.89	0.00	818.16	15.27	4.17	565.40	603.97
35.900	1.00	826.00	823.10	812.20	3600.00	819.56	0.00	819.92	10.28	5.17	696.30	841.93
35.900	1.00	826.00	823.10	812.20	4200.00	820.19	0.00	820.47	10.32	5.57	753.39	953.56
35.900	1.00	826.00	823.10	812.20	5300.00	822.00	0.00	822.28	20.41	6.31	908.49	1281.63
36.000	65.00	826.00	823.10	812.20	2360.00	818.07	0.00	818.26	14.58	4.11	573.66	613.16
36.000	65.00	826.00	823.10	812.20	3600.00	819.62	0.00	820.02	17.45	5.09	706.58	861.75
36.000	65.00	826.00	823.10	812.20	4200.00	820.32	0.00	820.70	15.74	5.48	765.31	927.95
36.000	65.00	826.00	823.10	812.20	5300.00	822.24	0.00	822.86	19.00	6.29	921.51	1310.08
36.100	1.00	827.00	823.30	812.30	2360.00	818.05	0.00	818.28	9.37	3.85	612.45	771.12
36.100	1.00	827.00	823.30	812.30	3600.00	819.75	0.00	820.06	9.43	4.52	796.26	1172.16
36.100	1.00	827.00	823.30	812.30	4200.00	820.50	0.00	820.86	9.42	4.78	878.02	1368.39
36.100	1.00	827.00	823.30	812.30	5300.00	822.51	0.00	822.85	8.93	5.40	1094.18	1935.62
36.200	74.00	827.00	823.30	812.30	2360.00	818.00	0.00	818.66	22.26	6.01	395.93	500.24
36.200	74.00	827.00	823.30	812.30	3600.00	819.75	0.00	820.54	22.81	7.10	596.91	753.70
36.200	74.00	827.00	823.30	812.30	4200.00	820.50	0.00	821.38	22.89	7.53	557.61	877.06
36.200	74.00	827.00	823.30	812.30	5300.00	822.48	0.00	823.57	21.97	8.38	692.03	1237.40
36.300	1.00	827.00	823.30	812.30	2360.00	818.15	0.00	818.46	10.59	5.78	408.42	533.23
36.300	1.00	827.00	823.30	812.30	3600.00	819.81	0.00	820.57	30.00	6.02	527.54	804.97
36.300	1.00	827.00	823.30	812.30	4200.00	820.61	0.00	821.42	20.05	7.24	580.50	937.90
36.300	1.00	827.00	823.30	812.30	5800.00	822.61	0.00	823.61	19.26	8.05	720.40	1321.67

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRWS	EG	10K*S	VCH	AREA	.01K
	37.000	370.00	827.00	822.70	811.70	2360.00	819.17	0.00	819.49	8.89	4.52	522.05	791.50
	37.000	370.00	827.00	822.70	811.70	3600.00	821.02	0.00	821.49	10.23	5.52	650.34	1175.51
	37.000	370.00	827.00	822.70	811.70	4200.00	821.82	0.00	822.37	10.90	5.96	717.41	1284.57
	37.000	370.00	827.00	822.70	811.70	5800.00	824.26	0.00	825.13	16.58	7.54	748.52	960.76
	37.100	1.00	0.00	0.00	811.70	2360.00	819.17	0.00	819.49	8.86	4.52	524.43	792.78
	37.100	1.00	0.00	0.00	811.70	3600.00	821.02	0.00	821.49	10.20	5.52	654.48	1127.35
	37.100	1.00	0.00	0.00	811.70	4200.00	821.82	0.00	822.37	10.87	5.97	721.50	1225.03
	37.100	1.00	0.00	0.00	811.70	5800.00	824.26	0.00	825.27	8.30	8.49	910.59	1892.03
	37.800	115.00	0.00	0.00	809.00	2360.00	819.23	0.00	819.66	11.36	5.25	449.20	685.91
	37.800	115.00	0.00	0.00	809.00	3600.00	821.07	0.00	821.72	14.78	6.51	553.52	936.47
	37.800	115.00	0.00	0.00	809.00	4200.00	821.86	0.00	822.65	15.95	7.02	598.55	1051.55
	37.800	115.00	0.00	0.00	809.00	5800.00	824.30	0.00	825.55	15.41	7.07	758.37	1477.29
	37.900	1.00	830.00	823.80	809.50	2360.00	819.23	0.00	819.66	10.24	5.99	394.11	552.23
	37.900	1.00	830.00	823.80	809.50	3600.00	820.97	0.00	821.82	22.67	7.41	486.12	756.08
	37.900	1.00	830.00	823.80	809.50	4200.00	821.76	0.00	822.74	26.44	7.98	525.02	849.63
	37.900	1.00	830.00	823.80	809.50	5800.00	824.44	0.00	825.75	55.53	9.19	630.99	778.35
	38.000	66.00	830.00	823.80	809.50	2360.00	819.31	0.00	819.74	10.11	4.76	521.34	716.76
	38.000	66.00	830.00	823.80	809.50	3600.00	821.11	0.00	822.06	11.42	5.30	679.32	1065.31
	38.000	66.00	830.00	823.80	809.50	4200.00	822.51	0.00	823.00	11.64	5.63	746.68	1231.20
	38.000	66.00	830.00	823.80	809.50	5800.00	825.47	0.00	826.20	33.08	6.88	843.58	1700.61
	38.900	1.00	825.50	823.10	809.50	2360.00	819.54	0.00	819.94	17.25	5.16	457.68	566.71
	38.900	1.00	825.50	823.10	809.50	3600.00	821.36	0.00	822.16	18.57	5.76	603.55	873.92
	38.900	1.00	825.50	823.10	809.50	4200.00	822.15	0.00	823.04	18.97	6.29	667.66	1021.21
	38.900	1.00	825.50	823.10	809.50	5800.00	825.33	0.00	826.35	56.09	8.11	715.02	774.44
	39.000	66.00	825.50	823.10	809.50	2360.00	819.66	0.00	820.06	16.25	5.05	467.00	585.38
	39.000	66.00	825.50	823.10	809.50	3600.00	821.64	0.00	822.22	18.18	5.87	612.97	895.54
	39.000	66.00	825.50	823.10	809.50	4200.00	822.54	0.00	823.17	18.19	6.27	677.18	1043.12
	39.000	66.00	825.50	823.10	809.50	5800.00	825.52	0.00	826.31	77.79	7.79	743.24	857.59
	39.100	1.00	0.00	0.00	809.50	2360.00	819.61	0.00	820.10	9.28	4.27	553.27	774.81
	39.100	1.00	0.00	0.00	809.50	3600.00	821.66	0.00	822.27	9.48	5.00	720.65	1169.02
	39.100	1.00	0.00	0.00	809.50	4200.00	822.79	0.00	823.22	9.97	5.25	794.16	1357.67
	39.100	1.00	0.00	0.00	809.50	5800.00	826.56	0.00	827.46	6.77	5.29	1007.96	2269.11
	40.000	165.00	0.00	0.00	808.30	2360.00	819.97	0.00	820.22	5.79	4.07	664.85	900.58
	40.000	165.00	0.00	0.00	808.30	3600.00	822.05	0.00	822.40	6.15	4.80	873.39	1450.90
	40.000	165.00	0.00	0.00	808.30	4200.00	822.96	0.00	823.36	6.24	5.20	965.99	1681.04
	40.000	165.00	0.00	0.00	808.30	5800.00	826.65	0.00	827.06	6.36	5.29	1429.35	2766.66
	40.900	135.00	0.00	0.00	809.20	2360.00	820.12	0.00	820.31	4.80	3.54	667.15	1070.55
	40.900	135.00	0.00	0.00	809.20	3600.00	822.21	0.00	822.50	5.79	4.34	830.15	1495.51
	40.900	135.00	0.00	0.00	809.20	4200.00	823.13	0.00	823.46	6.15	4.66	901.52	1694.17
	40.900	135.00	0.00	0.00	809.20	5800.00	826.76	0.00	827.13	5.19	4.90	1184.80	2545.60
	41.000	46.00	827.40	821.70	809.20	2360.00	820.12	0.00	820.31	4.80	3.56	667.15	1070.55
	41.000	46.00	827.40	821.70	809.20	3600.00	822.45	0.00	822.73	5.51	4.24	869.16	1567.72
	41.000	46.00	827.40	821.70	809.20	4200.00	823.52	0.00	823.84	5.55	4.50	932.38	1782.23
	41.000	46.00	827.40	821.70	809.20	5800.00	827.73	0.00	828.06	4.31	4.60	1260.56	2792.74

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	XLCH	ELTRD	ELLC	ELTIN	Q	CHSEL	CRIMS	EG	10K*S	VCH	AREA	.01P
42.300	225.00	0.00	0.00	811.00	2360.00	821.29	0.00	820.43	3.82	2.98	859.78	1207.50
42.300	225.00	0.00	0.00	811.00	3600.00	822.96	0.00	822.36	3.32	3.27	1175.05	1972.54
42.300	225.00	0.00	0.00	811.00	4200.00	823.78	0.00	823.97	3.08	3.44	1315.17	2391.[illegible]
42.300	225.00	0.00	0.00	811.00	5800.00	825.88	0.00	826.17	2.76	3.87	2204.96	4567.27
43.900	225.00	0.00	0.00	808.30	2360.00	821.37	0.00	820.50	2.65	2.66	826.01	1448.92
43.900	225.00	0.00	0.00	808.30	3600.00	822.75	0.00	822.95	3.25	3.53	1020.37	1996.90
43.900	225.00	0.00	0.00	808.30	4200.00	823.54	0.00	823.76	3.48	3.90	1179.36	2263.98
43.900	225.00	0.00	0.00	808.30	5800.00	825.64	0.00	825.96	2.93	4.02	1652.46	3509.45
44.000	76.00	826.90	822.10	808.30	2360.00	820.36	0.00	820.50	2.66	2.66	825.63	1447.90
44.000	76.00	826.90	822.10	808.30	3600.00	822.96	0.00	823.15	3.09	3.47	1037.15	2046.53
44.000	76.00	826.90	822.10	808.30	4200.00	824.16	0.00	824.37	3.21	3.70	1135.73	2344.72
44.000	76.00	826.90	822.10	808.30	5800.00	828.34	0.00	828.57	2.85	3.87	1499.65	3505.56
44.900	100.00	0.00	0.00	810.30	2360.00	820.39	0.00	820.53	2.56	2.31	713.20	1205.76
44.900	100.00	0.00	0.00	810.30	3600.00	822.98	0.00	823.20	4.36	3.78	951.18	1726.71
44.900	100.00	0.00	0.00	810.30	4200.00	824.18	0.00	824.43	4.20	3.95	1062.16	2049.03
44.900	100.00	0.00	0.00	810.30	5800.00	828.37	0.00	828.64	2.87	3.95	1473.12	3425.98
45.000	96.00	824.00	820.90	810.00	2360.00	820.43	0.00	820.57	2.51	2.30	715.45	1211.32
45.000	96.00	824.00	820.90	810.00	3600.00	823.01	0.00	823.22	3.05	3.36	1006.27	1876.72
45.000	96.00	824.00	820.90	810.00	4200.00	824.90	0.00	825.11	3.43	3.75	1127.67	2252.69
45.000	96.00	824.00	820.90	810.00	5800.00	829.09	0.00	829.32	2.45	3.83	1518.26	3701.75
46.300	100.00	0.00	0.00	809.30	2360.00	820.43	0.00	820.57	2.39	2.37	694.93	1116.65
46.300	100.00	0.00	0.00	809.30	3600.00	823.01	0.00	823.22	4.15	3.34	926.77	1706.41
46.300	100.00	0.00	0.00	809.30	4200.00	824.20	0.00	824.42	3.93	3.71	1081.95	2129.40
46.300	100.00	0.00	0.00	809.30	5800.00	828.40	0.00	828.64	2.46	4.34	2198.72	3701.32
46.500	700.00	0.00	0.00	810.50	2360.00	820.64	0.00	820.95	2.33	2.71	937.02	1547.20
46.500	700.00	0.00	0.00	810.50	3600.00	823.22	0.00	823.48	1.89	3.08	1331.82	2622.56
46.500	700.00	0.00	0.00	810.50	4200.00	824.27	0.00	824.42	1.75	3.11	1771.55	3174.02
46.500	700.00	0.00	0.00	810.50	5800.00	828.41	0.00	828.52	1.06	3.98	3956.92	5676.01
47.000	700.00	0.00	0.00	811.30	2360.00	821.01	0.00	821.11	2.02	2.51	1062.60	1659.95
47.000	700.00	0.00	0.00	811.30	3600.00	824.11	0.00	824.23	1.61	2.76	1582.85	2835.70
47.000	700.00	0.00	0.00	811.30	4200.00	825.12	0.00	825.24	1.51	2.86	1827.10	3420.06
47.000	700.00	0.00	0.00	811.30	5800.00	829.40	0.00	829.67	1.03	2.91	2737.02	5575.05
47.900	100.00	0.00	0.00	810.60	2360.00	821.09	0.00	821.14	1.41	1.86	1267.34	1990.33
47.900	100.00	0.00	0.00	810.60	3600.00	824.19	0.00	824.26	1.05	1.99	1807.87	3517.44
47.900	100.00	0.00	0.00	810.60	4200.00	825.53	0.00	825.57	0.98	2.06	2035.41	4245.76
47.900	100.00	0.00	0.00	810.60	5800.00	829.55	0.00	829.62	0.72	2.12	2743.27	6044.75
48.000	60.00	826.60	822.40	810.60	2360.00	821.09	0.00	821.14	1.40	1.66	1267.42	1991.05
48.000	60.00	826.60	822.40	810.60	3600.00	824.30	0.00	824.36	1.01	1.97	1826.13	3574.14
48.000	60.00	826.60	822.40	810.60	4200.00	825.66	0.00	825.73	0.94	2.04	2063.36	4338.40
48.000	60.00	826.60	822.40	810.60	5800.00	829.72	0.00	829.78	0.69	2.09	2771.72	6959.02
48.200	150.00	0.00	0.00	810.30	2360.00	821.12	0.00	821.16	0.64	1.55	1962.74	2930.72
48.200	150.00	0.00	0.00	810.30	3600.00	824.33	0.00	824.37	0.62	1.80	2772.47	4662.40
48.200	150.00	0.00	0.00	810.30	4200.00	825.69	0.00	825.74	0.58	1.99	3198.23	5511.60
48.200	150.00	0.00	0.00	810.30	5800.00	829.74	0.00	829.80	0.46	2.07	4977.26	8571.53

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIUS	EG	10K*S	VCH	AREA	.01K
43.300	2.00	816.50	812.30	812.30	2360.00	821.03	0.00	821.23	0.81	3.65	936.92	753.34
43.300	2.00	816.50	812.30	812.30	3600.00	824.25	0.00	824.42	1.33	3.81	1751.02	1420.77
43.300	2.00	816.50	812.30	812.30	4200.00	825.65	0.00	825.78	1.30	3.11	2176.47	2509.13
43.300	2.00	816.50	812.30	812.30	5800.00	829.72	0.00	829.82	1.38	2.75	3966.69	4962.77
43.400	2.00	0.00	0.00	815.60	2360.00	821.11	0.00	821.24	5.80	3.15	1070.23	972.96
43.400	2.00	0.00	0.00	815.60	3600.00	824.31	0.00	824.42	2.71	2.93	1878.25	2166.32
43.400	2.00	0.00	0.00	815.60	4200.00	825.69	0.00	825.78	2.20	2.91	2330.27	2831.27
43.400	2.00	0.00	0.00	815.60	5800.00	829.73	0.00	829.82	1.38	2.66	4079.56	5340.91
43.900	520.00	0.00	0.00	814.00	2360.00	821.30	0.00	821.49	3.31	2.79	1701.57	1297.57
43.900	520.00	0.00	0.00	814.00	3600.00	824.47	0.00	824.54	1.60	2.49	3253.54	2847.53
43.900	520.00	0.00	0.00	814.00	4200.00	825.82	0.00	825.83	1.30	2.44	3932.50	3680.21
43.900	520.00	0.00	0.00	814.00	5800.00	829.65	0.00	829.68	0.75	2.26	5825.35	6717.83
44.000	650.00	0.00	0.00	808.30	2360.00	821.35	0.00	821.67	1.92	2.49	1117.79	1704.04
44.000	650.00	0.00	0.00	808.30	3600.00	824.55	0.00	824.67	1.64	2.80	1590.95	2814.97
44.000	650.00	0.00	0.00	808.30	4200.00	825.96	0.00	826.00	1.55	2.92	1807.97	3376.10
44.000	650.00	0.00	0.00	808.30	5800.00	829.95	0.00	829.98	1.20	3.06	2466.25	5297.76
49.000	100.00	0.00	0.00	812.80	2360.00	821.63	0.00	821.73	2.30	2.08	717.65	1137.47
49.000	100.00	0.00	0.00	812.80	3600.00	824.81	0.00	824.91	1.72	2.16	1158.51	2037.09
49.000	100.00	0.00	0.00	812.80	4200.00	826.18	0.00	826.04	2.86	3.25	1292.53	2404.24
49.000	100.00	0.00	0.00	812.80	5800.00	829.84	0.00	830.01	2.07	3.31	1757.00	4033.45
50.000	100.00	826.90	824.50	812.80	2360.00	821.60	0.00	821.70	4.20	2.98	788.41	1160.15
50.000	100.00	826.90	824.50	812.80	3600.00	824.84	0.00	824.91	3.01	3.12	1152.26	2076.28
50.000	100.00	826.90	824.50	812.80	4200.00	826.19	0.00	826.24	2.39	3.19	1317.50	2559.29
50.000	100.00	826.90	824.50	812.80	5800.00	830.08	0.00	830.24	1.97	3.26	1784.03	4132.33
50.100	100.00	0.00	0.00	812.80	2360.00	821.64	0.00	821.74	2.37	2.47	1214.68	1533.57
50.100	100.00	0.00	0.00	812.80	3600.00	824.79	0.00	824.87	1.71	2.81	1950.34	2752.41
50.100	100.00	0.00	0.00	812.80	4200.00	826.13	0.00	826.20	1.50	2.94	2350.26	3431.19
50.100	100.00	0.00	0.00	812.80	5800.00	830.11	0.00	830.21	1.03	2.82	3561.33	5723.93
51.000	730.00	0.00	0.00	813.00	2360.00	821.66	0.00	821.90	1.67	1.86	3293.13	1828.39
51.000	730.00	0.00	0.00	813.00	3600.00	824.94	0.00	826.96	0.74	1.55	6492.35	4178.74
51.000	730.00	0.00	0.00	813.00	4200.00	826.50	0.00	826.57	0.56	1.47	8275.06	5591.47
51.000	730.00	0.00	0.00	813.00	5800.00	830.51	0.00	830.52	0.30	1.30	12625.54	10593.02
52.000	800.00	0.00	0.00	813.30	2360.00	821.99	0.00	822.00	1.02	1.46	5024.74	2331.75
52.000	800.00	0.00	0.00	813.30	3600.00	825.00	0.00	825.01	0.44	1.19	9385.97	5433.61
52.000	800.00	0.00	0.00	813.30	4200.00	826.40	0.00	826.40	0.33	1.13	11658.68	7250.09
52.000	800.00	0.00	0.00	813.30	5800.00	830.34	0.00	830.34	0.19	1.30	17329.02	13673.27
53.000	2600.00	0.00	0.00	812.30	2360.00	821.28	0.00	822.38	1.94	1.50	2910.93	1900.37
53.000	2600.00	0.00	0.00	812.30	3600.00	825.13	0.00	825.15	0.77	1.64	5958.01	4091.87
53.000	2600.00	0.00	0.00	812.30	4200.00	826.49	0.00	826.51	0.60	1.55	7459.88	5441.62
53.000	2600.00	0.00	0.00	812.30	5800.00	830.39	0.00	830.40	0.31	1.33	12809.98	10502.00
54.000	1450.00	0.00	0.00	812.90	2360.00	822.53	0.00	822.59	2.36	2.26	2308.39	1535.66
54.000	1450.00	0.00	0.00	812.90	3600.00	825.78	0.00	825.80	1.34	2.07	4303.66	3105.43
54.000	1450.00	0.00	0.00	812.90	4200.00	826.59	0.00	826.63	1.05	1.98	5405.88	4103.08
54.000	1450.00	0.00	0.00	812.90	5800.00	830.44	0.00	830.46	0.56	1.75	8677.70	7717.52

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CHSEL	CRIDS	EG	10K*S	VCH	AREA	.01K
55.300	1650.00	0.00	0.00	814.40	2360.00	823.01	0.00	823.14	4.46	2.92	932.40	1116.98
55.000	1650.00	0.00	0.00	814.40	3600.00	825.31	0.00	825.47	3.37	2.17	1450.61	1737.61
55.700	1650.00	0.00	0.00	814.40	4200.00	826.79	0.00	826.94	3.01	3.21	1761.25	2354.19
55.300	1650.00	0.00	0.00	814.40	5300.00	830.56	0.00	830.65	1.99	3.13	2823.35	4115.45
55.300	100.00	0.00	0.00	815.50	2360.00	824.05	0.00	823.19	5.72	3.05	772.81	906.56
55.000	100.00	0.00	0.00	815.50	3600.00	825.54	0.00	825.72	4.72	3.39	1063.30	1656.44
55.300	100.00	0.00	0.00	815.50	4200.00	826.32	0.00	826.48	4.24	3.47	1209.23	2038.66
55.000	100.00	0.00	0.00	815.50	5300.00	830.52	0.00	830.70	3.05	3.56	1636.17	3516.20
55.900	1.00	830.00	820.60	815.50	2360.00	823.02	0.00	823.21	11.64	3.50	674.97	685.29
55.900	1.00	830.00	820.60	815.50	3600.00	825.40	0.00	825.74	12.13	4.14	969.42	1033.66
55.900	1.00	830.00	820.60	815.50	4200.00	826.72	0.00	827.02	11.68	4.34	967.78	1229.12
55.900	1.00	830.00	820.60	815.50	5300.00	830.41	0.00	830.77	21.24	3.46	1057.20	1072.57
56.000	51.00	830.00	820.60	815.50	2360.00	823.04	0.00	823.27	11.62	3.47	679.21	692.31
56.000	51.00	830.00	820.60	815.50	3600.00	825.34	0.00	825.61	11.90	4.12	874.50	1043.47
56.000	51.00	830.00	820.60	815.50	4200.00	826.70	0.00	827.08	11.49	4.32	972.69	1239.21
56.000	51.00	830.00	820.60	815.50	5300.00	830.41	0.00	830.93	29.27	5.48	1057.80	1072.13
56.100	1.00	0.00	0.00	815.50	2360.00	823.12	0.00	823.27	5.57	3.01	773.35	1003.15
56.100	1.00	0.00	0.00	815.50	3600.00	825.64	0.00	825.82	6.37	3.35	1076.43	1624.51
56.100	1.00	0.00	0.00	815.50	4200.00	826.99	0.00	827.09	4.12	3.44	1220.90	2070.44
56.100	1.00	0.00	0.00	815.50	5300.00	830.77	0.00	830.96	2.88	3.47	1669.13	3416.95
56.000	100.00	0.00	0.00	814.40	2360.00	823.22	0.00	823.32	5.05	3.43	771.23	1172.73
56.000	100.00	0.00	0.00	814.40	3600.00	825.72	0.00	825.86	3.89	3.69	1495.61	1987.90
56.000	100.00	0.00	0.00	814.40	4200.00	826.97	0.00	827.13	2.87	3.76	1737.51	2471.52
56.000	100.00	0.00	0.00	814.40	5800.00	830.86	0.00	830.98	1.81	3.84	2974.91	4308.59
56.000	350.00	0.00	0.00	816.10	2360.00	823.37	0.00	823.51	6.65	3.05	774.54	915.42
56.000	350.00	0.00	0.00	816.10	3600.00	825.81	0.00	826.02	5.25	3.31	1086.94	1572.07
56.000	350.00	0.00	0.00	816.10	4200.00	827.09	0.00	827.27	4.65	3.50	1243.69	1947.15
56.000	350.00	0.00	0.00	816.10	5800.00	830.91	0.00	831.09	3.09	3.56	1724.24	3299.36
57.000	4.00	823.90	816.20	816.10	2360.00	826.92	0.00	826.98	1.56	1.93	1221.39	1891.36
57.000	4.00	823.90	816.20	816.10	3600.00	827.95	0.00	828.06	2.62	2.67	1350.43	2225.37
57.000	4.00	823.90	816.20	816.10	4200.00	828.46	0.00	828.56	3.08	2.97	1417.78	2393.32
57.000	4.00	823.90	816.20	816.10	5800.00	831.24	0.00	831.44	2.04	3.28	1749.69	3440.59
57.100	50.00	0.00	0.00	823.00	2360.00	826.77	0.00	827.18	36.40	5.15	458.22	391.17
57.100	50.00	0.00	0.00	823.00	3600.00	827.74	0.00	828.33	38.88	6.20	544.23	577.34
57.100	50.00	0.00	0.00	823.00	4200.00	828.22	0.00	828.88	38.01	6.54	652.77	681.25
57.100	50.00	0.00	0.00	823.00	5800.00	831.19	0.00	831.62	14.77	5.52	1235.33	1511.47
200.000	425.00	0.00	0.00	819.00	2360.00	827.60	0.00	827.69	4.36	2.96	1013.60	1130.55
200.000	425.00	0.00	0.00	819.00	3600.00	828.83	0.00	828.96	5.31	2.88	1332.12	1561.68
200.000	425.00	0.00	0.00	819.00	4200.00	829.38	0.00	829.52	5.39	3.07	1503.18	1808.68
200.000	425.00	0.00	0.00	819.00	5800.00	831.85	0.00	831.97	3.28	2.95	2738.62	3203.60
201.000	425.00	0.00	0.00	815.10	2360.00	827.72	0.00	827.74	2.54	2.22	2937.32	3207.44
201.000	425.00	0.00	0.00	815.10	3600.00	829.50	0.00	829.64	2.79	2.40	2943.67	4050.41
201.000	425.00	0.00	0.00	815.10	4200.00	829.56	0.00	829.61	0.88	1.75	3257.95	4475.13
201.000	425.00	0.00	0.00	815.10	5800.00	831.99	0.00	832.06	0.78	1.87	4809.06	6565.68

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	XLCH	ELTPD	ELLC	ELMIN	Q	CUSEL	CRINS	EG	10K*S	VCH	AREA	.01K
202.000	1300.00	0.00	0.00	813.70	2360.00	827.80	0.00	827.83	0.84	1.31	1859.43	2578.60
202.000	1300.00	0.00	0.00	813.70	3600.00	829.52	0.00	829.56	1.07	1.70	2269.70	3374.26
202.000	1300.00	0.00	0.00	813.70	4200.00	830.10	0.00	830.14	1.25	1.86	2465.82	3751.77
202.000	1300.00	0.00	0.00	813.70	5800.00	831.10	0.00	831.14	1.05	1.58	4026.43	5667.35
203.000	2500.00	0.00	0.00	818.30	2360.00	823.01	0.00	828.03	0.80	1.35	1932.85	2646.66
203.000	2500.00	0.00	0.00	818.30	3600.00	829.39	0.00	829.43	1.06	1.72	2600.46	3504.14
203.000	2500.00	0.00	0.00	818.30	4200.00	828.59	0.00	828.64	1.14	1.85	3068.75	3938.57
203.000	2500.00	0.00	0.00	818.30	5800.00	832.34	0.00	832.39	0.89	1.48	4036.94	6101.13
204.000	1200.00	0.00	0.00	816.70	2360.00	826.11	0.00	828.14	1.03	1.45	1838.46	2322.64
204.000	1200.00	0.00	0.00	816.70	3600.00	829.52	0.00	829.57	1.31	1.83	2366.92	3150.69
204.000	1200.00	0.00	0.00	816.70	4200.00	830.13	0.00	830.19	1.40	1.98	2630.94	3549.59
204.000	1200.00	0.00	0.00	816.70	5800.00	832.10	0.00	832.15	1.11	2.01	5312.92	5581.22
205.000	1300.00	0.00	0.00	817.30	2360.00	825.25	0.00	828.25	0.82	1.32	5367.27	3620.67
205.000	1300.00	0.00	0.00	817.30	3600.00	829.69	0.00	829.71	0.65	1.08	7311.29	5348.56
205.000	1300.00	0.00	0.00	817.30	4200.00	830.32	0.00	830.33	0.46	1.14	8160.29	6183.73
205.000	1300.00	0.00	0.00	817.30	5800.00	832.60	0.00	832.62	0.35	1.16	12260.95	9860.68
206.000	1525.00	0.00	0.00	819.00	2360.00	824.31	0.00	826.36	1.07	1.36	2617.74	2279.37
206.000	1525.00	0.00	0.00	819.00	3600.00	829.73	0.00	829.81	1.19	1.72	3794.64	3309.60
206.000	1525.00	0.00	0.00	819.00	4200.00	830.40	0.00	830.44	1.27	1.73	4154.23	3812.36
206.000	1525.00	0.00	0.00	819.00	5800.00	832.66	0.00	832.70	0.94	1.77	6218.88	5986.15
207.000	925.00	0.00	0.00	816.30	2360.00	826.41	0.00	828.43	0.63	1.07	4991.61	2937.79
207.000	925.00	0.00	0.00	816.30	3600.00	829.87	0.00	829.89	0.97	1.44	7035.63	4408.10
207.000	925.00	0.00	0.00	816.30	4200.00	830.41	0.00	830.43	0.97	1.50	7931.42	5131.36
207.000	925.00	0.00	0.00	816.30	5800.00	832.74	0.00	832.76	0.50	1.47	11261.94	8169.34
208.000	1900.00	0.00	0.00	816.30	2360.00	826.52	0.00	828.53	0.63	1.25	6667.79	2981.77
208.000	1900.00	0.00	0.00	816.30	3600.00	829.93	0.00	829.99	0.91	1.74	9467.49	4716.97
208.000	1900.00	0.00	0.00	816.30	4200.00	830.67	0.00	830.71	0.97	1.87	10607.79	5582.09
208.000	1900.00	0.00	0.00	816.30	5800.00	832.83	0.00	832.85	0.60	1.70	15859.75	9166.36
209.000	3700.00	0.00	0.00	817.10	2360.00	826.76	0.00	828.79	1.31	1.77	4399.54	2063.45
209.000	3700.00	0.00	0.00	817.10	3600.00	830.19	0.00	830.21	1.20	1.87	6517.02	3291.81
209.000	3700.00	0.00	0.00	817.10	4200.00	830.73	0.00	830.77	1.14	1.93	7490.17	3982.06
209.000	3700.00	0.00	0.00	817.10	5800.00	832.99	0.00	833.01	0.71	1.79	11045.05	6563.63
210.000	1450.00	0.00	0.00	820.70	2360.00	828.95	0.00	828.97	1.44	1.62	4534.34	1966.89
210.000	1450.00	0.00	0.00	820.70	3600.00	830.36	0.00	830.37	1.34	1.77	6300.85	3112.03
210.000	1450.00	0.00	0.00	820.70	4200.00	830.96	0.00	830.98	1.30	1.83	7062.04	3682.00
210.000	1450.00	0.00	0.00	820.70	5800.00	833.05	0.00	833.07	0.94	1.79	9859.67	5964.19
211.000	2675.00	0.00	0.00	819.20	2360.00	829.25	0.00	829.26	1.99	2.02	3379.76	1559.50
211.000	2675.00	0.00	0.00	819.20	3600.00	830.62	0.00	830.66	2.00	2.28	4572.24	2545.87
211.000	2675.00	0.00	0.00	819.20	4200.00	831.22	0.00	831.26	2.01	2.38	5093.17	2965.73
211.000	2675.00	0.00	0.00	819.20	5800.00	833.24	0.00	833.28	1.60	2.41	6871.42	4569.25
212.000	2400.00	0.00	0.00	821.60	2360.00	829.91	0.00	829.93	1.19	1.41	4233.29	2167.09
212.000	2400.00	0.00	0.00	821.60	3600.00	830.95	0.00	830.97	1.15	1.58	5841.53	3357.71
212.000	2400.00	0.00	0.00	821.60	4200.00	831.54	0.00	831.56	1.13	1.64	6543.02	3943.08
212.000	2400.00	0.00	0.00	821.60	5800.00	833.49	0.00	833.51	0.89	1.67	8870.82	6149.57

PRINTED IN U.S.A.
FORM 1411.68 PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CMSEL	CPIME	EG	10K*S	VCH	AREA	.01K
213.000	4100.00	0.00	0.00	821.90	1052.05	335.25	0.00	830.27	3.41	2.45	1541.77	1001.81
213.000	4100.00	0.00	0.00	821.90	2892.01	634.56	0.00	831.63	3.68	2.86	2208.27	1520.69
213.000	4100.00	0.00	0.00	821.90	3372.00	733.12	0.00	832.22	3.87	3.00	2495.74	1759.[illegible]
213.000	4100.00	0.00	0.00	821.90	4652.00	1013.94	0.00	834.04	3.03	3.12	3305.47	2648.[illegible]
214.900	800.00	0.00	0.00	822.00	1650.00	630.49	0.00	830.59	4.19	2.58	717.68	904.64
214.900	800.00	0.00	0.00	822.00	2090.00	831.86	0.00	832.04	5.71	3.35	862.06	1209.16
214.900	[illegible]	0.00	0.00	822.00	3370.00	832.44	0.00	832.65	5.27	3.65	923.05	1346.27
214.900	[illegible]	0.00	0.00	822.00	4650.00	834.20	0.00	835.47	6.54	4.20	1107.57	1804.11
215.000	37.00	833.40	830.00	822.00	1650.00	630.49	0.00	830.59	4.18	2.58	717.69	905.05
215.000	37.00	833.40	830.00	822.00	2090.00	832.21	0.00	832.37	5.02	3.22	898.24	1289.89
215.000	37.00	833.40	830.00	822.00	3370.00	832.95	0.00	833.13	5.27	3.45	975.80	1468.59
215.000	[illegible]	833.40	[illegible]	822.00	4650.00	834.15	0.00	835.12	5.57	3.83	1181.10	2006.64
215.000	100.00	0.00	0.00	822.40	1650.0	632.54	0.00	830.63	3.68	2.59	1076.31	971.15
215.000	100.00	0.00	0.00	822.40	2090.00	832.33	0.00	832.42	3.77	3.06	1607.69	1502.65
215.000	100.00	0.00	0.00	822.40	3370.00	833.07	0.00	833.19	3.64	3.10	1035.25	1765.58
215.000	100.00	0.00	0.00	822.40	4650.00	835.36	0.00	835.21	3.33	3.46	2634.08	2547.70

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

BATTLE CREEK RIVER

SUMMARY PRINTOUT TABLE 150

SECND							
23.000	2360.00	807.80	0.00	0.00	0.00	173.91	0.00
23.000	3600.00	807.80	0.00	0.00	0.00	173.91	0.00
23.000	4200.00	807.80	0.00	0.00	0.00	173.91	0.00
23.000	5800.00	807.80	0.00	0.00	0.00	173.91	0.00
23.900	2360.00	808.64	0.00	0.84	0.00	162.15	675.00
23.900	3600.00	809.36	0.00	1.56	0.00	163.74	675.00
23.900	4200.00	809.72	0.00	1.92	0.00	164.53	675.00
23.900	5800.00	810.56	0.00	2.76	0.00	166.15	675.00
24.000	2360.00	811.66	0.00	3.20	0.00	168.00	3.00
24.000	3600.00	812.57	0.00	3.22	0.00	170.38	3.00
24.000	4200.00	812.99	0.00	3.26	0.00	171.61	3.00
24.000	5800.00	814.05	0.00	3.29	0.00	174.16	3.00
24.100	2360.00	811.51	0.00	-0.14	0.00	166.64	11.00
24.100	3600.00	812.43	0.00	-0.12	0.00	166.86	11.00
24.100	4200.00	812.92	0.00	-0.16	0.00	166.64	11.00
24.100	5800.00	813.86	0.00	-0.20	0.00	166.63	11.00
24.900	2360.00	811.64	0.00	-0.17	0.00	166.85	1.00
24.900	3600.00	812.30	0.00	-0.10	0.00	166.96	1.00
24.900	4200.00	812.70	0.00	-0.12	0.00	166.96	1.00
24.900	5800.00	813.71	0.00	-0.14	0.00	166.88	1.00
25.000	2360.00	811.92	0.00	0.49	0.00	166.85	66.00
25.000	3600.00	812.87	0.00	0.57	0.00	166.96	66.00
25.000	4200.00	813.28	0.00	0.53	0.00	166.97	66.00
25.000	5800.00	814.22	0.00	0.52	0.00	166.86	66.00
25.100	2360.00	812.08	0.00	0.17	0.00	166.85	1.00
25.100	3600.00	813.07	0.00	0.25	0.00	166.97	1.00
25.100	4200.00	813.51	0.00	0.25	0.00	166.97	1.00
25.100	5800.00	814.63	0.00	0.27	0.00	166.89	1.00
26.000	2360.00	812.26	0.00	0.16	0.00	126.24	135.00
26.000	3600.00	813.21	0.00	0.14	0.00	137.12	135.00
26.000	4200.00	813.62	0.00	0.11	0.00	141.66	135.00
26.000	5800.00	814.69	0.00	0.09	0.00	144.05	135.00
26.800	2360.00	812.81	0.00	0.53	0.00	168.98	135.00
26.800	3600.00	814.00	0.00	0.79	0.00	185.91	135.00
26.800	4200.00	814.51	0.00	0.79	0.00	187.14	135.00
26.800	5800.00	815.77	0.00	0.13	0.00	187.36	135.00
26.900	2360.00	812.70	0.00	-0.03	0.00	166.95	1.00
26.900	3600.00	813.96	0.00	-0.04	0.00	166.85	1.00
26.900	4200.00	814.47	0.00	-0.04	0.00	187.15	1.00
26.900	5800.00	815.73	0.00	-0.06	0.00	187.36	1.00
27.000	2360.00	812.86	0.00	0.33	0.00	170.65	30.00
27.000	3600.00	814.04	0.00	0.08	0.00	186.33	30.00
27.000	4200.00	814.85	0.00	0.04	0.00	187.15	30.00
27.000	5800.00	815.80	0.00	0.07	0.00	187.37	30.00

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	Q	CHSEL	DIFHSP	DIFHSX	DIFKJS	TOPWID	XLCH
27.100	2360.00	812.95	0.00	0.00	0.00	122.15	1.00
27.100	3600.00	814.15	0.00	0.11	0.00	127.19	1.00
27.100	4200.00	814.63	0.00	0.12	0.00	127.17	1.00
27.100	5800.00	815.84	0.00	0.14	0.00	127.21	1.00
28.000	2360.00	813.24	0.00	0.29	0.00	110.36	250.00
28.000	3600.00	814.39	0.00	0.24	0.00	116.76	250.00
28.000	4200.00	814.97	0.00	0.30	0.00	120.41	250.00
28.000	5800.00	816.34	0.00	0.40	0.00	125.44	250.00
28.900	2360.00	813.85	0.00	0.61	0.00	113.69	300.00
28.900	3600.00	815.16	0.00	0.77	0.00	120.32	300.00
28.900	4200.00	815.72	0.00	0.84	0.00	123.16	300.00
28.900	5800.00	817.09	0.00	1.04	0.00	130.01	300.00
29.000	2360.00	813.85	0.00	-0.02	0.00	113.72	1.00
29.000	3600.00	815.15	0.00	-0.00	0.00	120.33	1.00
29.000	4200.00	815.71	0.00	-0.00	0.00	123.15	1.00
29.000	5800.00	817.09	0.00	-0.00	0.00	130.01	1.00
29.100	2360.00	813.45	0.00	1.07	0.00	113.74	6.00
29.100	3600.00	815.17	0.00	0.82	0.00	120.34	6.00
29.100	4200.00	815.73	0.00	0.91	0.00	123.16	6.00
29.100	5800.00	817.09	0.00	0.91	0.00	130.02	6.00
29.100	2360.00	813.12	0.00	0.31	0.00	113.74	1.00
29.100	3600.00	814.41	0.00	0.02	0.00	120.41	1.00
29.100	4200.00	815.24	0.00	0.02	0.00	123.24	1.00
29.100	5800.00	817.12	0.00	0.03	0.00	130.22	1.00
29.200	2360.00	814.06	0.00	0.19	0.00	114.78	90.00
29.200	3600.00	815.55	0.00	0.25	0.00	121.41	90.00
29.200	4200.00	816.95	0.00	0.21	0.00	124.31	90.00
29.200	5800.00	818.59	0.00	0.21	0.00	131.23	90.00
29.800	2360.00	814.35	0.00	0.29	0.00	143.88	90.00
29.800	3600.00	815.75	0.00	0.36	0.00	150.17	90.00
29.800	4200.00	816.35	0.00	0.38	0.00	153.17	90.00
29.800	5800.00	817.97	0.00	0.46	0.00	158.51	90.00
29.900	2360.00	814.35	0.00	-0.00	0.00	143.88	1.00
29.900	3600.00	815.74	0.00	-0.01	0.00	150.18	1.00
29.900	4200.00	816.34	0.00	-0.01	0.00	153.11	1.00
29.900	5800.00	817.97	0.00	-0.01	0.00	158.58	1.00
30.000	2360.00	814.39	0.00	1.05	0.00	144.15	54.00
30.000	3600.00	815.80	0.00	0.05	0.00	150.45	54.00
30.000	4200.00	816.39	0.00	0.05	0.00	153.13	54.00
30.000	5800.00	817.83	0.00	0.05	0.00	158.60	54.00
30.100	2360.00	814.41	0.00	0.02	0.00	144.25	1.00
30.100	3600.00	815.82	0.00	0.02	0.00	150.47	1.00
30.100	4200.00	816.42	0.00	0.03	0.00	153.14	1.00
30.100	5800.00	817.86	0.00	0.03	0.00	158.61	1.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	Q	CUSEL	DIFUSP	DIFUSX	DIFKUS	TOPUID	XLCH
31.000	2360.00	814.45	0.00	0.04	0.00	117.35	80.00
31.000	3600.00	816.13	0.00	0.02	0.00	121.12	80.00
31.000	4200.00	816.44	0.00	0.02	0.00	121.42	80.00
31.000	5200.00	818.26	0.00	0.03	0.00	121.30	80.00
31.100	2360.00	814.72	0.00	0.27	0.00	121.90	90.00
31.100	3600.00	816.22	0.00	0.36	0.00	121.94	90.00
31.100	4200.00	816.85	0.00	0.41	0.00	121.96	90.00
31.100	5200.00	818.37	0.00	0.41	0.00	122.31	90.00
31.200	2360.00	814.72	0.00	-0.00	0.00	121.90	1.00
31.200	3600.00	816.21	0.00	-0.00	0.00	121.94	1.00
31.200	4200.00	816.84	0.00	-0.00	0.00	121.96	1.00
31.200	5200.00	818.36	0.00	-0.00	0.00	122.31	1.00
31.300	2360.00	814.72	0.00	0.27	0.00	121.90	56.00
31.300	3600.00	816.28	0.00	0.36	0.00	121.93	56.00
31.300	4200.00	816.91	0.00	0.36	0.00	121.95	56.00
31.300	5800.00	818.56	0.00	0.21	0.00	122.17	56.00
31.400	2360.00	814.75	0.00	0.04	0.00	121.8	1.00
31.400	3600.00	816.43	0.00	0.06	0.00	121.91	1.00
31.400	4200.00	816.97	0.00	0.06	0.00	121.93	1.00
31.400	5800.00	818.74	0.00	0.19	0.00	121.96	1.00
31.500	2360.00	814.77	0.00	0.14	0.00	120.57	105.00
31.500	3600.00	816.46	0.00	0.13	0.00	120.90	105.00
31.500	4200.00	817.09	0.00	0.12	0.00	120.91	105.00
31.500	5800.00	818.83	0.00	0.10	0.00	100.95	105.00
31.600	2360.00	814.97	0.00	-0.03	0.00	100.86	1.00
31.600	3600.00	816.67	0.00	-0.05	0.00	100.90	1.00
31.600	4200.00	817.30	0.00	-0.05	0.00	100.90	1.00
31.600	5800.00	819.03	0.00	-0.03	0.00	100.96	1.00
31.700	2360.00	815.32	0.00	0.36	0.00	100.87	67.00
31.700	3600.00	816.73	0.00	0.29	0.00	100.90	67.00
31.700	4200.00	817.34	0.00	0.26	0.00	100.91	67.00
31.700	5800.00	819.03	0.00	0.25	0.00	100.96	67.00
32.900	2360.00	815.62	0.00	0.27	0.00	109.84	1.00
32.900	3600.00	816.93	0.00	0.20	0.00	109.87	1.00
32.900	4200.00	817.44	0.00	0.10	0.00	109.88	1.00
32.900	5800.00	819.05	0.00	-0.03	0.00	109.92	1.00
33.000	2360.00	815.77	0.00	0.17	0.00	109.69	70.00
33.000	3600.00	817.26	0.00	0.33	0.00	109.86	70.00
33.000	4200.00	817.84	0.00	0.41	0.00	109.89	70.00
33.000	5800.00	819.55	0.00	0.55	0.00	109.93	70.00
33.100	2360.00	815.85	0.00	0.09	0.00	109.85	1.00
33.100	3600.00	817.53	0.00	0.27	0.00	109.84	1.00
33.100	4200.00	818.25	0.00	0.41	0.00	109.90	1.00
33.100	5800.00	820.35	0.00	0.60	0.00	109.94	1.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	O	CMSEL	DIFUSP	DIFWSX	DIFKWS	TOPWID	XLCH
34.000	2360.00	815.91	0.53	0.13	0.00	80.90	100.00
34.000	3600.00	817.87	0.00	0.00	0.00	70.91	100.00
34.000	4200.00	820.39	0.00	0.00	0.00	70.75	100.00
34.000	5800.00	822.51	0.00	0.27	0.00	70.92	100.00
35.000	2360.00	817.66	0.00	1.70	0.00	106.11	600.00
35.000	3600.00	819.25	0.00	1.63	0.00	105.32	600.00
35.000	4200.00	819.97	0.00	1.62	0.00	105.70	600.00
35.000	5800.00	822.14	0.00	1.75	0.00	107.19	600.00
35.300	2360.00	817.09	0.00	0.22	0.00	109.89	100.00
35.300	3600.00	819.50	0.00	0.25	0.00	109.93	100.00
35.300	4200.00	820.21	0.00	0.26	0.00	109.99	100.00
35.300	5800.00	822.13	0.00	0.27	0.00	109.97	100.00
35.900	2360.00	817.00	0.00	-0.02	0.00	109.88	1.00
35.900	3600.00	819.46	0.00	-0.02	0.00	109.90	1.00
35.900	4200.00	820.19	0.00	-0.02	0.00	109.91	1.00
35.900	5800.00	822.09	0.00	-0.03	0.00	109.94	1.00
36.000	2360.00	817.00	0.00	0.11	0.00	109.89	65.00
36.000	3600.00	819.46	0.00	0.12	0.00	109.90	65.00
36.000	4200.00	820.33	0.00	0.15	0.00	109.91	65.00
36.000	5800.00	822.24	0.00	0.16	0.00	109.94	65.00
36.100	2360.00	817.00	0.00	0.11	0.00	109.87	1.00
36.100	3600.00	819.46	0.00	0.13	0.00	109.90	1.00
36.100	4200.00	820.30	0.00	0.13	0.00	109.91	1.00
36.100	5800.00	822.51	0.00	0.27	0.00	109.94	1.00
36.200	2360.00	816.06	0.00	0.04	0.00	70.33	74.00
36.200	3600.00	819.76	0.00	0.11	0.00	70.56	74.00
36.200	4200.00	820.39	0.00	-0.00	0.00	70.51	74.00
36.200	5800.00	822.46	0.00	-0.03	0.00	70.56	74.00
36.300	2360.00	816.15	0.00	0.06	0.00	70.34	1.00
36.300	3600.00	819.65	0.00	0.09	0.00	70.46	1.00
36.300	4200.00	820.61	0.00	0.10	0.00	70.52	1.00
36.300	5800.00	822.61	0.00	0.13	0.00	70.47	1.00
37.000	2360.00	819.17	0.00	1.03	0.00	70.46	570.00
37.000	3600.00	821.02	0.00	1.17	0.00	70.60	570.00
37.000	4200.00	821.82	0.00	1.21	0.00	70.66	570.00
37.000	5800.00	824.26	0.00	1.30	0.00	70.87	570.00
37.100	2360.00	819.17	0.00	0.00	0.00	70.46	1.00
37.100	3600.00	821.02	0.00	0.00	0.00	70.60	1.00
37.100	4200.00	821.82	0.00	0.00	0.00	70.66	1.00
37.100	5800.00	824.64	0.00	0.37	0.00	70.87	1.00
37.800	2360.00	816.23	0.00	0.06	0.00	56.34	115.00
37.800	3600.00	821.07	0.00	0.05	0.00	56.37	115.00
37.800	4200.00	821.66	0.00	0.04	0.00	56.80	115.00
37.800	5800.00	824.63	0.00	-0.00	0.00	56.92	115.00

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	Q	CHSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
37.900	2360.00	819.17	0.00	-0.06	0.00	56.34	1.00
37.900	3600.00	821.97	0.00	-0.11	0.00	56.87	1.00
37.900	4200.00	822.96	0.00	-0.11	0.00	56.1[illegible]	1.00
37.900	5800.00	825.49	0.00	-0.05	0.00	56.52	1.00
38.000	2360.00	819.58	0.00	0.47	0.00	80.86	66.00
38.000	3600.00	821.61	0.00	0.64	0.00	80.89	66.00
38.100	4200.00	822.61	0.00	0.76	0.00	80.90	66.00
38.100	5800.00	825.69	0.00	1.03	0.00	80.97	66.00
38.900	2360.00	819.53	0.00	-0.05	0.00	80.89	1.00
38.900	3600.00	821.56	0.00	-0.06	0.00	80.93	1.00
38.900	4200.00	822.45	0.00	-0.06	0.00	80.94	1.00
38.900	5800.00	825.57	0.00	-0.14	0.00	81.05	1.00
39.000	2360.00	819.63	0.00	0.13	0.00	80.88	66.00
39.000	3600.00	821.69	0.00	0.33	0.00	80.93	66.00
39.000	4200.00	822.50	0.00	0.44	0.00	80.95	66.00
39.000	5800.00	825.36	0.00	0.56	0.00	82.00	66.00
39.100	2360.00	819.31	0.00	0.11	0.00	80.89	1.00
39.100	3600.00	821.45	0.00	0.29	0.00	80.91	1.00
39.100	4200.00	822.79	0.00	0.21	0.00	80.95	1.00
39.100	5800.00	826.53	0.00	0.66	0.00	82.00	1.00
40.000	2360.00	819.57	0.00	0.10	0.00	80.94	165.00
40.000	3600.00	822.14	0.00	0.43	0.00	161.24	165.00
40.000	4200.00	823.33	0.00	0.47	0.00	132.51	165.00
40.000	5800.00	826.65	0.00	0.13	0.00	163.76	165.00
40.900	2360.00	820.12	0.00	0.14	0.00	77.89	135.00
40.900	3600.00	822.21	0.00	0.16	0.00	77.92	135.00
40.900	4200.00	823.13	0.00	0.17	0.00	77.94	135.00
40.900	5800.00	826.73	0.00	0.11	0.00	77.99	135.00
41.000	2360.00	820.12	0.00	0.00	0.00	77.89	66.00
41.000	3600.00	822.65	0.00	0.24	0.00	77.93	66.00
41.000	4200.00	823.57	0.00	0.40	0.00	77.94	66.00
41.000	5800.00	827.73	0.00	0.09	0.00	79.00	66.00
42.000	2360.00	820.29	0.00	0.17	0.00	132.14	225.00
42.000	3600.00	822.63	0.00	0.24	0.00	136.90	225.00
42.000	4200.00	823.79	0.00	0.26	0.00	137.24	225.00
42.000	5800.00	827.01	0.00	0.21	0.00	202.90	225.00
43.900	2360.00	820.37	0.00	0.08	0.00	81.91	225.00
43.900	3600.00	822.75	0.00	0.06	0.00	81.94	225.00
43.900	4200.00	823.84	0.00	0.05	0.00	81.96	225.00
43.900	5800.00	828.01	0.00	0.01	0.00	83.00	225.00
44.000	2360.00	820.30	0.00	0.07	0.00	81.91	76.00
44.000	3600.00	822.96	0.00	0.21	0.00	81.96	76.00
44.000	4200.00	824.16	0.00	0.32	0.00	81.96	76.00
44.000	5800.00	828.58	0.00	0.57	0.00	83.00	76.00

PRINTED IN U.S.A.
FORM.1411.GB PRINTED BY ROTARY MANIFOLD FORMS,

SECNO	Q	CHSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
46.900	2360.00	820.39	0.00	0.01	0.00	91.91	100.00
46.900	3600.00	823.98	0.00	0.02	0.00	91.91	100.00
46.900	4200.00	825.42	0.00	0.02	0.00	91.91	100.00
46.900	5800.00	829.41	0.00	0.02	0.00	91.91	100.00
45.300	2360.00	820.42	0.00	0.03	0.00	91.91	96.00
45.300	3600.00	823.58	0.00	0.01	0.00	91.99	96.00
45.300	4200.00	824.96	0.00	0.01	0.00	91.91	96.00
45.300	5800.00	829.00	0.00	0.00	0.00	91.91	96.00
46.000	2360.00	820.43	0.00	0.01	0.00	80.10	100.00
46.000	3600.00	823.58	0.00	-0.01	0.00	101.41	100.00
46.000	4200.00	824.99	0.00	-0.01	0.00	135.99	100.00
46.000	5800.00	829.01	0.00	0.01	0.00	275.00	100.00
46.800	2360.00	820.41	0.00	0.02	0.00	182.90	700.00
46.500	3600.00	823.96	0.00	0.38	0.00	227.42	700.00
46.500	4200.00	825.27	0.00	0.39	0.00	306.54	700.00
46.500	5800.00	829.41	0.00	0.31	8.57	544.00	700.00
47.300	2361.00	821.21	0.00	0.17	0.00	144.21	700.00
47.300	3600.00	824.21	0.00	0.15	0.00	210.37	700.00
47.000	4200.00	825.42	0.00	0.14	0.00	214.90	700.00
47.000	5800.00	829.46	0.00	0.07	8.44	225.00	700.00
47.900	2360.00	821.07	0.00	0.07	0.00	173.83	100.00
47.900	3600.00	824.12	0.00	0.05	0.00	173.83	100.00
47.900	4200.00	825.52	0.00	0.05	0.00	173.99	100.00
47.900	5800.00	829.55	0.00	0.08	8.47	175.00	100.00
48.000	2360.00	821.09	0.00	0.00	0.00	173.83	60.00
48.000	3600.00	824.32	0.00	0.11	0.00	173.83	60.00
48.000	4200.00	825.66	0.00	0.10	0.00	173.99	60.00
48.000	5800.00	829.72	0.00	0.11	8.43	175.00	60.00
48.200	2360.00	821.12	0.00	0.03	0.00	230.62	150.00
48.200	3600.00	824.33	0.00	0.03	0.00	291.04	150.00
48.200	4200.00	825.69	0.00	0.03	0.00	303.72	150.00
48.200	5800.00	829.74	0.00	0.03	8.42	575.00	150.00
48.300	2360.00	821.03	0.00	-0.07	0.00	229.99	2.00
48.300	3600.00	824.29	0.00	-0.04	0.00	239.95	2.00
48.300	4200.00	825.65	0.00	-0.03	0.00	332.30	2.00
48.300	5800.00	829.72	0.00	-0.02	8.57	575.00	2.00
48.400	2360.00	821.15	0.00	0.09	0.00	230.57	2.00
48.400	3600.00	824.31	0.00	0.02	0.00	290.72	2.00
48.400	4200.00	825.67	0.00	0.02	0.00	333.11	2.00
48.400	5800.00	829.73	0.00	0.01	8.62	575.00	2.00
48.900	2360.00	821.37	0.00	0.27	0.00	406.37	520.00
48.900	3600.00	824.47	0.00	0.13	0.00	505.07	520.00
48.900	4200.00	825.82	0.00	0.15	0.00	510.11	520.00
48.900	5800.00	829.83	0.00	0.10	8.45	920.00	920.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	Q	CUSEL	DIFUSP	DIFUSX	DIFKUS	TOPWID	XLCH
49.000	2360.00	821.55	0.00	0.17	0.00	154.06	650.00
49.000	3600.00	824.56	0.00	0.00	0.00	116.45	100.00
49.000	4200.00	825.88	0.00	0.00	0.00	116.45	100.00
49.000	5800.00	829.64	0.00	-0.03	0.00	117.50	100.00
50.000	2360.00	821.56	0.00	0.01	0.00	116.39	50.00
50.000	3600.00	824.63	0.00	0.13	0.00	116.45	50.00
50.000	4200.00	826.10	0.00	0.22	0.00	116.48	50.00
50.000	5800.00	830.18	0.00	0.36	0.00	117.50	50.00
50.100	2360.00	821.66	0.00	0.00	0.00	222.24	100.00
50.100	3600.00	824.76	0.00	0.08	0.00	316.00	100.00
50.100	4200.00	826.10	0.00	0.01	0.00	316.00	100.00
50.100	5800.00	830.18	0.00	0.13	0.00	316.00	100.00
51.000	2360.00	821.55	0.00	0.17	0.00	1135.03	730.00
51.000	3600.00	824.55	0.00	0.13	0.00	1135.03	730.00
51.000	4200.00	826.35	0.00	0.17	0.00	1135.03	730.00
51.000	5800.00	830.31	0.00	0.14	0.45	1154.27	730.00
52.000	2360.00	821.39	0.00	0.17	0.00	1375.07	800.00
52.000	3600.00	825.00	0.00	0.06	0.00	1479.00	800.00
52.000	4200.00	826.80	0.00	0.07	0.00	1483.00	800.00
52.000	5800.00	830.34	0.00	0.02	8.35	1495.21	800.00
53.000	2360.00	822.28	0.00	0.29	0.00	1036.39	2600.00
53.000	3600.00	825.13	0.00	0.15	0.00	1039.54	2600.00
53.000	4200.00	826.49	0.00	0.10	0.00	1110.37	2600.00
53.000	5800.00	830.39	0.00	0.02	8.11	1109.10	2600.00
54.000	2360.00	822.53	0.00	0.26	0.00	666.92	1450.00
54.000	3600.00	825.25	0.00	0.13	0.00	807.05	1450.00
54.000	4200.00	826.55	0.00	0.12	0.00	852.90	1450.00
54.000	5800.00	830.44	0.00	0.05	7.99	302.91	1450.00
55.000	2360.00	823.01	0.00	0.47	0.00	193.45	1650.00
55.000	3600.00	825.52	0.00	0.27	0.00	224.48	1650.00
55.000	4200.00	826.79	0.00	0.20	0.00	237.39	1650.00
55.000	5800.00	830.57	0.00	0.06	7.31	436.06	1650.00
55.800	2360.00	822.05	0.00	0.04	0.00	116.00	100.00
55.800	3600.00	825.54	0.00	0.02	0.00	116.00	100.00
55.800	4200.00	826.80	0.00	0.01	0.00	116.00	100.00
55.800	5800.00	830.50	0.00	-0.02	7.65	116.00	100.00
55.900	2360.00	822.09	0.00	-0.03	0.00	116.00	1.00
55.900	3600.00	825.43	0.00	-0.04	0.00	116.00	1.00
55.900	4200.00	826.72	0.00	-0.07	0.00	116.00	1.00
55.900	5800.00	830.31	0.00	-0.19	7.32	116.00	1.00

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	Q	CNSEL	DIFUSP	DIFWSX	DIFKUS	TOPWID	XLCH
56.000	2360.00	823.03	0.00	0.36	0.00	116.00	51.00
56.000	3600.00	823.54	0.00	0.36	0.00	116.00	51.00
56.000	4200.00	826.72	0.00	0.36	0.00	116.00	51.00
56.000	5800.00	830.66	0.00	0.15	7.33	116.00	51.00
56.100	2360.00	825.13	0.00	0.09	0.00	116.00	1.00
56.100	3600.00	825.64	0.00	0.10	0.00	116.00	1.00
56.100	4200.00	826.30	0.00	0.12	0.00	116.00	1.00
56.100	5800.00	830.77	0.00	0.31	7.64	116.00	1.00
56.200	2360.00	823.20	0.00	0.07	0.00	194.54	100.00
56.200	3600.00	825.72	0.00	0.08	0.00	224.03	100.00
56.200	4200.00	826.99	0.00	0.09	0.00	239.81	100.00
56.200	5800.00	831.18	0.00	0.28	7.55	447.52	100.00
56.300	2360.00	823.37	0.00	0.07	0.00	125.29	350.00
56.300	3600.00	825.89	0.00	0.08	0.00	125.71	350.00
56.300	4200.00	827.09	0.00	0.11	0.00	125.93	350.00
56.300	5800.00	830.99	0.00	0.36	7.59	126.00	350.00
57.000	2360.00	823.54	0.00	0.36	0.00	131.71	4.00
57.000	3600.00	827.03	0.00	2.10	0.00	126.00	4.00
57.000	4200.00	828.44	0.00	1.35	0.00	126.00	4.00
57.000	5800.00	831.28	0.00	0.36	4.35	126.00	4.00
57.100	2360.00	826.77	0.00	-0.16	0.00	165.77	50.00
57.100	3600.00	827.74	0.00	-0.29	2.03	132.04	50.00
57.100	4200.00	829.22	0.00	-0.33	3.04	156.36	50.00
57.100	5800.00	831.16	0.00	-0.12	4.39	205.71	50.00
200.000	2360.00	827.60	0.00	0.83	0.00	198.52	425.00
200.000	3600.00	829.52	0.00	1.09	0.00	303.12	425.00
200.000	4200.00	829.38	0.00	1.15	0.00	354.19	425.00
200.000	5800.00	832.13	0.00	0.69	4.05	667.59	425.00
201.000	2360.00	827.72	0.00	0.13	0.00	447.21	425.00
201.000	3600.00	829.00	0.00	0.17	0.00	542.54	425.00
201.000	4200.00	830.56	0.00	1.19	0.00	592.63	425.00
201.000	5800.00	831.98	0.00	1.15	4.27	714.36	425.00
202.000	2360.00	827.80	0.00	0.08	0.00	294.41	1300.00
202.000	3600.00	829.12	0.00	0.12	0.00	331.70	1300.00
202.000	4200.00	829.69	0.00	0.13	0.00	348.12	1300.00
202.000	5800.00	832.13	0.00	0.11	4.32	1019.52	1300.00
203.000	2360.00	828.01	0.00	0.28	0.00	627.15	2500.00
203.000	3600.00	829.39	0.00	0.27	0.00	627.70	2500.00
203.000	4200.00	829.99	0.00	0.30	0.00	841.37	2500.00
203.000	5800.00	832.34	0.00	0.24	4.34	1944.12	2500.00
204.000	2360.00	828.17	0.00	0.17	0.00	392.53	1200.00
204.000	3600.00	829.53	0.00	0.14	0.00	393.44	1200.00
204.000	4200.00	830.13	0.00	0.15	0.00	511.40	1200.00
204.000	5800.00	832.46	0.00	0.13	4.34	1564.50	1200.00

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS

SECNO	Q	CUSEL	DIFWSP	DIFWSK	DIFKHS	TOPUID	XLCH
205.000	2360.00	828.25	0.00	0.14	0.20	1338.14	1800.00
205.000	3600.00	829.69	0.00	0.17	0.00	1351.9[illegible]	1800.00
205.000	4200.00	830.32	0.00	0.[illegible]	0.00	1[illegible]6.90	1800.00
205.000	5800.00	832.00	0.00	0.15	4.35	2326.0[illegible]	1800.00
206.000	2360.00	829.53	0.00	0.06	0.00	613.19	1525.00
206.000	3600.00	829.78	0.00	0.09	0.00	666.86	1525.00
206.000	4200.00	830.40	0.00	0.09	0.00	754.51	1525.00
206.000	5800.00	832.66	0.00	0.06	4.34	1071.68	1525.00
207.000	2360.00	828.41	0.00	0.03	0.00	1411.13	925.00
207.000	3600.00	829.87	0.00	0.09	0.00	1426.81	925.00
207.000	4200.00	830.49	0.00	0.09	0.00	1439.77	925.00
207.000	5800.00	832.24	0.00	0.[illegible]	4.35	1[illegible]3.35	925.00
208.000	2360.00	829.32	0.00	0.11	0.00	1320.00	1300.00
208.000	3600.00	829.98	0.00	0.11	0.00	1947.29	1900.00
208.000	4200.00	830.69	0.00	0.11	0.00	1956.12	1900.00
208.000	5800.00	832.82	0.00	0.08	4.30	1987.40	1900.00
209.000	2360.00	829.29	0.00	0.14	0.00	1[illegible]1.0[illegible]	3700.00
209.000	3600.00	830.41	0.00	0.20	0.00	1[illegible]0.6[illegible]	3700.00
209.000	4200.00	830.80	0.00	0.22	0.00	1612.49	3700.00
209.000	5800.00	832.95	0.00	0.13	4.19	1694.62	3700.00
210.000	2360.00	829.81	0.00	0.19	0.00	1[illegible]0.56	1450.00
210.000	3600.00	830.32	0.00	0.17	0.00	1[illegible]1.20	1450.00
210.000	4200.00	830.96	0.00	0.26	0.00	1[illegible]2.50	1450.00
210.000	5800.00	833.05	0.00	0.11	4.11	1426.52	1450.00
211.000	2360.00	829.25	0.00	0.30	0.00	664.96	2675.00
211.000	3600.00	830.52	0.00	0.27	0.00	971.97	2675.00
211.000	4200.00	831.22	0.00	0.26	0.00	976.96	2675.00
211.000	5800.00	833.24	0.00	0.19	3.99	975.21	2675.00
212.000	2360.00	829.56	0.00	0.33	0.00	1169.92	2400.00
212.000	3600.00	830.95	0.00	0.32	0.00	1140.19	2400.00
212.000	4200.00	831.54	0.00	0.32	0.00	1[illegible]4.38	2400.00
212.000	5800.00	833.49	0.00	0.25	3.91	1196.01	2400.00
213.000	1850.00	830.20	0.00	0.62	0.00	496.00	4100.00
213.000	2890.00	831.54	0.00	0.60	0.00	496.00	4100.00
213.000	3370.00	832.12	0.00	0.58	0.00	496.00	4100.00
213.000	4650.00	833.94	0.00	0.45	3.74	496.00	4100.00
214.900	1850.00	830.49	0.00	0.29	0.00	104.92	800.00
214.900	2890.00	831.86	0.00	0.32	0.00	104.96	800.00
214.900	3370.00	832.44	0.00	0.32	0.00	104.98	800.00
214.900	4650.00	834.20	0.00	0.26	3.71	105.55	800.00
215.000	1850.00	830.49	0.00	0.00	0.00	104.72	37.00
215.000	2890.00	832.29	0.00	0.74	0.00	104.99	37.00
215.000	3370.00	832.95	0.00	0.50	0.00	104.99	37.00
215.000	4650.00	834.89	0.00	0.70	4.41	106.03	37.00

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

SECNO	Q	CUSEL	DIFUSP	DIFUSX	DIFKUS	TOPWID	XLCP
215.00	1853.00	830.54	3.00	0.03	0.30	300.00	100.00
215.00	2761.00	832.77	3.00	0.10	0.30	300.00	300.00
215.00	3579.00	833.77	0.53	3.13	0.30	305.00	305.00
215.10	7650.00	835.36	0.30	0.07	4.32	300.00	301.00

SUMMARY OF ERRORS

PRINTED IN U.S.A.

FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

FLOOD INSURANCE ZONE DATA FOR BATTLE CREEK RIVER

FLOOD HAZARD FACTOR FOR ENTIRE REACH BASIC SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10%	2%	0.2%
23.000	0.	0.0	0.0	0.0
23.500	575.	-1.1	-0.4	1.0
24.000	678.	-1.4	-0.4	1.1
24.800	689.	-1.3	-0.4	1.0
24.900	690.	-1.3	-0.4	1.0
25.000	756.	-1.3	-0.4	1.0
25.100	757.	-1.4	-0.4	1.1
26.000	932.	-1.4	-0.4	1.0
26.800	1027.	-1.7	-0.5	1.3
26.900	1028.	-1.7	-0.5	1.3
27.000	1550.	-1.7	-0.5	1.2
27.100	1139.	-1.7	-0.5	1.3
28.000	1196.	-1.8	-0.5	1.3
28.100	1 09.	-1.8	-0.5	1.4
28.900	1510.	-1.9	-0.6	1.4
29.000	1616.	-1.9	-0.6	1.4
29.100	1617.	-1.9	-0.6	1.4
29.200	1707.	-1.9	-0.6	1.4
29.300	1797.	-2.0	-0.6	1.4
29.900	175..	-2.0	-0.6	1.4
30.000	1852.	-2.0	-0.6	1.4
30.100	1853.	-2.0	-0.6	1.4
31.000	1933.	-2.0	-0.6	1.4
31.100	2025.	-2.1	-0.6	1.5
31.200	2026.	-2.1	-0.6	1.5
31.300	2150.	-2.1	-0.6	1.6
31.400	2001.	-2.1	-0.6	1.8
31.500	2186.	-2.1	-0.6	1.7
31.600	2187.	-2.1	-0.6	1.7
31.700	2254.	-2.0	-0.6	1.7
32.900	2355.	-1.9	-0.5	1.6
33.500	2305.	-2.1	-0.6	1.7
33.100	2306.	-2.4	-0.7	2.1
34.000	2406.	-2.3	-0.7	2.1
35.000	3006.	-2.3	-0.7	1.9
35.800	3104.	-2.3	-0.7	1.9
35.900	3107.	-2.3	-0.7	1.9
36.000	3173.	-2.3	-0.7	1.9
36.100	3173.	-2.5	-0.8	2.0
36.200	3247.	-2.4	-0.7	2.0
36.300	3249.	-2.5	-0.8	2.0
37.000	3819.	-2.6	-0.8	2.4
37.100	3819.	-2.7	-0.8	2.5
37.800	3926.	-2.6	-0.8	2.5
37.900	3935.	-2.6	-0.8	2.7
38.000	4001.	-2.9	-0.9	3.0
38.900	4002.	-2.9	-0.9	2.9
39.000	4068.	-2.9	-0.9	3.3
39.100	4069.	-3.0	-0.9	3.7
40.000	4236.	-3.2	-0.9	3.7
40.900	4369.	-3.0	-0.9	3.6
41.000	4435.	-3.4	-1.1	4.2
42.000	4640.	-3.5	-1.1	4.2

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

43.900	4865.	-3.5	-1.1	4.2
44.000	4941.	-3.8	-1.2	4.4
44.900	5041.	-3.8	-1.2	4.4
45.000	5137.	-4.5	-1.3	4.2
46.000	5237.	-4.5	-1.3	4.2
46.500	5287.	-4.4	-1.2	4.1
47.000	5337.	-4.4	-1.3	4.1
47.900	6737.	-4.4	-1.3	4.1
48.000	6797.	-4.6	-1.4	4.1
48.200	6947.	-4.6	-1.4	4.1
48.300	6997.	-4.6	-1.4	4.1
48.400	7071.	-4.6	-1.4	4.1
48.500	7171.	-4.6	-1.3	4.0
49.000	8121.	-4.3	-1.3	4.0
49.900	8221.	-4.3	-1.3	4.0
50.000	8271.	-4.5	-1.4	4.0
50.100	8371.	-4.5	-1.4	4.0
51.000	9101.	-4.5	-1.4	4.0
52.000	9901.	-4.4	-1.4	3.9
53.000	12501.	-4.2	-1.4	3.9
54.000	13951.	-4.1	-1.3	3.8
55.000	15601.	-3.8	-1.3	3.7
55.100	15701.	-3.8	-1.3	3.7
55.700	15802.	-3.7	-1.2	3.6
56.000	15904.	-3.7	-1.2	3.6
56.100	15754.	-3.6	-1.3	3.9
56.200	15754.	-3.6	-1.3	3.9
56.900	16204.	-3.7	-1.2	3.6
57.000	16204.	-3.8	-1.3	3.6
57.100	16253.	-3.8	-1.3	3.6
202.000	18603.	-1.8	-0.6	2.4
201.000	17108.	-1.8	-0.6	2.4
202.000	18408.	-1.9	-0.6	2.4
203.000	20908.	-2.0	-0.6	2.4
204.000	22108.	-2.0	-0.6	2.3
205.100	23908.	-2.1	-0.6	2.3
206.000	25433.	-2.1	-0.6	2.3
207.000	26358.	-2.1	-0.6	2.2
208.000	28258.	-2.1	-0.6	2.2
209.000	31950.	-2.0	-0.6	2.2
210.001	32405.	-2.0	-0.6	2.1
211.000	36703.	-2.0	-0.6	2.0
212.000	38403.	-2.0	-0.6	2.0
213.000	42503.	-1.9	-0.6	1.8
214.900	43303.	-2.0	-0.6	1.8
215.000	43420.	-2.5	-0.7	1.9
215.100	43520.	-2.5	-0.8	2.0

WEIGHTED AVG FOR REACH -2.0 -0.6 2.6

FHF FOR THE REACH = 025 WITH 71.5% OF THE REACH WITHIN 1.0 FEET

ZONE FOR THE REACH = A S

CONTINUOUS FLOOD HAZARD FACTORS BY EACH INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 10%	1%	DIFF.	HTD. AVG.	FHF	PERCENT WITHIN

PRINTED IN U.S.A.
FORM 1411.GB PRINTED BY ROTARY MANIFOLD FORMS.

	0.					SEC.	23.000	
1	100.	807.9	807.9	-0.1	-0.1	005	100.	
2	200.	808.0	808.2	-0.2	-0.2	005	100.	
3	300.	808.1	808.5	-0.4	-0.2	005	100.	
4	400.	808.2	808.7	-0.5	-0.3	005	100.	
5	500.	808.4	809.1	-0.7	-0.4	005	100.	
6	600.	808.5	809.4	-0.9	-0.5	005	100.	
	675.					SEC.	23.900	
	675.					SEC.	24.000	
	689.					SEC.	24.800	
	695.					SEC.	24.900	
7	700.	811.5	812.7	-1.3	-0.9	005	71.	
	754.					SEC.	25.300	
	757.					SEC.	25.400	
8	800.	812.1	813.5	-1.4	-0.7	005	68.	
	832.					SEC.	26.000	
9	900.	812.2	813.6	-1.4	-0.8	010	66.	
10	1000.	812.5	814.0	-1.5	-0.8	010	60.	
	1027.					SEC.	26.600	
	1028.					SEC.	26.900	
	1058.					SEC.	27.000	
	1059.					SEC.	27.100	
11	1100.	813.0	814.7	-1.7	-1.0	010	55.	
12	1200.	813.2	814.7	-1.5	-1.1	010	50.	
13	1300.	813.2	814.8	-1.6	-1.2	010	54.	
	1330.					SEC.	28.000	
14	1400.	813.3	815.0	-1.7	-1.1	010	45.	
15	1500.	813.5	815.3	-1.7	-1.2	010	40.	
16	1600.	813.7	815.7	-1.9	-1.3	010	40.	
	1609.					SEC.	28.600	
	1611.					SEC.	28.900	
	1616.					SEC.	29.000	
	1617.					SEC.	29.100	
17	1700.	814.0	815.8	-1.9	-1.2	010	53.	
	1707.					SEC.	29.200	
	1707.					SEC.	29.800	
	1711.					SEC.	29.900	
18	1800.	814.3	816.3	-2.0	-1.3	015	56.	
	1852.					SEC.	30.000	
	1853.					SEC.	30.100	
19	1901.	814.4	816.4	-2.0	-1.3	015	53.0	
	1930.					SEC.	31.000	
20	2000.	814.5	816.5	-2.0	-1.3	015	55.	
	2023.					SEC.	31.100	
	2026.					SEC.	31.200	
	2080.					SEC.	31.300	
	2077.					SEC.	31.400	
21	2100.	814.6	816.6	-2.1	-1.4	015	52.	
	2136.					SEC.	31.500	
	2187.					SEC.	31.600	
22	2200.	815.0	817.1	-2.1	-1.4	015	50.	
	2234.					SEC.	31.700	
	2235.					SEC.	32.400	
23	2300.	815.7	817.8	-2.0	-1.4	015	49.	
	2305.					SEC.	33.000	
	2306.					SEC.	33.100	
24	2400.	815.9	818.3	-2.4	-1.5	015	50.	
	2406.					SEC.	34.000	
25	2500.	816.1	818.5	-2.3	-1.5	015	52.	
26	2600.	816.4	818.7	-2.3	-1.5	015	54.	
27	2700.	816.7	819.0	-2.3	-1.6	015	56.	
28	2800.	817.0	819.3	-2.3	-1.6	015	57.	
29	2900.	817.2	819.5	-2.3	-1.6	015	55.	
30	3000.	817.3	819.8	-2.5	-1.6	015	57.	

PRINTED IN U.S.A.
FORM 1211-GB PRINTED BY ROTARY MANIFOLD FORMS.

	3006.					SEC.	35.000	
31	3100.	817.8	820.1	-2.3	-1.7	015		55.
	3106.					SEC.	35.300	
	3107.					SEC.	35.900	
	3172.					SEC.	36.000	
	3173.					SEC.	36.100	
32	3200.	818.1	820.8	-2.7	-1.7	015		51.
	3247.					SEC.	36.200	
	3248.					SEC.	36.300	
33	3300.	818.2	820.7	-2.5	-1.7	015		52.
34	3400.	818.3	820.8	-2.5	-1.7	015		50.
35	3500.	818.5	821.0	-2.5	-1.7	020		49.
36	3600.	818.7	821.2	-2.5	-1.7	020		47.
37	3700.	818.9	821.5	-2.6	-1.8	020		51.
38	3800.	819.0	821.7	-2.6	-1.8	020		53.
	3818.					SEC.	37.000	
	3819.					SEC.	37.900	
39	3900.	819.2	821.8	-2.6	-1.8	020		56.
	3934.					SEC.	37.300	
	3935.					SEC.	37.900	
40	4000.	819.4	822.1	-2.7	-1.9	020		51.
	4001.					SEC.	38.000	
	4002.					SEC.	38.900	
	4003.					SEC.	39.000	
	4004.					SEC.	39.100	
41	4100.	819.6	822.9	-3.0	-1.9	020		59.
42	4200.	819.9	822.9	-3.0	-1.9	020		52.
	4234.					SEC.	40.000	
43	4300.	820.0	823.1	-3.1	-1.9	020		47.
	4369.					SEC.	40.400	
44	4400.	820.2	823.2	-3.1	-2.0	020		52.
	4415.					SEC.	41.000	
45	4500.	820.2	823.5	-3.4	-2.0	020		56.
46	4600.	820.2	823.7	-3.5	-2.0	020		30.
	4640.					SEC.	42.300	
47	4730.	820.3	823.8	-3.5	-2.0	020		79.
48	4800.	820.3	823.8	-3.5	-2.1	020		77.
	4865.					SEC.	43.900	
49	4900.	820.4	823.9	-3.5	-2.1	020		76.
	4961.					SEC.	44.300	
50	5000.	820.4	824.1	-3.7	-2.2	020		76.
	5061.					SEC.	44.800	
51	5100.	820.4	824.4	-4.0	-2.2	020		75.
	5137.					SEC.	45.000	
52	5200.	820.4	824.8	-4.3	-2.2	020		73.
	5237.					SEC.	46.000	
53	5300.	820.5	824.9	-4.5	-2.3	025		72.
54	5400.	820.5	824.9	-4.4	-2.3	025		69.
55	5500.	820.6	825.0	-4.4	-2.4	025		67.
56	5600.	820.6	825.1	-4.4	-2.4	025		68.
57	5700.	820.7	825.1	-4.4	-2.4	025		63.
58	5800.	820.7	825.2	-4.4	-2.5	025		62.
59	5900.	820.8	825.2	-4.4	-2.5	025		66.
	5937.					SEC.	46.500	
60	6000.	820.8	825.3	-4.4	-2.5	025		65.
61	6100.	820.9	825.3	-4.4	-2.6	025		64.
62	6200.	820.9	825.3	-4.4	-2.6	025		63.
63	6300.	820.9	825.3	-4.4	-2.6	025		62.
64	6400.	820.9	825.4	-4.4	-2.6	025		61.
65	6500.	821.0	825.4	-4.4	-2.7	025		57.
66	6600.	821.0	825.4	-4.4	-2.7	025		53.
	6637.					SEC.	47.000	
67	6700.	821.0	825.4	-4.4	-2.7	025		54.
	6737.					SEC.	47.900	

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

	6797.				SEC.	43.300	
68	6800.	821.1	825.7	-4.6	-2.7	025	51.
69	6900.	821.1	825.7	-4.6	-2.8	030	51.
	6947.				SEC.	45.200	
	6949.				SEC.	45.300	
	6951.				SEC.	45.400	
70	7000.	821.1	825.7	-4.6	-2.9	030	50.
71	7100.	821.2	825.7	-4.5	-2.8	030	48.
72	7200.	821.2	825.7	-4.5	-2.8	030	47.
73	7300.	821.3	825.8	-4.5	-2.9	030	47.
74	7400.	821.3	825.8	-4.5	-2.9	030	45.
	7494.				SEC.	47.900	
75	7500.	821.4	825.8	-4.4	-2.9	030	44.
76	7600.	821.4	825.8	-4.4	-2.9	030	43.
77	7700.	821.4	825.8	-4.4	-3.0	030	42.
78	7800.	821.5	825.8	-4.4	-3.0	030	41.
79	7900.	821.5	825.9	-4.4	-3.0	030	40.
80	8000.	821.5	825.9	-4.4	-3.0	030	39.
81	8100.	821.5	825.9	-4.3	-3.0	030	38.
	8121.				SEC.	49.300	
82	8200.	821.5	825.9	-4.3	-3.0	030	38.
	8221.				SEC.	49.900	
	8271.				SEC.	50.200	
83	8300.	821.6	826.1	-4.5	-3.1	030	36.
	8321.				SEC.	50.100	
84	8400.	821.6	826.2	-4.5	-3.1	030	36.
85	8500.	821.7	826.2	-4.5	-3.1	030	34.
86	8600.	821.7	826.2	-4.5	-3.1	030	34.
87	8700.	821.7	826.2	-4.5	-3.1	030	33.
88	8800.	821.8	826.2	-4.5	-3.1	030	32.
89	8900.	821.8	826.2	-4.5	-3.2	030	32.
90	9000.	821.8	826.3	-4.5	-3.2	030	31.
91	9100.	821.8	826.3	-4.5	-3.2	030	31.
	9101.				SEC.	51.000	
92	9200.	821.9	826.4	-4.5	-3.2	030	30.
93	9300.	821.9	826.4	-4.5	-3.2	030	30.
94	9400.	821.9	826.4	-4.5	-3.2	030	29.
95	9500.	821.9	826.4	-4.5	-3.2	030	29.
96	9600.	821.9	826.4	-4.4	-3.3	035	29.
97	9700.	821.9	826.4	-4.4	-3.3	035	29.
98	9800.	822.0	826.4	-4.4	-3.3	035	28.
99	9900.	822.0	826.4	-4.4	-3.3	035	27.
	9901.				SEC.	52.000	
100	10000.	822.0	826.4	-4.4	-3.3	035	25.
101	10100.	822.0	826.4	-4.4	-3.3	035	24.
102	10200.	822.0	826.4	-4.4	-3.3	035	23.
103	10300.	822.0	826.4	-4.4	-3.3	035	21.
104	10400.	822.0	826.4	-4.4	-3.3	035	22.
105	10500.	822.0	826.4	-4.4	-3.4	035	22.
106	10600.	822.1	826.4	-4.4	-3.4	035	23.
107	10700.	822.1	826.4	-4.4	-3.4	035	25.
108	10800.	822.1	826.4	-4.3	-3.4	035	27.
109	10900.	822.1	826.4	-4.3	-3.4	035	29.
110	11000.	822.1	826.4	-4.3	-3.4	035	32.
111	11100.	822.1	826.4	-4.3	-3.4	035	33.
112	11200.	822.1	826.4	-4.3	-3.4	035	38.
113	11300.	822.1	826.4	-4.3	-3.4	035	41.
114	11400.	822.1	826.5	-4.3	-3.4	035	44.
115	11500.	822.2	826.5	-4.3	-3.4	035	47.
116	11600.	822.2	826.5	-4.3	-3.4	035	51.
117	11700.	822.2	826.5	-4.3	-3.5	035	54.
118	11800.	822.2	826.5	-4.3	-3.5	035	57.
119	11900.	822.2	826.5	-4.3	-3.5	035	57.
120	12000.	822.2	826.5	-4.3	-3.5	035	58.

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

	121	12100.	822.2	826.5	-4.3	-3.5	035	60.
	122	12200.	822.2	826.5	-4.2	-3.5	035	60.
	123	12300.	822.2	826.5	-4.2	-3.5	035	61.
	124	12400.	822.3	826.5	-4.2	-3.5	035	62.
	125	12500.	822.3	826.5	-4.2	-3.5	035	63.
		12501.				SEC.	50.700	
	126	12600.	822.3	826.5	-4.2	-3.5	035	64.
	127	12700.	822.3	826.5	-4.2	-3.5	035	65.
	128	12800.	822.3	826.5	-4.2	-3.5	035	66.
	129	12900.	822.3	826.5	-4.2	-3.5	035	67.
	130	13000.	822.4	826.5	-4.2	-3.5	035	67.
	131	13100.	822.4	826.5	-4.2	-3.5	035	68.
	132	13200.	822.4	826.5	-4.1	-3.5	035	69.
	133	13300.	822.4	826.5	-4.1	-3.5	035	71.
	134	13400.	822.4	826.6	-4.1	-3.5	035	72.
	135	13500.	822.4	826.6	-4.1	-3.6	035	72.
	136	13600.	822.5	826.6	-4.1	-3.6	035	72.
	137	13700.	822.5	826.6	-4.1	-3.6	035	73.
	138	13800.	822.5	826.6	-4.1	-3.6	035	73.
	139	13900.	822.5	826.6	-4.1	-3.6	035	73.
		13951.				SEC.	54.000	
	140	14000.	822.5	826.6	-4.1	-3.6	035	73.
	141	14100.	822.6	826.6	-4.0	-3.6	035	74.
	142	14200.	822.6	826.6	-4.0	-3.6	035	74.
	143	14300.	822.6	826.6	-4.0	-3.6	035	75.
	144	14400.	822.6	826.6	-4.0	-3.6	035	75.
	145	14500.	822.7	826.7	-4.0	-3.6	035	75.
	146	14600.	822.7	826.7	-4.0	-3.6	035	75.
	147	14700.	822.7	826.7	-3.9	-3.6	035	76.
	148	14800.	822.8	826.7	-3.9	-3.6	035	76.
	149	14900.	822.8	826.7	-3.9	-3.6	035	76.
	150	15000.	822.8	826.7	-3.9	-3.6	035	75.
	151	15100.	822.8	826.7	-3.9	-3.6	035	75.
	152	15200.	822.9	826.7	-3.9	-3.6	035	76.
	153	15300.	822.9	826.7	-3.8	-3.6	035	76.
	154	15400.	822.9	826.7	-3.8	-3.6	035	76.
	155	15500.	823.0	826.7	-3.8	-3.6	035	76.
	156	15600.	823.0	826.8	-3.8	-3.6	035	76.
		15601.				SEC.	55.000	
	157	15700.	823.0	826.8	-3.8	-3.6	035	76.
		15701.				SEC.	55.100	
		15702.				SEC.	55.900	
		15703.				SEC.	56.000	
		15754.				SEC.	56.100	
	158	15800.	823.1	826.9	-3.8	-3.6	035	77.
		15854.				SEC.	56.200	
	159	15900.	823.2	827.0	-3.8	-3.6	035	77.
	160	16000.	823.2	827.0	-3.8	-3.6	035	77.
	161	16100.	823.3	827.0	-3.8	-3.6	035	77.
	162	16200.	823.3	827.1	-3.7	-3.6	035	77.
		16204.				SEC.	56.900	
		16208.				SEC.	57.000	
		16358.				SEC.	57.100	
	163	16300.	826.3	828.5	-1.6	-3.6	035	77.
	164	16400.	826.5	828.7	-1.6	-3.6	035	77.
	165	16500.	827.1	828.7	-1.6	-3.6	035	75.
	166	16600.	827.3	829.0	-1.7	-3.6	035	75.
		16683.				SEC.	200.000	
	167	16700.	827.5	829.3	-1.7	-3.6	035	74.
	168	16800.	827.6	829.4	-1.8	-3.5	035	72.
	169	16900.	827.6	829.4	-1.8	-3.5	035	70.
	170	17000.	827.7	829.5	-1.8	-3.5	035	70.
	171	17100.	827.7	829.5	-1.8	-3.5	035	65.
		17108.				SEC.	201.000	

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

172	17200.	827.7	829.6	-1.8	-3.5	035	67.
173	17300.	827.7	829.6	-1.8	-3.5	035	66.
174	17400.	827.7	829.6	-1.8	-3.5	035	65.
175	17500.	827.7	829.6	-1.9	-3.5	035	64.
176	17600.	827.7	829.6	-1.9	-3.5	035	63.
177	17700.	827.8	829.6	-1.9	-3.5	035	62.
178	17800.	827.8	829.6	-1.9	-3.4	035	60.
179	17900.	827.8	829.6	-1.9	-3.4	035	57.
180	18000.	827.8	829.6	-1.9	-3.4	035	54.
181	18100.	827.8	829.7	-1.9	-3.4	035	52.
182	18200.	827.8	829.7	-1.9	-3.4	035	50.
183	18300.	827.8	829.7	-1.9	-3.4	035	48.
184	18400.	827.8	829.7	-1.9	-3.4	035	47.
	18408.				SEC. 202.030		
185	18500.	827.8	829.7	-1.9	-3.4	035	46.
186	18600.	827.8	829.7	-1.9	-3.4	035	44.
187	18700.	827.8	829.7	-1.9	-3.4	035	44.
188	18800.	827.8	829.7	-1.9	-3.4	035	43.
189	18900.	827.8	829.7	-1.9	-3.4	035	42.
190	19000.	827.8	829.8	-1.9	-3.3	035	41.
191	19100.	827.9	829.8	-1.9	-3.3	035	40.
192	19200.	827.9	829.8	-1.9	-3.3	035	39.
193	19300.	827.9	829.8	-1.9	-3.3	035	38.
194	19400.	827.9	829.8	-1.9	-3.3	035	38.
195	19500.	827.9	829.8	-1.9	-3.3	035	37.
196	19600.	827.9	829.8	-1.9	-3.3	035	37.
197	19700.	827.9	829.8	-1.9	-3.3	035	37.
198	19800.	827.9	829.9	-1.9	-3.3	035	37.
199	19900.	827.9	829.9	-1.9	-3.3	035	37.
200	20000.	827.9	829.9	-1.9	-3.3	035	37.
201	20100.	827.9	829.9	-1.9	-3.3	035	36.
202	20200.	827.9	829.9	-2.0	-3.3	035	35.
203	20300.	828.0	829.9	-2.0	-3.3	035	34.
204	20400.	828.0	829.9	-2.0	-3.2	030	34.
205	20500.	828.0	829.9	-2.0	-3.2	030	34.
206	20600.	828.0	829.9	-2.0	-3.2	030	34.
207	20700.	828.0	829.9	-2.0	-3.2	030	34.
208	20800.	828.0	830.0	-2.0	-3.2	030	32.
209	20900.	828.0	830.0	-2.0	-3.2	030	31.
	20908.				SEC. 203.030		
210	21000.	828.0	830.0	-2.0	-3.2	030	31.
211	21100.	828.0	830.0	-2.0	-3.2	030	30.
212	21200.	828.0	830.0	-2.0	-3.2	030	30.
213	21300.	828.0	830.0	-2.0	-3.2	030	30.
214	21400.	828.0	830.0	-2.0	-3.2	030	29.
215	21500.	828.1	830.1	-2.0	-3.2	030	29.
216	21600.	828.1	830.1	-2.0	-3.2	030	28.
217	21700.	828.1	830.1	-2.0	-3.2	030	28.
218	21800.	828.1	830.1	-2.0	-3.2	030	28.
219	21900.	828.1	830.1	-2.0	-3.2	030	27.
220	22000.	828.1	830.1	-2.0	-3.2	030	27.
221	22100.	828.1	830.1	-2.0	-3.2	030	27.
	22103.				SEC. 204.030		
222	22200.	828.1	830.1	-2.0	-3.1	030	27.
223	22300.	828.1	830.1	-2.0	-3.1	030	26.
224	22400.	828.1	830.2	-2.0	-3.1	030	26.
225	22500.	828.1	830.2	-2.0	-3.1	030	25.
226	22600.	828.1	830.2	-2.0	-3.1	030	25.
227	22700.	828.2	830.2	-2.0	-3.1	030	24.
228	22800.	828.2	830.2	-2.0	-3.1	030	24.
229	22900.	828.2	830.2	-2.0	-3.1	030	24.
230	23000.	828.2	830.2	-2.0	-3.1	030	24.
231	23100.	828.2	830.2	-2.0	-3.1	030	24.
232	23200.	828.2	830.2	-2.0	-3.1	030	24.

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

233	23300.	828.2	830.2	-2.1	-3.1	030	24.
234	23400.	828.2	830.3	-2.1	-3.1	030	23.
235	23500.	828.2	830.3	-2.1	-3.1	030	23.
236	23600.	828.2	830.3	-2.1	-3.1	030	23.
237	23700.	828.2	830.3	-2.1	-3.1	030	23.
238	23800.	828.2	830.3	-2.1	-3.1	030	23.
239	23900.	828.2	830.3	-2.1	-3.1	030	22.
	23903.				SEC. 205.000		
240	24000.	828.3	830.3	-2.1	-3.1	030	23.
241	24100.	828.3	830.3	-2.1	-3.1	030	24.
242	24200.	828.3	830.3	-2.1	-3.1	030	24.
243	24300.	828.3	830.3	-2.1	-3.1	030	26.
244	24400.	828.3	830.3	-2.1	-3.0	030	26.
245	24500.	828.3	830.3	-2.1	-3.0	030	27.
246	24600.	828.3	830.4	-2.1	-3.0	030	28.
247	24700.	828.3	830.4	-2.1	-3.0	030	29.
248	24800.	828.3	830.4	-2.1	-3.0	030	30.
249	24900.	828.3	830.4	-2.1	-3.0	030	31.
250	25000.	828.3	830.4	-2.1	-3.0	030	31.
251	25100.	828.3	830.4	-2.1	-3.0	030	32.
252	25200.	828.3	830.4	-2.1	-3.0	030	33.
253	25300.	828.3	830.4	-2.1	-3.0	030	34.
254	25400.	828.3	830.4	-2.1	-3.0	030	34.
	25435.				SEC. 206.000		
255	25500.	828.3	830.4	-2.1	-3.0	030	35.
256	25600.	828.3	830.4	-2.1	-3.0	030	35.
257	25700.	828.4	830.4	-2.1	-3.0	030	36.
258	25800.	828.4	830.4	-2.1	-3.0	030	37.
259	25900.	828.4	830.4	-2.1	-3.0	030	37.
260	26000.	828.4	830.4	-2.1	-3.0	030	38.
261	26100.	828.4	830.4	-2.1	-3.0	030	38.
262	26200.	828.4	830.5	-2.1	-3.0	030	39.
263	26300.	828.4	830.5	-2.1	-3.0	030	40.
	26358.				SEC. 207.000		
264	26400.	828.4	830.5	-2.1	-3.0	030	40.
265	26500.	828.4	830.5	-2.1	-3.0	030	40.
266	26600.	828.4	830.5	-2.1	-3.0	030	41.
267	26700.	828.4	830.5	-2.1	-3.0	030	42.
268	26800.	828.4	830.5	-2.1	-3.0	030	42.
269	26900.	828.4	830.5	-2.1	-3.0	030	42.
270	27000.	828.4	830.5	-2.1	-3.0	030	43.
271	27100.	828.5	830.5	-2.1	-3.0	030	44.
272	27200.	828.5	830.5	-2.1	-2.9	030	44.
273	27300.	828.5	830.5	-2.1	-2.9	030	45.
274	27400.	828.5	830.6	-2.1	-2.9	030	45.
275	27500.	828.5	830.6	-2.1	-2.9	030	45.
276	27600.	828.5	830.6	-2.1	-2.9	030	46.
277	27700.	828.5	830.6	-2.1	-2.9	030	47.
278	27800.	828.5	830.6	-2.1	-2.9	030	47.
279	27900.	828.5	830.6	-2.1	-2.9	030	47.
280	28000.	828.5	830.6	-2.1	-2.9	030	48.
281	28100.	828.5	830.6	-2.1	-2.9	030	48.
282	28200.	828.5	830.6	-2.1	-2.9	030	49.
	28258.				SEC. 208.000		
283	28300.	828.5	830.6	-2.1	-2.9	030	49.
284	28400.	828.5	830.6	-2.1	-2.9	030	49.
285	28500.	828.5	830.6	-2.1	-2.9	030	50.
286	28600.	828.5	830.6	-2.1	-2.9	030	50.
287	28700.	828.5	830.6	-2.1	-2.9	030	51.
288	28800.	828.5	830.6	-2.1	-2.9	030	51.
289	28900.	828.5	830.6	-2.1	-2.9	030	51.
290	29000.	828.6	830.6	-2.1	-2.9	030	52.
291	29100.	828.6	830.6	-2.1	-2.9	030	52.
292	29200.	828.6	830.6	-2.1	-2.9	030	52.

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

293	29300.	828.6	830.7	-2.1	-2.9	030	53.
294	29400.	828.6	830.7	-2.1	-2.9	030	53.
295	29500.	828.6	830.7	-2.1	-2.9	030	54.
296	29600.	828.6	830.7	-2.1	-2.9	030	54.
297	29700.	828.6	830.7	-2.1	-2.9	030	55.
298	29800.	828.6	830.7	-2.1	-2.9	030	55.
299	29900.	828.6	830.7	-2.1	-2.9	030	55.
300	30000.	828.6	830.7	-2.1	-2.9	030	56.
301	30100.	828.6	830.7	-2.1	-2.9	030	56.
302	30200.	828.6	830.7	-2.1	-2.9	030	56.
303	30300.	828.6	830.7	-2.1	-2.9	030	57.
304	30400.	828.7	830.7	-2.1	-2.9	030	57.
305	30500.	828.7	830.7	-2.1	-2.9	030	57.
306	30600.	828.7	830.7	-2.1	-2.9	030	58.
307	30700.	828.7	830.7	-2.1	-2.9	030	58.
308	30800.	828.7	830.7	-2.1	-2.9	030	58.
309	30900.	828.7	830.7	-2.1	-2.9	030	59.
310	31000.	828.7	830.7	-2.1	-2.9	030	59.
311	31100.	828.7	830.7	-2.1	-2.9	030	59.
312	31200.	828.7	830.8	-2.0	-2.8	030	59.
313	31300.	828.7	830.8	-2.0	-2.8	030	59.
314	31400.	828.7	830.8	-2.0	-2.8	030	60.
315	31500.	828.7	830.8	-2.0	-2.8	030	60.
316	31600.	828.7	830.8	-2.0	-2.8	030	60.
317	31700.	828.7	830.8	-2.0	-2.8	030	60.
318	31800.	828.7	830.8	-2.0	-2.8	030	60.
319	31900.	828.8	830.8	-2.0	-2.8	030	60.
	31950.				SEC.	209.000	
320	32000.	828.8	830.8	-2.0	-2.8	030	61.
321	32100.	828.8	830.8	-2.0	-2.8	030	61.
322	32200.	828.8	830.8	-2.0	-2.8	030	61.
323	32300.	828.8	830.8	-2.0	-2.8	030	61.
324	32400.	828.8	830.8	-2.0	-2.8	030	61.
325	32500.	828.8	830.9	-2.0	-2.8	030	61.
326	32600.	828.8	830.9	-2.0	-2.8	030	61.
327	32700.	828.8	830.8	-2.0	-2.8	030	61.
328	32800.	828.9	830.9	-2.0	-2.8	030	62.
329	32900.	828.9	830.9	-2.0	-2.8	030	62.
330	33000.	828.9	830.9	-2.0	-2.8	030	62.
331	33100.	828.9	830.9	-2.0	-2.8	030	62.
332	33200.	828.9	830.9	-2.0	-2.8	030	62.
333	33300.	828.9	830.9	-2.0	-2.8	030	62.
334	33400.	828.9	830.9	-2.0	-2.8	030	62.
	33408.				SEC.	210.000	
335	33500.	829.0	831.0	-2.0	-2.8	030	62.
336	33600.	829.0	831.0	-2.0	-2.8	030	62.
337	33700.	829.0	831.0	-2.0	-2.8	030	62.
338	33800.	829.0	831.0	-2.0	-2.8	030	62.
339	33900.	829.0	831.0	-2.0	-2.8	030	62.
340	34000.	829.0	831.0	-2.0	-2.8	030	62.
341	34100.	829.0	831.0	-2.0	-2.8	030	62.
342	34200.	829.0	831.0	-2.0	-2.8	030	62.
343	34300.	829.0	831.0	-2.0	-2.8	030	62.
344	34400.	829.1	831.0	-2.0	-2.8	030	62.
345	34500.	829.1	831.1	-2.0	-2.8	030	62.
346	34600.	829.1	831.1	-2.0	-2.8	030	62.
347	34700.	829.1	831.1	-2.0	-2.8	030	63.
348	34800.	829.1	831.1	-2.0	-2.8	030	62.
349	34900.	829.1	831.1	-2.0	-2.7	025	62.
350	35000.	829.1	831.1	-2.0	-2.7	025	63.
351	35100.	829.1	831.1	-2.0	-2.7	025	63.
352	35200.	829.1	831.1	-2.0	-2.7	025	63.
353	35300.	829.2	831.1	-2.0	-2.7	025	63.
354	35400.	829.2	831.1	-2.0	-2.7	025	64.

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

355	35500.	829.2	831.2	-2.0	-2.7	025	63.
356	35600.	829.2	831.2	-2.0	-2.7	025	63.
357	35700.	829.2	831.2	-2.0	-2.7	025	64.
358	35800.	829.2	831.2	-2.0	-2.7	025	64.
359	35900.	829.2	831.2	-2.0	-2.7	025	64.
360	36000.	829.2	831.2	-2.0	-2.7	025	64.
	36083.				SEC.	211.000	
361	36100.	829.2	831.2	-2.0	-2.7	025	64.
362	36200.	829.3	831.2	-2.0	-2.7	025	64.
363	36300.	829.3	831.2	-2.0	-2.7	025	64.
364	36400.	829.3	831.3	-2.0	-2.7	025	64.
365	36500.	829.3	831.3	-2.0	-2.7	025	65.
366	36600.	829.3	831.3	-2.0	-2.7	025	65.
367	36700.	829.3	831.3	-2.0	-2.7	025	65.
368	36800.	829.3	831.3	-2.0	-2.7	025	65.
369	36900.	829.4	831.3	-2.0	-2.7	025	65.
370	37000.	829.4	831.3	-2.0	-2.7	025	65.
371	37100.	829.4	831.3	-2.0	-2.7	025	65.
372	37200.	829.4	831.4	-2.0	-2.7	025	65.
373	37300.	829.4	831.4	-2.0	-2.7	025	65.
374	37400.	829.4	831.4	-2.0	-2.7	025	65.
375	37500.	829.4	831.4	-2.0	-2.7	025	65.
376	37600.	829.5	831.4	-2.0	-2.7	025	65.
377	37700.	829.5	831.4	-2.0	-2.7	025	66.
378	37800.	829.5	831.4	-2.0	-2.7	025	66.
379	37900.	829.5	831.5	-2.0	-2.7	025	66.
380	38000.	829.5	831.5	-2.0	-2.7	025	66.
381	38100.	829.5	831.5	-2.0	-2.7	025	66.
382	38200.	829.5	831.5	-2.0	-2.7	025	66.
383	38300.	829.6	831.5	-2.0	-2.7	025	66.
384	38400.	829.6	831.5	-2.0	-2.7	025	66.
	38483.				SEC.	212.000	
385	38500.	829.6	831.5	-2.0	-2.7	025	66.
386	38600.	829.6	831.6	-2.0	-2.7	025	67.
387	38700.	829.6	831.6	-2.0	-2.7	025	67.
388	38800.	829.6	831.6	-2.0	-2.7	025	67.
389	38900.	829.6	831.6	-2.0	-2.7	025	67.
390	39000.	829.7	831.6	-2.0	-2.7	025	67.
391	39100.	829.7	831.6	-2.0	-2.7	025	68.
392	39200.	829.7	831.6	-2.0	-2.7	025	68.
393	39300.	829.7	831.7	-2.0	-2.7	025	68.
394	39400.	829.7	831.7	-2.0	-2.7	025	68.
395	39500.	829.7	831.7	-2.0	-2.7	025	68.
396	39600.	829.7	831.7	-2.0	-2.7	025	68.
397	39700.	829.8	831.7	-1.9	-2.7	025	68.
398	39800.	829.8	831.7	-1.9	-2.7	025	68.
399	39900.	829.8	831.7	-1.9	-2.7	025	68.
400	40000.	829.8	831.7	-1.9	-2.6	025	69.
401	40100.	829.8	831.8	-1.9	-2.6	025	69.
402	40200.	829.8	831.8	-1.9	-2.6	025	69.
403	40300.	829.8	831.8	-1.9	-2.6	025	69.
404	40400.	829.9	831.8	-1.9	-2.6	025	69.
405	40500.	829.9	831.8	-1.9	-2.6	025	69.
406	40600.	829.9	831.8	-1.9	-2.6	025	69.
407	40700.	829.9	831.8	-1.9	-2.6	025	69.
408	40800.	829.9	831.9	-1.9	-2.6	025	69.
409	40900.	829.9	831.9	-1.9	-2.6	025	69.
410	41000.	830.0	831.9	-1.9	-2.6	025	69.
411	41100.	830.0	831.9	-1.9	-2.6	025	69.
412	41200.	830.0	831.9	-1.9	-2.6	025	69.
413	41300.	830.0	831.9	-1.9	-2.6	025	69.
414	41400.	830.0	831.9	-1.9	-2.6	025	70.
415	41500.	830.0	832.0	-1.9	-2.6	025	70.
416	41600.	830.0	832.0	-1.9	-2.6	025	70.

PRINTED IN U.S.A.
FORM 1411-GB PRINTED BY ROTARY MANIFOLD FORMS.

417	41700.	830.1	832.0	-1.9	-2.6	025	70.
418	41800.	830.1	832.0	-1.9	-2.6	025	70.
419	41900.	830.1	832.0	-1.9	-2.6	025	70.
420	42000.	830.1	832.0	-1.9	-2.6	025	70.
421	42100.	830.1	832.0	-1.9	-2.6	025	70.
422	42200.	830.2	832.1	-1.9	-2.6	025	70.
423	42300.	830.2	832.1	-1.9	-2.6	025	70.
424	42400.	830.2	832.1	-1.9	-2.6	025	70.
425	42500.	830.2	832.1	-1.9	-2.6	025	70.
	42583.				SEC.	213.000	
426	42600.	830.2	832.1	-1.9	-2.6	025	70.
427	42700.	830.2	832.1	-1.9	-2.6	025	70.
428	42800.	830.3	832.2	-1.9	-2.6	025	71.
429	42900.	830.3	832.2	-1.9	-2.6	025	71.
430	43000.	830.3	832.3	-1.9	-2.6	025	71.
431	43100.	830.4	832.3	-1.9	-2.6	025	71.
432	43200.	830.4	832.4	-1.9	-2.6	025	71.
433	43300.	830.4	832.4	-2.0	-2.6	025	71.
	43382.				SEC.	214.000	
434	43400.	830.5	832.5	-2.1	-2.6	025	71.
	43420.				SEC.	215.000	
435	43500.	830.5	832.9	-2.3	-2.6	025	71.
	43581.				SEC.	215.170	

THIS REACH CAN BE SUBDIVIDED BY INC NO. TO MEET FLO REQUIREMENTS
INPUT 20N WHERE N IS THE NUMBER OF REACHES AND THEN INPUT THE END
OF EACH REACH BY INC NO. FOR EXAMPLE: 252 46 435
A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

PRINTED IN U.S.A.
FORM 1411 GB PRINTED BY ROTARY MANIFOLD FORMS.

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Battle Creek

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: Report

00BREAK00

Wade, Trim & Associates, Inc.
Civil Engineers • Land Surveyors • Community Planners
Taylor, Michigan

RECEIVED
NOV 17 1980
WATER MANAGEMENT

November 14, 1980

Michigan Department of Natural Resources
Flood Insurance & Flood Plain Delineation Unit
Water Management Division
Stevens T. Mason Building
Lansing, Michigan 48909

Attention: Mr. Dan Morgan

Re: Engineering Contract H-4802
Bedford Township/City of Battle Creek
Flood Insurance Studies

Gentlemen:

Enclosed is a report which describes the hydraulic studies for the Kalamazoo River associated with the Bedford Township/ City of Battle Creek - Michigan, Flood Insurance Administration Studies performed by our office. Your review and approval of this report are requested.

Please contact Dan Brooks of this office if you have any questions regarding this report.

Very truly yours,

WADE, TRIM & ASSOCIATES, INC.

William J. Weaver, P.E.

WJW:DB:jmr
HUD 2023-07
HUD 2021-07
Enclosure
cc: Mr. Wallace Weaver, Federal Emergency Management Agency
Mr. Martin Gunn, Federal Emergency Management Agency

KALAMAZOO RIVER BASIN
HYDRAULIC ANALYSIS
FOR
BEDFORD TOWNSHIP
AND
CITY OF BATTLE CREEK
FLOOD INSURANCE STUDIES

HUD 2023-07
HUD 2021-07

November, 1980

Prepared By:

Wade, Trim & Associates, Inc.
25185 Goddard Road
Taylor, Michigan 48180

I INTRODUCTION

This hydraulic study investigates the existence and severity of flood hazards along the Kalamazoo River in Bedford Township and the City of Battle Creek, Calhoun County, Michigan.

Bedford Township covers an area of approximately 29.5 square miles and the City of Battle Creek covers approximately 17 square miles. The flood plain of the Kalamazoo River within the study reach is basically undeveloped at present with the exception of a few residential structures.

II DETAILED STUDY OF THE KALAMAZOO RIVER

Detailed hydraulic studies were performed for approximately 7.4 miles of the Kalamazoo River. The study begins at the Kalamazoo/Calhoun County boundary and ends at the confluence with the Battle Creek River in the City of Battle Creek.

A total of 5 bridge and 19 valley cross sections were field surveyed by Wade, Trim & Associates, Inc. in March, 1980. These cross sections were supplemented by aerial topography and U.S.G.S. Quad Maps which consist of 10-foot contour intervals (Reference 1, 2 and 3).

Cross section locations are shown on Exhibit 1. Table 1 cross references section designations by showing the computer section number which corresponds to each cross section letter shown in Exhibit 1. Table 2 lists discharges which have been approved by the Michigan Department of Natural Resources (M.D.N.R.) for this stream.

A. METHOD OF ANALYSIS

The HEC-2 backwater computer program was used in developing water surface profiles (Reference 4). Table 2 presents water surface elevations at selected locations for the four storms (10, 50, 100 and 500-year) analyzed in this report. HEC-2 printouts including computer cross section plots are presented as Exhibit 2. (Exhibit 2 is contained in the 11" x 15" folder enclosed with this report.) Water surface profiles resulting from the backwater analyses are presented as Exhibit 3.

TABLE 1
BEDFORD TOWNSHIP
AND THE
CITY OF BATTLE CREEK

KALAMAZOO RIVER

CROSS REFERENCE INDEX

X-SECT.	COMPUTER NO.	DESCRIPTION
A	102.0	Valley Section
B	102.5	Valley Section
C	103.0	Valley Section
D	104.0	Valley Section
E	105.0	Valley Section
F	106.0	Valley Section
G	107.0	Valley Section
H	108.9	D/S Face Custer Rd. Bridge
I	109.0	U/S Face Custer Rd. Bridge
J	110.0	Valley Section
K	111.0	Enclosed Sewer Crossing
L	112.0	Valley Section
M	113.0	Valley Section
N	114.0	Valley Section
O	115.0	Valley Section
P	115.9	D/S Face Bedford Rd. Bridge
Q	116.0	U/S Face Bedford Rd. Bridge
R	117.0	Valley Section
S	117.9	D/S Face 20th St. Bridge
T	118.0	U/S Face 20th St. Bridge
U	119.0	Valley Section
V	120.0	Valley Section
W	121.0	Valley Section
X	121.9	D/S Face Angell St. Bridge
Y	122.0	U/S Face Angell St. Bridge
Z	123.0	Valley Section
AA	123.9	D/S Face Kendell St. Bridge
AB	124.0	U/S Face Kendell St. Bridge
AC	125.0	Valley Section - Confluence to Battle Creek River

TABLE 2

BEDFORD TOWNSHIP

AND THE

CITY OF BATTLE CREEK

KALAMAZOO RIVER FLOOD ELEVATIONS*

LOCATION	Selected Frequencies 10-YEAR	50-YEAR	100-YEAR	500-YEAR
	Q= 4,390 cfs	Q= 6,000 cfs	Q= 6,700 cfs	Q= 8,420 cfs
Kalamazoo/Calhoun County Boundary (D/S Limit of Study)	797.86	798.58	798.85	799.46
Bedford Township/ Battle Cr[illegible]	803.02	804.16	804.61	805.63
	4,270 cfs	Q= 5,920 cfs	Q= 6,650 cfs	Q= 8,420 cfs
Kal #1055	808.43	809.87	810.43	811.73

nal Geodetic Vertical Datum.

B. VARIABLES AND COEFFICIENTS

Roughness coefficients (Mannings "n") were estimated from field inspections, quad maps, and photographs. Typical roughness values for the main channel and overbank areas of the Kalamazoo River range from .035 to .040 and .08 to .12, respectively, for all floods. These values are indicative of summer month conditions and are consistent with values recommended and used in engineering practice (Reference 5). Contraction and expansion coefficients were selected as 0.3 and 0.5, respectively, at bridge sections and 0.1 and 0.3, respectively, for gradual channel transitions. Bridge loss coefficient computations are included in Exhibit 4.

C. HIGH WATER MARKS

There are no documented high water marks for this reach of the Kalamazoo River.

D. STARTING CONDITIONS


Starting water surface elevations at the downstream limit of detailed study for the 10, 50, 100 and 500-year storms were obtained by performance of a convergence analysis. This analysis was begun at a cross section located approximately 6,600 feet downstream from the Bedford Township corporate boundary. Cross sectional data were obtained from a field survey conducted by Wade, Trim & Associates, Inc. in March, 1980.

Three conditions were applied to the start of the computer model for this analysis: critical depth, normal depth and .5 feet above normal depth. Flows corresponding to the 100-year storm were utilized for this analysis. Results of this analysis (Figure 1) indicated that convergence was achieved at the downstream limit of detailed study. The friction slope resulting from this analysis, located at the Bedford Township corporate boundary, was utilized for the starting condition for all floods analyzed as part of this Flood Insurance Study. Computer printouts resulting from this analysis are presented in Exhibit 2.

E. SPECIAL PROBLEMS

There is an oxbow located immediately downstream of Custer Road which is separated from the main channel by a levee. During the 100-year storm, the levee will not become inundated; therefore, a divided flow condition will occur. A divided flow analysis was performed to determine the impact of this diversion upon flood levels and obtain the distribution of flow between the main channel and oxbow.

Results of this analysis, as presented in Exhibit 5, indicated that 900 cfs will be diverted through the oxbow during the 100-year flood. If a floodway is not provided and flow is not allowed to pass through the oxbow, 100-year flood elevations will increase approximately 0.13 feet. Therefore, the oxbow has been delineated as part of the floodway.


KALAMAZOO RIVER
BEDFORD TOWNSHIP
CONVERGENCE PROFILE
HUD 2023-02 DRB 11/80
FIGURE 1
NORMAL DEPTH +.5'
NORMAL DEPTH
CRITICAL DEPTH
INVERT ELEVATION
BEDFORD TWP. CORP. BOUNDARY
CROSS SECTION # → 118
119
120
ELEVATION, N.G.V.D.
800
790
780
7000
6000
5000
4000
3000
2000
1000
0
DISTANCE D/S BEDFORD TWP. CORPORATE BOUNDARY

There is a similar problem along the banks of the stream located between Custer and Bedford Roads. During the 100-year storm, portions of the levee system become inundated and a divided flow situation occurs between cross sections 110 and 111. Therefore, a divided flow analysis was performed to determine the distribution of flow between the main channel and diversion area within the right overbank.

Results of this analysis, as presented in Exhibit 6, indicated that 5 percent (350 cfs) of the 100-year flow rate will be transported through the diversion. Furthermore, if a floodway is not provided and flow is disallowed through the diversion area, elevations within the main channel for the 100-year flood will increase only 0.03 feet. Therefore, the diversion area was not delineated as a floodway but was included within the 100-year flood hazard area.

F. GENERAL

Computed water surface elevations were developed to an accuracy of 0.5 feet for floods of the selected recurrence intervals.

All elevations are referenced to the U.S. Geological Survey (U.S.G.S.) Datum. This datum is equivalent to the National Geodetic Vertical Datum (N.G.V.D.).

The hydraulic analyses for this study were based only on the effects of flow unobstructed by ice or debris. The flood elevations are considered valid only if hydraulic structures, in general, remain unobstructed and do not fail.

REFERENCES

1. Abrams Aerial Survey, Kalamazoo River in Bedford Township and City of Battle Creek, 1979.

2. U.S. Geological Survey Topographical Maps - Augusta Quadrangle, Kalamazoo/Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

3. U.S. Geological Survey Topographical Maps - Battle Creek Quadrangle, Calhoun County, 7.5 Minute Series - Photo Revised, 1972.

4. HEC-2 Water Surface Profile - Users Manual - U.S. Army Corps of Engineers - 1976.

5. Open Channel Hydraulics, Chow, Ven Te, McGraw Hill, Inc., 1959.

KALAMAZOO RIVER

INDEX OF EXHIBITS

EXHIBIT 1	Field Cross Section Location and 100-Year Flood Plain - Flooodway Map, Bedford Township, 2 Sheets, City of Battle Creek, 5 Sheets.
EXHIBIT 2	Computer Printouts, HEC-2 Backwater Analysis With Cross Section Plots (In Separate Folder) Bedford Township and City of Battle Creek.
EXHIBIT 3	Stream Profiles, Bedford Township and City of Battle Creek, 5 Sheets.
EXHIBIT 4	Bridge Notes and Sketches, Bedford Township and City of Battle Creek, 16 Sheets.
EXHIBIT 5	Divided Flow Analysis for Oxbow D/S Custer Road, 8 Sheets.
EXHIBIT 6	Divided Flow Analysis for Levee System U/S Custer Road, 8 Sheets.

KALAMAZOO RIVER

BEDFORD TOWNSHIP

AND THE

CITY OF BATTLE CREEK

EXHIBIT 1

Field Cross Section Location and

100-Year Flood Plain - Floodway Map

KALAMAZOO RIVER
BEDFORD TOWNSHIP
AND THE
CITY OF BATTLE CREEK

EXHIBIT 2

Computer Printouts
HEC-2 Backwater Analysis With
Cross Section Plots (See Separate Folder)

KALAMAZOO RIVER

BEDFORD TOWNSHIP

AND THE

CITY OF BATTLE CREEK

EXHIBIT 3

Stream Profile

KALAMAZOO RIVER PROFILE

BEDFORD TOWNSHIP

REACH 1 ZONE AE

ELEVATION (FEET) NGVD

810
805
800
795
790
785
780

A
B
C


0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500

DISTANCE IN FEET

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

LEGEND

100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
IN YEAR WATER SURFACE
SUSQUEHANNA CHANNEL BOTTOM


ACITY OF BAYTOWN CREEK

SCALE
HORIZ 1"=500'
VERT 1"=5'

LEGEND

5.00 YEAR WATER SURFACE
100 YEAR WATER SURFACE
SPRINGFIELD CHANNEL BOTTOM
10 YEAR WATER SURFACE
50 YEAR WATER SURFACE

DISTANCE IN FEET

8000 8500 9000 9500 10,000 10,500 11,000 11,500 12,000 12,500 13,000 13,500


ELEVATION IN FEET (NGVD)

780 785 790 795 800 805 810

I H G F E D

PEARL ST
ZONE M2
CUSTER ROAD
CORPORATE
BOUNDARY

CITY OF BATTLE CREEK



NOVEMBER 1980
SHEET 2 OF 5
HUD 2021-07
HUD 2023-07

KALAMAZOO RIVER PROFILE

BEDFORD TOWNSHIP

ENCLOSED SEWER CROSSING

DEARE ZONE AA

ELEVATION IN FEET (M.S.W.D.)

870
815
810
805
800
795
790


16,000 16,500 17,000 17,500 18,000 18,500 19,000 19,500 20,000 20,500 21,000 21,500 22

DISTANCE IN FEET

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

LEGEND

100 YEAR WATER SURFACE
10 YEAR WATER SURFACE
2 YEAR WATER SURFACE
10 YEAR WATER SURFACE
CHANNEL BOTTOM


NOVEMBER-1980
SHEET 3 of 5
24000
23500
23000
22500
22000
790
795
800
805
810
815
820

KALAMAZOO RIVER PROFILE

REACH 2 ZONE A4

REDFORD ROAD

ELEVATION IN FEET (N.G.V.D.)

825
820
815
810
805
800
795

24,000 24,500 25,000 25,500 26,000 26,500 27,000 27,500 28,000 28,500 29,000 29,500


DISTANCE IN FEET

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
STREAMBED CHANNEL BOTTOM

CITY OF BATTLE CREEK



NOVEMBER - 1980
SHEET 4 OF 5
HUD 2021-07
HUD 2023-07

WILLIAM H. HOOD RIVER PROFILE

BEDFORD TOWNSHIP

REACH 2

ZONE A4

ANGELL STREET

KENDELL STREET

ELEVATION IN FEET (NGVD)

820
815
810
805
800
795
790

V W X Y Z AA AB

32,000 32,500 33,000 33,500 34,000 34,500 35,000 35,500 36,000 36,500 37,000 37,500


DISTANCE IN FEET

SCALE
HORIZ. 1"=500'
VERT. 1"=5'

LEGEND

500 YEAR WATER SURFACE
100 YEAR WATER SURFACE
50 YEAR WATER SURFACE
10 YEAR WATER SURFACE
STREAMBED CHANNEL BOTTOM

CITY OF BATTLE CREEK



NOVEMBER - 1980
SHEET 5 OF 5
HUD 2021-07
HUD 2023-07

KALAMAZOO RIVER

BEDFORD TOWNSHIP

AND THE


CITY OF BATTLE CREEK

EXHIBIT 4

Bridge Notes and Sketches



SEC #109 - TOP VIEW OF COSTER RD. BRIDGE AT THE KALAMAZOO RIVER




SEC #109 - UPSTREAM VIEW OF COSTER RD. BRIDGE

HUC 2023-05


CROSS-SECTION #109 KALAMAZOO RIVER AT CUSTER

L&R OFFSET FROM ℄ BRIDGE FACING DOWNSTR.


DOWNSTR. END FACING UPSTR. DIRECTION
RD 810.7
3'
3'
3'


HUD 2023-05

Cross-Section #109 Kalamazoo River At Custer Rd




SHEET 30 of 46

HUD 2023-05



SEC #11 - TOP VIEW BEDFORD RD AND KALAMAZOO RIVER BRIDGE (UPSTREAM)




6


Sec # 11 KALAMAZOO RIVER AT BEDFORD SHEET 4 OF 16

Cross Section Profile Plan & Backup


L&R OFFSETS FROM ℄ BRIDGE FACING DOWNSTR




INVERT AVE D/S 797.04 — Low Cord 812.0
U/S 796.97 — 811.6


MAS RENDINGS
E BEDFORD
N 40°E
15@S64°E
165D
15@N64°W
64'
99D
UPSTR
DWNSTR
330
2'
S64°E
2' COUNTER STRIP
N64°W
8.4' WIDE
33L
99L
15@S64°E
DIVIDE WALL 2' WIDE
165L
15@N64°W

SHEET 6 OF 16



SEC #15 - TOP VIEW 20" ST BRILLS + KALAMAZOO RIVER CURSTRETCH



SEC #12 KALAMAZOO RIVER

Bridge Location: 20TH STREET STA 118.

REFERENCE

Bridge Losses - SB Card

1. XK (Pier Shape Coefficient) 1.05 — HEC-2 manual

XKOR (Loss Coefficient) = 1.0 + Σk, Σk = $k_f + k_e + k_p$

where k_f = friction loss coefficient
k_e = entrance loss coefficient
k_p = loss from intermediate piers

Description of Bridge:

$K_f = 29.1\, n^2 L / R^{4/3}$ for English units

Area = = Wp =

$R = A/wp$ $R^{4/3}$ = L =

n (composite) =


$K_f = 29.1 \times (\quad)^2 \times \quad / \quad =$

K_c =

Hydraulic Charts for the Selection of Highway Culverts Circular No. 5 Dec. 1965 pg. 45

K_p = 0 if bridge has no intermediate piers

K_p = 0.05 if bridge has intermediate piers — HEC-2 manual



260 (15.9) = 4134
35 (15.9) = 556
- Piers 8 (1.25) (15.9) 4690
160
4530

2. XKOR = 1 + + + = 1.5

3. COFQ Coefficient of discharge = 3.0 — HEC-2 manual 15.4

4. RDLEN - Length of weir = 0. (0 if read off BT cards)

5. BWC - Bottom width of bridge opening (inc. piers): 260.

Width of obstruction = 10. — field data

Area of bridge opening ~~inc. piers~~ = 4530.

8. SS = side slope = 2.20
(horizontal per 1 vertical unit)


9. ELCHU = Elevation of channel invert U/S side = 798.3
(0 if equal to minimum elevation in previous X-sect.)

10. ELCHD = Elevation of channel invert D/S side = 798.6
(0 if equal to minimum elevation in previous X-sect.)


SUBJECT	BY	CHK	SHEET NO	File Code No. (Job No.) Project Owner Suffix
KAZOO R. CITY OF B.C.	DRB		8 of 16	HUD • 2021 • 07
	DATE 4/80	DATE		

Cross-Section #13 20th St. Bridge at Kalamazoo River

L&R offsets from ℄ Bridge facing Downstr.




	Invert	Low Cord	Top RD
D/S	798.6	814.3	816.5
U/S	798.3	814.2	816.5




SHEET 10 OF 16

HWD 2021-0



SEC #19 - TOP VIEW ANGELL ST AND KALAMAZOO RIVER BRIDGE - WESTERN



10

SECTION #19 KALAMAZOO RIVER AT ANGELL SHEET 16 OF 16

HUD 2021-07

Cross-Section #19 Angell St. At Kalamazoo River


L&R Offsets From ℄ Bridge Facing Downstr.

℄ Downstr. End Facing Upstr.

SHEET 120-16
HOD 2021-07

BRIDGE SECTION #19 ALGELL ST. @ KALAMAZOO RIVER

MAG. BEARINGS



SHEET B OF 16

HUD 2021-07




11

SECTION #22 KALAMAZOO RIVER AT KENDALL

Cross-Section #22 Kendall St At Kalamazoo River

L & R Offsets From ℄ Bridge Facing Dnwdstr



	Invert	L C
D/S	801.2	
U/S	802.4	817.7


Dowdstr End Facing Upstr.

Sheet 15 of 16

HOD 2021-03

HDD 2021-07

Cross Section #22 Kendall St at Kalmiana



SHEET 16 of 16

HDD 2021-07

KALAMAZOO RIVER

BEDFORD TOWNSHIP

AND THE

CITY OF BATTLE CREEK

EXHIBIT 5


Oxbow Analysis


D/S of Custer Road

INDEX

PAGE 1	Location Map with Cross Section Locations
PAGE 2	Rating Curve for Oxbow Analysis
PAGES 3-5	HEC-2 Backwater, Kalamazoo River
PAGES 6-8	HEC-2 Backwater, Oxbow

KALAMAZOO RIVER
OXBOW ANALYSIS D/S
CUSTER ROAD
LOCATION MAP




KALAMAZOO RIVER
OXBOW ANALYSIS D/S
CUSTER ROAD
HUD 2023-07
DRB 11/80
ELEVATION U.S.G.S.D.
803.6
803.7
803.6
803.5
803.4
803.3
803.2
803.1
803.
OXBOW
X-SECT 107.4
Q = 900 CFS
KALAMAZOO RIVER
X-SECTION 108.7
Q = 5800 CFS
TOTAL
100 YR
Q = 6700
0
1000
2000
3000
4000
5000
6000
7000
DISCHARGE, CFS

SHEET 7 OF 5

KALAMAZOO RIVER
RATING CURVE @
X-SECT 108.7

R LEVEE ID 01 20 UPDATED FEB 1977
ORD = F1
FI AIRON = 50.51.52

TOWNSHIP KALAMAZOO RIVER
HALYS S D/S CUSTER RD.
KALAMAZOO RIVER

I	LHEK	FQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0	2.	0.	0.	0.000000	0.00	0.0	0.	802.870	0.000

J2	NPRO	PLOT	PRFVS	XSECV	XSECH	FN	ALLOC	IBW	CHNIM	ITRACE
	1.00	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

I3 NRI ILF CARDS FOR SUMMARY PRINTOUT

	150.00	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

I5 LPRN NINSEC ********REQUESTED SECTION NUMBERS********

		-10.00	-10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	CT	.000	6700.000	6700.000	6700.000	6700.000	0.000	0.000	0.000	0.000	0.000	0.000
	NH	.000	0.120	429.000	0.040	485.000	0.120	808.000	0.040	916.000	0.120	
	NN	160 .000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	

SURVEY CROSS SECTION 107

	10	.000	27.000	808.000	216.000	550.000	600.000	1275.000	0.000	0.000	0.000
	82	.000	0.000	813.000	90.000	815.200	130.000	808.200	164.000	810.000	216.000
	80	.400	374.000	798.600	400.000	800.300	424.000	797.100	429.000	795.800	444.000
	79	.300	457.000	796.200	374.000	796.300	485.000	799.300	489.000	796.700	614.000
	79	.400	764.000	802.100	803.000	797.100	808.000	788.900	833.000	794.200	862.000
	79	.900	893.000	796.200	916.000	800.200	923.000	800.200	1172.000	799.700	1429.000
GR	79	.100	1599.000	810.200	1500.000	0.000	0.000	0.000	0.000	0.000	0.000
NC		.120	0.120	1.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000
CT		.000	5600.000	5800.000	6100.000	6200.000	0.000	0.000	0.000	0.000	0.000

0 FT D/S CUSTER RD.

	10	.700	10.000	85.000	36.000	700.000	1075.000	1075.000	0.000	0.000	0.000
	81	.000	0.000	797.500	85.000	794.400	100.000	792.800	156.000	793.100	175.000
	0.	.510	205.000	798.500	119.000	793.900	236.000	800.500	268.000	810.000	350.000
		.000	6700.000	6700.000	6700.000	6700.000	0.000	0.000	0.000	0.000	0.000

S CO ILF RD.

	2	1411.400	796.700	1410.500	793.400	1426.000	793.000	1445.000	794.100	
	3	1442.600	79 .300	1446.700	795.400	1464.000	794.300	1481.300	795.9	
	4	1432.000	79 .300	1483.000	795.000	1502.000	797.100	1517.500	800.00	
	0	0.000	.000	0.000	0.000	0.000	0.000	0.000	0.00	

SHEET 30 OF 8
HYD2023-07

[redacted]

SUMMARY PRINTOUT TABLE 150

IE	NO		CUSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
108	700	5600.00	803.35	0.00	0.48	0.00	247.36	1075.00
108	700	5800.00	803.36	0.00	0.49	0.00	247.48	1075.00
108	700	6000.00	803.37	0.00	0.50	0.00	247.62	1075.00
108	700	6200.00	803.37	0.00	0.50	0.00	247.74	1075.00
108	800	6700.00	803.53	0.00	0.18	0.00	107.10	350.00
108	800	6700.00	803.56	0.00	0.20	0.00	107.10	350.00
108	800	6700.00	803.59	0.00	0.22	0.00	107.10	350.00
108	800	6700.00	803.62	0.00	0.24	0.00	107.10	350.00

SUMMARY OF ERRORS

FORM 1511 3R PRINTED BY ROTARY MANIFOLD FORMS

SHEET 4 OF 8
HUD 2023-02

[redacted]

[illegible] EXHIBIT TABLE 150

SE NO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
107 000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107 000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107 000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107 000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
108 200	6401.00	803.38	0.00	0.51	0.00	247.86	1075.00
108 200	6500.00	803.39	0.00	0.52	0.00	247.93	1075.00
108 200	6600.00	803.39	0.00	0.52	0.00	248.00	1075.00
108 200	6700.00	803.39	0.00	0.52	0.00	248.06	1075.00
108 300	6700.00	803.65	0.00	0.27	0.00	107.10	350.00
108 300	6700.00	803.66	0.00	0.28	0.00	107.10	350.00
108 300	6700.00	803.68	0.00	0.29	0.00	107.10	350.00
108 300	6700.00	803.70	0.00	0.30	0.00	107.10	350.00

SUMMARY OF ERRORS

SHEET 5 OF 8
HUD 2023-02

OXBOW RATING @ X-SECT 107.4

```
**********************************************
** RELEASE DATED NOV 76 UPDATED FEB 1977
** CODE - 01
** LOCATION = 50,51,52
**********************************************
C
T1 PORTAGE TOWNSHIP KALAMAZOO RIVER
T2 FLOW ANALYSIS D/S CUSTER RD.
T3      KALAMAZOO RIVER

J1  ICHECK      INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
            0.        2.        0.        0.  0.000000      0.00      0.0        0.   802.870     0.000

J2  NPROF       IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
        1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
      150.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J5  LPRNT       NUMSEC                ********REQUESTED SECTION NUMBERS********
       -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
            4.000  6700.000  6700.000  6700.000  6700.000     0.000     0.000     0.000     0.000     0.000
XH          5.000     0.120   429.000     0.040   485.000     0.120   808.000     0.040   916.000     0.120
XH       1600.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

         SURVEY CROSS SECTION 107

X1        107.000   271.000   808.000   916.000   550.000   600.000  1275.000     0.000     0.000     0.000
GR        820.000     0.000   813.000    90.000   815.200   130.000   808.200   164.000   810.000   214.000
GR        807.300   374.000   798.600   400.000   800.300   424.000   797.100   429.000   795.800   447.000
          795.500   457.000   796.200   474.000   796.300   485.000   799.300   489.000   798.700   628.000
          796.400   744.000   802.100   803.000   797.100   808.000   788.900   833.000   794.200   862.000
          794.900   893.000   796.200   916.000   800.200   923.000   800.200  1172.000   799.700  1428.000
          798.100  1599.000   810.200  1600.000     0.000     0.000     0.000     0.000     0.000     0.000
NC          0.120     0.120     0.040     0.100     0.300     0.000     0.000     0.000     0.000     0.000
NT          4.000   500.000   700.000   900.000  1100.000     0.000     0.000     0.000     0.000     0.000

         D/S CUSTER RD.

X1        107.100     8.000   125.000   225.000   900.000   450.000   900.000     0.000     0.000     0.000
GR        810.000     0.000   800.000     1.000   800.000   120.000   793.000   125.000   793.000    22.000
          [illegible]  130.000   800.000   349.000   810.000   350.000     0.000     0.000     0.000     0.000

         U/S CUSTER RD.

X1        107.200     0.000     0.000     0.000   450.000   450.000   450.000     0.000     0.000     0.000
          [illegible]     0.120     0.120     0.100     0.300     0.000     0.000     0.000     0.000     0.000
```

SHEET 6 OF 8

HUD 2023-07

ORG IN D.S CUSTER RD.

	1	7.500	6,000	50.000	150.000	450,000	450,000	450,000	0.000	0,000	0,000
GR	8	0.000	0.000	800.000	50,000	793.000	60.000	793.000	140.000	800.000	150.000
GR	8	0.000	200.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SR		0.000	1.500	3.000	0.000	1.000	0.000	0.100	0.000	793.000	793.000
CI	1	7.400	0.000	0.000	0.000	30.000	30.000	30.000	0.000	0.000	0.000
CI		0.000	0.000	1.000	793.100	800.000	0.000	0.000	0.000	0.000	0.000
DT		0.000	0.000	810.000	0.000	50.000	600.000	0.000	60.000	800.000	0.000
DT	1	0.000	800.000	0.000	150.000	800.000	0.000	200.000	810.000	0.000	0.000
DI		4.000	6700.000	6700.000	700.000	6700.000	0.000	0.000	0.000	0.000	0.000
IC		0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000

D/S CUSTER RD.

XI	1	6.800	15.000	1410.400	1517.600	300.000	300.000	300.000	0.000	0.000	0.000
GI	8	0.000	1410.400	796.700	1410.500	793.400	1426.000	793.000	1445.000	793.000	1445.100
GI	7	5.000	1446.600	793.000	1446.700	793.400	1464.000	794.300	1481.300	794.300	1481.400
GI	7	4.300	1482.900	794.300	1483.000	793.000	1502.000	797.100	1517.500	810.700	1517.600
ED		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

1553 STARTING NC CARD OMITTED

PRINTED IN U.S.A.

Sheet 7 of 8
HWC 2023-07

O RIVER

RIVER AT ARIE 150

E	ID		CHSEL	DIFW P	DIFWSX	DIFKWS	TOPWID	XLCH
107	000	6700.00	802.87	0 00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	000	6700.00	802.87	0.00	0.00	0.00	1212.01	1275.00
107	100	500.00	803.15	0.00	0.28	0.00	348.63	900.00
107	100	700.00	803.15	0 00	0.28	0.00	348.63	900.00
107	100	900.00	803.16	0 00	0.29	0.00	348.63	900.00
107	100	1100.00	803.17	0 00	0.30	0.00	348.63	900.00
107	200	500.00	803.15	0 00	0.00	0.00	348.63	450.00
107	200	700.00	803.16	0 00	0.01	0.00	348.63	450.00
107	200	900.00	803.17	0 00	0.01	0.00	348.63	450.00
107	200	1100.00	803.18	0 00	0.01	0.00	348.64	450.00
107	300	500.00	803.16	0 00	0.01	0.00	131.54	450.00
107	300	700.00	803.17	0.00	0.01	0.00	131.66	450.00
107	300	900.00	803.19	0 00	0.02	0.00	131.84	450.00
107	300	1100.00	803.21	0 00	0.03	0.00	132.01	450.00
107	400	500.00	803.25	0 00	0.09	0.00	132.55	30.00
107	400	700.00	803.30	0 00	0.13	0.00	133.10	30.00
107	400	900.00	803.35	0 00	0.17	0.00	133.61	30.00
107	400	1100.00	803.42	0 00	0.21	0.00	134.30	30.00
108	800	6700.00	803.28	0 00	0.02	0.00	107.09	300.00
108	800	6700.00	803.35	0 00	0.04	0.00	107.09	300.00
108	800	6700.00	803.42	0 00	0.06	0.00	107.09	300.00
108	800	6700.00	803.50	0 00	0.08	0.00	107.10	300.00

SUMMARY OF ERROR

SHEET 8 OF 8
HUD 2023-07

KALAMAZOO RIVER

BEDFORD TOWNSHIP

AND THE

CITY OF BATTLE CREEK


EXHIBIT 6

Divided Flow Analysis For

Levee System U/S Custer Road

INDEX

PAGE 1	Location Map with Cross Section Locations
PAGE 2	Rating Curve for Divided Flow Analysis
PAGES 3-5	HEC-2 Backwater for Kalamazoo River
PAGES 6-8	HEC-2 Backwater for Diversion Channel



DIVIDED FLOW ANALYSIS FOR LEVEE SYSTEM U/S CUSTER ROAD

110 CROSS SECTION LOCATION

MAIN CHANNEL


DIVERSION CHANNEL

SHEET 1 OF 108

HUD 2023-07

HUD 2021-09

K+E 10 X 10 TO ¼ INCH 7 X 10 INCHES
KEUFFEL & ESSER CO. U.S.A.
45-1320



HUD 2029-07
DRB 11/80
SHEET 2 OF 8

KALAMAZOO RIVER

DIVIDED FLOW ANALYSIS

AT LEVEE SYSTEM U/S

CUSTER ROAD

RATING CURVE @ X-SECT 111.1

RIVER CITY OF BATTLE CREEK

KALAMAZOO RIVER

ICR	IPU	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	2.	0.	0.	0.000000	0.00	0.0	0.	803.740	0.000

IPRT	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

0.000	6700.000	6700.000	6700.000	6700.000	6700.000	0.000	0.000	0.000	0.000
0.120	0.120	0.040	0.300	0.500	0.000	0.000	0.000	0.000	0.000

U/S FACE CUSTER RD. CROSS SECTION 108 & 109

100.100	15.000	1410.400	1517.600	35.000	35.000	35.000	0.000	0.000	0.000
1.000	1410.400	810.700	0.000	1410.500	810.700	808.700	1445.000	810.700	808.700
1445.100	810.700	0.000	1446.600	810.700	0.000	1446.700	810.700	808.700	1481.300
810.700	808.700	1481.400	810.700	0.000	1482.900	810.700	0.000	1483.000	810.700
808.700	1517.500	810.700	808.700	1517.600	810.700	0.000	0.000	0.000	0.000
810.700	1410.400	796.700	1410.500	794.200	1426.000	791.600	1445.000	791.600	1475.100
791.600	1446.600	791.600	1446.700	790.100	1464.000	794.300	1481.300	794.300	1481.400
794.300	1482.900	794.300	1483.000	793.400	1502.000	796.500	1517.500	810.700	1517.600

U/S CUSTER RD. ACROSS SECTION 108

100.100	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000

100 FT U/S CUSTER RD.

1.000	0.000	1410.500	1517.500	100.000	100.000	100.000	0.000	0.000	0.000
1.000	1700.000	796.700	1410.500	794.200	1426.000	791.600	1445.000	790.100	1464.000
100.100	1701.000	793.400	1502.000	796.500	1517.500	808.000	1625.000	0.000	0.000
1.000	6500.000	6400.000	6500.000	6600.000	6700.000	0.000	0.000	0.000	0.000
0.100	0.100	0.035	0.100	0.300	0.000	0.000	0.000	0.000	0.000

SECTION 111 SURVEY SECTION 4

71.000	1698.000	1937.000	650.000	650.000	650.000	0.000	0.000	0.000
0.000	0.000	1632.000	0.000	1994.000	0.000	0.000	0.000	0.000
1.000	802.400	702.000	805.700	712.000	803.600	820.000	803.700	0.000
1.000	1.000	1305.000	799.900	1500.000	0.000	1702.000	80	1.000
1.000	0.000	1703.000	802.400	1966.000	0.000	1688.000	79	0.000
1.000	803.500	1706.000	793.400	1983.000	0.000	1713.000	79	0.000
1.000	901.500	1966.000	805.700	1980.000	805.500	1994.000	80	0.000
1.000	801.100	2100.000	802.400	2420.000	802.800	2500.000	80	0.000
1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.	0.000

SHEET 3 OF 8

HUD 702 1-1

T S 0 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

	[illegible]	[illegible]	1140.000	1185.000	3150.000	3750.000	3450.000	0.000	[illegible]	[illegible]
	[illegible]	0 [illegible]	0.000	1138.000	0.000	1488.000	0.000	0.000	[illegible]	[illegible]
	[illegible]	320 [illegible]	[illegible]	82.000	803.200	930.000	798.600	990.000	[illegible]	[illegible]
	[illegible]	1108.000	[illegible]	1113.000	799.200	1120.000	796.300	1151.000	795.100	1198.000
	[illegible]	1233.000	795.600	1177.000	796.100	1329.000	799.600	1385.000	802.700	1400.000
	[illegible]	1408.000	804.600	1488.000	802.700	1562.000	803.600	1734.000	804.400	1896.000
	[illegible]	[illegible]	802.900	2248.000	802.900	2290.000	806.200	2310.000	810.400	2494.000

TOP OF 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

1	111.000	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
	[illegible]	0.000	0.000	95.100	797.300	0.000	0.000	0.000	0.000	[illegible]
	[illegible]	0.000	0.000	1138.000	0.000	1488.000	0.000	0.000	0.000	0.000

U/S 60 INCH ENCLOSED SEWER CROSSING CROSS SECTION 5

XS	111.100	0.000	0.000	0.000	2.000	2.000	2.000	0.000	0.000	0.000
XS	[illegible] 000	0.000	0.000	1138.000	0.000	1488.000	0.000	0.000	0.000	0.000
PT	4.000	6700.000	6700.000	6700.000	6700.000	0.000	0.000	0.000	0.000	0.000

[illegible] LAMA CO RIVER UPSTREAM ENCLOSED SEWER CROSSING

XS	111.000	25.000	112[illegible].000	1385.000	100.000	100.000	100.000	0.000	0.000	0.000
XS	[illegible].000	0.000	[illegible].000	1138.000	0.000	1488.000	0.000	0.000	0.000	0.000
GR	81.800	1220.000	80[illegible].800	1182.000	803.200	1330.000	798.600	990.000	802.800	1038.000
GR	80[illegible].600	1108.000	80[illegible].600	1113.000	799.200	1120.000	796.300	1151.000	795.100	1198.000
GR	79.300	1233.000	79[illegible].600	1177.000	796.100	1329.000	799.600	1385.000	802.700	1400.000
GR	80.400	1408.000	80[illegible].600	1488.000	802.700	1562.000	803.600	1734.000	804.400	1896.000
GR	80.700	2086.000	80[illegible].900	2248.000	802.900	2290.000	806.200	2310.000	810.600	2494.000
GR	[illegible].000	0.000	[illegible].000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SHEET 4 of 8

C0-1202-[illegible] Hyd 2021-07

109	000	6700.00	803.74	0.00	0.00	0.00	107.10	35.00
109	000	6700.00	803.74	0.00	0.00	0.00	107.10	35.00
109	000	6700.00	803.74	0.00	0.00	0.00	107.10	35.00
109	000	6700.00	803.74	0.00	0.00	0.00	107.10	35.00
109	100	6700.00	803.80	0.00	0.06	0.00	107.10	1.00
109	100	6700.00	803.80	0.00	0.06	0.00	107.10	1.00
109	100	6700.00	803.80	0.00	0.06	0.00	107.10	1.00
109	100	6700.00	803.80	0.00	0.06	0.00	107.10	1.00
109	200	6700.00	804.08	0.00	0.28	0.00	249.96	100.00
109	200	6700.00	804.08	0.00	0.28	0.00	249.96	100.00
109	200	6700.00	804.08	0.00	0.28	0.00	249.96	100.00
109	200	6700.00	804.08	0.00	0.28	0.00	249.96	100.00
110	000	6300.00	804.65	0.00	0.58	0.00	344.88	650.00
110	000	6400.00	804.65	0.00	0.58	0.00	344.88	650.00
110	000	6500.00	804.65	0.00	0.58	0.00	344.88	650.00
110	000	6600.00	804.65	0.00	0.58	0.00	344.88	650.00
110	900	6300.00	805.31	0.00	0.66	0.00	450.00	3450.00
110	900	6400.00	805.33	0.00	0.68	0.00	450.00	3450.00
110	900	6500.00	805.35	0.00	0.70	0.00	450.00	3450.00
110	900	6600.00	805.37	0.00	0.72	0.00	450.00	3450.00
111	000	6300.00	805.29	0.00	-0.02	0.00	450.00	2.00
111	000	6400.00	805.31	0.00	-0.02	0.00	450.00	2.00
111	000	6500.00	805.33	0.00	-0.03	0.00	450.00	2.00
111	000	6600.00	805.34	0.00	-0.03	0.00	450.00	2.00
111	100	6300.00	805.33	0.00	0.04	0.00	450.00	2.00
111	100	6400.00	805.35	0.00	0.04	0.00	450.00	2.00
111	100	6500.00	805.37	0.00	0.04	0.00	450.00	2.00
111	100	6600.00	805.39	0.00	0.04	0.00	450.00	2.00
114	000	6700.00	805.34	0.00	0.01	0.00	450.00	100.00
114	000	6700.00	805.36	0.00	0.01	0.00	450.00	100.00
114	000	6700.00	805.38	0.00	0.02	0.00	450.00	100.00
114	000	6700.00	805.41	0.00	0.02	0.00	450.00	100.00

SUMMARY OF ERROR

HUD-2021-07

SHEET 5 OF 8

Diversion Channel
Divided Flow Analysis at Levee System U/S Custer Road
Rating Curve @ X-Sect 113

	INIP	STRT	METRIC	HV	NS	Q	WSEL	FR
	0.	0.	0.000000	0.00	.01	0.	803.740	0.000

	PRVS	XSECV	XSECH	FN	ALLC	IBW	CHNIM	ITRACE		
1.000	0.000	-1.000	0.000	0.000	0.000	.000	0.000	0.000		
	6700.000	6700.000	6700.000	6700.000	670.00	0.000	0.000	0.000	0.0	0
	0.040	0.300	0.500		.00	0.000	0.000	0.000	0.0	0

W/ [illegible] RD. CROSS SECTION 108 & 109

1.00	1,110.400	1517.600	35.000	35.000	35.000	0.000	0.000	0.0	0
	319.700	0.000	1510.500	81.70	808.700	1445.000	8	0.700	0
310.700	0.000	1446.600	310.700	1.00	1446.700	810.700	8	0.700	1481.3	0
808.700	1481.600	810.700	0.000	1482.90	810.700	0.000	14	3.000	810.7	0
1517.600	810.700	808.700	1517.600	81.70	0.000	0.000		0.000	0.0	0
	796.700	1410.300	794.200	142.00	791.600	1445.000	7	1.0	0	
	791.600	1446.700	790.100	146.00	794.300	1481.300	7	4.3	81.4	0
	794.300	1433.000	793.600	150.00	796.500	1517.500	8	0.7	0	

W/S OF TOP RD. ACROSS SECTION 108

0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.0	0

[illegible]

			100.000	100.00	100.000	0.300	0.0	1 0
			794.200	142.00	791.600	1445.000	790.1	0
			796.500	1517.50	809.000	1625.000	0.0	0.0 0
	0.000	0.100	0.300	.000	0.000	0.000	0.0	0.0 0
	500.000	400.000	500.000	60.000	0.000	0.000	0.0	0.0 0

[illegible] AMAZON RIV.

			200.000	20.000	200.000	0.700	0.0	1 0
	539.000	305.700	56.000	165.000	546.000	799.1	57.0	0
	923.000	793.400	65.000	794.000	683.700	798.1	1	0

1041.000	1200.000	2000.000	1640.000	0.000	0.000	0.0

Sheet 6 of 8
HJW 7-11-00

			82,000	803,200	116,000	801,100	220,000	801,100		
			44,000	802,200	673,000	801,000	764,000	802,700		
			05,000	796,200	943,000	794,400	903,000	793,100		
			61,000	800,700	1063,000	803,900	1075,000	798,500		
			42,000	815,900	1154,000	817,200	1190,000	817,100		
			00,100	0,000	0,000	0,000	0,000	0,000		

CROSS SECTION 112

		543,000	83,000	1200,000	1003,000	1200,000	0,000	0,000	0,000
		803,000	82,100	799,600	1006,000	800,000	176,000	801,300	256,000
		802,200	60,000	802,600	523,000	802,700	536,000	803,500	523,100
		799,100	03,000	795,300	663,000	796,400	663,000	797,900	663,000
		801,900	28,000	806,400	746,000	811,400	760,000	813,800	770,000
		818,000	32,000	825,000	830,000	0,000	0,000	0,000	0,000
		0,150	0,300	0,500	0,000	0,000	0,000	0,000	0,000

I/S OF CUT I

1		1,000	99,000	2000,000	2000,000	2000,000	0,000	0,000	0,000
		805,000	1,000	800,000	2,000	800,000	498,000	805,000	499,000
		0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000
		3,000	0,000	1,000	0,000	0,100	0,000	800,000	800,000


TOP OF LEVEE

		0,000	0,000	40,000	0,000	40,000	0,000	0,000	0,000
		1,000	00,100	805,000	0,000	0,000	0,000	0,000	0,000
		808,000	0,000	1,000	805,000	0,000	2,000	805,000	0,000
		0,000	99,000	805,000	0,000	500,000	808,000	0,000	0,000
		0,035	0,100	0,300	0,000	0,000	0,000	0,000	0,000
		6700,000	6 00,000	6700,000	0,000	0,000	0,000	0,000	0,000

PALAMA DO RIVER UPSTREAM ENCLOSED SEWER CROSSING

1		1120,000	1165,000	100,000	1100,000	100,000	0,000	0,000	0,000
		802,800	82,000	803,200	950,000	790,000	790,000	800,100	790,000
		800,600	1 10,000	799,200	1120,000	796,300	1151,000	795,100	1124,000
		725,600	1 72,000	796,100	1392,000	799,600	1385,000	802,700	1400,000
		804,600	1 88,000	802,700	1502,000	803,600	1734,000	804,400	1896,000
		802,900	2 48,000	802,900	2201,000	806,200	2310,000	810,600	2494,000
		0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000

SHEET 7 OF 8
HUD 2021-07



N

FLOOD MAP

LEGEND

FLOODWAY — 100 YR. BOUNDARY — 500 YR. BOUNDARY

A — A CROSS SECTION

CORPORATE BOUNDARY

CITY OF BATTLE CREEK

CALHOUN COUNTY, MICHIGAN

SCALE: 1"=400'

SPERRY DRAIN 2/81

BATTLE CREEK RIVER 11/80

KALAMAZOO RIVER 11/80

00BREAK00

1) COUNTY: Calhoun


2) STUDY NAME: city of Marshall

3) WATERCOURSE: Flow Division between Rice creek and mill Race

4) DOCUMENT TYPE: 10 50 100 & 500 yr. profiles

00BREAK00

```
**********************************************************
*  HEC2 WATER SURFACE PROFILES                           *
*  VERSION OF NOVEMBER 1976                              *
*  UPDATED JULY 1979                                     *
*  ERROR CORR - 01,02,03                                 *
*  MODIFICATION - 50,51,52,53                            *
*                                                        *
*  RUN DATE  80/02/19. TIME  06.44.34.                   *
**********************************************************
```



Flow Division between
Rice Creek And Mill Race
2/19/80

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN RICE CREEK AND MILL RACE
T3      RICE CREEK

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
        0.       2.         0.         0.  0.000000       0.00       0.0         0.  893.400     0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
    1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
J5  LPRNT      NUMSEC                        ********REQUESTED SECTION NUMBERS********
   -10.000    -10.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
NC     .080       .080       .045       .100       .300      0.000      0.000      0.000      0.000      0.000
QT    5.000    400.000    600.000    800.000   1000.000   1200.000      0.000      0.000      0.000      0.000

X1    54.400     14.000   2084.000   2117.000      0.000      0.000      0.000      0.000      0.000      0.000
GR   897.300   2050.000    897.300   2050.000    897.300   2050.000    897.300   2050.000    897.300   2050.000
GR   888.800   2084.000    886.800   2094.000    887.200   2104.000    887.600   2112.000    890.700   2117.000
GR   894.800   2150.000    897.900   2200.000    898.700   2250.000    901.900   2300.000      0.000      0.000

X1    54.600     16.000   2143.000   2168.000     60.000     60.000     60.000      0.000      0.000      0.000
GR   898.400   2072.000    898.400   2072.000    898.400   2072.000    898.400   2072.000    898.400   2072.000
GR   898.040   2082.000    898.000   2090.000    889.300   2118.000    887.800   2143.000    886.600   2151.000
GR   886.300   2162.000    887.600   2168.000    891.700   2186.000    895.000   2231.000    896.700   2246.000
GR   899.200   2319.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
NC     .060       .060      0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

X1    54.650     19.000   2625.000   2650.000    500.000    650.000    635.000      0.000      0.000      0.000
GR   897.500   2074.000    895.900   2086.000    895.300   2280.000    895.280   2498.000    895.200   2560.000
GR   894.500   2590.000    892.300   2610.000    889.200   2625.000    888.600   2630.000    888.100   2635.000
GR   888.200   2640.000    888.700   2645.000    889.500   2650.000    892.000   2658.000    895.000   2693.000
GR   897.000   2723.000    899.400   2782.000    899.500   2793.000    902.200   2926.000      0.000      0.000

X1    54.680     29.000   2624.000   2658.600    500.000    650.000    635.000      0.000      0.000      0.000
GR   897.500   2074.000    895.900   2086.000    895.300   2280.000    895.280   2498.000    895.120   2602.700
GR   894.900   2619.000    894.600   2624.000    892.000   2628.500    890.220   2633.000    890.100   2633.700
GR   889.800   2634.700    889.700   2635.500    889.260   2637.400    889.300   2639.000    889.400   2640.100
GR   889.400   2641.700    889.510   2642.800    889.800   2644.400    889.900   2645.000    890.000   2645.500
GR   890.210   2647.200    890.600   2648.300    893.700   2658.600    895.090   2663.600    897.000   2714.000
GR   898.700   2753.700    899.400   2782.000    899.500   2793.000    902.200   2926.000      0.000      0.000

X1    54.690     40.000   2624.000   2658.600     50.000     50.000     50.000      0.000      0.000      0.000
```

X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
GR	897.800	2022.000	897.800	2026.000	897.800	2038.000	897.800	2048.000	897.800	2054.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.120	2602.700
GR	894.900	2619.000	894.600	2624.000	892.000	2628.500	891.050	2633.000	890.220	2633.000
GR	890.100	2633.700	889.850	2634.700	889.700	2635.500	891.050	2635.500	891.430	2636.900
GR	892.000	2639.000	890.390	2639.000	889.350	2640.100	889.400	2641.700	889.450	2642.100
GR	890.390	2642.800	892.000	2642.800	892.090	2644.400	890.480	2644.400	889.900	2645.000
GR	890.000	2645.500	890.210	2647.200	890.600	2648.300	892.090	2648.300	895.500	2658.600
GR	897.000	2714.400	898.700	2753.700	899.400	2782.000	899.500	2793.000	902.200	2926.000
NC	0.000	0.000	.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	54.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
BT	31.000	2022.000	897.800	0.000	2026.000	897.800	0.000	2038.000	897.800	0.000
BT	2048.000	897.800	0.000	2054.000	897.800	0.000	2074.000	897.500	0.000	2086.000
BT	895.900	0.000	2280.000	895.300	0.000	2498.000	895.280	0.000	2602.700	895.120
BT	0.000	2619.000	894.900	0.000	2624.000	894.600	0.000	2628.500	895.500	0.000
BT	2633.000	895.600	891.050	2633.700	895.600	891.760	2634.700	895.700	891.760	2635.500
BT	895.700	891.050	2639.000	895.800	892.000	2640.100	895.900	893.140	2641.700	896.000
BT	893.140	2642.800	896.000	892.000	2644.400	896.000	892.090	2645.500	896.000	893.230
BT	2647.200	896.000	893.230	2648.300	896.000	892.090	2658.600	896.000	0.000	2714.400
BT	897.000	0.000	2753.700	898.700	0.000	2782.000	899.400	0.000	2793.000	899.500
BT	0.000	2926.000	902.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	54.710	0.000	0.000	0.000	18.000	18.000	18.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	54.720	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
X1	54.730	28.000	2624.000	2658.600	50.000	50.000	50.000	0.000	0.000	0.000
GR	897.550	2074.000	895.950	2086.000	895.350	2280.000	895.330	2498.000	895.170	2602.700
GR	894.950	2619.000	894.650	2624.000	892.050	2628.500	890.270	2633.000	890.150	2633.700
GR	889.850	2634.700	889.750	2635.500	889.310	2637.400	889.350	2639.000	889.450	2640.100
GR	889.450	2641.700	889.560	2642.800	889.850	2644.400	889.950	2645.000	890.050	2645.500
GR	890.260	2647.200	890.650	2648.300	893.750	2658.600	897.050	2714.400	898.750	2753.700
GR	899.450	2782.000	899.550	2793.000	902.250	2926.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
NC	.070	.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	55.000	18.000	2512.000	2562.000	600.000	900.000	810.000	0.000	0.000	0.000
GR	897.800	2054.000	897.500	2074.000	895.900	2086.000	892.400	2313.000	892.100	2377.000
GR	890.300	2482.000	889.500	2512.000	888.200	2518.000	888.900	2530.000	888.700	2542.000
GR	889.200	2562.000	890.300	2565.000	895.000	2636.000	896.100	2666.000	898.800	2718.000
GR	899.000	2732.000	898.900	2748.000	901.000	2784.000	0.000	0.000	0.000	0.000
NC	.100	.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	56.400	21.000	2184.000	2222.000	2800.000	3600.000	3520.000	0.000	0.000	0.000
GR	897.900	2067.000	897.900	2067.000	897.900	2067.000	897.900	2067.000	896.500	2074.000
GR	893.600	2086.000	892.700	2184.000	891.300	2186.000	890.500	2194.000	891.200	2206.000
GR	893.300	2222.000	894.500	2264.000	897.100	2294.000	899.000	2366.000	903.600	2492.000
GR	904.400	2502.000	912.300	2841.000	914.300	2933.000	922.000	3033.000	929.400	3095.000

GR	934.200	3124.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	56.200	22.000	2000.000	2080.000	190.000	190.000	190.000	0.000	0.000	0.000
GR	897.700	1982.000	897.700	1982.000	897.800	1991.000	897.900	2000.000	891.200	2000.000
GR	891.300	2006.000	890.500	2014.000	890.600	2025.000	890.600	2038.000	890.800	2048.000
GR	890.600	2058.000	891.300	2070.000	896.000	2080.000	897.000	2117.000	900.000	2190.000
GR	904.600	2344.000	905.600	2398.000	909.900	2542.000	912.300	2642.000	912.200	2698.000
GR	928.800	2932.000	932.900	2958.000	0.000	0.000	0.000	0.000	0.000	0.000
SB	0.000	1.500	3.080	0.000	.200	0.000	.300	0.000	890.500	890.500
X1	56.100	20.000	1892.000	2078.000	10.000	10.000	10.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	892.000	895.400	0.000	0.000	0.000	0.000	0.000
BT	9.000	2000.000	900.000	0.000	2000.000	895.500	0.000	2031.000	895.500	0.000
BT	2067.000	895.400	0.000	2067.000	897.800	0.000	2078.000	896.400	0.000	2117.000
BT	897.000	0.000	2190.000	900.000	0.000	2344.000	904.600	0.000	0.000	0.000
GR	903.300	1475.000	899.300	1606.000	897.600	1661.000	896.300	1722.000	896.400	1776.000
GR	894.400	1892.000	893.000	1914.000	890.500	1926.000	890.400	1940.000	891.400	1956.000
GR	891.400	1968.000	891.200	1982.000	891.200	2000.000	890.500	2031.000	890.800	2067.000
GR	891.300	2067.000	896.000	2078.000	897.000	2117.000	900.000	2190.000	904.600	2344.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN RICE CREEK AND MILL RACE
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	3.	0.	0.	0.000000	0.00	0.0	0.	893.400	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLOC	IBW	CHNIM	ITRACE
	2.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN RICE CREEK AND MILL RACE
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	4.	0.	0.	0.000000	0.00	0.0	0.	893.400	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	3.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN RICE CREEK AND MILL RACE
T3      RICE CREEK
J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       5.        0.        0.  0.000000      0.00      0.0       0.    893.400     0.000
J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     4.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN RICE CREEK AND MILL RACE
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	6.	0.	0.	0.000000	0.00	0.0	0.	893.400	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	15.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	54.400	0.00	0.00	0.00	886.80	400.00	893.40	0.00	893.45	3.43	1.92	260.91	215.96
	54.400	0.00	0.00	0.00	886.80	600.00	893.40	0.00	893.52	7.72	2.88	260.91	215.96
	54.400	0.00	0.00	0.00	886.80	800.00	893.40	0.00	893.61	13.72	3.83	260.91	215.96
	54.400	0.00	0.00	0.00	886.80	1000.00	893.40	0.00	893.73	21.44	4.79	260.91	215.96
	54.400	0.00	0.00	0.00	886.80	1200.00	893.40	0.00	893.87	30.88	5.75	260.91	215.96
	54.600	60.00	0.00	0.00	886.30	400.00	893.44	0.00	893.47	1.78	1.55	404.79	299.50
	54.600	60.00	0.00	0.00	886.30	600.00	893.50	0.00	893.56	3.88	2.29	410.62	304.74
	54.600	60.00	0.00	0.00	886.30	800.00	893.58	0.00	893.68	6.56	3.01	419.07	312.35
	54.600	60.00	0.00	0.00	886.30	1000.00	893.68	0.00	893.83	9.61	3.68	430.42	322.60
	54.600	60.00	0.00	0.00	886.30	1200.00	893.81	0.00	894.01	12.77	4.29	445.06	335.85
	54.650	635.00	0.00	0.00	888.10	400.00	893.60	0.00	893.67	6.48	2.45	213.29	157.11
	54.650	635.00	0.00	0.00	888.10	600.00	893.82	0.00	893.97	12.10	3.45	231.25	172.49
	54.650	635.00	0.00	0.00	888.10	800.00	894.10	0.00	894.32	17.12	4.25	255.46	193.36
	54.650	635.00	0.00	0.00	888.10	1000.00	894.42	0.00	894.70	20.91	4.87	284.54	218.69
	54.650	635.00	0.00	0.00	888.10	1200.00	894.75	0.00	895.08	23.41	5.35	318.24	248.02
	54.680	635.00	0.00	0.00	889.26	400.00	894.24	0.00	894.45	27.40	3.65	109.95	76.41
	54.680	635.00	0.00	0.00	889.26	600.00	894.89	0.00	895.20	33.69	4.53	135.18	103.37
	54.680	635.00	0.00	0.00	889.26	800.00	895.45	893.54	895.81	33.65	4.96	234.88	137.90
	54.680	635.00	0.00	0.00	889.26	1000.00	895.86	0.00	896.11	25.57	4.59	445.34	197.76
	54.680	635.00	0.00	0.00	889.26	1200.00	896.19	0.00	896.37	19.34	4.17	645.29	272.88
	54.690	50.00	0.00	0.00	889.35	400.00	894.36	0.00	894.71	81.18	4.75	84.19	44.39
	54.690	50.00	0.00	0.00	889.35	600.00	895.02	0.00	895.52	92.89	5.67	107.38	62.25
	54.690	50.00	0.00	0.00	889.35	800.00	895.81	0.00	896.01	41.09	4.28	365.22	124.81
	54.690	50.00	0.00	0.00	889.35	1000.00	896.13	0.00	896.25	28.14	3.75	557.57	188.53
	54.690	50.00	0.00	0.00	889.35	1200.00	896.38	0.00	896.48	22.56	3.49	712.25	252.64
*	54.700	1.00	894.60	893.23	889.35	400.00	895.71	895.71	895.89	79.34	5.13	220.81	44.91
*	54.700	1.00	894.60	893.23	889.35	600.00	895.85	895.85	896.02	97.53	5.63	288.54	60.75
*	54.700	1.00	894.60	893.23	889.35	800.00	895.98	895.98	896.14	98.27	5.75	359.83	80.70
	54.700	1.00	894.60	893.23	889.35	1000.00	896.14	0.00	896.26	84.39	4.80	452.04	108.86
	54.700	1.00	894.60	893.23	889.35	1200.00	896.39	0.00	896.48	51.12	4.25	598.22	167.83

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
54.710	18.00	894.60	893.23	889.35	400.00	895.93	0.00	895.98	29.12	3.12	337.75	74.12
54.710	18.00	894.60	893.23	889.35	600.00	896.09	0.00	896.14	36.50	3.07	425.78	99.32
54.710	18.00	894.60	893.23	889.35	800.00	896.20	0.00	896.26	42.00	3.51	490.53	123.44
54.710	18.00	894.60	893.23	889.35	1000.00	896.30	0.00	896.37	46.78	3.90	547.31	146.21
54.710	18.00	894.60	893.23	889.35	1200.00	896.49	0.00	896.56	37.40	3.82	661.55	196.23
54.720	1.00	0.00	0.00	889.35	400.00	895.95	0.00	895.99	7.07	1.82	450.08	150.40
54.720	1.00	0.00	0.00	889.35	600.00	896.09	0.00	896.14	10.88	2.32	540.03	181.92
54.720	1.00	0.00	0.00	889.35	800.00	896.20	0.00	896.27	14.82	2.75	606.74	207.78
54.720	1.00	0.00	0.00	889.35	1000.00	896.30	0.00	896.38	18.61	3.13	664.53	231.78
54.720	1.00	0.00	0.00	889.35	1200.00	896.49	0.00	896.57	17.89	3.16	779.76	283.70
54.730	50.00	0.00	0.00	889.31	400.00	895.98	0.00	896.01	3.35	1.68	510.35	218.42
54.730	50.00	0.00	0.00	889.31	600.00	896.13	0.00	896.18	5.64	2.22	601.84	252.72
54.730	50.00	0.00	0.00	889.31	800.00	896.25	0.00	896.32	7.93	2.67	677.58	284.12
54.730	50.00	0.00	0.00	889.31	1000.00	896.36	0.00	896.45	10.14	3.07	744.77	314.09
54.730	50.00	0.00	0.00	889.31	1200.00	896.55	0.00	896.64	10.46	3.19	862.37	371.06
55.000	810.00	0.00	0.00	888.20	400.00	896.03	0.00	896.04	.10	.39	1996.39	1260.88
55.000	810.00	0.00	0.00	888.20	600.00	896.22	0.00	896.22	.20	.56	2105.66	1352.67
55.000	810.00	0.00	0.00	888.20	800.00	896.39	0.00	896.39	.31	.71	2201.00	1434.97
55.000	810.00	0.00	0.00	888.20	1000.00	896.54	0.00	896.54	.44	.85	2287.91	1511.70
55.000	810.00	0.00	0.00	888.20	1200.00	896.74	0.00	896.75	.55	.97	2409.17	1621.37
56.400	3520.00	0.00	0.00	890.50	400.00	896.11	0.00	896.13	2.13	1.32	585.76	274.32
56.400	3520.00	0.00	0.00	890.50	600.00	896.37	0.00	896.40	3.77	1.82	640.07	309.21
56.400	3520.00	0.00	0.00	890.50	800.00	896.61	0.00	896.66	5.40	2.25	692.64	344.29
56.400	3520.00	0.00	0.00	890.50	1000.00	896.85	0.00	896.92	6.92	2.63	744.48	380.05
56.400	3520.00	0.00	0.00	890.50	1200.00	897.13	0.00	897.21	8.02	2.92	805.95	423.80
56.200	190.00	0.00	0.00	890.50	400.00	896.14	0.00	896.16	1.18	1.00	400.37	368.02
56.200	190.00	0.00	0.00	890.50	600.00	896.42	0.00	896.45	2.22	1.42	425.93	402.74
56.200	190.00	0.00	0.00	890.50	800.00	896.69	0.00	896.74	3.33	1.80	453.76	438.07
56.200	190.00	0.00	0.00	890.50	1000.00	896.95	0.00	897.02	4.48	2.14	482.38	472.52
56.200	190.00	0.00	0.00	890.50	1200.00	897.24	0.00	897.34	5.46	2.44	517.29	513.35
56.100	10.00	895.40	892.00	890.40	400.00	896.99	0.00	896.99	.13	.37	1281.84	1104.28
56.100	10.00	895.40	892.00	890.40	600.00	897.37	0.00	897.37	.23	.51	1446.78	1251.05
56.100	10.00	895.40	892.00	890.40	800.00	897.69	0.00	897.70	.33	.64	1598.90	1388.74
56.100	10.00	895.40	892.00	890.40	1000.00	897.96	0.00	897.97	.44	.76	1732.78	1512.61
56.100	10.00	895.40	892.00	890.40	1200.00	898.22	0.00	898.23	.54	.86	1858.70	1631.08

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	54.400	400.00	893.40	0.00	0.00	0.00	73.13	0.00
	54.400	600.00	893.40	0.00	0.00	0.00	73.13	0.00
	54.400	800.00	893.40	0.00	0.00	0.00	73.13	0.00
	54.400	1000.00	893.40	0.00	0.00	0.00	73.13	0.00
	54.400	1200.00	893.40	0.00	0.00	0.00	73.13	0.00
	54.600	400.00	893.44	0.00	.04	0.00	105.11	60.00
	54.600	600.00	893.50	.06	.10	0.00	106.04	60.00
	54.600	800.00	893.58	.08	.18	0.00	107.37	60.00
	54.600	1000.00	893.68	.10	.28	0.00	109.14	60.00
	54.600	1200.00	893.81	.13	.41	0.00	111.38	60.00
	54.650	400.00	893.60	0.00	.15	0.00	78.45	635.00
	54.650	600.00	893.82	.22	.32	0.00	83.07	635.00
	54.650	800.00	894.10	.28	.52	0.00	88.91	635.00
	54.650	1000.00	894.42	.32	.74	0.00	95.46	635.00
	54.650	1200.00	894.75	.33	.93	0.00	110.69	635.00
	54.680	400.00	894.24	0.00	.64	0.00	35.92	635.00
	54.680	600.00	894.89	.65	1.07	0.00	43.77	635.00
	54.680	800.00	895.45	.57	1.35	0.00	442.67	635.00
	54.680	1000.00	895.86	.40	1.44	0.00	585.80	635.00
	54.680	1200.00	896.19	.34	1.45	0.00	608.94	635.00
	54.690	400.00	894.36	0.00	.12	0.00	30.73	50.00
	54.690	600.00	895.02	.66	.14	0.00	47.14	50.00
	54.690	800.00	895.81	.79	.35	0.00	550.72	50.00
	54.690	1000.00	896.13	.32	.27	0.00	597.61	50.00
	54.690	1200.00	896.38	.25	.19	0.00	609.07	50.00
*	54.700	400.00	895.71	0.00	1.36	0.00	520.41	1.00
*	54.700	600.00	895.85	.13	.82	0.00	567.97	1.00
*	54.700	800.00	895.98	.13	.17	0.00	590.85	1.00
	54.700	1000.00	896.14	.17	.02	0.00	598.02	1.00
	54.700	1200.00	896.39	.25	.01	0.00	609.10	1.00
	54.710	400.00	895.93	0.00	.22	0.00	589.07	18.00
	54.710	600.00	896.09	.16	.24	0.00	596.00	18.00
	54.710	800.00	896.20	.11	.23	0.00	600.97	18.00
	54.710	1000.00	896.30	.10	.15	0.00	605.28	18.00
	54.710	1200.00	896.49	.19	.10	0.00	613.81	18.00
	54.720	400.00	895.95	0.00	.02	0.00	589.52	1.00
	54.720	600.00	896.09	.14	.00	0.00	596.30	1.00
	54.720	800.00	896.20	.11	.00	0.00	601.28	1.00
	54.720	1000.00	896.30	.10	-.00	0.00	605.56	1.00
	54.720	1200.00	896.49	.19	.00	0.00	614.01	1.00
	54.730	400.00	895.98	0.00	.03	0.00	610.52	50.00
	54.730	600.00	896.13	.15	.04	0.00	614.17	50.00
	54.730	800.00	896.25	.12	.05	0.00	617.17	50.00
	54.730	1000.00	896.36	.11	.06	0.00	619.82	50.00

54.730	1200.00	896.55	.19	.06	0.00	624.43	50.00

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
55.000	400.00	896.03	0.00	.05	0.00	579.19	810.00
55.000	600.00	896.22	.19	.09	0.00	584.75	810.00
55.000	800.00	896.39	.16	.13	0.00	589.09	810.00
55.000	1000.00	896.54	.15	.17	0.00	593.03	810.00
55.000	1200.00	896.74	.20	.19	0.00	598.48	810.00
56.400	400.00	896.11	0.00	.08	0.00	206.97	3520.00
56.400	600.00	896.37	.26	.15	0.00	211.04	3520.00
56.400	800.00	896.61	.25	.23	0.00	215.01	3520.00
56.400	1000.00	896.85	.24	.32	0.00	218.96	3520.00
56.400	1200.00	897.13	.28	.39	0.00	224.45	3520.00
56.200	400.00	896.14	0.00	.03	0.00	84.86	190.00
56.200	600.00	896.42	.28	.05	0.00	95.35	190.00
56.200	800.00	896.69	.27	.08	0.00	105.60	190.00
56.200	1000.00	896.95	.26	.10	0.00	115.19	190.00
56.200	1200.00	897.24	.29	.11	0.00	122.93	190.00
56.100	400.00	896.99	0.00	.85	0.00	427.39	10.00
56.100	600.00	897.37	.37	.94	0.00	454.13	10.00
56.100	800.00	897.69	.32	1.00	0.00	476.02	10.00
56.100	1000.00	897.96	.27	1.01	0.00	491.71	10.00
56.100	1200.00	898.22	.26	.98	0.00	506.01	10.00

SUMMARY OF ERRORS

CAUTION SECNO= 54.700 PROFILE= 1 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 54.700 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 54.700 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 54.700 PROFILE= 2 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 54.700 PROFILE= 2 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 54.700 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION SECNO= 54.700 PROFILE= 3 CRITICAL DEPTH ASSUMED
CAUTION SECNO= 54.700 PROFILE= 3 PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION SECNO= 54.700 PROFILE= 3 20 TRIALS ATTEMPTED TO BALANCE WSEL

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

I1      FIS CITY OF MARSHALL
I2      FLOW DIVISON BETWEEN MILL RACE AND RICE CREEK
I3      MILL RACE

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
        0.      2.         0.         0.  0.000000       0.00       0.0        0.   893.400    0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
    1.000      0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
J5  LPRNT      NUMSEC                        ********REQUESTED SECTION NUMBERS********
   -10.000    -10.000     0.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000
NC      .080       .080       .035       .100       .300     0.000      0.000      0.000      0.000      0.000
QT     5.000    200.000    300.000    400.000    500.000     0.000      0.000      0.000      0.000      0.000

X1    54.300     20.000   2000.000   2093.000      0.000     0.000      0.000      0.000      0.000      0.000
GR   902.500   1950.000    902.000   1960.000    900.600  1970.000    897.300   1980.000    891.500   1990.000
GR   887.500   2000.000    886.200   2010.000    885.900  2020.000    885.900   2030.000    886.400   2040.000
GR   886.600   2050.000    887.000   2060.000    886.300  2070.000    885.800   2080.000    886.300   2090.000
GR   887.600   2093.000    887.500   2093.000    891.800  2100.000    895.500   2110.000    900.300   2120.000
SB     0.000      1.500      3.300      0.000      2.000     0.000       .300      0.000    891.100    891.100

X1    54.500      4.000      0.000     36.000      1.000     1.000      1.000      0.000      0.000      0.000
X2     0.000      0.000      1.000    892.000    894.500     0.000      0.000      0.000      0.000      0.000
BT    11.000      0.000    898.600      0.000      0.000   894.700      0.000      7.000    894.700      0.000
BT    14.000    894.700      0.000     18.000    894.500     0.000     18.000    898.600      0.000     21.000
BT   898.600      0.000     21.000    894.500      0.000    28.000    894.500      0.000     36.000    894.700
BT     0.000     36.000    898.500      0.000      0.000     0.000      0.000      0.000      0.000      0.000
GR   898.600      0.000    891.100      0.000    891.100    36.000    898.600     36.000      0.000      0.000

X1    54.600     20.000   2000.000   2072.000     50.000    50.000     50.000      0.000      0.000      0.000
GR   922.900   1798.000    922.500   1805.000    920.200  1812.000    920.000   1818.000    917.400   1824.000
GR   907.500   1842.000    917.900   1845.000    917.100  1858.000    904.600   1911.000    904.700   1917.000
GR   904.800   1921.000    903.400   1963.000    901.600  1984.000    896.100   2000.000    892.100   2015.000
GR   891.100   2025.000    890.900   2040.000    891.200  2055.000    893.300   2072.000    898.400   2072.000
NC      .060       .060      0.000      0.000      0.000     0.000      0.000      0.000      0.000      0.000

X1    55.000     11.000   2004.000   2048.000   1490.000  1510.000   1500.000      0.000      0.000      0.000
GR   916.300   1682.000    911.400   1722.000    901.500  1766.000    897.700   1806.000    896.400   2000.000
GR   894.600   2004.000    890.800   2022.000    890.500  2026.000    892.100   2038.000    894.600   2048.000
GR   897.800   2054.000      0.000      0.000      0.000     0.000      0.000      0.000      0.000      0.000
NC      .080       .080      0.000      0.000      0.000     0.000      0.000      0.000      0.000      0.000
```

X1	56.400	14.000	2000.000	2067.000	2800.000	2800.000	2800.000	0.000	0.000	0.000
GR	919.800	1227.000	915.100	1339.000	907.100	1625.000	899.900	1733.000	896.300	1833.000
GR	897.900	2000.000	895.100	2000.000	894.300	2002.000	891.800	2019.000	891.900	2030.000
GR	891.900	2044.000	894.300	2064.000	895.100	2067.000	897.900	2067.000	0.000	0.000
NC	.080	.060	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	56.200	18.000	1892.000	1968.000	190.000	190.000	190.000	0.000	0.000	0.000
GR	918.900	803.000	917.100	905.000	914.500	1097.000	914.800	1195.000	910.300	1251.000
GR	903.400	1475.000	899.300	1606.000	897.600	1661.000	896.300	1722.000	896.400	1776.000
GR	894.400	1892.000	893.000	1914.000	890.500	1926.000	890.400	1940.000	891.400	1956.000
GR	894.400	1968.000	897.700	1982.000	897.900	2000.000	0.000	0.000	0.000	0.000
NC	.100	.100	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	56.100	20.000	1892.000	2078.000	10.000	10.000	10.000	0.000	0.000	0.000
GR	903.300	1475.000	899.300	1606.000	897.600	1661.000	896.300	1722.000	896.400	1776.000
GR	894.400	1892.000	893.000	1914.000	890.500	1926.000	890.400	1940.000	891.400	1956.000
GR	891.400	1968.000	891.200	1982.000	891.200	2000.000	890.500	2031.000	890.800	2067.000
GR	891.300	2067.000	896.000	2078.000	897.000	2117.000	900.000	2190.000	904.600	2344.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN MILL RACE AND RICE CREEK
T3      MILL RACE
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	3.	0.	0.	0.000000	0.00	0.0	0.	893.400	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	2.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN MILL RACE AND RICE CREEK
T3      MILL RACE
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	4.	0.	0.	0.000000	0.00	0.0	0.	893,400	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	3.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      FLOW DIVISON BETWEEN MILL RACE AND RICE CREEK
T3      MILL RACE
J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       5.        0.        0.  0.000000      0.00      0.0       0.      893.400   0.000
J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
**********
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MILL RACE

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
54.300	0.00	0.00	0.00	885.80	200.00	893.40	0.00	893.40	.04	.30	727.17	1047.52
54.300	0.00	0.00	0.00	885.80	300.00	893.40	0.00	893.40	.08	.45	727.17	1047.52
54.300	0.00	0.00	0.00	885.80	400.00	893.40	0.00	893.41	.15	.59	727.17	1047.52
54.300	0.00	0.00	0.00	885.80	500.00	893.40	0.00	893.41	.23	.74	727.17	1047.52
54.500	1.00	894.50	892.00	891.10	200.00	896.09	0.00	896.11	1.11	1.11	179.84	189.53
54.500	1.00	894.50	892.00	891.10	300.00	896.53	0.00	896.57	1.94	1.53	195.63	215.34
54.500	1.00	894.50	892.00	891.10	400.00	896.94	0.00	897.00	2.78	1.90	210.26	240.07
54.500	1.00	894.50	892.00	891.10	500.00	897.30	0.00	897.37	3.63	2.24	223.09	262.37
54.600	50.00	0.00	0.00	890.90	200.00	896.10	0.00	896.11	.43	.68	292.39	306.19
54.600	50.00	0.00	0.00	890.90	300.00	896.57	0.00	896.58	.67	.92	326.51	365.90
54.600	50.00	0.00	0.00	890.90	400.00	896.99	0.00	897.01	.89	1.12	357.79	423.11
54.600	50.00	0.00	0.00	890.90	500.00	897.36	0.00	897.39	1.10	1.30	385.95	476.40
55.000	1500.00	0.00	0.00	890.50	200.00	896.19	0.00	896.22	1.23	1.15	177.46	180.48
55.000	1500.00	0.00	0.00	890.50	300.00	896.71	0.00	896.74	1.81	1.52	210.67	222.89
55.000	1500.00	0.00	0.00	890.50	400.00	897.17	0.00	897.22	2.20	1.79	271.99	269.46
55.000	1500.00	0.00	0.00	890.50	500.00	897.58	0.00	897.63	2.43	1.99	353.20	320.74
56.400	2800.00	0.00	0.00	891.80	200.00	896.45	0.00	896.46	.67	.81	249.71	244.30
56.400	2800.00	0.00	0.00	891.80	300.00	897.07	0.00	897.09	.91	1.03	327.70	315.18
56.400	2800.00	0.00	0.00	891.80	400.00	897.61	0.00	897.63	1.05	1.18	437.00	390.51
56.400	2800.00	0.00	0.00	891.80	500.00	898.06	0.00	898.09	1.13	1.29	560.74	470.21
56.200	190.00	0.00	0.00	890.40	200.00	896.47	0.00	896.47	.24	.56	474.79	404.95
56.200	190.00	0.00	0.00	890.40	300.00	897.09	0.00	897.10	.31	.69	650.07	537.03
56.200	190.00	0.00	0.00	890.40	400.00	897.63	0.00	897.64	.35	.79	816.83	671.75
56.200	190.00	0.00	0.00	890.40	500.00	898.09	0.00	898.10	.39	.87	971.93	802.57
56.100	10.00	0.00	0.00	890.40	200.00	896.47	0.00	896.47	.05	.21	1068.65	917.52
56.100	10.00	0.00	0.00	890.40	300.00	897.10	0.00	897.10	.07	.27	1325.23	1142.64
56.100	10.00	0.00	0.00	890.40	400.00	897.64	0.00	897.64	.09	.32	1570.22	1362.50
56.100	10.00	0.00	0.00	890.40	500.00	898.10	0.00	898.10	.10	.37	1790.88	1567.04

MILL RACE

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
54.300	200.00	893.40	0.00	0.00	0.00	117.60	0.00
54.300	300.00	893.40	0.00	0.00	0.00	117.60	0.00
54.300	400.00	893.40	0.00	0.00	0.00	117.60	0.00
54.300	500.00	893.40	0.00	0.00	0.00	117.60	0.00
54.500	200.00	896.09	0.00	2.69	0.00	36.00	1.00
54.500	300.00	896.53	.45	3.13	0.00	36.00	1.00
54.500	400.00	896.94	.41	3.54	0.00	36.00	1.00
54.500	500.00	897.30	.36	3.90	0.00	36.00	1.00
54.600	200.00	896.10	0.00	.02	0.00	71.98	50.00
54.600	300.00	896.57	.46	.03	0.00	73.35	50.00
54.600	400.00	896.99	.42	.05	0.00	74.58	50.00
54.600	500.00	897.36	.37	.07	0.00	75.67	50.00
55.000	200.00	896.19	0.00	.09	0.00	50.53	1500.00
55.000	300.00	896.71	.51	.14	0.00	97.52	1500.00
55.000	400.00	897.17	.46	.18	0.00	167.46	1500.00
55.000	500.00	897.58	.41	.21	0.00	229.31	1500.00
56.400	200.00	896.45	0.00	.26	0.00	87.39	2800.00
56.400	300.00	897.07	.62	.37	0.00	168.08	2800.00
56.400	400.00	897.61	.53	.44	0.00	239.04	2800.00
56.400	500.00	898.06	.45	.48	0.00	283.05	2800.00
56.200	200.00	896.47	0.00	.01	0.00	262.88	190.00
56.200	300.00	897.09	.63	.02	0.00	295.03	190.00
56.200	400.00	897.63	.54	.02	0.00	322.06	190.00
56.200	500.00	898.09	.45	.03	0.00	355.02	190.00
56.100	200.00	896.47	0.00	.00	0.00	382.14	10.00
56.100	300.00	897.10	.63	.01	0.00	434.64	10.00
56.100	400.00	897.64	.54	.01	0.00	472.59	10.00
56.100	500.00	898.10	.46	.01	0.00	498.36	10.00

SUMMARY OF ERRORS

00BREAK00

1) COUNTY: Calhoun


2) STUDY NAME: City of Marshall

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 10, 50, 100, 500 yr profiles

00BREAK00

```
**********************************************************
*  HEC2 WATER SURFACE PROFILES                           *
*  VERSION OF NOVEMBER 1976                              *
*  UPDATED JULY 1979                                     *
*  ERROR CORR - 01,02,03                                 *
*  MODIFICATION - 50,51,52,53                            *
*                                                        *
*  RUN DATE  80/03/10. TIME  08.47.32.                   *
**********************************************************
```



FIS City of Marshall
Calhoun County, MI
Kalamazoo River
10, 50, 100 & 500 year Profiles
7-21-80

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

C
T1      FIS CITY OF MARSHALL
T2      10 -YEAR FLOOD
T3      KALAMAZOO RIVER

J1  ICHECK      INQ       NINV      IDIR      STPT      METRIC    HVINS     Q         WSEL      FQ
       0.        2.        0.        0.  0.000000      0.00      0.0       0.   879.360   0.000
J2  NPROF       IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    1.000       0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
J3  VARIABLE CODES FOR SUMMARY PRINTOUT
  150.000   201.000    38.000     1.000    53.000    21.000    22.000    54.000     4.000    39.000
J5  LPRNT     NUMSEC                    ********REQUESTED SECTION NUMBERS********
     -10.000   -10.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
ET       0.000     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000
QT-atoss 5.000  1520.000  1980.000  2170.000  2610.000  2170.000     0.000     0.000     0.000     0.000
NC  JA-400.000     0.000     0.000      .100      .300     0.000     0.000     0.000     0.000     0.000
NH       6.000      .050  1933.000      .060  2000.000      .040  2087.000      .080  3297.000      .040
NH    3407.000      .080  3733.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

          SURVEYED VALLEY SECTION AT CORPORATE BOUNDARY      (A)

X1        .100    33.000  2000.000  3407.000     0.000     0.000     0.000     0.000     0.000     0.000
GR    900.330  1313.000   891.620  1680.000   891.730  1873.000   889.500  1933.000   878.500  2000.000
GR    876.600  2004.000   875.490  2030.000   875.290  2047.000   875.220  2067.000   876.100  2087.000
GR    878.710  2089.000   879.200  2107.000   878.780  2194.000   880.000  2391.000   880.000  2560.000
GR    879.140  2628.000   878.600  2728.000   878.070  2788.000   878.360  2881.000   877.890  2954.000
GR    878.240  3051.000   878.360  3174.000   878.500  3224.000   879.300  3297.000   877.320  3297.000
GR    876.080  3334.000   874.590  3357.000   875.580  3387.000   878.320  3407.000   880.080  3438.000
GR    881.110  3546.000   882.280  3669.000   888.010  3733.000     0.000     0.000     0.000     0.000
NH       8.000      .045  1946.000      .090  2000.000      .045  2040.000      .090  2069.000      .045
NH    2140.000      .090  2152.000      .045  2242.000      .090  3517.000     0.000     0.000     0.000

          SURVEYED VALLEY SECTION  (B)

X1       1.000    37.000  2000.000  2242.000  1880.000  2370.000  1970.000     0.000     0.000     0.000
GR    897.800  1741.000   897.300  1803.000   897.100  1825.000   883.800  1946.000   881.600  1964.000
GR    860.500  2000.000   879.900  2002.000   877.800  2009.000   877.900  2035.000   879.900  2040.000
GR    881.200  2048.000   880.600  2068.000   879.600  2069.000   877.700  2076.000   877.800  2088.000
GR    878.800  2116.000   879.800  2140.000   881.000  2146.000   879.900  2150.000   878.100  2152.000
GR    875.600  2177.000   876.200  2192.000   876.700  2207.000   877.200  2222.000   878.300  2237.000
GW    881.200  2242.000   880.900  2296.000   882.600  2444.000   886.000  2544.000   887.800  2736.000
```

GR	887.900	2814.000	890.600	2880.000	892.600	2960.000	894.000	3028.000	892.300	3167.000
GR	899.500	3371.000	901.300	3517.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1684.000	.080	2000.000	.045	2092.000	.070	2222.000	0.000

SURVEYED VALLEY SECTION (C)

X1	1.800	23.000	2004.000	2092.000	3190.000	3190.000	3190.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1924.000	0.000	2172.000	0.000	0.000	0.000	0.000
GR	902.800	1518.000	898.200	1684.000	890.000	1766.000	885.200	1800.000	883.400	1836.000
GR	880.500	1848.000	880.100	1855.000	880.500	1865.000	881.100	1910.000	882.600	2000.000
GR	880.100	2004.000	878.600	2016.000	878.300	2028.000	878.300	2038.000	878.300	2052.000
GR	878.400	2061.000	878.500	2072.000	878.700	2083.000	880.300	2092.000	881.500	2097.000
GR	896.400	2126.000	898.700	2177.000	899.900	2222.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

X1	1.900	20.000	2000.000	2080.000	319.000	319.000	319.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	892.000	892.000	0.000
GR	902.500	1448.000	901.500	1498.000	899.000	1600.000	897.500	1718.000	897.100	1750.000
GR	895.300	1785.000	894.300	1893.000	894.500	1897.000	894.600	1980.000	886.300	1993.000
GR	880.800	2000.000	879.800	2020.000	878.500	2040.000	879.300	2060.000	880.600	2080.000
GR	882.000	2100.000	896.600	2120.000	896.600	2213.000	899.000	2306.000	902.300	2320.000
NH	4.000	.065	1980.000	.080	2000.000	.035	2080.000	.070	2320.000	0.000

SURVEYED BRIDGE SECTION D/S

SOUTH KALAMAZOO AVE BRIDGE CONC ARCH 80' SPAN

X1	2.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	892.000	892.000	0.000
BT	11.000	1980.000	894.600	0.000	1993.000	894.600	0.000	2000.000	894.600	880.800
BT	2000.000	894.600	882.200	2020.000	894.700	889.200	2040.000	894.700	890.900	2060.000
BT	894.800	889.100	2080.000	894.900	882.500	2080.000	894.900	880.600	2100.000	895.700
BT	0.000	2120.000	896.600	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	4.000	.065	1980.000	.080	2000.000	.035	2080.000	.070	2320.000	0.000

BRIDGE SECTION (D)

X1	2.100	0.000	0.000	0.000	33.000	33.000	33.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.300	894.900	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

1' U/S OF BRIDGE (USGS GAGE)

X1	2.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.300	894.900	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

X1	2.300	0.000	0.000	0.000	79.000	79.000	79.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1920.000	0.000	2160.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
NH	4.000	.080	2000.000	.045	2078.000	.080	2102.000	.045	2134.000	0.000

SURVEYED VALLEY SECTION U/S OF RICE CREEK (E)

X1	3.000	25.000	2000.000	2078.000	930.000	930.000	930.000	0.000	0.000	0.000
GR	904.500	1236.000	899.100	1381.000	897.100	1424.000	895.000	1538.000	898.200	1548.000
GR	885.700	1577.000	884.800	1646.000	884.800	1768.000	884.300	1843.000	882.600	1919.000
GR	881.200	1940.000	882.600	1953.000	883.300	1968.000	883.000	2000.000	882.700	2001.000
GR	879.100	2020.000	879.500	2030.000	879.800	2045.000	880.600	2065.000	883.000	2078.000
GR	883.400	2085.000	884.500	2102.000	896.100	2125.000	900.500	2134.000	900.600	2150.000
QT	5.000	1210.000	1570.000	1720.000	2070.000	1720.000	0.000	0.000	0.000	0.000

X1	3.100	0.000	0.000	0.000	55.000	55.000	55.000	0.000	0.000	0.000
NH	3.000	.080	1980.000	.045	2080.000	.080	2100.000	0.000	0.000	0.000

MANUFACTURED VALLEY SECTION (F)

X1	3.500	6.000	1980.000	2080.000	950.000	1150.000	1010.000	0.000	0.000	0.000
GR	890.000	1920.000	884.000	1980.000	881.000	2030.000	881.000	2060.000	886.000	2080.000
GR	890.000	2100.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1818.000	.080	2000.000	.045	2062.000	.070	2228.000	0.000
FT	0.000	0.000	0.000	0.000	0.000	0.100	0.000	0.000	1993.000	2081.000

SURVEYED VALLEY SECTION AT CONFLUENCE OF POWER PLANT CANAL (G)

X1	3.700	13.000	2000.000	2062.000	670.000	670.000	670.000	0.000	0.000	0.000
GR	906.900	1788.000	907.000	1804.000	907.200	1818.000	900.700	1850.000	898.500	1912.000
GR	896.200	1978.000	884.600	2000.000	882.300	2022.000	882.500	2040.000	884.600	2062.000
GR	888.000	2080.000	897.000	2116.000	901.100	2228.000	0.000	0.000	0.000	0.000
GT	5.000	1060.000	1420.000	1570.000	1920.000	1570.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1940.000	0.000	2122.000	0.000	0.000	0.000	0.000

X1	3.800	0.000	0.000	0.000	175.000	175.000	175.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.040	2060.000	.070	2689.000	0.000

X1	3.900	19.000	2000.000	2060.000	239.000	239.000	239.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
GR	905.500	1482.000	903.600	1602.000	901.200	1728.000	900.000	1872.000	898.600	1971.000
GR	887.600	2000.000	884.600	2005.000	883.900	2015.000	883.200	2025.000	883.500	2030.000
GR	884.000	2045.000	884.500	2058.000	886.400	2060.000	890.600	2090.000	898.300	2150.000
GR	899.300	2210.000	904.600	2428.000	905.400	2480.000	911.900	2689.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.035	2060.000	.070	2689.000	0.000

SURVEYED BRIDGE SECTION D/S OF BRIDGE

SOUTH MARSHALL AVE BRIDGE CONC ARCH 60' SPAN

X1	4.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
BT	12.000	1872.000	900.000	0.000	1971.000	899.700	0.000	2000.000	899.500	887.600
BT	2000.000	899.500	890.000	2015.000	899.500	895.200	2030.000	899.400	897.200	2045.000
BT	899.300	895.200	2060.000	899.300	889.000	2060.000	899.300	886.400	2090.000	899.300
BT	0.000	2150.000	899.300	0.000	2210.000	899.300	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.035	2060.000	.070	2689.000	0.000

BRIDGE SECTION (H)

X1	4.100	0.000	0.000	0.000	45.500	45.500	45.500	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	899.500	899.300	0.000
NH	4.000	.060	1971.000	.060	2000.000	.035	2060.000	.070	2689.000	0.000
X1	4.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	899.500	899.300	0.000
X3	0.000	0.000	0.000	1970.000	0.000	2090.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.060	2000.000	.045	2060.000	.070	2689.000	0.000
FT	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1990.000	2085.000
X1	4.300	13.000	2000.000	2062.000	60.000	60.000	60.000	0.000	0.000	0.000
GR	906.900	1788.000	907.000	1804.000	907.200	1818.000	900.700	1850.000	898.500	1912.000
GR	896.200	1978.000	884.600	2000.000	882.300	2022.000	882.500	2040.000	884.600	2062.000
GR	888.000	2080.000	897.000	2116.000	901.100	2228.000	0.000	0.000	0.000	0.000
NH	3.000	.045	1648.000	.090	2000.000	.045	2091.000	0.000	0.000	0.000
FT	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION D/S OF DAM

X1	4.900	15.000	1448.000	2091.000	600.000	100.000	350.000	0.000	0.000	0.000
GR	902.730	1448.000	888.210	1448.000	887.860	1477.000	887.910	1545.000	887.650	1587.000
GR	887.190	1648.000	887.190	1648.000	885.650	2000.000	885.650	2000.000	885.510	2024.000
GR	885.510	2024.000	885.850	2046.000	885.520	2066.000	886.320	2091.000	902.500	2091.000
SB	0.000	1.500	3.090	0.000	20.000	0.000	.300	0.000	885.510	885.510
NC	.090	.090	.035	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SPILLWAY #1 200' LONG INVERT ELEV 900.05

SPILLWAY #2 91' LONG INVERT ELEV 899.69 (I)

X1	5.000	0.000	0.000	0.000	30.000	30.000	30.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	885.670	899.690	0.000	0.000	0.000	0.000	0.000
BT	17.000	1448.000	902.730	0.000	1448.000	900.060	0.000	1477.000	900.060	0.000
BT	1545.000	900.060	0.000	1587.000	900.050	0.000	1587.000	900.050	0.000	1587.000
BT	900.050	0.000	1648.000	900.050	0.000	1648.000	903.260	0.000	2000.000	902.860
BT	885.650	2000.000	899.700	885.670	2024.000	899.700	885.530	2024.000	899.700	885.510
BT	2046.000	899.700	0.000	2066.000	899.700	0.000	2091.000	899.690	0.000	2091.000
BT	902.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	1210.000	1570.000	1720.000	2070.000	1720.000	0.000	0.000	0.000	0.000

above Rice Creek DAM 52

X1	5.100	0.000	0.000	0.000	50.000	50.000	50.000	0.000	0.000	0.000

VALLEY SECTION AT CORPORATE BOUNDARY (J)

X1	6.000	15.000	2000.000	2616.000	2270.000	2550.000	2270.000	0.000	0.000	0.000
GR	909.890	1810.000	903.520	2000.000	899.530	2008.000	894.230	2078.000	892.030	2148.000
GR	891.330	2208.000	890.280	2288.000	893.080	2408.000	896.630	2478.000	898.330	2538.000
GR	899.230	2560.000	899.620	2616.000	900.710	2744.000	904.880	2826.000	910.700	2836.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL
T2      50 -YEAR FLOOD
T3      KALAMAZOO RIVER

J1  ICHECK     INQ       NINV      IPTR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       3.        0.        0.  0.000000      0.00      0.0       0.    879.930     0.000
J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     2.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
**********************************************************
 HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
 ERROR CORR -  01.02.03
 MODIFICATION -  50.51.52.53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      100-YEAR FLOOD
T3      KALAMAZOO RIVER

J1  ICHECK    INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.      4.        0.        0.  0.000000      0.00      0.0       0.    880.160   0.000
J2  NPROF     IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     3.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL
T2      500-YEAR FLOOD
T3      KALAMAZOO RIVER

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       5.        0.        0.  0.000000      0.00      0.0       0.    880.620     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     15.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**************************************************

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT
```

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLOB
.100	879.36	1994.76	2000.00	3407.00	3425.32	1107.61	0.00
.100	879.93	1991.29	2000.00	3407.00	3435.36	1258.23	0.00
.100	880.16	1989.89	2000.00	3407.00	3446.39	1456.50	0.00
.100	880.62	1987.09	2000.00	3407.00	3494.62	1507.53	0.00
1.000	880.75	1991.81	2000.00	2242.00	2241.22	229.49	1970.00
1.000	881.12	1979.56	2000.00	2242.00	2315.54	319.25	1970.00
1.000	881.34	1972.62	2000.00	2242.00	2334.01	361.38	1970.00
1.000	881.64	1963.65	2000.00	2242.00	2360.67	397.02	1970.00
1.800	883.99	1924.00	2004.00	2092.00	2101.86	177.86	3190.00
1.800	884.69	1924.00	2004.00	2092.00	2103.21	179.21	3190.00
1.800	884.93	1924.00	2004.00	2092.00	2103.67	179.67	3190.00
1.800	885.47	1924.00	2004.00	2092.00	2104.72	180.72	3190.00
1.900	884.26	2000.00	2000.00	2080.00	2080.00	80.00	319.00
1.900	884.96	2000.00	2000.00	2080.00	2080.00	80.00	319.00
1.900	885.20	2000.00	2000.00	2080.00	2080.00	80.00	319.00
1.900	885.74	2000.00	2000.00	2080.00	2080.00	80.00	319.00
2.000	884.26	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.000	884.95	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.000	885.18	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.000	885.71	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.100	884.32	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.100	885.02	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.100	885.26	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.100	885.81	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.200	884.34	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.200	885.07	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.200	885.33	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.200	885.91	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.300	884.52	1995.27	2000.00	2080.00	2103.45	108.19	79.00
2.300	885.29	1994.29	2000.00	2080.00	2104.50	110.22	79.00
2.300	885.56	1993.94	2000.00	2080.00	2104.88	110.94	79.00
2.300	886.18	1993.15	2000.00	2080.00	2105.73	112.58	79.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
3.000	885.48	1593.98	2000.00	2078.00	2103.94	509.96	930.00
3.000	886.23	1575.78	2000.00	2078.00	2105.42	529.64	930.00
3.000	886.50	1575.14	2000.00	2078.00	2105.97	530.83	930.00
3.000	887.13	1573.70	2000.00	2078.00	2107.20	533.50	930.00
3.100	885.55	1589.38	2000.00	2078.00	2104.06	514.68	55.00
3.100	886.28	1575.67	2000.00	2078.00	2105.52	529.85	55.00
3.100	886.56	1575.02	2000.00	2078.00	2106.07	531.05	55.00
3.100	887.17	1573.59	2000.00	2078.00	2107.30	533.71	55.00
3.500	886.21	1957.92	1980.00	2080.00	2081.04	123.12	1010.00
3.500	886.84	1951.61	1980.00	2080.00	2084.20	132.59	1010.00
3.500	887.08	1949.19	1980.00	2080.00	2085.40	136.21	1010.00
3.500	887.63	1943.75	1980.00	2080.00	2088.13	144.38	1010.00
3.700	887.35	1994.79	2000.00	2062.00	2076.55	81.76	670.00
3.700	887.98	1993.60	2000.00	2062.00	2079.87	86.28	670.00
3.700	888.22	1993.14	2000.00	2062.00	2080.86	87.72	670.00
3.700	888.74	1992.14	2000.00	2062.00	2082.97	90.83	670.00
3.800	887.84	1993.85	2000.00	2062.00	2079.17	85.32	175.00
3.800	888.51	1992.58	2000.00	2062.00	2082.04	89.46	175.00
3.800	888.76	1992.11	2000.00	2062.00	2083.05	90.94	175.00
3.800	889.31	1991.06	2000.00	2062.00	2085.25	94.19	175.00
3.900	888.21	2000.00	2000.00	2060.00	2060.00	60.00	239.00
3.900	888.90	2000.00	2000.00	2060.00	2060.00	60.00	239.00
3.900	889.16	2000.00	2000.00	2060.00	2060.00	60.00	239.00
3.900	889.72	2000.00	2000.00	2060.00	2060.00	60.00	239.00
4.000	888.22	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.000	888.91	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.000	889.16	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.000	889.73	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.100	888.31	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.100	889.01	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.100	889.27	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.100	889.85	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.200	888.32	1998.12	2000.00	2060.00	2073.68	75.56	1.00
4.200	889.04	1996.19	2000.00	2060.00	2078.89	82.70	1.00
4.200	889.32	1995.47	2000.00	2060.00	2080.85	85.39	1.00
4.200	889.93	1993.87	2000.00	2060.00	2085.18	91.31	1.00
4.300	888.61	1992.40	2000.00	2062.00	2082.42	90.02	60.00
4.300	889.38	1990.93	2000.00	2062.00	2085.53	94.60	60.00
4.300	889.68	1990.37	2000.00	2062.00	2086.72	96.35	60.00
4.300	890.33	1989.13	2000.00	2062.00	2089.32	100.18	60.00
4.900	888.98	1448.00	1448.00	2091.00	2091.00	643.00	350.00
4.900	889.75	1448.00	1448.00	2091.00	2091.00	643.00	350.00
4.900	890.05	1448.00	1448.00	2091.00	2091.00	643.00	350.00
4.900	890.72	1448.00	1448.00	2091.00	2091.00	643.00	350.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
5.000	901.05	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.000	901.29	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.000	901.39	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.000	901.60	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.100	901.05	1448.00	1448.00	2091.00	2091.00	643.00	50.00
5.100	901.29	1448.00	1448.00	2091.00	2091.00	643.00	50.00
5.100	901.39	1448.00	1448.00	2091.00	2091.00	643.00	50.00
5.100	901.60	1448.00	1448.00	2091.00	2091.00	643.00	50.00
6.000	901.06	2004.94	2000.00	2616.00	2750.78	745.83	2270.00
6.000	901.30	2004.46	2000.00	2616.00	2755.49	751.03	2270.00
6.000	901.39	2004.27	2000.00	2616.00	2757.34	753.06	2270.00
6.000	901.60	2003.86	2000.00	2616.00	2761.44	757.58	2270.00

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	XLOB	ELTRD	ELLOB	FLMIN	Q	CWSEL	CRIWS	EG	TOP*S	VCH	AREA	.01K
.100	0.00	0.00	0.00	874.59	1520.00	879.36	0.00	879.38	4.69	1.08	1411.92	701.82
.100	0.00	0.00	0.00	874.59	1980.00	879.93	0.00	879.94	3.56	.96	2086.19	1050.05
.100	0.00	0.00	0.00	874.59	2170.00	880.16	0.00	880.17	3.53	.91	2406.81	1154.76
.100	0.00	0.00	0.00	874.59	2610.00	880.62	0.00	880.63	2.88	.86	3088.54	1538.35
1.000	1970.00	0.00	0.00	875.60	1520.00	880.75	0.00	880.85	13.13	2.51	605.64	419.43
1.000	1970.00	0.00	0.00	875.60	1980.00	881.12	0.00	881.25	15.22	2.86	703.98	507.57
1.000	1970.00	0.00	0.00	875.60	2170.00	881.34	0.00	881.47	14.83	2.91	777.31	563.50
1.000	1970.00	0.00	0.00	875.60	2610.00	881.64	0.00	881.79	16.01	3.16	893.61	652.23
1.800	3190.00	0.00	0.00	878.30	1520.00	883.99	0.00	884.10	8.12	2.87	656.92	533.47
1.800	3190.00	0.00	0.00	878.30	1980.00	884.69	0.00	884.83	8.59	3.21	780.92	675.41
1.800	3190.00	0.00	0.00	878.30	2170.00	884.93	0.00	885.08	8.90	3.35	823.42	727.23
1.800	3190.00	0.00	0.00	878.30	2610.00	885.47	0.00	885.64	9.39	3.63	920.83	851.80
1.900	319.00	0.00	0.00	878.50	1520.00	884.26	0.00	884.52	15.20	4.05	375.04	389.88
1.900	319.00	0.00	0.00	878.50	1980.00	884.96	0.00	885.29	16.21	4.59	431.10	491.78
1.900	319.00	0.00	0.00	878.50	2170.00	885.20	0.00	885.56	16.84	4.82	450.28	528.78
1.900	319.00	0.00	0.00	878.50	2610.00	885.74	0.00	886.18	17.97	5.29	493.36	615.76
2.000	1.00	894.60	890.90	878.50	1520.00	884.26	0.00	884.53	16.15	4.17	364.33	378.20
2.000	1.00	894.60	890.90	878.50	1980.00	884.95	0.00	885.31	19.52	4.82	410.56	448.12
2.000	1.00	894.60	890.90	878.50	2170.00	885.18	0.00	885.59	21.28	5.11	425.04	470.35
2.000	1.00	894.60	890.90	878.50	2610.00	885.71	0.00	886.21	25.14	5.70	457.51	520.58
2.100	33.00	894.60	890.90	878.50	1520.00	884.32	0.00	884.58	15.77	4.14	367.39	382.76
2.100	33.00	894.60	890.90	878.50	1980.00	885.02	0.00	885.38	19.04	4.78	414.21	453.72
2.100	33.00	894.60	890.90	878.50	2170.00	885.26	0.00	885.66	20.67	5.05	429.52	477.26
2.100	33.00	894.60	890.90	878.50	2610.00	885.81	0.00	886.30	24.28	5.63	463.39	529.72
2.200	1.00	0.00	0.00	878.50	1520.00	884.34	0.00	884.59	14.38	3.99	381.34	400.86
2.200	1.00	0.00	0.00	878.50	1980.00	885.07	0.00	885.39	15.14	4.50	439.98	508.78
2.200	1.00	0.00	0.00	878.50	2170.00	885.33	0.00	885.68	15.62	4.71	460.60	549.14
2.200	1.00	0.00	0.00	878.50	2610.00	885.91	0.00	886.33	16.38	5.15	507.19	644.79
2.300	79.00	0.00	0.00	878.50	1520.00	884.52	0.00	884.71	10.97	3.57	473.12	458.91
2.300	79.00	0.00	0.00	878.50	1980.00	885.29	0.00	885.52	11.26	3.98	557.00	589.93
2.300	79.00	0.00	0.00	878.50	2170.00	885.56	0.00	885.81	11.49	4.15	587.37	640.09
2.300	79.00	0.00	0.00	878.50	2610.00	886.12	0.00	886.47	11.81	4.49	656.55	759.41
3.000	930.00	0.00	0.00	879.10	1520.00	885.48	0.00	885.56	7.59	2.66	993.47	551.66
3.000	930.00	0.00	0.00	879.10	1980.00	886.23	0.00	886.30	6.25	2.64	1385.78	792.27
3.000	930.00	0.00	0.00	879.10	2170.00	886.50	0.00	886.57	5.87	2.64	1532.79	895.48
3.000	930.00	0.00	0.00	879.10	2610.00	887.13	0.00	887.19	5.14	2.64	1862.78	1150.78
3.100	55.00	0.00	0.00	879.10	1210.00	885.55	0.00	885.59	4.53	2.07	1024.23	568.80
3.100	55.00	0.00	0.00	879.10	1570.00	886.28	0.00	886.33	3.75	2.06	1412.39	810.45
3.100	55.00	0.00	0.00	879.10	1720.00	886.56	0.00	886.60	3.53	2.06	1559.46	914.92
3.100	55.00	0.00	0.00	879.10	2070.00	887.17	0.00	887.21	3.12	2.07	1889.23	1172.59
3.500	1010.00	0.00	0.00	881.00	1210.00	886.21	0.00	886.35	13.41	3.01	420.30	330.37
3.500	1010.00	0.00	0.00	881.00	1570.00	886.84	0.00	887.01	13.57	3.34	501.03	426.22

3.500	1010.00	0.00	0.00	881.00	1720.00	887.08	0.00	887.26	13.63	3.47	533.43	465.81
3.500	1010.00	0.00	0.00	881.00	2070.00	887.63	0.00	887.83	13.60	3.72	609.82	561.27

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
3.700	670.00	0.00	0.00	882.30	1210.00	887.35	0.00	887.66	28.38	4.55	285.51	227.12
3.700	670.00	0.00	0.00	882.30	1570.00	887.98	0.00	888.36	29.28	5.07	338.30	290.16
3.700	670.00	0.00	0.00	882.30	1720.00	888.22	0.00	888.63	29.54	5.26	359.15	316.45
3.700	670.00	0.00	0.00	882.30	2070.00	888.74	0.00	889.21	29.99	5.66	406.16	377.99
3.800	175.00	0.00	0.00	882.30	1060.00	887.84	0.00	888.03	14.72	3.53	326.91	276.24
3.800	175.00	0.00	0.00	882.30	1420.00	888.51	0.00	888.76	16.44	4.08	385.25	350.27
3.800	175.00	0.00	0.00	882.30	1570.00	888.76	0.00	889.03	17.03	4.28	407.95	380.39
3.800	175.00	0.00	0.00	882.30	1920.00	889.31	0.00	889.64	18.19	4.71	458.87	450.23
3.900	239.00	0.00	0.00	883.20	1060.00	888.21	0.00	888.50	21.51	4.32	245.13	228.53
3.900	239.00	0.00	0.00	883.20	1420.00	888.90	0.00	889.28	22.94	4.96	286.56	296.47
3.900	239.00	0.00	0.00	883.20	1570.00	889.16	0.00	889.58	23.52	5.20	302.10	323.74
3.900	239.00	0.00	0.00	883.20	1920.00	889.72	0.00	890.23	24.73	5.72	335.77	386.10
4.000	1.00	899.30	897.20	883.20	1060.00	888.22	0.00	888.51	17.32	4.32	245.24	254.73
4.000	1.00	899.30	897.20	883.20	1420.00	888.91	0.00	889.29	19.00	4.95	286.68	325.77
4.000	1.00	899.30	897.20	883.20	1570.00	889.16	0.00	889.58	19.80	5.20	302.19	352.85
4.000	1.00	899.30	897.20	883.20	1920.00	889.73	0.00	890.23	21.80	5.73	335.26	411.19
4.100	45.50	899.30	897.20	883.20	1060.00	888.31	0.00	888.59	16.18	4.23	250.57	263.53
4.100	45.50	899.30	897.20	883.20	1420.00	889.01	0.00	889.38	17.85	4.86	292.44	336.08
4.100	45.50	899.30	897.20	883.20	1570.00	889.27	0.00	889.68	18.70	5.10	308.07	363.08
4.100	45.50	899.30	897.20	883.20	1920.00	889.85	0.00	890.34	20.61	5.62	341.79	422.95
4.200	1.00	0.00	0.00	883.20	1060.00	888.32	0.00	888.59	14.87	4.18	264.99	274.84
4.200	1.00	0.00	0.00	883.20	1420.00	889.04	0.00	889.38	15.36	4.72	322.73	362.37
4.200	1.00	0.00	0.00	883.20	1570.00	889.32	0.00	889.69	15.54	4.93	345.85	398.30
4.200	1.00	0.00	0.00	883.20	1920.00	889.93	0.00	890.36	15.79	5.35	399.42	483.19
4.300	60.00	0.00	0.00	882.30	1060.00	888.61	0.00	888.73	17.39	2.91	393.81	254.17
4.300	60.00	0.00	0.00	882.30	1420.00	889.38	0.00	889.54	19.31	3.33	465.52	323.14
4.300	60.00	0.00	0.00	882.30	1570.00	889.68	0.00	889.85	19.94	3.48	493.80	351.59
4.300	60.00	0.00	0.00	882.30	1920.00	890.33	0.00	890.53	21.08	3.80	557.71	418.21
4.900	350.00	0.00	0.00	885.51	1060.00	888.98	0.00	888.99	3.32	.73	1442.27	581.70
4.900	350.00	0.00	0.00	885.51	1420.00	889.75	0.00	889.76	2.28	.73	1940.58	940.81
4.900	350.00	0.00	0.00	885.51	1570.00	890.05	0.00	890.06	2.04	.74	2134.50	1100.31
4.900	350.00	0.00	0.00	885.51	1920.00	890.72	0.00	890.73	1.66	.75	2564.11	1490.16
5.000	30.00	899.69	885.67	885.51	1060.00	901.05	0.00	901.05	.00	.12	9208.92	22422.90
5.000	30.00	899.69	885.67	885.51	1420.00	901.29	0.00	901.29	.00	.15	9362.88	23040.23
5.000	30.00	899.69	885.67	885.51	1570.00	901.39	0.00	901.39	.00	.17	9423.22	23283.89
5.000	30.00	899.69	885.67	885.51	1920.00	901.60	0.00	901.60	.01	.20	9557.15	23828.21
5.100	50.00	0.00	0.00	885.51	1210.00	901.05	0.00	901.05	.00	.13	9214.13	22443.68
5.100	50.00	0.00	0.00	885.51	1570.00	901.29	0.00	901.29	.00	.17	9366.32	23054.08
5.100	50.00	0.00	0.00	885.51	1720.00	901.39	0.00	901.39	.01	.18	9426.22	23296.04
5.100	50.00	0.00	0.00	885.51	2070.00	901.60	0.00	901.60	.01	.22	9559.43	23837.50
6.000	2270.00	0.00	0.00	890.28	1210.00	901.06	0.00	901.06	.04	.29	4261.51	6322.51
6.000	2270.00	0.00	0.00	890.28	1570.00	901.30	0.00	901.30	.05	.36	4440.90	6702.96
6.000	2270.00	0.00	0.00	890.28	1720.00	901.39	0.00	901.39	.06	.39	4511.55	6854.82
6.000	2270.00	0.00	0.00	890.28	2070.00	901.60	0.00	901.60	.08	.46	4669.10	7197.41

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
.100	1520.00	879.36	0.00	0.00	0.00	1107.61	0.00
.100	1980.00	879.93	.57	0.00	0.00	1258.23	0.00
.100	2170.00	880.16	.23	0.00	0.00	1456.50	0.00
.100	2610.00	880.62	.46	0.00	0.00	1507.53	0.00
1.000	1520.00	880.75	0.00	1.39	0.00	229.49	1970.00
1.000	1980.00	881.12	.37	1.19	0.00	319.25	1970.00
1.000	2170.00	881.34	.21	1.18	0.00	361.38	1970.00
1.000	2610.00	881.64	.31	1.02	0.00	397.02	1970.00
1.800	1520.00	883.99	0.00	3.23	0.00	177.86	3190.00
1.800	1980.00	884.69	.70	3.57	0.00	179.21	3190.00
1.800	2170.00	884.93	.24	3.59	0.00	179.67	3190.00
1.800	2610.00	885.47	.54	3.83	0.00	180.72	3190.00
1.900	1520.00	884.26	0.00	.28	0.00	80.00	319.00
1.900	1980.00	884.96	.70	.27	0.00	80.00	319.00
1.900	2170.00	885.20	.24	.28	0.00	80.00	319.00
1.900	2610.00	885.74	.54	.27	0.00	80.00	319.00
2.000	1520.00	884.26	0.00	-.01	0.00	80.00	1.00
2.000	1980.00	884.95	.69	-.02	0.00	80.00	1.00
2.000	2170.00	885.18	.23	-.02	0.00	80.00	1.00
2.000	2610.00	885.71	.53	-.03	0.00	80.00	1.00
2.100	1520.00	884.32	0.00	.06	0.00	80.00	33.00
2.100	1980.00	885.02	.71	.07	0.00	80.00	33.00
2.100	2170.00	885.26	.24	.08	0.00	80.00	33.00
2.100	2610.00	885.81	.54	.10	0.00	80.00	33.00
2.200	1520.00	884.34	0.00	.03	0.00	80.00	1.00
2.200	1980.00	885.07	.73	.05	0.00	80.00	1.00
2.200	2170.00	885.33	.26	.07	0.00	80.00	1.00
2.200	2610.00	885.91	.58	.11	0.00	80.00	1.00
2.300	1520.00	884.52	0.00	.18	0.00	108.19	79.00
2.300	1980.00	885.29	.77	.21	0.00	110.22	79.00
2.300	2170.00	885.56	.27	.23	0.00	110.94	79.00
2.300	2610.00	886.18	.62	.27	0.00	112.58	79.00
3.000	1520.00	885.48	0.00	.96	0.00	509.96	930.00
3.000	1980.00	886.23	.75	.94	0.00	529.64	930.00
3.000	2170.00	886.50	.28	.94	0.00	530.83	930.00
3.000	2610.00	887.13	.62	.94	0.00	533.50	930.00
3.100	1210.00	885.55	0.00	.07	0.00	514.68	55.00
3.100	1570.00	886.28	.74	.06	0.00	529.85	55.00
3.100	1720.00	886.56	.28	.05	0.00	531.05	55.00
3.100	2070.00	887.17	.62	.05	0.00	533.71	55.00
3.500	1210.00	886.21	0.00	.66	0.00	123.12	1010.00
3.500	1570.00	886.84	.63	.56	0.00	132.59	1010.00

3.500	1720.00	887.08	.24	.52	0.00	136.21	1010.00
3.500	2070.00	887.63	.54	.45	0.00	144.38	1010.00

SECNO	Q	C.SEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
3.700	1210.00	887.35	0.00	1.14	0.00	81.76	670.00
3.700	1570.00	887.98	.63	1.14	0.00	86.28	670.00
3.700	1720.00	888.22	.24	1.13	0.00	87.72	670.00
3.700	2070.00	888.74	.53	1.12	0.00	90.83	670.00
3.800	1060.00	887.84	0.00	.49	0.00	85.32	175.00
3.800	1420.00	888.51	.67	.53	.67	89.46	175.00
3.800	1570.00	888.76	.25	.55	.92	90.94	175.00
3.800	1920.00	889.31	.55	.57	1.47	94.19	175.00
3.900	1060.00	888.21	0.00	.37	0.00	60.00	239.00
3.900	1420.00	888.90	.69	.39	0.00	60.00	239.00
3.900	1570.00	889.16	.26	.40	0.00	60.00	239.00
3.900	1920.00	889.72	.56	.41	0.00	60.00	239.00
4.000	1060.00	888.22	0.00	.00	0.00	60.00	1.00
4.000	1420.00	888.91	.69	.00	0.00	60.00	1.00
4.000	1570.00	889.16	.26	.00	0.00	60.00	1.00
4.000	1920.00	889.73	.56	.00	0.00	60.00	1.00
4.100	1060.00	888.31	0.00	.09	0.00	60.00	45.50
4.100	1420.00	889.01	.70	.10	0.00	60.00	45.50
4.100	1570.00	889.27	.26	.11	0.00	60.00	45.50
4.100	1920.00	889.85	.57	.12	0.00	60.00	45.50
4.200	1060.00	888.32	0.00	.01	0.00	75.56	1.00
4.200	1420.00	889.04	.72	.04	0.00	82.70	1.00
4.200	1570.00	889.32	.28	.05	0.00	85.39	1.00
4.200	1920.00	889.93	.61	.08	0.00	91.31	1.00
4.300	1060.00	888.61	0.00	.28	0.00	90.02	60.00
4.300	1420.00	889.38	.78	.34	0.00	94.60	60.00
4.300	1570.00	889.68	.30	.36	0.00	96.35	60.00
4.300	1920.00	890.33	.65	.40	0.00	100.18	60.00
4.900	1060.00	888.98	0.00	.37	0.00	643.00	350.00
4.900	1420.00	889.75	.77	.37	0.00	643.00	350.00
4.900	1570.00	890.05	.30	.38	0.00	643.00	350.00
4.900	1920.00	890.72	.67	.39	0.00	643.00	350.00
5.000	1060.00	901.05	0.00	12.08	0.00	643.00	30.00
5.000	1420.00	901.29	.24	11.54	0.00	643.00	30.00
5.000	1570.00	901.39	.09	11.33	0.00	643.00	30.00
5.000	1920.00	901.60	.21	10.87	0.00	643.00	30.00
5.100	1210.00	901.05	0.00	-.00	0.00	643.00	50.00
5.100	1570.00	901.29	.24	-.00	0.00	643.00	50.00
5.100	1720.00	901.39	.09	-.00	0.00	643.00	50.00
5.100	2070.00	901.60	.21	-.00	0.00	643.00	50.00
6.000	1210.00	901.06	0.00	.00	0.00	745.83	2270.00
6.000	1570.00	901.30	.24	.00	0.00	751.03	2270.00
6.000	1720.00	901.39	.09	.00	0.00	753.06	2270.00
6.000	2070.00	901.60	.21	.00	0.00	757.58	2270.00

FLOOD INSURANCE ZONE DATA FOR KALAMAZOO RIVER

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
.100	0.	-.80	-.23	.46
1.000	1970.	-.58	-.21	.31
1.800	5160.	-.94	-.24	.54
1.900	5479.	-.94	-.24	.54
2.000	5480.	-.93	-.23	.53
2.100	5513.	-.95	-.24	.54
2.200	5514.	-.99	-.26	.58
2.300	5593.	-1.04	-.27	.62
3.000	6523.	-1.03	-.28	.62
3.100	6578.	-1.01	-.28	.62
3.500	7588.	-.87	-.24	.54
3.700	8252.	-.87	-.24	.53
3.800	8433.	-.92	-.25	.55
3.900	8672.	-.95	-.26	.56
4.000	8673.	-.95	-.26	.56
4.100	8719.	-.97	-.25	.57
4.200	8720.	-1.00	-.28	.61
4.300	8780.	-1.07	-.30	.65
4.900	9129.	-1.08	-.30	.67
5.000	9160.	-.33	-.09	.21
5.100	9209.	-.33	-.09	.21
6.000	11480.	-.33	-.09	.21
WEIGHTED AVG FOR REACH		-.73	-.21	.43

FHF FOR THE REACH = 005 WITH 100.0 OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Marshall

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: 100-yr encroached

00BREAK00

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORP -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL
T2      100-YEAR ENCROACHED FLOODWAY
T3      KALAMAZOO RIVER
J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
       0.       6.        0.        0.  0.000000      0.00      0.0       0.   880.160     0.000
J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    15.000     0.000    =1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

```
*PROF 2

CCHV=     .100 CEHV=     .300
1490 NH CARD USED
*SECNO .100
 2800 NAT Q1=    1154.76  WSEL=     880.16  ENC Q1=    1224.94  WSEL=     880.26  RATIO=  -.0608
 NAT Q1=    1233.  RATIOS LOB,CH,ROB=    .0013    .9935    .0052  WSEL=     880.26
    SECNO      DEPTH      CWSEL      CRIWS      WSELR      EG         HV         HL          QLOSS    BANK ELEV
    Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL         TWA    LEFT/RIGHT
    TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN         ELMIN       SSTA
    SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR       TOPWID      ENDST


3470 ENCROACHMENT STATIONS=     2000.0     3407.0  TYPE=      4  TARGET=          .006

         SURVEYED VALLEY SECTION AT CORPORATE BOUNDARY      (A)

       .10       5.57     860.16       0.00     880.16     880.17       .01       0.00       0.00     878.50
     2170.         0.     2170.         0.         0.     2368.         0.         0.         0.     878.32
      0.00       0.00       .92       0.00       .080       .068       .080     0.000     874.59    2000.00
   .000360         0.         0.         0.          0          0          0      0.00    1407.00    3407.00

1490 NH CARD USED
*SECNO 1.000
 2800 NAT Q1=     563.50  WSEL=     881.34  ENC Q1=     586.99  WSEL=     881.44  RATIO=  -.0417
 NAT Q1=     591.  RATIOS LOB,CH,ROB=    .0024    .9931    .0045  WSEL=     881.44

3470 ENCROACHMENT STATIONS=     2000.0     2242.0  TYPE=      4  TARGET=          .007

         SURVEYED VALLEY SECTION  (B)

       1.00       5.75     881.35       0.00     881.34     881.48       .13       1.27       .04     880.50
     2170.         0.     2170.         0.         0.      745.         0.       70.       37.      881.20
       .19       0.00       2.91       0.00       .090       .090       .090       .000     875.60    2000.00
   .001487       1880.      1970.      2370.          2          0          0      0.00     242.00    2242.00

1490 NH CARD USED
*SECNO 1.800

3470 ENCROACHMENT STATIONS=     1924.0     2172.0  TYPE=      1  TARGET=        248.000

         SURVEYED VALLEY SECTION  (C)

       1.80       6.64     884.94       0.00     884.93     885.09       .15       3.60       .01     880.10
     2170.       279.      1849.        41.       240.       553.        32.       128.        53.     880.30
       .48       1.16       3.34       1.31       .076       .045       .070       .000     878.30    1924.00
   .000885       3190.      3190.      3190.          3          0          0      0.00     179.69    2103.69

CCHV=     .300 CEHV=     .500
1490 NH CARD USED
*SECNO 1.900
 2800 NAT Q1=     528.78  WSEL=     885.20  ENC Q1=     544.53  WSEL=     885.30  RATIO=  -.0298
 NAT Q1=     545.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=     885.30

3470 ENCROACHMENT STATIONS=     2000.0     2080.0  TYPE=      4  TARGET=          0.000
```

```
 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      892.00 ELREA=      892.00

    1.90      6.71    885.21      0.00    885.20    885.57      .36       .38       .10    880.80
  2170.         0.      2170.       0.        0.       451.       0.      133.       54.    880.60
    .50      0.00      4.81      0.00      .076      .070      .070      .000    878.50   2000.00
.001676       319.      319.      319.         2         0         0      0.00     80.00   2080.00

 1490 NH CARD USED
 *SECNO 2.000
    3700.   BRIDGE STENCL=   2000.00    STENCR=   2080.00
 2800 NAT Q1=     470.35  WSEL=    885.18  ENC Q1=     539.05  WSEL=    885.28  RATIO=  -.1461
 NAT Q1=     539.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    885.28
   SECNO     DEPTH     CWSEL     CRIWS     WSELR     EG        HV        HL        OLOSS     BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROR      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN      SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID     ENDST

 3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD=  894.60 MAX ELLC=  890.90

 3470 ENCROACHMENT STATIONS=    2000.0    2080.0  TYPE=     4  TARGET=        0.000
 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      892.00 ELREA=      892.00

        SURVEYED BRIDGE SECTION D/S

        SOUTH KALAMAZOO AVE BRIDGE  CONC ARCH 80' SPAN

    2.00      6.70    885.20      0.00    885.18    885.58      .38       .00       .01    880.80
  2170.         0.      2170.       0.        0.       440.       0.      133.       54.    880.60
    .50      0.00      4.93      0.00      .076      .070      .070      .000    878.50   2000.00
.001678         1.        1.        1.         0         0         0   -11.15     80.00   2080.00

 1490 NH CARD USED
 *SECNO 2.100
 2800 NAT Q1=     477.26  WSEL=    885.26  ENC Q1=     549.65  WSEL=    885.36  RATIO=  -.1517
 NAT Q1=     550.  RATIOS LOB,CH,ROB=  0.0000  1.0000  0.0000  WSEL=    885.36

 3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD=  894.60 MAX ELLC=  890.90

 3470 ENCROACHMENT STATIONS=    2000.0    2080.0  TYPE=     4  TARGET=        0.000
 3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      894.30 ELREA=      894.90

        BRIDGE SECTION (D)

    2.10      6.77    885.27      0.00    885.26    885.64      .37       .05       .00    880.80
  2170.         0.      2170.       0.        0.       443.       0.      133.       54.    880.60
    .50      0.00      4.90      0.00      .076      .070      .070      .000    878.50   2000.00
.001641        33.       33.       33.         0         0         0   -11.52     80.00   2080.00
```

Channel "n" values different from natural run, not apparent why. Has not affected profile or SF

1490 NH CARD USED
*SECNO 2.200
2800 NAT Q1= 549.14 WSEL= 885.33 ENC Q1= 565.11 WSEL= 885.43 RATIO= -.0291
NAT Q1= 565. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 885.43

3470 ENCROACHMENT STATIONS= 2000.0 2080.0 TYPE= 4 TARGET= 0.000

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 894.30 ELREA= 894.90

872094 x 2 x 885.29 / Q = 2130 cfs

1' U/S OF BRIDGE (USGS GAGE) ←

2.20	6.80	885.30	0.00	885.33	885.65	.35	.00	.01	880.80
2170.	0.	2170.	0.	0.	458.	0.	133.	54.	880.60
.50	0.00	4.74	0.00	.076	.070	.070	.000	878.50	2000.00
.001593	1.	1.	1.	2	0	0	0.00	80.00	2080.00

64

1490 NH CARD USED
*SECNO 2.300

3470 ENCROACHMENT STATIONS= 1920.0 2160.0 TYPE= 1 TARGET= 240.000

2.30	7.03	885.53	0.00	885.56	885.78	.25	.11	.03	880.80
2170.	14.	1988.	168.	14.	477.	93.	134.	54.	880.60
.51	.96	4.17	1.81	.080	.040	.070	.000	878.50	1993.98
.001170	79.	79.	79.	2	0	0	0.00	110.86	2104.84

CCHV= .100 CEHV= .300
1490 NH CARD USED
*SECNO 3.000
2800 NAT Q1= 895.48 WSEL= 886.51 ENC Q1= 895.48 WSEL= 886.60 RATIO= 0.0000
NAT Q1= 935. RATIOS LOB,CH,ROB= .4045 .5662 .0293 WSEL= 886.60

3470 ENCROACHMENT STATIONS= 1643.0 2084.8 TYPE= 4 TARGET= .043

SURVEYED VALLEY SECTION U/S OF RICE CREEK (E)

3.00	7.41	886.51	0.00	886.50	886.58	.08	.78	.02	883.00
2170.	852.	1300.	18.	910.	472.	23.	155.	60.	883.00
.63	.94	2.75	.81	.080	.045	.080	.000	879.10	1642.97
.000635	930.	930.	930.	2	0	0	0.00	441.83	2084.80

*SECNO 3.100
2800 NAT Q1= 914.92 WSEL= 886.56 ENC Q1= 914.92 WSEL= 886.66 RATIO= 0.0000
NAT Q1= 957. RATIOS LOB,CH,ROB= .4088 .5616 .0296 WSEL= 886.66

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3470 ENCROACHMENT STATIONS= 1642.4 2084.5 TYPE= 4 TARGET= .044

3.10	7.47	886.57	0.00	886.56	886.61	.05	.03	.00	883.00
1720.	684.	1022.	14.	933.	477.	22.	157.	60.	883.00
.64	.73	2.14	.63	.080	.045	.080	.000	879.10	1642.37
.000380	55.	55.	55.	2	0	0	0.00	442.17	2084.55

```
1490 NH CARD USED
*SECNO 3.500
 2800 NAT Q1=     465.81  WSFL=     887.08  ENC Q1=     469.50  WSEL=     887.18  RATIO=  -.0079
 NAT Q1=     483.  RATIOS LOF,CH,ROB=    .0264    .9726    .0009  WSEL=     887.18

3470 ENCROACHMENT STATIONS=     1980.0     2080.0  TYPE=       4  TARGET=          .027

          MANUFACTURED VALLEY SECTION    (F)

      3.50       6.13     887.13       0.00     887.08     887.32       .19       .66       .04     884.00
    1720.          0.    1720.          0.         0.       488.         0.    179.        66.     886.00
       .72       0.00       3.53       0.00       .080       .080       .080       .000    881.00    1980.00
  .001448        950.       1010.      1150.          2          0          0      0.00    100.00    2080.00


1490 NH CARD USED
*SECNO 3.700

3470 ENCROACHMENT STATIONS=     1993.0     2081.0  TYPE=       1  TARGET=       88.000

        SURVEYED VALLEY SECTION AT CONFLUENCE OF POWER PLANT CANAL (G)

      3.70       6.00     888.30       0.00     888.22     888.69       .40      1.31       .06     884.60
    1720.         18.    1639.         63.        13.       317.        36.    185.        64.     884.60
       .76       1.36       5.17       1.75       .080       .045       .070       .000    882.30    1993.00
  .002790        670.       670.       670.          2          0          0      0.00     88.00    2081.00


*SECNO 3.800

3470 ENCROACHMENT STATIONS=     1940.0     2122.0  TYPE=       1  TARGET=      142.000
      3.80       6.52     888.82       0.00     888.76     889.08       .26       .37       .01     884.60
    1570.         19.    1479.         72.        17.       349.        47.    187.        68.     884.60
       .77       1.14       4.23       1.54       .080       .045       .070       .000    882.30    1992.00
  .001645        175.       175.       175.          2          0          0      0.00     91.27    2083.27


CCHV=     .300 CEHV=     .500
1490 NH CARD USED
*SECNO 3.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      898.00 ELREA=      898.00

      3.90       6.00     889.20       0.00     889.16     889.62       .41       .46       .07     887.60
    1570.          0.    1570.          0.         0.       305.         0.    189.        69.     886.40
       .79       0.00       5.16       0.00       .080       .040       .070       .000    883.20    2000.00
  .002290        239.       239.       239.          2          0          0      0.00     60.00    2060.00


1490 NH CARD USED
*SECNO 4.000
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         QLOSS    BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        IWA    LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST


3370 NORMAL BRIDGE,NRD=  12 MIN ELTRD=   899.30 MAX ELLC=   897.20
```

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 898.00 ELREA= 898.00

SURVEYED BRIDGE SECTION D/SOF BRIDGE

SOUTH MARSHALL AVE BRIDGE CONC ARCH 60' SPAN

4.00	6.01	889.21	0.00	889.16	889.62	.41	.00	.00	887.60
1570.	0.	1570.	0.	0.	305.	0.	189.	69.	886.40
.79	0.00	5.15	0.00	.080	.035	.070	.000	883.20	2000.00
.001934	1.	1.	1.	0	0	0	-28.15	60.00	2060.00

1490 NH CARD USED
*SECNO 4.100

3370 NORMAL BRIDGE.NRD= 12 MIN FLTRD= 899.30 MAX FLLC= 897.20

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 899.50 ELREA= 899.30

BRIDGE SECTION (H)

4.10	6.11	889.31	0.00	889.27	889.71	.40	.09	.00	887.60
1570.	0.	1570.	0.	0.	310.	0.	189.	69.	886.40
.79	0.00	5.06	0.00	.080	.035	.070	.000	883.20	2000.00
.001830	46.	46.	46.	0	0	0	-30.18	60.00	2060.00

1490 NH CARD USED
*SECNO 4.200

3470 ENCROACHMENT STATIONS= 1970.0 2090.0 TYPE= 1 TARGET= 120.000

4.20	6.16	889.36	0.00	889.32	889.72	.36	.00	.01	887.60
1570.	3.	1534.	33.	4.	314.	31.	189.	69.	886.40
.79	.63	4.89	1.07	.080	.035	.070	.000	883.20	1995.37
.001515	1.	1.	1.	2	0	0	0.00	85.75	2081.12

1490 NH CARD USED
*SECNO 4.300

3470 ENCROACHMENT STATIONS= 1990.0 2085.0 TYPE= 1 TARGET= 95.000

4.30	7.41	889.71	0.00	889.68	889.88	.17	.10	.06	884.60
1570.	35.	1401.	134.	25.	405.	67.	190.	69.	884.60
.79	1.42	3.46	2.01	.080	.070	.070	.000	882.30	1990.31
.001960	60.	60.	60.	2	0	0	0.00	94.69	2085.00

1490 NH CARD USED
*SECNO 4.900
2800 NAT Q1= 1100.31 WSEL= 890.05 ENC Q1= 1156.23 WSEL= 890.15 RATIO= -.0508
NAT Q1= 1156. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 890.15

3470 ENCROACHMENT STATIONS= 1448.0 2091.0 TYPE= 4 TARGET= 0.000

SURVEYED VALLEY SECTION D/S OF DAM

4.90	4.57	896.08	0.00	890.05	890.09	.01	.16	.05	902.73
1570.	0.	1570.	0.	0.	2155.	0.	200.	72.	902.50
.92	0.00	.73	0.00	.080	.056	.070	.000	885.51	1448.00
.000197	600.	350.	100.	0	0	0	0.00	643.00	2091.00

SPECIAL BRIDGE

SB	XK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	3.09	0.00	20.00	0.00	.30	0.00	885.51	885.51

*SECNO 5.000
3700. BRIDGE STENCL= 1448.00 STENCR= 2091.00
2800 NAT Q1= 23283.85 WSEL= 901.39 ENC Q1= 23543.49 WSEL= 901.49 RATIO= -.0111
NAT Q1= 23543. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 901.49

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
638804.16	901.50	0.00	1567.	7.	0.	3.	885.67	899.69

3470 ENCROACHMENT STATIONS= 1448.0 2091.0 TYPE= 4 TARGET= 0.000
SPILLWAY #1 200' LONG INVERT ELEV 900.05

SPILLWAY #2 91' LONG INVERT ELEV 899.69 (I)

Hwm = 901.44

5.00	15.88	901.39	0.00	901.39	901.39	.00	11.30	0.00	902.73
1570.	0.	1570.	0.	0.	9423.	0.	204.	72.	902.50
.97	0.00	.17	0.00	.090	.035	.090	.000	885.51	1448.00
.000000	30.	30.	30.	2	0	10	0.00	643.00	2091.00

*SECNO 5.100
2800 NAT Q1= 23296.04 WSEL= 901.39 ENC Q1= 23543.44 WSEL= 901.49 RATIO= -.0106
NAT Q1= 23543. RATIOS LOB,CH,ROB= 0.0000 1.0000 0.0000 WSEL= 901.49

3470 ENCROACHMENT STATIONS= 1448.0 2091.0 TYPE= 4 TARGET= 0.000

5.10	15.88	901.39	0.00	901.39	901.39	.00	.00	.00	902.73
1720.	0.	1720.	0.	0.	9423.	0.	215.	73.	902.50
1.05	0.00	.18	0.00	.090	.035	.090	.000	885.51	1448.00
.000001	50.	50.	50.	0	0	0	0.00	643.00	2091.00

*SECNO 6.000
2800 NAT Q1= 6854.82 WSEL= 901.39 ENC Q1= 6985.24 WSEL= 901.49 RATIO= -.0190
NAT Q1= 7020. RATIOS LOB,CH,ROB= 0.0000 .9951 .0049 WSEL= 901.49

3470 ENCROACHMENT STATIONS= 2000.0 2616.0 TYPE= 4 TARGET= .005

VALLEY SECTION AT CORPORATE BOUNDARY (J)

6.00	11.11	901.39	0.00	901.39	901.39	.00	.00	.00	903.52
1720.	0.	1720.	0.	0.	4354.	0.	574.	106.	899.62
2.65	0.00	.39	0.00	.090	.035	.090	.007	890.28	2004.26
.000006	2270.	2270.	2550.	0	0	0	0.00	611.74	2616.00

00BREAK00

1) COUNTY: Calhoun


2) STUDY NAME: City of Marshall

3) WATERCOURSE: ~~000~~ Kalamazoo River

4) DOCUMENT TYPE: 100-yr natural

00BREAK00

```
*********************************************
*  HEC2 WATER SURFACE PROFILES              *
*  VERSION OF NOVEMBER 1976                 *
*  UPDATED JULY 1979                        *
*  ERROR CORR - 01.02.03                    *
*  MODIFICATION - 50.51.52.53               *
*                                           *
*  RUN DATE  80/03/10. TIME  06.50.37.      *
*********************************************
```



FIS City of Marshall
Calhoun County, MI
Kalamazoo River
Floodway
7-21-80

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

C
T1      FIS CITY OF MARSHALL
T2      100-YEAR NATURAL FLOODWAY
T3      KALAMAZOO RIVER

J1  ICHECK      INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.      4.        0.        0.   0.000000      0.00      0.0       0.     880.160     0.000
J2  NPROF       IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
      1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000    15.000
J3  VARIABLE CODES FOR SUMMARY PRINTOUT
    110.000   200.000    38.000     1.000    53.000    21.000    22.000    54.000     4.000    39.000

ET      0.000     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000
QT      5.000  1520.000  1980.000  2170.000  2610.000  2170.000     0.000     0.000     0.000     0.000
NC      0.000     0.000     0.000      .100      .300     0.000     0.000     0.000     0.000     0.000
NH      6.000      .050  1933.000      .080  2000.000      .040  2087.000      .080  3297.000      .040
NH   3407.000      .080  3733.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

        SURVEYED VALLEY SECTION AT CORPORATE BOUNDARY      (A)

X1      .100    33.000  2000.000  3407.000     0.000     0.000     0.000     0.000     0.000     0.000
GR   900.330  1313.000   891.620  1680.000   891.730  1873.000   889.500  1933.000   878.500  2000.000
GR   876.600  2004.000   875.490  2030.000   875.290  2047.000   875.220  2067.000   876.100  2087.000
GR   878.710  2089.000   879.200  2107.000   878.780  2194.000   880.000  2391.000   880.000  2560.000
GR   879.140  2628.000   878.600  2728.000   878.070  2788.000   878.360  2881.000   877.890  2954.000
GR   878.240  3051.000   878.360  3174.000   876.500  3224.000   879.300  3297.000   877.320  3297.000
GR   876.080  3334.000   874.590  3357.000   875.580  3387.000   878.320  3407.000   880.080  3438.000
GR   881.110  3546.000   882.280  3669.000   888.010  3733.000     0.000     0.000     0.000     0.000
NH     8.000      .045  1946.000      .090  2000.000      .045  2040.000      .090  2069.000      .045
NH  2140.000      .090  2152.000      .045  2242.000      .090  3517.000     0.000     0.000     0.000

        SURVEYED VALLEY SECTION  (B)

X1      1.000    37.000  2000.000  2242.000  1880.000  2370.000  1970.000     0.000     0.000     0.000
GR   897.800  1741.000   897.300  1803.000   897.100  1825.000   883.800  1946.000   881.600  1964.000
GR   880.500  2000.000   879.900  2002.000   877.800  2009.000   877.900  2035.000   879.900  2040.000
GR   881.200  2048.000   880.600  2068.000   879.800  2069.000   877.700  2076.000   877.800  2088.000
GR   878.800  2116.000   879.800  2140.000   881.000  2146.000   879.900  2150.000   878.100  2152.000
GR   875.600  2177.000   876.200  2192.000   876.700  2207.000   877.200  2222.000   878.300  2237.000
GR   881.200  2242.000   880.900  2296.000   882.600  2444.000   886.000  2544.000   887.800  2736.000
GR   887.900  2814.000   890.600  2860.000   892.600  2960.000   894.000  3028.000   892.300  3167.000
GR   899.500  3371.000   901.300  3517.000     0.000     0.000     0.000     0.000     0.000     0.000
NH     4.000      .060  1684.000      .080  2000.000      .045  2092.000      .070  2222.000     0.000
```

879.14 2458
878 2558
876.37 2618
876.24 2711

SURVEYED VALLEY SECTION (C)

X1	1.800	23.000	2004.000	2092.000	3190.000	3190.000	3190.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1924.000	0.000	2172.000	0.000	0.000	0.000	0.000
GR	902.800	1518.000	898.200	1684.000	890.000	1766.000	885.200	1800.000	883.400	1836.000
GR	880.500	1848.000	880.100	1855.000	880.500	1865.000	881.100	1910.000	882.600	2000.000
GR	860.100	2004.000	878.600	2016.000	878.300	2028.000	878.300	2038.000	878.300	2052.000
GR	878.400	2061.000	878.500	2072.000	878.700	2083.000	880.300	2092.000	881.500	2097.000
GR	896.400	2126.000	898.700	2177.000	899.900	2222.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

X1	1.900	20.000	2000.000	2080.000	319.000	319.000	319.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	892.000	892.000	0.000
GR	902.500	1448.000	901.500	1498.000	899.000	1600.000	897.500	1718.000	897.100	1750.000
GR	895.300	1785.000	894.300	1893.000	894.500	1897.000	894.600	1980.000	886.300	1993.000
GR	880.800	2000.000	879.800	2020.000	878.500	2040.000	879.300	2060.000	880.600	2080.000
GR	862.000	2100.000	896.600	2120.000	896.600	2213.000	899.000	2306.000	902.300	2320.000
NH	4.000	.065	1980.000	.080	2000.000	.035	2080.000	.070	2320.000	0.000

SURVEYED BRIDGE SECTION D/S

SOUTH KALAMAZOO AVE BRIDGE CONC ARCH 80' SPAN

X1	2.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	892.000	892.000	0.000
BT	11.000	1980.000	894.600	0.000	1993.000	894.600	0.000	2000.000	894.600	880.800
BT	2000.000	894.600	882.200	2020.000	894.700	889.200	2040.000	894.700	890.900	2060.000
BT	894.800	889.100	2080.000	894.900	882.500	2080.000	894.900	880.600	2100.000	895.700
BT	0.000	2120.000	896.600	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	4.000	.065	1980.000	.080	2000.000	.035	2080.000	.070	2320.000	0.000

BRIDGE SECTION (D)

X1	2.100	0.000	0.000	0.000	33.000	33.000	33.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.300	894.900	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

1' U/S OF BRIDGE (USGS GAGE)

X1	2.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.300	894.900	0.000
NH	4.000	.065	1980.000	.080	2000.000	.040	2080.000	.070	2320.000	0.000

X1	2.300	0.000	0.000	0.000	79.000	79.000	79.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1920.000	0.000	2160.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
NH	4.000	.080	2000.000	.045	2078.000	.080	2102.000	.045	2134.000	0.000

SURVEYED VALLEY SECTION U/S OF RICE CREEK (E)

X1	3.000	25.000	2000.000	2078.000	930.000	930.000	930.000	0.000	0.000	0.000
GR	904.500	1236.000	899.100	1381.000	897.100	1424.000	895.000	1538.000	898.200	1548.000
GR	885.700	1577.000	884.800	1646.000	884.800	1768.000	884.300	1843.000	882.600	1919.000
GR	881.200	1940.000	882.600	1953.000	883.300	1968.000	883.000	2000.000	882.700	2001.000
GR	879.100	2020.000	879.500	2030.000	879.800	2045.000	880.600	2065.000	883.000	2078.000
GR	863.400	2085.000	884.500	2102.000	896.100	2125.000	900.500	2134.000	900.600	2150.000
QT	5.000	1210.000	1570.000	1720.000	2070.000	1720.000	0.000	0.000	0.000	0.000
X1	3.100	0.000	0.000	0.000	55.000	55.000	55.000	0.000	0.000	0.000
NH	3.000	.080	1980.000	.045	2080.000	.080	2100.000	0.000	0.000	0.000

MANUFACTURED VALLEY SECTION (F)

X1	3.500	6.000	1980.000	2060.000	950.000	1150.000	1010.000	0.000	0.000	0.000
GR	890.000	1920.000	884.000	1960.000	881.000	2030.000	881.000	2060.000	886.000	2080.000
GR	890.000	2100.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1818.000	.080	2000.000	.045	2062.000	.070	2228.000	0.000
FT	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1993.000	2081.000

SURVEYED VALLEY SECTION AT CONFLUENCE OF POWER PLANT CANAL (G)

X1	3.700	13.000	2000.000	2062.000	670.000	670.000	670.000	0.000	0.000	0.000
GR	906.900	1788.000	907.000	1804.000	907.200	1818.000	900.700	1850.000	898.500	1912.000
GR	896.200	1978.000	884.600	2000.000	882.300	2022.000	882.500	2040.000	884.600	2062.000
GR	888.000	2080.000	897.000	2116.000	901.100	2228.000	0.000	0.000	0.000	0.000
QT	5.000	1060.000	1420.000	1570.000	1920.000	1570.000	0.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1940.000	0.000	2122.000	0.000	0.000	0.000	0.000
X1	3.800	0.000	0.000	0.000	175.000	175.000	175.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.040	2060.000	.070	2689.000	0.000
X1	3.900	19.000	2000.000	2060.000	239.000	239.000	239.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
GR	905.500	1482.000	903.600	1602.000	901.200	1728.000	900.000	1872.000	898.600	1971.000
GR	867.600	2000.000	884.600	2005.000	883.900	2015.000	883.200	2025.000	883.500	2030.000
GR	884.000	2045.000	884.500	2058.000	886.400	2060.000	890.600	2090.000	898.300	2150.000
GR	899.300	2210.000	904.600	2428.000	905.400	2480.000	911.900	2689.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.035	2060.000	.070	2689.000	0.000

SURVEYED BRIDGE SECTION D/SOF BRIDGE

SOUTH MARSHALL AVE BRIDGE CONC ARCH 60' SPAN

X1	4.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
BT	12.000	1872.000	900.000	0.000	1971.000	899.700	0.000	2000.000	899.500	887.600
BT	2000.000	899.500	890.000	2015.000	899.500	895.200	2030.000	899.400	897.200	2045.000
BT	899.300	895.200	2060.000	899.300	889.000	2060.000	899.300	886.400	2090.000	899.300
BT	0.000	2150.000	899.300	0.000	2210.000	899.300	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.035	2060.000	.070	2689.000	0.000

BRIDGE SECTION (H)

X1	4.100	0.000	0.000	0.000	45.500	45.500	45.500	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	899.500	899.300	0.000
NA	4.000	.060	1971.000	.080	2000.000	.035	2060.000	.070	2689.000	0.000

X1	4.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	899.500	899.300	0.000
X3	0.000	0.000	0.000	1970.000	0.000	2090.000	0.000	0.000	0.000	0.000
NH	4.000	.060	1971.000	.080	2000.000	.045	2060.000	.070	2689.000	0.000
FT	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1990.000	2085.000

X1	4.300	13.000	2000.000	2062.000	60.000	60.000	60.000	0.000	0.000	0.000
GR	906.900	1788.000	907.000	1804.000	907.200	1818.000	900.700	1850.000	898.500	1912.000
GR	896.200	1978.000	884.600	2000.000	882.300	2022.000	882.500	2040.000	884.600	2062.000
GR	828.000	2080.000	897.000	2116.000	901.100	2228.000	0.000	0.000	0.000	0.000
NH	3.000	.045	1648.000	.090	2000.000	.045	2091.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

SURVEYED VALLEY SECTION D/S OF DAM

X1	4.900	15.000	1448.000	2091.000	600.000	100.000	350.000	0.000	0.000	0.000
GR	902.730	1448.000	888.210	1448.000	887.860	1477.000	887.910	1545.000	887.650	1587.000
GR	887.190	1648.000	887.190	1648.000	885.650	2000.000	885.650	2000.000	885.510	2024.000
GR	885.510	2024.000	885.850	2046.000	885.520	2066.000	886.320	2091.000	902.500	2091.000
SB	0.000	1.500	3.090	0.000	20.000	0.000	.300	0.000	885.510	885.510
NC	.090	.090	.035	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SPILLWAY #1 200' LONG INVERT ELEV 900.05

SPILLWAY #2 91' LONG INVERT ELEV 899.69 (I)

X1	5.000	0.000	0.000	0.000	30.000	30.000	30.000	0.000	0.000	0.000
X2	0.000	0.000	1.000	885.670	899.690	0.000	0.000	0.000	0.000	0.000
BT	17.000	1448.000	902.730	0.000	1448.000	900.060	0.000	1477.000	900.060	0.000
BT	1545.000	900.060	0.000	1587.000	900.050	0.000	1587.000	900.050	0.000	1587.000
BT	900.050	0.000	1648.000	900.050	0.000	1648.000	903.260	0.000	2000.000	902.860
BT	885.650	2000.000	899.700	885.670	2024.000	899.700	885.530	2024.000	899.700	885.510
BT	2046.000	899.700	0.000	2066.000	899.700	0.000	2091.000	899.690	0.000	2091.000
BT	902.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GT	5.000	1210.000	1570.000	1720.000	2070.000	1720.000	0.000	0.000	0.000	0.000

X1	5.100	0.000	0.000	0.000	50.000	50.000	50.000	0.000	0.000	0.000

VALLEY SECTION AT CORPORATE BOUNDARY (J)

X1	6.000	15.000	2000.000	2616.000	2270.000	2550.000	2270.000	0.000	0.000	0.000
GR	909.890	1810.000	903.520	2000.000	899.530	2008.000	894.230	2078.000	892.030	2148.000
GR	891.330	2208.000	890.280	2288.000	893.080	2408.000	896.630	2478.000	898.330	2538.000
GR	899.230	2560.000	899.620	2616.000	900.710	2744.000	904.880	2826.000	910.700	2836.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

*PROF 1

CCHV= .100 CEHV= .300
1490 NH CARD USED
*SECNO .100

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV	
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA	
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST	
	SURVEYED VALLEY SECTION AT CORPORATE BOUNDARY								(A)	
.10	5.57	880.16	0.00	880.16	880.17	.01	0.00	0.00	878.50	
2170.	3.	2157.	10.	8.	2368.	30.	0.	0.	878.32	
0.00	.31	.91	.34	.080	.053	.080	0.000	674.59	1989.89	
.000353	0.	0.	0.	0	0	0	0.00	1456.50	3446.39	

Floodway run reviewed

FLOW DISTRIBUTION FOR SECNO= .10 CWSEL= 880.16

STA=	1990.	2000.	3407.	3446.
PER Q=	.1	99.4	.5	
AREA=	8.4	2368.3	30.1	
VEL=	.3	.9	.3	

1490 NH CARD USED
*SECNO 1.000

	SURVEYED VALLEY SECTION (B)									
1.00	5.74	881.34	0.00	0.00	881.47	.13	1.26	.04	880.50	
2170.	4.	2160.	6.	11.	742.	24.	72.	42.	881.20	
.19	.38	2.91	.26	.090	.062	.090	.000	875.60	1972.62	
.001483	1880.	1970.	2370.	2	0	0	0.00	361.38	2334.01	

FLOW DISTRIBUTION FOR SECNO= 1.00 CWSEL= 881.34

STA=	1973.	2000.	2242.	2334.
PER Q=	.2	99.5	.3	
AREA=	11.5	742.1	23.8	
VEL=	.4	2.9	.3	

1490 NH CARD USED
*SECNO 1.800

3470 ENCROACHMENT STATIONS= 1924.0 2172.0 TYPE= 1 TARGET= 248.000

	SURVEYED VALLEY SECTION (C)									
1.80	6.63	884.93	0.00	0.00	885.08	.15	3.61	.01	880.10	
2170.	279.	1850.	41.	239.	553.	32.	131.	61.	880.30	
.48	1.17	3.35	1.31	.076	.045	.070	.000	878.30	1924.00	
.000890	3190.	3190.	3190.	3	0	0	0.00	179.67	2103.67	

FLOW DISTRIBUTION FOR SECNO= 1.80 CWSEL= 884.93

```
STA=     1924.     2000.     2004.     2092.     2104.
  PER Q=    11.5       1.4      85.2       1.9
   AREA=   225.0      14.3     552.6      31.6
    VEL=     1.1       2.1       3.3       1.3

CCHV=     .300 CEHV=     .500
1490 NH CARD USED
*SECNO 1.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=      892.00 ELREA=      892.00

     1.90      6.70    885.20      0.00      0.00    885.56       .36       .38       .10    880.80
   2170.         0.    2170.         0.         0.    450.         0.    136.      62.      880.60
     .50      0.00      4.82      0.00      .076      .040      .070      .000    878.50   2000.00
 .001684      319.      319.      319.         2         0         0      0.00     80.00   2080.00

FLOW DISTRIBUTION FOR SECNO=      1.90          CWSEL=    885.20

STA=     2000.     2080.
  PER Q=    100.0
   AREA=    450.3
    VEL=      4.8

1490 NH CARD USED
*SECNO 2.000
   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        ULOSS    BANK ELEV
   Q         QLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA    LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN       SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID      ENDST

3370 NORMAL BRIDGE,NRD=  11 MIN ELTRD=   894.60 MAX ELLC=   890.90

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA=      892.00 ELREA=      892.00

          SURVEYED BRIDGE SECTION D/S

          SOUTH KALAMAZOO AVE BRIDGE  CONC ARCH PD' SPAN

     2.00      6.68    885.18      0.00      0.00    885.59       .40       .00       .02    880.80
   2170.         0.    2170.         0.         0.    425.         0.    136.      62.      880.60
     .50      0.00      5.11      0.00      .076      .035      .070      .000    878.50   2000.00
 .002128         1.        1.        1.         2         0         0   -101.29     80.00   2080.00

FLOW DISTRIBUTION FOR SECNO=      2.00          CWSEL=    865.18

STA=     2000.     2080.
  PER Q=    100.0
   AREA=    425.0
    VEL=      5.1

1490 NH CARD USED
*SECNO 2.100
```

```
3370 NORMAL BRIDGE,NRD= 11 MIN ELTRD=  894.60 MAX ELLC=  890.90

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      894.30 ELREA=      894.90

        BRIDGE SECTION (D)

      2.10      6.76    885.26      0.00      0.00    885.66      .40       .07       .00    880.80
    2170.        0.      2170.        0.        0.      430.        0.      136.       62.     880.60
      .50      0.00      5.05      0.00      .076      .035      .070      .000    878.50   2000.00
  .002067       33.       33.       33.         1         0         0   -103.91     80.00   2080.00

FLOW DISTRIBUTION FOR SECNO=      2.10          CWSEL=    885.26

STA=    2000.    2080.
  PER Q=   100.0
   AREA=   429.5
    VEL=     5.1

1490 NH CARD USED
*SECNO 2.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA=      894.30 ELREA=      894.90

        1' U/S OF BRIDGE (USGS GAGE)

      2.20      6.83    885.33      0.00      0.00    885.68      .34       .00       .02    880.80
    2170.        0.      2170.        0.        0.      461.        0.      136.       62.     880.60
      .50      0.00      4.71      0.00      .076      .040      .070      .000    878.50   2000.00
  .001562         1.        1.        1.         2         0         0      0.00     80.00   2080.00

FLOW DISTRIBUTION FOR SECNO=      2.20          CWSEL=    885.33

STA=    2000.    2080.
  PER Q=   100.0
   AREA=   460.6
    VEL=     4.7

1490 NH CARD USED
*SECNO 2.300

3470 ENCROACHMENT STATIONS=    1920.0    2160.0  TYPE=      1  TARGET=      240.000
      2.30      7.06    885.56      0.00      0.00    885.81      .25       .11       .03    880.80
    2170.       14.      1987.       169.       14.       479.       94.      137.       63.     880.60
      .51       .96      4.15      1.80      .080      .040      .070      .000    878.50   1993.94
  .001149        79.       79.       79.         2         0         0      0.00    110.94   2104.88

FLOW DISTRIBUTION FOR SECNO=      2.30          CWSEL=    885.56

STA=    1994.    2000.    2080.    2100.    2105.
  PER Q=      .6     91.6      7.4       .4
   AREA=    14.4    479.0     85.2      8.7
    VEL=     1.0      4.1      1.9       .9
```

CCHV= .100 CEHV= .300
1490 NH CARD USED
*SECNO 3.000

SURVEYED VALLEY SECTION U/S OF RICE CREEK (E)

3.00	7.40	886.50	0.00	0.00	886.57	.07	.74	.02	883.00
2170.	660.	1248.	62.	990.	472.	70.	159.	70.	883.00
.64	.87	2.64	.89	.080	.045	.078	.000	879.10	1575.14
.000587	930.	930.	930.	2	0	0	0.00	530.83	2105.97

FLOW DISTRIBUTION FOR SECNO= 3.00 CWSEL= 886.50

STA=	1575.	1768.	1843.	1919.	1940.	1953.	2000.	2078.	2106.
PER Q=	8.2	4.7	10.1	5.5	3.4	7.6	57.5	2.9	
AREA=	294.8	146.4	232.0	96.6	59.8	160.6	472.1	70.5	
VEL=	.6	.7	.9	1.2	1.2	1.0	2.6	.9	

*SECNO 3.100

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
C	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
3.10	7.46	886.56	0.00	0.00	886.60	.04	.03	.00	883.00
1720.	688.	982.	50.	1012.	476.	72.	161.	70.	883.00
.65	.68	2.06	.70	.080	.045	.078	.000	879.10	1575.02
.000353	55.	55.	55.	0	0	0	0.00	531.05	2106.07

FLOW DISTRIBUTION FOR SECNO= 3.10 CWSEL= 886.56

STA=	1575.	1768.	1843.	1919.	1940.	1953.	2000.	2078.	2106.
PER Q=	8.5	4.8	10.2	5.5	3.4	7.6	57.1	2.9	
AREA=	304.5	150.2	235.8	97.7	60.5	162.9	476.0	71.9	
VEL=	.5	.6	.7	1.0	1.0	.8	2.1	.7	

1490 NH CARD USED
*SECNO 3.500

MANUFACTURED VALLEY SECTION (F)

3.50	6.08	887.08	0.00	0.00	887.26	.18	.62	.04	884.00
1720.	43.	1675.	1.	47.	483.	3.	185.	78.	886.00
.74	.91	3.47	.45	.080	.045	.080	.000	881.00	1949.19
.001363	950.	1010.	1150.	2	0	0	0.00	136.21	2085.40

FLOW DISTRIBUTION FOR SECNO= 3.50 CWSEL= 887.08

STA=	1949.	1980.	2080.	2085.
PER Q=	2.5	97.4	.1	
AREA=	47.5	483.1	2.9	
VEL=	.9	3.5	.4	

1490 NH CARD USED
*SECNO 3.700

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 898.00 ELREA= 898.00

SURVEYED BRIDGE SECTION D/SOF BRIDGE

SOUTH MARSHALL AVE BRIDGE CONC ARCH 60' SPAN

4.00	5.96	889.16	0.00	0.00	889.58	.42	.00	.00	887.60
1570.	0.	1570.	0.	0.	302.	0.	195.	80.	886.40
.80	0.00	5.20	0.00	.080	.035	.070	.000	883.20	2000.00
.001980	1.	1.	1.	0	0	0	-27.33	60.00	2060.00

FLOW DISTRIBUTION FOR SECNO= 4.00 CWSEL= 889.16

STA= 2000. 2060.
PER Q= 100.0
AREA= 302.2
VEL= 5.2

1490 NH CARD USED
*SECNO 4.100

3370 NORMAL BRIDGE,NRD= 12 MIN ELTRD= 899.30 MAX ELLC= 897.20

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 899.50 ELREA= 899.30

BRIDGE SECTION (H)

4.10	6.07	889.27	0.00	0.00	889.68	.40	.09	.00	887.60
1570.	0.	1570.	0.	0.	308.	0.	196.	80.	886.40
.80	0.00	5.10	0.00	.080	.035	.070	.000	883.20	2000.00
.001870	46.	46.	46.	0	0	0	-29.37	60.00	2060.00

FLOW DISTRIBUTION FOR SECNO= 4.10 CWSEL= 889.27

STA= 2000. 2060.
PER Q= 100.0
AREA= 308.1
VEL= 5.1

1490 NH CARD USED
*SECNO 4.200

3470 ENCROACHMENT STATIONS= 1970.0 2090.0 TYPE= 1 TARGET= 120.000

4.20	6.12	889.32	0.00	0.00	889.69	.37	.00	.01	887.60
1570.	2.	1535.	33.	4.	312.	30.	196.	80.	886.40
.80	.63	4.93	1.07	.080	.035	.070	.000	883.20	1995.47
.001554	1.	1.	1.	2	0	0	0.00	85.39	2080.85

FLOW DISTRIBUTION FOR SECNO= 4.20 CWSEL= 889.32

STA=	1995.	2000.	2060.	2081.
PER Q=	.2	97.8	2.1	
AREA=	3.9	311.5	30.4	

VEL=	.6	4.9	1.1						

1490 NH CARD USED
*SECNO 4.300

4.30	7.38	889.68	0.00	0.00	889.85	.17	.11	.06	884.60
1570.	35.	1402.	133.	24.	403.	66.	196.	80.	884.60
.80	1.42	3.48	2.00	.080	.070	.070	.000	882.30	1990.37
.001994	60.	60.	60.	2	0	0	0.00	96.35	2086.72

FLOW DISTRIBUTION FOR SECNO= 4.30 CWSEL= 889.68

STA=	1990.	2000.	2062.	2080.	2087.
PER Q=	2.2	89.3	8.2	.3	
AREA=	24.5	402.9	60.8	5.6	
VEL=	1.4	3.5	2.1	.8	

1490 NH CARD USED
*SECNO 4.900

SURVEYED VALLEY SECTION D/S OF DAM

4.90	4.54	890.05	0.00	0.00	890.06	.01	.16	.05	902.73
1570.	0.	1570.	0.	0.	2134.	0.	207.	83.	902.50
.93	0.00	.74	0.00	.080	.056	.070	.000	885.51	1448.00
.000204	600.	350.	100.	2	0	0	0.00	643.00	2091.00

FLOW DISTRIBUTION FOR SECNO= 4.90 CWSEL= 890.05

STA=	1448.	2091.
PER Q=	100.0	
AREA=	2134.5	
VEL=	.7	

SPECIAL BRIDGE

SB	XK	XKOK	COFQ	RDLEN	BWC	BWP	BAREA	SS	FLCHU	ELCHD
	0.00	1.50	3.09	0.00	20.00	0.00	.30	0.00	885.51	885.51

*SECNO 5.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
638804.13	890.06	0.00	1567.	7.	0.	3.	885.67	899.69

SPILLWAY #1 200' LONG INVERT ELEV 900.05

SPILLWAY #2 91' LONG INVERT ELEV 899.69 (I)

5.00	15.88	901.39	0.00	0.00	901.39	.00	11.33	0.00	902.73
1570.	0.	1570.	0.	0.	9423.	0.	211.	84.	902.50
.58	0.00	.17	0.00	.090	.035	.090	.000	885.51	1448.00
.000000	30.	30.	30.	0	0	10	0.00	643.00	2091.00

FLOW DISTRIBUTION FOR SECNO= 5.00 CWSEL= 901.39

STA= 1448. 2091.
PER Q= 100.0
AREA= 9423.2
VEL= .2

*SECNO 5.100

5.10	15.88	901.39	0.00	0.00	901.39	.00	.00	.00	902.73
1720.	0.	1720.	0.	0.	9426.	0.	222.	84.	902.50
1.06	0.00	.18	0.00	.090	.035	.090	.000	885.51	1448.00
.000001	50.	50.	50.	0	0	0	0.00	643.00	2091.00

FLOW DISTRIBUTION FOR SECNO= 5.10 CWSEL= 901.39

STA= 1448. 2091.
PER Q= 100.0
AREA= 9426.2
VEL= .2

*SECNO 6.000

VALLEY SECTION AT CORPORATE BOUNDARY (J)

6.00	11.11	901.39	0.00	0.00	901.39	.00	.00	.00	903.52
1720.	0.	1712.	8.	0.	4350.	161.	585.	121.	899.62
2.67	0.00	.39	.05	.090	.035	.090	.007	890.28	2004.27
.000006	2270.	2270.	2550.	0	0	0	0.00	753.06	2757.34

FLOW DISTRIBUTION FOR SECNO= 6.00 CWSEL= 901.39

STA=	2004.	2616.	2744.	2757.
PER Q=	99.6	.4	.0	
AREA=	4350.4	156.6	4.5	
VEL=	.4	.0	.0	

00BREAK00

1) COUNTY: Calhoun


2) STUDY NAME: city of marshall

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: convergence Test
For starting WSEL

00BREAK00

```
*****************************************
*  HEC2 WATER SURFACE PROFILES          *
*    VERSION OF NOVEMBER 1976           *
*    UPDATED JULY 1979                  *
*    ERROR CORR - 01,02,03              *
*    MODIFICATION - 50,51,52,53         *
*                                       *
*    RUN DATE  80/02/04.  TIME  08.25.10.*
*****************************************
```



FIS CITY OF MARSHALL
CALHOUN COUNTY, MICHIGAN

KALAMAZOO RIVER
STARTING WSEL ANALYSIS

Limited ND+.5±

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01.02.03
  MODIFICATION -  50.51.52.53
**************************************************
```

308 shows 877.5

```
T1      FIS CITY OF MARSHALL
T2      CONVERGENCE TEST FOR STARTING WSEL
T3      KALAMAZOO RIVER AT CITY OF MARSHALL
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	.000700	0.00	0.0	0.	878.000	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSFCH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

X1	.090	.090	.045	.100	.300	0.000	0.000	0.000	0.000	0.000
GR	5.000	1520.000	1980.000	2170.000	2610.000	2170.000	0.000	0.000	0.000	0.000
GR	5.000	.040	1746.000	.080	2000.000	.040	2107.000	.080	2386.000	.040
GR	2523.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	.001	24.000	2000.000	2107.000	0.000	0.000	0.000	0.000	-1.000	0.000
GR	886.950	1407.000	887.630	1520.000	886.480	1687.000	883.620	1746.000	879.620	1793.000
GR	877.720	1915.000	877.390	1995.000	876.510	2000.000	875.530	2002.000	874.440	2019.000
GR	874.060	2036.000	873.450	2054.000	874.210	2071.000	874.480	2089.000	875.540	2106.000
GR	875.720	2107.000	877.510	2107.000	877.370	2123.000	876.990	2196.000	877.730	2306.000
GR	879.000	2339.000	891.340	2366.000	893.690	2433.000	898.290	2523.000	0.000	0.000
X1	.002	0.000	0.000	0.000	500.000	500.000	500.000	0.000	.500	0.000
X1	.010	0.000	0.000	0.000	500.000	500.000	500.000	0.000	0.000	0.000
NH	3.000	.060	1983.000	.040	2099.000	.060	2625.000	0.000	0.000	0.000
X1	.011	30.000	2000.000	2099.000	220.000	220.000	220.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1989.000	0.000	2110.000	0.000	0.000	0.000	0.000
GR	890.000	1250.000	886.300	1350.000	883.000	1500.000	881.200	1700.000	879.800	1851.000
GR	879.000	1917.000	878.100	1983.000	877.900	1997.000	876.700	2000.000	874.700	2006.000
GR	874.000	2010.000	873.500	2020.000	873.700	2040.000	874.000	2049.000	874.000	2049.100
GR	874.000	2052.000	874.000	2052.100	873.700	2060.000	874.000	2090.000	874.700	2095.000
GR	876.700	2099.000	877.500	2106.000	878.000	2116.000	878.200	2182.000	879.000	2248.000
GR	890.000	2381.000	881.000	2440.000	883.200	2500.000	887.500	2570.000	890.000	2625.000
EX	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
CR	3.000	.025	2000.000	.020	2101.000	.025	2120.000	0.000	0.000	0.000
X1	.012	22.000	2000.000	2101.000	80.000	80.000	80.000	0.000	0.000	0.000
GR	890.040	1600.000	887.340	1900.000	886.890	1950.000	886.440	2000.000	876.700	2000.000
GR	876.700	2000.100	876.700	2002.000	874.700	2006.000	874.000	2010.000	873.500	2020.000
GR	873.700	2040.000	874.000	2049.000	882.000	2049.100	882.000	2052.000	874.000	2052.100
GR	873.700	2060.000	874.000	2090.000	874.700	2095.000	876.700	2099.000	876.700	2101.000

885.960	2101.100	885.800	2120.000	0.000	0.000	0.000	0.000	0.000	0.000
3.000	.025	2000.000	.020	2101.000	.025	2120.000	0.000	0.000	0.000
.022	0.000	2000.000	2101.000	150.000	150.000	150.000	0.000	0.000	0.000
3.000	.050	1983.000	.040	2099.000	.050	2625.000	0.000	0.000	0.000
.024	30.000	2000.000	2099.000	90.000	90.000	90.000	0.000	0.000	0.000
0.000	0.000	0.000	1910.000	0.000	2189.000	0.000	0.000	0.000	0.000
890.000	1250.000	886.300	1350.000	883.000	1500.000	881.200	1700.000	879.800	1851.000
879.000	1917.000	878.100	1983.000	877.900	1997.000	876.700	2000.000	874.700	2006.000
874.000	2010.000	873.500	2020.000	873.700	2040.000	874.000	2049.000	874.000	2049.100
874.000	2052.000	874.000	2052.100	873.700	2060.000	874.000	2090.000	874.700	2095.000
876.700	2099.000	877.500	2106.000	878.000	2116.000	878.200	2182.000	879.000	2248.000
880.000	2381.000	881.000	2440.000	883.200	2500.000	887.500	2570.000	890.000	2625.000
3.000	.050	2012.000	.040	2207.000	.050	2397.000	0.000	0.000	0.000
.060	25.000	2012.000	2207.000	160.000	160.000	160.000	0.000	0.000	0.000
898.130	833.000	893.700	873.000	892.140	914.000	888.720	1060.000	886.940	1187.000
883.670	1760.000	881.830	1880.000	882.470	2000.000	880.790	2003.000	876.290	2012.000
874.060	2030.000	873.810	2049.000	874.740	2068.000	875.140	2087.000	874.470	2111.000
873.520	2135.000	873.600	2159.000	873.910	2183.000	876.240	2207.000	878.350	2211.000
878.680	2220.000	878.280	2287.000	887.480	2304.000	888.270	2364.000	888.340	2397.000
0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
7.000	.050	1933.000	.080	2000.000	.040	2087.000	.080	3127.000	.040
3237.000	.080	3563.000	.050	3909.000	0.000	0.000	0.000	0.000	0.000
.100	40.000	2000.000	3237.000	880.000	1700.000	1050.000	0.000	0.000	0.000
900.330	1313.000	891.620	1680.000	891.730	1873.000	889.500	1933.000	878.500	2000.000
876.600	2004.000	875.490	2030.000	875.290	2047.000	875.220	2067.000	876.100	2087.000
878.710	2089.000	879.200	2107.000	878.780	2194.000	880.000	2391.000	879.140	2458.000
878.600	2558.000	878.070	2618.000	878.360	2711.000	877.890	2784.000	878.240	2891.000
878.360	3004.000	878.500	3054.000	879.300	3127.000	877.320	3127.000	876.080	3164.000
874.590	3187.000	875.580	3217.000	878.320	3237.000	887.080	3268.000	888.420	3270.000
887.650	3343.000	881.110	3376.000	882.280	3499.000	888.010	3563.000	905.050	3639.000
906.730	3666.000	904.810	3699.000	903.330	3812.000	913.110	3862.000	916.270	3909.000
8.000	.045	1946.000	.090	2000.000	.040	2040.000	.090	2069.000	.040
2140.000	.090	2152.000	.040	2242.000	.090	3517.000	0.000	0.000	0.000
1.000	37.000	2000.000	2242.000	1880.000	2370.000	1950.000	0.000	0.000	0.000
897.800	1741.000	897.300	1803.000	897.100	1825.000	883.800	1946.000	881.600	1964.000
880.500	2000.000	879.900	2002.000	877.800	2009.000	877.900	2035.000	879.900	2040.000
881.200	2048.000	880.600	2068.000	879.800	2069.000	877.700	2076.000	877.800	2088.000
876.800	2116.000	879.800	2140.000	881.000	2146.000	879.900	2150.000	878.100	2152.000
875.600	2177.000	876.200	2192.000	876.700	2207.000	877.200	2222.000	878.300	2237.000
881.200	2242.000	880.900	2296.000	882.600	2444.000	886.000	2544.000	887.800	2736.000
887.900	2814.000	890.600	2880.000	892.600	2960.000	894.000	3028.000	892.300	3167.000
899.500	3371.000	901.300	3517.000	0.000	0.000	0.000	0.000	0.000	0.000
4.000	.060	1884.000	.080	2000.000	.040	2062.000	.070	2222.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

```
*PROF 1

CCHV=     .100 CEHV=     .300
1490 NH CARD USED
*SECNO .001
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS    BANK ELEV
   Q          OLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST

     .00       6.07     878.52       0.00     878.00     878.62       .10       0.00       0.00     875.51
   2170.        183.       1593.       394.       275.       548.       481.         0.         0.     876.51
    0.00         .66       2.91        .82        .080       .040       .080     0.000     872.45    1799.22
 .000711          0.         0.         0.          0          0          4      0.00     541.77    2340.99

*SECNO .002
     .00       5.94     878.89       0.00       0.00     879.00       .11       .38        .00     876.01
   2170.        169.       1624.       377.       248.       534.       449.       15.         6.     877.01
     .06         .68       3.04        .84        .080       .040       .080      .045     872.95    1807.98
 .000809        500.       500.       500.          1          0          0      0.00     532.49    2340.47

 SECNO .010
     .01       6.31     879.26       0.00       0.00     879.34       .08       .34        .00     876.01
   2170.        208.       1539.       423.       325.       574.       538.       30.        12.     877.01
     .12         .64       2.68        .79        .080       .040       .080      .045     872.95    1791.27
 .000568        500.       500.       500.          1          0          0      0.00     550.65    2341.92

1490 NH CARD USED
*SECNO .011

3470 ENCROACHMENT STATIONS=     1989.0     2110.0  TYPE=       1  TARGET=      121.000
     .01       5.83     879.33       0.00       0.00     879.57       .25       .18        .05     876.70
   2170.         29.       2111.        31.        17.       525.        22.       35.        14.     876.70
     .14        1.68       4.02       1.36        .040       .040       .060      .045     873.50    1989.00
 .001284         220.       220.       220.          2          0          0      0.00     121.00    2110.00

CCHV=     .300 CEHV=     .500
1490 NH CARD USED
*SECNO .012

2265 DIVIDED FLOW

   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS    BANK ELEV
   Q          OLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA    LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST

     .01       5.84     879.34       0.00       0.00     879.62       .28       .03        .02     886.44
   2170.          0.       2170.         0.         0.       513.         0.       36.        14.     876.70
     .14        0.00       4.23        .01        .040       .020       .025      .045     873.50    2000.00
 .000189         80.        80.        80.          2          0          0      0.00      98.06    2101.03
```

1490-NH CARD USED
*SECNO .022

3465 DIVIDED FLOW

.02	5.86	879.38	0.00	0.00	879.65	.27	.03	.00	886.44
2170.	0.	2170.	0.	0.	517.	0.	38.	15.	876.70
.15	0.00	4.20	.01	.040	.020	.025	.045	873.50	2000.00
.000185	150.	150.	150.	2	0	0	0.00	98.06	2101.03

1490 NH CARD USED
*SECNO .024

3470 ENCROACHMENT STATIONS= 1910.0 2189.0 TYPE= 1 TARGET= 279.000

.02	6.05	879.55	0.00	0.00	879.71	.17	.03	.03	876.70
2170.	105.	1695.	169.	98.	547.	140.	39.	15.	876.70
.16	1.08	3.47	1.21	.046	.040	.050	.045	873.50	1910.00
.000903	90.	90.	90.	2	0	0	0.00	279.00	2189.00

1490 NH CARD USED
*SECNO .060

.06	6.24	879.76	0.00	0.00	879.82	.06	.08	.03	876.29
2170.	8.	2093.	69.	12.	1052.	109.	43.	16.	876.24
.18	.69	1.99	.63	.050	.040	.050	.045	873.52	2005.05
.000303	160.	160.	160.	2	0	0	0.00	284.69	2289.74

CHV= .100 CEHV= .300
1490 NH CARD USED
*SECNO .100

.10	5.57	880.16	0.00	0.00	880.17	.01	.34	.00	878.50
2170.	3.	2166.	2.	8.	2333.	6.	86.	35.	878.32
.50	.30	.93	.32	.080	.053	.080	.045	874.59	1989.93
.000344	880.	1050.	1700.	2	0	0	0.00	1253.56	3243.49

1490 NH CARD USED
*SECNO 1.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOF	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNP	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
1.00	5.64	881.24	0.00	0.00	881.38	.14	1.17	.04	880.50
2170.	3.	2164.	3.	9.	718.	15.	155.	71.	881.20
.68	.31	3.02	.19	.090	.059	.090	.045	875.60	1975.91
.001296	1880.	1950.	2370.	2	0	0	0.00	349.35	2325.26

1490 NH CARD USED

HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
ERROR CORR - 01,02,03
MODIFICATION - 50,51,52,53

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER AT CITY

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
.001	0.00	0.00	0.00	872.45	2170.00	878.52	0.00	878.62	7.11	2.91	1303.95	813.80
.001	0.00	0.00	0.00	872.45	2170.00	879.00	0.00	879.07	4.63	2.49	1566.29	1009.00
.001	0.00	0.00	0.00	872.45	2170.00	878.00	0.00	878.15	11.88	3.50	1029.88	629.50
.001	0.00	0.00	0.00	872.45	1520.00	877.82	0.00	877.91	7.02	2.62	941.73	573.82
.001	0.00	0.00	0.00	872.45	1980.00	878.34	0.00	878.43	7.07	2.83	1203.95	744.75
.001	0.00	0.00	0.00	872.45	2610.00	878.94	0.00	879.04	7.08	3.05	1530.39	981.03
.002	500.00	0.00	0.00	872.95	2170.00	878.89	0.00	879.00	8.09	3.04	1230.68	763.02
.002	500.00	0.00	0.00	872.95	2170.00	879.25	0.00	879.33	5.82	2.70	1422.72	899.36
.002	500.00	0.00	0.00	872.95	2170.00	878.58	0.00	878.72	10.87	3.39	1073.98	658.07
.002	500.00	0.00	0.00	872.95	1520.00	878.19	0.00	878.29	8.16	2.76	874.34	532.27
.002	500.00	0.00	0.00	872.95	1980.00	878.71	0.00	878.81	8.09	2.97	1131.57	696.03
.002	500.00	0.00	0.00	872.95	2610.00	879.30	0.00	879.42	8.00	3.19	1453.79	922.59
.010	500.00	0.00	0.00	872.95	2170.00	879.26	0.00	879.34	5.68	2.68	1437.78	910.58
.010	500.00	0.00	0.00	872.95	2170.00	879.52	0.00	879.59	4.56	2.47	1575.14	1015.95
.010	500.00	0.00	0.00	872.95	2170.00	879.06	0.00	879.15	6.89	2.87	1322.69	826.04
.010	500.00	0.00	0.00	872.95	1520.00	878.55	0.00	878.63	5.47	2.39	1061.68	650.06
.010	500.00	0.00	0.00	872.95	1980.00	879.07	0.00	879.15	5.63	2.60	1333.79	834.77
.010	500.00	0.00	0.00	872.95	2610.00	879.67	0.00	879.76	5.75	2.83	1666.37	1088.86
.011	220.00	0.00	0.00	873.50	2170.00	879.33	0.00	879.57	12.84	4.02	564.32	605.54
.011	220.00	0.00	0.00	873.50	2170.00	879.56	0.00	879.79	11.03	3.84	592.76	653.26
.011	220.00	0.00	0.00	873.50	2170.00	879.15	0.00	879.42	14.45	4.17	543.10	570.03
.011	220.00	0.00	0.00	873.50	1520.00	878.65	0.00	878.81	10.16	3.27	482.34	476.84
.011	220.00	0.00	0.00	873.50	1980.00	879.15	0.00	879.37	12.06	3.81	542.55	570.05
.011	220.00	0.00	0.00	873.50	2610.00	879.71	0.00	880.01	14.56	4.49	610.62	684.02
.012	80.00	0.00	0.00	873.50	2170.00	879.34	0.00	879.62	1.89	4.23	513.43	1579.51
.012	80.00	0.00	0.00	873.50	2170.00	879.57	0.00	879.83	1.65	4.05	536.10	1689.27
.012	80.00	0.00	0.00	873.50	2170.00	879.17	0.00	879.47	2.09	4.37	496.58	1499.58
.012	80.00	0.00	0.00	873.50	1520.00	878.67	0.00	878.85	1.43	3.40	447.09	1272.52
.012	80.00	0.00	0.00	873.50	1980.00	879.16	0.00	879.41	1.75	3.99	495.42	1495.03
.012	80.00	0.00	0.00	873.50	2610.00	879.72	0.00	880.07	2.19	4.74	550.91	1761.77

SECNO	XLCH	ELTRD	ELLC	FLMIN	Q	CRSFL	CRIWS	EG	10K*S	VCH	AREA	.01F
.022	150.00	0.00	0.00	873.50	2170.00	879.38	0.00	879.65	1.85	4.20	516.63	1594.84
.022	150.00	0.00	0.00	873.50	2170.00	879.60	0.00	879.85	1.62	4.03	538.84	1702.71
.022	150.00	0.00	0.00	873.50	2170.00	879.21	0.00	879.50	2.05	4.34	500.19	1516.40
.022	150.00	0.00	0.00	873.50	1520.00	878.69	0.00	878.87	1.40	3.38	449.41	1282.93
.022	150.00	0.00	0.00	873.50	1980.00	879.19	0.00	879.44	1.72	3.97	498.76	1506.74
.022	150.00	0.00	0.00	873.50	2610.00	879.76	0.00	880.11	2.15	4.71	554.63	1780.76
.024	90.00	0.00	0.00	873.50	2170.00	879.55	0.00	879.71	9.03	3.47	784.44	722.08
.024	90.00	0.00	0.00	873.50	2170.00	879.77	0.00	879.91	7.54	3.25	846.61	799.52
.024	90.00	0.00	0.00	873.50	2170.00	879.38	0.00	879.57	10.38	3.64	738.18	673.66
.024	90.00	0.00	0.00	873.50	1520.00	878.76	0.00	878.90	8.72	3.08	569.66	514.69
.024	90.00	0.00	0.00	873.50	1980.00	879.33	0.00	879.49	9.00	3.37	724.60	659.86
.024	90.00	0.00	0.00	873.50	2610.00	880.01	0.00	880.19	9.00	3.65	915.02	870.11
.060	160.00	0.00	0.00	873.52	2170.00	879.76	0.00	879.82	3.03	1.99	1173.53	1245.83
.060	160.00	0.00	0.00	873.52	2170.00	879.95	0.00	880.01	2.67	1.91	1227.46	1327.22
.060	160.00	0.00	0.00	873.52	2170.00	879.63	0.00	879.69	3.33	2.05	1134.81	1188.88
.060	160.00	0.00	0.00	873.52	1520.00	878.96	0.00	879.00	2.67	1.68	946.36	930.44
.060	160.00	0.00	0.00	873.52	1980.00	879.55	0.00	879.60	2.94	1.90	1111.71	1155.51
.060	160.00	0.00	0.00	873.52	2610.00	880.23	0.00	880.30	3.23	2.17	1308.07	1453.18
.100	1050.00	0.00	0.00	874.59	2170.00	880.16	0.00	880.17	3.44	.93	2347.58	1170.14
.100	1050.00	0.00	0.00	874.59	2170.00	880.30	0.00	880.31	2.90	.86	2523.29	1274.92
.100	1050.00	0.00	0.00	874.59	2170.00	880.06	0.00	880.08	3.89	.98	2226.80	1100.82
.100	1050.00	0.00	0.00	874.59	1520.00	879.36	0.00	879.37	4.74	1.09	1398.12	697.97
.100	1050.00	0.00	0.00	874.59	1980.00	879.93	0.00	879.94	3.53	.96	2079.33	1053.73
.100	1050.00	0.00	0.00	874.59	2610.00	880.62	0.00	880.63	2.89	.89	2932.77	1536.40
1.000	1950.00	0.00	0.00	875.60	2170.00	881.24	0.00	881.38	12.96	3.02	741.62	602.69
1.000	1950.00	0.00	0.00	875.60	2170.00	881.24	0.00	881.38	12.85	3.01	744.84	605.44
1.000	1950.00	0.00	0.00	875.60	2170.00	881.24	0.00	881.38	12.94	3.01	742.25	603.23
1.000	1950.00	0.00	0.00	875.60	1520.00	880.66	0.00	880.77	11.44	2.60	585.20	445.38
1.000	1950.00	0.00	0.00	875.60	1980.00	881.04	0.00	881.17	13.11	2.95	677.86	546.04
1.000	1950.00	0.00	0.00	875.60	2610.00	881.57	0.00	881.73	13.56	3.23	866.44	708.74

KALAMAZOO RIVER AT CITY


SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
.001	2170.00	878.52	0.00	0.00	.52	541.77	0.00
.001	2170.00	879.00	.48	0.00	0.00	554.27	0.00
.001	2170.00	878.00	-1.00	0.00	0.00	506.19	0.00
.001	1520.00	877.82	-.18	0.00	1.82	490.23	0.00
.001	1980.00	878.34	.51	0.00	2.34	529.06	0.00
.001	2610.00	878.94	.60	0.00	.94	553.27	0.00
.002	2170.00	878.89	0.00	.37	0.00	532.49	500.00
.002	2170.00	879.25	.35	.25	0.00	550.23	500.00
.002	2170.00	878.58	-.67	.58	0.00	512.09	500.00
.002	1520.00	878.19	-.39	.37	0.00	477.67	500.00
.002	1980.00	878.71	.51	.37	0.00	519.67	500.00
.002	2610.00	879.30	.60	.37	0.00	551.11	500.00
.010	2170.00	879.26	0.00	.37	0.00	550.65	500.00
.010	2170.00	879.52	.26	.27	0.00	554.52	500.00
.010	2170.00	879.06	-.46	.48	0.00	544.11	500.00
.010	1520.00	878.55	-.50	.36	0.00	510.45	500.00
.010	1980.00	879.07	.52	.37	0.00	545.50	500.00
.010	2610.00	879.67	.60	.37	0.00	557.08	500.00
.011	2170.00	879.33	0.00	.07	0.00	121.00	220.00
.011	2170.00	879.56	.24	.04	0.00	121.00	220.00
.011	2170.00	879.15	-.41	.09	0.00	121.00	220.00
.011	1520.00	878.65	-.50	.10	0.00	121.00	220.00
.011	1980.00	879.15	.50	.08	0.00	121.00	220.00
.011	2610.00	879.71	.56	.04	0.00	121.00	220.00
.012	2170.00	879.34	0.00	.02	0.00	98.06	80.00
.012	2170.00	879.57	.23	.01	0.00	98.07	80.00
.012	2170.00	879.17	-.40	.02	0.00	98.06	80.00
.012	1520.00	878.67	-.50	.02	0.00	98.04	80.00
.012	1980.00	879.16	.50	.02	0.00	98.06	80.00
.012	2610.00	879.72	.56	.01	0.00	98.08	80.00
.022	2170.00	879.38	0.00	.03	0.00	98.06	150.00
.022	2170.00	879.60	.23	.03	0.00	98.07	150.00
.022	2170.00	879.21	-.39	.04	0.00	98.06	150.00
.022	1520.00	878.69	-.52	.02	0.00	98.04	150.00
.022	1980.00	879.19	.50	.03	0.00	98.06	150.00
.022	2610.00	879.76	.57	.04	0.00	98.08	150.00
.024	2170.00	879.55	0.00	.17	0.00	279.00	90.00
.024	2170.00	879.77	.22	.17	0.00	279.00	90.00
.024	2170.00	879.38	-.39	.17	0.00	279.00	90.00
.024	1520.00	878.76	-.62	.07	0.00	254.73	90.00
.024	1980.00	879.33	.57	.14	0.00	279.00	90.00
.024	2610.00	880.01	.68	.25	0.00	279.00	90.00

SECNO	Q	CWSEL	DIFWSP	DIFWSx	DIFKWS	TOPWID	XLCH
.060	2170.00	879.76	0.00	.22	0.00	284.69	160.00
.060	2170.00	879.95	.19	.18	0.00	285.42	160.00
.060	2170.00	879.63	-.33	.25	0.00	284.16	160.00
.060	1520.00	878.96	-.67	.20	0.00	281.60	160.00
.060	1980.00	879.55	.58	.21	0.00	283.85	160.00
.060	2610.00	880.23	.69	.22	0.00	286.50	160.00
.100	2170.00	880.16	0.00	.39	0.00	1253.56	1050.00
.100	2170.00	880.30	.14	.34	0.00	1254.91	1050.00
.100	2170.00	880.06	-.23	.43	0.00	1252.64	1050.00
.100	1520.00	879.36	-.71	.39	0.00	1091.31	1050.00
.100	1980.00	879.93	.58	.38	0.00	1237.02	1050.00
.100	2610.00	880.62	.69	.39	0.00	1258.05	1050.00
1.000	2170.00	881.24	0.00	1.08	0.00	349.35	1950.00
1.000	2170.00	881.24	.01	.95	0.00	350.45	1950.00
1.000	2170.00	881.24	-.01	1.18	0.00	349.57	1950.00
1.000	1520.00	880.66	-.57	1.31	0.00	222.04	1950.00
1.000	1980.00	881.04	.38	1.11	0.00	290.01	1950.00
1.000	2610.00	881.57	.53	.95	0.00	389.81	1950.00

At Cross Section 0.10
Downstream Study limit


SUMMARY OF ERRORS



CITY OF MARSHALL

KALAMAZOO RIVER

FLOOD PROFILE


REACH 1
ZONE A1
SOUTH MARSHALL AVE. BRIDGE
DAM
CORPORATE BOUNDARY
ELEVATION (M.S.L.)
905
900
895
890
885
880
875
6.0
6.5
7.0
7.5
8.0
8.5
9.0
9.5
10.0
10.5
11.0
11.5
STREAM DISTANCE (THOUSANDS OF FEET)
E
F
G
H
I
J
500 YEAR FLOOD
100 YEAR FLOOD
50 YEAR FLOOD
10 YEAR FLOOD
STREAM BED
CROSS SECTION LOCATION
KALAMAZOO RIVER
FLOOD PROFILE
CITY OF MARSHALL

KEY TO SYMBOLS

FLOOD BOUNDARY AND FLOODWAY DATA

500 Yr Flood Boundary

100 Yr Flood Boundary

FLOODWAY FRINGE

FLOODWAY

500 Yr Flood Boundary

Approximate 100 Yr Flood Boundary

Cross Section Line

FLOOD BOUNDARY AND FLOODWAY MAP

MAP INDEX

CITY OF MARSHALL KALAMAZOO RIVER

ZONE A1

KALAMAZOO RIVER

CITY OF MARSHALL

R6W Marshall

R5W Marengo Twp

2000 0 2000

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: city of marshall

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: report

00BREAK00

Gilbert/Commonwealth engineers/consultants/architects

COMMONWEALTH ASSOCIATES INC, 209 E Washington Avenue, Jackson, MI 49201/Tel 517 788-3000

July 23, 1980

Mr. Daniel H. Morgan, P.E., Chief
Flood Insurance Unit
Water Management Division
Department of Natural Resources
P.O. Box 30028
Lansing, Michigan 48909

RECEIVED
JUL 25 1980
WATER MANAGEMENT

Dear Mr. Morgan:

Enclosed is a copy of the Hydraulic Analyses for the Kalamazoo River within the communities of Albion Township, Village of Homer, City of Albion, and the City of Marshall. Included with this report for your review are computer printouts (HEC-2), plotted cross sections, flood plain maps, profiles, and bridge sketches.

In accordance with our contract with FEMA/FIA, CAI will be submitting the draft FIS for these communities on September 1, 1980. If any questions or comments arise prior to this date, please contact me. If any comments arise after September 1, 1980, contact Frank Finch or Wally Weaver of FEMA/FIA.

Very truly yours,

R. D. Landis
Project Manager

RDL/lft

CC: W. Weaver w/o attach

RECEIVED
JUL 25 1980
WATER MANAGEMENT

HYDRAULIC ANALYSIS REPORT

KALAMAZOO RIVER AT MARSHALL

CALHOUN COUNTY, MICHIGAN

Prepared By

COMMONWEALTH ASSOCIATES INC.
209 East Washington Avenue
Jackson, Michigan 49201

July, 1980

Introduction

Hydraulic calculations were performed for the Kalamazoo River within the entire corporate boundaries of Marshall City. Field cross section data were surveyed by Commonwealth Associates in September-October, 1978. The flood flows for 10, 50, 100 and 500-year recurrence intervals were approved by the Michigan Department of Natural Resources. This study was performed by Commonwealth Associates Inc., Jackson, Michigan and the Project Manager was R. D. Landis.

Method of Analysis

The HEC-2 computer program was used for the entire hydraulic analysis.

Variables and Coefficients

Manning's Roughness Coefficient

For channel	0.035-0.062
For overbanks	0.070-0.090

Coefficients for Floodway

Contraction	0.1
Expansion	0.3

Coefficients for Bridges

Contraction	0.3
Expansion	0.5

Ratios

Contraction	1:1
Expansion	1:4

Coefficients for Weir Flow

No weir flow over bridges
C = 3.09 was used for spillways

High-Water Marks

Recorded high-water elevations at the USGS gage and HEC-2 results were plotted in Figure 1. One high-water mark at the dam was plotted in Figure 2 along with the results of the present study. The estimated flood elevations compare very well with high-water marks.

Gilbert Commonwealth Companies	Commonwealth Associates Inc. engineers/consultants/architects	OHIO EDISON COMPANY ERIE NUCLEAR PLANT	FILING CODE / JOB NO
	ESTIMATED BY/DATE / DWG NO/REV	SUBJECT	SHEET ___ OF ___ / BOOK NO / REV

FIGURE 1. KALAMAZOO RIVER AT MARSHALL USGS GAGE





FIGURE 2. KALAMAZOO RIVER AT MARSHALL DAM

Minimum Elev of Spillway = 899.69

High water mark 21" above spillway } : 1.75

HWM Elev : 901.44



Starting Conditions

The profile convergence method was used to estimate the starting water surface elevation at the downstream study limit, Cross Section 0.10. An hydraulic analysis was performed starting at about 2,700 feet downstream of Cross Section 0.10. Normal depth was used along with Elevations ±0.5 feet above normal depth for 100-year flood. There was perfect convergence of profiles at Cross Section 1.0 about 2,000 feet upstream of Cross Section 0.1. For ±0.5 foot difference in starting elevation, differences of +0.14 and -0.10 foot were estimated at the downstream study limit. The following elevations were used to start the hydraulics at Cross Section 0.10.

Recurrence Interval Years	Flow cfs	Starting Elevation
10	1,520	879.36
50	1,980	879.93
100	2,170	880.16
500	2,610	880.62

DA = 449 @ gage

Special Problems

There were no special problems.

References

None

Cross Section Reference

Cross Section ID in Profile	SECNO in HEC-2	Description
A	0.1	Surveyed Valley Section at downstream corporate boundary
B	1.0	Surveyed Valley Section
C	1.8	Surveyed Valley Section
	1.9	Surveyed Valley Section
	2.0	Surveyed Bridge Section
D	2.1	Surveyed Bridge Section - South Kalamazoo Avenue
	2.2	Bridge. Concrete arch 80' x 12.5'. Repeated Section 2.1 - USGS Gage
	2.3	Repeated Section 2.1
E	3.0	Surveyed Valley Section
	3.1	Repeated Section 3.0
F	3.5	Manufactured Valley Section
G	3.7	Surveyed Valley Section
	3.8	Repeated Section 3.7
	3.9	Surveyed Valley Section
	4.0	Surveyed Bridge Section
H	4.1	Surveyed Bridge Section - South Marshall Avenue
	4.2	Bridge. Concrete arch 60' X 14'. Repeated Valley Section 3.9
	4.3	Surveyed Valley Section
	4.9	Surveyed Valley Section downstream of dam
I	5.0	Surveyed Dam Section
	5.1	Spillway 1. 200' long, Elev. 900.05 Spillway 2. 91' long, Elev. 899.69 Repeated Section 4.9
J	6.0	Surveyed Valley Section at upstream corporate boundary

Bridge Notes and Sketches

1. Bridge Section 2. South Kalamazoo Avenue bridge
   Normal Bridge Routine used. Figures 3 and 4 attached

2. Bridge Section 4. South Marshall Avenue bridge.
   Normal Bridge Routine used. Figures 5 and 6 attached.

3. Bridge Section 5. Marshall dam.
   Figures 7 and 8 attached.


   Coefficient for weir flow over Marshall dam


Expected head over spillway	$\approx 1.5'$
Width of spillway crest	$= 6'$
$\frac{h}{\ell}$	$= 0.25$
Paved surface	
C	$= 3.09$

CALCULATION SHEET

CLIENT/OWNER	
Crossfor =2, MARSHALL U.I - D/S FACE	
CALC. BY/DATE	SUBJECT
REVIEW BY/DATE	

Figure 3. South Kalamazoo Ave Bridge










Figure 4
Bridge Section 2. South Kalamazoo Ave. Bridge


Figure 5.
Bridge Section 4
South Marshall Ave Bridge








Upstream




Downstream


Figure 6.
Bridge Section 4. South Marshall Ave Bridge.

Figure 7.
Bridge Section 5
Marshall Dam





Spillway #1





Spillway #2



Power Plant Gates

Figure 8. Bridge Section S. Marshall Dam

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Marshall

3) WATERCOURSE: Kalamazoo River

4) DOCUMENT TYPE: ~~Study~~ Summary

00BREAK00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

KALAMAZOO RIVER

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
.100	880.16	1989.89	2000.00	3407.00	3446.39	1456.50	0.00
.100	880.16	2000.00	2000.00	3407.00	3407.00	1407.00	0.00
1.000	881.34	1972.62	2000.00	2242.00	2334.01	361.38	1970.00
1.000	881.35	2000.00	2000.00	2242.00	2242.00	242.00	1970.00
1.800	884.93	1924.00	2004.00	2092.00	2103.67	179.67	3190.00
1.800	884.94	1924.00	2004.00	2092.00	2103.69	179.69	3190.00
1.900	885.20	2000.00	2000.00	2080.00	2080.00	80.00	319.00
1.900	885.21	2000.00	2000.00	2080.00	2080.00	80.00	319.00
2.000	885.18	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.000	885.20	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.100	885.26	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.100	885.27	2000.00	2000.00	2080.00	2080.00	80.00	33.00
2.200	885.33	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.200	885.30	2000.00	2000.00	2080.00	2080.00	80.00	1.00
2.300	885.56	1993.94	2000.00	2080.00	2104.88	110.94	79.00
2.300	885.53	1993.98	2000.00	2080.00	2104.84	110.86	79.00
3.000	886.50	1575.14	2000.00	2078.00	2105.97	530.83	930.00
3.000	886.51	1642.97	2000.00	2078.00	2084.80	441.83	930.00
3.100	886.56	1575.02	2000.00	2078.00	2106.07	531.05	55.00
3.100	886.57	1642.37	2000.00	2078.00	2084.55	442.17	55.00
3.500	887.08	1949.19	1980.00	2080.00	2085.40	136.21	1010.00
3.500	887.13	1980.00	1980.00	2080.00	2080.00	100.00	1010.00
3.700	888.22	1993.14	2000.00	2062.00	2080.86	87.72	670.00
3.700	888.30	1993.00	2000.00	2062.00	2081.00	88.00	670.00
3.800	888.76	1992.11	2000.00	2062.00	2083.05	90.94	175.00
3.800	888.82	1992.00	2000.00	2062.00	2083.27	91.27	175.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
3.900	889.16	2000.00	2000.00	2060.00	2060.00	60.00	239.00
3.900	889.20	2000.00	2000.00	2060.00	2060.00	60.00	239.00
4.000	889.16	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.000	889.21	2000.00	2000.00	2060.00	2060.00	60.00	1.00
4.100	889.27	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.100	889.31	2000.00	2000.00	2060.00	2060.00	60.00	45.50
4.200	889.32	1995.47	2000.00	2060.00	2080.85	85.39	1.00
4.200	889.36	1995.37	2000.00	2060.00	2081.12	85.75	1.00
4.300	889.68	1990.37	2000.00	2062.00	2086.72	96.35	60.00
4.300	889.71	1990.31	2000.00	2062.00	2085.00	94.69	60.00
4.900	890.05	1448.00	1448.00	2091.00	2091.00	643.00	350.00
4.900	890.08	1448.00	1448.00	2091.00	2091.00	643.00	350.00
5.000	901.39	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.000	901.39	1448.00	1448.00	2091.00	2091.00	643.00	30.00
5.100	901.39	1448.00	1448.00	2091.00	2091.00	643.00	50.00
5.100	901.39	1448.00	1448.00	2091.00	2091.00	643.00	50.00
6.000	901.39	2004.27	2000.00	2616.00	2757.34	753.06	2270.00
6.000	901.39	2004.26	2000.00	2616.00	2616.00	611.74	2270.00

KALAMAZOO RIVER

SUMMARY PRINTOUT TABLE 110

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOB	QCH	QROB	PERENC	STENCL	STCHL	STCHR	STENCR
.100	880.16	0.00	880.17	1456.50	2.56	2157.32	10.11	0.00	0.00	2000.00	3407.00	0.00
.100	880.16	0.00	880.17	1407.00	0.00	2170.00	0.00	.01	2000.00	2000.00	3407.00	3407.00
1.000	881.34	0.00	881.47	361.38	4.07	2159.74	6.19	0.00	0.00	2000.00	2242.00	0.00
1.000	881.35	.02	881.48	242.00	0.00	2170.00	0.00	.01	2000.00	2000.00	2242.00	2242.00
1.800	884.93	0.00	885.08	179.67	278.82	1849.91	41.27	248.00	1924.00	2004.00	2092.00	2172.00
1.800	884.94	.01	885.09	179.69	279.46	1849.19	41.35	248.00	1924.00	2004.00	2092.00	2172.00
1.900	885.20	0.00	885.56	80.00	0.00	2170.00	0.00	0.00	0.00	2000.00	2080.00	0.00
1.900	885.21	.01	885.57	80.00	0.00	2170.00	0.00	0.00	2000.00	2000.00	2080.00	2080.00
2.000	885.18	0.00	885.59	80.00	0.00	2170.00	0.00	0.00	0.00	2000.00	2080.00	0.00
2.000	885.20	.02	885.58	80.00	0.00	2170.00	0.00	0.00	2000.00	2000.00	2080.00	2080.00
2.100	885.26	0.00	885.66	80.00	0.00	2170.00	0.00	0.00	0.00	2000.00	2080.00	0.00
2.100	885.27	.00	885.64	80.00	0.00	2170.00	0.00	0.00	2000.00	2000.00	2080.00	2080.00
2.200	885.33	0.00	885.68	80.00	0.00	2170.00	0.00	0.00	0.00	2000.00	2080.00	0.00
2.200	885.30	-.03	885.65	80.00	0.00	2170.00	0.00	0.00	2000.00	2000.00	2080.00	2080.00
2.300	885.56	0.00	885.81	110.94	13.81	1987.19	169.00	240.00	1920.00	2000.00	2080.00	2160.00
2.300	885.53	-.03	885.78	110.86	13.69	1987.91	168.39	240.00	1920.00	2000.00	2080.00	2160.00
3.000	886.50	0.00	886.57	530.83	859.62	1247.95	62.42	0.00	0.00	2000.00	2078.00	0.00
3.000	886.51	.00	886.58	441.83	852.05	1299.75	18.20	.04	1642.97	2000.00	2078.00	2084.80
3.100	886.56	0.00	886.60	531.05	688.45	981.57	49.97	0.00	0.00	2000.00	2078.00	0.00
3.100	886.57	.01	886.61	442.17	683.90	1022.25	13.84	.04	1642.37	2000.00	2078.00	2084.55
3.500	887.08	0.00	887.26	136.21	43.27	1675.42	1.31	0.00	0.00	1980.00	2080.00	0.00
3.500	887.13	.05	887.32	100.00	0.00	1720.00	0.00	.03	1980.00	1980.00	2080.00	2080.00
3.700	888.22	0.00	888.63	87.72	17.12	1642.22	60.66	0.00	0.00	2000.00	2062.00	0.00
3.700	888.30	.08	888.69	88.00	17.66	1639.10	63.23	88.00	1993.00	2000.00	2062.00	2081.00
3.800	888.76	0.00	889.03	90.94	18.92	1480.58	70.50	182.00	0.00	2000.00	2062.00	0.00
3.800	888.82	.05	889.08	91.27	19.25	1478.79	71.96	182.00	1940.00	2000.00	2062.00	2122.00
3.900	889.16	0.00	889.58	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
3.900	889.20	.04	889.62	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
4.000	889.16	0.00	889.58	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
4.000	889.21	.04	889.62	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
4.100	889.27	0.00	889.68	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
4.100	889.31	.04	889.71	60.00	0.00	1570.00	0.00	0.00	0.00	2000.00	2060.00	0.00
4.200	889.32	0.00	889.69	85.39	2.47	1534.97	32.56	120.00	1970.00	2000.00	2060.00	2090.00
4.200	889.36	.04	889.72	85.75	2.58	1534.15	33.27	120.00	1970.00	2000.00	2060.00	2090.00
4.300	889.68	0.00	889.85	96.35	34.80	1402.22	132.97	0.00	0.00	2000.00	2062.00	0.00

4.300	889.71	.03	889.88	94.69	35.06	1400.84	134.11	95.00	1990.00	2000.00	2062.00	2085.00

SECNO	CWSEL	DIFKWS	EG	TOPWID	QLOH	QCH	QROH	PERENC	STENCL	STCHL	STCHR	STENCR
4.900	890.05	0.00	890.06	643.00	0.00	1570.00	0.00	0.00	0.00	1448.00	2091.00	0.00
4.900	890.08	.02	890.09	643.00	0.00	1570.00	0.00	0.00	1448.00	1448.00	2091.00	2091.00
5.000	901.39	0.00	901.39	643.00	0.00	1570.00	0.00	0.00	0.00	1448.00	2091.00	0.00
5.000	901.39	.00	901.39	643.00	0.00	1570.00	0.00	0.00	1448.00	1448.00	2091.00	2091.00
5.100	901.39	0.00	901.39	643.00	0.00	1720.00	0.00	0.00	0.00	1448.00	2091.00	0.00
5.100	901.39	.00	901.39	643.00	0.00	1720.00	0.00	0.00	1448.00	1448.00	2091.00	2091.00
6.000	901.39	0.00	901.39	753.06	0.00	1712.49	7.51	0.00	0.00	2000.00	2616.00	0.00
6.000	901.39	-.00	901.39	611.74	0.00	1720.00	0.00	.00	2000.00	2000.00	2616.00	2616.00

SUMMARY OF ERRORS

FLOODWAY DATA, KALAMAZOO RIVER
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
.100	1407.	2368.	.9	880.2	880.2	0.0
1.000	242.	745.	2.9	881.3	881.3	0.0
1.800	180.	825.	2.6	884.9	884.9	0.0
1.900	80.	451.	4.8	885.2	885.2	0.0
2.000	80.	440.	4.9	885.2	885.2	0.0
2.100	80.	443.	4.9	885.3	885.3	0.0
2.200	80.	458.	4.7	885.3	885.3	0.0
2.300	111.	584.	3.7	885.6	885.6	0.0
3.000	442.	1405.	1.5	886.5	886.5	0.0
3.100	442.	1432.	1.2	886.6	886.6	0.0
3.500	100.	488.	3.5	887.1	887.1	0.0
3.700	88.	366.	4.7	888.3	888.2	.1
3.800	91.	413.	3.8	888.9	888.8	.1
3.900	60.	305.	5.2	889.2	889.2	0.0
4.000	60.	305.	5.2	889.2	889.2	0.0
4.100	60.	310.	5.1	889.3	889.3	0.0
4.200	86.	349.	4.5	889.3	889.3	0.0
4.300	95.	496.	3.2	889.7	889.7	0.0
4.900	643.	2155.	.7	890.1	890.1	0.0
5.000	643.	9423.	.2	901.4	901.4	0.0
5.100	643.	9423.	.2	901.4	901.4	0.0
6.000	612.	4354.	.4	901.4	901.4	0.0

00BREAK00

1) COUNTY: Calhoun


2) STUDY NAME: City of Marshall

3) WATERCOURSE: Mill Rail

4) DOCUMENT TYPE: 10.50 100 +500 yr. profiles

00BREAK00

```
**********************************************************
*  HEC2 WATER SURFACE PROFILES                           *
*  VERSION OF NOVEMBER 1976                              *
*  UPDATED JULY 1979                                     *
*  ERROR CORR - 01,02,03                                 *
*  MODIFICATION - 50,51,52,53                            *
*                                                        *
*  RUN DATE  80/04/16. TIME  08.45.29.                   *
**********************************************************
```



FIS City of Marshall

Calhoun County, Michigan

10, 50, 100 & 500 yr Profiles for Mill Race

(Branch of Rice Creek)

8-18-80

```
**********************************************************
 HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
 ERROR CORR -  01,02,03
 MODIFICATION -  50,51,52,53
**********************************************************

I1      FIS CITY OF MARSHALL, CALHOUN COUNTY, MICHIGAN.
T2       10-YEAR FLOOD
T3      MILL RACE

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
        0.        2.        0.        0.  0.000000      0.00      0.0       0.   890.930     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    1.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
   38.000     1.000    53.000    21.000    22.000    54.000     4.000    39.000   150.000   201.000

QT      5.000   290.000   380.000   430.000   530.000   430.000     0.000     0.000     0.000     0.000
NC       .080      .080      .035      .100      .300     0.000     0.000     0.000     0.000     0.000

X1     54.300    20.000  2000.000  2093.000     0.000     0.000     0.000     0.000     0.000     0.000
GR    902.500  1950.000   902.000  1960.000   900.600  1970.000   897.300  1980.000   891.500  1990.000
GR    887.500  2000.000   886.200  2010.000   885.900  2020.000   885.900  2030.000   886.400  2040.000
GR    886.600  2050.000   887.000  2060.000   886.300  2070.000   885.800  2080.000   886.300  2090.000
GR    887.600  2093.000   887.500  2093.000   891.800  2100.000   895.500  2110.000   900.300  2120.000
SB      0.000     1.500     3.300     0.000     2.000     0.000      .300     0.000   891.100   891.100

X1     54.500     4.000     0.000    36.000     1.000     1.000     1.000     0.000     0.000     0.000
X2      0.000     0.000     1.000   892.000   894.500     0.000     0.000     0.000     0.000     0.000
BT     11.000     0.000   898.600     0.000     0.000   894.700     0.000     7.000   894.700     0.000
BT     14.000   894.700     0.000    18.000   894.500     0.000    18.000   898.600     0.000    21.000
BT    898.600     0.000    21.000   894.500     0.000    28.000   894.500     0.000    36.000   894.700
BT      0.000    36.000   898.500     0.000     0.000     0.000     0.000     0.000     0.000     0.000
GR    898.600     0.000   891.100     0.000   891.100    36.000   898.600    36.000     0.000     0.000
ET      0.000     0.000     0.000     0.000     0.000     1.410     0.000     0.000     0.000     0.000

X1     54.600    20.000  2000.000  2072.000   120.000   120.000   120.000     0.000     0.000     0.000
GR    922.900  1798.000   922.500  1805.000   920.200  1812.000   920.000  1818.000   917.400  1824.000
GR    907.500  1842.000   917.900  1845.000   917.100  1858.000   904.600  1911.000   904.700  1917.000
GR    904.800  1921.000   903.400  1963.000   901.600  1984.000   896.100  2000.000   892.100  2015.000
GR    891.100  2025.000   890.900  2040.000   891.200  2055.000   893.300  2072.000   898.400  2072.000
NC       .060      .060     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

X1     55.000    11.000  2004.000  2048.000  1380.000  1380.000  1380.000     0.000     0.000     0.000
GR    916.300  1682.000   911.400  1722.000   901.500  1766.000   897.700  1806.000   896.400  2000.000
GR    894.600  2004.000   890.800  2022.000   890.500  2026.000   892.100  2038.000   894.600  2048.000
GR    897.800  2054.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

NC	.080	.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	55.100	14.000	2000.000	2067.000	1200.000	1200.000	1200.000	0.000	0.000	0.000
GR	919.800	1227.000	915.100	1339.000	907.100	1625.000	899.900	1733.000	896.300	1833.000
GR	897.900	2000.000	895.100	2000.000	894.300	2002.000	891.800	2019.000	891.900	2030.000
GR	891.900	2044.000	894.300	2064.000	895.100	2067.000	897.900	2067.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

*PROF 1

CCHV= .100 CEHV= .300

*SECNO 54.300

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
54.30	5.13	890.93	0.00	890.93	890.94	.01	0.00	0.00	887.50
290.	2.	287.	1.	15.	426.	10.	0.	0.	887.50
0.00	.15	.67	.14	.080	.035	.080	0.000	885.80	1991.43
.000033	0.	0.	0.	0	0	0	0.00	107.16	2098.58

SPECIAL BRIDGE

SB	XK	XKOR	COEQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.00	1.50	3.30	0.00	2.00	0.00	.30	0.00	891.10	891.10

*SECNO 54.500

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
22655.94	896.24	0.00	285.	5.	0.	2.	892.00	894.50

54.50	5.39	896.49	0.00	0.00	896.52	.03	5.58	0.00	898.60
290.	0.	290.	0.	0.	194.	0.	0.	0.	898.60
.00	0.00	1.50	0.00	.080	.035	.080	.018	891.10	0.00
.000186	1.	1.	1.	2	0	9	0.00	36.00	36.00

*SECNO 54.600

54.60	5.62	896.52	0.00	0.00	896.54	.01	.01	.00	896.10
290.	0.	290.	0.	0.	323.	0.	1.	0.	898.40
.04	.05	.90	0.00	.080	.035	.080	.034	890.90	1998.77
.000065	120.	120.	120.	2	0	0	0.00	73.23	2072.00

*SECNO 55.000

55.00	6.15	896.65	0.00	0.00	896.68	.03	.14	.01	894.60
290.	2.	287.	1.	9.	192.	4.	9.	3.	894.60
.30	.21	1.49	.31	.060	.035	.060	.035	890.50	1963.10
.000177	1380.	1380.	1380.	2	0	0	0.00	88.74	2051.84

*SECNO 55.100

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

55.10	5.03	896.83	0.00	0.00	896.84	.02	.16	.00	897.90	
290.	1.	289.	0.	18.	273.	0.	16.	6.	897.90	
.61	.08	1.06	0.00	.080	.035	.080	.035	891.80	1818.41	
.000103	1200.	1200.	1200.	2	0	0	0.00	136.40	2067.00	

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**********************************************************

T1      FIS CITY OF MARSHALL, CALHOUN COUNTY, MICHIGAN.
T2       50-YEAR FLOOD
T3      MILL RACE

J1  ICHECK     INQ        NINV       IDIR      STRT       METRIC     HVINS      Q          WSEL       FQ
      -10.       3.         0.         0.   0.000000       0.00       0.0        0.      892.420    0.000

J2  NPROF      IPLOT      PRFVS      XSECV     XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
     2.000      0.000     -1.000      0.000     0.000      0.000      0.000      0.000      0.000      0.000

*PROF 2

CCHV=    .100 CEHV=    .300
*SECNO 54.300
   SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         OLOSS      BANK ELEV
   Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA        LEFT/RIGHT
   TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
   SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IDC        ICONT      CORAR      TOPWID     ENDST

    54.30       6.62     892.42       0.00     892.42     892.43        .01       0.00       0.00     887.50
      380.         5.       372.         3.        30.       564.        20.         0.         0.     887.50
     0.00         .17        .66        .15       .080       .035       .080      0.000     885.80    1988.41
  .000022          0.         0.         0.          0          0          0       0.00     113.26    2101.68

SPECIAL BRIDGE

SB  XK         XKOR       COFQ       RDLEN      BWC        BWP        BAREA      SS         ELCHU      ELCHD
      0.00       1.50       3.30       0.00       2.00       0.00        .30       0.00     891.10     891.10
*SECNO 54.500
PRESSURE AND WEIR FLOW

  EGPRS      EGLWC      H3         QWEIR      QPR        BAREA      TRAPEZOID AREA      ELLC       ELTRD
 38263.02    897.73       0.00        379.          4.         0.          2.        892.00     894.50

    54.50       5.76     896.86       0.00       0.00     896.92        .05       4.49       0.00     898.60
      380.         0.       380.         0.         0.       207.         0.         0.         0.     898.60
      .00       0.00       1.83       0.00       .080       .035       .080       .018     891.10       0.00
  .000261          1.         1.         1.          2          0          8       0.00      36.00      36.00

*SECNO 54.600
```

54.60	6.02	896.92	0.00	0.00	896.94	.02	.02	.00	896.10
380.	0.	380.	0.	1.	352.	0.	1.	0.	898.40
.03	.09	1.08	0.00	.080	.035	.080	.034	890.90	1997.62
.000085	120.	120.	120.	2	0	0	0.00	74.38	2072.00

*SECNO 55.000

55.00	6.57	897.07	0.00	0.00	897.12	.05	.18	.01	894.60
380.	9.	369.	2.	40.	211.	6.	10.	4.	894.60
.26	.22	1.75	.39	.060	.035	.060	.035	890.50	1899.37
.000215	1380.	1380.	1380.	2	0	0	0.00	153.26	2052.64

*SECNO 55.100

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV.
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
55.10	5.49	897.29	0.00	0.00	897.31	.02	.19	.00	897.90
380.	8.	372.	0.	65.	304.	0.	19.	9.	897.90
.53	.13	1.22	0.00	.080	.035	.080	.035	891.80	1805.50
.000121	1200.	1200.	1200.	2	0	0	0.00	197.82	2067.00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL, CALHOUN COUNTY, MICHIGAN.
T2      100-YEAR FLOOD
T3      MILL RACE

J1  ICHECK     INQ       NINV      IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.       4.        0.        0.   0.000000      0.00      0.0       0.    893.070     0.000

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
     3.000     0.000    -1.000     0.000     0.000     0.000     0.000     0.000     0.000     0.000

*PROF 3

CCHV=    .100 CEHV=    .300
*SECNO 54.300
   SECNO     DEPTH     CWSEL     CRIWS     WSELK     EG        HV        HL        OLOSS     BANK ELEV
   Q         CLOB      QCH       QROB      ALOB      ACH       AROB      VOL       TWA     LEFT/RIGHT
   TIME      VLOB      VCH       VROB      XNL       XNCH      XNR       WTN       ELMIN     SSTA
   SLOPE     XLOBL     XLCH      XLOBR     ITRIAL    IDC       ICONT     CORAR     TOPWID    ENDST

    54.30      7.27    893.07      0.00    893.07    893.08       .01      0.00      0.00    887.50
      430.        7.       419.        4.        38.       625.       26.        0.        0.    887.50
     0.00        .18        .67        .16      .080      .035      .080     0.000    885.80   1987.29
  .000020         0.         0.         0.         0         0         0      0.00    116.14   2103.43

SPECIAL BRIDGE

SB  XK        XKOR      COFQ      RDLEN     BWC       BWP       BAREA     SS        ELCHU     ELCHD
      0.00      1.50      3.30      0.00      2.00      0.00       .30      0.00    891.10    891.10

*SECNO 54.500
PRESSURE AND WEIR FLOW

  EGPRS     EGLWC     H3        QWEIR     QPR       BAREA     TRAPEZOID AREA     ELLC      ELTRD
 48745.04   898.38      0.00       428.        4.         0.         2.    892.00    894.50

    54.50      5.95    897.05      0.00      0.00    897.11       .06      4.04      0.00    898.60
      430.        0.       430.        0.        0.       214.        0.        0.        0.    898.60
      .00       0.00       2.01       0.00      .080      .035      .080      .018    891.10      0.00
  .000303         1.         1.         1.         2         0         8      0.00     36.00     36.00

*SECNO 54.600
```

54.60	6.21	897.11	0.00	0.00	897.14	.02	.02	.00	896.10
430.	0.	430.	0.	1.	366.	0.	1.	0.	898.40
.03	.11	1.18	0.00	.080	.035	.080	.034	890.90	1997.05
.000095	120.	120.	120.	2	0	0	0.00	74.95	2072.00

*SECNO 55.000

55.00	6.79	897.29	0.00	0.00	897.34	.05	.19	.01	894.60
430.	17.	411.	3.	66.	220.	7.	11.	4.	894.60
.24	.25	1.86	.42	.060	.035	.060	.035	890.50	1867.57
.000230	1380.	1380.	1380.	2	0	0	0.00	185.47	2053.04

*SECNO 55.100

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
55.10	5.72	897.52	0.00	0.00	897.54	.03	.20	.00	897.90
430.	15.	415.	0.	98.	319.	0.	21.	10.	897.90
.51	.15	1.30	0.00	.080	.035	.080	.035	891.80	1799.13
.000129	1200.	1200.	1200.	2	0	0	0.00	228.12	2067.00

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************

T1      FIS CITY OF MARSHALL, CALHOUN COUNTY, MICHIGAN.
T2      500-YEAR FLOOD
T3      MILL RACE

J1  ICHECK     INQ        NINV       IDIR       STRT       METRIC     HVINS      Q          WSEL       FQ
      =10.       5.         0.         0.    0.000000       0.00       0.0        0.      894.560     0.000
J2  NPROF      IPLOT      PRFVS      XSECV      XSECH      FN         ALLDC      IBW        CHNIM      ITRACE
     15.000     0.000     -1.000      0.000      0.000      0.000      0.000      0.000      0.000      0.000

*PROF 4

CCHV=     .100 CEHV=     .300
*SECNO 54.300
    SECNO      DEPTH      CWSEL      CRIWS      WSELK      EG         HV         HL         QLOSS      BANK ELEV
    Q          QLOB       QCH        QROB       ALOB       ACH        AROB       VOL        TWA        LEFT/RIGHT
    TIME       VLOB       VCH        VROB       XNL        XNCH       XNR        WTN        ELMIN      SSTA
    SLOPE      XLOBL      XLCH       XLOBR      ITRIAL     IOC        ICONT      CORAR      TOPWID     ENDST

     54.30       8.76     894.56       0.00     894.56     894.57        .01       0.00       0.00     887.50
      530.         11.        512.         7.        59.        763.        45.         0.         0.     887.50
      0.00        .19        .67        .16       .080       .035       .080      0.000     885.80    1984.72
   .000015         0.         0.         0.          0          0          0       0.00     122.74    2107.46

SPECIAL BRIDGE

SB  XK         XKOR       COFQ       RDLEN      BWC        BWP        BAREA      SS         ELCHU      ELCHD
      0.00       1.50       3.30       0.00       2.00       0.00        .30       0.00     891.10     891.10

*SECNO 54.500
PRESSURE AND WEIR FLOW

  EGPRS      EGLWC      H3         QWEIR      QPR        BAREA      TRAPEZOID AREA      ELLC       ELTRD
 73591.25     899.87       0.00        528.          3.         0.          2.      892.00     894.50

     54.50       6.30     897.40       0.00       0.00     897.49        .08       2.92       0.00     898.60
      530.         0.        530.         0.         0.        227.         0.         0.         0.     898.60
       .00       0.00       2.34       0.00       .080       .035       .080       .018     891.10       0.00
   .000388          1.         1.         1.          2          0          8       0.00      36.00      36.00

*SECNO 54.600
```

54.60	6.59	897.49	0.00	0.00	897.51	.03	.02	.01	896.10	
530.	0.	530.	0.	3.	393.	0.	1.	0.	898.40	
.02	.15	1.35	0.00	.080	.035	.080	.034	890.90	1995.97	
.000115	120.	120.	120.	2	0	0	0.00	76.03	2072.00	

*SECNO 55.000

55.00	7.19	897.69	0.00	0.00	897.75	.06	.22	.01	894.60	
530.	41.	484.	4.	133.	238.	9.	13.	5.	894.60	
.23	.31	2.03	.48	.060	.035	.060	.035	890.50	1807.58	
.000248	1380.	1380.	1380.	2	0	0	0.00	246.21	2053.79	

*SECNO 55.100

3280 CROSS SECTION 55.10 EXTENDED .04 FEET

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
55.10	6.14	897.94	0.00	0.00	897.97	.03	.22	.00	897.90	
530.	35.	495.	0.	178.	348.	0.	26.	13.	897.90	
.48	.20	1.42	0.00	.080	.035	.080	.035	891.80	1787.41	
.000141	1200.	1200.	1200.	2	0	0	0.00	279.59	2067.00	

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979
  ERROR CORR -  01,02,03
  MODIFICATION -  50,51,52,53
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MILL RACE

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
54.300	890.93	1991.43	2000.00	2093.00	2098.58	107.16	0.00
54.300	892.42	1988.41	2000.00	2093.00	2101.68	113.26	0.00
54.300	893.07	1987.29	2000.00	2093.00	2103.43	116.14	0.00
54.300	894.56	1984.72	2000.00	2093.00	2107.46	122.74	0.00
54.500	896.49	0.00	0.00	36.00	36.00	36.00	1.00
54.500	896.86	0.00	0.00	36.00	36.00	36.00	1.00
54.500	897.05	0.00	0.00	36.00	36.00	36.00	1.00
54.500	897.40	0.00	0.00	36.00	36.00	36.00	1.00
54.600	896.52	1998.77	2000.00	2072.00	2072.00	73.23	120.00
54.600	896.92	1997.62	2000.00	2072.00	2072.00	74.38	120.00
54.600	897.11	1997.05	2000.00	2072.00	2072.00	74.95	120.00
54.600	897.49	1995.97	2000.00	2072.00	2072.00	76.03	120.00
55.000	896.65	1963.10	2004.00	2048.00	2051.84	88.74	1380.00
55.000	897.07	1899.37	2004.00	2048.00	2052.64	153.26	1380.00
55.000	897.29	1867.57	2004.00	2048.00	2053.04	185.47	1380.00
55.000	897.69	1807.58	2004.00	2048.00	2053.79	246.21	1380.00
55.100	896.83	1818.41	2000.00	2067.00	2067.00	136.40	1200.00
55.100	897.29	1805.50	2000.00	2067.00	2067.00	197.82	1200.00
55.100	897.52	1799.13	2000.00	2067.00	2067.00	228.12	1200.00
55.100	897.94	1787.41	2000.00	2067.00	2067.00	279.59	1200.00

MILL RACE

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
54.300	0.00	0.00	0.00	885.80	290.00	890.93	0.00	890.94	.33	.67	449.92	502.29
54.300	0.00	0.00	0.00	885.80	380.00	892.42	0.00	892.43	.22	.66	614.05	810.86
54.300	0.00	0.00	0.00	885.80	430.00	893.07	0.00	893.08	.20	.67	688.60	964.96
54.300	0.00	0.00	0.00	885.80	530.00	894.56	0.00	894.57	.15	.67	866.57	1360.42
54.500	1.00	894.50	892.00	891.10	290.00	896.49	0.00	896.52	1.86	1.50	193.93	212.50
54.500	1.00	894.50	892.00	891.10	380.00	896.86	0.00	896.92	2.61	1.83	207.50	235.34
54.500	1.00	894.50	892.00	891.10	430.00	897.05	0.00	897.11	3.03	2.01	214.19	246.84
54.500	1.00	894.50	892.00	891.10	530.00	897.40	0.00	897.49	3.88	2.34	226.84	268.98
54.600	120.00	0.00	0.00	890.90	290.00	896.52	0.00	896.54	.65	.90	323.46	360.44
54.600	120.00	0.00	0.00	890.90	380.00	896.92	0.00	896.94	.85	1.08	352.54	413.35
54.600	120.00	0.00	0.00	890.90	430.00	897.11	0.00	897.14	.95	1.18	367.19	440.70
54.600	120.00	0.00	0.00	890.90	530.00	897.49	0.00	897.51	1.15	1.35	395.31	494.48
55.000	1380.00	0.00	0.00	890.50	290.00	896.65	0.00	896.68	1.77	1.49	205.26	217.72
55.000	1380.00	0.00	0.00	890.50	380.00	897.07	0.00	897.12	2.15	1.75	256.93	259.14
55.000	1380.00	0.00	0.00	890.50	430.00	897.29	0.00	897.34	2.30	1.86	293.03	283.29
55.000	1380.00	0.00	0.00	890.50	530.00	897.69	0.00	897.75	2.48	2.03	379.79	336.73
55.100	1200.00	0.00	0.00	891.80	290.00	896.83	0.00	896.84	1.03	1.06	291.21	285.76
55.100	1200.00	0.00	0.00	891.80	380.00	897.29	0.00	897.31	1.21	1.22	368.88	345.05
55.100	1200.00	0.00	0.00	891.80	430.00	897.52	0.00	897.54	1.29	1.30	417.71	377.99
55.100	1200.00	0.00	0.00	891.80	530.00	897.94	0.00	897.97	1.41	1.42	525.70	446.56

MILL RACE

SUMMARY PRINTOUT TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
54.300	290.00	890.93	0.00	0.00	0.00	107.16	0.00
54.300	380.00	892.42	1.49	0.00	0.00	113.26	0.00
54.300	430.00	893.07	.65	0.00	0.00	116.14	0.00
54.300	530.00	894.56	1.49	0.00	0.00	122.74	0.00
54.500	290.00	896.49	0.00	5.56	0.00	36.00	1.00
54.500	380.00	896.86	.38	4.44	0.00	36.00	1.00
54.500	430.00	897.05	.19	3.98	0.00	36.00	1.00
54.500	530.00	897.40	.35	2.84	0.00	36.00	1.00
54.600	290.00	896.52	0.00	.04	0.00	73.23	120.00
54.600	380.00	896.92	.39	.05	0.00	74.38	120.00
54.600	430.00	897.11	.20	.06	0.00	74.95	120.00
54.600	530.00	897.49	.37	.09	0.00	76.03	120.00
55.000	290.00	896.65	0.00	.12	0.00	88.74	1380.00
55.000	380.00	897.07	.43	.16	0.00	153.26	1380.00
55.000	430.00	897.29	.21	.17	0.00	185.47	1380.00
55.000	530.00	897.69	.40	.20	0.00	246.21	1380.00
55.100	290.00	896.83	0.00	.18	0.00	136.40	1200.00
55.100	380.00	897.29	.46	.22	0.00	197.82	1200.00
55.100	430.00	897.52	.23	.23	0.00	228.12	1200.00
55.100	530.00	897.94	.42	.25	0.00	279.59	1200.00

SUMMARY OF ERRORS

FLOOD INSURANCE ZONE DATA FOR MILL RACE

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND@ 10_	2_	0.2_
54.300	0.	-2.14	-.65	1.49
54.500	1.	-.56	-.19	.35
54.600	121.	-.59	-.20	.37
55.000	1501.	-.64	-.21	.40
55.100	2701.	-.69	-.23	.42
WEIGHTED AVG FOR REACH		-.64	-.21	.40

FHF FOR THE REACH = 005 WITH 100.0_ OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

THIS RUN EXECUTED 07/22/80

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED  AUG1977
  ERROR CORR =  01,02
  MODIFICATION =  50,51,52,53
**************************************************

T1    FIS CITY OF MARSHALL, CALHOUN COUNTY, MICHIGAN.
T2    100-YEAR NATURAL FLOOD PROFILE
T3    MILL RACE

J1  ICHECK     INQ      NINV      IDIR      STRT      METRIC    HVINB     G         WSEL      FQ
        0.      4.        0.       0.  0.0          0.0       0.0       0.  893,070      0.0

J2  NPROF      IPLOT     PRFVS     XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    1.000       0.0     -1.000      0.0       0.0       0.0       0.0       0.0       0.0       0.0

J3  VARIABLE CODES FOR SUMMARY PRINTOUT
   38.000    1.000    53.000    21.000    22.000    54.000     4.000    39.000   150.000   200.000

QT    5.000  290.000  380.000  430.000  530.000  430.000    0.0      0.0      0.0      0.0
NC    0.080    0.080    0.035    0.100    0.300    0.0      0.0      0.0      0.0      0.0

X1   54.300   20.000 2000.000 2093.000    0.0      0.0      0.0      0.0      0.0      0.0
GR  902.500 1950.000  902.000 1960.000  900.600 1970.000  897.300 1980.000  891.500 1990.000
GR  887.500 2000.000  886.200 2010.000  885.900 2020.000  885.900 2030.000  886.400 2040.000
GR  886.600 2050.000  887.000 2060.000  886.300 2070.000  885.800 2080.000  886.300 2090.000
GR  887.600 2093.000  887.500 2093.000  891.800 2100.000  895.500 2110.000  900.300 2120.000
SB    0.0      1.500    3.300    0.0      2.000    0.0      0.300    0.0    891.100  891.100

X1   54.500    4.000    0.0     36.000    1.000    1.000    1.000    0.0      0.0      0.0
X2    0.0      0.0      1.000  892.000  894.500    0.0      0.0      0.0      0.0      0.0
BT   11.000    0.0    898.600    0.0      0.0    894.700    0.0      7.000  894.700    0.0
BT   14.000  894.700    0.0     18.000  894.500    0.0     18.000  898.600    0.0     21.000
BT  898.600    0.0     21.000  894.500    0.0     28.000  894.500    0.0     36.000  894.700
BT    0.0     36.000  898.500    0.0      0.0      0.0      0.0      0.0      0.0      0.0
GR  898.600    0.0    891.100    0.0    891.100   36.000  898.600   36.000    0.0      0.0
ET    0.0      0.0      0.0      0.0      0.0    1.410      0.0      0.0      0.0      0.0


X1   54.600   20.000 2000.000 2072.000  120.000  120.000  120.000    0.0      0.0      0.0
GR  922.900 1798.000  922.500 1805.000  920.200 1812.000  920.000 1818.000  917.400 1824.000
GR  907.500 1842.000  917.900 1845.000  917.100 1858.000  904.600 1911.000  904.700 1917.000
GR  904.800 1921.000  903.400 1963.000  901.600 1984.000  896.100 2000.000  892.100 2015.000
GR  891.100 2025.000  890.900 2040.000  891.200 2055.000  893.300 2072.000  898.400 2072.000
NC    0.060    0.060    0.0      0.0      0.0      0.0      0.0      0.0      0.0      0.0

X1   55.000   11.000 1948.000 2048.000 1380.000 1380.000 1380.000    0.0      0.0      0.0
GR  901.500 1777.000  901.500 1777.000  897.700 1806.000  897.000 1948.000  896.400 2000.000
GR  894.600 2004.000  890.800 2022.000  890.500 2026.000  892.100 2038.000  894.600 2048.000
GR  897.800 2054.000    0.0      0.0      0.0      0.0      0.0      0.0      0.0      0.0
NC    0.080    0.080    0.0      0.0      0.0      0.0      0.0      0.0      0.0      0.0

X1   55.100   14.000 2000.000 2067.000 1200.000 1200.000 1200.000    0.0      0.0      0.0
GR  900.000 1900.000  900.000 1900.000  900.000 1900.000  900.000 1900.000  897.000 1900.000
GR  897.900 2000.000  895.100 2000.000  894.300 2002.000  891.800 2019.000  891.900 2030.000
```

FIS City of Marshall
Calhoun County, Michigan
Floodway for Mill Race
(Branch of Rice Creek)
8-18-80

MOORE BUSINESS FORMS, INC. 23


GR
EJ
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0

*PROF 1

CCHV=---0.100--CEHV=----0.300

*SECNO 54.300

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
54.30	7.27	893.07	0.0	893.07	893.08	0.01	0.0	0.0	887.50
430.	7.	419.	4.	38.	625.	26.	0.	0.	887.50
0.0	0.18	0.67	0.16	0.080	0.035	0.080	0.0	885.80	1987.29
0.000020	0.	0.	0.	0	0	0	0.0	116.14	2103.43

SPECIAL BRIDGE

SB	XK	XKOR	COEQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.0	1.50	3.30	0.0	2.00	0.0	0.30	0.0	891.10	891.10

*SECNO 54.500

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QBR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
48745.02	898.38	0.0	429.	4.	0.	2.	892.00	894.50
54.50	5.95	897.05	0.0	0.0	897.11	0.06	4.04	0.0	898.60
430.	0.	430.	0.	0.	214.	0.	0.	0.	898.60
0.00	0.0	2.01	0.0	0.080	0.035	0.080	0.018	891.10	0.0
0.000303	1.	1.	1.	2	0	6	0.0	36.00	36.00

*SECNO 54.600

54.60	6.22	897.12	0.0	0.0	897.14	0.02	0.02	0.00	896.10
430.	0.	430.	0.	2.	366.	0.	1.	0.	898.40
0.03	0.11	1.17	0.0	0.080	0.035	0.080	0.034	890.90	1997.04
0.000095	120.	120.	120.	2	0	0	0.0	74.96	2072.00

*SECNO 55.000

55.00	6.84	897.34	0.0	0.0	897.38	0.04	0.24	0.01	897.00
430.	2.	424.	4.	12.	261.	7.	11.	4.	894.60
0.27	0.15	1.61	0.56	0.060	0.035	0.060	0.035	890.50	1878.89
0.000402	1380.	1380.	1380.	2	0	0	0.0	174.25	2053.14

*SECNO 55.100

3265 DIVIDED FLOW

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
55.10	5.81	897.61	0.0	0.0	897.63	0.03	0.25	0.00	897.90
430.	2.	428.	0.	21.	325.	0.	20.	8.	897.90
0.52	0.10	1.32	0.0	0.080	0.035	0.080	0.035	891.80	1900.00
0.000130	1200.	1200.	1200.	2	0	0	0.0	134.57	2067.00

Mill Race 100 yr encroached. Use w/FIS

THIS RUN EXECUTED 07/22/80

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED  AUG1977
  ERROR CORR =  01,02
  MODIFICATION =  50,51,52,53
**************************************************
```

Millrace

T1
T2 100-YEAR ENCROACHED FLOODWAY
T3

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	6.	0.	0.	0.0	0.0	0.0	0.	893.070	0.0

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	15.000	0.0	-1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*PROF=2

CCHV= 0.100 CEHV= 0.300
*SECNO 54.300

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
54.30	7.27	893.07	0.0	893.07	893.08	0.01	0.0	0.0	887.50
430.	7.	419.	4.	38.	625.	26.	0.	0.	887.50
0.0	0.18	0.67	0.16	0.080	0.035	0.080	0.0	885.80	1987.29
0.000020	0.	0.	0.	0	0	0	0.0	116.14	2103.43

A

SPECIAL BRIDGE

SB	XK	XKOR	CQFQ	RDLEN	BWC	BWP	BAREA	SS	ELCHU	ELCHD
	0.0	1.60	3.30	0.0	2.00	0.0	0.30	0.0	891.10	891.10

*SECNO 54.500
PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TRAPEZOID AREA	ELLC	ELTRD
48745.02	898.38	0.0	429.	4.	0.	2.	892.00	894.50
54.50	5.95	897.05	0.0	0.0	897.11	0.06	4.04	0.0	898.60
430.	0.	430.	0.	0.	214.	0.	0.	0.	898.60
0.00	0.0	2.01	0.0	0.080	0.035	0.080	0.018	891.10	0.0
0.000303	1.	1.	1.	2	0	6	0.0	36.00	36.00

w.s. x length = 36

*SECNO 54.600
2800 NAT Q1= 441.01 WSEL= 897.12 ENC Q1= 454.94 WSEL= 897.22 RATIO= -0.0316
NAT Q1= 455. RATIOS LOB,CH,ROB= 0.0005 0.9995 0.0 WSELS= 897.22

3470 ENCROACHMENT STATIONS= 2000.0 2072.0 TYPE= 4 TARGET= 0.000

54.60	6.22	897.12	0.0	897.12	897.14	0.02	0.02	0.00	896.10
430.	0.	430.	0.	0.	366.	0.	1.	0.	898.40

```
    0.03        0.0        1.16        0.0        0.080      0.035      0.080      0.034     890.90   2000.00
0.000097      120.       120.       120.          2          0          0        0.0        72.00   2072.00


*SECNO 55.000
 2800 NAT Q1=     214.42  WSEL=     897.34  ENC Q1=     225.04  WSEL=     897.44  RATIO=  -0.0495
 NAT Q1=     229.  RATIOS LOB,CH,ROB=  0.0077  0.9827  0.0095  WSEL=     897.44

3470 ENCROACHMENT STATIONS=    1948.0     2048.0  TYPE=       4  TARGET=       0.017
    55.00       6.85     897.35        0.0     897.34     897.39       0.04       0.25       0.01     897.00
      430.        0.        430.        0.         0.        264.          0.         11.         3.     894.60
     0.26        0.0       1.63        0.0      0.060      0.035      0.060      0.035     890.50    1948.00
0.000427       1380.     1380.     1380.          2          0          0        0.0       100.00   2048.00


*SECNO 55.100
 2800 NAT Q1=     377.38  WSEL=     897.61  ENC Q1=     387.89  WSEL=     897.71  RATIO=  -0.0278
 NAT Q1=     390.  RATIOS LOB,CH,ROB=  0.0066  0.9934  0.0  WSEL=     897.71
    SECNO      DEPTH      CWSEL      CRIWS      WSELK       EG          HV          HL          QLOSS     BANK ELEV
    Q          QLOB       QCH        QROB       ALOB        ACH         AROB        VOL         TWA    LEFT/RIGHT
    TIME       VLOB       VCH        VROB       XNL         XNEH        XNR         WTN         ELMIN      SSTA
    SLOPE      XLOBL      XLCH       XLOBR      ITRIAL      IDC         ICONT       CORAR       TOPWID     ENDST


3470 ENCROACHMENT STATIONS=    2000.0     2067.0  TYPE=       4  TARGET=       0.007
    55.10       5.82     897.62        0.0     897.61     897.65       0.03       0.26       0.00     897.90
      430.        0.        430.        0.         0.        326.          0.         19.         5.     897.90
     0.52        0.0       1.32        0.0      0.080      0.035      0.080      0.035     891.80    2000.00
0.000130       1200.     1200.     1200.          2          0          0        0.0        67.00   2067.00
```

MOORE BUSINESS FORMS, INC. 23

THIS RUN EXECUTED 07/22/80

```
**********************************************
  HEC2 RELEASE DATED NOV 76 UPDATED  AUG1977
  ERROR CORR =  01,02
  MODIFICATION =  50,51,52,53
**********************************************
```

NOTE= ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

MILL RACE

SUMMARY PRINTOUT

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
54.300	893.07	1987.29	2000.00	2093.00	2103.43	116.14	0.0
54.300	893.07	1987.29	2000.00	2093.00	2103.43	116.14	0.0
54.500	897.05	0.0	0.0	36.00	36.00	36.00	1.00
54.500	897.05	0.0	0.0	36.00	36.00	36.00	1.00
54.600	897.12	1997.04	2000.00	2072.00	2072.00	74.96	120.00
54.600	897.12	2000.00	2000.00	2072.00	2072.00	72.00	120.00
55.000	897.34	1878.89	1948.00	2048.00	2053.14	174.25	1380.00
55.000	897.35	1948.00	1948.00	2048.00	2048.00	100.00	1380.00
55.100	897.61	1900.00	2000.00	2067.00	2067.00	134.57	1200.00
55.100	897.62	2000.00	2000.00	2067.00	2067.00	67.00	1200.00

MOORE BUSINESS FORMS INC 23

MILL RACE

SUMMARY-PRINTOUT-TABLE-E---150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
54.300	0.0	0.0	0.0	885.80	430.00	893.07	0.0	893.08	0.20	0.67	688.61	965.05
54.300	0.0	0.0	0.0	885.80	430.00	893.07	0.0	893.08	0.20	0.67	688.61	965.05
54.500	1.00	894.50	892.00	891.10	430.00	897.05	0.0	897.11	3.03	2.01	214.26	246.96
54.500	1.00	894.50	892.00	891.10	430.00	897.05	0.0	897.11	3.03	2.01	214.26	246.96
54.600	120.00	0.0	0.0	890.90	430.00	897.12	0.0	897.14	0.95	1.17	367.35	441.01
54.600	120.00	0.0	0.0	890.90	430.00	897.12	0.0	897.14	0.97	1.18	365.87	436.64
55.000	1380.00	0.0	0.0	890.50	430.00	897.34	0.0	897.38	4.02	1.61	282.18	214.42
55.000	1380.00	0.0	0.0	890.50	430.00	897.35	0.0	897.39	4.27	1.63	264.05	207.97
55.100	1200.00	0.0	0.0	891.80	430.00	897.61	0.0	897.63	1.30	1.32	345.99	377.38
55.100	1200.00	0.0	0.0	891.80	430.00	897.62	0.0	897.65	1.30	1.32	326.35	377.32

MILL RACE

SUMMARY-PRINTOUT-TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
54.300	430.00	893.07	0.0	0.0	0.0	116.14	0.0
54.300	430.00	893.07	0.0	0.0	0.0	116.14	0.0
54.500	430.00	897.05	0.0	3.98	0.0	36.00	1.00
54.500	430.00	897.05	0.0	3.98	0.0	36.00	1.00
54.600	430.00	897.12	0.0	0.06	0.0	74.96	120.00
54.600	430.00	897.12	0.00	0.06	0.00	72.00	120.00
55.000	430.00	897.34	0.0	0.22	0.0	174.25	1380.00
55.000	430.00	897.35	0.01	0.23	0.01	100.00	1380.00
55.100	430.00	897.61	0.0	0.27	0.0	134.57	1200.00
55.100	430.00	897.62	0.01	0.27	0.01	67.00	1200.00

SUMMARY OF ERRORS

MOORE BUSINESS FORMS INC 23

FLOODWAY DATA, MILL RACE
PROFILE NO. 2

STATION	FLOODWAY WIDTH (FT)	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
54.300	116.	689.	0.6	893.1	893.1	0.0
54.500	36.	214.	2.0	897.1	897.1	0.0
54.600	72.	366.	1.2	897.1	897.1	0.0
55.000	100.	264.	1.6	897.3	897.3	0.0
55.100	67.	326.	1.3	897.6	897.6	0.0

MOORE BUSINESS FORMS, INC. 23

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Marshall

3) WATERCOURSE: Rice Creek

4) DOCUMENT TYPE: 10, 50, 100, 500 yr profiles

00BREAK00

Fine Crk - 100 yr
encroachment - use w/FIS

Rev 0

10/3/80

Floodway

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
C
T1      FIS  CITY OF MARSHALL
T2      100 YEAR FLOOD PROFILE
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	0.000000	0.00	0.0	0.	883.100	0.000
J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
J3	VARIABLE CODES FOR SUMMARY PRINTOUT									
	38.000	1.000	53.000	21.000	22.000	54.000	4.000	39.000	150.000	200.000
NC	.100	.100	.040	.100	.300	0.000	0.000	0.000	0.000	0.000
QT	5.000	745.000	1140.000	1330.000	1790.000	1330.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

ABANDONED RAILROAD EMBANKMENT (A)

X1	50.000	24.000	2000.000	2039.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	903.300	768.000	901.300	1000.000	901.700	1153.000	901.500	1289.000	901.200	1404.000
GR	900.600	1500.000	900.000	1659.000	900.000	1799.000	900.400	1971.000	882.200	2000.000
GR	881.600	2005.000	881.000	2010.000	880.100	2015.000	879.500	2020.000	879.300	2025.000
GR	879.500	2030.000	880.300	2035.000	882.200	2039.000	884.700	2046.000	896.800	2067.000
GR	901.300	2069.000	901.200	2175.000	902.000	2323.000	902.800	2423.000	0.000	0.000
X1	2.900	14.000	2000.000	2047.000	65.000	55.000	60.000	0.000	-.500	0.000
GR	900.600	1963.000	884.600	1990.000	883.100	2000.000	880.300	2006.000	881.600	2015.000
GR	882.300	2023.000	882.000	2032.000	883.100	2047.000	884.000	2054.000	883.900	2094.000
GR	888.200	2124.000	890.100	2139.000	903.700	2158.000	906.300	2171.000	0.000	0.000
X1	3.000	0.000	0.000	0.000	65.000	55.000	50.000	0.000	-.500	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1989.000	2101.000

MOORE BUSINESS FORMS, INC 23

X1	3.100	0.000	0.000	0.000	110.000	85.000	85.000	0.000	1.600	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1974.000	2054.000
X1	50.800	18.000	2000.000	2029.000	110.000	85.000	85.000	0.000	0.000	0.000
GR	907.500	1800.000	903.900	1900.000	902.400	1950.000	901.400	1960.000	899.900	1970.000
GR	897.400	1980.000	891.400	1990.000	884.100	2000.000	883.400	2010.000	883.500	2020.000
GR	884.000	2029.000	887.300	2040.000	889.700	2050.000	893.500	2060.000	893.900	2070.000
GR	895.100	2100.000	904.600	2200.000	906.900	2224.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	50.900	16.000	2000.000	2050.000	60.000	40.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.000	902.000	0.000
GR	905.100	1800.000	905.100	1900.000	905.100	2000.000	891.400	2000.000	886.000	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.200	2051.500	905.300	2075.000	905.500	2100.000	905.900	2200.000
GR	906.000	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

RAILROAD BRIDGE (B)

X1	51.000	16.000	2000.000	2050.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.000	902.000	0.000
BT	4.000	2000.000	905.600	905.600	2000.000	905.600	898.400	2051.500	905.700	898.400
BT	2051.500	905.700	905.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	905.600	1800.000	905.600	1900.000	905.600	2000.000	891.400	2000.000	886.900	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.700	2051.500	905.800	2075.000	906.000	2100.000	906.400	2200.000
GR	906.500	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.100	0.000	0.000	0.000	31.000	31.000	31.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.600	905.600	0.000
BT	4.000	2000.000	905.600	905.600	2000.000	905.600	898.400	2051.500	905.700	898.400
BT	2051.500	905.700	905.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.200	16.000	2000.000	2050.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.600	905.600	0.000
GR	905.100	1800.000	905.100	1900.000	905.100	2000.000	891.400	2000.000	886.900	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.200	2051.500	905.300	2075.000	905.500	2100.000	905.900	2200.000
GR	906.000	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1946.000	2061.000

MOORE BUSINESS FORMS, INC 23

X1	51.500	11.000	2000.000	2029.000	30.000	30.000	30.000	0.000	0.000	0.000
GR	905.200	1600.000	902.400	1800.000	890.000	1960.000	884.600	2000.000	882.700	2010.000
GR	882.300	2014.500	882.000	2020.000	884.400	2029.000	889.700	2050.000	898.000	2100.000
GR	905.000	2200.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.900	20.000	2000.000	2029.000	130.000	130.000	130.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
GR	905.200	1600.000	902.400	1800.000	900.500	1993.000	900.500	2000.000	884.600	2000.000
GR	883.500	2006.000	882.700	2010.000	882.300	2014.500	882.500	2020.000	883.500	2023.000
GR	884.400	2029.000	900.000	2029.000	900.100	2037.000	899.700	2050.000	899.300	2250.000
GR	903.000	2450.000	904.100	2650.000	905.000	2850.000	906.900	3050.000	907.800	3350.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MONROE ST. BRIDGE (C)

X1	52.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
BT	9.000	1993.000	900.500	900.500	2000.000	900.500	900.500	2000.000	900.500	884.600
BT	2006.000	900.400	893.000	2014.500	900.300	895.700	2023.000	900.100	893.000	2029.000
BT	900.000	884.400	2029.000	900.000	900.000	2037.000	900.100	900.100	0.000	0.000
X1	52.100	0.000	0.000	0.000	28.000	28.000	28.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	900.600	900.600	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	52.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	900.600	900.600	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1947.000	2078.000
X1	52.300	15.000	2000.000	2025.000	60.000	60.000	60.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1950.000	0.000	2076.000	0.000	0.000	0.000	0.000
GR	905.200	1600.000	902.400	1800.000	890.000	1960.000	884.500	2000.000	883.700	2007.000
GR	882.300	2013.000	883.700	2019.000	883.800	2020.000	884.700	2025.000	890.000	2060.000
GR	899.300	2250.000	903.000	2450.000	904.100	2650.000	905.000	2850.000	906.900	3050.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

(D)

X1	53.000	31.000	2132.000	2190.000	725.000	1040.000	725.000	0.000	0.000	0.000
GR	916.400	1882.000	913.000	1932.000	911.400	1952.000	907.500	1964.000	906.300	1970.000
GR	905.800	2000.000	902.700	2046.000	898.400	2098.000	886.100	2132.000	884.100	2146.000
GR	883.800	2155.000	884.600	2166.000	886.100	2180.000	888.200	2190.000	890.000	2228.000
GR	894.200	2300.000	899.200	2392.000	900.500	2440.000	901.000	2540.000	901.900	2640.000
GR	901.100	2738.000	902.100	2838.000	902.900	2938.000	903.800	3032.000	904.600	3126.000
GR	905.200	3226.000	904.700	3278.000	906.100	3348.000	907.400	3446.000	908.900	3546.000

MOORE BUSINESS FORMS, INC 23

GR	910.000	3626.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2063.000	2258.000
X1	53.500	0.000	0.000	0.000	270.000	270.000	270.000	0.000	0.000	0.000
NC	.060	.090	.045	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	53.900	35.000	2025.000	2070.000	320.000	320.000	320.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.900	902.900	0.000
GR	910.100	1870.000	908.700	1900.000	906.600	1950.000	905.600	2000.000	887.300	2000.000
GR	887.000	2005.000	886.800	2010.000	886.600	2015.000	886.200	2020.000	888.700	2020.000
GR	888.600	2025.000	886.000	2025.000	886.100	2030.000	886.200	2035.000	886.200	2040.000
GR	886.200	2045.000	888.700	2045.000	888.600	2050.000	885.400	2050.000	885.500	2055.000
GR	885.700	2060.000	886.100	2065.000	886.500	2070.000	904.900	2070.000	903.900	2078.000
GR	903.800	2100.000	902.700	2200.000	902.400	2300.000	902.700	2400.000	902.500	2500.000
GR	902.800	2700.000	903.700	2900.000	905.600	3100.000	907.500	3300.000	908.400	3500.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MARSHALL AVE. BRIDGE (E)

X1	54.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.900	902.900	0.000
BT	19.000	1950.000	906.600	906.600	2000.000	905.700	905.700	2000.000	905.700	887.300
BT	2005.000	905.600	887.000	2010.000	905.600	886.800	2015.000	905.600	886.600	2020.000
BT	905.500	886.200	2025.000	905.500	888.600	2030.000	905.400	898.200	2035.000	905.400
BT	900.500	2040.000	905.300	898.200	2045.000	905.200	888.700	2050.000	905.100	888.600
BT	2055.000	905.100	898.200	2060.000	905.000	900.600	2065.000	905.000	898.200	2070.000
BT	904.900	888.700	2070.000	904.900	904.900	2078.000	903.900	903.900	0.000	0.000
X1	54.100	32.000	2025.000	2070.000	42.800	42.800	42.800	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.200	905.200	0.000
BT	17.000	1950.000	906.600	906.600	2000.000	905.400	905.400	2000.000	905.400	903.100
BT	2010.000	905.200	899.900	2020.000	905.000	891.300	2025.000	904.900	888.700	2030.000
BT	904.800	898.200	2035.000	904.700	900.800	2040.000	904.600	898.200	2045.000	904.600
BT	888.700	2050.000	904.500	888.700	2055.000	904.400	898.200	2060.000	904.300	900.800
BT	2065.000	904.200	898.200	2070.000	904.100	888.700	2070.000	904.100	904.100	2079.000
BT	904.300	904.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	910.100	1870.000	908.700	1900.000	906.600	1950.000	905.400	2000.000	903.100	2000.000
GR	899.900	2010.000	891.300	2020.000	888.700	2025.000	887.300	2025.000	886.700	2030.000
GR	886.200	2035.000	886.400	2040.000	886.500	2045.000	888.700	2045.000	888.700	2050.000
GR	886.600	2050.000	886.300	2055.000	885.900	2060.000	886.000	2065.000	886.600	2070.000
GR	904.100	2070.000	904.300	2079.000	903.800	2100.000	902.700	2200.000	902.400	2300.000
GR	902.700	2400.000	902.500	2500.000	902.800	2700.000	903.700	2900.000	905.600	3100.000
GR	907.500	3300.000	908.400	3500.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	54.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.200	905.200	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1947.000	2145.000
X1	54.250	20.000	2000.000	2093.000	65.000	65.000	65.000	0.000	0.000	0.000
GR	902.500	1950.000	902.000	1960.000	900.600	1970.000	897.300	1980.000	891.500	1990.000
GR	887.500	2000.000	886.200	2010.000	885.900	2020.000	885.900	2030.000	886.400	2040.000
GR	886.600	2050.000	887.000	2060.000	886.300	2070.000	885.800	2080.000	886.300	2090.000
GR	887.600	2093.000	887.500	2093.000	891.800	2100.000	895.500	2110.000	900.300	2120.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
QT	5.000	420.000	700.000	840.000	1180.000	840.000	0.000	0.000	0.000	0.000
NC	.080	.080	.045	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	54.400	14.000	2084.000	2117.000	150.000	150.000	150.000	0.000	0.000	0.000
GR	897.300	2050.000	897.300	2050.000	897.300	2050.000	897.300	2050.000	897.300	2050.000
GR	888.800	2084.000	886.800	2094.000	887.200	2104.000	887.600	2112.000	890.700	2117.000
GR	894.800	2150.000	897.900	2200.000	898.700	2250.000	901.900	2300.000	0.000	0.000
X1	54.600	16.000	2143.000	2168.000	60.000	60.000	60.000	0.000	0.000	0.000
GR	898.400	2072.000	898.400	2072.000	898.400	2072.000	898.400	2072.000	898.400	2072.000
GR	898.040	2082.000	898.000	2090.000	889.300	2118.000	887.800	2143.000	886.600	2151.000
GR	886.300	2162.000	887.600	2168.000	891.700	2186.000	895.000	2231.000	896.700	2246.000
GR	899.200	2319.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	54.650	19.000	2625.000	2650.000	500.000	650.000	600.000	0.000	0.000	0.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.200	2560.000
GR	894.500	2590.000	892.300	2610.000	889.200	2625.000	888.600	2630.000	888.100	2635.000
GR	888.200	2640.000	888.700	2645.000	889.500	2650.000	892.000	2658.000	895.000	2693.000
GR	897.000	2723.000	899.400	2782.000	899.500	2793.000	902.200	2926.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2564.000	2659.000

(F)

X1	54.680	29.000	2624.000	2658.600	500.000	650.000	600.000	0.000	0.000	0.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.120	2602.700
GR	894.900	2619.000	894.600	2624.000	892.000	2628.500	890.220	2633.000	890.100	2633.700
GR	889.800	2634.700	889.700	2635.500	889.260	2637.400	889.300	2639.000	889.400	2640.100
GR	889.400	2641.700	889.510	2642.800	889.800	2644.400	889.900	2645.000	890.000	2645.500
GR	890.210	2647.200	890.600	2648.300	893.700	2658.600	895.090	2663.600	897.000	2714.000
GR	898.700	2753.700	899.400	2782.000	899.500	2793.000	902.200	2926.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2464.000	2659.000

MOORE BUSINESS FORMS, INC. 23

X1	54.690	40.000	2624.000	2658.600	50.000	50.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
GR	897.800	2022.000	897.800	2026.000	897.800	2038.000	897.800	2048.000	897.800	2054.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.120	2602.700
GR	894.900	2619.000	894.600	2624.000	892.000	2628.500	891.050	2633.000	890.220	2633.000
GR	890.100	2633.700	889.850	2634.700	889.700	2635.500	891.050	2635.500	891.430	2636.900
GR	892.000	2639.000	890.390	2639.000	889.350	2640.100	889.400	2641.700	889.450	2642.100
GR	890.390	2642.800	892.000	2642.800	892.090	2644.400	890.480	2644.400	889.900	2645.000
GR	890.000	2645.500	890.210	2647.200	890.600	2648.300	892.090	2648.300	895.500	2658.600
GR	897.000	2714.400	898.700	2753.700	899.400	2782.000	899.500	2793.000	902.200	2926.000
NC	0.000	0.000	.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2464.000	2659.000

PRIVATE DRIVE (G)

X1	54.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
BT	31.000	2022.000	897.800	0.000	2026.000	897.800	0.000	2038.000	897.800	0.000
BT	2048.000	897.800	0.000	2054.000	897.800	0.000	2074.000	897.500	0.000	2086.000
BT	895.900	0.000	2280.000	895.300	0.000	2498.000	895.280	0.000	2602.700	895.120
BT	0.000	2619.000	894.900	0.000	2624.000	894.600	0.000	2628.500	895.500	0.000
BT	2633.000	895.600	891.050	2633.700	895.600	891.760	2634.700	895.700	891.760	2635.500
BT	895.700	891.050	2639.000	895.800	892.000	2640.100	895.900	893.140	2641.700	896.000
BT	893.140	2642.800	896.000	892.000	2644.400	896.000	892.090	2645.500	896.000	893.230
BT	2647.200	896.000	893.230	2648.300	896.000	892.090	2658.600	896.000	0.000	2714.400
BT	897.000	0.000	2753.700	898.700	0.000	2782.000	899.400	0.000	2793.000	899.500
BT	0.000	2926.000	902.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2428.000	2659.000

X1	54.710	0.000	0.000	0.000	18.000	18.000	18.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2428.000	2659.000

X1	54.720	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2332.000	2662.000

X1	54.730	28.000	2624.000	2658.600	50.000	50.000	50.000	0.000	0.000	0.000
GR	897.550	2074.000	895.950	2086.000	895.350	2280.000	895.330	2498.000	895.170	2602.700
GR	894.950	2619.000	894.650	2624.000	892.050	2628.500	890.270	2633.000	890.150	2633.700
GR	889.850	2634.700	889.750	2635.500	889.310	2637.400	889.350	2639.000	889.450	2640.100
GR	889.450	2641.700	889.560	2642.800	889.850	2644.400	889.950	2645.000	890.050	2645.500
GR	890.260	2647.200	890.650	2648.300	893.750	2658.600	897.050	2714.400	898.750	2753.700
GR	899.450	2782.000	899.550	2793.000	902.250	2926.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
NC	.070	.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

FT	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	2335.000	2608.000

(H)

X1	55.000	18.000	2512.000	2562.000	600.000	900.000	780.000	0.000	0.000	0.000
GR	897.800	2054.000	897.500	2074.000	895.900	2086.000	892.400	2313.000	892.100	2377.000
GR	890.300	2482.000	889.500	2512.000	888.200	2518.000	888.900	2530.000	888.700	2542.000
GR	889.200	2562.000	890.300	2565.000	895.000	2636.000	896.100	2666.000	898.800	2718.000
GR	899.000	2732.000	898.900	2748.000	901.000	2784.000	0.000	0.000	0.000	0.000
NC	.100	.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	2087.000	2260.000

CORPORATE BOUNDARY (I)

X1	55.100	21.000	2184.000	2222.000	1820.000	1820.000	1820.000	0.000	0.000	0.000
GR	897.900	2067.000	897.900	2067.000	897.900	2067.000	897.900	2067.000	896.500	2074.000
GR	893.600	2086.000	892.700	2184.000	891.300	2186.000	890.500	2194.000	891.200	2206.000
GR	893.300	2222.000	894.500	2264.000	897.100	2294.000	899.000	2366.000	903.600	2492.000
GR	904.400	2502.000	912.300	2841.000	914.300	2933.000	922.000	3033.000	929.400	3095.000
GR	934.200	3124.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 1

CCHV= .100 CEHV= .300

*SECNO 50.000

3720 CRITICAL DEPTH ASSUMED

ABANDONED RAILROAD EMBANKMENT (A)

50.00	4.44	883.74	883.74	883.10	885.35	1.60	0.00	0.00	882.20
1330.	3.	1322.	5.	2.	130.	3.	0.	0.	882.20
0.00	1.39	10.19	1.50	.100	.040	.100	0.000	879.30	1997.54
.015516	0.	0.	0.	0	7	0	0.00	45.78	2043.32

*SECNO 2.900

3301 HV CHANGED MORE THAN HVINS

2.90	5.61	885.41	0.00	0.00	885.91	.50	.45	.11	882.60
1330.	34.	1133.	163.	22.	186.	109.	0.	0.	882.60
.00	1.53	6.10	1.50	.100	.040	.100	.040	879.80	1987.80
.004422	65.	60.	55.	3	0	0	0.00	120.20	2107.99

*SECNO 3.000

3.00	5.28	885.58	0.00	0.00	886.21	.63	.26	.04	883.10
1330.	29.	1159.	142.	18.	170.	89.	1.	0.	883.10
.01	1.62	6.81	1.59	.100	.040	.100	.039	880.30	1988.35
.006189	65.	50.	55.	2	0	0	0.00	117.34	2105.69

*SECNO 3.100

3685 20 TRIALS ATTEMPTED WSEL,CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

3.10	4.61	886.51	886.51	0.00	887.62	1.11	.75	.14	884.70
1330.	19.	1223.	88.	11.	139.	51.	1.	0.	884.70
.01	1.77	8.82	1.72	.100	.040	.100	.039	881.90	1989.48
.013612	110.	85.	85.	20	15	0	0.00	111.54	2101.02

*SECNO 50.800

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3301 HV CHANGED MORE THAN HVINS

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 1974.0 2054.0 TYPE= 1 TARGET= 80.000

50.80	4.20	887.60	887.60	0.00	889.36	1.76	1.18	.19	884.10
1330.	18.	1254.	57.	8.	115.	22.	1.	1.	884.00
.01	2.21	10.95	2.64	.100	.040	.100	.039	883.40	1995.21
.013938	110.	85.	85.	3	11	0	0.00	46.03	2041.24

CCHV= .300 CEHV= .500
*SECNO 50.900

3301 HV CHANGED MORE THAN HVINS

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 902.00 ELREA= 902.00

50.90	5.55	889.35	0.00	0.00	890.07	.73	.40	.31	905.10
1330.	0.	1330.	0.	0.	195.	0.	2.	1.	888.40
.01	0.00	6.84	0.00	.100	.040	.100	.039	883.80	2003.81
.005260	60.	50.	40.	4	0	0	0.00	46.19	2050.00

#SECNO 51.000

3370 NORMAL BRIDGE.NRD= 4 MIN ELTRD= 905.60 MAX ELLC= 905.70

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 902.00 ELREA= 902.00

RAILROAD BRIDGE (B)

51.00	5.52	889.32	0.00	0.00	890.11	.79	.00	.03	905.60
1330.	0.	1330.	0.	0.	187.	0.	2.	1.	888.40
.01	0.00	7.11	0.00	.100	.025	.100	.039	883.80	2004.62
.002287	1.	1.	1.	2	0	0	0.00	45.38	2050.00

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WIN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 51.100

3370 NORMAL BRIDGE,NRD= 4 MIN ELTRD= 905.60 MAX ELLC= 905.70

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 905.60 ELREA= 905.60

51.10	5.64	889.44	0.00	0.00	890.19	.74	.07	.01	905.60
1330.	0.	1330.	0.	0.	192.	0.	2.	1.	888.40
.01	0.00	6.92	0.00	.100	.025	.100	.038	883.80	2004.36
.002099	31.	31.	31.	0	0	0	0.00	45.64	2050.00

*SECNO 51.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 905.60 ELREA= 905.60

51.20	5.65	889.45	0.00	0.00	890.19	.74	.00	.00	905.10
1330.	0.	1330.	0.	0.	193.	0.	2.	1.	888.40
.01	0.00	6.90	0.00	.100	.045	.100	.038	883.80	2004.34
.006759	1.	1.	1.	0	0	0	0.00	45.66	2050.00

*SECNO 51.500

3470 ENCROACHMENT STATIONS= 1946.0 2061.0 TYPE= 1 TARGET= 115.000

51.50	8.01	890.01	0.00	0.00	890.40	.39	.10	.11	884.60
1330.	143.	1101.	86.	109.	202.	63.	2.	1.	884.40
.02	1.32	5.45	1.37	-.100	.045	.100	.038	882.00	1959.76
.002092	30.	30.	30.	2	0	0	0.00	92.16	2051.92

*SECNO 51.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 898.00 ELREA= 898.00

51.90	7.96	890.26	0.00	0.00	890.93	.66	.39	.14	900.50
1330.	0.	1330.	0.	0.	204.	0.	3.	1.	900.00
.02	0.00	6.52	0.00	.100	.045	.100	.040	882.30	2000.00
.004595	130.	130.	130.	2	0	0	0.00	29.00	2029.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 52.000

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 900.00 MAX ELLC= 900.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 898.00 ELREA= 898.00

MONROE ST. BRIDGE (C)

52.00	7.87	890.17	0.00	0.00	891.03	.86	.00	.10	900.50
1330.	0.	1330.	0.	0.	178.	0.	3.	1.	900.00
.02	0.00	7.46	0.00	.100	.025	.100	.040	882.30	2000.00
.002803	1.	1.	1.	2	0	0	-22.67	29.00	2029.00

*SECNO 52.100

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 900.00 MAX ELLC= 900.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 900.60 ELREA= 900.60

52.10	7.97	890.27	0.00	0.00	891.11	.84	.08	.01	900.50
1330.	0.	1330.	0.	0.	180.	0.	3.	1.	900.00
.02	0.00	7.37	0.00	.100	.025	.100	.039	882.30	2000.00
.002719	28.	28.	28.	0	0	0	-23.50	29.00	2029.00

*SECNO 52.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 900.60 ELREA= 900.60

52.20	8.28	890.58	0.00	0.00	891.19	.60	.00	.07	900.50
1330.	0.	1330.	0.	0.	213.	0.	3.	1.	900.00
.02	0.00	6.24	0.00	.100	.045	.100	.039	882.30	2000.00
.004040	1.	1.	1.	2	0	0	0.00	29.00	2029.00

*SECNO 52.300

3470 ENCROACHMENT STATIONS= 1950.0 2076.0 TYPE= 1 TARGET= 126.000

52.30	8.87	891.17	0.00	0.00	891.43	.26	.14	.10	884.50
1330.	225.	915.	191.	165.	190.	147.	3.	1.	884.70
.03	1.36	4.82	1.30	.100	.045	.100	.039	882.30	1950.00
.001463	60.	60.	60.	2	0	0	0.00	126.00	2076.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	OLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

CCHV= .100 CEHV= .300
*SECNO 53.000
(D)

53.00	8.22	892.02	0.00	0.00	892.15	.13	.71	.01	886.10
1330.	36.	1195.	99.	48.	398.	146.	14.	4.	888.20
.10	.75	3.00	.68	.100	.045	.100	.041	883.80	2115.63
.000642	725.	725.	1040.	3	0	0	0.00	147.04	2262.67

*SECNO 53.500

3470 ENCROACHMENT STATIONS= 2063.0 2258.0 TYPE= 1 TARGET= 195.000

53.50	8.40	892.20	0.00	0.00	892.31	.12	.17	.00	886.10
1330.	37.	1186.	107.	51.	408.	157.	17.	5.	888.20
.13	.72	2.91	.68	.100	.045	.100	.042	883.80	2115.15
.000582	270.	270.	270.	2	0	0	0.00	142.85	2258.00

CCHV= .300 CEHV= .500
*SECNO 53.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 902.90 ELREA= 902.90

53.90	7.02	892.42	0.00	0.00	892.78	.36	.35	.12	888.60
1330.	0.	1330.	0.	0.	277.	0.	21.	5.	904.90
.15	0.00	4.81	0.00	.060	.045	.090	.042	885.40	2025.00
.002718	320.	320.	320.	2	0	0	0.00	45.00	2070.00

*SECNO 54.000

3370 NORMAL BRIDGE,NRD= 19 MIN ELTRD= 903.90 MAX ELLC= 906.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 902.90 ELREA= 902.90

MARSHALL AVE. BRIDGE (E)

54.00	6.97	892.37	0.00	0.00	892.84	.47	.00	.06	888.60
1330.	0.	1330.	0.	0.	241.	0.	21.	5.	904.90
.15	0.00	5.52	0.00	.060	.025	.090	.042	885.40	2025.00
.001573	1.	1.	1.	2	0	0	-33.09	45.00	2070.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VPOB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 54.100

3370 NORMAL BRIDGE.NRD= 17 MIN ELTRD= 904.10 MAX ELLC= 906.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 905.20 ELREA= 905.20

54.10	6.51	892.41	0.00	0.00	892.94	.53	.07	.03	888.70
1330.	0.	1330.	0.	0.	227.	0.	21.	5.	904.10
.15	0.00	5.86	0.00	.060	.025	.090	.042	885.90	2025.00
.001823	43.	43.	43.	2	0	0	-33.06	45.00	2070.00

*SECNO 54.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 905.20 ELREA= 905.20

54.20	6.71	892.61	0.00	0.00	892.99	.38	.00	.05	888.70
1330.	0.	1330.	0.	0.	269.	0.	21.	5.	904.10
.15	0.00	4.94	0.00	.060	.045	.090	.042	885.90	2025.00
.002815	1.	1.	1.	2	0	0	0.00	45.00	2070.00

*SECNO 54.250

3470 ENCROACHMENT STATIONS= 1947.0 2145.0 TYPE= 1 TARGET= 198.000

54.25	7.27	893.07	0.00	0.00	893.13	.06	.05	.09	887.50
1330.	35.	1280.	14.	38.	625.	26.	22.	6.	887.50
.16	.93	2.05	.55	.060	.045	.090	.042	885.80	1987.29
.000306	65.	65.	65.	2	0	0	0.00	116.14	2103.43

CCHV= .100 CEHV= .300
CCHV= .100 CEHV= .300

*SECNO 54.400

54.40	6.20	893.00	0.00	0.00	893.28	.28	.08	.06	888.80
840.	47.	774.	19.	35.	176.	21.	23.	6.	890.70
.17	1.33	4.40	.90	.080	.045	.080	.042	886.80	2067.20
.001987	150.	150.	150.	2	0	0	0.00	68.30	2135.51

*SECNO 54.600

54.60	6.94	893.24	0.00	0.00	893.37	.13	.08	.02	887.80
840.	204.	546.	90.	142.	161.	81.	24.	6.	887.60
.18	1.43	3.39	1.12	.080	.045	.080	.042	886.30	2105.31
.000894	60.	60.	60.	2	0	0	0.00	101.72	2207.03

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
*SECNO 54.650									
54.65	5.82	893.92	0.00	0.00	894.19	.27	.78	.04	889.20
840.	129.	625.	86.	59.	133.	47.	28.	7.	889.50
.22	2.17	4.69	1.83	.060	.045	.060	.043	888.10	2595.27
.002186	500.	600.	650.	2	0	0	0.00	85.13	2680.40
*SECNO 54.680									
3470 ENCROACHMENT STATIONS=		2564.0	2659.0	TYPE=	1	TARGET=		95.000	
(F)									
54.68	6.24	895.50	0.00	0.00	895.93	.43	1.69	.05	894.60
840.	23.	817.	1.	25.	153.	1.	31.	8.	893.70
.25	.90	5.34	.74	.060	.045	.060	.043	889.26	2564.00
.003851	500.	600.	650.	2	0	0	0.00	95.00	2659.00
*SECNO 54.690									
3470 ENCROACHMENT STATIONS=		2464.0	2659.0	TYPE=	1	TARGET=		195.000	
54.69	6.47	895.82	0.00	0.00	896.17	.35	.24	.01	894.60
840.	147.	693.	0.	102.	133.	0.	31.	9.	895.50
.25	1.44	5.22	.61	.060	.045	.060	.043	889.35	2464.00
.006051	50.	50.	50.	3	0	0	0.00	195.00	2659.00
*SECNO 54.700									
3370 NORMAL BRIDGE,NRD= 31 MIN ELTRD= 894.60 MAX ELLC= 893.23									
3685 20 TRIALS ATTEMPTED WSEL,CWSEL									
3693 PROBABLE MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
3470 ENCROACHMENT STATIONS=		2464.0	2659.0	TYPE=	1	TARGET=		195.000	
PRIVATE DRIVE (G)									
54.70	6.72	896.07	896.07	0.00	896.59	.52	.01	.05	894.60
840.	533.	307.	0.	142.	38.	0.	31.	9.	895.50
.25	3.75	8.19	.04	.060	.020	.060	.043	889.35	2464.00
.026508	1.	1.	1.	20	10	0	-104.21	195.00	2659.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 54.710

3370 NORMAL BRIDGE,NRD= 31 MIN ELTRD= 894.60 MAX ELLC= 893.23

3470 ENCROACHMENT STATIONS=			2428.0	2659.0	TYPE=	1	TARGET=	231.000	
54.71	7.30	896.65	0.00	0.00	896.79	.14	.16	.04	894.60
840.	588.	252.	0.	284.	58.	0.	31.	9.	895.50
.25	2.07	4.37	.64	.060	.020	.060	.043	889.35	2428.00
.004281	18.	18.	18.	2	0	0	-104.21	231.00	2659.00

*SECNO 54.720

3470 ENCROACHMENT STATIONS=			2428.0	2659.0	TYPE=	1	TARGET=	231.000	
54.72	7.36	896.71	0.00	0.00	896.79	.09	.00	.01	894.60
840.	363.	477.	0.	295.	164.	0.	31.	9.	895.50
.25	1.23	2.92	.42	.060	.045	.060	.043	889.35	2428.00
.001431	1.	1.	1.	2	0	0	0.00	231.00	2659.00

*SECNO 54.730

3470 ENCROACHMENT STATIONS=			2332.0	2662.0	TYPE=	1	TARGET=	330.000	
54.73	7.47	896.78	0.00	0.00	896.84	.06	.04	.00	894.65
840.	347.	485.	8.	438.	196.	10.	32.	9.	893.75
.26	.79	2.48	.83	.060	.045	.060	.043	889.31	2332.00
.000597	50.	50.	50.	2	0	0	0.00	330.00	2662.00

CCHV= .100 CEHV= .300

*SECNO 55.000 (H)

55.00	8.69	896.89	0.00	0.00	896.89	.00	.05	.01	889.50
840.	492.	264.	84.	1729.	404.	369.	56.	16.	889.20
.75	.28	.65	.23	.070	.045	.080	.044	888.20	2078.58
.000024	600.	780.	900.	2	0	0	0.00	602.61	2681.19

*SECNO 55.100 CORPORATE BOUNDARY (I)

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
55.10	6.48	896.98	0.00	0.00	897.02	.04	.12	.01	892.70
840.	298.	443.	98.	399.	208.	165.	124.	33.	893.30
1.10	.75	2.13	.60	.100	.045	.100	.045	890.50	2071.60
.000443	1820.	1820.	1820.	2	0	0	0.00	221.01	2292.62

MOORE BUSINESS FORMS, INC. 23

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1      FIS  CITY OF MARSHALL
T2      100-YEAR FLOODWAY
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	6.	0.	0.	0.000000	0.00	0.0	0.	883.100	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	15.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*PROF 2

CCHV= .100 CEHV= .300

*SECNO 50.000
2800 NAT Q1= 106.77 WSEL= 883.74 ENC Q1= 111.53 WSEL= 883.84 RATIO= -.0446
NAT Q1= 112. RATIOS LOB,CH,ROB= .0022 .9935 .0042 WSEL= 883.84
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 2000.0 2039.0 TYPE= 4 TARGET= .006
ABANDONED RAILROAD EMBANKMENT (A)

50.00	4.42	883.72	883.72	883.74	885.37	1.65	0.00	0.00	882.20
1330.	0.	1330.	0.	0.	129.	0.	0.	0.	882.20
0.00	0.00	10.31	0.00	.100	.040	.100	0.000	879.30	2000.00
.017670	0.	0.	0.	0	7	0	0.00	39.00	2039.00

*SECNO 2.900
2800 NAT Q1= 200.01 WSEL= 885.41 ENC Q1= 200.01 WSEL= 885.51 RATIO= 0.0000
NAT Q1= 210. RATIOS LOB,CH,ROB= .0262 .8463 .1276 WSEL= 885.51

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 1999.3 2090.1 TYPE= 4 TARGET= .049

2.90	5.61	885.41	0.00	885.41	885.98	.57	.50	.11	882.60
1330.	1.	1189.	140.	2.	186.	87.	0.	0.	882.60
.00	.69	6.40	1.61	.100	.040	.100	.040	879.80	1999.34
.004851	65.	60.	55.	4	0	0	0.00	90.72	2090.05

*SECNO 3.000
2800 NAT Q1= 169.06 WSEL= 885.58 ENC Q1= 169.06 WSEL= 885.68 RATIO= 0.0000
NAT Q1= 178. RATIOS LOB,CH,ROB= .0231 .8651 .1118 WSEL= 885.68

3470 ENCROACHMENT STATIONS= 2000.0 2085.3 TYPE= 4 TARGET= .053

3.00	5.30	885.60	0.00	885.58	886.32	.72	.29	.04	883.10
1330.	0.	1215.	115.	0.	171.	66.	1.	0.	883.10
.00	0.00	7.09	1.75	.100	.040	.100	.039	880.30	2000.00
.007095	65.	50.	55.	2	0	0	0.00	85.28	2085.28

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 3.100
3685 20 TRIALS ATTEMPTED WSEL,CWSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 1989.0 2101.0 TYPE= 1 TARGET= 112.000

3.10	4.61	886.51	886.51	886.51	887.62	1.11	.81	.12	884.70
1330.	19.	1222.	89.	11.	139.	52.	1.	0.	884.70
.01	1.77	8.80	1.72	.100	.040	.100	.039	881.90	1989.47
.013532	110.	85.	85.	20	15	0	0.00	111.52	2101.00

*SECNO 50.800

3301 HV CHANGED MORE THAN HVINS

7185 MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 1974.0 2054.0 TYPE= 1 TARGET= 80.000

50.80	4.20	887.60	887.60	887.60	889.36	1.76	1.17	.20	884.10
1330.	18.	1254.	57.	8.	115.	22.	1.	1.	884.00
.01	2.21	10.95	2.64	.100	.040	.100	.039	883.40	1995.21
.013938	110.	85.	85.	3	11	0	0.00	46.03	2041.24

CCHV= .300 CEHV= .500
*SECNO 50.900

3301 HV CHANGED MORE THAN HVINS

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 902.00 ELREA= 902.00

50.90	5.55	889.35	0.00	889.35	890.07	.73	.40	.31	905.10
1330.	0.	1330.	0.	0.	195.	0.	2.	1.	888.40
.01	0.00	6.84	0.00	.100	.040	.100	.039	883.80	2003.81
.005260	60.	50.	40.	4	0	0	0.00	46.19	2050.00

*SECNO 51.000

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

3370 NORMAL BRIDGE,NRD= 4 MIN ELTRD= 905.60 MAX ELLC= 905.70

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 902.00 ELREA= 902.00

RAILROAD BRIDGE (B)

51.00	5.52	889.32	0.00	889.32	890.11	.79	.00	.03	905.60
1330.	0.	1330.	0.	0.	187.	0.	2.	1.	888.40
.01	0.00	7.11	0.00	.100	.025	.100	.039	883.80	2004.62
.002287	1.	1.	1.	2	0	0	0.00	45.38	2050.00

*SECNO 51.100

3370 NORMAL BRIDGE,NRD= 4 MIN ELTRD= 905.60 MAX ELLC= 905.70

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 905.60 ELREA= 905.60

51.10	5.64	889.44	0.00	889.44	890.19	.74	.07	.01	905.60
1330.	0.	1330.	0.	0.	192.	0.	2.	1.	888.40
.01	0.00	6.92	0.00	.100	.025	.100	.038	883.80	2004.36
.002099	31.	31.	31.	0	0	0	0.00	45.64	2050.00

*SECNO 51.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 905.60 ELREA= 905.60

51.20	5.65	889.45	0.00	889.45	890.19	.74	.00	.00	905.10
1330.	0.	1330.	0.	0.	193.	0.	2.	1.	888.40
.01	0.00	6.90	0.00	.100	.045	.100	.038	883.80	2004.34
.006759	1.	1.	1.	0	0	0	0.00	45.66	2050.00

*SECNO 51.500

3470 ENCROACHMENT STATIONS= 1946.0 2061.0 TYPE= 1 TARGET= 115.000

51.50	8.01	890.01	0.00	890.01	890.40	.39	.10	.11	884.60
1330.	143.	1101.	86.	109.	202.	63.	2.	1.	884.40
.02	1.32	5.45	1.37	.100	.045	.100	.038	882.00	1959.76
.002092	30.	30.	30.	2	0	0	0.00	92.16	2051.92

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 51.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 898.00 ELREA= 898.00

51.90	7.96	890.26	0.00	890.26	890.93	.66	.39	.14	900.50
1330.	0.	1330.	0.	0.	204.	0.	3.	1.	900.00
.02	0.00	6.52	0.00	.100	.045	.100	.040	882.30	2000.00
.004595	130.	130.	130.	2	0	0	0.00	29.00	2029.00

*SECNO 52.000

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 900.00 MAX ELLC= 900.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 898.00 ELREA= 898.00

MONROE ST. BRIDGE (C)

52.00	7.87	890.17	0.00	890.17	891.03	.86	.00	.10	900.50
1330.	0.	1330.	0.	0.	178.	0.	3.	1.	900.00
.02	0.00	7.46	0.00	.100	.025	.100	.040	882.30	2000.00
.002803	1.	1.	1.	2	0	0	-22.67	29.00	2029.00

*SECNO 52.100

3370 NORMAL BRIDGE,NRD= 9 MIN ELTRD= 900.00 MAX ELLC= 900.50

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 900.60 ELREA= 900.60

52.10	7.97	890.27	0.00	890.27	891.11	.84	.08	.01	900.50
1330.	0.	1330.	0.	0.	180.	0.	3.	1.	900.00
.02	0.00	7.37	0.00	.100	.025	.100	.039	882.30	2000.00
.002719	28.	28.	28.	0	0	0	-23.50	29.00	2029.00

*SECNO 52.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 900.60 ELREA= 900.60

52.20	8.28	890.58	0.00	890.58	891.19	.60	.00	.07	900.50
1330.	0.	1330.	0.	0.	213.	0.	3.	1.	900.00
.02	0.00	6.24	0.00	.100	.045	.100	.039	882.30	2000.00
.004040	1.	1.	1.	2	0	0	0.00	29.00	2029.00

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 52.300

3470 ENCROACHMENT STATIONS= 1950.0 2076.0 TYPE= 1 TARGET= 126.000

52.30	8.87	891.17	0.00	891.17	891.43	.26	.14	.10	884.50
1330.	225.	915.	191.	165.	190.	147.	3.	1.	884.70
.03	1.36	4.82	1.30	.100	.045	.100	.039	882.30	1950.00
.001463	60.	60.	60.	2	0	0	0.00	126.00	2076.00

CCHV= .100 CEHV= .300

*SECNO 53.000

2800 NAT Q1= 524.74 WSEL= 892.02 ENC Q1= 524.74 WSEL= 892.12 RATIO= 0.0000

NAT Q1= 540. RATIOS LOB,CH,ROB= .0276 .8953 .0771 WSEL= 892.12

3470 ENCROACHMENT STATIONS= 2127.6 2227.7 TYPE= 4 TARGET= .027

(D)

53.00	8.23	892.03	0.00	892.02	892.17	.14	.73	.01	886.10
1330.	16.	1229.	85.	23.	398.	111.	13.	3.	888.20
.10	.71	3.09	.76	.100	.045	.100	.041	883.80	2127.60
.000676	725.	725.	1040.	0	0	0	0.00	100.10	2227.71

*SECNO 53.500

3470 ENCROACHMENT STATIONS= 2063.0 2258.0 TYPE= 1 TARGET= 195.000

53.50	8.42	892.22	0.00	892.20	892.34	.12	.17	.00	886.10
1330.	37.	1185.	107.	52.	409.	159.	16.	4.	888.20
.13	.72	2.90	.68	.100	.045	.100	.042	883.80	2115.08
.000574	270.	270.	270.	2	0	0	0.00	142.92	2258.00

CCHV= .300 CEHV= .500

*SECNO 53.900

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE,ELLEA= 902.90 ELREA= 902.90

53.90	7.05	892.45	0.00	892.42	892.80	.36	.34	.12	888.60
1330.	0.	1330.	0.	0.	278.	0.	20.	5.	904.90
.15	0.00	4.79	0.00	.060	.045	.090	.042	885.40	2025.00
.002689	320.	320.	320.	2	0	0	0.00	45.00	2070.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VCL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 54.000

3370 NORMAL BRIDGE.NRD= 19 MIN ELTRD= 903.90 MAX ELLC= 906.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 902.90 ELREA= 902.90

MARSHALL AVE. BRIDGE (E)

54.00	6.99	892.39	0.00	892.37	892.86	.47	.00	.06	888.60
1330.	0.	1330.	0.	0.	242.	0.	20.	5.	904.90
.15	0.00	5.50	0.00	.060	.025	.090	.042	885.40	2025.00
.001562	1.	1.	1.	2	0	0	-33.35	45.00	2070.00

*SECNO 54.100

3370 NORMAL BRIDGE.NRD= 17 MIN ELTRD= 904.10 MAX ELLC= 906.60

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 905.20 ELREA= 905.20

54.10	6.53	892.43	0.00	892.41	892.96	.53	.07	.03	888.70
1330.	0.	1330.	0.	0.	228.	0.	20.	5.	904.10
.15	0.00	5.84	0.00	.060	.025	.090	.042	885.90	2025.00
.001809	43.	43.	43.	2	0	0	-33.32	45.00	2070.00

*SECNO 54.200

3495 OVERBANK AREA ASSUMED NON-EFFECTIVE.ELLEA= 905.20 ELREA= 905.20

54.20	6.73	892.63	0.00	892.61	893.01	.38	.00	.05	888.70
1330.	0.	1330.	0.	0.	270.	0.	20.	5.	904.10
.15	0.00	4.92	0.00	.060	.045	.090	.042	885.90	2025.00
.002785	-1.	1.	1.	2	0	0	0.00	45.00	2070.00

*SECNO 54.250

3470 ENCROACHMENT STATIONS= 1947.0 2145.0 TYPE= 1 TARGET= 198.000

54.25	7.29	893.09	0.00	893.07	893.15	.06	.04	.09	887.50
1330.	35.	1280.	15.	38.	626.	26.	21.	5.	887.50
.16	.93	2.04	.55	.060	.045	.090	.042	885.80	1987.26
.000304	65.	65.	65.	2	0	0	0.00	116.21	2103.48

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	QLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAP	TOPWID	ENDST

CCHV= .100 CEHV= .300
CCHV= .100 CEHV= .300
*SECNO 54.400
2800 NAT Q1= 188.46 WSEL= 893.00 ENC Q1= 188.46 WSEL= 893.10 RATIO= 0.0000
NAT Q1= 195. RATIOS LOB,CH,ROB= .0574 .9178 .0247 WSEL= 893.10

3470 ENCROACHMENT STATIONS= 2077.5 2119.5 TYPE= 4 TARGET= .034

54.40	6.19	892.99	0.00	893.00	893.30	.31	.08	.07	888.80
840.	33.	801.	5.	22.	176.	5.	22.	5.	890.70
.17	1.53	4.56	.97	.080	.045	.080	.042	886.80	2077.51
.002137	150.	150.	150.	2	0	0	0.00	42.02	2119.54

*SECNO 54.600
2800 NAT Q1= 280.87 WSEL= 893.24 ENC Q1= 280.87 WSEL= 893.34 RATIO= -.0000
NAT Q1= 290. RATIOS LOB,CH,ROB= .2439 .6458 .1103 WSEL= 893.34

3470 ENCROACHMENT STATIONS= 2115.5 2186.0 TYPE= 4 TARGET= .032

54.60	6.96	893.26	0.00	893.24	893.40	.14	.08	.02	887.80
840.	194.	560.	85.	127.	161.	65.	23.	5.	887.60
.17	1.53	3.47	1.31	.080	.045	.080	.042	886.30	2115.50
.000931	60.	60.	60.	2	0	0	0.00	70.52	2186.02

*SECNO 54.650
2800 NAT Q1= 179.66 WSEL= 893.92 ENC Q1= 179.66 WSEL= 894.02 RATIO= 0.0000
NAT Q1= 187. RATIOS LOB,CH,ROB= .1571 .7373 .1056 WSEL= 894.02

3470 ENCROACHMENT STATIONS= 2608.8 2661.6 TYPE= 4 TARGET= .040

54.65	5.86	893.96	0.00	893.92	894.26	.29	.81	.05	889.20
840.	124.	644.	73.	50.	134.	32.	26.	6.	889.50
.21	2.46	4.79	2.26	.060	.045	.060	.043	888.10	2608.78
.002257	500.	600.	650.	2	0	0	0.00	52.79	2661.57

*SECNO 54.680

3470 ENCROACHMENT STATIONS= 2564.0 2659.0 TYPE= 1 TARGET= 95.000
(F)

54.68	6.30	895.56	0.00	895.50	895.97	.41	1.68	.04	894.60
840.	27.	812.	1.	29.	155.	1.	29.	7.	893.70
.24	.94	5.24	.72	.060	.045	.060	.043	889.26	2564.00
.003641	500.	600.	650.	2	0	0	0.00	95.00	2659.00

MOORE BUSINESS FORMS, INC 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 54.690

3470 ENCROACHMENT STATIONS= 2464.0 2659.0 TYPE= 1 TARGET= 195.000

54.69	6.52	895.87	0.00	895.82	896.20	.33	.22	.01	894.60
840.	159.	681.	0.	109.	134.	0.	29.	7.	895.50
.25	1.45	5.07	.62	.060	.045	.060	.043	889.35	2464.00
.005610	50.	50.	50.	2	0	0	0.00	195.00	2659.00

*SECNO 54.700

3370 NORMAL BRIDGE,NRD= 31 MIN ELTRD= 894.60 MAX ELLC= 893.23

3685 20 TRIALS ATTEMPTED WSEL,CWSEL
3693 PROBABLE MINIMUM SPECIFIC ENERGY
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 2464.0 2659.0 TYPE= 1 TARGET= 195.000
PRIVATE DRIVE (G)

54.70	6.72	896.07	896.07	896.07	896.59	.52	.01	.06	894.60
840.	533.	307.	0.	142.	38.	0.	29.	7.	895.50
.25	3.75	8.19	.04	.060	.020	.060	.043	889.35	2464.00
.026508	1.	1.	1.	20	10	0	-104.21	195.00	2659.00

*SECNO 54.710

3370 NORMAL BRIDGE,NRD= 31 MIN ELTRD= 894.60 MAX ELLC= 893.23

3470 ENCROACHMENT STATIONS= 2428.0 2659.0 TYPE= 1 TARGET= 231.000

54.71	7.30	896.65	0.00	896.65	896.79	.14	.16	.04	894.60
840.	588.	252.	0.	284.	58.	0.	29.	7.	895.50
.25	2.07	4.37	.64	.060	.020	.060	.043	889.35	2428.00
.004281	18.	18.	18.	2	0	0	-104.21	231.00	2659.00

*SECNO 54.720

3470 ENCROACHMENT STATIONS= 2428.0 2659.0 TYPE= 1 TARGET= 231.000

54.72	7.36	896.71	0.00	896.71	896.79	.09	.00	.01	894.60
840.	363.	477.	0.	295.	164.	0.	29.	7.	895.50
.25	1.23	2.92	.42	.060	.045	.060	.043	889.35	2428.00
.001431	1.	1.	1.	2	0	0	0.00	231.00	2659.00

MOORE BUSINESS FORMS, INC. 23

SECNO	DEPTH	CWSEL	CRIWS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST

*SECNO 54.730

3470 ENCROACHMENT STATIONS= 2332.0 2662.0 TYPE= 1 TARGET= 330.000

54.73	7.47	896.78	0.00	896.78	896.84	.06	.04	.00	894.65
840.	347.	485.	8.	438.	196.	10.	30.	7.	893.75
.26	.79	2.48	.83	.060	.045	.060	.043	889.31	2332.00
.000597	50.	50.	50.	2	0	0	0.00	330.00	2662.00

CCHV= .100 CEHV= .300
*SECNO 55.000

3470 ENCROACHMENT STATIONS= (H) 2335.0 2608.0 TYPE= 1 TARGET= 273.000

55.00	8.71	896.91	0.00	896.89	896.92	.01	.07	.01	889.50
840.	423.	335.	82.	1007.	405.	244.	48.	12.	889.20
.60	.42	.83	.33	.070	.045	.080	.044	888.20	2335.00
.000039	600.	780.	900.	2	0	0	0.00	273.00	2608.00

*SECNO 55.100

3470 ENCROACHMENT STATIONS= CORPORATE BOUNDARY (I) 2087.0 2260.0 TYPE= 1 TARGET= 173.000

55.10	6.55	897.05	0.00	896.98	897.10	.05	.17	.01	892.70
840.	294.	464.	81.	379.	211.	122.	98.	21.	893.30
.92	.78	2.21	.67	.100	.045	.100	.045	890.50	2087.00
.000465	1820.	1820.	1820.	2	0	0	0.00	173.00	2260.00

MOORE BUSINESS FORMS, INC 23

****
HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
ERROR CORR - 01,02,03,04
MODIFICATION - 50,51,52,53,54
****

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

RICE CREEK

SUMMARY PRINTOUT

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
*	50.000	883.74	1997.54	2000.00	2039.00	2043.32	45.78	0.00
*	50.000	883.72	2000.00	2000.00	2039.00	2039.00	39.00	0.00
	2.900	885.41	1987.80	2000.00	2047.00	2107.99	120.20	60.00
	2.900	885.41	1999.34	2000.00	2047.00	2090.05	90.72	60.00
	3.000	885.58	1988.35	2000.00	2047.00	2105.69	117.34	50.00
	3.000	885.60	2000.00	2000.00	2047.00	2085.28	85.28	50.00
*	3.100	886.51	1989.48	2000.00	2047.00	2101.02	111.54	85.00
*	3.100	886.51	1989.47	2000.00	2047.00	2101.00	111.52	85.00
*	50.800	887.60	1995.21	2000.00	2029.00	2041.24	46.03	85.00
*	50.800	887.60	1995.21	2000.00	2029.00	2041.24	46.03	85.00
	50.900	889.35	2003.81	2000.00	2050.00	2050.00	46.19	50.00
	50.900	889.35	2003.81	2000.00	2050.00	2050.00	46.19	50.00
	51.000	889.32	2004.62	2000.00	2050.00	2050.00	45.38	1.00
	51.000	889.32	2004.62	2000.00	2050.00	2050.00	45.38	1.00
	51.100	889.44	2004.36	2000.00	2050.00	2050.00	45.64	31.00
	51.100	889.44	2004.36	2000.00	2050.00	2050.00	45.64	31.00
	51.200	889.45	2004.34	2000.00	2050.00	2050.00	45.66	1.00
	51.200	889.45	2004.34	2000.00	2050.00	2050.00	45.66	1.00
	51.500	890.01	1959.76	2000.00	2029.00	2051.92	92.16	30.00
	51.500	890.01	1959.76	2000.00	2029.00	2051.92	92.16	30.00
	51.900	890.26	2000.00	2000.00	2029.00	2029.00	29.00	130.00
	51.900	890.26	2000.00	2000.00	2029.00	2029.00	29.00	130.00

MOORE BUSINESS FORMS, INC 23

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
	52.000	890.17	2000.00	2000.00	2029.00	2029.00	29.00	1.00
	52.000	890.17	2000.00	2000.00	2029.00	2029.00	29.00	1.00
	52.100	890.27	2000.00	2000.00	2029.00	2029.00	29.00	28.00
	52.100	890.27	2000.00	2000.00	2029.00	2029.00	29.00	28.00
	52.200	890.58	2000.00	2000.00	2029.00	2029.00	29.00	1.00
	52.200	890.58	2000.00	2000.00	2029.00	2029.00	29.00	1.00
	52.300	891.17	1950.00	2000.00	2025.00	2076.00	126.00	60.00
	52.300	891.17	1950.00	2000.00	2025.00	2076.00	126.00	60.00
	53.000	892.02	2115.63	2132.00	2190.00	2262.67	147.04	725.00
	53.000	892.03	2127.60	2132.00	2190.00	2227.71	100.10	725.00
	53.500	892.20	2115.15	2132.00	2190.00	2258.00	142.85	270.00
	53.500	892.22	2115.08	2132.00	2190.00	2258.00	142.92	270.00
	53.900	892.42	2025.00	2025.00	2070.00	2070.00	45.00	320.00
	53.900	892.45	2025.00	2025.00	2070.00	2070.00	45.00	320.00
	54.000	892.37	2025.00	2025.00	2070.00	2070.00	45.00	1.00
	54.000	892.39	2025.00	2025.00	2070.00	2070.00	45.00	1.00
	54.100	892.41	2025.00	2025.00	2070.00	2070.00	45.00	42.80
	54.100	892.43	2025.00	2025.00	2070.00	2070.00	45.00	42.80
	54.200	892.61	2025.00	2025.00	2070.00	2070.00	45.00	1.00
	54.200	892.63	2025.00	2025.00	2070.00	2070.00	45.00	1.00
	54.250	893.07	1987.29	2000.00	2093.00	2103.43	116.14	65.00
	54.250	893.09	1987.26	2000.00	2093.00	2103.48	116.21	65.00
	54.400	893.00	2067.20	2084.00	2117.00	2135.51	68.30	150.00
	54.400	892.99	2077.51	2084.00	2117.00	2119.54	42.02	150.00
	54.600	893.24	2105.31	2143.00	2168.00	2207.03	101.72	60.00
	54.600	893.26	2115.50	2143.00	2168.00	2186.02	70.52	60.00
	54.650	893.92	2595.27	2625.00	2650.00	2680.40	85.13	600.00
	54.650	893.96	2608.78	2625.00	2650.00	2661.57	52.79	600.00
	54.680	895.50	2564.00	2624.00	2658.60	2659.00	95.00	600.00
	54.680	895.56	2564.00	2624.00	2658.60	2659.00	95.00	600.00
	54.690	895.82	2464.00	2624.00	2658.60	2659.00	195.00	50.00
	54.690	895.87	2464.00	2624.00	2658.60	2659.00	195.00	50.00
*	54.700	896.07	2464.00	2624.00	2658.60	2659.00	195.00	1.00
*	54.700	896.07	2464.00	2624.00	2658.60	2659.00	195.00	1.00

MOORE BUSINESS FORMS, INC 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
54.710	896.65	2428.00	2624.00	2658.60	2659.00	231.00	18.00
54.710	896.65	2428.00	2624.00	2658.60	2659.00	231.00	18.00
54.720	896.71	2428.00	2624.00	2658.60	2659.00	231.00	1.00
54.720	896.71	2428.00	2624.00	2658.60	2659.00	231.00	1.00
54.730	896.78	2332.00	2624.00	2658.60	2662.00	330.00	50.00
54.730	896.78	2332.00	2624.00	2658.60	2662.00	330.00	50.00
55.000	896.89	2078.58	2512.00	2562.00	2681.19	602.61	780.00
55.000	896.91	2335.00	2512.00	2562.00	2608.00	273.00	780.00
55.100	896.98	2071.60	2184.00	2222.00	2292.62	221.01	1820.00
55.100	897.05	2087.00	2184.00	2222.00	2260.00	173.00	1820.00

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
*	50.000	0.00	0.00	0.00	879.30	1330.00	883.74	883.74	885.35	155.16	10.19	134.96	106.77
*	50.000	0.00	0.00	0.00	879.30	1330.00	883.72	883.72	885.37	176.70	10.31	128.96	100.05
	2.900	60.00	0.00	0.00	879.80	1330.00	885.41	0.00	885.91	44.22	6.10	316.36	200.01
	2.900	60.00	0.00	0.00	879.80	1330.00	885.41	0.00	885.98	48.51	6.40	274.61	190.96
	3.000	50.00	0.00	0.00	880.30	1330.00	885.58	0.00	886.21	61.89	6.81	277.17	169.06
	3.000	50.00	0.00	0.00	880.30	1330.00	885.60	0.00	886.32	70.95	7.09	237.14	157.89
*	3.100	85.00	0.00	0.00	881.90	1330.00	886.51	886.51	887.62	136.12	8.82	200.62	114.00
*	3.100	85.00	0.00	0.00	881.90	1330.00	886.51	886.51	887.62	135.32	8.80	201.12	114.33
*	50.800	85.00	0.00	0.00	883.40	1330.00	887.60	887.60	889.36	139.38	10.95	144.53	112.65
*	50.800	85.00	0.00	0.00	883.40	1330.00	887.60	887.60	889.36	139.38	10.95	144.53	112.65
	50.900	50.00	0.00	0.00	883.80	1330.00	889.35	0.00	890.07	52.60	6.84	194.54	183.38
	50.900	50.00	0.00	0.00	883.80	1330.00	889.35	0.00	890.07	52.60	6.84	194.54	183.38
	51.000	1.00	905.60	905.70	883.80	1330.00	889.32	0.00	890.11	22.87	7.11	187.01	278.13
	51.000	1.00	905.60	905.70	883.80	1330.00	889.32	0.00	890.11	22.87	7.11	187.01	278.12
	51.100	31.00	905.60	905.70	883.80	1330.00	889.44	0.00	890.19	20.99	6.92	192.33	290.27
	51.100	31.00	905.60	905.70	883.80	1330.00	889.44	0.00	890.19	20.99	6.92	192.33	290.27
	51.200	1.00	0.00	0.00	883.80	1330.00	889.45	0.00	890.19	67.59	6.90	192.74	161.78
	51.200	1.00	0.00	0.00	883.80	1330.00	889.45	0.00	890.19	67.59	6.90	192.74	161.78
	51.500	30.00	0.00	0.00	882.00	1330.00	890.01	0.00	890.40	20.92	5.45	373.56	290.82
	51.500	30.00	0.00	0.00	882.00	1330.00	890.01	0.00	890.40	20.92	5.45	373.55	290.82
	51.900	130.00	0.00	0.00	882.30	1330.00	890.26	0.00	890.93	45.95	6.52	203.84	196.21
	51.900	130.00	0.00	0.00	882.30	1330.00	890.26	0.00	890.93	45.95	6.52	203.84	196.21
	52.000	1.00	900.00	900.50	882.30	1330.00	890.17	0.00	891.03	28.03	7.46	178.32	251.22
	52.000	1.00	900.00	900.50	882.30	1330.00	890.17	0.00	891.03	28.03	7.46	178.31	251.22
	52.100	28.00	900.00	900.50	882.30	1330.00	890.27	0.00	891.11	27.19	7.37	180.48	255.09
	52.100	28.00	900.00	900.50	882.30	1330.00	890.27	0.00	891.11	27.19	7.37	180.48	255.08
	52.200	1.00	0.00	0.00	882.30	1330.00	890.58	0.00	891.19	40.40	6.24	213.18	209.24
	52.200	1.00	0.00	0.00	882.30	1330.00	890.58	0.00	891.19	40.40	6.24	213.18	209.24
	52.300	60.00	0.00	0.00	882.30	1330.00	891.17	0.00	891.43	14.63	4.82	501.26	347.74
	52.300	60.00	0.00	0.00	882.30	1330.00	891.17	0.00	891.43	14.63	4.82	501.26	347.74
	53.000	725.00	0.00	0.00	883.80	1330.00	892.02	0.00	892.15	6.42	3.00	592.31	524.74
	53.000	725.00	0.00	0.00	883.80	1330.00	892.03	0.00	892.17	6.76	3.09	531.75	511.50

MOORE BUSINESS FORMS, INC 23

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	53.500	270.00	0.00	0.00	883.80	1330.00	892.20	0.00	892.31	5.82	2.91	616.55	551.25
	53.500	270.00	0.00	0.00	883.80	1330.00	892.22	0.00	892.34	5.74	2.90	620.05	554.88
	53.900	320.00	0.00	0.00	885.40	1330.00	892.42	0.00	892.78	27.18	4.81	276.59	255.10
	53.900	320.00	0.00	0.00	885.40	1330.00	892.45	0.00	892.80	26.89	4.79	277.53	256.48
	54.000	1.00	903.90	906.60	885.40	1330.00	892.37	0.00	892.84	15.73	5.52	241.04	335.30
	54.000	1.00	903.90	906.60	885.40	1330.00	892.39	0.00	892.86	15.62	5.50	241.71	336.55
	54.100	42.80	904.10	906.60	885.90	1330.00	892.41	0.00	892.94	18.23	5.86	226.97	311.46
	54.100	42.80	904.10	906.60	885.90	1330.00	892.43	0.00	892.96	18.09	5.84	227.63	312.68
	54.200	1.00	0.00	0.00	885.90	1330.00	892.61	0.00	892.99	28.15	4.94	269.19	250.69
	54.200	1.00	0.00	0.00	885.90	1330.00	892.63	0.00	893.01	27.85	4.92	270.08	252.02
	54.250	65.00	0.00	0.00	885.80	1330.00	893.07	0.00	893.13	3.06	2.05	688.61	759.92
	54.250	65.00	0.00	0.00	885.80	1330.00	893.09	0.00	893.15	3.04	2.04	690.53	763.17
	54.400	150.00	0.00	0.00	886.80	840.00	893.00	0.00	893.28	19.87	4.40	232.56	188.46
	54.400	150.00	0.00	0.00	886.80	840.00	892.99	0.00	893.30	21.37	4.56	203.22	181.73
	54.600	60.00	0.00	0.00	886.30	840.00	893.24	0.00	893.37	8.94	3.39	384.02	280.87
	54.600	60.00	0.00	0.00	886.30	840.00	893.26	0.00	893.40	9.31	3.47	353.29	275.32
	54.650	600.00	0.00	0.00	888.10	840.00	893.92	0.00	894.19	21.86	4.69	239.59	179.66
	54.650	600.00	0.00	0.00	888.10	840.00	893.96	0.00	894.26	22.57	4.79	216.62	176.82
	54.680	600.00	0.00	0.00	889.26	840.00	895.50	0.00	895.93	38.51	5.34	178.93	135.37
	54.680	600.00	0.00	0.00	889.26	840.00	895.56	0.00	895.97	36.41	5.24	184.60	139.21
	54.690	50.00	0.00	0.00	889.35	840.00	895.82	0.00	896.17	60.51	5.22	234.69	107.99
	54.690	50.00	0.00	0.00	889.35	840.00	895.87	0.00	896.20	56.10	5.07	243.84	112.15
*	54.700	1.00	894.60	893.23	889.35	840.00	896.07	896.07	896.59	265.08	8.19	179.78	51.59
*	54.700	1.00	894.60	893.23	889.35	840.00	896.07	896.07	896.59	265.08	8.19	179.78	51.59
	54.710	18.00	894.60	893.23	889.35	840.00	896.65	0.00	896.79	42.81	4.37	341.71	128.39
	54.710	18.00	894.60	893.23	889.35	840.00	896.65	0.00	896.79	42.81	4.37	341.71	128.39
	54.720	1.00	0.00	0.00	889.35	840.00	896.71	0.00	896.79	14.31	2.92	459.34	222.09
	54.720	1.00	0.00	0.00	889.35	840.00	896.71	0.00	896.79	14.31	2.92	459.34	222.09
	54.730	50.00	0.00	0.00	889.31	840.00	896.78	0.00	896.84	5.97	2.48	643.58	343.71
	54.730	50.00	0.00	0.00	889.31	840.00	896.78	0.00	896.84	5.97	2.48	643.58	343.71
	55.000	780.00	0.00	0.00	888.20	840.00	896.89	0.00	896.89	.24	.65	2502.01	1707.32
	55.000	780.00	0.00	0.00	888.20	840.00	896.91	0.00	896.92	.39	.83	1657.04	1349.85
	55.100	1820.00	0.00	0.00	890.50	840.00	896.98	0.00	897.02	4.43	2.13	771.75	399.27
	55.100	1820.00	0.00	0.00	890.50	840.00	897.05	0.00	897.10	4.65	2.21	711.44	389.47

MOORE BUSINESS FORMS, INC 23

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
*	50.000	1330.00	883.74	0.00	0.00	.64	45.78	0.00
*	50.000	1330.00	883.72	-.02	0.00	-.02	39.00	0.00
	2.900	1330.00	885.41	0.00	1.67	0.00	120.20	60.00
	2.900	1330.00	885.41	.00	1.69	.00	90.72	60.00
	3.000	1330.00	885.58	0.00	.17	0.00	117.34	50.00
	3.000	1330.00	885.60	.02	.19	.02	85.28	50.00
*	3.100	1330.00	886.51	0.00	.93	0.00	111.54	85.00
*	3.100	1330.00	886.51	.00	.91	.00	111.52	85.00
*	50.800	1330.00	887.60	0.00	1.09	0.00	46.03	85.00
*	50.800	1330.00	887.60	.00	1.09	.00	46.03	85.00
	50.900	1330.00	889.35	0.00	1.75	0.00	46.19	50.00
	50.900	1330.00	889.35	-.00	1.75	-.00	46.19	50.00
	51.000	1330.00	889.32	0.00	-.03	0.00	45.38	1.00
	51.000	1330.00	889.32	-.00	-.03	-.00	45.38	1.00
	51.100	1330.00	889.44	0.00	.12	0.00	45.64	31.00
	51.100	1330.00	889.44	-.00	.12	-.00	45.64	31.00
	51.200	1330.00	889.45	0.00	.01	0.00	45.66	1.00
	51.200	1330.00	889.45	-.00	.01	-.00	45.66	1.00
	51.500	1330.00	890.01	0.00	.56	0.00	92.16	30.00
	51.500	1330.00	890.01	-.00	.56	-.00	92.16	30.00
	51.900	1330.00	890.26	0.00	.25	0.00	29.00	130.00
	51.900	1330.00	890.26	-.00	.25	-.00	29.00	130.00
	52.000	1330.00	890.17	0.00	-.10	0.00	29.00	1.00
	52.000	1330.00	890.17	-.00	-.10	-.00	29.00	1.00
	52.100	1330.00	890.27	0.00	.10	0.00	29.00	28.00
	52.100	1330.00	890.27	-.00	.10	-.00	29.00	28.00
	52.200	1330.00	890.58	0.00	.31	0.00	29.00	1.00
	52.200	1330.00	890.58	-.00	.31	-.00	29.00	1.00
	52.300	1330.00	891.17	0.00	.59	0.00	126.00	60.00
	52.300	1330.00	891.17	-.00	.59	-.00	126.00	60.00
	53.000	1330.00	892.02	0.00	.85	0.00	147.04	725.00
	53.000	1330.00	892.03	.01	.86	.01	100.10	725.00

MOORE BUSINESS FORMS, INC 23

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	53.500	1330.00	892.20	0.00	.17	0.00	142.85	270.00
	53.500	1330.00	892.22	.02	.19	.02	142.92	270.00
	53.900	1330.00	892.42	0.00	.23	0.00	45.00	320.00
	53.900	1330.00	892.45	.02	.22	.02	45.00	320.00
	54.000	1330.00	892.37	0.00	-.05	0.00	45.00	1.00
	54.000	1330.00	892.39	.02	-.05	.02	45.00	1.00
	54.100	1330.00	892.41	0.00	.04	0.00	45.00	42.80
	54.100	1330.00	892.43	.02	.04	.02	45.00	42.80
	54.200	1330.00	892.61	0.00	.20	0.00	45.00	1.00
	54.200	1330.00	892.63	.02	.20	.02	45.00	1.00
	54.250	1330.00	893.07	0.00	.46	0.00	116.14	65.00
	54.250	1330.00	893.09	.02	.45	.02	116.21	65.00
	54.400	840.00	893.00	0.00	-.07	0.00	68.30	150.00
	54.400	840.00	892.99	-.00	-.09	-.00	42.02	150.00
	54.600	840.00	893.24	0.00	.24	0.00	101.72	60.00
	54.600	840.00	893.26	.02	.27	.02	70.52	60.00
	54.650	840.00	893.92	0.00	.68	0.00	85.13	600.00
	54.650	840.00	893.96	.04	.70	.04	52.79	600.00
	54.680	840.00	895.50	0.00	1.58	0.00	95.00	600.00
	54.680	840.00	895.56	.06	1.59	.06	95.00	600.00
	54.690	840.00	895.82	0.00	.32	0.00	195.00	50.00
	54.690	840.00	895.87	.05	.32	.05	195.00	50.00
*	54.700	840.00	896.07	0.00	.25	0.00	195.00	1.00
*	54.700	840.00	896.07	0.00	.20	0.00	195.00	1.00
	54.710	840.00	896.65	0.00	.58	0.00	231.00	18.00
	54.710	840.00	896.65	0.00	.58	0.00	231.00	18.00
	54.720	840.00	896.71	0.00	.06	0.00	231.00	1.00
	54.720	840.00	896.71	0.00	.06	0.00	231.00	1.00
	54.730	840.00	896.78	0.00	.07	0.00	330.00	50.00
	54.730	840.00	896.78	0.00	.07	0.00	330.00	50.00
	55.000	840.00	896.89	0.00	.11	0.00	602.61	780.00
	55.000	840.00	896.91	.02	.13	.02	273.00	780.00
	55.100	840.00	896.98	0.00	.09	0.00	221.01	1820.00
	55.100	840.00	897.05	.07	.14	.07	173.00	1820.00

SUMMARY OF ERRORS

CAUTION	SECNO=	50.000	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.000	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 1	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	3.100	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 2	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	50.800	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.800	PROFILE= 1	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	50.800	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.800	PROFILE= 2	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	54.700	PROFILE= 1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 1	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	54.700	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	54.700	PROFILE= 2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 2	20 TRIALS ATTEMPTED TO BALANCE WSEL

MOORE BUSINESS FORMS, INC.

FLOODWAY DATA, RICE CREEK
PROFILE NO. 2

STATION	FLOODWAY WIDTH	FLOODWAY SECTION AREA	FLOODWAY MEAN VELOCITY	WATER SURFACE ELEVATION WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
50.000	39.	129.	10.3	883.7	883.7	0.0
2.900	91.	275.	4.8	885.4	885.4	0.0
3.000	85.	237.	5.6	885.6	885.6	0.0
3.100	112.	201.	6.6	886.5	886.5	0.0
50.800	46.	145.	9.2	887.6	887.6	0.0
50.900	46.	195.	6.8	889.3	889.3	0.0
51.000	45.	187.	7.1	889.3	889.3	0.0
51.100	46.	192.	6.9	889.4	889.4	0.0
51.200	46.	193.	6.9	889.5	889.5	0.0
51.500	92.	374.	3.6	890.0	890.0	0.0
51.900	29.	204.	6.5	890.3	890.3	0.0
52.000	29.	178.	7.5	890.2	890.2	0.0
52.100	29.	180.	7.4	890.3	890.3	0.0
52.200	29.	213.	6.2	890.6	890.6	0.0
52.300	126.	501.	2.7	891.2	891.2	0.0
53.000	100.	532.	2.5	892.0	892.0	0.0
53.500	143.	620.	2.1	892.2	892.2	0.0
53.900	45.	278.	4.8	892.4	892.4	0.0
54.000	45.	242.	5.5	892.4	892.4	0.0
54.100	45.	228.	5.8	892.4	892.4	0.0
54.200	45.	270.	4.9	892.6	892.6	0.0
54.250	116.	691.	1.9	893.1	893.1	0.0
54.400	42.	203.	4.1	893.0	893.0	0.0
54.600	71.	353.	2.4	893.2	893.2	0.0
54.650	53.	217.	3.9	893.9	893.9	0.0
54.680	95.	185.	4.6	895.6	895.5	.1
54.690	195.	244.	3.4	895.9	895.8	.1
54.700	195.	180.	4.7	896.1	896.1	0.0
54.710	231.	342.	2.5	896.7	896.7	0.0
54.720	231.	459.	1.8	896.7	896.7	0.0
54.730	330.	644.	1.3	896.8	896.8	0.0
55.000	273.	1657.	.5	896.9	896.9	0.0
55.100	173.	711.	1.2	897.1	897.0	.1

MOORE BUSINESS FORMS, INC 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************
```

MOORE BUSINESS FORMS, INC 23

****
HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
ERROR CORR - 01,02,03,04
MODIFICATION - 50,51,52,53,54
****

Profiles

10/24/80

C
T1 FIS CITY OF MARSHALL
T2 10-YEAR FLOW
T3 RICE CREEK

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	2.	0.	0.	0.000000	0.00	0.0	0.	883.100	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	1.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

J3 VARIABLE CODES FOR SUMMARY PRINTOUT

38.000	1.000	53.000	21.000	22.000	54.000	4.000	39.000	150.000	202.000
34.000	61.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

J5	LPRNT	NUMSEC	********REQUESTED SECTION NUMBERS********								
	-10.000	-10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
NC	.100	.100	.040	.100	.300	0.000	0.000	0.000	0.000	0.000	0.000
QT	5.000	745.000	1140.000	1330.000	1790.000	1330.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000	0.000

ABANDONED RAILROAD EMBANKMENT (A)

X1	50.000	24.000	2000.000	2039.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	903.300	768.000	901.300	1000.000	901.700	1153.000	901.500	1289.000	901.200	1404.000
GR	900.600	1500.000	900.000	1659.000	900.000	1799.000	900.400	1971.000	882.200	2000.000
GR	881.600	2005.000	881.000	2010.000	880.100	2015.000	879.500	2020.000	879.300	2025.000
GR	879.500	2030.000	880.300	2035.000	882.200	2039.000	884.700	2046.000	896.800	2067.000
GR	901.300	2069.000	901.200	2175.000	902.000	2323.000	902.800	2423.000	0.000	0.000
X1	2.900	14.000	2000.000	2047.000	65.000	55.000	60.000	0.000	-.500	0.000
GR	900.600	1963.000	884.600	1990.000	883.100	2000.000	880.300	2006.000	881.600	2015.000
GR	882.300	2023.000	882.000	2032.000	883.100	2047.000	884.000	2054.000	883.900	2094.000
GR	888.200	2124.000	890.100	2139.000	903.700	2158.000	906.300	2171.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

X1	3.000	0.000	0.000	0.000	65.000	55.000	50.000	0.000	.500	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	1989.000	2101.000
X1	3.100	0.000	0.000	0.000	110.000	85.000	85.000	0.000	1.600	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1974.000	2054.000
X1	50.800	18.000	2000.000	2029.000	110.000	85.000	85.000	0.000	0.000	0.000
GR	907.500	1800.000	903.900	1900.000	902.400	1950.000	901.400	1960.000	899.900	1970.000
GR	897.400	1980.000	891.400	1990.000	884.100	2000.000	883.400	2010.000	883.500	2020.000
GR	884.000	2029.000	887.300	2040.000	889.700	2050.000	893.500	2060.000	893.900	2070.000
GR	895.100	2100.000	904.600	2200.000	906.900	2224.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	50.900	16.000	2000.000	2050.000	60.000	40.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.000	902.000	0.000
GR	905.100	1800.000	905.100	1900.000	905.100	2000.000	891.400	2000.000	886.000	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.200	2051.500	905.300	2075.000	905.500	2100.000	905.900	2200.000
GR	906.000	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

RAILROAD BRIDGE (B)

X1	51.000	16.000	2000.000	2050.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.000	902.000	0.000
BT	4.000	2000.000	905.600	905.600	2000.000	905.600	898.400	2051.500	905.700	898.400
BT	2051.500	905.700	905.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	905.600	1800.000	905.600	1900.000	905.600	2000.000	891.400	2000.000	886.900	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.700	2051.500	905.800	2075.000	906.000	2100.000	906.400	2200.000
GR	906.500	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.100	0.000	0.000	0.000	31.000	31.000	31.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.600	905.600	0.000
BT	4.000	2000.000	905.600	905.600	2000.000	905.600	898.400	2051.500	905.700	898.400
BT	2051.500	905.700	905.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.200	16.000	2000.000	2050.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.600	905.600	0.000
GR	905.100	1800.000	905.100	1900.000	905.100	2000.000	891.400	2000.000	886.900	2010.000
GR	884.600	2016.000	883.800	2020.000	883.800	2030.000	884.200	2040.000	888.400	2050.000
GR	888.900	2051.500	905.200	2051.500	905.300	2075.000	905.500	2100.000	905.900	2200.000
GR	906.000	2224.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1946.000	2061.000

MOORE BUSINESS FORMS, INC 23

X1	51.500	11.000	2000.000	2029.000	30.000	30.000	30.000	0.000	0.000	0.000
GR	905.200	1600.000	902.400	1800.000	890.000	1960.000	884.600	2000.000	882.700	2010.000
GR	882.300	2014.500	882.000	2020.000	884.400	2029.000	889.700	2050.000	898.000	2100.000
GR	905.000	2200.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	51.900	20.000	2000.000	2029.000	130.000	130.000	130.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
GR	905.200	1600.000	902.400	1800.000	900.500	1993.000	900.500	2000.000	884.600	2000.000
GR	883.500	2006.000	882.700	2010.000	882.300	2014.500	882.500	2020.000	883.500	2023.000
GR	884.400	2029.000	900.000	2029.000	900.100	2037.000	899.700	2050.000	899.300	2250.000
GR	903.000	2450.000	904.100	2650.000	905.000	2850.000	906.900	3050.000	907.800	3350.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MONROE ST. BRIDGE (C)

X1	52.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	898.000	898.000	0.000
BT	9.000	1993.000	900.500	900.500	2000.000	900.500	900.500	2000.000	900.500	884.600
BT	2006.000	900.400	893.000	2014.500	900.300	895.700	2023.000	900.100	893.000	2029.000
BT	900.000	884.400	2029.000	900.000	900.000	2037.000	900.100	900.100	0.000	0.000
X1	52.100	0.000	0.000	0.000	28.000	28.000	28.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	900.600	900.600	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	52.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	900.600	900.600	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1947.000	2078.000
X1	52.300	15.000	2000.000	2025.000	60.000	60.000	60.000	0.000	0.000	0.000
X3	0.000	0.000	0.000	1950.000	0.000	2076.000	0.000	0.000	0.000	0.000
GR	905.200	1600.000	902.400	1800.000	890.000	1960.000	884.500	2000.000	883.700	2007.000
GR	882.300	2013.000	883.700	2019.000	883.800	2020.000	884.700	2025.000	890.000	2060.000
GR	899.300	2250.000	903.000	2450.000	904.100	2650.000	905.000	2850.000	906.900	3050.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000

(D)

X1	53.000	31.000	2132.000	2190.000	725.000	1040.000	725.000	0.000	0.000	0.000
GR	916.400	1882.000	913.000	1932.000	911.400	1952.000	907.500	1964.000	906.300	1970.000
GR	905.800	2000.000	902.700	2046.000	898.400	2098.000	886.100	2132.000	884.100	2146.000
GR	883.800	2155.000	884.600	2166.000	886.100	2180.000	888.200	2190.000	890.000	2228.000
GR	894.200	2300.000	899.200	2392.000	900.500	2440.000	901.000	2540.000	901.900	2640.000
GR	901.100	2738.000	902.100	2838.000	902.900	2938.000	903.800	3032.000	904.600	3126.000

MOORE BUSINESS FORMS, INC 23

GR	905.200	3226.000	904.700	3278.000	906.100	3348.000	907.400	3446.000	908.900	3546.000
GR	910.000	3626.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2063.000	2258.000
X1	53.500	0.000	0.000	0.000	270.000	270.000	270.000	0.000	0.000	0.000
NC	.060	.090	.045	.300	.500	0.000	0.000	0.000	0.000	0.000
X1	53.900	35.000	2025.000	2070.000	320.000	320.000	320.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.900	902.900	0.000
GR	910.100	1870.000	908.700	1900.000	906.600	1950.000	905.600	2000.000	887.300	2000.000
GR	887.000	2005.000	886.800	2010.000	886.600	2015.000	886.200	2020.000	888.700	2020.000
GR	888.600	2025.000	886.000	2025.000	886.100	2030.000	886.200	2035.000	886.200	2040.000
GR	886.200	2045.000	888.700	2045.000	888.600	2050.000	885.400	2050.000	885.500	2055.000
GR	885.700	2060.000	886.100	2065.000	886.500	2070.000	904.900	2070.000	903.900	2078.000
GR	903.800	2100.000	902.700	2200.000	902.400	2300.000	902.700	2400.000	902.500	2500.000
GR	902.800	2700.000	903.700	2900.000	905.600	3100.000	907.500	3300.000	908.400	3500.000
NC	0.000	0.000	.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MARSHALL AVE. BRIDGE (E)

X1	54.000	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	902.900	902.900	0.000
BT	19.000	1950.000	906.600	906.600	2000.000	905.700	905.700	2000.000	905.700	887.300
BT	2005.000	905.600	887.000	2010.000	905.600	886.800	2015.000	905.600	886.600	2020.000
BT	905.500	886.200	2025.000	905.500	888.600	2030.000	905.400	898.200	2035.000	905.400
BT	900.500	2040.000	905.300	898.200	2045.000	905.200	888.700	2050.000	905.100	888.600
BT	2055.000	905.100	898.200	2060.000	905.000	900.600	2065.000	905.000	898.200	2070.000
BT	904.900	888.700	2070.000	904.900	904.900	2078.000	903.900	903.900	0.000	0.000
X1	54.100	32.000	2025.000	2070.000	42.800	42.800	42.800	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.200	905.200	0.000
BT	17.000	1950.000	906.600	906.600	2000.000	905.400	905.400	2000.000	905.400	903.100
BT	2010.000	905.200	899.900	2020.000	905.000	891.300	2025.000	904.900	888.700	2030.000
BT	904.800	898.200	2035.000	904.700	900.800	2040.000	904.600	898.200	2045.000	904.600
BT	888.700	2050.000	904.500	888.700	2055.000	904.400	898.200	2060.000	904.300	900.800
BT	2065.000	904.200	898.200	2070.000	904.100	888.700	2070.000	904.100	904.100	2079.000
BT	904.300	904.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
GR	910.100	1870.000	908.700	1900.000	906.600	1950.000	905.400	2000.000	903.100	2000.000
GR	899.900	2010.000	891.300	2020.000	888.700	2025.000	887.300	2025.000	886.700	2030.000
GR	886.200	2035.000	886.400	2040.000	886.500	2045.000	888.700	2045.000	888.700	2050.000
GR	886.600	2050.000	886.300	2055.000	885.900	2060.000	886.000	2065.000	886.600	2070.000
GR	904.100	2070.000	904.300	2079.000	903.800	2100.000	902.700	2200.000	902.400	2300.000
GR	902.700	2400.000	902.500	2500.000	902.800	2700.000	903.700	2900.000	905.600	3100.000
GR	907.500	3300.000	908.400	3500.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

X1	54.200	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	905.200	905.200	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	1947.000	2145.000
X1	54.250	20.000	2000.000	2093.000	65.000	65.000	65.000	0.000	0.000	0.000
GR	902.500	1950.000	902.000	1960.000	900.600	1970.000	897.300	1980.000	891.500	1990.000
GR	887.500	2000.000	886.200	2010.000	885.900	2020.000	885.900	2030.000	886.400	2040.000
GR	886.600	2050.000	887.000	2060.000	886.300	2070.000	885.800	2080.000	886.300	2090.000
GR	887.600	2093.000	887.500	2093.000	891.800	2100.000	895.500	2110.000	900.300	2120.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	1.410	0.000	0.000	0.000	0.000
QT	5.000	420.000	700.000	840.000	1180.000	840.000	0.000	0.000	0.000	0.000
NC	.080	.080	.045	.100	.300	0.000	0.000	0.000	0.000	0.000
X1	54.400	14.000	2084.000	2117.000	150.000	150.000	150.000	0.000	0.000	0.000
GR	897.300	2050.000	897.300	2050.000	897.300	2050.000	897.300	2050.000	897.300	2050.000
GR	888.800	2084.000	886.800	2094.000	887.200	2104.000	887.600	2112.000	890.700	2117.000
GR	894.800	2150.000	897.900	2200.000	898.700	2250.000	901.900	2300.000	0.000	0.000
X1	54.600	16.000	2143.000	2168.000	60.000	60.000	60.000	0.000	0.000	0.000
GR	898.400	2072.000	898.400	2072.000	898.400	2072.000	898.400	2072.000	898.400	2072.000
GR	898.040	2082.000	898.000	2090.000	889.300	2118.000	887.800	2143.000	886.600	2151.000
GR	886.300	2162.000	887.600	2168.000	891.700	2186.000	895.000	2231.000	896.700	2246.000
GR	899.200	2319.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
NC	.060	.060	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
X1	54.650	19.000	2625.000	2650.000	500.000	650.000	600.000	0.000	0.000	0.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.200	2560.000
GR	894.500	2590.000	892.300	2610.000	889.200	2625.000	888.600	2630.000	888.100	2635.000
GR	888.200	2640.000	888.700	2645.000	889.500	2650.000	892.000	2658.000	895.000	2693.000
GR	897.000	2723.000	899.400	2782.000	899.500	2793.000	902.200	2926.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2564.000	2659.000

(F)

X1	54.680	29.000	2624.000	2658.600	500.000	650.000	600.000	0.000	0.000	0.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.120	2602.700
GR	894.900	2619.000	894.600	2624.000	892.000	2628.500	890.220	2633.000	890.100	2633.700
GR	889.800	2634.700	889.700	2635.500	889.260	2637.400	889.300	2639.000	889.400	2640.100
GR	889.400	2641.700	889.510	2642.800	889.800	2644.400	889.900	2645.000	890.000	2645.500
GR	890.210	2647.200	890.600	2648.300	893.700	2658.600	895.090	2663.600	897.000	2714.000
GR	898.700	2753.700	899.400	2782.000	899.500	2793.000	902.200	2926.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2464.000	2659.000

MOORE BUSINESS FORMS, INC. 23

X1	54.690	40.000	2624.000	2658.600	50.000	50.000	50.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
GR	897.800	2022.000	897.800	2026.000	897.800	2038.000	897.800	2048.000	897.800	2054.000
GR	897.500	2074.000	895.900	2086.000	895.300	2280.000	895.280	2498.000	895.120	2602.700
GR	894.900	2619.000	894.600	2624.000	892.000	2628.500	891.050	2633.000	890.220	2633.000
GR	890.100	2633.700	889.850	2634.700	889.700	2635.500	891.050	2635.500	891.430	2636.900
GR	892.000	2639.000	890.390	2639.000	889.350	2640.100	889.400	2641.700	889.450	2642.100
GR	890.390	2642.800	892.000	2642.800	892.090	2644.400	890.480	2644.400	889.900	2645.000
GR	890.000	2645.500	890.210	2647.200	890.600	2648.300	892.090	2648.300	895.500	2658.600
GR	897.000	2714.400	898.700	2753.700	899.400	2782.000	899.500	2793.000	902.200	2926.000
NC	0.000	0.000	.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2464.000	2659.000

PRIVATE DRIVE (G)

X1	54.700	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.000	894.000	0.000
BT	31.000	2022.000	897.800	0.000	2026.000	897.800	0.000	2038.000	897.800	0.000
BT	2048.000	897.800	0.000	2054.000	897.800	0.000	2074.000	897.500	0.000	2086.000
BT	895.900	0.000	2280.000	895.300	0.000	2498.000	895.280	0.000	2602.700	895.120
BT	0.000	2619.000	894.900	0.000	2624.000	894.600	0.000	2628.500	895.500	0.000
BT	2633.000	895.600	891.050	2633.700	895.600	891.760	2634.700	895.700	891.760	2635.500
BT	895.700	891.050	2639.000	895.800	892.000	2640.100	895.900	893.140	2641.700	896.000
BT	893.140	2642.800	896.000	892.000	2644.400	896.000	892.090	2645.500	896.000	893.230
BT	2647.200	896.000	893.230	2648.300	896.000	892.090	2658.600	896.000	0.000	2714.400
BT	897.000	0.000	2753.700	898.700	0.000	2782.000	899.400	0.000	2793.000	899.500
BT	0.000	2926.000	902.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2428.000	2659.000

X1	54.710	0.000	0.000	0.000	18.000	18.000	18.000	0.000	0.000	0.000
X2	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
NC	0.000	0.000	.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2428.000	2659.000

X1	54.720	0.000	0.000	0.000	1.000	1.000	1.000	0.000	0.000	0.000
X3	10.000	0.000	0.000	0.000	0.000	0.000	0.000	894.660	894.660	0.000
ET	0.000	9.100	9.100	9.100	9.100	9.100	0.000	0.000	2332.000	2662.000

X1	54.730	28.000	2624.000	2658.600	50.000	50.000	50.000	0.000	0.000	0.000
GR	897.550	2074.000	895.950	2086.000	895.350	2280.000	895.330	2498.000	895.170	2602.700
GR	894.950	2619.000	894.650	2624.000	892.050	2628.500	890.270	2633.000	890.150	2633.700
GR	889.850	2634.700	889.750	2635.500	889.310	2637.400	889.350	2639.000	889.450	2640.100
GR	889.450	2641.700	889.560	2642.800	889.850	2644.400	889.950	2645.000	890.050	2645.500
GR	890.260	2647.200	890.650	2648.300	893.750	2658.600	897.050	2714.400	898.750	2753.700
GR	899.450	2782.000	899.550	2793.000	902.250	2926.000	0.000	0.000	0.000	0.000
NC	0.000	0.000	0.000	.100	.300	0.000	0.000	0.000	0.000	0.000
NC	.070	.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC. 23

ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	2335.000	2608.000

(H)

X1	55.000	18.000	2512.000	2562.000	600.000	900.000	780.000	0.000	0.000	0.000
GR	897.800	2054.000	897.500	2074.000	895.900	2086.000	892.400	2313.000	892.100	2377.000
GR	890.300	2482.000	889.500	2512.000	888.200	2518.000	888.900	2530.000	888.700	2542.000
GR	889.200	2562.000	890.300	2565.000	895.000	2636.000	896.100	2666.000	898.800	2718.000
GR	899.000	2732.000	898.900	2748.000	901.000	2784.000	0.000	0.000	0.000	0.000
NC	.100	.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ET	0.000	0.000	0.000	0.000	0.000	9.100	0.000	0.000	2087.000	2260.000

CORPORATE BOUNDARY (I)

X1	55.100	21.000	2184.000	2222.000	1820.000	1820.000	1820.000	0.000	0.000	0.000
GR	897.900	2067.000	897.900	2067.000	897.900	2067.000	897.900	2067.000	896.500	2074.000
GR	893.600	2086.000	892.700	2184.000	891.300	2186.000	890.500	2194.000	891.200	2206.000
GR	893.300	2222.000	894.500	2264.000	897.100	2294.000	899.000	2366.000	903.600	2492.000
GR	904.400	2502.000	912.300	2841.000	914.300	2933.000	922.000	3033.000	929.400	3095.000
GR	934.200	3124.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
EJ	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1      FIS  CITY OF MARSHALL
T2       50-YEAR FLOW
T3      RICE CREEK
```

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	3.	0.	0.	0.000000	0.00	0.0	0.	883.100	0.000

J2	NPROF	IPLOT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	2.000	0.000	-1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

MOORE BUSINESS FORMS, INC 23

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************

T1      FIS  CITY OF MARSHALL
T2      100-YEAR FLOW
T3      RICE CREEK

J1  ICHECK    INQ      NINV     IDIR     STRT      METRIC   HVINS    Q        WSEL     FQ
      -10.      4.       0.       0.  0.000000      0.00     0.0      0.   883.100   0.000
J2  NPROF     IPLOT    PRFVS    XSECV    XSECH     FN       ALLDC    IBW      CHNIM    ITRACE
     3.000     0.000   -1.000    0.000    0.000    0.000    0.000    0.000    0.000    0.000
```

MOORE BUSINESS FORMS, INC. 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************

T1      FIS  CITY OF MARSHALL
T2      500-YEAR FLOW
T3      RICE CREEK

J1  ICHECK    INQ      NINV     IDIR      STRT      METRIC    HVINS     Q         WSEL      FQ
      -10.      5.       0.       0.  0.000000      0.00      0.0       0.   883.100     0.000

J2  NPROF     IPLOT    PRFVS    XSECV     XSECH     FN        ALLDC     IBW       CHNIM     ITRACE
    15.000    0.000   -1.000    0.000     0.000     0.000     0.000     0.000     0.000     0.000
```

MOORE BUSINESS FORMS, INC. 23

MOORE BUSINESS FORMS, INC 23

```
**************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**************************************************
```

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

RICE CREEK

SUMMARY PRINTOUT

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
	50.000	883.10	1998.57	2000.00	2039.00	2041.52	42.95	0.00
*	50.000	883.40	1998.09	2000.00	2039.00	2042.35	44.26	0.00
*	50.000	883.74	1997.54	2000.00	2039.00	2043.32	45.78	0.00
*	50.000	884.45	1996.41	2000.00	2039.00	2045.30	48.89	0.00
	2.900	883.88	1991.42	2000.00	2047.00	2097.40	105.98	60.00
	2.900	884.97	1988.53	2000.00	2047.00	2104.95	116.42	60.00
	2.900	885.41	1987.80	2000.00	2047.00	2107.99	120.20	60.00
	2.900	886.42	1986.10	2000.00	2047.00	2115.02	128.93	60.00
	3.000	884.32	1991.86	2000.00	2047.00	2096.93	105.07	50.00
	3.000	885.18	1989.02	2000.00	2047.00	2102.93	113.90	50.00
	3.000	885.58	1988.35	2000.00	2047.00	2105.69	117.34	50.00
	3.000	886.54	1986.72	2000.00	2047.00	2112.43	125.70	50.00
*	3.100	885.62	1993.89	2000.00	2047.00	2094.81	100.91	85.00
*	3.100	886.27	1989.88	2000.00	2047.00	2099.36	109.48	85.00
*	3.100	886.51	1989.48	2000.00	2047.00	2101.02	111.54	85.00
*	3.100	887.02	1988.62	2000.00	2047.00	2104.58	115.95	85.00
	50.800	886.68	1996.47	2000.00	2029.00	2037.93	41.46	85.00
*	50.800	887.22	1995.73	2000.00	2029.00	2039.72	43.99	85.00
*	50.800	887.60	1995.21	2000.00	2029.00	2041.24	46.03	85.00
*	50.800	888.41	1994.09	2000.00	2029.00	2044.63	50.53	85.00
	50.900	887.60	2007.04	2000.00	2050.00	2048.09	41.06	50.00
	50.900	888.88	2004.67	2000.00	2050.00	2050.00	45.33	50.00
	50.900	889.35	2003.81	2000.00	2050.00	2050.00	46.19	50.00
	50.900	890.39	2001.87	2000.00	2050.00	2050.00	48.13	50.00
	51.000	887.57	2008.50	2000.00	2050.00	2048.03	39.53	1.00
	51.000	888.85	2005.66	2000.00	2050.00	2050.00	44.34	1.00
	51.000	889.32	2004.62	2000.00	2050.00	2050.00	45.38	1.00
	51.000	890.37	2002.29	2000.00	2050.00	2050.00	47.71	1.00

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
51.100	887.79	2008.03	2000.00	2050.00	2048.54	40.51	31.00
51.100	888.98	2005.39	2000.00	2050.00	2050.00	44.61	31.00
51.100	889.44	2004.36	2000.00	2050.00	2050.00	45.64	31.00
51.100	890.48	2002.06	2000.00	2050.00	2050.00	47.94	31.00
51.200	887.79	2008.02	2000.00	2050.00	2048.55	40.52	1.00
51.200	888.99	2005.36	2000.00	2050.00	2050.00	44.64	1.00
51.200	889.45	2004.34	2000.00	2050.00	2050.00	45.66	1.00
51.200	890.48	2002.05	2000.00	2050.00	2050.00	47.95	1.00
51.500	888.33	1972.35	2000.00	2029.00	2044.58	72.23	30.00
51.500	889.53	1963.46	2000.00	2029.00	2049.34	85.87	30.00
51.500	890.01	1959.76	2000.00	2029.00	2051.92	92.16	30.00
51.500	891.13	1946.00	2000.00	2029.00	2058.63	112.63	30.00
51.900	888.60	2000.00	2000.00	2029.00	2029.00	29.00	130.00
51.900	889.79	2000.00	2000.00	2029.00	2029.00	29.00	130.00
51.900	890.26	2000.00	2000.00	2029.00	2029.00	29.00	130.00
51.900	891.31	2000.00	2000.00	2029.00	2029.00	29.00	130.00
52.000	888.57	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.000	889.72	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.000	890.17	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.000	891.13	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.100	888.62	2000.00	2000.00	2029.00	2029.00	29.00	28.00
52.100	889.80	2000.00	2000.00	2029.00	2029.00	29.00	28.00
52.100	890.27	2000.00	2000.00	2029.00	2029.00	29.00	28.00
52.100	891.29	2000.00	2000.00	2029.00	2029.00	29.00	28.00
52.200	888.72	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.200	890.03	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.200	890.58	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.200	891.86	2000.00	2000.00	2029.00	2029.00	29.00	1.00
52.300	888.98	1967.42	2000.00	2025.00	2053.26	85.85	60.00
52.300	890.51	1953.44	2000.00	2025.00	2070.38	116.94	60.00
52.300	891.17	1950.00	2000.00	2025.00	2076.00	126.00	60.00
52.300	892.71	1950.00	2000.00	2025.00	2076.00	126.00	60.00
53.000	889.99	2121.24	2132.00	2190.00	2227.85	106.61	725.00
53.000	891.42	2117.31	2132.00	2190.00	2252.27	134.96	725.00
53.000	892.02	2115.63	2132.00	2190.00	2262.67	147.04	725.00
53.000	893.43	2111.75	2132.00	2190.00	2286.72	174.97	725.00
53.500	890.19	2120.69	2132.00	2190.00	2231.27	110.57	270.00
53.500	891.60	2116.81	2132.00	2190.00	2255.37	138.57	270.00
53.500	892.20	2115.15	2132.00	2190.00	2258.00	142.85	270.00
53.500	893.58	2111.33	2132.00	2190.00	2258.00	146.67	270.00

MOORE BUSINESS FORMS, INC. 23

SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
53.900	890.50	2025.00	2025.00	2070.00	2070.00	45.00	320.00
53.900	891.85	2025.00	2025.00	2070.00	2070.00	45.00	320.00
53.900	892.42	2025.00	2025.00	2070.00	2070.00	45.00	320.00
53.900	893.75	2025.00	2025.00	2070.00	2070.00	45.00	320.00
54.000	890.48	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.000	891.81	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.000	892.37	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.000	893.65	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.100	890.51	2025.00	2025.00	2070.00	2070.00	45.00	42.80
54.100	891.85	2025.00	2025.00	2070.00	2070.00	45.00	42.80
54.100	892.41	2025.00	2025.00	2070.00	2070.00	45.00	42.80
54.100	893.71	2025.00	2025.00	2070.00	2070.00	45.00	42.80
54.200	890.58	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.200	892.00	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.200	892.61	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.200	894.03	2025.00	2025.00	2070.00	2070.00	45.00	1.00
54.250	890.93	1991.42	2000.00	2093.00	2098.59	107.17	65.00
54.250	892.42	1988.41	2000.00	2093.00	2101.69	113.28	65.00
54.250	893.07	1987.29	2000.00	2093.00	2103.43	116.14	65.00
54.250	894.56	1984.72	2000.00	2093.00	2107.46	122.74	65.00
54.400	890.90	2075.60	2084.00	2117.00	2118.61	43.01	150.00
54.400	892.36	2069.76	2084.00	2117.00	2130.37	60.61	150.00
54.400	893.00	2067.20	2084.00	2117.00	2135.51	68.30	150.00
54.400	894.48	2061.26	2084.00	2117.00	2147.47	86.21	150.00
54.600	891.13	2112.09	2143.00	2168.00	2183.52	71.43	60.00
54.600	892.60	2107.37	2143.00	2168.00	2198.31	90.94	60.00
54.600	893.24	2105.31	2143.00	2168.00	2207.03	101.72	60.00
54.600	894.72	2100.57	2143.00	2168.00	2227.14	126.57	60.00
54.650	892.07	2611.10	2625.00	2650.00	2658.84	47.73	600.00
54.650	893.35	2600.47	2625.00	2650.00	2673.73	73.27	600.00
54.650	893.92	2595.27	2625.00	2650.00	2680.40	85.13	600.00
54.650	895.25	2523.10	2625.00	2650.00	2696.71	173.62	600.00
54.680	894.07	2624.93	2624.00	2658.60	2659.00	34.07	600.00
54.680	895.09	2605.21	2624.00	2658.60	2659.00	53.79	600.00
54.680	895.50	2564.00	2624.00	2658.60	2659.00	95.00	600.00
54.680	896.40	2564.00	2624.00	2658.60	2659.00	95.00	600.00
54.690	894.23	2624.63	2624.00	2658.60	2654.78	30.15	50.00
54.690	895.26	2515.55	2624.00	2658.60	2657.85	142.31	50.00
54.690	895.82	2464.00	2624.00	2658.60	2659.00	195.00	50.00
54.690	896.84	2464.00	2624.00	2658.60	2659.00	195.00	50.00

MOORE BUSINESS FORMS, INC 23

	SECNO	CWSEL	SSTA	STCHL	STCHR	ENDST	TOPWID	XLCH
*	54.700	895.82	2464.00	2624.00	2658.60	2659.00	195.00	1.00
*	54.700	896.06	2464.00	2624.00	2658.60	2659.00	195.00	1.00
*	54.700	896.07	2464.00	2624.00	2658.60	2659.00	195.00	1.00
	54.700	896.75	2464.00	2624.00	2658.60	2659.00	195.00	1.00
	54.710	896.23	2428.00	2624.00	2658.60	2659.00	231.00	18.00
	54.710	896.48	2428.00	2624.00	2658.60	2659.00	231.00	18.00
	54.710	896.65	2428.00	2624.00	2658.60	2659.00	231.00	18.00
	54.710	897.02	2428.00	2624.00	2658.60	2659.00	231.00	18.00
	54.720	896.27	2428.00	2624.00	2658.60	2659.00	231.00	1.00
	54.720	896.54	2428.00	2624.00	2658.60	2659.00	231.00	1.00
	54.720	896.71	2428.00	2624.00	2658.60	2659.00	231.00	1.00
	54.720	897.09	2428.00	2624.00	2658.60	2659.00	231.00	1.00
	54.730	896.30	2332.00	2624.00	2658.60	2662.00	330.00	50.00
	54.730	896.60	2332.00	2624.00	2658.60	2662.00	330.00	50.00
	54.730	896.78	2332.00	2624.00	2658.60	2662.00	330.00	50.00
	54.730	897.18	2332.00	2624.00	2658.60	2662.00	330.00	50.00
	55.000	896.35	2082.66	2512.00	2562.00	2670.74	588.08	780.00
	55.000	896.69	2080.08	2512.00	2562.00	2677.36	597.28	780.00
	55.000	896.89	2078.58	2512.00	2562.00	2681.19	602.61	780.00
	55.000	897.32	2075.34	2512.00	2562.00	2689.52	614.18	780.00
	55.100	896.38	2074.50	2184.00	2222.00	2285.69	211.19	1820.00
	55.100	896.76	2072.69	2184.00	2222.00	2290.11	217.42	1820.00
	55.100	896.98	2071.60	2184.00	2222.00	2292.62	221.01	1820.00
	55.100	897.45	2069.22	2184.00	2222.00	2307.47	238.25	1820.00

MOORE BUSINESS FORMS, INC 23

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	50.000	0.00	0.00	0.00	879.30	745.00	883.10	0.00	883.88	100.40	7.11	106.43	74.35
*	50.000	0.00	0.00	0.00	879.30	1140.00	883.40	883.40	884.88	165.27	9.78	119.36	88.68
*	50.000	0.00	0.00	0.00	879.30	1330.00	883.74	883.74	885.35	155.16	10.19	134.96	106.77
*	50.000	0.00	0.00	0.00	879.30	1790.00	884.45	884.45	886.39	146.08	11.25	168.47	148.10
	2.900	60.00	0.00	0.00	879.80	745.00	883.88	0.00	884.47	89.42	6.28	143.91	78.79
	2.900	60.00	0.00	0.00	879.80	1140.00	884.97	0.00	885.48	51.00	6.06	264.77	159.63
	2.900	60.00	0.00	0.00	879.80	1330.00	885.41	0.00	885.91	44.22	6.10	316.36	200.01
	2.900	60.00	0.00	0.00	879.80	1790.00	886.42	0.00	886.90	33.48	6.18	441.89	309.36
	3.000	50.00	0.00	0.00	880.30	745.00	884.32	884.02	884.96	99.15	6.49	136.92	74.82
	3.000	50.00	0.00	0.00	880.30	1140.00	885.18	0.00	885.82	71.14	6.76	231.34	135.16
	3.000	50.00	0.00	0.00	880.30	1330.00	885.58	0.00	886.21	61.89	6.81	277.17	169.06
	3.000	50.00	0.00	0.00	880.30	1790.00	886.54	0.00	887.14	45.14	6.81	394.50	266.41
*	3.100	85.00	0.00	0.00	881.90	745.00	885.62	885.62	886.51	164.08	7.62	105.53	58.16
*	3.100	85.00	0.00	0.00	881.90	1140.00	886.27	886.27	887.30	138.19	8.40	174.30	96.98
*	3.100	85.00	0.00	0.00	881.90	1330.00	886.51	886.51	887.62	136.12	8.82	200.62	114.00
*	3.100	85.00	0.00	0.00	881.90	1790.00	887.02	887.02	888.32	133.42	9.71	258.55	154.97
	50.800	85.00	0.00	0.00	883.40	745.00	886.68	0.00	887.67	109.50	8.14	104.47	71.20
*	50.800	85.00	0.00	0.00	883.40	1140.00	887.22	887.22	888.84	146.03	10.48	127.43	94.34
*	50.800	85.00	0.00	0.00	883.40	1330.00	887.60	887.60	889.36	139.38	10.95	144.53	112.65
*	50.800	85.00	0.00	0.00	883.40	1790.00	888.41	888.41	890.49	130.27	12.00	183.84	156.83
	50.900	50.00	0.00	0.00	883.80	745.00	887.60	0.00	888.22	74.76	6.34	117.53	86.16
	50.900	50.00	0.00	0.00	883.80	1140.00	888.88	0.00	889.55	55.39	6.58	173.19	153.17
	50.900	50.00	0.00	0.00	883.80	1330.00	889.35	0.00	890.07	52.60	6.84	194.54	183.38
	50.900	50.00	0.00	0.00	883.80	1790.00	890.39	0.00	891.23	47.66	7.34	243.78	259.28
	51.000	1.00	905.60	905.70	883.80	745.00	887.57	0.00	888.26	32.69	6.65	111.96	130.30
	51.000	1.00	905.60	905.70	883.80	1140.00	888.85	0.00	889.58	24.16	6.86	166.07	231.92
	51.000	1.00	905.60	905.70	883.80	1330.00	889.32	0.00	890.11	22.87	7.11	187.01	278.13
	51.000	1.00	905.60	905.70	883.80	1790.00	890.37	0.00	891.26	20.53	7.59	235.77	395.09
	51.100	31.00	905.60	905.70	883.80	745.00	887.79	0.00	888.38	26.48	6.18	120.50	144.77
	51.100	31.00	905.60	905.70	883.80	1140.00	888.98	0.00	889.67	21.87	6.65	171.55	243.76
	51.100	31.00	905.60	905.70	883.80	1330.00	889.44	0.00	890.19	20.99	6.92	192.33	290.27
	51.100	31.00	905.60	905.70	883.80	1790.00	890.48	0.00	891.34	19.26	7.43	240.82	407.90
	51.200	1.00	0.00	0.00	883.80	745.00	887.79	0.00	888.38	85.59	6.18	120.61	80.53
	51.200	1.00	0.00	0.00	883.80	1140.00	888.99	0.00	889.67	70.30	6.63	172.00	135.97
	51.200	1.00	0.00	0.00	883.80	1330.00	889.45	0.00	890.19	67.59	6.90	192.74	161.78
	51.200	1.00	0.00	0.00	883.80	1790.00	890.48	0.00	891.34	62.16	7.42	241.12	227.03

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	FG	10K*S	VCH	AREA	.01K
51.500	30.00	0.00	0.00	882.00	745.00	888.33	0.00	888.59	19.13	4.33	235.52	170.33
51.500	30.00	0.00	0.00	882.00	1140.00	889.53	0.00	889.88	20.47	5.13	330.37	251.99
51.500	30.00	0.00	0.00	882.00	1330.00	890.01	0.00	890.40	20.92	5.45	373.56	290.82
51.500	30.00	0.00	0.00	882.00	1790.00	891.13	0.00	891.57	20.30	5.92	488.03	397.26
51.900	130.00	0.00	0.00	882.30	745.00	888.60	0.00	888.95	31.76	4.79	155.46	132.20
51.900	130.00	0.00	0.00	882.30	1140.00	889.79	0.00	890.35	41.30	6.00	190.07	177.38
51.900	130.00	0.00	0.00	882.30	1330.00	890.26	0.00	890.93	45.95	6.52	203.84	196.21
51.900	130.00	0.00	0.00	882.30	1,790.00	891.31	0.00	892.21	56.07	7.65	234.08	239.05
52.000	1.00	900.00	900.50	882.30	745.00	888.57	0.00	888.99	15.68	5.21	142.89	188.13
52.000	1.00	900.00	900.50	882.30	1140.00	889.72	0.00	890.43	23.71	6.76	168.75	234.14
52.000	1.00	900.00	900.50	882.30	1330.00	890.17	0.00	891.03	28.03	7.46	178.32	251.22
52.000	1.00	900.00	900.50	882.30	1790.00	891.13	0.00	892.40	39.16	9.04	197.91	286.06
52.100	28.00	900.00	900.50	882.30	745.00	888.62	0.00	889.03	15.28	5.16	144.30	190.61
52.100	28.00	900.00	900.50	882.30	1140.00	889.80	0.00	890.50	23.01	6.68	170.71	237.64
52.100	28.00	900.00	900.50	882.30	1330.00	890.27	0.00	891.11	27.19	7.37	180.48	255.09
52.100	28.00	900.00	900.50	882.30	1790.00	891.29	0.00	892.52	37.71	8.91	200.98	291.48
52.200	1.00	0.00	0.00	882.30	745.00	888.72	0.00	889.06	29.75	4.69	158.94	136.58
52.200	1.00	0.00	0.00	882.30	1140.00	890.03	0.00	890.55	37.17	5.78	197.13	186.98
52.200	1.00	0.00	0.00	882.30	1330.00	890.58	0.00	891.19	40.40	6.24	213.18	209.24
52.200	1.00	0.00	0.00	882.30	1790.00	891.86	0.00	892.65	46.54	7.16	250.06	262.40
52.300	60.00	0.00	0.00	882.30	745.00	888.98	0.00	889.23	19.54	4.44	268.27	168.52
52.300	60.00	0.00	0.00	882.30	1140.00	890.51	0.00	890.77	16.27	4.78	418.16	282.65
52.300	60.00	0.00	0.00	882.30	1330.00	891.17	0.00	891.43	14.63	4.82	501.26	347.74
52.300	60.00	0.00	0.00	882.30	1790.00	892.71	0.00	892.95	11.66	4.87	694.53	524.11
53.000	725.00	0.00	0.00	883.80	745.00	889.99	0.00	890.09	7.50	2.57	334.91	272.09
53.000	725.00	0.00	0.00	883.80	1140.00	891.42	0.00	891.53	6.72	2.89	506.77	439.67
53.000	725.00	0.00	0.00	883.80	1330.00	892.02	0.00	892.15	6.42	3.00	592.31	524.74
53.000	725.00	0.00	0.00	883.80	1790.00	893.43	0.00	893.56	5.63	3.18	818.20	754.37
53.500	270.00	0.00	0.00	883.80	745.00	890.19	0.00	890.28	6.48	2.45	356.38	292.77
53.500	270.00	0.00	0.00	883.80	1140.00	891.60	0.00	891.71	6.03	2.79	531.55	464.20
53.500	270.00	0.00	0.00	883.80	1330.00	892.20	0.00	892.31	5.82	2.91	616.55	551.25
53.500	270.00	0.00	0.00	883.80	1790.00	893.58	0.00	893.71	5.26	3.12	816.62	780.80
53.900	320.00	0.00	0.00	885.40	745.00	890.50	0.00	890.74	28.62	3.92	189.84	139.27
53.900	320.00	0.00	0.00	885.40	1140.00	891.85	0.00	892.17	27.35	4.55	250.71	217.97
53.900	320.00	0.00	0.00	885.40	1330.00	892.42	0.00	892.78	27.18	4.81	276.59	255.10
53.900	320.00	0.00	0.00	885.40	1790.00	893.75	0.00	894.19	26.41	5.32	336.38	348.28
54.000	1.00	903.90	906.60	885.40	745.00	890.48	0.00	890.76	11.60	4.21	176.78	218.78
54.000	1.00	903.90	906.60	885.40	1140.00	891.81	0.00	892.22	14.31	5.12	222.62	301.31
54.000	1.00	903.90	906.60	885.40	1330.00	892.37	0.00	892.84	15.73	5.52	241.04	335.30
54.000	1.00	903.90	906.60	885.40	1790.00	893.65	0.00	894.28	19.17	6.38	280.62	408.88

MOORE BUSINESS FORMS, INC 23

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
	54.100	42.80	904.10	906.60	885.90	745.00	890.51	0.00	890.84	14.58	4.60	161.91	195.09
	54.100	42.80	904.10	906.60	885.90	1140.00	891.85	0.00	892.31	16.87	5.47	208.41	277.56
	54.100	42.80	904.10	906.60	885.90	1330.00	892.41	0.00	892.94	18.23	5.86	226.97	311.46
	54.100	42.80	904.10	906.60	885.90	1790.00	893.71	0.00	894.40	21.61	6.71	266.83	385.03
	54.200	1.00	0.00	0.00	885.90	745.00	890.58	0.00	890.86	33.54	4.19	177.78	128.65
	54.200	1.00	0.00	0.00	885.90	1140.00	892.00	0.00	892.35	29.21	4.72	241.65	210.93
	54.200	1.00	0.00	0.00	885.90	1330.00	892.61	0.00	892.99	28.15	4.94	269.19	250.69
	54.200	1.00	0.00	0.00	885.90	1790.00	894.03	0.00	894.48	25.91	5.37	333.08	351.68
	54.250	65.00	0.00	0.00	885.80	745.00	890.93	0.00	890.98	3.59	1.72	450.20	393.37
	54.250	65.00	0.00	0.00	885.80	1140.00	892.42	0.00	892.48	3.19	1.96	614.45	637.91
	54.250	65.00	0.00	0.00	885.80	1330.00	893.07	0.00	893.13	3.06	2.05	688.61	759.92
	54.250	65.00	0.00	0.00	885.80	1790.00	894.56	0.00	894.63	2.77	2.23	866.68	1076.04
	54.400	150.00	0.00	0.00	886.80	420.00	890.90	0.00	891.12	29.66	3.85	115.75	77.12
	54.400	150.00	0.00	0.00	886.80	700.00	892.36	0.00	892.63	22.07	4.26	191.42	149.00
	54.400	150.00	0.00	0.00	886.80	840.00	893.00	0.00	893.28	19.87	4.40	232.56	188.46
	54.400	150.00	0.00	0.00	886.80	1180.00	894.48	0.00	894.77	15.32	4.55	347.39	301.46
	54.600	60.00	0.00	0.00	886.30	420.00	891.13	0.00	891.24	11.28	2.93	205.60	125.03
	54.600	60.00	0.00	0.00	886.30	700.00	892.60	0.00	892.72	9.58	3.28	322.40	226.10
	54.600	60.00	0.00	0.00	886.30	840.00	893.24	0.00	893.37	8.94	3.39	384.02	280.87
	54.600	60.00	0.00	0.00	886.30	1180.00	894.72	0.00	894.84	7.38	3.54	552.30	434.48
	54.650	600.00	0.00	0.00	888.10	420.00	892.07	0.00	892.32	31.33	4.23	117.61	75.03
	54.650	600.00	0.00	0.00	888.10	700.00	893.35	0.00	893.62	24.66	4.62	194.34	140.95
	54.650	600.00	0.00	0.00	888.10	840.00	893.92	0.00	894.19	21.86	4.69	239.59	179.66
	54.650	600.00	0.00	0.00	888.10	1180.00	895.25	0.00	895.48	15.52	4.59	381.27	299.48
	54.680	600.00	0.00	0.00	889.26	420.00	894.07	0.00	894.32	35.91	4.06	103.64	70.09
	54.680	600.00	0.00	0.00	889.26	700.00	895.09	0.00	895.48	39.03	5.04	142.08	112.04
	54.680	600.00	0.00	0.00	889.26	840.00	895.50	0.00	895.93	38.51	5.34	178.93	135.37
	54.680	600.00	0.00	0.00	889.26	1180.00	896.40	0.00	896.84	33.82	5.66	264.47	202.91
	54.690	50.00	0.00	0.00	889.35	420.00	894.23	0.00	894.66	101.96	5.22	80.47	41.60
	54.690	50.00	0.00	0.00	889.35	700.00	895.26	894.10	895.83	99.58	6.09	125.53	70.15
	54.690	50.00	0.00	0.00	889.35	840.00	895.82	0.00	896.17	60.51	5.22	234.69	107.99
	54.690	50.00	0.00	0.00	889.35	1180.00	896.84	0.00	897.02	27.78	4.14	434.02	223.87
*	54.700	1.00	894.60	893.23	889.35	420.00	895.82	895.82	896.17	128.49	6.43	133.76	37.05
*	54.700	1.00	894.60	893.23	889.35	700.00	896.06	896.06	896.43	194.03	6.94	176.86	50.25
*	54.700	1.00	894.60	893.23	889.35	840.00	896.07	896.07	896.59	265.08	8.19	179.78	51.59
	54.700	1.00	894.60	893.23	889.35	1180.00	896.75	0.00	897.07	88.50	6.53	311.21	125.43
	54.710	18.00	894.60	893.23	889.35	420.00	896.23	0.00	896.30	31.59	3.10	244.78	74.73
	54.710	18.00	894.60	893.23	889.35	700.00	896.48	0.00	896.60	44.32	4.14	302.25	105.15
	54.710	18.00	894.60	893.23	889.35	840.00	896.65	0.00	896.79	42.81	4.37	341.71	128.39
	54.710	18.00	894.60	893.23	889.35	1180.00	897.02	0.00	897.19	40.60	4.87	427.65	185.19

MOORE BUSINESS FORMS, INC 23

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRIWS	EG	10K*S	VCH	AREA	.01K
54.720	1.00	0.00	0.00	889.35	420.00	896.27	0.00	896.30	6.82	1.89	356.75	160.82
54.720	1.00	0.00	0.00	889.35	700.00	896.54	0.00	896.61	12.65	2.67	419.18	196.81
54.720	1.00	0.00	0.00	889.35	840.00	896.71	0.00	896.79	14.31	2.92	459.34	222.09
54.720	1.00	0.00	0.00	889.35	1180.00	897.09	0.00	897.20	17.44	3.39	546.78	282.54
54.730	50.00	0.00	0.00	889.31	420.00	896.30	0.00	896.33	2.87	1.62	483.72	247.84
54.730	50.00	0.00	0.00	889.31	700.00	896.60	0.00	896.65	5.26	2.28	582.94	305.11
54.730	50.00	0.00	0.00	889.31	840.00	896.78	0.00	896.84	5.97	2.48	643.58	343.71
54.730	50.00	0.00	0.00	889.31	1180.00	897.18	0.00	897.25	7.31	2.87	775.45	436.41
55.000	780.00	0.00	0.00	888.20	420.00	896.35	0.00	896.35	.09	.38	2178.72	1415.56
55.000	780.00	0.00	0.00	888.20	700.00	896.69	0.00	896.69	.19	.57	2382.57	1597.05
55.000	780.00	0.00	0.00	888.20	840.00	896.89	0.00	896.89	.24	.65	2502.01	1707.32
55.000	780.00	0.00	0.00	888.20	1180.00	897.32	0.00	897.33	.36	.83	2765.09	1959.81
55.100	1820.00	0.00	0.00	890.50	420.00	896.38	0.00	896.39	1.83	1.27	641.99	310.47
55.100	1820.00	0.00	0.00	890.50	700.00	896.76	0.00	896.79	3.66	1.89	724.10	365.87
55.100	1820.00	0.00	0.00	890.50	840.00	896.98	0.00	897.02	4.43	2.13	771.75	399.27
55.100	1820.00	0.00	0.00	890.50	1180.00	897.45	0.00	897.52	6.10	2.65	880.39	477.93

MOORE BUSINESS FORMS, INC. 23

RICE CREEK

SUMMARY PRINTOUT TABLE 150

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	50.000	745.00	883.10	0.00	0.00	0.00	42.95	0.00
*	50.000	1140.00	883.40	.30	0.00	.30	44.26	0.00
*	50.000	1330.00	883.74	.35	0.00	.64	45.78	0.00
*	50.000	1790.00	884.45	.71	0.00	1.35	48.89	0.00
	2.900	745.00	883.88	0.00	.78	0.00	105.98	60.00
	2.900	1140.00	884.97	1.09	1.58	0.00	116.42	60.00
	2.900	1330.00	885.41	.44	1.67	0.00	120.20	60.00
	2.900	1790.00	886.42	1.01	1.97	0.00	128.93	60.00
	3.000	745.00	884.32	0.00	.44	0.00	105.07	50.00
	3.000	1140.00	885.18	.86	.21	0.00	113.90	50.00
	3.000	1330.00	885.58	.40	.17	0.00	117.34	50.00
	3.000	1790.00	886.54	.96	.12	0.00	125.70	50.00
*	3.100	745.00	885.62	0.00	1.30	0.00	100.91	85.00
*	3.100	1140.00	886.27	.65	1.09	0.00	109.48	85.00
*	3.100	1330.00	886.51	.24	.93	0.00	111.54	85.00
*	3.100	1790.00	887.02	.51	.48	0.00	115.95	85.00
	50.800	745.00	886.68	0.00	1.06	0.00	41.46	85.00
*	50.800	1140.00	887.22	.54	.95	.54	43.99	85.00
*	50.800	1330.00	887.60	.38	1.09	.92	46.03	85.00
*	50.800	1790.00	888.41	.81	1.39	1.73	50.53	85.00
	50.900	745.00	887.60	0.00	.92	0.00	41.06	50.00
	50.900	1140.00	888.88	1.28	1.66	1.28	45.33	50.00
	50.900	1330.00	889.35	.47	1.75	1.75	46.19	50.00
	50.900	1790.00	890.39	1.05	1.98	2.79	48.13	50.00
	51.000	745.00	887.57	0.00	-.03	0.00	39.53	1.00
	51.000	1140.00	888.85	1.28	-.03	1.28	44.34	1.00
	51.000	1330.00	889.32	.47	-.03	1.75	45.38	1.00
	51.000	1790.00	890.37	1.05	-.03	2.79	47.71	1.00
	51.100	745.00	887.79	0.00	.21	0.00	40.51	31.00
	51.100	1140.00	888.98	1.20	.13	1.20	44.61	31.00
	51.100	1330.00	889.44	.46	.12	1.66	45.64	31.00
	51.100	1790.00	890.48	1.03	.11	2.69	47.94	31.00
	51.200	745.00	887.79	0.00	.01	0.00	40.52	1.00
	51.200	1140.00	888.99	1.20	.01	1.20	44.64	1.00
	51.200	1330.00	889.45	.46	.01	1.66	45.66	1.00
	51.200	1790.00	890.48	1.03	.01	2.69	47.95	1.00

MOORE BUSINESS FORMS, INC. 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
51.500	745.00	888.33	0.00	.54	0.00	72.23	30.00
51.500	1140.00	889.53	1.20	.53	1.20	85.87	30.00
51.500	1330.00	890.01	.49	.56	1.69	92.16	30.00
51.500	1790.00	891.13	1.12	.65	2.80	112.63	30.00
51.900	745.00	888.60	0.00	.27	0.00	29.00	130.00
51.900	1140.00	889.79	1.19	.26	1.19	29.00	130.00
51.900	1330.00	890.26	.47	.25	1.67	29.00	130.00
51.900	1790.00	891.31	1.04	.17	2.71	29.00	130.00
52.000	745.00	888.57	0.00	-.03	0.00	29.00	1.00
52.000	1140.00	889.72	1.15	-.07	1.15	29.00	1.00
52.000	1330.00	890.17	.45	-.10	1.60	29.00	1.00
52.000	1790.00	891.13	.96	-.18	2.56	29.00	1.00
52.100	745.00	888.62	0.00	.05	0.00	29.00	28.00
52.100	1140.00	889.80	1.18	.09	1.18	29.00	28.00
52.100	1330.00	890.27	.47	.10	1.65	29.00	28.00
52.100	1790.00	891.29	1.02	.16	2.67	29.00	28.00
52.200	745.00	888.72	0.00	.10	0.00	29.00	1.00
52.200	1140.00	890.03	1.32	.23	1.32	29.00	1.00
52.200	1330.00	890.58	.55	.31	1.87	29.00	1.00
52.200	1790.00	891.86	1.27	.57	3.14	29.00	1.00
52.300	745.00	888.98	0.00	.26	0.00	85.85	60.00
52.300	1140.00	890.51	1.53	.47	1.53	116.94	60.00
52.300	1330.00	891.17	.67	.59	2.19	126.00	60.00
52.300	1790.00	892.71	1.53	.85	3.73	126.00	60.00
53.000	745.00	889.99	0.00	1.01	0.00	106.61	725.00
53.000	1140.00	891.42	1.42	.91	1.42	134.96	725.00
53.000	1330.00	892.02	.61	.85	2.03	147.04	725.00
53.000	1790.00	893.43	1.40	.72	3.43	174.97	725.00
53.500	745.00	890.19	0.00	.20	0.00	110.57	270.00
53.500	1140.00	891.60	1.41	.18	1.41	138.57	270.00
53.500	1330.00	892.20	.60	.17	2.01	142.85	270.00
53.500	1790.00	893.58	1.38	.15	3.39	146.67	270.00
53.900	745.00	890.50	0.00	.31	0.00	45.00	320.00
53.900	1140.00	891.85	1.35	.25	1.35	45.00	320.00
53.900	1330.00	892.42	.58	.23	1.93	45.00	320.00
53.900	1790.00	893.75	1.32	.17	3.25	45.00	320.00
54.000	745.00	890.48	0.00	-.02	0.00	45.00	1.00
54.000	1140.00	891.81	1.33	-.04	1.33	45.00	1.00
54.000	1330.00	892.37	.56	-.05	1.89	45.00	1.00
54.000	1790.00	893.65	1.28	-.09	3.17	45.00	1.00

MOORE BUSINESS FORMS, INC 23

	SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
	54.100	745.00	890.51	0.00	.03	0.00	45.00	42.80
	54.100	1140.00	891.85	1.34	.04	1.34	45.00	42.80
	54.100	1330.00	892.41	.57	.04	1.90	45.00	42.80
	54.100	1790.00	893.71	1.29	.05	3.20	45.00	42.80
	54.200	745.00	890.58	0.00	.08	0.00	45.00	1.00
	54.200	1140.00	892.00	1.42	.16	1.42	45.00	1.00
	54.200	1330.00	892.61	.61	.20	2.03	45.00	1.00
	54.200	1790.00	894.03	1.42	.33	3.45	45.00	1.00
	54.250	745.00	890.93	0.00	.35	0.00	107.17	65.00
	54.250	1140.00	892.42	1.49	.42	1.49	113.28	65.00
	54.250	1330.00	893.07	.65	.46	2.14	116.14	65.00
	54.250	1790.00	894.56	1.49	.53	3.63	122.74	65.00
	54.400	420.00	890.90	0.00	-.03	0.00	43.01	150.00
	54.400	700.00	892.36	1.46	-.06	1.46	60.61	150.00
	54.400	840.00	893.00	.64	-.07	2.10	68.30	150.00
	54.400	1180.00	894.48	1.49	-.08	3.59	86.21	150.00
	54.600	420.00	891.13	0.00	.24	0.00	71.43	60.00
	54.600	700.00	892.60	1.47	.24	1.47	90.94	60.00
	54.600	840.00	893.24	.64	.24	2.11	101.72	60.00
	54.600	1180.00	894.72	1.47	.23	3.58	126.57	60.00
	54.650	420.00	892.07	0.00	.94	0.00	47.73	600.00
	54.650	700.00	893.35	1.28	.75	1.28	73.27	600.00
	54.650	840.00	893.92	.57	.68	1.85	85.13	600.00
	54.650	1180.00	895.25	1.33	.53	3.18	173.62	600.00
	54.680	420.00	894.07	0.00	2.00	0.00	34.07	600.00
	54.680	700.00	895.09	1.02	1.74	1.02	53.79	600.00
	54.680	840.00	895.50	.41	1.58	1.43	95.00	600.00
	54.680	1180.00	896.40	.90	1.15	2.33	95.00	600.00
	54.690	420.00	894.23	0.00	.17	0.00	30.15	50.00
	54.690	700.00	895.26	1.03	.17	1.03	142.31	50.00
	54.690	840.00	895.82	.56	.32	1.59	195.00	50.00
	54.690	1180.00	896.84	1.02	.45	2.61	195.00	50.00
*	54.700	420.00	895.82	0.00	1.59	0.00	195.00	1.00
*	54.700	700.00	896.06	.24	.80	.24	195.00	1.00
*	54.700	840.00	896.07	.02	.25	.25	195.00	1.00
	54.700	1180.00	896.75	.67	-.10	.93	195.00	1.00
	54.710	420.00	896.23	0.00	.41	0.00	231.00	18.00
	54.710	700.00	896.48	.25	.42	.25	231.00	18.00
	54.710	840.00	896.65	.17	.58	.42	231.00	18.00
	54.710	1180.00	897.02	.37	.28	.79	231.00	18.00

MOORE BUSINESS FORMS, INC 23

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
54.720	420.00	896.27	0.00	.03	0.00	231.00	1.00
54.720	700.00	896.54	.27	.05	.27	231.00	1.00
54.720	840.00	896.71	.17	.06	.44	231.00	1.00
54.720	1180.00	897.09	.38	.07	.82	231.00	1.00
54.730	420.00	896.30	0.00	.03	0.00	330.00	50.00
54.730	700.00	896.60	.30	.06	.30	330.00	50.00
54.730	840.00	896.78	.18	.07	.48	330.00	50.00
54.730	1180.00	897.18	.40	.09	.88	330.00	50.00
55.000	420.00	896.35	0.00	.05	0.00	588.08	780.00
55.000	700.00	896.69	.34	.09	.34	597.28	780.00
55.000	840.00	896.89	.20	.11	.54	602.61	780.00
55.000	1180.00	897.32	.43	.14	.98	614.18	780.00
55.100	420.00	896.38	0.00	.03	0.00	211.19	1820.00
55.100	700.00	896.76	.38	.07	.38	217.42	1820.00
55.100	840.00	896.98	.22	.09	.60	221.01	1820.00
55.100	1180.00	897.45	.48	.13	1.08	238.25	1820.00

MOORE BUSINESS FORMS, INC. 23

SUMMARY OF ERRORS

CAUTION	SECNO=	50.000	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.000	PROFILE= 3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.000	PROFILE= 4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 1	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 2	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	3.100	PROFILE= 3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 3	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	3.100	PROFILE= 4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	3.100	PROFILE= 4	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	3.100	PROFILE= 4	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	50.800	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.800	PROFILE= 2	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	50.800	PROFILE= 3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.800	PROFILE= 3	MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	50.800	PROFILE= 4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	50.800	PROFILE= 4	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	50.800	PROFILE= 4	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	54.700	PROFILE= 1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	54.700	PROFILE= 1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 1	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	54.700	PROFILE= 2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	54.700	PROFILE= 2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 2	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	54.700	PROFILE= 3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	54.700	PROFILE= 3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	54.700	PROFILE= 3	20 TRIALS ATTEMPTED TO BALANCE WSEL

MOORE BUSINESS FORMS, INC 23

FLOOD INSURANCE ZONE DATA FOR RICE CREEK

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND 10	2	0.2
50.000	0.	-.64	-.35	.71
2.900	60.	-1.53	-.44	1.01
3.000	110.	-1.26	-.40	.96
3.100	195.	-.89	-.24	.51
50.800	280.	-.92	-.38	.81
50.900	330.	-1.75	-.47	1.05
51.000	331.	-1.75	-.47	1.05
51.100	362.	-1.66	-.46	1.03
51.200	363.	-1.66	-.46	1.03
51.500	393.	-1.69	-.49	1.12
51.900	523.	-1.67	-.47	1.04
52.000	524.	-1.60	-.45	.96
52.100	552.	-1.65	-.47	1.02
52.200	553.	-1.87	-.55	1.27
52.300	613.	-2.19	-.67	1.53
53.000	1338.	-2.03	-.61	1.40
53.500	1608.	-2.01	-.60	1.38
53.900	1928.	-1.93	-.58	1.32
54.000	1929.	-1.89	-.56	1.28
54.100	1972.	-1.90	-.57	1.29
54.200	1973.	-2.03	-.61	1.42
54.250	2038.	-2.14	-.65	1.49
54.400	2188.	-2.10	-.64	1.49
54.600	2248.	-2.11	-.64	1.47
54.650	2848.	-1.85	-.57	1.33
54.680	3448.	-1.43	-.41	.90
54.690	3498.	-1.59	-.56	1.02
54.700	3499.	-.25	-.02	.67
54.710	3517.	-.42	-.17	.37
54.720	3518.	-.44	-.17	.38
54.730	3568.	-.48	-.18	.40
55.000	4348.	-.54	-.20	.43
55.100	6168.	-.60	-.22	.48
WEIGHTED AVG FOR REACH		-1.29	-.40	.92

FHF FOR THE REACH = 015 WITH 19.5 PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 3

MOORE BUSINESS FORMS, INC 23

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA 10	1	DIFF.	WTD. AVG.	FHF	PERCENT WITHIN
	0.					SEC.	50.000
	60.					SEC.	2.900
1	100.	883.67	884.64	-.97	-.97	010	100.
	110.					SEC.	3.000
	195.					SEC.	3.100
2	200.	884.96	886.06	-1.10	-1.03	010	100.
	280.					SEC.	50.800
3	300.	886.36	887.43	-1.07	-1.05	010	100.
	330.					SEC.	50.900
	331.					SEC.	51.000
	362.					SEC.	51.100
	363.					SEC.	51.200
	393.					SEC.	51.500
4	400.	887.69	889.16	-1.47	-1.15	010	100.
5	500.	888.45	890.12	-1.67	-1.26	015	100.
	523.					SEC.	51.900
	524.					SEC.	52.000
	552.					SEC.	52.100
	553.					SEC.	52.200
6	600.	888.74	890.63	-1.89	-1.36	015	83.
	613.					SEC.	52.300
7	700.	889.01	891.16	-2.15	-1.47	015	86.
8	800.	889.17	891.33	-2.16	-1.56	015	63.
9	900.	889.31	891.45	-2.14	-1.62	015	33.
10	1000.	889.45	891.57	-2.12	-1.67	015	70.
11	1100.	889.59	891.68	-2.09	-1.71	015	73.
12	1200.	889.73	891.80	-2.07	-1.74	015	75.
13	1300.	889.87	891.92	-2.05	-1.77	020	77.
	1338.					SEC.	53.000
14	1400.	889.99	892.02	-2.03	-1.78	020	79.
15	1500.	890.07	892.09	-2.02	-1.80	020	80.
16	1600.	890.15	892.16	-2.01	-1.81	020	81.
	1608.					SEC.	53.500
17	1700.	890.23	892.23	-2.00	-1.82	020	82.
18	1800.	890.33	892.30	-1.97	-1.83	020	83.
19	1900.	890.42	892.37	-1.95	-1.84	020	84.
	1928.					SEC.	53.900
	1929.					SEC.	54.000
	1972.					SEC.	54.100
	1973.					SEC.	54.200
20	2000.	890.60	892.60	-2.00	-1.85	020	85.
	2038.					SEC.	54.250
21	2100.	890.82	892.92	-2.10	-1.86	020	86.
	2188.					SEC.	54.400
22	2200.	890.93	893.04	-2.11	-1.87	020	86.
	2248.					SEC.	54.600
23	2300.	891.08	893.17	-2.09	-1.88	020	87.

MOORE BUSINESS FORMS, INC 23

24	2400.	891.29	893.36	-2.07	-1.89	020	88.
25	2500.	891.45	893.47	-2.02	-1.89	020	88.
26	2600.	891.61	893.58	-1.97	-1.90	020	88.
27	2700.	891.76	893.70	-1.94	-1.90	020	89.
28	2800.	891.92	893.81	-1.89	-1.90	020	89.
	2848.				SEC.	54.650	
29	2900.	892.12	893.96	-1.84	-1.90	020	90.
30	3000.	892.41	894.19	-1.78	-1.89	020	90.
31	3100.	892.74	894.45	-1.71	-1.89	020	90.
32	3200.	893.08	894.71	-1.63	-1.88	020	91.
33	3300.	893.41	894.98	-1.57	-1.87	020	91.
34	3400.	893.74	895.24	-1.50	-1.86	020	91.
	3448.				SEC.	54.680	
	3498.				SEC.	54.690	
	3499.				SEC.	54.700	

ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND

	10	2	0.2
WEIGHTED AVG FOR REACH	-1.86	-.56	1.29

FHF FOR REACH 1 = 020 WITH 91. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 4

35	3500.	894.88	895.74	-.86	-.86	010	100.
	3517.				SEC.	54.710	
	3518.				SEC.	54.720	
	3568.				SEC.	54.730	
36	3600.	896.07	896.45	-.38	-.62	005	100.
37	3700.	896.30	896.79	-.49	-.58	005	100.
38	3800.	896.31	896.81	-.50	-.56	005	100.
39	3900.	896.31	896.82	-.51	-.55	005	100.
40	4000.	896.32	896.83	-.51	-.54	005	100.
41	4100.	896.33	896.85	-.52	-.54	005	100.
42	4200.	896.33	896.86	-.53	-.54	005	100.
43	4300.	896.34	896.88	-.54	-.54	005	100.
	4348.				SEC.	55.000	
44	4400.	896.35	896.89	-.54	-.54	005	100.
45	4500.	896.35	896.90	-.55	-.54	005	100.
46	4600.	896.35	896.90	-.55	-.54	005	100.
47	4700.	896.35	896.91	-.56	-.54	005	100.
48	4800.	896.35	896.91	-.56	-.54	005	100.
49	4900.	896.36	896.91	-.55	-.54	005	100.
50	5000.	896.36	896.92	-.56	-.54	005	100.
51	5100.	896.36	896.92	-.56	-.55	005	100.
52	5200.	896.36	896.93	-.57	-.55	005	100.
53	5300.	896.36	896.93	-.57	-.55	005	100.
54	5400.	896.36	896.94	-.58	-.55	005	100.
55	5500.	896.37	896.94	-.57	-.55	005	100.
56	5600.	896.37	896.95	-.58	-.55	005	100.
57	5700.	896.37	896.95	-.58	-.55	005	100.
58	5800.	896.37	896.96	-.59	-.55	005	100.
59	5900.	896.37	896.96	-.59	-.56	005	100.

MOORE BUSINESS FORMS, INC 23

60	6000.	896.38	896.97	-.59	-.56	005	100.
61	6100.	896.38	896.97	-.59	-.56	005	100.
	6168.				SEC.	55.100	

	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND		
	10	2	0.2
WEIGHTED AVG FOR REACH	-.56	-.20	.46

FHF FOR REACH 2 = 005 WITH 100. PERCENT OF THE REACH WITHIN .5 FEET
ZONE FOR THE REACH = A 1

MOORE BUSINESS FORMS, INC 23

```
**********************************************************
  HEC2 RELEASE DATED NOV 76 UPDATED APRI 1980
  ERROR CORR -  01,02,03,04
  MODIFICATION -  50,51,52,53,54
**********************************************************
```

MOORE BUSINESS FORMS, INC. 29

****
IF YOU HAVE DIFFICULTY WITH OUR SYSTEM, CALL YOUR LOCAL BCS REPRESENTATIVE OR CONTACT MAINSTREAM-EKS CONSULTATION ON THE CUSTOMER SERVICES NUMBERS LISTED BELOW.
****

APRIL 9,1980
MAINSTREAM-EKS SERVICE SCHEDULE, EXCLUSIVE OF HOLIDAYS
(TIMES GIVEN IN LOCAL PACIFIC TIME)

REGULAR SERVICE SCHEDULE FOR MAINSTREAM-EKS COMPUTER SERVICE (BATCH, RJE, AND KIT) AND CONSULTATION.

DAY OF WEEK	MAINSTREAM-EKS SERVICE	EKS CONSULTATION	CAD/CAM SERVICE
MONDAY	0000-2400	0500-1730	0300-2400
TUESDAY THROUGH FRIDAY	0000-2400	0500-1730	0000-2400
SATURDAY	0500-1800	0800-1700	0500-1800
SUNDAY	0500-1800	CLOSED	0500-1800

NOTE: DUE TO SYSTEM MAINTENANCE REQUIREMENTS, KIT OR RJE SERVICE MAY BE BRIEFLY INTERRUPTED (WITH ADVANCE WARNING) BETWEEN 8:00 PM AND 5:00 AM ON WEEKDAYS.

FOR MAINSTREAM-EKS CUSTOMER SERVICES, THE TELEPHONE NUMBERS ARE:

DIALING WITHIN SEATTLE AREA	206-237-5611
TOLL-FREE DIALING WITHIN WASHINGTON STATE	800-562-0307
TOLL-FREE DIALING OUTSIDE WASHINGTON STATE	800-426-7676
TOLL-FREE DIALING FROM ALASKA AND HAWAII	800-426-6353

ASK FOR EKS CONSULTATION. OFF-HOURS ASSISTANCE IS PROVIDED BY THE OPERATIONS STAFF.

****
*** SYSTEM 2000 USERS SEE MSG,S2K. ***
****

MOORE BUSINESS FORMS, INC. 23

MOORE BUSINESS FORMS, INC 23

```
BDIYDOA. 80/10/20.EKS1 7508.N0501.166A 80/10/19.DS-0 00.18.05. 80/10/20.

07.47.00.TESTJOB,TS,CM160000,P02.
07.47.15.*
07.47.15.*****************************************
07.47.15.* M A I L I N G  I N F O R M A T I O N *
07.47.15.*.....................................*
07.47.15.*                                       *
07.47.15.* NAME     - 62-0104-016(6231)          *
07.47.15.* PHONE    - (517)7885458               *
07.47.15.* MAIL TO - JACKSON.MICH.               *
07.47.15.*                                       *
07.47.15.*****************************************
07.47.15.*
07.47.15.USER,GCAHEC,.      62-0104-016(6231)/(51
07.47.15.7)7885458/JACKSON,MICH.
07.47.19. CHARGE LIMITS OVERRIDDEN
07.47.19.
07.47.19. JOB ENTRY 80/10/20.  7.30.12.
07.47.22.* V.DANUSHKODI 209 E. WASHINGTON -- 5E37
07.47.22.GET,HEC2/UN=EKSAPP.
07.47.26.HEC2.
07.47.27./PRG USED/HEC2
07.47.58.     STOP
07.47.58.       3.835 CP SECONDS EXECUTION TIME
07.47.59.REPLACE,OUTPUT=TEMP.
07.48.02.GET,TEMP.
07.48.04.COPYBF,TEMP,OUTPUT.
07.48.04. EOI ENCOUNTERED.
07.48.04.REWIND,TEMP.
07.48.04.COPYBF,TEMP,OUTPUT.
07.48.05. EOI ENCOUNTERED.
07.48.05.REWIND,TEMP.
07.48.05.COPYBF,TEMP,OUTPUT.
07.48.05. EOI ENCOUNTERED.
07.48.05.PURGE,TEMP.
07.48.08.
07.48.08. RUN DATE  80/10/20.  RUT SECS     15.909
07.48.08. UNITS          NUMBER      CCUS   PERCENT
07.48.08. CPU SECS         3.910    29.679    59.651
07.48.08. CMP UNITS        2.777    14.722    29.589
07.48.08. DISK REQS          316     3.406     6.845
07.48.08. DISK SECT         4418     0.593     1.191
07.48.08. JOB INITIATION             1.350     2.713
07.48.08. JOB PROCESSING CCUS       49.754
07.48.08.
07.48.08. AVERAGE CM USED (DECIMAL)            29922
07.48.08. AVERAGE CM USED (OCTAL)              72342
07.48.08. ITEMS CHARGED SEPARATELY
07.48.08. PRINT SECT         475
07.48.09.
07.48.09. PRIORITY REQUESTED              2
07.48.09. PRIORITY BILLED                 2
```

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Marshall

3) WATERCOURSE: Rice Creek

4) DOCUMENT TYPE: 100 yr. natural and encroachment

00BREAK00

00BREAK00

1) COUNTY: Calhoun

2) STUDY NAME: City of Marshall

3) WATERCOURSE: Rice creek

4) DOCUMENT TYPE: report

00BREAK00

13.

hydraulic report
X-sect Plots
10, 50, 100, 500 yr.
HEC-2 I/O
Rice Creek Flooding 10, 50, 100, 500 yr Profile
Mill Creek - Natural & Encroached 10, 50, 100, 500 yr Profile

In Attached Folder

HYDRAULIC ANALYSIS REPORT

RICE CREEK AT CITY OF MARSHALL
CALHOUN COUNTY, MICHIGAN

Prepared by

COMMONWEALTH ASSOCIATES INC.
209 East Washington Avenue
Jackson, Michigan 49201

August, 1980

Introduction

Hydraulic calculations were performed for the Rice Creek within the entire corporate boundaries of Marshall city. Field cross section data were surveyed by Commonwealth Associates in September-October, 1978. The flood flows for 10-, 50-, 100-, and 500-year recurrence intervals were approved by the Michigan Department of Natural Resources. A 7-1/2 minute U.S.G.S. topographic map (preliminary) available for the Marshall area was utilized. This study was performed by Commonwealth Associates Inc., Jackson, Michigan, and the Project Manager was V. Danushkodi, P.E.

Method Of Analysis

The HEC-2 computer program was utilized in the entire hydraulic analysis.

Variables and Coefficients

Manning's Roughness Coefficient

For channel	0.040-0.045
For overbanks	0.060-0.100

Coefficients for Floodway

Contraction	0.10
Expansion	0.30

Coefficients for Bridges

Contraction	0.30
Expansion	0.50

Ratios

Contraction	1:1
Expansion	1:4

Coefficients for Weir Flow

None. All bridges were analyzed as normal bridges.

High-Water Marks

None


Starting Conditions

Mean annual flood level for the Kalamazoo River at the confluence of Rice Creek was used as starting elevation for Rice Creek. However, the program used critical depth.

Special Problems

A mill race channel was built adjacent to Rice Creek. A low dam in Rice Creek within the corporate boundaries of Marengo Township, upstream of the Marshall study, serves to divide flows between Rice Creek and Mill race. The mill race has a dam at the confluence of Mill Race and Rice Creek. The flood flows were divided between Rice Creek and Mill Race by island flow analysis.

Flow Division Between Rice Creek and Mill Race



FIS CITY OF MARSHALL

FLOW DIVISION BETWEEN
RICE CREEK AND MILL RACE

STAGE-DISCHARGE U/S OF DAM (SEC. 56)

(a) Rice Creek

Q cfs	Elevation
400	897.99
600	897.37
800	897.69
1,000	897.96
1,200	898.22

(b) Mill Race

Q cfs	Elevation
200	896.47
300	897.10
400	897.64
500	898.10

Flow Division from Graph

Record Interval	Total Flow cfs	Elev. U/S of Weir	Flow in Rice Ck.	Flow in Mill Race
10-Yr	710	897.03	420	290
50-Yr	1,080	897.52	700	380
100-Yr	1,270	897.75	840	430
500-Yr	1,710	898.20	1,180	530

References


None


Cross Section Reference

SECNO	ID in Profile	Description
50.0	A	Surveyed valley section at mouth
2.9	-	Made up valley section - Section 3.0 lowered by 0.5 feet
3.0	-	Surveyed valley section
3.1	-	Repeated valley section - Section 3.0 raised by 1.6 feet
50.8	-	Surveyed bridge sections. Railroad bridge. Steel girders with concrete abutments. 50 feet X 14 feet box.
50.9	-	
51.0	B	
51.1	-	
51.2	-	
51.5	-	
51.9	-	Surveyed bridge sections at Monroe Street. 29-foot span X 11-foot high concrete arch.
52.0	C	
52.1	-	
52.2	-	
52.3	-	
53.0	D	Surveyed valley section
53.5	-	Repeated valley section - same as 53.0
53.9	-	Surveyed bridge sections at Marshall Avenue. Concrete arch 20-foot span X 14-foot high. Two spans
54.0	E	
54.1	-	
54.2	-	
54.25	-	
54.4	-	Surveyed valley section
54.6	-	Surveyed valley section
54.65	-	Made up valley section from topographic map
54.68	F	Surveyed bridge section - Private drive. Two 4-foot diameter pipes and one 2.5-foot diameter pipe
54.69	-	
54.70	G	
54.71	-	
54.72	-	
54.73	-	
55.0	H	Surveyed valley section
55.1	I	Made up valley section at corporate boundary from topographic map


SECNO	ID in Profile	Description
		Mill Race Sections
54.3	-	Surveyed valley section downstream of dam
54.5	A	Dam. 36 feet long spillway
54.6	B	Surveyed valley section
55.0	C	Surveyed valley section
55.1	D	Made up valley section at corporate boundry


Bridge Notes and Sketches






Downstream





51. RR Bridge

Upstream






Downstream







52. Monroe St Bridge

Upstream



downstream






upstream

54. Marshall Ave Bridge





54.5 Mill Race Dam