

Michigan Occupational Injury and Illness Case and Demographic Data 2007

During 2007, Michigan private industry workplaces reported 32,180 injuries and illnesses that required recuperation away from work beyond the day of the incident.


This publication contains Case and Demographic data reported on the Survey of Occupational Injuries and Illnesses. This survey is conducted by the Bureau of Labor Statistics (BLS), U. S. Department of Labor, in cooperation with the Management Information Systems Section, Michigan Occupational Safety and Health Administration (MIOSHA), MTSD, De LEG.

For further statistical information regarding Michigan occupational injuries and illnesses, please visit MIOSHA's website at www.michigan.gov/miosha. National injury and illness data can be obtained at the Bureau of Labor Statistics (BLS) website www.bls.gov.

Worker Characteristics Highlights

GENDER

Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by gender of worker, Private industry 2007



AGE

Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by age of worker, Private industry 2007




- Men accounted for over 61 percent of the 32,180 injury and illness cases.
- Workers between the ages of 35-54 accounted for more than half of the total injury and illness cases.

Worker Characteristics Highlight

LENGTH OF SERVICE

Percent of nonfatal occupational injuries and illnesses involving days away from work by length of service with employer, Private industry 2007




- Forty-one percent of the injury and illness cases involved workers who had been on the job for more than five years.

CASE CHARACTERISTICS


NATURE

Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by nature of injury or illness, Private industry 2007



PART

Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by event or exposure, Private industry 2007




- Sprains, strains made up over 37% of all nonfatal occupational injuries and illnesses in 2007.

- The trunk (shoulder and back) was injured in 32% of the injury and illness cases reported in 2007.

CASE CHARACTERISTICS


SOURCE

Percent of nonfatal occupational injuries and illnesses involving days away from work by source of injury or illness, Private industry 2007



EVENT

Percent of nonfatal occupational injuries and illnesses involving days away from work by event or exposure, Private industry 2007



- Floor, ground surfaces contributed to more than 21 percent of the occupational injuries and illnesses in 2007.

- The event of Contact with objects, equipment was the leading category involved in over one-fourth of the nonfatal occupational injuries and illnesses in 2007.