

| Lake Michigan (State License Only) | | | |
|--|------------|-------------------|-------------|
| 2018 | | | |
| SPECIES | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | 0 | \$0.30 | \$0 |
| BUFFALO | 0 | \$0.67 | \$0 |
| BULLHEAD | 0 | \$0.61 | \$0 |
| BURBOT | 0 | \$1.24 | \$0 |
| CARP | 0 | \$0.27 | \$0 |
| CHANNEL CATFISH | 0 | \$0.56 | \$0 |
| CHUB (Dressed Wt.) | 140 | \$4.11 | \$575 |
| CRAPPIE | 0 | \$4.48 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | NA | \$0 |
| GOLD FISH | 0 | \$1.00 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | NA | \$0 |
| MENOMINEE | 0 | NA | \$0 |
| QUILLBACK | 0 | \$0.55 | \$0 |
| ROCK BASS | 0 | \$1.52 | \$0 |
| SHEEPHEAD | 0 | \$0.35 | \$0 |
| SMELT | 17,711 | \$1.25 | \$22,139 |
| SUCKER | 59 | \$0.35 | \$21 |
| WHITE BASS | 0 | \$1.62 | \$0 |
| WHITE PERCH | 0 | \$1.49 | \$0 |
| WHITEFISH | 839,065 | \$1.99 | \$1,669,739 |
| YELLOW PERCH | 0 | \$3.43 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 856,975 |
| FISHERY TOTAL VALUE | | | \$1,692,474 |
| 2018: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,669,739 |
| 2) | SMELT | | \$22,139 |
| 3) | CHUB | | \$575 |
| 4) | SUCKER | | \$21 |
| 5) | | | |
| 2018: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 839,065 |
| 2) | SMELT | | 17,711 |
| 3) | CHUB | | 140 |
| 4) | SUCKER | | 59 |
| 5) | | | |

NOTE: Beginning in 2017
Dressed Wt. = 1.13 conversion
factor

| Lake Michigan (State License Only) | | | |
|--|------------|-------------------|-------------|
| 2017 | | | |
| SPECIES | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | 0 | \$0.30 | \$0 |
| BUFFALO | 0 | \$1.00 | \$0 |
| BULLHEAD | 0 | \$0.66 | \$0 |
| BURBOT | 0 | \$1.75 | \$0 |
| CARP | 0 | \$0.28 | \$0 |
| CHANNEL CATFISH | 0 | \$0.45 | \$0 |
| CHUB (Dressed Wt.) | 155 | \$4.11 | \$637 |
| CRAPPIE | 0 | \$3.68 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | NA | \$0 |
| GOLD FISH | 0 | \$1.00 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | NA | \$0 |
| MENOMINEE | 0 | NA | \$0 |
| QUILLBACK | 0 | \$0.43 | \$0 |
| ROCK BASS | 0 | \$1.55 | \$0 |
| SHEEPHEAD | 0 | \$0.24 | \$0 |
| SMELT | 0 | NA | \$0 |
| SUCKER | 0 | \$0.29 | \$0 |
| WHITE BASS | 0 | \$0.86 | \$0 |
| WHITE PERCH | 0 | \$1.14 | \$0 |
| WHITEFISH | 738,152 | \$1.89 | \$1,395,107 |
| YELLOW PERCH | 0 | \$3.27 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 738,307 |
| FISHERY TOTAL VALUE | | | \$1,395,744 |
| 2017: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,395,107 |
| 2) | CHUB | | \$637 |
| 3) | | | |
| 4) | | | |
| 5) | | | |
| 2017: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 738,152 |
| 2) | CHUB | | 155 |
| 3) | | | |
| 4) | | | |
| 5) | | | |

NOTE: Beginning in 2017
Dressed Wt. = 1.13 conversion
factor

| Lake Michigan (State License Only) | | | |
|--|-----------------|-------------------|-------------|
| 2016 | | | |
| SPECIES | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | 0 | NA | \$0 |
| BUFFALO | 0 | \$0.80 | \$0 |
| BULLHEAD | 0 | \$0.61 | \$0 |
| BURBOT | 0 | \$0.15 | \$0 |
| CARP | 0 | \$0.28 | \$0 |
| CHANNEL CATFISH | 150 | \$0.43 | \$65 |
| CHUB (Dressed Wt.) | 2,413 | \$4.11 | \$9,917 |
| CRAPPIE | 0 | \$3.20 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | NA | \$0 |
| GOLD FISH | 0 | \$1.00 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | NA | \$0 |
| MENOMINEE | 0 | NA | \$0 |
| QUILLBACK | 0 | \$0.30 | \$0 |
| ROCK BASS | 0 | \$1.75 | \$0 |
| SHEEPHEAD | 0 | \$0.31 | \$0 |
| SMELT | 0 | NA | \$0 |
| SUCKER | 0 | \$0.35 | \$0 |
| WHITE BASS | 0 | \$0.62 | \$0 |
| WHITE PERCH | 0 | \$0.80 | \$0 |
| WHITEFISH | 719,667 | \$1.59 | \$1,144,271 |
| YELLOW PERCH | 0 | \$3.73 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 722,230 |
| FISHERY TOTAL VALUE | | | \$1,154,252 |
| 2016: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,144,271 |
| 2) | CHUB | | \$9,917 |
| 3) | CHANNEL CATFISH | | \$65 |
| 4) | | | |
| 5) | | | |
| 2016: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 719,667 |
| 2) | CHUB | | 2,413 |
| 3) | CHANNEL CATFISH | | 150 |
| 4) | | | |
| 5) | | | |

NOTE: Beginning in 2017
Dressed Wt. = 1.13 conversion
factor

| SPECIES |
|----------------------------|
| ALEWIFE |
| BOWFIN |
| BUFFALO |
| BULLHEAD |
| BURBOT |
| CARP |
| CHANNEL CATFISH |
| CHUB (Dressed Wt.) |
| CRAPPIE |
| GAR PIKE |
| GIZZARD SHAD |
| GOLD FISH |
| LAKE HERRING (Dressed Wt.) |
| LEAN LAKE TROUT |
| MENOMINEE |
| QUILLBACK |
| ROCK BASS |
| SHEEPHEAD |
| SMELT |
| SUCKER |
| WHITE BASS |
| WHITE PERCH |
| WHITEFISH |
| YELLOW PERCH |

NOTE: Dressed Wt. = 1.17
conversion factor

| Lake Michigan (State License Only) | | |
|--|-------------------|-------------|
| 2013 | | |
| lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| 0 | NA | \$0 |
| 0 | NA | \$0 |
| 0 | \$0.54 | \$0 |
| 0 | \$0.48 | \$0 |
| 13 | NA | \$0 |
| 12 | \$0.28 | \$3 |
| 21 | \$0.48 | \$10 |
| 382 | \$4.05 | \$1,547 |
| 0 | \$3.47 | \$0 |
| 0 | NA | \$0 |
| 0 | \$0.22 | \$0 |
| 0 | \$1.00 | \$0 |
| 0 | NA | \$0 |
| 0 | NA | \$0 |
| 0 | Na | \$0 |
| 0 | \$0.33 | \$0 |
| 0 | \$1.00 | \$0 |
| 17 | \$0.24 | \$4 |
| 0 | NA | \$0 |
| 30 | \$0.17 | \$5 |
| 0 | \$0.56 | \$0 |
| 0 | \$0.43 | \$0 |
| 745,135 | \$2.09 | \$1,557,332 |
| 0 | \$2.30 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | 745,610 |
| FISHERY TOTAL VALUE | | \$1,558,902 |
| 2013: TOP 5 SPECIES IN VALUE | | |
| 1) | WHITEFISH | \$1,557,332 |
| 2) | | |
| 3) | | |
| 4) | | |
| 5) | | |
| 2013: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | |
| 1) | WHITEFISH | 745,135 |
| 2) | | |
| 3) | | |
| 4) | | |
| 5) | | |

| Lake Michigan (State License Only) | | | |
|--|-----------------|-------------------|-------------|
| SPECIES | 2012 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | 0 | \$0.50 | \$0 |
| BUFFALO | 0 | \$0.47 | \$0 |
| BULLHEAD | 0 | \$0.47 | \$0 |
| BURBOT | 32 | \$1.00 | \$32 |
| CARP | 106 | \$0.27 | \$29 |
| CHANNEL CATFISH | 43 | \$0.51 | \$22 |
| CHUB (Dressed Wt.) | 308 | NA | \$0 |
| CRAPPIE | 0 | \$2.46 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | \$0.20 | \$0 |
| GOLD FISH | 0 | \$0.99 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | NA | \$0 |
| MENOMINEE | 0 | NA | \$0 |
| QUILLBACK | 0 | \$0.32 | \$0 |
| ROCK BASS | 0 | \$0.92 | \$0 |
| SHEEPHEAD | 0 | \$0.22 | \$0 |
| SMELT | 0 | NA | \$0 |
| SUCKER | 0 | \$0.19 | \$0 |
| WHITE BASS | 0 | \$0.69 | \$0 |
| WHITE PERCH | 0 | \$0.50 | \$0 |
| WHITEFISH | 704,817 | \$1.61 | \$1,134,755 |
| YELLOW PERCH | 0 | \$2.52 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 705,306 |
| FISHERY TOTAL VALUE | | | \$1,134,838 |
| 2012: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,134,838 |
| 2) | CHANNEL CATFISH | | |
| 3) | CARP | | |
| 4) | GOLD FISH | | |
| 5) | YELLOW PERCH | | |
| 2012: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 704,817 |
| 2) | CARP | | |
| 3) | CHANNEL CATFISH | | |
| 4) | SHEEPHEAD | | |
| 5) | BUFFALO | | |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2011 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | 0 | \$0.54 | \$0 |
| BUFFALO | 0 | \$0.42 | \$0 |
| BULLHEAD | 0 | NA | \$0 |
| BURBOT | 0 | \$0.26 | \$0 |
| CARP | 0 | \$0.45 | \$0 |
| CHANNEL CATFISH | 0 | \$0.45 | \$0 |
| CHUB (Dressed Wt.) | 1,032 | \$3.00 | \$3,096 |
| CRAPPIE | 0 | \$3.64 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | NA | \$0 |
| GOLD FISH | 0 | \$0.83 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.50 | \$0 |
| LEAN LAKE TROUT | 0 | \$0.50 | \$0 |
| MENOMINEE | 0 | \$0.75 | \$0 |
| QUILLBACK | 0 | \$0.29 | \$0 |
| ROCK BASS | 0 | \$1.10 | \$0 |
| SHEEPHEAD | 0 | \$0.21 | \$0 |
| SMELT | 543 | \$1.50 | \$815 |
| SUCKER | 0 | \$0.23 | \$0 |
| WHITE BASS | 0 | \$0.90 | \$0 |
| WHITE PERCH | 0 | \$0.50 | \$0 |
| WHITEFISH | 724,907 | \$1.39 | \$1,007,621 |
| YELLOW PERCH | 0 | \$2.54 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 726,482 |
| FISHERY TOTAL VALUE | | | \$1,011,531 |
| 2011: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,007,621 |
| 2) | CHUB | | \$3,096 |
| 3) | SMELT | | \$815 |
| 4) | | | |
| 5) | | | |
| 2011: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 724,907 |
| 2) | CHUB (Dressed Wt.) | | 1,032 |
| 3) | SMELT | | 543 |
| 4) | | | |
| 5) | | | |

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|----------------|
| SPECIES | 2010 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 15,050 | \$0.30 | \$4,515.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.48 | \$0.00 |
| BULLHEAD | 0 | \$0.44 | \$0.00 |
| BURBOT | 0 | \$0.90 | \$0.00 |
| CARP | 0 | \$0.25 | \$0.00 |
| CHANNEL CATFISH | 0 | \$0.47 | \$0.00 |
| CHUB (Dressed Wt.) | 8,203 | \$2.62 | \$21,491.86 |
| CRAPPIE | 0 | \$4.69 | \$0.00 |
| GAR PIKE | 0 | \$0.34 | \$0.00 |
| GIZZARD SHAD | 0 | \$0.00 | \$0.00 |
| GOLD FISH | 0 | \$0.81 | \$0.00 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.40 | \$0.00 |
| LEAN LAKE TROUT | 0 | \$0.39 | \$0.00 |
| MENOMINEE | 0 | \$0.68 | \$0.00 |
| QUILLBACK | 0 | \$0.23 | \$0.00 |
| ROCK BASS | 0 | \$1.19 | \$0.00 |
| SHEEPHEAD | 2,260 | \$0.21 | \$474.60 |
| SMELT | 0 | \$1.39 | \$0.00 |
| SUCKER | 800 | \$0.18 | \$144.00 |
| WHITE BASS | 0 | \$0.74 | \$0.00 |
| WHITE PERCH | 0 | \$0.59 | \$0.00 |
| WHITEFISH | 976,506 | \$1.21 | \$1,181,572.26 |
| YELLOW PERCH | 0 | \$2.31 | \$0.00 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,002,819 |
| FISHERY TOTAL VALUE | | | \$1,203,682.72 |
| 2010: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,181,572 |
| 2) | CHUB | | \$21,492 |
| 3) | ALEWIFE | | \$4,515 |
| 4) | SHEEPHEAD | | \$475 |
| 5) | SUCKER | | \$144 |
| 2010: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 976,506 |
| 2) | ALEWIFE | | 15050 |
| 3) | CHUB (Dressed Wt.) | | 8,203 |
| 4) | SHEEPHEAD | | 2,260 |
| 5) | SUCKER | | 800 |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|----------------|
| SPECIES | 2009 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.50 | \$0.00 |
| BULLHEAD | 0 | \$0.41 | \$0.00 |
| BURBOT | 0 | \$1.00 | \$0.00 |
| CARP | 0 | \$0.26 | \$0.00 |
| CHANNEL CATFISH | 0 | \$0.48 | \$0.00 |
| CHUB (Dressed Wt.) | 23,609 | \$3.17 | \$74,840.53 |
| CRAPPIE | 0 | \$2.64 | \$0.00 |
| GAR PIKE | 0 | NA | \$0.00 |
| GIZZARD SHAD | 0 | \$0.27 | \$0.00 |
| GOLD FISH | 0 | \$0.90 | \$0.00 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.51 | \$0.00 |
| LEAN LAKE TROUT | 0 | \$0.39 | \$0.00 |
| MENOMINEE | 0 | \$0.50 | \$0.00 |
| QUILLBACK | 0 | \$0.38 | \$0.00 |
| ROCK BASS | 0 | \$0.95 | \$0.00 |
| SHEEPHEAD | 0 | \$0.22 | \$0.00 |
| SMELT | 20,707 | \$2.98 | \$61,706.86 |
| SUCKER | 0 | \$0.27 | \$0.00 |
| WHITE BASS | 0 | \$0.65 | \$0.00 |
| WHITE PERCH | 0 | \$0.54 | \$0.00 |
| WHITEFISH | 855,780 | \$1.28 | \$1,095,398.40 |
| YELLOW PERCH | 0 | \$2.08 | \$0.00 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 900,096 |
| FISHERY TOTAL VALUE | | | \$1,231,945.79 |
| 2009: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,095,398 |
| 2) | CHUB | | \$74,841 |
| 3) | SMELT | | \$61,707 |
| 4) | | | |
| 5) | | | |
| 2009: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 855,780 |
| 2) | CHUB (Dressed Wt.) | | 23,609 |
| 3) | QUILLBACK | | 20,707 |
| 4) | | | |
| 5) | | | |

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|----------------|
| SPECIES | 2008 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.49 | \$0.00 |
| BULLHEAD | 0 | \$0.41 | \$0.00 |
| BURBOT | 0 | NA | \$0.00 |
| CARP | 0 | \$0.24 | \$0.00 |
| CHANNEL CATFISH | 0 | \$0.52 | \$0.00 |
| CHUB (Dressed Wt.) | 13,650 | \$2.50 | \$34,125.00 |
| CRAPPIE | 0 | \$2.48 | \$0.00 |
| GAR PIKE | 0 | NA | \$0.00 |
| GIZZARD SHAD | 0 | \$0.25 | \$0.00 |
| GOLD FISH | 0 | \$0.75 | \$0.00 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.46 | \$0.00 |
| LEAN LAKE TROUT | 0 | \$0.69 | \$0.00 |
| MENOMINEE | 0 | \$0.94 | \$0.00 |
| QUILLBACK | 0 | \$0.35 | \$0.00 |
| ROCK BASS | 0 | \$0.69 | \$0.00 |
| SHEEPHEAD | 0 | \$0.22 | \$0.00 |
| SMELT | 0 | NA | \$0.00 |
| SUCKER | 0 | \$0.20 | \$0.00 |
| WHITE BASS | 0 | \$0.56 | \$0.00 |
| WHITE PERCH | 0 | \$0.59 | \$0.00 |
| WHITEFISH | 953,686 | \$1.35 | \$1,287,476.10 |
| YELLOW PERCH | 0 | \$2.55 | \$0.00 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 967,336 |
| FISHERY TOTAL VALUE | | | \$1,321,601.10 |
| 2008: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,287,476 |
| 2) | CHUB | | \$34,125 |
| 3) | | | |
| 4) | | | |
| 5) | | | |
| 2008: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 953,686 |
| 2) | CHUB (Dressed Wt.) | | 13,650 |
| 3) | | | |
| 4) | | | |
| 5) | | | |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|----------------|
| SPECIES | 2007 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.43 | \$0.00 |
| BULLHEAD | 0 | \$0.33 | \$0.00 |
| BURBOT | 0 | \$0.10 | \$0.00 |
| CARP | 0 | \$0.26 | \$0.00 |
| CHANNEL CATFISH | 0 | \$0.44 | \$0.00 |
| CHUB (Dressed Wt.) | 21,401 | \$1.79 | \$38,307.79 |
| CRAPPIE | 0 | \$3.07 | \$0.00 |
| GAR PIKE | 0 | NA | \$0.00 |
| GIZZARD SHAD | 0 | \$0.26 | \$0.00 |
| GOLD FISH | 0 | \$0.68 | \$0.00 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0.00 |
| LEAN LAKE TROUT | 0 | NA | \$0.00 |
| MENOMINEE | 0 | \$0.63 | \$0.00 |
| QUILLBACK | 0 | \$0.27 | \$0.00 |
| ROCK BASS | 0 | \$0.85 | \$0.00 |
| SHEEPHEAD | 0 | \$0.18 | \$0.00 |
| SMELT | 66,900 | \$1.00 | \$66,900.00 |
| SUCKER | 0 | \$0.16 | \$0.00 |
| WHITE BASS | 0 | \$0.83 | \$0.00 |
| WHITE PERCH | 0 | \$0.56 | \$0.00 |
| WHITEFISH | 1,044,534 | \$1.12 | \$1,169,878.08 |
| YELLOW PERCH | 0 | \$2.36 | \$0.00 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,132,835 |
| FISHERY TOTAL VALUE | | | \$1,275,085.87 |
| 2007: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,169,878 |
| 2) | SMELT | | \$66,900 |
| 3) | CHUB | | \$38,308 |
| 4) | | | |
| 5) | | | |
| 2007: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 1,044,534 |
| 2) | SMELT | | 66,900 |
| 3) | CHUB (Dressed Wt.) | | 21,401 |
| 4) | | | |
| 5) | | | |

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2006 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.67 | \$0 |
| BULLHEAD | 0 | \$0.38 | \$0 |
| BURBOT | 0 | \$0.35 | \$0 |
| CARP | 0 | \$0.24 | \$0 |
| CHANNEL CATFISH | 0 | \$0.58 | \$0 |
| CHUB (Dressed Wt.) | 107,900 | \$1.58 | \$170,482 |
| CRAPPIE | 0 | \$2.99 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | \$0.25 | \$0 |
| GOLD FISH | 0 | \$0.71 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.39 | \$0 |
| LEAN LAKE TROUT | 0 | \$0.39 | \$0 |
| MENOMINEE | 0 | \$0.50 | \$0 |
| QUILLBACK | 0 | \$0.31 | \$0 |
| ROCK BASS | 0 | \$0.85 | \$0 |
| SHEEPHEAD | 0 | \$0.17 | \$0 |
| SMELT | 210,770 | \$0.50 | \$105,385 |
| SUCKER | 0 | \$0.15 | \$0 |
| WHITE BASS | 0 | \$0.77 | \$0 |
| WHITE PERCH | 0 | \$0.68 | \$0 |
| WHITEFISH | 1,263,025 | \$0.99 | \$1,250,395 |
| YELLOW PERCH | 0 | \$2.38 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,581,695 |
| FISHERY TOTAL VALUE | | | \$1,526,262 |
| 2006: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$1,250,395 |
| 2) | CHUB | | \$170,482 |
| 3) | SMELT | | \$105,385 |
| 4) | | | |
| 5) | | | |
| 2006: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 1,263,025 |
| 2) | SMELT | | 210,770 |
| 3) | CHUB (Dressed Wt.) | | 107,900 |
| 4) | | | |
| 5) | | | |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2005 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0.00 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.58 | \$0 |
| BULLHEAD | 0 | \$0.36 | \$0 |
| BURBOT | 0 | \$0.23 | \$0 |
| CARP | 0 | \$0.18 | \$0 |
| CHANNEL CATFISH | 0 | \$0.46 | \$0 |
| CHUB (Dressed Wt.) | 103,806 | \$1.37 | \$142,214 |
| CRAPPIE | 0 | \$2.73 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | \$0.15 | \$0 |
| GOLD FISH | 0 | \$0.44 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | \$2.00 | \$0 |
| MENOMINEE | 100 | \$0.53 | \$53 |
| QUILLBACK | 0 | \$0.26 | \$0 |
| ROCK BASS | 0 | \$0.89 | \$0 |
| SHEEPHEAD | 0 | \$0.16 | \$0 |
| SMELT | 248,313 | \$0.50 | \$124,157 |
| SUCKER | 22,650 | \$0.11 | \$2,492 |
| WHITE BASS | 0 | \$0.67 | \$0 |
| WHITE PERCH | 0 | \$0.54 | \$0 |
| WHITEFISH | 823,696 | \$0.99 | \$815,459 |
| YELLOW PERCH | 0 | \$2.21 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,198,565 |
| FISHERY TOTAL VALUE | | | \$1,084,374 |
| 2005: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$815,459 |
| 2) | CHUB | | \$142,214 |
| 3) | SMELT | | \$124,157 |
| 4) | SUCKER | | \$2,492 |
| 5) | MENOMINEE | | \$53 |
| 2005: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 823,696 |
| 2) | SMELT | | 248,313 |
| 3) | CHUB (Dressed Wt.) | | 103,806 |
| 4) | SUCKER | | 22,560 |
| 5) | MENOMINEE | | 100 |

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2004 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.48 | \$0 |
| BULLHEAD | 0 | \$0.29 | \$0 |
| BURBOT | 230 | \$0.51 | \$117 |
| CARP | 0 | \$0.17 | \$0 |
| CHANNEL CATFISH | 0 | \$0.47 | \$0 |
| CHUB (Dressed Wt.) | 140,408 | \$1.18 | \$165,681 |
| CRAPPIE | 0 | \$2.99 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 0 | \$0.15 | \$0 |
| GOLD FISH | 0 | NA | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | NA | \$0 |
| LEAN LAKE TROUT | 0 | \$2.00 | \$0 |
| MENOMINEE | 150 | \$0.51 | \$77 |
| QUILLBACK | 0 | \$0.29 | \$0 |
| ROCK BASS | 0 | \$0.96 | \$0 |
| SHEEPHEAD | 0 | \$0.17 | \$0 |
| SMELT | 252,410 | \$0.50 | \$126,205 |
| SUCKER | 90 | \$0.16 | \$14 |
| WHITE BASS | 0 | \$0.64 | \$0 |
| WHITE PERCH | 0 | \$0.73 | \$0 |
| WHITEFISH | 824,215 | \$0.94 | \$774,762 |
| YELLOW PERCH | 0 | \$1.91 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,217,503 |
| FISHERY TOTAL VALUE | | | \$1,066,857 |
| 2004: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$774,762 |
| 2) | CHUB | | \$165,681 |
| 3) | SMELT | | \$126,205 |
| 4) | BURBOT | | \$117 |
| 5) | MENOMINEE | | \$77 |
| 2004: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 824,215 |
| 2) | SMELT | | 252,410 |
| 3) | CHUB (Dressed Wt.) | | 140,408 |
| 4) | BURBOT | | 230 |
| 5) | MENOMINEE | | 150 |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2003 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.48 | \$0 |
| BULLHEAD | 0 | \$0.28 | \$0 |
| BURBOT | 0 | \$0.61 | \$0 |
| CARP | 0 | \$0.18 | \$0 |
| CHANNEL CATFISH | 0 | \$0.41 | \$0 |
| CHUB (Dressed Wt.) | 138,532 | \$1.18 | \$163,468 |
| CRAPPIE | 0 | \$2.81 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 5,400 | \$0.05 | \$270 |
| GOLD FISH | 0 | NA | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.48 | \$0 |
| LEAN LAKE TROUT | 0 | \$2.00 | \$0 |
| MENOMINEE | 0 | \$0.89 | \$0 |
| QUILLBACK | 0 | \$0.26 | \$0 |
| ROCK BASS | 0 | \$1.21 | \$0 |
| SHEEPHEAD | 0 | \$0.17 | \$0 |
| SMELT | 82,512 | \$0.52 | \$42,906 |
| SUCKER | 113,980 | \$0.16 | \$18,237 |
| WHITE BASS | 0 | \$0.80 | \$0 |
| WHITE PERCH | 0 | \$0.51 | \$0 |
| WHITEFISH | 1,004,326 | \$0.95 | \$954,110 |
| YELLOW PERCH | 0 | \$1.98 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,344,750 |
| FISHERY TOTAL VALUE | | | \$1,178,991 |
| 2003: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$954,110 |
| 2) | CHUB | | \$163,468 |
| 3) | SMELT | | \$42,906 |
| 4) | SUCKER | | \$18,237 |
| 5) | GIZZARD SHAD | | \$270 |
| 2003: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 1,004,326 |
| 2) | CHUB (Dressed Wt.) | | 138,532 |
| 3) | SUCKER | | 113,980 |
| 4) | SMELT | | 82,512 |
| 5) | GIZZARD SHAD | | 5,400 |

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-----------|
| SPECIES | 2002 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.36 | \$0 |
| BULLHEAD | 0 | \$0.26 | \$0 |
| BURBOT | 0 | \$0.49 | \$0 |
| CARP | 0 | \$0.16 | \$0 |
| CHANNEL CATFISH | 0 | \$0.48 | \$0 |
| CHUB (Dressed Wt.) | 63,408 | \$1.29 | \$81,796 |
| CRAPPIE | 0 | \$2.77 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 13,046 | \$0.05 | \$652 |
| GOLD FISH | 0 | \$0.35 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.50 | \$0 |
| LEAN LAKE TROUT | 0 | \$2.00 | \$0 |
| MENOMINEE | 0 | \$0.86 | \$0 |
| QUILLBACK | 0 | \$0.27 | \$0 |
| ROCK BASS | 0 | \$1.28 | \$0 |
| SHEEPHEAD | 0 | \$0.16 | \$0 |
| SMELT | 157,344 | \$0.52 | \$81,819 |
| SUCKER | 150 | \$0.16 | \$24 |
| WHITE BASS | 0 | \$0.82 | \$0 |
| WHITE PERCH | 0 | \$0.42 | \$0 |
| WHITEFISH | 745,342 | \$0.95 | \$708,075 |
| YELLOW PERCH | 0 | \$2.45 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 979,290 |
| FISHERY TOTAL VALUE | | | \$872,366 |
| 2002: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$708,075 |
| 2) | SMELT | | \$81,819 |
| 3) | CHUB | | \$81,796 |
| 4) | GIZZARD SHAD | | \$652 |
| 5) | SUCKER | | \$24 |
| 2002: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 745,342 |
| 2) | SMELT | | 157,344 |
| 3) | CHUB (Dressed Wt.) | | 63,408 |
| 4) | GIZZARD SHAD | | 13,046 |
| 5) | SUCKER | | 150 |

NOTE: Dressed Wt. = 1.17 conversion factor

| Lake Michigan (State License Only) | | | |
|--|--------------------|-------------------|-------------|
| SPECIES | 2001 | | |
| | lb (ROUND) | PRICE/POUND (AVG) | TOTAL \$ |
| ALEWIFE | 0 | NA | \$0 |
| BOWFIN | | | |
| BUFFALO | 0 | \$0.47 | \$0 |
| BULLHEAD | 0 | \$0.29 | \$0 |
| BURBOT | 0 | \$0.33 | \$0 |
| CARP | 0 | \$0.16 | \$0 |
| CHANNEL CATFISH | 0 | \$0.61 | \$0 |
| CHUB (Dressed Wt.) | 58,885 | \$1.38 | \$81,261 |
| CRAPPIE | 0 | \$2.67 | \$0 |
| GAR PIKE | 0 | NA | \$0 |
| GIZZARD SHAD | 6,466 | \$0.07 | \$453 |
| GOLD FISH | 0 | \$0.35 | \$0 |
| LAKE HERRING (Dressed Wt.) | 0 | \$0.58 | \$0 |
| LEAN LAKE TROUT | 0 | \$2.00 | \$0 |
| MENOMINEE | 0 | \$0.85 | \$0 |
| QUILLBACK | 0 | \$0.25 | \$0 |
| ROCK BASS | 0 | \$1.19 | \$0 |
| SHEEPHEAD | 0 | \$0.21 | \$0 |
| SMELT | 80,613 | \$0.50 | \$40,307 |
| SUCKER | 3,528 | \$0.16 | \$564 |
| WHITE BASS | 0 | \$0.70 | \$0 |
| WHITE PERCH | 0 | \$0.58 | \$0 |
| WHITEFISH | 893,212 | \$1.11 | \$991,465 |
| YELLOW PERCH | 0 | \$2.57 | \$0 |
| FISHERY TOTAL PRODUCTION (ROUND lb) | | | 1,042,704 |
| FISHERY TOTAL VALUE | | | \$1,114,050 |
| 2001: TOP 5 SPECIES IN VALUE | | | |
| 1) | WHITEFISH | | \$991,465 |
| 2) | CHUB | | \$81,261 |
| 3) | SMELT | | \$40,307 |
| 4) | SUCKER | | \$564 |
| 5) | GIZZARD SHAD | | \$453 |
| 2001: TOP 5 SPECIES IN ROUND POUNDS CAUGHT | | | |
| 1) | WHITEFISH | | 893,212 |
| 2) | SMELT | | 80,613 |
| 3) | CHUB (Dressed Wt.) | | 58,885 |
| 4) | GIZZARD SHAD | | 6,466 |
| 5) | SUCKER | | 3,528 |