

Gelman Sciences, Inc. d/b/a Pall Life Sciences 642 South Wagner Road Ann Arbor, MI 48103 734.436.4025 phone 734.436.4040 fax

CASE NARRATIVE

Monthly Data Pall Life Sciences Project: 1,4-Dioxane Remediation

Date: May, 2019

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Gelman Sciences, Inc. d/b/a Pall Life Sciences (PLS) attests to the validity of the laboratory data generated by PLS's Ann Arbor, Michigan Environmental Laboratory facilities reported herein. All analyses performed by PLS's Environmental Laboratory facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. PLS's Environmental group has reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

All but one of 1,4-dioxane and bromate samples were analyzed by Pall Corporation's Environmental Laboratory. One drinking water sample was sent to Ann Arbor Technical Services (ATS) for analysis. ATS is a certified drinking water laboratory. All test results in this report meet all NELAP requirements for parameters for which accreditation are required or available. Any exceptions to NELAP requirements are noted in this report. All exceptions are noted per laboratory standard operating procedure based on EPA Method 1624c. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results. The odd even rule is used for rounding. Holding times were met for all samples analyzed. Proper preservation was observed on all samples unless otherwise detailed in the individual sections below.

RECEIPT/ STORAGE

The samples were received on the days noted in the report for the Month; the samples arrived in good condition, properly preserved and on ice when necessary. Samples that require 1,4-dioxane analysis are collected in hydrochloric HCl acid-preserved vials to a pH of ≤2, with the exception of the Pall ozone treatment samples. These samples have chemicals that, when mixed with the HCl acid, cause interferences and trap damage. Every attempt is made to analyze these samples within 24 hours of receipt.

Samples that require Bromate analysis are collected and preserved in the laboratory with ethylene di-amine and refrigerated.

The barium sample was taken as a composite sample, preserved with nitric acid, and refrigerated before and after being sent to ATS for analysis. This sample is preserved with nitric acid and refrigeration.

Samples that are delivered to the laboratory the same day as they are collected are likely not to have reached a fully chilled temperature. This is acceptable as long as there is evidence that chilling has begun. All samples are iced or refrigerated at 4°C (±2°C) from the time of collection until sample preparation or analysis.

1,4-Dioxane (GC-MS)

All ground water and treated water samples were analyzed for 1,4-Dioxane (GC-MS) in accordance with EPA 1624C, which has been modified to enhance detection limits. Samples that were diluted to bring them within the calibrated range of the instrument are noted with a "D" under the Qualifier Code section of the data report. Reporting limits were adjusted based on each dilution.

April 2019 Page 1 of 10

Reporting limit for undiluted samples is 1.0ppb (part per billion, micrograms per liter, µg/L). All quality control parameters were within the acceptance limits. All data is reported with two significant figures.

Bromate (Ion Chromatography)

All surface water and treated samples were analyzed for Bromate (Ion Chromatography) in accordance with EPA 300.1. Surrogates are added to all samples. All quality control parameters were within the acceptance limits with the balance of sample analyzed.

The reporting limit for treated samples is 5.0ppb and for surface samples is 2.0ppb. All data is reported with 2 significant figures.

Qualifiers

1,4-Dioxane Qualifier Codes:

| Qualifier Code | Description |
|----------------|---|
| nd: | The compound was analyzed for, but was not detected at or above the detection limit indicated. |
| D: | Analyte value quantified from a dilution, reporting limit is raised to reflect dilution. |
| E: | The compound result is greater than the upper quantitation limit in the associated calibration curve, reported as estimate. |
| В: | The sample vials contained air bubbles larger than 5mm, which may affect compound results. |
| J: | The compound was positively identified; the associated numerical value is the approximate concentration. |
| M: | Matrix effects, sample required dilution. |
| R: | The reported value is unusable and rejected due to variance from quality control criteria. |
| V: | The reported value is considered estimated due to variance from quality control criteria. |
| H: | Sample was analyzed past 14 day hold time, but within 28 days. |
| 0: | Samples analyzed in outside laboratory. |
| S: | Samples split with DEQ. |

Bromate Qualifier Codes:

| Qualifier Code | <u>Description</u> |
|----------------|--|
| nd: | The compound was analyzed for, but was not detected at or above the detection limit indicated. |
| E: | The compound result is greater than the upper quantitation limit in the associated calibration curve. |
| 1: | The compound was positively identified; the associated numerical value is the approximate concentration. |
| R: | The reported value is unusable and rejected due to variance from quality control criteria. |
| V: | The reported value is considered estimated due to variance from quality control criteria. |
| H: | Sample was analyzed past 28 day hold time |

| Analyst: Susan E.O. Peters | usan El | Puter | _ Date: 6 11 19 |
|---------------------------------|---------|-------|-----------------|
| Report Checked by: Laurel Beyer | Taml | Bezer | Date: 6 /1 /19 |

April 2019 Page 2 of 10



Sample Analysis Report May, 2019

642 South Wagner Road Ann Arbor, MI 48103-9019 US 734.436.4025 phone

Analyst Initials: ೨೭೦೯

Date: 6-11-19

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) | | |
|--------------------------------------|------------------------------|---------------|-----------------------|---------------|--------------------------|---------------|----------|--------------|--|--|
| Residential Wells | | | | | | | | | | |
| Not Determined | | | | | | | | | | |
| 697 South Wagner Rd-05-07-19-15:47-1 | nd | 1.0 | | | | | | O, H | | |
| Miscellaneous Wells | | | | | | | | | | |
| Bethlehem Cemetery-05-07-19-12:40-1 | nd | 1.0 | | | | | | | | |
| Extraction Wells | | | | | | | | | | |
| C3 | | | | | | | | | | |
| DOLPH-05-08-19-09:13-1 | 130 | 1.0 | | | | | | | | |
| DOLPH-05-24-19-08:14-1 | 130 | 1.0 | | | | | | | | |
| TW-1-05-24-19-09:49-1 | 50 | 1.0 | | | | | | | | |
| TW-10-05-13-19-08:38-1 | 400 | 10.0 | | | | | | D | | |
| TW-20-05-08-19-09:24-1 | 940 | 10.0 | | | | | | D | | |
| TW-3-05-24-19-09:14-1 | 43 | 1.0 | | | | | | | | |
| D2 | | | | | | | | | | |
| LB-1-05-13-19-09:03-1 | 380 | 10.0 | | | | | | D | | |
| LB-4-05-08-19-08:36-1 | 480 | 10.0 | | | | | | D | | |
| TW-21-05-08-19-09:10-1 | 230 | 5.0 | | | | | | D | | |
| Е | E | | | | | | | | | |
| TW-12-05-24-19-08:48-1 | 17 | 1.0 | | | | | | | | |
| TVV-18-05-08-19-09:21-1 | 220 | 5.0 | | | | | | D | | |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|-------------------------------------|------------------------------|---------------|-----------------------|---------------|-----------------------|---------------|----------|--------------|
| TW-19-05-08-19-08:41-1 | 540 | 10.0 | | | | | | D |
| TW-23-05-08-19-09:01-1 | 450 | 10.0 | | | | | | D |
| Marshy | | | | | | | | |
| PW-1-05-08-19-09:18-1 | 270 | 10.0 | | | | | | D |
| sw | | | | | | | | |
| TW-22-05-08-19-08:02-1 | 490 | 10.0 | | | | | | D |
| TW-28-05-08-19-08:00-1 | 690 | 10.0 | | | | - | | D |
| Monitoring Wells | | | | | | | | |
| C3 | | | | | | | | |
| MW-125-05-17-19-11:03-1 | 200 | 10.0 | | | | | | D |
| MW-127s-05-16-19-09:48-1 | nd | 1.0 | | | | | | |
| MW-128s-05-16-19-11:31-1 | nd | 1.0 | | | | | | |
| MW-20-05-31-19-11:25-1 | nd | 1.0 | | | | | | |
| MW-2d-05-24-19-13:15-1 | 47 | 1.0 | | | | | | |
| MW-37-05-15-19-14:20-1 | 240 | 5.0 | | | | | | D |
| MW-39s-05-13-19-10:56-1 | 2.0 | 1.0 | | | | | | |
| D0 | | | | _ | | | | |
| A2 Cleaning Supply-05-01-19-11:19-1 | 87 | 1.0 | | | | | | |
| MW-137s-05-10-19-10:26-1 | nd | 1.0 | | | | | | |
| MW-139i-05-28-19-13:55-1 | nd | 1.0 | | | | | | |
| MW-139s-05-28-19-11:42-1 | nd | 1.0 | | | | | | |
| MW-51-05-15-19-11:42-1 | nd | 1.0 | | | | | | |
| MW-53d-05-01-19-09:30-1 | nd | 1.0 | | | | | | |
| MW-53i-05-01-19-10:48-1 | 56 | 1.0 | | | | | | |
| MW-53s-05-01-19-09:53-1 | nd | 1.0 | | | | | | |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|------------------------------|---------------|-----------------------|---|---|---------------|---|--------------|
| MW-61d-05-22-19-09:53-1 | 6,6 | 1.0 | | | | | | |
| MW-61s-05-22-19-11:07-1 | 5.6 | 1.0 | | | | | | |
| MVV-93-05-31-19-12:12-1 | 1.4 | 1.0 | | | | | | |
| D2 | | 0.000 | | | | | | |
| 456 Clarendon-05-03-19-13:03-1 | 590 | 10.0 | | | 411 | | | D |
| 465 Dupont-05-06-19-15:05-1 | 980 | 50.0 | | | | | | D |
| MW-118-05-07-19-15:31-1 | 50 | 1.0 | | WOOD OF THE PARTY | · Consumer of the consumer of | | | |
| MW-124s-05-07-19-12:18-1 | nd | 1.0 | | | | | | |
| MVV-126s-05-13-19-09:32-1 | nd | 1.0 | | | // | | *************************************** | |
| MW-131s-05-15-19-11:05-1 | nd | 1.0 | | | | | | |
| MW-39d-05-13-19-12:12-1 | 26 | 1.0 | | | | | | |
| MW-54d-05-06-19-13:32-1 | nď | 1.0 | | | | | | |
| MW-54s-05-06-19-12;12-1 | nd | 1.0 | | | | | | |
| MW-77-05-03-19-14:31-1 | 1400 | 50.0 | | | , | | | D |
| MW-94s-05-09-19-12:21-1 | 710 | 10.0 | | | | | | D |
| E | | | - 40.00 | | | | | |
| MW-103d-05-02-19-09:59-1 | 7.8 | 1.0 | | | | | | |
| MW-103s-05-02-19-09:29-1 | 81 | 1.0 | | | | | | |
| MVV-106s-05-08-19-13:41-1 | 240 | 5.0 | | | | | | D |
| MW-112d-05-01-19-12:56-1 | nd | 1.0 | | | | | | |
| MW-112i-05-01-19-14:11-1 | 10 | 1.0 | | | | | | |
| MW-112s-05-01-19-12:27-1 | nd | 1.0 | | | | | | |
| MW-124d-05-07-19-11:02-1 | nd | 1.0 | | | | | | |
| MW-126d-05-10-19-11:50-1 | nd | 1.0 | | | | | | |
| MW-127d-05-16-19-10:10-1 | nd | 1.0 | | | | | | |
| MVV-128d-05-16-19-11:33-1 | nd | 1.0 | | | | | | |

| Sample Name - Date/Time Sampled | 1,4-Diòxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) | |
|--|------------------------------|---------------|---|---|--------------------------|---------------|--|--------------|--|
| MW-131d-05-15-19-09:32-1 | nd | 1.0 | | | | | | | |
| MW-137d-05-10-19-09:15-1 | nd | 1.0 | | | | | | | |
| MW-139d-05-28-19-12:15-1 | nd | 1.0 | | | | | | | |
| MW-141d-05-22-19-12:30-1 | 3.1 | 1.0 | | | | | | | |
| MW-30d-05-08-19-12:17-1 | 180 | 5.0 | | | | | THE PROJECT OF THE PR | D | |
| MW-64-05-22-19-14:26-1 | 43 | 1.0 | *************************************** | | | | | | |
| MW-65d-05-14-19-12:41-1 | 21 | 1.0 | | | | | | | |
| MW-65i-05-14-19-10:08-1 | 2.3 | 1.0 | | | | | | | |
| MW-65s-05-14-19-11:26-1 | 8.5 | 1.0 | | | | | | | |
| MW-68-05-20-19-10:32-1 | nd | 1.0 | | | | | | | |
| MW-71-05-07-19-13:54-1 | 500 | 10.0 | | | | | | D | |
| MW-72d-05-08-19-10:53-1 | 680 | 50.0 | | | 7.4 | | | D | |
| MW-72s-05-08-19-09:40-1 | 1.8 | 1.0 | | | | | | | |
| MW-76i-05-02-19-11:23-1 | 100 | 1.0 | | | | | | | |
| MW-76s-05-02-19-12:36-1 | 290 | 10.0 | | | | | | D | |
| MW-79d-05-03-19-10:27-1 | nd | 1.0 | | | | | | | |
| MW-79s-05-03-19-11:42-1 | 420 | 10.0 | | | | | | D | |
| MW-84s-05-02-19-13:57-1 | 63 | 10.0 | | | | | | D | |
| MVV-94d-05-09-19-11:02-1 | 2.3 | 1.0 | | | | | | | |
| MVV-95-05-09-19-14;48-1 | 18 | 1.0 | | | | | | | |
| MW-96-05-08-19-15:01-1 | 130 | 1.0 | | | | | | | |
| Saginaw Forest Cabin #1-05-16-19-12:55-1 | nd | 1.0 | | 1100 | | | | | |
| Saginaw Forest Cabin #2-05-16-19-13:54-1 | nd | 1.0 | | *************************************** | | | | | |
| SH | | | | | | | | | |
| MW-25s-05-24-19-14:55-1 | 200 | 10.0 | | | 11.00 | | | D | |
| MW-2s-05-24-19-12:40-1 | 1.9 | 1.0 | | | | | | | |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) | | |
|---|--|---------------|--|---------------|--------------------------|---------------|--------------|--------------|--|--|
| SW . | | | | | | | | | | |
| MW-10d-05-20-19-14:34-1 | 500 | 10.0 | | | | | | D | | |
| MW-45d-05-21-19-13:21-1 | 870 | 10.0 | | | | | | D | | |
| MW-45s-05-21-19-12:08-1 | 3.8 | 1.0 | | | | | | | | |
| MW-46-05-13-19-15:03-1 | 110 | 1.0 | | | | | | 11 (1000) | | |
| MW-48-05-24-19-14:33-1 | 25 | 1,0 | 70.00 | | | | | | | |
| MW-49-05-13-19-13:44-1 | nd | 1.0 | | | | | | | | |
| MW-50-05-21-19-14:40-1 | 760 | 10.0 | | | | | | D | | |
| MW-52s-05-20-19-13:23-1 | 220 | 10.0 | | | | | | D | | |
| MW-57-05-20-19-11:57-1 | nd | 1.0 | | | | | | | | |
| MW-58d-05-15-19-13:01-1 | 15 | 1.0 | | | | | | | | |
| MW-58s-05-15-19-12:40-1 | 170 | 5.0 | | | | | | D | | |
| MW-78-05-17-19-09:49-1 | 25 | 1.0 | | | | ·/ANA// · · | | | | |
| Surface Water | | | | | | | | | | |
| Not Applicable | | | HILLER TO THE STATE OF THE STAT | | | | (| | | |
| Allen Creek-Chapin-West Park-05-28-19-09:29-1 | 9.1 | 1.0 | | | | | | | | |
| Allen Creek-Eighth-Waterworks-05-28-19-10:30-1 | nd | 1.0 | | | | | | | | |
| Allen Creek-Maple Ridge-Arborview-05-28-19-09:56-1 | nd | 1.0 | | | | | | | | |
| Allen Creek-Maryfield-Wildwood Park-05-28-19-10:15-1 | лd | 1.0 | | | | | | | | |
| Allen Creek-Murray-Washington-05-28-19-10:38-1 | 1.3 | 1.0 | | | | | | | | |
| Allen Creek-West Park SW-05-28-19-09:45-1 | 16 | 1.0 | | | | | | | | |
| HC/HR-05-01-19-08:09-1 | | | nd | 2.0 | | | | | | |
| HC/HR-05-02-19-08:20-1 | , ((5) ((4) (1) ((4) (4) (4) (4) (4) (4) (4) (4) (4) (| | nd | 2.0 | | | | | | |
| HC/HR-05-03-19-09:32-1 | | | nd | 2.0 | | | | | | |
| HC/HR-05-06-19-09:14-1 | | | nd | 2.0 | | | | | | |

| Sample Name - Date/Time Sampled | 1,4-Diòxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|------------------------------|---------------|-----------------------|---------------|--------------------------|---------------|--------------|--------------|
| HC/HR-05-07-19-08:34-1 | | | nď | 2.0 | | 1.77 | | |
| HC/HR-05-08-19-08:35-1 | | | лď | 2.0 | | | | |
| HC/HR-05-09-19-09:50-1 | | | nď | 2.0 | | | | |
| HC/HR-05-10-19-10:30-1 | | | nd | 2.0 | | | | |
| HC/HR-05-13-19-09:15-1 | | | nd | 2.0 | | | | |
| HC/HR-05-14-19-08:20-1 | | | nd | 2.0 | | | | |
| HC/HR-05-15-19-08:04-1 | | | nd | 2.0 | | | | |
| HC/HR-05-16-19-08:13-1 | | | nd | 2.0 | | | | |
| HC/HR-05-17-19-08:38-1 | | | nd | 2.0 | | | | |
| HC/HR-05-20-19-08:22-1 | | | nd | 2,0 | | | | |
| HC/HR-05-21-19-09:39-1 | | | nd | 2.0 | | | | |
| HC/HR-05-22-19-08:10-1 | | | nd | 2.0 | | | | |
| HC/HR-05-23-19-08:32-1 | | | nd | 2.0 | | | | |
| HC/HR-05-24-19-10:00-1 | | | nd | 2.0 | | | | |
| HC/HR-05-28-19-08:16-1 | | | nd | 2.0 | | | | |
| HC/HR-05-29-19-08:21-1 | | | nd | 2.0 | | | | |
| HC/HR-05-30-19-11:03-1 | | | nd | 2.0 | | | | |
| HC/HR-05-31-19-07:51-1 | | | nd | 2.0 | | | · · · | |
| Treatment System | | | | | | | | |
| OUTFALL-05-01-19-2 | | | 6.5 | 5.0 | 24/40/2014 | | | |
| OUTFALL-05-01-19-1 | 6.5 | 1.0 | | MARAPHENANTIA | | | | |
| OUTFALL-05-02-19-1 | 5.8 | 1.0 | | | 1 | | , frecessame | |
| OUTFALL-05-02-19-2 | | | 7.7 | 5.0 | | | | |
| OUTFALL-05-05-19-1 | 6.1 | 1.0 | | | | | | |
| OUTFALL-05-05-19-2 | | | 6.5 | 5.0 | | | | |
| OUTFALL-05-06-19-2 | | | 7.1 | 5.0 | | | | |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|------------------------------|---------------|-----------------------|---------------|--------------------------|---------------|----------|--------------|
| OUTFALL-05-06-19-1 | 6.0 | 1.0 | | | | | | |
| OUTFALL-05-07-19-1 | 5.2 | 1.0 | | | | | | |
| OUTFALL-05-07-19-2 | | | 6.2 | 5.0 | | | | |
| OUTFALL-05-08-19-1 | 6.2 | 1.0 | | | | | | |
| OUTFALL-05-08-19-2 | | | 5.9 | 5.0 | | | | |
| OUTFALL-05-09-19-1 | 6.2 | 1.0 | | | | | | |
| OUTFALL-05-09-19-2 | | | 7.4 | 5.0 | | | | |
| OUTFALL-05-12-19-1 | 6.5 | 1.0 | | | | · · · | | |
| OUTFALL-05-12-19-2 | | | 7.5 | 5.0 | | | | |
| OUTFALL-05-13-19-1 | 5.8 | 1.0 | | | | | | |
| OUTFALL-05-13-19-2 | | | 7.0 | 5.0 | | | | |
| OUTFALL-05-14-19-1 | 5.6 | 1.0 | | | | | | |
| OUTFALL-05-14-19-2 | | | 7.4 | 5.0 | | | | |
| OUTFALL-05-15-19-1 | 5.5 | 1.0 | | | | | | |
| OUTFALL-05-15-19-2 | | | 6.4 | 5.0 | | | | |
| OUTFALL-05-16-19-2 | | | 8.0 | 5.0 | | | | |
| OUTFALL-05-16-19-1 | 5.7 | 1.0 | | | | | | |
| OUTFALL-05-19-19-1 | 5.0 | 1.0 | | | | | | |
| OUTFALL-05-19-19-2 | | | 6.6 | 5.0 | | | | |
| OUTFALL-05-20-19-2 | | | 6,6 | 5.0 | | | | |
| OUTFALL-05-20-19-1 | 5.0 | 1.0 | | | | | | |
| OUTFALL-05-21-19-2 | | | 6.9 | 5.0 | | | | |
| OUTFALL-05-21-19-1 | 6.2 | 1.0 | | | | | | |
| OUTFALL-05-22-19-2 | | | 7.4 | 5.0 | | | | |
| OUTFALL=05-22-19-1 | 6.0 | 1.0 | | | | | | |
| OUTFALL-05-23-19-2 | 410.6 | | 5.5 | 5.0 | | | | |
| OUTFALL-05-23-19-1 | 5.9 | 1.0 | | | | | | |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (p p b) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|------------------------------|---|-----------------------|---------------|---|---------------|----------|--------------|
| OUTFALL-05-26-19-2 | | | 6.8 | 5.0 | | | | |
| OUTFALL-05-26-19-1 | 5.6 | 1.0 | (333) | | | | | |
| OUTFALL-05-27-19-2 | | | 6.9 | 5.0 | *************************************** | | | |
| OUTFALL-05-27-19-1 | 6.2 | 1 .0 | | | | | | |
| OUTFALL-05-28-19-2 | | | 6.4 | 5.0 | | | | , |
| OUTFALL-05-28-19-1 | 5.6 | 1.0 | | | | | 1,,,, | , |
| OUTFALL-05-29-19-1 | 5.7 | 1.0 | | | | | | |
| OUTFALL-05-29-19-2 | | | 6.1 | 5.0 | | | | |
| OUTFALL-05-30-19-1 | 5.6 | 1,0 | | | | | | |
| OUTFALL-05-30-19-2 | | *************************************** | 5.1 | 5.0 | | | | |
| Red Pond-05-06-19-08:31-1 | 420 | 10.0 | | | | | | D |
| Red Pond-05-13-19-09:24-1 | 380 | 10.0 | | | 177 | | | D |
| Red Pond-05-20-19-08:35-1 | 390 | 10.0 | | | | | | D |
| Red Pond-05-28-19-09:01-1 | 420 | 10.0 | | | | | | D |

PLS Qualifier Codes:

nd:

D:

The compound was analyzed for, but was not detected at or above the detection limit indicated. Analyte value quantified from a dilution, reporting limit is raised to reflect dilution. Sample was analyzed past 14 day hold time, but within 28 days used by ATS for same method with EPA approval. Samples analyzed in outside laboratory, Ann Arbor Technical Services (ATS). H:

0:



290 South Wagner Road Ann Arbor, Michigan 48103 Tel. 734/995-0995 Fax. 734/995-3731 Michigan Laboratory ID: 9604 Wisconsin Laboratory ID: 998321720

Data Transmittal Cover Page

Project Name:

Pall Corporation

ATS Project Number:

G001-002

ATS Report Number(s):

SRF_0522191

Project Description:

This data report contains the results of one water sample, received by ATS on

5/22/19 to be analyzed for 1,4-Dioxane.

We certify that the sample analyses for this report have been conducted in accordance with guidelines provided in the referenced standard test method, and are consistent with detailed procedures described in a written Standard Operating Procedure specific to the ATS Laboratories, as required by USEPA. Laboratory data sheets, SOPs, and QA/QC information are available for inspection and audit at the laboratory upon request. Unless specifically noted on the data report, all applicable sample preservation and holding time requirements have been met.

| Recipient: | Ms. Sue Peters | | Email: | Sue Peters@Pall.com |
|--------------|---|-----------------------|-----------------------------------|-----------------------------------|
| | | | FAX Number: | |
| No. of Page | s (including cover pg.): | 7 | | |
| From: | Sarah Stubblefield Senior Chemist / Lab Manager | Email: FAX Number: | Sarah. Stubblefie 734-995-3731 | eld@AnnArborTechnicalServices.com |
| Additional i | Message: | | | |
| | | | | |
| | | | | |
| | | · | | |
| | | | 31 | Sfo |
| Date: | 5/31/19 | Signed: | | |

IF YOU DO NOT RECEIVE ALL PAGES OF THIS TRANSMITTAL, PLEASE CALL 734-995-0995.

This material is intended only for the use of the individual or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient or the agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone. Thank you.

SDG CASE NARRATIVE

Page 2 of 3

Data Deliverables

This data package constitutes a Level II package; other data report packages (Level I, Level IV DVP, EPA R5 EDD) are available upon request. There were no hardcopy data summary sheets generated for this project.

Sample Analysis

1,4-Dioxane Analysis (GC/MS): Samples were analyzed in accordance with EPA method 1624 (Volatile Organic Compounds by Isotope Dilution Gas Chromatography – Mass Spectrometry). An initial calibration with at least five levels was used to quantitate 1,4-Dioxane. Samples were reported to project specific reporting limits.

Anomalies Noted:

None

Analytical QA/QC Summary

Calibration Verification

Method calibration was verified through the running of a mid-level initial calibration verification (CV) standard at a frequency of every 12 hours. All verification standards met the acceptance criteria with the following exceptions:

None

Instrument Blanks

Instrument blanks were analyzed at a frequency of every 12 hours. All blanks met the acceptance criteria with the following exceptions:

• None

QA/QC Batch Summary

Laboratory Reagent Blanks

A laboratory reagent blank (LRB) was analyzed with each QA/QC batch. The LRB's met the acceptance criteria with the following exceptions:

None

Laboratory Fortified Blanks and Matrix Spikes

A laboratory fortified blank (LFB) / laboratory control sample (LCS) was analyzed with each QA/QC batch. The LCS/LFB's met the acceptance criteria with the following exceptions:

None

A matrix spike (MS) and matrix spike duplicate (MSD) was analyzed with each QA/QC batch. The MS/MSD met the acceptance criteria with the following exceptions:

• None





290 South Wagner Road Ann Arbor, Michigan 48103 Tel. 734/995-0995 Fax. 734/995-3731 Michigan Laboratory ID: 9604 Wisconsin Laboratory ID: 998321720

Organic Analysis Data Summary Sheet

For: Ms. Sue Peters Pall Corporation 642 South Wagner Road Ann Arbor, MI 48103

ATS Project: Report Date:

#G001-002 Pall Corporation

5/31/19 ATS SRF:

0522191

Sample Identification: 697 S. Wagner Road

Sample Date:

5/7/19

Sample Time:

3:47 PM

Sampled By:

Client

Laboratory Receipt Date:

5/22/19

Sample Matrix:

Drinking Water

| Parameter | Method | Units | Result | Reporting Limit | Analysis Date | Analysis Time | Analyzed By |
|------------------|----------|-------|--------|-----------------|------------------|---------------|----------------|
| Organic Analysis | | | | | | | - |
| 1,4-Dioxane | EPA 1624 | mg/L | <0.001 | 0.001 | 5/28/19 | 14:41 | JEB |

Comments

All methods reference USEPA methods unless otherwise noted.