TIER II Manager

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™

Department of Environmental Quality

Michigan.gov

You must register before using this Online Reporting System.

REGISTER

If you have previously registered, please proceed with Log In.

SYSTEM REQUIREMENTS

- You need to use Internet Explorer 11 or higher, Firefox 59 or higher, or Chrome 62 or higher. Using older versions may create problems.
- You will need Adobe Acrobat Reader to use this System. Download the Adobe Reader.
- You need to enable javascript and turn off the pop-up blocker in your browser.
- If you encounter any problem, contact your technology desk to verify whether you have these requirements.
- Cookies need to be enabled in your browser. It is enabled by default.

Log In

Username

Password

Log In

Forgot Username?

Forgot Password?

Reset Password?

Developed By IDSi

© 2002 - 2020 IDSi International, Inc. All rights reserved

Version: 5.3

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 08:58 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Regulations

Continue

Welcome to the Michigan SARA Title III Program Tier II Reporting system

Some things in life are free. Your Tier II Report online submittal is one of them.

The Michigan SARA Title III Program in the Department of Environmental Quality is responsible for the collection and maintenance of hazardous chemical inventory data reported to Michigan's State Emergency Response Commission (SERC).

Reports submitted online are automatically submitted to the SERC and to Local Emergency Planning Committees (LEPCs) and Fire Departments in the following LEPCs:

- Genesee
- Ingham
- Kent
- Oakland
- Ottawa
- Wayne

YOU MUST FILE YOUR REPORT DIRECTLY WITH LEPCS AND FIRE DEPARTMENTS IN ALL OTHER COUNTIES.

To view the **reporting requirements, instructions,** and **LEPC addresses**, go to www.michigan.gov/sara and select "SARA Title III - Hazardous Chemical Inventory." Reports may be emailed to LEPCs that have an email address on this site.

Contact the Michigan SARA Title III Program at 517-284-7272 or DEQ-EAD-Tier2@michigan.gov.

IMPORTANT: You must submit a 2019 ANNUAL to complete your submission for this year! (Submitting a 2020 UPDATE does not meet the requirement).

Recent Submissions

2020 Tier II Update, EGLE Test Facility - Auto Salvage Completed 01/08/2020
2019 Tier II Update, Youngs Funny Farm Completed 12/19/2019
2020 Tier II Update, Young's Farms Initiated 01/08/2020
2014 302 Reports (EHS Notification) 302 Original, Young's Farms Completed

Facility Status Summary

	Active	Inactive
Facility	3	0

120%

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 08:58 AM
Log Out

Home | Facilities | My Account | Resources

Regulations

Continue

Welcome to the Michigan SARA Title III Program Tier II Reporting system

Some things in life are free. Your Tier II Report online submittal is one of them.

The Michigan SARA Title III Program in the Department of Environmental Quality is responsible for the collection and maintenance of hazardous chemical inventory data reported to Michigan's State Emergency Response Commission (SERC).

Reports submitted online are automatically submitted to the SERC and to Local Emergency Planning Committees (LEPCs) and Fire Departments in the following LEPCs:

- Genesee
- Ingham
- Kent
- Oakland
- Ottawa
- Wayne

YOU MUST FILE YOUR REPORT DIRECTLY WITH LEPCS AND FIRE DEPARTMENTS IN ALL OTHER COUNTIES.

To view the **reporting requirements, instructions,** and **LEPC addresses**, go to www.michigan.gov/sara and select "SARA Title III - Hazardous Chemical Inventory." Reports may be emailed to LEPCs that have an email address on this site.

Contact the Michigan SARA Title III Program at 517-284-7272 or DEQ-EAD-Tier2@michigan.gov.

IMPORTANT: You must submit a 2019 ANNUAL to complete your submission for this year! (Submitting a 2020 UPDATE does not meet the requirement).

Recent Submissions

2020 Tier II Update, EGLE Test Facility - Auto Salvage Completed 01/08/2020
2019 Tier II Update, Youngs Funny Farm Completed 12/19/2019
2020 Tier II Update, Young's Farms Initiated 01/08/2020
2014 302 Reports (EHS Notification) 302 Original, Young's Farms Completed

Facility Status Summary

	Active	Inactive
Facility	3	0

120%

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 08:58 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Active Facilities

The following facilities are registered under this username. You can update information and submit reports by clicking on the Facility/Site Name.

Back | All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other | Add New Facility

MI SARA ID	Facility ID	Company Name	Facility/Site Name	Address	County	Facility Status	City	LEPC	Fire Department	312 Status	302 Status	Latest Report
MI SARA ID	Facility ID	Company Nam	Facility/Site Name	Address	All		City	LEPC	Fire Department	All	All	
1675309	23421	EGLE Test Facility	EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)	101 Easy Street , Saginaw , MI 48607	SAGINAW	Active	Saginaw	SAGINAW COUNTY LEPC	Birch Run Township FD	Active	Inactive	2020 Tier II Report Update (01/08/2020) (Completed)
0000	20209	DEQ	Young's Farms (MI SARA ID: 0000)	16254 W Allegan St, Lansing, MI 48909	KEWEENAW	Active	Lansing	KEWEENAW COUNTY LEPC	Lac Labelle VFD	Active	Active	2020 Tier II Report Update (Initiated)
007	22138	DEQ	Youngs Funny Farm (MI SARA ID: 007)	5000 Crazy Street , Bay City , MI 48708	BAY	Active	Bay City	BAY COUNTY LEPC	Bay City Fire/Rescue	Active	Inactive	2019 Tier II Report Update (12/19/2019) (Completed)

Total Results:3 Rows per page 10

Developed By IDSi

© 2002 - 2020 IDSi International, Inc. All rights reserved

Version: 5.3

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:24 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Back

List Submissions

To create and submit a new report, click on the "Add a New Annual/Revision/Update Report" button. To continue work on a previously started submission, click on the name of the report in the list. To view a previously completed and submitted report, click on the icon under the "view" column next to the report.

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

101 Easy Street, Saginaw, MI 48607, United States
Status: Active *Type:* Facility

Change Facility Status

Regulatory Reports — Add a New Annual/Revision/Update Report

Tier II Report (312 Annual Report)

Report ID	Report	Status	Signed By	Signed Date	Submission Type	View
224350	2020 Tier II Report Update	Completed	Mike Young	01/08/2020 08:08:13 AM	Online	
223928	2019 Tier II Report Update	Completed	Mike Young	12/30/2019 06:14:43 PM	Online	
223892	2019 Tier II Report Update	Completed	Mike Young	12/19/2019 10:28:26 AM	Online	

Show More

302 Reports (EHS Notification)

Report ID	Report (Click to Edit Reports)	Status	Signed By	Signed Date	Submission Type	View

No items to be listed

120%

Back List Submissions

To create and submit a new report, click on the "Add a New Annual/Revision/Update Report" button. To continue work on a previously started submission, click on the name of the report in the list. To view a previously completed and submitted report, click on the icon under the "view" column next to the report.

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

101 Easy Street, Saginaw, MI 48607, United States
Status: Active *Type:* Facility

Change Facility Status

Regulatory Reports — Add a New Annual/Revision/Update Report

Tier II Report (312 Annual Report)

Report ID	Report	Status	Signed By	Signed Date	Submission Type	View
224350	2020 Tier II Report Update	Completed	Mike Young	01/08/2020 08:08:13 AM	Online	
223928	2019 Tier II Report Update	Completed	Mike Young	12/30/2019 06:14:43 PM	Online	
223892	2019 Tier II Report Update	Completed	Mike Young	12/19/2019 10:28:26 AM	Online	

Show More

302 Reports (EHS Notification)

Report ID	Report (Click to Edit Reports)	Status	Signed By	Signed Date	Submission Type	View

No items to be listed

Start a New Report

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

101 Easy Street, Saginaw, MI 48607, United States
Contact: 888-888-8888
Type: Facility

Choose a Report Type (click on button next to selection)

◉ **Tier II Report (312 Annual Report)**

Facilities covered by Emergency Planning and Community Right-to-Know Act (EPCRA) requirements must submit an Emergency and Hazardous Chemical Inventory Form to the Local Emergency Planning Committee (LEPC), the State Emergency Response Commission (SERC), and the local fire department annually by March 1 covering activities at the facility during the previous calendar year.

Choose a Report Class (click on button next to selection)

◉ **Annual for** 2019 Annuals should be submitted to meet EPCRA Section 312 Annual Reporting of Chemical Inventory for chemicals onsite during the **previous calendar year.**

If you have already submitted an ANNUAL for 2019 and want to update new information or fix an error on the submitted report, please select an option below.

○ **Revision** Revisions should be submitted to correct errors or omissions in already submitted reports.

○ **Update for** 2020 Updates should be submitted to capture changes to facility contacts or chemical quantities/locations onsite during the **current calendar year.**

Cancel | Proceed

© 2002 - 2020 IDSi International, Inc. All rights reserved

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:50 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Back **Edit Report Homepage for EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)**

List Submissions

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

0 Notes

Report

Print Report

2019 Annual Tier II Report(EGLE Test Facility - Auto Salvage) - 224864

Submission Status : Initiated
Status Date : 1/15/2020
Last Updated : 1/15/2020
Submission Type : Online
Submitter Username : Michael Young [mikeadmin1]

Step 1: Review Facility Information

Edit

Facility ID	23421	**LEPC**	SAGINAW COUNTY LEPC
Facility/Site Name	EGLE Test Facility - Auto Salvage	**Lat/Long**	43.4313,-83.9347
Company Name	EGLE Test Facility	**Maximum Number of Occupants at one time**	5
Facility Status	Active	**Facility Type**	Facility
Inactive Reasons		**Nature of Business**	Car Salvage
Inactive as Of		**NAICS**	621410
Physical Location	101 Easy Street, Saginaw, MI 48607, United States	**SIC Code**	
County	SAGINAW	**Dun & Brad No**	
Fire Department	Birch Run Township FD		
Additional Fire Departments			

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

0 Notes

Owner/Operator DEQ, 403 Ketchum, Bay City, MI 48708, United States

Step 2: Review Chemical Inventory

Total: 2 EHS: 0 EHS>TPQ: 0

Add Chemicals | Import Chemicals

Chemical List

Back | All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
			All						
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM

Total Results:2 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	**EPCRA Section 302(EHS Amt>TPQ)**	Inactive
CAA Section 112(r)(RMP)	Inactive	**EPCRA Section 313 (TRI)**	Inactive

Step 4: Review Report Contacts

Number of Tier II Contacts: 1 Number of Emergency Planning Coordinators: 1 Number of Emergency Contacts: 2

Facility and Owner/Operator Contacts

Edit

Name	Contact Type	Phone	24 Hr Phone	Email

Chemical Details

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

2019 Tier II Report Annual

101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

Notes on Reporting Chemicals

1. Pure Chemicals and Mixture Chemicals must be reported separately.
2. If reporting an EHS chemical only, mark as "Pure". If the EHS is a part of a Mixture, enter the product name in "Chemical Name", check "Mixture" and enter the EHS (and other Ingredients) in the "Mixture Component List".

Chemical Description | Inventory & Storage

Chemical Description

Search by CAS/Chemical Name

CAS Number (If no CAS, type N/A) *: 7664-93-9

Chemical Name *: Sulfuric acid

Chemical Added to Site Date: 01/15/2020

☐ Substance is Trade Secret

Trade Secret Proof: Browse...

Chemical State

Check all that apply

State *
☐ Solid ☑ Liquid ☐ Gas

MSDS/SDS

Attach MSDS/SDS: Browse...

Physical and Health Hazards *

Physical Hazards

Check all that apply

- ☐ Combustible dust
- ☑ Corrosive to metal
- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Gas under pressure
- ☐ Hazard Not Otherwise Classified (HNOC)
- ☐ In contact with water emits flammable gas
- ☐ Organic peroxide
- ☐ Oxidizer (liquid, solid or gas)
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Self-reactive

Health Hazards

Check all that apply

- ☐ Acute toxicity (any route of exposure)
- ☑ Aspiration hazard
- ☐ Carcinogenicity
- ☐ Germ cell mutagenicity
- ☐ Hazard Not Otherwise Classified (HNOC)
- ☐ Reproductive toxicity
- ☑ Respiratory or skin sensitization
- ☐ Serious eye damage or eye irritation
- ☐ Simple asphyxiant
- ☑ Skin corrosion or irritation
- ☐ Specific target organ toxicity (single or repeated exposure)

Chemical Format

Pure/Mixture *
☑ Pure
☐ Mixture

☑ EHS

EHS Name Search by EHS Name: Sulfuric acid (aerosol forms only)

See Notes on Reporting Chemicals at top of this page.

Cancel | Save

© 2002 - 2020 IDSi International, Inc. All rights reserved

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:50 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Inventory & Storage

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

Sulfuric acid (7664939)
Pure - EHS

2019 Tier II Report Annual

Chemical Description | Inventory & Storage

Chemical Inventory

Gals To Lbs Converter
Maximum Daily Amount *: 844
Unit: Pounds
Maximum Daily Amount Code*: [03] 500-999

Gals To Lbs Converter
Maximum Amount in Largest Container:
Unit: Pounds

Gals To Lbs Converter
Average Daily Amount *: 844
Unit: Pounds
Average Daily Amount Code *: [03] 500-999

Number of Days Onsite *: 365

Is the chemical reported voluntarily because its inventory is below reporting threshold? *
- ○ Yes
- ◉ No

Storage Location

To enter a storage location, complete info in the "Add Storage Location" section below, and click on "Save Storage Location". Repeat for additional locations for the substance.

Storage Location List

No locations entered yet for this substance

Add Storage Location

Container Type *: Plastic or nonmetallic drum
Pressure *: Ambient pressure
Temperature *: Ambient temperature

☐ Storage Location is Confidential

Storage Location *: Warehouse
Latitude:
Longitude:

Save Storage Location

Gals To Lbs Converter
Storage Location Max Daily Amount:
Unit: Pounds

Cancel | Save

© 2002 - 2020 IDSi International, Inc. All rights reserved

Locate Your Address

Address/Lat-Long Value

Saginaw Michigan 48607 **Find on Map**

Lat: 43.4313

Long: -83.9347

Pick this location

If you want to move the point, click and drag the red point to the new location and then click 'Pick this location' to paste the coordinates back to the form.

Back ▾ All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
			All						
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM
7664939	Sulfuric acid	Pure	EHS	844	No			✓	1/15/2020 10:14:05 AM

Total Results:3 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	**EPCRA Section 302(EHS Amt>TPQ)**	Inactive
CAA Section 112(r)(RMP)	Inactive	**EPCRA Section 313 (TRI)**	Inactive

Step 4: Review Report Contacts

Number of Tier II Contacts: 1 Number of Emergency Planning Coordinators: 1 Number of Emergency Contacts: 2

Facility and Owner/Operator Contacts

Edit

Name	Contact Type	Phone	24 Hr Phone	Email
Facility	Direct Site Communication	888-888-8888		
DEQ	Owner/Operator	888-888-8888 x 8888		youngm1@michigan.gov

Regulatory and Emergency Contacts

Edit

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

0 Not

Manned	Yes
Owner/Operator	DEQ, 403 Ketchum, Bay City, MI 48708, United States

Step 2: Review Chemical Inventory

Total: 3 EHS: 1 EHS>TPQ: 0

Add Chemicals | Import Chemicals

Chemical List

Back ▾ All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
			All						
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM
7664939	Sulfuric acid	Pure	EHS	844	No			✓	1/15/2020 10:14:05 AM

Total Results:3 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	**EPCRA Section 302(EHS Amt>TPQ)**	Inactive
CAA Section 112(r)(RMP)	Inactive	**EPCRA Section 313 (TRI)**	Inactive

Step 4: Review Report Contacts

Number of Tier II Contacts: 1 Number of Emergency Planning Coordinators: 1 Number of Emergency Contacts: 2

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ | Last Login: 01/15/2020, 09:50 AM
Log Out

Home | Facilities | My Account | Resources

Chemical Details

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)
101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

2019 Tier II Report Annual

Lead Acid Batteries (N/A)
Mixture

Notes on Reporting Chemicals
1. Pure Chemicals and Mixture Chemicals must be reported separately.
2. If reporting an EHS chemical only, mark as "Pure". If the EHS is a part of a Mixture, enter the product name in "Chemical Name", check "Mixture" and enter the EHS (and other Ingredients) in the "Mixture Component List".

Chemical Description | Inventory & Storage

Chemical Description

Search by CAS/Chemical Name

CAS Number (If no CAS, type N/A) * N/A

Chemical Name * Lead Acid Batteries

Chemical Added to Site Date 1/15/2020

☐ Substance is Trade Secret Trade Secret Proof Browse...

Chemical State

Check all that apply

State * ☑ Solid ☑ Liquid ☐ Gas

MSDS/SDS

Attach MSDS/SDS Browse...

Physical and Health Hazards *

Physical Hazards
Check all that apply

- ☐ Combustible dust
- ☑ Corrosive to metal
- ☑ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☑ Gas under pressure
- ☐ Hazard Not Otherwise Classified (HNOC)
- ☐ In contact with water emits flammable gas
- ☐ Organic peroxide
- ☐ Oxidizer (liquid, solid or gas)
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Self-reactive

Health Hazards
Check all that apply

- ☐ Acute toxicity (any route of exposure)
- ☑ Aspiration hazard
- ☐ Carcinogenicity
- ☐ Germ cell mutagenicity
- ☐ Hazard Not Otherwise Classified (HNOC)
- ☐ Reproductive toxicity
- ☑ Respiratory or skin sensitization
- ☐ Serious eye damage or eye irritation
- ☐ Simple asphyxiant
- ☑ Skin corrosion or irritation
- ☐ Specific target organ toxicity (single or repeated exposure)

Chemical Format

Pure/Mixture *
☐ Pure
☑ Mixture

Chemical Mixture

Does the mixture contain an EHS ?* ◉ Yes ○ No

Mixture Component List *

CAS Number	Chemical Name	EHS	EHS Name	Maximum Amount Percentage	Max Daily Amt (lbs)	* Size<100 Microns/ Powder / Molten / Solution?	Edit	Delete
7439921	Lead	No		66.00				

* This field is only required for non-reactive solid EHSs that have two TPQ values in the list of EHSs. If you report one of these EHSs, you will be prompted to provide input for this item.

Add Mix Components

Search by CAS/ Chemical Name

CAS Number (If no CAS, type N/A) * 7664-93-9

Chemical Name * Sulfuric acid ☑ EHS

EHS Name Search by EHS Name: Sulfuric acid (aerosol forms only)

See Notes on Reporting Chemicals at top of this page.

Maximum Amount Percentage *

Save Mixture Component

Cancel | Save

Developed By TDSI
© 2002 - 2020 TDSI International, Inc. All rights reserved
Version: 5.3

Chemical Format

Pure/Mixture *

☐ Pure

☑ Mixture

Chemical Mixture

Does the mixture contain an EHS ?* ◉ Yes ○ No

Mixture Component List *

CAS Number	Chemical Name	EHS	EHS Name	Maximum Amount Percentage	Max Daily Amt (lbs)	* Size<100 Microns/ Powder / Molten / Solution?	Edit	Delete
7439921	Lead	No		66.00				

* This field is only required for non-reactive solid EHSs that have two TPQ values in the list of EHSs. If you report one of these EHSs, you will be prompted to provide input for this item.

Add Mix Components

Search by CAS/ Chemical Name

CAS Number (If no CAS, type N/A) *

7664-93-9

Chemical Name *

Sulfuric acid

☑ EHS

EHS Name Search by EHS Name

Sulfuric acid (aerosol forms only)

See Notes on Reporting Chemicals at top of this page.

Maximum Amount Percentage *

11

Max Daily Amt (lbs)

Calculated later

Save Mixture Component

Cancel Save

© 2002 - 2020 IDSi International, Inc. All rights reserved

Chemical Format

Pure/Mixture *

☐ Pure

☑ Mixture

Chemical Mixture

Does the mixture contain an EHS ?* ◉ Yes ○ No

Mixture Component List *

CAS Number	Chemical Name	EHS	EHS Name	Maximum Amount Percentage	Max Daily Amt (lbs)	* Size<100 Microns/ Powder / Molten / Solution?	Edit	Delete
7439921	Lead	No		66.00				
7664939	Sulfuric acid	Yes	Sulfuric acid	11.00				

* This field is only required for non-reactive solid EHSs that have two TPQ values in the list of EHSs. If you report one of these EHSs, you will be prompted to provide input for this item.

Add Mix Components

Search by CAS/ Chemical Name

CAS Number (If no CAS, type N/A) *

Chemical Name *

☐ EHS

EHS Name Search by EHS Name

See Notes on Reporting Chemicals at top of this page.

Maximum Amount Percentage *

Save Mixture Component

Cancel Save

© 2002 - 2020 IDSi International, Inc. All rights reserved

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Home | Facilities | My Account | Resources

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:50 AM
Log Out

Department of Environmental Quality | Michigan.gov

Inventory & Storage

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)
101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

Lead Acid Batteries (N/A)
Mixture

2019 Tier II Report Annual

Chemical Description | Inventory & Storage

Chemical Inventory

Gals To Lbs Converter
Maximum Daily Amount * 4500 | Unit: Pounds | Maximum Daily Amount Code*: [04] 1,000-4,999

Gals To Lbs Converter
Maximum Amount in Largest Container | Unit: Pounds

Gals To Lbs Converter
Average Daily Amount * 4500 | Unit: Pounds | Average Daily Amount Code *: [04] 1,000-4,999

Number of Days Onsite * 365

Is the chemical reported voluntarily because its inventory is below reporting threshold? *
- Yes
- No

Storage Location

To enter a storage location, complete info in the "Add Storage Location" section below, and click on "Save Storage Location". Repeat for additional locations for the substance.

Storage Location List

No locations entered yet for this substance

Add Storage Location

Container Type * Other | Pressure * Ambient pressure | Temperature * Ambient temperature

Storage Location is Confidential

Storage Location * Warehouse | Latitude 43.4313 | Longitude -83.9347

Save Storage Location

Gals To Lbs Converter
Storage Location Max Daily Amount | Unit: Pounds

Cancel | Save

© 2002 - 2020 IDSi International, Inc. All rights reserved

Step 1 Step 2 Step 3 Step 4 Step 5 Step 6

Back ▾ All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
			All						
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
N/A	Lead Acid Batteries	Mix	EHS	4500	Exceeds TPQ			✓	1/15/2020 10:33:05 AM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM
7664939	Sulfuric acid	Pure	EHS	844	Exceeds TPQ			✓	1/15/2020 10:14:05 AM

Total Results:4 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	**EPCRA Section 302(EHS Amt>TPQ)**	Active
CAA Section 112(r)(RMP)	Inactive	**EPCRA Section 313 (TRI)**	Inactive

Step 4: Review Report Contacts

Number of Tier II Contacts: 1 Number of Emergency Planning Coordinators: 1 Number of Emergency Contacts: 2

Facility and Owner/Operator Contacts

Edit

Name	Contact Type	Phone	24 Hr Phone	Email
Facility	Direct Site Communication	888-888-8888		
DEQ	Owner/Operator	888-888-8888 x 8888		youngm1@michigan.gov

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

County	SAGINAW		
Fire Department	Birch Run Township FD	Dun & Brad No	
Additional Fire Departments responding to this Facility			
Site Phone	888-888-8888		
Manned	Yes		
Owner/Operator	DEQ, 403 Ketchum, Bay City, MI 48708, United States		

Step 2: Review Chemical Inventory

Total: 4 EHS: 2 EHS>TPQ: 2

Add Chemicals | Import Chemicals

Chemical List

Back ▾ All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS (All)	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
N/A	Lead Acid Batteries	Mix	EHS	4500	Exceeds TPQ			✓	1/15/2020 10:33:05 AM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM
7664939	Sulfuric acid	Pure	EHS	844	Exceeds TPQ			✓	1/15/2020 10:14:05 AM

Total Results:4 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	EPCRA Section 302(EHS Amt>TPQ)	Active

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:50 AM
Log Out

Home | Facilities | My Account | Resources

Chemical Details

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

2019 Tier II Report Annual

101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

Notes on Reporting Chemicals

1. Pure Chemicals and Mixture Chemicals must be reported separately.
2. If reporting an EHS chemical only, mark as "Pure". If the EHS is a part of a Mixture, enter the product name in "Chemical Name", check "Mixture" and enter the EHS (and other Ingredients) in the "Mixture Component List".

Chemical Description | Inventory & Storage

Chemical Description

Search by CAS/Chemical Name

CAS Number (If no CAS, type N/A) *: 1910-42-5

Chemical Name *: Paraquat dichloride

Chemical Added to Site Date: 01/15/2020

☐ Substance is Trade Secret

Trade Secret Proof: Browse...

Chemical State

Check all that apply

State *
☐ Solid ☑ Liquid ☐ Gas

MSDS/SDS

Attach MSDS/SDS: Browse...

Physical and Health Hazards *

Physical Hazards

Check all that apply

- ☐ Combustible dust
- ☑ Corrosive to metal
- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Gas under pressure
- ☐ Hazard Not Otherwise Classified (HNOC)
- ☐ In contact with water emits flammable gas
- ☐ Organic peroxide
- ☐ Oxidizer (liquid, solid or gas)
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Self-reactive

Health Hazards

Check all that apply

- ☑ Acute toxicity (any route of exposure)
- ☑ Aspiration hazard
- ☑ Carcinogenicity
- ☐ Germ cell mutagenicity
- ☑ Hazard Not Otherwise Classified (HNOC)
- ☑ Reproductive toxicity
- ☑ Respiratory or skin sensitization
- ☑ Serious eye damage or eye irritation
- ☐ Simple asphyxiant
- ☑ Skin corrosion or irritation
- ☑ Specific target organ toxicity (single or repeated exposure)

This is an EHS with 2 TPQ values. You must report all states separately. Please indicate which state you are reporting. Choose only one: (1) powder with particle size < 100 microns, (2) in solution, (3) molten form, (4) solid with particle size ≥ 100 microns.

- ○ Powder with particle size < 100 microns
- ◉ In solution
- ○ Molten form
- ○ Solid with particle size ≥ 100 microns

Chemical Format

Pure/Mixture *
☑ Pure
☐ Mixture

☑ EHS

EHS Name Search by EHS Name: Paraquat dichloride

See Notes on Reporting Chemicals at top of this page.

Cancel | Save

Developed By TDSI

© 2002 - 2020 TDSI International, Inc. All rights reserved

Version: 5.3

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 09:50 AM
Log Out

Home | Facilities | My Account | Resources

Inventory & Storage

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)
101 Easy Street Saginaw , Michigan 48607
Contact: 888-888-8888
Type: Facility

Paraquat dichloride (1910425)
Pure - EHS

2019 Tier II Report Annual

Chemical Description | Inventory & Storage

Chemical Inventory

Gals To Lbs Converter
Maximum Daily Amount * 6.8 | Unit: Pounds | Maximum Daily Amount Code*: [01] 0-99

Gals To Lbs Converter
Maximum Amount in Largest Container | Unit: Pounds

Gals To Lbs Converter
Average Daily Amount * 6.8 | Unit: Pounds | Average Daily Amount Code *: [01] 0-99

Number of Days Onsite * 365

Is the chemical reported voluntarily because its inventory is below reporting threshold? *
- (•) Yes
- ( ) No

Storage Location

To enter a storage location, complete info in the "Add Storage Location" section below, and click on "Save Storage Location". Repeat for additional locations for the substance.

Storage Location List

No locations entered yet for this substance

Add Storage Location

Container Type * Plastic bottles or jugs | Pressure * Ambient pressure | Temperature * Ambient temperature

☐ Storage Location is Confidential

Storage Location * Warehouse | Latitude 43.4313 | Longitude -83.9347

Gals To Lbs Converter
Storage Location Max Daily Amount | Unit: Pounds

Save Storage Location

Cancel | Save

Developed By IDSI
© 2002 - 2020 IDSi International, Inc. All rights reserved
Version: 5.3

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

Back All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

CAS No	Chemical Name	Pure/Mix	EHS	Max Daily Amt (lbs)	EHS Exceeds TPQ	Edit	Delete	Is Valid	Last Modified Date
			All						
N/A	Gasoline	Pure	Non-EHS	10000	No			✓	11/26/2019 2:00:38 PM
N/A	Lead Acid Batteries	Mix	EHS	4500	Exceeds TPQ			✓	1/15/2020 10:33:05 AM
10544726	Nitrogen dioxide	Pure	Non-EHS	100000	No			✓	7/10/2019 2:01:22 PM
1910425	Paraquat dichloride	Pure	EHS	6.8	No			✓	1/15/2020 11:04:12 AM
7664939	Sulfuric acid	Pure	EHS	844	Exceeds TPQ			✓	1/15/2020 10:14:05 AM

Total Results:5 Rows per page 10

Step 3: Review Subject to Status

Edit

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312(Annual Inventory)	Active	**EPCRA Section 302(EHS Amt>TPQ)**	Active
CAA Section 112(r)(RMP)	Inactive	**EPCRA Section 313 (TRI)**	Inactive

Step 4: Review Report Contacts

Number of Tier II Contacts: 1 Number of Emergency Planning Coordinators: 1 Number of Emergency Contacts: 2

Facility and Owner/Operator Contacts

Edit

Name	Contact Type	Phone	24 Hr Phone	Email
Facility	Direct Site Communication	888-888-8888		
DEQ	Owner/Operator	888-888-8888 x 8888		youngm1@michigan.gov

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 11:02 AM
Log Out

Home | Facilities | My Account | Resources

Back

Edit Report Homepage for EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

List Submissions

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

0 Notes

Report

Print Report

2019 Annual Tier II Report(EGLE Test Facility - Auto Salvage) - 224864

Submission Status : Initiated
Status Date : 1/15/2020
Last Updated : 1/15/2020
Submission Type : Online
Submitter Username : Michael Young [mikeadmin1]

Step 1: Review Facility Information

Edit

Facility ID	23421	**LEPC**	SAGINAW COUNTY LEPC
Facility/Site Name	EGLE Test Facility - Auto Salvage	**Lat/Long**	43.4313,-83.9347
Company Name	EGLE Test Facility	**Maximum Number of Occupants at one time**	5
Facility Status	Active	**Facility Type**	Facility
Inactive Reasons		**Nature of Business**	Car Salvage
Inactive as Of		**NAICS**	621410
Physical Location	101 Easy Street, Saginaw, MI 48607, United States	**SIC Code**	
County	SAGINAW	**Dun & Brad No**	
Fire Department	Birch Run Township FD		
Additional Fire Departments			

Step 1 ✓ Step 2 ✓ Step 3 ✓ Step 4 ✓ Step 5 ✓ Step 6

0 Notes

mike youg	owner	Emergency Planning Coordinator	999-999-9999	999-999-9999	youngm1@michigan.gov		✓
Mike Young	Owner	Emergency Contacts	888-888-8888	888-888-8888	youngm1@michigan.gov		✓
Mike Young	Owner	Emergency Contacts	888-888-8888	888-888-8888	youngm1@michigan.gov		✓

Step 5: Review Attachments

Edit

Description	File	File Type	Sent as Hardcopy
Site Plan			No
Site Coordinate Abbreviations			No
Safeguard Measures			No
Facility Emergency Response Plan			No

Step 6: Submit Report

You are almost done! Click here to Submit your Report.

Click on the "Submit Report" button to send this Report to authorities. Read notes on the next page to see if there are more requirements. If you want to make any more Changes, click Edit for the section you want to change.

Submit Report

Cancel Report (This will discard all Report data)

Certify Report

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

2019 Tier II Report Annual

101 Easy Street, Saginaw, MI 48607, United States
Contact: 888-888-8888
Type: Facility

I certify under penalty of law that I have personally examined and am familiar with the information, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

☑ **I understand that I am officially submitting this report and associated information to authorities. I also understand that once the submission is completed it will become an official archive for authorities.**

Please preview the Tier II Report before Submission

Name of Owner/Operator or Authorized Representative *	Official Title *
Mike Young	owner
Telephone Number *	**Date ***
888-888-8888	01/15/2020

Cancel | Submit

© 2002 - 2020 IDSi International, Inc. All rights reserved

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

2019 Tier II Report Annual

101 Easy Street, Saginaw, MI 48607, United States
Contact: 888-888-8888
Type: Facility

Thank you for submitting the online report.

If you have entered a valid e-mail, you will be notified of this successful report submission. This report will be reviewed by State officials.

For questions, please reference the Help Guide for the appropriate contact.

View Report **Print Report** **List Submissions** **List Facilities**

© 2002 - 2020 IDSi International, Inc. All rights reserved

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Home | Facilities | My Account | Resources

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 11:02 AM
Log Out

Department of Environmental Quality
Michigan.gov

Back

View Report Homepage for EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

List Submissions

Step 1 Step 2 Step 3 Step 4 Step 5 Step 6

0 Notes

Report

Print Report Email Report

2019 Annual Tier II Report(EGLE Test Facility - Auto Salvage) - 224864

Submission Status : Completed
Status Date : 1/15/2020
Last Updated : 1/15/2020
Submission Type : Online
Submitter Username : Michael Young [mikeadmin1]

Facility Information

Facility ID	23421	**LEPC**	SAGINAW COUNTY LEPC
Facility/Site Name	EGLE Test Facility - Auto Salvage	**Lat/Long**	43.4313,-83.9347
Company Name	EGLE Test Facility	**Maximum Number of Occupants at one time**	5
Facility Status	Active	**Facility Type**	Facility
Inactive Reasons		**Nature of Business**	Car Salvage
Inactive as Of		**NAICS**	621410
Physical Location	101 Easy Street, Saginaw, MI 48607, United States	**SIC Code**	
County	SAGINAW	**Dun & Brad No**	
Fire Department	Birch Run Township FD		
Additional Fire Departments			

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 11:14 AM
Log Out

Home | Facilities | My Account | Resources

Department of Environmental Quality | Michigan.gov

Back

List Submissions

To create and submit a new report, click on the "Add a New Annual/Revision/Update Report" button. To continue work on a previously started submission, click on the name of the report in the list. To view a previously completed and submitted report, click on the icon under the "view" column next to the report.

EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)

101 Easy Street, Saginaw, MI 48607, United States
Status: Active *Type:* Facility

Change Facility Status

Regulatory Reports | Add a New Annual/Revision/Update Report

Tier II Report (312 Annual Report)

Report ID	Report	Status	Signed By	Signed Date	Submission Type	View
224350	2020 Tier II Report Update	Completed	Mike Young	01/08/2020 08:08:13 AM	Online	
224864	2019 Tier II Report Annual	Completed	Mike Young	01/15/2020 11:09:55 AM	Online	
223928	2019 Tier II Report Update	Completed	Mike Young	12/30/2019 06:14:43 PM	Online	

Show More

302 Reports (EHS Notification)

Report ID	Report (Click to Edit Reports)	Status	Signed By	Signed Date	Submission Type	View

No items to be listed

Michigan SARA Title III Program
Department of Environmental Quality
PO Box 30457, Lansing, MI 48909-7957
Phone :517-284-7272, Fax :517-241-0858

Home | Facilities | My Account | Resources

Online TIER II MANAGER™ Tier II Reporting Year : 2019
Welcome Michael, DEQ Last Login: 01/15/2020, 11:14 AM
Log Out

Department of Environmental Quality | Michigan.gov

Active Facilities

The following facilities are registered under this username. You can update information and submit reports by clicking on the Facility/Site Name.

Back | All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other | Add New Facility

MI SARA ID	Facility ID	Company Name	Facility/Site Name	Address	County	Facility Status	City	LEPC	Fire Department	312 Status	302 Status	Latest Report
MI SARA ID	Facility ID	Company Nam	Facility/Site Name	Address	All		City	LEPC	Fire Department	All	All	
1675309	23421	EGLE Test Facility	EGLE Test Facility - Auto Salvage (MI SARA ID: 1675309)	101 Easy Street , Saginaw , MI 48607	SAGINAW	Active	Saginaw	SAGINAW COUNTY LEPC	Birch Run Township FD	Active	Inactive	2020 Tier II Report Update (01/08/2020) (Completed)
0000	20209	DEQ	Young's Farms (MI SARA ID: 0000)	16254 W Allegan St, Lansing, MI 48909	KEWEENAW	Active	Lansing	KEWEENAW COUNTY LEPC	Lac Labelle VFD	Active	Active	2020 Tier II Report Update (Initiated)
007	22138	DEQ	Youngs Funny Farm (MI SARA ID: 007)	5000 Crazy Street , Bay City , MI 48708	BAY	Active	Bay City	BAY COUNTY LEPC	Bay City Fire/Rescue	Active	Inactive	2019 Tier II Report Update (12/19/2019) (Completed)

Total Results:3 Rows per page 10

Developed By IDSi
© 2002 - 2020 IDSi International, Inc. All rights reserved
Version: 5.3