



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING



LIESL EICHLER CLARK
DIRECTOR

June 18, 2020

VIA E-MAIL AND U.S. MAIL

Ms. Kristan Soto
MiOps and North America North Silicones Responsible Care Leader
The Dow Chemical Company
Michigan Operations
1790 Building, Washington Street
Midland, Michigan 48674

Dear Ms. Soto:

SUBJECT: Amendment 15, Hazardous Waste Management Facility Operating License:
Replacement of Existing Monitoring Well 4666; The Dow Chemical
Company, Michigan Operations, Salzburg Road Landfill; Midland, Michigan;
MID 980 617 435; Waste Data System Number 399133

The Department of Environment, Great Lakes, and Energy (EGLE), Materials Management Division (MMD), has reviewed the request and accompanying work plan for replacement of existing monitoring well 4666, received from The Dow Chemical Company (Dow) on May 19, 2020. This request is a minor modification to Dow's combined hazardous waste management facility operating license for the Dow Michigan Operations, Midland Plant, and Salzburg Road Landfill, issued September 25, 2015 (License). Based on the MMD's review of the request, the License is hereby modified, as further specified below:

Replacement of Existing Monitoring Well 4666

The MMD has determined that this minor modification request meets the requirements of R 299.9519(5)(c)(i) for replacement of an existing well that has been damaged or rendered inoperable without changing the location, design, or depth of the well.

Required Follow Up

In accordance with R 299.9519(6)(b) of the administrative rules promulgated pursuant to Part 111, Hazardous Waste Management, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, Dow is required to send notice of minor modifications to all persons on the facility mailing list and to the appropriate units of state and local government. Such notice must be provided within 90 calendar days of this approval. The updated facility mailing list is enclosed. Please notify the HWS of any addresses on the facility mailing list that are returned to sender, and provide a scan of the returns or the original envelope for our records.

Should you have any questions regarding this License amendment, please contact Mr. Daniel Dailey, Environmental Engineer Specialist, Permit and Corrective Action Unit, Hazardous Waste Section, MMD, at 517-242-7261; DaileyD@Michigan.gov; or EGLE, MMD, P.O. Box 30241, Lansing, Michigan 48909-7741; or you may contact me.

Sincerely,



Allan B. Taylor, Manager
Hazardous Waste Section
Materials Management Division
517-614-7335

Enclosure

cc: Ms. Elizabeth Browne, EGLE
Mr. Phil Roycraft, EGLE
Ms. Kimberly Tyson, EGLE
Ms. Trisha Confer, EGLE
Mr. Art Ostaszewski, EGLE
Mr. Joe Rogers, EGLE
Mr. Daniel Dailey, EGLE

cc/enc: Mr. Brad Kischnick, Environmental Specialist, Dow
Operating License File