



Fluoridation & Chlorination

WSSN 2310

Aug-18

D A T E	Fluoride Applied F mg/l	Fluoride Analyses mg/l			Chlorine App. Mg/l			Chlorine Residual mg/l								
		Raw	Tap	Dist	Chlorine App. Mg/l	Chlorine (prior to filtration) mg/L OCl ⁻	Post Chlorine mg/L	Sta II	Dort	3MG Well	Tap					
											Free	Free	Free			
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1		0.75	0.82		1.21				1.0						1.7	
2		0.73	0.72		1.11				0.9						1.6	
3		0.66	0.69		1.02				0.9						1.7	
4		0.69	0.69		1.16				0.9						1.7	
5		0.69	0.69		1.13				0.9						1.7	
6		0.70	0.69		1.12				0.9						1.7	
7		0.71	0.70		1.14				0.8						1.7	
8		0.70	0.71		1.20				0.9						1.6	
9		0.68	0.72		1.32				0.9						1.7	
10		0.68	0.71		1.35				0.8						1.7	
11		0.71	0.69		1.34				0.9						1.8	
12		0.69	0.71		1.31				0.9						1.7	
13		0.71	0.70		1.31				0.8						1.6	
14		0.67	0.74		1.31				0.8						1.6	
15		0.68	0.69		1.28				0.8						1.7	
16		0.70	0.70		1.21				0.8						1.8	
17		0.71	0.75		1.33				0.8						1.6	
18		0.71	0.78		1.35				0.8						1.7	
19		0.75	0.79		1.35				0.8						1.7	
20		0.71	0.71		1.42				0.7						1.6	
21		0.73	0.76		1.30				0.8						1.6	
22		0.70	0.72		1.36				0.8						1.7	
23																
24																
25																
26																
27																
28																
29																
30																
31																
AVG			0.72		1.26				0.8						1.7	
MAX			0.82		1.42				1.0						1.8	
MIN			0.69		1.02				0.7						1.6	



Chemical Analyses

WSSN 2310

Aug-18

D A T E	pH		Total Hardness as CaCO ₃ mg/l		Total Alkalinity as CaCO ₃ mg/l		NonCarbonate Hardness as CaCO ₃ mg/l		Iron mg/L		Calcium Ca ²⁺ mg/l		Magnesium as Mg ²⁺ mg/l		Chloride as Cl ⁻ mg/l	
	CSII	Tap	Raw	Tap	Raw	Tap	Raw	Tap	Raw	Tap	Raw	Tap	Raw	Tap	Raw	Tap
	29	30	31	32	33	34	35	36	37	38.00	39	40	41	42	43	44
1	7.52	7.68		104		84		36	0	0.00		27.3		8.7		15
2	7.53	7.64		100		86		32	0.0	0.00		27.3		7.8		15
3	7.52	7.66		102		84		32	0	0.00		28.1		7.8		15
4	7.50	7.58		94		80		26	0.01	0.01		27.3		6.3		14
5	7.49	7.67		104		86		36	0.01	0.02		27.3		8.7		15
6	7.48	7.69		104		86		36	0.01	0.01		27.3		8.7		15
7	7.49	7.67	104	104	88	88	36	36	0.01	0.01	27.3	27.3	8.7	8.7	15	16
8	7.51	7.71		104		86		36	0	0.01		27.3		8.7		15
9	7.57	7.71		104		82		36	0	0.00		27.3		8.7		14
10	7.54	7.70		106		82		40	0.01	0.01		26.5		9.7		13
11	7.53	7.73		104		82		34	0.02	0.01		28.1		8.3		13
12	7.53	7.72		104		84		36	0.01	0.01		27.3		8.7		13
13	7.50	7.72		104		82		34	0.02	0.02		28.1		8.3		13
14	7.57	7.72	102	102	80	80	32	34	0.01	0.02	28.1	27.3	7.8	8.3	13	13
15	7.53	7.73		104		80		36	0.01	0.02		27.3		8.7		14
16	7.50	7.68		102		80		32	0	0.01		28.1		7.8		14
17	7.51	7.59		94		80		30	0.01	0.01		25.7		7.3		13
18	7.43	7.69		92		82		24	0.01	0.01		27.3		5.8		14
19	7.42	7.67		98		76		30	0.01	0.01		27.3		7.3		14
20	7.54	7.73		102		80		36	0.01	0.00		26.5		8.7		14
21	7.54	7.72	104	104	80	82	36	38	0.01	0.00	26.5	27.3	8.7	9.2	13	14
22	7.55	7.71		102		82		34	0.01	0.03		27.3		8.3		13
23																
24																
25																
26																
27																
28																
29																
30																
31																
AVG	7.51	7.69		102		82		34		0.01		27.3		8.2		14
MAX	7.57	7.73		106		88		40		0.03		28.1		9.7		16.0
MIN	7.42	7.58		92		76		24		0.00		25.7		5.8		13.0



WSSN 2310

Aug-18

D A T E	Total Coliform						66	Standard Plate Count		Conductivity (mS)	Temp deg.C	Color		Odor	
	Plant Tap							Raw	Tap			Raw	Tap	Raw	Tap
			Dort	3MG Well	Sta II	Lab Tap									
	60	61	62	63	64	65									
1						2/0			0.23	16.5					
2						2/0			0.23	17.1					
3						2/0			0.23	17.5					
4						2/0			0.23	18.3					
5						2/0			0.23	18.1					
6						2/0			0.22	18.6					
7						2/0			0.23	18.7					
8						2/0			0.23	18.7					
9						2/0			0.23	18.8					
10						2/0			0.23	18.4					
11						2/0			0.23	17.8					
12						2/0			0.22	17.7					
13						2/0			0.22	17.6					
14						2/0			0.23	17.9					
15						2/0			0.23	18.2					
16						2/0			0.23	18.8					
17						2/0.01			0.28	19.3					
18						2/0			0.23	19.3					
19						2/0			0.23	19.3					
20						2/0			0.23	19.1					
21						2/0			0.23	18.9					
22						2/0			0.22	18.0					
23						/									
24						/									
25						/									
26						/									
27						/									
28						/									
29						/									
30						/									
31						/									
AVG									0.23	18.3					
MAX									0.28	19.3					
MIN									0.22	16.5					

