



PUBLIC HEALTH AND SAFETY BULLETIN

February 11, 2019

Notification of Multiple Marijuana Products Recall (Updated)

The Bureau of Marijuana Regulation (BMR) is issuing a health and safety advisory recall due to the sale of marijuana which failed laboratory testing.

All marijuana product subject to recall in this notice was purchased by the licensed facility from a registered primary caregiver under a [resolution](#) by the Medical Marijuana Licensing Board passed on January 16, 2019.

The products were sold between 12/14/2018 and 1/3/2019 at Indica, LLC. All affected medical marijuana has a label affixed to the container that, at a minimum, indicates the license number of the marijuana facility that obtained the marijuana product, as well as the production batch number assigned to the marijuana product.

This recall affects the following batches of flower sold from Indica, LLC - License PC-000152 located at 1090 N. Huron River Drive, Ypsilanti, MI:

Black Cherry Pie

1A4050100000CE5000000364

Failed for chemical residue

Punch Shatter 1g

1A4050100000CE5000000112

Failed for residual solvents

Gorilla Dosh

1A4050100000CE5000000299

Failed for chemical residue

OG 18 Shatter .5g

1A4050100000CE5000000142

Failed for chemical residue

Galatic Meds Polar Bar R.S.O. 1g

1A4050100000CE5000000200

Failed for chemical residue

Purple Kush

1A4050100000CE5000000216

Failed for total yeast and mold and chemical residue

Patients or caregivers who have these affected medical marijuana products in their possession should return them to HG Lansing for proper disposal. HG Lansing must notify patients or caregivers that purchased these medical marijuana products of the recall.

For more information about BMR, please visit www.michigan.gov/bmr

For more information about LARA, please visit www.michigan.gov/lara

This advisory bulletin does not constitute legal advice and is subject to change. Licensees are encouraged to seek legal counsel to ensure their operations comply with the Medical Marijuana Facilities Licensing Act and associated Administrative Rules.