


STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS

APPENDIX A

**SPECIFICATIONS AND PRICING**  
**INFORMATION**  
**FOR**

**PASSENGER VEHICLES & TRUCKS**

**2008 MODEL YEAR**



---

Gorno Ford - MiDEAL

Contract # 071B8200138

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**DESCRIPTION**

**MICH. SPEC. NO.**

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR  
**2008 PASSENGER VEHICLES & TRUCKS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>	<b><u>PAGE NO</u></b>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

**The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:**

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**DESCRIPTION**

**MICH. SPEC. NO.**

**Diesel Vehicles are indicated with a “D” at the end of the specification number.  
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

**PASSENGER VEHICLES**

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

**STATION WAGONS**

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

**Multi Functional Utility Vehicle,**

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

**TRUCKS, LIGHT DUTY**

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

**VANS, PASSENGER AND UTILITY**

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

**TRUCKS, LIGHT DUTY**

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
 <b><u>VANS, COMMERCIAL</u></b>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
 <b><u>TRUCKS AND BODIES, MEDIUM DUTY</u></b>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<b><u>TRUCKS, LIGHT DUTY, 4X4</u></b>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <b><u>TRUCKS, MEDIUM DUTY, 4X4</u></b>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <b><u>TRUCK, CUT-AWAY AND VAN BODY</u></b>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <b><u>TRUCKS AND BODIES, HEAVY DUTY</u></b>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

**TRUCKS AND BODIES, HEAVY DUTY**

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

**TRACTORS**

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

<b><u>DESCRIPTION</u></b>	<b><u>MICH. SPEC. NO.</u></b>
<b><u>TAIL GATES</u></b>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PASSENGER VEHICLE EQUIPMENT**

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE  
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**TRUCK EQUIPMENT**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**TRUCK EQUIPMENT (Continued)**

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.**

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRE-DELIVERY SERVICE**

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
  - a. Radiator
  - b. Windshield Washer
  - c. Battery
  - d. Power steering pump
  - e. Brake master cylinder
  - f. Engine oil
  - g. Transmission fluid level.
3. Mechanical operation of vehicle:
  - a. Steering gear and linkage
  - b. Suspension assembly, front and rear
  - c. Proper tire pressure to normal rated road requirements
  - d. Hood latch
  - e. Head lights, aim and adjust
  - f. Front wheel toe in and torque wheel nuts
  - g. Seat and shoulder belts operative
  - h. All locks and latches to be operative
  - i. Windshield wiper and washer to be operative
  - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
  - a. **Manufacturers Window Sticker shall not be removed from vehicle**
  - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
  - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
  - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
  - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRE-DELIVERY SERVICE (Continued)**

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

**Failure to adhere to specifications may be reason to delay payment.**

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**RECEIVING PROCEDURE**

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
  - a. Air cleaner
  - b. Battery and caps
  - c. Radiator cap
  - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
  - a. Spare tire and wheel
  - b. Jack
  - c. Wheel wrench
  - d. Four hub caps
  - e. Trunk mat.
5. Check interior of vehicle for the following items:
  - a. Owner's manual and warranty material
  - b. Cigarette lighter
  - c. Two sets of keys (Three sets for MDOT)
  - d. Make sure all seat belts are installed
  - e. Sun visors
  - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0094  
August 2007

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4  
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K10906 <u>SUBURBAN/YUKON XL</u>	<b>FORD EXPEDITION <u>EL</u></b>
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: Gasoline	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt; 600 CCA, min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel tank-largest single tank available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away
- type, 54 square in minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4</u></b> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0094		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
<b>Make: Ford Model: Expedition</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$27,089.00*</b>	
<b>Final Point of Assembly: Wayne, MI</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: jagney@gornoford.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

0

VEHICLE ORDER CONFIRMATION

12/02/07 12:20:49

Dealer: F48022

Page: 1 of 1

2008 EXPEDITION

Order No: 0001    Priority: B2    Ord FIN: QS040    Order Type: 5B    Price Level: 815

Ord Code: 930A    Cust/Flt Name: #0094    Number:

		RETAIL	DLR	INV		RETAIL	DLR	INV
K16	4X4 XLT SSV							
	.131" WHEELBASE							
YZ	OXFORD WHITE				8			
M	CLOTH 40/60 BEN	NC		NC	B4A			
L	STONE							
930A	ORDER CODE							
	.LUGG RACK W/RSR							
	.2ND ROW VINYL							
	.SAFETY CANOPY							
	.AUX HTR/AC(RR)							
	.LTHR STRG WHEEL							
995	.5.4L-3V SOHC V8	NC		NC				
44C	.6-SPD AUTO O/D	NC		NC				
	.P265/70R17 OWL							
	JOB #2 ORDER							

SP DLR ACCT ADJ

SP FLT ACCT CR

8 U.S. GAL GAS

B4A NET INV FLT OPT    NC

DEST AND DELIV

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s) 3905-0094  
MAKE OF TRUCK: Ford MODEL: Expedition GVWR 7900 lbs.  
PAYLOAD: 1500 W.B. 131 C.A. \_\_\_\_\_ C.E. \_\_\_\_\_  
ENGINE: (GAS - DIESEL) \_\_\_\_\_ MAKE: Ford MODEL: 5.4L SAE H.P. 300  
FUEL TANK(S) CAPACITY: 33 (GALS. TOTAL) TRANSMISSION: 6 spd Auto  
SPRING CAP. @ GROUND EACH: FRONT 3700 lbs. REAR 4250 lbs. AUX. \_\_\_\_\_ lbs.  
AXLES: FRONT 3700 lbs. REAR 4250 lbs. REAR RATIO 3.73  
ALTERNATOR: 130 amps. BATTERY 650 cca.  
TIRE SIZE: FRONT T265 PR REAR T265 PR SINGLE SL DUAL \_\_\_\_\_ M&S \_\_\_\_\_  
TIRE: MAKE unknown STYLE NO. A/S - mts - AT MFG. CODE unknown  
HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.  
PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0094A  
August 2007

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4  
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K10906 <u>SUBURBAN/YUKON XL</u>	FORD EXPEDITION EL (Avail '09)
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: Gasoline	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt; 600 CCA, min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel tank-largest single tank available from mfg.
- Hubs-automatic locking type on front (MDOT)
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away type, 54 square in minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats-Full bench front, with a full width forward facing rear seat.
- Skid plates-Fuel tank and transfer case.
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4</u></b> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0094A	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: Ford Model: Expedition</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$27,039.00*</b> <b>Not available until MY'09</b>
<b>Final Point of Assembly: Wayne, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Gorno Ford</b>	
<b>Street Address: 22025 Allen Road</b>	
<b>City: Woodhaven</b>	<b>State: MI</b>
	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>	
<b>Telephone: 734-671-4033</b>	
<b>Cell: 248-227-7445</b>	
<b>Fax: 734-676-7647</b>	
<b>E-mail: jagney@gornoford.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

0

VEHICLE ORDER CONFIRMATION

12/02/07 12:20:49

Dealer: F48022

2008 EXPEDITION

Page: 1 of 1

Order No: 0001    Priority: B2    Ord FIN: QS040    Order Type: 5B    Price Level: 815  
Ord Code: 930A    Cust/Flt Name: #0094A    PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
K16	4X4 XLT SSV						
	.131" WHEELBASE						
YZ	OXFORD WHITE			8	U.S. GAL GAS		
M	CLOTH 40/60 BEN	NC	NC	B4A	NET INV FLT OPT	NC	
L	STONE				DEST AND DELIV		
930A	ORDER CODE				TOTAL BASE AND OPTIONS		
	.LUGG RACK W/RSR				TOTAL		
	.2ND ROW VINYL				*THIS IS NOT AN INVOICE*		
	.SAFETY CANOPY						
	.AUX HTR/AC(RR)						
	.LTHR STRG WHEEL						
995	.5.4L-3V SOHC V8	NC	NC				
44C	.6-SPD AUTO O/D	NC	NC				
	.P265/70R17 OWL						
	JOB #2 ORDER						

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3905-0094A

MAKE OF TRUCK: Ford MODEL: Expedition GVWR 7900 lbs. ✓

PAYLOAD: 1500 ✓ W.B. 131 ✓ C.A. \_\_\_\_\_ C.E. \_\_\_\_\_

ENGINE: (GAS- DIESEL) \_\_\_\_\_ MAKE: Ford MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 33 (GALS. TOTAL) TRANSMISSION: 6 spd Auto

SPRING CAP. @ GROUND EACH: FRONT 3700 ✓ lbs. REAR 4250 ✓ lbs. AUX. \_\_\_\_\_ lbs.

AXLES: FRONT 3700 ✓ lbs. REAR 4250 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 130 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT H265 PR REAR H265 PR SINGLE SL DUAL \_\_\_\_\_ M&S \_\_\_\_\_

TIRE: MAKE unknown STYLE NO. A/S - M HS - AT MFG. CODE unknown

HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

BODY: : MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0098  
August 2007

TRUCK: CAB AND CHASSIS

G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K31003</u>	<b>FORD</b> <b>F-350</b>	DODGE <u>DC8L63</u>
Wheelbase (inches)	137.0	141.0	143.5
C.A. (inches)	59.9	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	365	350	305
Transmission: Automatic with Maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,800	6,000	5,200
Rear-lbs.	9,200	9,750	9,350
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	TBD
Rear-3,650 lbs. each	4,300	4,875	TBD
Including Aux.			

\*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery
- Hubs autolocking on front (MDOT)

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS</u></b>		
<b>G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4) Mich. Spec. #3958-0098</b>		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F350 F.O.B. - Dealership Delivery Cost Per Mile \$3.00</b>	<b>\$26,456.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

CNGP530  
==>

VEHICLE ORDER CONFIRMATION

12/02/07 12:11:38  
Dealer: F48022  
Page: 1 of 2

2008 F-SERIES SD

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820  
Ord PEP: 640A Cust/Flt Name: # 0098, PO Number:

	RETAIL	DLR INV		RETAIL	DLR INV
F37 F350 4X4 CHAS/C			JOB #2 BUILD		
141" WHEELBASE			13000# GVWR PKG		
Z1 OXFORD WHITE CC					0
T 40/20/40 VINYL			41H ENG BLK HEATER	NC	NC
S MEDIUM STONE			425 50 STATE EMISS	NC	NC
640A PREF EQUIP PKG			47Z AMB PKG NOT REQ		
.XL TRIM			SPARE TIRE/WHL5		
.TELE TT MIR-MAN			524 TILT WHEEL		
55D .DRIVER AIRBAG	NC	NC			
55P .PASSNGER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
587 .AM/FM STER/CLK	NC	NC	TOTAL		
99R 6.4L V8 DIESEL					
44B 5-SPEED AUTO					
TBM LT245 BSW AT 17					
X4N 4.10 LTD SLIP					

THIS IS NOT AN INVOICE\*

\* MORE ORDER INFO NEXT PAGE \*

F1=Help F2=Return to Order F8=Next F3/F12=Veh Ord Menu

CNGP530  
==>

VEHICLE ORDER CONFIRMATION

12/02/07 12:12:16  
Dealer: F48022  
Page: 2 of 2

2008 F-SERIES SD

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820  
Ord PEP: 640A Cust/Flt Name: # 0098, MDOT PO Number:

	RETAIL	DLR INV		RETAIL	DLR INV
525 CRUISE CONTROL		0			
572 AIR CONDITIONER		0			
	NC	NC			
62R TRANS PTO PROV					
65Z AFT AXLE TANK	NC	NC			
FRT GRILLE COVR	NC	NC			
SP DLR ACCT ADJ					
SP FLT ACCT CR					
31 U.S. GAL GAS					
B4A NET INV FLT OPT	NC				
DEST AND DELIV					

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3958-0098

MAKE OF TRUCK: Ford MODEL: F350 GVWR 13,000 lbs ✓

PAYLOAD: 5800 ✓ W.B. 141 ✓ C.A. 60 ✓ C.E. \_\_\_\_\_

ENGINE: (GAS DIESEL) ✓ MAKE: Navistar MODEL: 6.4L ✓ SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5yd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 5200 lbs. REAR 9750 lbs. AUX. \_\_\_\_\_ lbs.

AXLES: FRONT 6000 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO 4:10

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca. ✓

TIRE SIZE: FRONT 245 PR REAR 245 PR SINGLE 10 DUAL \_\_\_\_\_ M&S ✓

TIRE: MAKE Unknown STYLE NO. ALS f m/s/AT MFG. CODE Unknown

HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0099  
August 2007

TRUCK: CAB AND CHASSIS  
(Payload-5,930 lbs., min.)\* (4 x 4)

MODEL-2008 CURRENT NEW

	<b>FORD F-350</b>	<b>CHEV/GMC K31403</b>	<b>DODGE DC8L64</b>
G.V.W.R. (12,500 lbs. min.)	13,000	12,000	12,500
Wheelbase (inches)	165.0	161.5	167.5
C.A. (inches)	84	84.4	84.0
Engine: Diesel	6.4L	6.6L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8	L-6 Turbo
Net H.P.-S.A.E.	350	365	305
Transmission: Automatic with maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs.	6,000	4,800	5,200
Rear-lbs.	9,750	9,200	9,350
Springs, Min. Cap. at Ground			
Front-lbs. each	2,200	2,400	TBD
Rear-lbs. each including aux.	4,875	4,300	TBD

\*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0099  
August 2007  
Page 2

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Hubs autolocking (MDOT)

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS</u></b> <b>(Payload-5,930 lbs., min.)* (4 x 4)</b> <b>Mich. Spec. #3958-0099</b>		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F350</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$26,634.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Corino Ford ITEM NO(s). 0099 3958-0099  
 MAKE OF TRUCK: Ford MODEL: F350 GVWR 13000 lbs  
 PAYLOAD: 5930 ✓ W.B. 165 ✓ C.A. 84 ✓ C.E. \_\_\_\_\_  
 ENGINE: (GAS - DIESEL) (DIESEL) MAKE: Navistar MODEL: 6.4L ✓ SAE H.P. 350 ✓  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5<sup>th</sup> Auto  
 SPRING CAP. @ GROUND EACH: FRONT 4400 ✓ lbs. REAR 9750 ✓ lbs. AUX. \_\_\_\_\_ lbs.  
 AXLES: FRONT 6000 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO 4.10  
 ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.  
 TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 10 DUAL ✓ M&S A/S  
 TIRE: MAKE unknown STYLE NO. A/S/m/s MFG. CODE unknown  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs  
 PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0100  
August 2007

TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL  
(G.V.W.R. 8,900 lbs., min.)\*

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>G33503</u>	<b>FORD</b> <b><u>E-350</u></b>
Wheelbase (inches)	139 (10' & 12' Body)	138 (10' & 12' body)
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	6,084	7,800 SRW
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,900 SRW
Rear-lbs. each	3,042	3,905 SRW
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Mud and Snow or All Season.		

\*SEE Mich. #3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Front fender splash guards.
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare wheel and tire.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL</u></b> (G.V.W.R. 8,900 lbs., min.)* Mich. Spec. #3958-0100		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
<b>Make: Ford Model: E350</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$4.00</b>	<b>\$17,199.00*</b>	
<b>Final Point of Assembly: Avon Lake, OH</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: jagney@gornoford.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.



**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

**TRUCK QUESTIONNAIRE FORMS**

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3958-0100  
 MAKE OF TRUCK: Ford MODEL: F350 GVWR 9600 lbs.  
 PAYLOAD: 3400 W.B. 138 ✓ C.A. \_\_\_\_\_ C.E. \_\_\_\_\_  
 ENGINE: (GAS DIESEL) MAKE: Ford MODEL: 5.4L ✓ SAE H.P. 255 ✓  
 FUEL TANK(S) CAPACITY: 37 (GALS. TOTAL) TRANSMISSION: 5<sup>th</sup> Auto  
 SPRING CAP. @ GROUND EACH: FRONT 4600 lbs. REAR 7810 lbs. AUX. \_\_\_\_\_ lbs.  
 AXLES: FRONT 5000 lbs. REAR 7800 lbs. REAR RATIO 4.10  
 ALTERNATOR: 110 amps. BATTERY 650 ✓ cca.  
 TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 19 ✓ DUAL \_\_\_\_\_ M&S ALS ✓  
 TIRE: MAKE unknown STYLE NO. ALS-mts MFG. CODE unknown  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.  
 PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0101  
August 2007

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL  
(G.V.W.R. 10,000 lbs., min.)\*

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>G33803/C7A</u>	FORD <u>E-350</u>
Wheelbase (inches)	159 (14' & 15' body)	158 (14' & 15' body)
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	323	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	7,500	8,500
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	2,300
Rear-lbs. each	3,750	4,300
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.		

\*SEE Mich. #3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Front fender splash guards.
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware.
- Seat-Passenger.
- Spare wheel and tire.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL</u></b> (G.V.W.R. 10,000 lbs., min.)* Mich. Spec. #3958-0101	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: Ford Model: E350</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$4.00</b>	<b>\$17,989.00*</b>
<b>Final Point of Assembly: Avon Lake, OH</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Gorno Ford</b>	
<b>Street Address: 22025 Allen Road</b>	
<b>City: Woodhaven</b>	<b>State: MI</b>
	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>	
<b>Telephone: 734-671-4033</b>	
<b>Cell: 248-227-7445</b>	
<b>Fax: 734-676-7647</b>	
<b>E-mail: jagne@gornoford.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.



**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s) 3958-0101  
 MAKE OF TRUCK: Ford MODEL: F350 GVWR 10,000 lbs.   
 PAYLOAD: 3900 W.B. 158  C.A.          C.E.   
 ENGINE: (GAS  DIESEL)          MAKE: Ford MODEL: 5.4L SAE H.P. 255  
 FUEL TANK(S) CAPACITY: 55 (GALS. TOTAL) TRANSMISSION: 5 speed Auto  
 SPRING CAP. @ GROUND EACH: FRONT 4600 lbs. REAR 8600 lbs. AUX.          lbs.  
 AXLES: FRONT 5000 lbs. REAR 8500 lbs. REAR RATIO 4.10  
 ALTERNATOR: 110 amps. BATTERY 650 cca.  
 TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL  M&S M&S  
 TIRE: MAKE unknown STYLE NO. A/S/mfs MFG. CODE unknown  
 HOIST: MAKE          MODEL          INSTALLING CO.           
 BODY: MAKE          MODEL          INSTALLING CO.           
 POWER LIFT GATE: MAKE          MODEL          CAPACITY          lbs.  
 PLATFORM SIZE:         

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. #3958-0108  
August 2007

**TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEELS**  
(G.V.W.R. 11,000 lbs., min.)\*

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>G33903</u>	<b>FORD</b> <b><u>E-350 Cut-Away</u></b>
Wheel base (inches)	177	158 for (14' & 15' body)
Engine: Gasoline	6.0L	6.8L
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	323	305
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	TBD	5,000
Rear	TBD	8,500
Springs, Min. Cap. At Ground		
Front-lbs. Each	TBD	2,300
Rear-lbs. Each	TBD	4,300

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.

\*See Mich. SPEC. # 3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum
- Brakes-Power
- Front Fender splash guards
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation.
- Mirror shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare Wheel and Tire
- Steering-Power
- Wrench-Wheel

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats-High Back, Driver and Passenger

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEELS</u></b> (G.V.W.R. 11,000 lbs., min.)* Mich. Spec. #3958-0108		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
<b>Make: Ford Model: E350</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$4.00</b>	<b>\$18,639.00*</b>	
<b>Final Point of Assembly: Avon Lake, OH</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: jagney@gornoford.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 12:53:20

Dealer: F48022

2008 ECONOLINE

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 780A    Cust/Flt Name: #0108,    PO Number:

	RETAIL	DLR	INV		RETAIL	DLR	INV
E35	COM CUTAWAY VAN			T67	LT225/75RX16E B		
	158" WHEELBASE			X52	4.10 REG X52	NC	NC
YZ	OXFORD WHITE CC				JOB #2 ORDER		
A	STD VNYL BKT ST			162	FLR VINYL, FRT		
E	MEDIUM FLINT			20Y	11500# GVW	NC	NC
780A	PREF EQUIP PKG			211	BCKT SEATS DUAL		
	STANDARD TRIM			425	50 STATE EMISS	NC	NC
572	A/C FRONT ONLY			47Z	AMB PKG NOT REQ		
587	ELEC AM/FM CLK						
593	LT/CONVEN GRP				TOTAL BASE AND OPTIONS :		
596	AIR BAG/PASS-2D				TOTAL		
76X	BUMPER, BLACK				*THIS IS NOT AN INVOICE*		
945	AUX FUEL PORT						
99S	6.8L EFI V10ENG				* MORE ORDER INFO NEXT PAGE *		
44T	ELEC 5-SPD AUTO				F8=Next		
F1=Help		F2=Return to Order			F3/F12=Veh Ord Menu		

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:53:29

==>

Dealer: F48022

2008 ECONOLINE

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 780A    Cust/Flt Name: #0108,    PO Number:

	RETAIL	DLR	INV		RETAIL	DLR	INV
51A	SPARE TIRE/WHL						
525	SPEED CONTROL						
54D	MIRROR,MAN TRL						
	16" WHITE WHLS						
656	FUEL TANK 55 GL						
	SP DLR ACCT ADJ						
	SP FLT ACCT CR						
6	U.S. GAL GAS						
B4A	NET INV FLT OPT	NC					
	DEST AND DELIV						

TOTAL BASE AND OPTIONS :

TOTAL

\*THIS IS NOT AN INVOICE\*

F7=Prev

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3958-0108  
 MAKE OF TRUCK: Ford MODEL: E350 GVWR 11,000 lbs. ✓  
 PAYLOAD: 5500 W.B. 158 ✓ C.A. \_\_\_\_\_ C.E. \_\_\_\_\_  
 ENGINE (GAS- DIESEL) gas MAKE: Ford MODEL 6.8C410 SAE H.P. 305 ✓  
 FUEL TANK(S) CAPACITY: 55 (GALS. TOTAL) TRANSMISSION: 5<sup>th</sup> Auto ✓  
 SPRING CAP. @ GROUND EACH: FRONT 4600 lbs. REAR 8600 lbs. AUX. \_\_\_\_\_ lbs.  
 AXLES: FRONT 5000 lbs. REAR 8500 lbs. REAR RATIO 4.10 ✓  
 ALTERNATOR: 115 amps. BATTERY 650 cca. ✓  
 TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 19 DUAL ✓ M&S ✓  
 TIRE: MAKE unbranded STYLE NO. A/S / m/s MFG. CODE unbranded  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.  
 PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. #3958-0109  
August 2007

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL  
(G.V.W.R. 14,000 lbs., min.)\*

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C4V042</u>	<b>FORD</b> <b><u>E-450 Cut-Away</u></b>
Wheel base (inches)	184 for (14' & 15' body)	158 for (14' & 15' body)
Engine: Gasoline	8.1L	6.8L
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	325	305
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	7,000	5,000
Rear	11,000	9,450
Springs, Min. Cap. At Ground		
Front-lbs. Each	3,500	2,500
Rear-lbs. Each	5,500	4,750

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.

\*See Mich. SPEC. # 3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum
- Brakes-Power
- Front Fender splash guards
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation.
- Mirror shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare Wheel and Tire
- Steering-Power
- Wrench-Wheel

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats-High Back, Driver and Passenger

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL</u></b> (G.V.W.R. 14,000 lbs., min.)* Mich. Spec. #3958-0109		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
<b>Make: Ford Model: E450</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$4.00</b>	<b>\$20,637.00*</b>	
<b>Final Point of Assembly: Avon Lake, OH</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: jagney@gornoford.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 12:45:36

Dealer: F48022

2008 ECONOLINE

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 782A    Cust/Flt Name: #0109    PO Number:

	RETAIL	DLR INV		RETAIL	DLR INV
E45	COM CUTAWAY VAN	0	T67	.LT225/75RX16E B	
	158" WHEELBASE		X83	4.56 REG X83	NC      NC
YZ	OXFORD WHITE CC			JOB #2 ORDER	
A	STD VNYL BKT ST		162	FLR VINYL, FRT	
E	MEDIUM FLINT		20F	14500# GVWR	NC      NC
782A	PREF EQUIP PKG		211	BCKT SEATS DUAL	
	.STANDARD TRIM		425	50 STATE EMISS	NC      NC
572	.A/C FRONT ONLY		47Z	AMB PKG NOT REQ	
587	.ELEC AM/FM CLK				
593	.LT/CONVEN GRP			TOTAL BASE AND OPTIONS	..
596	.AIR BAG/PASS-2D			TOTAL	3
646	.16" WHITE WHLS			*THIS IS NOT AN INVOICE*	
76X	.BUMPER, BLACK				
99S	6.8L EFI V10ENG			* MORE ORDER INFO NEXT PAGE *	
44T	.ELEC 5-SPD AUTO			F8=Next	
F1=Help		F2=Return to Order		F3/F12=Veh Ord Menu	

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:45:54

==>

Dealer: F48022

2008 ECONOLINE

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 782A    Cust/Flt Name: #0109    PO Number:

	RETAIL	DLR INV		RETAIL	DLR INV
51A	SPARE TIRE/WHL	0			
525	SPEED CONTROL				
54D	MIRROR,MAN TRL	1			
672	FRT MAX GAWR	NC			
	SP DLR ACCT ADJ				
	SP FLT ACCT CR				
6	U.S. GAL GAS				
B4A	NET INV FLT OPT	NC			
	DEST AND DELIV				

TOTAL BASE AND OPTIONS :

TOTAL

\*THIS IS NOT AN INVOICE\*

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

**TRUCK QUESTIONNAIRE FORMS**

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3958-0109  
 MAKE OF TRUCK: Ford MODEL: F450 GVWR 14,500 lbs ✓  
 PAYLOAD: 8800 W.B. 158 ✓ C.A. \_\_\_\_\_ C.E. \_\_\_\_\_  
 ENGINE: (GAS - DIESEL) Diesel MAKE: 6.8L ✓ MODEL: V10 ✓ SAE H.P. 305 ✓  
 FUEL TANK(S) CAPACITY: 55 (GALS. TOTAL) TRANSMISSION: 53rd Auto  
 SPRING CAP. @ GROUND EACH: FRONT 4600 lbs. REAR 9500 lbs. AUX. correct per email lbs.  
 AXLES: FRONT 5000 lbs. REAR 9500 lbs. REAR RATIO 4.56  
 ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.  
 TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL M&S ✓  
 TIRE: MAKE unknown STYLE NO. A/S m+s MFG. CODE unknown  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: : MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs  
 PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0110  
August 2007

TRUCK: CAB AND CHASSIS  
(G.V.W.R. 14,500 LBS., min.)

MODEL-2008 CURRENT NEW

	CHEVY/GMC	<b>FORD</b>
	C4500	
	<u>C4C042</u>	<b>F-450SD</b>
G.V.W.R. (lbs.)	16,500	16,000
Wheelbase (inches)	128	141.0
C.A. (inches)	60	60
Engine: Gasoline	8.1	Triton
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	325	362
Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		
Axle, Min. Cap.-lbs.		
Front	7,000	7,000
Rear	11,000	12,000
Springs, Min. Cap. at Ground		
Front-lbs. each	3,500	2,400
Rear-lbs. each	5,500	6,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-95 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer (MDOT)
- Trailer brake controller, factory installed
- Trailer Hitch, Class III Receiver Type

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS</u></b> (G.V.W.R. 14,500 LBS., min.) Mich. Spec. #3958-0110		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$23,160.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 12:37:15

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0110    PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
F46	F450 4X2 CHAS/C			X48	4.88 REG AXLE	NC	NC
	141" WHEELBASE				JOB #2 BUILD		
Z1	OXFORD WHITE CC				16000# GVWR PKG		
T	40/20/40 VINYL				R	NC	NC
S	MEDIUM STONE			425	50 STATE EMISS	NC	NC
650A	PREF EQUIP PKG			47Z	AMB PKG NOT REQ		
	.XL TRIM				SPARE TIRE/WHLG		
	.TELE TT MIR-MAN			524	TILT WHEEL		
55D	.DRIVER AIRBAG	NC	NC				
55P	.PASSNGER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC		TOTAL		
	.AFT AXLE TANK				*THIS IS NOT AN INVOICE*		
99Y	6.8L EFI V10 EN	NC	NC				
44T	5-SPD AUTOMATIC				MORE ORDER INFO NEXT PAGE *		
TVB	.225/19.5 BSW	NC	NC		F8=Next		
F1=Help					F3/F12=Veh Ord Menu		
					F2=Return to Order		

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:37:29

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0110    PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
525	CRUISE CONTROL						
572	AIR CONDITIONER						
61J	JACK	NC	NC				
	SP DLR ACCT ADJ						
	SP FLT ACCT CR						
13	U.S. GAL GAS						
B4A	NET INV FLT OPT	NC					
	DEST AND DELIV						

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

\*THIS IS NOT AN INVOICE\*

F7=Prev

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s) 3958 - 0110 ✓  
 MAKE OF TRUCK: Ford MODEL: F450 GVWR 16000 lbs. ✓  
 PAYLOAD: 8500 W.B. 141 ✓ C.A. 60 ✓ C.E. \_\_\_\_\_  
 ENGINE: (GAS 2 DIESEL) \_\_\_\_\_ MAKE: Ford MODEL: 6.8L SAE H.P. 362 ✓  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓  
 SPRING CAP. @ GROUND EACH: FRONT 4800 lbs. REAR 12000 lbs. AUX. \_\_\_\_\_ lbs.  
 AXLES: FRONT 7000 lbs. REAR 12000 lbs. REAR RATIO \_\_\_\_\_  
 ALTERNATOR: 115 amps. BATTERY 650 cca. ✓  
 TIRE SIZE: FRONT 225 PR REAR 225 PR SINGLE 19 DUAL \_\_\_\_\_ M&S M/S ✓  
 TIRE: MAKE unknown STYLE NO. A/S M/S MFG. CODE unknown ✓  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.  
 PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0111  
August 2007

TRUCK: CAB AND CHASSIS REAR DUAL WHEELS  
(G.V.W.R. 14,500 LBS., min.)

MODEL-2008 CURRENT NEW

	CHEVY/GMC C4500 <u>C4C042</u>	<b>FORD</b> <b>F-450SD</b>	DODGE <u>DM4L63</u>
G.V.W.R. (lbs.)	16,500	16,000	16,000
Wheelbase (inches)	128	141.0	144.5
C.A. (inches)	60	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	300	350	305
Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.			
Axle, Min. Cap.-lbs.			
Front	7,000	7,000	7,000
Rear	11,000	12,000	13,500
Springs, Min. Cap. at Ground			
Front-lbs. each	3,500	2,600	TBD
Rear-lbs. each	5,500	6,000	TBD

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-95 amp., min.
- Battery-12 Volt, Dual
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer
- Trailer brake controller, factory installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS REAR DUAL WHEELS</u></b> (G.V.W.R. 14,500 LBS., min.) Mich. Spec. #3958-0111	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$28,499.00*</b>
<b>Final Point of Assembly: Louisville, KY</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Gorno Ford</b>	
<b>Street Address: 22025 Allen Road</b>	
<b>City: Woodhaven</b>	<b>State: MI</b>
	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>	
<b>Telephone: 734-671-4033</b>	
<b>Cell: 248-227-7445</b>	
<b>Fax: 734-676-7647</b>	
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 12:31:58

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 650A    Cust/Flt Name: #0111,    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F46	F450 4X2 CHAS/C			48	4.88 REG AXLE	NC    NC
	141" WHEELBASE				JOB #2 BUILD	
Z1	OXFORD WHITE CC				16000# GVWR PKG	
T	40/20/40 VINYL			41H	ENG BLK HEATER	NC    NC
S	MEDIUM STONE			425	50 STATE EMISS	NC    NC
650A	PREF EQUIP PKG			47Z	AMB PKG NOT REQ	
	.XL TRIM				SPARE TIRE/WHLG	
	.TELE TT MIR-MAN			524	TILT WHEEL	
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS	
587	.AM/FM STER/CLK	NC	NC		TOTAL	
	.AFT AXLE TANK				*THIS IS NOT AN INVOICE*	
99R	6.4L V8 DIESEL					
44B	5-SPEED AUTO				* MORE ORDER INFO NEXT PAGE *	
TVR	.225/19.5 RSW	NC	NC		F2=Next	

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:32:09

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 650A    Cust/Flt Name: #0111, MDOT    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL					
572	AIR CONDITIONER					
		NC	NC			
	FRT GRILLE COVR	NC	NC			
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
31	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

F7=Prev

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). ~~011~~ 3958-0111  
MAKE OF TRUCK: Ford MODEL: F450 GVWR: 16000 lbs. ✓  
PAYLOAD: 8000 W.B. 141 ✓ C.A. 60 ✓ C.E. ✓  
ENGINE: (GAS - DIESEL) DIESEL MAKE: Navistar MODEL: 6.4L ✓ SAE H.P. 325 ✓  
FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto  
SPRING CAP. @ GROUND EACH: FRONT 5200 lbs. ✓ REAR 12000 lbs. ✓ AUX. \_\_\_\_\_ lbs.  
AXLES: FRONT 7000 lbs. ✓ REAR 12000 lbs. REAR RATIO 4.88  
ALTERNATOR: 130 ✓ amps. BATTERY 750 cca. ✓  
TIRE SIZE: FRONT 225 PR REAR 225 PR SINGLE 10 DUAL M&S A/S ✓  
TIRE: MAKE Unknown STYLE NO. M/S/A/S MFG. CODE unknown  
HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.  
PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---

---

---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0112  
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS  
(G.V.W.R. 14,500 LBS., min.) (4 x 4)

MODEL-2008 CURRENT NEW

	CHEVY/GMC	FORD
	K4500	
	<u>C4C044</u>	<u>F-450</u>
G.V.W.R. (lbs.)	17,500	16,000
Wheelbase (inches)	152	141.0
C.A. (inches)	84	60
Engine: Gasoline	8.1L	6.8L
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	325	362
Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		
Axle, Min. Cap.-lbs.		
Front	8,000	7,000
Rear	13,500	12,000
Springs, Min. Cap. at Ground		
Front-lbs. each	4,000	2,600
Rear-lbs. each	6,750	6,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-95 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Hubs autolocking on front
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer
- Trailer brake controller, factory installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS REAR DUAL WHEELS</u></b> (G.V.W.R. 14,500 LBS., min.) (4 x 4) Mich. Spec. #3958-0112	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$ 26,399.00*</b>
<b>Final Point of Assembly: Louisville, KY</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Gorno Ford</b>	
<b>Street Address: 22025 Allen Road</b>	
<b>City: Woodhaven</b>	<b>State: MI</b>
	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>	
<b>Telephone: 734-671-4033</b>	
<b>Cell: 248-227-7445</b>	
<b>Fax: 734-676-7647</b>	
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

30

VEHICLE ORDER CONFIRMATION

12/01/07 12:14:10

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0112,    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F47	F450 4X4 CHAS/C			X48 4.88 REG AXLE	NC	NC
	141" WHEELBASE			JOB #2 BUILD		
21	OXFORD WHITE CC			16000# GVWR PKG		
T	40/20/40 VINYL			41H ENG BLK HEATER	NC	NC
S	MEDIUM STONE			425 50 STATE EMISS	NC	NC
650A	PREF EQUIP PKG			472 AMB PKG NOT REQ		
	.XL TRIM			SPARE TIRE/WHLQ		
	.TELE TT MIR-MAN			524 TILT WHEEL		
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGR AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC	TOTAL		
	.AFT AXLE TANK			*THIS IS NOT AN INVOICE*		
99Y	6.8L EFI V10 EN	NC	NC			
44T	5-SPD AUTOMATIC			* MORE ORDER INFO NEXT PAGE *		
TEB	.225 BSW AS 19.5	NC	NC	F8=Next		
	F1=Help			F2=Return to Order		
	F4=Submit			F3/F12=Veh Ord Menu		
	F5=Add to Library					

S006 - MORE DATA IS AVAILABLE..

QC029671

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:14:22

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0113,    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL					
572	AIR CONDITIONER					
		NC	NC			
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
13	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					

TOTAL BASE AND OPTIONS

TOTAL

7

\*THIS IS NOT AN INVOICE\*

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Corino Ford ITEM NO(s): 3958 - 0112 ✓

MAKE OF TRUCK: Ford MODEL: F450 GVWR 16000 lbs

PAYLOAD: 8500 W.B. 141 ✓ C.A. 60 ✓ C.E. -

ENGINE: (GAS - DIESEL) G MAKE: Ford MODEL 6.8L V10 ✓ SAE H.P. 362 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5<sup>th</sup> Auto

SPRING CAP. @ GROUND EACH: FRONT 5400 lbs. REAR 12000 lbs. AUX.      lbs.

AXLES: FRONT 7000 ✓ lbs. REAR 12000 ✓ lbs. REAR RATIO 4.38

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca. ✓ ✓

TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL ✓ M&S ✓

TIRE: MAKE unknown STYLE NO. A/S - m+s MFG. CODE unknown

HOIST: MAKE      MODEL      INSTALLING CO.     

BODY: MAKE      MODEL      INSTALLING CO.     

POWER LIFT GATE: MAKE      MODEL      CAPACITY      lbs.

PLATFORM SIZE:     

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0113

August 2007

**TRUCK: CAB AND CHASSIS DUAL REAR WHEELS**  
(G.V.W.R. 14,500 LBS., min.) (4 x 4)

MODEL-2008 CURRENT NEW

	<u>CHEVY/GMC</u> <u>C4C044</u>	<b>FORD</b> <b>F-450</b>	<u>DODGE</u> <u>DM9L63</u>
G.V.W.R. (lbs.)	17,500	16,000	16,500
Wheelbase (inches)	152	141.0	144.5
C.A. (inches)	84	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	300	350	305
Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.			
Axle, Min. Cap.-lbs.			
Front	8,000	7,000	7,000
Rear	13,500	12,000	13,500
Springs, Min. Cap. at Ground			
Front-lbs. each	4,000	2,800	TBD
Rear-lbs. each	6,750	6,000	TBD

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-95 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Hubs autolocking on front
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer
- Trailer brake controller, factory installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS</u></b> (G.V.W.R. 14,500 LBS., min.) (4 x 4) Mich. Spec. #3958-0113		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$31,797.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 12:06:00

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 650A    Cust/Flt Name: #0113,    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F47	F450 4X4 CHAS/C			X48	4.88 REG AXLE	NC    NC
	141" WHEELBASE				JOB #2 BUILD	
Z1	OXFORD WHITE CC				16000# GVWR PKG	
T	40/20/40 VINYL			41H	ENG BLK HEATER	NC    NC
S	MEDIUM STONE			425	50 STATE EMISS	NC    NC
650A	PREF EQUIP PKG			47Z	AMB PKG NOT REQ	
	.XL TRIM				SPARE TIRE/WHLQ	
	.TELE TT MIR-MAN			524	TILT WHEEL	
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGR AIRBAG	NC	NC		TOTAL BASE AND OPTIONS	
587	.AM/FM STER/CLK	NC	NC		TOTAL	
	.AFT AXLE TANK				THIS IS NOT AN INVOICE*	
99R	6.4L V8 DIESEL					
44B	5-SPEED AUTO				* MORE ORDER INFO NEXT PAGE *	
TFB	.225 BSW AS 19.5	NC	NC		F8=Next	
F1=Help					F2=Return to Order	F3/F12=Veh Ord Menu

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 12:06:11

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820  
Ord PEP: 650A    Cust/Flt Name: #0114,    PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL					
572	AIR CONDITIONER					
	FRT GRILLE COVR	NC	NC			
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
31	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

F1=Help

F2=Return to Order

F7=Prev

F3/F12=Veh Ord Menu

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Corno Ford ITEM NO(s) 8958-0113 ✓  
 MAKE OF TRUCK: Ford MODEL: F450 GVWR 16000 lbs  
 PAYLOAD: 8000 W.B. 141 C.A. 60 ✓ C.E. \_\_\_\_\_  
 ENGINE: (GAS - DIESEL) DIESEL MAKE: Navistar MODEL: 6.4L ✓ SAE H.P. 325 ✓  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 57rd Auto  
 SPRING CAP. @ GROUND EACH: FRONT 5600 lbs. REAR 12000 lbs. AUX. \_\_\_\_\_ lbs.  
 AXLES: FRONT 7000 lbs. REAR 12000 lbs. REAR RATIO 4.88  
 ALTERNATOR: 130 amps. BATTERY 750 cca. ✓  
 TIRE SIZE: FRONT 225 PR REAR 225 PR SINGLE 10 DUAL ✓ M&S MS  
 TIRE: MAKE Unbranded STYLE NO. MS/MS MFG. CODE unbranded  
 HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_  
 POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0114  
August 2007

TRUCK: CAB AND CHASSIS  
(G.V.W.R. 15,000 LBS., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C4500 <u>C4C042</u>	<b>FORD</b> <b>F-450</b>
G.V.W.R. (lbs.)	16,500	16,000
Wheelbase (inches)	152	165
C.A. (inches)	84	84
Engine: Gasoline	8.1L	6.8L
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	325	362
Transmission: Automatic: with maximum capacity transmission oil cooler. Factory installed.		
Axle, Min. Cap.-lbs.		
Front	7,000	7,000
Rear	11,000	12,000
Springs, Min. Cap. at Ground		
Front-lbs. each	3,500	2,800
Rear-lbs. each	5,500	6,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning – Factory Installed
- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

**(Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Hubs autolocking on front
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer
- Trailer brake controller, factory installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS</u></b> (G.V.W.R. 15,000 LBS., min.) Mich. Spec. #3958-0114		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$23,297.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 11:54:10

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

PEP: 650A Cust/Flt Name: #0114, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F46	F450 4X2 CHAS/C			X48 4.88 REG AXLE	NC	NC
	165" WHEELBASE			JOB #2 BUILD		
Z1	OXFORD WHITE CC			<del>16000#</del> GVWR PKG		
T	40/20/40 VINYL					
S	MEDIUM STONE			425 50 STATE EMISS	NC	NC
650A	PREF EQUIP PKG			47Z AMB PKG NOT REQ		
	.XL TRIM			SPARE TIRE/WHLG		
	.TELE TT MIR-MAN			524 TILT WHEEL		
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC	TOTAL		
	.AFT AXLE TANK			*THIS IS NOT AN INVOICE*		
99Y	6.8L EFI V10 EN	NC	NC			
44T	5-SPD AUTOMATIC			MORE ORDER INFO NEXT PAGE *		
TVB	.225/19.5 BSW	NC	NC	F8=Next		
F1=Help				F2=Return to Order		
				F3/F12=Veh Ord Menu		

CNGE530

VEHICLE ORDER CONFIRMATION

12/01/07 11:54:20

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 650A Cust/Flt Name: #0114, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL					
572	AIR CONDITIONER					
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
13	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

F1=Help  
F4=Submit

F2=Return to Order  
F5=Add to Library

F7=Prev  
F3/F12=Veh Ord Menu

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3856-0114

MAKE OF TRUCK: Ford MODEL: F450 GVWR 16,000 lbs

PAYLOAD: 8500 W.B. 165 ✓ C.A. 84 ✓ C.E. \_\_\_\_\_

ENGINE: (GAS - DIESEL) \_\_\_\_\_ MAKE: Ford MODEL 6-86 SAE H.P. 362 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5 gal Auto

SPRING CAP. @ GROUND EACH: FRONT 5600 ✓ lbs. REAR 12000 ✓ lbs. AUX. \_\_\_\_\_ lbs.

AXLES: FRONT 2000 ✓ lbs. REAR 12000 ✓ lbs. REAR RATIO 4.88

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL ✓ M&S ✓

TIRE: MAKE unbranded STYLE NO. AFS + m+s MFG. CODE unbranded

HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0115  
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS  
(G.V.W.R. 15,000 LBS., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C4500 <u>C4C042</u>	<b>FORD</b> <b>F-450SD</b>	DODGE <u>DM4L64</u>
G.V.W.R. (lbs.)	16,500	16,000	16,500
Wheelbase (inches)	152	165	168.5
C.A. (inches)	84	84	84
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	300	325	305
Transmission: Automatic: with maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	7,000	7,000	7,000
Rear	11,000	12,000	12,000
Springs, Min. Cap. at Ground			
Front-lbs. each	3,500	3,000	TBD
Rear-lbs. each	5,500	6,000	TBD

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN  
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning – Factory Installed
- Alternator- 80 amp., min.
- Battery-12 Volt, dual
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed, with stainless steel or powder coated steel heads, brackets, and hardware.
- Spare tire and wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:**

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Axle Rear Limited slip
- Hubs autolocking on front
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Switches, upfitter for auxillary
- Throttle, Electronic, High Idle Engine RPM Control.
- Towing package: Heaviest duty available from manufacturer
- Trailer brake controller, factory installed

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

**PRICING SHEET**

<b><u>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS</u></b> (G.V.W.R. 15,000 LBS., min.) Mich. Spec. #3958-0115		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: Ford Model: F450</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$3.00</b>	<b>\$28,689.00*</b>	
<b>Final Point of Assembly: Louisville, KY</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Gorno Ford</b>		
<b>Street Address: 22025 Allen Road</b>		
<b>City: Woodhaven</b>	<b>State: MI</b>	<b>Zip: 48183</b>
<b>Contact Name: Jim Agney</b>		
<b>Telephone: 734-671-4033</b>		
<b>Cell: 248-227-7445</b>		
<b>Fax: 734-676-7647</b>		
<b>E-mail: <a href="mailto:jagney@gornoford.com">jagney@gornoford.com</a></b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/01/07 11:33:40

2008 F-SERIES SD

Dealer: F48022

Page: 1 of 2

No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0115,    PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
F46	F450 4X2 CHAS/C	\$27415	\$25558.00	X48	4.88 REG AXLE	NC	NC
	165" WHEELBASE				JOB #2 BUILD		
Z1	OXFORD WHITE CC				16000# GVWR PKG		
T	40/20/40 VINYL			41H	ENG BLK HEATER		
S	MEDIUM STONE			425	50 STATE EMISS	NC	NC
650A	PREF EQUIP PKG			47Z	AMB PKG NOT REQ		
	.XL TRIM				SPARE TIRE/WHLG		
	.TELE TT MIR-MAN			524	TILT WHEEL		
55D	.DRIVER AIRBAG	NC	NC				
55P	.PASSNGER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC		TOTAL		
	.AFT AXLE TANK				*THIS IS NOT AN INVOICE*		
99R	6.4L V8 DIESEL						
44B	5-SPEED AUTO				MORE ORDER INFO NEXT PAGE *		
TVB	.225/19.5 BSW	NC	NC		F8=Next		
F1=Help					F2=Return to Order		
F4=Submit					F3/F12=Veh Ord Menu		
					F5=Add to Library		

CNGP530

VEHICLE ORDER CONFIRMATION

12/01/07 11:33:50

==>

2008 F-SERIES SD

Dealer: F48022

Page: 2 of 2

Order No: 0001    Priority: B3    Ord FIN: QS040    Order Type: 5B    Price Level: 820

Ord PEP: 650A    Cust/Flt Name: #0115,    PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
525	CRUISE CONTROL						
572	AIR CONDITIONER						
	FRT GRILLE COVR	NC					
	SP DLR ACCT ADJ						
	SP FLT ACCT CR						
31	U.S. GAL GAS						
B4A	NET INV FLT OPT	NC					
	DEST AND DELIV						

TOTAL BASE AND OPTIONS

TOTAL

\*THIS IS NOT AN INVOICE\*

TOTAL BASE AND OPTIONS

F1=Help

F4=Submit

F2=Return to Order

F5=Add to Library

F7=Prev

F3/F12=Veh Ord Menu

**STATE OF MICHIGAN  
DEPARTMENT OF MANAGEMENT AND BUDGET  
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Georno Ford ITEM NO(s). 3958-0115 ✓

MAKE OF TRUCK: Ford MODEL: F450 GVWR 16000 lbs. ✓

PAYLOAD: 8500 ✓ W.B. 165 ✓ C.A. 84 C.E. \_\_\_\_\_

ENGINE: (GAS - DIESEL) DIESEL ✓ MAKE Isuzu MODEL: 6.4L ✓ SAE H.P. 325 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 6000 lbs. REAR 12000 lbs. AUX. \_\_\_\_\_ lbs.

AXLES: FRONT 7000 lbs. REAR 12000 lbs. REAR RATIO 4.30

ALTERNATOR: 130 ✓ amps. BATTERY 750 cca. ✓

TIRE SIZE: FRONT T225 PR REAR LT225 PR SINGLE 10 DUAL ✓ M&S ✓

TIRE: MAKE unbranded STYLE NO. A/S-mts MFG. CODE unbranded

HOIST: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

BODY: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ INSTALLING CO. \_\_\_\_\_

POWER LIFT GATE: MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ CAPACITY \_\_\_\_\_ lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.