

SCHEDULE B SPECIFICATION INFORMATION

Vehicles – Patrol, Passenger, Trucks, and Vans



THESE SPECIFICATIONS APPLY TO ALL CONTRACTS RESULTING FROM RFP#007117B0011312 AND WILL BE REFERRED TO IN ANNUAL BID CYCLES BEGINNING 2018 MODEL YEAR. THESE SPECIFICATIONS ARE APPLICABLE TO MODEL YEARS 2018 - 2025 UNLESS OTHERWISE SPECIFIED (subject to change).

TABLE OF CONTENTS

7
8
9
10
11
12

TABLE OF CONTENTS FOR SPECIFICATIONS FOR SUBCLASSSES

	PASSENGER VEHICLES	PAGE
PAS-0001	PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	1
PAS-0002	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2
PAS-0003	PASSENGER VEHICLES: 4-DOOR SEDAN, SMALL SIZE (Front Wheel Drive) Automatic Transmission	3
PAS-0004	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SMALL SIZE (Front Wheel Drive) Automatic Transmission	4
PAS-0005	PASSENGER VEHICLES: LARGE SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	5
PAS-0006A	PASSENGER VEHICLES: LARGE SIZE, ALTERNATIVE FUEL (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	6
PAS-0007	PASSENGER VEHICLES: MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	7
PAS-0008	PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES 4 Door Sedan - (Automatic Transmission)	8
	HYBRID VEHICLES	PAGI
HYB-0020	HYBRID VEHICLES: PASSENGER, MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	9
HYB-0021	HYBRID VEHICLES: PASSENGER, FULL-SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	10
HYB-0022	HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (2-WHEEL DRIVE), 5 Passenger, 4 Door, Automatic Transmission	11
HYB-0023	HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (4-WHEEL DRIVE), 5 Passenger, 4 Door, Automatic Transmission	12
HYB-0024	HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (2-WHEEL DRIVE, AUTOMATIC TRANSMISSION) (Payload-1,500 lbs., min.)	13
HYB-0025	HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (4-WHEEL DRIVE) (Payload 1,500 lbs., min.)	14
HYB-0026	HYBRID VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS. MIN GVWR	15
HYB-0027	HYBRID VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE, 176" WHEELBASE, 14,000 LBS. MIN GVWR	16
HYB-0028	HYBRID VEHICLES: LIGHT DUTY PICK UP TRUCK, CREW CAB (2-WHEEL DRIVE) (6' Box) (GVWR 7,000 lbs., min.)	17
HYB-0029	HYBRID VEHICLES: LIGHT DUTY PICK UP TRUCK, CREW CAB (4-WHEEL DRIVE) (6' Box) (GVWR 7,000 lbs., min.)	18
HYB-0030	HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS MIN GVWR	19

HYB-0031	HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 176" WHEELBASE, 14,000 LBS MIN GVWR	20
HYB-0032	ELECTRIC VEHICLES: COMPACT VAN, 5000 LBS MIN GVWR, FRONT WHEEL DRIVE, ELECTRIC	21
	TWO WHEEL DRIVE UTILITY VEHICLES	PAGE
2WDU-0040	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE	
	Automatic Transmission	22
2WDU-0040A	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE -	
	ALTERNATIVE FUEL Automatic Transmission	23
2WDU-0042	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE	24
	FOUR WHEEL DRIVE UTILITY VEHICLES	PAGE
4WDU-0050	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	25
4WDU-0050A	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR ALTERNATE FUEL VEHICLES	
	(Payload 900 lbs., min.)	26
4WDU-0051	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, FULL SIZE, 4-DOOR, 6	
	PASSENGER (Payload 1,480 lbs., min.)	27
4WDU-0052	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	
	(Payload 1,500 lbs., min.)	28
4WDU-0052A	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	•••
	ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	29
LGU-0060	LARGE UTILITY VEHICLES LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (Payload 1,500 lbs.,	PAGE
LUU 0000	min.)	30
LGU-0060A	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE	
	FUEL (Payload 1,500 lbs., min.)	31
LGU-0061	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON (Payload 1,500 lbs., min.)	32
LGU-0061A	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	33
LGU-0062	LARGE UTILITY VEHICLES: UTILITY VEHICLE, EXTENDED 6 PASSENGER, THREE-QUARTER	
	TON (Payload 2,400 lbs., min.)	34
	LIGHT DUTY TRUCK 4x4	PAGE
4WDL-0070	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, (Approx. 7' Box) (Payload 1,000 lbs., min.)	35
4WDL-0071	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	36
4WDL-0072	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload 1,300 lbs., min.)	37
4WDL-0072A	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (8 Foot Box) (Payload 1,300 lbs., min.)	38
4WDL-0073	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)	39
4WDL-0073A	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot Box) (Payload 1,300 lbs., min.)	40
4WDL-0074	LIGHT DUTY TRUCK 4x4: PICK UP BODY (6 Ft. Box) (Payload 1,300 lbs., min.)	41
4WDL-0074A	LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (6 Ft. Box) (Payload 1,300 lbs.,	
	min.)	42

4WDL-0075	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8 Ft. Box) (Payload 1,300 lbs., min.)	43
4WDL-0075A	LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (8 Ft. Box) (Payload 1,300 lbs.,	
	min.)	44
4WDL-0076	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload 2,500 lbs.,	
	min.)	45
4WDL-0076D	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 2,350	
	lbs., min.)	46
4WDL-0077	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 2,500 lbs.,	-
	min.)	47
4WDL-0077D	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500	
	lbs., min.)	48
4WDL-0078	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	49
4WDL-0078D	LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box (Payload 2,800 lbs., min.)	50
	LIGHT DUTY TRUCK	PAGE
LDT-0079	LIGHT DUTY TRUCK: PICK UP BODY MIDSIZE, REGULAR CAB (Approx. 6' Box) (Payload 1,000	
	lbs., min.)	51
LDT-0080	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box, Payload 1,400 lbs., min.)	
LD1 0000	LIGHT DOTT TROCK. THER OF DODT, LATERDED CAD (01000 Dox, 1 ayload 1,400 los., him.)	52
LDT-0080A	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES (8 Foot	52
LD1 0000/1	Box) (Payload 1,400 lbs., min.)	53
LDT-0081	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box, Payload 1,400 lbs., min.)	
LD1 0001	LIGHT DUTT TROCK. TICK OF BODT, EXTENDED CAD (01000 Box, 1 ayload 1,400 lbs., hun.)	54
LDT-0081A	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES (6 Foot	34
LDI 000IA	Box) (Payload 1,400 lbs., min.)	55
LDT-0082	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8 Foot Box) (Payload 1,600 lbs., min.)	
LD1 0082	LIGHT DUTT TRUCK. FICK OF BODT, REGULAR CAB (8 FOOT BOX) (Fayload 1,000 105., IIIII.)	56
LDT-0082A	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB ALTERNATE FUEL VEHICLES (8 Foot	- 50
LD1-0082A	Box) (Payload 1,500 lbs., min.)	57
LDT-0083	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (6' Box) (Payload 1,600 lbs., min.)	37
LD1-0085	LIGHT DUTT TRUCK. FICK UP BODT, REGULAR CAD (0 Box) (Payload 1,000 lbs., IIIII.)	58
LDT-0084	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload 3,000 lbs., min.)	- 30
LD1-0084	LIGHT DUTT TRUCK. FICK UP BODT, EXTENDED CAB (8 FOOT BOX) (Payload 5,000 los., IIIII.)	59
LDT-0084A	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES (8 Foot	59
LD1-0064A	Box) (Payload 1,400 lbs., min.)	60
LDT-0084D	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs.,	
LD1-0084D	min.)	61
LDT 0095		01
LDT-0085	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 3,000 lbs., min.)	0
LDT-0085D	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs.,	62
LD1-0085D		
	min.)	63
LDT-0086	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot	
	Box) (Payload 3,000 lbs., min.)	64
LDT-0086D	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL,	65
	DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)	65
LDT-0087	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240 lbs., min.)	
		66
LDT-0087D	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DIESEL (8' Box) (Payload 3,240 lbs., min.)	
		67

	Τ	1
LDT-0088	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL 4	(0)
	X 2, (8 Foot Box), (Payload 3,800 lbs., min.)	68
LDT-0088D	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL,	(0)
	DIESEL 4 X 2, (8 Foot Box), (Payload 3,500 lbs., min.)	69
LDT-0089	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot	70
	Box) (Payload 3,800 lbs., min.)	70
LDT-0089D	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,700 lbs., min.)	71
LDT-0090		/1
LD1-0090	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	72
LDT-0090D	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL,	14
LDI 0090D	DIESEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	73
LDT-0091	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR WHEEL (8 Foot Box)	75
LD1 0091	(Payload 4,000 lbs., min.)	74
LDT-0091D	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR WHEEL, DIESEL (8	/4
LD1 0091D	Foot Box) (Payload 3,800 lbs., min.)	75
LDT-0092	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR WHEELS (8 Foot Box)	15
LD1 0092	(Payload 5,000 lbs., min.)	76
LDT-0092D	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DIESEL, DUAL REAR WHEELS (8	70
LD1 0092D	Foot Box) (Payload 5,000 lbs., min.)	77
	MEDIUM DUTY TRUCK	PAGE
MDT-0101		INCE
	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min., (Payload 4,700 lb. min.)	78
MDT-0101D	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb.	
	min.)	79
MDT-0102	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R 11,000 lbs minimum (Payload 5,500 lbs.,	
	min.)	80
MDT-0102D	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 11,000 lbs minimum (Payload	
	5,500 lbs., min.)	81
MDT-0103D	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs minimum (Payload	
	6,675 lbs., min.)	82
	MEDIUM DUTY TRUCK 4X4	PAGE
4WDM-0111	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 10,000 lbs.,	
	min.)	83
4WDM-0111D	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R.	
	10,000 lbs., min.)	84
4WDM-0112D	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload	
	5,800 lb. min.), 60" Min. C.A.	85
4WDM-0113D	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS (Payload 5,930 lbs., min.), 84" Min. C.A.	86
	VANS	PAGE
VAN-0121	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	87
VAN-0121A	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	88
VAN-0122	VANS: VAN, 8 PASSENGER (Payload 1,600 lbs., min.)	89
VAN-0122A	VANS: VAN, 8 PASSENGER ALTERNATIVE FUEL (Payload 1,600 lbs., min.)	90
VAN-0123	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	91
VAN-0123A	VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649 lbs., min.)	92
VAN-0124	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	93
VAN-0124A	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL (Payload 3,100 lbs.,	
	min.)	94

		1
VAN-0125	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)	95
VAN-0125A	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.)	96
VAN-0126	VANS: VAN 15 PASSENGER	97
VAN-0126A	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	98
VAN-0127	VANS: COMPACT VAN 5 PASSENGER, FRONT WHEEL DRIVE (Payload 1,470 lbs., min.)	99
VAN-0128	VANS: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE (Payload 1,100 lbs.,	
	min.)	100
VAN-0128A	VANS: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE ALTERNATE FUEL	
	VEHICLES (Payload 1,100 lbs., min.)	101
VAN-0129	VANS: COMPACT VAN, CARGO, FRONT WHEEL DRIVE (Payload 1,580 lb., min.)	102
VAN-0129A	VANS: COMPACT VAN, CARGO, FRONT WHEEL DRIVE, ALTERNATIVE FUEL (Payload 1,580	
	lb., min.)	103
VAN-0130	VANS: COMMERCIAL, 10 PASSENGER, RAISED ROOF (Payload 3,200 lbs., min.)	104
VAN-0131	VANS: COMMERCIAL, CARGO, RAISED ROOF (Payload 4,800 lbs., min.)	105
	CUT AWAY VANS	PAGE
CAV-140	CUT-AWAY VAN AND BODY: Single Rear Wheel, (G.V.W.R. 8,900 lbs., min.)	106
CAV-141	CUT-AWAY VAN AND BODY: DUAL REAR WHEEL, (G.V.W.R. 10,000 lbs., min.)	107

GENERAL SPECIFICATIONS

Patrol vehicle equipment options are contained within each specification contained in this document.

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The <u>dealer's vehicle order confirmation sheet</u>, <u>which</u> includes all of the standard options provided with the vehicle in accordance with the State of Michigan Specification, shall be provided at each of these steps in the process:

With dealers annual bid submittal to the State of Michigan With original quote from the dealer to the Ordering Entity Upon delivery of the vehicle from the dealer to the Ordering Entity The Ordering Entity shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

The dealer shall indicate on the TOP of the order confirmation sheet:

- The State specification number that applies
- MDOT or Local Units of Government specification

Diesel Vehicles are indicated with a "D" at the end of the specification number. Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

PASSENGER VEHICLE EQUIPMENT (Page A)

	The items listed below are to be supplied on all vehicles, even though they may be optional with the
√	manufacturer. They have also been included in the individual specifications and are to be furnished on all
	vehicles:
✓	See individual specifications for MDOT specific options.
✓	´ Air Conditioning.
✓	Battery-Maximum CCA available.
✓	Color-Manufacturers Standard Color to be selected.
✓	Defroster-Electric, rear window.
✓	Floor Mats-Mfg. Std., front and rear, color coordinated.
✓	Keys- (2) sets with code numbers; shall be with vehicle at time of delivery.
✓	Lights, Daytime Running (If available from manufacturer as standard equipment)
	Moldings-Body side; if not independently available, but available only as a portion of a package, they may be
Ľ	dealer installed using "original equipment" as available from the manufacturer.
~	Pre-delivery inspection and servicing.
~	Adio-AM/FM mfg. standard, factory installed.
~	Speed Control, factory installed
~	Steering-Power, Tilt Wheel.
~	Transmission-Automatic
~	Upholstery, Seats - Cloth or Cloth and Vinyl.
	VEHICLES SHALL TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR
	VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BEEQUIPPED TO
	COMPLY WITH ALL REQUIREMENTS OF THE MICHIGANMOTOR VEHICLE CODE.
-	Note: No dealer advertising decals are to be on vehicle.
✓	<u>Delete:</u> On GM vehicles, OnStar and XM radio are deleted.

TRUCK EQUIPMENT (Page B)

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles: ✓ See individual specifications for MDOT specific options. ✓ 12 Volt auxiliary outlet \checkmark Air Conditioning - All trucks. ✓ Color-Manufacturers Standard to be selected. ✓ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted ✓ Black and labeled "Diesel Fuel Only". Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts ✓ shall be furnished. ✓ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT) Mirrors All trucks are to be equipped with R.H. and L.H. outside rearview mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rearview mirror. In all cases, outside R.H. & L.H. rear view mirrors shall be 34 sq.in. minimum, swing away type and provide full ✓ vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware. Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand ✓ and paint code shall be furnished. \checkmark Pre-delivery inspection and servicing. ✓ Radio - AM/FM Manufacturers Standard, Factory Installed \checkmark Seats-Split Bench type, unless otherwise specified \checkmark Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R. Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be ✓ same as front tires. ✓ Speed Control, Factory Installed ✓ Steering-Power, Tilt Wheel ✓ Transmission-Automatic. ✓ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. All items removed for installation of optional equipment shall be returned to the State of Michigan or the Ordering Entity. VEHICLES SHALL TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR ✓ | VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE. Delete: On GM vehicles, OnStar and XM radio are deleted.

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

- 1. General appearance of body both interior and exterior for completeness and quality of workmanship.
- 2. Lubrication and fluid levels and correcting any leaks:
- a. Radiator
- b. Windshield Washer
- c. Battery
- d. Power steering pump
- e. Brake master cylinder
- **f.** Engine oil
- g. Transmission fluid level.
- **3.** Mechanical operation of vehicle:
- a. Steering gear and linkage
- **b.** Suspension assembly, front and rear
- c. Proper tire pressure to normal rated road requirements
- d. Hood latch
- e. Head lights, aim and adjust
- f. Front wheel toe in and torque wheel nuts
- g. Seat and shoulder belts operative
- h. All locks and latches to be operative
- i. Windshield wiper and washer to be operative
- j. Proper adjustment to all drive belts

4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.

5. Miscellaneous items to be furnished:

a. Manufacturers Window Sticker shall not be removed from vehicle.

b. Odometer Certification, vehicle window sticker, or line setting ticket, and Vehicle Curb Weight at time of delivery.

- c. Manufacturers or Dealers Pre-Delivery Check Sheet.
- **d.** Vehicle shall have a minimum of one fourth (1/4) tank of Fuel when delivered.
- e. Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.
- f. Completed RD108 application for title form.
- g. Invoice for each vehicle at the time of delivery.
- h. Vehicle Order Confirmation Sheet.

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the Contractor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the Ordering Entity

It is recommended that the following items be checked by the Ordering Entity prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.

- 2. Visually inspect under hood for the following items:
- **a.** Air cleaner
- **b.** Battery and caps
- **c.** Radiator cap
- d. Windshield washer container.
- **3.** Check for cracked or broken windows.
- 4. Check trunk compartment for the following:
- **a.** Spare tire and wheel
- **b.** Jack
- **c.** Wheel wrench
- d. Four hub caps
- e. Trunk mat.

5. Check interior of vehicle for the following items:

- a. Owner's manual and warranty material
- **b.** Cigarette lighter
- c. Two sets of keys (Three sets for MDOT)
- d. Make sure all seat belts are installed
- e. Sun visors
- f. Upholstery damage or excessive soil.

It is the responsibility of the Ordering Entity to check for any other items that could possibly have been missing in accordance with the purchase order, specification data and the dealer's vehicle order confirmation sheet.

PASSENGER VEHICLES PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) **PAS-0001 Automatic Transmission** ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A). ADDITIONAL MDOT OPTIONS These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. ✓ Camera; rearview (in dash monitor) Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery ✓ Locks; power with remote ✓ Lug wrench and jack Radio; AM/FM w/Bluetooth ✓ Traction Control

PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT (Front W	Vheel	
Drive) Automatic Transmission		
MODEL - CURRENT NEW		
O BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
e items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles	<u>, even</u>	
ough they may be optional with the manufacturer (refer to page A).		
ADDITIONAL MDOT OPTIONS		
nese options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and s	hall be	
cluded on all MDOT passenger vehicles.		
amera; rearview (in dash monitor)		
eys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
ocks; power with remote		
ig wrench and jack		
adio; AM/FM w/Bluetooth		
raction Control		
M T(Th Al Th ind Ca Ka La La Ra	MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles though they may be optional with the manufacturer (refer to page A).	

PAS-0003

- ✓ MODEL CURRENT NEW
 - TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
- The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MDOT OPTIONS

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)

- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

	PAS-0004	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SMALL SIZE (Front Wheel Drive) Automatic Transmission	
✓	MODEL - CURRENT NEW		
-	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
	The items listed i	n the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even	
v	though they may	be optional with the manufacturer (refer to page A).	
	ADDITIONAL	MDOT OPTIONS	
	These options an	re in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all I	MDOT passenger vehicles.	
✓	Camera; rearvie	w (in dash monitor)	
✓	Keys; (1) added	set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓	Locks; power w	ith remote	
✓	Lug wrench and	jack	
✓	Radio; AM/FM	w/Bluetooth	
✓	Traction Contro	1	

- ✓ MODEL CURRENT NEW
 - TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
- The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MDOT OPTIONS

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)

- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

	PAS-0006A	PASSENGER VEHICLES: LARGE SIZE, ALTERNATIVE FUEL (Front Wheel Drive)	
		4 Door Sedan (Automatic Transmission)	
 ✓ 	MODEL - CUR	RENT NEW	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
	The items listed	in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even	
ľ	though they may	y be optional with the manufacturer (refer to page A).	
	ADDITIONAL MDOT OPTIONS		

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)

Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery

- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

	PAS-0007	PASSENGER VEHICLES: MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic	
	1 AS-0007	Transmission)	
✓	MODEL - CURRENT NEW		
	TO BE STAN	DARD FACTORY EQUIPPED AS FOLLOWS:	
	The items listed	in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even	
though they may be optional with the manufacturer (refer to page A).		y be optional with the manufacturer (refer to page A).	
	ADDITIONAL MDOT OPTIONS		
	These options a	are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all	MDOT passenger vehicles.	
✓	Camera; rearvi	ew (in dash monitor)	
✓	Keys; (1) addee	d set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓	Locks; power v	vith remote	
✓	Lug wrench and	d jack	
✓	Radio; AM/FM	I w/Bluetooth	
\checkmark	Seats; bucket ty	vpe, front	
✓	Traction Control	bl	

PAS-0008

- ✓ MODEL CURRENT NEW
 - TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
- The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MDOT OPTIONS

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)

- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

HYBRID VEHICLES

HYB-0020

HYBRID VEHICLES: PASSENGER, MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MDOT OPTIONS

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

- ✓ Camera; rearview (in dash monitor)
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; bucket type, front
- ✓ Traction Control

HYBRID VEHICLES: PASSENGER, FULL-SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission) ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: ✓ The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MDOT OPTIONS

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)

Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery

- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; bucket type, front
- ✓ Traction Control

HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (2-WHEEL HYB-0022 DRIVE), 5 Passenger, 4 Door, Automatic Transmission ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL MDOT OPTIONS** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. Camera; rearview (in dash monitor) \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery \checkmark ✓ Locks; power with remote ✓ Lug wrench and jack Radio; AM/FM w/Bluetooth ✓ Traction Control ✓

HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (4-WHEEL HYB-0023 DRIVE), 5 Passenger, 4 Door, Automatic Transmission ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL MDOT OPTIONS** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. Camera; rearview (in dash monitor) ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery \checkmark ✓ Locks; power with remote ✓ Lug wrench and jack Radio; AM/FM w/Bluetooth ✓ Traction Control ✓

	HYB-0024	HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (2-WHEEL	
IIID-0024		DRIVE, AUTOMATIC TRANSMISSION) (Payload-1,500 lbs., min.)	
✓	MODEL - CURRENT NEW		
	TO BE STAND	ARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed i	n the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even	
Ĺ	though they may	be optional with the manufacturer (refer to page A).	
	ADDITIONAL	OPTIONS:	
	These options ar	e in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on the	his vehicle.	
✓	Axle; rear-limite	ed slip.	
✓	Battery; 12 Volt	, 600 CCA min.	
✓	Bumper; Rear, N	Afg. Std.	
✓	Fuel capacity; la	rgest available from mfg.	
✓	Lug wrench and	jack	
✓	Seats; Full bench	h front, & full width seat facing forward back of the front seat.	
✓	✓ Spare tire and wheel; Full size. Mfg. Std. mounting.		
	ADDITIONAL MDOT OPTIONS		
	These options ar	re in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
✓	Camera; rearviev	w (in dash monitor)	
\checkmark	Keys; (1) added	set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓	Locks; power wi	ith remote	

- Radio; AM/FM w/Bluetooth
 Traction Control

HYB-0025	HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (4-WHEEL DRIVE) (Payload 1,500 lbs., min.)
✓ MODEL - C	URRENT NEW
	NDARD FACTORY EQUIPPED AS FOLLOWS:
The items list	ed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
though they i	nay be optional with the manufacturer (refer to page A).
ADDITION	AL OPTIONS:
These option	is are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included	on this vehicle.
✓ Axle; rear-li	mited slip.
✓ Battery; 12 V	Volt, 600 CCA min.
✓ Bumper; Rea	ar, Mfg. Std.
✓ Fuel capacity	y; largest available from mfg.
✓ Lug wrench	and jack
✓ Seats; Full b	ench front, & full width seat facing forward back of the front seat.
✓ Spare tire an	d wheel; Full size. Mfg. Std. mounting.

	HYB-0026	HYBRID VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS. MIN GVWR	
✓	MODEL - CURRENT NEW		
L	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
1	The items listed in	the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
•	may be optional v	vith the manufacturer (refer to page B).	
	ADDITIONAL	OPTIONS:	
	These options ar	e in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on the	nis vehicle.	
✓	Battery; Lithium	-Ion	
\checkmark	Bumper; Rear, N	Ifg. Std.	
\checkmark	Engine/Motor; 5	.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)	
✓	Fuel capacity; la	rgest available from mfg.	
✓	Lug wrench and	jack	
✓	Seats; Front buc	ket seats – option to delete passenger seat	
✓	Spare tire and w	heel; Full size. Mfg. Std. mounting	
✓	Wheelbase; 158'	'. 100" cab to axle	

		HYB-0027 HYBRII	VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE,		
IIID.		HIB-0027	176" WHEELBASE, 14,000 LBS. MIN GVWR		
	✓	MODEL - CURRENT NEW	MODEL - CURRENT NEW		
_		TO BE STANDARD FAC	FORY EQUIPPED AS FOLLOWS:		
	<u>_</u>	The items listed in the generation of the generation of the second se	I specifications for Truck Equipment are to be supplied on all vehicles, even though they		
	•	may be optional with the ma	nufacturer (refer to page B).		
		ADDITIONAL OPTIONS	:		
		These options are in addition	n to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
_		be included on this vehicle.			
	✓	Battery; Lithium-Ion			
	✓	Bumper; Rear, Mfg. Std.			
	✓	Engine/Motor; 5.4L FFV-V	-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)		
	✓	 Fuel capacity; largest availa 	ble from mfg.		
	✓	 Lug wrench and jack 			
	✓	Seats; Front bucket seats – of	option to delete passenger seat		
	√	Spare tire and wheel; Full si	ze. Mfg. Std. mounting		
	✓	Wheelbase; 176". 118" cab	to axle		

HYB-0028	HYBRID VEHICLES: LIGHT DUTY PICK UP TRUCK, CREW CAB (2-WHEEL DRIVE) (6' Box) (GVWR 7,000 lbs., min.)		
✓ MODEL - CURR			
	ARD FACTORY EQUIPPED AS FOLLOWS:		
The items listed in	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).		
ADDITIONAL			
	in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
be included on th	is vehicle.		
✓ Axle; rear-limite	d slip		
✓ Battery; 12 Volt,	540 CCA min.		
✓ Bumper; Rear, M	fg. Std.		
✓ Fuel capacity; lar	gest available from mfg.		
✓ Lug wrench and j	ack		
✓ Seats; Cloth			
Spare tire and wh	eel; Full size. Mfg. Std. mounting		

HYB-0029	HYBRID VEHICLES: LIGHT DUTY PICK UP TRUCK, CREW CAB (4-WHEEL DRIVE) (6' Box) (GVWR 7,000 lbs., min.)
✓ MODEL - CURR	
	ARD FACTORY EQUIPPED AS FOLLOWS:
The items listed in	the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
may be optional w	ith the manufacturer (refer to page B).
ADDITIONAL (OPTIONS:
These options are	in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on th	is vehicle.
✓ Axle; rear-limite	d slip
✓ Battery; 12 Volt,	540 CCA min.
✓ Bumper; Rear, M	fg. Std.
✓ Fuel capacity; lar	gest available from mfg.
✓ Lug wrench and j	ack
✓ Seats; Cloth	
Spare tire and wh	eel; Full size. Mfg. Std. mounting

	HYB-0030	HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS MIN GVWR	
✓	MODEL - CURRENT NEW		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
	The items listed in the	ne general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional wit	h the manufacturer (refer to page B).	
	ADDITIONAL O		
	These options are in	n addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
-	be included on this	vehicle.	
✓	Battery; Lithium-Io	n	
✓	Engine/Motor; 5.4I	FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)	
✓	Fuel capacity; large	est available from mfg.	
✓	Lug wrench and jac	°k	
✓	Spare tire and whee	el; Full size. Mfg. Std. mounting	
✓	Wheelbase; 158"		

HYB-0031	HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 176" WHEELBASE, 14,000 LBS MIN GVWR		
✓ MODEL - CUI	/ MODEL - CURRENT NEW		
TO BE STAN	DARD FACTORY EQUIPPED AS FOLLOWS:		
The items listed	in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they		
may be optiona	l with the manufacturer (refer to page B).		
ADDITIONA	L OPTIONS:		
These options a	are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
be included on	this vehicle.		
✓ Battery; Lithiu	m-Ion		
✓ Engine/Motor;	5.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)		
✓ Fuel capacity;	largest available from mfg.		
✓ Lug wrench an	d jack		
✓ Spare tire and	wheel; Full size. Mfg. Std. mounting		
✓ Wheelbase; 17	6"		
✓ PLEASE NOT	E: Speed Control is not available for this option.		

	HYB-0032 ELECTRIC VEHICLES: COMPACT VAN, 5000 LBS MIN GVWR, FRONT WHEEL
	DRIVE, ELECTRIC
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; Lithium-Ion. Largest available from mfg. 55-80 miles before needing recharge
✓	Door; Rear, 255 degree opening, with glass window. Sliding, no glass – option to include glass
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Motor; 3 Phase AC Traction (Electric)
✓	Run-flat kit
✓	Seats; Front bucket seats – no second row

TWO WHEEL DRIVE UTILITY VEHICLES 2WDU-0040 TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT **WHEEL DRIVE Automatic Transmission** ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL MDOT OPTIONS** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. Camera; rearview (in dash monitor) Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery \checkmark ✓ Locks; power with remote ✓ Lug wrench and jack ✓ Radio; AM/FM w/Bluetooth ✓ Traction Control

2WDU-0040A TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE - ALTERNATIVE FUEL Automatic Transmission ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL MDOT OPTIONS** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. ✓ Camera; rearview (in dash monitor) Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery \checkmark ✓ Locks; power with remote ✓ Lug wrench and jack

- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT 2WDU-0042 WHEEL DRIVE ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL MDOT OPTIONS** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles. ✓ Camera; rearview (in dash monitor) Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery \checkmark ✓ Locks; power with remote ✓ Lug wrench and jack Radio; AM/FM w/Bluetooth ✓

✓ Traction Control

	FOUR WHEEL DRIVE UTILITY VEHICLES
	4WDU-0050FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900
	lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 600 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Defogger; rear window.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
4WDU-0050A FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR ALTERNATE	

FUEL VEHICLES (Payload 900 lbs., min.)	
✓ MODEL - CURRENT NEW	
PRELIMINARY REQUIREMENTS:	
✓ Transmission: Automatic.	
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
may be optional with the manufacturer (refer to page B).	
ADDITIONAL OPTIONS:	
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
be included on this vehicle.	
✓ Battery; 12 Volt, 500 CCA min.	
✓ Bumper; Mfg. Std.	
✓ Defogger; rear window.	
✓ Lug wrench and jack	
Spare tire and wheel, full size. Mfg. standard mounting	

4WDU-0051 FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, FULL SIZE, 4-DOOR, 6 PASSENGER (Payload 1,480 lbs., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 500 CCA min.

- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench and jack
- ✓ Spare tire and wheel, full size. Mfg. standard mounting

	4WDU-0052 FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8
	PASSENGER (Payload 1,500 lbs., min.)
✓	MODEL - CURRENT NEW
]	PRELIMINARY REQUIREMENTS:
✓	Transmission: Automatic with 2 speed Transfer Case.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
,	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
1	be included on this vehicle.
 ✓ 	Alternator; 80 amp., min.
	Battery; 12 Volt; 600 CCA, min.
	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
 ✓ 	Brakes; Power.
	Bumper; Rear, Mfg. Std.
✓	Fuel tank; largest single tank available from mfg.
✓]	Lug wrench and jack
	Mirrors; Rear View, Inside. Outside R.H. and L.H. below eye level, swing away type, 54 square in minimum,
	Installed.
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
\checkmark	Steering; Power.

PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.) ✓ MODEL - CURRENT NEW PRELIMINARY REQUIREMENTS: ✓ ✓ Transmission: Automatic with 2 speed Transfer Case. ✓ TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: ✓ The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though th may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be supplied on all vehicles.	3
PRELIMINARY REQUIREMENTS: ✓ Transmission: Automatic with 2 speed Transfer Case. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: ✓ The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though th may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be supplied on all vehicles.	
 Transmission: Automatic with 2 speed Transfer Case. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though th may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be supplied on all vehicles. 	
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though th may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though the may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
 may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to 	
ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	Y.
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
be included on this vehicle.	
Battery; 12 Volt, 600 CCA min.	
Bumper; Rear, Mfg. Std.	
✓ Fuel tank; largest single tank available from mfg.	
✓ Lug wrench and jack	
Spare tire and wheel, full size. Mfg. standard mounting	
ADDITIONAL MDOT OPTIONS	_
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall	be
included on all MDOT passenger vehicles.	
Battery; 12 volt 650CCA, minimum	
✓ Camera; rearview (in dash monitor)	
✓ Differential; heavy duty locking rear	
✓ Fuel capacity; largest available from mfg.	
Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓ Locks; power with remote	
✓ Power outlet; 110-volt	
✓ Radio; AM/FM w/Bluetooth	
✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing	
✓ Skid Plates	
✓ Tow hooks; front	
✓ Transmission cooler; external auxiliary	

LARGE UTILITY VEHICLES LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE LGU-0060 (Payload 1,500 lbs., min.) ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A). **ADDITIONAL OPTIONS:** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle. Axle; rear-limited slip. Battery; 12 Volt, 600 CCA min. \checkmark ✓ Bumper; Mfg. Std. \checkmark Fuel capacity; largest available from mfg. ✓ Lug wrench and jack ✓ Seat(s); Full bench front & full width seat facing forward behind of the front seat. ✓ Spare tire and wheel, full size. Mfg. standard mounting

LGU-0060A LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.) ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even ✓ though they may be optional with the manufacturer (refer to page A). **ADDITIONAL OPTIONS:** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle. \checkmark Axle; rear-limited slip. Battery; 12 Volt, 600 CCA min. \checkmark Bumper; Mfg. Std. \checkmark \checkmark Fuel capacity; largest available from mfg. ✓ Lug wrench and jack \checkmark Seat(s); Full bench front & full width seat facing forward behind of the front seat. ✓ Spare tire and wheel, full size. Mfg. standard mounting

	LGU-0061 LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON
	(Payload 1,500 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
•	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting

LGU-0061A LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

✓ The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench and jack
- ✓ Spare tire and wheel, full size. Mfg. standard mounting

LGU-0062 LARGE UTILITY VEHICLES: UTILITY VEHICLE, EXTENDED 6 PASSENGER, THREE-QUARTER TON (Payload 2,400 lbs., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

✓ The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench and jack
- ✓ Spare tire and wheel, full size. Mfg. standard mounting

LIGHT DUTY TRUCK 4x4

4WDL-0070 LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, (Approx. 7' Box) (Payload 1,000 lbs., min.) ✓ MODEL - CURRENT NEW **TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:** The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they ✓ may be optional with the manufacturer (refer to page B). **ADDITIONAL OPTIONS:** These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle. Battery; 12 Volt, 500 CCA min. Fuel capacity; largest available from mfg. \checkmark ✓ Lug wrench and jack ✓ Spare tire and wheel, full size. Mfg. standard mounting

	4WDL-0071 LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx.
	6' Box) (Payload 1,260 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Axle; rear-limited slip.
\checkmark	Battery; 12 Volt, 475 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Seats; rear.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

	4WDL-0072 LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box)
	(Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
1	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
-	be included on this vehicle.
\checkmark	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting

	4WDL-0072A LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE
	FUEL (8 Foot Box) (Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
1	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
v	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
ľ	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
✓	Alarm; Back up
	Battery; 12 volt 650CCA, minimum
-	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Differential; heavy duty locking rear
	Engine; V8 gas engine with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
	Hubs; automatic locking on front or axle shaft disconnect system
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
	Power outlet; 110-volt
	Provisions for roof mounted beacon
	Radio; AM/FM w/Bluetooth
	Rearview camera (in dash monitor)
 ✓ 	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
	Skid Plates
	Spray in bed liner (under rail)
✓	Tires; all-terrain black walls, including spare, 17 inch
	Tow hooks; front
	Towing Package; heaviest duty available from mfg.
	Trailer brake controller; integrated
	Trailer hitch; class IV receiver type
	Transmission cooler; external auxiliary
•	Up fitter switches

	4WDL-0073 LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box)
	(Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting

	4WDL-0073A LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE
	FUEL (6 Foot Box) (Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
ľ	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
✓	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
_	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Differential; heavy duty locking rear
	Engine; V8 gas engine with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
	Hubs; automatic locking on front or axle shaft disconnect system
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
\checkmark	Locks; power with remote
I ∕	Mirrors; extendable trailering
▼	Power outlet; 110-volt
×	Provisions for roof mounted beacon
✓ √	Radio; AM/FM w/Bluetooth
▼ ✓	Rearview camera (in dash monitor) Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
▼	Seats. From, cloth 40/20/40 spin bench. Rear, cloth, full width forward facing. Seat adjuster, driver fo-way power.
	Spray in bed liner (under rail)
	Step bars; Steel
$\overline{\checkmark}$	Tires; all-terrain black walls, including spare, 17 inch
· ✓	Tow hooks; front
$\overline{\checkmark}$	Towing Package; heaviest duty available from mfg.
$\overline{\checkmark}$	Trailer brake controller; integrated
\checkmark	Trailer hitch; class IV receiver type
\checkmark	Transmission cooler; external auxiliary
L	

4WDL-0074 LIGHT DUTY TRUCK 4x4: PICK UP BODY (6 Ft. Box) (Payload 1,300 lbs., min.)
✓ MODEL - CURRENT NEW
PRELIMINARY REQUIREMENTS:
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
installed.
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
may be optional with the manufacturer (refer to page B).
ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.
✓ Battery; 12 Volt, 600 CCA min.
✓ Bumper; Mfg. Std.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench and jack
✓ Spare tire and wheel, full size. Mfg. standard mounting

	4WDL-0074A LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (6 Ft. Box)
	(Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
•	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
\checkmark	Alarm; Back up
\checkmark	Alternator; 220 Amp
\checkmark	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
\checkmark	Differential; heavy duty locking rear
\checkmark	Engine; V8 gas engine with 6 speed automatic transmission
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Hubs; automatic locking on front or axle shaft disconnect system
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Rearview camera (in dash monitor)
✓	Seats: Front, cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.
✓	Skid Plates
✓	Spray in bed liner (under rail)
✓	Step bars; Steel
✓	Tires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	4WDL-0075 LIGHT DUTY TRUCK 4x4: PICK UP BODY (8 Ft. Box) (Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
./	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
•	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Skid Plate(s)
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
✓	Tow hooks; front, frame mounted.

	4WDL-0075A LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (8 Ft. Box)
	(Payload 1,300 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
×	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
v	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MOOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
✓	Alarm; Back up
✓	Alternator; 220 Amp
\checkmark	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Differential; heavy duty locking rear
✓	Engine; V8 gas engine with 6 speed automatic transmission
✓	Fuel capacity; largest available from mfg.
✓	Hubs; automatic locking on front or axle shaft disconnect system
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
\checkmark	Power outlet; 110-volt
\checkmark	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Rearview camera (in dash monitor)
\checkmark	Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.
\checkmark	Skid Plates
\checkmark	Spray in bed liner (under rail)
\checkmark	Step bars; Steel
\checkmark	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
\checkmark	Transmission cooler; external auxiliary
\checkmark	Up fitter switches

	4WDL-0076 LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box)
	(Payload 2,500 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
✓	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
✓	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
\checkmark	Alarm; Back up
\checkmark	Battery; 12 volt 730CCA, minimum
1	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Differential; heavy duty locking rear
√	Fuel capacity; largest available from mfg.
\checkmark	Hubs; automatic locking on front or axle shaft disconnect system
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
\checkmark	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Rearview camera (in dash monitor)
✓	Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
✓	Skid Plates
✓	Spray in bed liner (under rail)
✓	Step bars; Steel
✓	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	4WDL-0076D LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot
	Box) (Payload 2,350 lbs., min.)
 ✓ 	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
 ✓ 	G.V.W.R. 8,600 (lbs.), minimum
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
*	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
*	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MOOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
 ✓ 	Alarm; Back up
✓	Battery; 12 volt 730CCA, minimum
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Differential; heavy duty locking rear
✓	Fuel capacity; largest available from mfg.
√	Hubs; automatic locking on front or axle shaft disconnect system
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
\checkmark	Radio; AM/FM w/Bluetooth
✓	Rearview camera (in dash monitor)
✓	Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
\checkmark	Skid Plates
✓	Spray in bed liner (under rail)
✓	Step bars; Steel
✓	Tires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	4WDL-0077 LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box)
	(Payload 2,500 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
~	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Battery; 12 Volt, 600 CCA min.
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
— ——	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
	Differential; heavy duty locking rear
	Fuel capacity; largest available from mfg.
	Hubs; automatic locking on front or axle shaft disconnect system
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
	Power outlet; 110-volt
	Provisions for roof mounted beacon
	Radio; AM/FM w/Bluetooth
✓ √	Rearview camera (in dash monitor)
×	Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power. Skid Plates
▼	Spray in bed liner (under rail)
	Step bars; Steel
$\overline{\checkmark}$	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
\checkmark	Towing Package; heaviest duty available from mfg.
· ✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
1	Transmission cooler; external auxiliary
✓	Up fitter switches

Box) (Payload 2,500 lbs., min.) ✓ MODEL - CURRENT NEW PRELIMINARY REQUIREMENTS: ✓ ✓ G.V.W.R. 8,600 (lbs.), minimum ✓ Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed. ✓ TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: ✓ The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS:
 PRELIMINARY REQUIREMENTS: G.V.W.R. 8,600 (lbs.), minimum Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
 G.V.W.R. 8,600 (lbs.), minimum Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
 Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
 installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: Image: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
may be optional with the manufacturer (refer to page B).
ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.
✓ Battery; 12 Volt, 600 CCA min.
✓ Bumper; Mfg. Std.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench and jack
✓ Spare tire and wheel, full size. Mfg. standard mounting
ADDITIONAL MDOT OPTIONS
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall b
included on all MDOT passenger vehicles.
✓ Alarm; Back up
Alternator; 220 Amp
✓ Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓ Differential; heavy duty locking rear
✓ Fuel capacity; largest available from mfg.
Hubs; automatic locking on front or axle shaft disconnect system
Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓ Locks; power with remote
Mirrors; extendable trailering
 ✓ Power outlet; 110-volt ✓ Provisions for roof mounted beacon
 ✓ Radio; AM/FM w/Bluetooth ✓ Rearview camera (in dash monitor)
Kearview camera (in dash monitor)
✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
✓ Skid Plates
✓ Spray in bed liner (under rail)
✓ Step bars; Steel
✓ Tires; all-terrain black walls, including spare, 17 inch
Tow hooks; front
Towing Package; heaviest duty available from mfg.
✓ Trailer brake controller; integrated
✓ Trailer hitch; class IV receiver type
✓ Transmission cooler; external auxiliary
✓ Up fitter switches

	4WDL-0078 LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
 ✓ 	G.V.W.R. 8,600 (lbs.), minimum
	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory
v	installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 600 CCA min.
-	Bumper; Mfg. Std.
-	Fuel capacity; largest available from mfg.
	Lug wrench and jack
√	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall b
	included on all MDOT passenger vehicles.
✓	Alarm; Back up
✓	Alternator; 220 Amp
✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
\checkmark	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
\checkmark	Differential; heavy duty locking rear
✓	Engine; V8 gas engine with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
✓	Hubs; automatic locking on front or axle shaft disconnect system
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
 ✓ 	Radio; AM/FM w/Bluetooth
 ✓ 	Rearview camera (in dash monitor)
 ✓ 	Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.
✓	Skid Plates
✓	Spray in bed liner (under rail)
√	Step bars; Steel
√	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
\checkmark	Towing Package; heaviest duty available from mfg.
	Trailer brake controller; integrated
	Trailer hitch; class IV receiver type
✓ ✓	Transmission cooler; external auxiliary
v	Up fitter switches

	4WDL-0078D LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box (Payload 2,800 lbs.,	
	min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. 8,600 (lbs.), minimum	
✓	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
•	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
\checkmark	Battery; 12 Volt, 600 CCA min.	
✓	Bumper; Mfg. Std.	
\checkmark	Fuel capacity; largest available from mfg.	
✓	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
	Alarm; Back up	
	Alternator; 220 Amp	
	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
	Differential; heavy duty locking rear	
	Fuel capacity; largest available from mfg.	
	Hubs; automatic locking on front or axle shaft disconnect system	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
	Mirrors; extendable trailering	
	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
	Radio; AM/FM w/Bluetooth	
	Rearview camera (in dash monitor)	
 ✓ 	Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.	
√	Skid Plates	
✓ ✓	Spray in bed liner (under rail)	
✓ ✓	Step bars; Steel	
\checkmark	Tires; all-terrain black walls, including spare, 17 inch	
	Tow hooks; front	
✓ √	Towing Package; heaviest duty available from mfg.	
✓ √	Trailer brake controller; integrated	
\checkmark	Trailer hitch; class IV receiver type	
	Transmission cooler; external auxiliary Up fitter switches	
•	op nuel switches	

	LIGHT DUTY TRUCK
	LDT-0079 LIGHT DUTY TRUCK: PICK UP BODY MIDSIZE, REGULAR CAB (Approx. 6' Box)
	(Payload 1,000 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Axle; rear-limited slip.
\checkmark	Battery; 12 Volt, 475 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel; Full size. Mfg. Std. mounting.

LDT-0080 LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box, Payload
1,400 lbs., min.)
✓ MODEL - CURRENT NEW
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
may be optional with the manufacturer (refer to page B).
ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.
✓ Axle; rear-limited slip.
✓ Battery; 12 Volt, 540 CCA min.
✓ Bumper; Mfg. Std.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench and jack
✓ Seat; Rear - front facing bench
✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

	LDT-0080A LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL
	VEHICLES (8 Foot Box) (Payload 1,400 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
 ✓ 	Battery; 12 Volt, 540 CCA min.
 ✓ 	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
\checkmark	Battery; 12 volt 730CCA, minimum
✓ ✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
-	Camera; rearview (in dash monitor)
\checkmark	Differential; heavy duty locking rear
\checkmark	Engine; V8 gas engine with 6 speed automatic transmission
✓ ✓	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
· · ·	Locks; power with remote
\checkmark	Mirrors; extendable trailering
✓ ✓	Radio; AM/FM w/Bluetooth
\checkmark	Seats: Cloth 40/20/40 split bench seat.
\checkmark	Towing Package; heaviest duty available from mfg.
✓ ✓	Trailer brake controller; integrated
✓	Transmission cooler; external auxiliary

LDT-0081 LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box, Payload
1,400 lbs., min.)
✓ MODEL - CURRENT NEW
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
may be optional with the manufacturer (refer to page B).
ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.
✓ Axle; rear-limited slip.
✓ Battery; 12 Volt, 540 CCA min.
✓ Bumper; Mfg. Std.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench and jack
Seat; Rear - front facing bench
Spare tire and wheel; Full size. Mfg. Std. mounting.

	LDT-0081A LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL
	VEHICLES (6 Foot Box) (Payload 1,400 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
-	Battery; 12 Volt, 540 CCA min.
	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
-	Spare tire and wheel, full size. Mfg. standard mounting
✓	Towing capacity; heaviest available Mfg. Std.
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Engine; V8 gas engine with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
▼	Power outlet; 110-volt
▼	Provisions for roof mounted beacon
▼	Radio; AM/FM w/Bluetooth
▼	Seats: Cloth 40/20/40 split bench seat.
▼	Spray in bed liner (under rail)
	Tires; all-terrain black walls, including spare, 17 inch
	Tow hooks; front
	Towing Package; heaviest duty available from mfg.
	Trailer brake controller; integrated
	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary

LDT-0082 LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8 Foot Box) (Payload 1,600 lbs., min.) ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: ✓ The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS: These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

 \checkmark

 \checkmark

 \checkmark

Axle; rear-limited slip.

Bumper; Mfg. Std.

✓ Lug wrench and jack

✓ Battery; 12 Volt, 540 CCA min.

 \checkmark Fuel capacity; largest available from mfg.

Spare tire and wheel; Full size. Mfg. Std. mounting.

	LDT-0082A LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB ALTERNATE FUEL
	VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
√	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Camera; rearview (in dash monitor)
-	Differential; heavy duty locking rear
	Engine; V8 gas engine with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
✓	Mirrors; extendable trailering
\checkmark	Radio; AM/FM w/Bluetooth
\checkmark	Seats: Cloth 40/20/40 split bench seat.
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Transmission cooler; external auxiliary

	LDT-0083 LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (6' Box) (Payload 1,600
	lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Axle; rear-limited slip.
\checkmark	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Seats; cloth.
\checkmark	Spare tire and wheel; Full size. Mfg. Std. mounting.

	LDT-0084 LI	GHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload
		3,000 lbs., min.)
✓	MODEL - CURRENT	
	PRELIMINARY RE(
✓	G.V.W.R. 8,600 (lbs.),	
		FACTORY EQUIPPED AS FOLLOWS:
1		eneral specifications for Truck Equipment are to be supplied on all vehicles, even though they
		<u>e manufacturer (refer to page B).</u>
	ADDITIONAL OPTI	
	-	Idition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this veh	
	Axle; rear-limited slip.	
	Battery; 12 Volt, 600 C	CA min.
	Bumper; Mfg. Std.	
_	Fuel capacity; largest a	vailable from mfg.
-	Lug wrench and jack	
✓	Seat; Rear - front facin	
✓		ull size. Mfg. standard mounting
	ADDITIONAL MDO	
	_	ldition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT	passenger vehicles.
	Alarm; Back up	
×		14 minimum alug 12 welt 720CCA surilism
▼ ✓		CA, minimum, plus 12 volt 730CCA auxiliary
×		(n type, heaviest available towing capacity, Mfg. Std.
×	Camera; rearview (in d	
\checkmark	Differential; heavy duty	
		with 6 speed automatic transmission
\checkmark	Fuel capacity; largest a	
	- · · · · ·	tal = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with rem	
×	Mirrors; extendable tra	liering
✓ ✓	Power outlet; 110-volt Provisions for roof mot	unted heapon
▼		
▼	Radio; AM/FM w/Blue	
↓	Spray in bed liner (und	20/40 split bench seat. Rear, cloth, full width forward facing
↓		walls, including spare, 17 inch
↓	Tow hooks; front	wans, including spare, 17 men
· ✓		iest duty available from mfg.
· ✓	Trailer brake controller	
▼	Trailer hitch; class IV 1	•
▼	Transmission cooler; et	••
↓	Up fitter switches	Atomar auxinary
Ľ	_op much switches	

	LDT-0084A LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL				
	VEHICLES (8 Foot Box) (Payload 1,400 lbs., min.)				
✓	MODEL - CURRENT NEW				
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they				
Ĺ	may be optional with the manufacturer (refer to page B).				
	ADDITIONAL OPTIONS:				
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to				
	be included on this vehicle.				
	Axle; rear-limited slip.				
	Battery; 12 Volt, 600 CCA min.				
	Bumper; Mfg. Std.				
	Fuel capacity; largest available from mfg.				
	Lug wrench and jack				
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting				
	ADDITIONAL MDOT OPTIONS				
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be				
	included on all MDOT passenger vehicles.				
-	Alarm; Back up				
	Battery; 12 volt 730CCA, minimum				
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.				
✓	Camera; rearview (in dash monitor)				
	Differential; heavy duty locking rear				
	Engine; V8 gas engine with 6 speed automatic transmission				
	Fuel capacity; largest available from mfg.				
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery				
	Locks; power with remote				
	Mirrors; extendable trailering				
✓	Power outlet; 110-volt				
\checkmark	Provisions for roof mounted beacon				
✓	Radio; AM/FM w/Bluetooth				
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing				
✓	Spray in bed liner (under rail)				
✓	Tires; all-terrain black walls, including spare, 17 inch				
✓	Tow hooks; front				
✓	Towing Package; heaviest duty available from mfg.				
✓	Trailer brake controller; integrated				
✓	Trailer hitch; class IV receiver type				
\checkmark	Transmission cooler; external auxiliary				

	LDT-0084D LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box)	
	(Payload 3,000 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
•	G.V.W.R. 8,600 (lbs.), minimum	
1	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
✓	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
\checkmark	Axle; rear-limited slip.	
	Battery; 12 Volt, 600 CCA min.	
	Bumper; Mfg. Std.	
	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
-	Seat; Rear - front facing bench	
	Spare tire and wheel, full size. Mfg. standard mounting	
I	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
✓	Alarm; Back up	
✓	Battery; 12 volt 730CCA, minimum	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
\checkmark	Camera; rearview (in dash monitor)	
\checkmark	Differential; heavy duty locking rear	
\checkmark	Fuel capacity; largest available from mfg.	
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
\checkmark	Locks; power with remote	
\checkmark	Mirrors; extendable trailering	
\checkmark	Power outlet; 110-volt	
\checkmark	Provisions for roof mounted beacon	
\checkmark	Radio; AM/FM w/Bluetooth	
\checkmark	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing	
\checkmark	Spray in bed liner (under rail)	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Towing Package; heaviest duty available from mfg.	
✓	Trailer brake controller; integrated	
✓	Trailer hitch; class IV receiver type	
✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	
	LDT-0085 LIGH	HT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload
-------------------------	-----------------------------	--
		3,000 lbs., min.)
✓	MODEL - CURRENT N	
	PRELIMINARY REQU	
✓	G.V.W.R. 8,800 (lbs.), m	
		CTORY EQUIPPED AS FOLLOWS:
✓		eral specifications for Truck Equipment are to be supplied on all vehicles, even though they
		nanufacturer (refer to page B).
	ADDITIONAL OPTION	
	-	tion to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicl	le.
	Axle; rear-limited slip.	
	Battery; 12 Volt, 600 CC.	A min.
	, <u>0</u>	
	Fuel capacity; largest ava	liable from mfg.
	Lug wrench and jack	
	Seat; Rear - front facing b	
•	-	size. Mfg. standard mounting
	ADDITIONAL MDOT	tion to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT pa	-
	Alarm; Back up	issenger venicies.
		, minimum, plus 12 volt 730CCA auxiliary
· ✓		type, heaviest available towing capacity, Mfg. Std.
	Camera; rearview (in dash	
· •		
$\overline{\checkmark}$		th 6 speed automatic transmission
· •		
	1 5, 0	= 3 sets) w/ code numbers; incl. with vehicle upon delivery
\checkmark	Locks; power with remote	
	Mirrors; extendable traile	
	Power outlet; 110-volt	
✓	Provisions for roof mount	ted beacon
✓	Radio; AM/FM w/Blueto	
✓		40 split bench seat. Rear, cloth, full width forward facing
✓	Spray in bed liner (under	
✓		alls, including spare, 17 inch
\checkmark	Tow hooks; front	
✓	Towing Package; heavies	t duty available from mfg.
✓	Trailer brake controller; i	ntegrated
✓	Trailer hitch; class IV rec	eiver type
✓	Transmission cooler; exte	ernal auxiliary
\checkmark	Up fitter switches	

	LDT-0085D LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box)
L_	(Payload 3,000 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,800 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
-	Battery; 12 Volt, 600 CCA min.
-	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
_	Lug wrench and jack Seat; Rear - front facing bench
-	Spare tire and wheel, full size. Mfg. standard mounting
•	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
\checkmark	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
, ✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
· ✓	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Fuel capacity; largest available from mfg.
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
\checkmark	Mirrors; extendable trailering
√	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
✓	Spray in bed liner (under rail)
✓	Tires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	LDT-0086 LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE
	REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
-	Axle; rear-limited slip.
_	Battery; 12 Volt, 600 CCA min.
-	Bumper; Mfg. Std.
_	Fuel capacity; largest available from mfg.
	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 730CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
-	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Engine; V8 gas engine with 6 speed automatic transmission
_	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
	Power outlet; 110-volt
I √	Provisions for roof mounted beacon
I ∕	Radio; AM/FM w/Bluetooth
I ∕	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
I ✓	Spray in bed liner (under rail)
I ∕	Tires; all-terrain black walls, including spare, 17 inch
I ∕	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
√	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	LDT-0086D LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE		
	REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)		
✓	MODEL - CURRENT NEW		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
√	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they		
	may be optional with the manufacturer (refer to page B).		
	ADDITIONAL OPTIONS:		
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
r	be included on this vehicle.		
	Axle; rear-limited slip.		
	Battery; 12 Volt, 600 CCA min.		
	Bumper; Mfg. Std.		
	Fuel capacity; largest available from mfg.		
	Lug wrench and jack		
✓	Spare tire and wheel, full size. Mfg. standard mounting		
	ADDITIONAL MDOT OPTIONS		
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be		
	included on all MDOT passenger vehicles.		
	Alarm; Back up		
	Battery; 12 volt 730CCA, minimum		
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.		
	Camera; rearview (in dash monitor)		
	Differential; heavy duty locking rear		
✓	Fuel capacity; largest available from mfg.		
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
✓	Locks; power with remote		
	Mirrors; extendable trailering		
	Power outlet; 110-volt		
	Provisions for roof mounted beacon		
✓	Radio; AM/FM w/Bluetooth		
~	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing		
\checkmark	Spray in bed liner (under rail)		
\checkmark	Tires; all-terrain black walls, including spare, 17 inch		
✓	Tow hooks; front		
>	Towing Package; heaviest duty available from mfg.		
✓	Trailer brake controller; integrated		
\checkmark	Trailer hitch; class IV receiver type		
\checkmark	Transmission cooler; external auxiliary		
./	I Le fitter envitable		

✓ Up fitter switches

	LDT-0087 LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240
	lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS: These articles are in addition to the articles listed shows as "STANDADD FACTORY FOURDED" and are to
	These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.
√	Axle; rear-limited slip.
✓ ✓	Battery; 12 Volt, 540 CCA min.
\checkmark	Bumper; Mfg. Std.
, V	Fuel capacity; largest available from mfg.
· ✓	Lug wrench and jack
, V	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
✓	Alarm; Back up
✓	Alternator; 220 Amp
✓	Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Engine; V8 gas engine with 6 speed automatic transmission
✓	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
 ✓ 	Seats: Cloth 40/20/40 split bench seat.
 ✓ 	Spray in bed liner (under rail)
 ✓ 	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
	Towing Package; heaviest duty available from mfg.
\checkmark	Trailer brake controller; integrated
	Trailer hitch; class IV receiver type
	Transmission cooler; external auxiliary
_ ∕	Up fitter switches

	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DIESEL (8' Box)
	(Payload 3,240 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
	Battery; 12 Volt, 540 CCA min.
	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Alternator; 220 Amp
 ✓ 	Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
✓ ✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Fuel capacity; largest available from mfg.
✓ ✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
 ✓ 	Mirrors; extendable trailering
 ✓ 	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
 ✓ 	Seats: Cloth 40/20/40 split bench seat.
 ✓ 	Spray in bed liner (under rail)
✓	Tires; all-terrain black walls, including spare, 17 inch
√	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
\checkmark	Up fitter switches

	LDT-0088 LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE		
	REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,800 lbs., min.)		
✓	MODEL - CURRENT NEW		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they		
	may be optional with the manufacturer (refer to page B).		
	ADDITIONAL OPTIONS:		
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
	be included on this vehicle.		
	Axle; rear-limited slip.		
	Battery; 12 Volt, 600 CCA min.		
	Bumper; Mfg. Std.		
	Fuel capacity; largest available from mfg.		
√	Lug wrench and jack		
✓	Spare tire and wheel, full size. Mfg. standard mounting		
	ADDITIONAL MDOT OPTIONS		
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be		
	included on all MDOT passenger vehicles.		
▲	Alarm; Back up		
_	Battery; 12 volt 650CCA, minimum		
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.		
	Camera; rearview (in dash monitor)		
	Differential; heavy duty locking rear		
	Engine; V8 gas engine with 6 speed automatic transmission		
	Fuel capacity; largest available from mfg.		
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
	Locks; power with remote		
	Mirrors; extendable trailering		
 ✓ 	Power outlet; 110-volt		
▼	Provisions for roof mounted beacon		
\checkmark	Radio; AM/FM w/Bluetooth		
► V	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing		
► ►	Spray in bed liner (under rail)		
	Tires; all-terrain black walls, including spare, 17 inch		
	Tow hooks; front		
	Towing Package; heaviest duty available from mfg.		
I ∕	Trailer brake controller; integrated		
I ∕	Trailer hitch; class IV receiver type		
	Transmission cooler; external auxiliary		
✓	Up fitter switches		

	LDT-0088D LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE
	REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,500 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
-	Battery; 12 Volt, 600 CCA min.
	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 650CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
\checkmark	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Fuel capacity; largest available from mfg.
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
\checkmark	Locks; power with remote
\checkmark	Mirrors; extendable trailering
\checkmark	Power outlet; 110-volt
\checkmark	Provisions for roof mounted beacon
\checkmark	Radio; AM/FM w/Bluetooth
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
\checkmark	Spray in bed liner (under rail)
\checkmark	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front
\checkmark	Towing Package; heaviest duty available from mfg.
\checkmark	Trailer brake controller; integrated
\checkmark	Trailer hitch; class IV receiver type
\checkmark	Transmission cooler; external auxiliary
\checkmark	Up fitter switches

	LDT-0089 LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE
	REAR WHEEL (8 Foot Box) (Payload 3,800 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	he items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
•	nay be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
_	Axle; rear-limited slip.
	Battery; 12 Volt, 540 CCA min.
	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
_	ug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	ncluded on all MDOT passenger vehicles.
-	Alarm; Back up
_	Battery; 12 volt 650CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
-	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Engine; V8 gas engine with 6 speed automatic transmission
-	Fuel capacity; largest available from mfg.
-	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
_	Locks; power with remote
-	Mirrors; extendable trailering
-	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
✓	Spray in bed liner (under rail)
✓	Fires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Frailer brake controller; integrated
✓	Frailer hitch; class IV receiver type
✓	Fransmission cooler; external auxiliary
\checkmark	Jp fitter switches

	LDT-0089D LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE
	REAR WHEEL (8 Foot Box) (Payload 3,700 lbs., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
	Battery; 12 Volt, 600 CCA min.
	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alarm; Back up
	Battery; 12 volt 650CCA, minimum
_	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
 ✓ 	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
_	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
	Power outlet; 110-volt
 ✓ 	Provisions for roof mounted beacon
 ✓ 	Radio; AM/FM w/Bluetooth
 ✓ 	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
 ✓ 	Spray in bed liner (under rail)
 ✓ 	Tires; all-terrain black walls, including spare, 17 inch
 ✓ 	Tow hooks; front
 ✓ 	Towing Package; heaviest duty available from mfg.
 ✓ 	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
✓	Up fitter switches

	LDT-0090 LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUA	L
	REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	
✓	MODEL - CURRENT NEW	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though th	ey
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are t	0
	be included on this vehicle.	
	Axle; rear-limited slip.	
	Battery; 12 Volt, 600 CCA min.	
	Bumper; Mfg. Std.	
	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall	1 ha
		I De
	included on all MDOT passenger vehicles. Alarm; Back up	
	Battery; 12 volt 650CCA, minimum	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
	Camera; rearview (in dash monitor)	
-	Differential; heavy duty locking rear	
	Engine; V8 gas engine with 6 speed automatic transmission	
	Fuel capacity; largest available from mfg.	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
	Mirrors; extendable trailering	
	Power outlet; 110-volt	
_	Provisions for roof mounted beacon	
✓	Radio; AM/FM w/Bluetooth	
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing	
✓	Spray in bed liner (under rail)	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Towing Package; heaviest duty available from mfg.	
✓	Trailer brake controller; integrated	
✓	Trailer hitch; class IV receiver type	
✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	

LDT-0090D LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOI REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min ✓ MODEL - CURRENT NEW TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
TO BE STANDADD FACTORY FOUNDED AS FOLLOWS.	
IO BE STANDARD FACTORT EQUITED AS FOLLOWS.	
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even th	ough they
may be optional with the manufacturer (refer to page B).	
ADDITIONAL OPTIONS:	
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" a	nd are to
be included on this vehicle.	
✓ Axle; rear-limited slip.	
✓ Battery; 12 Volt, 600 CCA min.	
Bumper; Mfg. Std.	
✓ Fuel capacity; largest available from mfg.	
✓ Lug wrench and jack	
Spare tire and wheel, full size. Mfg. standard mounting	
ADDITIONAL MDOT OPTIONS	
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" a	id shall be
included on all MDOT passenger vehicles.	
✓ Alarm; Back up	
✓ Battery; 12 volt 650CCA, minimum	
Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
✓ Camera; rearview (in dash monitor)	
✓ Differential; heavy duty locking rear	
✓ Fuel capacity; largest available from mfg.	
Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓ Locks; power with remote	
✓ Mirrors; extendable trailering	
Power outlet; 110-volt	
✓ Provisions for roof mounted beacon	
Radio; AM/FM w/Bluetooth	
Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing	
Spray in bed liner (under rail)	
✓ Tires; all-terrain black walls, including spare, 17 inch	
✓ Tow hooks; front	
✓ Towing Package; heaviest duty available from mfg.	
✓ Trailer brake controller; integrated	
Trailer hitch; class IV receiver type	
Transmission cooler; external auxiliary	

✓ Up fitter switches

	LDT-0091 LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR	
	WHEEL (8 Foot Box) (Payload 4,000 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. 9,200 (lbs.), minimum	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
	Axle; rear-limited slip.	
	Battery; 12 Volt, 540 CCA min.	
	Bumper; Mfg. Std.	
	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
	Alarm; Back up	
	Battery; 12 volt 730CCA, minimum	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
	Camera; rearview (in dash monitor)	
	Differential; heavy duty locking rear	
	Engine; V8 gas engine with 6 speed automatic transmission	
	Fuel capacity; largest available from mfg.	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
	Mirrors; extendable trailering	
	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
	Radio; AM/FM w/Bluetooth	
	Seats; cloth 40/20/40 split bench seat.	
	Spray in bed liner (under rail)	
✓ ✓	Tires; all-terrain black walls, including spare, 17 inch	
✓ ✓	Tow hooks; front	
✓ ✓	Towing Package; heaviest duty available from mfg.	
✓ ✓	Trailer brake controller; integrated	
✓ ✓	Trailer hitch; class IV receiver type	
✓ ✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	

	LDT-0091D LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR
	WHEEL, DIESEL (8 Foot Box) (Payload 3,800 lbs., min.)
\checkmark	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
\checkmark	G.V.W.R. 9,200 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
	Battery; 12 Volt, 540 CCA min.
 ✓ 	Bumper; Mfg. Std.
	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
-	Alarm; Back up
√	Battery; 12 volt 730CCA, minimum
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
-	Camera; rearview (in dash monitor)
-	Differential; heavy duty locking rear
✓	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
_	Locks; power with remote
-	Mirrors; extendable trailering
	Power outlet; 110-volt
\checkmark	Provisions for roof mounted beacon
\checkmark	Radio; AM/FM w/Bluetooth
	Seats; cloth $40/20/40$ split bench seat.
	Spray in bed liner (under rail)
	Tires; all-terrain black walls, including spare, 17 inch
\checkmark	Tow hooks; front Towing Decks ou beguingt duty quailable from mfg
√	Towing Package; heaviest duty available from mfg.
√	Trailer brake controller; integrated
✓ ✓	Trailer hitch; class IV receiver type
	Transmission cooler; external auxiliary
✓	Up fitter switches

	LDT-0092 LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR WHEELS	
	(8 Foot Box) (Payload 5,000 lbs., min.)	
>	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
\checkmark	G.V.W.R. 11,000 (lbs.), minimum	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
	Axle; rear-limited slip.	
	Battery; 12 Volt, 540 CCA min.	
	Bumper; Mfg. Std.	
	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MOOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles	
✓	included on all MDOT passenger vehicles. Alarm; Back up	
	-	
	Battery; 12 volt 730CCA, minimum	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std. Camera; rearview (in dash monitor)	
	Differential; heavy duty locking rear Engine; V8 gas engine with 6 speed automatic transmission	
	Fuel capacity; largest available from mfg.	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
	Mirrors; extendable trailering	
	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
	Radio; AM/FM w/Bluetooth	
	Seats; cloth 40/20/40 split bench seat.	
	Spray in bed liner (under rail)	
· •	Tires; all-terrain black walls, including spare, 17 inch	
· ✓	Tow hooks; front	
· •	Towing Package; heaviest duty available from mfg.	
· •	Trailer brake controller; integrated	
· ✓	Trailer hitch; class IV receiver type	
· ✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	

	LDT-0092D LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DIESEL, DUAL REAR	
	WHEELS (8 Foot Box) (Payload 5,000 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. 11,000 (lbs.), minimum	
F	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
	Axle; rear-limited slip.	
	Battery; 12 Volt, 540 CCA min.	
	Bumper; Mfg. Std.	
	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
	Alarm; Back up	
	Battery; 12 volt 730CCA, minimum	
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
	Camera; rearview (in dash monitor)	
	Differential; heavy duty locking rear	
	Fuel capacity; largest available from mfg.	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
\checkmark	Mirrors; extendable trailering	
✓	Power outlet; 110-volt	
✓	Provisions for roof mounted beacon	
✓	Radio; AM/FM w/Bluetooth	
✓	Seats; cloth 40/20/40 split bench seat.	
✓	Spray in bed liner (under rail)	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Towing Package; heaviest duty available from mfg.	
✓	Trailer brake controller; integrated	
\checkmark	Trailer hitch; class IV receiver type	
✓	Transmission cooler; external auxiliary	
\checkmark	Up fitter switches	

	MEDIUM DUTY TRUCK	
	MDT-0101 MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min., (Payload	
	4,700 lb. min.)	
✓	✓ MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. 8,600 (lbs.), minimum	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
Ľ	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
\checkmark	Battery; 12 Volt, 100-Ah	
\checkmark	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.	
\checkmark	Brakes; Power.	
✓	Bumper; Mfg. Std.	
✓	Fuel capacity; largest available from mfg.	
\checkmark	Lug wrench and jack	
\checkmark	Mirrors; Rear View, Inside. Outside R.H. and L.H. Power Heated	
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting	

	MDT-0101D MED	UM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs. min.,	
Ļ	(Payload 6,200 lb. min.)		
✓	MODEL - CURRENT NE		
	PRELIMINARY REQU		
✓		with Maximum capacity transmission oil cooler. Factory installed.	
		CTORY EQUIPPED AS FOLLOWS:	
1		ral specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).		
	ADDITIONAL OPTION	ion to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicl		
√	Axle; rear-limited slip.		
↓ ✓	Battery; 12 Volt, 600 CC	A min.	
\mathbf{I}	Fuel capacity; largest avai		
V	1 , 0	o·	
	U J	e. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq.	
√		size. Mfg. standard mounting	
		adial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design	
Ľ		ear Wrangler AT, or Michelin XC-AT (Goodyear preferred)	
	ADDITIONAL MDOT		
	_	ion to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT pa	-	
\checkmark	Battery; 12 volt 650CCA,		
	Differential; heavy duty lo		
	Fuel capacity; largest ava		
\checkmark	• • • •	= 3 sets) w/ code numbers; incl. with vehicle upon delivery.	
I ✓	Locks; power with remote		
\checkmark		rıng	
✓	1 0 1 01 0 00000, 110 1010		
I ∕	Provisions for roof mount		
I ∕	Radio; AM/FM w/Blueto		
	Seats: Front, cloth 40/20/	•	
		lls, including spare, 17 inch	
	Tow hooks; front	atagratad	
I	 Trailer brake controller; in Transmission cooler; extermination 		
⊢ ∕	Up fitter switches	inai auxinai y	
	_ op met switches		

	MDT-0102 MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R 11,000 lbs minimum	
	(Payload 5,500 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. (11,000 lbs. min.)	
✓	Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
✓	Axle; rear-limited slip.	
 ✓ 	Battery; 12 Volt, 600 CCA min.	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench and jack	
	ADDITIONAL MDOT OPTIONS These articles are in addition to the articles listed shows as "CTANDARD FACTORY FOLURPER" and shall be	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT measurement vahiales.	
✓	included on all MDOT passenger vehicles.	
	Battery; 12 volt 650CCA, minimum	
	Differential; heavy duty locking rear	
	Engine; V8 gas engine with 6 speed automatic transmission	
▼	Fuel capacity; largest available from mfg.	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
▼	Locks; power with remote Mirrors; extendable trailering	
	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
↓	Radio; AM/FM w/Bluetooth	
· ·	Seats: Front, cloth 40/20/40 split bench seat.	
·	Spare tire and wheel, full size. Mfg. standard mounting	
· ·	Tires; all-terrain black walls, including spare, 17 inch	
· ·	Tow hooks; front	
$\overline{\checkmark}$	Trailer brake controller; integrated	
Ļ,	Transmission cooler; external auxiliary	
Ļ.	Up fitter switches	
Ľ	op nuel switches	

	MDT-0102D MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 11,000 lbs	
	minimum (Payload 5,500 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. (11,000 lbs. min.)	
✓	Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
Ľ	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
	Axle; rear-limited slip.	
✓	Battery; 12 Volt, 600 CCA min.	
✓	Fuel capacity; largest available from mfg.	
√	Mirrors; Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq.	
	in., minimum. Installed.	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
✓	Lug wrench and jack	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
<u> </u>	included on all MDOT passenger vehicles.	
 ✓ 	Battery; 12 volt 650CCA, minimum	
	Differential; heavy duty locking rear	
✓	Fuel capacity; largest available from mfg.	
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓	Locks; power with remote	
✓	Mirrors; extendable trailering	
✓	Power outlet; 110-volt	
✓	Provisions for roof mounted beacon	
✓	Radio; AM/FM w/Bluetooth	
✓	Seats: Front, cloth 40/20/40 split bench seat.	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Trailer brake controller; integrated	
✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	

	MDT-0103D MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs	
	minimum (Payload 6,675 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. (12,500 lbs. min.)	
✓		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
-	Axle; rear-limited slip.	
-	Battery; 12 Volt, 600 CCA min.	
-	Fuel capacity; largest available from mfg.	
	Lug wrench and jack	
•	Mirrors; Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq.	
	ADDITIONAL MDOT OPTIONS These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
√		
$\overline{\checkmark}$	Differential; heavy duty locking rear	
· •	Fuel capacity; largest available from mfg.	
· •	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
\checkmark	Mirrors; extendable trailering	
✓	Power outlet; 110-volt	
√	Provisions for roof mounted beacon	
√	Radio; AM/FM w/Bluetooth	
1	Seats: Front, cloth 40/20/40 split bench seat.	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Trailer brake controller; integrated	
✓	Transmission cooler; external auxiliary	
✓	Up fitter switches	
L	- -	

	MEDIUM DUTY TRUCK 4X4	
	4WDM-0111 MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS (C M M D 10 000 M - 10 000 M	
	(G.V.W.R. 10,000 lbs., min.)	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed.	
L	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
×	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
	Battery; 12 Volt, 540 CCA min.	
	Fuel capacity; largest available from mfg.	
✓	Lug wrench and jack	
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
	Battery; 12 volt 650CCA, minimum	
	Differential; heavy duty locking rear	
-	Engine; V8 gas engine with 6 speed automatic transmission	
	Hubs; automatic locking on front or axle shaft disconnect system	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote	
✓	Mirrors; extendable trailering	
✓	Power outlet; 110-volt	
\checkmark	Provisions for roof mounted beacon	
\checkmark	Radio; AM/FM w/Bluetooth	
\checkmark	Seats: cloth 40/20/40 split bench seat.	
\checkmark	Skid Plates	
\checkmark	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Trailer brake controller; integrated	
\checkmark	Transmission cooler; external auxiliary	
\checkmark	Up-fitter switches	

	4WDM-0111D MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS,	
	DIESEL, (G.V.W.R. 10,000 lbs., min.)	
✓	MODEL - CURRENT NEW	
	_PRELIMINARY REQUIREMENTS:	
~	Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory	
	installed.	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
	be included on this vehicle.	
\checkmark	,, F, J.,, B,	
•	Lug wrench and jack	
•	Spare tire and wheel, full size. Mfg. standard mounting ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
	Battery; 12 volt 650CCA, minimum	
	Differential; heavy duty locking rear	
$\overline{\checkmark}$	Hubs; automatic locking on front or axle shaft disconnect system	
\checkmark	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
\checkmark		
· ✓	Mirrors; extendable trailering	
\checkmark	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
\checkmark	Radio; AM/FM w/Bluetooth	
v	Seats: cloth 40/20/40 split bench seat.	
\checkmark	Skid Plates	
√	Tires; all-terrain black walls, including spare, 17 inch	
√	Tow hooks; front	
√		
✓	Transmission cooler; external auxiliary	
\checkmark	Up-fitter switches	

	4WDM-0112D MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DIESEL G.V.W.R. 12,000 lbs.	
	min., (Payload 5,800 lb. min.), 60" Min. C.A.	
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	Transmission: Automatic with Maximum capacity transmission oil cooler, Factory installed.	
r	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
✓	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they	
	may be optional with the manufacturer (refer to page B).	
	ADDITIONAL OPTIONS: These entires are in addition to the entires listed above as "STANDARD FACTORY FOURPED" and are to	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to	
✓	be included on this vehicle. Axle, rear limited slip.	
	Battery; 12 Volt, 600 CCA min.	
	Fuel tank; largest single tank available from mfg.	
	Lug wrench and jack	
Ľ	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be	
	included on all MDOT passenger vehicles.	
✓	Battery; 12 volt 650CCA, minimum	
	Differential; heavy duty locking rear	
 ✓ 	Fuel capacity; largest available from mfg.	
✓	Hubs; auto locking on front	
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
✓	Locks; power with remote	
	Mirrors; extendable trailering	
✓	Power outlet; 110-volt	
✓	Provisions for roof mounted beacon	
✓	Radio; AM/FM w/Bluetooth	
✓	Seats: cloth 40/20/40 split bench seat.	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
✓	Tires; all-terrain black walls, including spare, 17 inch	
✓	Tow hooks; front	
✓	Trailer brake controller; integrated	
✓	Transmission cooler; external auxiliary	
✓	Up-fitter switches	

	4WDM-0113D MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS (Payload 5,930 lbs., min.), 84"
	Min. C.A.
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. (12,500 lbs. min.)
✓	Transmission: Automatic with Maximum capacity transmission oil cooler, Factory installed.
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they
	may be optional with the manufacturer (refer to page B).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Alternator; 80 amp., min.
	Axle, rear limited slip.
	Battery; 12 Volt, 600 CCA min.
	Fuel tank; largest single tank available from mfg.
\checkmark	Lug wrench and jack
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
 ✓ 	Battery; 12 volt 650CCA, minimum
	Differential; heavy duty locking rear
	Fuel capacity; largest available from mfg.
✓	Hubs; auto locking on front
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote
	Mirrors; extendable trailering
-	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats: cloth 40/20/40 split bench seat.
✓	Spare tire and wheel, full size. Mfg. standard mounting
✓	Tires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Trailer brake controller; integrated
✓	Transmission cooler; external auxiliary
✓	Up-fitter switches

	VANS
VAN-0121	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)
MODEL - CURRENT NEW	V
PRELIMINARY REQUIR	REMENTS:
✓ Wheelbase (inches), 125 mi	inimum
Engine: Type & No. of Cyli	nders, 8 minimum
TO BE STANDARD FAC	TORY EQUIPPED AS FOLLOWS:
The items listed in the genera	al specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
though they may be optional	with the manufacturer (refer to page A).
ADDITIONAL OPTIONS	
These options are in additio	on to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.	
✓ Axle; rear-limited slip.	
✓ Battery; 12 Volt, 600 CCA	min.
✓ Bumper; Mfg. Std.	
✓ Doors; Panel rear-Window	in top of each door. Locks on all doors. Door right side, hinged.
✓ Fuel capacity; largest availa	ıble from mfg.
✓ Lug wrench and jack	
Seat(s); High back, driver as \mathbf{V}	nd passenger.
Spare tire and wheel, full size	ze. Mfg. standard mounting
✓ Window(s); Glass, side and	rear door

	VAN-0121A VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	Wheelbase (inches), 125 minimum
 ✓ 	Engine: Type & No. of Cylinders, 8 minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Doors; Panel rear-Window in top of each door. Locks on all doors. Door right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Seat(s); High back, driver and passenger.
✓	Spare tire and wheel, full size. Mfg. standard mounting
✓	Window(s); Glass, side and rear door

	VAN-0122	VANS:	VAN, 8 PASSENGER (Payload 1,600 lbs., min.)
~	MODEL - CURRENT NEW		
	PRELIMINARY REQUIREMEN	NTS:	
~	Engine: Type & No. of Cylinders, 8	3 minimu	Im
	TO BE STANDARD FACTORY	EQUIP	PED AS FOLLOWS:
1	The items listed in the general specifi	cations fo	or Passenger Vehicle Equipment are to be supplied on all vehicles, even
v	though they may be optional with th	<u>e manufa</u>	cturer (refer to page A).
	ADDITIONAL OPTIONS:		
	These options are in addition to the	options	listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.		
✓	Axle; rear-limited slip.		
\checkmark	Battery; 12 Volt, 600 CCA min.		
\checkmark	Body Finished interior; (No expose	d outside	e body sheet metal) full length headlined
>	Bumper; Mfg. Std.		
~	Door(s); Right side, hinged.		
✓	Fuel capacity; largest available from	n mfg.	
\checkmark	Lug wrench and jack		
\checkmark	Spare tire and wheel, full size. Mfg	. standar	d mounting

	VAN-0122A VANS: VAN, 8 PASSENGER ALTERNATIVE FUEL (Payload 1,600 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	Engine: Type & No. of Cylinders, 8 minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
Ľ	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Axle; rear-limited slip.
\checkmark	Battery; 12 Volt, 600 CCA min.
✓	Body Finished interior; (No exposed outside body sheet metal) full length headlined
✓	Bumper; Mfg. Std.
\checkmark	Door(s); Right side, hinged.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting

	VAN-0123	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREME	NTS:
✓	G.V.W.R. 8,600 (lbs.), minimum	
	TO BE STANDARD FACTORY	EQUIPPED AS FOLLOWS:
1		ications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with th	e manufacturer (refer to page A).
	ADDITIONAL OPTIONS:	
	-	e options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.	
	Battery; 12 Volt, 600 CCA min.	
		ed outside body sheet metal) full length headlined
	Bumper; Mfg. Std.	
_	Door(s); Right side, hinged. Rear p	-
	Fuel capacity; largest available fro	m mfg.
_	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg	
	ADDITIONAL MDOT OPTION	
		e options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger v	vehicles.
	Air conditioning; Front and Rear	
	Battery; 12 volt 770CCA, minimu	
 ✓ 		ed outside body sheet metal) full length headlined
 ✓ 		viest available towing capacity, Mfg. Std.
 ✓ 	Camera; rearview (in dash monitor	·
	Differential; heavy duty locking re	
	Door(s); Right side, hinged. Rear p	e
	Fuel capacity; largest available fro	
 ✓ 		round, movable side door window(s), fixed or movable rear door glass
✓ ✓	Heater; auxiliary-passenger compa	
▼	-	w/ code numbers; incl. with vehicle upon delivery
	Locks; power with remote	
✓ ✓	Mirrors; extendable trailering	
▼	Power outlet; 110-volt	
	Provisions for roof mounted beaco	Π
✓ ✓	Radio; AM/FM w/Bluetooth	and account of 2 handle costs
✓ ✓	-	ers and passenger and 3 bench seats
✓ ✓	Towing Package; heaviest duty ava	
<u> </u>	Trailer brake controller; integrated	
✓ ✓	Trailer hitch; class IV receiver type	
Ľ	Transmission cooler; external auxi	iiai y

	VAN-0123A VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649 lbs., min.))
✓	MODEL - CURRENT NEW	
	PRELIMINARY REQUIREMENTS:	
✓	G.V.W.R. 8,600 (lbs.), minimum	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, ev	<u>en</u>
Ľ	though they may be optional with the manufacturer (refer to page A).	
	ADDITIONAL OPTIONS:	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are	to
	be included on this vehicle.	
	Battery; 12 Volt, 600 CCA min.	
	Body Finished interior; (No exposed outside body sheet metal) full length headlined	
	Bumper; Mfg. Std.	
	Door(s); Right side, hinged. Rear panel doors with glass.	
_	Fuel capacity; largest available from mfg.	
_	Lug wrench and jack	
✓	Spare tire and wheel, full size. Mfg. standard mounting	
	ADDITIONAL MDOT OPTIONS	
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall	ll be
	included on all MDOT passenger vehicles.	
	Air conditioning; Front and Rear	
	Battery; 12 volt 770CCA, minimum	
	Body Finished interior; (No exposed outside body sheet metal) full length headlined	
_	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	
_	Camera; rearview (in dash monitor)	
	Differential; heavy duty locking rear	
	Door(s); Right side, hinged. Rear panel doors with glass	
-	Fuel capacity; largest available from mfg.	
	Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass	
	Heater; auxiliary-passenger compartment	
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery	
	Locks; power with remote Mirrors; extendable trailering	
	Power outlet; 110-volt	
	Provisions for roof mounted beacon	
$\overline{\checkmark}$	Radio; AM/FM w/Bluetooth	
⊢ ✓	Seats; Cloth, Front, high back drivers and passenger and 3 bench seats	
· ✓	Towing Package; heaviest duty available from mfg.	
Ļ.	Trailer brake controller; integrated	
$\overline{\checkmark}$	Trailer hitch; class IV receiver type	
٠ ا	Transmission cooler; external auxiliary	
Ľ	Transmission cooler, external auxiliary	

	VAN-0124 VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,550 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
\checkmark	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
Ľ	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
_	Axle; rear-limited slip.
_	Battery; 12 Volt, 600 CCA min.
	Bumper; Mfg. Std.
_	Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
	Fuel capacity; largest available from mfg.
_	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alternator; 145 Amp
	Alarm; Back up
	Battery; 12 volt 770CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
	Engine; 6.0L V8 gas with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
√	Locks, power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
 ✓ 	Radio; AM/FM w/Bluetooth
✓	Seats; Cloth, Front, high back drivers and passenger
 ✓ 	Towing Package; heaviest duty available from mfg.
 ✓ 	Trailer brake controller; integrated
I ∕	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary

	VAN-0124A VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL
	(Payload 3,100 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,550 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Axle; rear-limited slip.
-	Battery; 12 Volt, 600 CCA min.
-	Bumper; Mfg. Std.
-	Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
	Fuel capacity; largest available from mfg.
 ✓ 	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Alternator; 145 Amp
	Alarm; Back up
	Battery; 12 volt 770CCA, minimum
 ✓ 	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
√	Engine; 6.0L V8 gas with 6 speed automatic transmission
 ✓ 	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
 ✓ 	Locks; power with remote
 ✓ 	Mirrors; extendable trailering
 ✓ 	Power outlet; 110-volt
 ✓ 	Provisions for roof mounted beacon
 ✓ 	Radio; AM/FM w/Bluetooth
	Seats; Cloth, Front, high back drivers and passenger
√	Towing Package; heaviest duty available from mfg.
√	Trailer brake controller; integrated
√	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary

	VAN-0125 VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,550 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
√	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
-	Axle; rear-limited slip.
	Battery; 12 Volt, 600 CCA min.
-	Bumper; Mfg. Std.
	Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
-	Fuel capacity; largest available from mfg.
 ✓ 	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
✓	Alternator; 145 Amp
	Alarm; Back up
✓	Battery; 12 volt 770CCA, minimum
	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
_	Camera; rearview (in dash monitor)
-	Differential; heavy duty locking rear
	Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
	Engine; 6.0L V8 gas with 6 speed automatic transmission
	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats; Cloth, Front, high back drivers and passenger
\checkmark	Towing Package; heaviest duty available from mfg.
\checkmark	Trailer brake controller; integrated
I ∕	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary

	VAN-0125A VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs.,
	min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
 ✓ 	G.V.W.R. 8,550 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Axle; rear-limited slip.
	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
-	Alternator; 145 Amp
	Alarm; Back up
	Battery; 12 volt 770CCA, minimum
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
_	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
✓	Engine; 6.0L V8 gas with 6 speed automatic transmission
✓	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats; Cloth, Front, high back drivers and passenger
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
\checkmark	Transmission cooler; external auxiliary

VAN-0126

VANS: VAN 15 PASSENGER

✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
•	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
	Air Conditioning; Front and Rear
✓	Battery; 12 Volt, 600 CCA min.
	Bumper; Front and Rear, Mfg. Std.
✓	Doors; Passenger, right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
\checkmark	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Air conditioning; Front and Rear
✓	Battery; 12 volt 770CCA, minimum
✓	Body Finished interior; (No exposed outside body sheet metal) full length headlined
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Door(s); Right side, hinged. Rear panel doors with glass
✓	Fuel capacity; largest available from mfg.
✓	Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
✓	Heater; auxiliary-passenger compartment
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
✓	Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
\checkmark	Towing Package; heaviest duty available from mfg.
\checkmark	Trailer brake controller; integrated
\checkmark	Trailer hitch; class IV receiver type
\checkmark	Transmission cooler; external auxiliary

	VAN-0126A VANS: VAN 15 PASSENGER ALTERNATIVE FUEL
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
Ľ	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
√	Air Conditioning; Front and Rear
	Battery; 12 Volt, 600 CCA min.
	Bumper; Front and Rear, Mfg. Std.
	Doors; Passenger, right side, hinged.
	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Spare tire and wheel, full size. Mfg. standard mounting
	ADDITIONAL MDOT OPTIONS
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be
	included on all MDOT passenger vehicles.
	Air conditioning; Front and Rear
	Battery; 12 volt 770CCA, minimum
 ✓ 	Body Finished interior; (No exposed outside body sheet metal) full length headlined
↓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
 ✓ 	Camera; rearview (in dash monitor)
	Differential; heavy duty locking rear
	Door(s); Right side, hinged. Rear panel doors with glass
	Fuel capacity; largest available from mfg.
 ✓ 	Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
	Heater; auxiliary-passenger compartment
 ✓ 	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
I ∕	Locks; power with remote
I ∕	Mirrors; extendable trailering
I ∕	Power outlet; 110-volt
√	Provisions for roof mounted beacon
√	Radio; AM/FM w/Bluetooth
√	Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
√	Towing Package; heaviest duty available from mfg.
 ✓ 	Trailer brake controller; integrated
	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary

VAN-0127 VANS: COMPACT VAN 5 PASSENGER, FRONT WHEEL DRIVE (Payload 1,470		
lbs., min.)		
✓ MODEL - CURRENT NEW		
PRELIMINARY REQUIREMENTS:		
✓ G.V.W.R. 5,000 (lbs.), minimum		
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		
The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even		
though they may be optional with the manufacturer (refer to page A).		
ADDITIONAL OPTIONS:		
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to		
be included on this vehicle.		
✓ Battery; 12 Volt, 500 CCA min.		
✓ Bumper; Front and Rear, Mfg. Std.		
✓ Lug wrench and jack		
Spare tire; Limited service tire and wheel. Mfg. standard mounting.		
✓ Speed Control; Factory Installed.		

VAN-0128 VANS: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE
(Payload 1,100 lbs., min.)
✓ MODEL - CURRENT NEW
PRELIMINARY REQUIREMENTS:
✓ G.V.W.R. 5,000 (lbs.), minimum
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
though they may be optional with the manufacturer (refer to page A).
ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this vehicle.
✓ Battery; 12 Volt, 500 CCA min.
✓ Bumper; Front and Rear, Mfg. Std.
✓ Lug wrench and jack
Spare tire; Limited service tire and wheel. Mfg. standard mounting.
✓ Speed Control; Factory Installed.

VAN-0128A	VANS: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE
VAN 0120A	
	ALTERNATE FUEL VEHICLES (Payload 1,100 lbs., min.)
✓ MODEL - CURRE	NT NEW
PRELIMINARY I	REQUIREMENTS:
✓ G.V.W.R. 5,000 (lb	os.), minimum
TO BE STANDAR	RD FACTORY EQUIPPED AS FOLLOWS:
The items listed in th	ne general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
though they may be	optional with the manufacturer (refer to page A).
ADDITIONAL OI	PTIONS:
These options are in	n addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
be included on this	vehicle.
✓ Battery; 12 Volt, 50	00 CCA min.
✓ Bumper; Front and	Rear, Mfg. Std.
✓ Lug wrench and jac	°k
✓ Spare tire; Limited	service tire and wheel. Mfg. standard mounting.

	VAN-0129
	VANS: COMPACT VAN, CARGO, FRONT WHEEL DRIVE (Payload 1,580 lb., min.)
✓	MODEL - CURRENT NEW
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
•	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 500 CCA min.
\checkmark	Bumper; Front and Rear, Mfg. Std.
\checkmark	Lug wrench and jack
✓	Spare tire; Limited service tire and wheel. Mfg. standard mounting.

VAN-0129A VANS: COMPACT VAN, CARGO, FRONT WHEEL DRIVE, ALTERNATIVE FUEL (Payload 1,580 lb., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

✓ The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 500 CCA min.

✓ Bumper; Front and Rear, Mfg. Std.

- ✓ Lug wrench and jack
- ✓ Spare tire; Limited service tire and wheel. Mfg. standard mounting.

	VAN-0130 VANS: COMMERCIAL, 10 PASSENGER, RAISED ROOF (Payload 3,200 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
1	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
Ĺ	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
\checkmark	Battery; 12 Volt, 100-Ah
\checkmark	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
✓	Brakes; Power.
✓	Bumper; Mfg. Std.
\checkmark	Fuel capacity; largest available from mfg.
\checkmark	Lug wrench and jack
✓	Mirrors; Rear View, Inside. Outside R.H. and L.H. Power Heated
✓	Spare tire and wheel, full size. Mfg. standard mounting

	VAN-0131 VANS: COMMERCIAL , CARGO, RAISED ROOF (Payload 4,800 lbs., min.)
✓	MODEL - CURRENT NEW
	PRELIMINARY REQUIREMENTS:
✓	G.V.W.R. 8,600 (lbs.), minimum
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:
	The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even
v	though they may be optional with the manufacturer (refer to page A).
	ADDITIONAL OPTIONS:
	These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to
	be included on this vehicle.
✓	Battery; 12 Volt, 100-Ah
✓	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench and jack
✓	Mirrors; Rear View, Inside. Outside R.H. and L.H. Power Heated
✓	Spare tire and wheel, full size. Mfg. standard mounting

CUT-AWAY VANS

CAV-0140

CUT-AWAY VANS: Single Rear Wheel, (G.V.W.R. 8,900 lbs., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to

✓ Battery 12 Volt; 600 CCA, minimum.

✓ Lug wrench and jack

Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation

CAV-0141 CUT-AWAY VANS: DUAL REAR WHEEL, (G.V.W.R. 10,000 lbs., min.)

✓ MODEL - CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to \checkmark Battery 12 Volt; 600 CCA, minimum.

Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation

✓ Lug wrench and jack

Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation
 Seat-Passenger.