

Special Local Need Labeling
For Distribution and Use Only in Michigan

ACTELLIC 5E INSECTICIDE
A Fumigant and Drench Treatment of Gladiola Bulbs
EPA REG. NO. 1381-170
SLN MI-050002

For Application to Gladiola Bulbs to Control Thrips

Note: This labeling must be in possession of the user at the time of pesticide application.

ACTIVE INGREDIENT:

Pirimiphos-methyl

0-(2-(diethylamino)-6-methyl-4-pyrimidinyl) 0,0-dimethyl phosphorothioate 57%

OTHER INGREDIENTS: 43%

TOTAL 100%

Actellic 5E Insecticide contains 5 pounds active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

DIRECTIONS FOR USE

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

For treatment of Glad bulbs in a drench /dipping method.

Dip corms in Actellic solution with water for 20 minutes. Drain and plant.

Fog Treatment of Gladiolus Bulbs

Treat warehouse by means of fog or LVM instrument using 1.2 ounces of ACTELLIC per 1,000 cubic feet of warehouse space. Warehouse temperature, at time of treatment must be 20 degrees Celsius or higher. All ventilation systems must be shut off and fresh air closed off to treatment area during the treatment period. Treatment period is 6-12 hours. Every three days following treatment, warehouse air refreshing must be discontinued for 6-12 hours. After 12 days, if line thrips are still present, repeat treatment. Continual monitoring of thrips is advised.

Drench Treatment of Gladiolus Bulbs

Drench gladiolus bulbs in a .02% Actellic 5 solution with water for 20 minutes.

Engineering Controls

Application must only be made with use stationary or cart-mounted automated fogging devices. Use of hand-held foggers is prohibited.

All entries to the structure must be blocked/barricaded and posted with the required fumigant warning signs.

All area vents must be closed and all circulating fans must be turned off.

All misting systems must be turned off.

Immediately after activating the fogging device, the applicator must exit the treatment area.

Posting Instructions

Notify workers of the application warning them orally and by posting warning signs at all entrances to the treated area. The signs must bear the skull and crossbones symbol and state: (1) "Danger/Peligro." (2) "Area under Application, DO NOT ENTER/NO ENTRE," (3) the date and time of application. (4) (insert name of product) in use, and (5) name, address and phone number of the applicator.

Follow all applicable directions, precautions, and restrictions on the EPA registered label of Actellic 5E Insecticide.

Manufactured For:
Agriliance, LLC
P.O Box 64089
St. Paul, MN 55164-0089

Expiration Date: February 14, 2010

0/C28/7