

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	24823		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24808		99.94 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			95.16 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	23373		98.90 %
ABR	187		0.79 %
DISTORTION PRODUCT	62		0.26 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	23622		95.22 %
PASSED	22425		94.89 %
BILATERAL FAIL	350		1.48 %
FAILED IN LEFT EAR ONLY	483		2.04 %
FAILED IN RIGHT EAR ONLY	364		1.54 %
INCOMPLETE SCREEN REPORTS	1060		4.27 %
EQUIPMENT FAILURE	14		1.32 %
NEWBORN DISCHARGED	17		1.60 %
NICU HEARING PENDING	509		48.02 %
REFUSED	159		15.00 %
RESTLESSNESS	5		0.47 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	296		27.92 %
DECEASED	40		3.77 %
OTHER	20		1.89 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2272		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1929)	84.90 %
MISSING CASES	15		0.06 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	350	(295)	84.29 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	847	(720)	85.01 %
INCOMPLETE CASES (RESULTS RECEIVED)	1060	(914)	86.23 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR AGUILERA, KELLY, FREELAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION BORGESS HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	110	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	109	99.09 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	106	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	106	97.25 %
PASSED	102	96.23 %
BILATERAL FAIL	1	0.94 %
FAILED IN LEFT EAR ONLY	1	0.94 %
FAILED IN RIGHT EAR ONLY	2	1.89 %
INCOMPLETE SCREEN REPORTS	3	2.75 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson Constance Brown</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	62.50 %
MISSING CASES	1		0.91 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION BORGESS HOSPITAL - SCN, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson Constance Brown</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION GENESYS HOSPITAL, GRAND BLANC

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	373		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	372		99.73 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.66 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	358		97.28 %
ABR	10		2.72 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	368		98.92 %
PASSED	348		94.57 %
BILATERAL FAIL	3		0.82 %
FAILED IN LEFT EAR ONLY	11		2.99 %
FAILED IN RIGHT EAR ONLY	6		1.63 %
INCOMPLETE SCREEN REPORTS	4		1.08 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mott Childrens Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	96.00 %
MISSING CASES	1		0.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(17)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL - NOVI CAMPUS, NOVI

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	405		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	401		99.01 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.02 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	397		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	397		99.00 %
PASSED	367		92.44 %
BILATERAL FAIL	5		1.26 %
FAILED IN LEFT EAR ONLY	16		4.03 %
FAILED IN RIGHT EAR ONLY	9		2.27 %
INCOMPLETE SCREEN REPORTS	4		1.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		25.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		50.00 %
DECEASED	0		0.00 %
OTHER	1		25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Providence OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(30)	78.95 %
MISSING CASES	4		0.99 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	25	(22)	88.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL, SOUTHFIELD - NICU,
~~SOUTHFIELD~~

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	33	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	33	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.91 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	30	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	30	90.91 %
PASSED	27	90.00 %
BILATERAL FAIL	1	3.33 %
FAILED IN LEFT EAR ONLY	2	6.67 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	9.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Providence OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 83.33 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL, SOUTHFIELD CAMPUS,
~~SOUTHFIELD~~

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	252		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	252		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	252		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	252		100.00 %
PASSED	243		96.43 %
BILATERAL FAIL	2		0.79 %
FAILED IN LEFT EAR ONLY	3		1.19 %
FAILED IN RIGHT EAR ONLY	4		1.59 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Providence OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	88.89 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE ROCHESTER HOSPITAL, ROCHESTER

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	287		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	285		99.30 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			95.12 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	272		99.27 %
ABR	1		0.36 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	273		95.79 %
PASSED	252		91.97 %
BILATERAL FAIL	10		3.65 %
FAILED IN LEFT EAR ONLY	8		2.92 %
FAILED IN RIGHT EAR ONLY	3		1.09 %
INCOMPLETE SCREEN REPORTS	12		4.21 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	12		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lakeshore ENT		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	65.71 %
MISSING CASES	2		0.70 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7)	70.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(7)	63.64 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(9)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	517		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	516		99.81 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.42 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	513		99.81 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.19 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	514		99.61 %
PASSED	485		94.36 %
BILATERAL FAIL	9		1.75 %
FAILED IN LEFT EAR ONLY	9		1.75 %
FAILED IN RIGHT EAR ONLY	11		2.14 %
INCOMPLETE SCREEN REPORTS	2		0.39 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		50.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	1		50.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension St John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	32		
TOTAL FOLLOW UP RESULTS RECEIVED **		(26)	81.25 %
MISSING CASES	1		0.19 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	20	(16)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	175		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	173		98.86 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			92.57 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	162		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	162		93.64 %
PASSED	158		97.53 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	4		2.47 %
INCOMPLETE SCREEN REPORTS	11		6.36 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	5		45.45 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	6		54.55 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension St John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	70.59 %
MISSING CASES	2		1.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(8)	72.73 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL - SCN, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	18		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	18	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	18	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	18	100.00 %	
PASSED	18	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension St John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST. JOSEPH HOSPITAL, TAWAS CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	43	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	43	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	42	97.67 %
ABR	1	2.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	43	100.00 %
PASSED	36	83.72 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	6.98 %
FAILED IN RIGHT EAR ONLY	4	9.30 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Tawas- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS IRONWOOD HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	30	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	29	96.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	29	100.00 %
PASSED	28	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.45 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aspirus Ironwood-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		3.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	47	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	47	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	46	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	46	97.87 %
PASSED	44	95.65 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	4.35 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	2.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aspirus Keweenaw OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BLOCHER, KAYLA, JONESVILLE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOLZMAN, SONDR A, MILLINGTON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	5	(5) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK HOSPITAL, BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	235		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	235		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			94.47 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	222		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	222		94.47 %
PASSED	197		88.74 %
BILATERAL FAIL	8		3.60 %
FAILED IN LEFT EAR ONLY	12		5.41 %
FAILED IN RIGHT EAR ONLY	5		2.25 %
INCOMPLETE SCREEN REPORTS	13		5.53 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	13		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson Battle Creek-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(35)	92.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(16)	94.12 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(13)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	907	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	907	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	877	99.89 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	877	96.69 %
PASSED	850	96.81 %
BILATERAL FAIL	11	1.25 %
FAILED IN LEFT EAR ONLY	6	0.68 %
FAILED IN RIGHT EAR ONLY	10	1.14 %
INCOMPLETE SCREEN REPORTS	30	3.31 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	29	96.67 %
REFUSED	1	3.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	57		
TOTAL FOLLOW UP RESULTS RECEIVED **		(54)	94.74 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(10)	90.91 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	16	(15)	93.75 %
INCOMPLETE CASES (RESULTS RECEIVED)	30	(29)	96.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	81		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	81		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			1.23 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		50.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	1		50.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	77		96.25 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		1.25 %
DECEASED	2		2.50 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson Constance Brown</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	80		
TOTAL FOLLOW UP RESULTS RECEIVED **		(69)	86.25 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	80	(69)	86.25 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICHIGAN - NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	0		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	0		0.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH - GROSSE POINTE , GROSSE POINTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	206	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	206	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	202	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	202	98.06 %
PASSED	197	97.52 %
BILATERAL FAIL	4	1.98 %
FAILED IN LEFT EAR ONLY	1	0.50 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	1.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	75.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO-Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1) 25.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH BEAUMONT TROY HOSPITAL, TROY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1038		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1038		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.81 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1035		99.90 %
ABR	1		0.10 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1036		99.81 %
PASSED	991		95.66 %
BILATERAL FAIL	15		1.45 %
FAILED IN LEFT EAR ONLY	21		2.03 %
FAILED IN RIGHT EAR ONLY	9		0.87 %
INCOMPLETE SCREEN REPORTS	2		0.19 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	2		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Hospital- Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	47		
TOTAL FOLLOW UP RESULTS RECEIVED **		(44)	93.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(13)	86.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	30	(29)	96.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH BEAUMONT TROY HOSPITAL - NICU, TROY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	91	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	97.85 %
PASSED	89	97.80 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.20 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.15 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Hospital-Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH BIG RAPIDS HOSPITAL, BIG RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	99	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	94	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	94	94.95 %
PASSED	90	95.74 %
BILATERAL FAIL	2	2.13 %
FAILED IN LEFT EAR ONLY	2	2.13 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	5.05 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	20.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Corewell Big Rapids	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 88.89 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH BUTTERWORTH HOSPITAL, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1744		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1743		99.94 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.71 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1739		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1739		99.77 %
PASSED	1656		95.23 %
BILATERAL FAIL	16		0.92 %
FAILED IN LEFT EAR ONLY	38		2.19 %
FAILED IN RIGHT EAR ONLY	29		1.67 %
INCOMPLETE SCREEN REPORTS	4		0.23 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	2		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	2		50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	88		
TOTAL FOLLOW UP RESULTS RECEIVED **		(77)	87.50 %
MISSING CASES	1		0.06 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	16	(14)	87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	67	(60)	89.55 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH DEARBORN HOSPITAL, DEARBORN

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1085		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1084		99.91 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.26 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1068		99.16 %
ABR	9		0.84 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1077		99.35 %
PASSED	1016		94.34 %
BILATERAL FAIL	19		1.76 %
FAILED IN LEFT EAR ONLY	26		2.41 %
FAILED IN RIGHT EAR ONLY	16		1.49 %
INCOMPLETE SCREEN REPORTS	7		0.65 %
EQUIPMENT FAILURE	1		14.29 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	2		28.57 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		57.14 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	69		
TOTAL FOLLOW UP RESULTS RECEIVED **		(56)	81.16 %
MISSING CASES	1		0.09 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	19	(17) 89.47 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	42	(33) 78.57 %
INCOMPLETE CASES	(RESULTS RECEIVED)	7	(6) 85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH DEARBORN HOSPITAL - NICU, DEARBORN

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	61	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.97 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	44	88.00 %
ABR	6	12.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	50	81.97 %
PASSED	49	98.00 %
BILATERAL FAIL	1	2.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	11	18.03 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	72.73 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	9.09 %
DECEASED	2	18.18 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(4)	36.36 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH FARMINGTON HILLS HOSPITAL,
FARMINGTON HILLS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	140	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	140	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	138	99.28 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.72 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	99.29 %
PASSED	133	95.68 %
BILATERAL FAIL	3	2.16 %
FAILED IN LEFT EAR ONLY	3	2.16 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 71.43 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH GERBER HOSPITAL, FREMONT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	113	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	111	98.23 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.81 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	106	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	106	95.50 %
PASSED	99	93.40 %
BILATERAL FAIL	2	1.89 %
FAILED IN LEFT EAR ONLY	3	2.83 %
FAILED IN RIGHT EAR ONLY	2	1.89 %
INCOMPLETE SCREEN REPORTS	5	4.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Gerber Mem. Health Serv - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(11) 78.57 %
MISSING CASES	2	1.77 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH GREENVILLE HOSPITAL, GREENVILLE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	97	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	98.97 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	92	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	92	95.83 %
PASSED	92	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	4.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum United OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	1		1.03 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH HELEN DEVOS CHILDREN'S HOSP - NICU,
~~GRAND RAPIDS~~

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	336		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	333		99.11 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			42.26 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	142		97.93 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	142		42.64 %
PASSED	133		91.72 %
BILATERAL FAIL	3		2.07 %
FAILED IN LEFT EAR ONLY	4		2.76 %
FAILED IN RIGHT EAR ONLY	2		1.38 %
INCOMPLETE SCREEN REPORTS	191		57.36 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	184		96.34 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	7		3.66 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	203		
TOTAL FOLLOW UP RESULTS RECEIVED **		(181)	89.16 %
MISSING CASES	3		0.89 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	191	(172)	90.05 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH LAKELAND HOSPITAL, ST JOSEPH

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	204		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	202		99.02 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			92.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	189		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	189		93.56 %
PASSED	188		99.47 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		0.53 %
INCOMPLETE SCREEN REPORTS	13		6.44 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		7.69 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	12		92.31 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Lakeland St Joseph</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	50.00 %
MISSING CASES	2		0.98 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(7)	53.85 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH LUDINGTON HOSPITAL, LUDINGTON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	69	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	97.10 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.20 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	65	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	97.01 %
PASSED	64	98.46 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.54 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Ludington Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	2		2.90 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH NILES HOSPITAL, NILES

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	146	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	146	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.21 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	139	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	95.21 %
PASSED	136	97.84 %
BILATERAL FAIL	2	1.44 %
FAILED IN LEFT EAR ONLY	1	0.72 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	4.79 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Niles</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	70.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH PENNOCK HOSPITAL, HASTINGS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	92	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	92	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	90	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	90	97.83 %
PASSED	84	93.33 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	5	5.56 %
FAILED IN RIGHT EAR ONLY	1	1.11 %
INCOMPLETE SCREEN REPORTS	2	2.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Pennock- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH TRENTON HOSPITAL , TRENTON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	160	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	160	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.38 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	149	98.68 %
ABR	2	1.32 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	151	94.38 %
PASSED	149	98.68 %
BILATERAL FAIL	1	0.66 %
FAILED IN LEFT EAR ONLY	1	0.66 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	5.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	11.11 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	88.89 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(8)	88.89 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH WAYNE HOSPITAL, WAYNE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	120	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	118	98.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	114	96.61 %
PASSED	107	93.86 %
BILATERAL FAIL	1	0.88 %
FAILED IN LEFT EAR ONLY	4	3.51 %
FAILED IN RIGHT EAR ONLY	2	1.75 %
INCOMPLETE SCREEN REPORTS	4	3.39 %
EQUIPMENT FAILURE	1	25.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	69.23 %
MISSING CASES	2		1.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH WILLIAM BEAUMONT UNIV HOSP - NICU,
ROYAL OAK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	114		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	112		98.25 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			64.04 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	73		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	73		65.18 %
PASSED	71		97.26 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	2		2.74 %
INCOMPLETE SCREEN REPORTS	39		34.82 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	28		71.79 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		5.13 %
DECEASED	9		23.08 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	41.86 %
MISSING CASES	2		1.75 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	39	(16)	41.03 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH WILLIAM BEAUMONT UNIV HOSPITAL,
ROYAL OAK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1344		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1343		99.93 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.93 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1343		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1343		100.00 %
PASSED	1282		95.46 %
BILATERAL FAIL	9		0.67 %
FAILED IN LEFT EAR ONLY	26		1.94 %
FAILED IN RIGHT EAR ONLY	26		1.94 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell RO-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62		
TOTAL FOLLOW UP RESULTS RECEIVED **		(53)	85.48 %
MISSING CASES	1		0.07 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(9)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	52	(44)	84.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COREWELL HEALTH ZEELAND HOSPITAL, ZEELAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	197	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	197	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	187	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	187	94.92 %
PASSED	181	96.79 %
BILATERAL FAIL	1	0.53 %
FAILED IN LEFT EAR ONLY	3	1.60 %
FAILED IN RIGHT EAR ONLY	2	1.07 %
INCOMPLETE SCREEN REPORTS	10	5.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	10.00 %
REFUSED	1	10.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Zeeland</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	93.75 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(9)	90.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COUCH, PATRICIA, JACKSON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	13	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	46.15 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		7.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	16.67 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	5	83.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	5	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	41.67 %
MISSING CASES	7		53.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HEALTHCARE, SAGINAW

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	480		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	480		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.79 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	479		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	479		99.79 %
PASSED	441		92.07 %
BILATERAL FAIL	9		1.88 %
FAILED IN LEFT EAR ONLY	18		3.76 %
FAILED IN RIGHT EAR ONLY	11		2.30 %
INCOMPLETE SCREEN REPORTS	1		0.21 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(35)	89.74 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(26)	89.66 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COVENANT HEALTHCARE - NICU, SAGINAW

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	174		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	173		99.43 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	158		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	158		91.33 %
PASSED	155		98.10 %
BILATERAL FAIL	2		1.27 %
FAILED IN LEFT EAR ONLY	1		0.63 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	15		8.67 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		6.67 %
NICU HEARING PENDING	8		53.33 %
REFUSED	2		13.33 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		26.67 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	57.89 %
MISSING CASES	1		0.57 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(9)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DOWD, CATHY, CARO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	15	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	15	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	15	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Tawas- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	106.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(16)	106.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR FARR, TIFFANY, PONTIAC

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	75.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	25.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	100.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GAISKI, RENEE, HASTINGS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	0	0.00 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GAISKI, ROXANNE, HASTINGS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	13	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	38.46 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		38.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	100.00 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	8		61.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GARRIES, STAR, UNION

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GROENENBERG, CELESTE, CHELSEA

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		6.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	28.57 %
MISSING CASES	10		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	473		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	468		98.94 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.10 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	459		98.92 %
ABR	5		1.08 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	464		99.15 %
PASSED	427		92.03 %
BILATERAL FAIL	11		2.37 %
FAILED IN LEFT EAR ONLY	13		2.80 %
FAILED IN RIGHT EAR ONLY	13		2.80 %
INCOMPLETE SCREEN REPORTS	4		0.85 %
EQUIPMENT FAILURE	3		75.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		25.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Hospital -Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	46		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	63.04 %
MISSING CASES	5		1.06 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8)	72.73 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	26	(17)	65.38 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	117	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	117	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		55.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	33.85 %
ABR	43	66.15 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	55.56 %
PASSED	57	87.69 %
BILATERAL FAIL	5	7.69 %
FAILED IN LEFT EAR ONLY	2	3.08 %
FAILED IN RIGHT EAR ONLY	1	1.54 %
INCOMPLETE SCREEN REPORTS	52	44.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	41	78.85 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	9	17.31 %
DECEASED	2	3.85 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	60	
TOTAL FOLLOW UP RESULTS RECEIVED **		(57) 95.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	52	(49) 94.23 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD JACKSON HOSPITAL, JACKSON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	210	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	210	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.52 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	209	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	209	99.52 %
PASSED	196	93.78 %
BILATERAL FAIL	3	1.44 %
FAILED IN LEFT EAR ONLY	5	2.39 %
FAILED IN RIGHT EAR ONLY	5	2.39 %
INCOMPLETE SCREEN REPORTS	1	0.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Jackson</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(14) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD JACKSON HOSPITAL - SCN, JACKSON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	17	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	17	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	15	88.24 %
PASSED	14	93.33 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	6.67 %
INCOMPLETE SCREEN REPORTS	2	11.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Jackson Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB , CLINTON TWP.

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	285	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	283	99.30 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.54 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	278	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	278	98.23 %
PASSED	265	95.32 %
BILATERAL FAIL	4	1.44 %
FAILED IN LEFT EAR ONLY	3	1.08 %
FAILED IN RIGHT EAR ONLY	6	2.16 %
INCOMPLETE SCREEN REPORTS	5	1.77 %
EQUIPMENT FAILURE	2	40.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	60.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20	
TOTAL FOLLOW UP RESULTS RECEIVED **		(16) 80.00 %
MISSING CASES	2	0.70 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(7) 77.78 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB - SCN, CLINTON TOWNSHIP

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	27	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		85.19 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	85.19 %
PASSED	20	86.96 %
BILATERAL FAIL	2	8.70 %
FAILED IN LEFT EAR ONLY	1	4.35 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	14.81 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 85.71 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3) 75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WEST BLOOMFIELD HOSPITAL, WEST
BLOOMFIELD

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	507	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	505	99.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	499	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	499	98.81 %
PASSED	485	97.19 %
BILATERAL FAIL	2	0.40 %
FAILED IN LEFT EAR ONLY	10	2.00 %
FAILED IN RIGHT EAR ONLY	2	0.40 %
INCOMPLETE SCREEN REPORTS	6	1.19 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	33.33 %
REFUSED	3	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford West Bloomfield</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22	
TOTAL FOLLOW UP RESULTS RECEIVED **		(19) 86.36 %
MISSING CASES	2	0.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(10) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(7) 116.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE HOSPITAL, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	297	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	297	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	295	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	295	99.33 %
PASSED	262	88.81 %
BILATERAL FAIL	5	1.69 %
FAILED IN LEFT EAR ONLY	16	5.42 %
FAILED IN RIGHT EAR ONLY	12	4.07 %
INCOMPLETE SCREEN REPORTS	2	0.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(31)	88.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	28	(25)	89.29 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE HOSPITAL - SCN, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	14	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12	85.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		71.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	10	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	10	83.33 %
PASSED	9	90.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	10.00 %
INCOMPLETE SCREEN REPORTS	2	16.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Hospital-Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	2		14.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE HOSPITAL, HILLSDALE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	86	97.73 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.32 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	83	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	83	96.51 %
PASSED	77	92.77 %
BILATERAL FAIL	2	2.41 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	4	4.82 %
INCOMPLETE SCREEN REPORTS	3	3.49 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hillsdale Comm. Hosp. - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 72.73 %
MISSING CASES	2	2.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	313	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	313	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	312	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	312	99.68 %
PASSED	298	95.51 %
BILATERAL FAIL	6	1.92 %
FAILED IN LEFT EAR ONLY	3	0.96 %
FAILED IN RIGHT EAR ONLY	5	1.60 %
INCOMPLETE SCREEN REPORTS	1	0.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Ob</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(16) 106.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(2) 200.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL - SCN, HOLLAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	19	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	19	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	18	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	18	94.74 %
PASSED	18	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	5.26 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLSHOE, JENNIFER, NORTON SHORES

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	100.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	452	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	449	99.34 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	445	99.33 %
ABR	3	0.67 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	448	99.78 %
PASSED	404	90.18 %
BILATERAL FAIL	16	3.57 %
FAILED IN LEFT EAR ONLY	17	3.79 %
FAILED IN RIGHT EAR ONLY	11	2.46 %
INCOMPLETE SCREEN REPORTS	1	0.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Children's HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	48		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	77.08 %
MISSING CASES	3		0.66 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	16	(12)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	28	(24)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER- NICU, FLINT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	105		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	104		99.05 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			73.33 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	77		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	77		74.04 %
PASSED	76		98.70 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		1.30 %
INCOMPLETE SCREEN REPORTS	27		25.96 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	24		88.89 %
REFUSED	1		3.70 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		7.41 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Childrens HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	86.21 %
MISSING CASES	1		0.95 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	27	(24)	88.89 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY - SINAI HOSPITAL, COMMERCE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	187	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	187	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	183	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	183	97.86 %
PASSED	173	94.54 %
BILATERAL FAIL	2	1.09 %
FAILED IN LEFT EAR ONLY	4	2.19 %
FAILED IN RIGHT EAR ONLY	4	2.19 %
INCOMPLETE SCREEN REPORTS	4	2.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	25.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 92.86 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY - SINAI HOSPITAL - NICU, COMMERCE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	23	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	22	95.65 %
PASSED	20	90.91 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	4.55 %
FAILED IN RIGHT EAR ONLY	1	4.55 %
INCOMPLETE SCREEN REPORTS	1	4.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTTON, ASHLEY, YPSILANTI

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	657	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	653	99.39 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	639	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	639	97.86 %
PASSED	611	95.62 %
BILATERAL FAIL	10	1.56 %
FAILED IN LEFT EAR ONLY	10	1.56 %
FAILED IN RIGHT EAR ONLY	8	1.25 %
INCOMPLETE SCREEN REPORTS	14	2.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	21.43 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	10	71.43 %
DECEASED	1	7.14 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	46		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	54.35 %
MISSING CASES	4		0.61 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(4)	40.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(9)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(12)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	54		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	53		98.15 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			88.89 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	48		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	48		90.57 %
PASSED	48		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	5		9.43 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		60.00 %
DECEASED	2		40.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	1		1.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL - SCN, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	24		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	24	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	24	100.00 %	
PASSED	23	95.83 %	
BILATERAL FAIL	1	4.17 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, STURGIS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LEMANSKI, HEATHER, PORT HURON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LIKENS, EMILY, RICHLAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	66.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MAGDANAH, ISRAEL, REDFORD

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MAHESWARAN, COLLEEN, OAKLAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	44.44 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	2	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	44.44 %
MISSING CASES	5		55.56 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MARSHFIELD MEDICAL CENTER - DICKINSON, IRON MOUNTAIN

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	74	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	74	97.37 %
PASSED	72	97.30 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.35 %
FAILED IN RIGHT EAR ONLY	1	1.35 %
INCOMPLETE SCREEN REPORTS	2	2.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Dickinson CO Healthcare - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCCURDY, SANDRA, EAST LANSING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	5	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	5	100.00 %	
PASSED	5	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCINTIRE, SHANNON, MORLEY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	119	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	119	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.80 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	114	95.80 %
PASSED	111	97.37 %
BILATERAL FAIL	1	0.88 %
FAILED IN LEFT EAR ONLY	1	0.88 %
FAILED IN RIGHT EAR ONLY	1	0.88 %
INCOMPLETE SCREEN REPORTS	5	4.20 %
EQUIPMENT FAILURE	2	40.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	1	20.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3) 60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICHIGAN, MT PLEASANT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	94	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.81 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	91	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	96.81 %
PASSED	83	91.21 %
BILATERAL FAIL	2	2.20 %
FAILED IN LEFT EAR ONLY	3	3.30 %
FAILED IN RIGHT EAR ONLY	3	3.30 %
INCOMPLETE SCREEN REPORTS	3	3.19 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University	
<hr/>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 81.82 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN FLINT, FLINT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	63	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	63	92.65 %
PASSED	62	98.41 %
BILATERAL FAIL	1	1.59 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	7.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>McLaren Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	325	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	321	98.77 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	316	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	316	98.44 %
PASSED	299	94.62 %
BILATERAL FAIL	3	0.95 %
FAILED IN LEFT EAR ONLY	6	1.90 %
FAILED IN RIGHT EAR ONLY	8	2.53 %
INCOMPLETE SCREEN REPORTS	5	1.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>McLaren Greater Lansing</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26	
TOTAL FOLLOW UP RESULTS RECEIVED **		(22) 84.62 %
MISSING CASES	4	1.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(14) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	34	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	34	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	33	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	33	97.06 %
PASSED	33	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	2.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lapeer Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	243	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	236	97.12 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.47 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	232	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	232	98.31 %
PASSED	224	96.55 %
BILATERAL FAIL	2	0.86 %
FAILED IN LEFT EAR ONLY	4	1.72 %
FAILED IN RIGHT EAR ONLY	2	0.86 %
INCOMPLETE SCREEN REPORTS	4	1.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	42.11 %
MISSING CASES	7	2.88 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN, PETOSKEY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	98	98.99 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.97 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	93	96.88 %
ABR	3	3.13 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	97.96 %
PASSED	82	85.42 %
BILATERAL FAIL	3	3.13 %
FAILED IN LEFT EAR ONLY	1	1.04 %
FAILED IN RIGHT EAR ONLY	10	10.42 %
INCOMPLETE SCREEN REPORTS	2	2.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Great Lakes ENT Specialists</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 76.47 %
MISSING CASES	1	1.01 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9) 81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN PORT HURON, PORT HURON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	196	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	196	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.45 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	191	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	191	97.45 %
PASSED	183	95.81 %
BILATERAL FAIL	2	1.05 %
FAILED IN LEFT EAR ONLY	6	3.14 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	2.55 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>McLaren Port Huron Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	92.31 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN THUMB REGION, BAD AXE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	57	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	57	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	55	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	55	96.49 %
PASSED	53	96.36 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	3.64 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	3.51 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>HURON EARLY ON</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(2) 50.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEHAFFEY, SAMANTHA, BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEHARG, VALERIE, ROGERS CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024		1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH		1		100.00 %
<u>INITIAL SCREENING RESULTS</u>				
PERCENT SCREENED (bilaterally completed reports/newborn screens)				0.00 %
TEST METHOD (for bilaterally completed screens only)				
AABR (ALGO 1 OR 2)		0		0.00 %
ABR		0		0.00 %
DISTORTION PRODUCT		0		0.00 %
TEOAE		0		0.00 %
BILATERALLY COMPLETED REPORTS				
PASSED		0		0.00 %
BILATERAL FAIL		0		0.00 %
FAILED IN LEFT EAR ONLY		0		0.00 %
FAILED IN RIGHT EAR ONLY		0		0.00 %
INCOMPLETE SCREEN REPORTS				
EQUIPMENT FAILURE		0		0.00 %
NEWBORN DISCHARGED		0		0.00 %
NICU HEARING PENDING		0		0.00 %
REFUSED		1		100.00 %
RESTLESSNESS		0		0.00 %
ENVIRONMENTAL NOISE		0		0.00 %
TRANSFER TO ANOTHER FACILITY		0		0.00 %
DECEASED		0		0.00 %
OTHER		0		0.00 %
<u>FOLLOW UP RESULTS</u>				
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>			
TOTAL INITIAL CASES NEEDING FOLLOW UP *		1		
TOTAL FOLLOW UP RESULTS RECEIVED **			(1)	100.00 %
MISSING CASES		0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTHCARE, OWOSSO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	101	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	93	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	93	92.08 %
PASSED	85	91.40 %
BILATERAL FAIL	1	1.08 %
FAILED IN LEFT EAR ONLY	4	4.30 %
FAILED IN RIGHT EAR ONLY	3	3.23 %
INCOMPLETE SCREEN REPORTS	8	7.92 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	37.50 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	62.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Memorial Healthcare Ctr - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	93.75 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(8)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1187		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1187		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.58 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1182		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1182		99.58 %
PASSED	1151		97.38 %
BILATERAL FAIL	14		1.18 %
FAILED IN LEFT EAR ONLY	10		0.85 %
FAILED IN RIGHT EAR ONLY	7		0.59 %
INCOMPLETE SCREEN REPORTS	5		0.42 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		20.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		40.00 %
DECEASED	0		0.00 %
OTHER	2		40.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Medicine- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	80.56 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(14)	82.35 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	161		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	159		98.76 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			77.02 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	124		99.20 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	124		77.99 %
PASSED	119		95.20 %
BILATERAL FAIL	3		2.40 %
FAILED IN LEFT EAR ONLY	2		1.60 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	35		22.01 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	25		71.43 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		11.43 %
DECEASED	6		17.14 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Medicine- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	42		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	69.05 %
MISSING CASES	2		1.24 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	35	(26)	74.29 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE - PCTU & 11 WEST, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	16	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	13	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	13	81.25 %
PASSED	13	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	18.75 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MILLER, LORIANN, MIO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024		2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH		2		100.00 %
<u>INITIAL SCREENING RESULTS</u>				
PERCENT SCREENED (bilaterally completed reports/newborn screens)				0.00 %
TEST METHOD (for bilaterally completed screens only)				
AABR (ALGO 1 OR 2)		0		0.00 %
ABR		0		0.00 %
DISTORTION PRODUCT		0		0.00 %
TEOAE		0		0.00 %
BILATERALLY COMPLETED REPORTS		0		0.00 %
PASSED		0		0.00 %
BILATERAL FAIL		0		0.00 %
FAILED IN LEFT EAR ONLY		0		0.00 %
FAILED IN RIGHT EAR ONLY		0		0.00 %
INCOMPLETE SCREEN REPORTS		2		100.00 %
EQUIPMENT FAILURE		0		0.00 %
NEWBORN DISCHARGED		0		0.00 %
NICU HEARING PENDING		0		0.00 %
REFUSED		2		100.00 %
RESTLESSNESS		0		0.00 %
ENVIRONMENTAL NOISE		0		0.00 %
TRANSFER TO ANOTHER FACILITY		0		0.00 %
DECEASED		0		0.00 %
OTHER		0		0.00 %
<u>FOLLOW UP RESULTS</u>				
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District			
TOTAL INITIAL CASES NEEDING FOLLOW UP *		2		
TOTAL FOLLOW UP RESULTS RECEIVED **			(2)	100.00 %
MISSING CASES		0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MILLER, POLLY, MORLEY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MORGAN, SHARON, WHITTEMORE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE CADILLAC , CADILLAC

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	97	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	97	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.91 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	94	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	94	96.91 %
PASSED	91	96.81 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	3	3.19 %
INCOMPLETE SCREEN REPORTS	3	3.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aud. Services Cadillac</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE CHARLEVOIX , CHARLEVOIX

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	61		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60		98.36 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.36 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2		3.33 %
ABR	0		0.00 %
DISTORTION PRODUCT	58		96.67 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	33		55.00 %
BILATERAL FAIL	15		25.00 %
FAILED IN LEFT EAR ONLY	5		8.33 %
FAILED IN RIGHT EAR ONLY	7		11.67 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Charlevoix OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	89.29 %
MISSING CASES	1		1.64 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(13)	86.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(12)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE GRAYLING, GRAYLING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	59	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	59	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	55	98.21 %
ABR	1	1.79 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	56	94.92 %
PASSED	54	96.43 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	3.57 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	5.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson Grayling- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE OTSEGO MEMORIAL HOSPITAL,
GAYLORD

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	91	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	91	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	88	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	88	96.70 %
PASSED	84	95.45 %
BILATERAL FAIL	2	2.27 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	2.27 %
INCOMPLETE SCREEN REPORTS	3	3.30 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Otsego Memorial Hospital - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	376	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	376	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	366	99.46 %
ABR	2	0.54 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	368	97.87 %
PASSED	342	92.93 %
BILATERAL FAIL	8	2.17 %
FAILED IN LEFT EAR ONLY	8	2.17 %
FAILED IN RIGHT EAR ONLY	10	2.72 %
INCOMPLETE SCREEN REPORTS	8	2.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	37.50 %
NICU HEARING PENDING	1	12.50 %
REFUSED	3	37.50 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34	
TOTAL FOLLOW UP RESULTS RECEIVED **		(31) 91.18 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(17) 94.44 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(8) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER - NICU, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	52	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	52	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	49	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	49	94.23 %
PASSED	48	97.96 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.04 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	5.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	25.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MURPHY, ELLEN, CONSTANTINE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	88.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	7	87.50 %
BILATERAL FAIL	7	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	1	12.50 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	100.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		11.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MYMICHIGAN MEDICAL CENTER - ALMA , ALMA

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	110		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	110		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.36 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	44		41.51 %
ABR	62		58.49 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	106		96.36 %
PASSED	102		96.23 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	3		2.83 %
FAILED IN RIGHT EAR ONLY	1		0.94 %
INCOMPLETE SCREEN REPORTS	4		3.64 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>CMU Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	87.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MYMICHIGAN MEDICAL CENTER - ALPENA, ALPENA

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	75	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	75	98.68 %
PASSED	74	98.67 %
BILATERAL FAIL	1	1.33 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>N/A</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MYMICHIGAN MEDICAL CENTER - MIDLAND, MIDLAND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	356	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	356	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.47 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	347	99.43 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	347	97.47 %
PASSED	341	97.71 %
BILATERAL FAIL	1	0.29 %
FAILED IN LEFT EAR ONLY	3	0.86 %
FAILED IN RIGHT EAR ONLY	2	0.57 %
INCOMPLETE SCREEN REPORTS	9	2.53 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	11.11 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	88.89 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 86.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(9) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MYMICHIGAN MEDICAL CENTER - SAULT , SAULT STE MARIE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	65	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	97.01 %
PASSED	63	96.92 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	3.08 %
INCOMPLETE SCREEN REPORTS	2	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>MyMichigan- Sault</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MYMICHIGAN MEDICAL CENTER - WEST BRANCH, WEST
BRANCH

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	24		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23		95.83 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			83.33 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	20		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	20		86.96 %
PASSED	20		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	3		13.04 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		4.17 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	178	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	176	98.88 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	165	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	165	93.75 %
PASSED	152	92.12 %
BILATERAL FAIL	3	1.82 %
FAILED IN LEFT EAR ONLY	7	4.24 %
FAILED IN RIGHT EAR ONLY	3	1.82 %
INCOMPLETE SCREEN REPORTS	11	6.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	10	90.91 %
DECEASED	1	9.09 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bronson Constance Brown	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26	
TOTAL FOLLOW UP RESULTS RECEIVED **		(16) 61.54 %
MISSING CASES	2	1.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(8) 72.73 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OHMI MIDWIVES, TOLEDO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OSF ST FRANCIS HOSPITAL, ESCANABA

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	65	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	97.01 %
PASSED	63	96.92 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.54 %
FAILED IN RIGHT EAR ONLY	1	1.54 %
INCOMPLETE SCREEN REPORTS	2	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. Francis OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PAUL, KATTRINA, GALESBURG

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	6	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERA, SANDRA, WAKEFIELD

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Ascension Tawas- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR POTTER, CORRIE, CHARLOTTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	60.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	2		40.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA HICKMAN HOSPITAL, ADRIAN

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	97	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	98.97 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	93.55 %
ABR	6	6.45 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	93	96.88 %
PASSED	77	82.80 %
BILATERAL FAIL	3	3.23 %
FAILED IN LEFT EAR ONLY	7	7.53 %
FAILED IN RIGHT EAR ONLY	6	6.45 %
INCOMPLETE SCREEN REPORTS	3	3.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	1	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Promedica Hickman OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20	
TOTAL FOLLOW UP RESULTS RECEIVED **		(15) 75.00 %
MISSING CASES	1	1.03 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(12) 92.31 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1) 33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA MONROE REGIONAL HOSPITAL, MONROE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	131		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	131		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			91.60 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	120		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	120		91.60 %
PASSED	111		92.50 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	6		5.00 %
FAILED IN RIGHT EAR ONLY	3		2.50 %
INCOMPLETE SCREEN REPORTS	11		8.40 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	11		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Children's Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(4)	44.44 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(8)	72.73 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ROBINSON, HEATHER, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	4	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUTH, BRENDA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		40.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	50.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	50.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SCONYERS, ASHLYN, HOWELL

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SEIF, JENNIFER, HASTINGS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	100.00 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SEIF, JENNIFER, HASTINGS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	3	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	3	100.00 %	
PASSED	3	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SHANK, TIFFANY, SOUTH BEND

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	2	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SHOOK, KRISTEN, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	100		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	92		92.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			88.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	86		97.73 %
ABR	2		2.27 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	88		95.65 %
PASSED	88		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		4.35 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	2		50.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	33.33 %
MISSING CASES	8		8.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	42		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	42		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.62 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	41		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	41		97.62 %
PASSED	41		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		2.38 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		100.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Ascension Providence OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	4		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	125.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	739		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	739		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.46 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	735		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	735		99.46 %
PASSED	698		94.97 %
BILATERAL FAIL	14		1.90 %
FAILED IN LEFT EAR ONLY	10		1.36 %
FAILED IN RIGHT EAR ONLY	13		1.77 %
INCOMPLETE SCREEN REPORTS	4		0.54 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		25.00 %
NICU HEARING PENDING	3		75.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	41		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	90.24 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(13)	92.86 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(20)	86.96 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	108		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	107		99.07 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			75.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	81		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	81		75.70 %
PASSED	80		98.77 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		1.23 %
INCOMPLETE SCREEN REPORTS	26		24.30 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	20		76.92 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		7.69 %
DECEASED	4		15.38 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	85.71 %
MISSING CASES	1		0.93 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	26	(23)	88.46 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR STOCKTON, HELEN, YPSILANTI

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	66.67 %
ABR	1	33.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS HEALTH, THREE RIVERS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	98.51 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.52 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	64	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	64	96.97 %
PASSED	58	90.63 %
BILATERAL FAIL	2	3.13 %
FAILED IN LEFT EAR ONLY	3	4.69 %
FAILED IN RIGHT EAR ONLY	1	1.56 %
INCOMPLETE SCREEN REPORTS	2	3.03 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Three Rivers OB Department</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 66.67 %
MISSING CASES	1	1.49 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH ANN ARBOR, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	1015		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1015		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1013		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1013		99.80 %
PASSED	994		98.12 %
BILATERAL FAIL	5		0.49 %
FAILED IN LEFT EAR ONLY	10		0.99 %
FAILED IN RIGHT EAR ONLY	4		0.39 %
INCOMPLETE SCREEN REPORTS	2		0.20 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Trinity AA-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	90.48 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH ANN ARBOR - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	74	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	74	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.54 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	47	70.15 %
ABR	20	29.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	67	90.54 %
PASSED	66	98.51 %
BILATERAL FAIL	1	1.49 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	9.46 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	71.43 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	14.29 %
DECEASED	1	14.29 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Trinity AA-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	87.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH GRAND RAPIDS, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	391		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	391		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	391		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	391		100.00 %
PASSED	345		88.24 %
BILATERAL FAIL	20		5.12 %
FAILED IN LEFT EAR ONLY	15		3.84 %
FAILED IN RIGHT EAR ONLY	11		2.81 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	46		
TOTAL FOLLOW UP RESULTS RECEIVED **		(40)	86.96 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	20	(18)	90.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	26	(22)	84.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH GRAND RAPIDS - NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	50	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	50	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	42	95.45 %
ABR	2	4.55 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	44	88.00 %
PASSED	44	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	12.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	6	(6) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH LIVONIA, LIVONIA

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	232		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	232		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.28 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	227		99.56 %
ABR	1		0.44 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	228		98.28 %
PASSED	215		94.30 %
BILATERAL FAIL	2		0.88 %
FAILED IN LEFT EAR ONLY	9		3.95 %
FAILED IN RIGHT EAR ONLY	2		0.88 %
INCOMPLETE SCREEN REPORTS	4		1.72 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		25.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		75.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Trinity Livonia OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	94.12 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH MUSKEGON, MUSKEGON

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	384	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	384	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	375	99.47 %
ABR	1	0.27 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	376	97.92 %
PASSED	359	95.23 %
BILATERAL FAIL	6	1.59 %
FAILED IN LEFT EAR ONLY	8	2.12 %
FAILED IN RIGHT EAR ONLY	3	0.80 %
INCOMPLETE SCREEN REPORTS	8	2.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Trinity Muskegon - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25	
TOTAL FOLLOW UP RESULTS RECEIVED **		(25) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(8) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH OAKLAND, PONTIAC

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	405	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	405	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	402	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	402	99.26 %
PASSED	380	94.53 %
BILATERAL FAIL	7	1.74 %
FAILED IN LEFT EAR ONLY	9	2.24 %
FAILED IN RIGHT EAR ONLY	6	1.49 %
INCOMPLETE SCREEN REPORTS	3	0.74 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Trinity Oakland -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	84.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(12)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TRINITY HEALTH OAKLAND - NICU, PONTIAC

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		72.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	49	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	49	72.06 %
PASSED	47	95.92 %
BILATERAL FAIL	1	2.04 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	2.04 %
INCOMPLETE SCREEN REPORTS	19	27.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	14	73.68 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	10.53 %
DECEASED	3	15.79 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Trinity Oakland -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	95.24 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	19	(19)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR UNIVERSITY OF MICHIGAN HEALTH - WEST, WYOMING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	413	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	413	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.34 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	402	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	402	97.34 %
PASSED	374	93.03 %
BILATERAL FAIL	13	3.23 %
FAILED IN LEFT EAR ONLY	9	2.24 %
FAILED IN RIGHT EAR ONLY	6	1.49 %
INCOMPLETE SCREEN REPORTS	11	2.66 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	11	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	94.87 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	13	(13)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(13)	86.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(11)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - BELL, ISHPEMING

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	66		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65		98.48 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.91 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	60		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	60		92.31 %
PASSED	59		98.33 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		1.67 %
INCOMPLETE SCREEN REPORTS	5		7.69 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	2		40.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		60.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	57.14 %
MISSING CASES	1		1.52 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - MARQUETTE, MARQUETTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	97.75 %
PASSED	84	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.45 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>UP Health Marquette OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - MARQUETTE - NICU, MARQUETTE

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	36	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	35	97.22 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	27	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	27	77.14 %
PASSED	27	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	22.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	7	87.50 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>UP Health Marquette OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	1		2.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(5)	62.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - PORTAGE, HANCOCK

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.39 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	89.39 %
PASSED	53	89.83 %
BILATERAL FAIL	2	3.39 %
FAILED IN LEFT EAR ONLY	2	3.39 %
FAILED IN RIGHT EAR ONLY	2	3.39 %
INCOMPLETE SCREEN REPORTS	7	10.61 %
EQUIPMENT FAILURE	3	42.86 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	14.29 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	42.86 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Upper Peninsula Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 69.23 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(4) 57.14 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	14	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	14	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	14	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell Zeeland</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	107.14 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(15)	107.14 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WAITE, JESSICA, NEWAYGO

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		60.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	60.00 %
PASSED	2	66.67 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	33.33 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	40.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	166.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(4)	200.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	38	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	38	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	38	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Corewell GR Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(38)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	38	(38) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WICKEY, SADIE, HOMER

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

NEWBORN SCREENS FROM 04/01/2024 - 06/30/2024	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	8	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	8	88.89 %
PASSED	8	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	11.11 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
