

TABLE 1. Demographic Information on Prevalent HIV/AIDS Cases Living in ALLEGAN CO. at Diagnosis

	EST PREV*	REPORTED PREVALENCE[†]						CENSUS 2008 ESTIMATES	
		HIV, not AIDS		AIDS		Total		Rate per 100,000[§]	Number Percent
	Number	Number Percent	Number Percent	Number Percent	Number Percent	Number Percent			Number
RACE/ ETHNICITY[¶]									
White	80	24 (77%)	38 (83%)	62 (81%)	61.1	101,448 (90%)			
Black	10	5 (16%)	5 (11%)	10 (13%)	668.9	1,495 (1%)			
Hispanic	10	<5 **	<5 **	<5 **	**	7,585 (7%)			
Asian/PI	0	0 (0%)	0 (0%)	0 (0%)	**	774 (1%)			
Am Indian/AN	0	0 (0%)	0 (0%)	0 (0%)	**	539 (<1%)			
Multi/Unk	10	<5 **	0 (0%)	<5 **	N/A	1,134 (1%)			
SEX & RACE									
Males	90	27 (87%)	43 (93%)	70 (91%)	124.2	56,339 (50%)			
White Males	80	23 (74%)	36 (78%)	59 (77%)	117.0	50,422 (45%)			
Black Males	10	<5 **	5 (11%)	8 (10%)	---	776 (1%)			
Hispanic Males	10	0 (0%)	<5 **	<5 **	**	4,014 (4%)			
Other Males	10	<5 **	0 (0%)	<5 **	**	1,127 (1%)			
Females	10	<5 **	<5 **	7 (9%)	---	56,636 (50%)			
White Females	10	<5 **	<5 **	<5 **	**	51,026 (45%)			
Black Females	10	<5 **	0 (0%)	<5 **	**	719 (1%)			
Hispanic Fmls	10	<5 **	<5 **	<5 **	**	3,571 (3%)			
Other Females	0	0 (0%)	0 (0%)	0 (0%)	**	1,320 (1%)			
RISK*									
Male-Male Sex	80	23 (74%)	35 (76%)	58 (75%)	N/A	N/A N/A			
Injection Drug Use	0	0 (0%)	0 (0%)	0 (0%)	N/A	N/A N/A			
MSM/IDU	10	0 (0%)	<5 **	<5 **	N/A	N/A N/A			
Blood Products	10	<5 **	<5 **	<5 **	N/A	N/A N/A			
Heterosexual	10	<5 **	5 (11%)	8 (10%)	N/A	N/A N/A			
HRH	10	<5 **	5 (11%)	6 (8%)	N/A	N/A N/A			
PH-Female	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
Perinatal	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
Undetermined	10	<5 **	<5 **	7 (9%)	N/A	N/A N/A			
PH-Male	10	<5 **	<5 **	5 (6%)	N/A	N/A N/A			
Unknown	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
AGE AT HIV DIAGNOSIS									
0 - 12 years	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
13 - 19 years	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
20 - 24 years	10	0 (0%)	<5 **	<5 **	N/A	N/A N/A			
25 - 29 years	20	<5 **	11 (24%)	14 (18%)	N/A	N/A N/A			
30 - 39 years	40	11 (35%)	17 (37%)	28 (36%)	N/A	N/A N/A			
40 - 49 years	30	12 (39%)	13 (28%)	25 (32%)	N/A	N/A N/A			
50 - 59 years	10	<5 **	<5 **	<5 **	N/A	N/A N/A			
60 years and over	10	<5 **	0 (0%)	<5 **	N/A	N/A N/A			
Unspecified	0	0 (0%)	0 (0%)	0 (0%)	N/A	N/A N/A			
TOTAL	100	31 (100%)	46 (100%)	77 (100%)	68	112,975 (100%)			

*See page 5 for descriptions of prevalence estimate calculations and new risk category groupings. Risk categories used in Michigan are newly defined as of the July 2007 quarter.

[†] Includes reports that contain patient name or are otherwise unduplicated. <5 and "**" = 1, 2, 3, or 4 cases.

[§] To calculate "1 out of x" statements, divide the census number by total reported prevalence. For example, for non-Hispanic whites: 101,448 / 62 = 1,636. Thus, 1 out of every 1,636 non-Hispanic white persons in ALLEGAN CO. are living with HIV. Rates and "1 out of x" statements are not reliable for <10 cases. Thus, rates for <10 cases are shown as "----".

[¶] In this report, persons described as white, black, Asian/Pacific Islander (PI), or American Indian/Alaska Native (AN) are all non-Hispanic; persons described as Hispanic might be of any race.

TABLE 2. Sex, Race, and Risk Among Prevalent HIV/AIDS Cases in ALLEGAN CO.

MALES	White	Black	Hispanic	Other or Unknown	Male Subtotal
Male-Male sex	53 (90%)	<5 **	<5 **	0 (0%)	58 (83%)
Injecting Drug Use	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Male-Male Sex/IDU	0 (0%)	<5 **	0 (0%)	0 (0%)	<5 **
Blood Products	<5 **	0 (0%)	0 (0%)	0 (0%)	<5 **
Heterosexual*	<5 **	<5 **	0 (0%)	0 (0%)	<5 **
Perinatal	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Undetermined	<5 **	<5 **	<5 **	<5 **	6 (9%)
<i>PH-Male</i>	<5 **	<5 **	<5 **	0 (0%)	5 (7%)
<i>Unknown</i>	0 (0%)	0 (0%)	0 (0%)	<5 **	<5 **
Male Subtotal	59 (84%)	8 (11%)	<5 **	<5 **	70 (100%)
FEMALES	White	Black	Hispanic	Other or Unknown	Female Subtotal
Injecting Drug Use	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Blood Products	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Heterosexual	<5 **	<5 **	<5 **	0 (0%)	5 (71%)
<i>HRH</i>	<5 **	0 (0%)	<5 **	0 (0%)	<5 **
<i>PH-Female</i>	<5 **	<5 **	0 (0%)	0 (0%)	<5 **
Perinatal	0 (0%)	0 (0%)	<5 **	0 (0%)	<5 **
Undetermined*	0 (0%)	<5 **	0 (0%)	0 (0%)	<5 **
Female Subtotal	<5 **	<5 **	<5 **	0 (0%)	7 (100%)
TOTAL	White	Black	Hispanic	Other or Unknown	Risk Total
Male-Male sex	53 (85%)	<5 **	<5 **	0 (0%)	58 (75%)
Injecting Drug Use	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Male-Male Sex/IDU	0 (0%)	<5 **	0 (0%)	0 (0%)	<5 **
Blood Products	<5 **	0 (0%)	0 (0%)	0 (0%)	<5 **
Heterosexual	<5 **	<5 **	<5 **	0 (0%)	8 (10%)
<i>HRH</i>	<5 **	<5 **	<5 **	0 (0%)	6 (8%)
<i>PH-Female</i>	<5 **	<5 **	0 (0%)	0 (0%)	<5 **
Perinatal	0 (0%)	0 (0%)	<5 **	0 (0%)	<5 **
Undetermined	<5 **	<5 **	<5 **	<5 **	7 (9%)
<i>PH-Male</i>	<5 **	<5 **	<5 **	0 (0%)	5 (6%)
<i>Unknown</i>	0 (0%)	<5 **	0 (0%)	<5 **	<5 **
RACE TOTAL	62 (81%)	10 (13%)	<5 **	<5 **	77 (100%)

*In the male subset all cases in the heterosexual category are HRH because the PH-Female category is not applicable to males and, likewise, in the female subset, all cases in the undetermined category are of unknown risk because the PH-Male category is not applicable to females. See page 5 for additional details about the changes to Michigan's risk categories.

TABLE 3. New Diagnoses, Deaths, and Prevalence of HIV/AIDS in ALLEGAN CO. by Year


Year	<i>HIV/AIDS</i>			New AIDS Diagnoses	<i>AIDS</i>	
	New HIV Diagnoses	Deaths	Prevalence		Deaths	Prevalence
1983	0	0	0	0	0	0
1984	0	0	0	0	0	0
1985	6	0	6	0	0	0
1986	4	0	10	0	0	0
1987	6	0	16	0	0	0
1988	7	0	23	1	0	1
1989	5	3	25	6	3	4
1990	9	2	32	3	2	5
1991	3	2	33	4	2	7
1992	10	1	42	10	1	16
1993	4	6	40	8	6	18
1994	4	4	40	7	3	22
1995	5	4	41	5	4	23
1996	6	4	43	6	4	25
1997	7	1	49	5	1	29
1998	3	2	50	2	1	30
1999	8	2	56	7	2	35
2000	2	3	55	3	3	35
2001	4	4	55	4	4	35
2002	3	2	56	1	2	34
2003	4	1	59	3	1	36
2004	4	0	63	0	0	36
2005	2	0	65	3	0	39
2006	3	0	68	2	0	41
2007	5	1	72	2	1	42
2008	4	1	75	3	1	44
2009	2	0	77	2	0	46
TOTAL	120	43		87	41	

The prevalence of HIV in Michigan has steadily increased, since persons with HIV are living longer. This is largely due to improved anti-retroviral therapy.

The increase in HIV prevalence is also reflected in Figure 1 on page 4, which shows that the number of persons diagnosed, while stable for the last several years, is greater than the number of deaths each year. This directly contributes to the increase in prevalence. The current reported prevalence of HIV/AIDS in ALLEGAN CO. is 77. The prevalence of AIDS, which is a subset of HIV/AIDS prevalence, is 46.

As implied, the HIV/AIDS section displays data on all persons with HIV, including those with AIDS, as well as those who have not been diagnosed with AIDS. Thus, persons represented in the AIDS section are also represented in the HIV/AIDS section. The number of reported deaths includes deaths directly attributable to presence of HIV/AIDS as well as deaths due to other causes.

NOTE: Reporting for recent years may not be complete. Data are not adjusted to account for reporting delays.

FIGURE 1. New Diagnoses, Deaths, and Prevalence of HIV/AIDS in ALLEGAN CO. by Year**TABLE 5. Comparison of HIV/AIDS Prevalence in ALLEGAN CO. to State**

<i>Residence at Diagnosis</i>	<i>Estimated Prevalence</i>	<i>Reported Prevalence</i>				<i>Cumulative AIDS</i>
		<i>HIV, not AIDS</i>	<i>AIDS</i>	<i>Total</i>	<i>Rate</i>	
Allegan Co.	100	31	46	77	68	87
Michigan Total	18,800	6,695	7,676	14,371	144	16,678

ADDITIONAL NOTES

Prevalence Estimate Calculations

HIV prevalence estimates include all persons living in ALLEGAN CO. at diagnosis of HIV or AIDS and incorporates an approximation of those not reported or not yet diagnosed. All estimates are rounded to the nearest ten, and the minimum estimate given is

Risk Groups

In June 2007, the CSTE issued a position statement proposing the creation of a "presumed heterosexual" category. As a result, the following changes were made to Michigan's HIV risk categories.

Heterosexual risk is made up of two sub-categories, (1) HRH [High Risk Heterosexual]: Males and females whose sexual partners are known to be HIV-infected or at high risk for HIV. The partners meet one of the following criteria: a history of sexual contact

Undetermined risk is made up of two sub-categories, (1) PH [Presumed Heterosexual]-Male: Males whose only reported risk is heterosexual contact, and their female partners' risk and HIV status are unknown and (2) Unknown: Males and Females with no identifiable risk



Michigan Department of Community Health
HIV/STD/VH/TB Epidemiology Section
Division of Communicable Disease
Bureau of Epidemiology

Jennifer M. Granholm, Governor
Janet Olszewski, Director
<http://www.michigan.gov/hivstd>

Lansing Office 201 Townsend St., 5th Floor
Lansing, MI 48913
517-335-8165

Detroit Office 1151 Taylor St., Room 211B
Detroit, MI 48202
313-876-0353