#### MICHIGAN DEPARTMENT OF COMMUNITY HEALTH

CERTIFICATE OF NEED (CON) REVIEW STANDARDS FOR

POSITRON EMISSION TOMOGRAPHY (PET) SCANNER SERVICES

## 

2.4

(By authority conferred on the CON Commission by Section 22215 of Act No. 368 of the Public Acts of 1978, as amended, and sections 7 and 8 of Act No. 306 of the Public Acts of 1969, as amended, being sections 333.22215, 24.207 and 24.208 of the Michigan Compiled Laws.)

### Section 1. Applicability

- Sec. 1. (1)-These standards are requirements for the approval OF THE INITIATION, REPLACEMENT, EXPANSION, OR ACQUISITION OF PET SCANNER SERVICES, and THE delivery of THESE services for all projects approved and Certificates of Need issued under Part 222 of the Code that involve PET scanner services.
- (2) PET is a covered clinical service for purposes of PURSUANT TO Part 222 of the Code. A PET scanner previously approved pursuant to Section 10 of these standards and recognized by the Department as a dedicated research PET scanner listed in the Department Inventory of PET Scanners, and now seeking approval to operate pursuant to sections 3, 4, or 5, shall be considered as a person requesting CON approval to initiate or expand, as applicable, a PET scanner service.
- (3) PET SCANNER SERVICES ARE A COVERED CLINICAL SERVICE. The Department shall use sections 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 16, 17, 18, 19, 20, and 21, as applicable, THESE STANDARDS in applying Section 22225(1) of the Code, being Section 333.22225(1) of the Michigan Compiled Laws -
- (4) The Department shall use sections 14 and 15, as applicable, in applying AND Section 22225(2)(c) of the Code, being Section 333.22225(2)(c) of the Michigan Compiled Laws.
- (5) The Department shall use Section 13, as applicable, in applying Section 22215(1)(b) of the Code, being Section 333.22215(1)(b) of the Michigan Compiled Laws.

### Section 2. Definitions

- Sec. 2. (1) For purposes of these standards:
- (a) "Accelerator" means an apparatus, such as a linear accelerator or cyclotron, for accelerating charged particles to high energies by means of electromagnetic fields.
- (b) "Acquisition of an existing PET scanner" means obtaining possession or control of an existing PET scanner from an existing PET scanner service by contract, ownership, lease, or other comparable arrangement.
- (c) "Acquisition of an existing PET scanner service" means obtaining possession or control of an existing PET service and its unit(s) by contract, ownership, lease, or other comparable arrangement.
  - (d) "Anatomical site" means the physical area that can be imaged by a single PET scan.
- (e) "Arterial sampling" means the insertion of an in-dwelling intra-arterial catheter for the withdrawal of arterial blood as part of a PET procedure.
- (f) "Bed position" means the anatomical site being imaged. A change in bed position occurs when a different anatomical site is imaged and the scan requires the physical relocation of the patient relative to the PET scanner.
- (hB) "Code" means Act No. 368 of the Public Acts of 1978, as amended, being Section 333.1101 et seq. of the Michigan Compiled Laws.
  - (i) "Cyclotron" means an apparatus for accelerating charged particles to high energies by means

55

67 68

74

75

105 106

- (i) "Dedicated pediatric PET scanner" means a PET scanner approved pursuant to Section 11 of these standards, recognized by the Department as a dedicated pediatric PET scanner listed in the Department Inventory of PET Scanners, and is a PET scanner upon which at least 70% of the PET procedures are performed on patients under 18 years of age.
- (k) "Dedicated research PET scanner" means a PET scanner approved pursuant to Section 10 of these standards and recognized by the Department as a dedicated research PET scanner listed in the Department Inventory of PET Scanners. The Department shall modify the Department Inventory of PET Scanners as applicable.
- (IC) "Department" means the state agency known as the Michigan Department of Community Health (MDCH).
- (m) "Department inventory of PET scanners" or "Department Inventory" means the list, maintained by the Department on a continuous basis, of: (i) the PET scanners operating pursuant to a valid CON issued under Part 222 or former Part 221; (ii) PET scanners that are not yet operational but have a valid CON issued under Part 222; (iii) proposed PET scanners under appeal from a final Department decision or pending a hearing from a proposed decision issued under Part 222 of the Code; and (iv) proposed PET scanners that are part of a completed application under Part 222 of the Code.
- (n) "Dynamic PET scan" means a PET scan that is closely timed to the administration of a radiopharmaceutical in order to capture the perfusion of the tracer.
- (eD) "Existing PET scanner" means an CON-approved and operational PET scanner used to provide PET services on the date an application is submitted to the Department.
- (pE) "Existing PET scanner service" means an CON-approved and operational PET scanner(s) SERVICE-used to provide providing PET SCANNER services at one site in the case of a fixed PET service or at each host site in the case of a mobile PET service on the date an application is submitted to the Department.
- (g) "Expand a fixed PET scanner service" means increasing the number of fixed PET scanners at the same geographic location of an existing fixed PET scanner service.
- (r) "Expand a mobile PET scanner service" means the addition of a mobile PET scanner that will be operated by a central service coordinator in the same planning area in which the CSC is approved primarily to operate one or more mobile PET scanners as of the date an application is submitted to the Department.
  - (s) "FDG" means 2-{fluorine-18} fluoro-2-deoxy-D-glucose radiopharmaceuticals.
  - (tF) "Health service area" or "HSA" means the groups of counties listed in Section 22APPENDIX A.
  - (UG) "Hospital" means a health facility licensed under Part 215 of the Code.
- (vH) "Host site" means the geographic address at which a mobile PET scanner is authorized by CON to provide mobile PET scanner services.
- (w) "Initiate a mobile PET host site" means the provision of PET services at a host site that has not received any approved mobile PET services within 12 months from the date an application is submitted to the Department. The term does not include the renewal of a lease for the mobile PET service(s).
- (x) "Initiate a PET scanner service" means begin operation of a PET scanner service, either fixed or mobile, at a geographic location that does not offer (or has not offered within the last consecutive 12month period) approved PET scanner services and is not listed on the Department Inventory of PET Scanners on the date on which an application is submitted to the Department.
- (y) "Institutional review board" or "IRB" means an institutional review board as defined by Public Law 93-348 which is regulated by Title 45 CFR 46.
- (zl) "Medicaid" means title XIX of the social security act, chapter 531, 49 Stat. 620, 42 U.S.C.1396 to 1396g and 1396i to 1396u.
- (aa) "Metropolitan statistical area county" means a county located in a metropolitan statistical area as that term is defined under the "standards for defining metropolitan and micropolitan statistical areas" by the statistical policy office of the office of information and regulatory affairs of the United States office of management and budget, 65 F.R. p. 82238 (December 27, 2000) and as shown in Appendix A.
- (bbJ) "Michigan Inpatient Data Base" or "MIDB" means the data base compiled by the Michigan Health and Hospital Association or successor organization. The data base consists of inpatient

discharge records from all Michigan hospitals and Michigan residents discharged from hospitals in border states for a specific calendar year.

- (cc) "Micropolitan statistical area county" means a county located in a micropolitan statistical area as that term is defined under the "standards for defining metropolitan and micropolitan statistical areas" by the statistical policy office of the office of information and regulatory affairs of the United States office of management and budget, 65 F.R. p. 82238 (December 27, 2000) and as shown in Appendix A.
- (edK) "Mobile PET scanner" means a PET scanner unit and transporting equipment operated by a central service coordinator that serves two or more host sites.
- (eeL) "Mobile PET scanner network" means the route (i.e., all host sites) that the central service coordinator is authorized to serve under CON. The mobile PET unit shall operate under a contractual agreement for the provision of PET services on a regularly scheduled basis at each host site, with a minimum of one visit per year.
  - (ff) "Out-state Michigan" means health service areas two (2) through eight (8).
- (ggM) "Patient visit" means a single session lasting no more than one day utilizing a PET scanner during which 1 or more PET procedures are performed.
  - (hhN) "Pediatric patient" means any patient less than 18 years of age.

107

108

109 110

111

112

113

114

115

116 117

118

119

120 121

122

124 125

126

127

128

138 139

140

141

142 143

144

145

146 147

148

149

150

151 152

153 154

155

156 157

158

- (iiO) "PET data unit" means the result of the methodology as used in Section 1712. 123
  - (jiP) "PET equivalent" means the number calculated in accordance with Section 16 17 for a single patient visit.
  - (kkPQO) "PET procedure" means the acquisition of a single image or image sequence involving a single injection of tracer.
  - (HQRP) "PET scan" means one (1) or more PET procedures performed during a single patient visit.
- (mmRSQ) "PET scanner" means an FDA-approved full or partial ring scanner or coincidence system 129
- that has a crystal at least 5/8-inch thick, techniques to minimize or correct for scatter and/or randoms, and 130 digital detectors and iterative reconstruction. Further, the term does include PET/CT scanner hybrids. If
- 131 132 the PET/CT scanner will be used for computed tomography (CT) scans only in conjunction with the PET
- scan, then no separate CON is required for that CT use. The term does not include single-photon 133
- emission computed tomography systems (SPECT), x-ray CT systems, magnetic resonance, ultrasound 134
- computed tomographic systems, gamma cameras modified for either non-coincidence or coincidence 135 imaging, or similar technology. 136
- 137 (nnSTR) "PET scanner services" or "PET services" means either the CON-approved-utilization of a PET unit(s) at one site in the case of a fixed PET service or at each host site in the case of a mobile PET service.
  - (ooTU) "Planning area" means the health service area(s), as applicable, and identified in Section.
  - (pp) "Radionuclide generator" means the source of radioactive material, other than an accelerator or nuclear reactor, used to produce radiopharmaceuticals.
  - (qq) "Radiopharmaceutical" means a radioactive pharmaceutical used for diagnostic or therapeutic purposes.
  - (rr) "Relocate a fixed PET scanner" means a change in the location of a fixed PET scanner(s) from the existing site to a different site within the relocation zone.
  - (ss) "Relocate an existing fixed PET scanner service" means a change in the location of a fixed pet scanner service and its unit(s) from the existing site to a different site within the relocation zone.
  - (tt) "Relocation zone" means a proposed site that is within a 10-mile radius of the existing fixed PET scanner service for a metropolitan statistical area county and a 25-mile radius of the existing fixed PET scanner service for a rural or micropolitan statistical area county, based upon documentation acceptable and verified by the Department.
  - (uu) "Replace a PET scanner" means an equipment change, other than an upgrade, involving a PET scanner that results in that applicant operating the same number of PET scanners before and after project completion.
  - (vv) "Rural county" means a county not located in a metropolitan statistical area or micropolitan statistical areas as those terms are defined under the "standards for defining metropolitan and micropolitan statistical areas" by the statistical policy office of the office of information regulatory affairs of the United States office of management and budget, 65 F.R. p. 82238 (December 27, 2000) and as

160		Appendix A.
161		"SPECT" means single photon emission computed tomography.
162		"Static PET scan" means any PET scan that is not dynamic.
163		"Tracer" means a radiopharmaceutical developed for use in PET scanner services which allows
164		tification and/or qualitative images of chemistry, metabolism, and/or perfusion in vivo.
165	\ /	"Transmission scan" means transmission computed tomography using a sealed radioactive
166	•	ource or x-ray tube photon source applied to the attenuation correction of the emission scan
167	<del>data.</del>	
168		"Upgrade an existing PET scanner" means any equipment change that:
169		does not involve a change in, or replacement of, the scanner;
170	\ /	does not result in an increase in the number of PET scanners;
171		does not result in a change in the type of PET scanner (e.g., changing a mobile PET scanner to
172		ET scanner) or a change in manufacturer; and
173	<del>(IV)</del>	involves a capital expenditure of less than \$500,000 in any consecutive 24-month period.
174	(0)	The definitions in Dort 200 shall early to these standards
L75	(2)	The definitions in Part 222 shall apply to these standards.
L76	Soction	3. Requirements for approval for all fixed services and mobile host sites TO INITIATE A
L77 L78		NNER SERVICE
178 179	PET SCA	ANNER SERVICE
180	Sec	. 3. (1) An applicant proposing to provide INITIATE PET scanner services shall provide
181		STRATE the following services and medical specialties, AS APPLICABLE TO THE PROPOSED
182	PROJEC	
183	ITCOLO	<u></u>
184	(1)	THE APPLICANT SHALL DEMONSTRATE THE PROPOSED SITE PROVIDES THE
185		/ING SERVICES AND SPECIALTIES:
186		nuclear medicine services AS DOCUMENTED BY A CERTIFICATE FROM THE US NUCLEAR
187		TORY COMMISSION, as documented on the certificate issued by the Department of
188		nental Quality,
189	(b)	single photon emission computed tomography (SPECT) services,
190	(c)	
191	(d)	
192	(e)	
193	(f)	open heart surgery,
194	(g)	thoracic surgery,
195	(h)	cardiology,
196	(i)	oncology,
197	(j)	radiation oncology,
198		neurology,
199	(I)	neurosurgery, and
200	(m)	psychiatry.
201		
202		_If the <del>applicant PROPOSED SITE</del> does not provide any of the services listed in this-subsection
203		same site at which the proposed PET scanner service will be located ON-SITE, the applicant
204		ude in the application PROVIDE written contracts or agreements with a hospital(s) located within
205		planning area OR <u>25MILES RADIUS</u> OF THE PROPOSED SITE for the services not provided
206	at the pro	pposed PET scanner service site.
207		
208		THE APPLICANT SHALL DEMONSTRATE THE PROPOSED SITE HAS AN ON-SITE
209	SOURCE	OF RADIOPHARMACEUTICALS.
210		
211	<del>(2<u>4)</u>-</del>	-If <del>a-THE</del> proposed <del>PET scanner service</del> SITE does not <del>involve</del> <u>PROVIDE</u> an on-site source of

radiopharmaceuticals, an <u>THE</u> applicant must <u>SHALL</u> provide in the application a written contract or

217218

219

220 221

222223

224

225

226227

228

213

- (54) AN APPLICANT PROPOSING TO INITIATE A FIXED PET SCANNER SERVICE WITH ITS FIRST PET SCANNER SHALL PROJECT 2,600 PET DATA UNITS OR SHALL DEMONSTRATE ALL OF THE FOLLOWING:
- (A) THE APPLICANT IS CURRENTLY A HOST SITE BEING SERVED BY ONE OR MORE MOBILE PET SCANNER SERVICES.
  - (B) THE APPLICANT HAS PERFORMED:
- (I) 1,700 PET EQUIVALENTS IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT FOR A HOST SITE IN A METROPOLITAN STATISTICAL AREA COUNTY, OR
- (II) 1,500 PET EQUIVALENTS IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT FOR A HOST SITE IN A RURAL OR MICROPOLITAN STATISTICAL AREA COUNTY.
- (C) THE APPLICANT AGREES TO CEASE OPERATION AS A HOST SITE AND NOT BECOME A HOST SITE FOR AT LEAST 12 MONTHS FROM THE DATE THE FIXED PET SCANNER BECOMES OPERATIONAL.

229230231

232

233

234

235236

237238

239

240

241

- (65) AN APPLICANT PROPOSING TO INITIATE A MOBILE PET SCANNER SERVICE WITH ITS FIRST MOBILE PET SCANNER SHALL PROJECT 2,100 PET DATA UNITS.
- (A) OF THE 2,100 PET DATA UNITS, THE APPLICANT SHALL PROJECT A MINIMUM OF 360 PET DATA UNITS WITHIN A 20-MILE RADIUS OF EACH PROPOSED HOST SITE FOR PLANNING AREA 1, OR 240 PET DATA UNITS PER HOST SITE FOR ANY OTHER PLANNING AREA, FOR THE PROPOSED SERVICE.
- (B) THE APPLICATION FOR THE MOBILE PET SCANNER SERVICE IS ACCOMPANIED BY AT LEAST TWO HOST SITE APPLICATIONS.
- (C) EACH APPLICANT PROVIDES A ROUTE SCHEDULE FOR THE PROPOSED MOBILE PET SCANNER SERVICE.
- (D) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR SERVICES BETWEEN THE PROPOSED HOST SITE AND CENTRAL SERVICE COORDINATOR.

242243244

245

246

247

248

249

250

251252

253

- (76) AN APPLICANT PROPOSING TO INITIATE A HOST SITE ON A PROPOSED OR EXISTING MOBILE PET SCANNER SERVICE SHALL DEMONSTRATE THE FOLLOWING:
  - (A) THE APPLICANT PROVIDES A PROPOSED ROUTE SCHEDULE.
- (B) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR SERVICES BETWEEN THE PROPOSED HOST SITE AND CENTRAL SERVICE COORDINATOR.
- (C) THE APPLICANT HAS NOT INITIATED FIXED PET SCANNER SERVICES UNDER SUBSECTION 3(54) WITHIN THE MOST RECENT 12-MONTH PERIOD AS OF THE DATE THE APPLICATION IS SUBMITTED TO THE DEPARTMENT.
- (D) AN APPLICANT INITIATING A HOST SITE IN HSA 8 ON A MOBILE PET SCANNER SERVICE THAT OPERATES PREDOMINANTLY OUTSIDE OF MICHIGAN SHALL DEMONSTRATE 240 PET DATA UNITS FROM PLANNING AREA 6.

254255256

257258

259

260

261

262

263

- (87) AN APPLICANT PROPOSING TO INITIATE PET SCANNER SERVICES AS AN EXISTING HOST SITE ON A DIFFERENT MOBILE PET SCANNER SERVICE SHALL DEMONSTRATE THE FOLLOWING:
  - (A) THE APPLICANT PROVIDES A PROPOSED ROUTE SCHEDULE.
- (B) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR SERVICES BETWEEN THE PROPOSED HOST SITE AND CENTRAL SERVICE COORDINATOR.
- (C) 50 PET EQUIVALENTS WERE PERFORMED IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT FROM AN EXISTING MOBILE PET SCANNER SERVICE AT THE FOR AN-EXISTING HOST SITE-.

Sec. 4. REPLACING A PET SCANNER(S) MEANS A CHANGE IN THE SCANNER EQUIPMENT OR RELOCATION OF THE SERVICE TO A NEW SITE. AN UPGRADE TO SOFTWARE OR COMPONENTS OF AN EXISTING SCANNER DOES NOT CONSTITUTE REPLACEMENT OF A PET SCANNER. AN APPLICANT PROPOSING TO REPLACE AN EXISTING PET SCANNER(S) OR PET SCANNER SERVICE SHALL DEMONSTRATE THE FOLLOWING, AS APPLICABLE TO THE PROPOSED PROJECT.(1) An applicant proposing to initiate a fixed PET scanner(S) service shall project an operating level of at least 2,600 PETdata units for each proposed PET scanner based on the methodology used in Section 17.

- (21) An applicant proposing to REPLACE a PET scanner(S) shall DEMONSTRATE EACH OF THE FOLLOWING. An applicant proposing to initiate \_a mobile PET scanner service shall project 2,100 PET data units for each proposed mobile PET scanner based on the methodology used in Section 17:
- (a) Of the 2,100 PET data units, the applicant(s) shall project a minimum of 360 PET data units, within the same planning area and a 20-mile radius of the proposed host site, for each proposed PET scanner service site located in a planning area that does not include any rural or micropolitan statistical area counties and a minimum of 240 PET data units, within the same planning area as the proposed host site, for each PET scanner service site located in a planning area that includes any rural or micropolitan statistical area counties. THE REPLACEMENT SCANNER(S) IS THE SAME TYPE (FIXED OR MOBILE) AS THE SCANNER(S) TO BE REPLACED.
- (b) The requirements of subsection (2) shall not apply to an applicant that proposes to add a Michigan site as a host site if the applicant, the central service coordinator, demonstrates that the mobile PET scanner service operates predominantly outside of Michigan and that all of the following requirements are met THE SCANNER(S) TO BE REPLACED IS FULLY DEPRECIATED ACCORDING TO GENERALLY ACCEPTED ACCOUNTING PRINCIPLES OR EITHER OF THE FOLLOWING:
- (i) The proposed host site will be located in HSA-8 EXISTING SCANNER(S) POSES A THREAT TO THE SAFETY OF THE PATIENTS.
- (ii) The proposed host site in HSA 8 demonstrates a minimum of 240 PET data units based on the methodology in Section 17 REPLACEMENT SCANNER(S) OFFERS TECHNOLOGICAL IMPROVEMENTS THAT ENHANCE QUALITY OF CARE, INCREASE EFFICIENCY, AND REDUCE OPERATING COSTS AND PATIENT CHARGES.
- (3C) Initiation of a mobile PET host site does not include the provision of mobile PET services at a host site if the applicant, whether the host site or the central service coordinator, demonstrates or provides, as applicable, each of the following: THE APPLICANT AGREES THAT THE PET SCANNER(S) TO BE REPLACED WILL BE REMOVED FROM SERVICE ON OR BEFORE BEGINNING OPERATION OF THE REPLACEMENT SCANNER(S).

(a2) The host site has received mobile PET services from an existing approved mobile PET unit within the most recent 12-month period as of the date the application is submitted to the Department. AN APPLICANT PROPOSING TO REPLACE A FIXED PET SCANNER SERVICE TO A NEW SITE SHALL DEMONSTRATE THE FOLLOWING.:

 (bA) The addition of a host site to a mobile PET scanner service will not increase the number of PET units operated by the central service coordinator or by any other person PROPOSED SITE IS WITHIN A 10-MILE RADIUS OF THE EXISTING SITE FOR A METROPOLITAN STATISTICAL AREA COUNTY OR A 25-MILE RADIUS FOR A RURAL OR MICROPOLITAN STATISTICAL AREA COUNTY.

(cB) The application is submitted to the Department prior to the provision of PET services on that

network EXISTING FIXED PET SCANNER(S) PERFORMED 500 PET EQUIVALENTS PER FIXED SCANNER IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT.

(dC) A signed certification whereby the host site has agreed and assured that it will provide PET services in accordance with the terms for approval set forth in Section 14 and 15. The applicant also

services in accordance with the terms for approval set forth in Section 14 and 15. The applicant also shall provide a current route schedule for the mobile PET scanner service THE EXISTING FIXED PET

## SCANNER SERVICE HAS BEEN IN OPERATION FOR AT LEAST 36 MONTHS AS OF THE DATE OF THE APPLICATION SUBMITTED TO THE DEPARTMENT.

- (e) The central service coordinator requires, as a condition of any contract with each host site, compliance with the requirements of these standards by that host site, and the central service coordinator assures compliance, by that host site, as a condition of the CON issued to the central service coordinator.
- (f) An applicant, whether a central service coordinator or a proposed host site, proposing to initiate a mobile PET host site to an existing mobile PET network or a mobile PET network that has been applied for under Section 5(3), shall not be required to demonstrate a minimum number of PET data units.
- (4) An applicant that meets all of the following requirements shall not be required to be in compliance with subsection (1):
  - (a) The applicant is proposing to initiate a fixed PET scanner service.
  - (b) The applicant is currently a host site being served by one or more mobile PET scanners.
  - (c) The applicant has received, in aggregate, the following:

- (i) At least 4,500 PET equivalents, for an applicant in a metropolitan statistical area county, during the most recent 12-month period for which the Department has verifiable data.
- (ii) At least 4,000 PET equivalents, for an applicant in a rural or micropolitan statistical area county, during the most recent 12-month period for which the Department has verifiable data.
  - (d) The applicant shall install the fixed PET unit at the same site as the existing approved host site.
- (e) The applicant shall cease operation as a host site and not become a host site for at least 12 months from the date the fixed PET scanner, including any temporary scanner used during the transition from mobile to fixed, becomes operational.

### Section 5. Requirements for approval for applicants proposing to expand a PET scanner service

Sec. 5. (1)—An applicant proposing to increase <u>EXPAND A</u> the number of fixed-PET scanner\_S<u>ERVICE</u> (second, third, etc.)—shall demonstrate the following, <u>AS APPLICABLE TO THE PROPOSED PROJECT</u>:. <u>THIS SECTION DOES NOT APPLY TO DEDICATED RESEARCH, DEDICATED PEDIATRIC, OR POSITRON EMISSION MAMMOGRAPHY (PEM) SCANNERS.</u>

- (a1) For aAn applicant in a metropolitan statistical area county, all of the applicant's approved fixed PET scanners have performed an average of at least 5,500 PET equivalents per PET scanner during the most recent 12-month period for which the Department has verifiable data. PROPOSING TO ADD A FIXED PET SCANNER(S) TO AN EXISTING FIXED PET SCANNER SERVICE SHALL DEMONSTRATE THE FOLLOWING.:
- (bA) For an applicant in a rural or micropolitan statistical area county, all of the applicant's approved fixed pet scanners have performed an average of at least 5,000 pet equivalents per pet scanner during 1,900 PET EQUIVALENTS WERE PERFORMED PER EXISTING AND APPROVED FIXED PET SCANNER(S) IN the most recent 12-month period for which the department has verifiable data. VERIFIABLE BY THE DEPARTMENT FOR AN APPLICANT IN A METROPOLITAN STATISTICAL AREA COUNTY, OR
- (B) 1,700 PET EQUIVALENTS WERE PERFORMED PER EXISTING AND APPROVED FIXED PET SCANNER(S) IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT FOR AN APPLICANT IN A RURAL OR MICROPOLITAN STATISTICAL AREA COUNTY.
- (c) In the case of a fixed PET scanner service, the additional PET scanner shall be located at the same geographic location as the existing fixed PET scanner service unless the applicant meets the applicable requirements for relocation in accordance with Section 9. THE ADDITIONAL PET SCANNER(S) SHALL BE LOCATED AT THE SAME SITE.
- (2) An applicant proposing to increase <u>ADD</u> the number of <u>A</u> mobile PET scanner(s) <u>TO AN</u> <u>EXISTING MOBILE PET SCANNER SERVICE</u> (second, third, etc.) shall demonstrate the following:
  - (a) 2,000 PET EQUIVALENTS WERE PERFORMED PER EXISTING AND APPROVED MOBILE

#### SCANNER(S)

For an applicant serving at least one existing host site in a metropolitan statistical area county, all of the applicant's approved mobile PET scanners on a mobile route have performed an average of at least 5,000 PET equivalents per PET scanner during\_IN the most recent 12-month period VERIFIABLE BY for which the Department has verifiable data FOR AN APPLICANT SERVING AT LEAST ONE EXISTING HOST SITE IN A METROPOLITAN STATISTICAL AREA COUNTY, OR

- (b) 1,800 PET EQUIVALENTS WERE PERFORMED PER EXISTING AND APPROVED SCANNER(S) For an applicant serving only host sites in rural or micropolitan statistical area counties, all of the applicant's approved mobile PET scanners on a mobile route have performed an average of at least 4,500 PET equivalents per PET scanner during-IN the most recent 12-month period VERIFIABLE for which BY the Department-has verifiable data. FOR AN APPLICANT SERVING ONLY HOST SITES IN RURAL OR MICROPOLITAN STATISTICAL AREA COUNTIES.
- (3) An applicant PROPOSING TO ADD A FIXED PET SCANNER TO AN EXISTING FIXED PET SCANNER SERVICE that meets ALSO RECEIVES MOBILE PET SCANNER SERVICES SHALL DEMONSTRATE all of the following requirements shall not be required to be in compliance with subsection (1):
- (a) The applicant is proposing-CURRENTLY A HOST SITE BEING SERVED BY ONE OR MORE to initiate a mobile PET scanner services.
  - (b) The applicant is currently a fixed PET scanner service HAS PERFORMED:
- (cl) The applicant has demonstrated the following: AN AVERAGE OF 1,900 PET EQUIVALENTS FOR THE HOST SITE AND EACH OF THE EXISTING AND APPROVED FIXED SCANNER IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT FOR A HOST SITE IN A METROPOLITAN STATISTICAL AREA COUNTY, OR
- (il) For aAn applicant in a metropolitan statistical area county, all of the applicant's approved fixed AVERAGE OF 1,700 PET scanners EQUIVALENTS have performed an average of at least 5,500 PET equivalents FOR THE HOST SITE AND EACH OF THE EXISTING AND APPROVED FIXED per PET scanners during IN the most recent 12-month period for which VERIFIABLE BY the Department has verifiable data FOR A HOST SITE IN A RURAL OR MICROPOLITAN STATISTICAL AREA COUNTY.
- \_\_\_\_\_(ii) For an applicant in a rural or micropolitan statistical area county, all of the applicant's approved fixed PET scanners have performed an average of at least 5,000 PET equivalents per PET scanner during the most recent 12-month period for which the Department has verifiable data.
- \_\_\_\_(d) At least two (2) separate CON applications have been submitted simultaneously as host sites for the proposed mobile PET service, subject to Section 4(3).
- (e) A proposed regular route schedule, the procedures for handling emergency situations, and copies of all proposed contracts related to the mobile PET service have been included in the CON application.
  - (f) The requirements of Section 3 have been met.
  - (g) The applicant agrees to comply with sections (13) and (14).
  - (h) The mobile unit must operate within the same planning area and comply with Section 4(2)(a).
- (C) THE APPLICANT AGREES TO CEASE OPERATION AS A HOST SITE AND NOT BECOME A HOST SITE FOR AT LEAST 12 MONTHS FROM THE DATE THE FIXED SCANNER BECOMES OPERATIONAL.

# Section 6. Requirements for approval for applicants proposing to replace ACQUIRE a PET scanner SERVICE OR SCANNER(S)

Sec. 6. (1) An applicant proposing to replace an existing fixed ACQUIRING A PET SCANNER SERVICE AND ITS scanner(s) MEANS OBTAINING POSSESSION AND CONTROL BY CONTRACT, OWNERSHIP, LEASE, OR OTHER COMPARABLE ARRANGEMENT AND RENEWAL OF LEASE FOR AN EXISTING shall demonstrate that all of the applicant's approved and operating fixed OR MOBILE PET scanners. AN APPLICANT PROPOSING TO ACQUIRE A have performed an average of at least

4,500-PET <u>SCANNER SERVICE</u> <u>equivalents-SHALL DEMONSTRATE THE FOLLOWING, AS APPLICABLE TO THE PROPOSED PROJECT</u> <u>per PET scanner during the most recent 12-month period for which the Department has verifiable data.</u>

(21) FOR THE FIRST An applicant APPLICATION proposing to replace ACQUIRE an existing FIXED, mobile, OR HOST SITE PET scanner(s) SERVICE, OTHER THAN A RENEWAL OF LEASE, shall demonstrate that all of the applicant's approved and operating mobile PET scanners on OR AFTER INSERT EFFECTIVE DATE OF STANDARDS, THE EXISTING a mobile route have performed an average of at least 3,000 PET equivalents per PET scanner SERVICE AND ITS SCANNER(S) SHALL NOT BE REQUIRED TO BE IN COMPLIANCE WITH THE APPLICABLE VOLUME REQUIREMENTS SET FORTH IN THIS SECTION during the most recent 12-month period for which the Department has verifiable data.

 (32) An exemption APPLICANT to subsections (1) and (2) may be made by the Department, if an applicant demonstrates to the satisfaction of the Department, the following: PROPOSING TO ACQUIRE AN EXISTING FIXED OR MOBILE PET SCANNER SERVICE SHALL DEMONSTRATE THAT THE EXISTING FIXED OR MOBILE SCANNER(S) PERFORMED AN AVERAGE OF 500 PET EQUIVALENTS PER SCANNER IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT.

(a3) The existing PET scanner is technologically incapable of performing the applicable minimum number of PET equivalents. An applicant proposing a-TO replacement ACQUIRE AN EXISTING HOST SITE under this subsection shall provide documentation DEMONSTRATE, satisfactory to THAT the Department, from a person or an organization with recognized professional expertise regarding that type of equipment, other than the applicant or a representative of a manufacturer or vendor of that type of equipment, indicating the number of PET equivalents the existing HOST SITE HAS equipment is technologically capable of performing PERFORMED. 50 PET EQUIVALENTS The applicant also shall provide documentation, satisfactory to the Department, that the number of PET equivalents performed during IN the most recent 12-month period, for which VERIFIABLE BY the Department has verifiable data, was the number the equipment is technologically capable of performing.

(4) An applicant proposing to <u>RENEW A LEASE FOR AN EXISTING FIXED OR MOBILE replace a PET scanner(s)</u>, whether fixed or mobile, shall demonstrate <u>THAT THE</u> RENEWAL OF THE <u>LEASE IS</u> MORE <u>COST EFFECTIVE</u> THAN REPLACING THE <u>SCANNER(S)</u>.

— (a) the equipment to be replaced is fully depreciated according to generally accepted accounting principles or

 (b) either of the following:

 (i) the existing equipment clearly poses a threat to the safety of the public and the applicant's staff as determined by the Department or other qualified agency or individual (physicist, US Department of Energy, applicant's radiation safety committee, etc.) or

(ii) the proposed replacement PET scanner(s) offers technological improvements that enhance

(5) An applicant that meets all of the following requirements shall not be required to be in compliance with subsections (1), (2), (3) and (4):

quality of care, increase efficiency, and reduce operating costs and patient charges.

(a) The existing PET scanner became operational before January 1, 2005 and is not PET/CT scanner hybrid.

 (b) The proposed PET scanner is a PET/CT scanner hybrid.

(6) In the case of a fixed PET scanner, the proposed PET scanner will be located at the same site as the applicant's existing fixed PET scanner to be replaced. If the proposed scanner will not be located at the same site, the applicant must meet the requirements to relocate a PET scanner at the proposed site, in accordance with Section 9.

## 481 482 483

484 485 486

487 488 489

490 491 492

493 494 495

496 497 498

499

500 501 502

503 504 505

> 506 507

> 508

509 510 511

512

513 514 515

516

517

518 519 520

521 522

523

524 525 526

527 528 529

530

### Section 7. Requirements for approval for applicants proposing to acquire an existing A **DEDICATED RESEARCH FIXED PET scanner**

- Sec. 7. An applicant proposing to acquire ADD an existing FIXED PET scanner, whether fixed or mobile, scanner TO AN EXISTING PET SCANNER SERVICE FOR EXCLUSIVE RESEARCH USE shall demonstrate that it meets all of the following THE FOLLOWING:
- (1) THE APPLICANT AGREES THAT THE DEDICATED RESEARCH PET SCANNER WILL BE USED PRIMARILY (70% OR MORE OF THE SCANS) FOR RESEARCH PURPOSES ONLY.
- (a2) The project is limited solely to the acquisition of an existing DEDICATED RESEARCH PET scanner SHALL OPERATE UNDER A PROTOCOL APPROVED BY THE APPLICANT'S INSTITUTIONAL REVIEW BOARD, AS DEFINED BY PUBLIC LAW 93-348 AND REGULATED BY TITLE 45 CFR 46.
- (b3) The project-APPLICANT HAS ACCESS TO A CYCLOTRON FOR ACCELERATING CHARGED PARTICLES TO HIGH ENERGIES BY MEANS will not change the number of PET scanners listed on the Department Inventory of PET Scanners ELECTROMAGNETIC FIELDS.
- (e4) The project PROPOSED SITE CAN HAVE NO MORE THAN THREE DEDICATED RESEARCH FIXED will not result in the replacement of the PET scanners APPROVED UNDER THIS to be acquired unless the applicant demonstrates that the requirements of Section 6 also have been
- (d) The PET scanner to be acquired is listed on the Department Inventory of PET Scanners on the date the application is submitted to the Department.
- (e) The applicant agrees to operate the PET scanner in accordance with all applicable project delivery requirements set forth in Section 14 of these standards.

### Section 8. Requirements for approval for applicants proposing to acquire an existing A **<u>DEDICATED PEDIATRIC</u>** PET scanner service

- Sec. 8. An applicant proposing to acquire INITIATE an existing A PET scanner service, whether OR ADD A fixed PET SCANNER TO EXPAND AN EXISTING PET SCANNER SERVICE, FOR DEDICATED PEDIATRIC PET USE , or mobile, shall demonstrate that it meets all of the DEMONSTRATE THE following:
- (a1) The project APPLICANT AGREES THAT THE DEDICATED PEDIATRIC is limited solely to the acquisition of an existing PET scanner service scanner WILL BE USED PRIMARILY (70% OR MORE OF THE SCANS) FOR PATIENTS UNDER 18 YEARS OF AGE.
- (b2) The project APPLICANT SHALL DEMONSTRATE will not change the number EXISTING SITE of Pet\_scanners\_PROVIDED listed on the FOLLOWING FOR THE MOST RECENT CALENDAR YEAR OR A CONTINUOUS 12-MONTH PERIOD AT THE TIME THE APPLICATION IS SUBMITTED TO THE Department Inventory of PET Scanners.:
- (eA) AT LEAST 7,000 PEDIATRIC (< 18 YEARS OLD) DISCHARGES, EXCLUDING NORMAL NEWBORNS, The project will not result in the replacement of the PET scanners to be acquired unless the applicant demonstrates that the requirements of Section 6 also have been met.
- (dB) AT LEAST 5,000 PEDIATRIC (< 18 YEARS OLD) SURGERIES, All PET scanners to be acquired are listed on the Department Inventory of PET Scanners on the date the application is submitted to the Department.AND

( <del>c</del> C)	AT LEAST 50 NEW PEDIATRIC CANCER CASES ON ITS CANCER REGISTRYThe applicant
	operate the PET scanner service in accordance with all applicable project delivery
	ents set forth in Section 14.
roquironn	AND CONTOUR IN COORDIN 1 12
(3)	THE APPLICANT SHALL HAVE AN ACTIVE MEDICAL STAFF AT THE TIME THE
	TION IS SUBMITTED TO THE DEPARTMENT THAT INCLUDES PHYSICIANS WHO ARE
	SHIP-TRAINED IN THE FOLLOWING PEDIATRIC SPECIALTIES:
	RADIOLOGY (AT LEAST TWO STAFF MEMBERS)
	ANESTHESIOLOGY
	CARDIOLOGY
	CRITICAL CARE
(E)	GASTROENTEROLOGY
(F)	HEMATOLOGY/ONCOLOGY
(G)	<u>NEUROLOGY</u>
(H)	<u>NEUROSURGERY</u>
(I)	ORTHOPEDIC SURGERY
(J)	PATHOLOGY
	PULMONOLOGY
	SURGERY
(M)	<u>NEONATOLOGY</u>
	THE APPLICANT SHALL HAVE IN OPERATION THE FOLLOWING PEDIATRIC SPECIALTY
PROGRA	MS AT THE TIME THE APPLICATION IS SUBMITTED TO THE DEPARTMENT:
(4)	DONE HARDOW TO ANODE ANT DOGODAN
	BONE MARROW TRANSPLANT PROGRAM
	SEDATION PROGRAM
<u>(C)</u>	OPEN HEART PROGRAM
<b>(5)</b>	THE APPLICANT MEETS THE REQUIREMENTS OF SECTION 3(1) THROUGH 3(4) IF THE
	NT IS INITIATING A PET SCANNER SERVICE WITH A DEDICATED PEDIATRIC FIXED PET
SCANNE	
SCAININE	<u>K.</u>
(6)	THE PROPOSED SITE CAN HAVE NO MORE THAN TWO DEDICATED PEDIATRIC FIXED
$\overline{}$	NNERS APPROVED UNDER THIS SECTION.
1 1 00/	THE ROYED ONDER THE GEOTION.
Section 9	9. Requirements for <del>approval for applicants proposing to relocate an existing PET A</del>
	ON EMISSION MAMMOGRAPHY (PEM) scanner service or its unit(s)
Sec.	9. AN APPLICANT PROPOSING TO ADD A PEM SCANNER SERVICE TO AN EXISTING
PET SCA	NNER SERVICE SHALL DEMONSTRATE THE FOLLOWING, AS APPLICABLE TO THE
PROPOS	ED PROJECT:.
(1)	AN APPLICANT PROPOSING TO ADD A FIXED PEM SCANNER TO AN EXISTING FIXED
PET SCA	NNER SITE SHALL DEMONSTRATE THE FOLLOWING:
(A)	THE APPLICANT IS CERTIFIED THROUGH THE AMERICAN COLLEGE OF RADIOLOGY
	S A BREAST IMAGING CENTER OF EXCELLENCE (BICOE) AT THE TIME THE
	TION IS SUBMITTED TO THE DEPARTMENT.
	THE APPLICANT HAS PERFORMED 1,000 PET EQUIVALENTS PER SCANNER AT THE
	THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT OR THE
	NT, OPERATES A COMPREHENSIVE CANCER CENTER RECOGNIZED BY THE NATIONAL
-	INSTITUTE.
	THE PROPOSED SITE CAN HAVE NO MORE THAN ONE FIXED PEM SCANNER
ADDDO\/	ED LINDER THIS SECTION

- (2) AN APPLICANT PROPOSING TO ADD A MOBILE PEM SCANNER TO AN EXISTING MOBILE PET SCANNER SERVICE SHALL DEMONSTRATES THE FOLLOWING:
- (A) THE CENTRAL SERVICE COORDINATOR APPLICATION FOR A MOBILE PEM SCANNER SHALL BE ACCOMPANIED BY AT LEAST FIVE (5) COMPANION HOST SITE APPLICATIONS FOR INITIATION OF MOBILE PEM SCANNER SERVICES. THE PROPOSED HOST SITES HAVE NOT RECEIVED MOBILE PEM SCANNER SERVICES WITHIN THE MOST RECENT 12-MONTH PERIOD.
- (B) THE APPLICANT HAS PERFORMED AN AVERAGE OF 500 PET EQUIVALENTS PER SCANNER ON THE EXISTING MOBILE PET NETWORK IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT.
- (C) THE APPLICANT PROVIDES A ROUTE SCHEDULE FOR THE PROPOSED MOBILE PEM SCANNER SERVICE.
- (D) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR PEM SERVICES BETWEEN THE PROPOSED HOST SITES AND CENTRAL SERVICE COORDINATOR.
- (E) THE PROPOSED NETWORK CAN HAVE NO MORE THAN ONE MOBILE PEM SCANNER APPROVED UNDER THIS SECTION.
- (3) AN APPLICANT, WHETHER AN EXISTING FIXED PET SCANNER SITE OR HOST SITE, PROPOSING TO INITIATE MOBILE PEM SCANNER SERVICES AS HOST SITE SHALL DEMONSTRATE THE FOLLOWING:
- (A) THE APPLICANT IS CERTIFIED THROUGH THE ACR AS A BICOE SITE AT THE TIME THE APPLICATION IS SUBMITTED TO THE DEPARTMENT.
- (B) THE APPLICANT HAS PERFORMED 100 PET EQUIVALENTS IN THE MOST RECENT 12-MONTH PERIOD VERIFIABLE BY THE DEPARTMENT OR THE APPLICANT, OPERATES A COMPREHENSIVE CANCER CENTER RECOGNIZED BY THE NATIONAL CANCER INSTITUTE.
- (C) THE APPLICANT PROVIDES A PROPOSED ROUTE SCHEDULE FOR THE MOBILE PEM SCANNER SERVICE.
- (D) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR PEM SERVICES BETWEEN THE HOST SITE AND CENTRAL SERVICE COORDINATOR.
- (4) AN APPLICANT PROPOSING TO ADD AN EXISTING PEM SCANNER HOST SITE TO AN EXISTING MOBILE PEM SCANNER SERVICE SHALL DEMONSTRATE THE FOLLOWING:
- (A) THE HOST SITE HAS PERFORMED MOBILE PEM SCANNER SERVICE WITHIN THE MOST RECENT 12-MONTH PERIOD AS OF THE DATE AN APPLICATION IS SUBMITTED TO THE DEPARTMENT.
- (B) THE PROPOSED SITE IS CERTIFIED THROUGH THE ACR AS A BICOE SITE AT THE TIME THE APPLICATION IS SUBMITTED TO THE DEPARTMENT.
- (C) THE APPLICANT PROVIDES A PROPOSED ROUTE SCHEDULE FOR THE MOBILE PEM SCANNER SERVICE.
- (D) THE APPLICANT PROVIDES A DRAFT CONTRACT FOR PEM SERVICES BETWEEN THE HOST SITE AND CENTRAL SERVICE COORDINATOR.
- (1) An applicant proposing to relocate an existing fixed PET service and all its existing unit(s) shall demonstrate that it meets all of the following:
  - (a) The service and all its existing units to be relocated are fixed PET scanners.
- \_\_\_\_(b) The existing fixed PET service to be relocated has been in operation for at least 36 months as of the date of the application submitted to the Department.
  - (c) The proposed new site of the existing PET service to be relocated is in the relocation zone.
- (d) The proposed project will not result in an increase in the number of PET scanner(s) operated by the applicant at the proposed site unless the applicant demonstrates that the requirements of Section 5, as applicable, have also been met.
- (e) The proposed project will not result in the replacement of the PET scanner(s) of the service to be relocated unless the applicant demonstrates that the requirements of Section 6, as applicable, have also been met.

- 637 (f) The applicant agrees to operate the PET service and all its units in accordance with all applicable project delivery requirements set forth in Section 15 of these standards. 638 639 640 (2) An applicant proposing to relocate a PET scanner of an existing PET service shall demonstrate 641
  - that it meets all of the following:
    - (a) The PET scanner to be relocated is a fixed PET scanner.

643

644

645 646

647

648

649 650 651

652 653

654

655

656 657

658

659 660

661 662

663

664

665

666 667

668

669 670

671

672 673

674

675

676 677

678

679

680

681

682

683 684

685

686 687

688

689

- (b) The existing fixed PET service from which the PET scanner is to be relocated has been in operation for at least 36 months as of the date of the application submitted to the Department.
  - (c) The proposed new site for the PET scanner to be relocated is in the relocation zone.
- (d) The proposed project will not result in the replacement of the PET scanner(s) to be relocated unless the applicant demonstrates that the requirements of Section 6, as applicable, have also been met.
- (e) The applicant agrees to operate the PET scanner at the proposed site in accordance with all applicable project delivery requirements set forth in Section 15.

#### Section 10. Requirements for approval for applicants proposing a dedicated research fixed PET **scanner**MEDICAID PARTICIPATION

Sec. 10. (1) An applicant proposing to operate a fixed PET scanner (whether new or replacement) to be used exclusively for research shall demonstrate each of the following PROVIDE VERIFICATION OF MEDICAID PARTICIPATION. AN APPLICANT THAT IS A NEW PROVIDER NOT CURRENTLY ENROLLED IN MEDICAID SHALL CERTIFY THAT PROOF OF MEDICAID PARTICIPATION WILL BE PROVIDED TO THE DEPARTMENT WITHIN (6) MONTHS FROM THE OFFERING OF SERVICES IF A CON IS APPROVED:.

#### Section 11. PROJECT DELIVERY Requirements for approval for applicants proposing to establish a dedicated pediatric PET scannerAND TERMS OF APPROVAL FOR ALL APPLICANTS

- Sec. 11. (1) An applicant proposing to establish a dedicated pediatric PET scanner(s) shall AGREE THAT, IF APPROVED, -demonstrate all of the following PET SCANNER SERVICES SHALL BE DELIVERED IN COMPLIANCE WITH THE FOLLOWING TERMS OF APPROVAL:.
- (a1) The applicant shall experience at least 7,000 pediatric (< 18 years old) discharges, excluding normal newborns, in the most recent year of operation COMPLIANCE WITH THESE STANDARDS.
- (b2) The applicant shall experience at least 5.000 pediatric (< 18 years old) surgeries in the most recent year of operation COMPLIANCE WITH THE FOLLOWING QUALITY ASSURANCE REQUIREMENTS:-
- (Ca) The applicant shall experience at least 50 new pediatric cancer cases on its cancer registry in the most recent year of operationA PET SCANNER SERVICE SHALL BE STAFFED SO THAT SCREENING OF REQUESTS FOR AND INTERPRETATION OF PET PROCEDURES WILL BE CARRIED OUT BY A PHYSICIAN(S) WITH APPROPRIATE TRAINING AND FAMILIARITY WITH THE APPROPRIATE DIAGNOSTIC USE AND INTERPRETATION OF CROSS-SECTIONAL IMAGES OF THE ANATOMICAL REGION(S) TO BE EXAMINED. FOR PURPOSES OF EVALUATING THIS SUBSECTION, THE DEPARTMENT SHALL CONSIDER IT PRIMA FACIE EVIDENCE AS TO THE TRAINING OF THE PHYSICIAN(S) IF THE PHYSICIAN IS BOARD CERTIFIED OR BOARD QUALIFIED IN NUCLEAR MEDICINE OR NUCLEAR RADIOLOGY. HOWEVER, AN APPLICANT MAY SUBMIT, AND THE DEPARTMENT MAY ACCEPT, OTHER EVIDENCE THAT THE PHYSICIAN(S) IS QUALIFIED TO OPERATE THE PET SERVICE/SCANNER. THE PHYSICIAN(S) MUST BE ON-SITE OR AVAILABLE THROUGH TELECOMMUNICATION CAPABILITIES TO PARTICIPATE IN THE SCREENING OF PATIENTS FOR PET PROCEDURES AND TO PROVIDE OTHER CONSULTATION SERVICES.
- (dB) The applicant shall have an active medical staff at the time the application is submitted to the Department that PET SCANNER SERVICE SHALL includes, but is not limited to, physicians who are

```
690
      fellowship-trained in the following pediatric specialties PERSONNEL, EMPLOYED DIRECTLY OR ON A
      CONTRACTUAL BASIS: A TECHNOLOGIST WITH TRAINING IN PET SCANNING AND A PHYSICIST.
691
      THE PHYSICIST MUST BE BOARD CERTIFIED OR ELIGIBLE FOR CERTIFICATION BY THE
692
693
      AMERICAN BOARD OF RADIOLOGY OR AN EQUIVALENT ORGANIZATION.
           (i) pediatric radiology (at least two staff members)
694
695
           (ii) pediatric anesthesiology
           (iii) pediatric cardiology
696
          (iv) pediatric critical care
697
698
           (v) pediatric gastroenterology
          (vi) pediatric hematology/oncology
699
700
          (vii) pediatric neurology
         (viii) pediatric neurosurgery
701
         (ix) pediatric orthopedic surgery
702
          (x) pediatric pathology
703
704
          (xi) pediatric pulmonology
          (xii) pediatric surgery
705
         (xiii) neonatology
706
         (eC) The -applicant shall have in operation the following pediatric specialty programs at the time the
707
      application is submitted to PET SCANNER SERVICE SHALL HAVE A PHYSICIAN ON-SITE OR
708
709
      IMMEDIATELY AVAILABLE TO THE PET SCANNER SERVICE AT ALL TIMES WHEN PATIENTS ARE
710
      <u>UNDERGOING PET PROCEDURES the Department:</u>
           (i) pediatric bone marrow transplant program
711
           (ii) established pediatric sedation program
712
          (iii) pediatric open heart program
713
           (D) THE APPLICANT MAINTAINS THE SERVICES AND SPECIALTIES AS SET FORTH IN
714
715
      SECTION 3(1) THROUGH 3(4).
716
          (23) An applicant meeting the requirements of subsection (1) shall be exempt from meeting the
717
      requirements of Section 4 or Section 5 of these standards but must meet Section 6. COMPLIANCE WITH
718
      THE FOLLOWING ACCESS TO CARE REQUIREMENTS:
719
          (3A) The dedicated pediatric-PET scanner <u>SERVICE</u> shall be excluded <u>ACCEPT REFERRALS FOR</u>
720
      PET SCANNER SERVICES from the adult count for ALL APPROPRIATELY LICENSED
721
      PRACTITIONERSthe facility.
722
           (B) THE PET SCANNER SERVICE SHALL PARTICIPATE IN MEDICAID AT LEAST 12
723
      CONSECUTIVE MONTHS WITHIN THE FIRST TWO YEARS OF OPERATION AND CONTINUE TO
724
      PARTICIPATE ANNUALLY THEREAFTER.
725
726
           (C) THE PET SCANNER SERVICE SHALL NOT DENY PET SCANNER SERVICES TO ANY
      INDIVIDUAL BASED ON ABILITY TO PAY OR SOURCE OF PAYMENT.
727
           (D) THE OPERATION OF AND REFERRAL OF PATIENTS TO THE PET SCANNER SERVICE
728
      SHALL BE IN CONFORMANCE WITH 1978 PA 368, SEC. 16221, AS AMENDED BY 1986 PA 319; MCL
729
730
      333.16221; MSA 14.15 (16221).
731
           (4) COMPLIANCE WITH THE FOLLOWING MONITORING AND REPORTING REQUIREMENTS:
732
           (A) THE PET SCANNERS SHALL BE OPERATING AT AN AVERAGE OF 500 PET
733
      EQUIVALENTS PER SCANNER DURING THE SECOND 12 MONTHS OF OPERATIONS, AND
734
735
      ANNUALLY THEREAFTER. THIS REQUIREMENT SHALL BE WAIVED DURING REVIEW OF
      APPLICATIONS UNDER SECTIONS 4(1) AND 6(4), IF APPLICABLE. IN MEETING THESE
736
737
      REQUIREMENTS, AN APPLICANT SHALL NOT INCLUDE ANY PET SCANS PERFORMED ON A PET
      SCANNER USED EXCLUSIVELY FOR RESEARCH APPROVED PURSUANT TO SECTION 7, FOR A
738
      DEDICATED PEDIATRIC PET SCANNER APPROVED PURSUANT TO SECTION 8, OR FOR A PEM
739
740
      SCANNER APPROVED PURSUANT TO SECTION 9.
           (B) THE PET SCANNER SERVICE SHALL PARTICIPATE IN A DATA COLLECTION SYSTEM
741
      ESTABLISHED AND ADMINISTERED BY THE DEPARTMENT OR ITS DESIGNEE. THE DATA MAY
742
```

INCLUDE, BUT ARE NOT LIMITED TO, CLINICAL SCAN DATA, ANNUAL BUDGET AND COST INFORMATION, OPERATING SCHEDULES, THROUGH-PUT SCHEDULES, DEMOGRAPHIC AND DIAGNOSTIC INFORMATION, AND THE VOLUME OF CARE PROVIDED TO PATIENTS FROM ALL PAYOR SOURCES. THE APPLICANT SHALL PROVIDE THE REQUIRED DATA ON A SEPARATE BASIS FOR EACH SEPARATE AND DISTINCT SITE, PET SCANNER, OR PET SCANNER SERVICE AS REQUIRED BY THE DEPARTMENT, IN A FORMAT ESTABLISHED BY THE DEPARTMENT. THE DEPARTMENT MAY ELECT TO VERIFY THE DATA THROUGH ON-SITE REVIEW OF APPROPRIATE RECORDS.

- (C) THE PET SCANNER SERVICE SHALL PROVIDE THE DEPARTMENT WITH TIMELY NOTICE OF THE PROPOSED PROJECT IMPLEMENTATION CONSISTENT WITH APPLICABLE STATUTE AND PROMULGATED RULES.
- (5) COMPLIANCE WITH THE FOLLOWING DEDICATED RESEARCH PET SCANNER REQUIREMENTS, IF APPLICABLE:
- (A) THE CAPITAL AND OPERATING COSTS RELATING TO THE DEDICATED RESEARCH PET SCANNER SHALL BE CHARGED ONLY TO A SPECIFIC RESEARCH ACCOUNT(S) AND NOT TO ANY PATIENT OR THIRD- PARTY PAYOR.
- (B) THE DEDICATED RESEARCH PET SCANNER SHALL NOT BE USED FOR ANY PURPOSES OTHER THAN AS APPROVED BY THE INSTITUTIONAL REVIEW BOARD.
- (C) THE DEDICATED RESEARCH PET SCANNER WILL BE USED PRIMARILY (70% OR MORE OF THE SCANS) FOR RESEARCH PURPOSES ONLY.
- (6) COMPLIANCE WITH THE FOLLOWING DEDICATED PEDIATRIC PET SCANNER REQUIREMENTS, IF APPLICABLE:
- (A) THE DEDICATED PEDIATRIC PET SCANNER WILL BE USED PRIMARILY (70% OR MORE OF THE SCANS) FOR PATIENTS UNDER 18 YEARS OF AGE.
- (B) SHALL MAINTAIN ACTIVE MEDICAL STAFF IN THE APPLICABLE PEDIATRIC SPECIALTIES AND PEDIATRIC SPECIALTY PROGRAMS AS SET FORTH IN THE SECTION.
  - (7) COMPLIANCE WITH THE FOLLOWING PEM SCANNER REQUIREMENTS, IF APPLICABLE:
- (A) THE PEM SCANNER SERVICE MUST MAINTAIN ACR ACCREDITATION AS A BICOE SITE VERIFIABLE BY THE DEPARTMENT.
- (8) COMPLIANCE WITH THE FOLLOWING MOBILE PET SCANNER REQUIREMENTS, IF APPLICABLE:
- (A) THE CENTRAL SERVICE COORDINATOR FOR A MOBILE PET SCANNER SERVICE SHALL NOTIFY THE DEPARTMENT 30 DAYS PRIOR TO DROPPING AN EXISTING HOST SITE.
- (B) EACH HOST SITE MUST HAVE AT LEAST ONE PHYSICIAN WHO IS BOARD CERTIFIED OR BOARD ELIGIBLE IN NUCLEAR MEDICINE OR NUCLEAR RADIOLOGY ON ITS MEDICAL STAFF. THE PHYSICIAN(S) SHALL BE RESPONSIBLE FOR ESTABLISHING PATIENT EXAMINATION AND INFUSION PROTOCOL, AND PROVIDING FOR THE INTERPRETATION OF SCANS PERFORMED.
- (C) EACH HOST SITE SHALL PROVIDE A PROPERLY PREPARED PARKING PAD FOR THE MOBILE PET SCANNER UNIT, A WAITING AREA FOR PATIENTS, AND A MEANS FOR PATIENTS TO ENTER THE VEHICLE WITHOUT GOING OUTSIDE (SUCH AS AN ENCLOSED CANOPY OR AN ENCLOSED CORRIDOR).
- (D) A MOBILE PET SCANNER SERVICE SHALL OPERATE UNDER A CONTRACTUAL AGREEMENT THAT INCLUDES THE PROVISION OF PET SERVICES AT EACH HOST SITE ON A REGULARLY SCHEDULED BASIS.
- (9) THE AGREEMENTS AND ASSURANCES REQUIRED BY THIS SECTION SHALL BE IN THE FORM OF A CERTIFICATION AGREED TO BY THE APPLICANT OR ITS AUTHORIZED AGENT.

795 | Section 12. Additional requirements METHODOLOGY for mobile COMPUTING THE PROJECTED

#### PET serviceDATA UNITS

797 798 799

796

800

801 802 803

804 805 806

815 816 817

818 819

820 821 822

832 833 834

835 836

831

837 838 839

840

841

842

843 844

846

845

- Sec. 12. (1) An applicant proposing to begin operation of a mobile PET service shall demonstrate all of the followingBEING REVIEWED UNDER SECTION 3 SHALL APPLY THE METHODOLOGY SET FORTH IN THIS SECTION IN COMPUTING THE PROJECTED NUMBER OF PET DATA UNITS:.
- (a1) A separate CON application has been submitted by the central service coordinator and each proposed host site IDENTIFY THE NUMBER OF DIAGNOSIS-SPECIFIC NEW CANCER CASES DOCUMENTED IN ACCORDANCE WITH THE REQUIREMENTS OF SECTION 13.
- (bA) A proposed regular route schedule, the procedures for handling emergency situations, and copies of all proposed contracts related to the mobile PET service have been included in the CON application COMBINE THE NUMBER OF CANCER CASES FOR LUNG (SITE CODES C340-C349), ESOPHAGUS (SITE CODES C150-C159), COLORECTAL (SITE CODES C180-C209), LYMPHOMA (MORPHOLOGY CODES (9590-9729), MELANOMA (MORPHOLOGY CODES 8720-8790), AND HEAD & NECK [SITE CODES C000-C148, C300-C329, C410, C411, C470 OR C490 EXCLUDING C440-C444 (SKIN OF HEAD AND NECK), AND ADDITIONAL CODES APPROVED BY NATIONAL COVERAGE DETERMINATION]. USE THE NAME "COMBINED" FOR THIS GROUPING.
- (eB) The requirements of sections 3, 4, 5, and 6, as applicable, have been met. MULTIPLY THE NUMBER RESULTING FROM THE CALCULATION IN "COMBINED" CANCER CASES IDENTIFIED IN SUBSECTION (1)(B) BY 0.8, WHICH IS THE ESTIMATED PROBABILITY THAT A "COMBINED" CANCER CASE WILL REQUIRE A PET SCAN.
- (C) MULTIPLY THE NUMBER RESULTING FROM THE CALCULATION IN SUBSECTION (1)(C) BY 2.5, WHICH IS THE ESTIMATED NUMBER OF PET SCANS NEEDED FOR EACH PATIENT REQUIRING A PET SCAN.
- (2) An applicant proposing to become a host site on an existing mobile PET scanner service shall demonstrate that it meets all of the following: IDENTIFY THE NUMBER OF DIAGNOSIS-SPECIFIC NEW CANCER CASES DOCUMENTED IN ACCORD WITH THE REQUIREMENTS OF SECTION 13.
- (a) Approval of the application will not result in an increase in the number of mobile PET scanners listed on the "Department Inventory of PET Scanners" unless the requirements of Section 5 have been met. MULTIPLY THE NUMBER OF BREAST CANCER CASES (SITE CODES C500-C509) BY 0.25, WHICH IS THE ESTIMATED PROBABILITY THAT A BREAST CANCER CASE WILL REQUIRE A PET SCAN.
- (b) A proposed regular route schedule, the procedures for handling emergency situations, and copies of all proposed contracts related to the mobile PET scanner have been included in the CON application. MULTIPLY THE NUMBER RESULTING FROM THE CALCULATION IN SUBSECTION (2)(B) BY 1.0, WHICH IS THE ESTIMATED NUMBER OF PET SCANS NEEDED FOR EACH PATIENT REQUIRING A PET SCAN.
- (3) MULTIPLY THE NUMBER OF DIAGNOSTIC CARDIAC CATHETERIZATION CASES IDENTIFIED IN ACCORD WITH THE REQUIREMENTS OF SECTION 15 BY 0.1, WHICH IS THE ESTIMATED PROBABILITY THAT A PATIENT HAVING A DIAGNOSTIC CARDIAC CATHETERIZATION WILL REQUIRE A PET SCAN.
- (4) MULTIPLY THE NUMBER OF INTRACTABLE EPILEPSY CASES (ICD-9-CM CODES 345.01, 345.11, 345.41, 345.51, 345.61, 345.71, 345.81, OR 345.91) IDENTIFIED IN ACCORD WITH THE REQUIREMENTS OF SECTION 16 BY 1.0, WHICH IS THE ESTIMATED PROBABILITY THAT A PATIENT HAVING AN INTRACTABLE EPILEPSY PROCEDURE WILL REQUIRE A PET SCAN. MULTIPLY THE NUMBER RESULTING FROM THE CALCULATION IN SUBSECTION (3) BY 1.0, WHICH IS THE ESTIMATED NUMBER OF PET SCANS NEEDED FOR EACH PATIENT REQUIRING A PET SCAN.
  - (5) SUM THE NUMBERS RESULTING FROM THE CALCULATIONS IN SUBSECTIONS (1)

THROUGH (4) TO DETERMINE THE TOTAL NUMBER OF PROJECTED PET DATA UNITS.

(6) MULTIPLY THE RESULT CALCULATED IN SUBSECTION (5) ABOVE BY A FACTOR OF 3.0 IF THE APPLICANT IS PROPOSING TO SERVE ONLY PLANNING AREA 6 TO DETERMINE THE TOTAL NUMBER OF PROJECTED PET DATA UNITS.

(7) MULTIPLY THE RESULT CALCULATED IN SUBSECTION (5) ABOVE BY A FACTOR OF 2.0 IF THE APPLICANT IS PROPOSING TO SERVE ONLY PLANNING AREA 5 TO DETERMINE THE TOTAL NUMBER OF PROJECTED PET DATA UNITS.

## Section 13. Requirements for approval for all applicants COMMITMENT OF DIAGNOSIS-SPECIFIC NEW CANCER CASES

Sec. 13. An applicant shall provide verification of Medicaid participation at the time the application is submitted to the Department. If the required documentation is not submitted with the application on the designated application date, the application will be deemed filed on the first applicable designated application date after all required documentation is received by the Department. AN APPLICANT PROPOSING TO USE DIAGNOSIS-SPECIFIC NEW CANCER CASES SHALL DEMONSTRATE ALL OF THE FOLLOWING:

(1) ONLY THOSE CANCER DIAGNOSES IDENTIFIED IN SECTION 12(1) AND 12(2) SHALL BE INCLUDED.

(2) EACH ENTITY CONTRIBUTING DIAGNOSIS SPECIFIC NEW CANCER CASE DATA PROVIDES, AS PART OF THE APPLICATION AT THE TIME IT IS SUBMITTED TO THE DEPARTMENT, A SIGNED GOVERNING BODY RESOLUTION THAT IDENTIFIES THE NUMBER OF DIAGNOSIS-SPECIFIC CANCER CASES BEING COMMITTED TO THE APPLICATION AND THAT STATES NO CURRENT OR FUTURE DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA WILL BE USED IN SUPPORT OF ANY OTHER APPLICATION FOR A PET UNIT FOR A PERIOD OF FIVE (5) YEARS FROM THE DATE OF START OF OPERATIONS OF THE APPROVED PET SCANNER SERVICE FOR WHICH DATA ARE BEING COMMITTED. IF THE REQUIRED DOCUMENTATION FOR THIS SUBSECTION IS NOT SUBMITTED WITH THE APPLICATION ON THE DESIGNATED APPLICATION DATE, THE APPLICATION WILL BE DEEMED FILED ON THE FIRST APPLICABLE DESIGNATED APPLICATION DATE AFTER ALL REQUIRED DOCUMENTATION IS RECEIVED BY THE DEPARTMENT.

(A) FOR FIXED PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH ENTITY CONTRIBUTING DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA IS IN THE SAME PLANNING AREA AS THE PROPOSED PET SERVICE.

(B) FOR MOBILE PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH ENTITY CONTRIBUTING DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA IN THE PLANNING AREA(S) FOR WHICH THE PROPOSED PET SERVICE CONTAINS A PROPOSED HOST SITE OR WITHIN A 75-MILE RADIUS OF THE PROPOSED HOST SITE FOR RURAL AND MICROPOLITAN STATISTICAL AREA COUNTIES OR 25-MILE RADIUS FOR METROPOLITAN STATISTICAL AREA COUNTIES.

(C) NO ENTITY CONTRIBUTING DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA HAS PREVIOUSLY COMMITTED OR IS COMMITTING DATA TO ANOTHER SERVICE THAT IS LESS THAN FIVE (5) YEARS FROM THE START OF OPERATIONS OF THAT SERVICE.

(3) NO ENTITY CURRENTLY OPERATING OR APPROVED TO OPERATE A PET SCANNER SERVICE SHALL CONTRIBUTE DIAGNOSIS-SPECIFIC NEW CANCER CASES.

(4) THE DEPARTMENT MAY NOT CONSIDER A WITHDRAWAL OF DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA DURING THE 120-DAY APPLICATION REVIEW CYCLE FOLLOWING

THE DATE ON WHICH THE DEPARTMENT REVIEW OF THE APPLICATION COMMENCES OR AFTER A PROPOSED DECISION TO APPROVE THE APPLICATION HAS BEEN ISSUED UNLESS THE APPLICATION IS DENIED, WITHDRAWN, OR EXPIRED. THE WITHDRAWAL MUST BE SUBMITTED TO THE DEPARTMENT IN THE FORM OF A GOVERNING BODY RESOLUTION THAT CONTAINS THE SPECIFIC CON APPLICATION NUMBER TO WHICH THE DATA WERE ORIGINALLY COMMITTED, THE LEGAL APPLICANT ENTITY, THE COMMITTING ENTITY, THE TYPE OF DATA, THE DATE OF THE MEETING IN WHICH THE GOVERNING BODY AUTHORIZED THE WITHDRAWAL OF THE DATA, THE GOVERNING BODY PRESIDENT'S SIGNATURE, AND THE DATE OF THE SIGNATURE.

## Section -14. Project delivery requirements and terms of approval for all applicants DOCUMENTATION OF DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA

- Sec. 14. AN APPLICANT REQUIRED TO DOCUMENT VOLUMES OF DIAGNOSIS-SPECIFIC NEW CANCER CASES SHALL SUBMIT, AS PART OF ITS APPLICATION AT THE TIME IT IS SUBMITTED TO THE DEPARTMENT, DOCUMENTATION FROM THE DIVISION FOR VITAL RECORDS AND HEALTH STATISTICS VERIFYING THE NUMBER OF DIAGNOSIS-SPECIFIC NEW CANCER CASES PROVIDED IN SUPPORT OF THE APPLICATION FOR THE MOST RECENT CALENDAR YEAR FOR WHICH VERIFIABLE DATA ARE AVAILABLE FROM THE STATE REGISTRAR. IF THE REQUIRED DOCUMENTATION FOR THIS SUBSECTION IS NOT SUBMITTED WITH THE APPLICATION ON THE DESIGNATED APPLICATION DATE, THE APPLICATION WILL BE DEEMED FILED ON THE FIRST APPLICABLE DESIGNATED APPLICATION DATE AFTER ALL REQUIRED DOCUMENTATION IS RECEIVED BY THE DEPARTMENT. DIAGNOSIS-SPECIFIC NEW CANCER CASE DATA SUPPORTING AN APPLICATION UNDER THESE STANDARDS SHALL BE SUBMITTED TO THE DIVISION FOR VITAL RECORDS AND HEALTH STATISTICS USING A FORMAT AND MEDIA SPECIFIED IN INSTRUCTIONS FROM THE DEPARTMENT OF COMMUNITY HEALTH.

  (1) An applicant shall agree that, if approved, the services provided by the PET service shall be delivered in compliance with the following terms of CON approval:
- (a) Compliance with these standards.
  - (b) Compliance with applicable safety and operating standards.
  - (c) Compliance with the following quality assurance standards:
- (i) The approved PET scanner shall be operating at the applicable required volumes specified in these standards. In meeting this requirement, an applicant shall <u>not</u> include any patient visits conducted by dedicated research PET scanners.
- (iii) A PET service, whether fixed or mobile, shall be staffed so that screening of requests for PET procedures and/or interpretation of PET procedures will be carried out by a physician(s) with appropriate training and familiarity with the appropriate diagnostic use and interpretation of cross-sectional images of the anatomical region(s) to be examined. For purposes of evaluating this subsection, the Department shall consider it prima facie evidence as to the training of the physician(s) if the physician is board certified or board qualified in nuclear medicine or nuclear radiology. However, an applicant may submit, and the Department may accept, other evidence that the physician(s) is qualified to operate the PET service/scanner. The physician(s) must be on-site or available through telecommunication capabilities to participate in the screening of patients for PET procedures and to provide other consultation services.
- (iv) An applicant shall establish a PET service team. A PET service team shall be responsible for (A) developing criteria for procedure performance, (B) developing protocols for procedure performance, (C) developing a clinical data base for utilization review and quality assurance purposes, (D) transmitting requested data to the Department, (E) screening of patients to assure appropriate utilization of the PET scanner, (F) taking and interpreting scans, and (G) coordinating PET activity at a PET host site(s) for a mobile pet service(s)/scanner(s).

987

988

989 990

991

992 993

994 995

996 997

998

999 1000

1001

1002

1003

1004

1005 1006

- (v) At a minimum, the PET service team shall include the following personnel, employed directly by the applicant or on a contractual basis: (A) a team leader, (B) technologists with training in PET scanning, (C) radiation safety personnel, and (D) a physicist(s). The physicist(s) must be board certified or eligible for certification by the American Board of Radiology or an equivalent organization. Other personnel that may be appropriate members of the PET service team, depending on the type of operation and PET procedures performed, include but are not limited to nurses, computer technicians, radiochemists, radio-chemistry technicians, radio-pharmacists, and instrument maintenance technicians. If the team leader is not a physician, the PET service team also shall include a physician with appropriate training and familiarity with the appropriate diagnostic use and interpretation of cross-sectional images of the anatomical region(s) to be examined.
- (vi) The applicant shall have, within the PET service, equipment and supplies to handle clinical emergencies that might occur within the PET service, with PET staff trained in CPR and other appropriate emergency interventions, and a physician on-site or immediately available to the PET service at all times when patients are undergoing PET procedures.
- (vii) An applicant shall participate in Medicaid at least 12 consecutive months within the first two years of operation and continue to participate annually thereafter.
- (viii) Fixed and mobile PET scanner units shall be operating at a minimum average annual level of utilization during the second twelve months of operation, and annually thereafter, of 1,500 PET
  - (d) Compliance with the following requirements:
- (i) The applicant shall accept referrals for PET scanner services from all appropriately licensed
- (ii) The applicant, to assure that the PET scanner services will be utilized by all segments of the Michigan population, shall (A) not deny PET scanner services to any individual based on ability to pay or source of payment, (B) provide PET scanning services to any individual based on the clinical indications of need for the service, and (C) maintain information by payor and non-paying sources to indicate the volume of care from each source provided annually.
- Compliance with selective contracting requirements shall not be construed as a violation of this
- (iii) The applicant shall participate in a data collection network established and administered by the Department or its designee. The data may include, but are not limited to annual budget and cost information, operating schedules, through-put schedules, demographic and diagnostic information, the volume of care provided to patients from all payor sources, and other data requested by the Department or its designee. The applicant shall provide the required data on a separate basis for each separate and distinct site, PET scanner, or PET service as required by the Department, in a format established by the Department, and in a mutually agreed upon media. The Department may elect to verify the data through on-site review of appropriate records. If the applicant intends to include research PET equivalents conducted by a PET scanner other than a dedicated research PET scanner in its utilization statistics, the applicant shall submit to the Department a copy of the research protocol with evidence of approval by the Institutional Review Board. The applicant shall submit this at the time the applicant intends to include research procedures in its utilization statistics. The applicant shall separately report to the Department any PET equivalents conducted by a dedicated research PET scanner.
- (iv) PET equipment to be replaced shall be removed from service on or before beginning operation of the replacement equipment, including the use of temporary scanners as part of the replacement
- (v) The applicant shall provide the Department with a notice stating the first date on which the PET scanner became operational, and such notice shall be submitted to the Department consistent with applicable statute and promulgated rules.
- (2) An applicant for a dedicated research PET scanner under Section 10 shall agree that the services provided by the PET scanner approved pursuant to Section 10 shall be delivered in compliance with the following terms of CON approval:
  - (a) The capital and operating costs relating to the dedicated research PET scanner approved

1008 pursuant to Section 8 shall be charged only to a specific research account(s) and not to any patient or 1009 third-party payor. (b) The dedicated research PET scanner approved pursuant to Section 10 shall not be used for 1010 1011 any purposes other than as approved by the Institutional Review Board unless the applicant has obtained CON approval for the PET scanner pursuant to Part 222 and these standards, other than Section 10. 1012 1013 (3) The operation of and referral of patients to the PET service shall be in conformance with 1978 1014 PA 368, Sec. 16221, as amended by 1986 PA 319; MCL 333.16221; MSA 14.15 (16221). 1015 1016 1017 (4) The agreements and assurances required by this section shall be in the form of a certification 1018 authorized by the governing body of the applicant or its authorized agent. 1019 1020 Section 15. Project delivery requirements and additional terms of approval for applicants involving mobile PET services COMMITMENT AND DOCUMENTATION OF DIAGNOSTIC CARDIAC 1021 1022 **CATHETERIZATION DATA** 1023 1024 Sec. 15. AN APPLICANT PROPOSING TO USE DIAGNOSTIC CARDIAC CATHETERIZATION DATA SHALL DEMONSTRATE ALL OF THE FOLLOWING: 1025 1026 (1) EACH ENTITY CONTRIBUTING DIAGNOSTIC CARDIAC CATHETERIZATION DATA 1027 1028 PROVIDES, AS PART OF THE APPLICATION AT THE TIME IT IS SUBMITTED TO THE DEPARTMENT, A SIGNED GOVERNING BODY RESOLUTION THAT IDENTIFIES THE NUMBER OF 1029 DIAGNOSTIC CARDIAC CATHETERIZATION CASES (SESSIONS) COMMITTED TO THE 1030 APPLICATION AND THAT STATES NO CURRENT OR FUTURE DIAGNOSTIC CARDIAC 1031 CATHETERIZATION DATA WILL BE USED IN SUPPORT OF ANY OTHER APPLICATION FOR A PET 1032 1033 UNIT FOR THE DURATION OF THE PET SERVICE FOR WHICH DATA ARE BEING COMMITTED FOR A PERIOD OF FIVE (5) YEARS FROM THE DATE OF START OF OPERATIONS OF THE 1034 APPROVED PET SERVICE FOR WHICH DATA ARE BEING COMMITTED. IF THE REQUIRED 1035 DOCUMENTATION FOR THIS SUBSECTION IS NOT SUBMITTED WITH THE APPLICATION ON THE 1036 DESIGNATED APPLICATION DATE, THE APPLICATION WILL BE DEEMED FILED ON THE FIRST 1037 1038 APPLICABLE DESIGNATED APPLICATION DATE AFTER ALL REQUIRED DOCUMENTATION IS 1039 RECEIVED BY THE DEPARTMENT. (A) FOR FIXED PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH ENTITY 1040 CONTRIBUTING DIAGNOSTIC CARDIAC CATHETERIZATION DATA IS IN THE SAME PLANNING 1041 AREA AS THE PROPOSED PET UNIT/SERVICE. 1042 1043 (B) FOR MOBILE PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH 1044 ENTITY CONTRIBUTING DIAGNOSTIC CARDIAC CATHETERIZATION CASE DATA IN THE PLANNING AREA(S) FOR WHICH THE PROPOSED PET SERVICE CONTAINS A PROPOSED HOST 1045 SITE OR WITHIN A 75-MILE RADIUS OF THE PROPOSED HOST SITE FOR RURAL AND 1046 MICROPOLITAN STATISTICAL AREA COUNTIES OR 25-MILE RADIUS FOR METROPOLITAN 1047 1048 STATISTICAL AREA COUNTIES. (C) NO ENTITY CONTRIBUTING DIAGNOSTIC CARDIAC CATHETERIZATION DATA HAS 1049 1050 PREVIOUSLY COMMITTED OR IS COMMITTING DATA TO ANOTHER SERVICE THAT IS LESS THAN FIVE (5) YEARS FROM THE START OF OPERATIONS OF THAT SERVICE. 1051 (D) THE DIAGNOSTIC CARDIAC CATHETERIZATION CASE DATA IS FROM THE MOST 1052 1053 RECENTLY COMPLETED REPORT(S) OF THE ANNUAL SURVEY PRODUCED BY THE

(2) NO ENTITY CURRENTLY OPERATING OR APPROVED TO OPERATE A PET SCANNER SERVICE SHALL CONTRIBUTE DIAGNOSTIC CARDIAC CATHETERIZATION CASE DATA.

DEPARTMENT, AND THE CONTRIBUTING ENTITY HAS CON APPROVAL TO PROVIDE

(3) THE DEPARTMENT MAY NOT CONSIDER A WITHDRAWAL OF DIAGNOSTIC CARDIAC

DIAGNOSTIC CARDIAC CATHETERIZATION SERVICES.

1054 1055

1056

1057 1058

1059

CATHETERIZATION CASE DATA DURING THE 120-DAY APPLICATION REVIEW CYCLE
FOLLOWING THE DATE ON WHICH THE DEPARTMENT REVIEW OF THE APPLICATION
COMMENCES OR AFTER A PROPOSED DECISION TO APPROVE THE APPLICATION HAS BEEN
DENIED UNLESS THE APPLICATION IS DENIED, WITHDRAWN, OR EXPIRED. THE WITHDRAWAL
MUST BE SUBMITTED TO THE DEPARTMENT IN THE FORM OF A GOVERNING BODY
RESOLUTION THAT CONTAINS THE SPECIFIC CON APPLICATION NUMBER TO WHICH THE DATA
WERE ORIGINALLY COMMITTED, THE LEGAL APPLICANT ENTITY, THE COMMITTING ENTITY,
THE TYPE OF DATA, THE DATE OF THE MEETING IN WHICH THE GOVERNING BODY
AUTHORIZED THE WITHDRAWAL OF THE DATA, THE GOVERNING BODY PRESIDENT'S
SIGNATURE, AND THE DATE OF THE SIGNATURE.

- (1) In addition to the provisions of Section 14, an applicant for a mobile PET services shall agree that the services provided by the mobile PET scanner(s) shall be delivered in compliance with the following terms of CON approval:
- (a) The central service coordinator for a mobile PET service, with an approved CON, shall notify the administrative unit of the Department of Community Health responsible for administering the CON program 30 days prior to dropping an existing host site.
- (b) Each host site must have at least one physician who is board certified or board eligible in nuclear medicine or nuclear radiology on its medical staff. The physician(s) shall be responsible for (i) establishing patient examination and infusion protocol and (ii) providing for the interpretation of scans performed by the mobile PET service/scanner.
- (c) Each mobile PET scanner service shall have an operations committee with members representing each host site, the central service coordinator, and the medical director. This committee shall oversee the effective and efficient use of the PET scanner, establish the regular route schedule, identify the process by which changes are to be made to the schedule, develop procedures for handling emergency situations, and review the ongoing operations of the mobile PET scanner service on at least a quarterly basis.
- (d) The central service coordinator shall arrange for emergency repair services to be available 24 hours each day for the mobile PET scanner equipment as well as the vehicle transporting the equipment. In addition, to preserve image quality and minimize PET scanner downtime, calibration checks shall be performed on the PET scanner unit at least once each work day or in accordance with the manufacturer's requirements. Routine maintenance services shall be provided on a regularly scheduled basis, at least once a week or in accordance with the manufacturer's requirements, during hours not normally used for patient procedures.
- (e) Each host site shall provide a properly prepared parking pad, for the mobile PET scanner unit, of sufficient load-bearing capacity to support the vehicle, a waiting area for patients, and a means for patients to enter the vehicle without going outside (such as an enclosed canopy or an enclosed corridor). Each host site also must provide the capability for processing the film and maintaining the confidentiality of patient records. A communication system must be provided between the mobile vehicle and each host site to provide for immediate notification of emergency medical situations.
- (f) A mobile PET scanner service shall operate under a contractual agreement that includes the provision of PET services at each host site on a regularly scheduled basis.
- (g) The volume of utilization at each host site shall be reported to the Department by the central service coordinator under the terms of Section 14(1)(d)(iii).
- (2) The agreements and assurances required by this section shall be in the form of a certification authorized by the owner or the governing body of the applicant or its authorized agent.

Section 16. Determination of PET equivalents COMMITMENT AND DOCUMENTATION OF INTRACTABLE EPILEPSY DATA

Sec. 16. AN APPLICANT PROPOSING TO USE INTRACTABLE EPILEPSY CASES SHALL DEMONSTRATE ALL OF THE FOLLOWING:

CON Review Standards for Positron Emission Tomography Scanner Services For CON Commission Public Hearing on July 14, 2011

1114 EACH ENTITY CONTRIBUTING INTRACTABLE EPILEPSY DATA PROVIDES, AS PART OF 1115 THE APPLICATION AT THE TIME IT IS SUBMITTED TO THE DEPARTMENT, A SIGNED GOVERNING 1116 1117 BODY RESOLUTION THAT IDENTIFIES THE NUMBER OF INTRACTABLE EPILEPSY CASES COMMITTED TO THE APPLICATION AND THAT STATES NO CURRENT OR FUTURE INTRACTABLE 1118 EPILEPSY CASE DATA WILL BE USED IN SUPPORT OF ANY OTHER APPLICATION FOR A PET 1119 UNIT FOR THE DURATION OF THE PET SERVICE FOR WHICH THE DATA ARE BEING COMMITTED 1120 FOR A PERIOD OF FIVE (5) YEARS FROM THE DATE OF START OF OPERATIONS OF THE 1121 APPROVED PET SERVICE FOR WHICH DATA ARE BEING COMMITTED. IF THE REQUIRED 1122 1123 DOCUMENTATION FOR THIS SUBSECTION IS NOT SUBMITTED WITH THE APPLICATION ON THE 1124 DESIGNATED APPLICATION DATE, THE APPLICATION WILL BE DEEMED FILED ON THE FIRST APPLICABLE DESIGNATED APPLICATION DATE AFTER ALL REQUIRED DOCUMENTATION IS 1125 RECEIVED BY THE DEPARTMENT. 1126 (A) FOR FIXED PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH ENTITY 1127 1128 CONTRIBUTING INTRACTABLE EPILEPSY CASE DATA IS IN THE SAME PLANNING AREA AS THE 1129 PROPOSED PET UNIT/SERVICE. 1130 (B) FOR MOBILE PET SCANNER SERVICES, THE GEOGRAPHIC LOCATION OF EACH ENTITY CONTRIBUTING INTRACTABLE EPILEPSY CASE DATA IN THE PLANNING AREA(S) FOR 1131 WHICH THE PROPOSED PET SCANNER SERVICE CONTAINS A PROPOSED HOST SITE OR 1132 WITHIN A 75-MILE RADIUS OF THE PROPOSED HOST SITE FOR RURAL AND MICROPOLITAN 1133 1134 STATISTICAL AREA COUNTIES OR 25-MILE RADIUS FOR METROPOLITAN STATISTICAL AREA COUNTIES. 1135 (C) NO ENTITY CONTRIBUTING INTRACTABLE EPILEPSY CASE DATA HAS PREVIOUSLY 1136 COMMITTED OR IS COMMITTING DATA TO ANOTHER SERVICE THAT IS LESS THAN FIVE (5) 1137 YEARS FROM THE START OF OPERATIONS OF THAT SERVICE. 1138 1139 (D) THE INTRACTABLE EPILEPSY CASE DATA IS FROM THE MOST RECENT MICHIGAN INPATIENT DATA BASE (MIDB) AVAILABLE TO THE DEPARTMENT. 1140 1141 (2) NO ENTITY CURRENTLY OPERATING OR APPROVED TO OPERATE A SCANNER SHALL 1142 CONTRIBUTE INTRACTABLE EPILEPSY CASE DATA. 1143 1144 (3) THE DEPARTMENT MAY NOT CONSIDER A WITHDRAWAL OF INTRACTABLE EPILEPSY 1145 CASE DATA DURING THE 120-DAY APPLICATION REVIEW CYCLE FOLLOWING THE DATE ON 1146 WHICH THE DEPARTMENT REVIEW OF THE APPLICATION COMMENCES OR AFTER A 1147 PROPOSED DECISION TO APPROVE THE APPLICATION UNLESS THE APPLICATION IS DENIED, 1148 WITHDRAWN, OR EXPIRED. THE WITHDRAWAL MUST BE SUBMITTED TO THE DEPARTMENT IN 1149 1150 THE FORM OF A GOVERNING BODY RESOLUTION THAT CONTAINS THE SPECIFIC CON APPLICATION NUMBER TO WHICH THE DATA WERE ORIGINALLY COMMITTED, THE LEGAL 1151 APPLICANT ENTITY, THE COMMITTING ENTITY, THE TYPE OF DATA, THE DATE OF THE 1152 MEETING IN WHICH THE GOVERNING BODY AUTHORIZED THE WITHDRAWAL OF THE DATA, 1153 1154 THE GOVERNING BODY PRESIDENT'S SIGNATURE, AND THE DATE OF THE SIGNATURE. 1155 1156 For purposes of these standards, PET equivalents shall be calculated as follows: 1157 (a) Each actual patient visit performed during the time period specified in the applicable section(s) 1158 1159 of these standards shall be assigned a number of PET equivalents based on the sum of the applicable values set forth in subsections (i) through (vii). 1160 1161 (i) A single patient visit (ii) Number of chemically different tracers 1162 used during a single patient visit. 1163 1164 1 tracers = 0

>2 tracers = 0.8

(iii) Number of tracer injections performed

1167	during a single patient visit.
1168	1 tracer injection = 0
1169	2 tracer injections = 0.3
1170	<u>≥3 tracer injections = 0.6</u>
1171	(iv) Dynamic scan(s) performed during a single 0.5
1172	patient visit.
1173	(v) Number of bed positions used during a single
1174	patient visit.
1175	1 bed position = 0
1176	≥2 bed positions = 0.2 for each additional position
1177	(vi) Arterial sampling performed during a single 0.5
1178	patient visit.
1179	(vii) Transmission scan .1 per bed position
1180	Total PET Equivalents for a Single Patient Visit
1181	(b) For each pediatric patient visit, the PET equivalent(s) determined pursuant to subdivision (a)
1182	shall be multiplied as follows:
1183	patient ≤ 5 years of age multiply by 4.0
1184	patient >5<10 years of age multiply by 3.0
1185	patient >10<17 years of age multiply by 2.0
1186	(c) For each radiation therapy patient visit, the PET equivalent(s) determined pursuant to
1187	subdivision (a) shall be multiplied by 1.5.
1188	(d) The PET equivalents for each patient visit determined pursuant to subdivisions (a), (b) and (c)
1189	shall be summed to determine the total PET equivalents for the time period specified in the applicable
1190	section(s) of these standards.
1191	SECTION 17. METHODOLOGY FOR COMPUTING PET EQUIVALENTS

## <u>SECTION 17. METHODOLOGY FOR COMPUTING PET EQUIVALENTS</u>

1192 1193

1194

1195

1196

1197 1198

1199

1200

1201 1202

1203 1204

1205

1206

Sec. 17. For purposes of these standards, PET equivalents shall be calculated as follows:

TABLE1 PET EQUIVALENTS			
Scan Category	Weight		
Simple <sup>1</sup>	0.75		
Standard <sup>2</sup>	1.0		
Complex <sup>3</sup>	1.5		
<sup>1</sup> BRAIN AND SINGLE CARDIAC SCANS.			
<sup>2</sup> MID-SKULL TO MID-THIGH SCANS.			
<sup>3</sup> INPATIENT, RADIATION TREATMENT WHEN PATIENT POSITION DEVICE.	CE IS USED, CARDIAC REST/STRESS PERFUSION		

### Section 1718. Methodology for computing the projected number of PET data units **DEPARTMENT INVENTORY OF PET SCANNERS**

AND METABOLISM, STANDARD STUDY WITH ADDITIONAL LIMITED SCAN, PEDIATRIC, AND TOTAL BODY SCANS

Sec. 4718. THE DEPARTMENT SHALL MAINTAIN AND PUBLICLY POST ON ITS WEB SITE A LIST OF PET SCANNER SERVICES ANNUALLY.

-The applicant being reviewed under Section 4 shall apply the methodology set forth in this section in computing the projected number of PET data units.

- (1)(a) Identify the number of diagnosis specific new cancer cases documented in accord with the requirements of Section 18.

(b) Combine the number of cancer cases for lung (site codes C340-C349), esophagus (site codes

1208	(morphology codes 8720-8790), and head & neck [site codes C000-C148, C300-C329, C410, C411,
1209	C470 OR C490 excluding C440-C444 (skin of head and neck), and additional codes approved by
1210	National Coverage Determination]. Use the name "combined" for this grouping.
1211	(c) Multiply the number resulting from the calculation in "combined" cancer cases identified in
1212	subsection (1)(b) by 0.8, which is the estimated probability that a "combined" cancer case will require a
1213	PET scan.
1214	(d) Multiply the number resulting from the calculation in subsection (1)(c) by 2.5, which is the
1215	estimated number of PET scans needed for each patient requiring a PET scan.
1216	
1217	— (2)(a)—Identify the number of diagnosis specific new cancer cases documented in accord with the
1218	requirements of Section 18.
1219	(b) Multiply the number of breast cancer cases (site codes C500-C509) by 0.25, which is the
1220	estimated probability that a breast cancer case will require a PET scan.
1221	(c) Multiply the number resulting from the calculation in subsection (2)(b) by 1.0, which is the
1222	estimated number of PET scans needed for each patient requiring a PET scan.
1223	
1224	— (3)(a) Multiply the number of diagnostic cardiac catheterization cases identified in accord with the
1225	requirements of Section 20 by 0.1, which is the estimated probability that a patient having a diagnostic
1226	cardiac catheterization will require a PET scan.
1227	(b) Multiply the number resulting from the calculation in subsection (3)(a) by 1.0, which is the
1228	estimated number of PET scans needed for each patient requiring a PET scan.
1229	(4\/a\/b\) Multiply the group of good the color letter in subscatter (4\/a\) by 4.0 which is the
1230	(4)(a)(b) Multiply the number resulting from the calculation in subsection (4)(a) by 1.0, which is the
1231	estimated number of PET scans needed for each patient requiring a PET scan.
1232	(5) Sum the numbers resulting from the calculations in subsections (1) through (4) to determine the
1233 1234	total number of projected PET data units.
1234	total number of projected FET data units.
1236	(6) Multiply the result calculated in subsection (5) above by a factor of 3.0 if the applicant is
1237	proposing to serve only Planning Area 6 to determine the total number of projected PET data units.
1238	proposing to serve only infamining rived onto determine the total number of projected in E.i. data drints.
1239	(7) Multiply the result calculated in subsection (5) above by a factor of 2.0 if the applicant is
1240	proposing to serve only Planning Area 5 to determine the total number of projected PET data units.
1241	proposing to sorre empty management and to determine the total national expression of projection in a section of the projection in the projection of the projection in the projection of the pro
1242	
1243	Section 1819. Commitment of diagnosis specific new cancer cases COMPARATIVE REVIEWS;
1244	EFFECT ON PRIOR PLANNING POLICIES
1245	
1246	Sec. 1819. PROPOSED PROJECTS REVIEWED UNDER THESE STANDARDS SHALL NOT BE
1247	SUBJECT TO COMPARATIVE REVIEW. THESE CON REVIEW STANDARDS SUPERSEDE AND
1248	REPLACE THE CON STANDARDS FOR PET SCANNER SERVICES APPROVED BY THE CON
1249	COMMISSION ON DECEMBER 12, 2006 AND EFFECTIVE MARCH 8, 2007.
1250	
1251	(1) An applicant proposing to use diagnosis specific new cancer cases shall demonstrate all of the
1252	following:
1253	——————————————————————————————————————
1254	(b) Each entity contributing diagnosis specific new cancer case data provides, as part of the
1255	application at the time it is submitted to the Department, a signed governing body resolution that identifies
1256	the number of diagnosis specific cancer cases being committed to the application and that states no
1257	current or future diagnosis specific new cancer case data will be used in support of any other application
1258	for a PET unit for a period of five (5) years from the date of start of operations of the approved PET
1259	service for which data are being committed. If the required documentation for this subsection is not

1207 C150-C159), colorectal (site codes C180-C209), lymphoma (morphology codes 9590-9729), melanoma

submitted with the application on the designated application date, the application will be deemed filed on the first applicable designated application date after all required documentation is received by the Department.

- (c) For fixed PET scanner services, the geographic location of each entity contributing diagnosis specific new cancer case data is in the same planning area as the proposed PET service.
- (d) For mobile PET scanner services, the geographic location of each entity contributing diagnosis specific new cancer case data in the planning area(s) for which the proposed PET service contains a proposed host site or within a 75-mile radius of the proposed host site for rural and micropolitan statistical area counties or 25-mile radius for metropolitan statistical area counties.
- (e) No entity contributing diagnosis specific new cancer case data has previously committed or is committing data to another service that is less than five (5) years from the start of operations of that service and is listed on the "Department Inventory of Pet Scanners."
- (2) No entity currently operating or approved to operate a scanner, whether fixed or mobile, listed on the "Department Inventory of PET Scanners" shall contribute diagnosis specific new cancer cases.
- (3)(a) The Department may not consider a withdrawal of diagnosis specific new cancer case data during the 120-day application review cycle following the date on which the Department review of the application commences or after a proposed decision to approve the application has been issued unless the application is denied, withdrawn, or expired.
- (b) The withdrawal must be submitted to the Department in the form of a governing body resolution that contains the specific CON application number to which the data were originally committed, the legal applicant entity, the committing entity, the type of data, the date of the meeting in which the governing body authorized the withdrawal of the data, the governing body president's signature, and the date of the signature.

### Section 19. Documentation of diagnosis specific new cancer case data

- Sec. 19. (1) An applicant required to document volumes of diagnosis specific new cancer cases shall submit, as part of its application at the time it is submitted to the Department, documentation from the Division for Vital Records and Health Statistics verifying the number of diagnosis specific new cancer cases provided in support of the application for the most recent calendar year for which verifiable data are available from the State Registrar. If the required documentation for this subsection is not submitted with the application on the designated application date, the application will be deemed filed on the first applicable designated application date after all required documentation is received by the Department.
- (2) Diagnosis specific new cancer case data supporting an application under these standards shall be submitted to the Division for Vital Records and Health Statistics using a format and media specified in instructions from the Department of Community Health.

#### Section 20. Commitment and documentation of diagnostic cardiac catheterization data

- Sec. 20. (1) An applicant proposing to use diagnostic cardiac catheterization data shall demonstrate all of the following:
- (a) Each entity contributing diagnostic cardiac catheterization data [pursuant to Section 17(3)(a)] provides, as part of the application at the time it is submitted to the Department, a signed governing body resolution that identifies the number of diagnostic cardiac catheterization cases (sessions) committed to the application and that states no current or future diagnostic cardiac catheterization data will be used in support of any other application for a PET unit for the duration of the PET service for which data are being committed for a period of five (5) years from the date of start of operations of the approved PET service for which data are being committed. If the required documentation for this subsection is not submitted with the application on the designated application date, the application will be deemed filed on the first applicable designated application date after all required documentation is received by the

#### 1313 Department.

- (b) For fixed PET scanner services, the geographic location of each entity contributing diagnostic cardiac catheterization data is in the same planning area as the proposed PET unit/service.
- (c) For mobile PET scanner services, the geographic location of each entity contributing diagnosis specific new cancer case data in the planning area(s) for which the proposed PET service contains a proposed host site or within a 75-mile radius of the proposed host site for rural and micropolitan statistical area counties or 25-mile radius for metropolitan statistical area counties.
- (d) No entity contributing diagnostic cardiac catheterization data has previously committed or is committing data to another service that is less than five (5) years from the start of operations of that service and is listed on the "Department Inventory of Pet Scanners."
- (e) The diagnostic cardiac catheterization case data is from the most recently completed report(s) of the "Annual Hospital Statistical Questionnaire" produced by the Department, and the contributing entity has CON Approval to provide diagnostic cardiac catheterization services.
- (2) No entity currently operating or approved to operate a PET scanner, whether fixed or mobile, listed on the "Department Inventory of PET Scanners" shall contribute diagnostic cardiac catheterization case data.
- (3)(a) The Department may not consider a withdrawal of diagnostic cardiac catheterization case data during the 120-day application review cycle following the date on which the Department review of the application commences or after a proposed decision to approve the application has been denied unless the application is denied, withdrawn, or expired.
- (b) The withdrawal must be submitted to the Department in the form of a governing body resolution that contains the specific CON application number to which the data were originally committed, the legal applicant entity, the committing entity, the type of data, the date of the meeting in which the governing body authorized the withdrawal of the data, the governing body president's signature, and the date of the signature.

#### Section 21. Commitment and documentation of intractable epilepsy data

- Sec. 21. (1) An applicant proposing to use intractable epilepsy cases shall demonstrate all of the following:
- (a) Each entity contributing intractable epilepsy data [pursuant to Section 17(4)(a)] provides, as part of the application at the time it is submitted to the Department, a signed governing body resolution that identifies the number of intractable epilepsy cases committed to the application and that states no current or future intractable epilepsy case data will be used in support of any other application for a PET unit for the duration of the PET service for which the data are being committed for a period of five (5) years from the date of start of operations of the approved PET service for which data are being committed. If the required documentation for this subsection is not submitted with the application on the designated application date, the application will be deemed filed on the first applicable designated application date after all required documentation is received by the Department.
- (b) For fixed PET scanner services, the geographic location of each entity contributing intractable epilepsy case data is in the same planning area as the proposed PET unit/service.
- (c) For mobile PET scanner services, the geographic location of each entity contributing diagnosis specific new cancer case data in the planning area(s) for which the proposed PET service contains a proposed host site or within a 75-mile radius of the proposed host site for rural and micropolitan statistical area counties or 25-mile radius for metropolitan statistical area counties.
- (d) No entity contributing intractable epilepsy case data has previously committed or is committing data to another service that is less than five (5) years from the start of operations of that service and is listed on the "Department Inventory of Pet Scanners."
- (e) The intractable epilepsy case data is from the most recent Michigan Inpatient Data Base (MIDB) available to the Department.

— (2) No entity currently operating or approved to operate a scanner, whether fixed or mobile, listed on the "Department Inventory of Pet Scanners" shall contribute intractable epilepsy case data.

 — (3)(a) The Department may not consider a withdrawal of intractable epilepsy case data during the 120-day application review cycle following the date on which the Department review of the application commences or after a proposed decision to approve the application unless the application is denied, withdrawn, or expired.

(b) The withdrawal must be submitted to the Department in the form of a governing body resolution that contains the specific CON application number to which the data were originally committed, the legal applicant entity, the committing entity, the type of data, the date of the meeting in which the governing body authorized the withdrawal of the data, the governing body president's signature, and the date of the signature.

Sec. 22. Counties assigned to each health service area are as follows:

1201				
1381 1382	HEALTH SERVICE AREA	COUNTIES		
1382	HEALTH SERVICE AREA	COUNTILS		
1384	1	Livingston	Monroe	St. Clair
1385	I	Macomb	Oakland	Washtenaw
1386		Wayne	Canana	vvasitoriaw
1387		vvayno		
1388	2	Clinton	Hillsdale	Jackson
1389	_	Eaton	Ingham	Lenawee
1390		24.011	mgnam	201141100
1391	3	Barry	Calhoun	St. Joseph
1392	-	Berrien	Cass	Van Buren
1393		Branch	Kalamazoo	
1394				
1395	4	Allegan	Mason	Newaygo
1396		Ionia	Mecosta	Oceana
1397		Kent	Montcalm	Osceola
1398		Lake	Muskegon	Ottawa
1399				
1400	5	Genesee	Lapeer	Shiawassee
1401				
1402	6	Arenac	Huron	Roscommon
1403		Bay	losco	Saginaw
1404		Clare	Isabella	Sanilac
1405		Gladwin	Midland	Tuscola
1406		Gratiot	Ogemaw	
1407	7	A I	One to a	N4' 1
1408	7	Alcona	Crawford	Missaukee
1409		Alpena Antrim	Emmet	Montmorency
1410 1411	1	Benzie	Gd Traverse Kalkaska	Oscoda
1411		Charlevoix	Leelanau	Otsego Presque Isle
1412	l	Cheboygan	Manistee	Wexford
1414		Cheboygan	Manistee	VVEXIOIU
1415	8	Alger	Gogebic	Mackinac
1416	· ·	Baraga	Houghton	Marquette
1417		Chippewa	Iron	Menominee
1418		Delta	Keweenaw	Ontonagon
1419		Dickinson	Luce	Schoolcraft
1420				
1421				

1422

Sec. 23. COUNTIES BY Health service areas assigned to each planning area are as follows:

1425	1 lealin S	ervice areas assigni	ed to each planning a	rea are as rollows
1426 1427	PLANNING AREA 1	COUNTIES		
1428				
1429	HSA 1	Livingston	Monroe	St. Clair
1430	1.67.	Macomb	Oakland	Washtenaw
1431		Wayne	Camaria	· · · · · · · · · · · · · · · · · · ·
1432		Wayno		
1433	PLANNING AREA 2			
1434				
1435	HSA 2	Clinton	Hillsdale	Jackson
1436	110.112	Eaton	Ingham	Lenawee
1437	HSA 3	Barry	Calhoun	St. Joseph
1438	116.116	Berrien	Cass	Van Buren
1439		Branch	Kalamazoo	van Baron
1440		2.0		
1441	PLANNING AREA 3			
1442				
1443	HSA 4	Allegan	Mason	Newaygo
1444		Ionia	Mecosta	Oceana
1445		Kent	Montcalm	Osceola
1446		Lake	Muskegon	Ottawa
1447			-	
1448	PLANNING AREA 4			
1449				
1450	HSA 5	Genesee	Lapeer	Shiawassee
1451	HSA 6	Arenac	Huron	Roscommon
1452		Bay	losco	Saginaw
1453		Clare	Isabella	Sanilac
1454		Gladwin	Midland	Tuscola
1455		Gratiot	Ogemaw	
1456				
1457	PLANNING AREA 5			
1458				
1459	HSA 7	Alcona	Crawford	Missaukee
1460		Alpena	Emmet	Montmorency
1461		Antrim	Gd Traverse	Oscoda
1462		Benzie	Kalkaska	Otsego
1463		Charlevoix	Leelanau	Presque Isle
1464		Cheboygan	Manistee	Wexford
1465	PLANNING AREA 6			
1466 1467	PLANNING AREA 6			
1467	HSA 8	Alger	Gogebic	Mackinac
1468	HOA 0	Baraga	Houghton	Marquette
1470		Chippewa	Iron	Menominee
1470		Delta	Keweenaw	Ontonagon
1471		Dickinson	Luce	Schoolcraft
11/L		DIOMINOTI	2000	Solioololait
I				

1473				
1473				APPENDIX AC
1475				
1476		CON REVIEW	- 17 II 12 7 II 12 C	
1477		FOR PET SCAN	IER SERVICES	
1478	Dural Michigan counties	ore so follows:		
1479 1480	Rural Michigan counties	are as follows:		
1481	Alcona	Hillsdale	Ogemaw	
1482	Alger	Huron	Ontonagon	
1483	Antrim	losco	Osceola	
1484	Arenac	Iron	Oscoda	
1485	Baraga	Lake	Otsego	
1486	Charlevoix	Luce	Presque Isle	
1487	Cheboygan	Mackinac	Roscommon	
1488	Clare	Manistee	Sanilac	
1489	Crawford	Mason	Schoolcraft	
1490	Emmet	Montcalm	Tuscola	
1491	Gladwin	Montmorency		
1492	Gogebic	Oceana		
1493				
1494	Micropolitan statistical ar	ea Michigan counties are as	follows:	
1495				
1496	Allegan	Gratiot	Mecosta	
1497	Alpena	Houghton	Menominee	
1498	Benzie	Isabella	Midland	
1499	Branch	Kalkaska	Missaukee	
1500	Chippewa Delta	Keweenaw	St. Joseph Shiawassee	
1501 1502	Dickinson	Leelanau Lenawee	Wexford	
1502	Grand Traverse	Marquette	Wexioid	
1503	Glalid Haveise	Marquette		
1505	Metropolitan statistical a	rea Michigan counties are as	follows:	
1506	mon opoman otationean at	rea mierngan eeu mee are ae	.00	
1507	Barry	Ionia	Newaygo	
1508	Bay	Jackson	Oakland	
1509	Berrien	Kalamazoo	Ottawa	
1510	Calhoun	Kent	Saginaw	
1511	Cass	Lapeer	St. Clair	
1512	Clinton	Livingston	Van Buren	
1513	Eaton	Macomb	Washtenaw	
1514	Genesee	Monroe	Wayne	
1515	Ingham	Muskegon		
1516				
1517	Source:			
1518	0F F D = 00000 /D	h 07 0000\		
1519	65 F.R., p. 82238 (Decer	mber 27, 2000)		
1520	Statistical Policy Office	Dogulatory Affaire		
1521	Office of Information and			
1522 1523	United States Office of M	ianayement anu buuyet		