

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	28735		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28749		100.05 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.69 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	23549		84.75 %
ABR	581		2.09 %
DISTORTION PRODUCT	3649		13.13 %
TEOAE	4		0.01 %
BILATERALLY COMPLETED REPORTS	27783		96.64 %
PASSED	26522		95.45 %
BILATERAL FAIL	376		1.35 %
FAILED IN LEFT EAR ONLY	512		1.84 %
FAILED IN RIGHT EAR ONLY	373		1.34 %
INCOMPLETE SCREEN REPORTS	882		3.07 %
EQUIPMENT FAILURE	66		7.48 %
NEWBORN DISCHARGED	59		6.69 %
NICU HEARING PENDING	326		36.96 %
REFUSED	139		15.76 %
RESTLESSNESS	9		1.02 %
ENVIRONMENTAL NOISE	1		0.11 %
TRANSFER TO ANOTHER FACILITY	211		23.92 %
DECEASED	44		4.99 %
OTHER	27		3.06 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2129		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1639)	76.98 %
MISSING CASES	-14		-0.05 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	376	(271)	72.07 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	885	(690)	77.97 %
INCOMPLETE CASES (RESULTS RECEIVED)	882	(678)	76.87 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	378		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	378		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.47 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	367		97.61 %
ABR	8		2.13 %
DISTORTION PRODUCT	1		0.27 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	376		99.47 %
PASSED	333		88.56 %
BILATERAL FAIL	19		5.05 %
FAILED IN LEFT EAR ONLY	12		3.19 %
FAILED IN RIGHT EAR ONLY	12		3.19 %
INCOMPLETE SCREEN REPORTS	2		0.53 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		50.00 %
RESTLESSNESS	1		50.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Allegiance Health System</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(36)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	19	(13)	68.42 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(21)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	28	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		82.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	95.65 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	4.35 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	82.14 %
PASSED	20	86.96 %
BILATERAL FAIL	2	8.70 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	4.35 %
INCOMPLETE SCREEN REPORTS	5	17.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	20.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Northern MI Hospital -Neuro DX</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 62.50 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2) 40.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.96 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.05 %
ABR	0	0.00 %
DISTORTION PRODUCT	94	98.95 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	95	98.96 %
PASSED	94	98.95 %
BILATERAL FAIL	1	1.05 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2	
TOTAL FOLLOW UP RESULTS RECEIVED **		(2) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	31	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	31	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	31	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	31	100.00 %
PASSED	30	96.77 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.23 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Grandview Hospital -OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	28	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	26	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	26	92.86 %
PASSED	24	92.31 %
BILATERAL FAIL	1	3.85 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	3.85 %
INCOMPLETE SCREEN REPORTS	2	7.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Portage Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	7		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6		85.71 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			42.86 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2		66.67 %
ABR	1		33.33 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	3		50.00 %
PASSED	3		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	3		50.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	2		66.67 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		14.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	1		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BARBEAU, BETH, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	1	100.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT OF GROSSE POINTE HOSPITAL, GROSSE POINTE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	214	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	214	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	213	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	213	99.53 %
PASSED	206	96.71 %
BILATERAL FAIL	2	0.94 %
FAILED IN LEFT EAR ONLY	4	1.88 %
FAILED IN RIGHT EAR ONLY	1	0.47 %
INCOMPLETE SCREEN REPORTS	1	0.47 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital -RO Aud</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 87.50 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BELL MEMORIAL HOSPITAL, ISHPEMING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	77	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	76	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	76	98.70 %
PASSED	76	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.30 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BLACKWELL, COURTNEY, CLARKSTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	341	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	341	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	33	10.03 %
ABR	5	1.52 %
DISTORTION PRODUCT	290	88.15 %
TEOAE	1	0.30 %
BILATERALLY COMPLETED REPORTS	329	96.48 %
PASSED	292	88.75 %
BILATERAL FAIL	15	4.56 %
FAILED IN LEFT EAR ONLY	12	3.65 %
FAILED IN RIGHT EAR ONLY	10	3.04 %
INCOMPLETE SCREEN REPORTS	12	3.52 %
EQUIPMENT FAILURE	2	16.67 %
NEWBORN DISCHARGED	4	33.33 %
NICU HEARING PENDING	1	8.33 %
REFUSED	0	0.00 %
RESTLESSNESS	1	8.33 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	49		
TOTAL FOLLOW UP RESULTS RECEIVED **		(35)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(8)	53.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(18)	81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(9)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	174	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	174	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	8.67 %
ABR	17	9.83 %
DISTORTION PRODUCT	141	81.50 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	173	99.43 %
PASSED	161	93.06 %
BILATERAL FAIL	6	3.47 %
FAILED IN LEFT EAR ONLY	2	1.16 %
FAILED IN RIGHT EAR ONLY	4	2.31 %
INCOMPLETE SCREEN REPORTS	1	0.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	76.92 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	218		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	218		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			94.04 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	188		91.71 %
ABR	17		8.29 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	205		94.04 %
PASSED	204		99.51 %
BILATERAL FAIL	1		0.49 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	13		5.96 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	2		15.38 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	11		84.62 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	92.86 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(13)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	792	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	792	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	784	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	784	98.99 %
PASSED	741	94.52 %
BILATERAL FAIL	12	1.53 %
FAILED IN LEFT EAR ONLY	14	1.79 %
FAILED IN RIGHT EAR ONLY	17	2.17 %
INCOMPLETE SCREEN REPORTS	8	1.01 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	4	50.00 %
REFUSED	4	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(49)	96.08 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(11)	91.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	31	(28)	90.32 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(10)	125.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	102		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	102		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			28.43 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	29		96.67 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	29		28.43 %
PASSED	26		86.67 %
BILATERAL FAIL	3		10.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	73		71.57 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	69		94.52 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		4.11 %
DECEASED	1		1.37 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	76		
TOTAL FOLLOW UP RESULTS RECEIVED **		(65)	85.53 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	73	(64)	87.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BUCUR, MICHELLE, YPSILANTI

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR BURGESS , KATHLEEN, BEAVERTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>CMU Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		100.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	0		0.00 %
BILATERAL FAIL	1		100.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sonus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	74	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	74	97.37 %
PASSED	68	91.89 %
BILATERAL FAIL	4	5.41 %
FAILED IN LEFT EAR ONLY	1	1.35 %
FAILED IN RIGHT EAR ONLY	1	1.35 %
INCOMPLETE SCREEN REPORTS	2	2.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sonus</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 50.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	48	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	48	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	48	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	48	100.00 %
PASSED	37	77.08 %
BILATERAL FAIL	5	10.42 %
FAILED IN LEFT EAR ONLY	2	4.17 %
FAILED IN RIGHT EAR ONLY	4	8.33 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Charlevoix OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICH NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		33.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sonus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,
COLDWATER

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	67	98.53 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.47 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	68	100.00 %
PASSED	68	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Allegiance Health System</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Cornwell, Leslie, Greenville

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	2	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	2	100.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	682		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	682		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	681		99.85 %
ABR	1		0.15 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	682		100.00 %
PASSED	664		97.36 %
BILATERAL FAIL	3		0.44 %
FAILED IN LEFT EAR ONLY	12		1.76 %
FAILED IN RIGHT EAR ONLY	3		0.44 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	72.22 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(10)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	141	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	140	99.29 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	135	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	135	96.43 %
PASSED	134	99.26 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.74 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	3.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	42.86 %
MISSING CASES	1		0.71 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	337		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	337		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.03 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	326		99.69 %
ABR	1		0.31 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	327		97.03 %
PASSED	318		97.25 %
BILATERAL FAIL	3		0.92 %
FAILED IN LEFT EAR ONLY	5		1.53 %
FAILED IN RIGHT EAR ONLY	1		0.31 %
INCOMPLETE SCREEN REPORTS	10		2.97 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	10		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	52.63 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(1)	16.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(9)	90.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	119		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	119		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.76 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	108		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	108		90.76 %
PASSED	108		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	11		9.24 %
EQUIPMENT FAILURE	10		90.91 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		9.09 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Dickinson CO Healthcare - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	90.91 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(10)	90.91 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR DOWD , CATHY, MIDLAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	16		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	16	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	16	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(16)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DRAGUN, KRISTA, Milan

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	15	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	14	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	14	93.33 %
PASSED	13	92.86 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	7.14 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	6.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Grandview Hospital -OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	175		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	174		99.43 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			93.14 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	162		99.39 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.61 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	163		93.68 %
PASSED	150		92.02 %
BILATERAL FAIL	5		3.07 %
FAILED IN LEFT EAR ONLY	3		1.84 %
FAILED IN RIGHT EAR ONLY	5		3.07 %
INCOMPLETE SCREEN REPORTS	11		6.32 %
EQUIPMENT FAILURE	4		36.36 %
NEWBORN DISCHARGED	4		36.36 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	1		9.09 %
ENVIRONMENTAL NOISE	1		9.09 %
TRANSFER TO ANOTHER FACILITY	1		9.09 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Garden City Hosp. - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	72.00 %
MISSING CASES	1		0.57 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(9)	81.82 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR GEIGER, LISA, MIDLAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	541	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	529	97.78 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	524	99.81 %
ABR	1	0.19 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	525	99.24 %
PASSED	507	96.57 %
BILATERAL FAIL	4	0.76 %
FAILED IN LEFT EAR ONLY	7	1.33 %
FAILED IN RIGHT EAR ONLY	7	1.33 %
INCOMPLETE SCREEN REPORTS	4	0.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Comprehensive Hearing Center</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 38.24 %
MISSING CASES	12	2.22 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(9) 64.29 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR GILBERT, LAURA, GOSHEN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Memorial Healthcare Ctr - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR GINGERICH, MARTHA, MANTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Dickinson CO Healthcare - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	13		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12		92.31 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			15.38 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	2		100.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	2		16.67 %
BILATERAL FAIL	2		100.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	10		83.33 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	10		100.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	90.91 %
MISSING CASES	1		7.69 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(10)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	11	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		72.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	8	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	8	72.73 %
PASSED	8	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	27.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Northern MI Hospital -Neuro DX</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	577		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	577		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	564		98.09 %
ABR	11		1.91 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	575		99.65 %
PASSED	453		78.78 %
BILATERAL FAIL	38		6.61 %
FAILED IN LEFT EAR ONLY	52		9.04 %
FAILED IN RIGHT EAR ONLY	32		5.57 %
INCOMPLETE SCREEN REPORTS	2		0.35 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		50.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Hospital -Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	124		
TOTAL FOLLOW UP RESULTS RECEIVED **		(100)	80.65 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	38	(30)	78.95 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	84	(68)	80.95 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	102	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	102	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		85.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	14	15.91 %
ABR	73	82.95 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	85.29 %
PASSED	78	88.64 %
BILATERAL FAIL	3	3.41 %
FAILED IN LEFT EAR ONLY	4	4.55 %
FAILED IN RIGHT EAR ONLY	2	2.27 %
INCOMPLETE SCREEN REPORTS	15	14.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	40.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	33.33 %
DECEASED	4	26.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(9)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	425	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	425	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	368	87.41 %
ABR	53	12.59 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	421	99.06 %
PASSED	409	97.15 %
BILATERAL FAIL	1	0.24 %
FAILED IN LEFT EAR ONLY	7	1.66 %
FAILED IN RIGHT EAR ONLY	4	0.95 %
INCOMPLETE SCREEN REPORTS	4	0.94 %
EQUIPMENT FAILURE	1	25.00 %
NEWBORN DISCHARGED	2	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16	
TOTAL FOLLOW UP RESULTS RECEIVED **	(12)	75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9) 81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	515		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	515		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.81 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	455		88.52 %
ABR	59		11.48 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	514		99.81 %
PASSED	495		96.30 %
BILATERAL FAIL	4		0.78 %
FAILED IN LEFT EAR ONLY	7		1.36 %
FAILED IN RIGHT EAR ONLY	8		1.56 %
INCOMPLETE SCREEN REPORTS	1		0.19 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	1		100.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford West Bloomfield</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	70.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(11)	73.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	380	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	380	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	379	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	379	99.74 %
PASSED	355	93.67 %
BILATERAL FAIL	3	0.79 %
FAILED IN LEFT EAR ONLY	7	1.85 %
FAILED IN RIGHT EAR ONLY	14	3.69 %
INCOMPLETE SCREEN REPORTS	1	0.26 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hug Center for Hearing</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(12)	57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	20		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	20		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	20		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Providence Hospital - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	20	(20)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	88	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	85	97.70 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	2.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	98.86 %
PASSED	86	98.85 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.15 %
INCOMPLETE SCREEN REPORTS	1	1.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hillsdale Comm. Hosp. - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	434		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	433		99.77 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.54 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	431		99.77 %
ABR	1		0.23 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	432		99.77 %
PASSED	425		98.38 %
BILATERAL FAIL	1		0.23 %
FAILED IN LEFT EAR ONLY	3		0.69 %
FAILED IN RIGHT EAR ONLY	3		0.69 %
INCOMPLETE SCREEN REPORTS	1		0.23 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		100.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Ob</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	1		0.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL - SCN, HOLLAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	4	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	4	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Charlevoix OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	714		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	714		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.30 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	692		97.60 %
ABR	0		0.00 %
DISTORTION PRODUCT	17		2.40 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	709		99.30 %
PASSED	685		96.61 %
BILATERAL FAIL	4		0.56 %
FAILED IN LEFT EAR ONLY	11		1.55 %
FAILED IN RIGHT EAR ONLY	9		1.27 %
INCOMPLETE SCREEN REPORTS	5		0.70 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		20.00 %
NICU HEARING PENDING	2		40.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	2		40.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Children's HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	65.52 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	20	(14)	70.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2)	40.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	83	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	83	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	82	98.80 %
ABR	1	1.20 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	83	100.00 %
PASSED	82	98.80 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.20 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	22	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	22	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.45 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	33.33 %
ABR	13	61.90 %
DISTORTION PRODUCT	1	4.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	95.45 %
PASSED	21	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	4.55 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	303	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	302	99.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.34 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	25.91 %
ABR	108	35.88 %
DISTORTION PRODUCT	112	37.21 %
TEOAE	3	1.00 %
BILATERALLY COMPLETED REPORTS	301	99.67 %
PASSED	290	96.35 %
BILATERAL FAIL	4	1.33 %
FAILED IN LEFT EAR ONLY	5	1.66 %
FAILED IN RIGHT EAR ONLY	2	0.66 %
INCOMPLETE SCREEN REPORTS	1	0.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(10)	76.92 %
MISSING CASES	1	0.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	850	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	850	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	120	14.20 %
ABR	3	0.36 %
DISTORTION PRODUCT	722	85.44 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	845	99.41 %
PASSED	813	96.21 %
BILATERAL FAIL	14	1.66 %
FAILED IN LEFT EAR ONLY	8	0.95 %
FAILED IN RIGHT EAR ONLY	10	1.18 %
INCOMPLETE SCREEN REPORTS	5	0.59 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	40.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	1	20.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	37		
TOTAL FOLLOW UP RESULTS RECEIVED **		(26)	70.27 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(10)	71.43 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(12)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	65	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	64	98.46 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	52	82.54 %
ABR	4	6.35 %
DISTORTION PRODUCT	7	11.11 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	63	98.44 %
PASSED	63	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		1.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	173	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	171	98.84 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		69.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	101	84.17 %
ABR	3	2.50 %
DISTORTION PRODUCT	16	13.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	120	70.18 %
PASSED	111	92.50 %
BILATERAL FAIL	2	1.67 %
FAILED IN LEFT EAR ONLY	1	0.83 %
FAILED IN RIGHT EAR ONLY	6	5.00 %
INCOMPLETE SCREEN REPORTS	51	29.82 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	3.92 %
NICU HEARING PENDING	22	43.14 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	15	29.41 %
DECEASED	4	7.84 %
OTHER	8	15.69 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	53.23 %
MISSING CASES	2		1.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(1)	14.29 %
INCOMPLETE CASES (RESULTS RECEIVED)	51	(30)	58.82 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			50.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		100.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		100.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR LACY, KRISTIN, FARMINGTON HILLS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	286		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	285		99.65 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.90 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	39		13.93 %
ABR	0		0.00 %
DISTORTION PRODUCT	241		86.07 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	280		98.25 %
PASSED	275		98.21 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		1.43 %
FAILED IN RIGHT EAR ONLY	1		0.36 %
INCOMPLETE SCREEN REPORTS	5		1.75 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	5		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lake Michigan Hearing Center & Sinus & Sleep Apnea</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	90.91 %
MISSING CASES	1		0.35 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	156	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	156	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	9.80 %
ABR	0	0.00 %
DISTORTION PRODUCT	138	90.20 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	153	98.08 %
PASSED	149	97.39 %
BILATERAL FAIL	2	1.31 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.31 %
INCOMPLETE SCREEN REPORTS	3	1.92 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL

TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 71.43 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR LAMBRIGHT, MARIETTA, LEROY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mercy Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR LEMLEY, TERRI, BENTON HARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	87.50 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	6	85.71 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	14.29 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		12.50 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Likens, Emily, Plainwell

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			40.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		50.00 %
ABR	1		50.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	2		40.00 %
PASSED	2		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	3		60.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	3		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL, MARQUETTE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	177		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	175		98.87 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			92.66 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	152		92.68 %
ABR	12		7.32 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	164		93.71 %
PASSED	158		96.34 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	3		1.83 %
FAILED IN RIGHT EAR ONLY	3		1.83 %
INCOMPLETE SCREEN REPORTS	11		6.29 %
EQUIPMENT FAILURE	10		90.91 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		9.09 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Marquette-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	31.58 %
MISSING CASES	2		1.13 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(2)	18.18 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL-NICU, MARQUETTE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	18	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	18	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	13	92.86 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	7.14 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	14	77.78 %
PASSED	14	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	22.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Marquette OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	4	(3) 75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MAZZARA, KATE, HOWELL

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	2		100.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	2		100.00 %
PASSED	2		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	231	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	231	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	230	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	230	99.57 %
PASSED	227	98.70 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.30 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bay Medical OB department</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICH. COMMUNITY HOSPITAL, MT.

PLEASANT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	133	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	133	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	133	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	133	100.00 %
PASSED	130	97.74 %
BILATERAL FAIL	1	0.75 %
FAILED IN LEFT EAR ONLY	1	0.75 %
FAILED IN RIGHT EAR ONLY	1	0.75 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	299	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	299	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	296	99.33 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	298	99.67 %
PASSED	282	94.63 %
BILATERAL FAIL	2	0.67 %
FAILED IN LEFT EAR ONLY	8	2.68 %
FAILED IN RIGHT EAR ONLY	6	2.01 %
INCOMPLETE SCREEN REPORTS	1	0.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	88.24 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(13)	92.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	80	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	80	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	78	97.50 %
PASSED	76	97.44 %
BILATERAL FAIL	1	1.28 %
FAILED IN LEFT EAR ONLY	1	1.28 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lapeer Hospital OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	253	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	253	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	247	99.20 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.80 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	249	98.42 %
PASSED	245	98.39 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.20 %
FAILED IN RIGHT EAR ONLY	1	0.40 %
INCOMPLETE SCREEN REPORTS	4	1.58 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	1	25.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Macomb ISD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	149	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	149	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.66 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	4.76 %
ABR	0	0.00 %
DISTORTION PRODUCT	140	95.24 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	147	98.66 %
PASSED	132	89.80 %
BILATERAL FAIL	4	2.72 %
FAILED IN LEFT EAR ONLY	7	4.76 %
FAILED IN RIGHT EAR ONLY	4	2.72 %
INCOMPLETE SCREEN REPORTS	2	1.34 %
EQUIPMENT FAILURE	2	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **	(15)	88.24 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9) 81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MED CTR SCN, FLINT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	83.33 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	16.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown Hearing Centers</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	115	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	115	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.13 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	114	99.13 %
PASSED	109	95.61 %
BILATERAL FAIL	2	1.75 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	3	2.63 %
INCOMPLETE SCREEN REPORTS	1	0.87 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>McLaren Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CTR NICU, FLINT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mclaren Hospital -OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	114	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	114	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	100	90.09 %
ABR	1	0.90 %
DISTORTION PRODUCT	10	9.01 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	111	97.37 %
PASSED	105	94.59 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	5	4.50 %
FAILED IN RIGHT EAR ONLY	1	0.90 %
INCOMPLETE SCREEN REPORTS	3	2.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	66.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Memorial Healthcare Ctr - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HOSPITAL OF MASON COUNTY, LUDINGTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	84	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	84	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	84	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	100.00 %
PASSED	82	97.62 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.19 %
FAILED IN RIGHT EAR ONLY	1	1.19 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Memorial MC of W. MI - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	494		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	493		99.80 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	472		95.74 %
ABR	19		3.85 %
DISTORTION PRODUCT	2		0.41 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	493		100.00 %
PASSED	475		96.35 %
BILATERAL FAIL	6		1.22 %
FAILED IN LEFT EAR ONLY	5		1.01 %
FAILED IN RIGHT EAR ONLY	7		1.42 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mercy Health-Muskegon - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	78.95 %
MISSING CASES	1		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(11)	91.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SERVICES NORTH-CADILLAC, CADILLAC

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	93		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	93		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	93		100.00 %
PASSED	91		97.85 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	2		2.15 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aud. Services Cadillac</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	88	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	3.45 %
ABR	0	0.00 %
DISTORTION PRODUCT	84	96.55 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	98.86 %
PASSED	75	86.21 %
BILATERAL FAIL	7	8.05 %
FAILED IN LEFT EAR ONLY	2	2.30 %
FAILED IN RIGHT EAR ONLY	3	3.45 %
INCOMPLETE SCREEN REPORTS	1	1.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mercy Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	69.23 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	7	(4) 57.14 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MERCY MEMORIAL HOSPITAL CORP - MONROE, MONROE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	193	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	193	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	182	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	182	94.30 %
PASSED	172	94.51 %
BILATERAL FAIL	1	0.55 %
FAILED IN LEFT EAR ONLY	5	2.75 %
FAILED IN RIGHT EAR ONLY	4	2.20 %
INCOMPLETE SCREEN REPORTS	11	5.70 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	11	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Monroe ENT</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	76.19 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	9	(6) 66.67 %
INCOMPLETE CASES	(RESULTS RECEIVED)	11	(9) 81.82 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	477	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	477	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	472	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	472	98.95 %
PASSED	463	98.09 %
BILATERAL FAIL	1	0.21 %
FAILED IN LEFT EAR ONLY	5	1.06 %
FAILED IN RIGHT EAR ONLY	3	0.64 %
INCOMPLETE SCREEN REPORTS	5	1.05 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	20.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	78.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MID MICHIGAN MEDICAL CENTER GRATIOT , ALMA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	137	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	137	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	136	99.27 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.73 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	137	100.00 %
PASSED	136	99.27 %
BILATERAL FAIL	1	0.73 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	CMU Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1	
TOTAL FOLLOW UP RESULTS RECEIVED **		(1) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER-MIDLAND, MIDLAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	334	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	334	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	330	99.40 %
ABR	1	0.30 %
DISTORTION PRODUCT	1	0.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	332	99.40 %
PASSED	330	99.40 %
BILATERAL FAIL	1	0.30 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.30 %
INCOMPLETE SCREEN REPORTS	2	0.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MULDER, KATHI, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	242	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	242	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	228	97.44 %
ABR	5	2.14 %
DISTORTION PRODUCT	1	0.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	234	96.69 %
PASSED	216	92.31 %
BILATERAL FAIL	8	3.42 %
FAILED IN LEFT EAR ONLY	7	2.99 %
FAILED IN RIGHT EAR ONLY	3	1.28 %
INCOMPLETE SCREEN REPORTS	8	3.31 %
EQUIPMENT FAILURE	2	25.00 %
NEWBORN DISCHARGED	2	25.00 %
NICU HEARING PENDING	1	12.50 %
REFUSED	1	12.50 %
RESTLESSNESS	2	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26	
TOTAL FOLLOW UP RESULTS RECEIVED **		(21) 80.77 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7) 70.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(7) 87.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	241	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	241	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	227	98.70 %
ABR	3	1.30 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	230	95.44 %
PASSED	213	92.61 %
BILATERAL FAIL	3	1.30 %
FAILED IN LEFT EAR ONLY	12	5.22 %
FAILED IN RIGHT EAR ONLY	2	0.87 %
INCOMPLETE SCREEN REPORTS	11	4.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	27.27 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	9.09 %
RESTLESSNESS	2	18.18 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	36.36 %
DECEASED	1	9.09 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	89.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(10)	90.91 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NO HOSPITAL,

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	2		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Multi-sites see EHDI webpage</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	92	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	92	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	88	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	88	95.65 %
PASSED	88	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	4.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>North Ottawa OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	192	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	192	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	188	99.47 %
ABR	1	0.53 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	189	98.44 %
PASSED	187	98.94 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.06 %
INCOMPLETE SCREEN REPORTS	3	1.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown Hearing Centers</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD ANNAPOLIS HOSPITAL, WAYNE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	243		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	243		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	233		95.88 %
ABR	9		3.70 %
DISTORTION PRODUCT	1		0.41 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	243		100.00 %
PASSED	233		95.88 %
BILATERAL FAIL	2		0.82 %
FAILED IN LEFT EAR ONLY	6		2.47 %
FAILED IN RIGHT EAR ONLY	2		0.82 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(3)	37.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL, DEARBORN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	971	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	971	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	870	89.78 %
ABR	99	10.22 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	969	99.79 %
PASSED	933	96.28 %
BILATERAL FAIL	9	0.93 %
FAILED IN LEFT EAR ONLY	19	1.96 %
FAILED IN RIGHT EAR ONLY	8	0.83 %
INCOMPLETE SCREEN REPORTS	2	0.21 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	31.58 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(2)	22.22 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	27	(9)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	71		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68		95.77 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			78.87 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	53		94.64 %
ABR	3		5.36 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	56		82.35 %
PASSED	56		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	12		17.65 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		8.33 %
NICU HEARING PENDING	6		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		33.33 %
DECEASED	1		8.33 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	60.00 %
MISSING CASES	3		4.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(9)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	83.33 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	16.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE MEDICAL CENTER, TRENTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	142	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	142	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	135	97.12 %
ABR	4	2.88 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	97.89 %
PASSED	138	99.28 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.72 %
INCOMPLETE SCREEN REPORTS	3	2.11 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	73	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	73	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	72	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	72	98.63 %
PASSED	71	98.61 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.39 %
INCOMPLETE SCREEN REPORTS	1	1.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Otsego Memorial Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OUT OF STATE,

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014		1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH		1		100.00 %
<u>INITIAL SCREENING RESULTS</u>				
PERCENT SCREENED (bilaterally completed reports/newborn screens)				0.00 %
TEST METHOD (for bilaterally completed screens only)				
AABR (ALGO 1 OR 2)		0		0.00 %
ABR		0		0.00 %
DISTORTION PRODUCT		0		0.00 %
TEOAE		0		0.00 %
BILATERALLY COMPLETED REPORTS				
PASSED		0		0.00 %
BILATERAL FAIL		0		0.00 %
FAILED IN LEFT EAR ONLY		0		0.00 %
FAILED IN RIGHT EAR ONLY		0		0.00 %
INCOMPLETE SCREEN REPORTS				
EQUIPMENT FAILURE		0		0.00 %
NEWBORN DISCHARGED		0		0.00 %
NICU HEARING PENDING		1		100.00 %
REFUSED		0		0.00 %
RESTLESSNESS		0		0.00 %
ENVIRONMENTAL NOISE		0		0.00 %
TRANSFER TO ANOTHER FACILITY		0		0.00 %
DECEASED		0		0.00 %
OTHER		0		0.00 %
<u>FOLLOW UP RESULTS</u>				
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL				Covenant Cooper Campus
TOTAL INITIAL CASES NEEDING FOLLOW UP *		1		
TOTAL FOLLOW UP RESULTS RECEIVED **			(1)	100.00 %
MISSING CASES		0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PARKER, GOLDIE, SHELBY TWP

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PAWSON, SHANNON, ROCKFORD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	1	100.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Gerber Mem. Health Serv - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	83	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	83	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.39 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	80	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	80	96.39 %
PASSED	73	91.25 %
BILATERAL FAIL	1	1.25 %
FAILED IN LEFT EAR ONLY	6	7.50 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	3.61 %
EQUIPMENT FAILURE	2	66.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Pennock Hospital - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 90.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		50.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		50.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	2		100.00 %
PASSED	1		50.00 %
BILATERAL FAIL	1		50.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University Physician Group</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PERKINS, CONNIE, LANSING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		33.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PORT HURON HOSPITAL, PORT HURON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	315	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	315	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	305	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	305	96.83 %
PASSED	293	96.07 %
BILATERAL FAIL	2	0.66 %
FAILED IN LEFT EAR ONLY	8	2.62 %
FAILED IN RIGHT EAR ONLY	2	0.66 %
INCOMPLETE SCREEN REPORTS	10	3.17 %
EQUIPMENT FAILURE	6	60.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	10.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	30.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Port Huron Hospital - FBP</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(10)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PORTAGE HEALTH SYSTEM LAB, HANCOCK

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	70	94.59 %
ABR	2	2.70 %
DISTORTION PRODUCT	2	2.70 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	74	83.15 %
PASSED	70	94.59 %
BILATERAL FAIL	1	1.35 %
FAILED IN LEFT EAR ONLY	2	2.70 %
FAILED IN RIGHT EAR ONLY	1	1.35 %
INCOMPLETE SCREEN REPORTS	15	16.85 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	15	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Portage Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19	
TOTAL FOLLOW UP RESULTS RECEIVED **		(17) 89.47 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(14) 93.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	66.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	2	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		33.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	166	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	166	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.19 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	160	98.16 %
ABR	1	0.61 %
DISTORTION PRODUCT	2	1.23 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	163	98.19 %
PASSED	154	94.48 %
BILATERAL FAIL	3	1.84 %
FAILED IN LEFT EAR ONLY	2	1.23 %
FAILED IN RIGHT EAR ONLY	4	2.45 %
INCOMPLETE SCREEN REPORTS	3	1.81 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lenawee County Early On</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	453		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	453		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.01 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	89		20.05 %
ABR	0		0.00 %
DISTORTION PRODUCT	355		79.95 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	444		98.01 %
PASSED	426		95.95 %
BILATERAL FAIL	8		1.80 %
FAILED IN LEFT EAR ONLY	4		0.90 %
FAILED IN RIGHT EAR ONLY	6		1.35 %
INCOMPLETE SCREEN REPORTS	9		1.99 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		11.11 %
NICU HEARING PENDING	3		33.33 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	5		55.56 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	77.78 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(6)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	562	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	560	99.64 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.93 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	39	7.01 %
ABR	0	0.00 %
DISTORTION PRODUCT	517	92.99 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	556	99.29 %
PASSED	510	91.73 %
BILATERAL FAIL	21	3.78 %
FAILED IN LEFT EAR ONLY	16	2.88 %
FAILED IN RIGHT EAR ONLY	9	1.62 %
INCOMPLETE SCREEN REPORTS	4	0.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Providence Hospital - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	52		
TOTAL FOLLOW UP RESULTS RECEIVED **		(44)	84.62 %
MISSING CASES	2		0.36 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	21	(19)	90.48 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	25	(23)	92.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ROSS, SHELIE, Perry

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	4	80.00 %
PASSED	4	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	20.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR RUSK, RON & SUE, JONESVILLE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St John-River District Hosp - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	11	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		9.09 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	9.09 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	10	90.91 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	30.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	70.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(5)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SALGADO , TINA, ROMEO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SIMMONS, HANNAH, SPRINGFIELD

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	6	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	353		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	336		95.18 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			83.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	293		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	293		87.20 %
PASSED	291		99.32 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	2		0.68 %
INCOMPLETE SCREEN REPORTS	43		12.80 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	18		41.86 %
NICU HEARING PENDING	17		39.53 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		9.30 %
DECEASED	1		2.33 %
OTHER	3		6.98 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai-Grace Hospital - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	33.87 %
MISSING CASES	17		4.82 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	43	(20)	46.51 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	11		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	11		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	11		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing First Inc.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	109.09 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(12)	109.09 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SOUTH HAVEN HEALTH SYSTEM, SOUTH HAVEN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	32	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	13	40.63 %
ABR	0	0.00 %
DISTORTION PRODUCT	19	59.38 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	32	100.00 %
PASSED	28	87.50 %
BILATERAL FAIL	3	9.38 %
FAILED IN LEFT EAR ONLY	1	3.13 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>South Haven-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	988	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	988	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	963	99.90 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.10 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	964	97.57 %
PASSED	922	95.64 %
BILATERAL FAIL	5	0.52 %
FAILED IN LEFT EAR ONLY	26	2.70 %
FAILED IN RIGHT EAR ONLY	11	1.14 %
INCOMPLETE SCREEN REPORTS	24	2.43 %
EQUIPMENT FAILURE	21	87.50 %
NEWBORN DISCHARGED	3	12.50 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	66		
TOTAL FOLLOW UP RESULTS RECEIVED **		(58)	87.88 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(32)	86.49 %
INCOMPLETE CASES (RESULTS RECEIVED)	24	(22)	91.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - CENTRAL PROCESSING, LANSING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	66.67 %
ABR	1	33.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	120		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	119		99.17 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			81.67 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	98		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	98		82.35 %
PASSED	94		95.92 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	2		2.04 %
FAILED IN RIGHT EAR ONLY	2		2.04 %
INCOMPLETE SCREEN REPORTS	21		17.65 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	15		71.43 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		4.76 %
DECEASED	5		23.81 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	69.23 %
MISSING CASES	1		0.83 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	21	(16)	76.19 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1763		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1763		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.66 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1757		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1757		99.66 %
PASSED	1662		94.59 %
BILATERAL FAIL	42		2.39 %
FAILED IN LEFT EAR ONLY	32		1.82 %
FAILED IN RIGHT EAR ONLY	21		1.20 %
INCOMPLETE SCREEN REPORTS	6		0.34 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		16.67 %
NICU HEARING PENDING	4		66.67 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		16.67 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	101		
TOTAL FOLLOW UP RESULTS RECEIVED **		(78)	77.23 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	42	(28)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	53	(45)	84.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5)	83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH CARE- NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	271		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	271		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			55.72 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	151		99.34 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	151		55.72 %
PASSED	151		99.34 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	120		44.28 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	103		85.83 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	14		11.67 %
DECEASED	3		2.50 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	120		
TOTAL FOLLOW UP RESULTS RECEIVED **		(93)	77.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	120	(93)	77.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	123	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	123	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	123	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	123	100.00 %
PASSED	121	98.37 %
BILATERAL FAIL	1	0.81 %
FAILED IN LEFT EAR ONLY	1	0.81 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Gerber Mem. Health Serv - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH HOSPITAL BIG RAPIDS HOSPITAL, BIG
RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	135	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	135	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	132	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	132	97.78 %
PASSED	130	98.48 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.76 %
FAILED IN RIGHT EAR ONLY	1	0.76 %
INCOMPLETE SCREEN REPORTS	3	2.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	66.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mecosta OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED MEMORIAL, GREENVILLE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	103	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	103	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.03 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	101	99.02 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.98 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	102	99.03 %
PASSED	99	97.06 %
BILATERAL FAIL	1	0.98 %
FAILED IN LEFT EAR ONLY	2	1.96 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.97 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum United OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND HOSPITAL, ZEELAND

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	132		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	132		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	132		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	132		100.00 %
PASSED	129		97.73 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.76 %
FAILED IN RIGHT EAR ONLY	2		1.52 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Zeeland Family Birth Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	68	91.89 %
ABR	6	8.11 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	74	97.37 %
PASSED	74	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. Francis OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	80		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71		88.75 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			86.25 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	68		98.55 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		1.45 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	69		97.18 %
PASSED	68		98.55 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		1.45 %
INCOMPLETE SCREEN REPORTS	2		2.82 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	1		50.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	8.33 %
MISSING CASES	9		11.25 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	23	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	100.00 %
PASSED	22	95.65 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	4.35 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	1	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	676		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	672		99.41 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.26 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	669		99.70 %
ABR	0		0.00 %
DISTORTION PRODUCT	2		0.30 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	671		99.85 %
PASSED	639		95.23 %
BILATERAL FAIL	3		0.45 %
FAILED IN LEFT EAR ONLY	13		1.94 %
FAILED IN RIGHT EAR ONLY	16		2.38 %
INCOMPLETE SCREEN REPORTS	1		0.15 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		100.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	37		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	62.16 %
MISSING CASES	4		0.59 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(21)	72.41 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	237		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	237		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	236		99.58 %
ABR	1		0.42 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	237		100.00 %
PASSED	225		94.94 %
BILATERAL FAIL	2		0.84 %
FAILED IN LEFT EAR ONLY	9		3.80 %
FAILED IN RIGHT EAR ONLY	1		0.42 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St John Macomb Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	77		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	75		97.40 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.40 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	75		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	75		100.00 %
PASSED	68		90.67 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	5		6.67 %
FAILED IN RIGHT EAR ONLY	2		2.67 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St John-River District Hosp - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	2		2.60 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	900		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	900		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.67 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	890		99.22 %
ABR	7		0.78 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	897		99.67 %
PASSED	877		97.77 %
BILATERAL FAIL	6		0.67 %
FAILED IN LEFT EAR ONLY	10		1.11 %
FAILED IN RIGHT EAR ONLY	4		0.45 %
INCOMPLETE SCREEN REPORTS	3		0.33 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	3		100.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. Joseph Mercy AA-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	78.26 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(13)	92.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	40		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	40		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	35		97.22 %
ABR	1		2.78 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	36		90.00 %
PASSED	35		97.22 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		2.78 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		10.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	2		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		25.00 %
DECEASED	1		25.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy AA-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	401		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	401		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	4		1.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	397		99.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	401		100.00 %
PASSED	342		85.29 %
BILATERAL FAIL	22		5.49 %
FAILED IN LEFT EAR ONLY	23		5.74 %
FAILED IN RIGHT EAR ONLY	14		3.49 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	59		
TOTAL FOLLOW UP RESULTS RECEIVED **		(46)	77.97 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	22	(18)	81.82 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(28)	75.68 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	75	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	75	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	34	56.67 %
ABR	0	0.00 %
DISTORTION PRODUCT	26	43.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	57	95.00 %
BILATERAL FAIL	2	3.33 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.67 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	53.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	33.33 %
DECEASED	2	13.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	61.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	15	(8) 53.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	217	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	217	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	213	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	213	98.16 %
PASSED	208	97.65 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	1.88 %
FAILED IN RIGHT EAR ONLY	1	0.47 %
INCOMPLETE SCREEN REPORTS	4	1.84 %
EQUIPMENT FAILURE	1	25.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Mary's Hospital OB-Livonia</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S HEALTH CARE - GRAND RAPIDS, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	487	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	487	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	475	97.54 %
ABR	10	2.05 %
DISTORTION PRODUCT	2	0.41 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	487	100.00 %
PASSED	478	98.15 %
BILATERAL FAIL	2	0.41 %
FAILED IN LEFT EAR ONLY	5	1.03 %
FAILED IN RIGHT EAR ONLY	2	0.41 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	88.89 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S MERCY MEDICAL CENTER - NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	31	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	31	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.32 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	28	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	28	90.32 %
PASSED	28	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	9.68 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	66.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR STEFFEN, THERESA , BEAVERTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Childrens Hospital of Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR STOCKTON, HELEN, YPSILANTI

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	87	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	87	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	85	97.70 %
ABR	2	2.30 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	100.00 %
PASSED	84	96.55 %
BILATERAL FAIL	1	1.15 %
FAILED IN LEFT EAR ONLY	1	1.15 %
FAILED IN RIGHT EAR ONLY	1	1.15 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Charles Van Riper Hearing Clinic</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	77	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	74	98.67 %
ABR	1	1.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	75	97.40 %
PASSED	67	89.33 %
BILATERAL FAIL	2	2.67 %
FAILED IN LEFT EAR ONLY	4	5.33 %
FAILED IN RIGHT EAR ONLY	2	2.67 %
INCOMPLETE SCREEN REPORTS	2	2.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	49	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	47	95.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	4.35 %
ABR	0	0.00 %
DISTORTION PRODUCT	44	95.65 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	46	97.87 %
PASSED	45	97.83 %
BILATERAL FAIL	1	2.17 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	2.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Three Rivers OB Department</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	2		4.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR TOLEDO CHILDREN'S HOSPITAL, TOLEDO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1102		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1102		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.55 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1083		99.72 %
ABR	2		0.18 %
DISTORTION PRODUCT	1		0.09 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1086		98.55 %
PASSED	1032		95.03 %
BILATERAL FAIL	12		1.10 %
FAILED IN LEFT EAR ONLY	26		2.39 %
FAILED IN RIGHT EAR ONLY	16		1.47 %
INCOMPLETE SCREEN REPORTS	16		1.45 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	2		12.50 %
NICU HEARING PENDING	8		50.00 %
REFUSED	1		6.25 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		18.75 %
DECEASED	2		12.50 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>University of MI HS - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	70		
TOTAL FOLLOW UP RESULTS RECEIVED **		(62)	88.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(9)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	42	(40)	95.24 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(13)	81.25 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	101		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	100		99.01 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			69.31 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	70		98.59 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	70		70.00 %
PASSED	64		90.14 %
BILATERAL FAIL	3		4.23 %
FAILED IN LEFT EAR ONLY	2		2.82 %
FAILED IN RIGHT EAR ONLY	1		1.41 %
INCOMPLETE SCREEN REPORTS	30		30.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	24		80.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		6.67 %
DECEASED	4		13.33 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	37		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	51.35 %
MISSING CASES	1		0.99 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	30	(17)	56.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	22		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	22		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	22		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	22		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. Joseph Mercy AA-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	104.55 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	22	(23)	104.55 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	84	98.82 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.60 %
ABR	0	0.00 %
DISTORTION PRODUCT	75	97.40 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	91.67 %
PASSED	65	84.42 %
BILATERAL FAIL	6	7.79 %
FAILED IN LEFT EAR ONLY	2	2.60 %
FAILED IN RIGHT EAR ONLY	4	5.19 %
INCOMPLETE SCREEN REPORTS	7	8.33 %
EQUIPMENT FAILURE	3	42.86 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	57.14 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing First Inc.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	70.00 %
MISSING CASES	1		1.18 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	6	(6) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	7	(2) 28.57 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	8	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mercy Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	8	(8) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	3		75.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Multi-sites see EHDI webpage</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	48	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	48	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	2.13 %
ABR	0	0.00 %
DISTORTION PRODUCT	46	97.87 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	47	97.92 %
PASSED	42	89.36 %
BILATERAL FAIL	1	2.13 %
FAILED IN LEFT EAR ONLY	3	6.38 %
FAILED IN RIGHT EAR ONLY	1	2.13 %
INCOMPLETE SCREEN REPORTS	1	2.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>West Shore OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WHITE, DEBRA LEE, FENTON

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	1	100.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Northern MI Hospital -Neuro DX</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO, ROYAL OAK

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	1266		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1265		99.92 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.76 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1262		99.92 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.08 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1263		99.84 %
PASSED	1237		97.94 %
BILATERAL FAIL	3		0.24 %
FAILED IN LEFT EAR ONLY	10		0.79 %
FAILED IN RIGHT EAR ONLY	13		1.03 %
INCOMPLETE SCREEN REPORTS	2		0.16 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital- RO Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	72.41 %
MISSING CASES	1		0.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(17)	73.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO - NICU, ROYAL OAK

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	113	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	113	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		86.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	98	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	98	86.73 %
PASSED	96	97.96 %
BILATERAL FAIL	2	2.04 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	15	13.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	12	80.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	6.67 %
DECEASED	2	13.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont RO- NICU</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	41.18 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(6)	40.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY, TROY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	865		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	865		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	865		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	865		100.00 %
PASSED	844		97.57 %
BILATERAL FAIL	4		0.46 %
FAILED IN LEFT EAR ONLY	10		1.16 %
FAILED IN RIGHT EAR ONLY	7		0.81 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital- RO Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	80.95 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(14)	82.35 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY - NICU, TROY

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	87	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	87	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	85	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	97.70 %
PASSED	84	98.82 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.18 %
INCOMPLETE SCREEN REPORTS	2	2.30 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital-RO Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

 NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

NEWBORN SCREENS FROM 04/01/2014 - 06/30/2014	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	87.50 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>North Ottawa OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		12.50 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
