

| Table 27: Arthritis 2009 Michigan BRFSS | | | | |
|---|--|--------------------------------|---|--------------------------------|
| Demographic Characteristics | Ever Told Arthritis^a | | Usual Activities Now Limited^b | |
| | % | 95% Confidence Interval | % | 95% Confidence Interval |
| Total | 31.3 | (30.1-32.5) | 44.1 | (42.1-46.1) |
| Age | | | | |
| 18 - 34 | 7.2 | (5.5-9.3) | 39.2 | (27.2-52.7) |
| 35 - 44 | 21.0 | (18.4-23.9) | 44.2 | (37.1-51.5) |
| 45 - 54 | 36.1 | (33.5-38.7) | 43.8 | (39.4-48.3) |
| 55 - 64 | 49.4 | (46.9-51.9) | 46.1 | (37.9-45.2) |
| 65 - 75 | 59.7 | (56.8-62.5) | 41.5 | (37.9-45.2) |
| 75 + | 61.0 | (58.0-63.9) | 44.9 | (41.1-48.7) |
| Gender | | | | |
| Male | 26.5 | (24.8-28.3) | 42.5 | (39.1-46.0) |
| Female | 35.7 | (34.1-37.3) | 45.2 | (42.7-47.6) |
| Race/Ethnicity | | | | |
| White/Non-Hispanic | 32.5 | (31.2-33.9) | 41.8 | (39.6-44.0) |
| Black/Non-Hispanic | 28.4 | (25.2-31.9) | 53.9 | (48.3-59.5) |
| Other/Non-Hispanic | 27.0 | (21.4-33.5) | 55.0 | (42.8-66.5) |
| Hispanic | 15.5 | (10.3-22.7) | -- ^c | --- |
| Education | | | | |
| Less than high school | 45.6 | (39.9-51.4) | 51.9 | (45.1-58.6) |
| High school graduate | 35.4 | (33.1-37.7) | 44.8 | (41.5-48.2) |
| Some college | 31.5 | (29.3-33.8) | 46.2 | (42.3-50.0) |
| College graduate | 24.6 | (22.8-26.5) | 38.0 | (34.3-41.8) |
| Household Income | | | | |
| < \$20,000 | 42.1 | (38.5-45.8) | 57.1 | (52.1-62.0) |
| \$20,000 - \$34,999 | 37.7 | (34.8-40.8) | 45.5 | (41.4-49.6) |
| \$35,000 - \$49,999 | 33.5 | (30.3-36.8) | 42.3 | (37.1-47.7) |
| \$50,000 - \$74,999 | 28.6 | (25.8-31.6) | 38.2 | (33.1-43.7) |
| \$75,000 + | 22.7 | (20.6-25.0) | 35.0 | (30.2-40.1) |
| ^a Among all adults, the proportion who reported ever being told by a health care professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia. (N = 8,999) ^b Among adults who reported ever being told by a health care professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia, the proportion who reported that their usual activities are now limited by their arthritis or joint symptoms. (N = 3,890) ^c The denominator in this subgroup was less than 50. | | | | |