

TABLE 1: Characteristics of SAGINAW CO. Residents Living with HIV or AIDS as of January 1, 2006

	Estimate of HIV Prevalence ¹	Reported Living with AIDS ²		Reported Living with HIV not AIDS ²	
		Number	Percent	Number	Percent
SAGINAW CO. TOTAL	190	64	100%	70	100%
SEX					
Male	140	44	69%	52	74%
Female	50	20	31%	18	26%
BEHAVIOR					
Male-Male sex	80	27	42%	28	40%
Injecting Drug Use	10	5	8%	5	7%
Male-Male Sex/IDU	10	5	8%	<5	***
Blood Products	10	0	0%	<5	***
Heterosexual	20	11	17%	6	9%
Perinatal	10	0	0%	<5	***
Undetermined	Not Applicable	16	25%	27	39%
<i>Presumed Heterosexual³</i>	<i>Not Applicable</i>	10	16%	12	17%
<i>Other</i>	<i>Not Applicable</i>	6	9%	15	21%
AGE AT DIAGNOSIS					
0 -12 years	10	0	0%	<5	***
13 -19 years	10	0	0%	<5	***
20 -24 years	10	0	0%	9	13%
25 -29 years	30	7	11%	13	19%
30 -34 years	40	21	33%	9	13%
35 -39 years	30	11	17%	13	19%
40 -44 years	20	8	13%	8	11%
45 -49 years	20	7	11%	6	9%
50 -54 years	20	6	9%	<5	***
55 -59 years	10	<5	***	<5	***
60 -64 years	10	<5	***	<5	***
65 years and over	10	0	0%	0	0%
Unspecified	Not Applicable	0	0%	0	0%
RACE / ETHNICITY					
White, Non-Hisp.	80	22	34%	31	44%
Black, Non-Hisp.	100	36	56%	35	50%
Hispanic	10	5	8%	<5	***
Asian	10	<5	***	<5	***
American Indian	10	0	0%	0	0%
Unspecified/Other/Multi-race	Not Applicable	0	0%	<5	***

1. This estimate includes all persons living in SAGINAW CO. at diagnosis of HIV or AIDS, including those not reported or not yet diagnosed. All estimates are rounded to the nearest ten, and the minimum estimate given is 10. The formula used to gain these estimates was updated October 2003 and January 2004 so that numbers are only rounded at the end of the estimate calculation and so that cases with no identified risk are no longer part of the equation. This may result in minor variations when compared to past estimates.

2. Includes reports that contain patient name or are otherwise unduplicated.

3. This subset of undetermined includes persons who had heterosexual sex but their partner(s)' risk is unknown.

Note: ****and <5 = 1, 2, 3, or 4 cases

TABLE 5: Saginaw Co. Residents Reported Living with HIV or AIDS: Sex by Race by Behavior

MALES:	White		Black		Other or Unknown		TOTAL	
Male-Male Sex	35	78%	16	38%	<5	***	55	57%
Injecting Drug Use	<5	***	<5	***	0	0%	5	5%
Male-Male Sex/IDU	<5	***	5	12%	0	0%	6	6%
Blood Recipient	0	0%	<5	***	0	0%	<5	***
Heterosexual	0	0%	<5	***	<5	***	5	5%
Perinatal	0	0%	<5	***	0	0%	<5	***
Undetermined	7	16%	11	26%	<5	***	22	23%
<i>Presumed Heterosexual</i>	<5	***	5	12%	<5	***	7	7%
<i>Other</i>	6	13%	6	14%	<5	***	15	16%
Male Subtotal	45	47%	42	44%	9	9%	96	100%
FEMALES:	White		Black		Other or Unknown		TOTAL	
Injecting Drug Use	<5	***	<5	***	0	0%	5	13%
Blood Recipient	0	0%	0	0%	0	0%	0	0%
Heterosexual	5	63%	7	24%	0	0%	12	32%
Perinatal	0	0%	0	0%	0	0%	0	0%
Undetermined	<5	***	18	62%	<5	***	21	55%
<i>Presumed Heterosexual</i>	<5	***	12	41%	<5	***	15	39%
<i>Other</i>	0	0%	6	21%	0	0%	6	16%
Female Subtotal	8	21%	29	76%	<5	***	38	100%
GRAND TOTAL	53	40%	71	53%	10	7%	134	100%

Note: * and <5 = 1, 2, 3, or 4 cases**

0

