

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior measured by the indicator	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis		92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
<b>VEHICLE SAFETY</b>															
8	Of students who rode bicycle during past 12 months, % who never/rarely wore a helmet	Bicycle no helmet (12 months)	89	90	89	93	91	89	89	90	89	90	87	98	95
9			89.4	89.8	89.0	93.2	90.7	88.6	88.9	90.1	88.9	89.5	87.2	97.7	94.7
		86.0-92.1	85.2-93.1	86.2-91.3	87.0-96.6	85.7-94.1	84.9-91.5	82.5-93.2	85.6-93.3	82.4-93.2	85.6-92.5	83.2-90.3	95.0-98.9	89.4-97.4	
9	% of students who never/rarely wore seat belt when riding in a car driven by someone else	Car passenger no seat belt	6	8	4	8	11	5	6	5	6	7	4	10	16
10			5.9	7.9	3.7	8.2	10.8	4.6	5.8	5.4	5.7	6.5	3.6	10.2	15.8
		4.8-7.2	6.2-10.0	2.7-4.9	5.6-11.9	7.0-16.4	3.6-5.9	3.9-8.6	4.0-7.2	4.1-7.7	5.0-8.5	2.5-5.1	7.4-14.0	11.6-21.1	
10	% of students who during the past 30 days rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol	Car passenger w/ DUI driver (30 days)	22	23	21	25	26	21	20	23	21	22	20	25	32
11			21.7	22.7	20.7	24.8	25.5	20.7	20.0	22.9	21.1	22.2	19.7	24.8	32.3
		19.7-23.8	20.6-25.0	18.2-23.4	20.9-29.1	20.5-31.3	18.4-23.3	16.4-24.3	20.2-25.7	16.8-26.0	19.3-25.4	17.7-21.8	20.6-29.5	25.2-40.3	
11	% of students who during the past 30 days drove a car or other vehicle one or more times when they had been drinking alcohol	DUI (30 days)	6	7	5	4	12	6	4	5	6	10	5	8	9
12			6.0	7.0	4.8	4.3	11.6	6.2	3.8	4.9	5.7	9.5	5.0	8.3	8.6
		5.0-7.1	5.7-8.5	3.6-6.5	2.6-6.8	7.8-16.9	5.0-7.5	2.3-6.1	3.6-6.5	3.8-8.4	6.4-14.0	4.0-6.2	5.8-11.8	5.5-13.2	
<b>VIOLENCE</b>															
12	% of students who carried a weapon, such as a gun, knife, or club on one or more of the past 30 days	Weapon carry (30 days)	16	25	6	11	22	16	17	18	14	12	12	22	32
13			15.7	24.8	6.2	11.4	22.2	16.2	17.4	18.1	14.1	11.8	12.2	22.3	31.5
		13.8-17.7	21.3-28.8	4.4-8.5	8.5-15.0	16.4-29.3	14.0-18.8	14.1-21.2	15.2-21.4	11.8-16.8	9.2-15.1	10.3-14.2	19.2-25.7	25.0-38.7	
13	% of students who carried a gun on one or more of the past 30 days	Gun carry (30 days)	5	8	2	3	11	5	6	6	4	4	4	6	13
14			5.1	8.3	1.6	3.3	10.5	4.9	6.2	5.7	4.1	3.5	3.7	6.0	13.2
		4.3-6.0	7.0-9.8	1.2-2.2	2.2-4.8	6.7-16.1	4.0-6.1	4.5-8.3	4.2-7.8	2.8-6.0	1.8-6.6	2.8-4.8	4.4-8.2	10.0-17.3	
14	% of students who carried a weapon, such as a gun, knife, or club on school property on one or more of the past 30 days	Weapon on school property (30 days)	4	5	2	3	6	3	3	4	3	4	3	4	11
15			3.5	5.2	1.7	3.0	6.0	3.4	3.4	3.6	3.3	3.6	2.5	3.9	10.8
		2.8-4.3	3.9-6.9	0.9-3.3	1.7-5.4	3.1-11.2	2.5-4.5	2.4-4.8	2.3-5.6	2.3-4.8	2.5-5.0	1.9-3.4	2.5-6.1	6.4-17.6	
15	% of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school	Missed school felt unsafe (30 days)	5	4	6	10	12	4	7	4	6	4	4	7	10
16			5.3	4.4	6.1	9.5	12.4	3.6	7.0	4.4	5.6	4.1	3.7	7.1	10.4
		4.1-6.9	3.2-6.0	4.3-8.6	7.3-12.2	7.5-20.0	2.9-4.5	5.0-9.7	3.0-6.4	3.5-8.7	2.6-6.6	2.7-5.1	4.6-10.8	7.7-13.9	
16	% of students who had been threatened or injured with a weapon on school property one or more times during the past 12 months	Weapon threat/injury on school property (12 months)	7	8	5	8	14	6	7	7	7	5	5	9	17
17			6.8	8.3	5.1	8.1	13.7	5.7	7.3	7.2	6.8	5.1	5.1	8.7	17.1
		5.8-7.9	7.0-9.9	4.0-6.5	5.4-12.2	8.2-22.0	4.8-6.7	6.2-8.5	5.6-9.2	5.3-8.6	3.7-7.1	4.1-6.2	6.8-11.1	12.8-22.6	
17	% of students who were in a physical fight one or more times during the past 12 months	Physical fight (12 months)	27	34	21	38	39	24	32	28	26	23	21	39	54
18			27.4	33.8	20.6	38.2	38.6	23.5	32.2	28.0	26.0	22.8	21.1	39.0	54.4
		24.7-30.2	31.1-36.6	16.0-26.2	32.7-44.1	31.5-46.3	21.3-26.0	28.2-36.4	25.1-31.1	20.6-32.2	18.5-27.6	18.7-23.7	33.4-44.9	48.3-60.4	

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
18	% of students who were injured in a physical fight and had to be treated by a doctor/nurse one or more times during the past 12 months	Fight require treatment (12 months)	3	3	2	3	6	2	4	2	2	1	2	3	6
19			2.5	3.1	1.7	2.9	5.9	1.9	3.9	2.3	2.2	1.3	1.6	2.6	6.4
			2.0-3.0	2.4-4.0	1.2-2.4	2.0-4.1	3.4-10.0	1.5-2.4	2.8-5.3	1.4-3.9	1.3-3.5	0.6-2.7	1.1-2.4	1.6-4.2	3.7-11.0
19	% of students who were in a physical fight on school property one or more times during the past 12 months	Fight on school property (12 months)	9	12	6	15	15	7	10	10	10	7	7	13	22
20			9.1	11.7	6.3	14.6	14.6	6.9	10.0	9.7	9.5	7.2	6.5	12.5	21.6
			7.8-10.6	9.6-14.1	4.3-9.1	11.3-18.7	10.5-19.9	5.7-8.3	8.3-11.9	7.5-12.4	6.8-13.1	4.4-11.4	5.2-8.2	9.9-15.7	16.3-27.9
20	% of students who were ever hit, slapped or physically hurt on purpose by their boyfriend/girlfriend during the past 12 months	Physical violence with boy/girlfr. (12 months)	12	12	12	17	19	10	10	11	15	12	10	14	18
21			11.9	11.6	12.1	16.9	19.4	9.6	10.0	10.9	14.8	12.0	10.0	14.4	18.3
			10.3-13.7	10.0-13.3	9.6-15.1	12.3-22.8	13.7-26.7	8.1-11.3	7.0-14.1	8.9-13.2	10.6-20.3	9.0-15.7	8.2-12.0	11.8-17.3	13.1-25.1
22	% of students who had ever been bullied on school property during the past 12 months	Bullied on school property	23	21	25	16	22	25	28	24	23	17	21.0	26	31
23			22.7	20.8	24.7	15.6	22.0	24.8	27.6	23.6	22.5	16.5	21.3	25.5	31.2
			20.0-25.8	17.9-24.0	21.0-28.8	10.5-22.6	16.3-29.0	22.4-27.4	22.8-32.9	20.2-27.4	19.4-26.1	12.9-20.9	18.5-24.2	21.0-30.7	26.0-36.8
23	% of students who had ever been electronically bullied during the past 12 months	Electronic Bullying	18	13	23	11	19	20	19	20	18	15	16	22	24
24			18.0	13.4	22.8	11.2	18.7	19.6	18.9	19.9	18.0	14.8	16.3	21.5	23.7
			16.2-19.9	11.6-15.4	19.7-26.2	8.9-14.0	13.7-25.0	17.8-21.5	16.2-21.9	16.6-23.6	14.4-22.2	11.4-19.1	14.3-18.5	17.5-26.0	18.2-30.2
DEPRESSION & SUICIDE															
24	% of students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	Sad or hopeless two weeks (12 months)	26	21	32	29	35	24	26	27	27	24	22	35	41
25			26.0	20.5	31.6	28.8	34.5	24.3	26.1	26.6	26.9	23.5	21.9	35.0	41.3
			24.1-27.9	18.6-22.7	29.0-34.3	25.3-32.5	29.1-40.4	22.5-26.3	22.6-29.9	22.9-30.7	24.1-30.0	21.1-26.2	20.1-23.8	30.6-39.7	32.9-50.1
25	% of students who seriously considered attempting suicide during the past 12 months	Suicide considered (12 months)	16	13	19	18	19	15	17	17	16	12	13	18	29
26			15.7	12.8	18.7	18.4	18.7	14.6	17.2	16.7	16.1	12.1	13.2	18.2	29.2
			14.5-17.0	11.2-14.6	16.9-20.7	15.7-21.5	14.0-24.5	13.1-16.1	14.3-20.5	13.9-20.0	13.2-19.5	10.3-14.2	12.1-14.5	14.7-22.3	23.4-35.8
26	% of students who made a plan about how they would attempt suicide during the past 12 months	Suicide planned (12 months)	13	11	15	15	14	12	14	15	12	9	10	17	23
27			12.8	11.0	14.7	14.9	14.1	11.8	13.6	15.1	12.3	9.4	10.1	17.3	22.9
			11.6-14.0	9.4-12.9	13.1-16.4	11.8-18.6	10.4-18.8	10.6-13.2	10.1-18.1	12.3-18.3	9.5-15.8	7.2-12.3	9.0-11.4	15.0-19.9	16.8-30.5
27	% of students who actually attempted suicide one or more times during the past 12 months	Suicide attempted (12 months)	8	7	9	11	17	7	10	9	10	4	6	12	20
28			8.1	7.0	9.2	10.6	17.3	6.6	9.5	8.5	9.6	4.3	5.6	11.7	19.6
			7.0-9.3	5.7-8.5	7.7-10.9	8.0-13.8	11.9-24.4	5.6-7.8	6.9-13.0	6.5-11.1	7.7-11.9	2.8-6.4	4.5-6.9	8.7-15.6	15.0-25.2
28	% of students whose attempted suicide resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months	Suicide injury treated (12 months)	3	2	3	4	7	2	4	2	3	2	2	4	8
29			2.7	2.1	3.3	3.8	6.7	2.0	3.7	2.3	3.0	1.6	1.7	4.1	7.8
			2.0-3.6	1.5-2.9	2.2-4.9	1.5-9.3	4.1-10.9	1.5-2.7	2.2-6.3	1.5-3.4	2.0-4.5	0.8-3.1	1.1-2.5	2.9-5.7	3.9-15.1

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
<b>TOBACCO</b>															
29	% of students who ever tried cigarette smoking, even one or two puffs	Cigarettes Ever	40	44	36	36	52	40	32	42	40	46	33	56	69
30			40.1	43.8	36.4	35.8	51.7	40.1	32.3	41.8	40.4	45.5	33.2	56.0	69.2
			36.8-43.5	40.2-47.4	32.6-40.3	31.4-40.6	45.3-58.2	36.5-43.8	26.8-38.4	36.8-47.0	35.8-45.1	39.6-51.5	29.90-36.6	49.5-62.3	61.2-76.1
30	% of students who smoked a whole cigarette for the first time before age 13	Cigarettes before age 13	8	10	6	8	16	7	9	10	7	6	5	13	24
31			8.2	10.2	6.1	8.3	15.5	7.2	9.2	9.8	7.3	5.7	4.8	12.9	24.2
			6.7-9.9	8.3-12.4	4.6-8.1	5.1-13.2	12.0-19.7	5.7-9.0	6.1-13.8	7.5-12.9	5.0-10.6	4.3-7.6	3.7-6.2	9.8-16.7	19.0-30.4
31	% of students who smoked cigarettes on one or more of the past 30 days	Cigarettes 1+ 30 days (Recent)	14	17	11	5	18	16	10	16	13	17	10	22	38
32			14.0	16.9	11.1	5.2	18.2	16.1	9.7	16.1	13.3	17.1	9.9	21.7	37.6
			11.5-17.0	14.2-19.9	8.4-14.6	2.9-9.2	13.4-24.2	13.8-18.8	7.0-13.4	12.3-20.9	9.8-17.8	12.6-22.8	8.1-12.0	16.4-28.1	29.0-46.9
FR CIG 32	% of students who smoked cigarettes on 20 or more of the past 30 days	Cigarettes 20+ days 30 days (Frequent)	5	7	4	2	7	6	4	6	6	7	3	9	23
			5.4	7.0	3.9	1.5	7.3	6.4	3.7	5.6	5.8	6.7	2.9	8.9	22.7
			4.0-7.2	5.1-9.4	2.8-5.4	0.5-4.3	4.1-12.6	4.9-8.3	2.2-6.2	3.3-9.2	3.8-8.8	4.3-10.1	2.0-4.0	5.8-13.3	15.0-32.8
32	% of students who smoked 10 or more cigarettes per day on the days they smoked during the past 30 days	Cigarettes 10+ per day 30 days (Heavy)	8	9	5	-	-	7	6	6	11	8	8	6	-
			7.8	9.3	5.4	-	-	6.9	5.6	6.2	10.9	7.8	7.8	6.0	-
			6.0-10.0	6.7-12.7	3.8-7.6	-	-	4.8-9.9	2.5-12.0	3.5-11.0	5.7-19.7	4.1-14.3	4.8-12.2	2.7-13.0	-
33	Among students who were less than 18 years of age and who reported current cigarette use, % who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	Bought cigarettes under 18 (30 days)	16	19	12	-	-	15	12	12	17	-	17	12	-
34			15.7	18.6	11.6	-	-	14.5	12.4	12.3	17.2	-	17.4	12.0	-
			12.5-19.5	14.7-23.3	7.6-17.3	-	-	11.2-18.5	6.7-21.9	5.9-23.8	12.3-23.5	-	13.2-22.6	7.1-19.6	-
34	% of students who smoked cigarettes on school property on one or more of the past 30 days	Cigarettes on school property (30 days)	3	4	2	1	7	4	2	3	4	4	2	5	11
			3.2	4.4	1.9	0.9	6.6	3.5	2.0	3.4	3.6	3.9	2.0	5.2	11.0
			2.5-4.1	3.4-5.7	1.4-2.8	0.2-3.8	4.2-10.4	2.7-4.6	1.3-3.3	2.0-5.7	2.3-5.8	2.5-6.1	1.5-2.7	3.3-8.0	7.6-15.6
35	% of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days	Daily cigarettes ever	9	11	7	4	16	10	6	11	9	10	5	16	28
			9.1	11.0	7.2	3.5	15.9	10.1	5.7	10.5	9.2	10.4	5.4	15.5	28.1
			7.2-11.5	8.8-13.6	5.3-9.7	1.8-6.7	11.5-21.4	8.1-12.5	3.9-8.5	7.2-15.0	6.8-12.4	6.9-15.5	4.2-7.1	11.6-20.4	19.8-38.2
36	Among students who reported current cigarette use, % of students who ever tried to quit smoking cigarettes during the past 12 months	Cigarettes tried to quit (12 months)	56	54	59	-	-	55	62	60	53	51	54	59	-
37			55.9	54.0	59.0	-	-	54.9	61.9	59.8	52.6	50.9	54.0	59.0	-
			50.7-61.1	48.1-59.9	50.8-66.8	-	-	49.4-60.3	54.5-68.7	49.9-68.9	43.1-61.9	43.3-58.5	47.2-60.6	49.5-67.9	-
37	% of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	Chew, snuff, dip (30 days)	8	13	2	3	10	9	5	8	8	9	5	12	21
			7.6	13.2	1.6	2.8	9.6	8.5	5.4	8.1	8.0	8.7	5.3	12.2	20.6
			6.0-9.6	10.5-16.5	1.0-2.4	1.0-7.5	6.6-13.9	7.0-10.1	3.9-7.6	6.5-10.1	5.3-12.1	5.7-13.2	3.9-7.1	8.8-16.6	14.2-29.1
38	% of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	Chew, snuff, dip on school property (30 days)	4	7	1	3	7	4	2	5	4	5	3	6	11
			4.0	7.3	0.6	2.5	6.8	4.2	2.4	4.5	4.3	4.8	2.9	5.6	10.6
			3.1-5.3	5.5-9.5	0.3-1.1	0.9-6.5	4.1-11.0	3.3-5.2	1.6-3.6	3.5-5.7	2.7-6.8	3.1-7.4	2.1-4.0	3.5-8.9	6.1-17.9

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
39	% of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	Cigars (30 days)	12	17	7	11	15	12	7	11	13	17	10	16	27
40			12.1	16.8	6.9	10.6	14.7	12.0	7.1	11.1	12.9	17.3	9.5	16.4	26.8
			10.5-13.8	14.2-19.9	5.5-8.7	7.8-14.3	10.7-19.7	10.4-13.8	5.6-9.0	9.1-13.4	9.8-16.9	14.4-20.7	8.1-11.1	14.0-19.2	19.7-35.2
ANY TOB	% of students who used any tobacco during the past 30 days	Any tobacco (30 days)	20	25	14	11	23	22	14	20	19	25	15	30	43
			19.6	25.3	13.7	10.6	23.0	21.6	13.8	20.2	19.4	25.2	15.2	29.8	42.6
			16.8-22.7	21.9-29.1	11.0-17.0	7.3-15.2	17.7-29.3	19.1-24.4	11.1-16.9	16.2-24.9	15.3-24.4	19.6-31.9	12.8-17.9	24.9-35.3	32.6-53.2
<b>ALCOHOL</b>															
40	% of students who had at least one drink of alcohol on one or more days during their life	Alcohol Ever	64	64	64	62	66	64	53	65	67	72	62	71	74
41			63.8	63.8	63.9	61.6	66.0	64.4	52.9	64.5	66.5	71.7	61.5	71.4	73.7
			60.8-66.8	60.5-67.0	59.9-67.7	57.3-65.7	58.1-73.1	60.8-67.9	47.8-58.0	60.3-68.6	62.6-70.2	67.3-75.7	58.3-64.6	66.9-75.4	64.8-81.1
41	% of students who had their first drink of alcohol, other than a few sips, before age 13	Alcohol before age 13	16	19	12	20	26	14	19	17	15	10	13	22	27
42			15.6	18.9	12.1	20.3	25.8	13.6	18.9	17.0	14.8	10.4	12.6	21.5	26.8
			13.6-17.8	16.2-21.8	9.9-14.6	17.7-23.1	21.0-31.1	11.6-16.0	15.2-23.3	13.7-20.9	11.3-19.2	9.0-12.1	10.6-14.9	16.8-27.0	20.5-34.2
42	% of students who had at least one drink of alcohol on one or more of the past 30 days	Recent alcohol use (30 days)	31	32	29	22	32	33	22	30	31	40	28	37	42
43			30.5	32.2	28.8	22.4	32.0	32.5	21.9	29.9	31.0	39.6	28.3	36.6	42.3
			27.3-34.0	28.3-36.3	25.2-32.8	19.2-26.0	25.0-39.9	28.6-36.7	18.6-25.5	26.3-33.9	26.0-36.6	31.1-48.8	24.9 32.0	30.7 42.8	33.1 52.1
43	% of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	Alcohol binge (30 days)	18	20	16	8	22	20	12	18	19	24	16	22	26
44			17.8	20.0	15.5	7.7	22.0	20.4	11.5	17.8	18.8	24.0	16.0	22.4	26.3
			15.0-21.1	16.9-23.6	12.5-19.0	5.4-10.8	15.8-29.8	17.5-23.5	9.2-14.4	14.9-21.1	14.3-24.4	16.3-33.8	13.0-19.5	18.3-27.1	19.3-34.8
45	% of students who had a least one drink of alcohol on school property on one or more of the past 30 days	Alcohol school property (30 days)	3	3	2	4	7	2	2	3	3	2	2	3	5
46			2.7	3.0	2.2	3.5	6.6	2.2	2.4	3.2	3.0	2.1	2.1	3.2	5.4
			2.0-3.5	2.1-4.4	1.6-3.0	2.1-6.0	4.1-10.5	1.5-3.1	1.5-3.7	2.1-4.9	1.9-4.8	1.2-3.7	1.4-3.1	1.8-5.5	3.0-9.4
44	Among students who reported current alcohol use, % who usually got the alcohol they drank from someone who gave it to them during the past 30 days	Got alcohol from someone else (30 days)	36	29	44			36	36	35	39	34	36	38	
45			35.6	28.7	43.6	-	-	35.5	35.5	35.4	39.1	33.6	35.5	37.9	-
			33.2-38.1	25.6-32.1	38.6-48.6		32.7-38.5	28.4-43.3	29.8-41.4	31.8-46.9	29.8-37.6	31.9-39.3	31.5-44.7		
<b>OTHER DRUGS</b>															
46	% of students who used marijuana one or more times during their life	Marijuana use Ever	35	38	31	40	46	32	24	33	40	42	28	47	66
47			34.5	38.2	30.7	39.9	46.4	32.3	23.7	33.0	39.6	42.3	28.4	47.3	65.5
			30.9-38.3	34.5-41.9	26.0-35.9	30.8-49.8	39.2-53.7	29.3-35.5	18.3-30.2	29.1-37.2	32.0-47.8	36.3-48.6	25.2-31.8	43.1-51.6	58.2-72.2
47	% of students who tried marijuana for the first time before age 13	Marijuana before age 13	7	9	4	11	15	5	9	7	7	4	4	11	23
48			6.8	9.0	4.4	11.2	14.7	5.0	8.7	7.3	6.6	3.7	3.6	11.2	22.9
			5.5-8.3	7.2-11.1	3.1-6.1	7.9-15.7	10.3-20.6	3.9-6.4	6.1-12.3	5.3-9.9	4.5-9.6	1.9-7.0	2.8-4.6	8.9-14.0	17.6-29.3
48	% of students who used marijuana one or more times during the past 30 days	Recent marijuana (30 days)	19	22	16	18	23	19	12	20	21	21	14	27	42
49			18.6	21.6	15.5	17.7	22.7	18.6	12.2	19.9	21.1	21.1	14.4	26.8	41.6
			16.3-21.1	18.8-24.7	12.8-18.7	12.6-24.4	16.1-30.9	16.4-21.0	8.6-17.0	17.1-23.0	17.5-25.3	16.7-26.4	12.3 16.8	23.9 29.8	34.7 48.9

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior measured by the indicator	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis		92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
49	% of students who used marijuana on school property one or more times during the past 30 days	Marijuana on school property (30 days)	3	4	2	4	6	3	3	4	4	3	2	4	10
50			3.3	4.3	2.2	3.9	6.2	2.9	2.8	3.6	4.2	2.6	2.2	4.2	10.0
			2.5-4.3	3.1-5.9	1.5-3.3	2.2-6.8	3.6-10.4	2.1-4.0	1.6-4.7	2.6-5.0	2.9-6.0	1.5-4.6	1.4-3.4	2.6-6.6	5.8-16.9
50	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life	Cocaine Ever	4	5	3	4	11	4	4	5	4	4	2	7	12
51			4.2	5.4	2.9	4.2	10.7	3.6	3.8	4.5	3.8	4.3	2.3	6.6	12.0
			3.6-4.9	4.3-6.8	2.0-4.2	2.5-7.2	7.0-15.9	2.9-4.4	2.3-6.2	3.4-5.9	2.4-5.9	2.7-6.7	1.7-3.0	4.5-9.5	8.7-16.2
51	% of students who used any form of cocaine, including powder, crack, or freebase, one or more times during the past 30 days	Recent cocaine (30 days)	2	3	1	2	6	1	2	2	2	2	1	3	6
52			1.9	2.6	1.1	2.3	5.9	1.4	2.2	1.8	2.0	1.5	0.8	2.7	6.2
			1.5-2.3	1.8-3.6	0.6-1.8	1.2-4.1	3.7-9.5	1.0-1.8	1.3-3.8	1.1-2.8	1.1-3.6	0.9-2.6	0.5-1.3	1.6-4.3	3.4-11.0
52	% of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paint or spray to get high one or more times during their life	Inhalants Ever	10	9	10	10	14	9	12	11	9	7	7	16	20
61			9.8	9.4	10.1	9.7	14.4	9.3	11.5	11.1	9.4	6.7	7.0	15.8	19.5
			8.5-11.3	7.8-11.3	8.4-12.0	6.6-13.9	11.3-18.2	7.8-11.0	8.5-15.5	9.2-13.4	6.6-13.2	5.1-8.8	5.8-8.4	12.2-20.1	13.5-27.2
88	% of students who have taken barbiturates without a doctor's prescription one or more times during their life	Barbiturates Ever	7	7	6	4	12	7	5	7	8	6	4	9	17
53			6.5	6.8	6.0	3.8	11.6	6.7	5.2	6.6	8.3	5.5	4.1	9.0	17.1
			5.5-7.6	5.4-8.7	4.9-7.3	2.4-6.1	7.5-17.5	5.5-8.0	3.6-7.5	5.0-8.8	6.6-10.4	3.2-9.3	3.2-5.2	6.0-13.2	12.3-23.1
89	% of students who have taken barbiturates without a doctor's prescription during the past 30 days	Recent barbiturates (30 days)	4	4	3	2	7	4	2	5	4	3	2	6	9
54			3.6	3.9	3.0	1.7	6.6	3.8	2.3	4.8	3.9	3.2	2.3	5.5	9.1
			2.8-4.5	2.9-5.4	2.3-4.0	0.6-4.5	3.4-12.3	3.0-4.7	1.3-4.1	3.6-6.2	3.0-5.1	1.8-5.6	1.7-3.1	3.5-8.5	5.4-15.2
53	% of students who used heroin one or more times during their life	Heroin Ever	3	4	1	4	9	2	3	2	3	2	2	3	6
55			2.5	3.8	1.0	3.8	9.1	1.6	2.5	2.4	3.1	1.8	1.5	3.0	6.0
			1.8-3.5	2.6-5.6	0.5-1.8	1.9-7.2	5.7-14.3	1.1-2.2	1.5-4.3	1.3-4.3	1.6-5.7	1.1-3.1	1.0-2.3	1.6-5.6	3.0-11.7
90	% of students who used heroin one or more times during the past 30 days	Recent heroin (30 days)	2	3	1	3	7	1	2	2	2	1	1	2	4
56			1.7	2.7	0.5	2.5	7.1	1.0	1.5	2.0	2.0	1.2	1.0	2.0	4.3
			1.1-2.7	1.8-4.2	0.2-1.0	0.8-7.6	4.1-12.0	0.7-1.5	0.8-2.7	1.0-4.0	1.0-4.1	0.8-2.0	0.6-1.7	0.8-4.9	1.8-9.6
54	% of students who used methamphetamines one or more times during their life	Methamphetamines Ever	3	4	2	3	9	2	3	3	3	3	2	5	8
62			2.9	4.3	1.5	3.2	9.0	2.3	3.0	3.0	3.2	2.5	1.5	4.9	7.7
			2.3-3.7	3.3-5.5	1.0-2.2	1.7-6.0	6.0-13.3	1.8-3.0	1.5-5.9	2.1-4.5	1.9-5.2	1.5-4.1	1.1-2.1	3.1-7.7	4.8-12.3
91	% of students who have used club drugs one or more times during their life	Club drugs Ever	7	9	6	6	17	7	6	9	8	7	5	10	18
57			7.4	8.9	5.6	5.7	16.7	7.1	6.2	8.8	7.6	6.5	5.1	10.4	18.3
			6.4-8.6	7.5-10.6	4.6-6.9	3.6-8.7	11.8-23.1	6.3-8.1	4.5-8.5	7.2-10.8	5.4-10.8	4.3-9.7	4.0-6.5	7.7-13.9	13.7-24.0
92	% of students who have used club drugs one or more times during the past 30 days	Recent club drugs (30 days)	3	5	2	2	9	3	2	4	4	3	2	4	12
58			3.3	4.5	1.9	2.4	8.8	3.1	1.9	3.9	4.4	3.1	2.2	3.7	12.4
			2.6-4.2	3.4-5.9	1.4-2.7	1.1-5.4	5.7-13.6	2.5-3.8	1.0-3.4	3.1-4.9	2.8-6.9	2.0-5.0	1.5-3.0	2.4-5.8	9.3-16.2

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
56 59	% of students who took steroid pills or shots without a doctor's prescription one or more times during their life	Steroids Ever	2	3	1	3	8	2	3	2	2	1	1	3	6
			2.1	3.1	1.0	2.6	8.1	1.5	2.5	2.3	2.2	1.4	1.2	3.2	6.0
			1.5-3.0	2.2-4.3	0.5-1.8	1.3-5.3	5.8-11.2	1.0-2.1	1.4-4.6	1.3-3.9	1.1-4.2	0.8-2.4	0.8-1.9	3.3-10.7	3.3-10.7
93 60	% of students who have taken steroid pills or shots without a doctor's prescription one or more times during the past 30 days	Recent steroids (30 days)	2	3	1	2	6	1	2	2	2	1	1	2	6
			1.8	2.7	0.8	2.3	6.3	1.2	1.9	2.2	2.0	1.1	1.0	2.4	6.0
			1.3-2.6	1.8-3.9	0.5-1.3	1.0-5.3	4.1-9.6	0.8-1.8	0.9-3.8	1.3-3.4	0.9-4.3	0.7-1.8	0.6-1.5	1.4-4.0	3.4-10.4
58 65	% of students who used a needle to inject any illegal drug into their body one or more times during their life	Illegal drug injection Ever	3	3	2	4	7	2	3	3	3	1	2	3	6
			2.6	3.0	2.1	4.0	6.6	1.8	2.6	3.2	3.2	1.2	1.7	3.2	5.7
			2.0-3.4	2.1-4.1	1.3-3.4	2.4-6.8	4.3-9.9	1.4-2.4	1.6-4.1	2.1-5.0	1.8-5.5	0.7-2.1	1.1-2.6	1.8-5.6	3.5-9.1
59 66	% of students who were offered, sold, or given an illegal drug on school property during the past 12 months	Drug exchange on school prop. (12 months)	25	30	21	24	32	25	23	27	27	24	23	31	35
			25.4	29.9	20.6	24.1	32.1	24.7	23.0	27.0	27.0	24.0	23.0	30.6	35.4
			23.6-27.3	27.5-32.4	18.3-23.1	20.4-28.3	25.6-39.5	22.7-27.0	19.8-26.6	23.1-31.2	23.6-30.7	20.2-28.2	21.0-25.2	26.3-35.3	27.5-44.0
94 63	% of students who have taken a prescription drug without a doctor's prescription one or more times during the past 30 days	Prescription drug use	8	9	7	4	14	9	6	9	8	9	6	12	18
			8.2	9.4	6.8	4.0	13.6	8.8	6.2	9.4	8.3	8.6	6.3	12.2	17.5
			6.8-10.0	7.6-11.6	5.3-8.7	1.8-9.0	9.7-18.7	7.6-10.3	4.5-8.6	7.9-11.2	6.0-11.5	5.6-12.9	5.1-7.8	9.6-15.4	13.1-22.9
95 64	% of students who have taken painkillers one or more times without a doctor's prescription one or more times during the past 30 days	Painkiller use	13	12	13	11	18	12	14	14	12	10	10	19	21
			12.6	12.2	12.9	11.2	18.3	12.2	13.8	14.2	12.4	9.9	10.3	18.6	20.7
			11.3-14.1	10.3-14.5	11.5-14.4	9.2-13.5	14.2-23.2	10.6-14.0	11.7-16.1	12.0-16.7	10.2-14.9	7.4-13.1	8.9-11.8	15.0-22.7	15.5-27.2
SEXUAL BEHAVIOR															
98 76	% of students whose parents or other adults in their family have ever talked with them about what they expected them to do or not to do when it comes to sex	Family discussion regarding sex Ever	72	68	76	80	68	70	71	72	72	73	73	73	66
			71.8	67.8	76.1	79.8	68.2	70.2	71.0	72.0	72.1	72.6	72.7	73.0	65.6
			69.2-74.3	64.5-71.0	73.1-78.8	75.4-83.6	61.2-74.4	67.3-72.9	65.4-76.1	68.0-75.6	68.4-75.6	69.1-75.9	70.0-75.3	68.4-77.1	57.9-72.6
21 22	% of students who have ever been physically forced to have sexual intercourse when they did not want to	Forced sex Ever	8	5	11	12	10	6	7	8	10	7	6	10	16
			7.9	5.1	10.8	11.7	9.5	6.2	6.8	7.7	10.0	6.9	6.4	10.3	15.6
			6.7-9.3	3.9-6.7	9.0-12.9	9.8-13.9	6.6-13.3	5.0-7.8	4.6-9.9	6.1-9.5	7.5-13.2	5.6-8.6	5.2-7.8	8.0-13.1	11.4-20.9
60 67	% of students who had sexual intercourse	Sexual intercourse Ever	41	42	40	54	47	38	27	38	47	54	36	54	68
			41.2	42.1	40.4	53.5	47.2	37.8	26.7	37.8	46.8	54.3	35.9	53.8	67.7
			36.4-46.1	37.3-47.0	34.6-46.5	42.8-63.9	41.0-53.5	32.7-43.1	19.9-34.7	31.9-44.0	38.4-55.4	50.0-58.5	31.1-41.1	47.7-59.8	60.7-74.0
61a 68	% of students who had sexual intercourse for the first time before age 16	Sexual intercourse before age 16	28	28	28	41	37	23	26	33	29	22	22	41	53
			27.6	27.6	27.7	41.1	37.0	23.3	26.2	33.0	28.7	22.0	21.8	40.8	53.4
			23.6-32.1	23.1-32.5	23.0-33.0	26.1-57.9	29.7-45.0	19.8-27.2	19.5-34.2	27.7-38.7	20.3-38.9	18.1-26.4	18.2-25.9	35.6-46.3	44.2-62.5
61 68	% of students who had sexual intercourse for the first time before age 13	Sexual intercourse before age 13	4	6	3	12	12	2	7	4	4	2	3	6	11
			4.4	5.9	2.9	11.6	11.9	2.1	6.8	4.2	4.0	1.9	2.9	6.3	10.7
			3.1-6.2	4.0-8.7	1.9-4.5	8.8-15.2	6.8-20.0	1.5-3.0	4.1-11.1	2.8-6.4	2.3-6.7	1.0-3.8	2.1-4.1	3.6-11.0	6.0-18.4

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
96 69	Of students who ever had sexual intercourse, % whose first partner was 3 or more years older	First sex with someone 3+ yrs older	15	10	22	16	19	14	19	17	15	12	14	19	13
			15.1	9.5	21.5	16.4	18.9	14.1	19.3	16.5	15.0	12.0	13.7	18.8	12.5
			13.3-17.2	7.1-12.4	18.8-24.4	11.2-23.2	13.0-26.6	12.2-16.2	15.7-23.6	13.2-20.4	10.7-20.6	9.4-15.2	11.6-16.1	15.2-23.1	8.2-18.5
62 70	% of students who had sexual intercourse with four or more people during their lives	Sexual intercourse 4+ partners	11	12	9	16	18	9	6	8	14	15	8	17	20
			10.7	12.2	9.0	16.1	18.1	8.8	6.4	7.9	14.0	14.5	8.2	16.6	20.4
			8.6-13.1	9.5-15.6	7.0-11.5	10.6-23.8	11.7-27.0	7.1-10.9	4.3-9.5	6.1-10.2	9.3-20.7	11.6-18.0	6.7-10.0	11.4-23.5	14.2-28.4
63 71	% of students who had sexual intercourse during the last 3 months	Recent sexual intercourse (3 months)	29	27	31	34	34	28	17	26	34	40	26	35	44
			29.1	27.2	30.9	34.3	33.9	27.6	17.3	25.5	34.0	40.2	26.3	35.1	44.1
			25.8-32.6	23.5-31.3	26.2-36.1	28.0-41.2	28.3-39.9	23.9-31.6	12.7-23.1	21.5-29.9	28.3-40.3	36.6-44.0	23.0-30.0	29.9-40.7	37.8-50.7
63a 71	Of students who have ever had sexual intercourse, % not having sexual intercourse during the past 3 months	Abstinence (3 months)	29	35	23	34	28	27	35	32	27	25	27	34	35
			29.1	34.8	23.3	34.4	27.9	27.0	34.8	32.4	27.2	25.2	26.6	33.7	35.0
			26.4-31.9	29.7-40.2	18.5-28.9	28.8-40.6	19.5-38.1	23.8-30.5	29.0-41.2	26.7-38.6	22.5-32.5	21.9-28.9	23.3-30.1	28.9-39.0	25.2-46.3
64 72	Of students who had sexual intercourse during the past 3 months, % who drank alcohol or used drugs before last sexual intercourse	Alcohol or drugs last intercourse (3 months)	20	25	16	12		21	23	23	22	16	18	24	
			20.4	24.7	16.2	12.1	-	21.3	23.1	22.7	22.4	16.0	17.6	23.7	-
			17.6-23.5	20.3-29.7	13.3-19.6	8.9-16.3	-	18.5-24.4	17.1-30.3	17.5-29.0	17.1-28.9	11.1-22.4	14.2-21.7	17.5-31.2	
65 73	Of students who had sexual intercourse during the past 3 months, % who used a condom during last sexual intercourse	Condom last intercourse (3 months)	61	66	57	58		62	66	71	61	52	61	64	
			61.2	66.3	56.6	58.4	-	61.6	65.6	70.7	61.0	52.4	60.9	63.9	-
			56.8-65.5	60.8-71.4	51.1-61.9	45.0-70.7	-	57.4-65.6	58.0-72.4	61.8-78.2	55.2-66.5	43.0-61.6	54.4-67.0	55.4-71.6	
66 74	Of students who had sexual intercourse during the past 3 months, % who used birth control pills during last sexual intercourse	Birth control pills last intercourse (3 months)	21	17	25	10		26	7	15	23	31	24	18	
			21.2	16.9	25.0	10.2	-	25.5	6.8	15.4	22.9	30.5	24.0	17.6	-
			17.8-25.0	13.0-21.7	20.4-30.3	7.1-14.4	-	21.7-29.7	3.6-12.5	11.6-20.1	16.2-31.4	25.9-35.5	20.9-27.4	11.2-26.6	
84 95	% of students who had ever been taught about AIDS or HIV infection in school	HIV/AIDS instruction in school Ever	89	89	88	84	83	90	85	89	89	90	90	90	83
			88.5	88.7	88.3	83.7	82.8	90.4	85.2	89.3	89.1	90.4	89.5	89.7	82.8
			86.5-90.2	85.5-91.2	86.1-90.2	79.9-86.9	76.3-87.9	88.2-92.2	80.5-88.9	86.2-91.7	85.5-91.8	86.6-93.3	87.3-91.4	85.7-92.7	76.9-87.4
WEIGHT & NUTRITION															
ROW GT 6, 7	% of students who are overweight, whose Body Mass Index is >85% and < 95%	Overweight	15	15	15	24	16	13	16	14	15	16	14	22	17
			15.3	15.2	15.4	23.5	16.2	12.8	16.0	14.3	15.4	15.9	13.5	21.8	16.9
			13.1-17.8	13.1-17.7	12.6-18.7	20.7-26.6	12.6-20.6	11.4-14.4	12.9-19.6	12.4-16.4	12.9-18.4	10.9-22.5	11.6-15.6	16.5-28.2	12.0-23.4
OBE SE 6, 7	% of students who are obese, whose Body Mass Index is > or = 95%	Obese	12	16	8	14	17	12	14	12	12	10	10	16	23
			12.1	15.8	8.1	13.7	17.2	11.5	13.6	11.8	12.2	10.4	9.5	15.9	22.9
			10.6-13.8	13.7-18.2	6.6-9.8	12.2-15.2	11.7-24.4	9.9-13.2	11.1-16.6	9.4-14.7	10.2-14.6	8.6-12.7	8.2-10.9	12.9-19.4	16.4-31.2
67 77	% of students who described themselves as slightly or very overweight	Overweight perception	28	25	31	27	32	28	27	29	28	29	26	34	34
			28.2	25.2	31.3	27.4	32.1	28.1	27.2	28.7	28.1	28.7	25.8	34.2	33.5
			26.3-30.2	22.4-28.3	29.2-33.6	22.5-33.0	26.9-37.7	26.0-30.2	23.4-31.3	25.4-32.3	24.9-31.6	25.5-32.2	24.1-27.5	30.7-38.0	27.6-40.0

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
68 78	% of students who were trying to lose weight	Trying to lose weight	45	32	59	44	50	45	46	43	47	45	44	51	47
			45.2	32.0	59.0	43.6	50.0	45.3	45.8	43.3	46.7	45.3	43.5	51.4	47.0
			42.6-47.8	28.9-35.1	55.5-62.4	35.4-52.3	41.9-58.2	42.9-47.8	40.6-51.0	38.8-47.8	41.6-51.8	43.1-47.5	40.9-46.2	45.8-56.9	38.5-55.6
69 79	% of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	Fast (30 days)	12	9	15	13	18	11	14	12	13	9	10	17	17
			11.9	8.9	14.9	12.9	18.2	11.0	13.7	11.8	13.2	9.0	9.5	17.3	17.2
			10.7-13.3	7.9-10.1	13.2-16.8	10.1-16.3	14.2-23.0	9.7-12.4	10.0-18.6	9.8-14.3	10.8-16.0	7.1-11.3	8.3-10.8	14.5-20.5	12.-23.1
70 80	% of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	Diet pills (30 days)	5	5	5	7	9	4	3	5	7	5	4	7	8
			5.1	5.0	5.1	6.5	9.2	4.3	3.3	5.3	6.6	5.4	4.4	6.5	7.8
			4.3-6.1	3.7-6.8	4.2-6.2	4.0-10.6	6.0-13.8	3.5-5.2	2.3-4.7	4.0-7.0	4.7-9.1	3.8-7.5	3.5-5.5	4.7-9.1	4.8-12.6
71 81	% of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	Vomit / laxatives (30 days)	5	3	6	6	9	4	4	6	5	4	4	6	10
			4.6	3.4	5.7	6.1	8.7	3.7	4.3	5.8	4.7	3.6	3.5	6.0	10.2
			4.0-5.3	2.5-4.6	4.7-7.1	3.7-9.9	6.2-12.1	3.2-4.4	3.2-5.7	4.3-7.7	3.7-5.8	2.5-5.0	2.9-4.3	4.0-9.0	6.3-16.1
72 82	% of students who drank 100% fruit juices one or more times during the past 7 days	Fruit juices (7 days)	80	80	80	83	76	79	77	79	82	82	82	77	70
			79.8	80.3	79.5	82.9	76.1	79.4	77.2	79.0	81.9	81.7	82.4	76.9	69.9
			78.3-81.2	77.7-82.7	77.8-81.1	77.9-87.0	70.9-80.6	77.5-81.1	73.0-80.9	76.6-81.3	78.0-85.3	76.6-85.9	80.7-83.9	73.9-79.7	62.0-76.8
73 83	% of students who ate fruit one or more times during the past 7 days	Fruit (7 days)	87	85	90	81	84	89	85	88	88	89	90	84	77
			87.4	85.1	90.0	80.8	83.8	89.4	85.4	87.5	88.2	89.2	90.3	83.6	77.1
			85.6-89.1	82.5-87.3	88.0-91.7	78.0-83.2	77.9-88.4	88.0-90.7	81.1-88.9	84.2-90.3	85.7-90.2	87.0-91.0	88.8-91.6	78.4-87.8	69.7-83.2
74 84	% of students who ate green salad one or more times during the past 7 days	Green salad (7 days)	64	59	69	59	58	66	62	62	65	66	67	59	47
			63.8	58.7	69.2	59.0	58.1	65.6	62.3	62.0	65.1	66.2	67.3	58.8	47.3
			61.3-66.3	55.1-62.3	65.8-72.4	53.0-64.8	51.8-64.1	62.7-68.3	56.2-68.1	58.3-65.6	60.2-69.8	61.9-70.2	65.0-69.5	54.3-63.1	40.4-54.2
75 85	% of students who ate potatoes one or more times during the past 7 days	Potatoes (7 days)	73	74	72	67	71	75	71	74	74	74	73	70	76
			73.0	74.1	71.9	66.7	70.5	75.1	70.8	73.6	73.5	74.4	73.3	69.9	76.0
			71.2-74.7	70.1-77.7	69.7-74.0	63.0-70.2	64.6-75.8	73.3-76.8	68.1-73.4	70.2-76.7	69.6-77.0	70.3-78.0	71.1-75.5	64.6-74.8	71.3-80.2
76 86	% of students who ate carrots one or more times during the past 7 days	Carrots (7 days)	49	50	48	32	42	53	46	50	50	49	52	47	37
			48.9	50.3	47.6	32.4	41.8	53.4	46.0	49.9	50.3	49.4	51.8	46.8	37.0
			44.4-53.4	46.3-54.4	42.1-53.2	26.1-39.4	35.8-48.1	50.6-56.1	38.2-53.9	45.4-54.4	45.2-55.4	42.0-56.9	47.2-56.3	42.4-51.3	30.7-43.8
77 87	% of students who ate other vegetables one or more times during the past 7 days	Other vegetables (7 days)	83	81	86	81	73	85	83	84	83	84	85	81	74
			83.3	80.5	86.4	80.5	72.5	84.8	82.7	83.9	82.8	84.3	85.3	80.5	74.3
			81.5-85.0	77.4-83.3	84.6-88.1	76.8-83.8	68.7-76.0	82.8-86.6	79.0-85.9	81.7-85.8	79.5-85.6	81.4-86.9	83.3-87.1	75.6-84.6	66.6-80.8
FRV G	% of students who ate 5 or more servings of fruits and vegetables per day during the past 7 days	5+ per day fruit/veggies (7 days)	19	19	19	22	18	18	20	19	18	18	19	20	15
			18.7	18.5	19.0	21.6	17.7	17.6	19.8	18.8	18.2	17.9	18.9	19.5	14.8
			16.6-21.0	16.3-20.9	16.2-22.3	17.0-27.0	13.7-22.7	15.5-19.8	16.6-23.5	16.4-21.5	15.0-21.8	14.8-21.5	17.0-20.9	15.2-24.6	10.0-21.3

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis	measured by the indicator	92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hisp/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
78	% of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	Soda consumption (7 days)	24	28	19	24	24	23	23	26	24	22	20	29	35
88			23.6	28.1	18.9	24.0	24.0	23.4	22.7	25.5	24.0	22.2	20.4	28.9	34.7
			21.2-26.2	25.0-31.5	16.7-21.3	21.0-27.3	19.2-29.7	20.5-26.7	19.0-26.7	21.4-30.1	19.5-29.1	20.0-24.5	18.4-22.5	22.8-35.9	27.7-42.6
99	% of students who drank 3 or more glasses of milk per day during the past 7 days	Milk 3+ per day (7 days)	13	18	8	6	14	14	15	14	14	8	13	13	17
89			12.9	17.7	7.8	6.4	14.4	14.4	14.8	14.3	14.3	8.1	12.8	12.7	16.6
			11.3-14.7	15.6-20.1	6.3-9.7	3.7-11.1	10.5-19.4	12.7-16.2	11.9-18.3	11.9-17.1	10.3-19.5	6.7-9.7	11.1-14.7	10.0-16.2	12.1-22.2
100	% of students who ate breakfast on seven of the past seven days	Daily breakfast	37	41	34	24	30	41	40	38	35	35	41	29	25
90			37.2	40.6	33.8	24.4	29.7	41.0	40.1	38.2	35.3	35.1	41.1	29.4	24.8
			34.2-40.3	36.6-44.8	30.9-36.9	20.5-28.8	24.2-36.0	38.4-43.6	35.6-44.7	34.8-41.6	29.4-41.6	31.5-39.0	38.0-44.3	25.8-33.3	19.1-31.6
<b>PHYSICAL ACTIVITY</b>															
79	% of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days <sup>3</sup>	Current rec amount of physical activity <sup>3</sup>	49	58	41	34	46	54	56	53	49	40	53	45	42
91			49.4	57.9	40.8	34.4	45.5	53.7	55.5	53.1	48.5	40.0	52.7	44.9	42.4
			44.7-54.1	54.3-61.4	34.5-47.4	25.5-44.7	36.5-54.8	50.5-56.9	48.4-62.4	49.4-56.7	43.4-53.6	32.4-48.2	48.1-57.2	39.3-50.6	35.8-49.4
80	% of students who watched 3 hours or more of TV per day on an average school day	TV 3+ hours	30	30	29	46	30	25	28	30	27	33	27	36	38
92			29.5	30.4	28.5	45.5	30.1	25.3	28.1	29.9	26.9	32.6	26.6	35.9	37.6
			25.7-33.6	26.4-34.8	24.1-33.4	41.3-49.8	24.4-36.5	22.5-28.3	22.1-35.2	27.1-32.8	21.7-32.8	25.5-40.6	22.9-30.6	32.3-39.7	29.7-46.3
81	% of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	Computer 3+ hours	27	31	23	31	31	26	31	28	27	23	24	30	42
93			27.0	30.9	23.0	30.7	31.1	25.6	30.5	27.6	26.8	22.9	24.2	29.9	42.0
			24.7-29.5	27.4-34.6	20.2-26.0	26.3-35.5	25.0-38.0	23.1-28.4	26.7-34.6	24.4-31.1	23.4-30.6	20.4-25.5	21.9-26.5	24.9-35.5	31.6-53.2
82	% of students who attended physical education PE class one or more days during an average school week	Weekly PE	34	43	25	35	37	34	50	31	28	26	32	38	41
94			33.9	42.8	24.5	35.4	36.6	33.6	49.7	30.8	27.9	26.3	32.2	38.3	41.3
			29.1-39.0	36.5-49.3	20.1-29.5	21.6-52.1	30.0-43.8	29.6-37.8	43.1-56.4	27.0-34.9	22.5-34.1	17.8-36.9	27.1-37.8	32.3-44.5	34.8-48.1
DLY	% of students who attended physical education PE class daily	Daily PE	27	35	19	22	26	29	41	23	21	20	26	29	29
94			26.7	34.5	18.7	21.7	25.5	28.5	41.4	23.4	21.3	20.3	26.4	29.3	29.0
			22.5-31.3	29.2-40.2	14.9-23.2	13.4-33.1	19.0-33.4	24.1-33.4	34.0-49.3	19.4-27.8	17.4-25.7	13.8-28.9	21.9-31.6	24.3-34.9	21.8-37.3
<b>MEDICAL HEALTH</b>															
102	% of students who saw a doctor or health care provider for a check-up or physical exam when they were not sick or injured during the past 12 months	Wellness visit (12 months)	68	68	67	66	57	69	70	65	68	68	71	61	53
99			67.6	67.8	67.4	66.1	57.1	68.9	69.6	64.5	67.9	68.4	71.3	60.7	53.4
			64.8-70.2	64.8-70.7	63.9-70.8	60.6-71.3	50.8-63.1	65.7-71.9	63.6-75.1	61.1-67.7	64.4-71.2	65.1-71.6	68.6-73.8	55.9-65.3	45.5-61.1
85	% of students who have ever been told by a doctor or nurse that they have asthma.	Asthma Diagnosis	25	25	24	28	21	23	24	24	26	25	25	24	28
96			24.6	24.7	24.4	27.9	21.4	23.4	23.7	24.2	25.6	24.6	24.6	24.3	28.2
			22.7-26.5	22.3-27.3	22.0-27.1	24.3-31.8	17.2-26.4	21.1-25.8	20.4-27.4	21.4-27.3	22.9-28.6	21.0-28.6	22.2-27.1	20.4-28.5	22.8-34.2
86	% of students who had been told by a doctor or nurse that they had asthma and still have asthma	Current asthma	13	11	14	15	9	12	13	12	12	13	13	13	10
97			12.6	11.1	14.2	14.9	9.1	12.2	13.2	12.1	12.3	12.5	12.9	13.2	9.9
			11.4-13.9	9.7-12.7	12.2-16.5	12.5-17.7	6.6-12.5	10.7-13.9	10.7-16.2	9.8-14.8	11.0-13.9	10.3-15.1	11.3-14.7	10.8-16.1	6.4-15.2

## 2011 Michigan Youth Risk Behavior Survey: Detailed Results by Item

KEY TO THE DETAIL TABLE															
8	← CDC Code book number or variable	Behavior measured by the indicator	92	Whole rounded percent			N/A	Not available for survey year							
9	← Survey question # used for analysis		92.3	Percent to the tenth			NC	No comparison due to word change							
			90.7-93.6	95% Confidence interval			-	Suppressed due to fewer than 100 cases							
CB#	Indicator Description	Behavior	MI 11	Gender		Race/Ethnicity <sup>1</sup>			Grade Level				Academics/Grades in School <sup>2</sup>		
Q #				M	F	Black	Hispanic/Lat	White	9	10	11	12	As/Bs	Cs	Ds/Fs
101	Among students who currently have asthma, % who went to an emergency room/urgent care center because of their asthma one or more times during the past 12 months	Uncontrollable asthma	21	19	22			19	31	19	18	13	20		
98			20.6	18.6	22.1	-	-	18.5	31.2	18.8	18.1	12.7	19.6	-	-
			16.3-25.7	13.6-25.1	16.2-29.5			14.0-23.9	23.9-39.6	12.3-27.8	10.9-28.6	6.8-22.6	14.6-25.9		

1 Race/ethnicity is determined through two questions on the Youth Risk Behavior Survey developed by the Centers for Disease Control and Prevention. Students are asked "Are you Hispanic or Latino?" and "What is your race?" in which multiple races may be selected. For this table, respondent race/ethnicity definitions are as follows: Black-Black, non-Hispanic students that selected "Black or African American" only for race and no to "Are you Hispanic or Latino?"; Hispanic/Latino-students that answered yes to "Are you Hispanic or Latino?" and choose any other race; American Indian-students that selected "American Indian" only for race and no to "Are you Hispanic or Latino?"; White-White, non-Hispanic students that selected "White" only for race and no to "Are you Hispanic or Latino?"

2 Academics/Grades in School is a self-report question that asks "During the past 12 months, how would you describe your grades in school?" Students may select one of the following: Mostly As, Mostly Bs, Mostly Cs, Mostly Ds, Mostly Fs, None, and Not Sure.

3 The 2005 Dietary Guidelines for Americans recommends that youth engage in at least 60 minutes of physical activity on most, preferably all, days of the week. This indicator was changed in the 2007 survey to reflect these recommendations and a new baseline for trend will be established. For dietary guidelines, go to [www.health.gov/dietaryguidelines/dga2005](http://www.health.gov/dietaryguidelines/dga2005).

Revised August 2012