

CERTIFICATE OF NEED (CON) COMMISSION NURSING HOME AND HOSPITAL LONG-TERM-CARE UNIT BEDS STANDARD ADVISORY COMMITTEE (NH-HLTCU SAC) MEETING

Thursday, January 16, 2020 9:30 a.m. – 11:30 a.m. South Grand Building 333 S. Grand Ave, 1st Floor, Grand Conference Room Lansing, MI 48933

	Agenda Items	
I.	Call to Order	Donald Haney, Chairperson
II.	Review of Agenda	Donald Haney, Chairperson
III.	Declaration of Conflicts of Interests	Donald Haney, Chairperson
IV.	Review of Minutes December 19, 2019	Donald Haney, Chairperson
V.	Charge 1 – The Bed Need Methodology – Subcommittee Update	Pat Anderson, HCAM, Et. al
VI.	Charge 3 – Specialty Population Beds – Subcommittee Update	Pat Anderson, HCAM, Et. al
VII.	Charge 2 – Whether Adequate Access Exists for Medicaid Patients – Discussion	Donald Haney, Chairperson
VIII.	Charge 4 – Minimum Occupancy Requirements for Sections 6 and 8 – Discussion	Donald Haney, Chairperson
IX.	Charge 5 – Technical Edits to Section 7 – Discussion	Donald Haney, Chairperson
X.	Charge 6 – Other Technical Changes from the Department, e.g., Updates or Modifications Consistent with Other CON Review Standards and the Michigan Public Health Code – Discussion	Donald Haney, Chairperson
XI.	Next Steps	Donald Haney, Chairperson
XII.	Future Meeting Dates – February 20, 2020; March 26, 2020; April 23, 2020; May 21, 2020, & June 11, 2020	Donald Haney, Chairperson
XIII.	Public Comment	Donald Haney, Chairperson
XIV.	Adjournment	

Be sure all cellular telephones and pagers are turned off or set to vibrate during meeting.

NOTES:

- 1) To be included as part of the official record, the SAC would appreciate brief and concise written copies of the oral testimony and/or other documentation/data pertaining to Public Comment items.
- 2) Handouts available for the public will be limited to the final agenda.
- 3) Public Comment for all items will be limited to three (3) minutes per item per speaker per organization with a maximum of ten (10) minutes if speaking on four (4) or more items. This time may be adjusted dependent upon the number of speakers.