

Alignment to Michigan Educational Standards-Physical Science

HSCE	Expectation	Т	œ	7	101		.1	~		
Code	_	ıra	IIII	: 1	ech	n()108	у		
		Activity 1: Calculating reaction time	Activity 2: Calculating	braking distance.	Activity 3: Setting yellow light time	Activity 4. Programming	logic for traffic systems.	Activity 5: Reactive Traffic	technology.	
Standard	INQUIRY, REFLECTION,									
<u>P1</u>	AND SOCIAL IMPLICATIONS			_						
Statement P1.1	Scientific Inquiry Science is a way of understanding nature. Scientific research may begin by generating new scientific questions that can be answered through replicable scientific investigations that are logically developed and conducted systematically. Scientific conclusions and explanations result from careful analysis of empirical evidence and the use of logical reasoning. Some questions in science are addressed through indirect rather than direct observation, evaluating the consistency of new evidence with results predicted by models of natural processes. Results from investigations are communicated in reports that are scrutinized through a peer review process.									
P1.1A	Generate new questions that can be investigated in the laboratory or field.			-						
P1.1B	Evaluate the uncertainties or validity of scientific conclusions using an understanding of sources of measurement error, the challenges of controlling variables, accuracy of data analysis, logic of argument, logic of experimental design, and/or the dependence on underlying assumptions.									
P1.1C	Conduct scientific investigations using appropriate tools and techniques (e.g., selecting an instrument that measures the desired quantity—length, volume, weight, time interval, temperature—with the appropriate level of precision).									
P1.1D	Identify patterns in data and relate them to theoretical models.									
P1.1E	Describe a reason for a given conclusion using evidence from an investigation. Predict what would happen if the variables, methods, or timing of an investigation were changed.									



HSCE	Expectation	Two	.ee.	Took	nalar		
Code	•	112	HHC	Tech	10108	3y	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming logic for traffic systems.	Activity 5: Reactive Traffic technology.	
P1.1g	Based on empirical evidence, explain and critique the reasoning used to draw a scientific conclusion or explanation.						
P1.1h	Design and conduct a systematic scientific investigation that tests a hypothesis. Draw conclusions from data presented in charts or tables.						
P1.1i	Distinguish between scientific explanations that are regarded as current scientific consensus and the emerging questions that active researchers investigate.						
Statement	Scientific Reflection and Social						
P1.2	Implications The integrity of the scientific process depends on scientists and citizens understanding and respecting the "Nature of Science." Openness to new ideas, skepticism, and honesty are attributes required for good scientific practice. Scientists must use logical reasoning during investigation design, analysis, conclusion, and communication. Science can produce critical insights on societal problems from a personal and local scale to a global scale. Science both aids in the development of technology and provides tools for assessing the costs, risks, and benefits of technological systems. Scientific conclusions and arguments play a role in personal choice and public policy decisions. New technology and scientific discoveries have had a major influence in shaping human history. Science and technology continue to offer diverse and significant career opportunities.						
P1.2A	Critique whether or not specific questions can be answered through scientific investigations.						
P1.2B	Identify and critique arguments about personal or societal issues based on scientific evidence.						



HSCE	Expectation	Tra	ffic	Te	chi	nolo	gv	7	
Code				_ 			-		
P1.2C	Develop on an departurality of a socientific	Activity 1: Calculating reaction time	Activity 2: Calculating braking distance	Activity 3: Setting vellow	light time.	Activity 4: Programming	Aprility 5. Desptive Traffic	Activity 5: Keactive Traffic technology.	
	Develop an understanding of a scientific concept by accessing information from multiple sources. Evaluate the scientific accuracy and significance of the information.								
P1.2D	Evaluate scientific explanations in a peer review process or discussion format.								
P1.2E	Evaluate the future career and occupational prospects of science fields.								
P1.2f	Critique solutions to problems, given criteria and scientific constraints.								
P1.2g	Identify scientific tradeoffs in design decisions and choose among alternative solutions.								
P1.2h	Describe the distinctions between scientific theories, laws, hypotheses, and observations.								
P1.2i	Explain the progression of ideas and explanations that lead to science theories that are part of the current scientific consensus or core knowledge.								
P1.2j	Apply science principles or scientific data to anticipate effects of technological design decisions.								
P1.2k	Analyze how science and society interact from a historical, political, economic, or social perspective.								
Standard P2	MOTION OF OBJECTS								
Statement P2.1	Position — Time An object's position can be measured and graphed as a function of time. An object's speed can be calculated and graphed as a function of time.								
P2.1A	Calculate the average speed of an object using the change of position and elapsed time.								
P2.1B	Represent the velocities for linear and circular motion using motion diagrams (arrows on strobe pictures).								



HCCE	Evnostation								
HSCE Code	Expectation	Tra	ffic '	Гесh	nolo	$\mathbf{g}\mathbf{y}$			
Code									
				≽	50	EEE			
		βį	βι	Activity 3: Setting yellow light time.	Activity 4: Programming logic for traffic systems	Activity 5: Reactive Traffic			
		atiı	atiı	3 ye	mn	S S			
		cul	cul e.	ting	gra	cti			
		Cal e	Cal anc	Seti	Pro ffi	g			
		1: (tim	2: (list	3. 9.	4: J	5:1	Sy.		
		ity on 1	ity . Ig C	ity III	<u>t</u>	<u>(</u>	olog		
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	tiv ht t	tiv	1: 2	hn		
		Ac rea	Ac bra	Ac lig	Ac	Ac	tec		
P2.1C	Create line graphs using measured values								
	of position and elapsed time.								
P2.1D	Describe and analyze the motion that a								
	position-time graph represents, given the								
D2 15	graph.								
P2.1E	Describe and classify various motions in a								
	plane as one dimensional, two dimensional,								
P2.1F	circular, or periodic.					-		+	
F2.1F	Distinguish between rotation and revolution and describe and contrast the								
	two speeds of an object like the Earth.								
P2.1g	Solve problems involving average speed								
12.15	and constant acceleration in one dimension.								
P2.1h	Identify the changes in speed and direction								
1 2.111	in everyday examples of circular (rotation								
	and revolution), periodic, and projectile								
	motions.								
Statement	Velocity — Time								
P2.2	The motion of an object can be described								
	by its position and velocity as functions of								
	time and by its average speed and average								
	acceleration during intervals of time.								
P2.2A	Distinguish between the variables of								
	distance, displacement, speed, velocity, and								
D2 2D	acceleration. Use the change of speed and elapsed time					-		+	
P2.2B	to calculate the average acceleration for								
	linear motion.								
P2.2C	Describe and analyze the motion that a								
12.20	velocity-time graph represents, given the								
	graph.								
P2.2D	State that uniform circular motion involves								
	acceleration without a change in speed.								
P2.2e	Use the area under a velocity-time graph to								
	calculate the distance traveled and the								
	slope to calculate the acceleration.								
P2.2f	Describe the relationship between changes						Ī		
	in position, velocity, and acceleration								
	during periodic motion.								
P2.2g	Apply the independence of the vertical and								
	horizontal initial velocities to solve								
	projectile motion problems.								



Traffic Technology Traffic
Statement P2.3x All motion is relative to whatever frame of reference is chosen, for there is no motionless frame from which to judge all motion. P2.3a Describe and compare the motion of an object using different reference frames. Standard FORCES AND MOTION P3 Statement Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
Statement P2.3x All motion is relative to whatever frame of reference is chosen, for there is no motionless frame from which to judge all motion. P2.3a Describe and compare the motion of an object using different reference frames. Standard FORCES AND MOTION P3 Statement Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
P2.3x All motion is relative to whatever frame of reference is chosen, for there is no motionless frame from which to judge all motion. P2.3a Describe and compare the motion of an object using different reference frames. Standard FORCES AND MOTION P3 Statement Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
reference is chosen, for there is no motionless frame from which to judge all motion. P2.3a Describe and compare the motion of an object using different reference frames. Standard FORCES AND MOTION P3 Statement P3.1 Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement P3.1x There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
motionless frame from which to judge all motion. P2.3a Describe and compare the motion of an object using different reference frames. Standard FORCES AND MOTION P3 Basic Forces in Nature Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
object using different reference frames. Standard P3 Statement P3.1 Basic Forces in Nature Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement P3.1x There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
object using different reference frames. FORCES AND MOTION Basic Forces in Nature Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement P3.1x Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
Statement P3.1 Basic Forces in Nature Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement P3.1x Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
P3.1 Objects can interact with each other by "direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement P3.1x There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
"direct contact" (pushes or pulls, friction) or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
or at a distance (gravity, electromagnetism, nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
nuclear). P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance. Statement Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
in "direct contact" or at a distance. Statement P3.1x Forces There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
(e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
friction) may be traced to electric forces acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
acting between atoms and molecules. P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.
force between two electrons.
P3.1c Provide examples that illustrate the
importance of the electric force in everyday life.
P3.1d Identify the basic forces in everyday interactions.
Statement Net Forces
P3.2 Forces have magnitude and direction. The
net force on an object is the sum of all the
forces acting on the object. Objects change
their speed and/or direction only when a
net force is applied. If the net force on an
object is zero, there is no change in motion (Newton's First Law).



HCCE	E							
HSCE Code	Expectation	Tra	ffic [Гесh	nolo	gy		
Code						1		
				8	50	Activity 5: Reactive Traffic		
		ρũ	ಶಾ	Activity 3: Setting yellow light time.	Activity 4: Programming	Ira		
		atin	atin	ye	mm	e 85		
)uls	Sula e.	ing	grai	cti.		
		Salc	alc	ett	or'rog	ea la		
			: C ista	S	Fraf		Σ.	
		ly 1 n t	g d	y 3 me	by 4	3 5	log	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	ivi t ti	ivii	i Vi	nno	
		Act	\ct	\ct igh	\ct	ct G	eck	
P3.2A	Identify the magnitude and direction of	7 1	7 1	7	7	7	t	
	everyday forces (e.g., wind, tension in							
	ropes, pushes and pulls, weight).							
P3.2B	Compare work done in different situations.							
P3.2C	Calculate the net force acting on an object.							
	- 0							
P3.2d	Calculate all the forces on an object on an							
	inclined plane and describe the object's							
	motion based on the forces using free-body							
	diagrams.							
Statement	Newton's Third Law							
P3.3	Whenever one object exerts a force on							
	another object, a force equal in magnitude							
	and opposite in direction is exerted							
P3.3A	back on the first object. Identify the action and reaction force from					-		
13.3A	examples of forces in everyday situations							
	(e.g., book on a table, walking across the							
	floor, pushing open a door).							
P3.3b	Predict how the change in velocity of a							
10.00	small mass compares to the change in							
	velocity of a large mass when the objects							
	interact (e.g., collide).							
P3.3c	Explain the recoil of a projectile launcher							
	in terms of forces and masses.							
P3.3d	Analyze why seat belts may be more							
	important in autos than in buses.							
Statement	Forces and Acceleration							
P3.4	The change of speed and/or direction							
	(acceleration) of an object is proportional							
	to the net force and inversely proportional							
	to the mass of the object. The acceleration							
	and net force are always in the same							
D2 4:	direction.					-		
P3.4A	Predict the change in motion of an object							
D2 4D	acted on by several forces.					-		
P3.4B	Identify forces acting on objects moving							
	with constant velocity (e.g., cars on a							
D2 4C	highway).					-		
P3.4C	Solve problems involving force, mass, and acceleration in linear motion (Newton's							
	second law).							
	Second law).	L	<u> </u>		ļ			



HSCE	Expectation							
Code	Expectation	Tra	ffic '	Fech	nolo	gy		
Code						0		
				≽	50	ĮĮĮį.		
		ıg	gı	110	nin	Tra		
		atir	atir	ye	mn	e g		
		ng	culi	ing	gra	Ei.		
		alc	alc	ett	rog Tic	ea		
			: C ista	S	Fraf		y.	
		y 1 n t	5 2 d	y 3 me	3 4 or 1	3 5	log	
		ivii tio	ivi	ivi t ti	ivii c f	Z. Z	ıno	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming logic for traffic systems	Activity 5: Reactive Traffic	eck	
P3.4D	Identify the force(s) acting on objects	7	7 1	7	7		t	
	moving with uniform circular motion (e.g.,							
	a car on a circular track, satellites in orbit).							
P3.4e	Solve problems involving force, mass, and							
	acceleration in two-dimensional projectile							
	motion restricted to an initial horizontal							
	velocity with no initial vertical velocity							
	(e.g., a ball rolling off a table).							
P3.4f	Calculate the changes in velocity of a							
	thrown or hit object during and after the							
	time it is acted on by the force.							
P3.4g	Explain how the time of impact can affect							
C	the net force (e.g., air bags in cars, catching							
	a ball).							
Statement	Momentum							
P3.5x	A moving object has a quantity of motion							
	(momentum) that depends on its velocity							
	and mass. In interactions between objects,							
	the total momentum of the objects does not							
	change.							
P3.5a	Apply conservation of momentum to solve							
	simple collision problems.							
Statement	Gravitational Interactions							
P3.6	Gravitation is an attractive force that a							
	mass exerts on every other mass. The							
	strength of the gravitational force between							
	two masses is proportional to the masses							
	and inversely proportional to the square of							
	the distance between them.					-		
P3.6A	Explain earth-moon interactions (orbital							
	motion) in terms of forces.							
P3.6B	Predict how the gravitational force between							
	objects changes when the distance between							
D2 (C	them changes.					-		
P3.6C	Explain how your weight on Earth could be							
	different from your weight on another							
D2 61	planet.					<u> </u>		
P3.6d	Calculate force, masses, or distance, given							
	any three of these quantities, by applying							
	the Law of Universal Gravitation, given the							
	value of G .							
				l				



HSCE	Evacatation							
Code	Expectation	Tra	affic '	Tech:	nolo	gy		
Code						T		
				8	50	Activity 5: Reactive Traffic		
		ρū	ρū	Activity 3: Setting yellow light time.	Activity 4: Programming logic for traffic systems	[ra		
		ıtin	tin	ye	nn ster	e [
		ınış		ng	grai	<u> </u>		
		alc)alc	etti	Tog	ea		
		: C	2: Calculating distance.	\sim	: P			
		y 1 n ti	2 y d	y 3 me	y 4	5 S	20	
		ivit itio	ivit	ivit t ti	ivit	i XI		
		Activity 1: Calculating reaction time	Activity 2: Calculbraking distance.	^ct igh			2	
P3.6e	Draw arrows (vectors) to represent how the	7	7.2	7		1 7 7		
	direction and magnitude of a force changes							
	on an object in an elliptical orbit.							
Statement	Electric Charges							
P3.7	Electric force exists between any two							
	charged objects. Oppositely charged							
	objects attract, while objects with like							
	charge repel. The strength of the electric							
	force between two charged objects is							
	proportional to the magnitudes of the							
	charges and inversely proportional to the							
	square of the distance between them							
	(Coulomb's Law).							
P3.7A	Predict how the electric force between							
	charged objects varies when the distance							
	between them and/or the magnitude of							
	charges change.							
P3.7B	Explain why acquiring a large excess static							
	charge (e.g., pulling off a wool cap,							
	touching a Van de Graaff generator,							
	combing) affects your hair.							
Statement	Electric Charges — Interactions							
P3.7x	Charged objects can attract electrically							
D2 7	neutral objects by induction.		ļ		-	1	\perp	
P3.7c	Draw the redistribution of electric charges							
	on a neutral object when a charged object							
D2 5 1	is brought near.						-	
P3.7d	Identify examples of induced static							
P2 5	charges.							
P3.7e	Explain why an attractive force results							
	from bringing a charged object near a							
D2 76	neutral object.							
P3.7f	Determine the new electric force on							
	charged objects after they touch and are							
D2 7.	then separated.				-	-	+	
P3.7g	Propose a mechanism based on electric							
	forces to explain current flow in an electric							
	circuit.							



HSCE	Expectation		001	_	_			
Code	Баросинон	Tra	tfic '	Гесh	nolo	ogy		
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming	logic for traffic systems. Activity 5: Reactive Traffic	technology.	
Statement P3.p8	Magnetic Force (prerequisite) Magnets exert forces on all objects made of ferromagnetic materials (e.g., iron, cobalt, and nickel) as well as other magnets. This force acts at a distance. Magnetic fields accompany magnets and are related to the strength and direction of the magnetic force. (prerequisite)							
P3.p8A	Create a representation of magnetic field lines around a bar magnet and qualitatively describe how the relative strength and direction of the magnetic force changes at various places in the field. (prerequisite)					_		
Statement P3.8x	Electromagnetic Force Magnetic and electric forces are two aspects of a single electromagnetic force. Moving electric charges produce magnetic forces and moving magnets produce electric forces (e.g., electric current in a conductor).							
P3.8b Standard	Explain how the interaction of electric and magnetic forces is the basis for electric motors, generators, and the production of electromagnetic waves. FORMS OF ENERGY AND ENERGY TRANSFORMATIONS							
P4 Statement	TRANSFORMATIONS Energy Transfer					-		
P4.1	Moving objects and waves transfer energy from one location to another. They also transfer energy to objects during interactions (e.g., sunlight transfers energy to the ground when it warms the ground; sunlight also transfers energy from the sun to the Earth).							
P4.1A	Account for and represent energy into and out of systems using energy transfer diagrams.							



HSCE	Expostation							
Code	Expectation	Tra	ffic '	Fech	nolo	gy		
Code						Τ.,		
				≽	ρn	ffic		
		gı	1g	llo	ning	Tra		
		atir	atir	ye.	mn	ve le	,	
		cul	cul ie	ing	gra	cti.		
		Cal.	Cal anc	Sett	Pro ff.			
		1: (tim	2: (list	ε. σ.	4:1	5: J	gy.	
		ity on	ity g	ii.	ity f	<u>≨</u> .[⊵	olo	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	tiv	<u>ئارى</u>	technology.	
		Ac rea	Ac bra	Ac lig	Activity 4: Programming	A Ac	tec	
P4.1B	Explain instances of energy transfer by							
	waves and objects in everyday activities							
	(e.g., why the ground gets warm during the							
	day, how you hear a distant sound, why it							
C4-4	hurts when you are hit by a baseball).							
Statement P4.1x	Energy Transfer — Work Work is the amount of energy transferred							
1 7.13	during an interaction. In mechanical							
	systems, work is the amount of energy							
	transferred as an object is moved through a							
	distance, $W = F d$, where d is in the same							
	direction as F. The total work done on an							
	object depends on the net force acting on							
	the object and the object's displacement.							
P4.1c	Explain why work has a more precise							
	scientific meaning than the meaning of							
	work in everyday language.							
P4.1d	Calculate the amount of work done on an							
	object that is moved from one position to							
	another.							
P4.1e	Using the formula for work, derive a							
	formula for change in potential energy of							
C4-44	an object lifted a distance h.					_		
Statement P4.2	Energy Transformation Energy is often transformed from one form							
1 7.4	to another. The amount of energy before a							
	transformation is equal to the amount of							
	energy after the transformation. In most							
	energy transformations, some energy is							
	converted to thermal energy.							
P4.2A	Account for and represent energy transfer							
	and transformation in complex processes							
	(interactions).							
P4.2B	Name devices that transform specific types							
	of energy into other types (e.g., a device							
	that transforms electricity into motion).							
P4.2C	Explain how energy is conserved in							
	common systems (e.g., light incident on a							
	transparent material, light incident on a							
D4.0D	leaf, mechanical energy in a collision).					-		
P4.2D	Explain why all the stored energy in							
	gasoline does not transform to mechanical							
	energy of a vehicle.	<u> </u>	<u> </u>	<u> </u>	<u> </u>			



HSCE Code	Expectation	Tra	ffic '	Гесh	nolo	gy		
Code		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	activity 4: Programming	ogic for traffic systems.	technology.	
P4.2e	Explain the energy transformation as an object (e.g., skydiver) falls at a steady velocity.	A r	q 7	A [1]	7		Ţ	
P4.2f	Identify and label the energy inputs, transformations, and outputs using qualitative or quantitative representations in simple technological systems (e.g., toaster, motor, hair dryer) to show energy conservation.							
Statement P4.3	Kinetic and Potential Energy Moving objects have kinetic energy. Objects experiencing a force may have potential energy due to their relative positions (e.g., lifting an object or stretching a spring, energy stored in chemical bonds). Conversions between kinetic and gravitational potential energy are common in moving objects. In frictionless systems, the decrease in gravitational potential energy is equal to the increase in kinetic energy or vice versa.							
P4.3A	Identify the form of energy in given situations (e.g., moving objects, stretched springs, rocks on cliffs, energy in food).							
P4.3B	Describe the transformation between potential and kinetic energy in simple mechanical systems (e.g., pendulums, roller coasters, ski lifts).							
P4.3C	Explain why all mechanical systems require an external energy source to maintain their motion.							
Statement P4.3x	Kinetic and Potential Energy — Calculations The kinetic energy of an object is related to the mass of an object and its speed: $KE = 1/2 \text{ mv}2$.							
P4.3d	Rank the amount of kinetic energy from highest to lowest of everyday examples of moving objects.							



HSCE	Expectation							
Code	Expectation	Tra	ffic '	Tech	nolo	gy		
Couc						0	,	
				≩	ρū	fff		
		gu	gu		nin			
		ati	ati	50 S	ımı	ve Ve		
		cn	cul Se.	tinį	gre	scti		
		Cal le	Cal	Set	Pro ff.	Rei		
		1: tir	2: dist	 e 3:	4 +	5:	gy.	
		ity	ity ng	i i	ity	<u>i</u>	$\frac{1}{2}$	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming	抗	technology.	
		Ac	Ac bra	Ac	Y 2	ξĬ	tec	
P4.3e	Calculate the changes in kinetic and							
	potential energy in simple mechanical							
	systems (e.g., pendulums, roller coasters,							
	ski lifts) using the formulas for kinetic							
D4 2f	energy and potential energy.					+		
P4.3f	Calculate the impact speed (ignoring air							
	resistance) of an object dropped from a specific height or the maximum height							
	reached by an object (ignoring air							
	resistance), given the initial vertical							
	velocity.							
Statement	Wave Characteristics							
P4.4	Waves (mechanical and electromagnetic)							
	are described by their wavelength,							
	amplitude, frequency, and speed.							
P4.4A	Describe specific mechanical waves (e.g.,							
	on a demonstration spring, on the ocean) in							
	terms of wavelength, amplitude, frequency,							
	and speed.							
P4.4B	Identify everyday examples of transverse							
	and compression (longitudinal) waves.							
P4.4C	Compare and contrast transverse and							
	compression (longitudinal) waves in terms							
G	of wavelength, amplitude, and frequency.					-		
Statement	Wave Characteristics — Calculations							
P4.4x	Wave velocity, wavelength, and frequency are related by $v = \lambda f$. The energy							
	transferred by a wave is proportional to							
	the square of the amplitude of vibration							
	and its frequency.							
P4.4d	Demonstrate that frequency and							
1	wavelength of a wave are inversely							
	proportional in a given medium.							
P4.4e	Calculate the amount of energy transferred							
	by transverse or compression waves of							
	different							
	amplitudes and frequencies (e.g., seismic							
	waves).							
				1				



HCCE	Evnestation							
HSCE Code	Expectation	Tra	ffic '	Гесh	nolo	gy		
Coue								
				≱	50	Iffi		
		gu	gu	- -	nin	Tra		
		atii	atii	3 ye	mr	Se Se		
		cnl	cul Se.	ting	gra	acti		
		Cal	Cal	Set	Pro ffic	Reg		
		1: tir	2: dist	.e 3:	4. ±	5:	gy.	
		ity on	ity ng (ity	ity	<u>i</u>	olo	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming looic for traffic systems	cti.	technology.	
G	16 1 1 1W D	A e	Ac	A Jig	A of	ΣĮĞ	te	
Statement 5	Mechanical Wave Propagation							
P4.5	Vibrations in matter initiate mechanical							
	waves (e.g., water waves, sound waves, seismic waves), which may propagate in all							
	directions and decrease in intensity in							
	proportion to the distance squared for a							
	point source. Waves transfer energy from							
	one place to another without transferring							
	mass.							
P4.5A	Identify everyday examples of energy							
	transfer by waves and their sources.					\perp		
P4.5B	Explain why an object (e.g., fishing							
	bobber) does not move forward as a wave							
	passes under it.							
P4.5C	Provide evidence to support the claim that							
	sound is energy transferred by a wave, not							
D4.5D	energy transferred by particles.					-		
P4.5D	Explain how waves propagate from vibrating sources and why the intensity							
	decreases with the square of the distance							
	from a point source.							
P4.5E	Explain why everyone in a classroom can							
	hear one person speaking, but why an							
	amplification system is often used in the							
	rear of a large concert auditorium.							
Statement	Electromagnetic Waves							
P4.6	Electromagnetic waves (e.g., radio,							
	microwave, infrared, visible light,							
	ultraviolet, x-ray) are produced by							
	changing the motion (acceleration) of charges or by changing magnetic fields.							
	Electromagnetic waves can travel through							
	matter, but they do not require a material							
	medium. (That is, they also travel through							
	empty space.) All electromagnetic waves							
	move in a vacuum at the speed of light.							
	Types of electromagnetic radiation are							
	distinguished from each other by their							
	wavelength and energy.							
P4.6A	Identify the different regions on the							
	electromagnetic spectrum and compare							
	them in terms of wavelength, frequency,							
	and energy.							



HSCE	Expectation							
Code	Expectation	Tra	ffic '	Fech :	nolo	gy		
Code								
		Calculating	Calculating ance.	Activity 3: Setting yellow light time.	Activity 4: Programming	Reactive Traffi	technology.	
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Sight time.	Activity 4: F	Activity 5: F	echnology.	
P4.6B	Explain why radio waves can travel through space, but sound waves cannot.		7					
P4.6C	Explain why there is a time delay between the time we send a radio message to astronauts on the moon and when they receive it.							
P4.6D	Explain why we see a distant event before we hear it (e.g., lightning before thunder, exploding fireworks before the boom).							
Statement P4.6x	Electromagnetic Propagation Modulated electromagnetic waves can transfer information from one place to another (e.g., televisions, radios, telephones, computers and other information technology devices). Digital							
	communication makes more efficient use of the limited electromagnetic spectrum, is more accurate than analog transmission, and can be encrypted to provide privacy and security.							
P4.6e	Explain why antennas are needed for radio, television, and cell phone transmission and reception.							
P4.6f	Explain how radio waves are modified to send information in radio and television programs, radio-control cars, cell phone conversations, and GPS systems.							
P4.6g	Explain how different electromagnetic signals (e.g., radio station broadcasts or cell phone conversations) can take place without interfering with each other.							
P4.6h	Explain the relationship between the frequency of an electromagnetic wave and its technological uses.							
Statement P4.r7x	Quantum Theory of Waves (recommended) Electromagnetic energy is transferred on the atomic scale in discrete amounts called quanta. The equation $E = h f$ quantifies the relationship between the energy transferred and the frequency, where h is Planck's constant. (recommended)							



HSCE	Expectation	Traffic Technology							
Code	Zapocinion	Tra	iffic '	l'ech	nolog	gy			
						၁			
				wo	ng .	aff			
		gu	gu	elle	mi ems	Tr			
		lati	lati	g y	am	ive			
		lcu	lcu se.	ttin	ogc c s	act			
		g g	Catan	Sel	Pro affi	Re .			
		1: tin	2: dis	3.	4:	5: 9gy	i		
		/ity ion	ity ng	ity tin	/ity for	ity Olo			
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow light time.	Activity 4: Programming logic for traffic systems.	Activity 5: Reactive Traffic technology.			
P4.r7a	Calculate and compare the energy in	A 51	ΡĀ	A :I	A 5	t A			
11.174	various electromagnetic quanta (e.g.,								
	visible light, x-rays) (recommended).								
Statement	Wave Behavior — Reflection and								
P4.8	Refraction								
	The laws of reflection and refraction								
	describe the relationships between incident								
	and reflected/refracted waves.								
P4.8A	Draw ray diagrams to indicate how light								
	reflects off objects or refracts into								
	transparent media.								
P4.8B	Predict the path of reflected light from fl at,								
	curved, or rough surfaces (e.g., fl at and								
	curved mirrors, painted walls, paper).								
Statement	Wave Behavior — Diffraction,								
P4.8x	Interference, and Refraction								
	Waves can bend around objects (diffraction). They also superimpose on								
	each other and continue their propagation								
	without a change in their original								
	properties (interference). When refracted,								
	light follows a defined path.								
P4.8c	Describe how two wave pulses propagated								
	from opposite ends of a demonstration								
	spring interact as they meet.								
P4.8d	List and analyze everyday examples that								
	demonstrate the interference characteristics								
	of waves (e.g., dead spots in an auditorium,								
	whispering galleries, colors in a CD, beetle								
7.1.0	wings).								
P4.8e	Given an angle of incidence and indices of								
	refraction of two materials, calculate the								
	path of a light ray incident on the boundary								
D4.0£	(Snell's Law).					+			
P4.8f	Explain how Snell's Law is used to design								
	lenses (e.g., eye glasses, microscopes, telescopes, binoculars).								
Statement	Nature of Light		 			1			
P4.9	Light interacts with matter by reflection,								
1 7./	absorption, or transmission.								
P4.9A	Identify the principle involved when you					+			
1.7/1	see a transparent object (e.g., straw, a piece								
	of glass) in a clear liquid.								
	or proper in a vivar riquia.	<u> </u>		l	1	1	l	L	



HSCE	Expectation	Traffic Technology							
Code	-	ıra	HIIC .	ı ecn	11010	ygy			1
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	Activity 3: Setting yellow ight time.	Activity 4: Programming	ogic for traffic systems. Activity 5: Reactive Traffic	technology.		
P4.9B	Explain how various materials reflect, absorb, or transmit light in different ways.	7	7 2	7	1	1	ţ		
P4.9C	Explain why the image of the Sun appears reddish at sunrise and sunset.								
Statement P4.r9x	Nature of Light — Wave-Particle Nature (recommended) The dual wave-particle nature of matter and light is the foundation for modern physics. (recommended) Describe evidence that supports the dual								
- 11-7 17	wave particle nature of light. (recommended)								
Statement	Current Electricity — Circuits								
P4.10	Current electricity is described as movement of charges. It is a particularly useful form of energy because it can be easily transferred from place to place and readily transformed by various devices into other forms of energy (e.g., light, heat, sound, and motion). Electrical current (amperage) in a circuit is determined by the potential difference (voltage) of the power source and the resistance of the loads in the circuit. Describe the energy transformations when								
P4.10A	electrical energy is produced and transferred to homes and businesses.								
P4.10B	Identify common household devices that transform electrical energy to other forms of energy, and describe the type of energy transformation.								
P4.10C	Given diagrams of many different possible connections of electric circuit elements, identify complete circuits, open circuits, and short circuits and explain the reasons for the classification.								
P4.10D	Discriminate between voltage, resistance, and current as they apply to an electric circuit.								



HSCE	Expectation									
Code	Expectation	Tra	ffic '	Гесh	nolo	gy				
						ĵ				
		50	50	Activity 3: Setting yellow light time.	ing	raff	technology.			
		ting	ting	yel	nm	e T				
		ula	sula e.	ing	grar	ctiv				
		Calc e	Calc anc	Sett	Frog Fr.	sea				
		1: (tim	2: C	3: S	4: I	5: F	gy.			
		ity	ity ng (ity	ity	<u>i</u>	olo			
		Activity 1: Calculating reaction time	Activity 2: Calculating braking distance.	ctiv ght	ctiv	ctiv	chn			
Statement	Commont Electricity Ohmi's Levy	A 5	A	A ii	A .	2 ¥	te			
P4.10x	Current Electricity — Ohm's Law, Work, and Power									
1 4.102	In circuits, the relationship between electric									
	current, <i>I</i> , electric potential difference, <i>V</i> ,									
	and resistance, R , is quantified by $V = IR$									
	(Ohm's Law). Work is the amount of									
	energy transferred during an interaction. In electrical systems, work is done when									
	charges are moved through the circuit.									
	Electric power is the amount of work done									
	by an electric current in a unit of time,									
	which can be calculated using $P = I V$.									
P4.10e	Explain energy transfer in a circuit, using									
P4.10f	an electrical charge model. Calculate the amount of work done when a									
F4.101	charge moves through a potential									
	difference, V.									
P4.10g	Compare the currents, voltages, and power									
	in parallel and series circuits.									
P4.10h	Explain how circuit breakers and fuses									
P4.10i	protect household appliances. Compare the energy used in one day by									
F4.101	common household appliances (e.g.,									
	refrigerator, lamps, hair dryer, toaster,									
	televisions, music players).									
P4.10j	Explain the difference between electric									
	power and electric energy as used in bills									
Statement	from an electric company. Heat, Temperature, and Efficiency	-								
P4.11x	Heat is often produced as a by-product									
1 4.113	during energy transformations. This energy									
	is transferred into the surroundings and is									
	not usually recoverable as a useful form of									
	energy. The efficiency of systems is									
	defined as the ratio of the useful energy output to the total energy input. The									
	efficiency of natural and human-made									
	systems varies due to the amount of heat									
	that is not recovered as useful work.									
		<u> </u>	l							



HSCE	Expectation	-	000	<u> </u>					
Code	Dapecturon	Tra	ffic	Tecl	hn	olog	gy		
P4.11a	Calculate the energy lost to surroundings when water in a home water heater is heated from room temperature to the temperature necessary to use in a dishwasher, given the efficiency of the	Activity 1: Calculating reaction time	Activity 2: Calculating hraking distance	Activity 3: Setting yellow	light time.	Activity 4: Programming logic for traffic systems.	Activity 5: Reactive Traffic	technology.	
P4.11b	home hot water heater. Calculate the final temperature of two liquids (same or different materials) at the same or different temperatures and masses that are combined.								
Statement P4.12	Nuclear Reactions Changes in atomic nuclei can occur through three processes: fission, fusion, and radioactive decay. Fission and fusion can convert small amounts of matter into large amounts of energy. Fission is the splitting of a large nucleus into smaller nuclei at extremely high temperature and pressure. Fusion is the combination of smaller nuclei into a large nucleus and is responsible for the energy of the Sun and other stars. Radioactive decay occurs naturally in the Earth's crust (rocks, minerals) and can be used in technological applications (e.g., medical diagnosis and treatment).								
P4.12A	Describe peaceful technological applications of nuclear fission and radioactive decay. Describe possible problems caused by								
P4.12C	exposure to prolonged radioactive decay. Explain how stars, including our Sun, produce huge amounts of energy (e.g., visible, infrared, or ultraviolet light).								
Statement P4.12x	Mass and Energy In nuclear reactions, a small amount of mass is converted to a large amount of energy, $E = mc2$, where c is the speed of light in a vacuum. The amount of energy before and after nuclear reactions must consider mass changes as part of the energy transformation.								
P4.12d	Identify the source of energy in fission and fusion nuclear reactions.								

