



Amendment to the

Regional ITS Architecture

Southwest Region

November 2014 | Version 2

Prepared By:

Kimley»»Horn

TABLE OF CONTENTS

1	Introduction	1
1.1	Project Overview	1
1.2	National Architecture	1
1.3	Document Overview	2
1.4	Geographic Information	3
2	Administrative Update Process	5
2.1	Customization	6
2.1.1	ITS Inventory by Stakeholder.....	7
2.1.2	Top Level Regional System Interconnect Diagram.....	32
2.1.3	Service Packages.....	35
3	Application of the Regional ITS Architecture	35
3.1	Standards	35
3.2	Operational Concepts.....	36
4	Use and Maintenance.....	49
4.1	Conformity.....	49
4.2	Maintenance	50

APPENDIX A – NATIONAL ITS ARCHITECTURE SERVICE PACKAGE DEFINITIONS

APPENDIX B – CUSTOMIZED SERVICE PACKAGES

APPENDIX C – ARCHITECTURE MAINTENANCE DOCUMENTATION FORM

LIST OF FIGURES

Figure 1. Southwest Region ITS Architecture Boundary Area.....	4
Figure 2. ITS Architecture Administrative Update Process.....	6
Figure 3. Southwest Region System Interconnect Diagram - A.....	33
Figure 4. Southwest Region System Interconnect Diagram - B.....	34
Figure 5. Steps to Determining Architecture Conformity	49
Figure 6. Time Lapse between Architecture Updates	51

LIST OF TABLES

Table 1. Southwest Region Stakeholders.....	7
Table 2. University Region Stakeholders.....	9
Table 3. Southwest Region Inventory of ITS Elements	11
Table 4. Southwest Region Applicable ITS Standards.....	35
Table 5. Southwest Region Stakeholder Roles and Responsibilities.....	37
Table 6. Version History	51

1 INTRODUCTION

The Michigan Department of Transportation (MDOT) has continued to strive to be a leader in the application of technology to improve transportation. Projects that are selected to implement these technological solutions are required to conform to a regional ITS architecture if they utilize federal funds. Prior to 2005, the focus of technology deployments was in the urban areas, but needs began to arise that warranted solutions for other areas of the state. In 2008, the Department completed an effort that supplemented existing documentation and completed regional intelligent transportation systems (ITS) architectures and deployment plans that comprehensively covered all seven regions and provide a statewide vision for MDOT's ITS program. In 2014, MDOT initiated an administrative update for all but two of the regional ITS architectures, the two omitted were completed more recently and cover the metropolitan planning organizations (MPOs) around Grand Rapids and Lansing.

The National ITS Architecture is the standard template that regions and statewide ITS architectures customize to bridge together stakeholders, needs, and solutions for ITS projects. The architecture represents a shared view between agencies on how to integrate information and resources in order to provide solutions that help move travelers through the region safely and efficiently. It is the long range vision for what could be implemented without being technology specific. The architecture is a foundation of that vision and allows stakeholders to derive strategies that can be implemented through more specific ITS projects that benefit the current regional transportation system.

1.1 Project Overview

MDOT initiated a project to perform an administrative update to all but two (2) regional ITS architectures within the state. It is recommended that a full architecture update occurs every 5-7 years however MDOT has decided an administrative update could address the changes and shift in focus for the region. The administrative update incorporates revisions in the National ITS Architecture, updates to portions of the architecture that have been completed, and recent changes in the focus of the region.

The Southwest Region ITS Architecture previously was completed in 2008, using version 5.1 of the National Architecture and version 4.0 for the Turbo Architecture Database. The Amendment to the Southwest Region ITS Architecture focuses on the following:

- Format changes – conforming the Southwest Region ITS Architecture with the National ITS Architecture and Turbo Architecture Database versions 7
- Content update – adding or revising agency names and inventory statuses, revising current stakeholder relationships, and identifying new stakeholders and their relationships
- Project confirmation – confirming completed projects have been incorporated into the regional ITS architecture and identifying upcoming short term projects (5-6 years) conform to the regional ITS architecture

This update does include an update to the Deployment Plan. The Deployment Plan is a separate document.

1.2 National Architecture

The National ITS Architecture and the Turbo Architecture database were updated to Version 7 in January 2012. Version 7 adds a planning view to provide additional details on the connection between the regional ITS architecture and how it can be used to support transportation planning through project development. Version 7 also continues to be consistent with the connected vehicle program. As the program changes,

the National ITS Architecture is updated to be aligned with the current direction. Other new focuses of the National ITS Architecture includes enhancements, additional service packages for active traffic management strategies, alignment with the Federal Motor Carrier Safety Administration (FMCSA) Commercial Vehicle Information Systems and Networks (CVISN), and the synchronization with the Canadian Architecture by updated verbiage and outputs.

To support integration with the planning process, the National ITS Architecture now encompasses a new planning view. This view is highlighting the connection between the services packages within the National ITS Architecture and characteristics of the planning process. The characteristics include performance measures, cost/benefit (<http://www.itsbenefits.its.dot.gov/>), and goal setting (as identified in 23 CFR 450).

The National ITS Architecture version 7 was updated with minor terminology changes to reflect the connected vehicle program. The connected vehicles topic has emerged with increasing focus on technology and test beds around the world. The updated version continues to accommodate and incorporate these changes to ensure upcoming ITS projects are in compliant. In part with the National ITS Architecture, a new research effort was released known as the Connected Vehicle Reference Implementation Architecture (CVRIA). The website is <http://www.iteris.com/cvria/>. This effort is to help produce a standardization plan for connected vehicles which in turn will align with the National ITS Architecture both in defining and implementing.

1.3 Document Overview

The Amendment to the Southwest Region ITS Architecture is assembled into four main sections. These sections present the consolidation of information collected during administrative update. To a large extent the document is an abridged version of the current regional ITS architecture. Some supplemental information that was not revised during the administrative update can be accessed in the version that is available on the external MDOT ITS Planning website (www.MDOTITSPlanning.com). The sections within the Amendment include:

1 – Introduction

This section provides a project overview and geographic information within the Southwest Region.

2 – Administrative Update Process

This section highlights the process taken to develop the Amendment to the Southwest Region ITS Architecture. It also identifies the stakeholders who provided comments regarding the administrative updates as well as the updated inventory of the region.

3 – Application of the Regional ITS Architecture

This section reviews standards per the regional ITS architecture and updates to operational concepts identified by stakeholders.

4 – Use and Maintenance

This section highlights the importance of conforming to the regional ITS architecture as well as maintaining the current version. After a period of time, the architecture should be updated with either an administrative or a full update.

The Amendment to the Southwest Region ITS Architecture also contains three appendices:

- Appendix A – National ITS Architecture Service Package Definitions
- Appendix B – Customized Service Packages
- Appendix C – Architecture Maintenance Documentation Form

1.4 Geographic Information

The Southwest Region's geographic boundary includes the same boundary as MDOT Southwest Region and portions of the University Region. The boundary for the Southwest Region ITS Architecture is shown in **Figure 1**.

NOTE: Additional details on the characteristics and existing infrastructure within these defined boundaries can be found in Section 1.4.2 of the Southwest Region ITS Architecture (2008).




Figure 1. Southwest Region ITS Architecture Boundary Area

2 ADMINISTRATIVE UPDATE PROCESS

The administrative update relied heavily on stakeholder input to reflect the changes within the region. The feedback includes input focused on recently completed projects, upcoming projects, and new or modified agency relationships. These relationships either were within MDOT or between MDOT and another stakeholder. Since this was not a full update, documentation efforts were focused on upcoming projects that are anticipated within the next five years. As newer technological applications are continuously being implemented around the world, stakeholders are often assessing these applications that may have once been disregarded. The administrative update integrates the addition of these newer strategies so projects will be in conformance with the regional ITS architecture when funding becomes available.

The administrative process is less intensive than a full update and focused within a considerably short duration of time. To accommodate the abbreviated process, a majority of the coordination and communication with the stakeholders was conducted either via email or made available on the MDOT ITS Planning website.

The abbreviated process only included one (1) stakeholder workshop. As such, it was important to determine a method that gathers the most effective information and feedback with limited face-to-face coordination with the stakeholders. Including the stakeholder workshop, the complete approach involved:

- Project Level Kick-off Workshop – conference call with primary MDOT regional ITS coordinators to discuss the overall project scope of work, schedule, and the expectations of this effort. Also, preliminary discussions reviewed known projects that could influence the updates.
- Preliminary Revision List – the project list included within the current regional ITS architecture was revised. Revisions included the identification of completed and newly defined projects based on recent project programming documentation and the team’s experience of ITS projects in the area.
- Stakeholder Workshop– a Southwest and University Region ITS architecture workshops were conducted with range of stakeholders from multiple agencies within the region. Stakeholders provided comments on the revised project list, agency name changes, identification of projects within the next five years, changes with interagency connections, newly implemented technology, and new technology applications the stakeholders have identified for near term implementations.
- Revised Inventory Table – information gathered during the workshop was used to update the current architecture inventory table.
 - o The table presents all of the stakeholders within the region, the elements belonging to that stakeholder, a description of the element, and a status (existing or future)
- Draft Final Amendment Architecture Document – comments received from the revised inventory table were used to update both the service package diagrams within the regional ITS architecture document and the Turbo Architecture Database. The document was provided to the stakeholders for their review.
 - o The document included updated tables exported from the Turbo Architecture Database.
- Final Deliverable – comments on the Draft Final Amendment Architecture Document were used to assemble the final deliverables, which included a final Amendment to the Southwest Regional ITS Architecture Document and Southwest Regional Turbo Architecture database.

Figure 2 below illustrates the process followed.




Figure 2. ITS Architecture Administrative Update Process

2.1 Customization

As with the previous architecture process, the administrative update includes an established inventory table of existing ITS elements and elements identified as part of future systems. Stakeholder input was key to an accurate update of this table.

The National ITS Architecture has eight groups of ITS service areas. They include:

- **Traffic Management** (ATMS) – includes transportation operations centers, detection systems, closed circuit television (CCTV) cameras, dynamic message signs (DMS), portable changeable message signs (PCMS), and other related technologies.
- **Emergency Management** (EM) – includes emergency operations/management centers, improved information sharing among traffic and emergency services, automated vehicle location (AVL) on emergency vehicles, traffic signal preemption for emergency vehicles, and wide-area alerts.
- **Maintenance and Construction Management** (MC) – includes work zone management, roadway maintenance and construction information, winter maintenance, and road weather information systems (RWIS).
- **Public Transportation Management** (APTS) – includes transit and paratransit AVL, dispatch systems, transit travel information systems, electronic fare collection, and transit security.

- **Commercial Vehicle Operations (CVO)** – includes coordination with Commercial Vehicle Information Systems and Networks (CVISN) efforts, hazardous material (HAZMAT) management, weigh-in motion (WIM) technology, and security technology, including driver authentication.
- **Traveler Information (ATIS)** – includes broadcast traveler information such as web sites, traveler information kiosks, and highway advisory radio (HAR).
- **Archived Data Management (AD)** – includes electronic data management and archiving systems.
- **Vehicle Safety (AVSS)** – includes connected vehicle technology such as collision avoidance and vehicle automation, specifically speed and steering.

As mentioned above, customizing the elements was based on the previous inventory table and feedback captured during the Southwest Regional ITS Architecture Workshop. The local agency elements were used to capture agencies with longer term planned implementations versus calling each out specifically at this time. If an agency has implemented a project, and their elements should be updated to existing, the agency then is documented separately. This strategy allows the regional ITS architecture to cover those agencies and remain eligible for federal funds for an ITS deployments.

NOTE: Additional details regarding subsystems and terminators can be found in Section 3.3.1 of the Southwest Regional ITS Architecture.

2.1.1 ITS Inventory by Stakeholder

Each stakeholder is associated with one or more systems or elements that together comprise the transportation system in the Southwest Region. Input from the stakeholders was critical to ensure the information within the architecture is accurate and easily reviewed to demonstrate project conformance. A listing of stakeholders, description of the agency, and contact information of those stakeholders who assisted with achieving this goal is found in **Table 1** and **Table 2**.

Table 1. Southwest Region Stakeholders

Organization	Name		Email
Allegan County Road Commission	Bruce	Culver	parks@allegancounty.org
Battle Creek Area Transportation Study (BCATS)	Andy	Tilma	tilmaa@bcatsmpo.org
Battle Creek Emergency Services	James	Zoss	jmzoss@ci.battle-creek.mi.us
Battle Creek Transit	Richard	Werner	rwwerner@battlecreekmi.gov
Calhoun County Road Commission	Kevin	Henning	akline@calhouncrc.net
City of Kalamazoo	Michael	Cross	crossm@kalamazoocity.org
City of Kalamazoo	Frank	Szopo	szopof@kalamazoocity.org
City of Marshall	Carl	Fedders	cfedders@cityofmarshall.com
City of South Haven	Brian	Dissette	bdissette@south-haven.com
City of South Haven Dept of Public Works	Roger	Huff	rhuff@south-haven.com
City of South Haven Dept of Public Works	Larry	Halberstadt	lhalberstadt@south-haven.com
FHWA - Michigan	Morrie	Hoevel	Morris.Hoevel@dot.gov
Huron Valley Ambulance	Rich	White	rwhite@hva.org

Organization	Name		Email
Indiana Department of Transportation	Tro	Boyd	tboyd@indot.in.gov
Indiana Department of Transportation	Jay	Wasson	jwasson@indot.in.gov
Kalamazoo Area Transportation Study	Steven	Steppek	sstepek@katsmpo.org
Kalamazoo County Road Commission	Jim	Hoekstra	jhoekstra@kcrc-roads.com
Kalamazoo County Road Commission	Tom	Hohm	thohm@kcrc-roads.com
Kalamazoo County Road Commission	Joanna	Johnson	jjohnson@KCRC-Roads.com
Kalamazoo County Sheriff	William	Timmerman	wjtimmm@kalcounty.com
Kalamazoo Metro Transit System	Sean	McBride	mcbrides@kalamazoocity.org
Kalamazoo/Battle Creek International Airport	Ron	Shutler	rjshut@kalcounty.com
Marshall Police Department	Bret	Pierson	bpierson@cityofmarshall.com
MDOT	Michael	Bippley	BippleyM@michigan.gov
MDOT	Rick	Fowler	fowlerr@michigan.gov
MDOT	Annjanette	Kremer	KremerA@michigan.gov
MDOT	Paula	Wiese	WieseP@michigan.gov
MDOT - Coloma TSC	Gary	Loyola	LoyolaG@michigan.gov
MDOT - Coloma TSC	Bill	Meeks	meeksb@michigan.gov
MDOT - Coloma TSC	Jonathon	Smith	smithJ29@michigan.gov
MDOT - ITS Program Office	Luke	Biernbaum	BiernbaumL@michigan.gov
MDOT - ITS Program Office	Collin	Castle	CastleC@michigan.gov
MDOT - ITS Program Office	Elise	Kapphahn	KapphahnE@michigan.gov
MDOT - Kalamazoo TSC	Athira	Jayadevan	jayadevana@michigan.gov
MDOT - Kalamazoo TSC	Michelle	O'Neill	OneillM@michigan.gov
MDOT - Kalamazoo TSC	Pete	Pfeiffer	feifferP@michigan.gov
MDOT - LAP	Lynnette	Firman	firmanl@michigan.gov
MDOT - Marshall TSC	Mark	Dionise	dioniseM@michigan.gov
MDOT - Marshall TSC	Alissa	Hubbell	hubbella@michigan.gov
MDOT - Marshall TSC	Steve	Shaughnessy	shaughnessys@michigan.gov
MDOT - Southwest Region	Steve	Brink	brinks1@michigan.gov
MDOT - Southwest Region	Jason	Latham	LathamJ@michigan.gov
MDOT - Southwest Region	Zhizhen	Liu	LiuZ@michigan.gov
MDOT - Southwest Region	Kerry	DenBraber	DenBraberK@michigan.gov
MDOT - University Region	Jennifer	Foley	FoleyJ3@michigan.gov
MDOT - University Region	Stephanie	Palmer	PalmerS3@michigan.gov
Michigan State Police	James	Campbell	campbelj@michigan.gov
Michigan State Police	Lance	Cook	CookLR@michigan.gov
Michigan State Police	Willie	Mays	MaysW@michigan.gov
Michigan State Police	Tracey	McAndrew	mcandret@michigan.gov
Michigan State Police	Gary	Megge	meggeg@michigan.gov
Michigan State Police	Dale	Peet	PeetD@michigan.gov
Michigan State Police	Dan	Smith	SmithDG@michigan.gov

Organization	Name		Email
Michigan State Police	Eric	Wimbley	wimbleye@michigan.gov
Michigan Tech Research Institute	Richard	Wallace	
National Weather Service	John	Kowaleski	John.Kowaleski@noaa.gov
NTB Inc.	Jerry	Warnemuende	jerry.warnemuende@ntbtrk.com
NTB Inc.	John	Wesche	John.Wesche@NTBTRK.com
NTB Inc.	Daniel	Wood	daniel.wood@ntbtrk.com
Paw Paw Police Department	Eric	Marshall	e.marshall@pawpaw.net
Region 2 Planning Commission	Steven	Duke	sduke@co.jackson.mi.us
Southwest Michigan Planning Commission (SWMPC)	Gautam	Mani	ManiG@swmpc.org
Southwest Michigan Planning Commission (SWMPC)	John	Egelhaaf	egelhaafj@swmpc.org
Southwest Michigan Regional Airport	Lee	Scherwitz	Director@swmiairport.com
St. Joseph Charter Township	Ron	Griffin	Rgriffin@sjct.org
Van Buren County Central Dispatch	Robert	Kirk	kirk@vbco.org
Van Buren County Central Dispatch	Jeri	Tapper	tapperje@vbco.org
Van Buren County Sherriff's Office	Dale	Gribler	griblerd@vbco.org
Van Buren County Sherriff's Office	Brian	Matthews	matthewsb@vbco.org
Van Buren Public Transit	Anthony	Dacoba	DacobaT@vbco.org
Western Michigan University	Matt	Clark	matthew.l.clark@wmich.edu
Western Michigan University	Paul	MacNellis	paul.macnellis@wmich.edu
Western Michigan University	Jun-Seok	Oh	jun.oh@wmich.edu
Western Michigan University	Bryce	Wegner	bryce.t.wegner@wmich.edu

Table 2. University Region Stakeholders

Organization	First Name	Last Name	Email
FHWA - Michigan	Morrie	Hoevel	Morris.Hoevel@fhwa.dot.gov
Hillsdale County Road Commission	Stan	Clingerman	hillsdale@hillsdalecrc.org
Jackson Area Transportation Authority	Oliver	Lindsay	Oliver.Lindsay@jacksontransit.com
Lenawee County Maintenance	Chris	Kendrick	KendrickC2@michigan.gov
MDOT - Brighton TSC	Craig	Heidelberg	HeidelbergC@michigan.gov
MDOT - Brighton TSC	Andy	Hodges	HodgesA@michigan.gov
MDOT - Data Collection Lansing	Kevin	Krzeminski	krzeminskiK@michigan.gov
MDOT - ITS Program Office	Luke	Biernbaum	BiernbaumL@michigan.gov
MDOT - ITS Program Office	Elise	Kapphahn	KapphahnE@michigan.gov
MDOT - Jackson TSC	Jason	Fossitt	FossittJ@michigan.gov
MDOT - Jackson TSC	Scott	Geiger	GeigerS@michigan.gov
MDOT - Jackson TSC	Roz	Hagood	HagoodR@michigan.gov

Organization	First Name	Last Name	Email
MDOT - Jackson TSC	Sam	Sorensen	SorensenS1@michigan.gov
MDOT - Lansing Asset Management	Josh	Bocks	bocksj@michigan.gov
MDOT - Lansing TSC	Josh	Carey	CareyJ2@michigan.gov
MDOT - Lansing TSC	John	Engle	EngleJ1@michigan.gov
MDOT - Lansing TSC	Tom	Fisher	FisherT1@michigan.gov
MDOT- University Region	Stephanie	Palmer	palmerS3@michigan.gov
MDOT IPO	Collin	Castle	CastleC@michigan.gov
MDOT University Region	Jennifer	Foley	FoleyJ3@michigan.gov
Michigan State Police - Jackson Post	Dan	Bowman	bowmand5@michigan.gov
Washtenaw Area Transportation Study	Ryan	Buck	buckr@miwats.org

Table 3 sorts the inventory by stakeholder so that each stakeholder can easily identify and review all of the architecture elements associated with their agency and its status. An added feature of the inventory table is an element's association with the service areas. This feature helps to quickly identify the relationship between the elements and the service it is providing. However, if an element status is considered existing this does not necessarily equate to the flows within a service package as existing.

For example, the elements: MDOT Maintenance Decision Support Software and MBA TOC are existing elements, but currently the flow of information between the elements are not automated, so this is considered a planned flow.

KEY for Table 3

ATMS	Traffic Management	CVO	Commercial Vehicle Operations
EM	Emergency Management	ATIS	Traveler Information
MC	Maintenance & Construction Management	AD	Archived Data Management
APTS	Public Transportation	AVSS	Vehicle Safety

Table 3. Southwest Region Inventory of ITS Elements

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Battle Creek Transit	Battle Creek Transit CCTV Surveillance	CCTV surveillance at the Battle Creek Transit Center.	Existing				X				
	Battle Creek Transit Data Archive	The transit data archive for Battle Creek Transit. Used by FTA and MDOT Office of Passenger Transportation	Planned							X	
	Battle Creek Transit Dispatch Center	Transit dispatch center responsible for the tracking, scheduling and dispatching of fixed route and paratransit vehicles operated by Battle Creek Transit. The center has an existing CAD system and GIS based AVL system for mapping vehicles.	Existing	X	X	X	X		X	X	
	Battle Creek Transit Electronic Fare Payment Card	Medium for collection of transit fares electronically.	Existing				X				
	Battle Creek Transit Kiosks	Kiosks for dissemination of transit traveler information. Kiosks can also be used for the purchase and recharging of electronic fare payment cards.	Planned				X		X		
	Battle Creek Transit Vehicles	Transit Vehicles owned by Battle Creek Transit. AVL system is installed on transit vehicles. Electronic fare box is in place as well.	Existing				X				
	Battle Creek Transit Website	Website with information about fares and schedules for Battle Creek Transit Service Area.	Existing				X		X		

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
City of Battle Creek	Battle Creek CCTV	Roadside equipment on local routes used for traffic condition monitoring and management of incidents.	Planned	X							
	Battle Creek HAR	Highway advisory radio operated by local agency. Located along I-94 between Kalamazoo and Battle Creek.	Existing	X							
	Battle Creek TMC	The City of Battle Creek is planning to build a traffic management center to manage the city's traffic signal system.	Existing	X							
City of Kalamazoo	City of Kalamazoo CCTV	Roadside equipment on local routes used for traffic condition monitoring and management of incidents.	Planned	X							
	City of Kalamazoo TOC	The City of Kalamazoo operates a traffic operations center responsible for municipal signal system operations.	Existing	X							
	City of Kalamazoo Traffic Signals	Coordinated signal systems operated by the City of Kalamazoo.	Existing	X							
	Kalamazoo Chamber of Commerce HAR	Uses HAR for tourism information.	Existing	X							
City of Portage	City of Portage CCTV	Roadside equipment on local routes used for traffic condition monitoring and incident management.	Planned	X							
	City of Portage Vehicle Detectors	Roadway equipment on local routes used to detect vehicle volumes and/or speeds.	Existing	X							

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Financial Institution	Financial Service Agency	Agency responsible for payment of transit fares for medical transportation as part of government subsidized medical care. This includes Medicare, and VA programs. Agencies also handle payment requests from commercial vehicle administration agencies.	Existing				X				
	Financial Service Provider	Handles exchange of money for transit electronic payment collection.	Existing	X			X		X		
INDOT	INDOT DMS	Dynamic message signs placed along Indiana Toll Road to display toll road pricing and other important messages.	Existing		X	X					
	INDOT HAR	Highway Advisory Radio (HAR) system along Indiana Toll Road.	Existing		X	X					
Jackson Area Transportation Authority (JATA)	JATA Electronic Fare Payment Card	Medium for collection of transit fares electronically.	Planned				X				
	JATA Data Archive	The transit data archive for the Jackson Area Transportation Authority. Used by FTA and MDOT Office of Passenger Transportation.	Planned							X	
	JATA Dispatch Center	Transit dispatch center responsible for the tracking, scheduling and dispatching of fixed route and paratransit vehicles operated by Jackson Area Transportation Authority.	Planned	X	X	X	X		X	X	
	JATA Kiosks	Kiosks for dissemination of transit traveler information. Kiosks can also be used for the purchase and recharging of electronic fare payment cards.	Planned				X		X		

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Jackson Area Transportation Authority (JATA)	JATA Transit Center CCTV Surveillance	CCTV surveillance at the Jackson Area Transportation Authority Transit Center.	Existing				X				
	JATA Transit Vehicles	Transit Vehicles owned by Jackson Area Transportation Authority. AVL system is installed on demand response transit vehicles and planned for fixed route buses.	Existing				X				
	JATA Website	Website with information about fares and schedules for the Jackson Area Transportation Authority service area.	Existing				X		X		
Kalamazoo County Road Commission (KCRC)	KCRC CCTV	Roadside equipment on local routes used for traffic condition monitoring and management of incidents	Existing	X							
	KCRC Vehicle Detectors	Roadside equipment on local routes used to detect vehicle volumes and/or speeds	Existing	X							
Kalamazoo Metro Transit System	Kalamazoo Metro Transit System Data Archive	The transit data archive for the Kalamazoo Metro Transit System. Used by FTA and MDOT Office of Passenger Transportation.	Planned							X	
	Kalamazoo Metro Transit System Dispatch Center	Transit dispatch center responsible for the tracking, scheduling and dispatching of fixed route and paratransit vehicles operated by Kalamazoo Metro Transit System. Dispatch center has an existing CAD system and radio communication with buses.	Existing	X	X	X	X		X	X	
	Kalamazoo Metro Transit System Electronic Fare Payment Card	Medium for collection of transit fares electronically.	Existing				X				

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Kalamazoo Metro Transit System	Kalamazoo Metro Transit System Kiosks	Kiosks for dissemination of transit traveler information. Kiosks can also be used for the purchase and recharging of electronic fare payment cards.	Planned				X		X		
	Kalamazoo Metro Transit System Transit Center CCTV Surveillance	CCTV surveillance at the Kalamazoo Metro Transit System Transit Center.	Existing				X				
	Kalamazoo Metro Transit System Transit Vehicle	Transit vehicles owned by Kalamazoo Metro Transit. AVL system installed on transit vehicles.	Existing				X				
	Kalamazoo Metro Transit System Website	Website with information about fares and schedules for Kalamazoo Metro Transit service area.	Existing				X		X		
Local Agency	County 911 Dispatch	Central Dispatch is responsible for the dispatch of all public safety vehicles (police and fire). After hours Central Dispatch will also dispatch the Street Department on-call emergency responder. Counties included are Allegan, Barry, VanBuren, Kalamazoo, Calhoun, Jackson, Berrien, Branch, Cass, St. Joseph, Lenawee, and Hillsdale.	Existing	X	X	X	X		X		
	County Road Commission	Contract agency managed by a county that oversees road maintenance and snow removal on local and MDOT facilities.	Existing	X	X	X	X	X			
	County Road Commission Maintenance Vehicles	County Road Commission vehicles used in maintenance operations. Includes the ITS equipment installed on the maintenance vehicles (AVL, MDTs, etc.). AVL exists on direct force counties.	Existing			X					
	Kalamazoo / Battle Creek International Airport	International airport serving the Southwest Michigan area.	Existing			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Local Agency	Local Agency 911 Dispatch	Answers 911 calls made from within the local area and then forwards the call to the appropriate dispatcher.	Existing	X	X	X					
	Local Agency CCTV	Roadside equipment on local routes used for traffic condition monitoring and management of incidents.	Planned	X							
	Local Agency DPW	Contract agency managed by a local municipality that oversees road maintenance and snow removal on local and MDOT facilities.	Existing	X	X	X	X	X			
	Local Agency DPW Vehicles	Local Government vehicles used in maintenance operations.	Existing	X	X	X	X				
	Local Agency ESS Sensors	Environmental sensor stations located along the roadside and operated by local agencies that collect information about the roadways such as temperature and moisture levels.	Planned	X							
	Local Agency HAR	Highway Advisory Radio operated by local agencies.	Planned	X	X	X					
	Local Agency High Water Detection	Roadside equipment operated by local agencies that collect information about the water level on flood prone roadways.	Planned	X							
	Local Agency Parking Management Systems	System operated by a local agency that monitors available vehicle parking at key parking facilities.	Planned	X			X		X		
	Local Agency Public Safety Vehicles	Local law enforcement, fire and EMS vehicles. Includes the ITS equipment installed on the cruisers (AVL, MDTs, etc.).	Existing	X	X						

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Local Agency	Local Agency Ridesharing Program	System used for matching riders with similar origins and destinations to promote carpooling.	Planned						X		
	Local Agency Roadway Barrier System	Roadside equipment operated by local agencies that close roadway segments automatically due to unsafe conditions such as flooding.	Planned	X							
	Local Agency School Transportation Agencies	Agencies responsible for operating school bus fleets.	Existing	X		X					
	Local Agency TOC	Local Traffic Operations Center responsible for municipal signal system operations.	Planned	X	X	X	X		X		
	Local Agency Traffic Signals	Coordinated signal systems operated by local agencies.	Planned	X	X						
	Local Agency Vehicles Detectors	Roadway equipment on local routes used to detect vehicle volumes and/or speeds.	Planned	X							
	Local Agency Website	Transportation information website for each local agency. In the future will include real-time construction, work zone, special event, incident, and traffic information.	Planned	X		X	X		X		
	Local Emergency Operations Center	Operations center for local agency emergencies.	Existing	X	X				X		
	Southwest Michigan Regional Airport	Regional airport located in Benton Harbor.	Existing			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT Anti-Icing Field Equipment	This system uses a variety of atmospheric and pavement sensors to detect when anti- and de-icing fluids should be applied to a bridge. The application is performed automatically using spray equipment mounted on the bridge. The system reports to maintenance personnel when fluids have been applied. Maintenance personnel are able to call into the system using cell-phones to monitor system status or activate the fluid application remotely. A system exists on a bridge at the Kent/Allegan County line.	Existing			X					
	MDOT Asset Management Database	Statewide database that collects and tracks the assets throughout the state, including the connection between devices, when a device was installed, and maintenance information.	Existing			X					
	MDOT ATMS	Advanced Transportation Management System Software - Statewide software that integrates the operations of ITS field devices via a single interface. The information collected and disseminated is for construction and maintenance activities, incidents, and special events.	Existing	X		X		X	X		
	MDOT CCTV Cameras	Roadside equipment mounted on trailers used for traffic condition monitoring and management of incidents.	Existing	X		X					
	MDOT Central Maintenance Office	MDOT Central Maintenance Office provides support to MDOT Region offices and TSCs to aid in establishing consistency for maintenance.	Existing			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT Commercial Vehicle Permitting System	MDOT system for tracking and monitoring oversize and overweight permits for commercial vehicles.	Existing			X		X			
	MDOT Commercial Vehicle Probe Equipment	Probe data collection equipment that is planned to be placed on commercial vehicles traveling along Michigan roads and highways.	Existing	X							
	MDOT DMS	Roadside equipment on MDOT routes used to share traveler information with motorists through dynamic messaging.	Existing	X	X	X					
	MDOT Drawbridge Control Equipment	Roadside equipment located on MDOT drawbridges that close approaching roadways or stop traffic prior to the drawbridge opening to waterway traffic.	Existing	X							
	MDOT Drawbridge Notification Equipment	Roadside equipment located on MDOT drawbridges that send notifications when the drawbridge is open for waterway traffic.	Existing	X							
	MDOT ESS	Environmental sensor stations maintained by the Michigan Department of Transportation that are installed in the field to gather information about the roadways such as temperature and moisture levels. The ESS stations feed the RWIS (road weather information system) program.	Planned			X					
	MDOT Freeway Courtesy Vehicles	Fully equipped vehicles that provide motorist assistance to vehicles in need on MDOT facilities.	Planned	X	X						

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT Frost Tube Sensors	Roadside equipment located along MDOT routes that collect data from frost tube sensors. Currently frost tubes are placed in 12 locations throughout the study area.	Existing			X					
	MDOT Highway Advisory Radio (HAR)	Highway Advisory Radio (HAR) will disseminate information to travelers via radio systems. This system is planned to operate together with DMS.	Planned	X							
	MDOT Intercity Rail Systems	Intercity Rail System that is planned to operate along freeway medians along Michigan freeways.	Planned	X				X			
	MDOT Lane Control Signals	Roadside equipment on MDOT freeways used to manage traffic dynamically by providing available lanes for use.	Planned	X							
	MDOT Maintenance Decision Support Software	System that collects RWIS data and distributes the information to maintenance garages to determine maintenance needs in real time.	Existing			X					
	MDOT Maintenance Vehicles	Michigan Department of Transportation vehicles used in maintenance operations.	Existing	X		X			X		
	MDOT MI Drive Website	MDOT website for dissemination of real-time traveler information for travel conditions for unplanned and planned events.	Existing	X	X				X		
	MDOT Mobile Speed Monitoring Trailers		Planned	X							
	MDOT Multimodal Crossing	Intersection between two modes of travel such as roadway and waterway.	Planned	X							

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT Office of Communications	Michigan Department of Transportation responsible for the dissemination of traffic information to the media and public.	Existing			X		X	X		
	MDOT Planning Division Data Warehouse	Archive that contains historical traffic data such as volume and speed information.	Existing							X	
	MDOT Rest Area WiFi	Rest areas located off Interstates that provide wireless internet access to travelers.	Existing						X		
	MDOT Roadside Equipment for Connected Vehicles	Equipment located along MDOT routes that allows communication between roadside devices and vehicles.	Planned								X
	MDOT Roadside Intersection Collision Avoidance Equipment	Equipment located along MDOT routes that communicate between multiple roadside devices and vehicles to alert of unsafe travel conditions or conditions conducive to crashes.	Planned								X
	MDOT Roadside Signing Equipment	Equipment located along MDOT routes that provide data through dynamic messaging or in-vehicle messaging.	Planned						X		
	MDOT Security Monitoring Field Equipment	Roadside equipment located on MDOT routes that is used for monitoring key infrastructure elements from damage or attacks. These elements include structures such as the weigh station located near New Buffalo..	Existing		X						
	MDOT SEMTOC	MDOT traffic operations center located in the Detroit. SEMTOC operates the freeway management system and ITS deployments within the Metro Region.	Existing	X	X						

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT Southwest Region Commercial Vehicle Parking Management System	System operated by MDOT that monitors available commercial vehicle parking at key rest area parking facilities.	Existing	X					X		
	MDOT Southwest Region Equipment Repair	Repair facility (garages) for maintenance and construction vehicles within the MDOT southwest region.	Existing	X		X		X	X		
	MDOT Southwest Region TSC	MDOT field office that oversees road construction and maintenance on MDOT facilities.	Existing	X	X	X	X	X	X		
	MDOT STOC	MDOT statewide traffic operations center located in Lansing. The STOC operates the freeway management system and statewide ITS deployments outside the areas of SEMTOC and WMTOC. The STOC does operate WMTOC system during off-hours and weekends. The STOC also dispatches freeway courtesy patrol vehicles for those areas covered by STOC operations.	Existing	X	X	X	X		X		X
	MDOT Traffic Signals	Wireless interconnected traffic signal system located in Kalamazoo and operated by MDOT.	Existing	X	X						
	MDOT Traveler Information Kiosks	Interactive kiosks that provides users the ability to request and receive transportation information.	Planned						X		
	MDOT University Region Equipment Repair	Repair facility (garages) for maintenance and construction vehicles within the MDOT university region.	Planned			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	MDOT University Region TSC	MDOT field office that oversees road construction and maintenance on MDOT facilities. Most maintenance and snow removal in this region is achieved through contract agencies.	Existing	X	X	X	X	X	X		
	MDOT Variable Speed Limit Signs	Roadside equipment dynamically changed as traffic conditions change.	Planned	X							
	MDOT Vehicle Detectors	Roadway equipment located on MDOT roadways used to detect vehicle volumes and/or speeds. MDOT vehicle detectors include MVDS and any other vehicle detection.	Existing	X							
	MDOT Weigh-in-Motion	In-road equipment that monitors vehicle weights	Existing					X			
	MDOT WMTOC	MDOT traffic operations center located in Grand Rapids. WMTOC is responsible for the operations along the freeway around the Grand Rapids area.	Existing	X	X	X			X		X
	MDOT Work Zone Safety Monitoring Equipment	Equipment used to detect vehicle intrusion within work zones and provide notifications of the identified hazard.	Planned			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MDOT	Michigan Public Safety Communications System	MPSCS (Michigan Public Safety Communications System) is an 800 MHz radio network that utilizes state-of-the-art trunked technology to provide statewide interoperability in digital clarity to its members throughout Michigan.	Existing					X			
	Other Region MDOT TSCs	Local MDOT offices outside of the SW or University Regions that oversee the operations and maintenance on MDOT facilities.	Existing			X					
Media	Local Print and Broadcast Media	Local media that provide traffic or incident information to the public.	Existing	X	X	X			X		
Michigan Metropolitan Planning Organizations	Kalamazoo Area Transportation Study Emissions Monitoring	Kalamazoo Area Transportation Study monitors air quality and emissions.	Existing	X							
	Kalamazoo Area Transportation Study Emissions Monitoring Sensor	Kalamazoo Area Transportation Study has one existing sensor in the area.	Existing	X							
MSP	CJIC Database	Criminal Justice Information Center Database stores criminal justice data and can be accessed by multiple agencies.	Existing							X	
	MIOC	The Michigan Intelligence Operations Center. Provides 24-hours a day statewide information sharing among local, state and federal public safety agencies and private sector organizations in order to facilitate the collection, analysis and dissemination of intelligence relevant to terrorism and public safety.	Existing			X		X			

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
MSP	MSP Commercial Vehicle Enforcement Division (CVED)	Responsible for monitoring commercial vehicle regulations on MDOT routes.	Existing	X				X			
	MSP District 1 Dispatch	Michigan State Police dispatch for the University Region. Provides call-taking and dispatch for public safety agencies.	Existing	X	X	X		X			
	MSP District 5 Dispatch	Michigan State Police dispatch for the Southwest Region. Provides call-taking and dispatch for public safety agencies.	Existing	X	X	X		X			
	MSP Lansing Regional Dispatch	Michigan State Police dispatch center providing additional support within District 5, 6, and 1.	Existing		X	X					
	MSP Office of Highway Safety Planning	Manages crash data for MDOT routes.	Existing							X	
	MSP Vehicles	Public Safety vehicles owned and operated by Michigan State Police. Includes the ITS equipment installed on the cruisers (AVL, MDTs, etc.).	Existing		X						
	MSP Winter Travel Advisory Website	Website operated by the Michigan State Police that provides travel information to the public.	Existing			X					
	MSP Winter Travel Toll-Free Number	Toll-free number operated by Michigan State Police that provides travel information to the public.	Existing			X					
Other Agencies	Department of Homeland Security	Responsible for coordinating with multiple agencies to secure the nation's borders and protect the infrastructure and citizens.	Existing		X						

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Other Agencies	National Weather Service	Provides official US weather, marine, fire and aviation forecasts, warnings, meteorological products, climate forecasts, and information about meteorology.	Existing	X	X	X			X		
Other Elements	ASOS Weather Stations	Automated Surface Observing System operated and maintained through a partnership of FAA, NWS, and DoD. Stations are located at airports able to detect significant changes in the weather pattern for aviation operations and weather forecasting.	Existing			X					
	AWOS Stations	Automated Weather Observing System operated and maintained by FAA. Stations typically located at airports collecting weather data used for aviation operations as well as weather forecasting	Existing	X		X					
	DNR Weather Stations	Department of Natural Resources field equipment that collects weather data such as temperature and visibility.	Existing	X		X					
	FMCSA Safety and Fitness Electronic Records System	The FMCSA SAFER system provides company safety data and related services to industry and the public over the Internet. Users can search FMCSA databases, access the Hazardous Material Route registry, obtain National Crash and Out of Service rates for Hazmat Permit Registration, and find information about other FMCSA Information Systems.	Existing					X			
	MAWN Stations	Michigan Automated Weather Network stations (Enviro-weather) are used to collect weather related data as part of the Michigan State University agricultural program. Data includes air temp, humidity, speed, and precipitation.	Existing			X					

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Other Elements	Parking Traveler Card	Medium for collection of parking fares electronically.	Planned	X							
	Potential Obstacles	Obstacles that could interfere with the safe operation of vehicles.	Existing								X
	RAWS Station	Remote Automatic Weather Stations strategically placed to monitor the weather. The data collected is used for monitoring air quality, fire dangers, and research.	Planned			X					
	Roadway Environment	All objects and conditions in the vicinity of the traveler that can affect the operations of the traveler.	Existing								X
Private Information Service Providers	Private Sector ISP	Private entities that collect and disseminate traffic information.	Existing						X		
	Private Sector Traveler Information Systems	Website sponsored by a private entity. Often this information is provided through a subscription.	Existing	X			X	X	X		
Private Operators	Contractor Smart Work Zone Equipment	Smart Work Zone Equipment owned by private contractor. Portable ITS equipment that can be used in work zones to more efficiently manage traffic and provide traveler information. Includes CCTV, vehicle detection, and/or DMS.	Existing			X					
	Multimodal Transportation Service Provider	Agency that offers services across multiple transportation modes.	Existing				X		X		
	Private Concierge Provider	Private entities that provides customized services to the traveler. This service is usually subscription based.	Existing		X						

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Private Operators	Private Fleet Operators	Private companies that proactively manage and operate their fleet routing. Includes reactions to incidents and possible delays.	Existing					X			
	Private Parking Operator	System operated on private property that monitors available commercial vehicle parking.	Existing	X							
	Special Event Promoters	Special Event Sponsors that have knowledge of events that may impact travel on roadways or other modal means. Western Michigan University uses their DMS to display football announcements.	Existing	X							
Private Transportation Providers	Private Transportation Providers	Private providers of transportation services in the Region such as taxis and intercity bus services.	Existing	X	X	X	X		X		
Rail Operators	Rail Operator Wayside Equipment	Equipment located along the tracks including railroad crossing gates, bells, and lights as well as the interface to the traffic signal controller indicating the presence of a train.	Planned	X							
Regional Demand Response Transit Providers	Regional Demand Response Electronic Fare Payment Card	Medium for collection of transit fares electronically.	Planned				X				
	Regional Demand Response Transit Provider Vehicles	Transit Vehicles owned by the regional demand responsive transit providers.	Existing				X				
	Regional Demand Response Transit Provider Website	Website with information about fares and schedules. At this time the website is static.	Planned				X		X		

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Regional Demand Response Transit Providers	Regional Demand Response Transit Providers Data Archive	The transit data archive for the Regional Demand Responsive Transit Providers Data Archive. Used by FTA and MDOT Office of Passenger Transportation.	Planned							X	
	Regional Demand Response Transit Providers Dispatch Center	Transit dispatch center responsible for the tracking, scheduling and dispatching of fixed route and paratransit vehicles operated by Regional Demand Responsive Transit Authorities.	Existing	X	X	X	X		X	X	
	Regional Demand Response Transit Providers Kiosks	Kiosks for dissemination of transit traveler information. Kiosks can also be used for the purchase and recharging of electronic fare payment cards.	Planned				X		X		
	Regional Demand Response Transit Providers Transit Center CCTV Surveillance	CCTV surveillance at the Regional Demand Response Transit Providers Center.	Planned				X				
System Users	Archived Data Users	Those who request information from the data archive systems	Existing							X	
	Commercial Vehicle	Privately owned commercial vehicles that travel throughout the Region. Included in the architecture to cover HAZMAT incident reporting.	Existing					X	X		
	Commercial Vehicle Driver	Individual operating a vehicle on roadways within the region	Existing					X			
	Maintenance and Construction Field Personnel	The individuals working at the maintenance or construction site.	Existing			X					
	Other Vehicles	Vehicles outside of the control of the driver.	Existing								X

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
System Users	Private Travelers Personal Computing Devices	Computing devices that travelers use to access public information.	Existing		X		X		X		
	Private Vehicles	Vehicles operated by the public.	Existing	X	X			X	X		X
	Traveler	Individual using the transportation network	Existing	X	X		X		X		
Twin Cities Area Transportation Authority	Twin Cities Area Transportation Authority Data Archive	The transit data archive for Twin Cities Area Transportation Authority. Used by FTA and MDOT Office of Passenger Transportation	Planned							X	
	Twin Cities Area Transportation Authority Dispatch Center	Transit dispatch center responsible for the tracking, scheduling and dispatching of fixed route and paratransit vehicles operated by Twin Cities Area Transportation Authority.	Existing	X	X	X	X		X	X	
	Twin Cities Area Transportation Authority Electronic Fare Payment Card	Medium for collection of transit fares electronically.	Planned				X				
	Twin Cities Area Transportation Authority Kiosks	Kiosks for dissemination of transit traveler information. Kiosks can also be used for the purchase and recharging of electronic fare payment cards.	Planned				X		X		
	Twin Cities Area Transportation Authority Transit Center CCTV Surveillance	CCTV surveillance at the Twin Cities Area Transportation Authority Transit Center.	Planned				X				
	Twin Cities Area Transportation Authority Transit Vehicles	Transit Vehicles owned by Twin Cities Area Transportation Authority.	Existing				X				

Stakeholder	Element Name	Element Description	Element Status	ATMS	EM	MC	APTS	CVO	ATIS	AD	AVSS
Twin Cities Area Transportation Authority	Twin Cities Area Transportation Authority Website	Website with information about fares and schedules for the Twin Cities service area.	Existing				X		X		

2.1.2 Top Level Regional System Interconnect Diagram

A system interconnect diagram, or “sausage diagram”, shows the systems and primary interconnects in the Region. The National ITS Architecture interconnect diagram has been customized for the Southwest Region based on the system inventory and information gathered from the stakeholders. **Figure 3** summarizes the existing and planned ITS elements for the Southwest Region in the context of a physical interconnect. Subsystems and elements specific to the Region are called out in the boxes surrounding the main interconnect diagram, and these are color-coded to the subsystem with which they are associated. Subsystems and terminators are the entities that represent systems in ITS.

Subsystems are the highest level building blocks of the physical architecture, and the National ITS Architecture groups them into four major classes: Centers, Field, Vehicles, and Travelers. Each of these major classes includes various components that represent a set of transportation functions (or processes). Each set of functions is grouped under one agency, jurisdiction, or location, and correspond to physical elements such as: traffic operations centers, traffic signals, or vehicles. Communication functions between the subsystems are represented in the ovals. Fixed-point to fixed-point communications include not only twisted pair and fiber optic technologies, but also wireless technologies such as microwave and spread spectrum.

Terminators are the people, systems, other facilities, and environmental conditions outside of ITS that need to communicate or interface with ITS subsystems. Terminators help define the boundaries of the National ITS Architecture as well as a regional system. Examples of terminators include: drivers, weather information providers, and information service providers.













Figure 3. Southwest Region System Interconnect Diagram - A




Figure 4. Southwest Region System Interconnect Diagram - B

2.1.3 Service Packages

The National ITS Architecture Version 7.0 references services as service packages. This is a revision from the previous version where services were called market packages. The primary catalyst in this revision is to align the National ITS Architecture with the Canadian ITS Architecture. Service packages can include several stakeholders and elements that work together to provide a service in the Region. They are customized to reflect the unique systems, subsystems, and terminators in the Southwest Region. Each service package is shown graphically with the service package name, agencies and elements involved, and desired data flows included.

For the administrative update, the focus included revisions to existing service packages and the inclusion of any additional services packages currently not included. The Southwest Regional ITS Architecture provides a more extensive overview of service packages. The document discusses how service packages were identified and selected and then prioritized by functional area. It also presents examples on how the service packages were customized with element interfaces based on needs within the region (*reference Section 3.4 and Section 3.5*). **Appendix A** provides definitions for all of the service packages available in the National ITS Architecture Version 7.0. **Appendix B** includes the service packages that have been updated specific to the Southwest region.

3 APPLICATION OF THE REGIONAL ITS ARCHITECTURE

Once a region has identified the desired components of ITS for their area and established which agencies and systems need to be connected, the structure of the National ITS Architecture assists with the region’s planning and implementation. This section addresses the application of the regional ITS architecture in the Southwest Region. The National ITS Architecture provides recommendations for standards that should be considered when implementing ITS elements. In addition, an operational concept has been developed for the Region and documents the roles and responsibilities of stakeholders in the operation of the regional ITS. Both sections have been updated to reflect changes within the architecture.

3.1 Standards

Standards are an important tool that will allow efficient implementation of the elements in the Southwest Regional ITS Architecture over time. Standards facilitate deployment of interoperable systems at local, regional, and national levels without impeding innovation as technology advances, vendors change, and as new approaches evolve. **Table 4** identifies each of the ITS standards that could apply to the Southwest Regional ITS Architecture.

Table 4. Southwest Region Applicable ITS Standards

Document ID	Standard Title	SDO
ANSI TS813	Electronic Filing of Tax Return Data	ANSI
APTA TCIP-S-001 3.0.4	Standard for Transit Communications Interface Profiles	APTA
ASTM E2468-05	Standard Practice for Metadata to Support Archived Data Management Systems	ASTM
ASTM E2665-08	Standard Specifications for Archiving ITS-Generated Traffic Monitoring Data	ASTM
ATIS General Use	Advanced Traveler Information Systems (ATIS) General Use Standards Group	SAE

Document ID	Standard Title	SDO
ATIS Low Bandwidth	Advanced Traveler Information Systems (ATIS) Bandwidth Limited Standards Group	SAE
DSRC 5GHz	Dedicated Short Range Communication at 5.9 GHz Standards Group	ASTM/IEEE/SAE
DSRC 915MHz	Dedicated Short Range Communication at 915 MHz Standards Group	ASTM
IEEE 1455-1999	Standard for Message Sets for Vehicle/Roadside Communications	IEEE
IEEE 1570-2002	Standard for the Interface Between the Rail Subsystem and the Highway Subsystem at a Highway Rail Intersection	IEEE
IEEE IM	Incident Management Standards Group	IEEE
IEEE P1609.11	Standard for Wireless Access in Vehicular Environments (WAVE) - Over- the-Air Data Exchange Protocol for Intelligent Transportation Systems (ITS)	IEEE
ITE TMDD	Traffic Management Data Dictionary (TMDD) and Message Sets for External Traffic Management Center Communications (MS/ETMCC)	AASHTO/ITE
Mayday	On-board Vehicle Mayday Standards Group	SAE
NTCIP 1201	Global Object Definitions	AASHTO/ITE/NEMA
NTCIP 1202	Object Definitions for Actuated Traffic Signal Controller (ASC) Units	AASHTO/ITE/NEMA
NTCIP 1203	Object Definitions for Dynamic Message Signs (DMS)	AASHTO/ITE/NEMA
NTCIP 1204	Object Definitions for Environmental Sensor Stations (ESS)	AASHTO/ITE/NEMA
NTCIP 1205	Object Definitions for Closed Circuit Television (CCTV) Camera Control	AASHTO/ITE/NEMA
NTCIP 1206	Object Definitions for Data Collection and Monitoring (DCM) Devices	AASHTO/ITE/NEMA
NTCIP 1207	Object Definitions for Ramp Meter Control (RMC) Units	AASHTO/ITE/NEMA
NTCIP 1208	Object Definitions for Closed Circuit Television (CCTV) Switching	AASHTO/ITE/NEMA
NTCIP 1209	Data Element Definitions for Transportation Sensor Systems (TSS)	AASHTO/ITE/NEMA
NTCIP 1210	Field Management Stations (FMS) - Part 1: Object Definitions for Signal System Masters	AASHTO/ITE/NEMA
NTCIP 1211	Object Definitions for Signal Control and Prioritization (SCP)	AASHTO/ITE/NEMA
NTCIP 1214	Object Definitions for Conflict Monitor Units (CMU)	AASHTO/ITE/NEMA
NTCIP C2C	NTCIP Center-to-Center Standards Group	AASHTO/ITE/NEMA
NTCIP C2F	NTCIP Center-to-Field Standards Group	AASHTO/ITE/NEMA
SAE J2735	Dedicated Short Range Communications (DSRC) Message Set Dictionary	SAE

3.2 Operational Concepts

An operational concept documents each stakeholder's current and future roles and responsibilities. It spans across a range of transportation services, as grouped in the Operational Concepts section of Turbo Architecture Database. The services covered are:

- **Arterial Management** – The development of signal systems that react to changing traffic conditions and provide coordinated intersection timing over a corridor, an area, or multiple jurisdictions.
- **Highway Management** – The development of systems to monitor freeway (or tollway) traffic flow and roadway conditions, and provide strategies such as ramp metering or lane access control to improve the flow of traffic on the freeway. Includes systems to provide information to travelers on the roadway.
- **Incident Management** – The development of systems to provide rapid and effective response to incidents. Includes systems to detect and verify incidents, along with coordinated agency response to the incidents.
- **Emergency Management** – The development of systems to provide emergency call taking, public safety dispatch, and emergency operations center operations.
- **Maintenance and Construction Management** – The development of systems to manage the maintenance of roadways in the Region, including winter snow and ice clearance. Includes the managing of construction operations.
- **Transit Management** – The development of systems to more efficiently manage fleets of transit vehicles or transit rail. Includes systems to provide transit traveler information both pre-trip and during the trip.
- **Electronic Payment** – The development of electronic fare payment systems for use by transit and other agencies (e.g., parking).
- **Commercial Vehicle Operations** – The development of systems to facilitate the management of commercial vehicles (e.g., electronic clearance).
- **Traveler Information** – The development of systems to provide static and real time transportation information to travelers.
- **Archived Data Management** – The development of systems to collect transportation data for use in non-operational purposes (e.g., planning and research).
- **Advanced Vehicle Safety** – The development of systems to support private sector vehicle safety initiatives (e.g., intersection collision avoidance)

Table 5 identifies the roles and responsibilities of key stakeholders for a range of transportation services.

Table 5. Southwest Region Stakeholder Roles and Responsibilities

Transportation Service	Stakeholder	Roles/Responsibilities
Surface Street Management	MDOT	Coordinate traffic information and control with Local Agency TOCs and other MDOT TOCs.
		Operate and maintain traffic signal systems on MDOT routes not managed by Local Agencies.
		Operate network surveillance equipment (CCTV Cameras, field sensors, etc.) on MDOT routes not managed by Local Agencies.
		Provide security monitoring of critical infrastructure for MDOT.
		Provide traffic information reports to regional information service providers.

Transportation Service	Stakeholder	Roles/Responsibilities
Surface Street Management	Michigan Metropolitan Planning Organizations	Organize and plan air monitoring activities within the Southwest Region. MPO monitors air quality, collects air data, and reports the data to the public.
	Rail Operators	Operate and maintain rail roadside equipment communicating with traffic signal systems or other traffic control devices at highway rail intersections.
	Local Agency	Coordinate HRI signal adjustments with Private Rail Operators.
		Operate network surveillance equipment (CCTV Cameras, field sensors, etc.) on local routes.
		Operate traffic signal systems on local routes.
		Coordinate traffic information with other local agencies.
		Coordinate traffic information and control with MDOT Southwest Region Office.
		Provide security monitoring of critical infrastructure for Local Agency.
		Provide traffic information to regional agencies including transit, emergency management, maintenance and construction, and the media. Provide traffic information to travelers through Local Agency.
Provide traffic information reports to regional information service providers.		
Freeway Management	MDOT	Operate network surveillance equipment (CCTV Cameras, field sensors, etc.) on MDOT highway routes.
		Provide traffic information to regional transportation agencies and the general public through traffic information devices (DMS, DNR Highway Advisory Radio).
		Operate network surveillance equipment (CCTV Cameras, etc.) and dynamic message signs (to convey traffic information to travelers) owned by MDOT.
	MDOT	Provide traffic information to regional information service providers.
	INDOT	Exchange traffic related information with MDOT.
		Share CCTV images with MDOT.
		Share control of ITS devices with MDOT.
	Local Agency	Coordinate traffic information and traffic control with other MDOT TOCs.

Transportation Service	Stakeholder	Roles/Responsibilities
Incident Management	MDOT	Coordinate maintenance resources for incident response with MDOT TSC Construction and Maintenance Operations.
		Perform network surveillance for detection and verification of incidents on MDOT routes.
		Provide incident information to travelers via traffic information devices on highways (e.g. MDOT DMS, DNR HAR).
		Provide incident information to regional emergency responders, including the MSP, EM, and local agencies.
	MSP	Coordinate incident response with other public safety agencies (local police, fire, EMS, sheriff) as well as MDOT.
		Dispatch MSP vehicles for incidents on highways.
		Perform incident detection and verification for the highways within the region and provide this information to traffic and other public safety agencies.
	Local Agency	Coordinate public safety resources for incident response on local routes.
		Dispatch the Local Agency emergency vehicles to incidents, including the Local Agency Police, Fire, and EMS/Rescue.
		Receive emergency calls for incidents on local routes.
		Coordinate incident response with other public safety agencies (fire, EMS, ambulance, etc.).
		Coordinate maintenance resources for incident response with MDOT Grand Region TSCs and Local Agencies.
		Perform incident detection and verification on local routes and provide this information to the Local Agency TOC.
		Perform network surveillance for detection and verification of incidents on local routes.
		Provide incident information to regional emergency responders, including the MSP and MDOT.
		Responsible for the development, coordination, and execution of special traffic management strategies during an evacuation.
	Battle Creek Transit	Report incident information to public safety agencies.
		Operate on-board security cameras, to remotely monitor the vehicles.

Transportation Service	Stakeholder	Roles/Responsibilities
Incident Management	Jackson Area Transportation Authority	Report incident information to public safety agencies.
		Operate on-board security cameras, to remotely monitor the vehicles.
	Kalamazoo Metro Transit System	Report incident information to public safety agencies.
		Operate on-board security cameras, to remotely monitor the vehicles.
	Twin Cities Area Transportation Authority	Report incident information to public safety agencies.
		Operate on-board security cameras, to remotely monitor the vehicles.
	Regional Demand Response Transit Providers	Report incident information to public safety agencies.
		Operate on-board security cameras, to remotely monitor the vehicles.
Emergency Management	MDOT	Provide Traveler information system to MDOT motorists via MI Drive.
		Responsible for providing service patrol dispatch resources to assist motorists in need on MDOT transportation facilities.
	MSP	Aid in the coordination of region wide emergency plans, evacuation and reentry plans, and disaster management.
		Dispatch MSP vehicles to incidents within their jurisdiction.
		Receive AMBER Alert and other Wide Area Alert information from MSP Headquarters.
		Receive early warning information and threat information from the NWS and Local Agencies.
		Coordinate with regional emergency management providers, maintenance and construction providers, and regional traffic management providers for emergency plans and evacuation and reentry plans.
		Provide regional traffic, transit, emergency management, and maintenance operations with disaster information to disseminate to the traveling public.
	Local Agency	Dispatch Local Agency Fire/EMS/Police vehicles.

Transportation Service	Stakeholder	Roles/Responsibilities
Emergency Management	Local Agency	Participate in the incident response, coordination, and reporting.
		Receive AMBER Alert and other Wide Area Alert information from MSP Headquarters.
		Perform incident detection and verification for arterials on local routes.
		Respond to transit emergencies/alarms on-board transit vehicles or at the transit facilities of Local Transit Agencies.
	Department of Homeland Security	Responsible for coordinating with multiple agencies to secure the nation's borders.
		Responsible to protect national transportation infrastructure and U.S. citizens.
	INDOT	Responsible for coordinating DMS and HAR messages with MDOT during wide-area emergency alerts.
	NOAA	Issues severe weather warnings based on gathered weather information.
	Battle Creek Transit	Responsible for coordinating emergency and evacuation plans with local agencies.
	Jackson Area Transportation Authority	Responsible for coordinating emergency and evacuation plans with local agencies.
Kalamazoo Metro Transit System	Responsible for coordinating emergency and evacuation plans with local agencies.	
Kalamazoo Metro Transit System	Responsible for coordinating emergency and evacuation plans with local agencies.	
Maintenance and Construction	MDOT	Collect road weather information with MDOT equipment and distribute it to regional traffic, maintenance, and transit agencies.
		Dispatch MDOT maintenance vehicles.
		Distribute maintenance and construction plans and work zone information to regional information service providers, regional traffic operations, transit operations, emergency operations, rail operations, and the media.
		Manage work zones on all MDOT maintenance and construction activities, as well as monitor work zone safety with MDOT field devices and vehicles.
		Perform maintenance of ITS field equipment owned by MDOT.

Transportation Service	Stakeholder	Roles/Responsibilities
Maintenance and Construction	MDOT	Provide maintenance of state highways within the region, including pavement maintenance, winter maintenance, and construction activities.
		Receive vehicle location information from MDOT maintenance and construction vehicles.
		Receive vehicle maintenance conditions from MDOT maintenance and construction vehicle and coordinate fleet management the with MDOT equipment repair facility.
		Coordinate maintenance and construction activities with other regional maintenance and construction agencies.
		Coordinate maintenance resources for incidents with other regional maintenance providers.
		Receive a request for maintenance resources for incident response from regional emergency management agencies.
	MSP	Disseminate winter weather advisories via website and phone number for motorists to call.
	Local Agency	Dispatch Local Agency maintenance vehicles.
		Provide maintenance of local routes and MDOT facilities (per contract), including pavement maintenance and construction activities.
		Receive vehicle location information from local agency DPW vehicles.
		Coordinate maintenance resources for incidents with other regional maintenance providers.
		Receive a request for maintenance resources for incident response from regional emergency management agencies.
	Private Operators	Distribute maintenance and construction plans and work zone information to regional information service providers, regional traffic operations, transit operations, emergency operations, rail operations, and the media.
		Perform maintenance of ITS field equipment owned by the Local Agency and MDOT (per contract).
		Coordinate maintenance and construction activities with other regional maintenance and construction agencies.
		Manage work zones on local routes and monitor work zone safety with Local Agency owned field equipment and vehicles.

Transportation Service	Stakeholder	Roles/Responsibilities	
Transit Services	Battle Creek Transit	Collect and archive transit data from Battle Creek Transit System transit operations.	
		Coordinate transit service with other regional transit providers as well as regional intermodal terminals and the regional airport.	
		Provide fixed route bus service for Battle Creek Transit System.	
		Provide paratransit (demand response) bus service for the Battle Creek Transit System.	
		Provide schedule and fare information on Battle Creek Transit System.	
		Provide transit passenger electronic fare payment on all Battle Creek Transit System fixed route and demand response transit vehicles.	
		Track and evaluate schedule performance on all Battle Creek Transit System fixed route and demand response vehicles.	
		Coordinate emergency plans with the Local Public Safety Agency and provide emergency transit services for evacuations, fires, and disasters (including re-entry)	
		Provide a demand response transit plan from the agency website.	
		Provide automated transit maintenance scheduling through automated vehicle conditions reports on all Battle Creek Transit System fixed route and demand response vehicles.	
		Provide transit schedule and fare information to the Battle Creek Transit System website and private sector traveler information service providers.	
		Provide transit security on all transit vehicles and at transit terminals through silent alarms and surveillance systems.	
		Provide transit traveler information to the agency website, local private sector traveler information services, and the Local Public Safety Agency in addition to making it available on transit information kiosks.	
		Jackson Area Transportation Authority	Collect and archive transit data from Jackson Area Transportation Authority transit operations.
			Provide fixed route bus service for Jackson Area Transportation Authority.
Provide paratransit (demand response) bus service for the Jackson Area Transportation Authority.			

Transportation Service	Stakeholder	Roles/Responsibilities
Transit Services	Jackson Area Transportation Authority	Provide schedule and fare information on Jackson Area Transportation Authority.
		Provide transit security on all transit vehicles and at transit terminals through silent alarms and surveillance systems.
		Track and evaluate schedule performance on all Jackson Area Transportation Authority fixed route and demand response vehicles.
		Coordinate emergency plans with the Local Public Safety Agency and provide emergency transit services for evacuations, fires, and disasters (including re-entry)
		Provide a demand response transit plan from the agency website.
		Provide automated transit maintenance scheduling through automated vehicle conditions reports on all Jackson Area Transportation Authority fixed route and demand response vehicles.
		Provide transit passenger electronic fare payment on all Jackson Area Transportation Authority fixed route and demand response transit vehicles.
		Provide transit schedule and fare information to the Jackson Area Transportation Authority website and private sector traveler information service providers.
	Provide transit traveler information to the agency website, local private sector traveler information services, and the Local Public Safety Agency in addition to making it available on transit information kiosks.	
	Kalamazoo Metro Transit System	Collect and archive transit data from Kalamazoo Metro Transit System transit operations.
		Coordinate transit service with other regional transit providers as well as regional intermodal terminals and the regional airport.
		Provide fixed route bus service for the Kalamazoo Metro Transit System.
		Provide paratransit (demand response) bus service for the Kalamazoo Metro Transit System.
		Provide transit security on all transit vehicles and at transit terminals through silent alarms and surveillance systems.
Coordinate emergency plans with the Local Public Safety Agency and provide emergency transit services for evacuations, fires, and disasters (including re-entry).		
Provide a demand response transit plan from the agency website.		

Transportation Service	Stakeholder	Roles/Responsibilities
Transit Services	Kalamazoo Metro Transit System	Provide automated transit maintenance scheduling through automated vehicle conditions reports on all Kalamazoo Metro Transit System fixed route and demand response vehicles.
		Provide schedule and fare information on Kalamazoo Metro Transit System.
		Provide transit passenger electronic fare payment on all Kalamazoo Metro Transit System fixed route and demand response transit vehicles.
		Provide transit schedule and fare information to the Kalamazoo Metro Transit System website and private sector traveler information service providers.
		Provide transit traveler information to the agency website, local private sector traveler information services, and the Local Public Safety Agency in addition to making it available on transit information kiosks.
		Track and evaluate schedule performance on all Kalamazoo Metro Transit System fixed route and demand response vehicles.
	Twin Cities Area Transportation Authority	Collect and archive transit data from Twin Cities Area Transportation Authority Transit System transit operations.
		Coordinate transit service with other regional transit providers as well as regional intermodal terminals and the regional airport.
		Provide fixed route bus service for Twin Cities Area Transportation Authority Transit System.
		Provide paratransit (demand response) bus service for the Twin Cities Area Transportation Authority Transit System.
		Provide schedule and fare information on Twin Cities Area Transportation Authority Transit System.
		Provide transit passenger electronic fare payment on all Twin Cities Area Transportation Authority Transit System fixed route and demand response transit vehicles.
		Track and evaluate schedule performance on all Twin Cities Area Transportation Authority Transit System fixed route and demand response vehicles.
		Coordinate emergency plans with the Local Public Safety Agency and provide emergency transit services for evacuations, fires, and disasters (including re-entry)
		Provide a demand response transit plan from the agency website.

Transportation Service	Stakeholder	Roles/Responsibilities
Transit Services	Twin Cities Area Transportation Authority	Provide automated transit maintenance scheduling through automated vehicle conditions reports on all Twin Cities Area Transportation Authority Transit System fixed route and demand response vehicles.
		Provide transit schedule and fare information to the Twin Cities Area Transportation Authority Transit System website and private sector traveler information service providers.
		Provide transit security on all transit vehicles and at transit terminals through silent alarms and surveillance systems.
		Provide transit traveler information to the agency website, local private sector traveler information services, and the Local Public Safety Agency in addition to making it available on transit information kiosks.
	Regional Demand Response Transit Providers	Collect and archive transit data from Regional Demand Responsive Transit Providers transit operations.
		Coordinate emergency plans with the Local Public Safety Agency and provide emergency transit services for evacuations, fires, and disasters (including re-entry)
		Coordinate transit service with other regional transit providers as well as regional intermodal terminals and the regional airport.
		Provide a demand response transit plan from the agency website.
		Provide automated transit maintenance scheduling through automated vehicle conditions reports on all Regional Demand Responsive Transit Providers' fixed route and demand response vehicles.
		Provide schedule and fare information on Regional Demand Responsive Transit Providers.
		Provide transit passenger electronic fare payment on all Regional Demand Responsive Transit Providers' fixed route and demand response transit vehicles.
		Provide transit security on all transit vehicles and at transit terminals through silent alarms and surveillance systems.
		Provide transit traveler information to the agency website, local private sector traveler information services, and the Local Public Safety Agency in addition to making it available on transit information kiosks.

Transportation Service	Stakeholder	Roles/Responsibilities
Commercial Vehicle Operations	MDOT	Provide permit information to regional emergency management providers and regional enforcement agencies.
		Provide regional permits (overheight/overweight and HAZMAT) to private fleet systems.
		Provide route restriction information to private fleet systems.
	MSP	Provide automated weigh-in-motion inspections for private fleet operations (both commercial vehicles and rail).
		Provide enforcement of regional permits for overheight/overweight or HAZMAT.
		Provide first response to commercial vehicle incidents and coordinate with DEM for HAZMAT conditions/clean-up.
	Michigan Trucking Association	Represents private fleet operators and trucking industry in the state of Michigan.
FMCSA	Responsible for the administration of safety-related initiatives and programs for the motor carrier industry.	
Traveler Information	MDOT	Collect traffic information (road network conditions), work zone information, travel times, and weather information.
		Coordinate and share traveler information with all other traveler information providers within the region.
		Provide broadcast information to travelers.
		Provide traveler information to the media.
		Provide traveler information to private travelers (through in vehicle, personal computing devices or kiosks) upon request.
	MSP	Collect traffic information (road network conditions), work zone information, travel times, and weather information.
	Local Agency	Collect traffic information (road network conditions), work zone information, travel times, and weather information.
		Coordinate and share traveler information with all other traveler information providers within the region.
	Media	Collect travel-related information from the public sector and private information sources, and broadcast that information to their customers via TV, radio stations, news media, etc.
	NOAA	Make available weather forecast; issue warnings related to adverse weather conditions.

Transportation Service	Stakeholder	Roles/Responsibilities
Traveler Information	Private Information Service Providers	Collect travel-related information from the public sector and private information sources, and broadcast that information to their customers via a variety of user interface equipment.
	System Users	Receive travel-related information on various modes of transportation, including surface street, air, rail/transit, and non-motorized.
Parking Management	MDOT	Operated by MDOT to provide commercial vehicle parking at key rest area parking facilities.
	Michigan Parking Association	Provides forum for sharing and disseminating information specific to the parking industry.
	Local Agency	Operate Downtown Jackson parking management system.
		Operate Downtown Kalamazoo parking management system.
Archived Data Systems	MDOT	Collect and archive traffic information from regional traffic management centers.
		Collect and archive asset status information from all MDOT maintenance offices and MDOT asset management systems.
		Collect and archive traffic information from regional traffic management providers, emergency information, from MSP and Local Agency Police, and transit information from regional transit agencies for planning purposes.
	MSP	Collect and archive emergency (incident) information from MSP and the region's emergency responders.
	Battle Creek Transit	Collect and archive transit data.
	Jackson Area Transportation Authority	Collect and archive transit data.
	Kalamazoo Metro Transit System	Collect and archive transit data.
	Twin Cities Area Transportation Authority	Collect and archive transit data.
	Regional Demand Response Transit Providers	Collect and archive transit data.
Advanced Vehicle Safety	MDOT	Collect and share traffic safety information that is distributed from vehicle to vehicle.
		Collect and share potential dangers with the driver of the vehicles.

4 USE AND MAINTENANCE

As the Region grows, needs change, and, as technology progresses, new ITS opportunities arise. Shifts in regional needs, changes in the regional focus, and revisions to the National ITS Architecture will necessitate that the Southwest Regional ITS Architecture be updated to remain a useful resource. If the resources are not available, and the changes within a region do not warrant a full update, an administrative update or abbreviated update process can facilitate the integration of the minor updates. The administrative update for the Southwest Region addresses the region’s changes since 2008.

4.1 Conformity

To satisfy federal requirements and remain eligible to use federal funds, a project must be accurately documented and in conformity with the regional ITS architecture. MDOT ITS Program Office (IPO) oversees the regional ITS architecture maintenance conformance forms. These forms document any necessary changes to the architecture affected by a project. If there are no revisions, the project is in conformance; if there are changes required within the architecture, the form provides an opportunity to describe and illustrate the modifications. Once the form has been completed, it is submitted to the MDOT IPO for approval. Once approved, the form is sent to FHWA/FTA as a record of conformity. During updates to the architecture all existing maintenance forms are referenced so documented changes can be incorporated.

Figure 5 illustrates the process project managers take to determine architecture conformity. The Southwest Regional ITS Architecture provides additional details regarding this process and each step (see Section 5.1).




Figure 5. Steps to Determining Architecture Conformity

4.2 Maintenance

MDOT ITS Program Office will be responsible for leading the maintenance of the Southwest Regional ITS Architecture in coordination with the regional contact. The Southwest Regional ITS Architecture describes the maintenance plan put in place for a full update. However it does not describe the administrative update as part of this overall plan.

Regional ITS architectures are not static documents. The documents represent regional visions and should be amended as regional needs change, names change, new stakeholders are introduced, or if updates to one architecture affect an adjoining architecture. Updates are completed to incorporate those changes along with necessary format changes driven by newer versions of the National ITS Architecture. There are no set time limits on when to perform an update, but they should be considered if considerable changes have occurred within a region or state.

In between the scheduled updates, each region should continue to update using the [ITS Architecture Maintenance Documentation Form \(Appendix C\)](#) and submitting to the MDOT IPO. Additional details on this are included within Section 5.3 of the Southwest Regional ITS Architecture.

If cost and resources are an issue, the easiest and quickest way to update the architecture is through an administrative update. An administrative update typically is less intensive, requiring fewer in-person interactions and less demanding on available resources, whether funding or time. Most of the updates are driven by project implementation with documented changes within maintenance forms or updates to the National ITS Architecture. The information updated is focused around agency name changes, element changes, and flow status. The changes must be documented within both the service packages and the Turbo architecture database. The accompanying document is more concise than one developed as part of a full architecture development, as it is intended to highlight the changes driving the update.

A full update focuses on updating all facets of a regional architecture. It requires more interactions with the stakeholders over several workshops. The workshops begin at a much higher planning level, looking at the long term vision; asking the stakeholder where they see transportation needs in 20 years. The needs are used to select and prioritize service packages that build the structure for the regional ITS architecture. A full update typically warrants twice the amount of time to complete due to the amount of data collection and stakeholder involvement necessary to accurately capture all components of the architecture.

Table 6 documents the version history of the Southwest Regional ITS Architecture and Turbo architecture database. **Figure 6** illustrates a timeline capturing the last revision, the administrative update, and forecasting for the next full architecture update.

Table 6. Version History

Southwest Region	Version History	Architecture Version	Turbo Version
Last Revision	January 2008	v5.1	v4.0
New Revision	August 2014	v7.0	v7.0




Figure 6. Time Lapse between Architecture Updates

APPENDIX A – SERVICE PACKAGE DEFINITIONS

Service Package	Service Package Name	Description
Traffic Management Service Area		
ATMS01	Network Surveillance	Collects and transmits data to a traffic management center from devices such as traffic detectors, CCTV cameras, and other surveillance equipment.
ATMS02	Traffic Probe Surveillance	Provides road network conditions such as average speed and congestion conditions using position and speed information from probe vehicles.
ATMS03	Traffic Signal Control	Provides the control and monitoring, communications, and signal control equipment to support local street and/or arterial traffic management. Consistent with urban traffic signal control systems.
ATMS04	Traffic Metering	Provides the control and monitoring, communications, and field equipment to support metering of traffic. Such strategies include ramp, interchange, and mainline metering. It also incorporates instrumentation from ATMS01 to support traffic monitoring so responsive and adaptive strategies can be implemented.
ATMS05	HOV Lane Management	Manages HOV lanes by coordinating freeway ramp meters and connector signals with HOV lane usage signals.
ATMS06	Traffic Information Dissemination	Provides drivers with traffic information using roadway equipment; most frequently dynamic message signs or highway advisory radio. Information can include road conditions, closures, detour information, incident information, emergency alerts, and advisories.
ATMS07	Regional Traffic Management	Shares traffic information and control among traffic management centers. Examples include: coordinated signal operations across jurisdictional boundaries; coordination between freeway operations and arterial signal control; and sharing of congestion or incident information.
ATMS08	Traffic Incident Management System	Manages both unexpected incidents and planned events by coordinating with other agencies to support traffic operations personnel in developing an appropriate response to minimize the impact to the transportation network and traveler safety. Includes coordination with emergency management and roadway maintenance agencies to support a coordinated response.
ATMS09	Traffic Decision Support and Demand Management	Recommends courses of action based on an assessment of the current and forecast road network performance as well as information on special events, parking, or transit operations if applicable. Example responses include predefined incident response plans, transit strategies, and congestion management strategies.
ATMS10	Electronic Toll Collection	Provides the ability to collect tolls electronically and detect and process violations. Toll tags and roadside readers also can be used to collect road use statistics for highway authorities.
ATMS11	Emissions Monitoring and Management	Collects and monitors air quality data collected by wide area or point emissions monitoring sensors.
ATMS12	Roadside Lighting System Control	Monitors operational conditions along the roadway to vary the amount of light that is provided along the roadside.
ATMS13	Standard Railroad Grade Crossing	Manages highway traffic at highway-rail intersections (HRIs) where operational requirements do not dictate more advanced features (typically where rail operational speeds are less than 80 miles per hour).
ATMS14	Advanced Railroad Grade Crossing	Manages highway traffic at highway-rail intersections (HRIs) where operational requirements demand advanced features (typically where rail operational speeds are greater than 80 miles per hour).
ATMS15	Railroad Operations Coordination	Provides an additional level of strategic coordination between freight rail operations and traffic management centers. Could include train schedules, maintenance schedules or any other anticipated HRI closures.
ATMS16	Parking Facility Management	Provides enhanced monitoring and management of parking facilities. Market package assists in the management of parking operations, coordinates with transportation authorities, and supports electronic collection of parking fees.
ATMS17	Regional Parking Management	Supports communication and coordination between parking facilities as well as coordination between parking facilities and traffic and transit management systems.

Service Package	Service Package Name	Description
Traffic Management Service Area (continued)		
ATMS18	Reversible Lane Management	Provides the management of reversible lane facilities. Includes the field equipment, lane access controls, and associated electronics.
ATMS19	Speed Warning and Enforcement	Monitors the speeds of vehicles traveling through a roadway system and warns the driver when their speed is excessive. This service can also support notifications to an enforcement agency to enforce the speed limit and roadside safe speed advisories based on current roadway conditions.
ATMS20	Drawbridge Management	Supports systems that manage drawbridges at rivers and canals and other multimodal crossings. Includes control devices as well as traveler information systems.
ATMS21	Roadway Closure Management	Closes roadways to vehicular traffic automatically or using remote activation when driving conditions are unsafe, maintenance must be performed, or in other situations where access must be prohibited. Includes gates or barriers to control access, control and monitoring systems, and field devices.
ATMS22	Variable Speed Limits	Sets variable speed limits along a roadway to create more uniformed speeds, promote safer driving during adverse conditions, and reduce air pollution. This service monitors traffic and environmental conditions along the roadway to then calculate and set suitable speed limits. Can be monitored and controlled by a management center or autonomous.
ATMS23	Dynamic Lane Management and Shoulder Use	Provides lane configuration changes on the roadway according to traffic demands and lane destination along a section. Can be used to allow temporary or interim use of shoulders as travel lanes. Lanes can be designated for use by special vehicles (buses), HOV, or special event, etc.
ATMS24	Dynamic Roadway Warning	Provides warning to the driver of approaching hazards on the roadway dynamically. Warnings can be warning signs, flashing lights, in-vehicle messages, etc. This service does not include speed warnings considered by roadway geometry limitations – see ATMS19.
ATMS25	VMT Road User Payment	Supports charging fees to vehicle owners traveling on a specific roadway with potentially different rates based on a number of considerations – time of day, roadway used, class of vehicles, etc. Owners register with a single payment entity and pay according to the policy set in place.
ATMS26	Mixed Use Warning Systems	Supports the sensing and warning systems used to interact with pedestrians, bicyclists, and other vehicles that operate on the main vehicle roadway or those that intersect with the main roadway. These systems are either automated warnings or active protection for the user.
Emergency Management Service Area		
EM01	Emergency Call - Taking and Dispatch	Provides basic emergency call-taking and dispatch services. Includes emergency vehicle equipment, dispatch centers, communications, and coordination between emergency management agencies.
EM02	Emergency Routing	Provides special priority and other specific emergency traffic control strategies to help improve the response of a vehicles en-route as well as coordination between emergency management agencies. Includes traffic information, road conditions, and signal preemption.
EM03	Mayday and Alarms Support	Supports user request for emergency assistance. The assistance includes gathering information about the location and incident, and then determining the appropriate response.
EM04	Roadway Service Patrols	Provides roadway services to vehicles for minor incidents, such as flat tires, out of gas, etc. Incident information is collected and shared with traveler information systems, traffic management, and maintenance and construction.
EM05	Transportation Infrastructure Protection	Supports monitoring of transportation infrastructure such as bridges, tunnels, and TMCs for potential threats and provides safeguards against them or strategies to minimize the impact if one should occur.
EM06	Wide-Area Alert	Provides information about alerts to the public in emergency situations such as child abductions, severe weather, or other life threatening situations.

Service Package	Service Package Name	Description
Emergency Management Service Area		
EM07	Early Warning System	Monitors and detects potential or actual natural or man-made disaster and notifies appropriate responding agencies.
EM08	Disaster Response and Recovery	Supports the coordination of emergency response plans to address natural or man-made disasters. It identifies key points of integration between agencies and their basic responses to address the transportation system and maintain awareness.
EM09	Evacuation and Reentry Management	Supports coordination of evacuation plans of the general public for all types of disasters. Information is shared amongst all agencies involved to implement specific strategies to effectively implement resources at the right time and right place.
EM10	Disaster Traveler Information	Provides disaster-related information to the public during a disaster. It is used to assist the public by providing evacuation route information, emergency instructions, roadway conditions and other traveler information.
Maintenance and Construction Management Service Area		
MC01	Maintenance and Construction Vehicle and Equipment Tracking	Tracks the location of maintenance and construction vehicles and other equipment to ascertain the progress of their activities.
MC02	Maintenance and Construction Vehicle Maintenance	Performs routine and corrective vehicle maintenance scheduling using on-board sensors that automatically perform diagnostics on the vehicles.
MC03	Road Weather Data Collection	Collects current road and weather conditions from sensors placed alongside the roadway. Data may also be requested or received from other meteorological systems (i.e. National Weather Service)
MC04	Weather Information Processing and Distribution	Uses the environmental data collected to help detect hazards, such as icy roads, high winds, or dense fog. The data can be used to help make decisions and keep operators updated on current condition information.
MC05	Roadway Automated Treatment	Automatically treats a section of road based on conditions detected by environmental sensors. Treatment options could include anti-icing chemical or, fog dispersion techniques, among others.
MC06	Winter Maintenance	Supports winter road maintenance. Monitors environmental conditions and weather forecasts and uses the information to schedule winter maintenance activities.
MC07	Roadway Maintenance and Construction	Supports management of scheduled and unscheduled maintenance and construction services on the roadway.
MC08	Work Zone Management	Manages work zones by monitoring traffic conditions, coordinating with other agencies, and providing speed and delay information to the public prior to the work zone.
MC09	Work Zone Safety Monitoring	Detects intrusions in the work zone and warns workers of the potential hazards. Crews are monitored to warn those who leave the designated safety zone. Supports both mobile and stationary work zones.
MC10	Maintenance and Construction Activity Coordination	Supports the dissemination of maintenance and construction activity to centers that can utilize it as part of their operations. (i.e., traffic management, transit, emergency management)
MC11	Environmental Probe Surveillance	Collects real-time data from on-board vehicle systems about environmental conditions on the roadway.
MC12	Infrastructure Monitoring	Monitors the condition of pavement, bridges, tunnels, associated hardware, and other transportation-related infrastructure using fixed and vehicle-based monitoring sensors.
Public Transportation Service Area		
APTS1	Transit Vehicle Tracking	Monitors current transit vehicle locations using an automated vehicle location (AVL) system. Location data may be used to determine real time schedule adherence.

Service Package	Service Package Name	Description
Public Transportation Service Area		
APTS2	Transit Fixed-Route Operations	Performs automated dispatch and system monitoring for fixed-route and flexible-route transit services. This service performs scheduling activities including the creation of schedules, as well as operator assignment.
APTS3	Demand Response Transit Operations	Performs vehicle routing and scheduling, as well as operator assignment and system monitoring for demand response transit services.
APTS4	Transit Fare Collection Management	Manages transit fare collection on-board transit vehicles and at transit stops using electronic means.
APTS5	Transit Security	Provides for the physical security of transit passengers and transit vehicle operators. Includes on-board security cameras and panic buttons.
APTS6	Transit Fleet Management	Provides on-board monitoring of vehicle status. Information is processed and transmitted to schedule preventative and corrective maintenance.
APTS7	Multi-modal Coordination	Establishes two-way communications between multiple transit and traffic agencies to improve service coordination and operating efficiency.
APTS8	Transit Traveler Information	Provides transit information for those at transit stops and on-board transit vehicles. Also provides transit trip itineraries and other tailored information services that may occur pre-trip.
APTS9	Transit Signal Priority	Determines the need for transit priority on routes and at certain intersections and requests transit vehicle priority at these locations through coordination between traffic and transit management centers.
APTS10	Transit Passenger Counting	Counts the number of passengers entering and exiting a transit vehicle using sensors mounted on the vehicle and communicates the collected passenger data back to the management center.
APTS11	Multimodal Connection Protection	Supports the coordination of multimodal services to optimize the travel time of travelers as they move from one mode to another mode (or different routes within a single mode). Agencies coordinate routes so passengers have the opportunity to transfer with minimum wait time to either another route or mode of transportation.
Commercial Vehicle Operations Service Area		
CVO01	Carrier Operations and Fleet Management	Provides the capabilities to manage a fleet of commercial vehicles. Vehicle routing and tracking as well as notification of emergency management of any troublesome route deviations (such as a HAZMAT vehicle) are part of this market package.
CVO02	Freight Administration	Tracks the movement of cargo and monitors the cargo condition.
CVO03	Electronic Clearance	Provides for automatic clearance at roadside check facilities. Allows a good driver/vehicle/carrier to pass roadside facilities at highway speeds using transponders and dedicated short range communications to the roadside.
CVO04	CV Administrative Processes	Provides for electronic application, processing, fee collection, issuance and distribution of CVO credentials and tax filing.
CVO05	International Border Electronic Clearance	Provides for automated clearance at international border crossings. Works in coordination with the electronic clearance (CVO 03) services to gather data about the vehicle, cargo, and driver.
CVO06	Weigh-In-Motion	Provides for high speed weigh-in-motion with or without automated vehicle identification (AVI) capabilities. Works in conjunction with CVO03.
CVO07	Roadside CVO Safety	Provides for automated roadside safety monitoring and reporting by automating commercial vehicle safety inspections at the roadside check locations.
CVO08	On-board CVO Safety	Provides for on-board commercial vehicle safety monitoring and reporting as well as roadside support for reading on-board safety data via tags.
CVO09	CVO Fleet Maintenance	Supports maintenance of CVO fleet vehicles with on-board monitoring equipment and automated vehicle location capabilities by recording vehicle mileage, repairs, and safety violations.

Service Package	Service Package Name	Description
Commercial Vehicle Operations Service Area		
CVO10	HAZMAT Management	Supports coordination between incident management response and commercial vehicle tracking to ensure HAZMAT materials are effectively treated during an incident.
CVO11	Roadside HAZMAT Security Detection and Mitigation	Provides the capability to detect and classify security sensitive HAZMAT on commercial vehicles using roadside sensing and imaging technology. Credentials information can be accessed to verify if the commercial driver, vehicle and carrier are permitted to transport the identified HAZMAT.
CVO12	CV Driver Security Authentication	Provides the ability to detect when an unauthorized driver attempts to drive a vehicle using stored identity information. If an unauthorized driver has been detected, the commercial vehicle can be disabled.
CVO13	Freight Assignment Tracking	Provides tracking, and monitoring of the commercial vehicle, freight equipment, and commercial vehicle driver during a shipment.
Traveler Information Service Area		
ATIS01	Broadcast Traveler Information	Collects traffic conditions, advisories, general public transportation information, toll and parking information, incident information, roadway maintenance and construction information, and air quality and weather information for dissemination through wide area digital broadcast services such as using radio or internet websites.
ATIS02	Interactive Traveler Information	Provides the traveler with current information regarding traffic conditions, roadway maintenance and construction, transit services, parking management, detours and pricing information based on the request made by the traveler. 511 services are included in this market package.
ATIS03	Autonomous Route Guidance	Enables route planning and detailed route guidance based on static, stored information.
ATIS04	Dynamic Route Guidance	Offers advanced route planning and guidance that is responsive to current conditions.
ATIS05	ISP Based Trip Planning and Route Guidance	Provides pre-trip route planning and route guidance based on traveler preference and constraints. May or may not utilize real-time network conditions.
ATIS06	Transportation Operations Data Sharing	Provides current traffic and travel conditions to transportation system operators to facilitate information exchange between agencies.
ATIS07	Travel Services Information and Reservation	Provides travel information and reservation services to the user through multiple ways for accessing information.
ATIS08	Dynamic Ridesharing	Provides near real time ridesharing/ride matching services to travelers.
ATIS09	In Vehicle Signing	Provides sign and signal information directly to the driver through in-vehicle devices. Information includes static sign information and dynamic information.
ATIS10	VII Traveler Info	Provides location-specific information including travel times, incident information, road conditions, and emergency traveler information to travelers in vehicles using Vehicle Infrastructure Integration (VII).
Archived Data Management Service Area		
AD01	ITS Data Mart	Houses archived data from a single agency/organization. Data is typically focused on a single transportation mode or one jurisdiction.
AD02	ITS Data Warehouse	Includes all data collection and management of ITS Data Mart, but includes data from multiple agencies/organizations across modal and jurisdictional boundaries.
AD03	ITS Virtual Data Warehouse	Includes all data collection and management of ITS Data Warehouse, but supports access between several archives in different physical locations.
Advanced Vehicle Safety		
AVSS01	Vehicle Safety Monitoring	Monitors the vehicle's condition, performance, on-board safety data, and display information using on-board sensors.


Service Package	Service Package Name	Description
Advanced Vehicle Safety		
AVSS02	Driver Safety Monitoring	Monitors the driver's condition, performance, on-board safety data, and display information using on-board sensors.
AVSS03	Longitudinal Safety Monitoring	Utilizes safety and collision sensors to monitor in front of and behind the vehicle to warn the driver of potential hazards.
AVSS04	Lateral Safety Warning	Utilizes safety and collision sensors to monitor the sides of the vehicle to warn the driver of potential hazards.
AVSS05	Intersection Safety Warning	Monitors potential conflicts between approaching vehicles to an intersection and provides a warning to those vehicles involved using short range communications and/or signs/signals in the intersection.
AVSS06	Pre-Crash Restraint Deployment	Monitors the vehicle's local environment using in-vehicle sensors and on-board communications to determine collision probability. If needed it will deploy a pre-crash safety system.
AVSS07	Driver Visibility Improvement	Enhances the driver's visibility using an enhanced vision system. On-board display hardware is needed
AVSS08	Advanced Vehicle Longitudinal Control	Utilizes safety and collision sensors to measure longitudinal gaps and a processor for controlling the vehicle speed and throttle.
AVSS09	Advanced Vehicle Lateral Control	Utilizes safety and collision sensors to measure the vehicle's lane position and lateral deviations and a processor for controlling the vehicle steering.
AVSS10	Intersection Collision Avoidance	Utilizes roadway sensors and communications equipment to assess vehicle locations and speeds near an intersection to determine the probability of a collision. Timely warnings are provided and avoidance actions are taken.
AVSS11	Automated Vehicle Operations	Enables communications between vehicles and between vehicles and supporting infrastructure for check-in and check-out from the automated highway system.
AVSS12	Cooperative Vehicle Safety Systems	Enhances stand-alone warning systems by exchanging messages with surrounding vehicles and roadside equipment. Special messages from approaching emergency vehicles also may be received and processed.

APPENDIX B – CUSTOMIZED SERVICE PACKAGES



Advanced Traffic Management System

ATMS_Cover

ATMS01 – Network Surveillance MDOT





**ATMS01 – Network Surveillance
City of Battle Creek**




ATMS01-2

**ATMS01 – Network Surveillance
City of Kalamazoo**




**ATMS01 – Network Surveillance
Local Agency**




ATMS01-4

**ATMS02 – Probe Surveillance
MDOT**




**ATMS03 – Traffic Signal Control
MDOT**




ATMS03-1


**ATMS03 – Traffic Signal Control
Local Agency**




**ATMS06 – Traffic Information Dissemination
MDOT**




**ATMS06 – Traffic Information Dissemination
City of Battle Creek**




ATMS06 – Traffic Information Dissemination Local Agency



ATMS07 - Regional Traffic Control MDOT




ATMS08 – Incident Management MDOT




ATMS08-1

ATMS08 – Incident Management Local Agency




ATMS08-2

**ATMS09 – Traffic Forecast and Demand Management
MDOT**




ATMS09

**ATMS11 – Emissions Monitoring and Management
KATS**




**ATMS13 – Standard Railroad Grade Crossing
MDOT**




ATMS13-1

**ATMS13 – Standard Railroad Grade Crossing
Local Agency**




ATMS13-2

**ATMS14 - Advanced Railroad Grade Crossing
MDOT**




ATMS14-1

**ATMS14 - Advanced Railroad Grade Crossing
Local Agency**




**ATMS16 – Parking Facility Management
Local Agency**




ATMS16

**ATMS17 – Regional Parking Management
MDOT**




ATMS17

ATMS19 – Speed Warning and Enforcement MDOT




ATMS19


ATMS20 – Drawbridge Management MDOT





ATMS21 – Roadway Closure Management Local Agency



ATMS22 – Variable Speed Limits MDOT




**ATMS23 – Dynamic Lane Management and Shoulder Use
MDOT**



ATMS23


Emergency Management

**EM01 – Emergency Call Taking and Dispatch
Michigan State Police**




EM01-1


**EM01 – Emergency Call Taking and Dispatch
Local Agency**




EM02 – Emergency Routing Michigan State Police



EM02 – Emergency Routing Local Agency





**EM03 – Mayday Support and Alarms Support
Local Agency**




EM03

**EM04 – Roadway Service Patrols
MDOT**




**EM05 – Transportation Infrastructure Protection
MDOT**




EM05

**EM06 – Wide-Area Alerts
AMBER Alert**




EM06


EM08 – Disaster Response and Recovery Local Agency



EM09 – Evacuation and Reentry Management MDOT




**EM09 – Evacuation and Reentry Management
Local Agency (Transit)**




EM09-2

**EM09 – Evacuation and Reentry Management
Local Agency**




EM09-3

**EM10 – Disaster Traveler Information
MDOT**




Maintenance and Construction Management

**MC01 – Maintenance and Construction Vehicles Tracking
MDOT**




MC01-1

**MC01 – Maintenance and Construction Vehicles Tracking
Local Agency**




MC01-2

**MC02 – Maintenance and Construction Vehicles Maintenance
MDOT**




MC02

**MC03 – Road Weather Data Collection
MDOT**





**MC03 – Road Weather Data Collection
MDOT Frost Tube Sensors**




MC03-2

**MC04 – Weather Information Processing and Distribution
MDOT**




**MC04 – Weather Information Processing and Distribution
Michigan State Police**




MC04-2


**MC05 – Roadway Automated Treatment
MDOT**




MC06 – Winter Maintenance MDOT




MC06 – Winter Maintenance Local Agency



**MC07 – Roadway Maintenance and Construction
MDOT**




**MC07 – Roadway Maintenance and Construction
Local Agency**





MC07-2

**MC08 – Work Zone Management
MDOT**




**MC09 – Work Zone Safety Monitoring
MDOT**




MC09

**MC10 – Maintenance and Construction Activity Coordination
MDOT**





**MC10 – Maintenance and Construction Activity Coordination
Local Agency**



MC10-2



Advanced Public Transportation Systems

**APTS1 – Transit Vehicles Tracking
Battle Creek Transit**





APTS1-1

**APTS1 – Transit Vehicles Tracking
Jackson Area Transportation Authority (JATA)**





**APTS1 – Transit Vehicles Tracking
Kalamazoo Metro**




APTS1-3

**APTS1 – Transit Vehicles Tracking
Regional Demand Response Transit Providers**




**APTS1 – Transit Vehicles Tracking
Twin Cities Area Transportation Authority**




APTS1-5

**APTS2 – Transit Fixed Route Operations
Battle Creek Transit**




**APTS2 – Transit Fixed Route Operations
Jackson Area Transportation Authority (JATA)**




APTS2-2

**APTS2 – Transit Fixed Route Operations
Kalamazoo Metro**




APTS2-3

**APTS2 – Transit Fixed Route Operations
Twin Cities Area Transportation Authority**




APTS2-4

**APTS3 – Demand Response Transit Operations
Battle Creek Transit**




**APTS3 – Demand Response Transit Operations
Jackson Area Transportation Authority (JATA)**




APTS3-2

**APTS3 – Demand Response Transit Operations
Kalamazoo Metro**




APTS3-3

**APTS3 – Demand Response Transit Operations
Regional Demand Response Transit Providers**




APTS3-4

**APTS3 – Demand Response Transit Operations
Twin Cities Area Transportation Authority**




**APTS4 – Transit Passenger and Fare Management
Battle Creek Transit**




APTS4-1

**APTS4 – Transit Passenger and Fare Management
Jackson Area Transportation Authority (JATA)**




**APTS4 – Transit Passenger and Fare Management
Kalamazoo Metro**




APTS4-3

**APTS4 – Transit Passenger and Fare Management
Regional Demand Response Transit Providers**





**APTS4 – Transit Passenger and Fare Management
Twin Cities Area Transportation Authority**




APTS4-5

**APTS5 – Transit Security
Battle Creek Transit**




**APTS5 – Transit Security
Jackson Area Transportation Authority (JATA)**




APTS5-2

**APTS5 – Transit Security
Kalamazoo Metro Transit System**




APTS5-3

**APTS5 – Transit Security
Regional Demand Response Transit Providers**





APTS5-4

**APTS5 – Transit Security
Twin Cities Area Transportation Authority**





APTS5-5

**APTS6 – Transit Maintenance
Battle Creek Transit**




APTS6-1

**APTS6 – Transit Maintenance
Jackson Area Transportation Authority (JATA)**




**APTS6 – Transit Maintenance
Kalamazoo Metro**




APTS6-3

**APTS6 – Transit Maintenance
Regional Demand Response Transit Providers**




**APTS6 – Transit Maintenance
Twin Cities Area Transportation Authority**




APTS6-5

**APTS7 – Multi-modal Coordination
Battle Creek Transit**




APTS7-1

**APTS7 – Multi-modal Coordination
Jackson Area Transportation Authority (JATA)**




APTS7-2

**APTS7 – Multi-modal Coordination
Kalamazoo Metro**




APTS7-3

**APTS7 – Multi-modal Coordination
Regional Demand Response Transit Providers**




APTS7-4

**APTS7 – Multi-modal Coordination
Twin Cities Area Transportation Authority**




APTS7-5


**APTS8 – Transit Traveler Information
Battle Creek Transit**




**APTS8 – Transit Traveler Information
Jackson Area Transportation Authority (JATA)**




APTS8 – Transit Traveler Information Kalamazoo Metro



APTS8 – Transit Traveler Information Regional Demand Response Transit Providers




**APTS8 – Transit Traveler Information
Twin Cities Area Transportation Authority**




APTS8-5

Commercial Vehicles Operations


CVO01 - Carrier Operations and Fleet Management
MDOT



CVO02 - Freight Administration
MDOT




**CVO03 - Electronic Clearance
MDOT**




CVO03

**CVO04 – CV Administration Process
MDOT**




CVO04

**CVO06 – Weigh-In-Motion
MDOT**




CVO06

**CVO07 - Roadside CVO Safety
MDOT**




CVO10 – HAZMAT Management




CVO10

CVO11 - Roadside HAZMAT Security Detection and Mitigation MDOT




CVO11

**CVO12 - CV Traveler Security Authentication
MDOT**



CVO12

**CVO13 - Freight Assignment Tracking
MDOT**




CVO13


Advanced Traveler Information System

ATIS_COVER

ATIS1 – Broadcast Traveler Information MDOT




**ATIS2 – Interactive Traveler Information
MDOT**




ATIS2-2

**ATIS2 – Interactive Traveler Information
MDOT**




ATIS3 – Autonomous Route Guidance




ATIS3

ATIS4 – Dynamic Route Guidance Private Sector ISP




ATIS4

**ATIS5 – ISP Based Route Guidance
Private Sector ISP**




ATIS5

**ATIS7 – Travel Services Information and Reservation
MDOT**




ATIS7

**ATIS8 – Dynamic Ridesharing
Local Agency**



ATIS8


**ATIS9 – In Vehicles Signing
MDOT**





Archived Data

AD_COVER

AD1 – ITS Data Mart Battle Creek Transit





**AD1 – ITS Data Mart
Criminal Justice Information Center (CJIC)**




AD1-2

**AD1 – ITS Data Mart
Jackson Area Transportation Authority (JATA)**




**AD1 – ITS Data Mart
Regional Demand Responsive Transit Providers**




AD1-4

**AD1 – ITS Data Mart
Kalamazoo Metro Transit System**




**AD2 – ITS Data Warehouse
Criminal Justice Information Center (CJIC)**



AD2-2


**AD3 – ITS Virtual Data Warehouse
MDOT**




Advanced Vehicles Safety System

AVSS_Cover

AVSS10 – Intersection Collision Avoidance MDOT



**AVSS11 – Automated Highway System
MDOT**



AVSS11

**APPENDIX C – ARCHITECTURE CONFORMANCE AND MAINTENANCE
FORM**

REGIONAL ITS ARCHITECTURE CONFORMANCE AND MAINTENANCE DOCUMENTATION FORM

Please complete the following questionnaire to document conformance or changes for the Regional ITS Architecture. Modifications will be made during the next architecture update.

AGENCY

AGENCY CONTACT PERSON

STREET ADDRESS

CITY

STATE

ZIP CODE

TELEPHONE

FAX

E-MAIL

PROJECT INFORMATION

PROJECT NAME

PROJECT DESCRIPTION

PROJECT SPONSOR (Agency providing funds)

ESTIMATED COST

DEPLOYMENT PLAN PROJECT NUMBER (if applicable)

MDOT OR LOCAL AGENCY PROJECT NUMBER (if applicable)

MDOT JOB NUMBER (if applicable)

MDOT CONTROL SECTION (if applicable)

REGION

CONFORMANCE TO REGIONAL ITS ARCHITECTURE

- This project conforms to the existing Regional ITS Architecture. No changes are required.
- This project does not conform to the existing Regional ITS Architecture. Requested changes are noted in the next section.

CHANGE INFORMATION

Please indicate the type of change:

- Level 1: Basic changes that does not affect the structure of the architecture. Examples include: Changes to the stakeholder or element name, element status, or data flow status.
- Level 2: Structural changes that impact only one agency. Examples include: Addition of a new market package or modifications to an existing market package that affects only your agency.
- Level 3: Structural changes that have the potential to impact multiple agencies. Examples include: Addition of a new market package or modifications to an existing market package that involves multiple agencies, incorporation of a new stakeholder into the architecture.

DESCRIBE REQUESTED CHANGE

IF THE PROPOSED CHANGE IMPACTS ANY MARKET PACKAGES, LIST THOSE MARKET PACKAGES (NOTE: If the proposed change involves creating or modifying a market package please attach a sketch of the new or modified market package.)

IF THE PROPOSED CHANGE AFFECTS ANY STAKEHOLDERS, LIST THOSE STAKEHOLDERS

IF COORDINATION WITH IMPACTED STAKEHOLDERS HAS OCCURRED, DESCRIBE THE RESULTS

<input type="checkbox"/> Approved by regional contact	REGIONAL CONTACT NAME	DATE
<input type="checkbox"/> Approved by ITS Program Office	ITS PROGRAM OFFICE NAME	DATE
<input type="checkbox"/> Forwarded to FHWA		DATE

Please submit change forms to:
MDOT-ITS@state.md.us

Transit-related projects should also be sent to:
MDOT – Bureau of Passenger Transportation and
Federal Transit Authority (FTA)

Process for Documenting Regional ITS Architecture Conformance and Maintenance

- The project manager evaluates the projects conformance to the Regional ITS Architecture.
- The project manager then completes the architecture conformance and maintenance documentation form and submits it to ITS Program Office.
- If the form is approved by the ITS Program Office, it is then submitted to the FHWA, the regional contact, the project manager and if applicable, the corresponding Metropolitan Planning Organization (MPO).
- If the form is rejected, the ITS Program Office coordinates with the project manager and the regional contact to then re-submit the new form for approval.
- To request a new form Contact your business area Forms Coordinator or Connie Bretes, MDOT FMO at (517) 335-2520.