

ANTRIM 2001 Annual Gas Production Report

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| ANTRIM DEVELOP | BRADFORD LAKE | 1/01 | 10,417 | 18.88 | 1,985 | 19 | 18 |
| | | 2/01 | 9,473 | 18.88 | 1,815 | 19 | 18 |
| | | 3/01 | 10,459 | 17.26 | 2,085 | 19 | 18 |
| | | 4/01 | 10,192 | 18.00 | 2,029 | 19 | 18 |
| | | 5/01 | 10,601 | 17.19 | 2,107 | 19 | 18 |
| | | 6/01 | 9,718 | 18.19 | 2,020 | 19 | 17 |
| | | 7/01 | 10,028 | 18.01 | 1,926 | 19 | 17 |
| | | 8/01 | 10,223 | 17.71 | 2,029 | 19 | 17 |
| | | 9/01 | 9,982 | 16.41 | 1,969 | 19 | 18 |
| | | 10/01 | 9,460 | 18.93 | 1,823 | 19 | 16 |
| | | 11/01 | 9,554 | 17.59 | 1,822 | 19 | 17 |
| | | 12/01 | 9,595 | 18.08 | 1,922 | 19 | 16 |
| | | | | | 119,702 | | 23,532 |
| ANTRIM DEVELOP | DODGE LAKE | 1/01 | 12,574 | 25.95 | 132 | 20 | 20 |
| | | 2/01 | 11,275 | 26.90 | 72 | 20 | 20 |
| | | 3/01 | 12,239 | 26.46 | 73 | 20 | 20 |
| | | 4/01 | 12,025 | 26.33 | 58 | 20 | 20 |
| | | 5/01 | 11,854 | 27.46 | 83 | 20 | 19 |
| | | 6/01 | 11,519 | 27.24 | 92 | 20 | 19 |
| | | 7/01 | 12,446 | 26.92 | 59 | 20 | 20 |
| | | 8/01 | 12,003 | 26.68 | 50 | 20 | 19 |
| | | 9/01 | 11,233 | 26.68 | 50 | 20 | 19 |
| | | 10/01 | 11,696 | 27.66 | 50 | 20 | 19 |
| | | 11/01 | 10,645 | 27.35 | 73 | 20 | 18 |
| | | 12/01 | 11,083 | 26.95 | 47 | 20 | 18 |
| | | | | | 140,592 | | 839 |
| ANTRIM DEVELOP | E-Z | 1/01 | 6,456 | 20.00 | 62 | 10 | 21 |
| | | 2/01 | 5,637 | 19.97 | 56 | 10 | 20 |
| | | 3/01 | 6,239 | 19.97 | 61 | 10 | 20 |
| | | 4/01 | 5,762 | 19.20 | 59 | 10 | 19 |
| | | 5/01 | 6,299 | 19.06 | 64 | 10 | 20 |
| | | 6/01 | 6,518 | 19.06 | 51 | 10 | 22 |
| | | 7/01 | 6,151 | 20.02 | 43 | 10 | 20 |
| | | 8/01 | 5,393 | 20.69 | 17 | 10 | 17 |
| | | 9/01 | 4,981 | 20.93 | 36 | 10 | 17 |
| | | 10/01 | 6,096 | 21.20 | 86 | 10 | 20 |
| | | 11/01 | 5,335 | 20.61 | 86 | 10 | 18 |
| | | 12/01 | 5,598 | 20.52 | 72 | 10 | 18 |
| | | | | | 70,465 | | 693 |
| ANTRIM DEVELOP | TOWER | 1/01 | 46,089 | 14.68 | 714 | 29 | 51 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------------|---|-----------------|--|-------|----------------|---------------|--------------------------|--|--|
| ANTRIM DEVELOP | TOWER | 2/01 | 43,884 | 14.77 | 728 | 29 | 54 | | |
| | | 3/01 | 47,977 | 15.32 | 614 | 29 | 53 | | |
| | | 4/01 | 46,103 | 14.76 | 376 | 29 | 53 | | |
| | | 5/01 | 46,876 | 14.83 | 569 | 29 | 52 | | |
| | | 6/01 | 47,691 | 13.97 | 1,589 | 29 | 55 | | |
| | | 7/01 | 46,933 | 15.01 | 1,665 | 29 | 52 | | |
| | | 8/01 | 47,165 | 14.45 | 1,535 | 29 | 52 | | |
| | | 9/01 | 45,162 | 15.21 | 1,440 | 29 | 52 | | |
| | | 10/01 | 46,871 | 14.89 | 1,550 | 29 | 52 | | |
| | | 11/01 | 43,864 | 15.22 | 1,450 | 29 | 50 | | |
| | | 12/01 | 44,266 | 15.55 | 1,475 | 29 | 49 | | |
| | | | | | 552,881 | | 13,705 | | |
| | | | ANTRIM DEVELOP - REPORTER TOTALS: | | 883,640 | | 38,769 | | |
| ARBOR RESOURCES | DOLLAR LAKE | 4/01 | 2,864 | 10.80 | 11,657 | 3 | 32 | | |
| | | 5/01 | 4,045 | 10.80 | 10,282 | 3 | 43 | | |
| | | 6/01 | 3,675 | 10.80 | 7,316 | 3 | 41 | | |
| | | 7/01 | 2,879 | 10.80 | 7,232 | 4 | 23 | | |
| | | 8/01 | 3,001 | 10.80 | 5,150 | 4 | 24 | | |
| | | 9/01 | 1,884 | | 5,278 | 5 | 13 | | |
| | | 10/01 | 1,401 | | 5,503 | 5 | 9 | | |
| | | 11/01 | 1,199 | 3.50 | 3,401 | 4 | 10 | | |
| | | 12/01 | 1,413 | 3.50 | 5,465 | 4 | 11 | | |
| | | | | | 22,361 | | 61,284 | | |
| ARBOR RESOURCES | WEST DOLLAR LAKE | 4/01 | 3,631 | 10.80 | 4,080 | 3 | 40 | | |
| | | 5/01 | 2,996 | 10.80 | 3,484 | 3 | 32 | | |
| | | 6/01 | 2,545 | 10.80 | 2,891 | 3 | 28 | | |
| | | 7/01 | 2,491 | 10.80 | 2,795 | 2 | 40 | | |
| | | 8/01 | 2,273 | 10.80 | 1,287 | 3 | 24 | | |
| | | 9/01 | 1,759 | | 1,480 | 3 | 20 | | |
| | | 10/01 | 1,880 | | 2,748 | 3 | 20 | | |
| | | 11/01 | 2,028 | 4.00 | 3,399 | 3 | 23 | | |
| | | 12/01 | 2,406 | 4.00 | 3,675 | 3 | 26 | | |
| | | | | | 22,009 | | 25,839 | | |
| | ARBOR RESOURCES - REPORTER TOTALS: | | 44,370 | | 87,123 | | | | |
| CMS OIL & GAS | BAGLEY EAST | 1/01 | 38,998 | 14.80 | 619 | 14 | 90 | | |
| | | | 38,998 | | 619 | | | | |
| CMS OIL & GAS | CHESTER EAST | 1/01 | 26,787 | 19.62 | 397 | 17 | 51 | | |
| | | | 26,787 | | 397 | | | | |
| CMS OIL & GAS | HAYES 10 | 1/01 | 37,649 | 13.30 | 5,546 | 22 | 55 | | |
| | | | 37,649 | | 5,546 | | | | |
| CMS OIL & GAS | LIVINGSTON 36 | 1/01 | 46,430 | 13.04 | 11,778 | 11 | 136 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------|---|-----------------|------------------|-------|----------------|---------------|--------------------------|
| | | | 46,430 | | 11,778 | | |
| CMS OIL & GAS | WINTER | 1/01 | 9,827 | 14.07 | 578 | 16 | 20 |
| | | | 9,827 | | 578 | | |
| | CMS OIL & GAS - REPORTER TOTALS: | | 159,691 | | 18,918 | | |
| DELTA | AVERY 24 | 1/01 | 38,801 | 14.00 | 2,145 | 12 | 104 |
| | | 2/01 | 35,800 | 14.00 | 1,710 | 12 | 107 |
| | | 3/01 | 39,050 | 14.00 | 2,296 | 12 | 105 |
| | | 4/01 | 37,812 | 14.00 | 1,756 | 12 | 105 |
| | | 5/01 | 39,080 | 14.00 | 1,626 | 12 | 105 |
| | | 6/01 | 36,367 | 14.00 | 1,658 | 12 | 101 |
| | | 7/01 | 39,471 | 14.00 | 1,580 | 12 | 106 |
| | | 8/01 | 39,874 | 14.00 | 1,402 | 12 | 107 |
| | | 9/01 | 37,325 | 14.00 | 1,198 | 12 | 104 |
| | | 10/01 | 38,796 | 14.00 | 1,266 | 12 | 104 |
| | | 11/01 | 36,866 | 14.00 | 1,220 | 12 | 102 |
| | | 12/01 | 38,064 | 14.00 | 1,130 | 12 | 102 |
| | | | 457,306 | | 18,987 | | |
| DELTA | AVERY 31 | 1/01 | 86,304 | 14.00 | 1,863 | 23 | 121 |
| | | 2/01 | 80,025 | 14.00 | 1,714 | 23 | 124 |
| | | 3/01 | 84,318 | 14.00 | 1,380 | 23 | 118 |
| | | 4/01 | 87,456 | 14.00 | 2,041 | 23 | 127 |
| | | 5/01 | 85,738 | 14.00 | 1,469 | 23 | 120 |
| | | 6/01 | 80,535 | 14.00 | 1,376 | 23 | 117 |
| | | 7/01 | 85,282 | 14.00 | 1,205 | 23 | 120 |
| | | 8/01 | 85,822 | 14.00 | 1,115 | 23 | 120 |
| | | 9/01 | 81,281 | 14.00 | 999 | 23 | 118 |
| | | 10/01 | 82,923 | 14.00 | 1,067 | 23 | 116 |
| | | 11/01 | 79,895 | 14.00 | 830 | 23 | 116 |
| | | 12/01 | 82,135 | 14.00 | 999 | 23 | 115 |
| | | | 1,001,714 | | 16,058 | | |
| DELTA | AXFORD | 1/01 | 68,433 | 6.00 | 9,774 | 36 | 61 |
| | | 2/01 | 60,639 | 6.00 | 9,267 | 36 | 60 |
| | | 3/01 | 70,578 | 6.00 | 9,749 | 36 | 63 |
| | | 4/01 | 64,828 | 6.00 | 9,372 | 36 | 60 |
| | | 5/01 | 68,920 | 6.00 | 10,319 | 36 | 62 |
| | | 6/01 | 67,270 | 6.00 | 9,667 | 36 | 62 |
| | | 7/01 | 69,587 | 6.00 | 9,508 | 36 | 62 |
| | | 8/01 | 69,541 | 6.00 | 9,203 | 36 | 62 |
| | | 9/01 | 65,870 | 6.00 | 8,675 | 36 | 61 |
| | | 10/01 | 67,012 | 6.00 | 7,746 | 36 | 60 |
| | | 11/01 | 65,722 | 6.00 | 7,931 | 36 | 61 |
| | | 12/01 | 65,353 | 6.00 | 7,299 | 36 | 59 |
| | | | 803,753 | | 108,510 | | |
| DELTA | BOUGHNER | 1/01 | 32,560 | 12.00 | 2,897 | 15 | 70 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-----------------|-----------------|-----------|-------|----------------|---------------|--------------------------|----|-----|
| DELTA | BOUGHNER | 2/01 | 30,448 | 12.00 | 2,957 | 15 | 72 | | |
| | | 3/01 | 32,447 | 12.00 | 3,208 | 15 | 70 | | |
| | | 4/01 | 30,032 | 12.00 | 2,964 | 15 | 67 | | |
| | | 5/01 | 32,045 | 12.00 | 2,627 | 15 | 69 | | |
| | | 6/01 | 30,546 | 12.00 | 2,350 | 15 | 68 | | |
| | | 7/01 | 30,988 | 12.00 | 2,101 | 15 | 67 | | |
| | | 8/01 | 29,476 | 12.00 | 3,133 | 15 | 63 | | |
| | | 9/01 | 28,141 | 12.00 | 4,178 | 15 | 63 | | |
| | | 10/01 | 30,936 | 12.00 | 2,633 | 15 | 67 | | |
| | | 11/01 | 29,821 | 12.00 | 2,423 | 15 | 66 | | |
| | | 12/01 | 29,602 | 12.00 | 2,186 | 15 | 64 | | |
| | | | | | 367,042 | | 33,657 | | |
| | | DELTA | BRILEY 17 | 1/01 | 45,464 | 10.00 | 1,588 | 14 | 105 |
| 2/01 | 40,158 | | | 10.00 | 1,425 | 14 | 102 | | |
| 3/01 | 44,922 | | | 10.00 | 1,468 | 14 | 103 | | |
| 4/01 | 42,511 | | | 10.00 | 1,306 | 14 | 101 | | |
| 5/01 | 43,117 | | | 10.00 | 1,252 | 14 | 99 | | |
| 6/01 | 40,549 | | | 10.00 | 1,131 | 14 | 97 | | |
| 7/01 | 40,824 | | | 10.00 | 1,129 | 14 | 94 | | |
| 8/01 | 37,379 | | | 10.00 | 979 | 14 | 86 | | |
| 9/01 | 38,728 | | | 10.00 | 901 | 14 | 92 | | |
| 10/01 | 40,527 | | | 10.00 | 1,134 | 14 | 93 | | |
| 11/01 | 39,191 | | | 10.00 | 965 | 14 | 93 | | |
| 12/01 | 36,341 | | | 10.00 | 688 | 14 | 84 | | |
| | | | | | 489,711 | | 13,966 | | |
| DELTA | BRILEY 33 | 1/01 | 20,104 | 10.00 | 828 | 8 | 81 | | |
| | | 2/01 | 17,744 | 10.00 | 748 | 8 | 79 | | |
| | | 3/01 | 18,908 | 10.00 | 693 | 8 | 76 | | |
| | | 4/01 | 18,403 | 10.00 | 635 | 8 | 77 | | |
| | | 5/01 | 18,957 | 10.00 | 640 | 8 | 76 | | |
| | | 6/01 | 17,957 | 10.00 | 613 | 8 | 75 | | |
| | | 7/01 | 18,500 | 10.00 | 596 | 8 | 75 | | |
| | | 8/01 | 17,817 | 10.00 | 543 | 8 | 72 | | |
| | | 9/01 | 15,685 | 10.00 | 542 | 8 | 65 | | |
| | | 10/01 | 17,335 | 10.00 | 712 | 8 | 70 | | |
| | | 11/01 | 19,866 | 10.00 | 960 | 8 | 83 | | |
| | | 12/01 | 19,751 | 10.00 | 895 | 8 | 80 | | |
| | | | | | 221,027 | | 8,405 | | |
| DELTA | DELTA BRILEY 19 | 1/01 | 48,260 | 10.00 | 7,555 | 22 | 71 | | |
| | | 2/01 | 43,887 | 10.00 | 5,981 | 22 | 71 | | |
| | | 3/01 | 50,151 | 10.00 | 6,618 | 22 | 74 | | |
| | | 4/01 | 42,537 | 10.00 | 6,537 | 22 | 64 | | |
| | | 5/01 | 47,293 | 10.00 | 5,752 | 22 | 69 | | |
| | | 6/01 | 45,444 | 10.00 | 5,878 | 22 | 69 | | |
| | | 7/01 | 46,251 | 10.00 | 6,012 | 22 | 68 | | |
| | | 8/01 | 45,482 | 10.00 | 5,209 | 22 | 67 | | |
| | | 9/01 | 43,749 | 10.00 | 4,737 | 22 | 66 | | |
| | | 10/01 | 46,197 | 10.00 | 5,259 | 22 | 68 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|------------------|-------|---------------|---------------|--------------------------|
| DELTA | DELTA BRILEY 19 | 11/01 | 42,050 | 10.00 | 4,814 | 22 | 64 |
| | | 12/01 | 42,127 | 10.00 | 4,746 | 22 | 62 |
| | | | 543,428 | | 69,098 | | |
| DELTA | DELTA BRILEY 29 | 1/01 | 101,484 | 10.00 | 6,361 | 27 | 121 |
| | | 2/01 | 93,462 | 10.00 | 5,147 | 27 | 124 |
| | | 3/01 | 98,480 | 10.00 | 5,281 | 27 | 118 |
| | | 4/01 | 94,712 | 10.00 | 5,627 | 27 | 117 |
| | | 5/01 | 95,505 | 10.00 | 5,389 | 27 | 114 |
| | | 6/01 | 93,068 | 10.00 | 5,130 | 27 | 115 |
| | | 7/01 | 92,687 | 10.00 | 4,013 | 27 | 111 |
| | | 8/01 | 91,303 | 10.00 | 4,479 | 27 | 109 |
| | | 9/01 | 89,180 | 10.00 | 4,000 | 27 | 110 |
| | | 10/01 | 90,767 | 10.00 | 4,001 | 27 | 108 |
| | | 11/01 | 89,887 | 10.00 | 3,803 | 27 | 111 |
| | | 12/01 | 83,359 | 10.00 | 3,510 | 27 | 100 |
| | | | 1,113,894 | | 56,741 | | |
| DELTA | DELTA BRILEY 31 | 1/01 | 44,711 | 10.00 | 1,650 | 18 | 80 |
| | | 2/01 | 39,969 | 10.00 | 2,113 | 18 | 79 |
| | | 3/01 | 43,764 | 10.00 | 2,449 | 18 | 78 |
| | | 4/01 | 40,898 | 10.00 | 2,337 | 18 | 76 |
| | | 5/01 | 43,722 | 10.00 | 2,087 | 18 | 78 |
| | | 6/01 | 41,925 | 10.00 | 1,778 | 18 | 78 |
| | | 7/01 | 42,174 | 10.00 | 1,640 | 18 | 76 |
| | | 8/01 | 43,166 | 10.00 | 1,521 | 18 | 77 |
| | | 9/01 | 37,528 | 10.00 | 1,663 | 18 | 69 |
| | | 10/01 | 42,006 | 10.00 | 2,084 | 18 | 75 |
| | | 11/01 | 38,007 | 10.00 | 1,921 | 18 | 70 |
| | | 12/01 | 39,725 | 10.00 | 1,819 | 18 | 71 |
| | | | 497,595 | | 23,062 | | |
| DELTA | DOVER 14 | 1/01 | 26,511 | | 4,434 | 7 | 122 |
| | | 2/01 | 24,779 | | 3,584 | 7 | 126 |
| | | 3/01 | 26,513 | | 4,066 | 7 | 122 |
| | | 4/01 | 25,639 | | 3,858 | 7 | 122 |
| | | 5/01 | 25,111 | | 4,142 | 7 | 116 |
| | | 6/01 | 25,526 | | 3,796 | 7 | 122 |
| | | 7/01 | 29,773 | | 3,271 | 7 | 137 |
| | | 8/01 | 27,266 | | 2,881 | 7 | 126 |
| | | 9/01 | 33,638 | | 3,004 | 7 | 160 |
| | | 10/01 | 31,890 | | 6,641 | 7 | 147 |
| | | 11/01 | 28,861 | | 3,064 | 7 | 137 |
| | | 12/01 | 28,102 | | 3,223 | 7 | 129 |
| | | | 333,609 | | 45,964 | | |
| DELTA | DOVER 33 | 1/01 | 5,210 | | 400 | 3 | 56 |
| | | 2/01 | 5,600 | | 459 | 3 | 67 |
| | | 3/01 | 7,750 | | 619 | 3 | 83 |
| | | 4/01 | 7,232 | | 575 | 3 | 80 |
| | | 5/01 | 7,789 | | 639 | 3 | 84 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DELTA | DOVER 33 | 6/01 | 7,500 | | 577 | 3 | 83 |
| | | 7/01 | 7,751 | | 525 | 3 | 83 |
| | | 8/01 | 7,745 | | 823 | 3 | 83 |
| | | 9/01 | 7,520 | | 1,116 | 3 | 84 |
| | | 10/01 | 7,750 | | 660 | 3 | 83 |
| | | 11/01 | 7,500 | | 609 | 3 | 83 |
| | | 12/01 | 7,960 | | 588 | 3 | 86 |
| | | | | | 87,307 | | 7,590 |
| DELTA | ELMER 17A | 1/01 | 4,298 | 3.00 | 729 | 11 | 13 |
| | | 2/01 | 2,381 | 3.00 | 672 | 11 | 8 |
| | | 3/01 | 2,278 | 3.00 | 715 | 11 | 7 |
| | | 4/01 | 2,500 | 3.00 | 694 | 11 | 8 |
| | | 5/01 | 2,591 | 3.00 | 685 | 11 | 8 |
| | | 6/01 | 2,554 | 3.00 | 735 | 11 | 8 |
| | | 7/01 | 2,133 | 3.00 | 732 | 11 | 6 |
| | | 8/01 | 1,874 | 3.00 | 715 | 11 | 5 |
| | | 9/01 | 1,821 | 3.00 | 654 | 11 | 6 |
| | | 10/01 | 2,518 | 3.00 | 546 | 11 | 7 |
| | | 11/01 | 3,186 | 3.00 | 615 | 11 | 10 |
| | | 12/01 | 399 | 3.00 | 676 | 11 | 1 |
| | | | 28,533 | | 8,168 | | |
| DELTA | ELMER 17B | 1/01 | 17,212 | 3.00 | 5,994 | 9 | 62 |
| | | 2/01 | 11,696 | 3.00 | 5,037 | 9 | 46 |
| | | 3/01 | 11,846 | 3.00 | 5,406 | 9 | 42 |
| | | 4/01 | 11,273 | 3.00 | 5,378 | 9 | 42 |
| | | 5/01 | 12,112 | 3.00 | 6,051 | 9 | 43 |
| | | 6/01 | 12,079 | 3.00 | 5,668 | 9 | 45 |
| | | 7/01 | 12,240 | 3.00 | 5,073 | 9 | 44 |
| | | 8/01 | 11,854 | 3.00 | 4,874 | 9 | 42 |
| | | 9/01 | 11,358 | 3.00 | 4,208 | 9 | 42 |
| | | 10/01 | 14,040 | 3.00 | 5,431 | 9 | 50 |
| | | 11/01 | 13,477 | 3.00 | 4,977 | 9 | 50 |
| | | 12/01 | 10,818 | 3.00 | 5,053 | 9 | 39 |
| | | | 150,005 | | 63,150 | | |
| DELTA | ELMER 26 | 1/01 | 29,038 | 3.00 | 17,776 | 22 | 43 |
| | | 2/01 | 21,195 | 3.00 | 17,990 | 22 | 34 |
| | | 3/01 | 19,884 | 3.00 | 18,009 | 23 | 28 |
| | | 4/01 | 19,117 | 3.00 | 17,744 | 23 | 28 |
| | | 5/01 | 20,443 | 3.00 | 16,509 | 23 | 29 |
| | | 6/01 | 18,683 | 3.00 | 14,866 | 23 | 27 |
| | | 7/01 | 17,992 | 3.00 | 15,427 | 23 | 25 |
| | | 8/01 | 18,507 | 3.00 | 17,178 | 23 | 26 |
| | | 9/01 | 19,829 | 3.00 | 15,509 | 23 | 29 |
| | | 10/01 | 20,604 | 3.00 | 16,657 | 23 | 29 |
| | | 11/01 | 17,573 | 3.00 | 14,706 | 23 | 25 |
| | | 12/01 | 19,129 | 3.00 | 12,958 | 23 | 27 |
| | | | 241,994 | | 195,329 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|-------|------------------|---------------|--------------------------|
| DELTA | GARDNER 32 | 1/01 | 29,709 | 14.00 | 7,827 | 28 | 34 |
| | | 2/01 | 26,422 | 14.00 | 6,781 | 28 | 34 |
| | | 3/01 | 27,076 | 14.00 | 7,026 | 28 | 31 |
| | | 4/01 | 24,173 | 14.00 | 6,240 | 28 | 29 |
| | | 5/01 | 27,235 | 14.00 | 8,737 | 28 | 31 |
| | | 6/01 | 24,597 | 14.00 | 7,587 | 28 | 29 |
| | | 7/01 | 28,427 | 14.00 | 10,599 | 28 | 33 |
| | | 8/01 | 29,762 | 14.00 | 10,519 | 28 | 34 |
| | | 9/01 | 27,467 | 14.00 | 9,675 | 28 | 33 |
| | | 10/01 | 29,885 | 14.00 | 9,590 | 28 | 34 |
| | | 11/01 | 27,625 | 14.00 | 7,103 | 28 | 33 |
| | | 12/01 | 26,626 | 14.00 | 9,270 | 28 | 31 |
| | | | | | 329,004 | | 100,954 |
| DELTA | KUBACKI | 1/01 | 20,882 | 12.00 | 9,611 | 19 | 35 |
| | | 2/01 | 19,941 | 12.00 | 7,807 | 19 | 37 |
| | | 3/01 | 22,485 | 12.00 | 7,593 | 19 | 38 |
| | | 4/01 | 20,522 | 12.00 | 7,907 | 19 | 36 |
| | | 5/01 | 23,565 | 12.00 | 8,010 | 19 | 40 |
| | | 6/01 | 23,195 | 12.00 | 7,012 | 19 | 41 |
| | | 7/01 | 22,563 | 12.00 | 7,324 | 19 | 38 |
| | | 8/01 | 23,864 | 12.00 | 7,435 | 19 | 41 |
| | | 9/01 | 20,551 | 12.00 | 6,162 | 19 | 36 |
| | | 10/01 | 22,383 | 12.00 | 3,283 | 19 | 38 |
| | | 11/01 | 20,163 | 12.00 | 5,081 | 19 | 35 |
| | | 12/01 | 20,834 | 12.00 | 5,895 | 19 | 35 |
| | | | | | 260,948 | | 83,120 |
| DELTA | LAKE 15 | 1/01 | 101,369 | 12.00 | 5,428 | 17 | 192 |
| | | 2/01 | 91,024 | 12.00 | 4,812 | 17 | 191 |
| | | 3/01 | 98,900 | 12.00 | 4,943 | 17 | 188 |
| | | 4/01 | 95,283 | 12.00 | 4,321 | 17 | 187 |
| | | 5/01 | 97,173 | 12.00 | 4,236 | 17 | 184 |
| | | 6/01 | 94,653 | 12.00 | 4,032 | 17 | 186 |
| | | 7/01 | 95,600 | 12.00 | 3,825 | 17 | 181 |
| | | 8/01 | 95,255 | 14.00 | 3,594 | 17 | 181 |
| | | 9/01 | 91,460 | 12.00 | 3,319 | 17 | 179 |
| | | 10/01 | 93,885 | 12.00 | 3,344 | 17 | 178 |
| | | 11/01 | 89,855 | 12.00 | 3,118 | 17 | 176 |
| | | 12/01 | 90,790 | 12.00 | 2,857 | 17 | 172 |
| | | | | | 1,135,247 | | 47,829 |
| DELTA | MT RAYNIER | 1/01 | 19,437 | 10.00 | 669 | 4 | 157 |
| | | 2/01 | 17,900 | 10.00 | 773 | 4 | 160 |
| | | 3/01 | 19,424 | 10.00 | 832 | 4 | 157 |
| | | 4/01 | 18,766 | 10.00 | 728 | 4 | 156 |
| | | 5/01 | 19,312 | 10.00 | 865 | 4 | 156 |
| | | 6/01 | 18,808 | 10.00 | 892 | 4 | 157 |
| | | 7/01 | 18,691 | 10.00 | 838 | 4 | 151 |
| | | 8/01 | 18,002 | 10.00 | 769 | 4 | 145 |
| | | 9/01 | 17,265 | 10.00 | 419 | 4 | 144 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|--------------|---------------|--------------------------|
| DELTA | MT RAYNIER | 10/01 | 18,337 | 10.00 | 703 | 4 | 148 |
| | | 11/01 | 18,467 | 10.00 | 659 | 4 | 154 |
| | | 12/01 | 18,678 | | 585 | 4 | 151 |
| | | | 223,087 | | 8,732 | | |
| DELTA | NEW HORSE | 1/01 | 0 | | 0 | 0 | 0 |
| | | 2/01 | 0 | | 0 | 0 | 0 |
| | | 3/01 | 0 | | 0 | 0 | 0 |
| | | 4/01 | 0 | | 0 | 0 | 0 |
| | | 5/01 | 0 | | 0 | 0 | 0 |
| | | 6/01 | 0 | | 0 | 0 | 0 |
| | | 7/01 | 0 | | 0 | 0 | 0 |
| | | 8/01 | 0 | | 0 | 0 | 0 |
| | 0 | | 0 | | | | |
| DELTA | NIMBY | 1/01 | 22,877 | 6.00 | 5,730 | 11 | 67 |
| | | 2/01 | 18,430 | 6.00 | 5,170 | 11 | 60 |
| | | 3/01 | 16,234 | 6.00 | 5,678 | 11 | 48 |
| | | 4/01 | 14,464 | 6.00 | 5,186 | 11 | 44 |
| | | 5/01 | 16,298 | 6.00 | 5,578 | 11 | 48 |
| | | 6/01 | 15,126 | 6.00 | 5,180 | 11 | 46 |
| | | 7/01 | 15,969 | 6.00 | 4,857 | 11 | 47 |
| | | 8/01 | 16,057 | 6.00 | 3,835 | 11 | 47 |
| | | 9/01 | 15,368 | 6.00 | 3,477 | 11 | 47 |
| | | 10/01 | 15,743 | 6.00 | 4,156 | 11 | 46 |
| | | 11/01 | 15,591 | 6.00 | 2,176 | 11 | 47 |
| | | 12/01 | 15,702 | 6.00 | 2,399 | 11 | 46 |
| | 197,859 | | 53,422 | | | | |
| DELTA | SCHRADER | 1/01 | 55,820 | 12.00 | 8,867 | 32 | 56 |
| | | 2/01 | 50,931 | 12.00 | 7,618 | 32 | 57 |
| | | 3/01 | 56,318 | 12.00 | 8,181 | 32 | 57 |
| | | 4/01 | 47,612 | 12.00 | 9,236 | 32 | 50 |
| | | 5/01 | 53,385 | 12.00 | 8,535 | 32 | 54 |
| | | 6/01 | 45,097 | 12.00 | 7,231 | 32 | 47 |
| | | 7/01 | 39,780 | 12.00 | 6,417 | 32 | 40 |
| | | 8/01 | 49,432 | 12.00 | 8,330 | 32 | 50 |
| | | 9/01 | 45,577 | 12.00 | 7,430 | 32 | 47 |
| | | 10/01 | 46,610 | 12.00 | 7,290 | 32 | 47 |
| | | 11/01 | 46,933 | 12.00 | 6,233 | 32 | 49 |
| | | 12/01 | 46,474 | 12.00 | 7,086 | 32 | 47 |
| | 583,969 | | 92,454 | | | | |
| DELTA | TOWNLIN | 1/01 | 14,246 | 2.00 | 53,675 | 12 | 38 |
| | | 2/01 | 11,815 | 2.00 | 48,768 | 12 | 35 |
| | | 3/01 | 12,552 | 2.00 | 54,466 | 12 | 34 |
| | | 4/01 | 12,561 | 2.00 | 51,338 | 12 | 35 |
| | | 5/01 | 12,815 | 2.00 | 49,409 | 12 | 34 |
| | | 6/01 | 12,660 | 2.00 | 52,140 | 12 | 35 |
| | | 7/01 | 13,266 | 2.00 | 50,749 | 12 | 36 |
| | | 8/01 | 13,127 | 2.00 | 51,162 | 12 | 35 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------------------------|----------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| DELTA | TOWNLIN | 9/01 | 13,909 | 2.00 | 58,006 | 12 | 39 |
| | | 10/01 | 14,135 | 2.00 | 54,261 | 12 | 38 |
| | | 11/01 | 8,333 | 2.00 | 47,867 | 12 | 23 |
| | | 12/01 | 7,768 | 2.00 | 44,235 | 12 | 21 |
| | | | 147,187 | | 616,076 | | |
| DELTA | VIENNA 13 | 1/01 | 19,905 | 10.00 | 14,770 | 11 | 58 |
| | | 2/01 | 17,253 | 10.00 | 13,331 | 11 | 56 |
| | | 3/01 | 18,358 | 10.00 | 16,432 | 11 | 54 |
| | | 4/01 | 18,314 | 10.00 | 13,296 | 11 | 55 |
| | | 5/01 | 18,461 | 10.00 | 924 | 11 | 54 |
| | | 6/01 | 17,516 | 10.00 | 21,513 | 11 | 53 |
| | | 7/01 | 18,951 | 10.00 | 17,171 | 11 | 56 |
| | | 8/01 | 18,559 | 10.00 | 12,593 | 11 | 54 |
| | | 9/01 | 18,271 | 10.00 | 12,518 | 11 | 55 |
| | | 10/01 | 14,400 | 10.00 | 12,919 | 11 | 42 |
| | | 11/01 | 13,764 | 10.00 | 12,084 | 11 | 42 |
| | | 12/01 | 13,579 | 10.00 | 12,570 | 11 | 40 |
| | 207,331 | | 160,121 | | | | |
| DELTA | VIENNA/WALTZ | 1/01 | 12,750 | 2.00 | 22,642 | 8 | 51 |
| | | 2/01 | 11,531 | 2.00 | 20,725 | 8 | 51 |
| | | 3/01 | 13,000 | 2.00 | 22,650 | 8 | 52 |
| | | 4/01 | 15,020 | 2.00 | 21,715 | 8 | 63 |
| | | 5/01 | 12,723 | 2.00 | 19,270 | 8 | 51 |
| | | 6/01 | 11,996 | 2.00 | 19,049 | 8 | 50 |
| | | 7/01 | 11,810 | 2.00 | 19,397 | 8 | 48 |
| | | 8/01 | 11,681 | 2.00 | 19,629 | 8 | 47 |
| | | 9/01 | 10,583 | 2.00 | 22,444 | 8 | 44 |
| | | 10/01 | 10,423 | 2.00 | 23,057 | 8 | 42 |
| | | 11/01 | 9,360 | 2.00 | 18,294 | 8 | 39 |
| | | 12/01 | 11,191 | 2.00 | 19,594 | 8 | 45 |
| | 142,068 | | 248,466 | | | | |
| DELTA - REPORTER TOTALS: | | | 9,563,618 | | 2,079,859 | | |
| DEVONIAN ENERGY | CHARLTON 32 | 1/01 | 10,586 | 24.92 | 7,750 | 14 | 24 |
| | | 2/01 | 9,804 | 24.92 | 7,707 | 13 | 27 |
| | | 3/01 | 10,405 | 24.43 | 7,573 | 13 | 26 |
| | | 4/01 | 9,786 | 24.43 | 7,345 | 13 | 25 |
| | | 5/01 | 10,418 | 24.93 | 8,169 | 13 | 26 |
| | | 6/01 | 10,088 | 24.43 | 7,305 | 13 | 26 |
| | | 7/01 | 10,249 | 24.43 | 6,832 | 13 | 25 |
| | | 8/01 | 10,059 | 24.43 | 7,670 | 13 | 25 |
| | | 9/01 | 10,042 | 24.43 | 8,594 | 13 | 26 |
| | | 10/01 | 9,706 | 24.43 | 8,079 | 13 | 24 |
| | | 11/01 | 10,015 | 24.43 | 6,991 | 13 | 26 |
| | | 12/01 | 10,101 | 24.43 | 6,471 | 13 | 25 |
| | 121,259 | | 90,486 | | | | |
| DEVONIAN ENERGY | J A BOTT | 1/01 | 16,837 | 29.91 | 259 | 18 | 30 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------------|--------------|---|------------------|-------|----------------|---------------|--------------------------|--|--|
| DEVONIAN ENERGY | J A BOTT | 2/01 | 14,984 | 29.59 | 203 | 18 | 30 | | |
| | | 3/01 | 16,248 | 29.80 | 228 | 18 | 29 | | |
| | | 4/01 | 14,864 | 29.00 | 167 | 18 | 28 | | |
| | | 5/01 | 17,260 | 29.25 | 182 | 18 | 31 | | |
| | | 6/01 | 16,216 | 29.42 | 183 | 18 | 30 | | |
| | | 7/01 | 16,436 | 29.48 | 195 | 18 | 29 | | |
| | | 8/01 | 16,829 | 29.51 | 189 | 18 | 30 | | |
| | | 9/01 | 16,271 | 29.78 | 222 | 18 | 30 | | |
| | | 10/01 | 16,752 | 29.66 | 205 | 18 | 30 | | |
| | | 11/01 | 16,084 | 28.60 | 151 | 18 | 30 | | |
| | | 12/01 | 15,581 | 29.78 | 180 | 18 | 28 | | |
| | | | | | 194,362 | | 2,364 | | |
| | | DEVONIAN ENERGY - REPORTER TOTALS: | | | 315,621 | | 92,850 | | |
| DOMINION | BIJOU | 1/01 | 47,451 | 12.08 | 2,829 | 23 | 67 | | |
| | | 2/01 | 43,882 | 11.43 | 1,799 | 23 | 68 | | |
| | | 3/01 | 45,199 | 11.91 | 2,071 | 23 | 63 | | |
| | | 4/01 | 43,111 | 12.02 | 1,674 | 23 | 62 | | |
| | | 5/01 | 44,768 | 12.00 | 1,706 | 23 | 63 | | |
| | | 6/01 | 42,687 | 12.02 | 1,378 | 23 | 62 | | |
| | | 7/01 | 43,268 | 11.90 | 1,198 | 23 | 61 | | |
| | | 8/01 | 45,504 | 12.12 | 1,681 | 23 | 64 | | |
| | | 9/01 | 45,417 | 11.67 | 1,317 | 23 | 66 | | |
| | | 10/01 | 45,634 | 11.75 | 1,248 | 23 | 64 | | |
| | | 11/01 | 42,547 | 12.42 | 2,197 | 23 | 62 | | |
| | | 12/01 | 44,874 | 12.59 | 1,715 | 23 | 63 | | |
| | | | 534,342 | | 20,813 | | | | |
| DOMINION | BROAD | 1/01 | 99,076 | 11.25 | 3,010 | 35 | 91 | | |
| | | 2/01 | 88,963 | 10.96 | 2,763 | 35 | 91 | | |
| | | 3/01 | 91,028 | 11.10 | 1,469 | 35 | 84 | | |
| | | 4/01 | 82,998 | 10.75 | 1,484 | 35 | 79 | | |
| | | 5/01 | 86,622 | 10.82 | 1,291 | 35 | 80 | | |
| | | 6/01 | 84,123 | 11.22 | 1,402 | 35 | 80 | | |
| | | 7/01 | 90,760 | 11.58 | 1,116 | 35 | 84 | | |
| | | 8/01 | 85,892 | 11.68 | 740 | 35 | 79 | | |
| | | 9/01 | 83,582 | 11.68 | 1,883 | 35 | 80 | | |
| | | 10/01 | 86,669 | 11.88 | 1,300 | 35 | 80 | | |
| | | 11/01 | 81,780 | 11.08 | 2,103 | 35 | 78 | | |
| | | 12/01 | 82,192 | 11.94 | 1,796 | 35 | 76 | | |
| | | | 1,043,685 | | 20,357 | | | | |
| DOMINION | CHESTER 1 | 1/01 | 23,393 | 25.03 | 3,462 | 17 | 44 | | |
| | | 2/01 | 19,476 | 26.48 | 2,686 | 17 | 41 | | |
| | | 3/01 | 22,224 | 25.81 | 1,665 | 17 | 42 | | |
| | | 4/01 | 21,526 | 25.73 | 1,550 | 17 | 42 | | |
| | | 5/01 | 22,963 | 25.76 | 1,582 | 17 | 44 | | |
| | | 6/01 | 21,935 | 25.62 | 2,541 | 17 | 43 | | |
| | | 7/01 | 22,639 | 25.95 | 3,780 | 17 | 43 | | |
| | | 8/01 | 21,059 | 25.05 | 2,995 | 17 | 40 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| DOMINION | CHESTER 1 | 9/01 | 21,539 | 25.05 | 4,174 | 17 | 42 |
| | | 10/01 | 23,198 | 25.99 | 4,349 | 17 | 44 |
| | | 11/01 | 17,967 | 24.45 | 3,569 | 17 | 35 |
| | | 12/01 | 17,321 | 24.45 | 7,211 | 17 | 33 |
| | | | 255,240 | | 39,564 | | |
| DOMINION | CHURCHILL POINT | 1/01 | 75,201 | 8.99 | 48,799 | 29 | 84 |
| | | 2/01 | 66,506 | 9.07 | 40,920 | 29 | 82 |
| | | 3/01 | 70,446 | 9.08 | 40,657 | 29 | 78 |
| | | 4/01 | 67,347 | 9.12 | 37,151 | 29 | 77 |
| | | 5/01 | 70,256 | 8.86 | 33,828 | 29 | 78 |
| | | 6/01 | 65,753 | 9.06 | 31,112 | 29 | 76 |
| | | 7/01 | 72,394 | 8.22 | 31,338 | 29 | 81 |
| | | 8/01 | 69,935 | 9.38 | 36,856 | 29 | 78 |
| | | 9/01 | 66,321 | 9.38 | 34,706 | 29 | 76 |
| | | 10/01 | 68,241 | 9.88 | 36,185 | 29 | 76 |
| | | 11/01 | 67,524 | 9.74 | 35,260 | 30 | 75 |
| | | 12/01 | 71,176 | 9.74 | 35,649 | 30 | 77 |
| | 831,100 | | 442,461 | | | | |
| DOMINION | COMSTOCK HILLS | 1/01 | 47,272 | 9.52 | 34,856 | 23 | 66 |
| | | 2/01 | 42,080 | 9.49 | 30,997 | 23 | 65 |
| | | 3/01 | 46,960 | 9.46 | 34,175 | 24 | 63 |
| | | 4/01 | 44,741 | 9.42 | 28,343 | 24 | 62 |
| | | 5/01 | 46,139 | 9.40 | 25,991 | 24 | 62 |
| | | 6/01 | 45,333 | 9.45 | 25,111 | 24 | 63 |
| | | 7/01 | 47,809 | 9.63 | 31,942 | 24 | 64 |
| | | 8/01 | 47,503 | 9.68 | 34,409 | 24 | 64 |
| | | 9/01 | 45,384 | 9.68 | 35,285 | 24 | 63 |
| | | 10/01 | 46,106 | 9.61 | 37,301 | 24 | 62 |
| | | 11/01 | 44,232 | 9.92 | 35,690 | 24 | 61 |
| | | 12/01 | 45,930 | 9.92 | 35,752 | 24 | 62 |
| | 549,489 | | 389,852 | | | | |
| DOMINION | DOCTORS CLUB | 1/01 | 151,562 | 8.03 | 17,673 | 62 | 79 |
| | | 2/01 | 137,282 | 7.45 | 14,997 | 62 | 79 |
| | | 3/01 | 147,074 | 8.06 | 16,010 | 62 | 77 |
| | | 4/01 | 141,591 | 8.17 | 13,971 | 62 | 76 |
| | | 5/01 | 145,221 | 8.05 | 14,604 | 62 | 76 |
| | | 6/01 | 140,324 | 7.01 | 13,751 | 62 | 75 |
| | | 7/01 | 143,721 | 8.37 | 12,906 | 62 | 75 |
| | | 8/01 | 139,518 | 8.39 | 14,001 | 62 | 73 |
| | | 9/01 | 132,760 | 8.39 | 14,575 | 62 | 71 |
| | | 10/01 | 141,438 | 8.52 | 16,603 | 64 | 71 |
| | | 11/01 | 134,926 | 8.71 | 15,004 | 64 | 70 |
| | | 12/01 | 138,370 | 8.73 | 14,247 | 64 | 70 |
| | 1,693,787 | | 178,342 | | | | |
| DOMINION | FREDERIC I | 1/01 | 11,767 | 12.98 | 1,979 | 14 | 27 |
| | | 2/01 | 18,968 | 12.98 | 2,389 | 14 | 48 |
| | | 3/01 | 19,052 | 13.81 | 3,885 | 14 | 44 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| DOMINION | FREDERIC I | 4/01 | 17,126 | 14.33 | 2,684 | 14 | 41 | | |
| | | 5/01 | 19,368 | 13.88 | 3,297 | 14 | 45 | | |
| | | 6/01 | 18,542 | 14.33 | 3,131 | 14 | 44 | | |
| | | 7/01 | 17,131 | 15.42 | 2,881 | 14 | 39 | | |
| | | 8/01 | 16,322 | 15.83 | 2,733 | 14 | 38 | | |
| | | 9/01 | 17,052 | 15.89 | 2,722 | 14 | 41 | | |
| | | 10/01 | 18,327 | 16.13 | 3,440 | 14 | 42 | | |
| | | 11/01 | 18,981 | 16.37 | 3,381 | 14 | 45 | | |
| | | 12/01 | 14,695 | 16.26 | 2,628 | 14 | 34 | | |
| | | | | | 207,331 | | 35,150 | | |
| | | DOMINION | FREDERIC II | 1/01 | 12,567 | 12.98 | 3,919 | 12 | 34 |
| | | | | 2/01 | 13,243 | 12.98 | 3,786 | 12 | 39 |
| 3/01 | 12,601 | | | 13.81 | 4,109 | 12 | 34 | | |
| 4/01 | 12,335 | | | 14.33 | 4,111 | 12 | 34 | | |
| 5/01 | 12,854 | | | 13.88 | 4,102 | 12 | 35 | | |
| 6/01 | 12,056 | | | 14.33 | 4,010 | 12 | 33 | | |
| 7/01 | 12,229 | | | 15.42 | 4,103 | 12 | 33 | | |
| 8/01 | 10,988 | | | 15.83 | 3,578 | 12 | 30 | | |
| 9/01 | 12,162 | | | 15.89 | 3,996 | 12 | 34 | | |
| 10/01 | 13,301 | | | 16.13 | 4,339 | 12 | 36 | | |
| 11/01 | 13,249 | | | 16.37 | 3,873 | 12 | 37 | | |
| 12/01 | 10,541 | | | 16.26 | 3,210 | 12 | 28 | | |
| | | | 148,126 | | 47,136 | | | | |
| DOMINION | FREDERIC III | 1/01 | 11,368 | 12.98 | 1,513 | 18 | 20 | | |
| | | 2/01 | 13,643 | 12.98 | 1,289 | 18 | 27 | | |
| | | 3/01 | 17,245 | 13.81 | 2,864 | 18 | 31 | | |
| | | 4/01 | 15,756 | 14.33 | 1,709 | 18 | 29 | | |
| | | 5/01 | 17,452 | 13.88 | 2,182 | 18 | 31 | | |
| | | 6/01 | 15,960 | 14.33 | 2,354 | 18 | 30 | | |
| | | 7/01 | 15,692 | 15.42 | 2,289 | 18 | 28 | | |
| | | 8/01 | 15,651 | 15.83 | 2,516 | 18 | 28 | | |
| | | 9/01 | 15,901 | 15.89 | 1,967 | 18 | 29 | | |
| | | 10/01 | 16,203 | 16.13 | 1,791 | 18 | 29 | | |
| | | 11/01 | 16,934 | 16.37 | 1,874 | 18 | 31 | | |
| | | 12/01 | 13,104 | 16.26 | 1,417 | 18 | 23 | | |
| | | | 184,909 | | 23,765 | | | | |
| DOMINION | FREDERIC IV | 1/01 | 13,345 | 10.53 | 3,789 | 19 | 23 | | |
| | | 2/01 | 14,215 | 12.98 | 3,320 | 19 | 27 | | |
| | | 3/01 | 16,610 | 13.81 | 5,038 | 19 | 28 | | |
| | | 4/01 | 15,019 | 11.40 | 3,342 | 19 | 26 | | |
| | | 5/01 | 16,436 | 11.68 | 4,499 | 19 | 28 | | |
| | | 6/01 | 16,314 | 12.02 | 3,956 | 19 | 29 | | |
| | | 7/01 | 15,802 | 15.42 | 3,211 | 19 | 27 | | |
| | | 8/01 | 15,745 | 11.28 | 3,560 | 19 | 27 | | |
| | | 9/01 | 15,237 | 15.89 | 3,530 | 19 | 27 | | |
| | | 10/01 | 16,902 | 11.61 | 3,242 | 19 | 29 | | |
| | | 11/01 | 17,001 | 16.37 | 3,166 | 19 | 30 | | |
| | | 12/01 | 15,631 | 11.50 | 5,020 | 19 | 27 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 188,257 | | 45,673 | | |
| DOMINION | FREDERIC V | 1/01 | 8,543 | 10.53 | 4,675 | 6 | 46 |
| | | 2/01 | 9,476 | 12.98 | 4,289 | 6 | 56 |
| | | 3/01 | 9,890 | 13.81 | 4,373 | 6 | 53 |
| | | 4/01 | 8,992 | 11.40 | 2,992 | 6 | 50 |
| | | 5/01 | 10,200 | 13.88 | 4,466 | 6 | 55 |
| | | 6/01 | 9,658 | 12.02 | 3,346 | 6 | 54 |
| | | 7/01 | 9,769 | 15.42 | 3,513 | 6 | 53 |
| | | 8/01 | 9,793 | 11.28 | 3,851 | 6 | 53 |
| | | 9/01 | 10,032 | 15.89 | 3,501 | 6 | 56 |
| | | 10/01 | 10,760 | 11.61 | 3,635 | 6 | 58 |
| | | 11/01 | 10,811 | 16.37 | 3,346 | 6 | 60 |
| | | 12/01 | 9,970 | 11.50 | 3,651 | 6 | 54 |
| | | | 117,894 | | 45,638 | | |
| DOMINION | FREDERIC VI | 1/01 | 5,052 | 10.53 | 7,094 | 11 | 15 |
| | | 2/01 | 5,441 | 12.98 | 6,250 | 11 | 18 |
| | | 3/01 | 5,580 | 13.81 | 8,657 | 11 | 16 |
| | | 4/01 | 5,383 | 11.40 | 8,745 | 11 | 16 |
| | | 5/01 | 5,593 | 11.68 | 7,596 | 11 | 16 |
| | | 6/01 | 5,295 | 12.02 | 7,516 | 11 | 16 |
| | | 7/01 | 5,447 | 15.42 | 10,196 | 11 | 16 |
| | | 8/01 | 5,369 | 11.28 | 7,786 | 11 | 16 |
| | | 9/01 | 5,355 | 15.89 | 7,612 | 11 | 16 |
| | | 10/01 | 5,769 | 11.61 | 9,699 | 11 | 17 |
| | | 11/01 | 5,574 | 16.37 | 7,910 | 11 | 17 |
| | | 12/01 | 5,363 | 11.50 | 7,758 | 11 | 16 |
| | | | 65,221 | | 96,819 | | |
| DOMINION | FREDERIC VII | 1/01 | 5,260 | 10.53 | 7,334 | 8 | 21 |
| | | 2/01 | 5,522 | 12.98 | 7,084 | 8 | 25 |
| | | 3/01 | 6,004 | 13.81 | 10,453 | 8 | 24 |
| | | 4/01 | 6,121 | 11.40 | 9,400 | 8 | 26 |
| | | 5/01 | 6,114 | 11.68 | 8,265 | 8 | 25 |
| | | 6/01 | 5,640 | 12.02 | 7,577 | 8 | 24 |
| | | 7/01 | 5,429 | 15.42 | 8,133 | 8 | 22 |
| | | 8/01 | 5,693 | 11.28 | 8,164 | 8 | 23 |
| | | 9/01 | 6,303 | 15.89 | 8,204 | 8 | 26 |
| | | 10/01 | 6,282 | 11.61 | 8,181 | 8 | 25 |
| | | 11/01 | 6,651 | 16.37 | 8,088 | 8 | 28 |
| | | 12/01 | 5,238 | 11.50 | 7,316 | 8 | 21 |
| | | | 70,257 | | 98,199 | | |
| DOMINION | FREDERIC VIII | 1/01 | 13,609 | 14.51 | 1,207 | 9 | 49 |
| | | 2/01 | 14,118 | 12.98 | 1,646 | 9 | 56 |
| | | 3/01 | 15,210 | 13.81 | 2,008 | 9 | 55 |
| | | 4/01 | 13,881 | 14.33 | 1,335 | 9 | 51 |
| | | 5/01 | 14,718 | 13.88 | 1,698 | 9 | 53 |
| | | 6/01 | 14,704 | 14.33 | 1,542 | 9 | 54 |
| | | 7/01 | 14,236 | 15.42 | 1,445 | 9 | 51 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------|------------------|-----------|----------------|-------------|---------------|--------------------------|
| DOMINION | FREDERIC VIII | 8/01 | 12,440 | 15.83 | 1,309 | 9 | 45 |
| | | 9/01 | 14,007 | 15.89 | 1,490 | 9 | 52 |
| | | 10/01 | 15,441 | 16.13 | 1,638 | 9 | 55 |
| | | 11/01 | 15,277 | 16.37 | 1,437 | 9 | 57 |
| | | 12/01 | 10,943 | 11.50 | 1,263 | 9 | 39 |
| | | | | 168,584 | | 18,018 | |
| DOMINION | FREDERIC XI | 1/01 | 11,361 | 10.53 | 10,401 | 17 | 22 |
| | | 2/01 | 12,575 | 12.98 | 12,160 | 17 | 26 |
| | | 3/01 | 13,125 | 13.81 | 11,426 | 17 | 25 |
| | | 4/01 | 12,963 | 11.40 | 11,768 | 17 | 25 |
| | | 5/01 | 13,961 | 11.68 | 11,987 | 17 | 26 |
| | | 6/01 | 12,726 | 12.02 | 10,516 | 17 | 25 |
| | | 7/01 | 11,951 | 15.42 | 10,173 | 17 | 23 |
| | | 8/01 | 12,802 | 11.28 | 10,574 | 17 | 24 |
| | | 9/01 | 13,812 | 15.89 | 10,225 | 17 | 27 |
| | | 10/01 | 15,137 | 11.61 | 10,849 | 17 | 29 |
| | | 11/01 | 14,032 | 16.37 | 8,627 | 17 | 28 |
| | | 12/01 | 13,673 | 11.50 | 11,734 | 17 | 26 |
| | | 158,118 | | 130,440 | | | |
| DOMINION | GILCHRIST | 1/01 | 66,579 | 12.87 | 1,273 | 21 | 102 |
| | | 2/01 | 60,011 | 12.87 | 1,004 | 21 | 102 |
| | | 3/01 | 65,142 | 12.87 | 965 | 21 | 100 |
| | | 4/01 | 43,418 | 12.87 | 1,054 | 21 | 69 |
| | | 5/01 | 67,807 | 13.16 | 993 | 21 | 104 |
| | | 6/01 | 63,960 | 13.16 | 764 | 21 | 102 |
| | | 7/01 | 62,733 | 13.16 | 1,155 | 21 | 96 |
| | | 8/01 | 60,870 | 9.76 | 1,118 | 21 | 93 |
| | | 9/01 | 62,771 | 13.16 | 784 | 21 | 100 |
| | | 10/01 | 67,683 | 10.04 | 912 | 21 | 104 |
| | | 11/01 | 59,691 | 13.78 | 719 | 21 | 95 |
| | | 12/01 | 61,076 | 11.70 | 945 | 21 | 94 |
| | | 741,741 | | 11,686 | | | |
| DOMINION | HARDWOOD | 1/01 | 190,687 | 15.98 | 3,533 | 56 | 110 |
| | | 2/01 | 170,003 | 16.56 | 2,889 | 56 | 108 |
| | | 3/01 | 180,478 | 16.64 | 3,988 | 56 | 104 |
| | | 4/01 | 177,518 | 16.61 | 2,760 | 56 | 106 |
| | | 5/01 | 183,696 | 16.64 | 2,734 | 56 | 106 |
| | | 6/01 | 169,297 | 16.74 | 1,961 | 56 | 101 |
| | | 7/01 | 182,165 | 16.85 | 2,334 | 56 | 105 |
| | | 8/01 | 175,059 | 16.93 | 2,361 | 56 | 101 |
| | | 9/01 | 173,879 | 16.67 | 2,133 | 56 | 103 |
| | | 10/01 | 182,945 | 17.09 | 2,265 | 56 | 105 |
| | | 11/01 | 168,885 | 17.35 | 2,001 | 56 | 101 |
| | | 12/01 | 178,133 | 17.34 | 2,335 | 56 | 103 |
| | | 2,132,745 | | 31,294 | | | |
| DOMINION | HEART LAKE | 1/01 | 4,680 | 14.51 | 74 | 5 | 30 |
| | | 2/01 | 6,913 | 12.98 | 303 | 5 | 49 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|----|----|
| DOMINION | HEART LAKE | 3/01 | 9,327 | 13.81 | 518 | 5 | 60 | | |
| | | 4/01 | 8,631 | 14.33 | 288 | 5 | 58 | | |
| | | 5/01 | 9,000 | 13.88 | 294 | 5 | 58 | | |
| | | 6/01 | 8,602 | 14.33 | 393 | 5 | 57 | | |
| | | 7/01 | 8,064 | 15.42 | 267 | 5 | 52 | | |
| | | 8/01 | 8,680 | 15.83 | 398 | 5 | 56 | | |
| | | 9/01 | 8,550 | 15.89 | 340 | 5 | 57 | | |
| | | 10/01 | 9,528 | 16.13 | 588 | 5 | 61 | | |
| | | 11/01 | 9,780 | 16.37 | 500 | 5 | 65 | | |
| | | 12/01 | 7,257 | 16.26 | 303 | 5 | 47 | | |
| | | | | | 99,012 | | 4,266 | | |
| | | DOMINION | HIGHWAY 33 | 1/01 | 47,806 | 21.43 | 414 | 17 | 91 |
| 2/01 | 44,096 | | | 21.73 | 640 | 17 | 93 | | |
| 3/01 | 47,202 | | | 21.82 | 491 | 17 | 90 | | |
| 4/01 | 46,256 | | | 21.87 | 650 | 17 | 91 | | |
| 5/01 | 49,998 | | | 21.92 | 502 | 17 | 95 | | |
| 6/01 | 46,274 | | | 21.83 | 561 | 17 | 91 | | |
| 7/01 | 43,689 | | | 22.04 | 394 | 17 | 83 | | |
| 8/01 | 39,814 | | | 21.29 | 478 | 17 | 76 | | |
| 9/01 | 41,422 | | | 21.55 | 591 | 17 | 81 | | |
| 10/01 | 43,568 | | | 22.24 | 628 | 17 | 83 | | |
| 11/01 | 38,898 | | | 22.06 | 712 | 17 | 76 | | |
| 12/01 | 44,071 | | | 21.94 | 1,218 | 17 | 84 | | |
| | | | 533,094 | | 7,279 | | | | |
| DOMINION | HIGHWAY 612 | 1/01 | 22,618 | 15.98 | 165 | 8 | 91 | | |
| | | 2/01 | 20,692 | 16.56 | 132 | 8 | 92 | | |
| | | 3/01 | 21,009 | 16.64 | 134 | 8 | 85 | | |
| | | 4/01 | 21,729 | 16.61 | 133 | 8 | 91 | | |
| | | 5/01 | 20,189 | 16.64 | 133 | 8 | 81 | | |
| | | 6/01 | 18,188 | 16.74 | 101 | 8 | 76 | | |
| | | 7/01 | 18,368 | 16.85 | 127 | 8 | 74 | | |
| | | 8/01 | 17,702 | 16.93 | 107 | 8 | 71 | | |
| | | 9/01 | 17,914 | 16.67 | 102 | 8 | 75 | | |
| | | 10/01 | 17,399 | 17.09 | 151 | 8 | 70 | | |
| | | 11/01 | 18,170 | 17.35 | 98 | 8 | 76 | | |
| | | 12/01 | 16,799 | 17.34 | 115 | 8 | 68 | | |
| | | | 230,777 | | 1,498 | | | | |
| DOMINION | HIGHWAY 65 | 1/01 | 65,946 | 10.34 | 4,687 | 24 | 89 | | |
| | | 2/01 | 57,561 | 10.18 | 2,249 | 24 | 86 | | |
| | | 3/01 | 61,910 | 10.29 | 4,058 | 24 | 83 | | |
| | | 4/01 | 60,145 | 10.12 | 2,856 | 24 | 84 | | |
| | | 5/01 | 63,077 | 10.18 | 2,657 | 24 | 85 | | |
| | | 6/01 | 60,701 | 10.25 | 5,739 | 24 | 84 | | |
| | | 7/01 | 63,244 | 10.59 | 4,844 | 24 | 85 | | |
| | | 8/01 | 61,820 | 10.20 | 1,656 | 24 | 83 | | |
| | | 9/01 | 57,483 | 10.20 | 1,260 | 24 | 80 | | |
| | | 10/01 | 59,602 | 10.88 | 1,820 | 24 | 80 | | |
| 11/01 | 56,448 | 10.82 | 2,056 | 24 | 78 | | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| DOMINION | HIGHWAY 65 | 12/01 | 57,191 | 10.62 | 17,446 | 35 | 53 |
| | | | 725,128 | | 51,328 | | |
| DOMINION | HOLCOMB CREEK | 1/01 | 25,108 | 8.99 | 100,632 | 13 | 62 |
| | | 2/01 | 22,845 | 9.07 | 83,000 | 13 | 63 |
| | | 3/01 | 23,108 | 9.08 | 106,784 | 13 | 57 |
| | | 4/01 | 22,323 | 9.12 | 106,233 | 14 | 53 |
| | | 5/01 | 22,717 | 8.86 | 113,107 | 14 | 52 |
| | | 6/01 | 21,180 | 9.06 | 102,463 | 14 | 50 |
| | | 7/01 | 23,262 | 8.22 | 106,334 | 14 | 54 |
| | | 8/01 | 21,373 | 9.38 | 96,858 | 14 | 49 |
| | | 9/01 | 21,741 | 9.38 | 103,724 | 14 | 52 |
| | | 10/01 | 22,087 | 9.88 | 90,218 | 14 | 51 |
| | | 11/01 | 20,647 | 9.74 | 89,564 | 14 | 49 |
| | | 12/01 | 21,494 | 9.74 | 90,476 | 14 | 50 |
| | | | 267,885 | | 1,189,393 | | |
| DOMINION | JOY | 1/01 | 61,495 | 21.43 | 410 | 25 | 79 |
| | | 2/01 | 55,314 | 21.73 | 525 | 25 | 79 |
| | | 3/01 | 61,861 | 21.82 | 423 | 25 | 80 |
| | | 4/01 | 60,835 | 21.87 | 221 | 25 | 81 |
| | | 5/01 | 66,178 | 21.92 | 234 | 25 | 85 |
| | | 6/01 | 61,076 | 21.83 | 603 | 25 | 81 |
| | | 7/01 | 59,741 | 22.04 | 579 | 25 | 77 |
| | | 8/01 | 53,878 | 21.29 | 385 | 25 | 70 |
| | | 9/01 | 57,613 | 21.55 | 361 | 25 | 77 |
| | | 10/01 | 60,030 | 22.24 | 192 | 25 | 77 |
| | | 11/01 | 53,541 | 22.06 | 330 | 25 | 71 |
| | | 12/01 | 52,239 | 21.94 | 571 | 25 | 67 |
| | | | 703,801 | | 4,834 | | |
| DOMINION | LAKES OF THE NORTH | 1/01 | 84,694 | 10.27 | 7,910 | 42 | 65 |
| | | 2/01 | 77,843 | 10.24 | 6,671 | 37 | 75 |
| | | 3/01 | 82,585 | 10.26 | 7,373 | 37 | 72 |
| | | 4/01 | 77,226 | 10.23 | 7,095 | 37 | 70 |
| | | 5/01 | 79,877 | 10.23 | 7,367 | 37 | 70 |
| | | 6/01 | 77,273 | 10.45 | 6,929 | 37 | 70 |
| | | 7/01 | 83,712 | 10.62 | 7,295 | 37 | 73 |
| | | 8/01 | 76,417 | 10.54 | 7,529 | 37 | 67 |
| | | 9/01 | 79,555 | 10.57 | 7,917 | 37 | 72 |
| | | 10/01 | 84,576 | 10.61 | 8,089 | 38 | 72 |
| | | 11/01 | 83,674 | 10.74 | 10,258 | 38 | 73 |
| | | 12/01 | 82,789 | 9.80 | 9,749 | 38 | 70 |
| | | | 970,221 | | 94,182 | | |
| DOMINION | LOST LAKE WOODS | 1/01 | 48,197 | 9.13 | 222,553 | 30 | 52 |
| | | 2/01 | 43,415 | 9.25 | 193,087 | 30 | 52 |
| | | 3/01 | 46,210 | 9.33 | 204,216 | 30 | 50 |
| | | 4/01 | 43,703 | 9.36 | 188,297 | 30 | 49 |
| | | 5/01 | 44,333 | 9.33 | 174,414 | 30 | 48 |
| | | 6/01 | 42,372 | 9.34 | 126,426 | 30 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| DOMINION | LOST LAKE WOODS | 7/01 | 43,488 | 9.27 | 126,508 | 30 | 47 |
| | | 8/01 | 43,187 | 9.27 | 118,797 | 30 | 46 |
| | | 9/01 | 40,877 | 9.27 | 115,006 | 30 | 45 |
| | | 10/01 | 42,628 | 9.41 | 146,138 | 30 | 46 |
| | | 11/01 | 39,700 | 9.80 | 170,635 | 30 | 44 |
| | | 12/01 | 41,621 | 9.80 | 184,740 | 30 | 45 |
| | | | | | 519,731 | | 1,970,817 |
| DOMINION | MANCELONA I | 1/01 | 92,346 | 11.43 | 8,816 | 53 | 56 |
| | | 2/01 | 85,213 | 11.43 | 7,132 | 53 | 57 |
| | | 3/01 | 87,778 | 11.91 | 7,369 | 53 | 53 |
| | | 4/01 | 85,632 | 12.02 | 6,460 | 53 | 54 |
| | | 5/01 | 89,823 | 12.00 | 6,986 | 53 | 55 |
| | | 6/01 | 84,831 | 12.02 | 5,416 | 54 | 52 |
| | | 7/01 | 84,676 | 11.90 | 4,953 | 54 | 51 |
| | | 8/01 | 87,546 | 12.12 | 5,487 | 54 | 52 |
| | | 9/01 | 84,960 | 11.67 | 5,458 | 54 | 52 |
| | | 10/01 | 86,092 | 11.75 | 5,600 | 54 | 51 |
| | | 11/01 | 80,976 | 12.42 | 6,083 | 54 | 50 |
| | | 12/01 | 85,410 | 12.59 | 7,487 | 54 | 51 |
| | | | 1,035,283 | | 77,247 | | |
| DOMINION | MANCELONA II | 1/01 | 17,187 | 11.43 | 5,209 | 7 | 79 |
| | | 2/01 | 15,307 | 12.08 | 4,261 | 7 | 78 |
| | | 3/01 | 15,798 | 11.91 | 6,373 | 7 | 73 |
| | | 4/01 | 15,643 | 12.02 | 5,004 | 7 | 74 |
| | | 5/01 | 16,266 | 12.00 | 4,689 | 7 | 75 |
| | | 6/01 | 15,792 | 12.02 | 3,821 | 9 | 58 |
| | | 7/01 | 14,857 | 11.90 | 2,942 | 8 | 60 |
| | | 8/01 | 16,258 | 12.12 | 5,020 | 9 | 58 |
| | | 9/01 | 15,353 | 11.67 | 4,752 | 9 | 57 |
| | | 10/01 | 15,232 | 11.75 | 4,458 | 9 | 55 |
| | | 11/01 | 14,469 | 12.42 | 5,757 | 9 | 54 |
| | | 12/01 | 14,602 | 12.59 | 6,820 | 9 | 52 |
| | | | 186,764 | | 59,106 | | |
| DOMINION | MARSTRAND | 1/01 | 35,727 | 17.91 | 3,460 | 20 | 58 |
| | | 2/01 | 37,736 | 17.91 | 2,710 | 20 | 67 |
| | | 3/01 | 42,880 | 17.54 | 3,120 | 20 | 69 |
| | | 4/01 | 34,735 | 17.54 | 3,452 | 20 | 58 |
| | | 5/01 | 36,685 | 17.54 | 3,397 | 20 | 59 |
| | | 6/01 | 33,169 | | 2,950 | 20 | 55 |
| | | 7/01 | 37,468 | 17.54 | 2,595 | 20 | 60 |
| | | 8/01 | 35,511 | 17.54 | 2,493 | 20 | 57 |
| | | 9/01 | 35,392 | 17.45 | 2,827 | 20 | 59 |
| | | 10/01 | 36,510 | 17.45 | 2,754 | 20 | 59 |
| | | 11/01 | 33,271 | 17.45 | 2,722 | 20 | 55 |
| | | 12/01 | 31,998 | 12.12 | 3,259 | 20 | 52 |
| | | | 431,082 | | 35,739 | | |
| DOMINION | MID CHARLTON EAST | 1/01 | 22,883 | 24.61 | 100 | 16 | 46 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|----|----|
| DOMINION | MID CHARLTON EAST | 2/01 | 19,890 | 24.61 | 124 | 16 | 44 | | |
| | | 3/01 | 20,373 | 26.16 | 87 | 16 | 41 | | |
| | | 4/01 | 19,503 | 26.16 | 145 | 16 | 41 | | |
| | | 5/01 | 20,840 | 26.16 | 44 | 16 | 42 | | |
| | | 6/01 | 21,384 | 26.16 | 70 | 16 | 45 | | |
| | | 7/01 | 18,459 | 26.16 | 27 | 16 | 37 | | |
| | | 8/01 | 15,754 | 26.16 | 62 | 16 | 32 | | |
| | | 9/01 | 15,421 | 24.89 | 13 | 16 | 32 | | |
| | | 10/01 | 21,038 | 26.16 | 170 | 16 | 42 | | |
| | | 11/01 | 18,204 | 26.00 | 58 | 16 | 38 | | |
| | | 12/01 | 16,702 | 25.55 | 24 | 16 | 34 | | |
| | | | | | 230,451 | | 924 | | |
| | | DOMINION | MID CHARLTON WEST | 1/01 | 18,814 | 23.97 | 1,208 | 13 | 47 |
| 2/01 | 19,786 | | | 23.97 | 1,221 | 13 | 54 | | |
| 3/01 | 20,992 | | | 25.19 | 274 | 13 | 52 | | |
| 4/01 | 19,168 | | | 25.19 | 1,208 | 13 | 49 | | |
| 5/01 | 20,604 | | | 25.19 | 1,731 | 13 | 51 | | |
| 6/01 | 20,692 | | | 25.19 | 1,104 | 13 | 53 | | |
| 7/01 | 19,426 | | | 25.19 | 321 | 13 | 48 | | |
| 8/01 | 17,356 | | | 25.19 | 1,013 | 13 | 43 | | |
| 9/01 | 13,445 | | | 24.89 | 876 | 13 | 34 | | |
| 10/01 | 18,397 | | | 26.16 | 1,574 | 13 | 46 | | |
| 11/01 | 17,276 | | | 24.32 | 1,839 | 13 | 44 | | |
| 12/01 | 15,328 | | | 25.55 | 2,759 | 13 | 38 | | |
| | | | | | 221,284 | | 15,128 | | |
| DOMINION | NORTH BAY | 1/01 | 96,334 | 9.30 | 28,778 | 32 | 97 | | |
| | | 2/01 | 87,002 | 9.35 | 24,907 | 34 | 91 | | |
| | | 3/01 | 92,417 | 9.55 | 25,550 | 34 | 88 | | |
| | | 4/01 | 88,210 | 9.60 | 22,653 | 34 | 86 | | |
| | | 5/01 | 91,109 | 9.49 | 22,979 | 34 | 86 | | |
| | | 6/01 | 84,725 | 9.70 | 20,561 | 34 | 83 | | |
| | | 7/01 | 88,339 | 9.83 | 20,980 | 34 | 84 | | |
| | | 8/01 | 88,522 | 9.67 | 21,517 | 34 | 84 | | |
| | | 9/01 | 85,311 | 9.67 | 20,002 | 34 | 84 | | |
| | | 10/01 | 90,761 | 9.97 | 23,922 | 35 | 84 | | |
| | | 11/01 | 87,882 | 10.13 | 19,416 | 35 | 84 | | |
| | | 12/01 | 90,657 | 10.15 | 19,647 | 35 | 84 | | |
| | | | | | 1,071,269 | | 270,912 | | |
| DOMINION | NORTH HARDWOOD | 1/01 | 54,322 | 17.49 | 363 | 10 | 175 | | |
| | | 2/01 | 46,650 | 17.57 | 378 | 10 | 167 | | |
| | | 3/01 | 49,003 | 17.21 | 521 | 10 | 158 | | |
| | | 4/01 | 48,872 | 16.51 | 455 | 10 | 163 | | |
| | | 5/01 | 50,318 | 17.21 | 502 | 10 | 162 | | |
| | | 6/01 | 47,378 | 17.39 | 1,293 | 10 | 158 | | |
| | | 7/01 | 48,042 | 17.44 | 1,553 | 10 | 155 | | |
| | | 8/01 | 46,359 | 17.55 | 1,953 | 10 | 150 | | |
| | | 9/01 | 47,811 | 17.55 | 2,030 | 10 | 159 | | |
| | | 10/01 | 50,063 | 17.84 | 2,105 | 11 | 147 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DOMINION | NORTH HARDWOOD | 11/01 | 46,191 | 17.94 | 1,812 | 11 | 140 |
| | | 12/01 | 45,702 | 18.33 | 1,778 | 11 | 134 |
| | | | 580,711 | | 14,743 | | |
| DOMINION | NORWAY HUNT CLUB | 1/01 | 2,611 | 8.03 | 1,790 | 1 | 84 |
| | | 2/01 | 2,258 | 7.45 | 1,330 | 1 | 81 |
| | | 3/01 | 2,437 | 8.06 | 1,225 | 1 | 79 |
| | | 4/01 | 1,750 | 8.17 | 1,070 | 1 | 58 |
| | | 5/01 | 1,589 | 8.05 | 1,010 | 1 | 51 |
| | | 6/01 | 1,700 | 7.01 | 820 | 1 | 57 |
| | | 7/01 | 1,685 | 8.37 | 700 | 1 | 54 |
| | | 8/01 | 1,656 | 8.39 | 750 | 1 | 53 |
| | | 9/01 | 1,556 | 8.39 | 545 | 1 | 52 |
| | | 10/01 | 1,542 | 8.52 | 780 | 1 | 50 |
| | | 11/01 | 1,350 | 8.71 | 760 | 1 | 45 |
| | | 12/01 | 1,413 | 8.73 | 670 | 1 | 46 |
| | | | 21,547 | | 11,450 | | |
| DOMINION | PAFFI | 1/01 | 20,907 | 6.20 | 1,944 | 6 | 112 |
| | | 2/01 | 20,370 | 6.14 | 1,653 | 6 | 121 |
| | | 3/01 | 22,624 | 6.11 | 1,417 | 6 | 122 |
| | | 4/01 | 20,009 | 6.41 | 1,706 | 6 | 111 |
| | | 5/01 | 20,596 | 6.41 | 1,619 | 6 | 111 |
| | | 6/01 | 18,731 | 6.58 | 1,417 | 6 | 104 |
| | | 7/01 | 19,285 | 6.49 | 1,549 | 6 | 104 |
| | | 8/01 | 19,537 | 6.26 | 1,002 | 6 | 105 |
| | | 9/01 | 17,862 | 6.26 | 1,266 | 6 | 99 |
| | | 10/01 | 18,739 | 6.37 | 1,234 | 6 | 101 |
| | | 11/01 | 17,892 | 6.49 | 1,048 | 6 | 99 |
| | | 12/01 | 20,181 | 6.97 | 2,772 | 6 | 108 |
| | | | 236,733 | | 18,627 | | |
| DOMINION | PRIVATE SCHMITT CREEK | 1/01 | 41,116 | 5.75 | 95,100 | 8 | 166 |
| | | 2/01 | 34,968 | 5.88 | 46,232 | 8 | 156 |
| | | 3/01 | 38,497 | 5.41 | 63,118 | 10 | 124 |
| | | 4/01 | 38,403 | 5.41 | 64,045 | 10 | 128 |
| | | 5/01 | 42,304 | 5.55 | 74,964 | 10 | 136 |
| | | 6/01 | 41,209 | 5.97 | 68,563 | 10 | 137 |
| | | 7/01 | 38,487 | 6.22 | 67,886 | 9 | 138 |
| | | 8/01 | 38,484 | 6.30 | 83,575 | 10 | 124 |
| | | 9/01 | 37,003 | 6.30 | 85,816 | 10 | 123 |
| | | 10/01 | 34,470 | 6.61 | 66,463 | 10 | 111 |
| | | 11/01 | 30,587 | 6.93 | 65,566 | 10 | 102 |
| | | 12/01 | 32,460 | 6.95 | 91,485 | 10 | 105 |
| | | | 447,988 | | 872,813 | | |
| DOMINION | SAGE CREEK | 1/01 | 56,340 | 15.64 | 419 | 16 | 114 |
| | | 2/01 | 50,748 | 15.60 | 267 | 16 | 113 |
| | | 3/01 | 52,778 | 15.78 | 645 | 16 | 106 |
| | | 4/01 | 51,490 | 16.19 | 661 | 16 | 107 |
| | | 5/01 | 53,959 | 15.85 | 788 | 16 | 109 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| DOMINION | SAGE CREEK | 6/01 | 51,900 | 16.15 | 736 | 16 | 108 |
| | | 7/01 | 54,099 | 16.12 | 852 | 16 | 109 |
| | | 8/01 | 52,616 | 16.18 | 899 | 16 | 106 |
| | | 9/01 | 50,139 | 16.18 | 785 | 16 | 104 |
| | | 10/01 | 56,851 | 16.62 | 1,844 | 19 | 97 |
| | | 11/01 | 54,366 | 16.67 | 973 | 18 | 101 |
| | | 12/01 | 56,033 | 16.66 | 1,054 | 18 | 100 |
| | | | 641,319 | | 9,923 | | |
| DOMINION | SCOTT CREEK | 1/01 | 68,524 | 8.64 | 21,085 | 30 | 74 |
| | | 2/01 | 61,037 | 8.35 | 17,197 | 30 | 73 |
| | | 3/01 | 66,776 | 8.54 | 17,928 | 30 | 72 |
| | | 4/01 | 63,631 | 8.34 | 17,506 | 30 | 71 |
| | | 5/01 | 63,429 | 8.26 | 15,455 | 30 | 68 |
| | | 6/01 | 60,946 | 8.36 | 17,111 | 30 | 68 |
| | | 7/01 | 64,825 | 8.12 | 18,741 | 30 | 70 |
| | | 8/01 | 65,048 | 8.16 | 19,072 | 30 | 70 |
| | | 9/01 | 62,256 | 8.16 | 16,480 | 30 | 69 |
| | | 10/01 | 63,513 | 8.71 | 18,641 | 30 | 68 |
| | | 11/01 | 62,275 | 8.62 | 18,630 | 30 | 69 |
| | | 12/01 | 63,560 | 8.59 | 18,498 | 30 | 68 |
| | | | 765,820 | | 216,344 | | |
| DOMINION | SHERIDAN CREEK | 1/01 | 46,635 | 6.20 | 2,063 | 14 | 107 |
| | | 2/01 | 38,855 | 6.14 | 1,663 | 14 | 99 |
| | | 3/01 | 40,593 | 6.11 | 1,527 | 14 | 94 |
| | | 4/01 | 46,140 | 6.41 | 1,591 | 14 | 110 |
| | | 5/01 | 45,264 | 6.41 | 1,546 | 14 | 104 |
| | | 6/01 | 44,403 | 6.50 | 1,692 | 14 | 106 |
| | | 7/01 | 45,238 | 6.49 | 1,764 | 14 | 104 |
| | | 8/01 | 39,218 | 6.26 | 938 | 14 | 90 |
| | | 9/01 | 40,809 | 6.26 | 1,282 | 14 | 97 |
| | | 10/01 | 40,383 | 6.37 | 1,218 | 14 | 93 |
| | | 11/01 | 37,572 | 6.49 | 1,210 | 15 | 83 |
| | | 12/01 | 46,053 | 6.97 | 2,063 | 15 | 99 |
| | | | 511,163 | | 18,557 | | |
| DOMINION | SOUTH BRILEY | 1/01 | 211,582 | 17.67 | 6,683 | 41 | 166 |
| | | 2/01 | 190,513 | 17.98 | 5,764 | 41 | 166 |
| | | 3/01 | 204,706 | 18.04 | 5,779 | 41 | 161 |
| | | 4/01 | 200,880 | 18.08 | 5,552 | 41 | 163 |
| | | 5/01 | 203,660 | 18.08 | 5,591 | 41 | 160 |
| | | 6/01 | 193,798 | 18.30 | 5,114 | 41 | 158 |
| | | 7/01 | 199,964 | 18.39 | 4,999 | 41 | 157 |
| | | 8/01 | 177,577 | 18.48 | 7,066 | 41 | 140 |
| | | 9/01 | 180,811 | 18.48 | 9,563 | 41 | 147 |
| | | 10/01 | 205,902 | 17.73 | 10,358 | 42 | 158 |
| | | 11/01 | 186,039 | 18.38 | 7,985 | 42 | 148 |
| | | 12/01 | 192,152 | 18.76 | 8,012 | 42 | 148 |
| | | | 2,347,584 | | 82,466 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------------|-----------------|-----------|-------|------------------|---------------|--------------------------|
| DOMINION | STATE MAPLE FOREST | 1/01 | 50,332 | 15.66 | 7,813 | 40 | 41 |
| | | 2/01 | 44,367 | 15.31 | 7,595 | 32 | 50 |
| | | 3/01 | 49,525 | 15.54 | 8,461 | 32 | 50 |
| | | 4/01 | 45,386 | 15.57 | 6,432 | 32 | 47 |
| | | 5/01 | 50,056 | 15.71 | 7,839 | 32 | 50 |
| | | 6/01 | 46,774 | 15.62 | 7,227 | 32 | 49 |
| | | 7/01 | 43,985 | 15.69 | 5,527 | 32 | 44 |
| | | 8/01 | 49,445 | 15.65 | 7,628 | 32 | 50 |
| | | 9/01 | 48,561 | 15.65 | 7,707 | 32 | 51 |
| | | 10/01 | 48,273 | 0.00 | 7,210 | 32 | 49 |
| | | 11/01 | 46,674 | 15.59 | 7,401 | 34 | 46 |
| | | 12/01 | 44,078 | 15.63 | 6,070 | 40 | 36 |
| | | | | | 567,456 | | 86,910 |
| DOMINION | STATE SCHMITT CREEK | 1/01 | 81,208 | 5.75 | 179,359 | 32 | 82 |
| | | 2/01 | 76,731 | 5.88 | 189,057 | 28 | 98 |
| | | 3/01 | 81,631 | 5.41 | 188,680 | 27 | 98 |
| | | 4/01 | 73,919 | 5.41 | 172,921 | 28 | 88 |
| | | 5/01 | 76,243 | 5.55 | 202,401 | 27 | 91 |
| | | 6/01 | 71,780 | 5.97 | 185,120 | 28 | 85 |
| | | 7/01 | 74,035 | 6.22 | 183,293 | 29 | 82 |
| | | 8/01 | 73,569 | 6.30 | 225,651 | 28 | 85 |
| | | 9/01 | 70,638 | 6.30 | 231,704 | 28 | 84 |
| | | 10/01 | 66,493 | 6.61 | 179,449 | 28 | 77 |
| | | 11/01 | 57,144 | 6.93 | 177,028 | 28 | 68 |
| | | 12/01 | 59,762 | 6.95 | 265,307 | 29 | 66 |
| | | | | | 863,153 | | 2,379,970 |
| DOMINION | THOMAS LAKE | 1/01 | 151,915 | 12.00 | 9,509 | 44 | 111 |
| | | 2/01 | 139,537 | 12.08 | 8,126 | 43 | 116 |
| | | 3/01 | 146,339 | 12.09 | 10,508 | 44 | 107 |
| | | 4/01 | 140,173 | 12.50 | 10,452 | 43 | 109 |
| | | 5/01 | 151,568 | 12.00 | 11,151 | 44 | 111 |
| | | 6/01 | 138,488 | 12.50 | 8,700 | 44 | 105 |
| | | 7/01 | 141,450 | 12.68 | 9,261 | 44 | 104 |
| | | 8/01 | 137,914 | 12.77 | 7,841 | 44 | 101 |
| | | 9/01 | 137,454 | 12.71 | 7,010 | 43 | 107 |
| | | 10/01 | 141,036 | 13.01 | 8,133 | 43 | 106 |
| | | 11/01 | 135,521 | 13.01 | 7,822 | 43 | 105 |
| | | 12/01 | 133,075 | 13.13 | 9,005 | 43 | 100 |
| | | | | | 1,694,470 | | 107,518 |
| DOMINION | WEBBER CREEK | 1/01 | 20,985 | 17.84 | 1,460 | 10 | 68 |
| | | 2/01 | 20,204 | 0.00 | 1,304 | 10 | 72 |
| | | 3/01 | 21,890 | 18.08 | 1,271 | 10 | 71 |
| | | 4/01 | 21,797 | 16.77 | 714 | 10 | 73 |
| | | 5/01 | 21,415 | 17.13 | 802 | 10 | 69 |
| | | 6/01 | 20,945 | 17.87 | 917 | 10 | 70 |
| | | 7/01 | 21,354 | 17.84 | 1,012 | 10 | 69 |
| | | 8/01 | 20,135 | 17.28 | 782 | 10 | 65 |
| | | 9/01 | 19,073 | 17.28 | 1,289 | 10 | 64 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------------------------|----------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| DOMINION | WEBBER CREEK | 10/01 | 16,720 | 18.51 | 1,293 | 10 | 54 |
| | | 11/01 | 18,774 | 18.00 | 1,044 | 10 | 63 |
| | | 12/01 | 21,560 | 18.88 | 1,413 | 10 | 70 |
| | | | 244,852 | | 13,301 | | |
| DOMINION | WILD WEST | 1/01 | 66,625 | 12.00 | 28,089 | 18 | 119 |
| | | 2/01 | 59,753 | 12.08 | 24,592 | 18 | 119 |
| | | 3/01 | 63,746 | 12.09 | 18,641 | 18 | 114 |
| | | 4/01 | 60,081 | 12.50 | 20,558 | 18 | 111 |
| | | 5/01 | 64,087 | 12.00 | 26,400 | 18 | 115 |
| | | 6/01 | 60,563 | 12.50 | 26,160 | 18 | 112 |
| | | 7/01 | 61,135 | 12.68 | 28,153 | 18 | 110 |
| | | 8/01 | 59,383 | 12.77 | 25,460 | 18 | 106 |
| | | 9/01 | 58,006 | 12.71 | 24,768 | 18 | 107 |
| | | 10/01 | 57,959 | 13.01 | 23,449 | 18 | 104 |
| | | 11/01 | 57,465 | 13.01 | 21,224 | 18 | 106 |
| | | 12/01 | 53,207 | 13.13 | 26,498 | 18 | 95 |
| | 722,010 | | 293,992 | | | | |
| DOMINION - REPORTER TOTALS: | | | 25,961,414 | | 9,584,474 | | |
| DTE GAS & OIL COMP | ALBERT 1 | 1/01 | 81,401 | 12.00 | 2,360 | 22 | 119 |
| | | 2/01 | 73,278 | 11.98 | 2,185 | 22 | 119 |
| | | 3/01 | 75,288 | 12.18 | 2,008 | 22 | 110 |
| | | 4/01 | 76,656 | 11.88 | 1,783 | 22 | 116 |
| | | 5/01 | 82,798 | 11.96 | 1,910 | 22 | 121 |
| | | 6/01 | 74,700 | 12.06 | 1,791 | 22 | 113 |
| | | 7/01 | 77,629 | 12.51 | 1,849 | 22 | 114 |
| | | 8/01 | 77,661 | 12.63 | 1,710 | 22 | 114 |
| | | 9/01 | 77,815 | 11.38 | 1,886 | 23 | 113 |
| | | 10/01 | 79,583 | 13.21 | 1,851 | 23 | 112 |
| | | 11/01 | 70,919 | 12.17 | 1,437 | 23 | 103 |
| | | 12/01 | 73,377 | 12.97 | 1,952 | 24 | 99 |
| | 921,105 | | 22,722 | | | | |
| DTE GAS & OIL COMP | ANCHOR STEAM | 1/01 | 13,284 | 1.00 | 44,040 | 9 | 48 |
| | | 2/01 | 12,368 | 0.77 | 36,639 | 9 | 49 |
| | | 3/01 | 12,939 | 0.77 | 36,415 | 9 | 46 |
| | | 4/01 | 11,908 | 0.77 | 36,205 | 9 | 44 |
| | | 5/01 | 11,284 | 0.81 | 36,493 | 9 | 40 |
| | | 6/01 | 11,278 | 0.81 | 36,027 | 9 | 42 |
| | | 7/01 | 5,967 | 0.81 | 36,643 | 9 | 21 |
| | | 8/01 | 9,507 | 0.81 | 34,670 | 9 | 34 |
| | | 9/01 | 8,352 | 0.81 | 32,997 | 9 | 31 |
| | | 10/01 | 6,268 | 0.81 | 31,825 | 9 | 22 |
| | | 11/01 | 7,678 | 0.81 | 29,670 | 9 | 28 |
| | | 12/01 | 7,539 | 0.81 | 28,912 | 9 | 27 |
| | 118,372 | | 420,536 | | | | |
| DTE GAS & OIL COMP | APPLE ORCHARD | 1/01 | 17,248 | 19.00 | 597 | 8 | 70 |
| | | 2/01 | 15,293 | 19.73 | 554 | 8 | 68 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|---------------------|--------------------|---------------|-------|----------------|---------------|--------------------------|----|----|
| DTE GAS & OIL COMP | APPLE ORCHARD | 3/01 | 16,302 | 19.49 | 590 | 8 | 66 | | |
| | | 4/01 | 15,992 | 19.59 | 580 | 8 | 67 | | |
| | | 5/01 | 16,838 | 19.22 | 609 | 8 | 68 | | |
| | | 6/01 | 16,065 | 19.53 | 600 | 8 | 67 | | |
| | | 7/01 | 16,415 | 19.56 | 580 | 8 | 66 | | |
| | | 8/01 | 14,887 | 19.72 | 566 | 8 | 60 | | |
| | | 9/01 | 15,709 | 19.43 | 588 | 8 | 65 | | |
| | | 10/01 | 16,107 | 19.94 | 624 | 8 | 65 | | |
| | | 11/01 | 13,490 | 19.88 | 534 | 8 | 56 | | |
| | | 12/01 | 14,895 | 19.93 | 622 | 8 | 60 | | |
| | | | | | 189,241 | | 7,044 | | |
| | | DTE GAS & OIL COMP | ARTHUR MILLER | 1/01 | 44,409 | 6.00 | 22,944 | 24 | 60 |
| | | | | 2/01 | 39,925 | 6.38 | 20,930 | 25 | 57 |
| 3/01 | 44,604 | | | 6.80 | 22,062 | 25 | 58 | | |
| 4/01 | 41,773 | | | 6.80 | 19,859 | 25 | 56 | | |
| 5/01 | 43,746 | | | 6.80 | 20,562 | 25 | 56 | | |
| 6/01 | 40,621 | | | 6.80 | 19,725 | 25 | 54 | | |
| 7/01 | 41,875 | | | 6.80 | 19,441 | 25 | 54 | | |
| 8/01 | 42,475 | | | 6.80 | 19,716 | 25 | 55 | | |
| 9/01 | 40,466 | | | 6.81 | 18,587 | 25 | 54 | | |
| 10/01 | 41,510 | | | 6.81 | 19,318 | 25 | 54 | | |
| 11/01 | 38,473 | | | 6.81 | 18,440 | 25 | 51 | | |
| 12/01 | 38,462 | | | 6.81 | 12,114 | 25 | 50 | | |
| | | | | | 498,339 | | 233,698 | | |
| DTE GAS & OIL COMP | BAGLEY WEST AIRPORT | 1/01 | 11,286 | 12.24 | 5,795 | 17 | 21 | | |
| | | 2/01 | 9,256 | 14.06 | 5,541 | 17 | 19 | | |
| | | 3/01 | 10,938 | 11.50 | 5,923 | 17 | 21 | | |
| | | 4/01 | 10,055 | 11.50 | 5,691 | 17 | 20 | | |
| | | 5/01 | 13,981 | 11.50 | 5,241 | 17 | 27 | | |
| | | 6/01 | 14,027 | 11.60 | 5,270 | 17 | 28 | | |
| | | 7/01 | 13,944 | 11.60 | 4,931 | 17 | 26 | | |
| | | 8/01 | 12,458 | 11.60 | 4,804 | 17 | 24 | | |
| | | 9/01 | 11,776 | 11.51 | 4,394 | 17 | 23 | | |
| | | 10/01 | 12,899 | 11.51 | 3,663 | 17 | 24 | | |
| | | 11/01 | 12,942 | 11.51 | 2,032 | 17 | 25 | | |
| | | 12/01 | 13,374 | 11.51 | 926 | 16 | 27 | | |
| | | | | | 146,936 | | 54,211 | | |
| DTE GAS & OIL COMP | BAGLEY WEST GP | 1/01 | 21,971 | 14.06 | 18,236 | 19 | 37 | | |
| | | 2/01 | 18,771 | 14.06 | 15,806 | 19 | 35 | | |
| | | 3/01 | 21,513 | 14.07 | 18,856 | 19 | 37 | | |
| | | 4/01 | 21,123 | 14.07 | 17,725 | 19 | 37 | | |
| | | 5/01 | 20,855 | 14.07 | 22,062 | 19 | 35 | | |
| | | 6/01 | 19,940 | 14.06 | 21,268 | 19 | 35 | | |
| | | 7/01 | 20,821 | 14.06 | 18,468 | 19 | 35 | | |
| | | 8/01 | 19,867 | 14.06 | 13,791 | 19 | 34 | | |
| | | 9/01 | 18,872 | 14.06 | 12,362 | 19 | 33 | | |
| | | 10/01 | 19,506 | 14.06 | 4,863 | 19 | 33 | | |
| | | 11/01 | 16,727 | 14.06 | 5,101 | 19 | 29 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DTE GAS & OIL COMP | BAGLEY WEST GP | 12/01 | 16,556 | 14.06 | 4,983 | 19 | 28 |
| | | | 236,522 | | 173,521 | | |
| DTE GAS & OIL COMP | BOYNE VALLEY 31 MICROW | 1/01 | 8,862 | 0.00 | 72,353 | 8 | 36 |
| | | 2/01 | 4,524 | 0.00 | 66,079 | 7 | 23 |
| | | 3/01 | 5,079 | 0.00 | 54,521 | 7 | 23 |
| | | 4/01 | 4,501 | 0.25 | 42,974 | 7 | 21 |
| | | 5/01 | 5,347 | 0.25 | 48,527 | 6 | 29 |
| | | 6/01 | 5,923 | 0.25 | 49,111 | 8 | 25 |
| | | 7/01 | 6,648 | 0.25 | 50,517 | 8 | 27 |
| | | 8/01 | 3,622 | 0.25 | 40,513 | 8 | 15 |
| | | 9/01 | 3,459 | 0.25 | 27,144 | 7 | 16 |
| | | 10/01 | 4,831 | 0.28 | 32,432 | 7 | 22 |
| | | 11/01 | 3,915 | 0.28 | 22,665 | 8 | 16 |
| | | 12/01 | 2,788 | 0.28 | 22,844 | 8 | 11 |
| | | | 59,499 | | 529,680 | | |
| DTE GAS & OIL COMP | BRUSH LIMBAUGH | 1/01 | 31,499 | 10.00 | 10,329 | 21 | 48 |
| | | 2/01 | 27,705 | 9.90 | 9,236 | 21 | 47 |
| | | 3/01 | 30,270 | 10.04 | 10,552 | 21 | 46 |
| | | 4/01 | 28,724 | 10.04 | 10,063 | 21 | 46 |
| | | 5/01 | 28,493 | 10.04 | 9,832 | 21 | 44 |
| | | 6/01 | 28,864 | 10.04 | 9,835 | 21 | 46 |
| | | 7/01 | 30,096 | 10.04 | 10,695 | 21 | 46 |
| | | 8/01 | 29,985 | 10.04 | 10,592 | 21 | 46 |
| | | 9/01 | 28,314 | 10.40 | 9,997 | 21 | 45 |
| | | 10/01 | 27,764 | 10.40 | 10,084 | 21 | 43 |
| | | 11/01 | 26,524 | 10.40 | 8,762 | 21 | 42 |
| | | 12/01 | 27,496 | 10.40 | 4,511 | 21 | 42 |
| | | | 345,734 | | 114,488 | | |
| DTE GAS & OIL COMP | CHESS PLAY | 1/01 | 39,289 | 2.91 | 37,573 | 30 | 42 |
| | | 2/01 | 36,061 | 4.40 | 33,164 | 30 | 43 |
| | | 3/01 | 40,535 | 4.77 | 32,628 | 30 | 44 |
| | | 4/01 | 41,123 | 4.39 | 40,199 | 30 | 46 |
| | | 5/01 | 42,567 | 3.66 | 46,140 | 30 | 46 |
| | | 6/01 | 42,508 | 4.59 | 50,061 | 30 | 47 |
| | | 7/01 | 49,183 | 4.58 | 56,430 | 30 | 53 |
| | | 8/01 | 49,547 | 4.53 | 61,619 | 30 | 53 |
| | | 9/01 | 48,539 | 4.58 | 60,321 | 30 | 54 |
| | | 10/01 | 48,314 | 4.62 | 51,046 | 30 | 52 |
| | | 11/01 | 46,601 | 4.32 | 27,991 | 30 | 52 |
| | | 12/01 | 45,175 | 4.32 | 25,146 | 26 | 56 |
| | | | 529,442 | | 522,318 | | |
| DTE GAS & OIL COMP | CHESTER WEST | 1/01 | 19,518 | 17.37 | 462 | 29 | 22 |
| | | 2/01 | 18,132 | 17.50 | 452 | 28 | 23 |
| | | 3/01 | 20,563 | 18.26 | 668 | 30 | 22 |
| | | 4/01 | 19,783 | 18.26 | 474 | 31 | 21 |
| | | 5/01 | 19,571 | 18.26 | 617 | 31 | 20 |
| | | 6/01 | 17,775 | 18.29 | 513 | 31 | 19 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| DTE GAS & OIL COMP | CHESTER WEST | 7/01 | 17,022 | 18.29 | 374 | 31 | 18 |
| | | 8/01 | 21,164 | 18.29 | 374 | 31 | 22 |
| | | 9/01 | 19,623 | 18.66 | 542 | 29 | 23 |
| | | 10/01 | 19,348 | 18.66 | 267 | 29 | 22 |
| | | 11/01 | 18,481 | 18.66 | 215 | 31 | 20 |
| | | 12/01 | 18,307 | 19.28 | 161 | 29 | 20 |
| | | | | 229,287 | | 5,119 | |
| DTE GAS & OIL COMP | CHESTONIA 31 PAWN PLAY | 1/01 | 17,120 | 3.53 | 4,408 | 8 | 69 |
| | | 2/01 | 14,639 | 3.53 | 4,648 | 8 | 65 |
| | | 3/01 | 16,374 | 4.77 | 3,620 | 8 | 66 |
| | | 4/01 | 17,030 | 4.39 | 3,758 | 8 | 71 |
| | | 5/01 | 18,676 | 3.66 | 4,032 | 8 | 75 |
| | | 6/01 | 17,532 | 4.59 | 3,801 | 8 | 73 |
| | | 7/01 | 14,377 | 4.58 | 4,037 | 9 | 52 |
| | | 8/01 | 15,162 | 4.53 | 5,063 | 9 | 54 |
| | | 9/01 | 14,854 | 4.58 | 4,273 | 9 | 55 |
| | | 10/01 | 15,735 | 4.62 | 4,722 | 9 | 56 |
| | | 11/01 | 14,976 | 4.32 | 4,707 | 9 | 55 |
| | | 12/01 | 14,846 | 4.32 | 3,876 | 9 | 53 |
| | | 191,321 | | 50,945 | | | |
| DTE GAS & OIL COMP | CLEARWATER 2 | 1/01 | 34,789 | 4.93 | 48,737 | 13 | 86 |
| | | 2/01 | 28,677 | 4.93 | 38,860 | 16 | 64 |
| | | 3/01 | 28,951 | 5.07 | 64,826 | 19 | 49 |
| | | 4/01 | 26,697 | 4.96 | 54,836 | 19 | 47 |
| | | 5/01 | 32,678 | 4.89 | 74,202 | 19 | 55 |
| | | 6/01 | 31,504 | 4.87 | 59,327 | 19 | 55 |
| | | 7/01 | 32,293 | 4.93 | 51,503 | 19 | 55 |
| | | 8/01 | 36,213 | 5.07 | 57,817 | 20 | 58 |
| | | 9/01 | 34,369 | 4.96 | 45,958 | 20 | 57 |
| | | 10/01 | 37,544 | 4.94 | 42,926 | 20 | 61 |
| | | 11/01 | 35,331 | 4.92 | 39,322 | 20 | 59 |
| | | 12/01 | 35,739 | 4.92 | 36,288 | 18 | 64 |
| | | 394,785 | | 614,602 | | | |
| DTE GAS & OIL COMP | CONNIE STEVENS EAST | 1/01 | 69,103 | 16.00 | 5,391 | 18 | 124 |
| | | 2/01 | 65,635 | 15.86 | 4,872 | 18 | 130 |
| | | 3/01 | 72,677 | 15.86 | 3,779 | 18 | 130 |
| | | 4/01 | 70,126 | 15.91 | 3,186 | 18 | 130 |
| | | 5/01 | 72,569 | 16.04 | 3,337 | 18 | 130 |
| | | 6/01 | 68,861 | 16.18 | 3,311 | 18 | 128 |
| | | 7/01 | 69,502 | 16.27 | 3,286 | 18 | 125 |
| | | 8/01 | 69,303 | 16.44 | 3,180 | 18 | 124 |
| | | 9/01 | 65,449 | 16.65 | 3,616 | 18 | 121 |
| | | 10/01 | 66,914 | 16.65 | 3,031 | 18 | 120 |
| | | 11/01 | 62,684 | 16.75 | 2,763 | 18 | 116 |
| | | 12/01 | 63,504 | 17.15 | 2,800 | 18 | 114 |
| | | 816,327 | | 42,552 | | | |
| DTE GAS & OIL COMP | CONNIE STEVENS WEST | 1/01 | 24,903 | 18.00 | 504 | 11 | 73 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-------------------------------|---------------------|-------------------------------|----------------|--------|----------------|---------------|--------------------------|---|---|
| DTE GAS & OIL COMP | CONNIE STEVENS WEST | 2/01 | 22,568 | 17.51 | 482 | 11 | 73 | | |
| | | 3/01 | 24,505 | 17.79 | 489 | 11 | 72 | | |
| | | 4/01 | 23,535 | 18.03 | 441 | 11 | 71 | | |
| | | 5/01 | 24,311 | 17.96 | 414 | 11 | 71 | | |
| | | 6/01 | 22,808 | 18.19 | 326 | 11 | 69 | | |
| | | 7/01 | 23,018 | 18.28 | 307 | 11 | 67 | | |
| | | 8/01 | 22,668 | 18.47 | 273 | 11 | 66 | | |
| | | 9/01 | 21,526 | 18.57 | 236 | 11 | 65 | | |
| | | 10/01 | 22,614 | 18.71 | 269 | 11 | 66 | | |
| | | 11/01 | 21,381 | 18.96 | 257 | 11 | 65 | | |
| | | 12/01 | 21,807 | 19.17 | 309 | 11 | 64 | | |
| | | | | | 275,644 | | 4,307 | | |
| | | DTE GAS & OIL COMP | CUSTER 15 | 9/01 | 273 | 6.55 | 4,573 | 5 | 2 |
| 10/01 | 1,550 | | | 6.57 | 15,806 | 5 | 10 | | |
| 11/01 | 2,593 | | | 5.20 | 19,087 | 5 | 17 | | |
| 12/01 | 10,492 | | | 5.20 | 39,311 | 5 | 68 | | |
| | | | 14,908 | | 78,777 | | | | |
| DTE GAS & OIL COMP | CUSTER 20 | 6/01 | 616 | 5.54 | 7,960 | 6 | 3 | | |
| | | 7/01 | 5,903 | 5.55 | 38,286 | 6 | 32 | | |
| | | 8/01 | 6,726 | 5.48 | 33,908 | 6 | 36 | | |
| | | 9/01 | 8,960 | 5.02 | 39,587 | 6 | 50 | | |
| | | 10/01 | 9,206 | 4.74 | 43,659 | 6 | 49 | | |
| | | 11/01 | 10,717 | 4.99 | 27,141 | 7 | 51 | | |
| | | 12/01 | 12,195 | 4.99 | 18,034 | 7 | 56 | | |
| | | | 54,323 | | 208,575 | | | | |
| DTE GAS & OIL COMP | CUSTER 29 | 1/01 | 39,644 | 4.35 | 55,074 | 13 | 98 | | |
| | | 2/01 | 40,452 | 5.85 | 49,773 | 12 | 120 | | |
| | | 3/01 | 57,694 | 5.44 | 62,572 | 12 | 155 | | |
| | | 4/01 | 58,677 | 5.42 | 60,853 | 12 | 163 | | |
| | | 5/01 | 60,066 | 5.54 | 56,446 | 12 | 161 | | |
| | | 6/01 | 58,679 | 5.54 | 50,515 | 12 | 163 | | |
| | | 7/01 | 68,537 | 5.55 | 53,341 | 12 | 184 | | |
| | | 8/01 | 66,208 | 5.48 | 48,658 | 12 | 178 | | |
| | | 9/01 | 65,327 | 5.48 | 45,663 | 12 | 181 | | |
| | | 10/01 | 64,684 | 5.61 | 44,870 | 12 | 174 | | |
| | | 11/01 | 64,017 | 5.60 | 39,735 | 12 | 178 | | |
| | | 12/01 | 62,443 | 5.60 | 35,895 | 12 | 168 | | |
| | | | 706,428 | | 603,395 | | | | |
| DTE GAS & OIL COMP | CUSTER 33 | 1/01 | 62,416 | 4.92 | 28,674 | 17 | 118 | | |
| | | 2/01 | 58,799 | 5.30 | 24,557 | 17 | 124 | | |
| | | 3/01 | 69,352 | 5.95 | 28,356 | 17 | 132 | | |
| | | 4/01 | 70,038 | 5.97 | 24,315 | 17 | 137 | | |
| | | 5/01 | 71,705 | 5.97 | 22,280 | 17 | 136 | | |
| | | 6/01 | 70,897 | 6.28 | 20,429 | 17 | 139 | | |
| | | 7/01 | 72,898 | 6.13 | 20,472 | 17 | 138 | | |
| | | 8/01 | 69,030 | 6.18 | 19,056 | 17 | 131 | | |
| | 9/01 | 65,419 | 6.55 | 17,515 | 17 | 128 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DTE GAS & OIL COMP | CUSTER 33 | 10/01 | 72,243 | 6.57 | 17,030 | 17 | 137 |
| | | 11/01 | 67,167 | 6.58 | 15,273 | 17 | 132 |
| | | 12/01 | 63,249 | 6.58 | 14,362 | 17 | 120 |
| | | | 813,213 | | 252,319 | | |
| DTE GAS & OIL COMP | CUSTER 35 | 1/01 | 497 | 4.35 | 479 | 1 | 16 |
| | | 2/01 | 896 | 4.53 | 488 | 1 | 32 |
| | | 3/01 | 437 | 5.77 | 429 | 1 | 14 |
| | | 4/01 | 7,979 | 5.83 | 16,686 | 11 | 24 |
| | | 5/01 | 10,564 | 5.83 | 21,545 | 11 | 31 |
| | | 6/01 | 11,910 | 6.49 | 20,101 | 16 | 25 |
| | | 7/01 | 14,151 | 6.45 | 21,391 | 16 | 29 |
| | | 8/01 | 14,393 | 6.45 | 18,741 | 16 | 29 |
| | | 9/01 | 14,836 | 6.41 | 16,559 | 16 | 31 |
| | | 10/01 | 15,839 | 5.97 | 15,668 | 16 | 32 |
| | | 11/01 | 15,513 | 6.39 | 12,712 | 16 | 32 |
| | | 12/01 | 15,889 | 6.39 | 10,558 | 14 | 37 |
| | 122,904 | | 155,357 | | | | |
| DTE GAS & OIL COMP | CUSTER/MANCELONA W | 1/01 | 21,725 | 7.13 | 5,580 | 31 | 23 |
| | | 2/01 | 17,071 | 6.70 | 5,044 | 31 | 20 |
| | | 3/01 | 22,480 | 6.70 | 5,791 | 31 | 23 |
| | | 4/01 | 21,045 | 7.23 | 4,298 | 31 | 23 |
| | | 5/01 | 21,162 | 7.15 | 5,896 | 30 | 23 |
| | | 6/01 | 20,033 | 7.20 | 4,306 | 30 | 22 |
| | | 7/01 | 20,795 | 7.19 | 3,077 | 30 | 22 |
| | | 8/01 | 21,155 | 7.19 | 2,300 | 30 | 23 |
| | | 9/01 | 20,565 | 7.13 | 3,141 | 30 | 23 |
| | | 10/01 | 21,290 | 7.27 | 3,050 | 30 | 23 |
| | | 11/01 | 20,433 | 7.65 | 3,378 | 30 | 23 |
| | | 12/01 | 19,971 | 7.65 | 2,737 | 30 | 21 |
| | 247,725 | | 48,598 | | | | |
| DTE GAS & OIL COMP | ECHO 24 | 1/01 | 5,316 | 2.66 | 31,423 | 6 | 29 |
| | | 2/01 | 3,728 | 1.65 | 36,166 | 6 | 22 |
| | | 3/01 | 3,461 | 1.53 | 43,275 | 6 | 19 |
| | | 4/01 | 3,760 | 2.62 | 40,103 | 6 | 21 |
| | | 5/01 | 3,152 | 2.84 | 41,366 | 6 | 17 |
| | | 6/01 | 4,115 | 2.84 | 40,571 | 6 | 23 |
| | | 7/01 | 2,667 | 2.84 | 47,458 | 6 | 14 |
| | | 8/01 | 4,011 | 3.00 | 51,193 | 6 | 22 |
| | | 9/01 | 4,189 | 2.98 | 42,271 | 6 | 23 |
| | | 10/01 | 3,946 | 2.92 | 39,438 | 6 | 21 |
| | | 11/01 | 1,793 | 3.15 | 37,379 | 6 | 10 |
| | | 12/01 | 3,045 | 3.15 | 28,689 | 6 | 16 |
| | 43,183 | | 479,332 | | | | |
| DTE GAS & OIL COMP | ECHO 26 | 1/01 | 11,468 | 2.66 | 207,730 | 19 | 19 |
| | | 2/01 | 12,540 | 1.65 | 184,338 | 21 | 21 |
| | | 3/01 | 15,924 | 1.53 | 244,641 | 20 | 26 |
| | | 4/01 | 15,808 | 2.62 | 248,223 | 21 | 25 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|--------------|--------------------|----------------|-------|----------------|---------------|--------------------------|----|-----|
| DTE GAS & OIL COMP | ECHO 26 | 5/01 | 18,120 | 2.84 | 265,737 | 21 | 28 | | |
| | | 6/01 | 16,168 | 2.84 | 239,528 | 21 | 26 | | |
| | | 7/01 | 18,033 | 2.84 | 232,846 | 21 | 28 | | |
| | | 8/01 | 18,107 | 3.00 | 260,415 | 21 | 28 | | |
| | | 9/01 | 18,910 | 2.98 | 265,103 | 21 | 30 | | |
| | | 10/01 | 21,006 | 2.92 | 270,611 | 21 | 32 | | |
| | | 11/01 | 21,045 | 3.15 | 156,390 | 21 | 33 | | |
| | | 12/01 | 20,096 | 3.15 | 110,723 | 14 | 46 | | |
| | | | | | 207,225 | | 2,686,285 | | |
| | | DTE GAS & OIL COMP | ELMERS GLEWOLL | 1/01 | 43,817 | 7.00 | 8,128 | 14 | 101 |
| 2/01 | 38,319 | | | 6.97 | 7,071 | 14 | 98 | | |
| 3/01 | 41,910 | | | 6.97 | 7,177 | 14 | 97 | | |
| 4/01 | 42,173 | | | 6.97 | 7,033 | 14 | 100 | | |
| 5/01 | 43,857 | | | 6.97 | 7,018 | 14 | 101 | | |
| 6/01 | 40,868 | | | 6.97 | 6,875 | 14 | 97 | | |
| 7/01 | 42,730 | | | 6.22 | 6,848 | 14 | 98 | | |
| 8/01 | 40,485 | | | 6.22 | 6,210 | 14 | 93 | | |
| 9/01 | 44,426 | | | 6.22 | 6,022 | 14 | 106 | | |
| 10/01 | 43,878 | | | 6.22 | 5,136 | 14 | 101 | | |
| 11/01 | 38,307 | | | 6.22 | 4,049 | 14 | 91 | | |
| 12/01 | 40,317 | | | 6.22 | 4,324 | 14 | 93 | | |
| | | | 501,087 | | 75,891 | | | | |
| DTE GAS & OIL COMP | ELMIRA 14 | 1/01 | 69,772 | 4.88 | 16,603 | 22 | 102 | | |
| | | 2/01 | 61,752 | 4.56 | 13,409 | 22 | 100 | | |
| | | 3/01 | 64,549 | 4.63 | 13,459 | 22 | 95 | | |
| | | 4/01 | 62,299 | 4.82 | 13,425 | 22 | 94 | | |
| | | 5/01 | 63,710 | 4.76 | 15,543 | 22 | 93 | | |
| | | 6/01 | 64,394 | 4.82 | 14,902 | 22 | 98 | | |
| | | 7/01 | 67,301 | 4.82 | 15,948 | 22 | 99 | | |
| | | 8/01 | 66,386 | 4.91 | 15,398 | 22 | 97 | | |
| | | 9/01 | 33,068 | 4.86 | 17,656 | 22 | 50 | | |
| | | 10/01 | 45,306 | 5.17 | 14,675 | 22 | 66 | | |
| | | 11/01 | 61,665 | 5.98 | 11,368 | 22 | 93 | | |
| | | 12/01 | 63,937 | 6.10 | 14,588 | 22 | 94 | | |
| | | | 724,139 | | 176,974 | | | | |
| DTE GAS & OIL COMP | ELMIRA 23 | 1/01 | 41,704 | 6.50 | 9,110 | 12 | 112 | | |
| | | 2/01 | 37,946 | 6.60 | 7,287 | 12 | 113 | | |
| | | 3/01 | 40,053 | 6.81 | 7,364 | 12 | 108 | | |
| | | 4/01 | 40,274 | 6.16 | 7,336 | 12 | 112 | | |
| | | 5/01 | 39,019 | 6.75 | 8,481 | 12 | 105 | | |
| | | 6/01 | 39,619 | 6.79 | 8,099 | 12 | 110 | | |
| | | 7/01 | 37,394 | 6.84 | 8,689 | 12 | 101 | | |
| | | 8/01 | 36,659 | 6.34 | 8,672 | 12 | 99 | | |
| | | 9/01 | 35,382 | 6.91 | 9,961 | 12 | 98 | | |
| | | 10/01 | 36,104 | 6.95 | 8,011 | 12 | 97 | | |
| | | 11/01 | 36,232 | 6.95 | 6,199 | 12 | 101 | | |
| | | 12/01 | 36,521 | 7.11 | 8,059 | 12 | 98 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 456,907 | | 97,268 | | |
| DTE GAS & OIL COMP | ELMIRA 26 | 1/01 | 64,037 | 6.50 | 12,142 | 16 | 129 |
| | | 2/01 | 55,865 | 6.76 | 9,765 | 16 | 125 |
| | | 3/01 | 56,783 | 6.76 | 9,779 | 16 | 114 |
| | | 4/01 | 53,545 | 6.76 | 9,716 | 16 | 112 |
| | | 5/01 | 59,570 | 6.76 | 11,350 | 16 | 120 |
| | | 6/01 | 59,791 | 6.76 | 10,883 | 16 | 125 |
| | | 7/01 | 60,931 | 6.76 | 11,490 | 16 | 123 |
| | | 8/01 | 61,132 | 6.76 | 11,095 | 16 | 123 |
| | | 9/01 | 58,379 | 6.76 | 13,278 | 16 | 122 |
| | | 10/01 | 59,117 | 7.19 | 10,677 | 16 | 119 |
| | | 11/01 | 57,645 | 7.19 | 7,884 | 16 | 120 |
| | | 12/01 | 56,966 | 7.19 | 10,749 | 16 | 115 |
| | | | 703,761 | | 128,808 | | |
| DTE GAS & OIL COMP | ELMIRA THRIVE WEST | 1/01 | 23,208 | 5.87 | 31,609 | 9 | 83 |
| | | 2/01 | 20,741 | 6.09 | 28,260 | 9 | 82 |
| | | 3/01 | 21,365 | 5.85 | 28,420 | 9 | 77 |
| | | 4/01 | 19,609 | 6.15 | 32,240 | 9 | 73 |
| | | 5/01 | 19,901 | 6.06 | 31,450 | 9 | 71 |
| | | 6/01 | 18,527 | 5.91 | 26,574 | 9 | 69 |
| | | 7/01 | 18,927 | 5.84 | 27,170 | 9 | 68 |
| | | 8/01 | 21,074 | 5.76 | 35,445 | 9 | 76 |
| | | 9/01 | 22,379 | 5.61 | 37,173 | 9 | 83 |
| | | 10/01 | 23,527 | 5.55 | 36,258 | 9 | 84 |
| | | 11/01 | 22,795 | 5.55 | 32,863 | 9 | 84 |
| | | 12/01 | 24,729 | 5.75 | 33,254 | 9 | 89 |
| | | | 256,782 | | 380,716 | | |
| DTE GAS & OIL COMP | ELVIRA 11 | 1/01 | 33,386 | 9.29 | 29,640 | 23 | 47 |
| | | 2/01 | 32,313 | 8.98 | 27,040 | 23 | 50 |
| | | 3/01 | 34,884 | 6.41 | 29,200 | 23 | 49 |
| | | 4/01 | 34,512 | 9.29 | 28,185 | 23 | 50 |
| | | 5/01 | 34,599 | 7.28 | 25,420 | 23 | 49 |
| | | 6/01 | 35,165 | 6.48 | 28,180 | 23 | 51 |
| | | 7/01 | 26,865 | 7.91 | 28,330 | 23 | 38 |
| | | 8/01 | 35,716 | 6.86 | 29,955 | 23 | 50 |
| | | 9/01 | 32,281 | 9.05 | 27,586 | 23 | 47 |
| | | 10/01 | 37,616 | 7.24 | 30,334 | 23 | 53 |
| | | 11/01 | 34,753 | 7.34 | 27,969 | 23 | 50 |
| | | 12/01 | 33,790 | 8.37 | 26,808 | 20 | 54 |
| | | | 405,880 | | 338,647 | | |
| DTE GAS & OIL COMP | FLINT NAPPERS | 1/01 | 30,610 | 4.92 | 12,911 | 14 | 71 |
| | | 2/01 | 26,959 | 4.90 | 11,232 | 14 | 69 |
| | | 3/01 | 28,979 | 4.98 | 12,273 | 14 | 67 |
| | | 4/01 | 27,907 | 4.99 | 11,532 | 14 | 66 |
| | | 5/01 | 28,060 | 4.70 | 11,653 | 14 | 65 |
| | | 6/01 | 26,332 | 4.93 | 12,008 | 14 | 63 |
| | | 7/01 | 27,032 | 5.02 | 12,355 | 14 | 62 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|---------------|-----------------|-----------|----------------|-------------|----------------|--------------------------|
| DTE GAS & OIL COMP | FLINT NAPPERS | 8/01 | 26,519 | 4.94 | 13,297 | 14 | 61 |
| | | 9/01 | 25,339 | 4.95 | 13,151 | 14 | 60 |
| | | 10/01 | 25,891 | 4.99 | 12,066 | 14 | 60 |
| | | 11/01 | 24,509 | 4.96 | 10,775 | 14 | 58 |
| | | 12/01 | 24,722 | 4.96 | 10,476 | 14 | 57 |
| | | | | 322,859 | | 143,729 | |
| DTE GAS & OIL COMP | FOSTERS LAGER | 1/01 | 24,378 | 7.00 | 5,063 | 12 | 66 |
| | | 2/01 | 21,106 | 6.99 | 4,324 | 12 | 63 |
| | | 3/01 | 23,325 | 6.99 | 4,095 | 12 | 63 |
| | | 4/01 | 22,016 | 6.99 | 3,728 | 12 | 61 |
| | | 5/01 | 22,542 | 7.00 | 3,435 | 12 | 61 |
| | | 6/01 | 21,197 | 7.00 | 3,302 | 12 | 59 |
| | | 7/01 | 26,495 | 7.00 | 3,444 | 12 | 71 |
| | | 8/01 | 21,606 | 7.00 | 3,120 | 12 | 58 |
| | | 9/01 | 21,173 | 7.00 | 3,444 | 12 | 59 |
| | | 10/01 | 23,468 | 7.00 | 3,441 | 12 | 63 |
| | | 11/01 | 20,062 | 5.04 | 3,299 | 12 | 56 |
| | | 12/01 | 20,662 | 5.04 | 2,864 | 11 | 61 |
| | | 268,030 | | 43,559 | | | |
| DTE GAS & OIL COMP | HAWK LAKE | 1/01 | 9,818 | 10.44 | 1,908 | 12 | 26 |
| | | 2/01 | 7,216 | 10.15 | 1,520 | 12 | 21 |
| | | 3/01 | 8,613 | 10.44 | 1,694 | 12 | 23 |
| | | 4/01 | 10,585 | 10.15 | 1,484 | 12 | 29 |
| | | 5/01 | 10,778 | 10.56 | 1,866 | 12 | 29 |
| | | 6/01 | 7,824 | 10.56 | 1,647 | 12 | 22 |
| | | 7/01 | 5,190 | 10.81 | 1,618 | 12 | 14 |
| | | 8/01 | 7,903 | 10.81 | 1,488 | 12 | 21 |
| | | 9/01 | 5,981 | 10.56 | 1,498 | 12 | 17 |
| | | 10/01 | 7,995 | 10.56 | 1,424 | 12 | 21 |
| | | 11/01 | 9,966 | 10.56 | 1,417 | 12 | 28 |
| | | 12/01 | 9,175 | 10.56 | 1,527 | 11 | 27 |
| | | 101,044 | | 19,091 | | | |
| DTE GAS & OIL COMP | HELENA 25 | 1/01 | 31,226 | 4.59 | 22,743 | 13 | 77 |
| | | 2/01 | 27,300 | 4.35 | 21,540 | 13 | 75 |
| | | 3/01 | 30,941 | 4.30 | 25,544 | 14 | 71 |
| | | 4/01 | 29,594 | 4.31 | 29,812 | 14 | 70 |
| | | 5/01 | 31,807 | 4.40 | 23,214 | 14 | 73 |
| | | 6/01 | 32,619 | 4.42 | 20,632 | 14 | 78 |
| | | 7/01 | 33,696 | 2.99 | 20,038 | 14 | 78 |
| | | 8/01 | 37,577 | 2.99 | 19,065 | 14 | 87 |
| | | 9/01 | 35,237 | 2.99 | 16,087 | 14 | 84 |
| | | 10/01 | 37,246 | 4.70 | 17,451 | 14 | 86 |
| | | 11/01 | 36,910 | 4.59 | 16,282 | 14 | 88 |
| | | 12/01 | 35,565 | 4.59 | 15,062 | 14 | 82 |
| | | 399,718 | | 247,470 | | | |
| DTE GAS & OIL COMP | HILLBILLY | 1/01 | 43,867 | 12.00 | 25,350 | 21 | 67 |
| | | 2/01 | 39,191 | 11.67 | 16,856 | 21 | 67 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|------------------------|--------------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| DTE GAS & OIL COMP | HILLBILLY | 3/01 | 42,564 | 11.67 | 15,395 | 21 | 65 | | |
| | | 4/01 | 40,489 | 11.67 | 14,827 | 21 | 64 | | |
| | | 5/01 | 40,142 | 11.69 | 10,126 | 21 | 62 | | |
| | | 6/01 | 38,391 | 11.69 | 12,636 | 21 | 61 | | |
| | | 7/01 | 38,847 | 11.69 | 27,811 | 21 | 60 | | |
| | | 8/01 | 40,580 | 11.69 | 28,539 | 21 | 62 | | |
| | | 9/01 | 38,831 | 12.22 | 25,963 | 21 | 62 | | |
| | | 10/01 | 37,949 | 12.22 | 17,977 | 21 | 58 | | |
| | | 11/01 | 37,608 | 12.22 | 25,375 | 21 | 60 | | |
| | | 12/01 | 38,960 | 12.22 | 28,496 | 21 | 60 | | |
| | | | | | 477,419 | | 249,351 | | |
| | | DTE GAS & OIL COMP | IRON OXIDE | 1/01 | 41,775 | 11.12 | 3,406 | 21 | 64 |
| 2/01 | 39,258 | | | 11.09 | 3,165 | 21 | 67 | | |
| 3/01 | 43,411 | | | 11.35 | 3,648 | 21 | 67 | | |
| 4/01 | 42,089 | | | 11.61 | 3,980 | 21 | 67 | | |
| 5/01 | 43,349 | | | 11.38 | 4,160 | 21 | 67 | | |
| 6/01 | 40,278 | | | 11.51 | 3,868 | 21 | 64 | | |
| 7/01 | 41,630 | | | 11.65 | 3,936 | 21 | 64 | | |
| 8/01 | 41,147 | | | 11.65 | 3,977 | 21 | 63 | | |
| 9/01 | 39,314 | | | 11.68 | 3,744 | 21 | 62 | | |
| 10/01 | 40,176 | | | 11.98 | 3,838 | 21 | 62 | | |
| 11/01 | 38,972 | | | 11.94 | 3,387 | 21 | 62 | | |
| 12/01 | 40,181 | | | 11.72 | 3,733 | 21 | 62 | | |
| | | | 491,580 | | 44,842 | | | | |
| DTE GAS & OIL COMP | JORDAN 10 FOAMING WAVE | 1/01 | 21,534 | 2.07 | 8,273 | 13 | 53 | | |
| | | 2/01 | 18,477 | 2.05 | 32,879 | 14 | 47 | | |
| | | 3/01 | 21,278 | 2.09 | 24,298 | 14 | 49 | | |
| | | 4/01 | 20,613 | 1.39 | 23,256 | 14 | 49 | | |
| | | 5/01 | 23,065 | 1.37 | 23,458 | 14 | 53 | | |
| | | 6/01 | 23,101 | 1.35 | 26,827 | 15 | 51 | | |
| | | 7/01 | 22,197 | 1.33 | 27,217 | 15 | 48 | | |
| | | 8/01 | 21,324 | 1.34 | 26,635 | 15 | 46 | | |
| | | 9/01 | 20,971 | 1.32 | 21,995 | 15 | 47 | | |
| | | 10/01 | 21,274 | 1.42 | 19,888 | 15 | 46 | | |
| | | 11/01 | 20,005 | 1.45 | 21,252 | 15 | 44 | | |
| | | 12/01 | 22,271 | 1.37 | 18,220 | 15 | 48 | | |
| | | | 256,110 | | 274,198 | | | | |
| DTE GAS & OIL COMP | JORDAN 12 JIVE WAVE | 1/01 | 57,118 | 4.15 | 8,716 | 18 | 102 | | |
| | | 2/01 | 46,742 | 4.15 | 7,682 | 18 | 93 | | |
| | | 3/01 | 50,683 | 4.15 | 9,180 | 18 | 91 | | |
| | | 4/01 | 47,900 | 2.72 | 9,397 | 18 | 89 | | |
| | | 5/01 | 50,517 | 2.71 | 10,226 | 18 | 91 | | |
| | | 6/01 | 48,025 | 2.74 | 9,801 | 18 | 89 | | |
| | | 7/01 | 47,665 | 2.74 | 6,174 | 18 | 85 | | |
| | | 8/01 | 50,098 | 2.73 | 20,357 | 18 | 90 | | |
| | | 9/01 | 46,269 | 2.74 | 10,324 | 18 | 86 | | |
| | | 10/01 | 48,975 | 2.73 | 11,448 | 22 | 72 | | |
| | | 11/01 | 53,063 | 2.71 | 13,882 | 23 | 77 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DTE GAS & OIL COMP | JORDAN 12 JIVE WAVE | 12/01 | 48,366 | 2.71 | 14,351 | 21 | 74 |
| | | | 595,421 | | 131,538 | | |
| DTE GAS & OIL COMP | JORDAN 21 IMPORTANT WA | 1/01 | 30,315 | 0.83 | 18,349 | 11 | 89 |
| | | 2/01 | 29,199 | 0.83 | 15,490 | 11 | 95 |
| | | 3/01 | 27,982 | 0.83 | 15,205 | 11 | 82 |
| | | 4/01 | 27,200 | 1.61 | 15,117 | 11 | 82 |
| | | 5/01 | 27,681 | 1.61 | 13,910 | 11 | 81 |
| | | 6/01 | 29,615 | 1.61 | 13,160 | 11 | 90 |
| | | 7/01 | 33,092 | 1.61 | 13,820 | 11 | 97 |
| | | 8/01 | 32,509 | 1.61 | 14,252 | 11 | 95 |
| | | 9/01 | 30,410 | 1.61 | 13,139 | 11 | 92 |
| | | 10/01 | 30,630 | 1.86 | 13,496 | 11 | 90 |
| | | 11/01 | 29,554 | 1.86 | 7,978 | 11 | 90 |
| | | 12/01 | 29,295 | 1.86 | 7,724 | 11 | 86 |
| | | | 357,482 | | 161,640 | | |
| DTE GAS & OIL COMP | JORDAN 33 DYNAMITE WAV | 1/01 | 25,802 | 3.26 | 35,625 | 11 | 76 |
| | | 2/01 | 22,666 | 3.26 | 36,582 | 11 | 74 |
| | | 3/01 | 22,366 | 3.26 | 32,330 | 11 | 66 |
| | | 4/01 | 18,692 | 3.26 | 22,091 | 11 | 57 |
| | | 5/01 | 24,568 | 3.26 | 43,402 | 11 | 72 |
| | | 6/01 | 28,534 | 3.26 | 35,939 | 11 | 86 |
| | | 7/01 | 26,163 | 3.26 | 32,475 | 11 | 77 |
| | | 8/01 | 22,320 | 3.26 | 31,161 | 11 | 65 |
| | | 9/01 | 27,006 | 3.26 | 35,439 | 11 | 82 |
| | | 10/01 | 30,913 | 3.44 | 38,839 | 11 | 91 |
| | | 11/01 | 29,537 | 3.44 | 40,464 | 11 | 90 |
| | | 12/01 | 27,714 | 3.44 | 42,628 | 11 | 81 |
| | | | 306,281 | | 426,975 | | |
| DTE GAS & OIL COMP | JORDAN 35 KING WAVE | 1/01 | 49,437 | 3.87 | 19,175 | 17 | 94 |
| | | 2/01 | 48,165 | 3.87 | 28,797 | 16 | 108 |
| | | 3/01 | 58,191 | 3.87 | 25,765 | 16 | 117 |
| | | 4/01 | 52,623 | 3.87 | 17,179 | 16 | 110 |
| | | 5/01 | 56,986 | 3.87 | 24,921 | 17 | 108 |
| | | 6/01 | 54,064 | 3.87 | 21,079 | 17 | 106 |
| | | 7/01 | 56,167 | 3.87 | 20,394 | 19 | 95 |
| | | 8/01 | 60,744 | 3.87 | 17,241 | 19 | 103 |
| | | 9/01 | 59,664 | 3.87 | 17,889 | 19 | 105 |
| | | 10/01 | 60,764 | 4.26 | 18,928 | 19 | 103 |
| | | 11/01 | 58,985 | 4.26 | 19,688 | 19 | 103 |
| | | 12/01 | 60,206 | 4.26 | 25,362 | 19 | 102 |
| | | | 675,996 | | 256,418 | | |
| DTE GAS & OIL COMP | JORDAN 9 GIGANTIC WAVE | 1/01 | 17,532 | 0.83 | 19,497 | 10 | 57 |
| | | 2/01 | 15,431 | 0.83 | 15,351 | 10 | 55 |
| | | 3/01 | 16,891 | 0.83 | 14,110 | 10 | 54 |
| | | 4/01 | 17,555 | 1.77 | 14,546 | 10 | 59 |
| | | 5/01 | 18,557 | 1.77 | 13,333 | 10 | 60 |
| | | 6/01 | 17,882 | 1.77 | 12,113 | 10 | 60 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|-----------|----------------|-------------|----------------|--------------------------|
| DTE GAS & OIL COMP | JORDAN 9 GIGANTIC WAVE | 7/01 | 17,354 | 1.77 | 13,230 | 10 | 56 |
| | | 8/01 | 17,589 | 1.77 | 10,805 | 10 | 57 |
| | | 9/01 | 16,141 | 1.77 | 9,829 | 10 | 54 |
| | | 10/01 | 16,440 | 1.67 | 24,506 | 10 | 53 |
| | | 11/01 | 17,065 | 1.67 | 18,415 | 10 | 57 |
| | | 12/01 | 16,815 | 1.67 | 16,078 | 10 | 54 |
| | | | | 205,252 | | 181,813 | |
| DTE GAS & OIL COMP | KEARNEY 9 CHECK MATE | 1/01 | 1,590 | 4.38 | 14,125 | 9 | 6 |
| | | 2/01 | 920 | 4.38 | 45,662 | 11 | 3 |
| | | 3/01 | 6,452 | 3.66 | 63,887 | 13 | 16 |
| | | 4/01 | 9,381 | 3.66 | 57,876 | 13 | 24 |
| | | 5/01 | 12,774 | 3.69 | 52,502 | 13 | 32 |
| | | 6/01 | 12,194 | 3.74 | 46,731 | 13 | 31 |
| | | 7/01 | 14,187 | 3.71 | 51,788 | 16 | 29 |
| | | 8/01 | 16,249 | 3.54 | 51,170 | 15 | 35 |
| | | 9/01 | 17,018 | 3.54 | 46,397 | 15 | 38 |
| | | 10/01 | 18,273 | 3.49 | 46,020 | 15 | 39 |
| | | 11/01 | 18,599 | 3.56 | 57,262 | 16 | 39 |
| | | 12/01 | 20,486 | 3.56 | 59,585 | 16 | 41 |
| | | 148,123 | | 593,005 | | | |
| DTE GAS & OIL COMP | KING EDWARDS | 1/01 | 23,365 | 11.52 | 879 | 12 | 63 |
| | | 2/01 | 21,147 | 11.62 | 792 | 12 | 63 |
| | | 3/01 | 22,928 | 11.49 | 893 | 12 | 62 |
| | | 4/01 | 21,472 | 11.72 | 738 | 12 | 60 |
| | | 5/01 | 21,489 | 11.55 | 747 | 12 | 58 |
| | | 6/01 | 20,412 | 11.80 | 666 | 12 | 57 |
| | | 7/01 | 21,026 | 11.67 | 809 | 12 | 57 |
| | | 8/01 | 21,068 | 11.67 | 838 | 12 | 57 |
| | | 9/01 | 19,884 | 11.82 | 779 | 12 | 55 |
| | | 10/01 | 20,723 | 11.93 | 786 | 12 | 56 |
| | | 11/01 | 19,629 | 11.97 | 740 | 12 | 55 |
| | | 12/01 | 20,077 | 12.14 | 753 | 12 | 54 |
| | | 253,220 | | 9,420 | | | |
| DTE GAS & OIL COMP | LLOYDS OF LONDON | 1/01 | 70,570 | 6.00 | 9,356 | 19 | 120 |
| | | 2/01 | 62,433 | 6.41 | 7,875 | 20 | 111 |
| | | 3/01 | 69,391 | 6.81 | 8,762 | 20 | 112 |
| | | 4/01 | 66,015 | 6.81 | 7,439 | 20 | 110 |
| | | 5/01 | 67,725 | 6.81 | 6,336 | 20 | 109 |
| | | 6/01 | 64,022 | 6.81 | 6,006 | 20 | 107 |
| | | 7/01 | 65,006 | 6.81 | 6,077 | 20 | 105 |
| | | 8/01 | 64,221 | 6.81 | 4,964 | 20 | 104 |
| | | 9/01 | 61,946 | 7.03 | 5,293 | 20 | 103 |
| | | 10/01 | 61,096 | 7.03 | 5,746 | 20 | 99 |
| | | 11/01 | 57,910 | 7.03 | 4,937 | 20 | 97 |
| | | 12/01 | 58,252 | 7.03 | 5,517 | 20 | 94 |
| | | 768,587 | | 78,308 | | | |
| DTE GAS & OIL COMP | LOUBBERT | 1/01 | 43,735 | 16.00 | 504 | 16 | 88 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|----------------|--------------------|--------------|-------|----------------|---------------|--------------------------|----|-----|
| DTE GAS & OIL COMP | LOUBBERT | 2/01 | 37,939 | 16.26 | 485 | 17 | 80 | | |
| | | 3/01 | 43,271 | 16.35 | 745 | 17 | 82 | | |
| | | 4/01 | 40,711 | 16.10 | 704 | 17 | 80 | | |
| | | 5/01 | 42,839 | 16.37 | 621 | 17 | 81 | | |
| | | 6/01 | 41,692 | 16.43 | 582 | 17 | 82 | | |
| | | 7/01 | 43,344 | 16.54 | 612 | 17 | 82 | | |
| | | 8/01 | 43,368 | 16.63 | 510 | 17 | 82 | | |
| | | 9/01 | 41,508 | 16.84 | 449 | 17 | 81 | | |
| | | 10/01 | 41,873 | 16.94 | 444 | 17 | 79 | | |
| | | 11/01 | 38,793 | 16.92 | 436 | 17 | 76 | | |
| | | 12/01 | 39,333 | 17.18 | 398 | 17 | 75 | | |
| | | | | | 498,406 | | 6,490 | | |
| | | DTE GAS & OIL COMP | MILLER CREEK | 1/01 | 42,765 | 12.00 | 6,979 | 13 | 106 |
| 2/01 | 39,532 | | | 11.62 | 8,437 | 13 | 109 | | |
| 3/01 | 43,820 | | | 12.04 | 9,159 | 13 | 109 | | |
| 4/01 | 42,375 | | | 12.04 | 8,981 | 13 | 109 | | |
| 5/01 | 41,853 | | | 12.04 | 9,440 | 13 | 104 | | |
| 6/01 | 40,720 | | | 12.04 | 9,243 | 13 | 104 | | |
| 7/01 | 41,377 | | | 12.04 | 9,248 | 13 | 103 | | |
| 8/01 | 41,672 | | | 12.04 | 8,968 | 13 | 103 | | |
| 9/01 | 38,736 | | | 12.46 | 8,376 | 13 | 99 | | |
| 10/01 | 39,863 | | | 12.46 | 8,760 | 13 | 99 | | |
| 11/01 | 38,180 | | | 12.46 | 8,336 | 13 | 98 | | |
| 12/01 | 39,071 | | | 12.46 | 8,286 | 13 | 97 | | |
| | | | | | 489,964 | | 104,213 | | |
| DTE GAS & OIL COMP | MOTHER HUBBARD | 1/01 | 21,979 | 6.00 | 8,820 | 14 | 51 | | |
| | | 2/01 | 16,809 | 6.06 | 6,905 | 14 | 43 | | |
| | | 3/01 | 17,550 | 5.83 | 4,575 | 14 | 40 | | |
| | | 4/01 | 20,237 | 6.48 | 5,270 | 14 | 48 | | |
| | | 5/01 | 24,928 | 6.28 | 8,200 | 14 | 57 | | |
| | | 6/01 | 23,723 | 6.33 | 7,567 | 14 | 56 | | |
| | | 7/01 | 24,287 | 6.26 | 11,614 | 14 | 56 | | |
| | | 8/01 | 23,859 | 6.59 | 12,439 | 14 | 55 | | |
| | | 9/01 | 22,834 | 6.49 | 11,459 | 14 | 54 | | |
| | | 10/01 | 22,949 | 6.62 | 12,897 | 14 | 53 | | |
| | | 11/01 | 21,842 | 6.72 | 9,281 | 14 | 52 | | |
| | | 12/01 | 22,551 | 6.87 | 8,234 | 14 | 52 | | |
| | | | | | 263,548 | | 107,261 | | |
| DTE GAS & OIL COMP | NET WERTH | 1/01 | 5,733 | 5.46 | 76,260 | 7 | 26 | | |
| | | 2/01 | 4,813 | 5.46 | 61,028 | 7 | 25 | | |
| | | 3/01 | 5,035 | 5.46 | 69,648 | 7 | 23 | | |
| | | 4/01 | 5,331 | 7.08 | 74,316 | 7 | 25 | | |
| | | 5/01 | 4,213 | 7.08 | 59,636 | 7 | 19 | | |
| | | 6/01 | 3,872 | 7.08 | 47,264 | 7 | 18 | | |
| | | 7/01 | 4,478 | 7.08 | 47,456 | 7 | 21 | | |
| | | 8/01 | 5,208 | 7.08 | 48,193 | 7 | 24 | | |
| | | 9/01 | 4,176 | 7.08 | 60,922 | 7 | 20 | | |
| | | 10/01 | 1,808 | 7.06 | 41,765 | 7 | 8 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DTE GAS & OIL COMP | NET WERTH | 11/01 | 2,837 | 7.06 | 42,690 | 7 | 14 |
| | | 12/01 | 5,142 | 7.06 | 37,220 | 7 | 24 |
| | | | 52,646 | | 666,398 | | |
| DTE GAS & OIL COMP | NORTH RUST NEVER SLEEP | 1/01 | 43,055 | 22.00 | 2,251 | 25 | 56 |
| | | 2/01 | 37,948 | 22.28 | 2,100 | 25 | 54 |
| | | 3/01 | 40,616 | 22.28 | 2,353 | 25 | 52 |
| | | 4/01 | 41,495 | 22.28 | 2,313 | 25 | 55 |
| | | 5/01 | 42,043 | 22.31 | 2,362 | 25 | 54 |
| | | 6/01 | 38,422 | 22.31 | 2,178 | 25 | 51 |
| | | 7/01 | 40,063 | 22.31 | 2,351 | 25 | 52 |
| | | 8/01 | 37,652 | 22.31 | 2,176 | 25 | 49 |
| | | 9/01 | 34,239 | 22.31 | 1,785 | 25 | 46 |
| | | 10/01 | 38,026 | 22.31 | 1,843 | 25 | 49 |
| | | 11/01 | 33,593 | 22.31 | 1,895 | 25 | 45 |
| | | 12/01 | 35,137 | 22.26 | 1,859 | 25 | 45 |
| | 462,289 | | 25,466 | | | | |
| DTE GAS & OIL COMP | OLD VANDY 2D | 1/01 | 53,216 | 3.07 | 44,690 | 9 | 191 |
| | | 2/01 | 42,480 | 2.65 | 38,217 | 9 | 169 |
| | | 3/01 | 33,534 | 3.14 | 35,098 | 9 | 120 |
| | | 4/01 | 29,606 | 2.92 | 34,820 | 9 | 110 |
| | | 5/01 | 38,638 | 3.28 | 39,822 | 9 | 138 |
| | | 6/01 | 40,299 | 3.33 | 38,580 | 9 | 149 |
| | | 7/01 | 35,805 | 3.36 | 35,783 | 9 | 128 |
| | | 8/01 | 34,610 | 3.32 | 33,358 | 9 | 124 |
| | | 9/01 | 32,089 | 3.43 | 28,546 | 9 | 119 |
| | | 10/01 | 30,013 | 3.44 | 30,586 | 9 | 108 |
| | | 11/01 | 35,012 | 3.44 | 31,701 | 9 | 130 |
| | | 12/01 | 40,532 | 3.54 | 33,149 | 9 | 145 |
| | 445,834 | | 424,350 | | | | |
| DTE GAS & OIL COMP | OLD VANDY UNIT #1 | 1/01 | 60,523 | 3.00 | 56,992 | 19 | 103 |
| | | 2/01 | 64,148 | 2.65 | 65,849 | 19 | 121 |
| | | 3/01 | 74,886 | 3.14 | 68,897 | 19 | 127 |
| | | 4/01 | 69,756 | 2.92 | 45,365 | 19 | 122 |
| | | 5/01 | 72,307 | 3.28 | 59,251 | 23 | 101 |
| | | 6/01 | 72,245 | 3.33 | 61,653 | 23 | 105 |
| | | 7/01 | 75,382 | 3.36 | 54,242 | 23 | 106 |
| | | 8/01 | 67,771 | 3.32 | 59,621 | 23 | 95 |
| | | 9/01 | 62,835 | 3.43 | 44,800 | 23 | 91 |
| | | 10/01 | 63,771 | 3.44 | 51,546 | 23 | 89 |
| | | 11/01 | 62,080 | 3.44 | 55,691 | 23 | 90 |
| | | 12/01 | 61,280 | 3.54 | 52,474 | 23 | 86 |
| | 806,984 | | 676,381 | | | | |
| DTE GAS & OIL COMP | OLD VANDY UNIT #2 | 1/01 | 3,742 | 3.07 | 869 | 1 | 121 |
| | | 2/01 | 3,517 | 2.65 | 808 | 1 | 126 |
| | | 3/01 | 4,591 | 3.14 | 615 | 1 | 148 |
| | | 4/01 | 3,843 | 2.92 | 581 | 1 | 128 |
| | | 5/01 | 4,085 | 3.28 | 611 | 1 | 132 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| DTE GAS & OIL COMP | OLD VANDY UNIT #2 | 6/01 | 3,665 | 3.33 | 508 | 1 | 122 |
| | | 7/01 | 4,242 | 3.36 | 513 | 1 | 137 |
| | | 8/01 | 4,165 | 3.32 | 474 | 1 | 134 |
| | | 9/01 | 3,862 | 3.43 | 359 | 1 | 129 |
| | | 10/01 | 4,061 | 3.44 | 515 | 1 | 131 |
| | | 11/01 | 4,664 | 3.44 | 457 | 1 | 155 |
| | | 12/01 | 4,730 | 3.54 | 460 | 1 | 153 |
| | | | 49,167 | | 6,770 | | |
| DTE GAS & OIL COMP | OLD VANDY UNIT #3 | 1/01 | 45,681 | 3.07 | 50,464 | 14 | 105 |
| | | 2/01 | 45,515 | 2.65 | 42,675 | 14 | 116 |
| | | 3/01 | 42,096 | 3.14 | 41,653 | 14 | 97 |
| | | 4/01 | 48,701 | 2.92 | 38,110 | 14 | 116 |
| | | 5/01 | 51,728 | 3.28 | 42,796 | 14 | 119 |
| | | 6/01 | 48,884 | 3.33 | 39,628 | 14 | 116 |
| | | 7/01 | 52,909 | 3.36 | 38,465 | 14 | 122 |
| | | 8/01 | 56,170 | 3.32 | 39,245 | 14 | 129 |
| | | 9/01 | 52,079 | 3.43 | 28,045 | 14 | 124 |
| | | 10/01 | 53,127 | 3.44 | 33,430 | 14 | 122 |
| | | 11/01 | 48,704 | 3.44 | 35,061 | 14 | 116 |
| | | 12/01 | 56,566 | 3.54 | 35,674 | 14 | 130 |
| | | | 602,160 | | 465,246 | | |
| DTE GAS & OIL COMP | OLD VANDY UNIT #5 | 1/01 | 11,073 | 1.81 | 142,317 | 12 | 30 |
| | | 2/01 | 8,911 | 1.66 | 150,291 | 14 | 23 |
| | | 3/01 | 9,554 | 1.78 | 162,412 | 14 | 22 |
| | | 4/01 | 12,531 | 1.53 | 159,860 | 14 | 30 |
| | | 5/01 | 15,743 | 1.53 | 145,073 | 16 | 32 |
| | | 6/01 | 18,633 | 1.61 | 144,983 | 16 | 39 |
| | | 7/01 | 17,747 | 1.65 | 152,091 | 16 | 36 |
| | | 8/01 | 18,795 | 1.70 | 160,225 | 16 | 38 |
| | | 9/01 | 16,046 | 1.70 | 136,161 | 16 | 33 |
| | | 10/01 | 18,541 | 1.59 | 142,514 | 16 | 37 |
| | | 11/01 | 18,497 | 1.73 | 143,343 | 16 | 39 |
| | | 12/01 | 17,737 | 1.74 | 122,373 | 15 | 38 |
| | | | 183,808 | | 1,761,643 | | |
| DTE GAS & OIL COMP | OLD VANDY UNIT #6 | 1/01 | 14,655 | 1.81 | 169,973 | 10 | 47 |
| | | 2/01 | 20,852 | 1.66 | 133,098 | 11 | 68 |
| | | 3/01 | 22,989 | 1.78 | 129,845 | 11 | 67 |
| | | 4/01 | 24,077 | 1.53 | 127,389 | 11 | 73 |
| | | 5/01 | 30,682 | 1.53 | 138,761 | 11 | 90 |
| | | 6/01 | 27,949 | 1.61 | 149,467 | 11 | 85 |
| | | 7/01 | 44,026 | 1.65 | 167,138 | 17 | 84 |
| | | 8/01 | 59,849 | 1.70 | 151,894 | 17 | 114 |
| | | 9/01 | 51,096 | 1.70 | 104,944 | 17 | 100 |
| | | 10/01 | 55,735 | 1.59 | 103,893 | 17 | 106 |
| | | 11/01 | 49,888 | 1.73 | 79,711 | 17 | 98 |
| | | 12/01 | 33,720 | 1.74 | 75,585 | 18 | 60 |
| | | | 435,518 | | 1,531,698 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-------------------|-----------------|-----------|----------------|-------------|----------------|--------------------------|
| DTE GAS & OIL COMP | OLD VANDY UNIT #7 | 8/01 | 963 | 1.70 | 35,349 | 8 | 4 |
| | | 9/01 | 822 | 1.70 | 105,147 | 8 | 3 |
| | | 10/01 | 4,934 | 1.59 | 119,871 | 8 | 20 |
| | | 11/01 | 9,894 | 1.73 | 99,290 | 8 | 41 |
| | | 12/01 | 13,270 | 1.74 | 79,084 | 9 | 48 |
| | | | | 29,883 | | 438,741 | |
| DTE GAS & OIL COMP | RAPID RIVER 5 | 1/01 | 55,652 | 4.35 | 43,965 | 18 | 100 |
| | | 2/01 | 46,797 | 5.68 | 40,437 | 18 | 93 |
| | | 3/01 | 66,900 | 5.94 | 44,653 | 18 | 120 |
| | | 4/01 | 62,073 | 5.96 | 38,932 | 18 | 115 |
| | | 5/01 | 69,456 | 6.38 | 39,418 | 18 | 124 |
| | | 6/01 | 61,254 | 6.10 | 33,827 | 18 | 113 |
| | | 7/01 | 67,512 | 6.32 | 36,042 | 18 | 121 |
| | | 8/01 | 65,393 | 6.34 | 34,800 | 18 | 117 |
| | | 9/01 | 64,385 | 6.51 | 31,405 | 18 | 119 |
| | | 10/01 | 65,556 | 6.62 | 29,997 | 18 | 117 |
| | | 11/01 | 63,507 | 6.62 | 28,490 | 18 | 118 |
| | | 12/01 | 60,070 | 6.62 | 27,081 | 16 | 121 |
| | | 748,555 | | 429,047 | | | |
| DTE GAS & OIL COMP | RUST ROAD | 1/01 | 31,761 | 13.09 | 2,307 | 13 | 79 |
| | | 2/01 | 28,440 | 13.29 | 1,774 | 13 | 78 |
| | | 3/01 | 29,911 | 13.22 | 1,740 | 13 | 74 |
| | | 4/01 | 28,628 | 13.33 | 1,381 | 13 | 73 |
| | | 5/01 | 29,081 | 13.05 | 1,090 | 13 | 72 |
| | | 6/01 | 28,139 | 13.27 | 1,057 | 14 | 67 |
| | | 7/01 | 33,997 | 12.98 | 2,215 | 14 | 78 |
| | | 8/01 | 35,523 | 12.98 | 1,948 | 14 | 82 |
| | | 9/01 | 33,408 | 13.53 | 1,795 | 14 | 80 |
| | | 10/01 | 34,304 | 13.68 | 1,927 | 14 | 79 |
| | | 11/01 | 32,560 | 13.86 | 1,988 | 14 | 78 |
| | | 12/01 | 32,972 | 13.87 | 1,935 | 14 | 76 |
| | | 378,724 | | 21,157 | | | |
| DTE GAS & OIL COMP | SCENIC | 1/01 | 53,545 | 19.00 | 2,166 | 17 | 102 |
| | | 2/01 | 47,312 | 19.26 | 1,672 | 17 | 99 |
| | | 3/01 | 51,320 | 19.64 | 1,931 | 17 | 97 |
| | | 4/01 | 49,275 | 19.57 | 1,839 | 17 | 97 |
| | | 5/01 | 51,045 | 19.43 | 1,918 | 17 | 97 |
| | | 6/01 | 48,576 | 19.35 | 1,830 | 17 | 95 |
| | | 7/01 | 48,310 | 19.68 | 1,790 | 17 | 92 |
| | | 8/01 | 47,373 | 19.68 | 1,097 | 17 | 90 |
| | | 9/01 | 46,196 | 19.83 | 1,102 | 17 | 91 |
| | | 10/01 | 46,849 | 19.83 | 1,161 | 17 | 89 |
| | | 11/01 | 45,243 | 20.12 | 1,017 | 17 | 89 |
| | | 12/01 | 45,540 | 20.52 | 1,049 | 17 | 86 |
| | | 580,584 | | 18,572 | | | |
| DTE GAS & OIL COMP | TIMBER WOLF | 1/01 | 25,081 | 6.81 | 36,906 | 22 | 37 |
| | | 2/01 | 23,194 | 6.81 | 33,720 | 25 | 33 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|--------------|--------------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| DTE GAS & OIL COMP | TIMBER WOLF | 3/01 | 25,819 | 6.81 | 37,776 | 25 | 33 | | |
| | | 4/01 | 24,399 | 8.03 | 34,294 | 25 | 33 | | |
| | | 5/01 | 25,214 | 8.03 | 39,889 | 25 | 33 | | |
| | | 6/01 | 23,427 | 8.03 | 36,685 | 25 | 31 | | |
| | | 7/01 | 24,929 | 8.03 | 35,391 | 25 | 32 | | |
| | | 8/01 | 24,425 | 8.03 | 33,626 | 25 | 32 | | |
| | | 9/01 | 20,168 | 8.03 | 29,167 | 25 | 27 | | |
| | | 10/01 | 22,577 | 7.99 | 32,620 | 25 | 29 | | |
| | | 11/01 | 24,241 | 7.99 | 37,922 | 25 | 32 | | |
| | | 12/01 | 23,408 | 7.99 | 38,326 | 22 | 34 | | |
| | | | | | 286,882 | | 426,322 | | |
| | | DTE GAS & OIL COMP | VIENNA 14 | 1/01 | 58,812 | 19.00 | 1,105 | 24 | 79 |
| 2/01 | 51,656 | | | 19.21 | 945 | 24 | 77 | | |
| 3/01 | 57,460 | | | 19.29 | 1,043 | 24 | 77 | | |
| 4/01 | 55,063 | | | 19.06 | 953 | 24 | 76 | | |
| 5/01 | 56,131 | | | 19.21 | 971 | 24 | 75 | | |
| 6/01 | 52,965 | | | 19.10 | 940 | 24 | 74 | | |
| 7/01 | 54,180 | | | 19.14 | 969 | 24 | 73 | | |
| 8/01 | 53,325 | | | 19.14 | 915 | 24 | 72 | | |
| 9/01 | 52,072 | | | 19.14 | 731 | 24 | 72 | | |
| 10/01 | 51,809 | | | 19.55 | 624 | 24 | 70 | | |
| 11/01 | 50,199 | | | 19.54 | 492 | 24 | 70 | | |
| 12/01 | 50,473 | | | 19.83 | 431 | 24 | 68 | | |
| | | | 644,145 | | 10,119 | | | | |
| DTE GAS & OIL COMP | VIENNA 23 | 1/01 | 54,297 | 16.00 | 985 | 18 | 97 | | |
| | | 2/01 | 47,608 | 15.85 | 853 | 18 | 94 | | |
| | | 3/01 | 52,357 | 16.01 | 896 | 18 | 94 | | |
| | | 4/01 | 49,928 | 15.62 | 779 | 18 | 92 | | |
| | | 5/01 | 51,283 | 16.06 | 800 | 18 | 92 | | |
| | | 6/01 | 48,621 | 16.19 | 735 | 18 | 90 | | |
| | | 7/01 | 50,035 | 16.56 | 752 | 18 | 90 | | |
| | | 8/01 | 48,105 | 16.62 | 659 | 18 | 86 | | |
| | | 9/01 | 46,359 | 16.41 | 509 | 18 | 86 | | |
| | | 10/01 | 44,812 | 16.65 | 486 | 18 | 80 | | |
| | | 11/01 | 44,422 | 16.60 | 600 | 18 | 82 | | |
| | | 12/01 | 45,670 | 16.88 | 602 | 18 | 82 | | |
| | | | 583,497 | | 8,656 | | | | |
| DTE GAS & OIL COMP | VIENNA 27 | 1/01 | 30,613 | 15.00 | 1,122 | 12 | 82 | | |
| | | 2/01 | 27,018 | 15.72 | 1,341 | 12 | 80 | | |
| | | 3/01 | 29,544 | 15.90 | 1,351 | 12 | 79 | | |
| | | 4/01 | 28,684 | 15.73 | 1,237 | 12 | 80 | | |
| | | 5/01 | 27,985 | 15.96 | 774 | 12 | 75 | | |
| | | 6/01 | 26,226 | 15.91 | 731 | 12 | 73 | | |
| | | 7/01 | 26,199 | 16.23 | 763 | 12 | 70 | | |
| | | 8/01 | 24,803 | 16.53 | 2,325 | 12 | 67 | | |
| | | 9/01 | 24,439 | 16.93 | 2,481 | 12 | 68 | | |
| | | 10/01 | 23,998 | 17.01 | 2,271 | 12 | 64 | | |
| | | 11/01 | 23,251 | 16.88 | 2,223 | 12 | 65 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DTE GAS & OIL COMP | VIENNA 27 | 12/01 | 23,576 | 17.01 | 1,819 | 12 | 63 |
| | | | 316,336 | | 18,438 | | |
| DTE GAS & OIL COMP | WARNER 10 COOL WAVE | 1/01 | 10,783 | 3.88 | 23,793 | 9 | 39 |
| | | 2/01 | 11,431 | 3.88 | 14,207 | 9 | 45 |
| | | 3/01 | 11,267 | 3.88 | 16,997 | 9 | 40 |
| | | 4/01 | 10,327 | 4.30 | 10,572 | 9 | 38 |
| | | 5/01 | 12,219 | 4.30 | 17,449 | 9 | 44 |
| | | 6/01 | 11,509 | 4.30 | 15,403 | 9 | 43 |
| | | 7/01 | 11,976 | 4.30 | 20,366 | 9 | 43 |
| | | 8/01 | 13,810 | 4.30 | 18,931 | 9 | 49 |
| | | 9/01 | 12,915 | 4.30 | 19,328 | 9 | 48 |
| | | 10/01 | 14,086 | 4.02 | 22,101 | 9 | 50 |
| | | 11/01 | 14,056 | 4.02 | 17,839 | 9 | 52 |
| | | 12/01 | 12,658 | 4.02 | 19,080 | 9 | 45 |
| | | | 147,037 | | 216,066 | | |
| DTE GAS & OIL COMP | WARNER 13 | 1/01 | 27,874 | 4.39 | 44,942 | 18 | 50 |
| | | 2/01 | 24,914 | 4.39 | 36,552 | 17 | 52 |
| | | 3/01 | 24,594 | 4.39 | 28,795 | 17 | 47 |
| | | 4/01 | 23,847 | 4.09 | 32,307 | 17 | 47 |
| | | 5/01 | 25,646 | 4.09 | 29,125 | 18 | 46 |
| | | 6/01 | 24,282 | 4.09 | 41,574 | 18 | 45 |
| | | 7/01 | 24,548 | 4.09 | 47,898 | 18 | 44 |
| | | 8/01 | 25,734 | 4.09 | 46,726 | 18 | 46 |
| | | 9/01 | 24,701 | 4.09 | 42,763 | 18 | 46 |
| | | 10/01 | 26,414 | 4.29 | 41,430 | 18 | 47 |
| | | 11/01 | 26,491 | 4.29 | 40,315 | 18 | 49 |
| | | 12/01 | 25,757 | 4.29 | 40,026 | 18 | 46 |
| | | | 304,802 | | 472,453 | | |
| DTE GAS & OIL COMP | WARNER 2 AWESOME WAV | 1/01 | 1,004 | 3.88 | 1,035 | 1 | 32 |
| | | 2/01 | 1,029 | 3.88 | 983 | 1 | 37 |
| | | 3/01 | 1,030 | 3.88 | 1,156 | 1 | 33 |
| | | 4/01 | 927 | 4.30 | 2,566 | 1 | 31 |
| | | 5/01 | 742 | 4.30 | 1,629 | 1 | 24 |
| | | 6/01 | 938 | 4.30 | 1,466 | 1 | 31 |
| | | 7/01 | 987 | 4.30 | 1,476 | 1 | 32 |
| | | 8/01 | 1,044 | 4.30 | 1,085 | 1 | 34 |
| | | 9/01 | 994 | 4.30 | 1,002 | 1 | 33 |
| | | 10/01 | 1,050 | 4.02 | 1,137 | 1 | 34 |
| | | 11/01 | 1,122 | 4.02 | 950 | 1 | 37 |
| | | 12/01 | 1,018 | 4.02 | 1,076 | 1 | 33 |
| | | | 11,885 | | 15,561 | | |
| DTE GAS & OIL COMP | WARNER 22 | 1/01 | 65,205 | 5.21 | 1,162 | 27 | 78 |
| | | 2/01 | 57,180 | 5.23 | 924 | 27 | 76 |
| | | 3/01 | 60,986 | 5.24 | 763 | 27 | 73 |
| | | 4/01 | 58,828 | 5.42 | 1,197 | 27 | 73 |
| | | 5/01 | 60,768 | 5.44 | 702 | 27 | 73 |
| | | 6/01 | 61,956 | 5.46 | 677 | 27 | 76 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-----------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| DTE GAS & OIL COMP | WARNER 22 | 7/01 | 57,978 | 5.49 | 1,703 | 27 | 69 |
| | | 8/01 | 64,169 | 5.51 | 2,027 | 27 | 77 |
| | | 9/01 | 58,505 | 5.48 | 1,749 | 27 | 72 |
| | | 10/01 | 60,427 | 5.48 | 1,731 | 27 | 72 |
| | | 11/01 | 61,359 | 5.46 | 2,596 | 27 | 76 |
| | | 12/01 | 61,654 | 5.48 | 4,102 | 27 | 74 |
| | | | | 729,015 | | 19,333 | |
| DTE GAS & OIL COMP | WARNER 27 | 1/01 | 44,648 | 5.48 | 10,546 | 16 | 90 |
| | | 2/01 | 38,982 | 5.48 | 8,248 | 16 | 87 |
| | | 3/01 | 42,661 | 5.48 | 12,867 | 16 | 86 |
| | | 4/01 | 43,454 | 5.71 | 13,067 | 16 | 91 |
| | | 5/01 | 44,257 | 5.71 | 11,565 | 16 | 89 |
| | | 6/01 | 43,857 | 5.71 | 11,209 | 16 | 91 |
| | | 7/01 | 52,197 | 5.71 | 10,922 | 16 | 105 |
| | | 8/01 | 44,750 | 5.71 | 10,240 | 16 | 90 |
| | | 9/01 | 42,906 | 5.71 | 10,352 | 16 | 89 |
| | | 10/01 | 42,796 | 5.87 | 11,917 | 16 | 86 |
| | | 11/01 | 39,941 | 5.87 | 11,243 | 16 | 83 |
| | | 12/01 | 43,534 | 5.87 | 11,485 | 16 | 88 |
| | | 523,983 | | 133,661 | | | |
| DTE GAS & OIL COMP | WARNER 8 BOOMING WAVE | 1/01 | 131,059 | 3.05 | 8,416 | 23 | 184 |
| | | 2/01 | 61,342 | 3.05 | 8,101 | 23 | 95 |
| | | 3/01 | 70,438 | 3.05 | 11,042 | 23 | 99 |
| | | 4/01 | 69,029 | 3.14 | 10,311 | 23 | 100 |
| | | 5/01 | 68,795 | 3.14 | 9,816 | 23 | 96 |
| | | 6/01 | 68,301 | 3.14 | 11,286 | 23 | 99 |
| | | 7/01 | 72,046 | 3.14 | 10,554 | 23 | 101 |
| | | 8/01 | 71,030 | 3.14 | 10,659 | 23 | 100 |
| | | 9/01 | 67,704 | 3.14 | 12,465 | 23 | 98 |
| | | 10/01 | 72,664 | 3.17 | 13,957 | 23 | 102 |
| | | 11/01 | 68,840 | 3.17 | 11,309 | 23 | 100 |
| | | 12/01 | 69,203 | 3.17 | 12,335 | 23 | 97 |
| | | 890,451 | | 130,251 | | | |
| DTE GAS & OIL COMP | WILSON 28 | 1/01 | 12,275 | 0.83 | 24,389 | 11 | 36 |
| | | 2/01 | 10,926 | 0.83 | 26,809 | 10 | 39 |
| | | 3/01 | 12,456 | 0.83 | 35,857 | 10 | 40 |
| | | 4/01 | 12,844 | 0.22 | 23,987 | 10 | 43 |
| | | 5/01 | 13,161 | 0.22 | 24,117 | 13 | 33 |
| | | 6/01 | 11,466 | 0.22 | 18,470 | 13 | 29 |
| | | 7/01 | 9,775 | 0.22 | 18,337 | 15 | 21 |
| | | 8/01 | 10,820 | 0.22 | 22,285 | 13 | 27 |
| | | 9/01 | 10,373 | 0.22 | 21,326 | 13 | 27 |
| | | 10/01 | 11,009 | 0.20 | 29,605 | 13 | 27 |
| | | 11/01 | 10,621 | 0.20 | 21,056 | 13 | 27 |
| | | 12/01 | 12,363 | 0.20 | 14,666 | 14 | 28 |
| | | 138,089 | | 280,904 | | | |
| DTE GAS & OIL COMP | XREA | 1/01 | 29,588 | 12.32 | 625 | 16 | 60 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|---|--------------------|--------------------|-------------------|-------|-------------------|---------------|--------------------------|----|----|
| DTE GAS & OIL COMP | XREA | 2/01 | 26,048 | 10.98 | 561 | 16 | 58 | | |
| | | 3/01 | 27,840 | 12.48 | 627 | 16 | 56 | | |
| | | 4/01 | 27,628 | 12.52 | 611 | 16 | 58 | | |
| | | 5/01 | 28,371 | 12.53 | 725 | 16 | 57 | | |
| | | 6/01 | 26,501 | 12.51 | 653 | 16 | 55 | | |
| | | 7/01 | 27,325 | 12.48 | 653 | 16 | 55 | | |
| | | 8/01 | 27,288 | 12.48 | 702 | 16 | 55 | | |
| | | 9/01 | 25,769 | 12.78 | 737 | 16 | 54 | | |
| | | 10/01 | 26,809 | 12.82 | 768 | 16 | 54 | | |
| | | 11/01 | 25,816 | 13.09 | 727 | 16 | 54 | | |
| | | 12/01 | 26,394 | 12.96 | 726 | 16 | 53 | | |
| | | | | | 325,377 | | 8,115 | | |
| | | DTE GAS & OIL COMP | ZBART | 1/01 | 35,825 | 13.12 | 958 | 19 | 61 |
| 2/01 | 32,549 | | | 13.22 | 873 | 19 | 61 | | |
| 3/01 | 35,287 | | | 13.12 | 997 | 19 | 60 | | |
| 4/01 | 33,546 | | | 13.27 | 750 | 19 | 59 | | |
| 5/01 | 33,202 | | | 13.16 | 640 | 19 | 56 | | |
| 6/01 | 31,771 | | | 13.20 | 609 | 19 | 56 | | |
| 7/01 | 31,771 | | | 13.23 | 662 | 19 | 54 | | |
| 8/01 | 32,472 | | | 13.23 | 776 | 19 | 55 | | |
| 9/01 | 31,022 | | | 13.69 | 712 | 19 | 54 | | |
| 10/01 | 31,688 | | | 13.81 | 757 | 19 | 54 | | |
| 11/01 | 30,602 | | | 14.06 | 752 | 19 | 54 | | |
| 12/01 | 30,893 | | | 13.95 | 726 | 19 | 52 | | |
| | | | | | 390,628 | | 9,212 | | |
| DTE GAS & OIL COMPANY - REPORTER TOTALS: | | | 27,158,338 | | 19,800,566 | | | | |
| DYNAMIC DEVELOPM | NYSTROM C1-14 | 1/01 | 1,241 | | 0 | 1 | 40 | | |
| | | 2/01 | 1,231 | | 0 | 1 | 44 | | |
| | | 3/01 | 1,300 | | 0 | 1 | 42 | | |
| | | 4/01 | 1,129 | | 0 | 1 | 38 | | |
| | | 5/01 | 1,074 | | 0 | 1 | 35 | | |
| | | 6/01 | 1,044 | | 0 | 1 | 35 | | |
| | | 7/01 | 1,166 | | 0 | 1 | 38 | | |
| | | 8/01 | 1,155 | | 0 | 1 | 37 | | |
| | | 9/01 | 1,054 | | 0 | 1 | 35 | | |
| | | 10/01 | 1,145 | | 0 | 1 | 37 | | |
| | | 11/01 | 1,114 | | 0 | 1 | 37 | | |
| | | 12/01 | 1,233 | | 0 | 1 | 40 | | |
| | | | | | 13,886 | | 0 | | |
| DYNAMIC DEVELOPMENT - REPORTER TOTALS: | | | 13,886 | | 0 | | | | |
| FEDERATED OIL | ANTRIM RESOURCES 1 | 1/01 | 5,378 | 18.45 | 20 | 8 | 22 | | |
| | | 2/01 | 4,983 | 18.45 | 16 | 8 | 22 | | |
| | | 3/01 | 4,685 | 18.45 | 36 | 8 | 19 | | |
| | | 4/01 | 5,359 | 21.14 | 13 | 8 | 22 | | |
| | | 5/01 | 5,312 | 21.14 | 9 | 8 | 21 | | |
| | | 6/01 | 5,288 | 21.14 | 32 | 8 | 22 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------|---|-----------------|----------------|----------------|----------------|---------------|--------------------------|
| FEDERATED OIL | ANTRIM RESOURCES 1 | 7/01 | 4,785 | 21.14 | 10 | 8 | 19 |
| | | 8/01 | 5,455 | 21.14 | 7 | 8 | 22 |
| | | 9/01 | 5,116 | 21.14 | 9 | 8 | 21 |
| | | 10/01 | 6,496 | 21.14 | 6 | 8 | 26 |
| | | 11/01 | 5,023 | 21.14 | 4 | 8 | 21 |
| | | 12/01 | 5,200 | 21.14 | 5 | 8 | 21 |
| | | | | 63,080 | | 167 | |
| FEDERATED OIL | ANTRIM RESOURCES 2 | 1/01 | 504 | 17.63 | 947 | 4 | 4 |
| | | 2/01 | 425 | 17.63 | 855 | 4 | 4 |
| | | 3/01 | 284 | 18.95 | 998 | 4 | 2 |
| | | 4/01 | 352 | 18.95 | 992 | 4 | 3 |
| | | 5/01 | 220 | 18.95 | 1,195 | 4 | 2 |
| | | 6/01 | 494 | 18.95 | 1,002 | 4 | 4 |
| | | 7/01 | 287 | 18.95 | 1,154 | 4 | 2 |
| | | 8/01 | 432 | 18.95 | 857 | 4 | 3 |
| | | 9/01 | 511 | 18.95 | 714 | 4 | 4 |
| | | 10/01 | 597 | 18.67 | 684 | 4 | 5 |
| | | 11/01 | 540 | 18.67 | 466 | 4 | 5 |
| | | 12/01 | 0 | 18.67 | 0 | 0 | 0 |
| | | 4,646 | | 9,864 | | | |
| FEDERATED OIL | BEAR LAKE 9 | 1/01 | 24,035 | 9.60 | 27,286 | 19 | 41 |
| | | 2/01 | 21,682 | 9.60 | 23,799 | 19 | 41 |
| | | 3/01 | 25,899 | 9.60 | 19,843 | 19 | 44 |
| | | 4/01 | 27,163 | 9.60 | 27,056 | 19 | 48 |
| | | 5/01 | 26,829 | 9.60 | 27,140 | 19 | 46 |
| | | 6/01 | 24,567 | 9.57 | 25,125 | 19 | 43 |
| | | 7/01 | 26,412 | 9.57 | 27,408 | 19 | 45 |
| | | 8/01 | 25,611 | 9.57 | 25,418 | 19 | 43 |
| | | 9/01 | 23,607 | 9.57 | 23,502 | 19 | 41 |
| | | 10/01 | 24,656 | 9.57 | 20,851 | 19 | 42 |
| | | 11/01 | 24,885 | 9.58 | 22,133 | 19 | 44 |
| | | 12/01 | 24,725 | 9.58 | 21,954 | 19 | 42 |
| | | 300,071 | | 291,515 | | | |
| | FEDERATED OIL - REPORTER TOTALS: | | 367,797 | | 301,546 | | |
| HRF | ABE LINCOLN | 1/01 | 4,910 | 6.93 | 1,153 | 3 | 53 |
| | | 2/01 | 4,062 | 7.36 | 972 | 3 | 48 |
| | | 3/01 | 4,360 | 7.36 | 975 | 3 | 47 |
| | | 4/01 | 3,930 | 7.36 | 818 | 3 | 44 |
| | | 5/01 | 5,513 | 7.36 | 1,020 | 3 | 59 |
| | | 6/01 | 5,612 | 7.36 | 1,284 | 3 | 62 |
| | | 7/01 | 6,662 | 7.36 | 1,649 | 3 | 72 |
| | | 8/01 | 7,331 | 7.79 | 1,770 | 3 | 79 |
| | | 9/01 | 6,808 | 7.36 | 1,763 | 3 | 76 |
| | | 10/01 | 6,803 | 7.36 | 2,253 | 3 | 73 |
| | | 11/01 | 6,548 | 7.43 | 1,838 | 3 | 73 |
| | | 12/01 | 6,424 | 7.43 | 2,001 | 3 | 69 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 68,963 | | 17,496 | | |
| HRF | ASE 1 HAYES | 1/01 | 9,528 | 17.00 | 2,394 | 13 | 24 |
| | | 2/01 | 7,878 | 19.00 | 2,094 | 13 | 22 |
| | | 3/01 | 8,388 | 20.00 | 3,146 | 13 | 21 |
| | | 4/01 | 8,365 | 19.00 | 2,636 | 13 | 21 |
| | | 5/01 | 9,007 | 19.00 | 2,619 | 13 | 22 |
| | | 6/01 | 7,853 | 19.00 | 3,307 | 13 | 20 |
| | | 7/01 | 7,580 | 19.00 | 3,071 | 13 | 19 |
| | | 8/01 | 8,422 | 19.00 | 3,032 | 13 | 21 |
| | | 9/01 | 8,514 | 19.00 | 2,859 | 13 | 22 |
| | | 10/01 | 9,065 | 20.00 | 2,244 | 13 | 22 |
| | | 11/01 | 8,239 | 20.00 | 1,967 | 13 | 21 |
| | | 12/01 | 8,093 | 20.00 | 2,083 | 13 | 20 |
| | | | 100,932 | | 31,452 | | |
| HRF | ASE 2 | 1/01 | 15,770 | 21.00 | 537 | 10 | 51 |
| | | 2/01 | 14,769 | 23.00 | 616 | 10 | 53 |
| | | 3/01 | 15,307 | 23.00 | 679 | 10 | 49 |
| | | 4/01 | 14,242 | 23.00 | 626 | 10 | 47 |
| | | 5/01 | 17,009 | 23.00 | 728 | 10 | 55 |
| | | 6/01 | 15,384 | 23.00 | 728 | 10 | 51 |
| | | 7/01 | 15,368 | 23.00 | 724 | 10 | 50 |
| | | 8/01 | 15,278 | 23.00 | 676 | 10 | 49 |
| | | 9/01 | 13,794 | 23.00 | 631 | 10 | 46 |
| | | 10/01 | 13,357 | 23.00 | 701 | 10 | 43 |
| | | 11/01 | 13,305 | 23.00 | 689 | 10 | 44 |
| | | 12/01 | 11,848 | 23.00 | 616 | 10 | 38 |
| | | | 175,431 | | 7,951 | | |
| HRF | ASE 3A-25 | 1/01 | 10,379 | 19.00 | 1,840 | 14 | 24 |
| | | 2/01 | 7,388 | 19.00 | 856 | 14 | 19 |
| | | 3/01 | 9,568 | 19.00 | 1,937 | 14 | 22 |
| | | 4/01 | 8,828 | 19.00 | 1,581 | 14 | 21 |
| | | 5/01 | 9,956 | 19.00 | 1,510 | 14 | 23 |
| | | 6/01 | 9,113 | 19.00 | 1,281 | 14 | 22 |
| | | 7/01 | 9,013 | 19.00 | 1,786 | 14 | 21 |
| | | 8/01 | 9,350 | 18.00 | 1,986 | 14 | 22 |
| | | 9/01 | 9,314 | 18.00 | 1,951 | 14 | 22 |
| | | 10/01 | 9,775 | 18.00 | 1,453 | 14 | 23 |
| | | 11/01 | 8,861 | 18.00 | 1,885 | 14 | 21 |
| | | 12/01 | 8,794 | 18.00 | 1,982 | 14 | 20 |
| | | | 110,339 | | 20,048 | | |
| HRF | ASE 3A-36 | 1/01 | 1,609 | 20.00 | 285 | 2 | 26 |
| | | 2/01 | 1,170 | 20.00 | 135 | 2 | 21 |
| | | 3/01 | 1,581 | 20.00 | 320 | 2 | 25 |
| | | 4/01 | 1,487 | 20.00 | 266 | 2 | 25 |
| | | 5/01 | 1,994 | 20.00 | 303 | 2 | 32 |
| | | 6/01 | 1,621 | 20.00 | 228 | 2 | 27 |
| | | 7/01 | 1,673 | 20.00 | 331 | 2 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| HRF | ASE 3A-36 | 8/01 | 1,388 | 17.00 | 295 | 2 | 22 |
| | | 9/01 | 1,271 | 17.00 | 266 | 2 | 21 |
| | | 10/01 | 1,356 | 17.00 | 201 | 2 | 22 |
| | | 11/01 | 1,694 | 17.00 | 360 | 2 | 28 |
| | | 12/01 | 1,535 | 17.00 | 346 | 2 | 25 |
| | | | | 18,379 | | 3,336 | |
| HRF | ASE 3B WOLFE | 1/01 | 22,834 | 23.00 | 778 | 16 | 46 |
| | | 2/01 | 19,999 | 24.00 | 834 | 16 | 45 |
| | | 3/01 | 21,701 | 24.00 | 963 | 16 | 44 |
| | | 4/01 | 19,948 | 24.00 | 876 | 16 | 42 |
| | | 5/01 | 21,352 | 24.00 | 914 | 16 | 43 |
| | | 6/01 | 18,153 | 24.00 | 859 | 16 | 38 |
| | | 7/01 | 19,034 | 24.00 | 896 | 16 | 38 |
| | | 8/01 | 18,857 | 24.00 | 834 | 16 | 38 |
| | | 9/01 | 18,775 | 24.00 | 859 | 16 | 39 |
| | | 10/01 | 20,342 | 24.00 | 1,068 | 16 | 41 |
| | | 11/01 | 24,674 | 24.00 | 1,278 | 16 | 51 |
| | | 12/01 | 25,075 | 24.00 | 1,304 | 16 | 51 |
| | | 250,744 | | 11,463 | | | |
| HRF | ASE 3B WOLFE ET AL | 1/01 | 3,943 | 23.00 | 134 | 3 | 42 |
| | | 2/01 | 3,367 | 25.00 | 140 | 3 | 40 |
| | | 3/01 | 3,267 | 25.00 | 145 | 3 | 35 |
| | | 4/01 | 3,255 | 25.00 | 143 | 3 | 36 |
| | | 5/01 | 3,601 | 25.00 | 154 | 3 | 39 |
| | | 6/01 | 3,278 | 25.00 | 155 | 3 | 36 |
| | | 7/01 | 3,471 | 25.00 | 163 | 3 | 37 |
| | | 8/01 | 3,382 | 25.00 | 150 | 3 | 36 |
| | | 9/01 | 3,252 | 25.00 | 149 | 3 | 36 |
| | | 10/01 | 3,181 | 25.00 | 167 | 3 | 34 |
| | | 11/01 | 3,687 | 25.00 | 191 | 3 | 41 |
| | | 12/01 | 3,750 | 25.00 | 195 | 3 | 40 |
| | | 41,434 | | 1,886 | | | |
| HRF | ASE 4-16 | 1/01 | 11,880 | 15.00 | 1,726 | 8 | 48 |
| | | 2/01 | 9,905 | 12.00 | 1,571 | 8 | 44 |
| | | 3/01 | 10,155 | 12.00 | 1,624 | 8 | 41 |
| | | 4/01 | 10,164 | 12.00 | 1,565 | 8 | 42 |
| | | 5/01 | 10,136 | 12.00 | 1,694 | 8 | 41 |
| | | 6/01 | 9,333 | 12.00 | 1,525 | 8 | 39 |
| | | 7/01 | 9,683 | 12.00 | 1,629 | 8 | 39 |
| | | 8/01 | 9,094 | 15.00 | 1,363 | 8 | 37 |
| | | 9/01 | 8,332 | 15.00 | 1,247 | 8 | 35 |
| | | 10/01 | 8,034 | 15.00 | 1,288 | 8 | 32 |
| | | 11/01 | 7,069 | 15.00 | 1,267 | 8 | 29 |
| | | 12/01 | 8,210 | 15.00 | 1,351 | 8 | 33 |
| | | 111,995 | | 17,850 | | | |
| HRF | ASE 4-17 | 1/01 | 15,178 | 13.00 | 2,205 | 6 | 82 |
| | | 2/01 | 11,592 | 14.00 | 1,839 | 6 | 69 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| HRF | ASE 4-17 | 3/01 | 11,094 | 14.00 | 1,774 | 6 | 60 | | |
| | | 4/01 | 11,205 | 14.00 | 1,726 | 6 | 62 | | |
| | | 5/01 | 11,481 | 14.00 | 1,919 | 6 | 62 | | |
| | | 6/01 | 10,641 | 14.00 | 1,739 | 6 | 59 | | |
| | | 7/01 | 11,147 | 14.00 | 1,875 | 6 | 60 | | |
| | | 8/01 | 11,600 | 14.00 | 1,739 | 6 | 62 | | |
| | | 9/01 | 9,939 | 14.00 | 1,487 | 6 | 55 | | |
| | | 10/01 | 11,214 | 14.00 | 1,798 | 6 | 60 | | |
| | | 11/01 | 11,233 | 14.00 | 2,013 | 6 | 62 | | |
| | | 12/01 | 11,632 | 14.00 | 1,915 | 6 | 63 | | |
| | | | | | 137,956 | | 22,029 | | |
| | | HRF | ASE 4B | 1/01 | 13,246 | 9.00 | 1,924 | 5 | 85 |
| 2/01 | 12,573 | | | 9.00 | 1,994 | 5 | 90 | | |
| 3/01 | 15,789 | | | 9.00 | 2,525 | 5 | 102 | | |
| 4/01 | 15,344 | | | 9.00 | 2,363 | 5 | 102 | | |
| 5/01 | 15,582 | | | 9.00 | 2,604 | 5 | 101 | | |
| 6/01 | 14,882 | | | 9.00 | 2,432 | 5 | 99 | | |
| 7/01 | 15,833 | | | 9.00 | 2,664 | 5 | 102 | | |
| 8/01 | 16,287 | | | 9.00 | 2,441 | 5 | 105 | | |
| 9/01 | 15,332 | | | 9.00 | 2,294 | 5 | 102 | | |
| 10/01 | 14,991 | | | 9.00 | 2,404 | 5 | 97 | | |
| 11/01 | 13,727 | | | 9.00 | 2,460 | 5 | 92 | | |
| 12/01 | 13,762 | | | 9.00 | 2,265 | 5 | 89 | | |
| | | | 177,348 | | 28,370 | | | | |
| HRF | ASE 4C | 1/01 | 3,135 | 11.00 | 455 | 1 | 101 | | |
| | | 2/01 | 2,718 | 13.00 | 431 | 1 | 97 | | |
| | | 3/01 | 3,460 | 13.00 | 553 | 1 | 112 | | |
| | | 4/01 | 3,399 | 13.00 | 524 | 1 | 113 | | |
| | | 5/01 | 3,471 | 13.00 | 580 | 1 | 112 | | |
| | | 6/01 | 3,337 | 13.00 | 545 | 1 | 111 | | |
| | | 7/01 | 3,588 | 13.00 | 604 | 1 | 116 | | |
| | | 8/01 | 4,260 | 11.00 | 639 | 1 | 137 | | |
| | | 9/01 | 3,716 | 11.00 | 556 | 1 | 124 | | |
| | | 10/01 | 3,735 | 11.00 | 599 | 1 | 120 | | |
| | | 11/01 | 3,028 | 11.00 | 543 | 1 | 101 | | |
| | | 12/01 | 2,836 | 11.00 | 467 | 1 | 91 | | |
| | | | 40,683 | | 6,496 | | | | |
| HRF | ASE 4D | 1/01 | 684 | 13.00 | 99 | 1 | 22 | | |
| | | 2/01 | 860 | 13.00 | 136 | 1 | 31 | | |
| | | 3/01 | 1,066 | 13.00 | 170 | 1 | 34 | | |
| | | 4/01 | 1,025 | 13.00 | 158 | 1 | 34 | | |
| | | 5/01 | 1,063 | 13.00 | 178 | 1 | 34 | | |
| | | 6/01 | 1,018 | 13.00 | 166 | 1 | 34 | | |
| | | 7/01 | 1,086 | 13.00 | 183 | 1 | 35 | | |
| | | 8/01 | 1,053 | 12.00 | 158 | 1 | 34 | | |
| | | 9/01 | 995 | 12.00 | 149 | 1 | 33 | | |
| | | 10/01 | 1,106 | 12.00 | 177 | 1 | 36 | | |
| | | 11/01 | 892 | 12.00 | 160 | 1 | 30 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| HRF | ASE 4D | 12/01 | 844 | 12.00 | 139 | 1 | 27 |
| | | | 11,692 | | 1,873 | | |
| HRF | ASE 5 | 1/01 | 26,477 | 24.00 | 2,936 | 19 | 45 |
| | | 2/01 | 26,371 | 24.00 | 2,843 | 19 | 50 |
| | | 3/01 | 29,195 | 24.00 | 3,117 | 19 | 50 |
| | | 4/01 | 27,015 | 24.00 | 2,916 | 19 | 47 |
| | | 5/01 | 27,694 | 24.00 | 2,879 | 19 | 47 |
| | | 6/01 | 26,281 | 24.00 | 2,524 | 19 | 46 |
| | | 7/01 | 27,457 | 24.00 | 2,308 | 19 | 47 |
| | | 8/01 | 27,676 | 24.00 | 3,047 | 19 | 47 |
| | | 9/01 | 27,067 | 25.00 | 3,081 | 19 | 47 |
| | | 10/01 | 28,068 | 25.00 | 2,545 | 19 | 48 |
| | | 11/01 | 26,826 | 25.00 | 2,432 | 19 | 47 |
| | | 12/01 | 26,934 | 25.00 | 2,715 | 19 | 46 |
| | | | 327,061 | | 33,343 | | |
| HRF | ASE 512 | 1/01 | 12,467 | 25.00 | 503 | 6 | 67 |
| | | 2/01 | 11,639 | 25.00 | 323 | 6 | 69 |
| | | 3/01 | 13,863 | 26.00 | 602 | 6 | 75 |
| | | 4/01 | 13,355 | 26.00 | 636 | 6 | 74 |
| | | 5/01 | 13,326 | 26.00 | 588 | 6 | 72 |
| | | 6/01 | 11,088 | 26.00 | 408 | 6 | 62 |
| | | 7/01 | 12,649 | 26.00 | 446 | 6 | 68 |
| | | 8/01 | 12,093 | 26.00 | 431 | 6 | 65 |
| | | 9/01 | 11,567 | 26.00 | 466 | 6 | 64 |
| | | 10/01 | 11,654 | 26.00 | 435 | 6 | 63 |
| | | 11/01 | 10,773 | 26.00 | 424 | 6 | 60 |
| | | 12/01 | 10,972 | 26.00 | 348 | 6 | 59 |
| | | | 145,446 | | 5,610 | | |
| HRF | ASE 519 | 1/01 | 4,274 | 23.00 | 172 | 1 | 138 |
| | | 2/01 | 3,962 | 26.00 | 110 | 1 | 142 |
| | | 3/01 | 4,118 | 26.00 | 179 | 1 | 133 |
| | | 4/01 | 4,159 | 26.00 | 198 | 1 | 139 |
| | | 5/01 | 4,420 | 26.00 | 195 | 1 | 143 |
| | | 6/01 | 4,014 | 26.00 | 148 | 1 | 134 |
| | | 7/01 | 4,031 | 26.00 | 142 | 1 | 130 |
| | | 8/01 | 4,054 | 26.00 | 144 | 1 | 131 |
| | | 9/01 | 3,765 | 26.00 | 152 | 1 | 126 |
| | | 10/01 | 4,068 | 26.00 | 152 | 1 | 131 |
| | | 11/01 | 3,257 | 26.00 | 128 | 1 | 109 |
| | | 12/01 | 3,388 | 26.00 | 108 | 1 | 109 |
| | | | 47,510 | | 1,828 | | |
| HRF | ASE 5B | 1/01 | 1,968 | 22.00 | 218 | 3 | 21 |
| | | 2/01 | 1,656 | 22.00 | 179 | 3 | 20 |
| | | 3/01 | 1,903 | 22.00 | 203 | 3 | 20 |
| | | 4/01 | 1,809 | 22.00 | 195 | 3 | 20 |
| | | 5/01 | 2,255 | 22.00 | 234 | 3 | 24 |
| | | 6/01 | 2,181 | 22.00 | 209 | 3 | 24 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| HRF | ASE 5B | 7/01 | 1,951 | 22.00 | 164 | 3 | 21 |
| | | 8/01 | 2,251 | 22.00 | 248 | 3 | 24 |
| | | 9/01 | 2,227 | 23.00 | 253 | 3 | 25 |
| | | 10/01 | 1,885 | 23.00 | 171 | 3 | 20 |
| | | 11/01 | 2,344 | 23.00 | 212 | 3 | 26 |
| | | 12/01 | 2,336 | 23.00 | 235 | 3 | 25 |
| | | | | 24,766 | | 2,521 | |
| HRF | ASE 5C | 1/01 | 9,080 | 26.00 | 366 | 7 | 42 |
| | | 2/01 | 8,213 | 26.00 | 228 | 7 | 42 |
| | | 3/01 | 9,001 | 27.00 | 391 | 7 | 41 |
| | | 4/01 | 8,843 | 27.00 | 421 | 7 | 42 |
| | | 5/01 | 9,070 | 27.00 | 400 | 7 | 42 |
| | | 6/01 | 8,842 | 27.00 | 325 | 7 | 42 |
| | | 7/01 | 8,292 | 27.00 | 292 | 7 | 38 |
| | | 8/01 | 9,644 | 27.00 | 344 | 7 | 44 |
| | | 9/01 | 8,611 | 27.00 | 347 | 7 | 41 |
| | | 10/01 | 9,249 | 27.00 | 345 | 7 | 43 |
| | | 11/01 | 9,632 | 27.00 | 379 | 7 | 46 |
| | | 12/01 | 9,431 | 27.00 | 299 | 7 | 43 |
| | | 107,908 | | 4,137 | | | |
| HRF | ASE 6 | 1/01 | 54,002 | 24.00 | 3,319 | 44 | 40 |
| | | 2/01 | 50,065 | 24.00 | 4,463 | 44 | 41 |
| | | 3/01 | 55,116 | 24.00 | 3,058 | 44 | 40 |
| | | 4/01 | 54,244 | 24.00 | 2,708 | 44 | 41 |
| | | 5/01 | 57,566 | 24.00 | 2,484 | 44 | 42 |
| | | 6/01 | 50,032 | 24.00 | 2,019 | 44 | 38 |
| | | 7/01 | 54,541 | 24.00 | 2,886 | 44 | 40 |
| | | 8/01 | 54,435 | 24.00 | 3,343 | 44 | 40 |
| | | 9/01 | 51,329 | 25.00 | 3,214 | 44 | 39 |
| | | 10/01 | 49,192 | 25.00 | 2,552 | 44 | 36 |
| | | 11/01 | 51,748 | 25.00 | 3,044 | 44 | 39 |
| | | 12/01 | 50,828 | 25.00 | 2,354 | 44 | 37 |
| | | 633,098 | | 35,444 | | | |
| HRF | ASE 6B | 1/01 | 6,420 | 25.00 | 395 | 2 | 104 |
| | | 2/01 | 5,846 | 25.00 | 521 | 2 | 104 |
| | | 3/01 | 6,227 | 25.00 | 345 | 2 | 100 |
| | | 4/01 | 5,657 | 25.00 | 282 | 2 | 94 |
| | | 5/01 | 6,165 | 25.00 | 266 | 2 | 99 |
| | | 6/01 | 5,851 | 25.00 | 236 | 2 | 98 |
| | | 7/01 | 5,801 | 25.00 | 307 | 2 | 94 |
| | | 8/01 | 5,890 | 25.00 | 362 | 2 | 95 |
| | | 9/01 | 6,806 | 25.00 | 426 | 2 | 113 |
| | | 10/01 | 6,149 | 25.00 | 319 | 2 | 99 |
| | | 11/01 | 4,656 | 25.00 | 274 | 2 | 78 |
| | | 12/01 | 4,904 | 25.00 | 227 | 2 | 79 |
| | | 70,372 | | 3,960 | | | |
| HRF | ASE 6C | 1/01 | 3,719 | 29.00 | 229 | 1 | 120 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|---|----|
| HRF | ASE 6C | 2/01 | 3,156 | 29.00 | 281 | 1 | 113 | | |
| | | 3/01 | 3,205 | 28.00 | 178 | 1 | 103 | | |
| | | 4/01 | 3,293 | 28.00 | 164 | 1 | 110 | | |
| | | 5/01 | 3,539 | 28.00 | 153 | 1 | 114 | | |
| | | 6/01 | 3,088 | 28.00 | 125 | 1 | 103 | | |
| | | 7/01 | 3,497 | 28.00 | 185 | 1 | 113 | | |
| | | 8/01 | 4,163 | 28.00 | 256 | 1 | 134 | | |
| | | 9/01 | 3,792 | 30.00 | 237 | 1 | 126 | | |
| | | 10/01 | 3,236 | 30.00 | 168 | 1 | 104 | | |
| | | 11/01 | 3,025 | 30.00 | 178 | 1 | 101 | | |
| | | 12/01 | 2,989 | 30.00 | 138 | 1 | 96 | | |
| | | | | | 40,702 | | 2,292 | | |
| | | HRF | ASE 7 | 1/01 | 10,199 | 23.00 | 1,059 | 7 | 47 |
| 2/01 | 9,563 | | | 23.00 | 1,019 | 7 | 49 | | |
| 3/01 | 11,269 | | | 22.00 | 1,259 | 7 | 52 | | |
| 4/01 | 10,937 | | | 22.00 | 1,132 | 7 | 52 | | |
| 5/01 | 9,883 | | | 22.00 | 1,187 | 7 | 46 | | |
| 6/01 | 8,949 | | | 22.00 | 1,034 | 7 | 43 | | |
| 7/01 | 8,883 | | | 22.00 | 749 | 7 | 41 | | |
| 8/01 | 11,217 | | | 22.00 | 1,244 | 7 | 52 | | |
| 9/01 | 11,545 | | | 24.00 | 1,303 | 7 | 55 | | |
| 10/01 | 11,377 | | | 24.00 | 1,253 | 7 | 52 | | |
| 11/01 | 11,437 | | | 24.00 | 907 | 7 | 54 | | |
| 12/01 | 11,015 | | | 24.00 | 1,103 | 7 | 51 | | |
| | | | | | 126,274 | | 13,249 | | |
| HRF | ASE 7B | 1/01 | 6,967 | 22.00 | 723 | 3 | 75 | | |
| | | 2/01 | 6,065 | 22.00 | 647 | 3 | 72 | | |
| | | 3/01 | 5,991 | 24.00 | 669 | 3 | 64 | | |
| | | 4/01 | 5,721 | 24.00 | 592 | 3 | 64 | | |
| | | 5/01 | 6,856 | 24.00 | 823 | 3 | 74 | | |
| | | 6/01 | 6,398 | 24.00 | 739 | 3 | 71 | | |
| | | 7/01 | 6,680 | 24.00 | 563 | 3 | 72 | | |
| | | 8/01 | 6,281 | 24.00 | 696 | 3 | 68 | | |
| | | 9/01 | 6,650 | 24.00 | 751 | 3 | 74 | | |
| | | 10/01 | 7,303 | 24.00 | 805 | 3 | 79 | | |
| | | 11/01 | 5,608 | 24.00 | 445 | 3 | 62 | | |
| | | 12/01 | 5,904 | 24.00 | 591 | 3 | 63 | | |
| | | | | | 76,424 | | 8,044 | | |
| HRF | ASE 7C | 1/01 | 7,731 | 19.00 | 555 | 7 | 36 | | |
| | | 2/01 | 6,705 | 19.00 | 460 | 7 | 34 | | |
| | | 3/01 | 7,061 | 20.00 | 503 | 7 | 33 | | |
| | | 4/01 | 7,000 | 19.00 | 491 | 7 | 33 | | |
| | | 5/01 | 7,206 | 19.00 | 468 | 7 | 33 | | |
| | | 6/01 | 6,616 | 19.00 | 357 | 7 | 32 | | |
| | | 7/01 | 6,956 | 20.00 | 378 | 7 | 32 | | |
| | | 8/01 | 6,946 | 19.00 | 372 | 7 | 32 | | |
| | | 9/01 | 6,466 | 20.00 | 413 | 7 | 31 | | |
| | | 10/01 | 6,795 | 19.00 | 371 | 7 | 31 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| HRF | ASE 7C | 11/01 | 6,347 | 20.00 | 355 | 7 | 30 |
| | | 12/01 | 6,297 | 20.00 | 261 | 7 | 29 |
| | | | 82,126 | | 4,984 | | |
| HRF | ASE 8 | 1/01 | 24,493 | 10.00 | 418 | 4 | 198 |
| | | 2/01 | 21,888 | 9.00 | 342 | 4 | 195 |
| | | 3/01 | 22,548 | 10.00 | 544 | 4 | 182 |
| | | 4/01 | 22,272 | 10.00 | 1,182 | 4 | 186 |
| | | 5/01 | 23,298 | 8.00 | 1,200 | 4 | 188 |
| | | 6/01 | 19,783 | 8.00 | 826 | 4 | 165 |
| | | 7/01 | 21,907 | 10.00 | 503 | 4 | 177 |
| | | 8/01 | 20,278 | 10.00 | 369 | 4 | 164 |
| | | 9/01 | 15,234 | 7.00 | 273 | 4 | 127 |
| | | 10/01 | 20,553 | 7.00 | 486 | 4 | 166 |
| | | 11/01 | 19,977 | 7.00 | 381 | 4 | 166 |
| | | 12/01 | 22,373 | 7.00 | 483 | 4 | 180 |
| | | | 254,604 | | 7,007 | | |
| HRF | BAGLEY 27 | 1/01 | 100,728 | 21.00 | 4,416 | 36 | 90 |
| | | 2/01 | 88,824 | 22.00 | 3,956 | 36 | 88 |
| | | 3/01 | 95,115 | 22.00 | 2,708 | 36 | 85 |
| | | 4/01 | 91,810 | 22.00 | 5,460 | 36 | 85 |
| | | 5/01 | 98,793 | 22.00 | 5,308 | 36 | 89 |
| | | 6/01 | 94,992 | 22.00 | 4,625 | 36 | 88 |
| | | 7/01 | 98,410 | 22.00 | 5,069 | 36 | 88 |
| | | 8/01 | 96,367 | 22.00 | 1,871 | 36 | 86 |
| | | 9/01 | 93,459 | 22.00 | 4,073 | 36 | 87 |
| | | 10/01 | 94,705 | 22.00 | 14,208 | 36 | 85 |
| | | 11/01 | 87,116 | 23.00 | 11,746 | 36 | 81 |
| | | 12/01 | 91,050 | 22.00 | 12,111 | 36 | 82 |
| | | | 1,131,369 | | 75,551 | | |
| HRF | BEAR SWAMP | 1/01 | 42,923 | 9.00 | 12,475 | 8 | 173 |
| | | 2/01 | 38,136 | 9.00 | 10,592 | 8 | 170 |
| | | 3/01 | 41,769 | 9.00 | 11,148 | 8 | 168 |
| | | 4/01 | 40,804 | 9.00 | 11,409 | 8 | 170 |
| | | 5/01 | 42,178 | 10.00 | 12,123 | 8 | 170 |
| | | 6/01 | 38,905 | 10.00 | 10,669 | 8 | 162 |
| | | 7/01 | 39,415 | 10.00 | 10,653 | 8 | 159 |
| | | 8/01 | 39,010 | 10.00 | 10,748 | 8 | 157 |
| | | 9/01 | 41,443 | 2.00 | 13,983 | 8 | 173 |
| | | 10/01 | 43,115 | 2.00 | 8,986 | 8 | 174 |
| | | 11/01 | 42,144 | 2.00 | 10,441 | 8 | 176 |
| | | 12/01 | 36,538 | 9.00 | 9,240 | 8 | 147 |
| | | | 486,380 | | 132,467 | | |
| HRF | CALEDONIA 11 | 1/01 | 89,818 | 7.00 | 24,809 | 18 | 161 |
| | | 2/01 | 81,976 | 7.00 | 25,974 | 18 | 163 |
| | | 3/01 | 91,720 | 7.00 | 24,263 | 18 | 164 |
| | | 4/01 | 92,655 | 7.00 | 29,552 | 21 | 147 |
| | | 5/01 | 94,222 | 8.00 | 52,842 | 21 | 145 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| HRF | CALEDONIA 11 | 6/01 | 93,093 | 8.00 | 27,524 | 21 | 148 |
| | | 7/01 | 92,302 | 8.00 | 22,517 | 24 | 124 |
| | | 8/01 | 92,257 | 8.00 | 20,721 | 24 | 124 |
| | | 9/01 | 84,820 | 8.00 | 20,610 | 24 | 118 |
| | | 10/01 | 85,801 | 8.00 | 20,611 | 24 | 115 |
| | | 11/01 | 83,640 | 9.00 | 20,611 | 24 | 116 |
| | | 12/01 | 87,615 | 9.00 | 20,611 | 24 | 118 |
| | | | | | 1,069,919 | | 310,645 |
| HRF | CHARLTON 14 | 1/01 | 19,001 | 19.00 | 2,545 | 13 | 47 |
| | | 2/01 | 17,713 | 19.00 | 2,241 | 13 | 49 |
| | | 3/01 | 20,107 | 19.00 | 2,043 | 13 | 50 |
| | | 4/01 | 19,094 | 19.00 | 2,054 | 13 | 49 |
| | | 5/01 | 20,480 | 19.00 | 1,876 | 13 | 51 |
| | | 6/01 | 20,818 | 19.00 | 1,738 | 13 | 53 |
| | | 7/01 | 21,614 | 19.00 | 1,749 | 13 | 54 |
| | | 8/01 | 22,141 | 19.00 | 1,855 | 13 | 55 |
| | | 9/01 | 20,454 | 19.00 | 1,869 | 13 | 52 |
| | | 10/01 | 20,141 | 19.00 | 1,710 | 13 | 50 |
| | | 11/01 | 19,409 | 19.00 | 1,581 | 13 | 50 |
| | | 12/01 | 19,661 | 19.00 | 1,449 | 13 | 49 |
| | | | 240,633 | | 22,710 | | |
| HRF | CLUB PROSPECT | 1/01 | 3,676 | 9.00 | 1,068 | 2 | 59 |
| | | 2/01 | 3,274 | 9.00 | 909 | 2 | 58 |
| | | 3/01 | 3,504 | 9.00 | 935 | 2 | 57 |
| | | 4/01 | 3,376 | 9.00 | 944 | 2 | 56 |
| | | 5/01 | 3,601 | 9.00 | 1,035 | 2 | 58 |
| | | 6/01 | 3,504 | 9.00 | 961 | 2 | 58 |
| | | 7/01 | 3,728 | 9.00 | 1,008 | 2 | 60 |
| | | 8/01 | 3,595 | 9.00 | 990 | 2 | 58 |
| | | 9/01 | 3,334 | 9.00 | 1,125 | 2 | 56 |
| | | 10/01 | 3,719 | 9.00 | 775 | 2 | 60 |
| | | 11/01 | 3,490 | 9.00 | 865 | 2 | 58 |
| | | 12/01 | 3,424 | 9.00 | 866 | 2 | 55 |
| | | | 42,225 | | 11,481 | | |
| HRF | HAASS | 1/01 | 59,417 | 8.00 | 33,916 | 15 | 128 |
| | | 2/01 | 54,031 | 8.00 | 30,167 | 15 | 129 |
| | | 3/01 | 58,476 | 8.00 | 37,930 | 15 | 126 |
| | | 4/01 | 53,978 | 8.00 | 35,877 | 15 | 120 |
| | | 5/01 | 54,002 | 8.00 | 33,610 | 15 | 116 |
| | | 6/01 | 53,513 | 8.00 | 33,526 | 15 | 119 |
| | | 7/01 | 58,299 | 8.00 | 40,937 | 15 | 125 |
| | | 8/01 | 55,422 | 8.00 | 37,506 | 15 | 119 |
| | | 9/01 | 52,329 | 8.00 | 24,661 | 15 | 116 |
| | | 10/01 | 51,056 | 9.00 | 24,659 | 15 | 110 |
| | | 11/01 | 48,676 | 9.00 | 24,659 | 15 | 108 |
| | | 12/01 | 50,083 | 9.00 | 24,659 | 15 | 108 |
| | | | 649,282 | | 382,107 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| HRF | HERMS LANDING | 1/01 | 3,357 | 9.00 | 789 | 3 | 36 |
| | | 2/01 | 2,850 | 10.00 | 682 | 3 | 34 |
| | | 3/01 | 2,983 | 10.00 | 667 | 3 | 32 |
| | | 4/01 | 2,633 | 10.00 | 548 | 3 | 29 |
| | | 5/01 | 2,940 | 10.00 | 544 | 3 | 32 |
| | | 6/01 | 2,787 | 10.00 | 638 | 3 | 31 |
| | | 7/01 | 3,038 | 10.00 | 752 | 3 | 33 |
| | | 8/01 | 3,000 | 11.00 | 724 | 3 | 32 |
| | | 9/01 | 2,928 | 10.00 | 758 | 3 | 33 |
| | | 10/01 | 3,059 | 10.00 | 1,013 | 3 | 33 |
| | | 11/01 | 2,917 | 10.00 | 819 | 3 | 32 |
| | | 12/01 | 2,946 | 10.00 | 918 | 3 | 32 |
| | | | | | 35,438 | | 8,852 |
| HRF | INDIAN GREEN | 1/01 | 40,466 | 4.71 | 49,756 | 7 | 186 |
| | | 2/01 | 35,028 | 4.71 | 43,894 | 7 | 179 |
| | | 3/01 | 37,994 | 4.71 | 44,552 | 7 | 175 |
| | | 4/01 | 34,789 | 4.71 | 38,646 | 7 | 166 |
| | | 5/01 | 37,979 | 4.71 | 38,076 | 7 | 175 |
| | | 6/01 | 36,144 | 4.71 | 45,065 | 7 | 172 |
| | | 7/01 | 36,430 | 4.71 | 51,132 | 7 | 168 |
| | | 8/01 | 36,351 | 4.71 | 49,841 | 7 | 168 |
| | | 9/01 | 35,001 | 4.71 | 9,065 | 7 | 167 |
| | | 10/01 | 36,020 | 4.71 | 11,931 | 7 | 166 |
| | | 11/01 | 34,444 | 4.71 | 9,667 | 7 | 164 |
| | | 12/01 | 34,666 | 4.71 | 10,800 | 7 | 160 |
| | | | | | 435,312 | | 402,425 |
| HRF | INDIAN GREEN EAST | 1/01 | 16,065 | 9.00 | 1,705 | 2 | 259 |
| | | 2/01 | 14,659 | 9.00 | 4,071 | 2 | 262 |
| | | 3/01 | 16,284 | 4.50 | 54,034 | 2 | 263 |
| | | 4/01 | 15,911 | 4.50 | 55,012 | 2 | 265 |
| | | 5/01 | 15,939 | 5.50 | 59,510 | 2 | 257 |
| | | 6/01 | 14,796 | 5.50 | 54,614 | 2 | 247 |
| | | 7/01 | 15,411 | 5.50 | 54,318 | 2 | 249 |
| | | 8/01 | 14,413 | 5.50 | 55,447 | 2 | 232 |
| | | 9/01 | 13,157 | 5.50 | 4,439 | 2 | 219 |
| | | 10/01 | 14,503 | 5.50 | 11,796 | 2 | 234 |
| | | 11/01 | 13,929 | 5.50 | 3,451 | 2 | 232 |
| | | 12/01 | 14,230 | 5.50 | 3,599 | 2 | 230 |
| | | | | | 179,297 | | 361,996 |
| HRF | KOGELMANN | 1/01 | 69,796 | 8.00 | 39,841 | 15 | 150 |
| | | 2/01 | 61,100 | 8.00 | 34,113 | 15 | 145 |
| | | 3/01 | 65,155 | 8.00 | 42,263 | 15 | 140 |
| | | 4/01 | 61,300 | 9.00 | 40,744 | 15 | 136 |
| | | 5/01 | 62,917 | 9.00 | 39,158 | 15 | 135 |
| | | 6/01 | 56,030 | 9.00 | 35,103 | 15 | 125 |
| | | 7/01 | 60,027 | 9.00 | 42,150 | 15 | 129 |
| | | 8/01 | 57,689 | 9.00 | 39,041 | 15 | 124 |
| | | 9/01 | 56,999 | 9.00 | 26,862 | 15 | 127 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| HRF | KOGELMANN | 10/01 | 57,154 | 9.00 | 26,864 | 15 | 123 |
| | | 11/01 | 55,237 | 9.00 | 26,864 | 15 | 123 |
| | | 12/01 | 57,197 | 9.00 | 26,864 | 15 | 123 |
| | | | 720,601 | | 419,867 | | |
| HRF | LIGHTNING TREE | 1/01 | 39,399 | 7.00 | 11,451 | 9 | 141 |
| | | 2/01 | 34,452 | 7.00 | 9,569 | 9 | 137 |
| | | 3/01 | 36,902 | 7.00 | 9,849 | 9 | 132 |
| | | 4/01 | 35,030 | 7.00 | 9,795 | 9 | 130 |
| | | 5/01 | 36,628 | 7.00 | 10,528 | 9 | 131 |
| | | 6/01 | 37,170 | 7.00 | 10,193 | 9 | 138 |
| | | 7/01 | 38,073 | 7.00 | 10,290 | 9 | 136 |
| | | 8/01 | 40,050 | 7.00 | 11,034 | 9 | 144 |
| | | 9/01 | 37,804 | 7.00 | 12,755 | 9 | 140 |
| | | 10/01 | 36,859 | 7.00 | 7,682 | 9 | 132 |
| | | 11/01 | 34,996 | 7.00 | 8,670 | 9 | 130 |
| | | 12/01 | 37,736 | 6.00 | 9,543 | 9 | 135 |
| | 445,099 | | 121,359 | | | | |
| HRF | LOST WATCHMAN | 1/01 | 54,277 | 6.00 | 15,775 | 11 | 159 |
| | | 2/01 | 48,169 | 6.00 | 13,378 | 11 | 156 |
| | | 3/01 | 53,152 | 6.00 | 14,187 | 11 | 156 |
| | | 4/01 | 51,988 | 6.00 | 14,536 | 11 | 158 |
| | | 5/01 | 53,981 | 6.00 | 15,515 | 11 | 158 |
| | | 6/01 | 50,197 | 6.00 | 13,766 | 11 | 152 |
| | | 7/01 | 48,093 | 6.00 | 12,999 | 11 | 141 |
| | | 8/01 | 50,764 | 6.00 | 13,986 | 11 | 149 |
| | | 9/01 | 47,289 | 6.00 | 15,955 | 11 | 143 |
| | | 10/01 | 48,801 | 6.00 | 10,171 | 11 | 143 |
| | | 11/01 | 45,964 | 6.00 | 11,388 | 11 | 139 |
| | | 12/01 | 46,874 | 8.00 | 11,854 | 11 | 137 |
| | 599,549 | | 163,510 | | | | |
| HRF | MAYER | 1/01 | 11,475 | 22.00 | 514 | 13 | 28 |
| | | 2/01 | 10,317 | 22.00 | 635 | 13 | 28 |
| | | 3/01 | 11,286 | 22.00 | 829 | 13 | 28 |
| | | 4/01 | 10,843 | 22.00 | 782 | 13 | 28 |
| | | 5/01 | 11,085 | 22.00 | 806 | 13 | 27 |
| | | 6/01 | 10,308 | 22.00 | 688 | 13 | 26 |
| | | 7/01 | 10,555 | 22.00 | 711 | 13 | 26 |
| | | 8/01 | 10,474 | 22.00 | 657 | 13 | 26 |
| | | 9/01 | 9,818 | 23.00 | 767 | 13 | 25 |
| | | 10/01 | 9,940 | 23.00 | 1,047 | 13 | 25 |
| | | 11/01 | 9,150 | 23.00 | 850 | 13 | 23 |
| | | 12/01 | 9,537 | 23.00 | 1,057 | 13 | 24 |
| | 124,788 | | 9,343 | | | | |
| HRF | MH LAND | 1/01 | 6,746 | 6.00 | 1,863 | 1 | 218 |
| | | 2/01 | 5,190 | 6.00 | 1,644 | 1 | 185 |
| | | 3/01 | 8,186 | 6.00 | 2,165 | 6 | 44 |
| | | 4/01 | 17,286 | 6.00 | 5,513 | 6 | 96 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| HRF | MH LAND | 5/01 | 18,252 | 7.00 | 10,236 | 6 | 98 | | |
| | | 6/01 | 17,534 | 7.00 | 5,184 | 6 | 97 | | |
| | | 7/01 | 19,342 | 7.00 | 4,718 | 9 | 69 | | |
| | | 8/01 | 18,490 | 7.00 | 4,153 | 9 | 66 | | |
| | | 9/01 | 19,473 | 7.00 | 10,070 | 9 | 72 | | |
| | | 10/01 | 17,832 | 7.00 | 10,069 | 9 | 64 | | |
| | | 11/01 | 16,940 | 7.00 | 10,069 | 9 | 63 | | |
| | | 12/01 | 17,601 | 7.00 | 10,069 | 9 | 63 | | |
| | | | | | 182,872 | | 75,753 | | |
| | | HRF | MINERS DAM | 1/01 | 5,754 | 3.00 | 1,672 | 2 | 93 |
| | | | | 2/01 | 5,153 | 3.00 | 1,431 | 2 | 92 |
| | | | | 3/01 | 5,290 | 3.00 | 1,412 | 2 | 85 |
| 4/01 | 5,362 | | | 3.00 | 1,499 | 2 | 89 | | |
| 5/01 | 5,576 | | | 3.00 | 1,603 | 2 | 90 | | |
| 6/01 | 5,281 | | | 3.00 | 1,448 | 2 | 88 | | |
| 7/01 | 5,650 | | | 3.00 | 1,527 | 2 | 91 | | |
| 8/01 | 5,618 | | | 3.00 | 1,548 | 2 | 91 | | |
| 9/01 | 5,327 | | | 3.00 | 1,797 | 2 | 89 | | |
| 10/01 | 5,782 | | | 3.00 | 1,205 | 2 | 93 | | |
| 11/01 | 5,303 | | | 3.00 | 1,314 | 2 | 88 | | |
| 12/01 | 5,498 | | | 3.00 | 1,390 | 2 | 89 | | |
| | | | 65,594 | | 17,846 | | | | |
| HRF | MINERS DAM-20279 | 9/01 | 444 | 10.00 | 115 | 1 | 15 | | |
| | | 10/01 | 5,660 | 10.00 | 1,875 | 1 | 183 | | |
| | | 11/01 | 6,171 | 10.00 | 1,732 | 1 | 206 | | |
| | | 12/01 | 6,539 | 10.00 | 2,037 | 1 | 211 | | |
| | | | 18,814 | | 5,759 | | | | |
| HRF | MINERS DAM-20280 | 9/01 | 396 | 10.00 | 103 | 1 | 13 | | |
| | | 10/01 | 7,183 | 10.00 | 2,379 | 1 | 232 | | |
| | | 11/01 | 7,388 | 10.00 | 2,074 | 1 | 246 | | |
| | | 12/01 | 7,795 | 10.00 | 2,428 | 1 | 251 | | |
| | | | 22,762 | | 6,984 | | | | |
| HRF | NMAG 1 | 1/01 | 17,765 | 27.00 | 241 | 24 | 24 | | |
| | | 2/01 | 15,728 | 26.00 | 216 | 24 | 23 | | |
| | | 3/01 | 18,742 | 26.00 | 244 | 24 | 25 | | |
| | | 4/01 | 18,324 | 26.00 | 440 | 24 | 25 | | |
| | | 5/01 | 18,768 | 26.00 | 262 | 24 | 25 | | |
| | | 6/01 | 16,961 | 26.00 | 226 | 24 | 24 | | |
| | | 7/01 | 16,352 | 26.00 | 235 | 24 | 22 | | |
| | | 8/01 | 16,047 | 28.00 | 224 | 24 | 22 | | |
| | | 9/01 | 14,926 | 28.00 | 245 | 24 | 21 | | |
| | | 10/01 | 14,903 | 28.00 | 184 | 24 | 20 | | |
| | | 11/01 | 14,175 | 28.00 | 163 | 24 | 20 | | |
| | | 12/01 | 14,080 | 28.00 | 181 | 24 | 19 | | |
| | | | 196,771 | | 2,861 | | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|-------|------------------|---------------|--------------------------|
| HRF | NMAG 2 | 1/01 | 3,617 | 24.00 | 49 | 3 | 39 |
| | | 2/01 | 3,378 | 23.00 | 46 | 3 | 40 |
| | | 3/01 | 3,376 | 23.00 | 100 | 3 | 36 |
| | | 4/01 | 3,060 | 23.00 | 74 | 3 | 34 |
| | | 5/01 | 3,468 | 23.00 | 48 | 3 | 37 |
| | | 6/01 | 3,230 | 23.00 | 43 | 3 | 36 |
| | | 7/01 | 3,282 | 23.00 | 47 | 3 | 35 |
| | | 8/01 | 4,132 | 23.00 | 58 | 3 | 44 |
| | | 9/01 | 2,940 | 23.00 | 48 | 3 | 33 |
| | | 10/01 | 2,992 | 23.00 | 37 | 3 | 32 |
| | | 11/01 | 2,844 | 23.00 | 33 | 3 | 32 |
| | | 12/01 | 3,011 | 23.00 | 39 | 3 | 32 |
| | | | | | 39,330 | | 622 |
| HRF | NMAG 3 | 1/01 | 6,769 | 29.00 | 92 | 7 | 31 |
| | | 2/01 | 6,073 | 28.00 | 83 | 7 | 31 |
| | | 3/01 | 5,787 | 28.00 | 171 | 7 | 27 |
| | | 4/01 | 5,132 | 28.00 | 123 | 7 | 24 |
| | | 5/01 | 6,161 | 28.00 | 86 | 7 | 28 |
| | | 6/01 | 6,200 | 28.00 | 82 | 7 | 30 |
| | | 7/01 | 6,880 | 28.00 | 99 | 7 | 32 |
| | | 8/01 | 6,586 | 30.00 | 92 | 7 | 30 |
| | | 9/01 | 7,238 | 30.00 | 119 | 7 | 34 |
| | | 10/01 | 7,645 | 30.00 | 94 | 7 | 35 |
| | | 11/01 | 6,994 | 30.00 | 80 | 7 | 33 |
| | | 12/01 | 7,857 | 30.00 | 101 | 7 | 36 |
| | | | | | 79,322 | | 1,222 |
| HRF | SCV | 1/01 | 99,946 | 25.00 | 10,422 | 66 | 49 |
| | | 2/01 | 89,093 | 25.00 | 9,026 | 66 | 48 |
| | | 3/01 | 97,344 | 25.00 | 11,716 | 66 | 48 |
| | | 4/01 | 90,368 | 25.00 | 9,692 | 66 | 46 |
| | | 5/01 | 96,166 | 25.00 | 8,554 | 66 | 47 |
| | | 6/01 | 92,922 | 25.00 | 7,777 | 66 | 47 |
| | | 7/01 | 92,651 | 25.00 | 8,606 | 66 | 45 |
| | | 8/01 | 94,029 | 25.00 | 9,823 | 66 | 46 |
| | | 9/01 | 90,895 | 25.00 | 8,509 | 66 | 46 |
| | | 10/01 | 94,603 | 25.00 | 8,738 | 66 | 46 |
| | | 11/01 | 89,779 | 25.00 | 7,727 | 66 | 45 |
| | | 12/01 | 91,850 | 25.00 | 7,554 | 66 | 45 |
| | | | | | 1,119,646 | | 108,144 |
| HRF | SNOWPLOW 2A | 1/01 | 7,440 | 6.00 | 2,162 | 2 | 120 |
| | | 2/01 | 6,457 | 6.00 | 1,793 | 2 | 115 |
| | | 3/01 | 6,804 | 6.00 | 1,816 | 2 | 110 |
| | | 4/01 | 7,042 | 6.00 | 1,969 | 2 | 117 |
| | | 5/01 | 7,750 | 6.00 | 2,227 | 2 | 125 |
| | | 6/01 | 7,157 | 6.00 | 1,963 | 2 | 119 |
| | | 7/01 | 7,393 | 6.00 | 1,998 | 2 | 119 |
| | | 8/01 | 7,097 | 6.00 | 1,955 | 2 | 114 |
| | | 9/01 | 6,489 | 6.00 | 2,189 | 2 | 108 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| HRF | SNOWFLOW 2A | 10/01 | 6,734 | 6.00 | 1,403 | 2 | 109 |
| | | 11/01 | 6,471 | 6.00 | 1,603 | 2 | 108 |
| | | 12/01 | 6,251 | 8.00 | 1,581 | 2 | 101 |
| | | | 83,085 | | 22,659 | | |
| HRF | SOUTH OTSEGO 10 | 1/01 | 74,456 | 21.00 | 2,193 | 31 | 77 |
| | | 2/01 | 65,777 | 22.00 | 2,526 | 31 | 76 |
| | | 3/01 | 70,139 | 22.00 | 8,355 | 31 | 73 |
| | | 4/01 | 64,696 | 22.00 | 6,218 | 31 | 70 |
| | | 5/01 | 71,934 | 22.00 | 11,899 | 31 | 75 |
| | | 6/01 | 68,196 | 22.00 | 7,821 | 31 | 73 |
| | | 7/01 | 72,357 | 22.00 | 6,407 | 30 | 78 |
| | | 8/01 | 71,661 | 22.00 | 10,243 | 30 | 77 |
| | | 9/01 | 70,243 | 22.00 | 7,095 | 30 | 78 |
| | | 10/01 | 70,692 | 22.00 | 2,806 | 31 | 74 |
| | | 11/01 | 66,019 | 23.00 | 1,669 | 31 | 71 |
| | | 12/01 | 67,479 | 22.00 | 1,020 | 31 | 70 |
| | 833,649 | | 68,252 | | | | |
| HRF | STATE HAYES | 1/01 | 6,889 | 22.00 | 1,380 | 11 | 20 |
| | | 2/01 | 6,169 | 22.00 | 1,210 | 11 | 20 |
| | | 3/01 | 6,991 | 21.00 | 1,224 | 11 | 20 |
| | | 4/01 | 7,057 | 21.00 | 1,678 | 11 | 21 |
| | | 5/01 | 7,686 | 21.00 | 1,341 | 11 | 23 |
| | | 6/01 | 7,027 | 21.00 | 1,164 | 11 | 21 |
| | | 7/01 | 7,643 | 21.00 | 1,402 | 11 | 22 |
| | | 8/01 | 7,388 | 21.00 | 1,360 | 11 | 22 |
| | | 9/01 | 7,061 | 22.00 | 1,345 | 11 | 21 |
| | | 10/01 | 7,260 | 22.00 | 1,288 | 11 | 21 |
| | | 11/01 | 7,101 | 22.00 | 1,203 | 11 | 22 |
| | | 12/01 | 6,737 | 22.00 | 906 | 11 | 20 |
| | 85,009 | | 15,501 | | | | |
| HRF | TLC 20 | 1/01 | 113,722 | 9.00 | 26,715 | 23 | 159 |
| | | 2/01 | 98,005 | 10.00 | 23,440 | 23 | 152 |
| | | 3/01 | 106,494 | 10.00 | 23,813 | 23 | 149 |
| | | 4/01 | 99,780 | 10.00 | 20,766 | 23 | 145 |
| | | 5/01 | 110,987 | 10.00 | 20,542 | 23 | 156 |
| | | 6/01 | 105,876 | 10.00 | 24,224 | 23 | 153 |
| | | 7/01 | 111,485 | 10.00 | 27,600 | 23 | 156 |
| | | 8/01 | 110,869 | 11.00 | 26,770 | 23 | 155 |
| | | 9/01 | 106,955 | 10.00 | 27,702 | 26 | 137 |
| | | 10/01 | 123,790 | 10.00 | 41,004 | 26 | 154 |
| | | 11/01 | 119,154 | 10.00 | 33,442 | 26 | 153 |
| | | 12/01 | 120,957 | 10.00 | 37,683 | 26 | 150 |
| | 1,328,074 | | 333,701 | | | | |
| HRF | TOM & JERRY | 1/01 | 2,006 | 8.00 | 583 | 1 | 65 |
| | | 2/01 | 1,770 | 8.00 | 492 | 1 | 63 |
| | | 3/01 | 1,929 | 8.00 | 515 | 1 | 62 |
| | | 4/01 | 1,866 | 8.00 | 522 | 1 | 62 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|---|-----|
| HRF | TOM & JERRY | 5/01 | 1,844 | 8.00 | 530 | 1 | 59 | | |
| | | 6/01 | 1,796 | 8.00 | 493 | 1 | 60 | | |
| | | 7/01 | 1,909 | 8.00 | 516 | 1 | 62 | | |
| | | 8/01 | 1,854 | 8.00 | 511 | 1 | 60 | | |
| | | 9/01 | 1,664 | 8.00 | 561 | 1 | 55 | | |
| | | 10/01 | 1,791 | 8.00 | 373 | 1 | 58 | | |
| | | 11/01 | 1,753 | 8.00 | 434 | 1 | 58 | | |
| | | 12/01 | 1,850 | 8.00 | 468 | 1 | 60 | | |
| | | | | | 22,032 | | 5,998 | | |
| | | HRF | TY COBB | 1/01 | 7,509 | 9.00 | 1,764 | 2 | 121 |
| | | | | 2/01 | 6,504 | 10.00 | 1,556 | 2 | 116 |
| | | | | 3/01 | 6,677 | 10.00 | 1,493 | 2 | 108 |
| 4/01 | 5,734 | | | 10.00 | 1,193 | 2 | 96 | | |
| 5/01 | 6,466 | | | 10.00 | 1,197 | 2 | 104 | | |
| 6/01 | 6,426 | | | 10.00 | 1,470 | 2 | 107 | | |
| 7/01 | 7,058 | | | 10.00 | 1,747 | 2 | 114 | | |
| 8/01 | 6,972 | | | 11.00 | 1,683 | 2 | 112 | | |
| 9/01 | 6,762 | | | 10.00 | 1,751 | 2 | 113 | | |
| 10/01 | 6,858 | | | 10.00 | 2,272 | 2 | 111 | | |
| 11/01 | 6,679 | | | 10.00 | 1,875 | 2 | 111 | | |
| 12/01 | 6,634 | | | 10.00 | 2,067 | 2 | 107 | | |
| | | | 80,279 | | 20,068 | | | | |
| HRF | VIENNA CHARLTON | 1/01 | 15,703 | 18.00 | 2,103 | 11 | 46 | | |
| | | 2/01 | 14,446 | 18.00 | 1,827 | 11 | 47 | | |
| | | 3/01 | 15,456 | 18.00 | 1,571 | 11 | 45 | | |
| | | 4/01 | 14,570 | 18.00 | 1,567 | 11 | 44 | | |
| | | 5/01 | 15,572 | 18.00 | 1,427 | 11 | 46 | | |
| | | 6/01 | 16,002 | 18.00 | 1,336 | 11 | 48 | | |
| | | 7/01 | 15,234 | 18.00 | 1,232 | 11 | 45 | | |
| | | 8/01 | 15,801 | 18.00 | 1,323 | 11 | 46 | | |
| | | 9/01 | 15,349 | 18.00 | 1,403 | 11 | 47 | | |
| | | 10/01 | 16,147 | 18.00 | 1,371 | 11 | 47 | | |
| | | 11/01 | 15,157 | 18.00 | 1,234 | 11 | 46 | | |
| | | 12/01 | 14,520 | 18.00 | 1,070 | 11 | 43 | | |
| | | | 183,957 | | 17,464 | | | | |
| HRF | WELCH | 1/01 | 3,426 | 10.00 | 805 | 1 | 111 | | |
| | | 2/01 | 3,102 | 10.00 | 742 | 1 | 111 | | |
| | | 3/01 | 3,005 | 10.00 | 672 | 1 | 97 | | |
| | | 4/01 | 2,592 | 10.00 | 539 | 1 | 86 | | |
| | | 5/01 | 2,839 | 10.00 | 525 | 1 | 92 | | |
| | | 6/01 | 2,846 | 10.00 | 651 | 1 | 95 | | |
| | | 7/01 | 3,108 | 10.00 | 769 | 1 | 100 | | |
| | | 8/01 | 3,067 | 10.00 | 741 | 1 | 99 | | |
| | | 9/01 | 2,951 | 10.00 | 764 | 1 | 98 | | |
| | | 10/01 | 3,096 | 10.00 | 1,026 | 1 | 100 | | |
| | | 11/01 | 3,017 | 11.00 | 847 | 1 | 101 | | |
| | | 12/01 | 3,037 | 11.00 | 946 | 1 | 98 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| | | | 36,086 | | 9,027 | | |
| | HRF - REPORTER TOTALS: | | 13,719,361 | | 3,426,843 | | |
| J5 | BENGAL 32 | 1/01 | 63,697 | 6.00 | 7,925 | 20 | 103 |
| | | 2/01 | 60,045 | 6.10 | 8,384 | 20 | 107 |
| | | 3/01 | 69,149 | 6.00 | 9,179 | 20 | 112 |
| | | 4/01 | 67,523 | 6.11 | 7,331 | 20 | 113 |
| | | 5/01 | 73,958 | 6.23 | 6,944 | 20 | 119 |
| | | 6/01 | 72,176 | 6.18 | 5,339 | 20 | 120 |
| | | 7/01 | 72,248 | 5.92 | 4,839 | 19 | 123 |
| | | 8/01 | 72,156 | 6.34 | 4,580 | 19 | 122 |
| | | 9/01 | 71,044 | 6.47 | 4,206 | 19 | 125 |
| | | 10/01 | 74,337 | 6.23 | 4,490 | 19 | 126 |
| | | 11/01 | 70,340 | 6.37 | 4,107 | 19 | 123 |
| | | 12/01 | 70,628 | 6.50 | 4,773 | 19 | 120 |
| | | | 837,301 | | 72,097 | | |
| J5 | BIG BASS LAKE | 1/01 | 13,898 | 23.13 | 2,608 | 8 | 56 |
| | | 2/01 | 12,209 | 23.15 | 3,664 | 8 | 55 |
| | | 3/01 | 11,379 | 23.54 | 1,962 | 8 | 46 |
| | | 4/01 | 11,805 | 23.54 | 2,305 | 8 | 49 |
| | | 5/01 | 13,188 | 23.54 | 1,077 | 8 | 53 |
| | | 6/01 | 12,615 | 23.54 | 4,089 | 8 | 53 |
| | | 7/01 | 13,246 | 23.54 | 5,196 | 8 | 53 |
| | | 8/01 | 11,639 | 23.54 | 5,073 | 8 | 47 |
| | | 9/01 | 13,723 | 23.37 | 4,661 | 8 | 57 |
| | | 10/01 | 11,501 | 23.62 | 4,434 | 8 | 46 |
| | | 11/01 | 9,850 | 23.62 | 4,264 | 8 | 41 |
| | | 12/01 | 10,422 | 23.62 | 2,809 | 8 | 42 |
| | | | 145,475 | | 42,142 | | |
| J5 | BLACK RIVER | 1/01 | 58,471 | 15.52 | 3,316 | 20 | 94 |
| | | 2/01 | 52,712 | 15.52 | 2,879 | 20 | 94 |
| | | 3/01 | 58,384 | 15.63 | 3,501 | 20 | 94 |
| | | 4/01 | 55,508 | 15.51 | 2,743 | 20 | 93 |
| | | 5/01 | 58,341 | 15.75 | 3,941 | 20 | 94 |
| | | 6/01 | 51,319 | 15.46 | 4,495 | 20 | 86 |
| | | 7/01 | 54,895 | 15.87 | 4,342 | 20 | 89 |
| | | 8/01 | 53,018 | 15.79 | 3,846 | 20 | 85 |
| | | 9/01 | 52,297 | 15.99 | 3,323 | 20 | 87 |
| | | 10/01 | 52,974 | 16.31 | 3,280 | 20 | 85 |
| | | 11/01 | 51,135 | 16.15 | 2,637 | 20 | 85 |
| | | 12/01 | 51,592 | 16.29 | 3,704 | 20 | 83 |
| | | | 650,646 | | 42,007 | | |
| J5 | MERO 34 | 1/01 | 8,692 | 12.46 | 1,333 | 4 | 70 |
| | | 2/01 | 7,731 | 15.52 | 400 | 4 | 69 |
| | | 3/01 | 8,563 | 15.63 | 465 | 4 | 69 |
| | | 4/01 | 8,141 | 15.51 | 420 | 4 | 68 |
| | | 5/01 | 7,577 | 15.75 | 329 | 4 | 61 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|----------------|-----------------|------------------|---------------|----------------|---------------|--------------------------|
| J5 | MERO 34 | 6/01 | 7,527 | 15.46 | 630 | 3 | 84 |
| | | 7/01 | 8,051 | 15.87 | 465 | 3 | 87 |
| | | 8/01 | 7,776 | 15.79 | 465 | 4 | 63 |
| | | 9/01 | 7,569 | 15.99 | 1,178 | 4 | 63 |
| | | 10/01 | 7,667 | 16.31 | 1,178 | 4 | 62 |
| | | 11/01 | 7,401 | 16.15 | 1,065 | 4 | 62 |
| | | 12/01 | 7,467 | 16.29 | 589 | 4 | 60 |
| | | | | 94,162 | | 8,517 | |
| J5 | PENN B1-14 | 11/01 | 248 | 12.11 | 1,680 | 1 | 8 |
| | | 12/01 | 253 | 13.02 | 1,271 | 1 | 8 |
| | | | 501 | | 2,951 | | |
| J5 | WAGAR 22 | 1/01 | 11,852 | 12.46 | 434 | 2 | 191 |
| | | 2/01 | 9,840 | 12.19 | 266 | 2 | 176 |
| | | 3/01 | 10,898 | 12.21 | 202 | 2 | 176 |
| | | 4/01 | 10,362 | 11.37 | 1,440 | 2 | 173 |
| | | 5/01 | 9,850 | 12.31 | 1,302 | 2 | 159 |
| | | 6/01 | 9,580 | 12.44 | 690 | 2 | 160 |
| | | 7/01 | 10,247 | 12.09 | 837 | 2 | 165 |
| | | 8/01 | 9,897 | 12.06 | 853 | 2 | 160 |
| | | 9/01 | 8,946 | 12.13 | 651 | 2 | 149 |
| | | 10/01 | 9,061 | 12.13 | 651 | 2 | 146 |
| | | 11/01 | 8,747 | 12.11 | 825 | 2 | 146 |
| | | 12/01 | 8,825 | 13.02 | 310 | 2 | 142 |
| | | 118,105 | | 8,461 | | | |
| J5 - REPORTER TOTALS: | | | 1,846,190 | | 176,175 | | |
| JAGUAR ENERGY, LL | OTSEGO LAKE 34 | 1/01 | 4,966 | 15.00 | 215 | 2 | 80 |
| | | 2/01 | 4,486 | 15.00 | 245 | 2 | 80 |
| | | 3/01 | 4,966 | 15.00 | 225 | 2 | 80 |
| | | 4/01 | 4,806 | 15.00 | 170 | 2 | 80 |
| | | 5/01 | 4,966 | 15.00 | 300 | 2 | 80 |
| | | 6/01 | 4,806 | 15.00 | 225 | 2 | 80 |
| | | 7/01 | 4,966 | 15.00 | 255 | 2 | 80 |
| | | 8/01 | 4,966 | 15.00 | 251 | 2 | 80 |
| | | 9/01 | 4,806 | 15.00 | 285 | 2 | 80 |
| | | 10/01 | 3,524 | 15.00 | 160 | 2 | 57 |
| | | 11/01 | 4,806 | 15.00 | 216 | 2 | 80 |
| | | 12/01 | 4,966 | 15.00 | 285 | 2 | 80 |
| | | 57,030 | | 2,832 | | | |
| JAGUAR ENERGY, LLC - REPORTER TOTALS: | | | 57,030 | | 2,832 | | |
| JORDAN DEVELOPME | 451 RUM | 1/01 | 25,694 | 19.12 | 908 | 15 | 55 |
| | | 2/01 | 24,475 | 19.12 | 1,221 | 15 | 58 |
| | | 3/01 | 26,054 | 19.12 | 1,083 | 15 | 56 |
| | | 4/01 | 26,002 | 19.12 | 904 | 15 | 58 |
| | | 5/01 | 26,366 | 19.12 | 882 | 15 | 57 |
| | | 6/01 | 25,104 | 19.12 | 815 | 15 | 56 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| JORDAN DEVELOPME | 451 RUM | 7/01 | 24,810 | 19.11 | 894 | 15 | 53 |
| | | 8/01 | 29,113 | 19.11 | 693 | 15 | 63 |
| | | 9/01 | 22,010 | 19.35 | 735 | 15 | 49 |
| | | 10/01 | 21,246 | 19.35 | 761 | 15 | 46 |
| | | 11/01 | 18,908 | 19.35 | 649 | 15 | 42 |
| | | 12/01 | 22,733 | 19.35 | 758 | 15 | 49 |
| | | | | 292,515 | | 10,303 | |
| JORDAN DEVELOPME | ART CARNEY | 1/01 | 22,885 | 4.81 | 13,611 | 14 | 53 |
| | | 2/01 | 20,703 | 4.99 | 12,453 | 14 | 53 |
| | | 3/01 | 22,913 | 4.89 | 17,019 | 14 | 53 |
| | | 4/01 | 21,460 | 4.94 | 14,944 | 14 | 51 |
| | | 5/01 | 21,547 | 4.87 | 15,113 | 14 | 50 |
| | | 6/01 | 20,332 | 4.70 | 14,435 | 14 | 48 |
| | | 7/01 | 20,929 | 4.68 | 12,929 | 14 | 48 |
| | | 8/01 | 21,339 | 4.56 | 13,145 | 14 | 49 |
| | | 9/01 | 20,595 | 4.93 | 13,161 | 14 | 49 |
| | | 10/01 | 20,768 | 5.01 | 13,972 | 14 | 48 |
| | | 11/01 | 19,796 | 4.97 | 12,789 | 14 | 47 |
| | | 12/01 | 19,794 | 5.08 | 12,324 | 14 | 46 |
| | | 253,061 | | 165,895 | | | |
| JORDAN DEVELOPME | BARNEY MILLER SOUTH | 8/01 | 12,321 | 19.35 | 14,246 | 5 | 79 |
| | | 9/01 | 17,294 | 19.35 | 12,485 | 5 | 115 |
| | | 10/01 | 20,795 | 19.35 | 9,285 | 5 | 134 |
| | | 11/01 | 18,435 | 19.35 | 6,503 | 5 | 123 |
| | | 12/01 | 20,904 | 19.35 | 6,004 | 5 | 135 |
| | | 89,749 | | 48,523 | | | |
| JORDAN DEVELOPME | BLACK | 1/01 | 32,952 | 16.41 | 5,270 | 28 | 38 |
| | | 2/01 | 27,903 | 16.59 | 4,052 | 28 | 36 |
| | | 3/01 | 31,629 | 16.49 | 4,969 | 28 | 36 |
| | | 4/01 | 30,754 | 16.19 | 4,455 | 28 | 37 |
| | | 5/01 | 30,957 | 15.77 | 5,836 | 28 | 36 |
| | | 6/01 | 28,340 | 16.69 | 5,003 | 28 | 34 |
| | | 7/01 | 29,766 | 16.76 | 3,758 | 28 | 34 |
| | | 8/01 | 28,110 | 16.98 | 2,542 | 28 | 32 |
| | | 9/01 | 28,147 | 16.68 | 2,519 | 28 | 34 |
| | | 10/01 | 28,732 | 16.69 | 2,797 | 28 | 33 |
| | | 11/01 | 27,072 | 17.08 | 3,164 | 28 | 32 |
| | | 12/01 | 27,722 | 16.77 | 2,655 | 28 | 32 |
| | | 352,084 | | 47,020 | | | |
| JORDAN DEVELOPME | DOVER WEST | 1/01 | 35,135 | 14.10 | 5,739 | 20 | 57 |
| | | 2/01 | 30,264 | 14.35 | 5,076 | 20 | 54 |
| | | 3/01 | 32,590 | 14.14 | 5,463 | 20 | 53 |
| | | 4/01 | 32,131 | 14.38 | 5,151 | 20 | 54 |
| | | 5/01 | 32,662 | 14.39 | 5,150 | 20 | 53 |
| | | 6/01 | 31,078 | 14.23 | 5,030 | 20 | 52 |
| | | 7/01 | 31,482 | 14.22 | 4,889 | 20 | 51 |
| | | 8/01 | 30,515 | 13.97 | 4,888 | 20 | 49 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| JORDAN DEVELOPME | DOVER WEST | 9/01 | 28,586 | 14.19 | 4,949 | 20 | 48 |
| | | 10/01 | 30,200 | 13.96 | 5,193 | 20 | 49 |
| | | 11/01 | 28,355 | 14.38 | 4,976 | 20 | 47 |
| | | 12/01 | 29,205 | 14.38 | 4,966 | 20 | 47 |
| | | | 372,203 | | 61,470 | | |
| JORDAN DEVELOPME | FARMER IN THE DELL | 1/01 | 42,825 | 18.20 | 1,758 | 17 | 81 |
| | | 2/01 | 39,458 | 18.20 | 1,485 | 17 | 83 |
| | | 3/01 | 42,122 | 18.20 | 1,607 | 17 | 80 |
| | | 4/01 | 42,825 | 18.20 | 1,921 | 17 | 84 |
| | | 5/01 | 43,121 | 18.20 | 1,598 | 17 | 82 |
| | | 6/01 | 39,148 | 18.20 | 1,528 | 17 | 77 |
| | | 7/01 | 41,719 | 17.99 | 1,781 | 17 | 79 |
| | | 8/01 | 38,521 | 17.99 | 1,762 | 17 | 73 |
| | | 9/01 | 28,757 | 17.99 | 1,593 | 17 | 56 |
| | | 10/01 | 30,174 | 17.99 | 1,235 | 17 | 57 |
| | | 11/01 | 36,485 | 17.99 | 1,667 | 17 | 72 |
| | | 12/01 | 40,731 | 17.99 | 1,649 | 17 | 77 |
| | | | 465,886 | | 19,584 | | |
| JORDAN DEVELOPME | HAYMEADOW | 1/01 | 76,334 | 18.08 | 4,613 | 16 | 154 |
| | | 2/01 | 67,112 | 18.43 | 2,496 | 16 | 150 |
| | | 3/01 | 73,642 | 18.44 | 2,835 | 16 | 148 |
| | | 4/01 | 69,891 | 18.57 | 3,335 | 16 | 146 |
| | | 5/01 | 72,733 | 18.53 | 2,775 | 16 | 147 |
| | | 6/01 | 68,926 | 18.68 | 2,646 | 16 | 144 |
| | | 7/01 | 70,392 | 18.74 | 2,729 | 16 | 142 |
| | | 8/01 | 69,849 | 18.91 | 3,329 | 16 | 141 |
| | | 9/01 | 66,957 | 19.08 | 2,353 | 16 | 139 |
| | | 10/01 | 68,447 | 19.32 | 2,735 | 16 | 138 |
| | | 11/01 | 66,358 | 19.44 | 2,160 | 16 | 138 |
| | | 12/01 | 66,449 | 19.60 | 2,443 | 16 | 134 |
| | | | 837,090 | | 34,449 | | |
| JORDAN DEVELOPME | NICKERSON VALLEY | 1/01 | 41,930 | 14.01 | 1,140 | 16 | 85 |
| | | 2/01 | 37,305 | 14.01 | 998 | 16 | 83 |
| | | 3/01 | 40,733 | 14.01 | 923 | 16 | 82 |
| | | 4/01 | 38,581 | 14.01 | 962 | 16 | 80 |
| | | 5/01 | 40,573 | 14.01 | 1,011 | 16 | 82 |
| | | 6/01 | 38,359 | 14.01 | 901 | 16 | 80 |
| | | 7/01 | 38,322 | 14.01 | 820 | 16 | 77 |
| | | 8/01 | 38,275 | 14.01 | 799 | 16 | 77 |
| | | 9/01 | 36,742 | 14.01 | 812 | 16 | 77 |
| | | 10/01 | 37,884 | 14.01 | 840 | 16 | 76 |
| | | 11/01 | 37,598 | 14.01 | 777 | 16 | 78 |
| | | 12/01 | 37,129 | 14.01 | 762 | 16 | 75 |
| | | | 463,431 | | 10,745 | | |
| JORDAN DEVELOPME | NORTH STARMIRA 4 (NADV- | 1/01 | 44,565 | 8.00 | 6,318 | 28 | 51 |
| | | 2/01 | 40,615 | 7.71 | 5,922 | 28 | 52 |
| | | 3/01 | 43,061 | 8.13 | 5,767 | 28 | 50 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|-------------------------|------------------|----------------|-------|----------------|---------------|--------------------------|----|-----|
| JORDAN DEVELOPME | NORTH STARMIRA 4 (NADV- | 4/01 | 43,170 | 7.28 | 5,491 | 28 | 51 | | |
| | | 5/01 | 44,995 | 7.83 | 5,690 | 28 | 52 | | |
| | | 6/01 | 43,977 | 7.80 | 7,457 | 29 | 51 | | |
| | | 7/01 | 46,371 | 8.88 | 6,432 | 29 | 52 | | |
| | | 8/01 | 46,613 | 8.88 | 7,344 | 29 | 52 | | |
| | | 9/01 | 44,279 | 8.00 | 6,385 | 29 | 51 | | |
| | | 10/01 | 45,464 | 8.20 | 7,062 | 29 | 51 | | |
| | | 11/01 | 44,263 | 8.50 | 7,132 | 29 | 51 | | |
| | | 12/01 | 44,190 | 8.29 | 6,950 | 29 | 49 | | |
| | | | | | 531,563 | | 77,950 | | |
| | | JORDAN DEVELOPME | PAIR O DICE | 1/01 | 32,755 | 11.98 | 2,829 | 10 | 106 |
| | | | | 2/01 | 29,701 | 12.18 | 2,570 | 10 | 106 |
| 3/01 | 33,589 | | | 11.99 | 2,958 | 10 | 108 | | |
| 4/01 | 32,495 | | | 12.49 | 2,649 | 10 | 108 | | |
| 5/01 | 32,902 | | | 12.59 | 2,801 | 10 | 106 | | |
| 6/01 | 33,392 | | | 12.59 | 2,712 | 11 | 101 | | |
| 7/01 | 36,140 | | | 12.08 | 4,556 | 13 | 90 | | |
| 8/01 | 51,951 | | | 12.08 | 9,054 | 15 | 112 | | |
| 9/01 | 52,690 | | | 11.48 | 7,528 | 15 | 117 | | |
| 10/01 | 53,534 | | | 12.46 | 7,075 | 15 | 115 | | |
| 11/01 | 52,061 | | | 12.47 | 6,576 | 15 | 116 | | |
| 12/01 | 54,648 | | | 12.14 | 7,013 | 15 | 118 | | |
| | | | 495,858 | | 58,321 | | | | |
| JORDAN DEVELOPME | PIGEON RIVER (SAWDUST) | 1/01 | 11,546 | 4.84 | 1,813 | 6 | 62 | | |
| | | 2/01 | 10,347 | 5.55 | 889 | 6 | 62 | | |
| | | 3/01 | 11,577 | 5.08 | 1,220 | 6 | 62 | | |
| | | 4/01 | 12,002 | 5.29 | 1,342 | 6 | 67 | | |
| | | 5/01 | 12,725 | 5.35 | 1,286 | 6 | 68 | | |
| | | 6/01 | 11,973 | 5.39 | 1,796 | 6 | 67 | | |
| | | 7/01 | 12,366 | 5.29 | 1,986 | 6 | 66 | | |
| | | 8/01 | 12,264 | 5.57 | 2,225 | 6 | 66 | | |
| | | 9/01 | 10,735 | 5.19 | 2,004 | 6 | 60 | | |
| | | 10/01 | 10,830 | 5.21 | 2,015 | 6 | 58 | | |
| | | 11/01 | 9,790 | 4.92 | 1,937 | 6 | 54 | | |
| | | 12/01 | 9,572 | 5.79 | 1,805 | 6 | 51 | | |
| | | | 135,727 | | 20,318 | | | | |
| JORDAN DEVELOPME | SCHROEDER | 1/01 | 8,621 | 22.88 | 136 | 10 | 28 | | |
| | | 2/01 | 7,177 | 22.88 | 125 | 10 | 26 | | |
| | | 3/01 | 9,697 | 23.63 | 129 | 10 | 31 | | |
| | | 4/01 | 8,394 | 23.63 | 127 | 10 | 28 | | |
| | | 5/01 | 9,040 | 23.63 | 136 | 10 | 29 | | |
| | | 6/01 | 8,223 | 23.63 | 130 | 10 | 27 | | |
| | | 7/01 | 8,448 | 23.63 | 117 | 10 | 27 | | |
| | | 8/01 | 8,467 | 23.63 | 80 | 10 | 27 | | |
| | | 9/01 | 8,109 | 22.29 | 78 | 10 | 27 | | |
| | | 10/01 | 7,780 | 22.29 | 86 | 10 | 25 | | |
| | | 11/01 | 7,361 | 22.29 | 78 | 10 | 25 | | |
| | | 12/01 | 7,321 | 22.29 | 72 | 10 | 24 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 98,638 | | 1,294 | | |
| JORDAN DEVELOPME | SLAM DUNCAN | 1/01 | 31,234 | 11.13 | 634 | 17 | 59 |
| | | 2/01 | 28,101 | 11.24 | 593 | 17 | 59 |
| | | 3/01 | 30,606 | 11.39 | 610 | 17 | 58 |
| | | 4/01 | 29,241 | 11.26 | 664 | 17 | 57 |
| | | 5/01 | 29,291 | 11.10 | 635 | 17 | 56 |
| | | 6/01 | 28,433 | 11.10 | 604 | 17 | 56 |
| | | 7/01 | 28,409 | 11.25 | 612 | 17 | 54 |
| | | 8/01 | 28,167 | 10.71 | 734 | 17 | 53 |
| | | 9/01 | 26,451 | 10.71 | 804 | 17 | 52 |
| | | 10/01 | 27,180 | 11.50 | 768 | 17 | 52 |
| | | 11/01 | 25,814 | 11.50 | 573 | 17 | 51 |
| | | 12/01 | 26,384 | 11.69 | 613 | 17 | 50 |
| | | | 339,311 | | 7,844 | | |
| JORDAN DEVELOPME | VIENNA 1 | 1/01 | 9,101 | 2.76 | 16,165 | 12 | 24 |
| | | 2/01 | 8,369 | 2.76 | 14,082 | 12 | 25 |
| | | 3/01 | 9,304 | 2.76 | 11,248 | 12 | 25 |
| | | 4/01 | 9,209 | 2.76 | 12,463 | 12 | 26 |
| | | 5/01 | 9,528 | 3.20 | 14,643 | 12 | 26 |
| | | 6/01 | 8,593 | 3.20 | 14,117 | 12 | 24 |
| | | 7/01 | 7,992 | 3.20 | 15,348 | 12 | 21 |
| | | 8/01 | 8,026 | 3.20 | 17,174 | 12 | 22 |
| | | 9/01 | 7,946 | 3.20 | 20,374 | 12 | 22 |
| | | 10/01 | 7,855 | 3.20 | 15,404 | 12 | 21 |
| | | 11/01 | 8,622 | 3.10 | 15,985 | 12 | 24 |
| | | 12/01 | 7,841 | 3.10 | 14,670 | 12 | 21 |
| | | | 102,386 | | 181,673 | | |
| JORDAN DEVELOPME | VIENNA 2 | 1/01 | 45,518 | 10.97 | 5,718 | 30 | 49 |
| | | 2/01 | 38,182 | 10.94 | 5,884 | 30 | 45 |
| | | 3/01 | 43,655 | 10.22 | 5,585 | 30 | 47 |
| | | 4/01 | 44,202 | 10.98 | 6,394 | 30 | 49 |
| | | 5/01 | 44,265 | 10.65 | 7,893 | 30 | 48 |
| | | 6/01 | 41,280 | 10.70 | 8,139 | 30 | 46 |
| | | 7/01 | 44,348 | 10.85 | 6,676 | 30 | 48 |
| | | 8/01 | 41,986 | 11.53 | 6,755 | 30 | 45 |
| | | 9/01 | 40,793 | 10.98 | 6,301 | 30 | 45 |
| | | 10/01 | 40,720 | 10.92 | 6,636 | 30 | 44 |
| | | 11/01 | 39,040 | 11.12 | 6,117 | 30 | 43 |
| | | 12/01 | 40,715 | 11.07 | 6,538 | 30 | 44 |
| | | | 504,704 | | 78,636 | | |
| JORDAN DEVELOPME | VIENNA 3 | 1/01 | 22,690 | 18.08 | 2,071 | 12 | 61 |
| | | 2/01 | 20,165 | 17.82 | 2,055 | 12 | 60 |
| | | 3/01 | 22,048 | 17.82 | 2,317 | 12 | 59 |
| | | 4/01 | 21,303 | 17.66 | 1,974 | 12 | 59 |
| | | 5/01 | 21,230 | 17.93 | 2,095 | 12 | 57 |
| | | 6/01 | 20,817 | 17.98 | 1,685 | 12 | 58 |
| | | 7/01 | 21,104 | 18.13 | 1,197 | 12 | 57 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|--------------|-----------------|------------------|----------------|----------------|---------------|--------------------------|
| JORDAN DEVELOPME | VIENNA 3 | 8/01 | 19,940 | 17.83 | 873 | 12 | 54 |
| | | 9/01 | 19,209 | 18.00 | 701 | 12 | 53 |
| | | 10/01 | 19,294 | 17.98 | 677 | 12 | 52 |
| | | 11/01 | 19,061 | 18.06 | 572 | 12 | 53 |
| | | 12/01 | 19,877 | 17.95 | 594 | 12 | 53 |
| | | | | 246,738 | | 16,811 | |
| JORDAN DEVELOPME | VOYER LAKE | 1/01 | 47,182 | 15.71 | 1,433 | 13 | 117 |
| | | 2/01 | 42,035 | 15.72 | 1,305 | 13 | 115 |
| | | 3/01 | 45,906 | 15.58 | 1,210 | 13 | 114 |
| | | 4/01 | 43,058 | 15.67 | 1,426 | 13 | 110 |
| | | 5/01 | 44,765 | 15.59 | 1,113 | 13 | 111 |
| | | 6/01 | 40,656 | 15.81 | 921 | 13 | 104 |
| | | 7/01 | 40,089 | 15.66 | 857 | 13 | 99 |
| | | 8/01 | 38,961 | 15.71 | 842 | 13 | 97 |
| | | 9/01 | 38,140 | 15.85 | 995 | 13 | 98 |
| | | 10/01 | 38,391 | 15.71 | 920 | 13 | 95 |
| | | 11/01 | 37,456 | 15.99 | 747 | 13 | 96 |
| | | 12/01 | 37,023 | 15.72 | 1,205 | 13 | 92 |
| | | 493,662 | | 12,974 | | | |
| JORDAN DEVELOPMENT - REPORTER TOTALS: | | | 6,074,606 | | 853,810 | | |
| MERCURY | AEQUUS | 1/01 | 6,341 | 8.41 | 666 | 2 | 102 |
| | | 2/01 | 4,395 | 8.69 | 735 | 2 | 78 |
| | | 3/01 | 6,290 | 8.85 | 1,406 | 2 | 101 |
| | | 4/01 | 6,006 | 8.82 | 1,085 | 2 | 100 |
| | | 5/01 | 6,068 | 9.13 | 1,244 | 2 | 98 |
| | | 6/01 | 5,539 | 9.25 | 1,023 | 2 | 92 |
| | | 34,639 | | 6,159 | | | |
| MERCURY | BAGLEY | 1/01 | 13,754 | 8.41 | 6,975 | 3 | 148 |
| | | 2/01 | 12,330 | 8.69 | 4,896 | 3 | 147 |
| | | 3/01 | 13,642 | 8.85 | 8,112 | 3 | 147 |
| | | 4/01 | 12,604 | 8.82 | 8,131 | 3 | 140 |
| | | 5/01 | 13,764 | 9.13 | 8,659 | 3 | 148 |
| | | 6/01 | 13,018 | 9.25 | 8,479 | 3 | 145 |
| | | 79,112 | | 45,252 | | | |
| MERCURY | BIJOU 16 | 1/01 | 13,541 | 11.43 | 1,378 | 4 | 109 |
| | | 2/01 | 12,336 | 11.98 | 1,227 | 4 | 110 |
| | | 3/01 | 12,325 | 11.91 | 1,292 | 4 | 99 |
| | | 4/01 | 11,387 | 12.00 | 1,084 | 4 | 95 |
| | | 5/01 | 12,240 | 11.98 | 1,179 | 4 | 99 |
| | | 6/01 | 12,538 | 12.02 | 1,210 | 4 | 104 |
| | | 74,367 | | 7,370 | | | |
| MERCURY | CHARLTON 7 | 1/01 | 4,287 | 24.74 | 125 | 6 | 23 |
| | | 2/01 | 3,117 | 23.48 | 0 | 6 | 19 |
| | | 3/01 | 2,888 | 22.61 | 143 | 6 | 16 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| MERCURY | CHARLTON 7 | 4/01 | 2,668 | 23.80 | 431 | 6 | 15 |
| | | 5/01 | 2,498 | 24.62 | 455 | 6 | 13 |
| | | 6/01 | 3,337 | 24.55 | 442 | 6 | 19 |
| | | | 18,795 | | 1,596 | | |
| MERCURY | COACHES/HAYES 34 | 1/01 | 55,765 | 12.08 | 9,780 | 15 | 120 |
| | | 2/01 | 50,919 | 12.17 | 8,052 | 15 | 121 |
| | | 3/01 | 54,285 | 12.09 | 8,969 | 15 | 117 |
| | | 4/01 | 50,503 | 11.68 | 8,554 | 15 | 112 |
| | | 5/01 | 52,411 | 12.32 | 8,012 | 15 | 113 |
| | | 6/01 | 48,556 | 12.50 | 6,936 | 15 | 108 |
| | 312,439 | | 50,303 | | | | |
| MERCURY | COLONEL SAUNDERS | 1/01 | 5,645 | 8.37 | 291 | 3 | 61 |
| | | 2/01 | 6,710 | 8.48 | 3,063 | 3 | 80 |
| | | 3/01 | 8,316 | 8.61 | 6,150 | 3 | 89 |
| | | 4/01 | 7,323 | 8.70 | 5,377 | 3 | 81 |
| | | 5/01 | 8,169 | 8.61 | 5,724 | 3 | 88 |
| | | 6/01 | 7,180 | 8.48 | 6,298 | 3 | 80 |
| | 43,343 | | 26,903 | | | | |
| MERCURY | COLONEL SAUNDERS NORT | 1/01 | 25,606 | 7.42 | 1,362 | 4 | 206 |
| | | 2/01 | 21,719 | 7.54 | 2,117 | 4 | 194 |
| | | 3/01 | 23,700 | 7.44 | 890 | 4 | 191 |
| | | 4/01 | 20,766 | 7.53 | 583 | 4 | 173 |
| | | 5/01 | 24,130 | 7.56 | 696 | 4 | 195 |
| | | 6/01 | 21,821 | 7.43 | 546 | 4 | 182 |
| | 137,742 | | 6,194 | | | | |
| MERCURY | DOVER RIDGE | 3/01 | 1,395 | 2.33 | 3,183 | 2 | 22 |
| | | 4/01 | 16,348 | 2.40 | 16,088 | 2 | 272 |
| | | 5/01 | 18,211 | 2.48 | 9,007 | 2 | 294 |
| | | 6/01 | 25,411 | 2.54 | 13,939 | 5 | 169 |
| | 61,365 | | 42,217 | | | | |
| MERCURY | FLETCH | 1/01 | 33,980 | 12.04 | 1,651 | 21 | 52 |
| | | 2/01 | 28,077 | 12.03 | 1,313 | 21 | 48 |
| | | 3/01 | 32,503 | 12.61 | 1,499 | 21 | 50 |
| | | 4/01 | 31,511 | 12.70 | 1,532 | 21 | 50 |
| | | 5/01 | 32,886 | 12.66 | 1,503 | 21 | 51 |
| | | 6/01 | 31,498 | 12.64 | 1,396 | 21 | 50 |
| | 190,455 | | 8,894 | | | | |
| MERCURY | FONTINALIS CLUB | 1/01 | 225,622 | 2.16 | 543,512 | 56 | 130 |
| | | 2/01 | 206,577 | 2.33 | 493,194 | 56 | 132 |
| | | 3/01 | 229,719 | 2.33 | 528,214 | 56 | 132 |
| | | 4/01 | 210,323 | 2.40 | 495,221 | 55 | 127 |
| | | 5/01 | 214,121 | 2.48 | 472,817 | 55 | 126 |
| | | 6/01 | 193,173 | 2.54 | 477,759 | 55 | 117 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| | | | 1,279,535 | | 3,010,717 | | |
| MERCURY | FREDERIC IX | 1/01 | 48 | 10.79 | 447 | 1 | 2 |
| | | 2/01 | 87 | 11.12 | 1,341 | 1 | 3 |
| | | 3/01 | 291 | 11.47 | 1,321 | 1 | 9 |
| | | 4/01 | 47 | 11.04 | 77 | 1 | 2 |
| | | 5/01 | 144 | 11.00 | 267 | 1 | 5 |
| | | 6/01 | 81 | 11.40 | 42 | 1 | 3 |
| | | | 698 | | 3,495 | | |
| MERCURY | FREDERIC X | 1/01 | 344 | 10.79 | 1,108 | 1 | 11 |
| | | 2/01 | 451 | 11.12 | 2,603 | 1 | 16 |
| | | 3/01 | 699 | 11.47 | 2,474 | 1 | 23 |
| | | 4/01 | 671 | 11.04 | 2,247 | 1 | 22 |
| | | 5/01 | 652 | 11.00 | 2,406 | 1 | 21 |
| | | 6/01 | 595 | 11.40 | 1,836 | 1 | 20 |
| | | | 3,412 | | 12,674 | | |
| MERCURY | GREEN RIVER SOUTH | 1/01 | 139,986 | 8.82 | 14,945 | 49 | 92 |
| | | 2/01 | 117,625 | 9.13 | 9,810 | 52 | 81 |
| | | 3/01 | 147,296 | 8.95 | 11,953 | 53 | 90 |
| | | 4/01 | 152,238 | 9.22 | 9,653 | 53 | 96 |
| | | 5/01 | 149,446 | 9.34 | 9,314 | 53 | 91 |
| | | 6/01 | 143,328 | 9.52 | 8,181 | 53 | 90 |
| | | | 849,919 | | 63,856 | | |
| MERCURY | GREEN RIVER WEST | 1/01 | 70,408 | 6.62 | 29,378 | 27 | 84 |
| | | 2/01 | 55,133 | 6.50 | 25,573 | 27 | 73 |
| | | 3/01 | 63,630 | 5.97 | 26,398 | 25 | 82 |
| | | 4/01 | 65,244 | 6.66 | 25,331 | 27 | 81 |
| | | 5/01 | 70,626 | 6.65 | 26,499 | 27 | 84 |
| | | 6/01 | 66,159 | 6.92 | 24,865 | 28 | 79 |
| | | | 391,200 | | 158,044 | | |
| MERCURY | GUMP | 1/01 | 366 | 12.08 | 0 | 1 | 12 |
| | | 2/01 | 404 | 12.17 | 0 | 1 | 14 |
| | | 3/01 | 488 | 12.09 | 0 | 1 | 16 |
| | | 4/01 | 430 | 11.68 | 0 | 1 | 14 |
| | | 5/01 | 349 | 12.32 | 0 | 1 | 11 |
| | | 6/01 | 1,020 | 12.50 | 58 | 1 | 34 |
| | | | 3,057 | | 58 | | |
| MERCURY | LAKE 19 | 1/01 | 4,665 | 7.42 | 96 | 1 | 150 |
| | | 2/01 | 4,003 | 7.54 | 182 | 1 | 143 |
| | | 3/01 | 5,015 | 7.44 | 214 | 1 | 162 |
| | | 4/01 | 4,427 | 7.53 | 152 | 1 | 148 |
| | | 5/01 | 5,187 | 7.56 | 211 | 1 | 167 |
| | | 6/01 | 4,681 | 7.43 | 276 | 1 | 156 |
| | | | 27,978 | | 1,131 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|-----------|------------------|-------------|----------------|--------------------------|
| MERCURY | LAKE MANUKA | 1/01 | 10,679 | 12.08 | 222 | 2 | 172 |
| | | 2/01 | 10,297 | 12.17 | 198 | 2 | 184 |
| | | 3/01 | 10,972 | 12.09 | 180 | 2 | 177 |
| | | 4/01 | 10,781 | 11.68 | 152 | 2 | 180 |
| | | 5/01 | 11,545 | 12.32 | 155 | 2 | 186 |
| | | 6/01 | 10,647 | 12.50 | 141 | 2 | 177 |
| | | | | 64,921 | | 1,048 | |
| MERCURY | LIBRATUS | 1/01 | 2,506 | 12.08 | 236 | 1 | 81 |
| | | 2/01 | 2,358 | 12.17 | 119 | 1 | 84 |
| | | 3/01 | 2,476 | 12.09 | 126 | 1 | 80 |
| | | 4/01 | 2,331 | 11.68 | 112 | 1 | 78 |
| | | 5/01 | 2,523 | 12.32 | 129 | 1 | 81 |
| | | 6/01 | 2,311 | 12.50 | 108 | 1 | 77 |
| | | | | 14,505 | | 830 | |
| MERCURY | LIVINGSTON 19 | 1/01 | 132,494 | 8.41 | 27,567 | 42 | 102 |
| | | 2/01 | 162,789 | 8.69 | 27,374 | 42 | 138 |
| | | 3/01 | 203,362 | 8.85 | 29,422 | 42 | 156 |
| | | 4/01 | 193,360 | 8.82 | 28,109 | 42 | 153 |
| | | 5/01 | 208,531 | 9.13 | 28,764 | 42 | 160 |
| | | 6/01 | 201,132 | 9.25 | 27,049 | 42 | 160 |
| | | | | 1,101,668 | | 168,285 | |
| MERCURY | LONE PINE-MERCURY | 1/01 | 9,295 | 12.08 | 362 | 5 | 60 |
| | | 2/01 | 9,389 | 12.17 | 589 | 5 | 67 |
| | | 3/01 | 10,107 | 12.09 | 623 | 5 | 65 |
| | | 4/01 | 8,586 | 11.68 | 591 | 5 | 57 |
| | | 5/01 | 8,153 | 12.32 | 507 | 5 | 53 |
| | | 6/01 | 9,304 | 12.50 | 530 | 5 | 62 |
| | | | | 54,834 | | 3,202 | |
| MERCURY | MANCELONA EAST | 1/01 | 8,535 | 9.43 | 6,115 | 11 | 25 |
| | | 1/01 | 25,485 | 9.18 | 4,912 | 20 | 41 |
| | | 2/01 | 8,820 | 9.67 | 2,592 | 8 | 39 |
| | | 2/01 | 21,693 | 9.26 | 4,780 | 20 | 39 |
| | | 3/01 | 24,391 | 8.50 | 4,616 | 20 | 39 |
| | | 3/01 | 9,895 | 9.64 | 3,725 | 9 | 35 |
| | | 4/01 | 23,264 | 9.30 | 4,559 | 20 | 39 |
| | | 4/01 | 9,940 | 9.64 | 3,894 | 8 | 41 |
| | | 5/01 | 24,829 | 9.29 | 8,903 | 24 | 33 |
| | | 5/01 | 10,020 | 9.64 | 3,666 | 8 | 40 |
| | | 6/01 | 9,928 | 9.71 | 3,552 | 8 | 41 |
| | | 6/01 | 25,277 | 9.23 | 20,535 | 29 | 29 |
| | | | | 202,077 | | 71,849 | |
| MERCURY | MANCELONA WEST | 1/01 | 35,961 | 9.18 | 7,637 | 26 | 45 |
| | | 2/01 | 29,725 | 9.26 | 7,004 | 26 | 41 |
| | | 3/01 | 34,445 | 8.50 | 7,654 | 26 | 43 |
| | | 4/01 | 33,571 | 9.60 | 7,997 | 26 | 43 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| MERCURY | MANCELONA WEST | 5/01 | 36,800 | 9.29 | 7,792 | 26 | 46 |
| | | 6/01 | 33,735 | 9.23 | 6,953 | 26 | 43 |
| | | | 204,237 | | 45,037 | | |
| MERCURY | MID CHARLTON PHASE 1 | 1/01 | 18,856 | 20.11 | 509 | 19 | 32 |
| | | 2/01 | 16,631 | 20.46 | 0 | 19 | 31 |
| | | 3/01 | 16,662 | 19.77 | 568 | 19 | 28 |
| | | 4/01 | 15,784 | 20.54 | 824 | 19 | 28 |
| | | 5/01 | 15,998 | 19.92 | 950 | 19 | 27 |
| | | 6/01 | 11,336 | 19.46 | 815 | 19 | 20 |
| | 95,267 | | 3,666 | | | | |
| MERCURY | MID CHARLTON SOUTH ADD | 1/01 | 8,677 | 22.40 | 581 | 10 | 28 |
| | | 2/01 | 7,637 | 23.10 | 0 | 10 | 27 |
| | | 3/01 | 7,765 | 21.88 | 305 | 10 | 25 |
| | | 4/01 | 7,273 | 22.94 | 127 | 10 | 24 |
| | | 5/01 | 8,538 | 23.76 | 620 | 10 | 28 |
| | | 6/01 | 6,049 | 23.06 | 502 | 10 | 20 |
| | 45,939 | | 2,135 | | | | |
| MERCURY | NORTH CHESTER II | 1/01 | 44,795 | 20.17 | 6,429 | 27 | 54 |
| | | 2/01 | 41,299 | 20.62 | 8,341 | 27 | 55 |
| | | 3/01 | 44,019 | 19.77 | 7,798 | 27 | 53 |
| | | 4/01 | 40,396 | 19.93 | 10,466 | 27 | 50 |
| | | 5/01 | 47,168 | 20.36 | 10,465 | 27 | 56 |
| | | 6/01 | 39,877 | 20.81 | 7,384 | 27 | 49 |
| | 257,554 | | 50,883 | | | | |
| MERCURY | SHELL DOVER | 1/01 | 25,686 | 14.20 | 7,850 | 21 | 39 |
| | | 2/01 | 21,247 | 13.98 | 8,051 | 20 | 38 |
| | | 3/01 | 25,063 | 13.95 | 11,752 | 21 | 38 |
| | | 4/01 | 24,646 | 14.23 | 10,312 | 21 | 39 |
| | | 5/01 | 16,857 | 14.48 | 7,224 | 18 | 30 |
| | | 6/01 | 26,361 | 14.44 | 12,107 | 19 | 46 |
| | 139,860 | | 57,296 | | | | |
| MERCURY | STATE BAGLEY-HAYES | 1/01 | 8,469 | 8.41 | 385 | 2 | 137 |
| | | 2/01 | 7,876 | 8.69 | 363 | 2 | 141 |
| | | 3/01 | 8,200 | 8.85 | 407 | 2 | 132 |
| | | 4/01 | 7,756 | 8.82 | 420 | 2 | 129 |
| | | 5/01 | 8,032 | 9.13 | 332 | 2 | 130 |
| | | 6/01 | 7,735 | 9.25 | 306 | 2 | 129 |
| | 48,068 | | 2,213 | | | | |
| MERCURY | WEQUAS | 1/01 | 1,880 | 12.08 | 35 | 1 | 61 |
| | | 2/01 | 1,439 | 12.17 | 33 | 1 | 51 |
| | | 3/01 | 1,468 | 12.09 | 35 | 1 | 47 |
| | | 4/01 | 1,222 | 11.68 | 38 | 1 | 41 |
| | | 5/01 | 1,467 | 12.32 | 35 | 1 | 47 |
| | | 6/01 | 1,488 | 12.50 | 13 | 1 | 50 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------------------------------|---------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| | | | 8,964 | | 189 | | |
| MERCURY | WILDCARD | 1/01 | 27,118 | 16.57 | 732 | 12 | 73 |
| | | 2/01 | 21,512 | 16.76 | 664 | 12 | 64 |
| | | 3/01 | 26,928 | 16.74 | 726 | 12 | 72 |
| | | 4/01 | 26,310 | 16.82 | 696 | 12 | 73 |
| | | 5/01 | 27,836 | 16.97 | 742 | 12 | 75 |
| | | 6/01 | 27,364 | 17.24 | 701 | 12 | 76 |
| | | | 157,068 | | 4,261 | | |
| MERCURY - REPORTER TOTALS: | | | 5,903,018 | | 3,855,757 | | |
| MUSKEGON | 400 HUNT CLUB | 1/01 | 9,511 | 6.41 | 3,323 | 3 | 102 |
| | | 2/01 | 7,271 | 6.41 | 2,711 | 3 | 87 |
| | | 3/01 | 7,079 | 6.41 | 2,496 | 3 | 76 |
| | | 4/01 | 6,162 | 6.41 | 2,109 | 3 | 68 |
| | | 5/01 | 6,774 | 6.72 | 2,168 | 3 | 73 |
| | | 6/01 | 4,941 | 6.72 | 1,695 | 3 | 55 |
| | | 7/01 | 4,031 | 6.72 | 1,487 | 3 | 43 |
| | | 8/01 | 4,412 | 6.72 | 1,511 | 3 | 47 |
| | | 9/01 | 2,852 | 8.72 | 985 | 3 | 32 |
| | | 10/01 | 7,550 | 6.72 | 1,854 | 3 | 81 |
| | | 11/01 | 15,430 | 7.66 | 3,223 | 3 | 171 |
| | | 12/01 | 15,030 | 7.66 | 3,258 | 3 | 162 |
| | | | 91,043 | | 26,820 | | |
| MUSKEGON | BASS LAKE | 1/01 | 15,467 | 26.23 | 442 | 20 | 25 |
| | | 2/01 | 13,112 | 26.20 | 441 | 20 | 23 |
| | | 3/01 | 15,268 | 26.22 | 443 | 20 | 25 |
| | | 4/01 | 13,713 | 26.19 | 391 | 20 | 23 |
| | | 5/01 | 14,318 | 25.78 | 423 | 20 | 23 |
| | | 6/01 | 14,217 | 26.37 | 433 | 20 | 24 |
| | | 7/01 | 13,535 | 26.53 | 381 | 20 | 22 |
| | | 8/01 | 15,040 | 27.12 | 455 | 20 | 24 |
| | | 9/01 | 14,422 | 26.74 | 411 | 20 | 24 |
| | | 10/01 | 14,147 | 25.79 | 382 | 20 | 23 |
| | | 11/01 | 12,911 | 25.79 | 338 | 20 | 22 |
| | | 12/01 | 13,195 | 26.91 | 345 | 20 | 21 |
| | | | 169,345 | | 4,885 | | |
| MUSKEGON | BIG WOLF LAKE | 1/01 | 63,999 | 2.41 | 11,435 | 17 | 121 |
| | | 2/01 | 59,190 | 2.63 | 9,780 | 17 | 124 |
| | | 3/01 | 58,007 | 2.34 | 10,993 | 17 | 110 |
| | | 4/01 | 64,032 | 2.57 | 11,779 | 17 | 126 |
| | | 5/01 | 75,771 | 2.63 | 12,783 | 17 | 144 |
| | | 6/01 | 79,343 | 2.70 | 16,313 | 17 | 156 |
| | | 7/01 | 84,586 | 2.65 | 15,727 | 17 | 160 |
| | | 8/01 | 89,228 | 2.66 | 16,534 | 17 | 169 |
| | | 9/01 | 82,456 | 2.68 | 13,110 | 17 | 162 |
| | | 10/01 | 85,555 | 2.72 | 13,515 | 17 | 162 |
| | | 11/01 | 73,824 | 2.69 | 11,130 | 17 | 145 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| MUSKEGON | BIG WOLF LAKE | 12/01 | 75,820 | 2.79 | 15,231 | 17 | 144 |
| | | | 891,811 | | 158,330 | | |
| MUSKEGON | CAULKINS LAKE | 1/01 | 90,353 | 16.32 | 3,066 | 23 | 127 |
| | | 2/01 | 80,476 | 16.57 | 3,503 | 23 | 125 |
| | | 3/01 | 90,512 | 15.79 | 4,071 | 23 | 127 |
| | | 4/01 | 86,382 | 16.54 | 3,541 | 23 | 125 |
| | | 5/01 | 89,481 | 16.98 | 3,713 | 23 | 125 |
| | | 6/01 | 81,767 | 15.66 | 2,895 | 23 | 119 |
| | | 7/01 | 83,981 | 16.39 | 3,121 | 23 | 118 |
| | | 8/01 | 63,547 | 16.39 | 2,107 | 23 | 89 |
| | | 9/01 | 78,059 | 15.84 | 2,188 | 23 | 113 |
| | | 10/01 | 79,619 | 16.05 | 1,886 | 23 | 112 |
| | | 11/01 | 70,522 | 15.99 | 1,770 | 23 | 102 |
| | | 12/01 | 75,459 | 16.30 | 1,953 | 23 | 106 |
| | | | 970,158 | | 33,814 | | |
| MUSKEGON | CRAPO LAKE | 1/01 | 42,510 | 19.42 | 3,127 | 37 | 37 |
| | | 2/01 | 35,896 | 19.88 | 2,752 | 37 | 35 |
| | | 3/01 | 38,504 | 19.40 | 1,220 | 37 | 34 |
| | | 4/01 | 36,681 | 18.88 | 253 | 37 | 33 |
| | | 5/01 | 40,123 | 19.04 | 352 | 37 | 35 |
| | | 6/01 | 37,975 | 17.33 | 835 | 37 | 34 |
| | | 7/01 | 38,574 | 19.53 | 1,774 | 37 | 34 |
| | | 8/01 | 37,591 | 19.83 | 1,527 | 37 | 33 |
| | | 9/01 | 35,179 | 19.83 | 1,453 | 37 | 32 |
| | | 10/01 | 37,997 | 18.83 | 1,557 | 37 | 33 |
| | | 11/01 | 27,665 | 19.11 | 927 | 37 | 25 |
| | | 12/01 | 33,155 | 19.10 | 995 | 37 | 29 |
| | | | 441,850 | | 16,772 | | |
| MUSKEGON | EAST HEART LAKE | 1/01 | 35,896 | 18.03 | 2,196 | 21 | 55 |
| | | 2/01 | 32,357 | 19.29 | 2,003 | 21 | 55 |
| | | 3/01 | 34,537 | 19.38 | 2,188 | 21 | 53 |
| | | 4/01 | 33,398 | 18.63 | 1,961 | 21 | 53 |
| | | 5/01 | 35,394 | 19.00 | 2,241 | 21 | 54 |
| | | 6/01 | 34,498 | 18.67 | 2,029 | 21 | 55 |
| | | 7/01 | 34,043 | 18.51 | 1,969 | 21 | 52 |
| | | 8/01 | 30,893 | 17.80 | 1,708 | 21 | 47 |
| | | 9/01 | 34,418 | 17.79 | 2,056 | 21 | 55 |
| | | 10/01 | 34,542 | 18.02 | 1,784 | 21 | 53 |
| | | 11/01 | 33,010 | 18.60 | 1,919 | 21 | 52 |
| | | 12/01 | 29,136 | 17.89 | 1,281 | 21 | 45 |
| | | | 402,122 | | 23,335 | | |
| MUSKEGON | EMERALD LAKE | 1/01 | 7,857 | 30.12 | 413 | 8 | 32 |
| | | 2/01 | 7,008 | 29.86 | 415 | 8 | 31 |
| | | 3/01 | 7,520 | 29.82 | 356 | 8 | 30 |
| | | 4/01 | 6,367 | 29.93 | 355 | 8 | 27 |
| | | 5/01 | 6,839 | 29.93 | 450 | 8 | 28 |
| | | 6/01 | 6,933 | 29.80 | 392 | 8 | 29 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| MUSKEGON | EMERALD LAKE | 7/01 | 6,777 | 29.84 | 412 | 8 | 27 |
| | | 8/01 | 7,304 | 29.72 | 335 | 8 | 29 |
| | | 9/01 | 6,845 | 30.09 | 380 | 8 | 29 |
| | | 10/01 | 7,384 | 29.77 | 379 | 8 | 30 |
| | | 11/01 | 6,796 | 30.26 | 286 | 8 | 28 |
| | | 12/01 | 6,786 | 29.93 | 254 | 8 | 27 |
| | | | | 84,416 | | 4,427 | |
| MUSKEGON | GINGELL LAKE | 1/01 | 7,822 | 22.99 | 520 | 13 | 19 |
| | | 2/01 | 7,504 | 17.95 | 393 | 13 | 21 |
| | | 3/01 | 7,354 | 22.03 | 455 | 13 | 18 |
| | | 4/01 | 6,890 | 21.36 | 417 | 13 | 18 |
| | | 5/01 | 7,666 | 21.13 | 200 | 13 | 19 |
| | | 6/01 | 7,172 | 22.26 | 441 | 13 | 18 |
| | | 7/01 | 8,184 | 22.24 | 444 | 13 | 20 |
| | | 8/01 | 8,264 | 23.27 | 322 | 13 | 20 |
| | | 9/01 | 7,788 | 23.19 | 413 | 13 | 20 |
| | | 10/01 | 8,145 | 22.37 | 462 | 13 | 20 |
| | | 11/01 | 6,929 | 22.81 | 460 | 13 | 18 |
| | | 12/01 | 6,279 | 22.68 | 378 | 13 | 16 |
| | | 89,997 | | 4,905 | | | |
| MUSKEGON | HEART LAKE | 1/01 | 4,772 | 23.37 | 102 | 17 | 9 |
| | | 2/01 | 4,196 | 23.63 | 92 | 17 | 9 |
| | | 3/01 | 4,016 | 25.32 | 53 | 17 | 8 |
| | | 4/01 | 3,197 | 25.32 | 34 | 17 | 6 |
| | | 5/01 | 3,410 | 24.95 | 77 | 17 | 6 |
| | | 6/01 | 3,381 | 24.66 | 20 | 17 | 7 |
| | | 7/01 | 4,173 | 24.86 | 3 | 17 | 8 |
| | | 8/01 | 3,172 | 25.34 | 16 | 17 | 6 |
| | | 9/01 | 2,988 | 25.39 | 7 | 17 | 6 |
| | | 10/01 | 3,482 | 26.39 | 22 | 17 | 7 |
| | | 11/01 | 3,401 | 26.59 | 47 | 17 | 7 |
| | | 12/01 | 3,327 | 26.37 | 73 | 17 | 6 |
| | | 43,515 | | 546 | | | |
| MUSKEGON | ISLAND LAKE | 1/01 | 59,409 | 6.41 | 17,712 | 14 | 137 |
| | | 2/01 | 56,040 | 6.41 | 14,638 | 24 | 83 |
| | | 3/01 | 60,035 | 6.41 | 13,341 | 24 | 81 |
| | | 4/01 | 62,184 | 6.41 | 13,123 | 24 | 86 |
| | | 5/01 | 56,468 | 6.72 | 11,012 | 24 | 76 |
| | | 6/01 | 56,468 | 6.72 | 11,244 | 24 | 78 |
| | | 7/01 | 53,183 | 6.72 | 9,387 | 24 | 71 |
| | | 8/01 | 52,179 | 6.72 | 11,792 | 24 | 70 |
| | | 9/01 | 50,711 | 8.72 | 12,005 | 24 | 70 |
| | | 10/01 | 47,456 | 6.72 | 9,927 | 24 | 64 |
| | | 11/01 | 37,247 | 7.66 | 4,868 | 24 | 52 |
| | | 12/01 | 41,648 | 7.66 | 8,431 | 25 | 54 |
| | | 633,028 | | 137,480 | | | |
| MUSKEGON | KUJAWA (DOVER) | 1/01 | 49,347 | 11.83 | 3,452 | 22 | 72 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-------------------|-----------------|-----------------|-------|----------------|---------------|--------------------------|----|----|
| MUSKEGON | KUJAWA (DOVER) | 2/01 | 42,567 | 12.11 | 2,440 | 22 | 69 | | |
| | | 3/01 | 45,679 | 11.72 | 3,916 | 22 | 67 | | |
| | | 4/01 | 42,601 | 11.97 | 3,456 | 22 | 65 | | |
| | | 5/01 | 44,385 | 12.03 | 3,683 | 22 | 65 | | |
| | | 6/01 | 41,765 | 12.04 | 3,413 | 22 | 63 | | |
| | | 7/01 | 39,854 | 11.94 | 3,311 | 22 | 58 | | |
| | | 8/01 | 40,531 | 11.42 | 3,118 | 22 | 59 | | |
| | | 9/01 | 39,034 | 12.22 | 3,032 | 22 | 59 | | |
| | | 10/01 | 40,143 | 11.82 | 3,142 | 22 | 59 | | |
| | | 11/01 | 38,046 | 12.46 | 2,862 | 22 | 58 | | |
| | | 12/01 | 38,674 | 13.09 | 2,933 | 22 | 57 | | |
| | | | | | 502,626 | | 38,758 | | |
| | | MUSKEGON | LAKE HORICON 15 | 1/01 | 11,393 | 19.33 | 1,757 | 12 | 31 |
| 2/01 | 9,279 | | | 20.15 | 1,619 | 12 | 28 | | |
| 3/01 | 9,883 | | | 19.91 | 1,824 | 12 | 27 | | |
| 4/01 | 9,457 | | | 19.54 | 1,745 | 12 | 26 | | |
| 5/01 | 9,512 | | | 19.68 | 1,779 | 12 | 26 | | |
| 6/01 | 8,815 | | | 19.83 | 1,864 | 12 | 24 | | |
| 7/01 | 8,763 | | | 19.50 | 1,816 | 12 | 24 | | |
| 8/01 | 9,295 | | | 19.55 | 1,554 | 12 | 25 | | |
| 9/01 | 8,920 | | | 19.74 | 1,323 | 12 | 25 | | |
| 10/01 | 8,670 | | | 19.73 | 1,812 | 12 | 23 | | |
| 11/01 | 8,479 | | | 18.37 | 2,114 | 12 | 24 | | |
| 12/01 | 7,992 | | | 19.99 | 1,768 | 12 | 21 | | |
| | | | 110,458 | | 20,975 | | | | |
| MUSKEGON | LITTLE CRAPO LAKE | 1/01 | 36,144 | 24.73 | 1,012 | 29 | 40 | | |
| | | 2/01 | 34,672 | 18.67 | 923 | 29 | 43 | | |
| | | 3/01 | 35,868 | 25.24 | 1,018 | 29 | 40 | | |
| | | 4/01 | 34,094 | 24.90 | 935 | 29 | 39 | | |
| | | 5/01 | 35,984 | 24.84 | 997 | 29 | 40 | | |
| | | 6/01 | 35,178 | 24.96 | 936 | 29 | 40 | | |
| | | 7/01 | 37,599 | 25.29 | 992 | 29 | 42 | | |
| | | 8/01 | 35,756 | 25.51 | 978 | 29 | 40 | | |
| | | 9/01 | 35,768 | 25.41 | 945 | 29 | 41 | | |
| | | 10/01 | 35,833 | 25.43 | 987 | 29 | 40 | | |
| | | 11/01 | 33,949 | 25.54 | 1,030 | 29 | 39 | | |
| | | 12/01 | 32,427 | 24.91 | 1,330 | 29 | 36 | | |
| | | | 423,272 | | 12,083 | | | | |
| MUSKEGON | MITCHELL LAKE | 1/01 | 40,888 | 5.36 | 6,050 | 15 | 88 | | |
| | | 2/01 | 37,967 | 5.87 | 5,530 | 15 | 90 | | |
| | | 3/01 | 38,638 | 5.99 | 5,105 | 15 | 83 | | |
| | | 4/01 | 34,576 | 5.90 | 4,500 | 15 | 77 | | |
| | | 5/01 | 40,462 | 4.54 | 3,555 | 15 | 87 | | |
| | | 6/01 | 38,753 | 6.33 | 5,600 | 15 | 86 | | |
| | | 7/01 | 41,373 | 6.09 | 5,040 | 15 | 89 | | |
| | | 8/01 | 40,583 | 6.24 | 5,650 | 15 | 87 | | |
| | | 9/01 | 37,317 | 5.48 | 4,950 | 15 | 83 | | |
| | | 10/01 | 37,852 | 6.38 | 4,650 | 15 | 81 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| MUSKEGON | MITCHELL LAKE | 11/01 | 41,039 | 6.04 | 5,825 | 17 | 80 |
| | | 12/01 | 38,868 | 6.13 | 4,763 | 17 | 74 |
| | | | 468,316 | | 61,218 | | |
| MUSKEGON | MITCHELL LAKE II | 1/01 | 118,858 | 3.94 | 30,000 | 19 | 202 |
| | | 2/01 | 98,074 | 3.95 | 23,350 | 19 | 184 |
| | | 3/01 | 113,890 | 4.02 | 22,600 | 19 | 193 |
| | | 4/01 | 111,780 | 3.96 | 22,500 | 19 | 196 |
| | | 5/01 | 120,385 | 4.06 | 21,023 | 19 | 204 |
| | | 6/01 | 113,755 | 4.28 | 14,757 | 19 | 200 |
| | | 7/01 | 111,248 | 4.32 | 12,394 | 19 | 189 |
| | | 8/01 | 100,044 | 4.24 | 10,888 | 19 | 170 |
| | | 9/01 | 103,353 | 4.34 | 11,803 | 19 | 181 |
| | | 10/01 | 108,968 | 4.33 | 11,614 | 19 | 185 |
| | | 11/01 | 101,732 | 4.51 | 9,950 | 22 | 154 |
| | | 12/01 | 99,715 | 4.48 | 36,227 | 22 | 146 |
| | | | 1,301,802 | | 227,106 | | |
| MUSKEGON | NO LAKE | 1/01 | 48,958 | 17.71 | 2,338 | 36 | 44 |
| | | 2/01 | 45,942 | 16.26 | 2,039 | 36 | 46 |
| | | 3/01 | 47,626 | 16.78 | 2,084 | 36 | 43 |
| | | 4/01 | 44,185 | 19.11 | 1,187 | 36 | 41 |
| | | 5/01 | 48,266 | 18.11 | 1,234 | 36 | 43 |
| | | 6/01 | 44,126 | 18.16 | 958 | 36 | 41 |
| | | 7/01 | 46,425 | 18.25 | 887 | 36 | 42 |
| | | 8/01 | 45,217 | 17.96 | 1,934 | 36 | 41 |
| | | 9/01 | 47,775 | 16.01 | 1,249 | 36 | 44 |
| | | 10/01 | 47,915 | 18.44 | 1,058 | 36 | 43 |
| | | 11/01 | 44,117 | 18.64 | 718 | 36 | 41 |
| | | 12/01 | 39,625 | 18.35 | 739 | 36 | 35 |
| | | | 550,177 | | 16,425 | | |
| MUSKEGON | NORTH HIDDEN LAKE | 1/01 | 37,550 | 15.47 | 858 | 16 | 76 |
| | | 2/01 | 33,963 | 15.19 | 720 | 16 | 76 |
| | | 3/01 | 39,888 | 15.35 | 2,685 | 16 | 80 |
| | | 4/01 | 41,430 | 15.45 | 2,478 | 16 | 86 |
| | | 5/01 | 40,742 | 15.32 | 1,660 | 16 | 82 |
| | | 6/01 | 40,208 | 15.20 | 1,430 | 16 | 84 |
| | | 7/01 | 39,736 | 15.40 | 1,245 | 16 | 80 |
| | | 8/01 | 38,831 | 15.52 | 970 | 16 | 78 |
| | | 9/01 | 34,524 | 15.52 | 928 | 16 | 72 |
| | | 10/01 | 39,587 | 14.47 | 1,124 | 16 | 80 |
| | | 11/01 | 37,328 | 15.30 | 1,152 | 16 | 78 |
| | | 12/01 | 35,901 | 15.77 | 3,339 | 16 | 72 |
| | | | 459,688 | | 18,589 | | |
| MUSKEGON | OPAL LAKE | 1/01 | 17,503 | 20.55 | 6,155 | 13 | 43 |
| | | 2/01 | 15,144 | 22.07 | 5,533 | 13 | 42 |
| | | 3/01 | 16,403 | 20.67 | 6,086 | 13 | 41 |
| | | 4/01 | 14,864 | 22.02 | 5,074 | 13 | 38 |
| | | 5/01 | 17,079 | 22.10 | 5,723 | 13 | 42 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| MUSKEGON | OPAL LAKE | 6/01 | 14,100 | 22.95 | 4,764 | 13 | 36 |
| | | 7/01 | 15,563 | 22.59 | 4,754 | 13 | 39 |
| | | 8/01 | 15,523 | 22.60 | 4,593 | 13 | 39 |
| | | 9/01 | 15,133 | 22.88 | 4,349 | 13 | 39 |
| | | 10/01 | 15,954 | 23.36 | 4,174 | 13 | 40 |
| | | 11/01 | 15,328 | 22.97 | 4,015 | 13 | 39 |
| | | 12/01 | 13,878 | 22.15 | 3,969 | 13 | 34 |
| | | | | 186,472 | | 59,189 | |
| MUSKEGON | OTSEGO LAKE | 1/01 | 51,335 | 15.05 | 78 | 30 | 55 |
| | | 2/01 | 49,618 | 15.52 | 150 | 30 | 59 |
| | | 3/01 | 51,401 | 15.62 | 133 | 30 | 55 |
| | | 4/01 | 52,055 | 15.63 | 114 | 30 | 58 |
| | | 5/01 | 54,550 | 15.11 | 94 | 30 | 59 |
| | | 6/01 | 53,069 | 15.39 | 50 | 30 | 59 |
| | | 7/01 | 58,639 | 15.50 | 16 | 30 | 63 |
| | | 8/01 | 62,843 | 15.83 | 58 | 30 | 68 |
| | | 9/01 | 56,122 | 15.47 | 31 | 30 | 62 |
| | | 10/01 | 59,674 | 16.24 | 12 | 30 | 64 |
| | | 11/01 | 58,863 | 16.68 | 0 | 30 | 65 |
| | | 12/01 | 58,460 | 12.28 | 27 | 30 | 63 |
| | | 666,629 | | 763 | | | |
| MUSKEGON | PERCH LAKE | 1/01 | 48,511 | 9.00 | 2,432 | 17 | 92 |
| | | 2/01 | 43,171 | 9.40 | 2,100 | 17 | 91 |
| | | 3/01 | 51,485 | 9.33 | 4,954 | 17 | 98 |
| | | 4/01 | 50,501 | 9.31 | 4,377 | 17 | 99 |
| | | 5/01 | 53,431 | 9.07 | 3,065 | 17 | 101 |
| | | 6/01 | 49,396 | 8.60 | 1,900 | 17 | 97 |
| | | 7/01 | 55,358 | 9.24 | 2,225 | 17 | 105 |
| | | 8/01 | 55,865 | 9.50 | 2,070 | 17 | 106 |
| | | 9/01 | 56,988 | 9.91 | 2,430 | 17 | 112 |
| | | 10/01 | 59,715 | 10.23 | 2,480 | 17 | 113 |
| | | 11/01 | 54,320 | 10.23 | 2,885 | 17 | 107 |
| | | 12/01 | 57,945 | 9.76 | 3,754 | 17 | 110 |
| | | 636,686 | | 34,672 | | | |
| MUSKEGON | PIGEON RIVER | 1/01 | 22,662 | 8.90 | 844 | 10 | 73 |
| | | 2/01 | 22,333 | 8.89 | 720 | 10 | 80 |
| | | 3/01 | 25,215 | 8.58 | 631 | 10 | 81 |
| | | 4/01 | 23,263 | 8.97 | 603 | 10 | 78 |
| | | 5/01 | 23,365 | 8.33 | 498 | 10 | 75 |
| | | 6/01 | 22,873 | 8.94 | 391 | 10 | 76 |
| | | 7/01 | 22,729 | 8.77 | 452 | 10 | 73 |
| | | 8/01 | 23,495 | 8.88 | 394 | 10 | 76 |
| | | 9/01 | 22,238 | 8.87 | 365 | 10 | 74 |
| | | 10/01 | 22,410 | 8.76 | 438 | 10 | 72 |
| | | 11/01 | 21,783 | 9.11 | 341 | 10 | 73 |
| | | 12/01 | 21,306 | 8.15 | 374 | 10 | 69 |
| | | 273,672 | | 6,051 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| MUSKEGON | RAMNEK RANCH (LOWER C | 1/01 | 35,214 | 17.35 | 10,115 | 19 | 60 |
| | | 2/01 | 30,308 | 17.63 | 8,895 | 19 | 57 |
| | | 3/01 | 34,525 | 16.72 | 9,355 | 19 | 59 |
| | | 4/01 | 31,752 | 17.70 | 8,194 | 19 | 56 |
| | | 5/01 | 34,592 | 17.81 | 8,362 | 19 | 59 |
| | | 6/01 | 30,663 | 16.96 | 7,273 | 19 | 54 |
| | | 7/01 | 30,006 | 17.67 | 6,862 | 19 | 51 |
| | | 8/01 | 32,068 | 16.15 | 6,569 | 19 | 54 |
| | | 9/01 | 29,782 | 17.31 | 6,897 | 19 | 52 |
| | | 10/01 | 29,168 | 16.14 | 6,545 | 19 | 50 |
| | | 11/01 | 30,803 | 16.56 | 8,189 | 19 | 54 |
| | | 12/01 | 33,840 | 17.04 | 9,218 | 19 | 57 |
| | | | | | 382,721 | | 96,474 |
| MUSKEGON | RHODAS LAKE | 1/01 | 11,417 | 6.41 | 3,989 | 19 | 19 |
| | | 2/01 | 11,095 | 6.41 | 4,137 | 19 | 21 |
| | | 3/01 | 13,507 | 6.41 | 4,761 | 19 | 23 |
| | | 4/01 | 13,077 | 6.41 | 4,476 | 19 | 23 |
| | | 5/01 | 14,635 | 6.72 | 4,683 | 19 | 25 |
| | | 6/01 | 13,539 | 6.72 | 4,644 | 19 | 24 |
| | | 7/01 | 13,940 | 6.72 | 5,144 | 19 | 24 |
| | | 8/01 | 14,119 | 6.72 | 4,835 | 19 | 24 |
| | | 9/01 | 13,290 | 8.72 | 4,590 | 19 | 23 |
| | | 10/01 | 14,639 | 6.72 | 3,594 | 19 | 25 |
| | | 11/01 | 13,558 | 7.66 | 2,833 | 19 | 24 |
| | | 12/01 | 13,434 | 7.66 | 2,912 | 19 | 23 |
| | | | | | 160,250 | | 50,598 |
| MUSKEGON | ROUND LAKE | 1/01 | 31,153 | 13.44 | 2,037 | 18 | 56 |
| | | 2/01 | 31,181 | 13.79 | 2,454 | 18 | 62 |
| | | 3/01 | 35,996 | 13.83 | 3,035 | 18 | 64 |
| | | 4/01 | 35,938 | 13.71 | 2,943 | 18 | 67 |
| | | 5/01 | 35,751 | 13.12 | 2,702 | 18 | 64 |
| | | 6/01 | 33,902 | 12.12 | 2,501 | 18 | 63 |
| | | 7/01 | 34,044 | 14.51 | 2,405 | 18 | 61 |
| | | 8/01 | 34,680 | 13.25 | 2,396 | 18 | 62 |
| | | 9/01 | 32,682 | 13.24 | 2,391 | 18 | 61 |
| | | 10/01 | 36,390 | 13.88 | 2,911 | 18 | 65 |
| | | 11/01 | 33,278 | 14.02 | 2,433 | 18 | 62 |
| | | 12/01 | 33,982 | 13.99 | 2,735 | 18 | 61 |
| | | | | | 408,977 | | 30,943 |
| MUSKEGON | SHUPAC LAKE | 1/01 | 9,267 | 7.03 | 3,906 | 10 | 30 |
| | | 2/01 | 8,293 | 7.08 | 3,357 | 10 | 30 |
| | | 3/01 | 9,220 | 6.88 | 3,804 | 10 | 30 |
| | | 4/01 | 9,265 | 6.76 | 3,467 | 10 | 31 |
| | | 5/01 | 9,860 | 6.86 | 3,671 | 10 | 32 |
| | | 6/01 | 9,343 | 6.88 | 3,249 | 10 | 31 |
| | | 7/01 | 10,015 | 6.91 | 3,627 | 10 | 32 |
| | | 8/01 | 10,059 | 6.82 | 3,565 | 10 | 32 |
| | | 9/01 | 9,733 | 6.82 | 3,361 | 10 | 32 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| MUSKEGON | SHUPAC LAKE | 10/01 | 9,955 | 6.87 | 3,291 | 10 | 32 |
| | | 11/01 | 9,574 | 6.87 | 3,237 | 10 | 32 |
| | | 12/01 | 9,771 | 6.86 | 3,234 | 10 | 32 |
| | | | 114,355 | | 41,769 | | |
| MUSKEGON | SOUTH HIDDEN LAKE | 1/01 | 59,924 | 15.47 | 3,739 | 23 | 84 |
| | | 2/01 | 53,044 | 15.19 | 3,137 | 23 | 82 |
| | | 3/01 | 59,940 | 15.35 | 3,668 | 23 | 84 |
| | | 4/01 | 58,600 | | 3,482 | 23 | 85 |
| | | 5/01 | 58,929 | 15.32 | 3,328 | 23 | 83 |
| | | 6/01 | 56,212 | 15.20 | 2,776 | 23 | 81 |
| | | 7/01 | 58,433 | 15.40 | 2,804 | 23 | 82 |
| | | 8/01 | 58,780 | 15.52 | 2,859 | 23 | 82 |
| | | 9/01 | 53,417 | 15.52 | 2,610 | 23 | 77 |
| | | 10/01 | 59,037 | 14.47 | 2,737 | 23 | 83 |
| | | 11/01 | 56,916 | 15.30 | 2,640 | 23 | 82 |
| | | 12/01 | 55,824 | 15.77 | 2,532 | 23 | 78 |
| | 689,056 | | 36,312 | | | | |
| MUSKEGON | STURGEON RIVER | 1/01 | 42,830 | 6.42 | 15,845 | 11 | 126 |
| | | 2/01 | 38,319 | 6.92 | 11,187 | 11 | 124 |
| | | 3/01 | 43,784 | 6.95 | 14,008 | 11 | 128 |
| | | 4/01 | 42,632 | 6.73 | 12,085 | 11 | 129 |
| | | 5/01 | 44,346 | 6.32 | 12,990 | 11 | 130 |
| | | 6/01 | 44,385 | 6.30 | 12,555 | 11 | 135 |
| | | 7/01 | 45,320 | 6.72 | 11,831 | 11 | 133 |
| | | 8/01 | 43,621 | 6.53 | 9,838 | 11 | 128 |
| | | 9/01 | 36,704 | 6.46 | 5,629 | 11 | 111 |
| | | 10/01 | 42,122 | 6.82 | 10,570 | 11 | 124 |
| | | 11/01 | 43,699 | 6.76 | 9,191 | 11 | 132 |
| | | 12/01 | 45,295 | 6.96 | 8,514 | 11 | 133 |
| | 513,057 | | 134,243 | | | | |
| MUSKEGON | TRAVERSE LAKES | 1/01 | 21,488 | 22.02 | 124 | 13 | 53 |
| | | 2/01 | 19,871 | 21.93 | 124 | 13 | 55 |
| | | 3/01 | 22,248 | 21.47 | 127 | 13 | 55 |
| | | 4/01 | 20,261 | 22.25 | 111 | 13 | 52 |
| | | 5/01 | 20,366 | 22.17 | 101 | 13 | 51 |
| | | 6/01 | 19,848 | 12.17 | 65 | 13 | 51 |
| | | 7/01 | 19,084 | 21.37 | 92 | 13 | 47 |
| | | 8/01 | 19,425 | 21.79 | 88 | 13 | 48 |
| | | 9/01 | 18,468 | 22.09 | 50 | 13 | 47 |
| | | 10/01 | 20,163 | 22.49 | 95 | 13 | 50 |
| | | 11/01 | 16,210 | 22.45 | 54 | 13 | 42 |
| | | 12/01 | 17,913 | 21.72 | 51 | 13 | 44 |
| | 235,345 | | 1,082 | | | | |
| MUSKEGON | VIKING LAKE | 1/01 | 18,306 | 22.80 | 1,885 | 13 | 45 |
| | | 2/01 | 16,805 | 23.89 | 1,705 | 13 | 46 |
| | | 3/01 | 17,927 | 22.31 | 1,853 | 13 | 44 |
| | | 4/01 | 16,193 | 23.40 | 1,581 | 13 | 42 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|------------------------------------|----------------|-------|-------------------|---------------|--------------------------|--|--|
| MUSKEGON | VIKING LAKE | 5/01 | 18,828 | 23.57 | 1,865 | 13 | 47 | | |
| | | 6/01 | 17,144 | 23.81 | 1,614 | 13 | 44 | | |
| | | 7/01 | 17,762 | 24.16 | 1,290 | 13 | 44 | | |
| | | 8/01 | 15,509 | 23.47 | 1,295 | 13 | 38 | | |
| | | 9/01 | 16,563 | 23.78 | 1,536 | 13 | 42 | | |
| | | 10/01 | 18,879 | 24.23 | 1,637 | 13 | 47 | | |
| | | 11/01 | 16,523 | 23.60 | 1,245 | 13 | 42 | | |
| | | 12/01 | 16,846 | 24.03 | 1,205 | 13 | 42 | | |
| | | | | | 207,285 | | 18,711 | | |
| | | MUSKEGON - REPORTER TOTALS: | | | 12,108,129 | | 1,317,275 | | |
| OILFIELD | BAGLEY 17 | 1/01 | 41,676 | 12.72 | 1,909 | 24 | 56 | | |
| | | 2/01 | 38,038 | 12.72 | 1,697 | 24 | 57 | | |
| | | 3/01 | 41,481 | 17.34 | 1,767 | 24 | 56 | | |
| | | 4/01 | 42,476 | 17.34 | 1,863 | 24 | 59 | | |
| | | 5/01 | 46,839 | 17.34 | 1,745 | 24 | 63 | | |
| | | 6/01 | 44,070 | 17.34 | 2,108 | 24 | 61 | | |
| | | 7/01 | 44,278 | 17.34 | 2,462 | 24 | 59 | | |
| | | 8/01 | 44,753 | 17.34 | 1,949 | 24 | 60 | | |
| | | 9/01 | 43,941 | 17.34 | 1,666 | 24 | 61 | | |
| | | 10/01 | 43,209 | 17.34 | 2,161 | 24 | 58 | | |
| | | 11/01 | 44,635 | 17.34 | 1,738 | 24 | 62 | | |
| | | 12/01 | 45,942 | 17.34 | 1,642 | 24 | 62 | | |
| | | | 521,338 | | 22,707 | | | | |
| OILFIELD | BIG WOLF | 1/01 | 62,755 | 3.08 | 34,523 | 23 | 88 | | |
| | | 2/01 | 53,579 | 3.08 | 29,255 | 23 | 83 | | |
| | | 3/01 | 63,586 | 1.94 | 27,937 | 23 | 89 | | |
| | | 4/01 | 61,297 | 1.94 | 31,748 | 23 | 89 | | |
| | | 5/01 | 60,985 | 1.94 | 39,884 | 23 | 86 | | |
| | | 6/01 | 65,194 | 1.94 | 34,339 | 23 | 94 | | |
| | | 7/01 | 68,878 | 1.94 | 30,773 | 23 | 97 | | |
| | | 8/01 | 61,293 | 1.94 | 30,477 | 23 | 86 | | |
| | | 9/01 | 60,808 | 1.94 | 26,664 | 23 | 88 | | |
| | | 10/01 | 62,249 | 1.94 | 26,121 | 23 | 87 | | |
| | | 11/01 | 60,868 | 1.94 | 25,742 | 23 | 88 | | |
| | | 12/01 | 61,694 | 1.94 | 25,001 | 23 | 87 | | |
| | | | 743,186 | | 362,464 | | | | |
| OILFIELD | ELMIRA 34 | 1/01 | 38,812 | 8.30 | 23,346 | 23 | 54 | | |
| | | 2/01 | 34,599 | 8.30 | 23,516 | 23 | 54 | | |
| | | 3/01 | 38,878 | 8.96 | 24,516 | 23 | 55 | | |
| | | 4/01 | 37,823 | 8.96 | 23,753 | 23 | 55 | | |
| | | 5/01 | 36,051 | 8.96 | 19,996 | 23 | 51 | | |
| | | 6/01 | 37,561 | 8.96 | 30,094 | 23 | 54 | | |
| | | 7/01 | 38,784 | 8.96 | 28,109 | 23 | 54 | | |
| | | 8/01 | 40,917 | 8.96 | 28,329 | 23 | 57 | | |
| | | 9/01 | 38,721 | 8.96 | 26,730 | 23 | 56 | | |
| | | 10/01 | 39,912 | 8.96 | 24,831 | 23 | 56 | | |
| | | 11/01 | 39,341 | 8.96 | 26,602 | 23 | 57 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| OILFIELD | ELMIRA 34 | 12/01 | 37,589 | 8.96 | 28,859 | 23 | 53 |
| | | | 458,988 | | 308,681 | | |
| OILFIELD | FOX | 1/01 | 13,194 | 24.73 | 7,357 | 26 | 16 |
| | | 2/01 | 11,317 | 24.73 | 4,823 | 26 | 16 |
| | | 3/01 | 12,920 | 24.73 | 5,220 | 26 | 16 |
| | | 4/01 | 12,395 | 24.73 | 5,149 | 26 | 16 |
| | | 5/01 | 13,569 | 24.73 | 3,380 | 26 | 17 |
| | | 6/01 | 13,159 | 24.73 | 4,107 | 26 | 17 |
| | | 7/01 | 13,435 | 24.73 | 4,084 | 26 | 17 |
| | | 8/01 | 13,232 | 24.73 | 5,183 | 26 | 16 |
| | | 9/01 | 13,431 | 24.73 | 4,819 | 26 | 17 |
| | | 10/01 | 14,408 | 24.73 | 3,489 | 26 | 18 |
| | | 11/01 | 13,891 | 24.73 | 3,612 | 26 | 18 |
| | | 12/01 | 13,630 | 24.73 | 2,581 | 26 | 17 |
| | | | 158,581 | | 53,804 | | |
| OILFIELD | HAYES 24 | 1/01 | 56,278 | 16.76 | 3,289 | 13 | 140 |
| | | 2/01 | 48,986 | 16.76 | 2,047 | 13 | 135 |
| | | 3/01 | 56,515 | 17.34 | 2,031 | 13 | 140 |
| | | 4/01 | 53,823 | 17.34 | 2,663 | 13 | 138 |
| | | 5/01 | 55,031 | 17.34 | 6,169 | 13 | 137 |
| | | 6/01 | 55,842 | 17.34 | 10,406 | 13 | 143 |
| | | 7/01 | 56,009 | 17.34 | 12,262 | 13 | 139 |
| | | 8/01 | 51,919 | 17.34 | 11,665 | 13 | 129 |
| | | 9/01 | 48,376 | 17.34 | 5,722 | 13 | 124 |
| | | 10/01 | 53,084 | 17.34 | 3,905 | 13 | 132 |
| | | 11/01 | 50,447 | 17.34 | 3,148 | 13 | 129 |
| | | 12/01 | 51,428 | 17.34 | 2,630 | 13 | 128 |
| | | | 637,738 | | 65,937 | | |
| OILFIELD | SCHRADER | 1/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 2/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 3/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 4/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 5/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 6/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 7/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 8/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 9/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | 10/01 | 0 | 4.91 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| OILFIELD | SPRINGDALE 10 | 1/01 | 0 | | 0 | 0 | 0 |
| | | 2/01 | 0 | | 0 | 0 | 0 |
| | | 3/01 | 0 | | 0 | 0 | 0 |
| | | 4/01 | 0 | | 0 | 0 | 0 |
| | | 5/01 | 0 | | 0 | 0 | 0 |
| | | 6/01 | 0 | | 0 | 0 | 0 |
| | | 7/01 | 0 | | 0 | 0 | 0 |
| | | 8/01 | 0 | | 0 | 0 | 0 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| OILFIELD | SPRINGDALE 10 | 9/01 | 0 | | 0 | 0 | 0 |
| | | 10/01 | 0 | | 0 | 0 | 0 |
| | | 11/01 | 0 | | 0 | 0 | 0 |
| | | 12/01 | 0 | | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| OILFIELD | WARNER 36 | 1/01 | 61,703 | 9.69 | 17,885 | 35 | 57 |
| | | 2/01 | 54,888 | 9.69 | 13,061 | 35 | 56 |
| | | 3/01 | 61,069 | 10.18 | 15,487 | 35 | 56 |
| | | 4/01 | 58,719 | 10.18 | 14,921 | 35 | 56 |
| | | 5/01 | 62,071 | 10.18 | 15,643 | 35 | 57 |
| | | 6/01 | 58,413 | 10.18 | 11,606 | 35 | 56 |
| | | 7/01 | 60,054 | 10.18 | 16,706 | 35 | 55 |
| | | 8/01 | 60,472 | 10.18 | 16,716 | 35 | 56 |
| | | 9/01 | 56,410 | 10.18 | 18,033 | 35 | 54 |
| | | 10/01 | 59,258 | 10.18 | 18,859 | 35 | 55 |
| | | 11/01 | 58,230 | 10.18 | 18,841 | 35 | 55 |
| | | 12/01 | 54,500 | 10.18 | 19,482 | 35 | 50 |
| | | | 705,787 | | 197,240 | | |
| OILFIELD - REPORTER TOTALS: | | | 3,225,618 | | 1,010,833 | | |
| OMEGA RESOURCES | DOLLAR LAKE | 1/01 | 2,109 | 10.80 | 14,618 | 3 | 23 |
| | | 2/01 | 2,060 | 10.80 | 9,978 | 3 | 25 |
| | | 3/01 | 2,444 | 10.80 | 9,978 | 3 | 26 |
| | 6,613 | | 34,574 | | | | |
| OMEGA RESOURCES | WEST DOLLAR LAKE | 1/01 | 1,726 | 10.80 | 8,907 | 3 | 19 |
| | | 2/01 | 1,979 | 10.80 | 4,892 | 3 | 24 |
| | | 3/01 | 2,757 | 10.80 | 5,281 | 3 | 30 |
| | 6,462 | | 19,080 | | | | |
| OMEGA RESOURCES INC. - REPORTER TOTALS: | | | 13,075 | | 53,654 | | |
| PAXTON RESOURCES | ALBA | 1/01 | 29,986 | 5.98 | 5,420 | 14 | 69 |
| | | 2/01 | 26,419 | 6.33 | 4,687 | 14 | 67 |
| | | 3/01 | 28,679 | 6.43 | 4,973 | 14 | 66 |
| | | 4/01 | 28,974 | 6.39 | 4,482 | 14 | 69 |
| | | 5/01 | 30,461 | 6.57 | 4,267 | 14 | 70 |
| | | 6/01 | 29,409 | 6.50 | 4,204 | 14 | 70 |
| | | 7/01 | 28,053 | 7.19 | 4,230 | 14 | 65 |
| | | 8/01 | 27,853 | 6.56 | 4,070 | 14 | 64 |
| | | 9/01 | 26,929 | 6.59 | 3,647 | 14 | 64 |
| | | 10/01 | 28,771 | 6.64 | 3,695 | 14 | 66 |
| | | 11/01 | 27,530 | 6.83 | 3,375 | 14 | 66 |
| | | 12/01 | 28,296 | 6.83 | 3,383 | 14 | 65 |
| | 341,360 | | 50,433 | | | | |
| PAXTON RESOURCES | BIG LAKE | 1/01 | 9,791 | 15.73 | 373 | 4 | 79 |
| | | 2/01 | 8,638 | 15.81 | 330 | 4 | 77 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|----------------|------------------|----------------|-------|----------------|---------------|--------------------------|---|-----|
| PAXTON RESOURCES | BIG LAKE | 3/01 | 9,775 | 15.91 | 357 | 4 | 79 | | |
| | | 4/01 | 8,699 | 15.96 | 309 | 4 | 72 | | |
| | | 5/01 | 9,758 | 15.84 | 405 | 4 | 79 | | |
| | | 6/01 | 9,350 | 16.04 | 381 | 4 | 78 | | |
| | | 7/01 | 9,571 | 16.12 | 336 | 4 | 77 | | |
| | | 8/01 | 8,946 | 16.12 | 317 | 4 | 72 | | |
| | | 9/01 | 8,773 | 16.15 | 310 | 4 | 73 | | |
| | | 10/01 | 8,760 | 16.36 | 288 | 4 | 71 | | |
| | | 11/01 | 8,584 | 16.47 | 277 | 4 | 72 | | |
| | | 12/01 | 8,745 | 16.60 | 268 | 4 | 71 | | |
| | | | | | 109,390 | | 3,951 | | |
| | | PAXTON RESOURCES | BIG LAKE NORTH | 1/01 | 30,857 | 15.73 | 1,174 | 6 | 166 |
| 2/01 | 27,262 | | | 15.81 | 1,043 | 6 | 162 | | |
| 3/01 | 29,948 | | | 15.91 | 1,095 | 6 | 161 | | |
| 4/01 | 27,082 | | | 15.96 | 961 | 6 | 150 | | |
| 5/01 | 28,912 | | | 15.84 | 1,199 | 6 | 155 | | |
| 6/01 | 27,799 | | | 16.04 | 1,134 | 6 | 154 | | |
| 7/01 | 27,991 | | | 16.12 | 983 | 6 | 150 | | |
| 8/01 | 27,360 | | | 16.12 | 968 | 6 | 147 | | |
| 9/01 | 27,124 | | | 16.15 | 957 | 6 | 151 | | |
| 10/01 | 27,748 | | | 16.36 | 914 | 6 | 149 | | |
| 11/01 | 25,996 | | | 16.47 | 836 | 6 | 144 | | |
| 12/01 | 26,547 | | | 16.60 | 814 | 6 | 143 | | |
| | | | 334,626 | | 12,078 | | | | |
| PAXTON RESOURCES | BLUE LITE | 1/01 | 51,528 | 14.85 | 1,613 | 16 | 104 | | |
| | | 2/01 | 47,694 | 14.88 | 1,368 | 16 | 106 | | |
| | | 3/01 | 53,514 | 14.89 | 1,446 | 16 | 108 | | |
| | | 4/01 | 52,289 | 14.89 | 1,240 | 16 | 109 | | |
| | | 5/01 | 56,545 | 14.89 | 1,483 | 16 | 114 | | |
| | | 6/01 | 50,494 | 14.87 | 1,402 | 16 | 105 | | |
| | | 7/01 | 49,187 | 14.87 | 1,390 | 16 | 99 | | |
| | | 8/01 | 52,153 | 14.87 | 1,256 | 16 | 105 | | |
| | | 9/01 | 49,904 | 14.86 | 1,263 | 16 | 104 | | |
| | | 10/01 | 52,254 | 14.86 | 991 | 16 | 105 | | |
| | | 11/01 | 48,938 | 14.86 | 1,230 | 16 | 102 | | |
| | | 12/01 | 50,551 | 15.29 | 1,139 | 16 | 102 | | |
| | | | 615,051 | | 15,821 | | | | |
| PAXTON RESOURCES | DADDY WARBUCKS | 1/01 | 30,726 | 8.41 | 9,749 | 6 | 165 | | |
| | | 2/01 | 26,987 | 8.41 | 8,216 | 6 | 161 | | |
| | | 3/01 | 27,669 | 8.85 | 8,468 | 6 | 149 | | |
| | | 4/01 | 26,348 | 8.82 | 7,871 | 6 | 146 | | |
| | | 5/01 | 23,429 | 8.82 | 8,866 | 6 | 126 | | |
| | | 6/01 | 26,143 | 9.25 | 8,580 | 6 | 145 | | |
| | | 7/01 | 23,889 | 9.02 | 8,866 | 6 | 128 | | |
| | | 8/01 | 22,634 | 8.94 | 8,804 | 6 | 122 | | |
| | | 9/01 | 22,751 | 9.00 | 3,469 | 6 | 126 | | |
| | | 10/01 | 24,659 | 9.26 | 1,014 | 6 | 133 | | |
| | | 11/01 | 23,006 | 9.31 | 1,108 | 6 | 128 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|----------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| PAXTON RESOURCES | DADDY WARBUCKS | 12/01 | 23,085 | 9.29 | 676 | 6 | 124 |
| | | | 301,326 | | 75,687 | | |
| PAXTON RESOURCES | DADDY WARBUCKS PHASE | 5/01 | 15,542 | 8.82 | 16,654 | 6 | 84 |
| | | 6/01 | 26,375 | 9.25 | 19,437 | 7 | 126 |
| | | 7/01 | 33,647 | 9.02 | 15,593 | 7 | 155 |
| | | 8/01 | 33,364 | 8.94 | 15,934 | 7 | 154 |
| | | 9/01 | 33,678 | 9.00 | 15,120 | 7 | 160 |
| | | 10/01 | 36,041 | 9.26 | 15,686 | 7 | 166 |
| | | 11/01 | 33,501 | 9.31 | 15,030 | 7 | 160 |
| | | 12/01 | 33,295 | 9.29 | 13,764 | 7 | 153 |
| | | | 245,443 | | 127,218 | | |
| PAXTON RESOURCES | GRAND CANYON | 11/01 | 6,940 | 1.73 | 10,711 | 10 | 23 |
| | | 12/01 | 32,289 | 2.23 | 46,929 | 11 | 95 |
| | | | 39,229 | | 57,640 | | |
| PAXTON RESOURCES | HIDDEN VALLEY | 8/01 | 8,837 | 8.94 | 6,604 | 3 | 95 |
| | | 9/01 | 13,082 | 9.00 | 6,390 | 3 | 145 |
| | | 10/01 | 15,432 | 9.26 | 6,572 | 3 | 166 |
| | | 11/01 | 18,725 | 9.31 | 6,450 | 4 | 156 |
| | | 12/01 | 22,706 | 9.29 | 6,882 | 5 | 146 |
| | | | 78,782 | | 32,898 | | |
| PAXTON RESOURCES | LEO M. RILEY | 1/01 | 3,963 | 29.62 | 4 | 7 | 18 |
| | | 2/01 | 3,439 | 30.45 | 65 | 7 | 18 |
| | | 3/01 | 3,962 | 30.13 | 105 | 7 | 18 |
| | | 4/01 | 3,823 | 29.62 | 86 | 7 | 18 |
| | | 5/01 | 4,083 | 29.82 | 93 | 7 | 19 |
| | | 6/01 | 3,790 | 29.96 | 89 | 7 | 18 |
| | | 7/01 | 3,778 | 29.78 | 99 | 7 | 17 |
| | | 8/01 | 3,546 | 29.59 | 104 | 7 | 16 |
| | | 9/01 | 3,305 | 30.71 | 115 | 7 | 16 |
| | | 10/01 | 3,529 | 30.72 | 121 | 7 | 16 |
| | | 11/01 | 2,766 | 30.07 | 80 | 7 | 13 |
| | | 12/01 | 2,989 | 30.13 | 170 | 7 | 14 |
| | | | 42,973 | | 1,131 | | |
| PAXTON RESOURCES | LIVINGSTON 18 | 1/01 | 18,352 | 5.06 | 689 | 10 | 59 |
| | | 2/01 | 16,748 | 4.99 | 621 | 10 | 60 |
| | | 3/01 | 18,046 | 5.15 | 530 | 10 | 58 |
| | | 4/01 | 17,452 | 5.20 | 468 | 10 | 58 |
| | | 5/01 | 18,092 | 5.25 | 528 | 10 | 58 |
| | | 6/01 | 17,020 | 5.26 | 495 | 10 | 57 |
| | | 7/01 | 17,237 | 5.33 | 459 | 10 | 56 |
| | | 8/01 | 17,496 | 5.42 | 832 | 10 | 56 |
| | | 9/01 | 16,725 | 5.30 | 1,761 | 10 | 56 |
| | | 10/01 | 17,565 | 5.37 | 1,752 | 10 | 57 |
| | | 11/01 | 16,913 | 5.37 | 1,682 | 10 | 56 |
| | | 12/01 | 16,935 | 5.38 | 1,407 | 10 | 55 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|------------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| | | | 208,581 | | 11,224 | | |
| PAXTON RESOURCES | MOELARRYCURLY | 1/01 | 11,285 | 3.45 | 11,586 | 9 | 40 |
| | | 2/01 | 10,884 | 3.39 | 10,327 | 9 | 43 |
| | | 3/01 | 12,959 | 3.48 | 11,586 | 9 | 46 |
| | | 4/01 | 12,217 | 3.47 | 10,038 | 9 | 45 |
| | | 5/01 | 13,014 | 3.41 | 9,194 | 9 | 47 |
| | | 6/01 | 11,337 | 3.40 | 8,814 | 9 | 42 |
| | | 7/01 | 11,630 | 3.39 | 9,269 | 9 | 42 |
| | | 8/01 | 12,365 | 3.44 | 8,853 | 9 | 44 |
| | | 9/01 | 11,536 | 3.44 | 8,878 | 9 | 43 |
| | | 10/01 | 12,022 | 3.52 | 9,250 | 9 | 43 |
| | | 11/01 | 11,200 | 3.42 | 8,975 | 9 | 41 |
| | | 12/01 | 11,711 | 3.52 | 9,250 | 9 | 42 |
| | | | 142,160 | | 116,020 | | |
| PAXTON RESOURCES | MOELARRYCURLY #2 | 1/01 | 9,061 | 3.45 | 15,447 | 12 | 24 |
| | | 2/01 | 7,535 | 3.39 | 13,658 | 12 | 22 |
| | | 3/01 | 7,446 | 3.48 | 14,760 | 12 | 20 |
| | | 4/01 | 7,561 | 3.47 | 14,965 | 12 | 21 |
| | | 5/01 | 7,457 | 3.41 | 16,136 | 12 | 20 |
| | | 6/01 | 8,141 | 3.40 | 13,905 | 12 | 23 |
| | | 7/01 | 8,870 | 3.39 | 12,562 | 12 | 24 |
| | | 8/01 | 8,126 | 3.44 | 12,265 | 12 | 22 |
| | | 9/01 | 8,228 | 3.44 | 12,252 | 12 | 23 |
| | | 10/01 | 8,680 | 3.52 | 12,230 | 12 | 23 |
| | | 11/01 | 8,544 | 3.42 | 12,654 | 12 | 24 |
| | | 12/01 | 9,233 | 3.52 | 13,562 | 12 | 25 |
| | | | 98,882 | | 164,396 | | |
| PAXTON RESOURCES | SCHROEDER | 1/01 | 12,969 | 22.54 | 176 | 7 | 60 |
| | | 2/01 | 11,640 | 23.06 | 158 | 7 | 59 |
| | | 3/01 | 12,634 | 23.05 | 163 | 7 | 58 |
| | | 4/01 | 12,073 | 22.78 | 147 | 7 | 57 |
| | | 5/01 | 12,903 | 22.84 | 164 | 7 | 59 |
| | | 6/01 | 12,416 | 23.06 | 153 | 7 | 59 |
| | | 7/01 | 12,545 | 23.07 | 148 | 7 | 58 |
| | | 8/01 | 12,553 | 23.10 | 154 | 7 | 58 |
| | | 9/01 | 12,022 | 23.25 | 142 | 7 | 57 |
| | | 10/01 | 12,338 | 23.25 | 153 | 7 | 57 |
| | | 11/01 | 11,894 | 23.09 | 151 | 7 | 57 |
| | | 12/01 | 11,116 | 23.09 | 150 | 7 | 51 |
| | | | 147,103 | | 1,859 | | |
| PAXTON RESOURCES - REPORTER TOTALS: | | | 2,704,906 | | 670,356 | | |
| PETROLEUM DEVELO | 35-12 | 1/01 | 19,734 | 6.28 | 2,505 | 9 | 71 |
| | | 2/01 | 17,541 | 6.28 | 2,080 | 9 | 70 |
| | | 3/01 | 18,938 | 6.28 | 2,172 | 9 | 68 |
| | | 4/01 | 17,752 | 12.47 | 2,191 | 9 | 66 |
| | | 5/01 | 17,849 | 12.39 | 366 | 9 | 64 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|---------------|------------------|----------------|-------|----------------|---------------|--------------------------|---|-----|
| PETROLEUM DEVELO | 35-12 | 6/01 | 16,782 | 12.73 | 1,886 | 9 | 62 | | |
| | | 7/01 | 17,348 | 12.84 | 1,787 | 9 | 62 | | |
| | | 8/01 | 16,911 | 12.84 | 1,758 | 9 | 61 | | |
| | | 9/01 | 15,645 | 13.07 | 1,663 | 9 | 58 | | |
| | | 10/01 | 15,655 | 13.10 | 1,636 | 9 | 56 | | |
| | | 11/01 | 14,907 | 13.36 | 1,414 | 9 | 55 | | |
| | | 12/01 | 15,451 | 13.33 | 1,571 | 9 | 55 | | |
| | | | | | 204,513 | | 21,029 | | |
| | | PETROLEUM DEVELO | AVERY SMITH | 1/01 | 29,975 | 13.82 | 270 | 5 | 193 |
| | | | | 2/01 | 26,319 | 13.82 | 204 | 5 | 188 |
| | | | | 3/01 | 28,496 | 13.82 | 255 | 5 | 184 |
| | | | | 4/01 | 23,459 | 19.16 | 224 | 5 | 156 |
| 5/01 | 24,641 | | | 19.16 | 239 | 5 | 159 | | |
| 6/01 | 23,622 | | | 19.16 | 392 | 5 | 157 | | |
| 7/01 | 24,364 | | | 19.16 | 278 | 5 | 157 | | |
| 8/01 | 23,814 | | | 19.16 | 456 | 5 | 154 | | |
| 9/01 | 22,192 | | | 19.84 | 496 | 5 | 148 | | |
| 10/01 | 22,613 | | | 19.84 | 555 | 5 | 146 | | |
| 11/01 | 21,758 | | | 19.84 | 247 | 5 | 145 | | |
| 12/01 | 21,378 | | | 19.84 | 144 | 5 | 138 | | |
| | | | 292,631 | | 3,760 | | | | |
| PETROLEUM DEVELO | BARNEY MILLER | 1/01 | 63,015 | 9.29 | 7,422 | 10 | 203 | | |
| | | 2/01 | 55,448 | 9.29 | 7,152 | 10 | 198 | | |
| | | 3/01 | 60,731 | 9.29 | 4,937 | 10 | 196 | | |
| | | 4/01 | 57,650 | 10.13 | 5,824 | 10 | 192 | | |
| | | 5/01 | 58,250 | 10.20 | 6,055 | 10 | 188 | | |
| | | 6/01 | 54,647 | 10.26 | 5,104 | 10 | 182 | | |
| | | 7/01 | 56,247 | 10.43 | 5,288 | 10 | 181 | | |
| | | 8/01 | 54,122 | 10.43 | 5,659 | 10 | 175 | | |
| | | 9/01 | 53,511 | 10.71 | 4,722 | 10 | 178 | | |
| | | 10/01 | 55,688 | 10.78 | 6,462 | 10 | 180 | | |
| | | 11/01 | 52,670 | 11.04 | 6,538 | 10 | 176 | | |
| | | 12/01 | 58,960 | 10.19 | 6,516 | 10 | 190 | | |
| | | | 680,939 | | 71,679 | | | | |
| PETROLEUM DEVELO | BLUE SPRUCE | 1/01 | 28,713 | 6.60 | 23,315 | 16 | 58 | | |
| | | 2/01 | 24,454 | 6.60 | 19,321 | 16 | 55 | | |
| | | 3/01 | 24,929 | 6.60 | 16,975 | 16 | 50 | | |
| | | 4/01 | 23,839 | 9.41 | 18,649 | 16 | 50 | | |
| | | 5/01 | 24,187 | 9.10 | 18,853 | 16 | 49 | | |
| | | 6/01 | 22,499 | 9.22 | 18,631 | 16 | 47 | | |
| | | 7/01 | 22,468 | 9.29 | 17,406 | 16 | 45 | | |
| | | 8/01 | 24,209 | 9.30 | 19,485 | 16 | 49 | | |
| | | 9/01 | 22,513 | 9.51 | 18,759 | 16 | 47 | | |
| | | 10/01 | 23,198 | 9.54 | 17,432 | 16 | 47 | | |
| | | 11/01 | 21,877 | 9.43 | 15,540 | 16 | 46 | | |
| | | 12/01 | 22,653 | 9.43 | 5,829 | 16 | 46 | | |
| | | | 285,539 | | 210,195 | | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| PETROLEUM DEVELO | DEVILS RIVER | 1/01 | 7,673 | 6.54 | 37,986 | 10 | 25 |
| | | 2/01 | 7,003 | 6.54 | 34,212 | 10 | 25 |
| | | 3/01 | 5,134 | 6.54 | 22,151 | 10 | 17 |
| | | 4/01 | 7,070 | 9.33 | 36,000 | 10 | 24 |
| | | 5/01 | 7,404 | 9.09 | 37,200 | 10 | 24 |
| | | 6/01 | 6,807 | 8.94 | 36,000 | 10 | 23 |
| | | 7/01 | 6,652 | 9.20 | 37,200 | 10 | 21 |
| | | 8/01 | 6,751 | 9.09 | 37,200 | 10 | 22 |
| | | 9/01 | 6,398 | 9.18 | 36,000 | 10 | 21 |
| | | 10/01 | 6,493 | 9.22 | 37,200 | 10 | 21 |
| | | 11/01 | 6,170 | 9.26 | 36,000 | 10 | 21 |
| | | 12/01 | 6,218 | 9.26 | 37,200 | 10 | 20 |
| | | | | | 79,773 | | 424,349 |
| PETROLEUM DEVELO | DOUBLE ALEX | 1/01 | 34,499 | 8.66 | 3,868 | 15 | 74 |
| | | 2/01 | 31,447 | 8.66 | 3,174 | 15 | 75 |
| | | 3/01 | 34,503 | 8.66 | 2,935 | 15 | 74 |
| | | 4/01 | 32,343 | 10.13 | 2,730 | 15 | 72 |
| | | 5/01 | 33,641 | 10.20 | 2,465 | 15 | 72 |
| | | 6/01 | 32,329 | 10.26 | 2,399 | 15 | 72 |
| | | 7/01 | 31,201 | 10.43 | 2,453 | 15 | 67 |
| | | 8/01 | 29,117 | 10.43 | 2,248 | 15 | 63 |
| | | 9/01 | 31,025 | 10.71 | 2,010 | 15 | 69 |
| | | 10/01 | 31,516 | 10.78 | 2,265 | 15 | 68 |
| | | 11/01 | 31,172 | 11.04 | 1,717 | 15 | 69 |
| | | 12/01 | 26,663 | 10.19 | 2,329 | 15 | 57 |
| | | | | | 379,456 | | 30,593 |
| PETROLEUM DEVELO | HUSH PUPPY | 1/01 | 42,898 | 6.14 | 4,319 | 14 | 99 |
| | | 2/01 | 38,262 | 6.14 | 3,876 | 14 | 98 |
| | | 3/01 | 41,986 | 6.14 | 4,116 | 14 | 97 |
| | | 4/01 | 39,002 | 8.16 | 3,882 | 14 | 93 |
| | | 5/01 | 39,629 | 8.12 | 3,702 | 14 | 91 |
| | | 6/01 | 37,361 | 8.18 | 3,716 | 14 | 89 |
| | | 7/01 | 38,799 | 8.28 | 3,676 | 14 | 89 |
| | | 8/01 | 37,532 | 7.15 | 3,582 | 14 | 86 |
| | | 9/01 | 36,469 | 8.40 | 3,530 | 14 | 87 |
| | | 10/01 | 37,228 | 8.40 | 3,537 | 14 | 86 |
| | | 11/01 | 35,600 | 8.58 | 3,320 | 14 | 85 |
| | | 12/01 | 36,568 | 8.57 | 3,440 | 14 | 84 |
| | | | | | 461,334 | | 44,696 |
| PETROLEUM DEVELO | KRUGERRAND | 1/01 | 51,856 | 5.66 | 16,734 | 21 | 80 |
| | | 2/01 | 45,851 | 5.66 | 13,911 | 21 | 78 |
| | | 3/01 | 50,115 | 5.66 | 15,053 | 21 | 77 |
| | | 4/01 | 46,845 | 7.70 | 13,873 | 21 | 74 |
| | | 5/01 | 47,165 | 7.59 | 13,684 | 21 | 72 |
| | | 6/01 | 45,645 | 7.60 | 12,682 | 21 | 72 |
| | | 7/01 | 47,721 | 7.49 | 12,882 | 21 | 73 |
| | | 8/01 | 45,565 | 7.49 | 11,392 | 21 | 70 |
| | | 9/01 | 44,156 | 7.69 | 11,556 | 21 | 70 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|-------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| PETROLEUM DEVELO | KRUGERRAND | 10/01 | 45,204 | 7.68 | 19,603 | 21 | 69 |
| | | 11/01 | 42,595 | 7.70 | 10,676 | 21 | 68 |
| | | 12/01 | 43,958 | 7.69 | 10,741 | 21 | 68 |
| | | | 556,676 | | 162,787 | | |
| PETROLEUM DEVELO | PAXTON QUARRY | 1/01 | 14,639 | 3.38 | 94,121 | 15 | 31 |
| | | 2/01 | 12,841 | 3.38 | 85,421 | 15 | 31 |
| | | 3/01 | 13,680 | 3.38 | 91,170 | 15 | 29 |
| | | 4/01 | 12,420 | 2.49 | 65,221 | 15 | 28 |
| | | 5/01 | 12,378 | 2.49 | 68,137 | 15 | 27 |
| | | 6/01 | 11,435 | 2.49 | 75,147 | 15 | 25 |
| | | 7/01 | 10,941 | 2.49 | 50,471 | 15 | 24 |
| | | 8/01 | 9,635 | 2.49 | 46,020 | 15 | 21 |
| | | 9/01 | 8,374 | 2.49 | 46,344 | 15 | 19 |
| | | 10/01 | 7,556 | 2.29 | 45,339 | 15 | 16 |
| | | 11/01 | 6,855 | 2.29 | 45,077 | 15 | 15 |
| | | 12/01 | 6,625 | 2.29 | 55,041 | 15 | 14 |
| | 127,379 | | 767,509 | | | | |
| PETROLEUM DEVELO | TIMM | 1/01 | 14,684 | 6.54 | 82,581 | 21 | 23 |
| | | 2/01 | 13,396 | 6.54 | 77,157 | 21 | 23 |
| | | 3/01 | 9,877 | 6.54 | 62,369 | 21 | 15 |
| | | 4/01 | 14,027 | 9.33 | 101,676 | 21 | 22 |
| | | 5/01 | 13,823 | 9.09 | 130,989 | 21 | 21 |
| | | 6/01 | 12,384 | 8.94 | 117,084 | 21 | 20 |
| | | 7/01 | 12,843 | 9.20 | 98,391 | 21 | 20 |
| | | 8/01 | 12,965 | 9.09 | 83,776 | 21 | 20 |
| | | 9/01 | 12,034 | 9.18 | 75,953 | 21 | 19 |
| | | 10/01 | 12,299 | 9.22 | 73,899 | 21 | 19 |
| | | 11/01 | 11,992 | 9.26 | 71,937 | 21 | 19 |
| | | 12/01 | 11,801 | 9.26 | 61,862 | 21 | 18 |
| | 152,125 | | 1,037,674 | | | | |
| PETROLEUM DEVELO | WINSTON CHURCHILL | 1/01 | 8,368 | 3.87 | 8,634 | 15 | 18 |
| | | 2/01 | 8,015 | 3.87 | 11,035 | 15 | 19 |
| | | 3/01 | 1,365 | 3.87 | 8,183 | 15 | 3 |
| | | 4/01 | 8,432 | 3.29 | 8,230 | 15 | 19 |
| | | 5/01 | 9,239 | 3.29 | 10,570 | 15 | 20 |
| | | 6/01 | 8,740 | 3.29 | 5,611 | 15 | 19 |
| | | 7/01 | 9,036 | 3.29 | 6,484 | 15 | 19 |
| | | 8/01 | 8,889 | 3.29 | 5,249 | 15 | 19 |
| | | 9/01 | 8,271 | 3.29 | 4,627 | 15 | 18 |
| | | 10/01 | 8,934 | 3.29 | 7,216 | 15 | 19 |
| | | 11/01 | 8,823 | 2.93 | 5,800 | 15 | 20 |
| | | 12/01 | 8,857 | 2.93 | 6,602 | 15 | 19 |
| | 96,969 | | 88,241 | | | | |
| PETROLEUM DEVELOPMEN - REPORTER TOTALS: | | | 3,317,334 | | 2,862,512 | | |
| QUICKSILVER RESOU | AEQUUS | 7/01 | 5,346 | 9.02 | 993 | 2 | 86 |
| | | 8/01 | 2,598 | 8.94 | 1,115 | 2 | 42 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|----------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| QUICKSILVER RESOU | AEQUUS | 9/01 | 5,450 | 9.00 | 862 | 2 | 91 |
| | | 10/01 | 5,989 | 9.26 | 1,108 | 2 | 97 |
| | | 11/01 | 5,214 | 9.31 | 646 | 2 | 87 |
| | | 12/01 | 5,201 | 9.29 | 994 | 2 | 84 |
| | | | 29,798 | | 5,718 | | |
| QUICKSILVER RESOU | ASE 4E | 1/01 | 0 | | 0 | 0 | 0 |
| | | 2/01 | 0 | | 0 | 0 | 0 |
| | | 3/01 | 0 | | 0 | 0 | 0 |
| | | 4/01 | 0 | | 0 | 0 | 0 |
| | | 5/01 | 0 | | 0 | 0 | 0 |
| | | 6/01 | 0 | | 0 | 0 | 0 |
| | | 7/01 | 0 | | 0 | 0 | 0 |
| | | 8/01 | 0 | | 0 | 0 | 0 |
| | | 9/01 | 0 | | 0 | 0 | 0 |
| | | 10/01 | 0 | | 0 | 0 | 0 |
| | | 11/01 | 0 | | 0 | 0 | 0 |
| | | 12/01 | 0 | | 0 | 0 | 0 |
| | 0 | | 0 | | | | |
| QUICKSILVER RESOU | BAGLEY | 7/01 | 13,450 | 9.02 | 7,984 | 3 | 145 |
| | | 8/01 | 6,536 | 8.94 | 7,002 | 3 | 70 |
| | | 9/01 | 11,125 | 9.00 | 6,668 | 3 | 124 |
| | | 10/01 | 11,009 | 9.26 | 6,931 | 3 | 118 |
| | | 11/01 | 13,003 | 9.31 | 5,614 | 3 | 144 |
| | | 12/01 | 12,224 | 9.29 | 5,026 | 3 | 131 |
| | 67,347 | | 39,225 | | | | |
| QUICKSILVER RESOU | BAGLEY 5 | 12/01 | 6,730 | | 7,620 | 1 | 217 |
| | | | 6,730 | | 7,620 | | |
| QUICKSILVER RESOU | BAGLEY EAST | 2/01 | 32,778 | 15.01 | 510 | 14 | 84 |
| | | 3/01 | 46,929 | 15.01 | 486 | 14 | 108 |
| | | 4/01 | 36,994 | 15.61 | 436 | 17 | 73 |
| | | 5/01 | 42,293 | 15.61 | 446 | 24 | 57 |
| | | 6/01 | 33,470 | 15.29 | 472 | 17 | 66 |
| | | 7/01 | 34,405 | 15.29 | 515 | 24 | 46 |
| | | 8/01 | 34,219 | 15.29 | 521 | 24 | 46 |
| | | 9/01 | 31,850 | 15.58 | 282 | 24 | 44 |
| | | 10/01 | 33,256 | 15.58 | 304 | 24 | 45 |
| | | 11/01 | 31,604 | 15.58 | 374 | 24 | 44 |
| 12/01 | 31,814 | 15.45 | 366 | 24 | 43 | | |
| | 389,612 | | 4,712 | | | | |
| QUICKSILVER RESOU | BIJOU 16 | 7/01 | 12,441 | 11.90 | 1,196 | 4 | 100 |
| | | 8/01 | 12,866 | 12.12 | 1,025 | 4 | 104 |
| | | 9/01 | 12,666 | 11.67 | 1,140 | 4 | 106 |
| | | 10/01 | 13,120 | 11.75 | 1,151 | 4 | 106 |
| | | 11/01 | 11,955 | 12.42 | 1,035 | 4 | 100 |
| | | 12/01 | 12,048 | 12.59 | 1,079 | 4 | 97 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 75,096 | | 6,626 | | |
| QUICKSILVER RESOU | CAMP 10 | 3/01 | 2,392 | 8.88 | 1,183 | 2 | 39 |
| | | 4/01 | 2,416 | 8.88 | 7,803 | 4 | 20 |
| | | 5/01 | 7,146 | 8.88 | 1,183 | 4 | 58 |
| | | 6/01 | 11,421 | 0.00 | 9,048 | 4 | 95 |
| | | 7/01 | 13,668 | 0.00 | 6,707 | 4 | 110 |
| | | 8/01 | 13,971 | 8.88 | 6,769 | 4 | 113 |
| | | 9/01 | 13,080 | 8.88 | 3,332 | 4 | 109 |
| | | 10/01 | 12,574 | 8.88 | 8,249 | 4 | 101 |
| | | 11/01 | 12,718 | 8.88 | 4,700 | 4 | 106 |
| | | 12/01 | 14,279 | 8.88 | 4,633 | 4 | 115 |
| | | | 103,665 | | 53,607 | | |
| QUICKSILVER RESOU | CENTRAL LIVINGSTON | 3/01 | 4,224 | 3.09 | 7,935 | 3 | 45 |
| | | 4/01 | 6,331 | 3.09 | 8,142 | 3 | 70 |
| | | 5/01 | 4,921 | 3.09 | 7,935 | 3 | 53 |
| | | 6/01 | 4,829 | 3.09 | 4,868 | 3 | 54 |
| | | 7/01 | 4,797 | 3.09 | 3,561 | 3 | 52 |
| | | 8/01 | 4,569 | 3.09 | 3,485 | 3 | 49 |
| | | 9/01 | 3,606 | 3.09 | 3,151 | 3 | 40 |
| | | 10/01 | 3,984 | 3.09 | 3,872 | 3 | 43 |
| | | 11/01 | 3,633 | 3.09 | 3,699 | 3 | 40 |
| | | 12/01 | 4,121 | 3.09 | 3,634 | 3 | 44 |
| | | | 45,015 | | 50,282 | | |
| QUICKSILVER RESOU | CHARLTON 7 | 7/01 | 4,141 | 26.01 | 365 | 6 | 22 |
| | | 8/01 | 4,517 | 25.84 | 194 | 6 | 24 |
| | | 9/01 | 3,866 | 25.84 | 63 | 6 | 21 |
| | | 10/01 | 2,355 | 26.13 | 30 | 6 | 13 |
| | | 11/01 | 2,688 | 24.79 | 30 | 6 | 15 |
| | | 12/01 | 3,052 | 24.79 | 31 | 6 | 16 |
| | | | 20,619 | | 713 | | |
| QUICKSILVER RESOU | CHESTER EAST | 2/01 | 25,315 | 19.69 | 576 | 17 | 53 |
| | | 3/01 | 25,625 | 19.80 | 657 | 17 | 49 |
| | | 4/01 | 26,094 | 19.88 | 866 | 17 | 51 |
| | | 5/01 | 36,800 | 19.63 | 532 | 17 | 70 |
| | | 6/01 | 27,405 | 19.69 | 1,843 | 17 | 54 |
| | | 7/01 | 37,441 | 19.81 | 1,802 | 17 | 71 |
| | | 8/01 | 29,577 | 20.01 | 2,101 | 17 | 56 |
| | | 9/01 | 25,744 | 19.76 | 733 | 17 | 50 |
| | | 10/01 | 28,264 | 19.95 | 1,296 | 17 | 54 |
| | | 11/01 | 26,635 | 21.45 | 528 | 17 | 52 |
| | | 12/01 | 36,801 | 20.44 | 1,130 | 17 | 70 |
| | | | 325,701 | | 12,064 | | |
| QUICKSILVER RESOU | COACHES/HAYES 34 | 7/01 | 49,371 | 12.68 | 6,710 | 15 | 106 |
| | | 8/01 | 37,564 | 12.77 | 6,718 | 15 | 81 |
| | | 9/01 | 48,615 | 12.71 | 7,891 | 15 | 108 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|-----------------------|-----------------|------------------|-------|---------------|---------------|--------------------------|
| QUICKSILVER RESOU | COACHES/HAYES 34 | 10/01 | 50,459 | 13.01 | 8,410 | 15 | 108 |
| | | 11/01 | 49,102 | 12.99 | 5,938 | 15 | 109 |
| | | 12/01 | 47,549 | 13.13 | 5,456 | 15 | 102 |
| | | | 282,660 | | 41,123 | | |
| QUICKSILVER RESOU | COLONEL SAUNDERS | 7/01 | 7,536 | 8.61 | 6,060 | 3 | 81 |
| | | 8/01 | 7,351 | 7.56 | 6,093 | 3 | 79 |
| | | 9/01 | 6,764 | 8.85 | 5,663 | 3 | 75 |
| | | 10/01 | 5,889 | 8.97 | 6,173 | 3 | 63 |
| | | 11/01 | 4,785 | 8.95 | 6,012 | 3 | 53 |
| | | 12/01 | 5,534 | 8.95 | 6,195 | 3 | 59 |
| | 37,859 | | 36,196 | | | | |
| QUICKSILVER RESOU | COLONEL SAUNDERS NORT | 7/01 | 22,511 | 7.64 | 589 | 4 | 182 |
| | | 8/01 | 21,961 | 7.64 | 246 | 4 | 177 |
| | | 9/01 | 20,785 | 7.76 | 363 | 4 | 173 |
| | | 10/01 | 17,291 | 7.79 | 296 | 4 | 139 |
| | | 11/01 | 14,936 | 7.79 | 563 | 4 | 124 |
| | | 12/01 | 16,743 | 7.79 | 627 | 4 | 135 |
| | 114,227 | | 2,684 | | | | |
| QUICKSILVER RESOU | DOVER RIDGE | 7/01 | 37,580 | 2.61 | 21,147 | 5 | 242 |
| | | 8/01 | 36,541 | 2.66 | 17,789 | 5 | 236 |
| | | 9/01 | 38,108 | 2.64 | 15,216 | 5 | 254 |
| | | 10/01 | 34,835 | 2.73 | 14,053 | 5 | 225 |
| | | 11/01 | 34,566 | 2.75 | 13,534 | 5 | 230 |
| | | 12/01 | 34,688 | 3.10 | 11,261 | 5 | 224 |
| | 216,318 | | 93,000 | | | | |
| QUICKSILVER RESOU | ECHO LAKE | 12/01 | 5,291 | | 0 | 8 | 21 |
| | | | 5,291 | | 0 | | |
| QUICKSILVER RESOU | FLETCH | 7/01 | 30,886 | 12.45 | 1,605 | 23 | 43 |
| | | 8/01 | 28,623 | 12.38 | 2,301 | 24 | 38 |
| | | 9/01 | 27,940 | 12.08 | 1,874 | 24 | 39 |
| | | 10/01 | 29,368 | 12.39 | 1,839 | 24 | 39 |
| | | 11/01 | 28,417 | 12.48 | 1,699 | 24 | 39 |
| | | 12/01 | 28,866 | 12.48 | 1,748 | 24 | 39 |
| | 174,100 | | 11,066 | | | | |
| QUICKSILVER RESOU | FONTINALIS CLUB | 7/01 | 192,323 | 2.61 | 486,822 | 55 | 113 |
| | | 8/01 | 191,914 | 2.66 | 440,726 | 58 | 107 |
| | | 9/01 | 179,111 | 2.64 | 456,750 | 58 | 103 |
| | | 10/01 | 191,067 | 2.73 | 449,412 | 60 | 103 |
| | | 11/01 | 176,373 | 2.75 | 401,214 | 61 | 96 |
| | | 12/01 | 157,087 | 3.10 | 380,224 | 60 | 84 |
| | 1,087,875 | | 2,615,148 | | | | |
| QUICKSILVER RESOU | FREDERIC IX | 7/01 | 67 | 11.34 | 0 | 1 | 2 |
| | | 8/01 | 66 | 11.28 | 0 | 1 | 2 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|-------------------|-----------------|----------------|-------|--------------|---------------|--------------------------|
| QUICKSILVER RESOU | FREDERIC IX | 9/01 | 53 | 11.42 | 0 | 1 | 2 |
| | | 10/01 | 507 | 11.61 | 719 | 1 | 16 |
| | | 11/01 | 573 | 11.49 | 437 | 1 | 19 |
| | | 12/01 | 554 | 11.50 | 374 | 1 | 18 |
| | | | 1,820 | | 1,530 | | |
| QUICKSILVER RESOU | FREDERIC X | 7/01 | 407 | 11.34 | 1,832 | 1 | 13 |
| | | 8/01 | 402 | 11.28 | 2,734 | 1 | 13 |
| | | 9/01 | 579 | 11.42 | 2,374 | 1 | 19 |
| | | 10/01 | 852 | 11.61 | 3,305 | 1 | 27 |
| | | 11/01 | 1,027 | 11.49 | 2,853 | 1 | 34 |
| | | 12/01 | 848 | 11.49 | 2,822 | 1 | 27 |
| | 4,115 | | 15,920 | | | | |
| QUICKSILVER RESOU | GREEN RIVER SOUTH | 7/01 | 146,524 | 9.33 | 7,426 | 53 | 89 |
| | | 8/01 | 146,148 | 9.37 | 7,259 | 53 | 89 |
| | | 9/01 | 144,102 | 9.34 | 6,585 | 53 | 91 |
| | | 10/01 | 150,662 | 9.45 | 6,855 | 53 | 92 |
| | | 11/01 | 143,801 | 9.57 | 6,357 | 53 | 90 |
| | | 12/01 | 137,138 | 9.65 | 6,577 | 52 | 85 |
| | 868,375 | | 41,059 | | | | |
| QUICKSILVER RESOU | GREEN RIVER WEST | 7/01 | 67,916 | 6.70 | 25,451 | 28 | 78 |
| | | 8/01 | 68,164 | 6.71 | 24,846 | 28 | 79 |
| | | 9/01 | 68,199 | 6.72 | 24,560 | 28 | 81 |
| | | 10/01 | 71,219 | 6.71 | 24,361 | 28 | 82 |
| | | 11/01 | 69,091 | 6.71 | 24,221 | 28 | 82 |
| | | 12/01 | 70,297 | 6.71 | 26,243 | 28 | 81 |
| | 414,886 | | 149,682 | | | | |
| QUICKSILVER RESOU | GUMP | 7/01 | 4,411 | 12.68 | 86 | 1 | 142 |
| | | 8/01 | 4,361 | 12.77 | 95 | 1 | 141 |
| | | 9/01 | 4,409 | 12.71 | 56 | 1 | 147 |
| | | 10/01 | 4,205 | 13.01 | 47 | 1 | 136 |
| | | 11/01 | 4,285 | 12.99 | 43 | 1 | 143 |
| | | 12/01 | 3,248 | 13.13 | 24 | 1 | 105 |
| | 24,919 | | 351 | | | | |
| QUICKSILVER RESOU | HARTL | 7/01 | 25,213 | 2.61 | 22,514 | 5 | 163 |
| | | 8/01 | 23,854 | 2.66 | 19,140 | 5 | 154 |
| | | 9/01 | 22,435 | 2.64 | 15,722 | 5 | 150 |
| | | 10/01 | 23,169 | 2.73 | 14,937 | 5 | 149 |
| | | 11/01 | 21,609 | 2.75 | 12,685 | 5 | 144 |
| | | 12/01 | 20,529 | 3.10 | 11,862 | 5 | 132 |
| | 136,809 | | 96,860 | | | | |
| QUICKSILVER RESOU | HAYES 10 | 2/01 | 34,310 | 13.42 | 5,664 | 22 | 56 |
| | | 3/01 | 38,702 | 13.42 | 6,588 | 22 | 57 |
| | | 4/01 | 37,454 | 13.53 | 6,106 | 25 | 50 |
| | | 5/01 | 37,596 | 13.33 | 8,064 | 25 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|---------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| QUICKSILVER RESOU | HAYES 10 | 6/01 | 36,703 | 13.01 | 7,004 | 25 | 49 |
| | | 7/01 | 37,018 | 12.94 | 6,337 | 25 | 48 |
| | | 8/01 | 37,811 | 13.23 | 6,426 | 27 | 45 |
| | | 9/01 | 35,146 | 13.50 | 5,955 | 27 | 43 |
| | | 10/01 | 37,295 | 13.47 | 6,042 | 27 | 45 |
| | | 11/01 | 36,453 | 13.92 | 5,887 | 27 | 45 |
| | | 12/01 | 36,779 | 14.24 | 5,699 | 27 | 44 |
| | | | 405,267 | | 69,772 | | |
| QUICKSILVER RESOU | LAKE 19 | 7/01 | 4,894 | 7.64 | 325 | 1 | 158 |
| | | 8/01 | 4,774 | 7.64 | 97 | 1 | 154 |
| | | 9/01 | 4,394 | 7.76 | 134 | 1 | 146 |
| | | 10/01 | 3,484 | 7.79 | 96 | 1 | 112 |
| | | 11/01 | 3,083 | 7.79 | 181 | 1 | 103 |
| | | 12/01 | 3,585 | 7.79 | 185 | 1 | 116 |
| | | | 24,214 | | 1,018 | | |
| QUICKSILVER RESOU | LAKE MANUKA | 7/01 | 11,581 | 12.68 | 190 | 2 | 187 |
| | | 8/01 | 11,449 | 12.77 | 196 | 2 | 185 |
| | | 9/01 | 10,921 | 12.71 | 201 | 2 | 182 |
| | | 10/01 | 11,194 | 13.01 | 162 | 2 | 181 |
| | | 11/01 | 10,948 | 12.99 | 214 | 2 | 182 |
| | | 12/01 | 10,949 | 13.13 | 204 | 2 | 177 |
| | | | 67,042 | | 1,167 | | |
| QUICKSILVER RESOU | LIBRATUS | 7/01 | 2,404 | 12.68 | 106 | 1 | 78 |
| | | 8/01 | 2,377 | 12.77 | 108 | 1 | 77 |
| | | 9/01 | 2,423 | 12.71 | 105 | 1 | 81 |
| | | 10/01 | 2,508 | 13.01 | 106 | 1 | 81 |
| | | 11/01 | 2,484 | 12.99 | 92 | 1 | 83 |
| | | 12/01 | 2,475 | 13.13 | 94 | 1 | 80 |
| | | | 14,671 | | 611 | | |
| QUICKSILVER RESOU | LIVINGSTON 17 | 7/01 | 52,149 | 5.51 | 9,948 | 18 | 93 |
| | | 8/01 | 51,875 | 5.51 | 9,595 | 18 | 93 |
| | | 9/01 | 49,353 | 5.51 | 7,903 | 18 | 91 |
| | | 10/01 | 47,197 | 5.51 | 4,851 | 18 | 85 |
| | | 11/01 | 48,777 | 5.51 | 5,956 | 19 | 86 |
| | | 12/01 | 49,040 | 5.51 | 6,044 | 19 | 83 |
| | | | 298,391 | | 44,297 | | |
| QUICKSILVER RESOU | LIVINGSTON 19 | 7/01 | 209,227 | 9.02 | 26,192 | 42 | 161 |
| | | 8/01 | 178,448 | 8.94 | 26,587 | 42 | 137 |
| | | 9/01 | 195,850 | 9.00 | 28,399 | 42 | 155 |
| | | 10/01 | 171,422 | 9.26 | 27,586 | 42 | 132 |
| | | 11/01 | 169,581 | 9.31 | 26,207 | 42 | 135 |
| | | 12/01 | 164,863 | 9.29 | 25,808 | 42 | 127 |
| | | | 1,089,391 | | 160,779 | | |
| QUICKSILVER RESOU | LIVINGSTON 36 | 2/01 | 43,630 | 12.60 | 9,886 | 11 | 142 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-------------------|----------------------|-------------------|-------------------|----------------|----------------|----------------|--------------------------|---|----|
| QUICKSILVER RESOU | LIVINGSTON 36 | 3/01 | 55,496 | 12.60 | 9,466 | 11 | 163 | | |
| | | 4/01 | 43,417 | 13.22 | 8,643 | 11 | 132 | | |
| | | 5/01 | 55,742 | 13.22 | 8,039 | 11 | 163 | | |
| | | 6/01 | 41,592 | 13.35 | 7,083 | 14 | 99 | | |
| | | 7/01 | 47,258 | 13.35 | 6,934 | 14 | 109 | | |
| | | 8/01 | 48,737 | 13.35 | 33,728 | 14 | 112 | | |
| | | 9/01 | 49,394 | 11.80 | 42,386 | 14 | 118 | | |
| | | 10/01 | 50,266 | 11.80 | 50,790 | 14 | 116 | | |
| | | 11/01 | 49,634 | 11.80 | 53,642 | 14 | 118 | | |
| | | 12/01 | 50,308 | 12.27 | 56,464 | 14 | 116 | | |
| | | | | | 535,474 | | 287,061 | | |
| | | QUICKSILVER RESOU | LONE PINE-MERCURY | 7/01 | 7,845 | 12.68 | 472 | 4 | 63 |
| 8/01 | 7,962 | | | 12.77 | 520 | 4 | 64 | | |
| 9/01 | 8,186 | | | 12.71 | 444 | 5 | 55 | | |
| 10/01 | 8,940 | | | 13.01 | 428 | 5 | 58 | | |
| 11/01 | 6,468 | | | 12.99 | 307 | 4 | 54 | | |
| 12/01 | 7,351 | | | 13.13 | 544 | 4 | 59 | | |
| | | | | | 46,752 | | 2,715 | | |
| QUICKSILVER RESOU | MANCELONA EAST | 7/01 | 25,479 | 6.34 | 24,545 | 27 | 30 | | |
| | | 7/01 | 10,163 | 9.71 | 3,027 | 8 | 41 | | |
| | MANCELONA EAST | 8/01 | 10,268 | 9.71 | 3,362 | 8 | 41 | | |
| | | 8/01 | 24,441 | 9.06 | 24,553 | 28 | 28 | | |
| | MANCELONA EAST | 9/01 | 9,278 | 9.85 | 3,964 | 8 | 39 | | |
| | MANCELONA EAST | 9/01 | 26,071 | 8.20 | 17,181 | 27 | 32 | | |
| | MANCELONA EAST | 10/01 | 9,778 | 9.85 | 3,426 | 8 | 39 | | |
| | MANCELONA EAST | 10/01 | 27,924 | 9.25 | 18,478 | 28 | 32 | | |
| | MANCELONA EAST | 11/01 | 9,867 | 9.85 | 3,589 | 8 | 41 | | |
| | MANCELONA EAST | 11/01 | 30,190 | 9.05 | 22,628 | 27 | 37 | | |
| | MANCELONA EAST | 12/01 | 9,159 | 10.16 | 2,818 | 8 | 37 | | |
| | MANCELONA EAST | 12/01 | 26,687 | 9.18 | 17,113 | 25 | 34 | | |
| | | | | 219,305 | | 144,684 | | | |
| QUICKSILVER RESOU | MANCELONA WEST | 7/01 | 34,558 | 6.34 | 7,006 | 26 | 43 | | |
| | | 8/01 | 32,683 | 9.06 | 7,581 | 26 | 41 | | |
| | | 9/01 | 33,192 | 8.20 | 8,341 | 26 | 43 | | |
| | | 10/01 | 36,774 | 9.25 | 9,975 | 30 | 40 | | |
| | | 11/01 | 42,757 | 9.05 | 11,867 | 30 | 48 | | |
| | | 12/01 | 36,409 | 9.18 | 12,712 | 27 | 43 | | |
| | | | | | 216,373 | | 57,482 | | |
| QUICKSILVER RESOU | MID CHARLTON PHASE 1 | 7/01 | 9,365 | 19.64 | 2,286 | 19 | 16 | | |
| | | 8/01 | 9,938 | 19.87 | 2,584 | 19 | 17 | | |
| | | 9/01 | 12,217 | 19.62 | 1,995 | 19 | 21 | | |
| | | 10/01 | 18,599 | 19.92 | 1,793 | 19 | 32 | | |
| | | 11/01 | 19,427 | 20.36 | 1,950 | 19 | 34 | | |
| | | 12/01 | 19,116 | 20.36 | 1,732 | 19 | 32 | | |
| | | | 88,662 | | 12,340 | | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| QUICKSILVER RESOU | MID CHARLTON SOUTH ADD | 7/01 | 5,203 | 22.24 | 560 | 10 | 17 |
| | | 8/01 | 5,862 | 23.36 | 465 | 10 | 19 |
| | | 9/01 | 5,948 | 23.37 | 220 | 10 | 20 |
| | | 10/01 | 5,429 | 22.44 | 202 | 10 | 17 |
| | | 11/01 | 5,820 | 23.38 | 120 | 10 | 19 |
| | | 12/01 | 5,235 | 23.38 | 124 | 10 | 17 |
| | | | 33,497 | | 1,691 | | |
| QUICKSILVER RESOU | NORTH CHESTER II | 7/01 | 47,568 | 20.66 | 6,121 | 27 | 57 |
| | | 8/01 | 45,516 | 20.86 | 6,343 | 27 | 54 |
| | | 9/01 | 43,625 | 20.99 | 6,495 | 27 | 54 |
| | | 10/01 | 44,368 | 21.22 | 7,310 | 27 | 53 |
| | | 11/01 | 43,037 | 21.33 | 7,598 | 27 | 53 |
| | | 12/01 | 43,300 | 21.21 | 7,981 | 27 | 52 |
| | | | 267,414 | | 41,848 | | |
| QUICKSILVER RESOU | NORTH LIVINGSTON | 7/01 | 3,458 | 5.51 | 7,550 | 3 | 37 |
| | | 8/01 | 6,602 | 5.51 | 9,621 | 3 | 71 |
| | | 9/01 | 5,003 | 5.51 | 8,362 | 3 | 56 |
| | | 10/01 | 4,851 | 5.51 | 8,182 | 3 | 52 |
| | | 11/01 | 4,926 | 5.51 | 8,292 | 3 | 55 |
| | | 12/01 | 4,848 | 5.51 | 7,954 | 3 | 52 |
| | | | 29,688 | | 49,961 | | |
| QUICKSILVER RESOU | SHELL DOVER | 7/01 | 26,373 | 14.97 | 11,275 | 19 | 45 |
| | | 8/01 | 26,513 | 14.35 | 10,616 | 19 | 45 |
| | | 9/01 | 26,121 | 14.67 | 8,372 | 21 | 41 |
| | | 10/01 | 24,079 | 14.53 | 9,583 | 21 | 37 |
| | | 11/01 | 24,948 | 14.98 | 11,649 | 21 | 40 |
| | | 12/01 | 25,863 | 15.14 | 12,602 | 22 | 38 |
| | | | 153,897 | | 64,097 | | |
| QUICKSILVER RESOU | STATE BAGLEY-HAYES | 7/01 | 7,699 | 9.02 | 251 | 2 | 124 |
| | | 8/01 | 3,742 | 8.94 | 298 | 2 | 60 |
| | | 9/01 | 7,806 | 9.00 | 272 | 2 | 130 |
| | | 10/01 | 7,934 | 9.26 | 264 | 2 | 128 |
| | | 11/01 | 7,725 | 9.31 | 298 | 2 | 129 |
| | | 12/01 | 7,537 | 9.29 | 235 | 2 | 122 |
| | | | 42,443 | | 1,618 | | |
| QUICKSILVER RESOU | STURGEON VALLEY RANCH | 11/01 | 11,768 | 2.75 | 20,073 | 6 | 65 |
| | | 12/01 | 42,023 | 3.10 | 49,215 | 14 | 97 |
| | | | 53,791 | | 69,288 | | |
| QUICKSILVER RESOU | VIENNA 6 | 1/01 | 1,814 | 16.20 | 95 | 2 | 29 |
| | | 2/01 | 1,203 | 16.20 | 91 | 2 | 21 |
| | | 3/01 | 1,943 | 16.82 | 220 | 2 | 31 |
| | | 4/01 | 1,507 | 16.82 | 220 | 2 | 25 |
| | | 5/01 | 189 | 16.82 | 95 | 1 | 6 |
| | | 6/01 | 1,329 | 16.82 | 66 | 2 | 22 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---|--------------|-----------------|------------------|----------------|------------------|---------------|--------------------------|
| QUICKSILVER RESOU | VIENNA 6 | 7/01 | 994 | 16.82 | 139 | 2 | 16 |
| | | 8/01 | 1,821 | 16.82 | 140 | 2 | 29 |
| | | 9/01 | 1,893 | 16.82 | 143 | 2 | 32 |
| | | 10/01 | 1,983 | 16.82 | 167 | 2 | 32 |
| | | 11/01 | 1,817 | 16.82 | 96 | 2 | 30 |
| | | 12/01 | 1,906 | 16.82 | 273 | 2 | 31 |
| | | | | 18,399 | | 1,745 | |
| QUICKSILVER RESOU | WEQUAS | 7/01 | 1,423 | 12.68 | 54 | 1 | 46 |
| | | 8/01 | 1,407 | 12.77 | 22 | 1 | 45 |
| | | 9/01 | 1,471 | 12.71 | 14 | 1 | 49 |
| | | 10/01 | 1,471 | 13.01 | 16 | 1 | 47 |
| | | 11/01 | 1,553 | 12.99 | 11 | 1 | 52 |
| | | 12/01 | 1,397 | 13.13 | 13 | 1 | 45 |
| | | | | 8,722 | | 130 | |
| QUICKSILVER RESOU | WILDCARD | 7/01 | 27,399 | 15.18 | 701 | 12 | 74 |
| | | 8/01 | 26,809 | 17.08 | 1,384 | 15 | 58 |
| | | 9/01 | 26,941 | 16.43 | 1,958 | 15 | 60 |
| | | 10/01 | 32,050 | 17.77 | 1,676 | 15 | 69 |
| | | 11/01 | 31,430 | 17.98 | 1,604 | 15 | 70 |
| | | 12/01 | 32,061 | 18.10 | 1,622 | 15 | 69 |
| | | | | 176,690 | | 8,945 | |
| QUICKSILVER RESOU | WINTER | 2/01 | 9,416 | 14.07 | 49 | 16 | 21 |
| | | 3/01 | 9,934 | 14.55 | 194 | 16 | 20 |
| | | 4/01 | 9,493 | 14.39 | 75 | 16 | 20 |
| | | 5/01 | 9,577 | 14.19 | 149 | 16 | 19 |
| | | 6/01 | 9,289 | 14.46 | 40 | 16 | 19 |
| | | 7/01 | 8,350 | 14.44 | 58 | 16 | 17 |
| | | 8/01 | 6,882 | 14.81 | 6 | 14 | 16 |
| | | 9/01 | 5,993 | 14.79 | 9 | 14 | 14 |
| | | 10/01 | 8,927 | 14.87 | 1,353 | 15 | 19 |
| | | 11/01 | 8,508 | 14.75 | 2,203 | 17 | 17 |
| | | 12/01 | 8,171 | 14.18 | 822 | 17 | 15 |
| | | | | 94,540 | | 4,958 | |
| QUICKSILVER RESOURCES INC - REPORTER TOTALS: | | | 8,317,460 | | 4,311,393 | | |
| SAMSON RESOURCE | SNOWPLOW 1 | 1/01 | 7,717 | 4.20 | 2,032 | 2 | 124 |
| | | 2/01 | 9,090 | 4.20 | 2,344 | 2 | 162 |
| | | 3/01 | 8,441 | 4.20 | 2,084 | 2 | 136 |
| | | 4/01 | 8,255 | 4.20 | 2,346 | 2 | 138 |
| | | 5/01 | 9,905 | 4.20 | 2,245 | 2 | 160 |
| | | 6/01 | 9,734 | 4.20 | 2,366 | 2 | 162 |
| | | 7/01 | 10,248 | 4.20 | 1,865 | 2 | 165 |
| | | 8/01 | 9,367 | 4.20 | 1,968 | 2 | 151 |
| | | 9/01 | 7,984 | 4.20 | 2,128 | 2 | 133 |
| | | 10/01 | 6,805 | 4.20 | 1,561 | 2 | 110 |
| | | 11/01 | 6,175 | 4.20 | 1,183 | 2 | 103 |
| | | 12/01 | 8,192 | 4.20 | 2,116 | 2 | 132 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|-------------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| | | | 101,913 | | 24,238 | | |
| SAMSON RESOURCE | SNOWFLOW 2 | 1/01 | 1,948 | 4.20 | 511 | 1 | 63 |
| | | 2/01 | 1,708 | 4.20 | 440 | 1 | 61 |
| | | 3/01 | 1,426 | 4.20 | 352 | 1 | 46 |
| | | 4/01 | 929 | 4.20 | 264 | 1 | 31 |
| | | 5/01 | 1,068 | 4.20 | 242 | 1 | 34 |
| | | 6/01 | 1,311 | 4.20 | 319 | 1 | 44 |
| | | 7/01 | 1,776 | 4.20 | 323 | 1 | 57 |
| | | 8/01 | 1,599 | 4.20 | 336 | 1 | 52 |
| | | 9/01 | 1,590 | 4.20 | 424 | 1 | 53 |
| | | 10/01 | 1,668 | 4.20 | 383 | 1 | 54 |
| | | 11/01 | 1,684 | 4.20 | 323 | 1 | 56 |
| | | 12/01 | 1,776 | 4.20 | 459 | 1 | 57 |
| | | | 18,483 | | 4,376 | | |
| SAMSON RESOURCE | SNOWFLOW 3 | 1/01 | 37,047 | 4.20 | 12,246 | 10 | 119 |
| | | 2/01 | 29,880 | 4.20 | 10,491 | 10 | 107 |
| | | 3/01 | 33,573 | 4.20 | 10,727 | 10 | 108 |
| | | 4/01 | 32,522 | 4.20 | 9,240 | 10 | 108 |
| | | 5/01 | 38,786 | 4.20 | 8,792 | 10 | 125 |
| | | 6/01 | 38,506 | 4.20 | 9,359 | 10 | 128 |
| | | 7/01 | 39,037 | 4.20 | 7,102 | 10 | 126 |
| | | 8/01 | 36,392 | 4.20 | 7,647 | 10 | 117 |
| | | 9/01 | 33,543 | 4.20 | 8,942 | 10 | 112 |
| | | 10/01 | 36,716 | 4.20 | 8,422 | 10 | 118 |
| | | 11/01 | 34,864 | 4.20 | 6,682 | 10 | 116 |
| | | 12/01 | 34,528 | 4.20 | 8,915 | 10 | 111 |
| | | | 425,394 | | 108,565 | | |
| SAMSON RESOURCES COMPANY - REPORTER TOTALS: | | | 545,790 | | 137,179 | | |
| SRW | CENTRAL LAKE 13 | 1/01 | 4,417 | 1.01 | 120,186 | 10 | 14 |
| | | 2/01 | 8,152 | 1.01 | 112,396 | 10 | 29 |
| | | 3/01 | 12,009 | 1.01 | 102,906 | 10 | 39 |
| | | 4/01 | 12,830 | 1.01 | 87,917 | 10 | 43 |
| | | 5/01 | 13,994 | 1.01 | 83,014 | 10 | 45 |
| | | 6/01 | 13,885 | 1.01 | 78,675 | 10 | 46 |
| | | 7/01 | 17,411 | 1.01 | 116,599 | 10 | 56 |
| | | 8/01 | 20,569 | 1.01 | 104,698 | 16 | 41 |
| | | 9/01 | 20,366 | 1.01 | 90,560 | 16 | 42 |
| | | 10/01 | 21,393 | 1.01 | 93,063 | 16 | 43 |
| | | 11/01 | 19,855 | 1.01 | 83,346 | 16 | 41 |
| | | 12/01 | 24,263 | 0.63 | 122,196 | 18 | 43 |
| | | | 189,144 | | 1,195,556 | | |
| SRW | CHARLTON 16 1-89 | 1/01 | 30,675 | 24.28 | 283 | 18 | 55 |
| | | 2/01 | 27,523 | 24.28 | 2,501 | 18 | 55 |
| | | 3/01 | 30,480 | 24.28 | 288 | 18 | 55 |
| | | 4/01 | 29,293 | 24.28 | 418 | 18 | 54 |
| | | 5/01 | 29,988 | 24.28 | 257 | 18 | 54 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| SRW | CHARLTON 16 1-89 | 6/01 | 29,273 | 24.28 | 178 | 18 | 54 |
| | | 7/01 | 29,861 | 24.28 | 329 | 18 | 53 |
| | | 8/01 | 30,888 | 24.28 | 288 | 18 | 55 |
| | | 9/01 | 27,697 | 24.28 | 311 | 18 | 51 |
| | | 10/01 | 30,244 | 24.28 | 597 | 18 | 54 |
| | | 11/01 | 24,654 | 24.28 | 921 | 18 | 46 |
| | | 12/01 | 27,958 | 24.80 | 1,572 | 18 | 50 |
| | | | | 348,534 | | 7,943 | |
| SRW | CHARLTON 19 3-88 | 1/01 | 10,193 | 22.40 | 853 | 16 | 21 |
| | | 2/01 | 11,541 | 22.40 | 577 | 16 | 26 |
| | | 3/01 | 9,781 | 22.40 | 509 | 16 | 20 |
| | | 4/01 | 8,930 | 22.40 | 610 | 16 | 19 |
| | | 5/01 | 10,332 | 22.40 | 480 | 16 | 21 |
| | | 6/01 | 9,470 | 22.40 | 643 | 16 | 20 |
| | | 7/01 | 10,284 | 22.40 | 622 | 16 | 21 |
| | | 8/01 | 9,392 | 22.40 | 683 | 16 | 19 |
| | | 9/01 | 8,893 | 22.40 | 381 | 16 | 19 |
| | | 10/01 | 10,463 | 22.40 | 575 | 16 | 21 |
| | | 11/01 | 8,978 | 22.40 | 298 | 16 | 19 |
| | | 12/01 | 9,527 | 22.60 | 137 | 16 | 19 |
| | | 117,784 | | 6,368 | | | |
| SRW | CHESTER 22 4-90 | 1/01 | 55,447 | 18.25 | 10,552 | 9 | 199 |
| | | 2/01 | 48,514 | 18.25 | 6,909 | 9 | 193 |
| | | 3/01 | 54,572 | 18.25 | 8,528 | 9 | 196 |
| | | 4/01 | 50,347 | 18.25 | 8,536 | 9 | 186 |
| | | 5/01 | 53,092 | 18.25 | 9,748 | 9 | 190 |
| | | 6/01 | 50,824 | 18.25 | 10,109 | 9 | 188 |
| | | 7/01 | 52,812 | 18.25 | 10,289 | 9 | 189 |
| | | 8/01 | 50,549 | 18.25 | 9,603 | 9 | 181 |
| | | 9/01 | 49,923 | 18.25 | 10,832 | 9 | 185 |
| | | 10/01 | 52,561 | 18.25 | 11,246 | 9 | 188 |
| | | 11/01 | 47,933 | 18.25 | 9,411 | 9 | 178 |
| | | 12/01 | 50,120 | 17.70 | 11,719 | 9 | 180 |
| | | 616,694 | | 117,482 | | | |
| SRW | CHESTER 31 | 1/01 | 3,735 | 24.07 | 146 | 5 | 24 |
| | | 2/01 | 3,034 | 24.07 | 129 | 5 | 22 |
| | | 3/01 | 3,390 | 24.07 | 136 | 5 | 22 |
| | | 4/01 | 3,182 | 24.07 | 121 | 5 | 21 |
| | | 5/01 | 3,592 | 24.07 | 117 | 5 | 23 |
| | | 6/01 | 4,195 | 24.07 | 52 | 5 | 28 |
| | | 7/01 | 4,266 | 24.07 | 46 | 5 | 28 |
| | | 8/01 | 3,838 | 24.07 | 27 | 5 | 25 |
| | | 9/01 | 3,795 | 24.07 | 40 | 5 | 25 |
| | | 10/01 | 4,127 | 24.07 | 25 | 5 | 27 |
| | | 11/01 | 3,344 | 24.07 | 28 | 5 | 22 |
| | | 12/01 | 3,617 | 24.70 | 32 | 5 | 23 |
| | | 44,115 | | 899 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| SRW | CHESTER 7 1-91 | 1/01 | 32,587 | 29.10 | 1,114 | 26 | 40 |
| | | 2/01 | 29,386 | 29.10 | 985 | 26 | 40 |
| | | 3/01 | 33,199 | 29.10 | 1,173 | 26 | 41 |
| | | 4/01 | 31,131 | 29.10 | 1,077 | 26 | 40 |
| | | 5/01 | 32,927 | 29.10 | 898 | 26 | 41 |
| | | 6/01 | 30,661 | 29.10 | 905 | 26 | 39 |
| | | 7/01 | 32,411 | 29.10 | 888 | 26 | 40 |
| | | 8/01 | 32,003 | 29.10 | 855 | 26 | 40 |
| | | 9/01 | 29,762 | 29.10 | 840 | 26 | 38 |
| | | 10/01 | 30,672 | 29.10 | 861 | 26 | 38 |
| | | 11/01 | 28,881 | 29.10 | 738 | 26 | 37 |
| | | 12/01 | 28,364 | 28.90 | 814 | 26 | 35 |
| | | | | | 371,984 | | 11,148 |
| SRW | ECHO 30 | 1/01 | 55,729 | 1.43 | 140,205 | 13 | 138 |
| | | 2/01 | 48,954 | 1.43 | 122,047 | 13 | 134 |
| | | 3/01 | 52,820 | 1.43 | 132,520 | 13 | 131 |
| | | 4/01 | 50,592 | 1.43 | 126,526 | 13 | 130 |
| | | 5/01 | 51,144 | 1.43 | 126,422 | 13 | 127 |
| | | 6/01 | 50,727 | 1.43 | 130,272 | 13 | 130 |
| | | 7/01 | 52,005 | 1.43 | 139,692 | 13 | 129 |
| | | 8/01 | 52,323 | 1.43 | 127,798 | 13 | 130 |
| | | 9/01 | 49,564 | 1.43 | 118,835 | 13 | 127 |
| | | 10/01 | 49,022 | 1.43 | 121,707 | 13 | 122 |
| | | 11/01 | 46,925 | 1.43 | 118,207 | 13 | 120 |
| | | 12/01 | 47,116 | 1.79 | 119,850 | 13 | 117 |
| | | | | | 606,921 | | 1,524,081 |
| SRW | ECHO 33 | 1/01 | 33,891 | 2.08 | 175,418 | 19 | 58 |
| | | 2/01 | 33,380 | 2.08 | 164,895 | 19 | 63 |
| | | 3/01 | 36,034 | 2.08 | 186,288 | 19 | 61 |
| | | 4/01 | 36,155 | 2.08 | 191,313 | 19 | 63 |
| | | 5/01 | 37,762 | 2.08 | 175,472 | 19 | 64 |
| | | 6/01 | 36,242 | 2.08 | 178,697 | 19 | 64 |
| | | 7/01 | 37,513 | 2.08 | 183,100 | 19 | 64 |
| | | 8/01 | 37,160 | 2.08 | 184,967 | 19 | 63 |
| | | 9/01 | 35,627 | 2.08 | 188,769 | 19 | 63 |
| | | 10/01 | 36,136 | 2.08 | 180,420 | 19 | 61 |
| | | 11/01 | 34,870 | 2.08 | 188,237 | 19 | 61 |
| | | 12/01 | 35,643 | 2.48 | 193,005 | 19 | 60 |
| | | | | | 430,413 | | 2,190,581 |
| SRW | ECHO 9 | 1/01 | 47,475 | 0.42 | 193,485 | 19 | 81 |
| | | 2/01 | 46,596 | 0.42 | 173,573 | 20 | 83 |
| | | 3/01 | 54,685 | 0.42 | 181,829 | 20 | 88 |
| | | 4/01 | 56,021 | 0.42 | 168,634 | 20 | 93 |
| | | 5/01 | 60,268 | 0.42 | 174,791 | 20 | 97 |
| | | 6/01 | 60,904 | 0.42 | 158,806 | 20 | 102 |
| | | 7/01 | 63,067 | 0.42 | 155,131 | 20 | 102 |
| | | 8/01 | 64,625 | 0.42 | 151,688 | 21 | 99 |
| | | 9/01 | 63,115 | 0.42 | 137,558 | 21 | 100 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------------------|------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| SRW | ECHO 9 | 10/01 | 65,173 | 0.42 | 137,752 | 21 | 100 |
| | | 11/01 | 65,103 | 0.42 | 131,586 | 21 | 103 |
| | | 12/01 | 67,542 | 1.07 | 146,854 | 22 | 99 |
| | | | 714,574 | | 1,911,687 | | |
| SRW | OPAL LAKE 1-90 | 1/01 | 11,683 | 24.07 | 748 | 9 | 42 |
| | | 2/01 | 11,045 | 24.07 | 695 | 9 | 44 |
| | | 3/01 | 12,602 | 24.07 | 852 | 9 | 45 |
| | | 4/01 | 11,676 | 24.07 | 893 | 9 | 43 |
| | | 5/01 | 12,803 | 24.07 | 825 | 9 | 46 |
| | | 6/01 | 11,669 | 24.07 | 624 | 9 | 43 |
| | | 7/01 | 11,556 | 24.07 | 745 | 9 | 41 |
| | | 8/01 | 11,286 | 24.07 | 736 | 9 | 40 |
| | | 9/01 | 10,243 | 24.07 | 757 | 9 | 38 |
| | | 10/01 | 11,284 | 24.07 | 647 | 9 | 40 |
| | | 11/01 | 9,488 | 24.07 | 674 | 9 | 35 |
| | | 12/01 | 10,385 | 24.70 | 844 | 9 | 37 |
| | 135,720 | | 9,040 | | | | |
| SRW | OTSEGO LAKE 1-88 | 1/01 | 21,952 | 25.95 | 474 | 26 | 27 |
| | | 2/01 | 19,623 | 25.95 | 421 | 26 | 27 |
| | | 3/01 | 21,132 | 25.95 | 642 | 26 | 26 |
| | | 4/01 | 20,194 | 25.95 | 510 | 26 | 26 |
| | | 5/01 | 22,093 | 25.95 | 465 | 26 | 27 |
| | | 6/01 | 20,823 | 25.95 | 342 | 26 | 27 |
| | | 7/01 | 21,878 | 25.95 | 336 | 26 | 27 |
| | | 8/01 | 22,455 | 25.95 | 210 | 26 | 28 |
| | | 9/01 | 20,706 | 25.95 | 556 | 26 | 27 |
| | | 10/01 | 21,703 | 25.95 | 239 | 26 | 27 |
| | | 11/01 | 20,771 | 25.95 | 249 | 26 | 27 |
| | | 12/01 | 19,822 | 26.30 | 342 | 26 | 25 |
| | 253,152 | | 4,786 | | | | |
| SRW | SOUTH ARM 32 | 1/01 | 18,847 | 0.57 | 178,871 | 12 | 51 |
| | | 2/01 | 16,981 | 0.57 | 464,277 | 12 | 51 |
| | | 3/01 | 18,815 | 0.57 | 188,792 | 12 | 51 |
| | | 4/01 | 17,366 | 0.57 | 177,427 | 12 | 48 |
| | | 5/01 | 17,899 | 0.57 | 182,950 | 12 | 48 |
| | | 6/01 | 17,353 | 0.57 | 174,088 | 12 | 48 |
| | | 7/01 | 17,665 | 0.57 | 174,924 | 12 | 47 |
| | | 8/01 | 17,952 | 0.57 | 167,397 | 12 | 48 |
| | | 9/01 | 18,598 | 0.57 | 157,816 | 12 | 52 |
| | | 10/01 | 19,899 | 0.57 | 144,583 | 13 | 49 |
| | | 11/01 | 19,485 | 0.57 | 141,297 | 13 | 50 |
| | | 12/01 | 20,391 | 0.69 | 151,122 | 13 | 51 |
| | 221,251 | | 2,303,544 | | | | |
| SRW - REPORTER TOTALS: | | | 4,050,286 | | 9,283,115 | | |
| SWEPI | ALBERT/LOUD | 1/01 | 310,664 | | 24,364 | 48 | 209 |
| | | 2/01 | 279,993 | | 24,094 | 48 | 208 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------------|-----------------|--------------|-------|------------------|---------------|--------------------------|---|----|
| SWEPI | ALBERT/LOUD | 3/01 | 305,922 | | 27,746 | 48 | 206 | | |
| | | 4/01 | 291,978 | | 26,552 | 48 | 203 | | |
| | | 5/01 | 307,518 | | 27,341 | 48 | 207 | | |
| | | 6/01 | 296,167 | | 28,212 | 48 | 206 | | |
| | | 7/01 | 307,460 | | 31,329 | 48 | 207 | | |
| | | 8/01 | 300,528 | | 26,578 | 48 | 202 | | |
| | | 9/01 | 289,518 | | 27,073 | 48 | 201 | | |
| | | 10/01 | 302,936 | | 29,961 | 48 | 204 | | |
| | | 11/01 | 287,769 | | 29,748 | 49 | 196 | | |
| | | 12/01 | 292,679 | | 28,782 | 50 | 189 | | |
| | | | | | 3,573,132 | | 331,780 | | |
| | | SWEPI | BEAR LAKE 13 | 1/01 | 1,455 | | 2,583 | 1 | 47 |
| | | | | 2/01 | 1,496 | | 2,451 | 1 | 53 |
| 3/01 | 1,610 | | | | 2,468 | 1 | 52 | | |
| 4/01 | 1,628 | | | | 2,661 | 1 | 54 | | |
| 5/01 | 1,688 | | | | 2,876 | 1 | 54 | | |
| 6/01 | 1,564 | | | | 2,587 | 1 | 52 | | |
| 7/01 | 1,607 | | | | 2,669 | 1 | 52 | | |
| 8/01 | 1,622 | | | | 2,544 | 1 | 52 | | |
| 9/01 | 1,565 | | | | 2,212 | 1 | 52 | | |
| 10/01 | 1,550 | | | | 2,421 | 1 | 50 | | |
| 11/01 | 692 | | | | 799 | 1 | 23 | | |
| 12/01 | 146 | | | | 474 | 1 | 5 | | |
| | | | | | 16,623 | | 26,745 | | |
| SWEPI | CLINTON 5/6 | 1/01 | 38,397 | | 9,775 | 8 | 155 | | |
| | | 2/01 | 34,606 | | 10,340 | 8 | 154 | | |
| | | 3/01 | 37,881 | | 10,028 | 8 | 153 | | |
| | | 4/01 | 37,197 | | 9,493 | 8 | 155 | | |
| | | 5/01 | 38,786 | | 9,879 | 8 | 156 | | |
| | | 6/01 | 38,485 | | 10,517 | 8 | 160 | | |
| | | 7/01 | 45,942 | | 12,844 | 9 | 165 | | |
| | | 8/01 | 43,325 | | 11,475 | 9 | 155 | | |
| | | 9/01 | 42,498 | | 9,179 | 9 | 157 | | |
| | | 10/01 | 42,881 | | 5,225 | 9 | 154 | | |
| | | 11/01 | 40,734 | | 5,403 | 9 | 151 | | |
| | | 12/01 | 41,430 | | 4,815 | 9 | 148 | | |
| | | | | | 482,162 | | 108,973 | | |
| SWEPI | WEST CLINTON COMMON | 1/01 | 18,490 | | 6,820 | 7 | 85 | | |
| | | 2/01 | 16,971 | | 7,004 | 8 | 76 | | |
| | | 3/01 | 20,358 | | 7,067 | 8 | 82 | | |
| | | 4/01 | 21,185 | | 7,140 | 8 | 88 | | |
| | | 5/01 | 20,286 | | 5,548 | 8 | 82 | | |
| | | 6/01 | 19,428 | | 3,779 | 8 | 81 | | |
| | | 7/01 | 19,300 | | 4,588 | 10 | 62 | | |
| | | 8/01 | 22,482 | | 6,199 | 10 | 73 | | |
| | | 9/01 | 22,501 | | 4,500 | 10 | 75 | | |
| | | 10/01 | 23,704 | | 5,798 | 10 | 76 | | |
| | | 11/01 | 21,620 | | 3,751 | 10 | 72 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------------|---------------------------------|------------------|-------|----------------|---------------|--------------------------|
| SWEPI | WEST CLINTON COMMON | 12/01 | 12,613 | | 2,087 | 10 | 41 |
| | | | 238,938 | | 64,281 | | |
| | | SWEPI - REPORTER TOTALS: | 4,310,855 | | 531,779 | | |
| TERRA | ACE OF HEARTS | 1/01 | 19,356 | 7.03 | 20,116 | 9 | 69 |
| | | 2/01 | 16,950 | 7.43 | 18,523 | 9 | 67 |
| | | 3/01 | 18,408 | 7.43 | 14,093 | 9 | 66 |
| | | 4/01 | 17,893 | 7.43 | 12,647 | 9 | 66 |
| | | 5/01 | 18,308 | 7.43 | 13,396 | 9 | 66 |
| | | 6/01 | 17,217 | 7.43 | 12,810 | 9 | 64 |
| | | 7/01 | 17,327 | 7.43 | 13,662 | 9 | 62 |
| | | 8/01 | 17,200 | 7.52 | 13,265 | 9 | 62 |
| | | 9/01 | 16,998 | 7.52 | 11,181 | 9 | 63 |
| | | 10/01 | 17,114 | 7.52 | 11,907 | 9 | 61 |
| | | 11/01 | 16,488 | 7.52 | 12,024 | 9 | 61 |
| | | 12/01 | 16,337 | 7.41 | 13,158 | 9 | 59 |
| | | | 209,596 | | 166,782 | | |
| TERRA | AGGIELAND | 1/01 | 24,688 | 5.97 | 30,247 | 13 | 61 |
| | | 2/01 | 20,859 | 8.09 | 27,203 | 13 | 57 |
| | | 3/01 | 22,732 | 8.09 | 32,814 | 13 | 56 |
| | | 4/01 | 24,047 | 8.09 | 34,049 | 13 | 62 |
| | | 5/01 | 23,490 | 8.09 | 32,905 | 13 | 58 |
| | | 6/01 | 22,507 | 8.09 | 38,595 | 13 | 58 |
| | | 7/01 | 21,938 | 8.09 | 36,712 | 13 | 54 |
| | | 8/01 | 22,107 | 7.80 | 30,154 | 13 | 55 |
| | | 9/01 | 22,025 | 7.80 | 33,679 | 13 | 56 |
| | | 10/01 | 21,675 | 7.80 | 35,909 | 13 | 54 |
| | | 11/01 | 21,231 | 7.80 | 33,186 | 13 | 54 |
| | | 12/01 | 21,701 | 7.79 | 33,431 | 13 | 54 |
| | | | 269,000 | | 398,884 | | |
| TERRA | BAGLEY 11 D | 1/01 | 4,952 | 10.09 | 2,181 | 4 | 40 |
| | | 2/01 | 4,383 | 10.09 | 2,034 | 4 | 39 |
| | | 3/01 | 4,109 | 10.09 | 2,343 | 4 | 33 |
| | | 4/01 | 5,319 | 10.09 | 2,419 | 4 | 44 |
| | | 5/01 | 4,663 | 10.09 | 2,430 | 4 | 38 |
| | | 6/01 | 4,366 | 10.09 | 2,173 | 4 | 36 |
| | | 7/01 | 3,840 | 10.09 | 2,028 | 4 | 31 |
| | | 8/01 | 3,582 | 10.09 | 2,214 | 4 | 29 |
| | | 9/01 | 3,176 | 10.09 | 1,704 | 4 | 26 |
| | | 10/01 | 2,510 | 10.09 | 1,843 | 4 | 20 |
| | | 11/01 | 3,153 | 10.09 | 1,375 | 4 | 26 |
| | | 12/01 | 5,350 | 15.63 | 2,997 | 4 | 43 |
| | | | 49,403 | | 25,741 | | |
| TERRA | BAGLEY 14 | 1/01 | 11,638 | 16.52 | 1,167 | 6 | 63 |
| | | 2/01 | 11,775 | 16.52 | 1,654 | 6 | 70 |
| | | 3/01 | 12,951 | 16.46 | 1,703 | 6 | 70 |
| | | 4/01 | 11,861 | 16.46 | 1,584 | 6 | 66 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| TERRA | BAGLEY 14 | 5/01 | 12,447 | 16.46 | 1,573 | 6 | 67 | | |
| | | 6/01 | 11,024 | 16.46 | 1,401 | 6 | 61 | | |
| | | 7/01 | 11,951 | 16.46 | 1,442 | 6 | 64 | | |
| | | 8/01 | 11,961 | 16.46 | 1,417 | 6 | 64 | | |
| | | 9/01 | 11,009 | 16.54 | 1,347 | 6 | 61 | | |
| | | 10/01 | 11,537 | 16.54 | 1,294 | 6 | 62 | | |
| | | 11/01 | 11,838 | 16.54 | 1,425 | 6 | 66 | | |
| | | 12/01 | 11,801 | 16.23 | 1,375 | 6 | 63 | | |
| | | | | | 141,793 | | 17,382 | | |
| | | TERRA | BAGLEY 15 EAST | 1/01 | 1,399 | 17.18 | 0 | 1 | 45 |
| 2/01 | 1,348 | | | 17.18 | 0 | 1 | 48 | | |
| 3/01 | 1,377 | | | 18.08 | 292 | 1 | 44 | | |
| 4/01 | 1,351 | | | 18.08 | 292 | 1 | 45 | | |
| 5/01 | 1,416 | | | 18.08 | 0 | 1 | 46 | | |
| 6/01 | 1,424 | | | 18.08 | 0 | 1 | 47 | | |
| 7/01 | 1,367 | | | 18.08 | 0 | 1 | 44 | | |
| 8/01 | 1,253 | | | 18.08 | 0 | 1 | 40 | | |
| 9/01 | 1,206 | | | 12.28 | 0 | 1 | 40 | | |
| 10/01 | 1,176 | | | 18.28 | 0 | 1 | 38 | | |
| 11/01 | 1,209 | | | 18.28 | 0 | 1 | 40 | | |
| 12/01 | 1,226 | | | 8.44 | 0 | 1 | 40 | | |
| | | | 15,752 | | 584 | | | | |
| TERRA | BAGLEY 15 WEST | 1/01 | 5,114 | 13.80 | 328 | 1 | 165 | | |
| | | 2/01 | 4,794 | 13.80 | 278 | 1 | 171 | | |
| | | 3/01 | 5,369 | 14.25 | 0 | 1 | 173 | | |
| | | 4/01 | 5,227 | 14.25 | 0 | 1 | 174 | | |
| | | 5/01 | 5,945 | 14.25 | 260 | 1 | 192 | | |
| | | 6/01 | 6,043 | 14.25 | 215 | 1 | 201 | | |
| | | 7/01 | 5,630 | 14.25 | 203 | 1 | 182 | | |
| | | 8/01 | 5,449 | 14.25 | 198 | 1 | 176 | | |
| | | 9/01 | 5,474 | 13.91 | 206 | 1 | 182 | | |
| | | 10/01 | 5,297 | 13.91 | 193 | 1 | 171 | | |
| | | 11/01 | 5,382 | 13.91 | 194 | 1 | 179 | | |
| | | 12/01 | 5,621 | 13.66 | 192 | 1 | 181 | | |
| | | | 65,345 | | 2,267 | | | | |
| TERRA | BAGLEY 700 | 1/01 | 9,336 | 13.52 | 2,587 | 15 | 20 | | |
| | | 2/01 | 8,596 | 13.52 | 2,382 | 15 | 20 | | |
| | | 3/01 | 10,237 | 13.70 | 2,799 | 15 | 22 | | |
| | | 4/01 | 11,191 | 13.70 | 2,642 | 15 | 25 | | |
| | | 5/01 | 12,358 | 13.70 | 2,413 | 15 | 27 | | |
| | | 6/01 | 11,317 | 13.70 | 2,076 | 15 | 25 | | |
| | | 7/01 | 12,463 | 13.70 | 1,857 | 15 | 27 | | |
| | | 8/01 | 11,593 | 13.70 | 2,057 | 15 | 25 | | |
| | | 9/01 | 11,470 | 13.96 | 1,882 | 15 | 25 | | |
| | | 10/01 | 9,094 | 13.96 | 1,583 | 15 | 20 | | |
| | | 11/01 | 9,963 | 13.96 | 1,226 | 15 | 22 | | |
| | | 12/01 | 11,064 | 14.13 | 2,262 | 15 | 24 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 128,682 | | 25,766 | | |
| TERRA | BART STAR | 1/01 | 60,983 | 7.35 | 8,722 | 22 | 89 |
| | | 2/01 | 60,961 | 8.35 | 9,080 | 22 | 99 |
| | | 3/01 | 64,393 | 7.08 | 8,455 | 22 | 94 |
| | | 4/01 | 61,085 | 8.15 | 8,027 | 22 | 93 |
| | | 5/01 | 64,392 | 8.57 | 8,468 | 22 | 94 |
| | | 6/01 | 61,616 | 8.66 | 6,856 | 22 | 93 |
| | | 7/01 | 61,217 | 9.15 | 5,677 | 22 | 90 |
| | | 8/01 | 61,354 | 8.62 | 6,269 | 28 | 71 |
| | | 9/01 | 56,512 | 8.72 | 8,115 | 28 | 67 |
| | | 10/01 | 64,577 | 8.72 | 7,121 | 28 | 74 |
| | | 11/01 | 66,844 | 8.83 | 6,882 | 28 | 80 |
| | | 12/01 | 73,043 | 9.27 | 7,320 | 28 | 84 |
| | | | 756,977 | | 90,992 | | |
| TERRA | BEAVER LAKE | 1/01 | 64,455 | 10.48 | 3,545 | 20 | 104 |
| | | 2/01 | 56,274 | 10.49 | 2,688 | 20 | 100 |
| | | 3/01 | 62,707 | 10.55 | 3,003 | 20 | 101 |
| | | 4/01 | 60,209 | 10.51 | 2,906 | 20 | 100 |
| | | 5/01 | 61,223 | 10.82 | 3,202 | 20 | 99 |
| | | 6/01 | 60,192 | 10.75 | 3,805 | 20 | 100 |
| | | 7/01 | 59,906 | 10.84 | 2,043 | 20 | 97 |
| | | 8/01 | 59,753 | 10.91 | 3,263 | 20 | 96 |
| | | 9/01 | 58,170 | 11.03 | 2,407 | 20 | 97 |
| | | 10/01 | 57,918 | 10.95 | 1,507 | 20 | 93 |
| | | 11/01 | 57,387 | 11.19 | 3,531 | 20 | 96 |
| | | 12/01 | 57,621 | 11.11 | 2,189 | 20 | 93 |
| | | | 715,815 | | 34,089 | | |
| TERRA | BLUE HERRON | 1/01 | 47,678 | 10.57 | 4,822 | 13 | 118 |
| | | 2/01 | 41,871 | 10.91 | 4,373 | 13 | 115 |
| | | 3/01 | 46,905 | 10.91 | 5,129 | 13 | 116 |
| | | 4/01 | 44,654 | 10.91 | 5,379 | 13 | 114 |
| | | 5/01 | 48,355 | 10.91 | 4,299 | 13 | 120 |
| | | 6/01 | 47,551 | 10.91 | 3,882 | 13 | 122 |
| | | 7/01 | 49,123 | 10.91 | 4,407 | 13 | 122 |
| | | 8/01 | 49,533 | 11.53 | 3,912 | 13 | 123 |
| | | 9/01 | 47,548 | 11.53 | 3,762 | 13 | 122 |
| | | 10/01 | 47,069 | 11.53 | 4,297 | 13 | 117 |
| | | 11/01 | 44,639 | 11.53 | 7,047 | 13 | 114 |
| | | 12/01 | 45,085 | 11.73 | 6,577 | 13 | 112 |
| | | | 560,011 | | 57,886 | | |
| TERRA | BRADY BUNCH | 1/01 | 21,396 | 6.07 | 5,730 | 11 | 63 |
| | | 2/01 | 18,764 | 6.31 | 5,317 | 11 | 61 |
| | | 3/01 | 19,768 | 6.31 | 5,969 | 11 | 58 |
| | | 4/01 | 19,650 | 6.31 | 5,447 | 11 | 60 |
| | | 5/01 | 20,183 | 6.31 | 5,769 | 11 | 59 |
| | | 6/01 | 19,408 | 6.31 | 5,457 | 11 | 59 |
| | | 7/01 | 20,990 | 6.31 | 5,765 | 11 | 62 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------|-----------------|-----------|-------|------------------|---------------|--------------------------|
| TERRA | BRADY BUNCH | 8/01 | 20,972 | 6.15 | 5,738 | 11 | 61 |
| | | 9/01 | 21,136 | 6.15 | 5,491 | 11 | 64 |
| | | 10/01 | 20,312 | 6.15 | 5,702 | 11 | 60 |
| | | 11/01 | 19,508 | 6.15 | 5,673 | 11 | 59 |
| | | 12/01 | 20,076 | 5.51 | 5,547 | 11 | 59 |
| | | | | | 242,163 | | 67,605 |
| TERRA | BUSHMAN | 1/01 | 88,463 | 6.80 | 6,991 | 12 | 238 |
| | | 2/01 | 82,787 | 6.80 | 6,979 | 12 | 246 |
| | | 3/01 | 92,266 | 6.80 | 6,594 | 12 | 248 |
| | | 4/01 | 86,354 | 7.17 | 6,428 | 12 | 240 |
| | | 5/01 | 87,489 | 7.17 | 6,049 | 12 | 235 |
| | | 6/01 | 83,609 | 7.17 | 4,994 | 12 | 232 |
| | | 7/01 | 86,091 | 7.17 | 5,232 | 12 | 231 |
| | | 8/01 | 80,559 | 7.17 | 4,715 | 12 | 217 |
| | | 9/01 | 78,006 | 7.17 | 3,505 | 12 | 217 |
| | | 10/01 | 81,513 | 7.54 | 3,166 | 12 | 219 |
| | | 11/01 | 79,790 | 7.54 | 3,064 | 12 | 222 |
| | | 12/01 | 82,740 | 7.47 | 6,903 | 12 | 222 |
| | | | | | 1,009,667 | | 64,620 |
| TERRA | CARBON BLACK | 1/01 | 39,523 | 9.23 | 5,388 | 17 | 75 |
| | | 2/01 | 34,585 | 9.40 | 4,673 | 17 | 73 |
| | | 3/01 | 38,261 | 9.40 | 4,645 | 17 | 73 |
| | | 4/01 | 34,587 | 9.40 | 3,565 | 17 | 68 |
| | | 5/01 | 36,729 | 9.40 | 3,882 | 17 | 70 |
| | | 6/01 | 33,622 | 9.40 | 4,160 | 17 | 66 |
| | | 7/01 | 35,511 | 9.40 | 11,324 | 17 | 67 |
| | | 8/01 | 36,241 | 9.30 | 6,298 | 17 | 69 |
| | | 9/01 | 38,482 | 9.30 | 7,765 | 17 | 75 |
| | | 10/01 | 42,287 | 9.30 | 10,806 | 17 | 80 |
| | | 11/01 | 40,419 | 9.30 | 5,516 | 17 | 79 |
| | | 12/01 | 41,098 | 9.61 | 11,040 | 17 | 78 |
| | | | | | 451,345 | | 79,062 |
| TERRA | CATTLE | 1/01 | 19,402 | 19.32 | 1,888 | 14 | 45 |
| | | 2/01 | 18,200 | 18.06 | 1,497 | 14 | 46 |
| | | 3/01 | 18,765 | 19.10 | 1,358 | 14 | 43 |
| | | 4/01 | 18,791 | 18.22 | 1,277 | 14 | 45 |
| | | 5/01 | 18,862 | 18.92 | 1,377 | 14 | 43 |
| | | 6/01 | 19,338 | 18.31 | 1,323 | 14 | 46 |
| | | 7/01 | 21,789 | 18.19 | 1,356 | 14 | 50 |
| | | 8/01 | 21,591 | 18.71 | 1,448 | 14 | 50 |
| | | 9/01 | 21,714 | 17.39 | 1,372 | 14 | 52 |
| | | 10/01 | 26,675 | 18.87 | 1,203 | 14 | 61 |
| | | 11/01 | 19,266 | 18.04 | 1,195 | 14 | 46 |
| | | 12/01 | 20,717 | 18.03 | 1,315 | 14 | 48 |
| | | | | | 245,110 | | 16,609 |
| TERRA | CHARLTON EAST | 1/01 | 45,030 | 20.84 | 796 | 26 | 56 |
| | | 2/01 | 40,722 | 20.84 | 849 | 30 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------|-----------------|---------------|----------------|----------------|---------------|--------------------------|----|----|
| TERRA | CHARLTON EAST | 3/01 | 41,753 | 20.43 | 1,003 | 30 | 45 | | |
| | | 4/01 | 39,198 | 20.43 | 907 | 30 | 44 | | |
| | | 5/01 | 42,241 | 20.43 | 850 | 30 | 45 | | |
| | | 6/01 | 39,639 | 20.43 | 780 | 30 | 44 | | |
| | | 7/01 | 42,534 | 20.43 | 740 | 30 | 46 | | |
| | | 8/01 | 44,801 | 20.43 | 720 | 30 | 48 | | |
| | | 9/01 | 41,455 | 21.29 | 637 | 30 | 46 | | |
| | | 10/01 | 42,681 | 21.29 | 678 | 30 | 46 | | |
| | | 11/01 | 42,446 | 21.29 | 662 | 30 | 47 | | |
| | | 12/01 | 43,560 | 22.31 | 639 | 30 | 47 | | |
| | | | | | 506,060 | | 9,261 | | |
| | | TERRA | CHARLTON WEST | 1/01 | 20,067 | 24.41 | 3,749 | 24 | 27 |
| | | | | 2/01 | 16,831 | 24.41 | 3,180 | 40 | 15 |
| 3/01 | 19,062 | | | 22.28 | 3,884 | 40 | 15 | | |
| 4/01 | 18,215 | | | 22.28 | 3,695 | 44 | 14 | | |
| 5/01 | 18,320 | | | 22.28 | 3,624 | 44 | 13 | | |
| 6/01 | 17,993 | | | 22.28 | 3,403 | 44 | 14 | | |
| 7/01 | 18,085 | | | 22.28 | 3,470 | 44 | 13 | | |
| 8/01 | 20,943 | | | 22.28 | 481 | 44 | 15 | | |
| 9/01 | 25,099 | | | 22.28 | 254 | 44 | 19 | | |
| 10/01 | 26,239 | | | 22.28 | 369 | 44 | 19 | | |
| 11/01 | 23,403 | | | 22.28 | 238 | 44 | 18 | | |
| 12/01 | 21,996 | | | 26.17 | 529 | 44 | 16 | | |
| | | | | 246,253 | | 26,876 | | | |
| TERRA | CHESTER 7-11 | 1/01 | 7,271 | 15.75 | 3,589 | 13 | 18 | | |
| | | 2/01 | 6,626 | 15.75 | 3,063 | 13 | 18 | | |
| | | 3/01 | 8,047 | 17.05 | 3,554 | 13 | 20 | | |
| | | 4/01 | 7,822 | 17.05 | 3,278 | 13 | 20 | | |
| | | 5/01 | 8,708 | 17.05 | 3,502 | 13 | 22 | | |
| | | 6/01 | 7,670 | 17.05 | 3,340 | 13 | 20 | | |
| | | 7/01 | 9,373 | 17.05 | 3,338 | 13 | 23 | | |
| | | 8/01 | 9,077 | 17.05 | 2,971 | 13 | 23 | | |
| | | 9/01 | 8,496 | 17.59 | 3,007 | 13 | 22 | | |
| | | 10/01 | 6,597 | 17.59 | 2,960 | 13 | 16 | | |
| | | 11/01 | 9,352 | 17.59 | 2,675 | 13 | 24 | | |
| | | 12/01 | 8,200 | 17.61 | 2,525 | 13 | 20 | | |
| | | | | | 97,239 | | 37,802 | | |
| TERRA | CORWITH | 1/01 | 61,804 | 6.51 | 9,862 | 25 | 80 | | |
| | | 2/01 | 59,954 | 6.51 | 9,774 | 25 | 86 | | |
| | | 3/01 | 64,182 | 6.51 | 9,019 | 25 | 83 | | |
| | | 4/01 | 52,840 | 6.51 | 7,825 | 25 | 70 | | |
| | | 5/01 | 62,225 | 6.51 | 9,736 | 25 | 80 | | |
| | | 6/01 | 58,928 | 6.51 | 9,595 | 25 | 79 | | |
| | | 7/01 | 56,983 | 6.70 | 8,828 | 25 | 74 | | |
| | | 8/01 | 54,385 | 6.70 | 7,869 | 25 | 70 | | |
| | | 9/01 | 53,967 | 6.70 | 6,721 | 25 | 72 | | |
| | | 10/01 | 58,138 | 6.70 | 6,533 | 25 | 75 | | |
| | | 11/01 | 57,075 | 6.70 | 5,538 | 25 | 76 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| TERRA | CORWITH | 12/01 | 58,199 | 6.60 | 6,482 | 25 | 75 |
| | | | 698,680 | | 97,782 | | |
| | | | | | | | |
| TERRA | DUBIE BROTHERS | 1/01 | 27,453 | 7.48 | 22,250 | 15 | 59 |
| | | 2/01 | 24,093 | 7.53 | 19,918 | 15 | 57 |
| | | 3/01 | 26,388 | 7.53 | 21,711 | 15 | 57 |
| | | 4/01 | 25,104 | 7.53 | 21,483 | 15 | 56 |
| | | 5/01 | 24,965 | 7.53 | 21,396 | 15 | 54 |
| | | 6/01 | 23,635 | 7.53 | 20,795 | 15 | 53 |
| | | 7/01 | 24,828 | 7.53 | 21,142 | 15 | 53 |
| | | 8/01 | 24,945 | 7.79 | 20,540 | 15 | 54 |
| | | 9/01 | 24,157 | 7.79 | 19,707 | 15 | 54 |
| | | 10/01 | 24,022 | 7.79 | 20,889 | 15 | 52 |
| | | 11/01 | 22,523 | 7.79 | 19,465 | 15 | 50 |
| | | 12/01 | 23,305 | 7.59 | 19,868 | 15 | 50 |
| | | | 295,418 | | 249,164 | | |
| TERRA | ELK RIDGE | 1/01 | 56,164 | 5.47 | 13,933 | 17 | 107 |
| | | 2/01 | 52,307 | 5.47 | 11,347 | 17 | 110 |
| | | 3/01 | 53,839 | 5.70 | 12,217 | 17 | 102 |
| | | 4/01 | 50,895 | 5.70 | 11,600 | 17 | 100 |
| | | 5/01 | 53,188 | 5.70 | 11,519 | 17 | 101 |
| | | 6/01 | 49,990 | 5.70 | 9,968 | 17 | 98 |
| | | 7/01 | 48,395 | 5.70 | 10,524 | 17 | 92 |
| | | 8/01 | 52,902 | 5.70 | 10,171 | 17 | 100 |
| | | 9/01 | 44,809 | 5.96 | 9,297 | 17 | 88 |
| | | 10/01 | 50,269 | 5.96 | 16,174 | 17 | 95 |
| | | 11/01 | 48,155 | 5.96 | 16,170 | 17 | 94 |
| | | 12/01 | 46,403 | 5.51 | 22,353 | 17 | 88 |
| | | | 607,316 | | 155,273 | | |
| TERRA | ELMER FUDD 1-A | 1/01 | 67,565 | 8.01 | 4,745 | 30 | 73 |
| | | 2/01 | 61,952 | 8.01 | 4,148 | 30 | 74 |
| | | 3/01 | 70,869 | 8.01 | 4,610 | 30 | 76 |
| | | 4/01 | 66,719 | 8.01 | 4,283 | 30 | 74 |
| | | 5/01 | 68,116 | 8.01 | 4,405 | 30 | 73 |
| | | 6/01 | 60,943 | 8.01 | 7,083 | 32 | 63 |
| | | 7/01 | 61,809 | 8.11 | 8,068 | 32 | 62 |
| | | 8/01 | 63,999 | 8.11 | 6,022 | 32 | 64 |
| | | 9/01 | 31,282 | 8.11 | 26,922 | 32 | 33 |
| | | 10/01 | 57,745 | 8.11 | 60,090 | 35 | 53 |
| | | 11/01 | 54,654 | 8.11 | 55,426 | 32 | 57 |
| | | 12/01 | 58,941 | 7.99 | 49,052 | 32 | 59 |
| | | | 724,594 | | 234,854 | | |
| TERRA | ELMER FUDD EAST | 1/01 | 93,178 | 6.93 | 6,030 | 19 | 158 |
| | | 2/01 | 79,462 | 6.93 | 6,090 | 19 | 149 |
| | | 3/01 | 92,907 | 6.93 | 6,745 | 19 | 158 |
| | | 4/01 | 84,047 | 6.93 | 7,516 | 22 | 127 |
| | | 5/01 | 90,631 | 6.93 | 7,231 | 22 | 133 |
| | | 6/01 | 86,254 | 6.93 | 8,028 | 22 | 131 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------------|-----------------|-----------|------------------|-------------|---------------|--------------------------|
| TERRA | ELMER FUDD EAST | 7/01 | 86,582 | 7.03 | 8,322 | 22 | 127 |
| | | 8/01 | 86,837 | 7.03 | 7,346 | 22 | 127 |
| | | 9/01 | 76,958 | 7.03 | 4,633 | 22 | 117 |
| | | 10/01 | 85,794 | 7.03 | 6,299 | 22 | 126 |
| | | 11/01 | 77,099 | 7.03 | 5,844 | 22 | 117 |
| | | 12/01 | 89,082 | 7.32 | 6,950 | 22 | 131 |
| | | | | 1,028,831 | | 81,034 | |
| TERRA | ELMIRA THRIVE EAST | 1/01 | 3,704 | 4.92 | 50,673 | 9 | 13 |
| | | 2/01 | 5,006 | 4.93 | 44,833 | 9 | 20 |
| | | 3/01 | 5,223 | 4.86 | 47,825 | 9 | 19 |
| | | 4/01 | 5,025 | 4.81 | 46,485 | 9 | 19 |
| | | 5/01 | 4,955 | 4.78 | 46,789 | 9 | 18 |
| | | 6/01 | 4,769 | 4.68 | 45,227 | 9 | 18 |
| | | 7/01 | 4,803 | 4.21 | 46,289 | 9 | 17 |
| | | 8/01 | 4,282 | 5.34 | 42,380 | 9 | 15 |
| | | 9/01 | 6,544 | 5.48 | 40,349 | 9 | 24 |
| | | 10/01 | 4,306 | 5.76 | 41,815 | 9 | 15 |
| | | 11/01 | 4,465 | 5.76 | 37,941 | 9 | 17 |
| | | 12/01 | 2,995 | 5.56 | 30,808 | 9 | 11 |
| | | 56,077 | | 521,414 | | | |
| TERRA | HAPPY HILLMAN | 1/01 | 36,022 | 17.30 | 1,253 | 19 | 61 |
| | | 2/01 | 31,387 | 17.45 | 1,140 | 19 | 59 |
| | | 3/01 | 34,586 | 17.48 | 1,252 | 19 | 59 |
| | | 4/01 | 34,945 | 17.53 | 1,148 | 19 | 61 |
| | | 5/01 | 37,691 | 17.21 | 1,448 | 19 | 64 |
| | | 6/01 | 35,085 | 17.52 | 1,239 | 19 | 62 |
| | | 7/01 | 36,613 | 17.59 | 1,348 | 19 | 62 |
| | | 8/01 | 35,924 | 17.36 | 1,363 | 19 | 61 |
| | | 9/01 | 34,118 | 17.69 | 1,303 | 19 | 60 |
| | | 10/01 | 35,090 | 17.75 | 1,369 | 19 | 60 |
| | | 11/01 | 32,694 | 17.51 | 1,354 | 19 | 57 |
| | | 12/01 | 32,091 | 18.03 | 1,410 | 19 | 54 |
| | | 416,246 | | 15,627 | | | |
| TERRA | HEAD START | 1/01 | 20,944 | 10.60 | 5,310 | 11 | 61 |
| | | 2/01 | 22,399 | 10.11 | 4,319 | 11 | 73 |
| | | 3/01 | 27,578 | 10.11 | 5,059 | 11 | 81 |
| | | 4/01 | 26,039 | 10.11 | 4,911 | 11 | 79 |
| | | 5/01 | 25,625 | 10.11 | 4,763 | 11 | 75 |
| | | 6/01 | 27,457 | 10.11 | 4,735 | 11 | 83 |
| | | 7/01 | 27,025 | 10.11 | 4,945 | 11 | 79 |
| | | 8/01 | 26,670 | 9.16 | 4,746 | 11 | 78 |
| | | 9/01 | 26,308 | 9.16 | 4,915 | 11 | 80 |
| | | 10/01 | 26,839 | 9.16 | 5,006 | 11 | 79 |
| | | 11/01 | 25,216 | 9.16 | 4,905 | 11 | 76 |
| | | 12/01 | 27,148 | 10.98 | 5,084 | 11 | 80 |
| | | 309,248 | | 58,698 | | | |
| TERRA | HUNT N HAYES | 1/01 | 69,476 | 17.31 | 1,796 | 23 | 97 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-----------------|-----------------|-------------|-------|----------------|---------------|--------------------------|----|----|
| TERRA | HUNT N HAYES | 2/01 | 58,629 | 17.31 | 1,401 | 23 | 91 | | |
| | | 3/01 | 65,433 | 17.44 | 1,389 | 23 | 92 | | |
| | | 4/01 | 61,865 | 17.44 | 1,303 | 23 | 90 | | |
| | | 5/01 | 67,509 | 17.10 | 1,455 | 23 | 95 | | |
| | | 6/01 | 62,479 | 17.23 | 1,197 | 23 | 91 | | |
| | | 7/01 | 64,637 | 17.31 | 1,370 | 23 | 91 | | |
| | | 8/01 | 63,773 | 17.21 | 1,332 | 23 | 89 | | |
| | | 9/01 | 61,743 | 17.39 | 1,296 | 23 | 89 | | |
| | | 10/01 | 66,365 | 17.73 | 1,435 | 23 | 93 | | |
| | | 11/01 | 60,637 | 17.61 | 1,298 | 23 | 88 | | |
| | | 12/01 | 61,077 | 17.92 | 1,389 | 23 | 86 | | |
| | | | | | 763,623 | | 16,661 | | |
| | | TERRA | JACK SPRATT | 1/01 | 34,295 | 11.04 | 4,320 | 15 | 74 |
| 2/01 | 29,556 | | | 11.31 | 3,277 | 15 | 70 | | |
| 3/01 | 33,399 | | | 11.31 | 3,488 | 15 | 72 | | |
| 4/01 | 32,937 | | | 11.31 | 1,880 | 15 | 73 | | |
| 5/01 | 32,899 | | | 11.31 | 3,756 | 15 | 71 | | |
| 6/01 | 31,059 | | | 11.31 | 3,045 | 15 | 69 | | |
| 7/01 | 32,405 | | | 11.31 | 2,651 | 15 | 70 | | |
| 8/01 | 34,313 | | | 11.71 | 1,842 | 15 | 74 | | |
| 9/01 | 33,194 | | | 11.71 | 1,005 | 15 | 74 | | |
| 10/01 | 33,401 | | | 11.71 | 1,146 | 15 | 72 | | |
| 11/01 | 31,484 | | | 11.71 | 640 | 15 | 70 | | |
| 12/01 | 31,840 | | | 11.74 | 895 | 15 | 68 | | |
| | | | | | 390,782 | | 27,945 | | |
| TERRA | KNIGHT VIENNA 4 | 1/01 | 42,368 | 16.77 | 2,915 | 18 | 76 | | |
| | | 2/01 | 35,311 | 17.04 | 2,675 | 18 | 70 | | |
| | | 3/01 | 52,535 | 16.82 | 2,760 | 18 | 94 | | |
| | | 4/01 | 47,562 | 16.82 | 2,207 | 18 | 88 | | |
| | | 5/01 | 49,302 | 16.82 | 2,760 | 18 | 88 | | |
| | | 6/01 | 46,802 | 16.82 | 2,312 | 18 | 87 | | |
| | | 7/01 | 36,698 | 16.82 | 2,862 | 18 | 66 | | |
| | | 8/01 | 35,480 | 16.82 | 2,967 | 18 | 64 | | |
| | | 9/01 | 34,265 | 16.82 | 2,721 | 18 | 63 | | |
| | | 10/01 | 35,118 | 16.82 | 167 | 18 | 63 | | |
| | | 11/01 | 33,300 | 16.82 | 2,006 | 18 | 62 | | |
| | | 12/01 | 35,959 | 16.82 | 6,387 | 18 | 64 | | |
| | | | | | 484,700 | | 32,739 | | |
| TERRA | LIFE OF BRILEY | 1/01 | 118,194 | 8.72 | 4,084 | 25 | 152 | | |
| | | 2/01 | 104,166 | 8.72 | 4,693 | 25 | 149 | | |
| | | 3/01 | 112,649 | 9.26 | 4,983 | 25 | 145 | | |
| | | 4/01 | 105,980 | 9.26 | 4,491 | 25 | 141 | | |
| | | 5/01 | 111,633 | 9.26 | 4,664 | 25 | 144 | | |
| | | 6/01 | 104,654 | 9.26 | 4,176 | 25 | 140 | | |
| | | 7/01 | 108,951 | 9.26 | 3,819 | 25 | 141 | | |
| | | 8/01 | 105,111 | 9.26 | 3,883 | 25 | 136 | | |
| | | 9/01 | 92,828 | 9.74 | 3,621 | 25 | 124 | | |
| | | 10/01 | 102,914 | 9.74 | 3,660 | 25 | 133 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------------|-----------------|------------------|-------|---------------|---------------|--------------------------|
| TERRA | LIFE OF BRILEY | 11/01 | 98,552 | 9.74 | 3,145 | 25 | 131 |
| | | 12/01 | 100,174 | 9.43 | 3,271 | 25 | 129 |
| | | | 1,265,806 | | 48,490 | | |
| TERRA | LITTLE RASCALS | 1/01 | 28,472 | 9.54 | 1,060 | 16 | 57 |
| | | 2/01 | 23,574 | 9.83 | 1,048 | 16 | 53 |
| | | 3/01 | 28,035 | 9.83 | 1,151 | 16 | 57 |
| | | 4/01 | 26,092 | 9.83 | 1,466 | 16 | 54 |
| | | 5/01 | 27,772 | 9.83 | 1,542 | 16 | 56 |
| | | 6/01 | 26,552 | 9.83 | 1,335 | 16 | 55 |
| | | 7/01 | 26,026 | 9.83 | 1,382 | 16 | 52 |
| | | 8/01 | 26,779 | 9.70 | 1,484 | 16 | 54 |
| | | 9/01 | 24,114 | 9.70 | 1,378 | 16 | 50 |
| | | 10/01 | 24,823 | 9.70 | 1,423 | 16 | 50 |
| | | 11/01 | 24,222 | 9.70 | 1,191 | 16 | 50 |
| | | 12/01 | 25,241 | 9.86 | 1,228 | 16 | 51 |
| | | | 311,702 | | 15,688 | | |
| TERRA | LIVINGSTON 17 | 1/01 | 51,834 | 5.58 | 10,914 | 18 | 93 |
| | | 2/01 | 48,017 | 5.42 | 9,116 | 18 | 95 |
| | | 3/01 | 50,679 | 5.80 | 11,995 | 18 | 91 |
| | | 4/01 | 49,010 | 5.53 | 15,687 | 18 | 91 |
| | | 5/01 | 54,666 | 5.68 | 9,525 | 18 | 98 |
| | | 6/01 | 52,833 | 5.89 | 12,263 | 18 | 98 |
| | | | 307,039 | | 69,500 | | |
| TERRA | LUCKY 16 | 1/01 | 25,635 | 12.95 | 975 | 17 | 49 |
| | | 2/01 | 23,046 | 12.97 | 777 | 17 | 48 |
| | | 3/01 | 24,275 | 13.15 | 794 | 17 | 46 |
| | | 4/01 | 23,626 | 12.97 | 673 | 17 | 46 |
| | | 5/01 | 22,631 | 13.16 | 463 | 17 | 43 |
| | | 6/01 | 22,782 | 13.01 | 575 | 17 | 45 |
| | | 7/01 | 22,548 | 13.21 | 520 | 17 | 43 |
| | | 8/01 | 23,186 | 13.21 | 620 | 17 | 44 |
| | | 9/01 | 21,166 | 13.34 | 432 | 17 | 42 |
| | | 10/01 | 22,553 | 13.39 | 480 | 17 | 43 |
| | | 11/01 | 22,034 | 13.39 | 421 | 17 | 43 |
| | | 12/01 | 21,634 | 13.37 | 375 | 17 | 41 |
| | | | 275,116 | | 7,105 | | |
| TERRA | MID CHARLTON PHASE 2 | 1/01 | 20,701 | 17.74 | 2,381 | 25 | 27 |
| | | 2/01 | 18,608 | 17.39 | 3,248 | 25 | 27 |
| | | 3/01 | 22,011 | 16.46 | 3,012 | 25 | 28 |
| | | 4/01 | 19,977 | 17.89 | 2,275 | 26 | 26 |
| | | 5/01 | 23,267 | 17.16 | 2,035 | 26 | 29 |
| | | 6/01 | 21,554 | 17.58 | 2,051 | 26 | 28 |
| | | 7/01 | 20,491 | 17.34 | 2,920 | 26 | 25 |
| | | 8/01 | 19,680 | 18.09 | 2,276 | 26 | 24 |
| | | 9/01 | 17,466 | 18.41 | 2,052 | 26 | 22 |
| | | 10/01 | 16,990 | 18.38 | 1,878 | 26 | 21 |
| | | 11/01 | 17,202 | 17.91 | 1,886 | 26 | 22 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| TERRA | MID CHARLTON PHASE 2 | 12/01 | 19,050 | 15.70 | 1,831 | 26 | 24 |
| | | | 236,997 | | 27,845 | | |
| TERRA | MILLER TIME | 1/01 | 26,486 | 8.11 | 3,833 | 6 | 142 |
| | | 2/01 | 10,796 | 8.07 | 3,325 | 6 | 64 |
| | | 3/01 | 15,432 | 8.07 | 3,622 | 6 | 83 |
| | | 4/01 | 14,114 | 8.07 | 3,220 | 6 | 78 |
| | | 5/01 | 11,695 | 8.07 | 3,872 | 6 | 63 |
| | | 6/01 | 11,329 | 8.07 | 3,586 | 6 | 63 |
| | | 7/01 | 11,786 | 8.07 | 4,088 | 6 | 63 |
| | | 8/01 | 13,626 | 7.42 | 3,934 | 6 | 73 |
| | | 9/01 | 13,392 | 7.42 | 4,070 | 6 | 74 |
| | | 10/01 | 12,180 | 7.42 | 4,124 | 6 | 65 |
| | | 11/01 | 12,583 | 7.42 | 4,039 | 6 | 70 |
| | | 12/01 | 12,676 | 9.23 | 4,440 | 6 | 68 |
| | | | 166,095 | | 46,153 | | |
| TERRA | MINKE COAT | 1/01 | 32,628 | 5.70 | 48,985 | 16 | 66 |
| | | 2/01 | 28,197 | 5.79 | 42,134 | 16 | 63 |
| | | 3/01 | 32,013 | 5.72 | 46,883 | 16 | 65 |
| | | 4/01 | 31,178 | 5.82 | 48,456 | 16 | 65 |
| | | 5/01 | 31,576 | 6.12 | 57,341 | 16 | 64 |
| | | 6/01 | 29,625 | 5.84 | 56,098 | 16 | 62 |
| | | 7/01 | 26,457 | 5.58 | 65,510 | 16 | 53 |
| | | 8/01 | 27,628 | 5.44 | 83,598 | 16 | 56 |
| | | 9/01 | 28,340 | 5.56 | 61,421 | 16 | 59 |
| | | 10/01 | 29,857 | 5.80 | 49,970 | 16 | 60 |
| | | 11/01 | 27,810 | 5.87 | 45,066 | 16 | 58 |
| | | 12/01 | 28,482 | 5.80 | 46,872 | 16 | 57 |
| | | | 353,791 | | 652,334 | | |
| TERRA | MOSSBACK | 1/01 | 44,996 | 3.38 | 91,083 | 16 | 91 |
| | | 2/01 | 40,563 | 3.48 | 67,853 | 16 | 91 |
| | | 3/01 | 43,224 | 3.09 | 31,745 | 17 | 82 |
| | | 4/01 | 40,391 | 3.09 | 40,718 | 17 | 79 |
| | | 5/01 | 40,253 | 3.09 | 31,745 | 17 | 76 |
| | | 6/01 | 41,020 | 3.09 | 38,101 | 17 | 80 |
| | | 7/01 | 44,670 | 3.09 | 39,666 | 17 | 85 |
| | | 8/01 | 44,150 | 3.09 | 37,989 | 17 | 84 |
| | | 9/01 | 39,426 | 3.09 | 30,765 | 17 | 77 |
| | | 10/01 | 45,067 | 3.09 | 46,307 | 17 | 86 |
| | | 11/01 | 43,292 | 3.09 | 44,725 | 17 | 85 |
| | | 12/01 | 43,727 | 3.09 | 50,466 | 17 | 83 |
| | | | 510,779 | | 551,163 | | |
| TERRA | NORTH STARMIRA 1 (NADV- | 1/01 | 12,717 | 10.70 | 806 | 7 | 59 |
| | | 2/01 | 13,141 | 11.09 | 1,102 | 7 | 67 |
| | | 3/01 | 11,021 | 11.09 | 871 | 7 | 51 |
| | | 4/01 | 11,104 | 11.09 | 1,254 | 7 | 53 |
| | | 5/01 | 11,000 | 11.09 | 803 | 7 | 51 |
| | | 6/01 | 9,340 | 11.09 | 815 | 7 | 44 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| TERRA | NORTH STARMIRA 1 (NADV- | 7/01 | 13,033 | 10.43 | 677 | 7 | 60 |
| | | 8/01 | 8,483 | 10.43 | 650 | 7 | 39 |
| | | 9/01 | 5,652 | 10.43 | 181 | 7 | 27 |
| | | 10/01 | 8,486 | 10.43 | 409 | 7 | 39 |
| | | 11/01 | 6,604 | 10.43 | 104 | 7 | 31 |
| | | 12/01 | 16,544 | 10.08 | 771 | 7 | 76 |
| | | | | 127,125 | | 8,443 | |
| TERRA | NORTH STARMIRA 2 (NADV- | 1/01 | 1,450 | 7.65 | 770 | 8 | 6 |
| | | 2/01 | 2,950 | 7.65 | 749 | 8 | 13 |
| | | 3/01 | 3,452 | 7.65 | 661 | 8 | 14 |
| | | 4/01 | 4,841 | 7.65 | 263 | 8 | 20 |
| | | 5/01 | 3,737 | 7.65 | 751 | 8 | 15 |
| | | 6/01 | 6,518 | 7.65 | 1,047 | 8 | 27 |
| | | 7/01 | 5,376 | 7.96 | 981 | 8 | 22 |
| | | 8/01 | 6,405 | 7.96 | 970 | 8 | 26 |
| | | 9/01 | 5,918 | 7.96 | 723 | 8 | 25 |
| | | 10/01 | 7,093 | 7.96 | 906 | 8 | 29 |
| | | 11/01 | 7,286 | 7.96 | 696 | 8 | 30 |
| | | 12/01 | 18,626 | 9.65 | 932 | 8 | 75 |
| | | 73,652 | | 9,449 | | | |
| TERRA | NORTH STARMIRA 3 (NADV- | 1/01 | 0 | 6.73 | 0 | 0 | 0 |
| | | 2/01 | 0 | 6.73 | 0 | 0 | 0 |
| | | 3/01 | 18,887 | 6.73 | 1,208 | 9 | 68 |
| | | 4/01 | 21,149 | 6.73 | 2,338 | 11 | 64 |
| | | 5/01 | 24,906 | 6.73 | 1,816 | 11 | 73 |
| | | 6/01 | 23,302 | 6.73 | 1,837 | 11 | 71 |
| | | 7/01 | 21,323 | 6.73 | 1,943 | 11 | 63 |
| | | 8/01 | 23,765 | 6.73 | 1,647 | 11 | 70 |
| | | 9/01 | 21,621 | 6.73 | 936 | 11 | 66 |
| | | 10/01 | 24,126 | 6.73 | 1,290 | 11 | 71 |
| | | 11/01 | 20,154 | 6.73 | 670 | 11 | 61 |
| | | 12/01 | 18,392 | 10.52 | 756 | 11 | 54 |
| | | 217,625 | | 14,441 | | | |
| TERRA | NORTH STARMIRA 7 (NADV- | 1/01 | 17,254 | 8.90 | 8,192 | 7 | 79 |
| | | 2/01 | 15,778 | 9.01 | 7,461 | 7 | 81 |
| | | 3/01 | 9,540 | 8.88 | 6,640 | 7 | 44 |
| | | 4/01 | 24,596 | 8.88 | 7,347 | 7 | 117 |
| | | 5/01 | 17,724 | 8.88 | 6,640 | 7 | 82 |
| | | 6/01 | 15,170 | 0.00 | 4,650 | 7 | 72 |
| | | 7/01 | 12,763 | 0.00 | 5,458 | 7 | 59 |
| | | 8/01 | 15,341 | 8.88 | 3,167 | 7 | 71 |
| | | 9/01 | 13,792 | 8.88 | 2,787 | 7 | 66 |
| | | 10/01 | 14,464 | 8.88 | 90 | 7 | 67 |
| | | 11/01 | 13,591 | 8.88 | 2,448 | 7 | 65 |
| | | 12/01 | 12,145 | 8.88 | 2,469 | 7 | 56 |
| | | 182,158 | | 57,349 | | | |
| TERRA | PEGGY FLEMING | 1/01 | 5,222 | 4.66 | 32,567 | 11 | 15 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|----------------|-----------------|-----------------|-------|----------------|---------------|--------------------------|----|----|
| TERRA | PEGGY FLEMING | 2/01 | 4,194 | 4.40 | 38,283 | 11 | 14 | | |
| | | 3/01 | 3,697 | 4.39 | 37,714 | 11 | 11 | | |
| | | 4/01 | 4,005 | 4.87 | 35,913 | 11 | 12 | | |
| | | 5/01 | 4,059 | 4.56 | 38,717 | 11 | 12 | | |
| | | 6/01 | 9,658 | 4.87 | 38,018 | 11 | 29 | | |
| | | 7/01 | 8,836 | 4.70 | 38,142 | 11 | 26 | | |
| | | 8/01 | 7,607 | 4.67 | 38,090 | 11 | 22 | | |
| | | 9/01 | 7,315 | 4.50 | 34,624 | 11 | 22 | | |
| | | 10/01 | 6,108 | 5.20 | 35,618 | 11 | 18 | | |
| | | 11/01 | 6,666 | 5.20 | 34,803 | 11 | 20 | | |
| | | 12/01 | 6,235 | 4.43 | 31,840 | 11 | 18 | | |
| | | | | | 73,602 | | 434,329 | | |
| | | TERRA | PLEASANT VALLEY | 1/01 | 19,737 | 16.51 | 480 | 12 | 53 |
| 2/01 | 17,745 | | | 16.21 | 419 | 12 | 53 | | |
| 3/01 | 20,183 | | | 16.48 | 434 | 12 | 54 | | |
| 4/01 | 18,397 | | | 16.78 | 420 | 12 | 51 | | |
| 5/01 | 19,027 | | | 16.09 | 413 | 12 | 51 | | |
| 6/01 | 18,391 | | | 16.66 | 391 | 12 | 51 | | |
| 7/01 | 18,589 | | | 16.45 | 400 | 12 | 50 | | |
| 8/01 | 18,539 | | | 16.45 | 401 | 12 | 50 | | |
| 9/01 | 18,094 | | | 16.72 | 403 | 12 | 50 | | |
| 10/01 | 18,058 | | | 16.68 | 400 | 12 | 49 | | |
| 11/01 | 16,924 | | | 16.74 | 381 | 12 | 47 | | |
| 12/01 | 18,331 | | | 16.81 | 434 | 12 | 49 | | |
| | | | | | 222,015 | | 4,976 | | |
| TERRA | PRICE IS RIGHT | 1/01 | 27,230 | 4.82 | 8,466 | 9 | 98 | | |
| | | 2/01 | 21,446 | 4.82 | 7,369 | 9 | 85 | | |
| | | 3/01 | 26,547 | 4.81 | 8,025 | 9 | 95 | | |
| | | 4/01 | 25,179 | 4.81 | 7,480 | 9 | 93 | | |
| | | 5/01 | 25,773 | 4.81 | 7,821 | 9 | 92 | | |
| | | 6/01 | 24,906 | 4.81 | 7,295 | 9 | 92 | | |
| | | 7/01 | 19,089 | 4.81 | 7,453 | 9 | 68 | | |
| | | 8/01 | 25,827 | 4.81 | 7,296 | 9 | 93 | | |
| | | 9/01 | 28,048 | 5.01 | 6,497 | 9 | 104 | | |
| | | 10/01 | 24,110 | 5.01 | 7,537 | 9 | 86 | | |
| | | 11/01 | 21,623 | 5.01 | 6,835 | 9 | 80 | | |
| | | 12/01 | 23,371 | 4.83 | 6,480 | 9 | 84 | | |
| | | | | | 293,149 | | 88,554 | | |
| TERRA | ROHMANN EMPIRE | 1/01 | 29,843 | 10.33 | 4,749 | 14 | 69 | | |
| | | 2/01 | 26,526 | 10.44 | 4,450 | 14 | 68 | | |
| | | 3/01 | 29,018 | 10.44 | 4,549 | 14 | 67 | | |
| | | 4/01 | 26,280 | 10.44 | 4,299 | 14 | 63 | | |
| | | 5/01 | 26,509 | 10.44 | 4,281 | 14 | 61 | | |
| | | 6/01 | 24,474 | 10.44 | 4,211 | 14 | 58 | | |
| | | 7/01 | 24,761 | 10.44 | 3,637 | 14 | 57 | | |
| | | 8/01 | 24,181 | 10.15 | 3,718 | 14 | 56 | | |
| | | 9/01 | 26,834 | 10.15 | 4,241 | 14 | 64 | | |
| | | 10/01 | 28,302 | 10.15 | 3,507 | 14 | 65 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| TERRA | ROHMANN EMPIRE | 11/01 | 26,442 | 10.15 | 3,636 | 14 | 63 |
| | | 12/01 | 27,061 | 10.85 | 3,790 | 14 | 62 |
| | | | 320,231 | | 49,068 | | |
| TERRA | SKEBA CAPLE | 1/01 | 36,103 | 14.29 | 1,429 | 17 | 68 |
| | | 2/01 | 27,308 | 14.29 | 1,274 | 17 | 57 |
| | | 3/01 | 30,307 | 14.29 | 1,282 | 17 | 57 |
| | | 4/01 | 28,484 | 14.29 | 1,177 | 17 | 56 |
| | | 5/01 | 28,628 | 14.29 | 1,240 | 17 | 54 |
| | | 6/01 | 33,442 | 14.29 | 1,101 | 17 | 66 |
| | | 7/01 | 36,650 | 13.44 | 1,186 | 17 | 70 |
| | | 8/01 | 35,479 | 13.44 | 932 | 17 | 67 |
| | | 9/01 | 34,030 | 13.44 | 826 | 17 | 67 |
| | | 10/01 | 35,800 | 13.44 | 790 | 17 | 68 |
| | | 11/01 | 36,144 | 13.44 | 629 | 17 | 71 |
| | | 12/01 | 36,526 | 15.04 | 560 | 17 | 69 |
| | | | 398,901 | | 12,426 | | |
| TERRA | SOUTH CAPLE | 1/01 | 33,966 | 9.43 | 5,669 | 23 | 48 |
| | | 2/01 | 26,618 | 9.43 | 2,189 | 23 | 41 |
| | | 3/01 | 31,192 | 9.43 | 2,686 | 23 | 44 |
| | | 4/01 | 30,627 | 9.43 | 1,969 | 23 | 44 |
| | | 5/01 | 31,878 | 9.43 | 2,097 | 23 | 45 |
| | | 6/01 | 38,491 | 9.43 | 2,329 | 23 | 56 |
| | | 7/01 | 38,401 | 11.07 | 1,389 | 23 | 54 |
| | | 8/01 | 40,990 | 11.07 | 1,241 | 23 | 57 |
| | | 9/01 | 38,418 | 11.07 | 970 | 23 | 56 |
| | | 10/01 | 39,417 | 11.07 | 1,131 | 23 | 55 |
| | | 11/01 | 37,232 | 11.07 | 1,058 | 23 | 54 |
| | | 12/01 | 36,038 | 11.20 | 742 | 23 | 51 |
| | | | 423,268 | | 23,470 | | |
| TERRA | SOUTH RUST NEVER SLEEP | 1/01 | 64,006 | 14.78 | 1,599 | 20 | 103 |
| | | 2/01 | 53,733 | 14.18 | 592 | 20 | 96 |
| | | 3/01 | 58,837 | 14.67 | 376 | 20 | 95 |
| | | 4/01 | 56,581 | 14.60 | 367 | 20 | 94 |
| | | 5/01 | 60,248 | 14.87 | 312 | 20 | 97 |
| | | 6/01 | 55,810 | 14.61 | 855 | 23 | 81 |
| | | 7/01 | 61,524 | 14.93 | 2,528 | 23 | 86 |
| | | 8/01 | 59,367 | 14.69 | 1,791 | 23 | 83 |
| | | 9/01 | 58,678 | 14.58 | 2,883 | 23 | 85 |
| | | 10/01 | 70,066 | 14.51 | 4,549 | 23 | 98 |
| | | 11/01 | 59,422 | 14.83 | 2,103 | 24 | 83 |
| | | 12/01 | 64,014 | 15.26 | 2,300 | 24 | 86 |
| | | | 722,286 | | 20,255 | | |
| TERRA | TILLI BEAN | 1/01 | 17,843 | 8.41 | 3,703 | 12 | 48 |
| | | 2/01 | 17,499 | 8.59 | 3,387 | 12 | 52 |
| | | 3/01 | 17,301 | 8.59 | 3,201 | 12 | 46 |
| | | 4/01 | 15,128 | 8.59 | 2,816 | 12 | 42 |
| | | 5/01 | 15,436 | 8.59 | 3,087 | 12 | 41 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------------------------|---------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| TERRA | TILLI BEAN | 6/01 | 14,237 | 8.59 | 2,730 | 12 | 40 |
| | | 7/01 | 14,737 | 8.59 | 2,922 | 12 | 40 |
| | | 8/01 | 15,450 | 8.38 | 3,186 | 12 | 42 |
| | | 9/01 | 15,403 | 8.38 | 3,220 | 12 | 43 |
| | | 10/01 | 15,561 | 8.38 | 3,290 | 12 | 42 |
| | | 11/01 | 14,777 | 8.38 | 3,073 | 12 | 41 |
| | | 12/01 | 15,045 | 8.14 | 3,256 | 12 | 40 |
| | | | | | 188,417 | | 37,871 |
| TERRA | UNCLE EMILS LANDING | 1/01 | 14,494 | 11.00 | 639 | 10 | 47 |
| | | 2/01 | 20,317 | 11.00 | 565 | 10 | 73 |
| | | 3/01 | 25,854 | 11.00 | 925 | 10 | 83 |
| | | 4/01 | 24,267 | 11.00 | 731 | 10 | 81 |
| | | 5/01 | 27,012 | 11.00 | 978 | 10 | 87 |
| | | 6/01 | 14,076 | 11.00 | 1,094 | 10 | 47 |
| | | 7/01 | 25,879 | 11.00 | 1,164 | 10 | 83 |
| | | 8/01 | 22,458 | 11.00 | 1,506 | 10 | 72 |
| | | 9/01 | 23,035 | 11.00 | 1,412 | 10 | 77 |
| | | 10/01 | 26,564 | 11.00 | 1,272 | 10 | 86 |
| | | 11/01 | 24,406 | 11.00 | 1,589 | 10 | 81 |
| | | 12/01 | 24,061 | 10.83 | 1,272 | 10 | 78 |
| | | | 272,423 | | 13,147 | | |
| TERRA | UNCLE RAYS | 1/01 | 54,277 | 8.47 | 1,835 | 13 | 135 |
| | | 2/01 | 47,758 | 8.47 | 1,513 | 13 | 131 |
| | | 3/01 | 51,221 | 8.97 | 1,604 | 13 | 127 |
| | | 4/01 | 48,663 | 8.97 | 1,499 | 13 | 125 |
| | | 5/01 | 49,650 | 8.97 | 1,515 | 13 | 123 |
| | | 6/01 | 47,286 | 8.97 | 1,394 | 13 | 121 |
| | | 7/01 | 50,446 | 8.97 | 1,452 | 13 | 125 |
| | | 8/01 | 48,400 | 8.97 | 1,334 | 13 | 120 |
| | | 9/01 | 44,931 | 9.43 | 1,159 | 13 | 115 |
| | | 10/01 | 47,336 | 9.43 | 1,253 | 13 | 117 |
| | | 11/01 | 44,859 | 9.43 | 1,137 | 13 | 115 |
| | | 12/01 | 46,049 | 9.28 | 1,210 | 13 | 114 |
| | | | 580,876 | | 16,905 | | |
| TERRA - REPORTER TOTALS: | | | 19,008,779 | | 4,822,360 | | |
| TRENDWELL | ALBERT 16 | 1/01 | 37,334 | 7.62 | 6,218 | 22 | 55 |
| | | 2/01 | 31,374 | 7.62 | 4,571 | 22 | 51 |
| | | 3/01 | 36,329 | 7.62 | 5,149 | 22 | 53 |
| | | 4/01 | 35,557 | 7.62 | 5,383 | 22 | 54 |
| | | 5/01 | 36,939 | 7.62 | 5,162 | 22 | 54 |
| | | 6/01 | 35,157 | 7.62 | 4,819 | 22 | 53 |
| | | 7/01 | 36,231 | 7.62 | 4,745 | 22 | 53 |
| | | 8/01 | 33,681 | 7.62 | 4,144 | 22 | 49 |
| | | 9/01 | 35,438 | 7.62 | 4,481 | 22 | 54 |
| | | 10/01 | 34,008 | 7.62 | 3,795 | 22 | 50 |
| | | 11/01 | 31,259 | 7.62 | 3,337 | 22 | 47 |
| | | 12/01 | 34,467 | 7.62 | 3,806 | 22 | 51 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 417,774 | | 55,610 | | |
| TRENDWELL | ALBERT 17 | 1/01 | 64,563 | 4.80 | 43,111 | 13 | 160 |
| | | 2/01 | 59,351 | 4.80 | 39,132 | 13 | 163 |
| | | 3/01 | 59,771 | 4.80 | 38,856 | 13 | 148 |
| | | 4/01 | 58,354 | 4.80 | 52,596 | 13 | 150 |
| | | 5/01 | 63,268 | 4.80 | 63,987 | 13 | 157 |
| | | 6/01 | 64,143 | 4.80 | 64,812 | 13 | 164 |
| | | 7/01 | 66,469 | 4.80 | 59,218 | 13 | 165 |
| | | 8/01 | 63,616 | 4.80 | 53,003 | 13 | 158 |
| | | 9/01 | 62,378 | 4.80 | 56,284 | 13 | 160 |
| | | 10/01 | 62,838 | 4.80 | 52,700 | 13 | 156 |
| | | 11/01 | 59,003 | 4.80 | 50,789 | 13 | 151 |
| | | 12/01 | 61,919 | 4.80 | 49,047 | 13 | 154 |
| | | | 745,673 | | 623,535 | | |
| TRENDWELL | AVERY 15 | 1/01 | 69,628 | 14.94 | 1,291 | 24 | 94 |
| | | 2/01 | 61,742 | 14.94 | 1,033 | 24 | 92 |
| | | 3/01 | 66,215 | 14.94 | 1,158 | 24 | 89 |
| | | 4/01 | 54,487 | 14.94 | 990 | 24 | 76 |
| | | 5/01 | 52,933 | 14.94 | 1,037 | 24 | 71 |
| | | 6/01 | 61,644 | 14.94 | 1,124 | 24 | 86 |
| | | 7/01 | 61,113 | 14.94 | 1,082 | 24 | 82 |
| | | 8/01 | 59,649 | 14.94 | 1,039 | 25 | 77 |
| | | 9/01 | 55,216 | 14.94 | 1,533 | 25 | 74 |
| | | 10/01 | 64,972 | 14.94 | 1,226 | 25 | 84 |
| | | 11/01 | 57,542 | 14.94 | 1,062 | 25 | 77 |
| | | 12/01 | 59,151 | 14.94 | 1,023 | 25 | 76 |
| | | | 724,292 | | 13,598 | | |
| TRENDWELL | AVERY 16 | 1/01 | 36,840 | 14.94 | 1,581 | 16 | 74 |
| | | 2/01 | 33,070 | 14.94 | 1,391 | 16 | 74 |
| | | 3/01 | 38,439 | 14.94 | 1,449 | 16 | 77 |
| | | 4/01 | 37,604 | 14.94 | 1,464 | 16 | 78 |
| | | 5/01 | 36,916 | 14.94 | 1,522 | 16 | 74 |
| | | 6/01 | 35,801 | 14.94 | 1,430 | 16 | 75 |
| | | 7/01 | 36,168 | 14.94 | 1,469 | 16 | 73 |
| | | 8/01 | 35,318 | 14.94 | 1,396 | 16 | 71 |
| | | 9/01 | 35,788 | 14.94 | 1,561 | 16 | 75 |
| | | 10/01 | 35,898 | 14.94 | 1,454 | 16 | 72 |
| | | 11/01 | 32,722 | 14.94 | 1,303 | 16 | 68 |
| | | 12/01 | 33,635 | 14.94 | 1,339 | 16 | 68 |
| | | | 428,199 | | 17,359 | | |
| TRENDWELL | AVERY 18 | 1/01 | 65,118 | 12.49 | 5,923 | 16 | 131 |
| | | 2/01 | 56,223 | 12.49 | 5,231 | 16 | 125 |
| | | 3/01 | 62,069 | 12.49 | 5,968 | 16 | 125 |
| | | 4/01 | 57,966 | 12.49 | 5,577 | 16 | 121 |
| | | 5/01 | 62,640 | 12.49 | 6,029 | 16 | 126 |
| | | 6/01 | 57,322 | 12.49 | 5,402 | 16 | 119 |
| | | 7/01 | 60,703 | 12.49 | 5,964 | 16 | 122 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| TRENDWELL | AVERY 18 | 8/01 | 61,029 | 12.49 | 6,065 | 16 | 123 |
| | | 9/01 | 58,804 | 12.49 | 5,776 | 16 | 123 |
| | | 10/01 | 57,876 | 12.49 | 5,418 | 16 | 117 |
| | | 11/01 | 54,940 | 12.49 | 5,089 | 16 | 114 |
| | | 12/01 | 53,984 | 12.49 | 5,182 | 16 | 109 |
| | | | | | 708,674 | | 67,624 |
| TRENDWELL | BRILEY 16 | 1/01 | 33,097 | 17.01 | 310 | 12 | 89 |
| | | 2/01 | 26,388 | 17.01 | 280 | 12 | 79 |
| | | 3/01 | 31,964 | 17.01 | 310 | 12 | 86 |
| | | 4/01 | 32,039 | 17.01 | 300 | 12 | 89 |
| | | 5/01 | 31,925 | 17.01 | 435 | 12 | 86 |
| | | 6/01 | 29,766 | 17.01 | 463 | 12 | 83 |
| | | 7/01 | 31,139 | 17.01 | 505 | 12 | 84 |
| | | 8/01 | 30,462 | 17.01 | 465 | 12 | 82 |
| | | 9/01 | 28,708 | 17.01 | 945 | 13 | 74 |
| | | 10/01 | 30,978 | 17.01 | 770 | 13 | 77 |
| | | 11/01 | 29,774 | 17.01 | 750 | 13 | 76 |
| | | 12/01 | 29,217 | 17.01 | 655 | 13 | 72 |
| | | | 365,457 | | 6,188 | | |
| TRENDWELL | BRILEY 6 | 1/01 | 36,708 | 17.09 | 838 | 13 | 91 |
| | | 2/01 | 32,599 | 17.09 | 732 | 13 | 90 |
| | | 3/01 | 35,753 | 17.09 | 779 | 13 | 89 |
| | | 4/01 | 33,408 | 17.09 | 703 | 13 | 86 |
| | | 5/01 | 34,952 | 17.09 | 609 | 13 | 87 |
| | | 6/01 | 33,257 | 17.09 | 717 | 15 | 74 |
| | | 7/01 | 35,559 | 17.09 | 940 | 15 | 76 |
| | | 8/01 | 36,066 | 17.09 | 601 | 15 | 78 |
| | | 9/01 | 34,359 | 17.09 | 589 | 15 | 76 |
| | | 10/01 | 35,381 | 17.09 | 595 | 15 | 76 |
| | | 11/01 | 33,655 | 17.09 | 612 | 15 | 75 |
| | | 12/01 | 33,079 | 17.09 | 787 | 17 | 63 |
| | | | 414,776 | | 8,502 | | |
| TRENDWELL | BRILEY 7 | 1/01 | 31,263 | 17.01 | 155 | 11 | 92 |
| | | 2/01 | 26,078 | 17.01 | 140 | 11 | 85 |
| | | 3/01 | 31,207 | 17.01 | 155 | 11 | 92 |
| | | 4/01 | 28,822 | 17.01 | 150 | 11 | 87 |
| | | 5/01 | 30,395 | 17.01 | 155 | 11 | 89 |
| | | 6/01 | 29,087 | 17.01 | 150 | 11 | 88 |
| | | 7/01 | 29,603 | 17.01 | 460 | 11 | 87 |
| | | 8/01 | 29,157 | 17.01 | 464 | 12 | 78 |
| | | 9/01 | 28,420 | 17.01 | 590 | 12 | 79 |
| | | 10/01 | 30,524 | 17.01 | 465 | 12 | 82 |
| | | 11/01 | 29,196 | 17.01 | 390 | 13 | 75 |
| | | 12/01 | 28,650 | 17.01 | 370 | 13 | 71 |
| | | | 352,402 | | 3,644 | | |
| TRENDWELL | BRILEY 9 | 1/01 | 32,337 | 17.01 | 620 | 13 | 80 |
| | | 2/01 | 26,702 | 17.01 | 560 | 13 | 73 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|---------------|-----------------|------------------|-------|----------------|---------------|--------------------------|----|----|
| TRENDWELL | BRILEY 9 | 3/01 | 31,069 | 17.01 | 620 | 13 | 77 | | |
| | | 4/01 | 29,814 | 17.01 | 600 | 13 | 76 | | |
| | | 5/01 | 30,172 | 17.01 | 720 | 13 | 75 | | |
| | | 6/01 | 28,009 | 17.01 | 983 | 13 | 72 | | |
| | | 7/01 | 29,604 | 17.01 | 1,085 | 13 | 73 | | |
| | | 8/01 | 29,907 | 17.01 | 1,065 | 13 | 74 | | |
| | | 9/01 | 28,301 | 17.01 | 1,015 | 13 | 73 | | |
| | | 10/01 | 28,560 | 17.01 | 1,085 | 13 | 71 | | |
| | | 11/01 | 26,486 | 17.01 | 1,050 | 13 | 68 | | |
| | | 12/01 | 25,991 | 17.01 | 1,200 | 14 | 60 | | |
| | | | | | 346,952 | | 10,603 | | |
| | | TRENDWELL | CHARLTON 27 | 1/01 | 33,908 | 21.01 | 2,465 | 45 | 24 |
| 2/01 | 30,039 | | | 21.01 | 2,210 | 45 | 24 | | |
| 3/01 | 32,971 | | | 21.01 | 2,450 | 45 | 24 | | |
| 4/01 | 32,017 | | | 21.01 | 2,560 | 45 | 24 | | |
| 5/01 | 32,654 | | | 21.01 | 2,760 | 45 | 23 | | |
| 6/01 | 30,835 | | | 21.01 | 2,668 | 45 | 23 | | |
| 7/01 | 31,509 | | | 21.01 | 2,770 | 45 | 23 | | |
| 8/01 | 31,163 | | | 21.01 | 2,876 | 45 | 22 | | |
| 9/01 | 28,698 | | | 21.01 | 2,015 | 45 | 21 | | |
| 10/01 | 33,209 | | | 21.01 | 2,170 | 45 | 24 | | |
| 11/01 | 26,989 | | | 21.01 | 1,645 | 45 | 20 | | |
| 12/01 | 32,614 | | | 21.01 | 1,937 | 45 | 23 | | |
| | | | 376,606 | | 28,526 | | | | |
| TRENDWELL | E ALBERT 16-2 | 1/01 | 90,035 | 9.64 | 1,979 | 28 | 104 | | |
| | | 2/01 | 83,114 | 9.64 | 1,890 | 28 | 106 | | |
| | | 3/01 | 89,182 | 9.64 | 2,035 | 28 | 103 | | |
| | | 4/01 | 98,355 | 9.64 | 2,020 | 28 | 117 | | |
| | | 5/01 | 95,465 | 9.64 | 2,058 | 28 | 110 | | |
| | | 6/01 | 95,886 | 9.64 | 1,890 | 28 | 114 | | |
| | | 7/01 | 101,880 | 9.64 | 1,932 | 28 | 117 | | |
| | | 8/01 | 98,126 | 9.64 | 1,947 | 28 | 113 | | |
| | | 9/01 | 90,526 | 9.64 | 1,829 | 28 | 108 | | |
| | | 10/01 | 94,101 | 9.64 | 2,047 | 28 | 108 | | |
| | | 11/01 | 87,855 | 9.64 | 1,916 | 31 | 94 | | |
| | | 12/01 | 95,597 | 9.64 | 1,962 | 31 | 99 | | |
| | | | 1,120,122 | | 23,505 | | | | |
| TRENDWELL | EAST ALBERT 1 | 1/01 | 8,812 | 9.64 | 51 | 3 | 95 | | |
| | | 2/01 | 7,306 | 9.64 | 39 | 3 | 87 | | |
| | | 3/01 | 8,171 | 9.64 | 44 | 3 | 88 | | |
| | | 4/01 | 9,135 | 9.64 | 50 | 3 | 102 | | |
| | | 5/01 | 8,516 | 9.64 | 43 | 3 | 92 | | |
| | | 6/01 | 7,719 | 9.64 | 43 | 3 | 86 | | |
| | | 7/01 | 8,362 | 9.64 | 45 | 3 | 90 | | |
| | | 8/01 | 8,296 | 9.64 | 44 | 3 | 89 | | |
| | | 9/01 | 7,673 | 9.64 | 39 | 3 | 85 | | |
| | | 10/01 | 8,494 | 9.64 | 41 | 3 | 91 | | |
| | | 11/01 | 6,695 | 9.64 | 36 | 3 | 74 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|---------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| TRENDWELL | EAST ALBERT 1 | 12/01 | 7,285 | 9.64 | 43 | 3 | 78 |
| | | | 96,464 | | 518 | | |
| TRENDWELL | VIENNA 16 | 1/01 | 40,199 | 16.35 | 888 | 15 | 86 |
| | | 2/01 | 35,959 | 16.35 | 756 | 15 | 86 |
| | | 3/01 | 39,395 | 16.35 | 857 | 15 | 85 |
| | | 4/01 | 37,455 | 16.35 | 732 | 15 | 83 |
| | | 5/01 | 38,200 | 16.35 | 622 | 15 | 82 |
| | | 6/01 | 35,892 | 16.35 | 534 | 15 | 80 |
| | | 7/01 | 37,431 | 16.35 | 543 | 15 | 80 |
| | | 8/01 | 37,048 | 16.35 | 560 | 15 | 80 |
| | | 9/01 | 35,239 | 16.35 | 527 | 15 | 78 |
| | | 10/01 | 35,770 | 16.35 | 827 | 15 | 77 |
| | | 11/01 | 35,798 | 16.35 | 749 | 16 | 75 |
| | | 12/01 | 34,850 | 16.35 | 893 | 17 | 66 |
| | | | 443,236 | | 8,488 | | |
| TRENDWELL | VIENNA 2 | 1/01 | 45,605 | 17.09 | 3,646 | 12 | 123 |
| | | 2/01 | 41,851 | 17.09 | 3,254 | 12 | 125 |
| | | 3/01 | 46,499 | 17.09 | 3,630 | 12 | 125 |
| | | 4/01 | 44,586 | 17.09 | 3,547 | 12 | 124 |
| | | 5/01 | 45,891 | 17.09 | 3,664 | 12 | 123 |
| | | 6/01 | 42,845 | 17.09 | 3,481 | 12 | 119 |
| | | 7/01 | 44,413 | 17.09 | 3,632 | 12 | 119 |
| | | 8/01 | 43,405 | 17.09 | 3,504 | 12 | 117 |
| | | 9/01 | 40,140 | 17.09 | 3,348 | 12 | 112 |
| | | 10/01 | 43,693 | 17.09 | 3,663 | 12 | 117 |
| | | 11/01 | 41,747 | 17.09 | 3,564 | 12 | 116 |
| | | 12/01 | 41,032 | 17.09 | 3,581 | 12 | 110 |
| | | | 521,707 | | 42,514 | | |
| TRENDWELL | VIENNA 20 | 1/01 | 63,802 | 14.38 | 3,697 | 19 | 108 |
| | | 2/01 | 57,165 | 14.38 | 3,198 | 19 | 107 |
| | | 3/01 | 61,963 | 14.38 | 3,634 | 19 | 105 |
| | | 4/01 | 59,719 | 14.38 | 4,103 | 19 | 105 |
| | | 5/01 | 69,406 | 14.38 | 5,068 | 19 | 118 |
| | | 6/01 | 71,154 | 14.38 | 4,353 | 21 | 113 |
| | | 7/01 | 73,438 | 14.38 | 3,850 | 21 | 113 |
| | | 8/01 | 72,917 | 14.38 | 4,165 | 22 | 107 |
| | | 9/01 | 68,191 | 14.38 | 3,736 | 22 | 103 |
| | | 10/01 | 71,867 | 14.38 | 3,726 | 22 | 105 |
| | | 11/01 | 71,458 | 14.38 | 3,610 | 22 | 108 |
| | | 12/01 | 71,133 | 14.38 | 3,668 | 23 | 100 |
| | | | 812,213 | | 46,808 | | |
| TRENDWELL | VIENNA 31 | 1/01 | 77,498 | 12.96 | 2,482 | 29 | 86 |
| | | 2/01 | 72,031 | 12.96 | 4,071 | 29 | 89 |
| | | 3/01 | 80,412 | 12.96 | 4,804 | 29 | 89 |
| | | 4/01 | 77,004 | 12.96 | 4,758 | 29 | 89 |
| | | 5/01 | 78,264 | 12.96 | 4,845 | 29 | 87 |
| | | 6/01 | 74,757 | 12.96 | 5,399 | 29 | 86 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------------------------|--------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| TRENDWELL | VIENNA 31 | 7/01 | 77,485 | 12.96 | 5,115 | 29 | 86 |
| | | 8/01 | 74,076 | 12.96 | 4,756 | 29 | 82 |
| | | 9/01 | 75,891 | 12.96 | 4,921 | 29 | 87 |
| | | 10/01 | 76,195 | 12.96 | 4,301 | 29 | 85 |
| | | 11/01 | 71,571 | 12.96 | 3,531 | 29 | 82 |
| | | 12/01 | 71,486 | 12.96 | 3,849 | 29 | 80 |
| | | | | | 906,670 | | 52,832 |
| TRENDWELL | VIENNA 34 | 1/01 | 36,787 | 13.95 | 620 | 10 | 119 |
| | | 2/01 | 32,327 | 13.95 | 559 | 10 | 115 |
| | | 3/01 | 29,167 | 13.95 | 614 | 10 | 94 |
| | | 4/01 | 34,727 | 13.95 | 600 | 10 | 116 |
| | | 5/01 | 34,229 | 13.95 | 616 | 10 | 110 |
| | | 6/01 | 34,548 | 13.95 | 598 | 10 | 115 |
| | | 7/01 | 34,250 | 13.95 | 597 | 10 | 110 |
| | | 8/01 | 33,017 | 13.95 | 552 | 10 | 106 |
| | | 9/01 | 33,664 | 13.95 | 600 | 10 | 112 |
| | | 10/01 | 34,415 | 13.95 | 620 | 10 | 111 |
| | | 11/01 | 32,131 | 13.95 | 576 | 10 | 107 |
| | | 12/01 | 32,473 | 13.95 | 555 | 10 | 105 |
| | | | 401,735 | | 7,107 | | |
| TRENDWELL - REPORTER TOTALS: | | | 9,182,952 | | 1,016,961 | | |
| WARD LAKE ENER | ADAIR | 1/01 | 5,449 | 11.24 | 22,478 | 3 | 59 |
| | | 2/01 | 4,054 | 11.24 | 17,712 | 3 | 48 |
| | | 3/01 | 5,310 | 11.93 | 21,311 | 3 | 57 |
| | | 4/01 | 5,867 | 11.93 | 21,274 | 3 | 65 |
| | | 5/01 | 6,323 | 11.93 | 16,169 | 3 | 68 |
| | | 6/01 | 7,635 | 11.93 | 8,507 | 3 | 85 |
| | | 7/01 | 6,773 | 11.93 | 20,558 | 3 | 73 |
| | | 8/01 | 7,642 | 11.93 | 20,653 | 3 | 82 |
| | | 9/01 | 7,662 | 11.93 | 14,210 | 3 | 85 |
| | | 10/01 | 7,948 | 11.93 | 20,330 | 3 | 85 |
| | | 11/01 | 7,289 | 11.93 | 20,103 | 3 | 81 |
| | | 12/01 | 7,053 | 11.93 | 24,108 | 3 | 76 |
| | | | 79,005 | | 227,413 | | |
| WARD LAKE ENER | BAGLEY 23 | 1/01 | 14,591 | 22.13 | 1,067 | 14 | 34 |
| | | 2/01 | 12,668 | 22.13 | 983 | 14 | 32 |
| | | 3/01 | 13,459 | 22.49 | 1,041 | 14 | 31 |
| | | 4/01 | 12,764 | 22.49 | 985 | 14 | 30 |
| | | 5/01 | 14,037 | 22.49 | 1,047 | 14 | 32 |
| | | 6/01 | 13,738 | 22.49 | 779 | 14 | 33 |
| | | 7/01 | 13,680 | 22.49 | 720 | 14 | 32 |
| | | 8/01 | 13,528 | 22.49 | 708 | 14 | 31 |
| | | 9/01 | 12,914 | 22.49 | 735 | 14 | 31 |
| | | 10/01 | 12,472 | 22.49 | 796 | 14 | 29 |
| | | 11/01 | 12,961 | 22.49 | 811 | 14 | 31 |
| | | 12/01 | 12,566 | 22.49 | 797 | 14 | 29 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 159,378 | | 10,469 | | |
| WARD LAKE ENER | BAGLEY 23A | 1/01 | 6,070 | 22.13 | 45 | 3 | 65 |
| | | 2/01 | 5,449 | 22.13 | 44 | 3 | 65 |
| | | 3/01 | 5,922 | 22.49 | 44 | 3 | 64 |
| | | 4/01 | 5,597 | 22.49 | 32 | 3 | 62 |
| | | 5/01 | 6,002 | 22.49 | 35 | 3 | 65 |
| | | 6/01 | 5,706 | 22.49 | 39 | 3 | 63 |
| | | 7/01 | 6,327 | 22.49 | 30 | 3 | 68 |
| | | 8/01 | 6,288 | 22.49 | 28 | 3 | 68 |
| | | 9/01 | 6,118 | 22.49 | 29 | 3 | 68 |
| | | 10/01 | 5,898 | 22.49 | 34 | 3 | 63 |
| | | 11/01 | 5,808 | 22.49 | 37 | 3 | 65 |
| | | 12/01 | 5,789 | 22.49 | 13 | 3 | 62 |
| | | | 70,974 | | 410 | | |
| WARD LAKE ENER | BAGLEY 24 | 1/01 | 3,155 | 22.13 | 91 | 4 | 25 |
| | | 2/01 | 3,319 | 22.13 | 75 | 4 | 30 |
| | | 3/01 | 3,548 | 22.49 | 92 | 4 | 29 |
| | | 4/01 | 3,317 | 22.49 | 90 | 4 | 28 |
| | | 5/01 | 3,599 | 22.49 | 75 | 4 | 29 |
| | | 6/01 | 3,338 | 22.49 | 334 | 4 | 28 |
| | | 7/01 | 3,341 | 22.49 | 353 | 4 | 27 |
| | | 8/01 | 3,429 | 22.49 | 269 | 4 | 28 |
| | | 9/01 | 3,199 | 22.49 | 191 | 4 | 27 |
| | | 10/01 | 3,110 | 22.49 | 164 | 4 | 25 |
| | | 11/01 | 3,293 | 22.49 | 138 | 4 | 27 |
| | | 12/01 | 3,314 | 22.49 | 193 | 4 | 27 |
| | | | 39,962 | | 2,065 | | |
| WARD LAKE ENER | BAGLEY 400 | 1/01 | 5,739 | 22.13 | 2,125 | 22 | 8 |
| | | 2/01 | 5,115 | 22.13 | 1,620 | 22 | 8 |
| | | 3/01 | 5,910 | 22.49 | 2,083 | 22 | 9 |
| | | 4/01 | 5,265 | 22.49 | 1,944 | 22 | 8 |
| | | 5/01 | 5,692 | 22.49 | 1,934 | 22 | 8 |
| | | 6/01 | 5,430 | 22.49 | 1,770 | 22 | 8 |
| | | 7/01 | 5,565 | 22.49 | 2,056 | 22 | 8 |
| | | 8/01 | 5,428 | 22.49 | 2,042 | 22 | 8 |
| | | 9/01 | 5,218 | 22.49 | 1,952 | 22 | 8 |
| | | 10/01 | 5,368 | 22.49 | 1,910 | 22 | 8 |
| | | 11/01 | 4,898 | 22.49 | 2,026 | 22 | 7 |
| | | 12/01 | 5,046 | 22.49 | 2,008 | 22 | 7 |
| | | | 64,674 | | 23,470 | | |
| WARD LAKE ENER | BASILE | 1/01 | 0 | 8.00 | 0 | 0 | 0 |
| | | 2/01 | 0 | 8.00 | 0 | 0 | 0 |
| | | 3/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 4/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 5/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 6/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 7/01 | 0 | 8.98 | 0 | 0 | 0 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-----------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | BASILE | 8/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 9/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 10/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 11/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | 12/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | | | | 0 | | 0 |
| WARD LAKE ENER | BEAR LAKE | 1/01 | 20,774 | 11.93 | 40,689 | 11 | 61 |
| | | 2/01 | 18,804 | 11.93 | 37,175 | 11 | 61 |
| | | 3/01 | 19,420 | 11.93 | 42,944 | 11 | 57 |
| | | 4/01 | 18,616 | 11.93 | 42,320 | 11 | 56 |
| | | 5/01 | 20,187 | 11.93 | 41,075 | 11 | 59 |
| | | 6/01 | 18,648 | 11.93 | 41,556 | 11 | 57 |
| | | 7/01 | 19,065 | 11.93 | 42,240 | 11 | 56 |
| | | 8/01 | 20,237 | 11.93 | 44,603 | 11 | 59 |
| | | 9/01 | 19,164 | 11.93 | 41,160 | 11 | 58 |
| | | 10/01 | 19,122 | 11.93 | 38,389 | 11 | 56 |
| | | 11/01 | 18,736 | 11.93 | 38,294 | 11 | 57 |
| | | 12/01 | 19,564 | 11.93 | 43,233 | 11 | 57 |
| | | | | | 232,337 | | 493,678 |
| WARD LAKE ENER | BEAR LAKE 10 | 1/01 | 1,832 | 11.24 | 1,353 | 2 | 30 |
| | | 2/01 | 1,722 | 11.24 | 1,124 | 2 | 31 |
| | | 3/01 | 1,929 | 11.93 | 1,215 | 2 | 31 |
| | | 4/01 | 1,796 | 11.93 | 1,189 | 2 | 30 |
| | | 5/01 | 1,897 | 11.93 | 1,112 | 3 | 20 |
| | | 6/01 | 1,705 | 11.93 | 899 | 2 | 28 |
| | | 7/01 | 1,785 | 11.93 | 1,004 | 2 | 29 |
| | | 8/01 | 1,769 | 11.93 | 847 | 2 | 29 |
| | | 9/01 | 1,735 | 11.93 | 792 | 2 | 29 |
| | | 10/01 | 1,837 | 11.93 | 748 | 2 | 30 |
| | | 11/01 | 1,873 | 11.93 | 810 | 2 | 31 |
| | | 12/01 | 1,787 | 11.93 | 885 | 3 | 19 |
| | | | 21,667 | | 11,978 | | |
| WARD LAKE ENER | BEAR LAKE 12/11 | 1/01 | 7,521 | 11.28 | 12,720 | 4 | 61 |
| | | 2/01 | 6,468 | 11.28 | 10,690 | 4 | 58 |
| | | 3/01 | 7,717 | 11.93 | 11,596 | 4 | 62 |
| | | 4/01 | 6,681 | 11.93 | 10,200 | 4 | 56 |
| | | 5/01 | 7,425 | 11.93 | 11,876 | 4 | 60 |
| | | 6/01 | 6,612 | 11.93 | 10,607 | 4 | 55 |
| | | 7/01 | 6,903 | 11.93 | 10,881 | 4 | 56 |
| | | 8/01 | 7,168 | 11.93 | 11,969 | 4 | 58 |
| | | 9/01 | 6,835 | 11.93 | 10,780 | 4 | 57 |
| | | 10/01 | 6,333 | 11.93 | 11,793 | 4 | 51 |
| | | 11/01 | 6,451 | 11.93 | 11,314 | 4 | 54 |
| | | 12/01 | 7,209 | 11.93 | 12,343 | 4 | 58 |
| | | | 83,323 | | 136,769 | | |
| WARD LAKE ENER | BEAR LAKE 14 | 1/01 | 6,453 | 8.71 | 4,836 | 2 | 104 |
| | | 2/01 | 5,990 | 8.00 | 4,546 | 2 | 107 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | BEAR LAKE 14 | 3/01 | 6,105 | 11.93 | 5,139 | 2 | 98 | | |
| | | 4/01 | 7,879 | 11.93 | 4,481 | 2 | 131 | | |
| | | 5/01 | 5,343 | 11.93 | 3,733 | 3 | 57 | | |
| | | 6/01 | 4,451 | 11.93 | 5,186 | 2 | 74 | | |
| | | 7/01 | 5,016 | 11.93 | 5,075 | 2 | 81 | | |
| | | 8/01 | 4,793 | 11.93 | 4,915 | 2 | 77 | | |
| | | 9/01 | 4,697 | 11.93 | 4,662 | 2 | 78 | | |
| | | 10/01 | 4,917 | 11.93 | 4,122 | 2 | 79 | | |
| | | 11/01 | 4,584 | 11.93 | 3,999 | 2 | 76 | | |
| | | 12/01 | 3,786 | 11.93 | 2,876 | 2 | 61 | | |
| | | | | | 64,014 | | 53,570 | | |
| | | WARD LAKE ENER | BEAR LAKE 15 | 1/01 | 3,197 | 8.00 | 2,241 | 2 | 52 |
| 2/01 | 2,822 | | | 8.00 | 1,812 | 2 | 50 | | |
| 3/01 | 2,937 | | | 8.98 | 1,997 | 2 | 47 | | |
| 4/01 | 2,834 | | | 8.98 | 1,802 | 2 | 47 | | |
| 5/01 | 2,818 | | | 8.98 | 2,286 | 2 | 45 | | |
| 6/01 | 2,735 | | | 8.98 | 2,219 | 2 | 46 | | |
| 7/01 | 2,806 | | | 8.98 | 2,864 | 2 | 45 | | |
| 8/01 | 2,529 | | | 8.98 | 1,618 | 2 | 41 | | |
| 9/01 | 2,256 | | | 8.98 | 1,689 | 2 | 38 | | |
| 10/01 | 2,492 | | | 8.98 | 2,077 | 2 | 40 | | |
| 11/01 | 2,564 | | | 8.98 | 2,085 | 2 | 43 | | |
| 12/01 | 2,589 | | | 8.98 | 2,092 | 2 | 42 | | |
| | | | 32,579 | | 24,782 | | | | |
| WARD LAKE ENER | BEAR LAKE 2/11 | 1/01 | 12,238 | 11.24 | 13,424 | 5 | 79 | | |
| | | 2/01 | 11,206 | 11.24 | 12,403 | 5 | 80 | | |
| | | 3/01 | 12,465 | 11.93 | 15,330 | 5 | 80 | | |
| | | 4/01 | 11,593 | 11.93 | 13,418 | 5 | 77 | | |
| | | 5/01 | 12,097 | 11.93 | 12,806 | 5 | 78 | | |
| | | 6/01 | 10,708 | 11.93 | 12,803 | 5 | 71 | | |
| | | 7/01 | 10,998 | 11.93 | 12,276 | 5 | 71 | | |
| | | 8/01 | 10,497 | 11.93 | 10,561 | 5 | 68 | | |
| | | 9/01 | 10,247 | 11.93 | 10,876 | 5 | 68 | | |
| | | 10/01 | 11,227 | 11.93 | 10,410 | 5 | 72 | | |
| | | 11/01 | 10,282 | 11.93 | 10,074 | 5 | 69 | | |
| | | 12/01 | 11,034 | 11.93 | 10,352 | 5 | 71 | | |
| | | | 134,592 | | 144,733 | | | | |
| WARD LAKE ENER | BEAR LAKE 22/23 | 1/01 | 13,292 | | 5,183 | 4 | 107 | | |
| | | 2/01 | 12,007 | | 4,218 | 4 | 107 | | |
| | | 3/01 | 12,170 | 8.98 | 9,231 | 4 | 98 | | |
| | | 4/01 | 11,962 | 8.98 | 9,300 | 4 | 100 | | |
| | | 5/01 | 11,899 | 8.98 | 9,824 | 4 | 96 | | |
| | | 6/01 | 10,471 | 8.98 | 8,440 | 4 | 87 | | |
| | | 7/01 | 11,264 | 8.98 | 10,861 | 4 | 91 | | |
| | | 8/01 | 10,902 | 8.98 | 10,090 | 3 | 117 | | |
| | | 9/01 | 10,530 | 8.98 | 9,692 | 4 | 88 | | |
| | | 10/01 | 10,797 | 8.98 | 9,584 | 3 | 116 | | |
| | | 11/01 | 10,505 | 8.98 | 8,944 | 3 | 117 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE 22/23 | 12/01 | 10,799 | 8.98 | 9,022 | 3 | 116 |
| | | | 136,598 | | 104,389 | | |
| WARD LAKE ENER | BEAR LAKE 24 ANTRIM | 1/01 | 4,112 | | 1,481 | 5 | 27 |
| | | 2/01 | 3,937 | | 5,246 | 5 | 28 |
| | | 3/01 | 3,558 | 8.98 | 7,786 | 5 | 23 |
| | | 4/01 | 4,218 | 8.98 | 9,368 | 5 | 28 |
| | | 5/01 | 4,423 | 8.98 | 10,189 | 5 | 29 |
| | | 6/01 | 4,225 | 8.98 | 9,620 | 5 | 28 |
| | | 7/01 | 4,017 | 8.98 | 7,655 | 5 | 26 |
| | | 8/01 | 3,998 | 8.98 | 7,108 | 5 | 26 |
| | | 9/01 | 4,221 | 8.98 | 8,350 | 5 | 28 |
| | | 10/01 | 4,312 | 8.98 | 7,501 | 4 | 35 |
| | | 11/01 | 4,170 | 8.98 | 6,957 | 4 | 35 |
| | | 12/01 | 4,654 | 8.98 | 6,340 | 4 | 38 |
| | | | 49,845 | | 87,601 | | |
| WARD LAKE ENER | BEAR LAKE 27 | 1/01 | 5,120 | 8.23 | 5,662 | 3 | 55 |
| | | 2/01 | 4,704 | 8.23 | 5,696 | 3 | 56 |
| | | 3/01 | 5,029 | 8.98 | 6,055 | 3 | 54 |
| | | 4/01 | 5,490 | 8.98 | 6,237 | 3 | 61 |
| | | 5/01 | 5,529 | 8.98 | 5,753 | 3 | 59 |
| | | 6/01 | 5,376 | 8.98 | 5,854 | 3 | 60 |
| | | 7/01 | 5,405 | 8.98 | 6,449 | 3 | 58 |
| | | 8/01 | 5,360 | 8.98 | 6,120 | 3 | 58 |
| | | 9/01 | 5,561 | 8.98 | 5,742 | 3 | 62 |
| | | 10/01 | 5,507 | 8.98 | 5,579 | 3 | 59 |
| | | 11/01 | 5,460 | 8.98 | 5,782 | 3 | 61 |
| | | 12/01 | 5,445 | 8.98 | 5,343 | 3 | 59 |
| | | | 63,986 | | 70,272 | | |
| WARD LAKE ENER | BEAR LAKE 3 | 1/01 | 4,951 | 11.28 | 2,743 | 2 | 80 |
| | | 2/01 | 4,652 | 11.28 | 2,715 | 2 | 83 |
| | | 3/01 | 4,385 | 11.93 | 4,455 | 2 | 71 |
| | | 4/01 | 4,315 | 11.93 | 5,294 | 2 | 72 |
| | | 5/01 | 4,669 | 11.93 | 4,495 | 2 | 75 |
| | | 6/01 | 4,135 | 11.93 | 3,713 | 2 | 69 |
| | | 7/01 | 3,548 | 11.93 | 4,012 | 2 | 57 |
| | | 8/01 | 4,054 | 11.93 | 4,246 | 2 | 65 |
| | | 9/01 | 4,666 | 11.93 | 3,657 | 2 | 78 |
| | | 10/01 | 4,778 | 11.93 | 2,962 | 2 | 77 |
| | | 11/01 | 4,927 | 11.93 | 4,281 | 2 | 82 |
| | | 12/01 | 5,282 | 11.93 | 4,145 | 2 | 85 |
| | | | 54,362 | | 46,718 | | |
| WARD LAKE ENER | BRILEY 26 | 1/01 | 83,713 | 11.80 | 4,660 | 16 | 169 |
| | | 2/01 | 73,476 | 11.80 | 4,671 | 16 | 164 |
| | | 3/01 | 78,097 | 20.85 | 2,711 | 16 | 157 |
| | | 4/01 | 78,806 | 20.85 | 5,883 | 16 | 164 |
| | | 5/01 | 85,700 | 20.85 | 7,052 | 16 | 173 |
| | | 6/01 | 81,240 | 20.85 | 6,925 | 16 | 169 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | BRILEY 26 | 7/01 | 80,568 | 20.85 | 6,897 | 16 | 162 |
| | | 8/01 | 82,609 | 20.85 | 6,690 | 16 | 167 |
| | | 9/01 | 78,326 | 20.85 | 6,845 | 16 | 163 |
| | | 10/01 | 79,032 | 20.85 | 6,440 | 16 | 159 |
| | | 11/01 | 75,702 | 20.85 | 6,265 | 16 | 158 |
| | | 12/01 | 74,997 | 20.85 | 6,109 | 16 | 151 |
| | | | | | 952,266 | | 71,148 |
| WARD LAKE ENER | BRILEY 8 | 1/01 | 76,103 | 4.00 | 37,160 | 25 | 98 |
| | | 2/01 | 67,218 | 4.00 | 31,870 | 25 | 96 |
| | | 3/01 | 74,639 | 4.82 | 37,287 | 25 | 96 |
| | | 4/01 | 67,951 | 4.82 | 26,153 | 25 | 91 |
| | | 5/01 | 69,681 | 4.82 | 30,212 | 25 | 90 |
| | | 6/01 | 66,377 | 4.82 | 34,348 | 25 | 89 |
| | | 7/01 | 68,902 | 4.82 | 33,760 | 25 | 89 |
| | | 8/01 | 65,581 | 4.82 | 33,447 | 25 | 85 |
| | | 9/01 | 62,854 | 4.82 | 32,877 | 25 | 84 |
| | | 10/01 | 66,398 | 4.82 | 34,856 | 25 | 86 |
| | | 11/01 | 61,828 | 4.82 | 32,722 | 25 | 82 |
| | | 12/01 | 63,207 | 4.82 | 32,030 | 25 | 82 |
| | | | 810,739 | | 396,722 | | |
| WARD LAKE ENER | CANADA CREEK RANCH | 1/01 | 21,450 | 2.96 | 28,716 | 8 | 86 |
| | | 2/01 | 20,490 | 2.96 | 38,250 | 8 | 91 |
| | | 3/01 | 31,346 | 2.95 | 40,774 | 8 | 126 |
| | | 4/01 | 31,525 | 2.95 | 34,801 | 8 | 131 |
| | | 5/01 | 30,823 | 2.95 | 41,695 | 8 | 124 |
| | | 6/01 | 39,698 | 2.95 | 68,980 | 8 | 165 |
| | | 7/01 | 47,407 | 2.95 | 60,581 | 8 | 191 |
| | | 8/01 | 49,557 | 2.95 | 52,431 | 13 | 123 |
| | | 9/01 | 52,020 | 2.95 | 47,740 | 20 | 87 |
| | | 10/01 | 56,178 | 2.95 | 45,966 | 26 | 70 |
| | | 11/01 | 54,372 | 2.95 | 49,246 | 26 | 70 |
| | | 12/01 | 54,623 | 2.95 | 39,066 | 26 | 68 |
| | | | 489,489 | | 548,246 | | |
| WARD LAKE ENER | CHARLTON 11 | 1/01 | 19,162 | 20.00 | 480 | 17 | 36 |
| | | 2/01 | 17,548 | 20.00 | 404 | 17 | 37 |
| | | 3/01 | 18,919 | 21.15 | 448 | 17 | 36 |
| | | 4/01 | 18,031 | 21.15 | 379 | 17 | 35 |
| | | 5/01 | 18,941 | 21.15 | 451 | 17 | 36 |
| | | 6/01 | 18,967 | 21.15 | 1,134 | 17 | 37 |
| | | 7/01 | 17,540 | 21.15 | 589 | 17 | 33 |
| | | 8/01 | 17,309 | 21.15 | 559 | 17 | 33 |
| | | 9/01 | 15,879 | 21.15 | 1,744 | 17 | 31 |
| | | 10/01 | 17,875 | 21.15 | 1,336 | 17 | 34 |
| | | 11/01 | 15,998 | 21.15 | 840 | 17 | 31 |
| | | 12/01 | 17,785 | 21.15 | 1,230 | 17 | 34 |
| | | | 213,954 | | 9,594 | | |
| WARD LAKE ENER | CHARLTON 12 | 1/01 | 21,003 | 24.00 | 1,367 | 18 | 38 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|--------------|-----------------|-------------|---------------|----------------|---------------|--------------------------|---|-----|
| WARD LAKE ENER | CHARLTON 12 | 2/01 | 16,261 | 24.00 | 1,082 | 18 | 32 | | |
| | | 3/01 | 18,599 | 21.15 | 1,143 | 18 | 33 | | |
| | | 4/01 | 17,065 | 21.15 | 1,045 | 18 | 32 | | |
| | | 5/01 | 17,575 | 21.15 | 972 | 18 | 31 | | |
| | | 6/01 | 15,961 | 21.15 | 1,008 | 18 | 30 | | |
| | | 7/01 | 17,808 | 21.15 | 372 | 18 | 32 | | |
| | | 8/01 | 17,500 | 21.15 | 524 | 18 | 31 | | |
| | | 9/01 | 16,281 | 21.15 | 2,506 | 18 | 30 | | |
| | | 10/01 | 16,795 | 21.15 | 1,794 | 18 | 30 | | |
| | | 11/01 | 12,664 | 21.15 | 2,361 | 18 | 23 | | |
| | | 12/01 | 15,084 | 21.15 | 2,135 | 18 | 27 | | |
| | | | | | 202,596 | | 16,309 | | |
| | | WARD LAKE ENER | CHARLTON 15 | 1/01 | 4,184 | 8.00 | 163 | 1 | 135 |
| 2/01 | 3,835 | | | 8.00 | 134 | 1 | 137 | | |
| 3/01 | 3,879 | | | 18.83 | 152 | 1 | 125 | | |
| 4/01 | 4,070 | | | 18.83 | 98 | 1 | 136 | | |
| 5/01 | 8,108 | | | 18.83 | 138 | 1 | 262 | | |
| 6/01 | 6,196 | | | 18.83 | 98 | 1 | 207 | | |
| 7/01 | 8,462 | | | 18.83 | 191 | 1 | 273 | | |
| 8/01 | 4,517 | | | 18.83 | 139 | 1 | 146 | | |
| 9/01 | 3,959 | | | 18.83 | 80 | 1 | 132 | | |
| 10/01 | 3,483 | | | 18.83 | 71 | 1 | 112 | | |
| 11/01 | 3,634 | | | 18.83 | 55 | 1 | 121 | | |
| 12/01 | 4,026 | | | 18.83 | 54 | 1 | 130 | | |
| | | | | 58,353 | | 1,373 | | | |
| WARD LAKE ENER | CHARLTON 19 | 1/01 | 24,647 | 9.60 | 3,032 | 21 | 38 | | |
| | | 2/01 | 23,436 | 9.60 | 4,158 | 21 | 40 | | |
| | | 3/01 | 25,294 | 10.01 | 3,497 | 21 | 39 | | |
| | | 4/01 | 23,460 | 10.01 | 3,135 | 21 | 37 | | |
| | | 5/01 | 25,142 | 10.01 | 3,826 | 21 | 39 | | |
| | | 6/01 | 23,927 | 10.01 | 3,251 | 21 | 38 | | |
| | | 7/01 | 23,823 | 10.01 | 2,811 | 21 | 37 | | |
| | | 8/01 | 23,623 | 10.01 | 2,545 | 21 | 36 | | |
| | | 9/01 | 22,544 | 10.01 | 2,684 | 21 | 36 | | |
| | | 10/01 | 22,695 | 10.01 | 2,497 | 21 | 35 | | |
| | | 11/01 | 21,556 | 10.01 | 2,516 | 21 | 34 | | |
| | | 12/01 | 21,751 | 10.01 | 2,078 | 21 | 33 | | |
| | | | | | 281,898 | | 36,030 | | |
| WARD LAKE ENER | CHARLTON 2 | 1/01 | 21,865 | 20.00 | 1,726 | 20 | 35 | | |
| | | 2/01 | 19,174 | 20.00 | 1,300 | 20 | 34 | | |
| | | 3/01 | 20,901 | 21.15 | 1,496 | 20 | 34 | | |
| | | 4/01 | 20,003 | 21.15 | 1,444 | 20 | 33 | | |
| | | 5/01 | 20,529 | 21.15 | 1,436 | 20 | 33 | | |
| | | 6/01 | 20,544 | 21.15 | 3,174 | 20 | 34 | | |
| | | 7/01 | 20,662 | 21.15 | 3,262 | 20 | 33 | | |
| | | 8/01 | 20,967 | 21.15 | 3,037 | 20 | 34 | | |
| | | 9/01 | 18,744 | 21.15 | 2,284 | 20 | 31 | | |
| | | 10/01 | 20,631 | 21.15 | 2,877 | 20 | 33 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 2 | 11/01 | 17,657 | 21.15 | 2,373 | 20 | 29 |
| | | 12/01 | 19,610 | 21.15 | 2,462 | 20 | 32 |
| | | | 241,287 | | 26,871 | | |
| WARD LAKE ENER | CHARLTON 21 | 1/01 | 17,624 | 17.00 | 5,507 | 21 | 27 |
| | | 2/01 | 16,046 | 17.00 | 5,782 | 21 | 27 |
| | | 3/01 | 18,206 | 19.41 | 6,446 | 21 | 28 |
| | | 4/01 | 16,776 | 19.41 | 6,405 | 21 | 27 |
| | | 5/01 | 17,463 | 19.41 | 6,316 | 21 | 27 |
| | | 6/01 | 16,906 | 19.41 | 7,097 | 21 | 27 |
| | | 7/01 | 15,359 | 19.41 | 3,064 | 21 | 24 |
| | | 8/01 | 16,711 | 19.41 | 4,907 | 21 | 26 |
| | | 9/01 | 16,371 | 19.41 | 5,742 | 21 | 26 |
| | | 10/01 | 17,071 | 19.41 | 9,022 | 21 | 26 |
| | | 11/01 | 14,602 | 19.41 | 10,178 | 21 | 23 |
| | | 12/01 | 16,956 | 19.41 | 10,983 | 21 | 26 |
| | | | 200,091 | | 81,449 | | |
| WARD LAKE ENER | CHARLTON 22 (NORTH) | 1/01 | 26,150 | 5.63 | 7,588 | 18 | 47 |
| | | 2/01 | 22,713 | 5.63 | 6,481 | 18 | 45 |
| | | 3/01 | 23,662 | 6.73 | 7,275 | 18 | 42 |
| | | 4/01 | 22,434 | 6.73 | 7,266 | 18 | 42 |
| | | 5/01 | 23,943 | 6.73 | 7,791 | 18 | 43 |
| | | 6/01 | 22,002 | 6.73 | 7,160 | 18 | 41 |
| | | 7/01 | 23,605 | 6.73 | 6,960 | 18 | 42 |
| | | 8/01 | 23,243 | 6.73 | 6,720 | 18 | 42 |
| | | 9/01 | 23,108 | 6.73 | 8,069 | 18 | 43 |
| | | 10/01 | 23,979 | 6.73 | 8,324 | 18 | 43 |
| | | 11/01 | 23,858 | 6.73 | 9,088 | 18 | 44 |
| | | 12/01 | 24,038 | 6.73 | 5,263 | 18 | 43 |
| | | | 282,735 | | 87,985 | | |
| WARD LAKE ENER | CHARLTON 29 (SOUTH) | 1/01 | 993 | 0.00 | 0 | 6 | 5 |
| | | 2/01 | 793 | 0.00 | 0 | 6 | 5 |
| | | 3/01 | 958 | 19.64 | 0 | 6 | 5 |
| | | 4/01 | 1,268 | 19.64 | 0 | 6 | 7 |
| | | 5/01 | 1,314 | 19.64 | 0 | 6 | 7 |
| | | 6/01 | 1,447 | 19.64 | 0 | 6 | 8 |
| | | 7/01 | 1,402 | 19.64 | 0 | 6 | 8 |
| | | 8/01 | 1,241 | 19.64 | 0 | 6 | 7 |
| | | 9/01 | 1,227 | 19.64 | 15 | 6 | 7 |
| | | 10/01 | 1,332 | 19.64 | 0 | 6 | 7 |
| | | 11/01 | 1,178 | 19.64 | 0 | 6 | 7 |
| | | 12/01 | 968 | 19.64 | 0 | 6 | 5 |
| | | | 14,121 | | 15 | | |
| WARD LAKE ENER | CHARLTON 30 | 1/01 | 3,622 | 14.00 | 407 | 10 | 12 |
| | | 2/01 | 3,583 | 14.00 | 355 | 10 | 13 |
| | | 3/01 | 3,835 | 19.64 | 524 | 10 | 12 |
| | | 4/01 | 3,023 | 19.64 | 358 | 10 | 10 |
| | | 5/01 | 3,379 | 19.64 | 482 | 10 | 11 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 30 | 6/01 | 3,634 | 19.64 | 436 | 10 | 12 |
| | | 7/01 | 3,500 | 19.64 | 391 | 10 | 11 |
| | | 8/01 | 3,300 | 19.64 | 601 | 10 | 11 |
| | | 9/01 | 3,221 | 19.64 | 486 | 10 | 11 |
| | | 10/01 | 3,439 | 19.64 | 3,386 | 10 | 11 |
| | | 11/01 | 3,290 | 19.64 | 8,092 | 10 | 11 |
| | | 12/01 | 4,203 | 19.64 | 9,976 | 10 | 14 |
| | | | | | 42,029 | | 25,494 |
| WARD LAKE ENER | CHARLTON 31 | 1/01 | 9,502 | 22.00 | 295 | 14 | 22 |
| | | 2/01 | 8,042 | 22.00 | 281 | 14 | 21 |
| | | 3/01 | 8,932 | 19.64 | 314 | 14 | 21 |
| | | 4/01 | 8,188 | 19.64 | 318 | 14 | 19 |
| | | 5/01 | 7,544 | 19.64 | 5,672 | 14 | 17 |
| | | 6/01 | 7,770 | 19.64 | 7,996 | 14 | 19 |
| | | 7/01 | 7,289 | 19.64 | 6,217 | 14 | 17 |
| | | 8/01 | 9,172 | 19.64 | 5,222 | 14 | 21 |
| | | 9/01 | 9,434 | 19.64 | 6,151 | 14 | 22 |
| | | 10/01 | 9,353 | 19.64 | 8,522 | 14 | 22 |
| | | 11/01 | 9,451 | 19.64 | 9,562 | 14 | 23 |
| | | 12/01 | 9,632 | 19.64 | 7,102 | 14 | 22 |
| | | | 104,309 | | 57,652 | | |
| WARD LAKE ENER | CHARLTON 32B | 1/01 | 1,817 | 21.00 | 94 | 2 | 29 |
| | | 2/01 | 1,942 | 21.00 | 78 | 2 | 35 |
| | | 3/01 | 2,269 | 19.64 | 95 | 2 | 37 |
| | | 4/01 | 2,421 | 19.64 | 86 | 2 | 40 |
| | | 5/01 | 2,370 | 19.64 | 97 | 2 | 38 |
| | | 6/01 | 2,821 | 19.64 | 138 | 2 | 47 |
| | | 7/01 | 1,535 | 19.64 | 695 | 2 | 25 |
| | | 8/01 | 1,232 | 19.64 | 569 | 2 | 20 |
| | | 9/01 | 2,101 | 19.64 | 601 | 2 | 35 |
| | | 10/01 | 2,120 | 19.64 | 572 | 2 | 34 |
| | | 11/01 | 2,216 | 19.64 | 515 | 2 | 37 |
| | | 12/01 | 2,283 | 19.64 | 514 | 2 | 37 |
| | | | 25,127 | | 4,054 | | |
| WARD LAKE ENER | CHARLTON 34 | 1/01 | 7,375 | 27.00 | 1 | 6 | 40 |
| | | 2/01 | 6,576 | 27.00 | 0 | 6 | 39 |
| | | 3/01 | 7,359 | 20.49 | 0 | 6 | 40 |
| | | 4/01 | 6,933 | 20.49 | 0 | 6 | 39 |
| | | 5/01 | 7,121 | 20.49 | 0 | 6 | 38 |
| | | 6/01 | 6,367 | 20.49 | 0 | 6 | 35 |
| | | 7/01 | 6,328 | 20.49 | 2 | 6 | 34 |
| | | 8/01 | 3,415 | 20.49 | 2,124 | 6 | 18 |
| | | 9/01 | 3,107 | 20.49 | 2,274 | 6 | 17 |
| | | 10/01 | 3,499 | 20.49 | 1,972 | 6 | 19 |
| | | 11/01 | 3,711 | 20.49 | 1,608 | 6 | 21 |
| | | 12/01 | 5,833 | 20.49 | 1,488 | 6 | 31 |
| | | | 67,624 | | 9,469 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 35 | 1/01 | 30,610 | 19.00 | 2,090 | 12 | 82 |
| | | 2/01 | 26,886 | 19.00 | 1,870 | 12 | 80 |
| | | 3/01 | 30,098 | 20.49 | 1,781 | 12 | 81 |
| | | 4/01 | 27,908 | 20.49 | 1,637 | 12 | 78 |
| | | 5/01 | 29,423 | 20.49 | 1,708 | 12 | 79 |
| | | 6/01 | 28,019 | 20.49 | 1,610 | 12 | 78 |
| | | 7/01 | 28,817 | 20.49 | 4,347 | 12 | 77 |
| | | 8/01 | 25,587 | 20.49 | 4,073 | 12 | 69 |
| | | 9/01 | 29,516 | 20.49 | 7,321 | 12 | 82 |
| | | 10/01 | 30,766 | 20.49 | 6,936 | 12 | 83 |
| | | 11/01 | 25,869 | 20.49 | 7,145 | 12 | 72 |
| | | 12/01 | 28,900 | 20.49 | 7,510 | 12 | 78 |
| | | | | | 342,399 | | 48,028 |
| WARD LAKE ENER | CHARLTON 4 (SOUTH) | 1/01 | 17,629 | 27.53 | 264 | 13 | 44 |
| | | 2/01 | 15,343 | 27.53 | 236 | 13 | 42 |
| | | 3/01 | 17,934 | 19.64 | 255 | 13 | 44 |
| | | 4/01 | 17,216 | 19.64 | 137 | 13 | 44 |
| | | 5/01 | 18,755 | 19.64 | 72 | 13 | 47 |
| | | 6/01 | 18,301 | 19.64 | 302 | 13 | 47 |
| | | 7/01 | 17,278 | 19.64 | 3,020 | 13 | 43 |
| | | 8/01 | 17,091 | 19.64 | 2,703 | 13 | 42 |
| | | 9/01 | 15,707 | 19.64 | 3,149 | 13 | 40 |
| | | 10/01 | 17,327 | 19.64 | 4,528 | 13 | 43 |
| | | 11/01 | 16,117 | 19.64 | 3,341 | 13 | 41 |
| | | 12/01 | 15,947 | 19.64 | 3,099 | 13 | 40 |
| | | | | | 204,645 | | 21,106 |
| WARD LAKE ENER | CHARLTON 5 (SOUTH) | 1/01 | 17,034 | 26.00 | 4,190 | 12 | 46 |
| | | 2/01 | 16,180 | 26.00 | 3,540 | 12 | 48 |
| | | 3/01 | 18,264 | 19.64 | 3,199 | 12 | 49 |
| | | 4/01 | 17,770 | 19.64 | 2,850 | 12 | 49 |
| | | 5/01 | 16,205 | 19.64 | 3,987 | 12 | 44 |
| | | 6/01 | 20,883 | 19.64 | 10,274 | 12 | 58 |
| | | 7/01 | 19,315 | 19.64 | 11,463 | 12 | 52 |
| | | 8/01 | 18,946 | 19.64 | 16,531 | 12 | 51 |
| | | 9/01 | 18,605 | 19.64 | 15,217 | 12 | 52 |
| | | 10/01 | 19,825 | 19.64 | 16,763 | 12 | 53 |
| | | 11/01 | 20,054 | 19.64 | 16,271 | 12 | 56 |
| | | 12/01 | 19,695 | 19.64 | 14,390 | 12 | 53 |
| | | | | | 222,776 | | 118,675 |
| WARD LAKE ENER | CHARLTON 7 | 1/01 | 12,973 | 26.00 | 659 | 22 | 19 |
| | | 2/01 | 11,540 | 26.00 | 465 | 22 | 19 |
| | | 3/01 | 12,208 | 26.39 | 392 | 22 | 18 |
| | | 4/01 | 11,778 | 26.39 | 53 | 22 | 18 |
| | | 5/01 | 13,175 | 26.39 | 927 | 22 | 19 |
| | | 6/01 | 12,845 | 26.39 | 951 | 22 | 19 |
| | | 7/01 | 12,515 | 26.39 | 1,883 | 22 | 18 |
| | | 8/01 | 12,567 | 26.39 | 1,390 | 22 | 18 |
| | | 9/01 | 12,690 | 26.39 | 531 | 22 | 19 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 7 | 10/01 | 12,550 | 26.39 | 1,558 | 22 | 18 |
| | | 11/01 | 11,990 | 26.39 | 1,315 | 22 | 18 |
| | | 12/01 | 12,423 | 26.39 | 608 | 22 | 18 |
| | | | 149,254 | | 10,732 | | |
| WARD LAKE ENER | CHARLTON 9 | 1/01 | 7,640 | 19.80 | 291 | 8 | 31 |
| | | 2/01 | 6,522 | 19.80 | 397 | 8 | 29 |
| | | 3/01 | 6,362 | 18.83 | 2,946 | 8 | 26 |
| | | 4/01 | 7,396 | 18.83 | 5,486 | 8 | 31 |
| | | 5/01 | 6,198 | 18.83 | 4,540 | 8 | 25 |
| | | 6/01 | 6,515 | 18.83 | 3,785 | 8 | 27 |
| | | 7/01 | 7,034 | 18.83 | 4,336 | 8 | 28 |
| | | 8/01 | 7,596 | 18.83 | 4,468 | 8 | 31 |
| | | 9/01 | 6,659 | 18.83 | 3,491 | 8 | 28 |
| | | 10/01 | 6,477 | 18.83 | 4,066 | 8 | 26 |
| | | 11/01 | 6,563 | 18.83 | 5,938 | 8 | 27 |
| | | 12/01 | 8,770 | 18.83 | 6,025 | 8 | 35 |
| | 83,732 | | 45,769 | | | | |
| WARD LAKE ENER | CHESTER 10 | 1/01 | 9,178 | 23.26 | 715 | 8 | 37 |
| | | 2/01 | 8,042 | 23.26 | 660 | 8 | 36 |
| | | 3/01 | 8,778 | 23.54 | 705 | 8 | 35 |
| | | 4/01 | 8,590 | 23.54 | 639 | 8 | 36 |
| | | 5/01 | 9,461 | 23.54 | 709 | 8 | 38 |
| | | 6/01 | 8,831 | 23.54 | 644 | 8 | 37 |
| | | 7/01 | 8,771 | 23.54 | 651 | 8 | 35 |
| | | 8/01 | 8,583 | 23.54 | 566 | 8 | 35 |
| | | 9/01 | 7,986 | 23.54 | 76 | 8 | 33 |
| | | 10/01 | 8,174 | 23.54 | 79 | 8 | 33 |
| | | 11/01 | 7,744 | 23.54 | 182 | 8 | 32 |
| | | 12/01 | 7,461 | 23.54 | 74 | 8 | 30 |
| | 101,599 | | 5,700 | | | | |
| WARD LAKE ENER | CHESTER 18 | 1/01 | 46,584 | 20.00 | 6,771 | 52 | 29 |
| | | 2/01 | 41,646 | 20.00 | 7,244 | 52 | 29 |
| | | 3/01 | 44,981 | 20.85 | 7,955 | 52 | 28 |
| | | 4/01 | 40,761 | 20.85 | 7,541 | 52 | 26 |
| | | 5/01 | 42,950 | 20.85 | 16,330 | 52 | 27 |
| | | 6/01 | 42,509 | 20.85 | 12,409 | 52 | 27 |
| | | 7/01 | 43,458 | 20.85 | 11,239 | 52 | 27 |
| | | 8/01 | 41,983 | 20.85 | 11,172 | 52 | 26 |
| | | 9/01 | 43,814 | 20.85 | 13,757 | 52 | 28 |
| | | 10/01 | 43,253 | 20.85 | 12,943 | 52 | 27 |
| | | 11/01 | 45,041 | 20.85 | 13,667 | 52 | 29 |
| | | 12/01 | 46,052 | 20.85 | 12,565 | 52 | 29 |
| | 523,032 | | 133,593 | | | | |
| WARD LAKE ENER | CHESTER 22 | 1/01 | 30,827 | 18.19 | 2,397 | 24 | 41 |
| | | 2/01 | 27,978 | 18.19 | 2,683 | 24 | 42 |
| | | 3/01 | 31,421 | 19.64 | 3,207 | 24 | 42 |
| | | 4/01 | 29,623 | 19.64 | 4,556 | 24 | 41 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | CHESTER 22 | 5/01 | 32,161 | 19.64 | 2,698 | 24 | 43 |
| | | 6/01 | 29,253 | 19.64 | 2,893 | 24 | 41 |
| | | 7/01 | 29,711 | 19.64 | 5,423 | 24 | 40 |
| | | 8/01 | 28,885 | 19.64 | 4,552 | 24 | 39 |
| | | 9/01 | 27,482 | 19.64 | 8,205 | 24 | 38 |
| | | 10/01 | 29,792 | 19.64 | 10,691 | 24 | 40 |
| | | 11/01 | 28,841 | 19.64 | 12,163 | 24 | 40 |
| | | 12/01 | 28,986 | 19.64 | 7,370 | 24 | 39 |
| | | | | | 354,960 | | 66,838 |
| WARD LAKE ENER | CHESTER 23 | 1/01 | 26,867 | 14.90 | 1,704 | 25 | 35 |
| | | 2/01 | 24,165 | 14.90 | 1,491 | 25 | 35 |
| | | 3/01 | 25,488 | 19.64 | 1,628 | 25 | 33 |
| | | 4/01 | 23,524 | 19.64 | 1,346 | 25 | 31 |
| | | 5/01 | 24,810 | 19.64 | 1,253 | 25 | 32 |
| | | 6/01 | 22,890 | 19.64 | 1,266 | 25 | 31 |
| | | 7/01 | 24,181 | 19.64 | 1,483 | 25 | 31 |
| | | 8/01 | 23,425 | 19.64 | 2,557 | 25 | 30 |
| | | 9/01 | 22,086 | 19.64 | 5,225 | 25 | 29 |
| | | 10/01 | 23,944 | 19.64 | 5,480 | 25 | 31 |
| | | 11/01 | 23,525 | 19.64 | 5,407 | 25 | 31 |
| | | 12/01 | 23,050 | 19.64 | 5,556 | 25 | 30 |
| | | | 287,955 | | 34,396 | | |
| WARD LAKE ENER | CHESTER 27 | 1/01 | 9,759 | 23.30 | 232 | 5 | 63 |
| | | 2/01 | 8,381 | 23.30 | 198 | 5 | 60 |
| | | 3/01 | 9,031 | 19.64 | 192 | 5 | 58 |
| | | 4/01 | 7,790 | 19.64 | 162 | 5 | 52 |
| | | 5/01 | 8,429 | 19.64 | 187 | 5 | 54 |
| | | 6/01 | 7,612 | 19.64 | 195 | 5 | 51 |
| | | 7/01 | 7,249 | 19.64 | 218 | 5 | 47 |
| | | 8/01 | 4,807 | 19.64 | 1,104 | 5 | 31 |
| | | 9/01 | 5,763 | 19.64 | 923 | 5 | 38 |
| | | 10/01 | 5,772 | 19.64 | 790 | 5 | 37 |
| | | 11/01 | 6,021 | 19.64 | 681 | 5 | 40 |
| | | 12/01 | 6,118 | 19.64 | 611 | 5 | 39 |
| | | | 86,732 | | 5,493 | | |
| WARD LAKE ENER | COE C4-34 | 6/01 | 825 | | 3,152 | 1 | 28 |
| | | 7/01 | 2,283 | | 5,221 | 1 | 74 |
| | | 8/01 | 2,237 | | 4,133 | 1 | 72 |
| | | 9/01 | 2,213 | | 3,503 | 1 | 74 |
| | | 10/01 | 2,304 | | 3,440 | 1 | 74 |
| | | 11/01 | 2,308 | | 3,883 | 1 | 77 |
| | | 12/01 | 2,334 | | 3,313 | 1 | 75 |
| | | | 14,504 | | 26,645 | | |
| WARD LAKE ENER | DEAN | 1/01 | 18,139 | 11.28 | 13,085 | 6 | 98 |
| | | 2/01 | 17,675 | 11.28 | 10,008 | 6 | 105 |
| | | 3/01 | 19,777 | 11.93 | 10,868 | 6 | 106 |
| | | 4/01 | 18,849 | 11.93 | 10,579 | 6 | 105 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|--------------------|-----------------|-----------|---------------|----------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | DEAN | 5/01 | 19,212 | 11.93 | 10,072 | 6 | 103 | | |
| | | 6/01 | 18,700 | 11.93 | 9,934 | 6 | 104 | | |
| | | 7/01 | 19,598 | 11.93 | 9,786 | 6 | 105 | | |
| | | 8/01 | 19,545 | 11.93 | 8,715 | 6 | 105 | | |
| | | 9/01 | 18,538 | 11.93 | 11,297 | 6 | 103 | | |
| | | 10/01 | 19,099 | 11.93 | 9,777 | 6 | 103 | | |
| | | 11/01 | 18,442 | 11.93 | 8,226 | 6 | 102 | | |
| | | 12/01 | 17,681 | 11.93 | 9,388 | 6 | 95 | | |
| | | | | | 225,255 | | 121,735 | | |
| | | WARD LAKE ENER | DOVER 24 | 1/01 | 7,010 | 10.82 | 2,474 | 3 | 75 |
| | | | | 2/01 | 5,898 | 10.82 | 876 | 3 | 70 |
| | | | | 3/01 | 6,307 | 10.01 | 1,353 | 3 | 68 |
| | | | | 4/01 | 6,022 | 10.01 | 1,169 | 3 | 67 |
| 5/01 | 6,259 | | | 10.01 | 879 | 3 | 67 | | |
| 6/01 | 5,945 | | | 10.01 | 820 | 3 | 66 | | |
| 7/01 | 6,095 | | | 10.01 | 751 | 3 | 66 | | |
| 8/01 | 5,840 | | | 10.01 | 583 | 3 | 63 | | |
| 9/01 | 5,534 | | | 10.01 | 243 | 3 | 61 | | |
| 10/01 | 5,624 | | | 10.01 | 271 | 3 | 60 | | |
| 11/01 | 5,430 | | | 10.01 | 143 | 3 | 60 | | |
| 12/01 | 5,429 | | | 10.01 | 157 | 3 | 58 | | |
| | | | | 71,393 | | 9,719 | | | |
| WARD LAKE ENER | EDGEWOOD CLUB EAST | 1/01 | 29,588 | 11.38 | 1,440 | 10 | 95 | | |
| | | 2/01 | 26,340 | 11.38 | 1,253 | 10 | 94 | | |
| | | 3/01 | 28,570 | 11.72 | 1,290 | 10 | 92 | | |
| | | 4/01 | 28,156 | 11.72 | 1,161 | 10 | 94 | | |
| | | 5/01 | 28,478 | 11.72 | 1,184 | 10 | 92 | | |
| | | 6/01 | 27,023 | 11.72 | 1,167 | 10 | 90 | | |
| | | 7/01 | 28,085 | 11.72 | 1,158 | 10 | 91 | | |
| | | 8/01 | 28,038 | 11.72 | 1,239 | 10 | 90 | | |
| | | 9/01 | 25,467 | 11.72 | 1,114 | 10 | 85 | | |
| | | 10/01 | 26,841 | 11.72 | 1,096 | 10 | 87 | | |
| | | 11/01 | 25,588 | 11.72 | 1,009 | 10 | 85 | | |
| | | 12/01 | 26,585 | 11.72 | 1,039 | 10 | 86 | | |
| | | | | | 328,759 | | 14,150 | | |
| WARD LAKE ENER | EDGEWOOD CLUB WEST | 1/01 | 43,797 | 8.57 | 10,065 | 13 | 109 | | |
| | | 2/01 | 38,778 | 8.57 | 8,739 | 13 | 107 | | |
| | | 3/01 | 42,793 | 8.85 | 8,317 | 13 | 106 | | |
| | | 4/01 | 41,745 | 8.85 | 6,601 | 13 | 107 | | |
| | | 5/01 | 42,527 | 8.85 | 6,099 | 13 | 106 | | |
| | | 6/01 | 40,939 | 8.85 | 7,506 | 13 | 105 | | |
| | | 7/01 | 43,357 | 8.85 | 6,322 | 13 | 108 | | |
| | | 8/01 | 42,227 | 8.85 | 5,937 | 13 | 105 | | |
| | | 9/01 | 41,027 | 8.85 | 5,499 | 13 | 105 | | |
| | | 10/01 | 42,255 | 8.85 | 5,533 | 13 | 105 | | |
| | | 11/01 | 40,134 | 8.85 | 5,556 | 13 | 103 | | |
| | | 12/01 | 41,510 | 8.85 | 5,872 | 13 | 103 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 501,089 | | 82,046 | | |
| WARD LAKE ENER | ELEVEN/TWELVE | 1/01 | 5,459 | 11.28 | 12,010 | 3 | 59 |
| | | 2/01 | 4,787 | 11.28 | 12,015 | 3 | 57 |
| | | 3/01 | 5,729 | 11.93 | 14,411 | 3 | 62 |
| | | 4/01 | 5,736 | 11.93 | 14,428 | 3 | 64 |
| | | 5/01 | 5,990 | 11.93 | 17,619 | 3 | 64 |
| | | 6/01 | 5,049 | 11.93 | 18,001 | 3 | 56 |
| | | 7/01 | 5,780 | 11.93 | 17,684 | 3 | 62 |
| | | 8/01 | 6,011 | 11.93 | 19,619 | 3 | 65 |
| | | 9/01 | 5,520 | 11.93 | 16,044 | 3 | 61 |
| | | 10/01 | 5,949 | 11.93 | 14,699 | 3 | 64 |
| | | 11/01 | 5,525 | 11.93 | 13,346 | 3 | 61 |
| | | 12/01 | 6,029 | 11.93 | 16,357 | 3 | 65 |
| | | | 67,564 | | 186,233 | | |
| WARD LAKE ENER | ELMAC HILLS 7 | 1/01 | 13,600 | 8.00 | 2,545 | 1 | 439 |
| | | 2/01 | 12,232 | 8.00 | 2,229 | 1 | 437 |
| | | 3/01 | 14,084 | 5.83 | 1,604 | 1 | 454 |
| | | 4/01 | 13,979 | 5.83 | 3,304 | 1 | 466 |
| | | 5/01 | 15,648 | 5.83 | 3,485 | 1 | 505 |
| | | 6/01 | 21,592 | 5.83 | 4,350 | 1 | 720 |
| | | 7/01 | 21,098 | 5.83 | 3,574 | 1 | 681 |
| | | 8/01 | 22,441 | 5.83 | 4,192 | 1 | 724 |
| | | 9/01 | 22,310 | 5.83 | 3,951 | 1 | 744 |
| | | 10/01 | 22,310 | 5.83 | 4,234 | 1 | 720 |
| | | 11/01 | 20,838 | 5.83 | 3,961 | 1 | 695 |
| | | 12/01 | 20,782 | 5.83 | 3,850 | 1 | 670 |
| | | | 220,914 | | 41,279 | | |
| WARD LAKE ENER | GIRVEN | 1/01 | 4,247 | 11.28 | 808 | 2 | 68 |
| | | 2/01 | 3,709 | 11.28 | 494 | 2 | 66 |
| | | 3/01 | 4,016 | 11.93 | 510 | 2 | 65 |
| | | 4/01 | 3,236 | 11.93 | 331 | 2 | 54 |
| | | 5/01 | 3,135 | 11.93 | 415 | 2 | 51 |
| | | 6/01 | 3,031 | 11.93 | 485 | 2 | 51 |
| | | 7/01 | 3,576 | 11.93 | 772 | 2 | 58 |
| | | 8/01 | 3,548 | 11.93 | 621 | 2 | 57 |
| | | 9/01 | 3,316 | 11.93 | 546 | 2 | 55 |
| | | 10/01 | 3,525 | 11.93 | 703 | 2 | 57 |
| | | 11/01 | 3,503 | 11.93 | 690 | 2 | 58 |
| | | 12/01 | 3,689 | 11.93 | 605 | 2 | 59 |
| | | | 42,531 | | 6,980 | | |
| WARD LAKE ENER | GIRVEN 11-6 | 1/01 | 2,713 | 11.28 | 589 | 1 | 88 |
| | | 2/01 | 2,484 | 11.28 | 577 | 1 | 89 |
| | | 3/01 | 2,745 | 11.93 | 581 | 1 | 89 |
| | | 4/01 | 2,576 | 11.93 | 511 | 1 | 86 |
| | | 5/01 | 2,363 | 11.93 | 343 | 1 | 76 |
| | | 6/01 | 2,461 | 11.93 | 521 | 1 | 82 |
| | | 7/01 | 2,619 | 11.93 | 464 | 1 | 84 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | GIRVEN 11-6 | 8/01 | 2,753 | 11.93 | 505 | 1 | 89 |
| | | 9/01 | 2,513 | 11.93 | 445 | 1 | 84 |
| | | 10/01 | 2,640 | 11.93 | 509 | 1 | 85 |
| | | 11/01 | 2,184 | 11.93 | 418 | 1 | 73 |
| | | 12/01 | 2,588 | 11.93 | 585 | 1 | 83 |
| | | | | | 30,639 | | 6,048 |
| WARD LAKE ENER | GUSTAFSON | 1/01 | 10,850 | 8.00 | 9,694 | 6 | 58 |
| | | 2/01 | 10,092 | 8.00 | 8,341 | 6 | 60 |
| | | 3/01 | 10,655 | 8.98 | 8,706 | 6 | 57 |
| | | 4/01 | 10,793 | 8.98 | 8,346 | 6 | 60 |
| | | 5/01 | 10,580 | 8.98 | 7,033 | 6 | 57 |
| | | 6/01 | 10,248 | 8.98 | 6,936 | 6 | 57 |
| | | 7/01 | 10,558 | 8.98 | 7,246 | 6 | 57 |
| | | 8/01 | 10,850 | 8.98 | 7,006 | 6 | 58 |
| | | 9/01 | 11,042 | 8.98 | 6,791 | 6 | 61 |
| | | 10/01 | 11,217 | 8.98 | 6,571 | 6 | 60 |
| | | 11/01 | 10,814 | 8.98 | 5,941 | 6 | 60 |
| | | 12/01 | 11,007 | 8.98 | 6,204 | 6 | 59 |
| | | | 128,706 | | 88,815 | | |
| WARD LAKE ENER | HAYES 12 | 1/01 | 24,800 | 12.61 | 1,468 | 10 | 80 |
| | | 2/01 | 21,874 | 12.61 | 1,285 | 10 | 78 |
| | | 3/01 | 24,474 | 14.03 | 1,391 | 10 | 79 |
| | | 4/01 | 23,198 | 14.03 | 1,204 | 10 | 77 |
| | | 5/01 | 24,407 | 14.03 | 1,476 | 10 | 79 |
| | | 6/01 | 23,764 | 14.03 | 1,281 | 10 | 79 |
| | | 7/01 | 24,670 | 14.03 | 1,245 | 10 | 80 |
| | | 8/01 | 24,419 | 14.03 | 1,126 | 10 | 79 |
| | | 9/01 | 23,466 | 14.03 | 1,050 | 10 | 78 |
| | | 10/01 | 22,986 | 14.03 | 929 | 10 | 74 |
| | | 11/01 | 23,075 | 14.03 | 1,019 | 10 | 77 |
| | | 12/01 | 23,598 | 14.03 | 1,103 | 10 | 76 |
| | | | 284,731 | | 14,577 | | |
| WARD LAKE ENER | JOHNSON 35 | 2/01 | 457 | | 2,681 | 1 | 16 |
| | | 3/01 | 1,643 | | 4,050 | 1 | 53 |
| | | 4/01 | 1,684 | | 3,143 | 1 | 56 |
| | | 5/01 | 1,712 | | 2,921 | 1 | 55 |
| | | 6/01 | 1,651 | | 2,609 | 1 | 55 |
| | | 7/01 | 1,781 | | 2,507 | 1 | 57 |
| | | 8/01 | 1,621 | | 2,080 | 1 | 52 |
| | | 9/01 | 1,599 | | 2,057 | 1 | 53 |
| | | 10/01 | 1,693 | | 1,974 | 1 | 55 |
| | | 11/01 | 1,683 | | 1,729 | 1 | 56 |
| 12/01 | 1,721 | | 1,710 | 1 | 56 | | |
| | | | 17,245 | | 27,461 | | |
| WARD LAKE ENER | KITCHEN FARMS SOUTH | 1/01 | 5,293 | 13.00 | 3,239 | 8 | 21 |
| | | 2/01 | 4,951 | 13.00 | 3,009 | 8 | 22 |
| | | 3/01 | 6,705 | 13.22 | 5,099 | 8 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | KITCHEN FARMS SOUTH | 4/01 | 6,184 | 13.22 | 4,210 | 8 | 26 |
| | | 5/01 | 7,193 | 13.22 | 4,485 | 8 | 29 |
| | | 6/01 | 6,416 | 13.22 | 4,284 | 8 | 27 |
| | | 7/01 | 7,015 | 13.22 | 3,965 | 8 | 28 |
| | | 8/01 | 6,217 | 13.22 | 3,182 | 8 | 25 |
| | | 9/01 | 6,172 | 13.22 | 3,087 | 8 | 26 |
| | | 10/01 | 6,147 | 13.22 | 3,197 | 8 | 25 |
| | | 11/01 | 6,279 | 13.22 | 3,096 | 8 | 26 |
| | | 12/01 | 5,816 | 13.22 | 2,930 | 8 | 23 |
| | | | | | 74,388 | | 43,783 |
| WARD LAKE ENER | LIVINGSTON 34 | 1/01 | 58,952 | 10.50 | 9,155 | 11 | 173 |
| | | 2/01 | 52,124 | 10.50 | 7,715 | 11 | 169 |
| | | 3/01 | 57,147 | 11.05 | 8,507 | 11 | 168 |
| | | 4/01 | 53,245 | 11.05 | 7,807 | 11 | 161 |
| | | 5/01 | 57,987 | 11.05 | 8,885 | 11 | 170 |
| | | 6/01 | 54,665 | 11.05 | 7,863 | 11 | 166 |
| | | 7/01 | 54,758 | 11.05 | 7,009 | 11 | 161 |
| | | 8/01 | 52,381 | 11.05 | 7,063 | 11 | 154 |
| | | 9/01 | 48,186 | 11.05 | 6,599 | 11 | 146 |
| | | 10/01 | 48,239 | 11.05 | 7,302 | 11 | 141 |
| | | 11/01 | 48,316 | 11.05 | 6,781 | 11 | 146 |
| | | 12/01 | 48,775 | 11.05 | 6,534 | 11 | 143 |
| | | | 634,775 | | 91,220 | | |
| WARD LAKE ENER | LUM | 6/01 | 274 | | 1,431 | 1 | 9 |
| | | 7/01 | 1,789 | | 2,947 | 1 | 58 |
| | | 8/01 | 1,707 | | 329 | 1 | 55 |
| | | 9/01 | 1,675 | | 975 | 1 | 56 |
| | | 10/01 | 1,835 | | 2,186 | 1 | 59 |
| | | 11/01 | 1,596 | | 1,833 | 1 | 53 |
| | | 12/01 | 1,852 | | 2,161 | 1 | 60 |
| | | | 10,728 | | 11,862 | | |
| WARD LAKE ENER | MAPLE GROVE 6 | 1/01 | 4,760 | 11.24 | 1,740 | 1 | 154 |
| | | 2/01 | 4,303 | 11.24 | 1,746 | 1 | 154 |
| | | 3/01 | 4,687 | 11.93 | 1,819 | 1 | 151 |
| | | 4/01 | 4,641 | 11.93 | 1,958 | 1 | 155 |
| | | 5/01 | 5,074 | 11.93 | 2,168 | 1 | 164 |
| | | 6/01 | 4,654 | 11.93 | 1,957 | 1 | 155 |
| | | 7/01 | 4,822 | 11.93 | 1,969 | 1 | 156 |
| | | 8/01 | 4,798 | 11.93 | 2,110 | 1 | 155 |
| | | 9/01 | 4,306 | 11.93 | 2,173 | 1 | 144 |
| | | 10/01 | 4,303 | 11.93 | 2,098 | 1 | 139 |
| | | 11/01 | 4,093 | 11.93 | 2,133 | 1 | 136 |
| | | 12/01 | 4,273 | 11.93 | 2,326 | 1 | 138 |
| | | | 54,714 | | 24,197 | | |
| WARD LAKE ENER | MAPLE GROVE 7 | 1/01 | 7,301 | 10.06 | 1,997 | 5 | 47 |
| | | 2/01 | 7,501 | 10.06 | 1,913 | 5 | 54 |
| | | 3/01 | 7,972 | 10.06 | 2,054 | 5 | 51 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | MAPLE GROVE 7 | 4/01 | 8,137 | 10.06 | 3,518 | 5 | 54 | | |
| | | 5/01 | 8,295 | 10.06 | 0 | 5 | 54 | | |
| | | 6/01 | 7,755 | 10.06 | 0 | 5 | 52 | | |
| | | 7/01 | 8,207 | 10.06 | 2,394 | 5 | 53 | | |
| | | 8/01 | 8,413 | 10.06 | 2,545 | 5 | 54 | | |
| | | 9/01 | 8,431 | 10.06 | 1,623 | 5 | 56 | | |
| | | 10/01 | 8,146 | 10.06 | 1,662 | 5 | 53 | | |
| | | 11/01 | 7,922 | 10.06 | 2,114 | 5 | 53 | | |
| | | 12/01 | 8,294 | 10.06 | 1,944 | 5 | 53 | | |
| | | | | | 96,374 | | 21,764 | | |
| | | WARD LAKE ENER | MATTISON | 1/01 | 3,038 | 8.00 | 10,526 | 2 | 49 |
| | | | | 2/01 | 2,942 | 18.00 | 8,234 | 2 | 53 |
| 3/01 | 2,836 | | | 8.98 | 8,174 | 2 | 46 | | |
| 4/01 | 2,688 | | | 8.98 | 8,827 | 2 | 45 | | |
| 5/01 | 2,492 | | | 8.98 | 9,049 | 2 | 40 | | |
| 6/01 | 2,267 | | | 8.98 | 6,930 | 2 | 38 | | |
| 7/01 | 2,193 | | | 8.98 | 6,524 | 2 | 35 | | |
| 8/01 | 3,038 | | | 8.98 | 8,571 | 2 | 49 | | |
| 9/01 | 3,016 | | | 8.98 | 8,002 | 2 | 50 | | |
| 10/01 | 3,056 | | | 8.98 | 9,113 | 2 | 49 | | |
| 11/01 | 3,159 | | | 8.98 | 9,742 | 2 | 53 | | |
| 12/01 | 3,235 | | | 8.98 | 10,932 | 2 | 52 | | |
| | | | 33,960 | | 104,624 | | | | |
| WARD LAKE ENER | MUD LAKE 16/17 | 1/01 | 19,184 | 6.60 | 16,015 | 4 | 155 | | |
| | | 2/01 | 17,268 | 6.60 | 17,652 | 4 | 154 | | |
| | | 3/01 | 20,574 | 6.91 | 19,385 | 4 | 166 | | |
| | | 4/01 | 21,854 | 6.91 | 17,246 | 4 | 182 | | |
| | | 5/01 | 20,449 | 6.91 | 18,028 | 4 | 165 | | |
| | | 6/01 | 16,800 | 6.91 | 18,795 | 4 | 140 | | |
| | | 7/01 | 20,593 | 6.91 | 26,505 | 4 | 166 | | |
| | | 8/01 | 21,926 | 6.91 | 26,142 | 6 | 118 | | |
| | | 9/01 | 21,044 | 6.91 | 28,315 | 6 | 117 | | |
| | | 10/01 | 21,863 | 6.91 | 43,335 | 6 | 118 | | |
| | | 11/01 | 20,363 | 6.91 | 40,373 | 6 | 113 | | |
| | | 12/01 | 20,383 | 6.91 | 32,991 | 6 | 110 | | |
| | | | 242,301 | | 304,782 | | | | |
| WARD LAKE ENER | MUD LAKE 17/20 | 1/01 | 16,292 | 6.60 | 16,014 | 4 | 131 | | |
| | | 2/01 | 15,501 | 6.60 | 17,655 | 4 | 138 | | |
| | | 3/01 | 18,772 | 6.91 | 19,388 | 4 | 151 | | |
| | | 4/01 | 17,103 | 6.91 | 17,246 | 4 | 143 | | |
| | | 5/01 | 20,252 | 6.91 | 18,028 | 4 | 163 | | |
| | | 6/01 | 16,271 | 6.91 | 12,533 | 4 | 136 | | |
| | | 7/01 | 18,658 | 6.91 | 17,394 | 4 | 150 | | |
| | | 8/01 | 21,493 | 6.91 | 17,156 | 4 | 173 | | |
| | | 9/01 | 21,106 | 6.91 | 18,876 | 4 | 176 | | |
| | | 10/01 | 21,664 | 6.91 | 27,086 | 4 | 175 | | |
| | | 11/01 | 21,451 | 6.91 | 25,236 | 4 | 179 | | |
| | | 12/01 | 20,730 | 6.91 | 20,621 | 4 | 167 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 229,293 | | 227,233 | | |
| WARD LAKE ENER | MUD LAKE 8 | 1/01 | 10,913 | 6.60 | 20,382 | 4 | 88 |
| | | 2/01 | 10,814 | 6.60 | 22,467 | 4 | 97 |
| | | 3/01 | 11,649 | 6.91 | 24,672 | 4 | 94 |
| | | 4/01 | 11,809 | 6.91 | 21,949 | 4 | 98 |
| | | 5/01 | 11,770 | 6.91 | 22,944 | 4 | 95 |
| | | 6/01 | 11,156 | 6.91 | 15,663 | 4 | 93 |
| | | 7/01 | 12,889 | 6.91 | 21,535 | 4 | 104 |
| | | 8/01 | 12,988 | 6.91 | 21,240 | 4 | 105 |
| | | 9/01 | 12,588 | 6.91 | 24,539 | 4 | 105 |
| | | 10/01 | 13,215 | 6.91 | 35,210 | 4 | 107 |
| | | 11/01 | 12,420 | 6.91 | 32,803 | 4 | 104 |
| | | 12/01 | 12,526 | 6.91 | 26,805 | 4 | 101 |
| | | | 144,737 | | 290,209 | | |
| WARD LAKE ENER | MUD LAKE 9/10 | 1/01 | 7,625 | 6.60 | 12,375 | 3 | 82 |
| | | 2/01 | 6,684 | 6.60 | 13,641 | 3 | 80 |
| | | 3/01 | 7,350 | 6.91 | 14,980 | 3 | 79 |
| | | 4/01 | 7,581 | 6.91 | 13,326 | 3 | 84 |
| | | 5/01 | 7,592 | 6.91 | 13,932 | 3 | 82 |
| | | 6/01 | 5,911 | 6.91 | 9,397 | 3 | 66 |
| | | 7/01 | 6,814 | 6.91 | 8,283 | 3 | 73 |
| | | 8/01 | 6,767 | 6.91 | 8,169 | 3 | 73 |
| | | 9/01 | 6,329 | 6.91 | 8,494 | 3 | 70 |
| | | 10/01 | 6,195 | 6.91 | 14,896 | 3 | 67 |
| | | 11/01 | 5,687 | 6.91 | 13,878 | 3 | 63 |
| | | 12/01 | 4,951 | 6.91 | 11,340 | 3 | 53 |
| | | | 79,486 | | 142,711 | | |
| WARD LAKE ENER | MUD LAKE 9/16 | 1/01 | 1,432 | 6.60 | 8,007 | 2 | 23 |
| | | 2/01 | 1,537 | 6.60 | 8,827 | 2 | 27 |
| | | 3/01 | 1,622 | 6.91 | 9,693 | 2 | 26 |
| | | 4/01 | 1,672 | 6.91 | 8,623 | 2 | 28 |
| | | 5/01 | 1,711 | 6.91 | 9,014 | 2 | 28 |
| | | 6/01 | 1,627 | 6.91 | 6,265 | 2 | 27 |
| | | 7/01 | 1,837 | 6.91 | 8,281 | 2 | 30 |
| | | 8/01 | 1,859 | 6.91 | 8,170 | 2 | 30 |
| | | 9/01 | 1,834 | 6.91 | 9,438 | 2 | 31 |
| | | 10/01 | 1,957 | 6.91 | 14,896 | 2 | 32 |
| | | 11/01 | 1,939 | 6.91 | 13,878 | 2 | 32 |
| | | 12/01 | 1,872 | 6.91 | 11,341 | 2 | 30 |
| | | | 20,899 | | 116,433 | | |
| WARD LAKE ENER | NORTH CHARLTON 18 | 1/01 | 49,380 | 5.00 | 7,188 | 18 | 88 |
| | | 2/01 | 43,265 | 5.00 | 5,279 | 18 | 86 |
| | | 3/01 | 49,862 | 5.83 | 6,279 | 18 | 89 |
| | | 4/01 | 46,618 | 5.83 | 5,765 | 18 | 86 |
| | | 5/01 | 49,714 | 5.83 | 6,579 | 18 | 89 |
| | | 6/01 | 44,934 | 5.83 | 6,150 | 18 | 83 |
| | | 7/01 | 44,874 | 5.83 | 5,848 | 18 | 80 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | NORTH CHARLTON 18 | 8/01 | 43,138 | 5.83 | 5,639 | 18 | 77 |
| | | 9/01 | 40,673 | 5.83 | 5,407 | 18 | 75 |
| | | 10/01 | 42,040 | 5.83 | 4,778 | 18 | 75 |
| | | 11/01 | 40,874 | 5.83 | 4,698 | 18 | 76 |
| | | 12/01 | 40,692 | 5.83 | 4,426 | 18 | 73 |
| | | | | | 536,064 | | 68,036 |
| WARD LAKE ENER | NORTH CHARLTON 24 | 1/01 | 22,630 | 15.00 | 8,150 | 27 | 27 |
| | | 2/01 | 19,835 | 15.00 | 6,691 | 27 | 26 |
| | | 3/01 | 22,013 | 15.17 | 5,311 | 27 | 26 |
| | | 4/01 | 21,188 | 15.17 | 8,355 | 27 | 26 |
| | | 5/01 | 23,404 | 15.17 | 7,812 | 27 | 28 |
| | | 6/01 | 22,079 | 15.17 | 7,261 | 27 | 27 |
| | | 7/01 | 22,673 | 15.17 | 7,535 | 27 | 27 |
| | | 8/01 | 22,788 | 15.17 | 9,735 | 27 | 27 |
| | | 9/01 | 21,817 | 15.17 | 7,981 | 27 | 27 |
| | | 10/01 | 21,942 | 15.17 | 7,379 | 27 | 26 |
| | | 11/01 | 21,227 | 15.17 | 7,576 | 27 | 26 |
| | | 12/01 | 20,328 | 15.17 | 7,313 | 27 | 24 |
| | | | 261,924 | | 91,099 | | |
| WARD LAKE ENER | NORTH CHARLTON 31 | 1/01 | 28,714 | 14.40 | 9,899 | 15 | 62 |
| | | 2/01 | 27,088 | 14.40 | 7,928 | 15 | 64 |
| | | 3/01 | 29,876 | 21.59 | 9,769 | 15 | 64 |
| | | 4/01 | 27,873 | 21.59 | 8,869 | 15 | 62 |
| | | 5/01 | 28,847 | 21.59 | 8,722 | 15 | 62 |
| | | 6/01 | 28,361 | 21.59 | 8,860 | 15 | 63 |
| | | 7/01 | 29,109 | 19.64 | 8,753 | 15 | 63 |
| | | 8/01 | 28,202 | 21.59 | 8,462 | 15 | 61 |
| | | 9/01 | 26,416 | 21.59 | 6,471 | 15 | 59 |
| | | 10/01 | 28,402 | 21.59 | 9,300 | 15 | 61 |
| | | 11/01 | 27,449 | 21.59 | 9,207 | 15 | 61 |
| | | 12/01 | 27,856 | 21.59 | 9,269 | 15 | 60 |
| | | | 338,193 | | 105,509 | | |
| WARD LAKE ENER | NORTH CHARLTON 36 | 1/01 | 24,683 | 21.48 | 969 | 22 | 36 |
| | | 2/01 | 21,903 | 21.48 | 893 | 22 | 36 |
| | | 3/01 | 24,198 | 14.98 | 930 | 22 | 35 |
| | | 4/01 | 22,161 | 14.98 | 826 | 22 | 34 |
| | | 5/01 | 24,096 | 14.98 | 940 | 22 | 35 |
| | | 6/01 | 22,529 | 14.98 | 805 | 22 | 34 |
| | | 7/01 | 23,457 | 14.98 | 856 | 22 | 34 |
| | | 8/01 | 23,151 | 14.98 | 1,433 | 22 | 34 |
| | | 9/01 | 22,318 | 14.98 | 909 | 22 | 34 |
| | | 10/01 | 22,326 | 14.98 | 1,054 | 22 | 33 |
| | | 11/01 | 21,579 | 14.98 | 873 | 22 | 33 |
| | | 12/01 | 21,766 | 14.98 | 826 | 22 | 32 |
| | | | 274,167 | | 11,314 | | |
| WARD LAKE ENER | NORTH VIENNA 6 | 1/01 | 12,302 | 2.32 | 21,071 | 11 | 36 |
| | | 2/01 | 11,183 | 2.32 | 18,448 | 11 | 36 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|-------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| WARD LAKE ENER | NORTH VIENNA 6 | 3/01 | 11,772 | 6.05 | 18,046 | 11 | 35 | | |
| | | 4/01 | 11,438 | 6.05 | 16,322 | 11 | 35 | | |
| | | 5/01 | 10,978 | 6.05 | 18,372 | 11 | 32 | | |
| | | 6/01 | 11,058 | 6.05 | 18,815 | 11 | 34 | | |
| | | 7/01 | 11,955 | 6.05 | 20,566 | 11 | 35 | | |
| | | 8/01 | 12,209 | 6.05 | 20,533 | 11 | 36 | | |
| | | 9/01 | 11,746 | 6.05 | 18,766 | 11 | 36 | | |
| | | 10/01 | 13,361 | 6.05 | 21,565 | 11 | 39 | | |
| | | 11/01 | 11,675 | 6.05 | 14,306 | 11 | 35 | | |
| | | 12/01 | 11,386 | 6.05 | 12,357 | 11 | 33 | | |
| | | | | | 141,063 | | 219,167 | | |
| | | WARD LAKE ENER | NORTH VIENNA 7 | 1/01 | 28,909 | 6.99 | 2,682 | 13 | 72 |
| | | | | 2/01 | 26,295 | 6.99 | 2,376 | 13 | 72 |
| 3/01 | 28,914 | | | 6.05 | 2,668 | 13 | 72 | | |
| 4/01 | 26,961 | | | 6.05 | 2,460 | 13 | 69 | | |
| 5/01 | 28,626 | | | 6.05 | 2,765 | 13 | 71 | | |
| 6/01 | 27,690 | | | 6.05 | 2,565 | 13 | 71 | | |
| 7/01 | 28,292 | | | 6.05 | 2,688 | 13 | 70 | | |
| 8/01 | 27,814 | | | 6.05 | 2,580 | 13 | 69 | | |
| 9/01 | 26,298 | | | 6.05 | 2,440 | 13 | 67 | | |
| 10/01 | 25,884 | | | 6.05 | 2,436 | 13 | 64 | | |
| 11/01 | 26,208 | | | 6.05 | 2,292 | 13 | 67 | | |
| 12/01 | 26,167 | | | 6.05 | 2,246 | 13 | 65 | | |
| | | | | | 328,058 | | 30,198 | | |
| WARD LAKE ENER | NYSTROM 14 | 1/01 | 10,540 | 8.00 | 3,525 | 2 | 170 | | |
| | | 2/01 | 10,072 | 8.00 | 3,237 | 2 | 180 | | |
| | | 3/01 | 10,326 | 8.98 | 3,431 | 2 | 167 | | |
| | | 4/01 | 10,620 | 8.98 | 3,585 | 2 | 177 | | |
| | | 5/01 | 10,318 | 8.98 | 3,533 | 2 | 166 | | |
| | | 6/01 | 9,965 | 8.98 | 3,492 | 2 | 166 | | |
| | | 7/01 | 10,717 | 8.98 | 3,750 | 2 | 173 | | |
| | | 8/01 | 10,643 | 8.98 | 3,685 | 2 | 172 | | |
| | | 9/01 | 10,292 | 8.98 | 3,622 | 2 | 172 | | |
| | | 10/01 | 10,467 | 8.98 | 3,759 | 2 | 169 | | |
| | | 11/01 | 10,297 | 8.98 | 3,761 | 2 | 172 | | |
| | | 12/01 | 10,467 | 8.98 | 3,832 | 2 | 169 | | |
| | | | | | 124,724 | | 43,212 | | |
| WARD LAKE ENER | OMEGA BOWLING 1-23 UNIT | 1/01 | 183 | | 0 | 1 | 6 | | |
| | | 2/01 | 82 | | 0 | 1 | 3 | | |
| | | 3/01 | 0 | 8.98 | 0 | 1 | 0 | | |
| | | 4/01 | 0 | 8.98 | 0 | 1 | 0 | | |
| | | 5/01 | 0 | 8.98 | 0 | 1 | 0 | | |
| | | 6/01 | 0 | 8.98 | 0 | 0 | 0 | | |
| | | 7/01 | 0 | 8.98 | 0 | 0 | 0 | | |
| | | 8/01 | 0 | 8.98 | 0 | 0 | 0 | | |
| | | 9/01 | 0 | 8.98 | 0 | 0 | 0 | | |
| | | 10/01 | 0 | 8.98 | 0 | 0 | 0 | | |
| | | 11/01 | 0 | 8.98 | 0 | 0 | 0 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | OMEGA BOWLING 1-23 UNIT | 12/01 | 0 | 8.98 | 0 | 0 | 0 |
| | | | 265 | | 0 | | |
| WARD LAKE ENER | PIESCZAK 31 | 1/01 | 1,185 | | 3,294 | 1 | 38 |
| | | 2/01 | 1,076 | | 3,011 | 1 | 38 |
| | | 3/01 | 1,082 | 11.93 | 2,897 | 1 | 35 |
| | | 4/01 | 860 | 11.93 | 2,470 | 1 | 29 |
| | | 5/01 | 771 | 11.93 | 2,199 | 1 | 25 |
| | | 6/01 | 571 | 11.93 | 2,052 | 1 | 19 |
| | | 7/01 | 659 | 11.93 | 1,656 | 1 | 21 |
| | | 8/01 | 904 | 11.93 | 1,373 | 1 | 29 |
| | | 9/01 | 824 | 11.93 | 1,171 | 1 | 27 |
| | | 10/01 | 910 | 11.93 | 426 | 1 | 29 |
| | | 11/01 | 882 | 11.93 | 224 | 1 | 29 |
| | | 12/01 | 936 | 11.93 | 295 | 1 | 30 |
| | | | 10,660 | | 21,068 | | |
| WARD LAKE ENER | PLEASANTON 26 | 1/01 | 5,503 | 11.28 | 8,114 | 7 | 25 |
| | | 2/01 | 4,784 | 11.28 | 7,964 | 7 | 24 |
| | | 3/01 | 5,252 | 11.93 | 8,192 | 7 | 24 |
| | | 4/01 | 5,179 | 11.93 | 7,753 | 7 | 25 |
| | | 5/01 | 5,075 | 11.93 | 7,386 | 7 | 23 |
| | | 6/01 | 3,913 | 11.93 | 0 | 7 | 19 |
| | | 7/01 | 4,664 | 11.93 | 8,537 | 7 | 21 |
| | | 8/01 | 4,637 | 11.93 | 7,158 | 7 | 21 |
| | | 9/01 | 4,263 | 11.93 | 6,389 | 7 | 20 |
| | | 10/01 | 4,564 | 11.93 | 9,265 | 6 | 25 |
| | | 11/01 | 4,420 | 11.93 | 9,753 | 7 | 21 |
| | | 12/01 | 4,694 | 11.93 | 10,081 | 7 | 22 |
| | | | 56,948 | | 90,592 | | |
| WARD LAKE ENER | PLEASANTON EAST SOUTH | 1/01 | 771 | 11.28 | 1,511 | 1 | 25 |
| | | 2/01 | 657 | 11.28 | 820 | 1 | 23 |
| | | 3/01 | 728 | 11.93 | 823 | 1 | 23 |
| | | 4/01 | 563 | 11.93 | 1,004 | 1 | 19 |
| | | 5/01 | 634 | 11.93 | 1,216 | 1 | 20 |
| | | 6/01 | 668 | 11.93 | 2,014 | 1 | 22 |
| | | 7/01 | 725 | 11.93 | 2,611 | 1 | 23 |
| | | 8/01 | 792 | 11.93 | 2,788 | 1 | 26 |
| | | 9/01 | 727 | 11.93 | 1,501 | 1 | 24 |
| | | 10/01 | 930 | 11.93 | 886 | 1 | 30 |
| | | 11/01 | 819 | 11.93 | 1,214 | 1 | 27 |
| | | 12/01 | 869 | 11.93 | 1,214 | 1 | 28 |
| | | | 8,883 | | 17,602 | | |
| WARD LAKE ENER | REFKE | 1/01 | 14,250 | 8.34 | 4,362 | 6 | 77 |
| | | 2/01 | 13,141 | 8.34 | 4,831 | 6 | 78 |
| | | 3/01 | 14,376 | 8.98 | 5,232 | 6 | 77 |
| | | 4/01 | 14,854 | 8.98 | 3,136 | 6 | 83 |
| | | 5/01 | 14,904 | 8.98 | 2,591 | 6 | 80 |
| | | 6/01 | 13,983 | 8.98 | 3,025 | 6 | 78 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| WARD LAKE ENER | REFKE | 7/01 | 14,478 | 8.98 | 2,893 | 6 | 78 |
| | | 8/01 | 14,357 | 8.98 | 3,555 | 6 | 77 |
| | | 9/01 | 13,936 | 8.98 | 3,553 | 6 | 77 |
| | | 10/01 | 13,870 | 8.98 | 3,816 | 6 | 75 |
| | | 11/01 | 13,661 | 8.98 | 3,715 | 6 | 76 |
| | | 12/01 | 14,456 | 8.98 | 3,591 | 6 | 78 |
| | | | | 170,266 | | 44,300 | |
| WARD LAKE ENER | SPRINGDALE 28/04 | 1/01 | 8,664 | 6.58 | 4,376 | 3 | 93 |
| | | 2/01 | 7,858 | 6.58 | 4,283 | 3 | 94 |
| | | 3/01 | 8,776 | 6.91 | 5,235 | 3 | 94 |
| | | 4/01 | 8,708 | 6.91 | 4,841 | 3 | 97 |
| | | 5/01 | 8,551 | 6.91 | 3,456 | 3 | 92 |
| | | 6/01 | 7,036 | 6.91 | 3,782 | 3 | 78 |
| | | 7/01 | 7,533 | 6.91 | 2,736 | 3 | 81 |
| | | 8/01 | 7,925 | 6.91 | 2,703 | 3 | 85 |
| | | 9/01 | 7,607 | 6.91 | 2,521 | 3 | 85 |
| | | 10/01 | 8,319 | 6.91 | 2,376 | 3 | 89 |
| | | 11/01 | 8,108 | 6.91 | 2,401 | 3 | 90 |
| | | 12/01 | 7,660 | 6.91 | 2,192 | 3 | 82 |
| | | 96,745 | | 40,902 | | | |
| WARD LAKE ENER | SPRINGDALE 28/05 | 1/01 | 11,591 | 6.00 | 4,376 | 4 | 93 |
| | | 2/01 | 10,412 | 6.00 | 3,607 | 4 | 93 |
| | | 3/01 | 11,697 | 6.91 | 5,235 | 4 | 94 |
| | | 4/01 | 11,824 | 6.91 | 4,842 | 4 | 99 |
| | | 5/01 | 11,773 | 6.91 | 2,456 | 4 | 95 |
| | | 6/01 | 10,925 | 6.91 | 2,923 | 4 | 91 |
| | | 7/01 | 11,251 | 6.91 | 3,876 | 4 | 91 |
| | | 8/01 | 11,280 | 6.91 | 3,829 | 4 | 91 |
| | | 9/01 | 10,646 | 6.91 | 3,573 | 4 | 89 |
| | | 10/01 | 11,853 | 6.91 | 3,366 | 4 | 96 |
| | | 11/01 | 11,299 | 6.91 | 3,508 | 4 | 94 |
| | | 12/01 | 10,733 | 6.91 | 3,203 | 4 | 87 |
| | | 135,284 | | 44,794 | | | |
| WARD LAKE ENER | SPRINGDALE 28/28 | 1/01 | 2,372 | 6.00 | 7,658 | 7 | 11 |
| | | 2/01 | 2,250 | 6.00 | 5,862 | 7 | 11 |
| | | 3/01 | 2,400 | 6.91 | 9,162 | 7 | 11 |
| | | 4/01 | 2,483 | 6.91 | 8,473 | 7 | 12 |
| | | 5/01 | 2,414 | 6.91 | 9,050 | 7 | 11 |
| | | 6/01 | 2,104 | 6.91 | 3,954 | 7 | 10 |
| | | 7/01 | 2,277 | 6.91 | 4,104 | 7 | 10 |
| | | 8/01 | 2,239 | 6.91 | 4,055 | 7 | 10 |
| | | 9/01 | 2,100 | 6.91 | 3,782 | 7 | 10 |
| | | 10/01 | 2,403 | 6.91 | 3,564 | 7 | 11 |
| | | 11/01 | 2,295 | 6.91 | 3,324 | 7 | 11 |
| | | 12/01 | 2,148 | 6.91 | 3,035 | 7 | 10 |
| | | 27,485 | | 66,023 | | | |
| WARD LAKE ENER | SPRINGDALE 28/29 | 1/01 | 551 | 6.58 | 4,376 | 4 | 4 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|------------------|-----------------|------------------|-------|---------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | SPRINGDALE 28/29 | 2/01 | 541 | 6.58 | 3,607 | 4 | 5 | | |
| | | 3/01 | 536 | 6.91 | 5,235 | 4 | 4 | | |
| | | 4/01 | 530 | 6.91 | 4,841 | 4 | 4 | | |
| | | 5/01 | 531 | 6.91 | 2,456 | 4 | 4 | | |
| | | 6/01 | 494 | 6.91 | 2,923 | 4 | 4 | | |
| | | 7/01 | 488 | 6.91 | 2,508 | 4 | 4 | | |
| | | 8/01 | 465 | 6.91 | 2,478 | 4 | 4 | | |
| | | 9/01 | 442 | 6.91 | 2,311 | 4 | 4 | | |
| | | 10/01 | 456 | 6.91 | 2,178 | 4 | 4 | | |
| | | 11/01 | 430 | 6.91 | 2,585 | 4 | 4 | | |
| | | 12/01 | 414 | 6.91 | 2,360 | 4 | 3 | | |
| | | | | | 5,878 | | 37,858 | | |
| | | WARD LAKE ENER | SPRINGDALE 28/32 | 1/01 | 783 | 6.58 | 2,188 | 1 | 25 |
| 2/01 | 925 | | | 6.58 | 1,576 | 1 | 33 | | |
| 3/01 | 737 | | | 6.91 | 2,618 | 1 | 24 | | |
| 4/01 | 645 | | | 6.91 | 2,421 | 1 | 22 | | |
| 5/01 | 708 | | | 6.91 | 1,728 | 1 | 23 | | |
| 6/01 | 550 | | | 6.91 | 172 | 1 | 18 | | |
| 7/01 | 481 | | | 6.91 | 2,736 | 1 | 16 | | |
| 8/01 | 393 | | | 6.91 | 2,703 | 1 | 13 | | |
| 9/01 | 369 | | | 6.91 | 2,524 | 1 | 12 | | |
| 10/01 | 423 | | | 6.91 | 2,376 | 1 | 14 | | |
| 11/01 | 362 | | | 6.91 | 2,216 | 1 | 12 | | |
| 12/01 | 332 | | | 6.91 | 2,023 | 1 | 11 | | |
| | | | | | 6,708 | | 25,281 | | |
| WARD LAKE ENER | SPRINGDALE 28/33 | 1/01 | 5,134 | 6.00 | 4,376 | 4 | 41 | | |
| | | 2/01 | 4,611 | 6.00 | 3,607 | 4 | 41 | | |
| | | 3/01 | 5,232 | 6.91 | 5,237 | 4 | 42 | | |
| | | 4/01 | 5,372 | 6.91 | 4,842 | 4 | 45 | | |
| | | 5/01 | 5,394 | 6.91 | 2,457 | 4 | 43 | | |
| | | 6/01 | 5,166 | 6.91 | 2,923 | 4 | 43 | | |
| | | 7/01 | 5,331 | 6.91 | 5,472 | 4 | 43 | | |
| | | 8/01 | 5,112 | 6.91 | 5,406 | 4 | 41 | | |
| | | 9/01 | 4,887 | 6.91 | 5,043 | 4 | 41 | | |
| | | 10/01 | 5,571 | 6.91 | 4,752 | 4 | 45 | | |
| | | 11/01 | 5,317 | 6.91 | 4,432 | 4 | 44 | | |
| | | 12/01 | 5,086 | 6.91 | 4,047 | 4 | 41 | | |
| | | | | | 62,213 | | 52,594 | | |
| WARD LAKE ENER | SPRINGDALE 31 | 1/01 | 727 | 11.28 | 4,517 | 1 | 23 | | |
| | | 2/01 | 637 | 11.28 | 3,650 | 1 | 23 | | |
| | | 3/01 | 917 | 11.93 | 4,453 | 1 | 30 | | |
| | | 4/01 | 1,046 | 11.93 | 3,915 | 1 | 35 | | |
| | | 5/01 | 971 | 11.93 | 3,507 | 1 | 31 | | |
| | | 6/01 | 803 | 11.93 | 3,562 | 1 | 27 | | |
| | | 7/01 | 673 | 11.93 | 2,901 | 1 | 22 | | |
| | | 8/01 | 419 | 11.93 | 4,962 | 1 | 14 | | |
| | | 9/01 | 696 | 11.93 | 4,746 | 1 | 23 | | |
| | | 10/01 | 1,179 | 11.93 | 5,834 | 1 | 38 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------------|-----------------|--------------|---------------|---------------|---------------|--------------------------|
| WARD LAKE ENER | SPRINGDALE 31 | 11/01 | 1,143 | 11.93 | 5,184 | 1 | 38 |
| | | 12/01 | 754 | 11.93 | 3,276 | 1 | 24 |
| | | | 9,965 | | 50,507 | | |
| WARD LAKE ENER | ST CHARLTON & PABST A3- | 8/01 | 1,556 | | 1,602 | 1 | 50 |
| | | 9/01 | 2,588 | | 1,053 | 1 | 86 |
| | | 10/01 | 3,007 | | 682 | 1 | 97 |
| | | 11/01 | 2,981 | | 475 | 1 | 99 |
| | | 12/01 | 3,343 | | 440 | 1 | 108 |
| | | 13,475 | | 4,252 | | | |
| WARD LAKE ENER | ST CHARLTON D3-25 | 8/01 | 3,686 | | 258 | 1 | 119 |
| | | 9/01 | 1,105 | | 0 | 1 | 37 |
| | | 10/01 | 1,159 | | 136 | 1 | 37 |
| | | 11/01 | 1,218 | | 129 | 1 | 41 |
| | | 12/01 | 1,291 | | 117 | 1 | 42 |
| | | 8,459 | | 640 | | | |
| WARD LAKE ENER | ST MAPLE GROVE & KNAPP | 4/01 | 5,411 | | 9,794 | 1 | 180 |
| | | 5/01 | 5,321 | | 8,281 | 1 | 172 |
| | | 6/01 | 4,806 | | 7,152 | 1 | 160 |
| | | 7/01 | 6,026 | | 8,031 | 1 | 194 |
| | | 8/01 | 6,072 | | 7,494 | 1 | 196 |
| | | 9/01 | 5,937 | | 4,722 | 1 | 198 |
| | | 10/01 | 5,774 | | 6,353 | 1 | 186 |
| | | 11/01 | 5,646 | | 6,333 | 1 | 188 |
| | | 12/01 | 5,563 | | 6,375 | 1 | 179 |
| | | 50,556 | | 64,535 | | | |
| WARD LAKE ENER | ST MONTMORENCY C1-31 H | 1/01 | 4,401 | | 3,994 | 1 | 142 |
| | | 2/01 | 3,966 | | 3,080 | 1 | 142 |
| | | 3/01 | 4,182 | | 2,902 | 1 | 135 |
| | | 6/01 | 4,144 | | 2,632 | 1 | 138 |
| | | 7/01 | 3,855 | | 2,429 | 1 | 124 |
| | | 8/01 | 4,161 | | 2,590 | 1 | 134 |
| | | 9/01 | 4,248 | | 2,725 | 1 | 142 |
| | | 10/01 | 4,535 | | 2,828 | 1 | 146 |
| | | 11/01 | 4,065 | | 2,813 | 1 | 136 |
| 12/01 | 4,439 | | 2,702 | 1 | 143 | | |
| | | 41,996 | | 28,695 | | | |
| WARD LAKE ENER | ST PLEASANTON 11-34 | 1/01 | 981 | 11.93 | 904 | 1 | 32 |
| | | 2/01 | 862 | 11.93 | 824 | 1 | 31 |
| | | 3/01 | 914 | 11.93 | 943 | 1 | 29 |
| | | 4/01 | 859 | 11.93 | 860 | 1 | 29 |
| | | 5/01 | 878 | 11.93 | 841 | 1 | 28 |
| | | 6/01 | 862 | 11.93 | 875 | 1 | 29 |
| | | 7/01 | 772 | 11.93 | 675 | 1 | 25 |
| | | 8/01 | 1,013 | 11.93 | 959 | 1 | 33 |
| 9/01 | 888 | 11.93 | 863 | 1 | 30 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | ST PLEASANTON 11-34 | 10/01 | 997 | 11.93 | 865 | 1 | 32 |
| | | 11/01 | 1,039 | 11.93 | 808 | 1 | 35 |
| | | 12/01 | 1,059 | 11.93 | 965 | 1 | 34 |
| | | | 11,124 | | 10,382 | | |
| WARD LAKE ENER | ST SPRINGDALE 5-33 HDS | 1/01 | 777 | 6.00 | 10 | 1 | 25 |
| | | 2/01 | 728 | 6.00 | 0 | 1 | 26 |
| | | 3/01 | 780 | 6.91 | 110 | 1 | 25 |
| | | 4/01 | 807 | 6.91 | 0 | 1 | 27 |
| | | 5/01 | 857 | 6.91 | 97 | 1 | 28 |
| | | 6/01 | 721 | 6.91 | 39 | 1 | 24 |
| | | 7/01 | 816 | 6.91 | 1,370 | 1 | 26 |
| | | 8/01 | 743 | 6.91 | 1,352 | 1 | 24 |
| | | 9/01 | 806 | 6.91 | 1,260 | 1 | 27 |
| | | 10/01 | 761 | 6.91 | 1,191 | 1 | 25 |
| | | 11/01 | 763 | 6.91 | 164 | 1 | 25 |
| | | 12/01 | 738 | 6.91 | 212 | 1 | 24 |
| | 9,297 | | 5,805 | | | | |
| WARD LAKE ENER | STEVENS ST BAGLEY 2-22 | 1/01 | 0 | | 0 | 0 | 0 |
| | | 2/01 | 0 | | 0 | 0 | 0 |
| | | 3/01 | 0 | | 0 | 0 | 0 |
| | | 4/01 | 0 | | 0 | 0 | 0 |
| | | 5/01 | 0 | | 0 | 0 | 0 |
| | 0 | | 0 | | | | |
| WARD LAKE ENER | STEVENS ST BAGLEY 7-22 | 1/01 | 2,996 | 22.13 | 0 | 1 | 97 |
| | | 2/01 | 2,633 | 22.13 | 0 | 1 | 94 |
| | | 3/01 | 2,926 | 22.49 | 6 | 1 | 94 |
| | | 4/01 | 2,789 | 22.49 | 8 | 1 | 93 |
| | | 5/01 | 2,881 | 22.49 | 7 | 1 | 93 |
| | | 6/01 | 2,764 | 22.49 | 3 | 1 | 92 |
| | | 7/01 | 2,923 | 22.49 | 0 | 1 | 94 |
| | | 8/01 | 2,998 | 22.49 | 7 | 1 | 97 |
| | | 9/01 | 2,875 | 22.49 | 12 | 1 | 96 |
| | | 10/01 | 2,748 | 22.49 | 0 | 1 | 89 |
| | | 11/01 | 2,900 | 22.49 | 6 | 1 | 97 |
| | | 12/01 | 2,961 | 22.49 | 12 | 1 | 96 |
| | 34,394 | | 61 | | | | |
| WARD LAKE ENER | SUMMERLAND C2-12 | 1/01 | 545 | 16.72 | 1,392 | 1 | 18 |
| | | 2/01 | 480 | 16.72 | 800 | 1 | 17 |
| | | 3/01 | 690 | 21.15 | 927 | 1 | 22 |
| | | 4/01 | 652 | 21.15 | 874 | 1 | 22 |
| | | 5/01 | 733 | 21.15 | 930 | 1 | 24 |
| | | 6/01 | 573 | 21.15 | 575 | 1 | 19 |
| | | 7/01 | 333 | 21.15 | 689 | 1 | 11 |
| | | 8/01 | 155 | 21.15 | 372 | 1 | 5 |
| | | 9/01 | 257 | 21.15 | 526 | 1 | 9 |
| | | 10/01 | 386 | 21.15 | 614 | 1 | 12 |
| | | 11/01 | 336 | 21.15 | 495 | 1 | 11 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| WARD LAKE ENER | SUMMERLAND C2-12 | 12/01 | 578 | 21.15 | 515 | 1 | 19 |
| | | | 5,718 | | 8,709 | | |
| WARD LAKE ENER | TANNERVILLE | 1/01 | 4,112 | 7.00 | 1,364 | 1 | 133 |
| | | 2/01 | 1,292 | 7.00 | 1,116 | 1 | 46 |
| | | 3/01 | 1,525 | 8.98 | 1,286 | 1 | 49 |
| | | 4/01 | 1,478 | 8.98 | 1,161 | 1 | 49 |
| | | 5/01 | 1,515 | 8.98 | 991 | 1 | 49 |
| | | 6/01 | 1,350 | 8.98 | 1,234 | 1 | 45 |
| | | 7/01 | 1,202 | 8.98 | 1,208 | 1 | 39 |
| | | 8/01 | 1,185 | 8.98 | 1,182 | 1 | 38 |
| | | 9/01 | 1,188 | 8.98 | 1,061 | 1 | 40 |
| | | 10/01 | 1,152 | 8.98 | 997 | 1 | 37 |
| | | 11/01 | 1,126 | 8.98 | 1,098 | 1 | 38 |
| | | 12/01 | 1,165 | 8.98 | 1,238 | 1 | 38 |
| | | | 18,290 | | 13,936 | | |
| WARD LAKE ENER | VIENNA 18 | 1/01 | 22,780 | 18.00 | 2,595 | 10 | 73 |
| | | 2/01 | 19,884 | 18.00 | 3,571 | 10 | 71 |
| | | 3/01 | 22,978 | 21.15 | 6,976 | 10 | 74 |
| | | 4/01 | 21,985 | 21.15 | 6,180 | 10 | 73 |
| | | 5/01 | 23,351 | 21.15 | 3,810 | 10 | 75 |
| | | 6/01 | 22,413 | 21.15 | 2,055 | 10 | 75 |
| | | 7/01 | 24,206 | 21.15 | 1,893 | 10 | 78 |
| | | 8/01 | 24,313 | 21.15 | 2,181 | 10 | 78 |
| | | 9/01 | 21,977 | 21.15 | 2,170 | 10 | 73 |
| | | 10/01 | 23,171 | 21.15 | 2,345 | 10 | 75 |
| | | 11/01 | 18,267 | 21.15 | 1,973 | 10 | 61 |
| | | 12/01 | 21,803 | 21.15 | 2,167 | 10 | 70 |
| | | | 267,128 | | 37,916 | | |
| WARD LAKE ENER | ZALUD | 1/01 | 276 | 8.00 | 488 | 1 | 9 |
| | | 2/01 | 246 | 8.00 | 253 | 1 | 9 |
| | | 3/01 | 251 | 8.98 | 315 | 1 | 8 |
| | | 4/01 | 168 | 8.98 | 297 | 1 | 6 |
| | | 5/01 | 113 | 8.98 | 250 | 1 | 4 |
| | | 6/01 | 100 | 8.98 | 438 | 1 | 3 |
| | | 7/01 | 104 | 8.98 | 586 | 1 | 3 |
| | | 8/01 | 102 | 8.98 | 526 | 1 | 3 |
| | | 9/01 | 111 | 8.98 | 495 | 1 | 4 |
| | | 10/01 | 132 | 8.98 | 476 | 1 | 4 |
| | | 11/01 | 130 | 8.98 | 539 | 1 | 4 |
| | | 12/01 | 42 | 8.98 | 89 | 1 | 1 |
| | | | 1,775 | | 4,752 | | |
| WARD LAKE ENER - REPORTER TOTALS: | | | 14,243,688 | | 6,545,303 | | |
| YOHE | AVERY 23 | 1/01 | 35,267 | 13.04 | 861 | 18 | 63 |
| | | 2/01 | 31,355 | 13.04 | 626 | 18 | 62 |
| | | 3/01 | 33,885 | 13.04 | 505 | 18 | 61 |
| | | 4/01 | 32,218 | 13.04 | 432 | 18 | 60 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------|-----------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| YOHE | AVERY 23 | 5/01 | 34,057 | 13.04 | 547 | 18 | 61 | | |
| | | 6/01 | 31,967 | 13.04 | 970 | 18 | 59 | | |
| | | 7/01 | 32,481 | 13.04 | 1,572 | 18 | 58 | | |
| | | 8/01 | 31,949 | 13.04 | 1,705 | 18 | 57 | | |
| | | 9/01 | 30,338 | 13.04 | 1,167 | 18 | 56 | | |
| | | 10/01 | 29,933 | 13.04 | 978 | 18 | 54 | | |
| | | 11/01 | 28,679 | 13.04 | 597 | 18 | 53 | | |
| | | 12/01 | 29,469 | 13.04 | 642 | 18 | 53 | | |
| | | | | | 381,598 | | 10,602 | | |
| | | YOHE | CHESTER 6 | 1/01 | 15,731 | 16.79 | 42 | 30 | 17 |
| | | | | 2/01 | 13,740 | 16.79 | 42 | 30 | 16 |
| | | | | 3/01 | 14,251 | 16.79 | 49 | 30 | 15 |
| | | | | 4/01 | 13,613 | 16.79 | 49 | 30 | 15 |
| 5/01 | 14,878 | | | 16.79 | 49 | 30 | 16 | | |
| 6/01 | 14,319 | | | 16.79 | 49 | 30 | 16 | | |
| 7/01 | 14,884 | | | 16.79 | 49 | 30 | 16 | | |
| 8/01 | 15,148 | | | 16.79 | 49 | 30 | 16 | | |
| 9/01 | 15,388 | | | 16.79 | 42 | 30 | 17 | | |
| 10/01 | 15,881 | | | 16.79 | 49 | 30 | 17 | | |
| 11/01 | 14,610 | | | 16.79 | 49 | 30 | 16 | | |
| 12/01 | 13,134 | | | 16.79 | 49 | 30 | 14 | | |
| | | | | | 175,577 | | 567 | | |
| YOHE | OLDS ROCKET | 1/01 | 28,136 | | 16,275 | 9 | 101 | | |
| | | 2/01 | 30,952 | | 11,680 | 9 | 123 | | |
| | | 3/01 | 31,408 | | 8,823 | 9 | 113 | | |
| | | 4/01 | 32,134 | | 7,038 | 9 | 119 | | |
| | | 5/01 | 35,904 | | 6,772 | 9 | 129 | | |
| | | 6/01 | 34,687 | | 6,805 | 9 | 128 | | |
| | | 7/01 | 34,859 | | 6,355 | 9 | 125 | | |
| | | 8/01 | 36,979 | | 6,524 | 9 | 133 | | |
| | | 9/01 | 34,153 | | 4,854 | 9 | 126 | | |
| | | 10/01 | 36,027 | | 3,513 | 9 | 129 | | |
| | | 11/01 | 34,400 | | 4,238 | 9 | 127 | | |
| | | 12/01 | 33,808 | | 4,159 | 9 | 121 | | |
| | | | | | 403,447 | | 87,036 | | |
| YOHE | SEVEN UP CLUB | 1/01 | 21,826 | 14.80 | 596 | 7 | 101 | | |
| | | 2/01 | 18,600 | 14.80 | 500 | 7 | 95 | | |
| | | 3/01 | 18,453 | 14.80 | 536 | 7 | 85 | | |
| | | 4/01 | 18,114 | 14.80 | 599 | 7 | 86 | | |
| | | 5/01 | 18,786 | 14.80 | 532 | 7 | 87 | | |
| | | 6/01 | 19,816 | 14.80 | 501 | 7 | 94 | | |
| | | 7/01 | 21,669 | 14.80 | 443 | 7 | 100 | | |
| | | 8/01 | 21,112 | 14.80 | 549 | 7 | 97 | | |
| | | 9/01 | 19,418 | 14.80 | 527 | 7 | 92 | | |
| | | 10/01 | 20,126 | 14.80 | 550 | 7 | 93 | | |
| | | 11/01 | 19,019 | 14.80 | 513 | 7 | 91 | | |
| | | 12/01 | 21,658 | 14.80 | 505 | 7 | 100 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|-------------------------------------|-------|--------------------|---------------|--------------------------|
| | | | 238,597 | | 6,351 | | |
| YOHE | STARSHIP ENTERPRISE & S | 1/01 | 30,481 | 7.22 | 5,779 | 10 | 98 |
| | | 2/01 | 26,366 | 7.22 | 5,138 | 10 | 94 |
| | | 3/01 | 24,678 | 7.22 | 5,057 | 10 | 80 |
| | | 4/01 | 27,374 | 7.22 | 4,478 | 10 | 91 |
| | | 5/01 | 29,376 | 7.22 | 5,313 | 10 | 95 |
| | | 6/01 | 28,381 | 7.22 | 5,649 | 10 | 95 |
| | | 7/01 | 28,521 | 7.22 | 5,543 | 10 | 92 |
| | | 8/01 | 30,255 | 7.22 | 5,681 | 10 | 98 |
| | | 9/01 | 26,835 | 7.22 | 4,519 | 10 | 89 |
| | | 10/01 | 29,477 | 7.22 | 4,080 | 10 | 95 |
| | | 11/01 | 28,146 | 7.22 | 3,591 | 10 | 94 |
| | | 12/01 | 27,661 | 7.22 | 3,490 | 10 | 89 |
| | | | 337,551 | | 58,318 | | |
| YOHE | SWAN | 1/01 | 3,646 | | 396 | 2 | 59 |
| | | 2/01 | 3,295 | | 319 | 2 | 59 |
| | | 3/01 | 3,657 | | 341 | 2 | 59 |
| | | 4/01 | 3,560 | | 300 | 2 | 59 |
| | | 5/01 | 3,868 | | 334 | 2 | 62 |
| | | 6/01 | 3,399 | | 273 | 2 | 57 |
| | | 7/01 | 3,465 | | 431 | 2 | 56 |
| | | 8/01 | 3,075 | | 397 | 2 | 50 |
| | | 9/01 | 2,866 | | 362 | 2 | 48 |
| | | 10/01 | 2,910 | | 301 | 2 | 47 |
| | | 11/01 | 2,764 | | 231 | 2 | 46 |
| | | 12/01 | 2,844 | | 334 | 2 | 46 |
| | | | 39,349 | | 4,019 | | |
| | | | YOHE - REPORTER TOTALS: | | 166,893 | | |
| | | | 1,576,119 | | 73,049,135 | | |
| | | | 2001 Total Antrim Production | | 174,673,571 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>