


## Tamper Evident Seal Placement for Hart Tabulator & Voter Assist Terminal (VAT) (Outer Case and Firmware Compartment on back side of tablet)

Using two State of Michigan Adhesive Seals, seal the sides of each tablet.

Place an adhesive seal down the seam on each side of the tablet (right-side photo).



Place an additional State of Michigan Adhesive Seal over the firmware compartment on the back side of the tablet. Make sure the seal covers the tablet on each side of the compartment. The firmware compartment has 4 screws in each corner of the panel.



## Tamper Evident Seal Placement for ES&S Tabulators & Voter Assist Terminal (VAT) (Outer Case of Tabulator and VAT)

Using two State of Michigan Adhesive Seals, seal the sides of each tabulator.

Place an adhesive seal across the seam on each side of the tabulator (right-side photo).




Using two State of Michigan Adhesive Seals, seal the sides of each VAT.

Place an adhesive seal along the seam on each side of the VAT (right-side photo).



Four State of Michigan Adhesive Seals are needed to seal the sides of the bottom of the high speed tabulators.

Place an adhesive seal across the seam of each side.



## Tamper Evident Seal Placement for Dominion Tabulator (Outer Case of Tabulator – no requirements for VAT)

Using two State of Michigan Adhesive Seals, seal the sides of each tabulator.

Place an adhesive seal across the seam on each side of the tabulator (right-side photo).

