

STATE OF MICHIGAN **CENTRAL PROCUREMENT SERVICES**

Department of Technology, Management, and Budget 320 S. WALNUT ST., LANSING, MICHIGAN 48933

Various

SW

P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 6

to

CO	3156 H	ighland Dr. , Po	Box 310		co	ıram ıager					_
Ž	Hudsor	ville, MI 49426			STATE						_
CONTRACTOR	Albert L	i				Adm	Yvon Dufour		OTMB		
CIC	734-72	1-1144 4265				Contract Administrator	(517) 249-0455				
R	ali@toc	ldwenzel.com				ator t	dufoury@michigan.g	jov			
	CV012	7388									
				CONTRAC	T SUMM	ARY					
VEHI	ICLES	- PATROL, PA	ASSENGER, TRU								
INITI	IAL EFF	ECTIVE DATE	INITIAL EXPIRA	TION DATE	INI ⁻	ΓIAL	AVAILABLE OPTIONS	5		ATION DATE SEFORE	
	Augus	t 1, 2017	November 3	30, 2022			1 - 2 Year		Novem	nber 30, 2024	
		PAYM	ENT TERMS				DELIVERY TI	MEFRA	ME		
			ALTERNATE PA	YMENT OPTION	S			EXT	ENDED P	URCHASING	
] P-Cai		□ PRC	☐ Othe	r			× ×	Yes	□ No	
MINIM	IUM DEI	LIVERY REQUIR	EMENTS								
											_
OPT	TION	LENGT	l OF OPTION	EXTENSION			THO EXTENSION		REVISE	ED EXP. DATE	ı
		EEROII	101 01 11011		_	LITO	THO EXILITION		_	nber 30, 2024	
		NT VALUE	VALUE OF CHAN			ES	TIMATED AGGREGAT	TE CON			
		,001.00	\$0.00)			\$250,00	<u></u> 01.00			_
				DESC	RIPTION						
							Schedule D - Pricing sal, and DTMB Procu				

0001-PAS	PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2024	CHEVROLET	SONIC (1JV69)	Todd Wenzel Chevrolet			Model Discontinued
0001-PA3	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT	2024	CHEVROLET	SONIC (1JV48)	071B7700178			Model Discontinued
0002 -PAS	(Front Wheel Drive) Automatic Transmission				Todd Wenzel Chevrolet 071B7700178			
0007-PAS	PASSENGER VEHICLES: MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2024	CHEVROLET	MALIBU (1ZC69)	Todd Wenzel Chevrolet 071B7700178	\$21,866.00	\$1.50	
0020-НҮВ	HYBRID VEHICLES: PASSENGER, MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2024	CHEVROLET	BOLT PLUG-IN HYBRID COMPACT 5-DR	Todd Wenzel Chevrolet 071B7700178			Model Discontinued
0040-2WDU-1	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR,	2024	CHEVROLET	(1FB48) TRAX FWD (1JU76)	Todd Wenzel Chevrolet	¢10.116.00	ć1 F0	
0040-2WD0-1	FRONT WHEEL DRIVE Automatic Transmission TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR,	2024	CHEVROLET	EQUINOX FWD	071B7700178	\$19,116.00	\$1.50	
0040-2WDU-2	FRONT WHEEL DRIVE Automatic Transmission			(1XP26)	Todd Wenzel Chevrolet 071B7700178	\$22,878.00	\$1.50	
0040-2WDU-3	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2024	CHEVROLET	TRAILBLAZER FWD (1TR56)	Todd Wenzel Chevrolet 071B7700178	\$20,856.00	\$1.50	
0040-2WDU-4	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2024	CHEVROLET	BLAZER FWD (1NK26)	Todd Wenzel Chevrolet 071B7700178	\$31,436.00	\$1.50	
0042-2WDU	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE	2024	CHEVROLET	TRAVERSE FWD (1NB56)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0050-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2024	CHEVROLET	TRAX AWD (1JR76)	Todd Wenzel Chevrolet 071B7700178			Model Discontinued
0050-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2024	CHEVROLET	EQUINOX AWD (1XX26)	Todd Wenzel Chevrolet 071B7700178	\$24,371.00	\$1.50	
0050-4WDU-3	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2024	CHEVROLET	TRAILBLAZER AWD (1TV56)	Todd Wenzel Chevrolet 071B7700178	\$22,742.00	\$1.50	
0050-4WDU-4	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2024	CHEVROLET	BLAZER AWD (1NR26)	Todd Wenzel Chevrolet 071B7700178	\$33,955.00	\$1.50	
0050A-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR ALTERNATE FUEL VEHICLES (Payload 900 lbs., min.)	2024	CHEVROLET	TRAVERSE AWD (1NV56)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0052-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2024	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0052-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2024	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2024	CHEVROLET	TAHOE (CC15706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2024	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0070-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, (Approx. 7' Box) (Payload 1,000 lbs., min.)	2024	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0071-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	2024	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0073-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)	2024	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet 071B7700178	\$37,383.00	\$1.50	
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot Box) (Payload 1,300 lbs., min.)	2024	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet 071B7700178	\$41,265.00	\$1.50	
0075-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8 Ft. Box) (Payload 1,300 lbs., min.)	2024	CHEVROLET	SILVERADO (CK10903)	Todd Wenzel Chevrolet 071B7700178	\$37,642.00	\$1.50	
0075A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (8 Ft. Box) (Payload 1,300 lbs., min.)	2024	CHEVROLET	SILVERADO (CK10903)	Todd Wenzel Chevrolet 071B7700178	\$41,340.00	\$1.50	
0076-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload 2,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20953)	Todd Wenzel Chevrolet 071B7700178	\$42,150.00	\$1.50	
0076D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 2,350 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20953)	Todd Wenzel Chevrolet 071B7700178	\$50,850.00	\$1.50	
0077-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 2,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet 071B7700178	\$42,047.00	\$1.50	
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet 071B7700178	\$50,615.00	\$1.50	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet 071B7700178	\$41,400.00	\$1.50	
0078D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box (Payload 2,800 lbs., min.)	2024	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet 071B7700178	\$50,975.00	\$1.50	
0079-LDT	LIGHT DUTY TRUCK: PICK UP BODY MIDSIZE, REGULAR CAB (Approx. 6' Box) (Payload 1,000 lbs., min.)	2024	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0081A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload 1,400 lbs., min.)	2024	CHEVROLET	SILVERADO (CC10753)	Todd Wenzel Chevrolet 071B7700178	\$38,668.00	\$1.50	

0082A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet 071B7700178	\$37,725.00	\$1.50	
0082-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8 Foot Box)(Payload 1,600 lbs., min.)	2024	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet 071B7700178	\$33,789.00	\$1.50	
0084D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel Chevrolet 071B7700178	\$48,762.00	\$1.50	
0084-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box)(Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel Chevrolet 071B7700178	\$40,135.00	\$1.50	
0085D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel Chevrolet 071B7700178	\$48,600.00	\$1.50	
0085-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel Chevrolet 071B7700178	\$39,900.00	\$1.50	
0086D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel Chevrolet 071B7700178	\$50,445.00	\$1.50	
0086-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel Chevrolet 071B7700178	\$41,715.00	\$1.50	
0087D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DIESEL (8' Box) (Payload 3,240 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel Chevrolet 071B7700178	\$48,555.00	\$1.50	
0087-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240 lbs., min.)	2024	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel Chevrolet 071B7700178	\$39,597.00	\$1.50	
0088D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	\$49,900.00	\$1.50	
0088-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,800 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	\$41,195.00	\$1.50	
0089D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,700 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel Chevrolet 071B7700178	\$51,815.00	\$1.50	
0089-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,800 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel Chevrolet 071B7700178	\$43,110.00	\$1.50	
0090D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	\$51,085.00	\$1.50	
0090-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	\$42,305.00	\$1.50	
0091-LDT	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR WHEEL (8 Foot Box) (Payload 4,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel Chevrolet 071B7700178	\$40,546.00	\$1.50	
0092-LDT	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR WHEELS (8 Foot Box) (Payload 5,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel Chevrolet 071B7700178	\$41,555.00	\$1.50	
0101-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min.,	2024	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet 071B7700178	\$40,010.00	\$1.50	
0101D-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb. min.)	2024	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet 071B7700178	\$48,385.00	\$1.50	
0102D-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel Chevrolet 071B7700178	\$48,860.00	\$1.50	
0102-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R 11,000 lbs minimum (Payload 5,500 lbs., min.)	2024	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel Chevrolet 071B7700178	\$39,850.00	\$1.50	
0111-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel Chevrolet 071B7700178	\$42,085.00	\$1.50	
0111D-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 10,000 lbs., min.)	2024	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel Chevrolet 071B7700178	\$50,595.00	\$1.50	
0112D-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60" Min. C.A.	2024	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel Chevrolet 071B7700178	\$50,135.00	\$1.50	
0113D-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS (Payload 5,930 lbs., min.), 84" Min. C.A.	2024	CHEVROLET	SILVERADO (CK31403)	Todd Wenzel Chevrolet 071B7700178	\$50,218.00	\$1.50	
0121A-VAN	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	2024	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0121-VAN	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2024	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0123A-VAN	VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649 lbs., min.)	2024	CHEVROLET	EXPRESS (CG23406)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0123-VAN	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2024	CHEVROLET	EXPRESS CG23406	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0124A-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL (Payload 3,100 lbs., min.)	2024	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0124-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	2024	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.

	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL	2024	CHEVROLET	EXPRESS (CG33405)	1			2024 Pricing N/A Yet. Call Dealer for
0125A-VAN	(Payload 3,900 lbs., min.)				Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	Information.
0125-VAN	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)	2024	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2024	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0126-VAN	VANS: VAN 15 PASSENGER	2024	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0140-CAV	CUT-AWAY VANS: Single Rear Wheel, (G.V.W.R. 8,900 lbs., min.)	2024	CHEVROLET	EXPRESS (CG33503)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
0141-CAV	CUT-AWAY VANS: DUAL REAR WHEEL, (G.V.W.R. 10,000 lbs., min.)	2024	CHEVROLET	EXPRESS (CG33803)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
1001-POL	Police - Silverado 1500 2WD WT Crew Cab 147" with SSP (5W4)	2024	CHEVROLET	Silverado 1500 (CC10543)	Todd Wenzel Chevrolet 071B7700178	\$40,644.00	\$1.50	
1003-POL	Police - Silverado 1500 2WD WT Crew Cab 157" with SSP (5W4)	2024	CHEVROLET	Silverado 1500 (CC10743)	Todd Wenzel Chevrolet 071B7700178	\$40,575.00	\$1.50	
1005-POL	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP (5W4)	2024	CHEVROLET	Silverado 1500 (Ck10543)	Todd Wenzel Chevrolet 071B7700178	\$42,789.00	\$1.50	
1007-POL	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP (5W4)	2024	CHEVROLET	Silverado 1500 (Ck10743)	Todd Wenzel Chevrolet 071B7700178	\$43,171.00	\$1.50	
1009-POL	Police - Tahoe 2WD 4dr with PPV (9C1)	2024	CHEVROLET	Tahoe (CC10706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
1010-POL	Police - Tahoe 4WD 4dr with PPV (9C1)	2024	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.
1011-POL	Police - Tahoe 4WD 4dr with SSP (5W4)	2024	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet 071B7700178	\$0.00	\$1.50	2024 Pricing N/A Yet. Call Dealer for Information.



STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

Various

DTMB

320 S. WALNUT ST., LANSING, MICHIGAN 48933 P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 5

to

3156 1	aigniand Dr. , Po	BOX 310		co ger am				
Hudso	nville, MI 49426			7 T8				
Hudso Albert 734-72	Li			STATE	Yvon Dufour		DTMB	
734-72	21-1144 4265			Contract Administrator	(517) 249-0455			
ali@to	ddwenzel.com			rator	dufoury@michigan.	gov		
CV012	7388							
			CONTRAC	T CLIMMARY				
VEHICLES	- PATROL, P	ASSENGER, TRU		T SUMMARY NS				
	FECTIVE DATE	INITIAL EXPIRAT			AVAILABLE OPTION	S		ION DATE
Augus	st 1, 2017	November 30	0, 2022		1 - 2 Year		Novembe	er 30, 2022
	PAYM	ENT TERMS			DELIVERY T	MEFRA	AME	
		ALTERNATE PAY	MENT OPTION	IS		EXT	TENDED PUR	RCHASING
□ P-Ca	ırd	□ PRC	□ Oth	er		\	Yes	□ No
MINIMUM DE	LIVERY REQUIR	REMENTS						
			ESCRIPTION O					
OPTION	LENGTH	H OF OPTION	EXTENSION	LENG	TH OF EXTENSION		REVISED	EXP. DATE
X		o Years					Novembe	er 30, 2024
CURRE	NT VALUE	VALUE OF CHAN	GE NOTICE	ES.	TIMATED AGGREGAT	LE COV	ITRACT VAL	.UE
\$250	0,001.00	\$0.00			\$250,0	01.00		
			DESC	RIPTION				
11/30/2024.	In addition, pric	otion years available ing on this contract is main the same. Per	s hereby updat	ted, per revise	ed Schedule D - Prici	ing. All	other terms	

- Current market conditions may result in the following:

 1) Current pricing may not be available.

 2) Purchase orders may be required as "order verification".

 3) Ordering dates for particular makes and models have passed.

 4) Future ordering dates for particular makes and models are within a very small window of time.

 5) Pricing is subject to change until the vehicle is scheduled for a final production date.

					•	2023 MY	PRICING		
Spec #	DESCRIPTION	Year	Make	Model	Dealer	MI Deal \$	Delivery Fee (Per mile)	Critical Order Dates	Notes
0001-PAS	PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2023	CHEVROLET	SONIC (1JV69)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0002 -PAS	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2023	CHEVROLET	SONIC (1JV48)	071B7700178 lodd Wenzel Chevrolet 071B7700178 lodd Wenzel	Contact dealer for quote	\$1.75		
0007-PAS	PASSENGER VEHICLES: MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2023	CHEVROLET	MALIBU (1ZC69)	Chevrolet	Contact dealer for quote	\$1.75		
0020-НҮВ	HYBRID VEHICLES: PASSENGER, MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2023	CHEVROLET	BOLT PLUG-IN HYBRID COMPACT 5-DR (1FB48)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0040-2WDU-1	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	TRAX FWD (1JU76)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0040-2WDU-2	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	EQUINOX FWD (1XP26)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0040-2WDU-3	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	TRAILBLAZER FWD (1TR56)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		NEW - Delete 3rd key option
0040-2WDU-4	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	BLAZER FWD (1NK26)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		NEW - Delete 3rd key option
0042-2WDU	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE	2023	CHEVROLET	TRAVERSE FWD (1NB56)	07187700178 Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0050-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	TRAX AWD (1JR76)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0050-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	EQUINOX AWD (1XX26)	07187700178 lodd Wenzel Chevrolet 07187700178 lodd Wenzel	Contact dealer for quote	\$1.75		
0050-4WDU-3	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	TRAILBLAZER AWD (1TV56)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		NEW
0050-4WDU-4	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	BLAZER AWD (1NR26)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		NEW
0050A-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR ALTERNATE FUEL VEHICLES (Payload 900 lbs., min.)	2023	CHEVROLET	TRAVERSE AWD (1NV56)	Chevrolet	Contact dealer for quote	\$1.75		
0052-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	Includes tinted glass.
0052-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	Includes tinted glass.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	TAHOE (CC15706)	l odd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75	23MY Orders Completed.	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	SUBURBAN (CC15906)	Chevrolet	Contact dealer for quote	\$1.75	23MY Orders Completed.	Includes tinted glass.
0070-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, (Approx. 7' Box) (Payload 1,000 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0071-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		
0073-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10753)	071R7700178 Todd Wenzel Chevrolet 071R7700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0075-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8 Ft. Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10903)	Todd Wenzel Chevrolet Todd Wenzel	Contact dealer for quote	\$1.75		
0075A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE FUEL (8 Ft. Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10903)	Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0076-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (8 Foot Box) (Payload 2,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20953)	Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0076D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 2,350 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20953)	Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0077-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 2,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20753)	Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	

0078D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel	Contact dealer for	\$1.75	
	(Payload 2,800 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY MIDSIZE, REGULAR	2023	CHEVROLET	COLORADO (12M53)	Chevrolet Todd Wenzel	quote Contact dealer for	<u> </u>	
0079-LDT	CAB (Approx. 6' Box) (Payload 1,000 lbs., min.)				Chevrolet 071B7700178	quote	\$1.75	
0081A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload 1,400 lbs., min.)	2023	CHEVROLET	SILVERADO (CC10753)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75	
0082A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	
0082-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8 Foot Box)(Payload 1,600 lbs., min.)	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0084D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0084-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (8 Foot Box)(Payload 3,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20953)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0085D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20753)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0085-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 3,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20753)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0086D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload	2023	CHEVROLET	SILVERADO (CC20743)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0086-LDT	3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000	2023	CHEVROLET	SILVERADO (CC20743)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0087D-LDT	lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DIESEL (8' Box) (Payload 3,240 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20903)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0087-LDT	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240 lbs., min.)	2023	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel	Contact dealer for	\$1.75	
	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB,	2023	CHEVROLET	SILVERADO (CC30953)	Chevrolet Todd Wenzel	quote		
0088D-LDT	FOUR DOOR SINGLE REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,500 lbs., min.)				Chevrolet 071B7700178	Contact dealer for quote	\$1.75	
0088-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	
0089D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,700 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75	
0089-LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75	
0090D-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	
0090-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	
0091-LDT	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR WHEEL (8 Foot Box) (Payload 4,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75	
0092-LDT	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR WHEELS (8 Foot Box) (Payload 5,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75	
0101-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min.,	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0101D-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb. min.)	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0102D-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CC31403)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0102-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R 11,000 lbs minimum (Payload 5,500 lbs., min.)	2023	CHEVROLET	SILVERADO (CC31403)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0111-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CK31003)	071B7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0111D-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 10,000 lbs., min.)	2023	CHEVROLET	SILVERADO (CK31003)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0112D-4WDM	MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60"	2023	CHEVROLET	SILVERADO (CK31003)	071R7700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0113D-4WDM	Min. C.A. MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS (Payload 5,930 lbs., min.), 84" Min. C.A.	2023	CHEVROLET	SILVERADO (CK31403)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0121A-VAN	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0121-VAN	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0123A-VAN	VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649 lbs., min.)	2023	CHEVROLET	EXPRESS (CG23406)	Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0123-VAN	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2023	CHEVROLET	EXPRESS CG23406	Todd Wenzel	Contact dealer for quote	\$1.75	
0124A-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL (Payload 3,100 lbs., min.)	2023	CHEVROLET	EXPRESS (CG23405)	Chevrolet Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75	
0124-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	2023	CHEVROLET	EXPRESS (CG23405)	771B7700178 Todd Wenzel	Contact dealer for	\$1.75	
0125A-VAN	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.)	2023	CHEVROLET	EXPRESS (CG33405)	Chevrolet Todd Wenzel	quote Contact dealer for	\$1.75	
0125-VAN	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs.,	2023	CHEVROLET	EXPRESS (CG33405)	Chevrolet Todd Wenzel	quote Contact dealer for	\$1.75	
OTES-AMA	min.)				Chevrolet	quote	\$1.73	

						_			
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel	Contact dealer for	\$1.75		
					Chevrolet	quote	*****		
0126-VAN	VANS: VAN 15 PASSENGER	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel	Contact dealer for	\$1.75		
0120-VAIV					Chevrolet	quote	\$1.75		
0140-CAV	CUT-AWAY VANS: Single Rear Wheel, (G.V.W.R. 8,900	2023	CHEVROLET	EXPRESS (CG33503)	Todd Wenzel	Contact dealer for	\$1.75		
0140-CAV	lbs., min.)				Chevrolet	quote	\$1.75		
0141-CAV	CUT-AWAY VANS: DUAL REAR WHEEL, (G.V.W.R. 10,000	2023	CHEVROLET	EXPRESS (CG33803)	Todd Wenzel	Contact dealer for	\$1.75		
0141-CAV	lbs., min.)				Chevrolet	quote	\$1.75		
1001-POL	Police - Silverado 1500 2WD WT Crew Cab 147" with SSP	2023	CHEVROLET	Silverado 1500 (CC10543)	Todd Wenzel	Contact dealer for	\$1.75	23MY Orders	
1001-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
4000 001	Police - Silverado 1500 2WD WT Crew Cab 157" with SSP	2023	CHEVROLET	Silverado 1500 (CC10743)	Todd Wenzel	Contact dealer for	\$1.75	23MY Orders	
1003-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
4005 001	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP	2023	CHEVROLET	Silverado 1500 (Ck10543)	Todd Wenzel	Contact dealer for	64.75	23MY Orders	
1005-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP	2023	CHEVROLET	Silverado 1500 (Ck10743)	Todd Wenzel	Contact dealer for	24.77	23MY Orders	
1007-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
	Police - Tahoe 2WD 4dr with PPV (9C1)	2023	CHEVROLET	Tahoe (CC10706)	Todd Wenzel	Contact dealer for	24.77	23MY Orders	
1009-POL					Chevrolet	quote	\$1.75	Completed.	
	Police - Tahoe 4WD 4dr with PPV (9C1)	2023	CHEVROLET	Tahoe (CK10706)				23MY Orders	
					Todd Wenzel	Contact dealer for		Completed.	
1010-POL					Chevrolet	quote	\$1.75	Contact Dealer for	
					071B7700178	·		Avail. Inventory	
	Police - Tahoe 4WD 4dr with SSP (5W4)	2023	CHEVROLET	Tahoe (CK10706)					
	33. (3.03)			12.122 (3.120700)	Todd Wenzel	Contact deals (23MY Orders	
1011-POL					Chevrolet	Contact dealer for	\$1.75	Completed. Contact Dealer for	
					071B7700178	quote		Avail. Inventory	
								Avail. Inventory	

Current market conditions may result in the following:

- 1) Current pricing may not be available.
- 2) Purchase orders may be required as "order verification".
- 3) Ordering dates for particular makes and models have passed.
 4) Future ordering dates for particular makes and models are within a very small window of time.
 5) Pricing is subject to change until the vehicle is scheduled for a final production date.

						2023 MY PRICING		
Spec #	DESCRIPTION	Year	Make	Model	Dealer	MDOT \$	Critical Order Dates	Notes
	PASSENGER VEHICLES: 4-DOOR SEDAN,	2023	CHEVROLET	SONIC (1JV69)	Todd Wenzel	Cantast declar		
0001-PAS	SUBCOMPACT (Front Wheel Drive) Automatic Transmission				Chevrolet	Contact dealer for quote		
	Automatic Transmission				071B7700178	101 4000		
	PASSENGER VEHICLES: 5-DOOR	2023	CHEVROLET	SONIC (1JV48)	Todd Wenzel	Contact dealer		
0002 -PAS	HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission				Chevrolet	for quote		
					071B7700178	•		
	PASSENGER VEHICLES: MID SIZE (Front	2023	CHEVROLET	MALIBU (1ZC69)	Todd Wenzel	Contact dealer		
0007-PAS	Wheel Drive) 4 Door Sedan (Automatic Transmission)				Chevrolet	for quote		
					071B7700178			
	HYBRID VEHICLES: PASSENGER, MID SIZE	2023	CHEVROLET	BOLT PLUG-IN HYBRID	Todd Wenzel	Contact dealer		
0020-HYB	(Front Wheel Drive) 4 Door Sedan (Automatic Transmission)			COMPACT 5-DR (1FB48)	Chevrolet	for quote		
	(Automatic Transmission)			(17046)	071B7700178	101 40000		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023	CHEVROLET	TRAX FWD (1JU76)	Todd Wenzel	Contact dealer		
0040-2WDU-1	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE				Chevrolet	for quote		
	Automatic Transmission				071B7700178	ioi quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023	CHEVROLET	EQUINOX FWD	Todd Wenzel			
0040-2WDU-2	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE			(1XP26)	Chevrolet	Contact dealer for quote		
	Automatic Transmission				071B7700178	ioi quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023		TRAILBLAZER FWD	Todd Wenzel			NEW - Delete 3rd key
0040-2WDU-3	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE		CHEVROLET	(1TR56)	Chevrolet	Contact dealer		option
	Automatic Transmission				071B7700178	for quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023		BLAZER FWD (1NK26)	Todd Wenzel			NEW - Delete 3rd key
0040-2WDU-4	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE		CHEVROLET		Chevrolet	Contact dealer		option
	Automatic Transmission				071B7700178	for quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8	2023	CHEVROLET	TRAVERSE FWD	Todd Wenzel			
0042-2WDU	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE			(1NB56)	Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAX AWD (1JR76)	Todd Wenzel			
0050-4WDU-1	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	EQUINOX AWD	Todd Wenzel			
0050-4WDU-2	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1XX26)	Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAILBLAZER AWD	Todd Wenzel			NEW
0050-4WDU-3	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1TV56)	Chevrolet	Contact dealer		
0030 41120 3					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	BLAZER AWD				NEW
0050-4WDU-4	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1NR26)	Todd Wenzel Chevrolet	Contact dealer		
0030-41720-4					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAVERSE AWD	Todd Wenzel			
0050A-4WDU	UTILITY 4x4, 4 DOOR ALTERNATE FUEL		5.121.1622.	(1NV56)	Chevrolet	Contact dealer		
0030A-4WD0	VEHICLES (Payload 900 lbs., min.)				071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023		SUBURBAN (CK10906)	Todd Wenzel		23MY Orders	
0052-4WDU-1	UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	_023	CHEVROLET	SSS (SKIOSOO)		Contact dealer	Completed.	Includes tinted alse-
0032-4VVDU-1	ALTERNATIVE FUEL (Payload 1,500 lbs.,		CHEVROLET		Chevrolet	for quote	Contact	Includes tinted glass.
	min) FOUR WHEEL DRIVE UTILITY VEHICLE:	2023			071B7700178		Dealer for 23MY Orders	
0052 414/511 2	UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	2023	CHEVEOLEE	TALLOF (CYCOTOC)	Todd Wenzel	Contact dealer	Completed.	to do do at 1 1 1 1
0052-4WDU-2	ALTERNATIVE FUEL (Payload 1,500 lbs.,		CHEVROLET	TAHOE (CK10706)	Chevrolet	for quote	Contact	Includes tinted glass.
	min \ LARGE UTILITY VEHICLES: UTILITY, 4-DOOR,	2022	CHEVROLET	TAHOE (CC15706)	071B7700178		Dealer for	
0050 1 000	5-6 PASSENGER, FULL SIZE, ALTERNATIVE	2023	CHEVROLET	TARDE (CC15706)	Todd Wenzel	Contact dealer	23MY Orders	Inches of the Control
0060-LGU	FUEL (Payload 1,500 lbs., min.)				Chevrolet	for quote	Completed.	Includes tinted glass.
		2022	CHEMPOLET	CUDUDDAN (COARCOS)	071B7700178			
	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE	2023	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel	Contact dealer	23MY Orders	
0061-LGU	FUEL (Payload 1,500 lbs., min.)				Chevrolet	for quote	Completed.	Includes tinted glass.
					071B7700178			
	LIGHT DUTY TRUCK 4x4: PICK UP BODY	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel	Contact dealer		
0070-4WDL	MIDSIZE, (Approx. 7' Box)(Payload 1,000 lbs., min.)				Chevrolet	for quote		
	,,				071B7700178			

0071-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK10753)	071B7700178 Todd Wenzel	·		
0073-4WDL	EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)			, ,	Chevrolet	Contact dealer for quote		
	· ·	2022	CHEMPOLET	CHALLO (CK407E3)	071B7700178	.0. 4000	23MY Orders	
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot	2023	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet	Contact dealer	Completed.	
00/3A-410DL	Box) (Payload 1,300 lbs., min.)				071B7700178	for quote	Contact Dealer for	
	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8	2023	CHEVROLET	SILVERADO (CK10903)	Todd Wenzel		Dealer 101	
0075-4WDL	Ft. Box) (Payload 1,300 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY	2023	CHEVROLET	SILVERADO (CK10903)	071B7700178	-		
0075A-4WDL	ALTERNATIVE FUEL (8 Ft. Box) (Payload	2025	CHEVROLET	SIEVERADO (CR10905)	Todd Wenzel Chevrolet	Contact dealer		
	1,300 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20953)	Todd Wenzel	Contact dealer		
0076-4WDL	EXTENDED CAB (8 Foot Box) (Payload 2,500 lbs., min.)				Chevrolet	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20953)	071B7700178 Todd Wenzel			
0076D-4WDL	EXTENDED CAB, DIESEL (8 Foot Box)	2023	CHEVROLLI	SIEVERADO (CR20933)	Chevrolet	Contact dealer		
00/0222	(Payload 2,350 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel	Contact declar		
0077-4WDL	EXTENDED CAB (6 Foot Box) (Payload 2,500 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY.	2023	CHEVROLET	SILVERADO (CK20753)	071B7700178			
0077D-4WDL	EXTENDED CAB, DIESEL (6 Foot Box)	2023	CHEVROLET	SILVERADO (CR20/53)	Todd Wenzel Chevrolet	Contact dealer	23MY Orders	
00775-44452	(Payload 2,500 lbs., min.)				071B7700178	for quote	Completed.	
	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel		23MY Orders	
0078-4WDL	FT. Box (Payload 2,800 lbs., min.)				Chevrolet	Contact dealer for quote	Completed. Contact	
	LIGHT DUTY TRUCK A.A. DICK UP BODY	2022	CHEVEOLET	CHALL VED V (CK30003)	071B7700178		Dealer for	
0078D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box (Payload 2,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet	Contact dealer		
0078D-4VVDL					071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel			
0079-LDT	MIDSIZE, REGULAR CAB (Approx. 6' Box) (Payload 1,000 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	OUE POLET	CHIVED + D.O. (20103252)	071B7700178	·		
0081A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES	2023	CHEVROLET	SILVERADO (CC10753)	Todd Wenzel Chevrolet	Contact dealer		
0081A-LD1	(6 Foot Box) (Payload 1,400 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel			
0082A-LDT	REGULAR CAB ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	CHEVROLET	SILVERADO (CC10903)	071B7700178			
0082-LDT	REGULAR CAB (8 Foot Box) (Payload 1,600	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet	Contact dealer		
0002-101	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel			
0084D-LDT	EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVEOLET	SILVERADO (CC200E2)	071B7700178			
0084-LDT	EXTENDED CAB (8 Foot Box) (Payload 3,000	2023	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel Chevrolet	Contact dealer		
2007 101	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel	Compared at		
0085D-LDT	EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	CHEVIOCUET	CHALDA DO (COSOTES)	071B7700178	•		
0085-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 3,000	2023	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel Chevrolet	Contact dealer		
0003-ED1	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY, CREW	2023	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel			
0086D-LDT	CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs.,				Chevrolet	Contact dealer for quote		
	min 1		OUT: TO C.	CHAND CO. C.	071B7700178	1. 4.500		
0006 LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6	2023	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel	Contact dealer		
0086-LDT	Foot Box) (Payload 3,000 lbs., min.)				Chevrolet 071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel	_		
0087D-LDT	REGULAR CAB, DIESEL (8' Box) (Payload				Chevrolet	Contact dealer for quote		
	3,240 lbs., min.)				071B7700178	.or quote		

	LIGHT DUTY TRUCK, DICK US SON	2022	CHEVROLET	CILVEDADO (CC300C3)	T-1114			
	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240 lbs.,	2023	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel	Contact dealer		
0087-LDT	min.)				Chevrolet	for quote		
	,	202-	CHEVECTE	CHALLE OF ACCUSE	071B7700178			
00000	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0088D-LDT	WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload				Chevrolet	for quote		
	3 500 lbs min)	2022	CHEVIDOLET	CILVEDADO (CC200FC)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0088-LDT	WHEEL 4 X 2, (8 Foot Box), (Payload 3,800				Chevrolet	for quote		
	lhs min \	2022	CHEVIDOLET	SILVERADO (CC20042)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel	Contact dealer		
0089D-LDT	Foot Box) (Payload 3,700 lbs., min.)				Chevrolet	for quote		
		2022	CHEMPONE	CHALDO (COSOCIO)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel	Contact dealer		
0089-LDT	Foot Box) (Payload 3,800 lbs., min.)				Chevrolet	for quote		
		2022	CHEMPONE	CHALDO (COSCOLO)	071B7700178			
00000	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0090D-LDT	WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload				Chevrolet	for quote		
	3 970 lbs min)	2022	CHEMPOTER	CHALDO (COSOST)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0090-LDT	WHEEL 4 X 2, (8 Foot Box), (Payload 3,970				Chevrolet	for quote		
	lhs min \	202-	CHEVE	CHALLE OF ACCUSE	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel	Contact dealer		
0091-LDT	WHEEL (8 Foot Box) (Payload 4,000 lbs.,				Chevrolet	for quote		
	min)				071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel	Contact dealer		
0092-LDT	WHEELS (8 Foot Box) (Payload 5,000 lbs.,				Chevrolet	for quote		
	min \				071B7700178			
	MEDIUM DUTY TRUCK: CAB AND CHASSIS	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel	Contact dealer	23MV Orders	
0101-MDT	G.V.W.R. 10,000 lbs. min.,				Chevrolet	for quote	Completed.	
					071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS,	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel	Contact dealer		
0101D-MDT	DIESEL G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb. min.)				Chevrolet	for quote		
	i i				071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS,	2023	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel	Contact dealer		
0102D-MDT	DIESEL G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.)				Chevrolet	for quote		
					071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS	2023	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel	Contact dealer		
0102-MDT	G.V.W.R 11,000 lbs minimum (Payload 5,500 lbs., min.)				Chevrolet	for quote		
					071B7700178	1.2.2		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact dealer		
0111-4WDM	CHASSIS, DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)				Chevrolet	for quote		
					071B7700178	1		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact dealer		
0111D-4WDM	CHASSIS, DUAL REAR WHEELS, DIESEL,				Chevrolet	for quote		
	(G.V.W.R. 10,000 lbs., min.)				071B7700178	4.0.0		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact deal		
0112D-4WDM	CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60" Min. C.A.				Chevrolet	Contact dealer for quote		
	, , , ,				071B7700178	4.0.0		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31403)	Todd Wenzel	Compared		
0113D-4WDM	CHASSIS (Payload 5,930 lbs., min.), 84" Min.				Chevrolet	Contact dealer for quote		
	C.A.				071B7700178	.o. quoto		
	VANS: CARGO VAN BODY ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Compared	22047 0	
0121A-VAN	FUEL (Payload 1,700 lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	completed.	
	VANS: CARGO VAN BODY (Payload 1,700	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Compared	22047 0	
0121-VAN	lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	Completed.	
	VANS: VAN, 12 PASSENGER ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG23406)	Todd Wenzel			
0123A-VAN	FUEL (Payload 2,649 lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	completed.	
	VANS: VAN, 12 PASSENGER (Payload 2,649	2023	CHEVROLET	EXPRESS CG23406	Todd Wenzel			
0123-VAN	lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote	Completed.	
	VANS: CARGO VAN BODY, THREE-QUARTER	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel			
0124A-VAN	TON ALTERNATIVE FUEL (Payload 3,100 lbs.,				Chevrolet	Contact dealer		
	min.)				071B7700178	for quote	Completed.	
								1

	VANS: CARGO VAN BODY, THREE-QUARTER	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Contact dealer	22MV Orders	
0124-VAN	TON (Payload 3,100 lbs., min.)				Chevrolet	for quote	Completed.	
					071B7700178	ioi quote	completedi	
	VANS: CARGO VAN BODY, ONE TON	2023	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel			
0125A-VAN	ALTERNATIVE FUEL (Payload 3,900 lbs.,				Chevrolet	Contact dealer for quote	Completed.	
	min.)				071B7700178	ioi quote	Completed.	
	VANS: CARGO VAN BODY, ONE TON	2023	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel			
0125-VAN	(Payload 3,900 lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ioi quote	Completed.	
	VANS: VAN 15 PASSENGER ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel	Contact deale		
0126A-VAN	FUEL				Chevrolet	for quote	Completed.	
					071B7700178	ioi quote	Completed.	
	VANS: VAN 15 PASSENGER	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel			
0126-VAN					Chevrolet	Contact dealer for quote	Completed.	
					071B7700178	ioi quote	Completed.	
	CUT-AWAY VANS: Single Rear Wheel,	2023	CHEVROLET	EXPRESS (CG33503)	Todd Wenzel			
0140-CAV	(G.V.W.R. 8,900 lbs., min.)				Chevrolet	Contact dealer for quote		
					071B7700178	ioi quote		
	CUT-AWAY VANS: DUAL REAR WHEEL,	2023	CHEVROLET	EXPRESS (CG33803)	Todd Wenzel			
0141-CAV	(G.V.W.R. 10,000 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote		



STATE OF MICHIGAN **CENTRAL PROCUREMENT SERVICES**

Department of Technology, Management, and Budget 320 S. WALNUT ST., LANSING, MICHIGAN 48933

Various

DTMB

P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 5

to

3156 H	Highland Dr., Po	Box 310		ram ager				
Hudso	nville, MI 49426	·		on Coer Adn				
Albert	Li			Adm	Yvon Dufour		OTMB	
Hudso Albert 734-72	21-1144 4265			Contract Administrator	(517) 249-0455			
ali@to	ddwenzel.com			ator	dufoury@michigan.g	gov		
CV012	27388							
			CONTRAC	T SUMMARY				
VEHICLES	- PATROL, P	ASSENGER, TRU						
INITIAL EFI	FECTIVE DATE	INITIAL EXPIRAT	TON DATE	INITIAL	INITIAL AVAILABLE OPTIONS EXPIRATION BEFO			
Augus	st 1, 2017	November 30	0, 2022		1 - 2 Year		Novemb	per 30, 2022
	PAYM	IENT TERMS			DELIVERY T	IMEFR <i>A</i>	ME	
		ALTERNATE PAY	S		EXT	ENDED PU	IRCHASING	
□ P-Ca	ırd	□ PRC	☐ Othe	er		⊠ \	Yes	□ No
MINIMUM DE	LIVERY REQUIR	REMENTS						
			ESCRIPTION O					
OPTION		H OF OPTION	EXTENSION	LENG	TH OF EXTENSION			DEXP. DATE
\boxtimes	l	ne year						per 30, 2023
	NT VALUE	VALUE OF CHAN		ES	TIMATED AGGREGAT		TRACT VA	LUE
\$250),001.00	\$0.00			\$250,0	01.00		
Effective 40	(4.4/2022) the first	ot option year availab		RIPTION	eversions. The results	od 00:5:	troot ove:	tion data is
11/30/2023.	In addition, pric	st option year availab ing on this contract is main the same. Per o	hereby update	ed, per revise	d Schedule D - Pricir	ng. All d		

- Current market conditions may result in the following:

 1) Current pricing may not be available.

 2) Purchase orders may be required as "order verification".

 3) Ordering dates for particular makes and models have passed.

 4) Future ordering dates for particular makes and models are within a very small window of time.

 5) Pricing is subject to change until the vehicle is scheduled for a final production date.

						2023 MY	PRICING		
Spec #	DESCRIPTION	Year	Make	Model	Dealer	MI Deal \$	Delivery Fee (Per mile)	Critical Order Dates	Notes
0001-PAS	PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2023	CHEVROLET	SONIC (1JV69)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0002 -PAS	PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission	2023	CHEVROLET	SONIC (1JV48)	Chevrolet	Contact dealer for quote	\$1.75		
0007-PAS	PASSENGER VEHICLES: MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2023	CHEVROLET	MALIBU (1ZC69)	07187700178 Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0020-НҮВ	HYBRID VEHICLES: PASSENGER, MID SIZE (Front Wheel Drive) 4 Door Sedan (Automatic Transmission)	2023	CHEVROLET	BOLT PLUG-IN HYBRID COMPACT 5-DR (1FB48)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0040-2WDU-1	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	TRAX FWD (1JU76)	lodd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0040-2WDU-2	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	EQUINOX FWD (1XP26)	Chevrolet	Contact dealer for quote	\$1.75		
0040-2WDU-3	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	TRAILBLAZER FWD (1TR56)	07187700178 Todd Wenzel Chevrolet	Contact dealer for quote	\$1.75		NEW - Delete 3rd key option
0040-2WDU-4	TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE Automatic Transmission	2023	CHEVROLET	BLAZER FWD (1NK26)	071B7700178 Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75		NEW - Delete 3rd key option
0042-2WDU	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE	2023	CHEVROLET	TRAVERSE FWD (1NB56)	07187700178 Todd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0050-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	TRAX AWD (1JR76)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0050-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	EQUINOX AWD (1XX26)	Chevrolet 071B7700178	Contact dealer for quote	\$1.75		
0050-4WDU-3	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	TRAILBLAZER AWD (1TV56)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		NEW
0050-4WDU-4	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)	2023	CHEVROLET	BLAZER AWD (1NR26)	Todd Wenzel Chevrolet 071R7700178 Todd Wenzel	Contact dealer for quote	\$1.75		NEW
0050A-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY 4x4, 4 DOOR ALTERNATE FUEL VEHICLES (Payload 900 lbs., min.)	2023	CHEVROLET	TRAVERSE AWD (1NV56)	Chevrolet	Contact dealer for quote	\$1.75		
0052-4WDU-1	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	Includes tinted glass.
0052-4WDU-2	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	Includes tinted glass.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	TAHOE (CC15706)	l odd Wenzel Chevrolet 07187700178	Contact dealer for quote	\$1.75	23MY Orders Completed.	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2023	CHEVROLET	SUBURBAN (CC15906)	071R7700178 Todd Wenzel Chevrolet 071R7700178	Contact dealer for quote	\$1.75	23MY Orders Completed.	Includes tinted glass.
0070-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, (Approx. 7' Box) (Payload 1,000 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0071-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0073-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot Box) (Payload 1,300 lbs., min.)	2023	CHEVROLET	SILVERADO (CK10753)	Chevrolet 071B7700178	Contact dealer for quote	\$1.75		
0075-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8 Ft. Box) (Payload 1,300 lbs., min.) LIGHT DUTY TRUCK 4x4: PICK UP BODY ALTERNATIVE	2023	CHEVROLET	SILVERADO (CK10903) SILVERADO (CK10903)	Todd Wenzel Chevrolet Todd Wenzel	Contact dealer for quote	\$1.75		
0075A-4WDL	FUEL (8 Ft. Box) (Payload 1,300 lbs., min.) LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB	2023	CHEVROLET	SILVERADO (CK20953)	Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0076-4WDL	(8 Foot Box) (Payload 2,500 lbs., min.) LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB,	2023	CHEVROLET	SILVERADO (CK20953)	Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0076D-4WDL	DIESEL (8 Foot Box) (Payload 2,350 lbs., min.) LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB,	2023	CHEVROLET		Chevrolet 07187700178 Todd Wenzel	Contact dealer for quote	\$1.75		
0077-4WDL	(6 Foot Box) (Payload 2,500 lbs., min.) LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB	2023	CHEVROLET	SILVERADO (CK20753) SILVERADO (CK20753)	Chevrolet 07187700178	Contact dealer for quote	\$1.75		
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2023	CHEVROLET	SIEVENADO (CR20753)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet 071B7700178	Contact dealer for quote	\$1.75	23MY Orders Completed. Contact Dealer for Avail. Inventory	

Chevrolet Cyaload 2,800 lbs., min.) Chevrolet Contact dealer for quote S1.75	
ULGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB 082A-LDT ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload 1,500 lbs., min.) 082A-LDT ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.) 082A-LDT DISEL (6 Foot Box) (Payload 3,000 lbs., min.) 084D-LDT DISEL (6 Foot Box) (Payload 3,000 lbs., min.) 085D-LDT UGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (7187700178 lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (7187700178 lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 0085-LDT lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR lGHT DUTY TRU	
O081A-LDT ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload 1,400 bls., min.) O082A-LDT LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB 2023 CHEVROLET SILVERADO (CC10903) Contact dealer for quote S1.75 Contact dealer	
ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 Dis., min.) O082-LDT LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20953) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20753) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHEVROLET SILVERADO (CC20743) Todd Wenzel Chevrolet (Payload 3,000 lbs., min.) CHE	
LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8 Foot Box)(Payload 1,600 lbs., min.) Contact dealer for quote S1.75	
DIESEL (8 Foot Box) (Payload 3,000 lbs., min.) DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR SINGLE REAR WHEEL (6 Foot Box) (Paylo	
Contact dealer for quote LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Quote Diese) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Quote Diese) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Quote Diese) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 4,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 5,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR	
UIGHT DUTYTRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTYTRUCK: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTYTRUCK: PICK UP BODY, EXTENDED CAB (6 Quote Protesting of the protest	
LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Poot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 0086D-LDT 0087D-LDT 0087D-L	
UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DOOR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) UIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB, DOOR DOOR DOOR DOOR DOOR DOOR DOOR DOO	
3,000 lbs., min.) LIGHT DUTYTRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 lbs., min.) LIGHT DUTYTRUCK: PICK UP BODY, REGULAR CAB, 2023 CHEVROLET SILVERADO (CC20743) Todd Wenzel Contact dealer for quote \$1.75	
DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 Ibs., min.) DOOR, SINGLE REAR WHEEL (6 Foot Box) (Payload 3,000 Ibs., min.) OORTP-LDT DIDY TRUCK: PICK UP BODY, REGULAR CAB, 2023 CHEVROLET SILVERADO (CC20903) Todd Wenzel Contact dealer for \$1.75	
0087D-LDT Durery (etc.) / (etc.) / (etc.) \$1.75	
LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' 2023 CHEVROLET SILVERADO (CC20903) Todd Wenzel Contact dealer for	
0087-LDT Box) (Payload 3,240 lbs., min.) Chevrolet quote \$1.75	
10088D-LDT DOOR SINGLE REAR WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload 3,500 lbs., min.) SILVERADO (CC30953) Todd Wenzel Chevrolet 071B7700178	
UIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,800 lbs., min.) CHEVROLET SILVERADO (CC30953) Todd Wenzel Chevrolet O71B7700178 Contact dealer for quote \$1.75	
UIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,700 lbs., min.) CHEVROLET SILVERADO (CC30943) Todd Wenzel Chevrolet O71B7700178 Contact dealer for quote \$1.75	
LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8 Foot Box) (Payload 3,800 CHEVROLET SILVERADO (CC30943) Todd Wenzel Chevrolet Chevrolet S1.75	
lbs., min.) C71B7700178	
LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL 4 X 2, (8 Foot Box), (Payload 3,970 lbs., min.) Chevrolet O71B7700178 Chevrolet O71B7700178	
LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR WHEEL (8 Foot Box) (Payload 4,000 lbs., Single REAR WHEEL (8 Foot	
min.) UIGHT DUTYTRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR WHEELS (8 Foot Box) (Payload 5,000 lbs., DUAL REAR WHEELS (8 Foot Box) (Payload 5,000 lbs.,	
min.) O21B7700178 MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 2023 CHEVROLET SILVERADO (CC31003) Todd Wenzel Chevrolet quote \$1.75	
MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL 2023 CHEVROLET SILVERADO (CC31003) Todd Wenzel Chevrolet Chevrolet 2010 SILVERADO (CC31003) Chevrolet 2010 SILVER	
0102D-MDT G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.) O102D-MDT G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.)	
MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R 2023 CHEVROLET SILVERADO (CC31403) Ondown Chevrolet Contact dealer for Chevrolet Chevrolet Contact dealer for Chevrolet Chevro	
MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL 2023 CHEVROLET SILVERADO (CK31003) Contact dealer for	
0111-4WDM REAR WHEELS (G.V.W.R. 10,000 lbs., min.) MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DUAL 2023 CHEVROLET SILVERADO (CK31003) CONTACT dealer for	
0111D-4WDM REAR WHEELS, DIESEL, (G.V.W.R. 10,000 lbs., min.) Chevrolet Quote 1718770178 MEDIUM DUTY TRUCK AXA: CAR AND CHASSIS DIESEL 2023 CHEVROLET SHVERADO (CK31003) Odd Wenzel	
0112D-4WDM G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60" Chevrolet Q71R7700178 Chevrolet Q12D-4WDM C.A.	
0113D-4WDM MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS (Payload 5,930 lbs., min.), 84" Min. C.A. VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 2023 CHEVROLET EXPRESS (CG23405) Todd Wenzel Contact dealer for quote \$1.75	
0121A-VAN 1,700 lbs., min.) Chevrolet quote \$1.75	
0121-VAN Chevrolet quote \$1.75	
VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2023 CHEVROLET EXPRESS (CG23406) Todd Wenzel Chevrolet Chevrolet \$1.75	
0123-VAN VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.) 2023 CHEVROLET EXPRESS CG23406 Todd Wenzel Chevrolet Chevrolet Quote \$1.75	
VANS: CARGO VAN BODY, THREE-QUARTER TON O124A-VAN ALTERNATIVE FUEL (Payload 3,100 lbs., min.) CHEVROLET EXPRESS (CG23405) CHEVROLET Chevrolet O71R7700178 Contact dealer for quote	
VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.) VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.) CHEVROLET EXPRESS (CG23405) Todd Wenzel Chevrolet Chevrolet S1.75	
VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.) CHEVROLET EXPRESS (CG33405) Todd Wenzel Chevrolet (Chevrolet S1.75	
VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.) VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.) VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.) CHEVROLET EXPRESS (CG33405) Todd Wenzel Chevrolet Chevrolet S1.75	

	L				= 11				
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel	Contact dealer for	\$1.75		
					Chevrolet	quote	,		
0126-VAN	VANS: VAN 15 PASSENGER	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel	Contact dealer for	\$1.75		
0120 17					Chevrolet	quote	V		
0140-CAV	CUT-AWAY VANS: Single Rear Wheel, (G.V.W.R. 8,900	2023	CHEVROLET	EXPRESS (CG33503)	Todd Wenzel	Contact dealer for	\$1.75		
0140-CAV	lbs., min.)				Chevrolet	quote	\$1.70		
0141-CAV	CUT-AWAY VANS: DUAL REAR WHEEL, (G.V.W.R. 10,000	2023	CHEVROLET	EXPRESS (CG33803)	Todd Wenzel	Contact dealer for	\$1.75		
0141-CAV	lbs., min.)				Chevrolet	quote	\$1.75		
1001-POL	Police - Silverado 1500 2WD WT Crew Cab 147" with SSP	2023	CHEVROLET	Silverado 1500 (CC10543)	Todd Wenzel	Contact dealer for	\$1.75	23MY Orders	
1001-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
4000 001	Police - Silverado 1500 2WD WT Crew Cab 157" with SSP	2023	CHEVROLET	Silverado 1500 (CC10743)	Todd Wenzel	Contact dealer for	64.75	23MY Orders	
1003-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
4005 001	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP	2023	CHEVROLET	Silverado 1500 (Ck10543)	Todd Wenzel	Contact dealer for	\$1.75	23MY Orders	
1005-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP	2023	CHEVROLET	Silverado 1500 (Ck10743)	Todd Wenzel	Contact dealer for		23MY Orders	
1007-POL	(5W4)				Chevrolet	quote	\$1.75	Completed.	
	Police - Tahoe 2WD 4dr with PPV (9C1)	2023	CHEVROLET	Tahoe (CC10706)	Todd Wenzel	Contact dealer for	04.77	23MY Orders	
1009-POL					Chevrolet	quote	\$1.75	Completed.	
	Police - Tahoe 4WD 4dr with PPV (9C1)	2023	CHEVROLET	Tahoe (CK10706)				23MY Orders	
					Todd Wenzel	Contact dealer for		Completed.	
1010-POL					Chevrolet	quote	\$1.75	Contact Dealer for	
					071B7700178			Avail. Inventory	
	Police - Tahoe 4WD 4dr with SSP (5W4)	2023	CHEVROLET	Tahoe (CK10706)					
	Tonice - Tanice 4445 4at With 33F (3W4)	2023	CHEVROLLI	ranoc (ck10/00)	Todd Wenzel			23MY Orders	
1011-POL					Chevrolet	Contact dealer for	\$1.75	Completed.	
					071B7700178	quote		Contact Dealer for	
					0.12.700170			Avail. Inventory	

Current market conditions may result in the following:

- 1) Current pricing may not be available.
- 2) Purchase orders may be required as "order verification".
- 3) Ordering dates for particular makes and models have passed.
 4) Future ordering dates for particular makes and models are within a very small window of time.
 5) Pricing is subject to change until the vehicle is scheduled for a final production date.

						2023 MY PRICING		
Spec #	DESCRIPTION	Year	Make	Model	Dealer	MDOT \$	Critical Order Dates	Notes
	PASSENGER VEHICLES: 4-DOOR SEDAN,	2023	CHEVROLET	SONIC (1JV69)	Todd Wenzel	Cantast declar		
0001-PAS	SUBCOMPACT (Front Wheel Drive) Automatic Transmission				Chevrolet	Contact dealer for quote		
	Automatic Transmission				071B7700178	101 4000		
	PASSENGER VEHICLES: 5-DOOR	2023	CHEVROLET	SONIC (1JV48)	Todd Wenzel	Contact dealer		
0002 -PAS	HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission				Chevrolet	for quote		
					071B7700178	•		
	PASSENGER VEHICLES: MID SIZE (Front	2023	CHEVROLET	MALIBU (1ZC69)	Todd Wenzel	Contact dealer		
0007-PAS	Wheel Drive) 4 Door Sedan (Automatic Transmission)				Chevrolet	for quote		
					071B7700178			
	HYBRID VEHICLES: PASSENGER, MID SIZE	2023	CHEVROLET	BOLT PLUG-IN HYBRID	Todd Wenzel	Contact dealer		
0020-HYB	(Front Wheel Drive) 4 Door Sedan (Automatic Transmission)			COMPACT 5-DR (1FB48)	Chevrolet	for quote		
	(Automatic Transmission)			(17046)	071B7700178	101 40000		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023	CHEVROLET	TRAX FWD (1JU76)	Todd Wenzel	Contact dealer		
0040-2WDU-1	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE				Chevrolet	for quote		
	Automatic Transmission				071B7700178	ioi quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023	CHEVROLET	EQUINOX FWD	Todd Wenzel			
0040-2WDU-2	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE			(1XP26)	Chevrolet	Contact dealer for quote		
	Automatic Transmission				071B7700178	ioi quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023		TRAILBLAZER FWD	Todd Wenzel			NEW - Delete 3rd key
0040-2WDU-3	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE		CHEVROLET	(1TR56)	Chevrolet	Contact dealer		option
	Automatic Transmission				071B7700178	for quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 5	2023		BLAZER FWD (1NK26)	Todd Wenzel			NEW - Delete 3rd key
0040-2WDU-4	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE		CHEVROLET		Chevrolet	Contact dealer		option
	Automatic Transmission				071B7700178	for quote		
	TWO WHEEL DRIVE UTILITY VEHICLE: 6-8	2023	CHEVROLET	TRAVERSE FWD	Todd Wenzel			
0042-2WDU	PASSENGER, 4 DOOR, FRONT WHEEL DRIVE			(1NB56)	Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAX AWD (1JR76)	Todd Wenzel			
0050-4WDU-1	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	EQUINOX AWD	Todd Wenzel			
0050-4WDU-2	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1XX26)	Chevrolet	Contact dealer		
					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAILBLAZER AWD	Todd Wenzel			NEW
0050-4WDU-3	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1TV56)	Chevrolet	Contact dealer		
0030 41120 3					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	BLAZER AWD				NEW
0050-4WDU-4	UTILITY 4x4, 4 DOOR (Payload 900 lbs., min.)			(1NR26)	Todd Wenzel Chevrolet	Contact dealer		
0030-41720-4					071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023	CHEVROLET	TRAVERSE AWD	Todd Wenzel			
0050A-4WDU	UTILITY 4x4, 4 DOOR ALTERNATE FUEL		5.1.2.1.10.2.2.1	(1NV56)	Chevrolet	Contact dealer		
0030A-4WD0	VEHICLES (Payload 900 lbs., min.)				071B7700178	for quote		
	FOUR WHEEL DRIVE UTILITY VEHICLE:	2023		SUBURBAN (CK10906)	Todd Wenzel		23MY Orders	
0052-4WDU-1	UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	_023	CHEVROLET	SSS (SKIOSOO)		Contact dealer	Completed.	Includes tinted alse-
0032-4VVDU-1	ALTERNATIVE FUEL (Payload 1,500 lbs.,		CHEVROLET		Chevrolet	for quote	Contact	Includes tinted glass.
	min) FOUR WHEEL DRIVE UTILITY VEHICLE:	2023			071B7700178		Dealer for 23MY Orders	
0052 414/511 2	UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER	2023	CHEVEOLEE	TALLOF (CYCOTOC)	Todd Wenzel	Contact dealer	Completed.	to do do at 1 1 1 1
0052-4WDU-2	ALTERNATIVE FUEL (Payload 1,500 lbs.,		CHEVROLET	TAHOE (CK10706)	Chevrolet	for quote	Contact	Includes tinted glass.
	min \ LARGE UTILITY VEHICLES: UTILITY, 4-DOOR,	2022	CHEVROLET	TAHOE (CC15706)	071B7700178		Dealer for	
0050 1 000	5-6 PASSENGER, FULL SIZE, ALTERNATIVE	2023	CHEVROLET	TARDE (CC15706)	Todd Wenzel	Contact dealer	23MY Orders	Inches of the Control
0060-LGU	FUEL (Payload 1,500 lbs., min.)				Chevrolet	for quote	Completed.	Includes tinted glass.
		2022	CHEMBOLET	CUDUDDAN (COARCOS)	071B7700178			
	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE	2023	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel	Contact dealer	23MY Orders	
0061-LGU	FUEL (Payload 1,500 lbs., min.)				Chevrolet	for quote	Completed.	Includes tinted glass.
					071B7700178			
	LIGHT DUTY TRUCK 4x4: PICK UP BODY	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel	Contact dealer		
0070-4WDL	MIDSIZE, (Approx. 7' Box)(Payload 1,000 lbs., min.)				Chevrolet	for quote		
	,,				071B7700178			

0071-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY MIDSIZE, EXTENDED CAB (Approx. 6' Box) (Payload 1,260 lbs., min.)	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK10753)	071B7700178 Todd Wenzel	·		
0073-4WDL	EXTENDED CAB (6 Foot Box) (Payload 1,300 lbs., min.)			, ,	Chevrolet	Contact dealer for quote		
	· ·	2022	CHEMPOLET	CHALLO (CK407E3)	071B7700178	.0. 4000	23MY Orders	
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot	2023	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet	Contact dealer	Completed.	
00/3A-410DL	Box) (Payload 1,300 lbs., min.)				071B7700178	for quote	Contact Dealer for	
	LIGHT DUTY TRUCK 4x4: PICK UP BODY (8	2023	CHEVROLET	SILVERADO (CK10903)	Todd Wenzel		Dealer 101	
0075-4WDL	Ft. Box) (Payload 1,300 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY	2023	CHEVROLET	SILVERADO (CK10903)	071B7700178	-		
0075A-4WDL	ALTERNATIVE FUEL (8 Ft. Box) (Payload	2025	CHEVROLET	SIEVERADO (CR10905)	Todd Wenzel Chevrolet	Contact dealer		
	1,300 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20953)	Todd Wenzel	Contact dealer		
0076-4WDL	EXTENDED CAB (8 Foot Box) (Payload 2,500 lbs., min.)				Chevrolet	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20953)	071B7700178 Todd Wenzel			
0076D-4WDL	EXTENDED CAB, DIESEL (8 Foot Box)	2023	CHEVROLLI	SIEVERADO (CR20933)	Chevrolet	Contact dealer		
00/0222	(Payload 2,350 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel	Contact declar		
0077-4WDL	EXTENDED CAB (6 Foot Box) (Payload 2,500 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK 4x4: PICK UP BODY.	2023	CHEVROLET	SILVERADO (CK20753)	071B7700178			
0077D-4WDL	EXTENDED CAB, DIESEL (6 Foot Box)	2023	CHEVROLET	SILVERADO (CR20/53)	Todd Wenzel Chevrolet	Contact dealer	23MY Orders	
00775-44452	(Payload 2,500 lbs., min.)				071B7700178	for quote	Completed.	
	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel		23MY Orders	
0078-4WDL	FT. Box (Payload 2,800 lbs., min.)				Chevrolet	Contact dealer for quote	Completed. Contact	
	LIGHT DUTY TRUCK A.A. DICK UP BODY	2022	CHEVEOLET	CHALL VED V (CK30003)	071B7700178		Dealer for	
0078D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, DIESEL 8 Ft. Box (Payload 2,800 lbs., min.)	2023	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet	Contact dealer		
0078D-4VVDL					071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY	2023	CHEVROLET	COLORADO (12M53)	Todd Wenzel			
0079-LDT	MIDSIZE, REGULAR CAB (Approx. 6' Box) (Payload 1,000 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	OUE POLET	CHIVED + D.O. (20103252)	071B7700178	·		
0081A-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES	2023	CHEVROLET	SILVERADO (CC10753)	Todd Wenzel Chevrolet	Contact dealer		
0081A-LD1	(6 Foot Box) (Payload 1,400 lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel			
0082A-LDT	REGULAR CAB ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload 1,500 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	CHEVROLET	SILVERADO (CC10903)	071B7700178			
0082-LDT	REGULAR CAB (8 Foot Box) (Payload 1,600	2023	CHEVROLET	SILVERADO (CC10903)	Todd Wenzel Chevrolet	Contact dealer		
0002-101	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel			
0084D-LDT	EXTENDED CAB, DIESEL (8 Foot Box) (Payload 3,000 lbs., min.)				Chevrolet	Contact dealer for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVEOLET	SILVERADO (CC200E2)	071B7700178			
0084-LDT	EXTENDED CAB (8 Foot Box) (Payload 3,000	2023	CHEVROLET	SILVERADO (CC20953)	Todd Wenzel Chevrolet	Contact dealer		
2007 101	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel	Compared at		
0085D-LDT	EXTENDED CAB, DIESEL (6 Foot Box) (Payload 3,000 lbs., min.)				Chevrolet	Contact dealer for quote		
		2022	CHEVIOLUE	CHALDA DO (COSOTES)	071B7700178	,		
0085-LDT	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB (6 Foot Box) (Payload 3,000	2023	CHEVROLET	SILVERADO (CC20753)	Todd Wenzel Chevrolet	Contact dealer		
0003-ED1	lbs., min.)				071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY, CREW	2023	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel			
0086D-LDT	CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL (6 Foot Box) (Payload 3,000 lbs.,				Chevrolet	Contact dealer for quote		
	min 1		OUT: TO C.	CHAND CO. C.	071B7700178	1. 4.500		
0006 LDT	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (6	2023	CHEVROLET	SILVERADO (CC20743)	Todd Wenzel	Contact dealer		
0086-LDT	Foot Box) (Payload 3,000 lbs., min.)				Chevrolet 071B7700178	for quote		
	LIGHT DUTY TRUCK: PICK UP BODY,	2023	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel	_		
0087D-LDT	REGULAR CAB, DIESEL (8' Box) (Payload				Chevrolet	Contact dealer for quote		
	3,240 lbs., min.)				071B7700178	.or quote		

	LIGHT DUTY TRUCK, DICK US SON	2022	CHEVROLET	CILVEDADO (CC300C3)	T-1114			
	LIGHT DUTY TRUCK: PICK UP BODY, REGULAR CAB (8' Box) (Payload 3,240 lbs.,	2023	CHEVROLET	SILVERADO (CC20903)	Todd Wenzel	Contact dealer		
0087-LDT	min.)				Chevrolet	for quote		
	,	2025	CHEVECTE	CHALLE OF ACCUSE	071B7700178			
00000	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0088D-LDT	WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload				Chevrolet	for quote		
	3 500 lbs min)	2022	CHEVIDOLET	CILVEDADO (CC200FC)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0088-LDT	WHEEL 4 X 2, (8 Foot Box), (Payload 3,800				Chevrolet	for quote		
	lhs min \	2022	CHEVIDOLET	SILVERADO (CC20042)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel	Contact dealer		
0089D-LDT	Foot Box) (Payload 3,700 lbs., min.)				Chevrolet	for quote		
		2022	CHEMPONE	CHALDO (COSOCIO)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL (8	2023	CHEVROLET	SILVERADO (CC30943)	Todd Wenzel	Contact dealer		
0089-LDT	Foot Box) (Payload 3,800 lbs., min.)				Chevrolet	for quote		
		2022	CHEMPONE	CHALDO (COSCOLO)	071B7700178			
00000	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0090D-LDT	WHEEL, DIESEL 4 X 2, (8 Foot Box), (Payload				Chevrolet	for quote		
	3 970 lbs min)	2022	CHEMPOTER	CHALDO (COSOST)	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR	2023	CHEVROLET	SILVERADO (CC30953)	Todd Wenzel	Contact dealer		
0090-LDT	WHEEL 4 X 2, (8 Foot Box), (Payload 3,970				Chevrolet	for quote		
	lhs min \	202-	CHEVE	CHALLE OF ACCUSE	071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, SINGLE REAR	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel	Contact dealer		
0091-LDT	WHEEL (8 Foot Box) (Payload 4,000 lbs.,				Chevrolet	for quote		
	min)				071B7700178			
	LIGHT DUTY TRUCK: PICK UP BODY—STANDARD CAB, DUAL REAR	2023	CHEVROLET	SILVERADO (CC30903)	Todd Wenzel	Contact dealer		
0092-LDT	WHEELS (8 Foot Box) (Payload 5,000 lbs.,				Chevrolet	for quote		
	min \				071B7700178			
	MEDIUM DUTY TRUCK: CAB AND CHASSIS	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel	Contact dealer	23MV Orders	
0101-MDT	G.V.W.R. 10,000 lbs. min.,				Chevrolet	for quote	Completed.	
					071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS,	2023	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel	Contact dealer		
0101D-MDT	DIESEL G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb. min.)				Chevrolet	for quote		
	i i				071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS,	2023	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel	Contact dealer		
0102D-MDT	DIESEL G.V.W.R. 11,000 lbs minimum (Payload 5,500 lbs., min.)				Chevrolet	for quote		
					071B7700178	1		
	MEDIUM DUTY TRUCK: CAB AND CHASSIS	2023	CHEVROLET	SILVERADO (CC31403)	Todd Wenzel	Contact dealer		
0102-MDT	G.V.W.R 11,000 lbs minimum (Payload 5,500 lbs., min.)				Chevrolet	for quote		
					071B7700178	1.2.2		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact dealer		
0111-4WDM	CHASSIS, DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)				Chevrolet	for quote		
					071B7700178	1		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact dealer		
0111D-4WDM	CHASSIS, DUAL REAR WHEELS, DIESEL,				Chevrolet	for quote		
	(G.V.W.R. 10,000 lbs., min.)				071B7700178	4.0.0		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31003)	Todd Wenzel	Contact deal		
0112D-4WDM	CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60" Min. C.A.				Chevrolet	Contact dealer for quote		
	, , , ,				071B7700178	4.0.0		
	MEDIUM DUTY TRUCK 4X4: CAB AND	2023	CHEVROLET	SILVERADO (CK31403)	Todd Wenzel	Compared		
0113D-4WDM	CHASSIS (Payload 5,930 lbs., min.), 84" Min.				Chevrolet	Contact dealer for quote		
	C.A.				071B7700178	.o. quoto		
	VANS: CARGO VAN BODY ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Compared	22047 0	
0121A-VAN	FUEL (Payload 1,700 lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	completed.	
	VANS: CARGO VAN BODY (Payload 1,700	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Compared	22047 0	
0121-VAN	lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	Completed.	
	VANS: VAN, 12 PASSENGER ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG23406)	Todd Wenzel			
0123A-VAN	FUEL (Payload 2,649 lbs., min.)				Chevrolet	Contact dealer for quote	23MY Orders Completed.	
					071B7700178	ior quote	completed.	
	VANS: VAN, 12 PASSENGER (Payload 2,649	2023	CHEVROLET	EXPRESS CG23406	Todd Wenzel			
0123-VAN	lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote	Completed.	
	VANS: CARGO VAN BODY, THREE-QUARTER	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel			
0124A-VAN	TON ALTERNATIVE FUEL (Payload 3,100 lbs.,				Chevrolet	Contact dealer		
	min.)				071B7700178	for quote	Completed.	
								1

	WANG CARGO WAN DODY TURES OWARTED	2022	OUE (DOLET	EVENESS (SOSS 40E)				
	VANS: CARGO VAN BODY, THREE-QUARTER	2023	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel	Contact dealer	23MY Orders	
0124-VAN	TON (Payload 3,100 lbs., min.)				Chevrolet	for quote	Completed.	
					071B7700178	101 4000	- CO	
	VANS: CARGO VAN BODY, ONE TON	2023	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel			
0125A-VAN	ALTERNATIVE FUEL (Payload 3,900 lbs.,				Chevrolet	Contact dealer 23N for quote Cor	Completed.	
	min.)				071B7700178	ioi quote	Completed.	
	VANS: CARGO VAN BODY, ONE TON	2023	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel			
0125-VAN	(Payload 3,900 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote	Completed.	
	VANS: VAN 15 PASSENGER ALTERNATIVE	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel		er 23MY Orders	
0126A-VAN	FUEL				Chevrolet			
					071B7700178	for quote Completed		
	VANS: VAN 15 PASSENGER	2023	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel			
0126-VAN					Chevrolet	Contact dealer		
					071B7700178	for quote	Completed.	
	CUT-AWAY VANS: Single Rear Wheel,	2023	CHEVROLET	EXPRESS (CG33503)	Todd Wenzel			
0140-CAV	(G.V.W.R. 8,900 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote		
	CUT-AWAY VANS: DUAL REAR WHEEL,	2023	CHEVROLET	EXPRESS (CG33803)	Todd Wenzel			
0141-CAV	(G.V.W.R. 10,000 lbs., min.)				Chevrolet	Contact dealer		
					071B7700178	for quote		



STATE OF MICHIGAN **CENTRAL PROCUREMENT SERVICES**

Department of Technology, Management, and Budget 525 W. ALLEGAN ST., LANSING, MICHIGAN 48913

Scott Poyer

517-284-6448

DTMB

P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 4

to

Contract Number 071B7700178

100	3156 H	lighland Dr. , Po	Box 310		co	ram	317-204-0440				
DNT		nville, MI 49426			STATE		poyers@Michigan.go	ΟV			
ſRA	Albert				Adn) i	Yvon Dufour		DTMB		
RACTOR	734-72	21-1144 4265			Administrator	Contrac	(517) 249-0455				
R	ali@to	ddwenzel.com			ator	7	dufoury@michigan.g	jov			
	CV012	7388									
				CONTRAC	T SUMMA	RY					
VEH	ICLES	- PATROL, PA	ASSENGER, TRU			1 1					
INIT	IAL EFF	ECTIVE DATE	INITIAL EXPIRAT	ION DATE	INIT	IAL A	AVAILABLE OPTIONS	S		ATION DATE EFORE	
	Augus	st 1, 2017	November 30	0, 2022			1 - 2 Year		Novem	ber 30, 2022	
		PAYN	IENT TERMS				DELIVERY TI	MEFRA	AME		
	ALTERNATE PAYMENT OPTIONS				S	EXTENDED PURCHASING					
] P-Ca	rd	□ PRC	☐ Othe	er			\boxtimes	Yes	□ No	
MININ	IUM DE	LIVERY REQUIR	REMENTS								
			D	ESCRIPTION O	F CHANGE	E NO	TICE				
OP.	TION	LENGTI	H OF OPTION	EXTENSION	LE	ENG	TH OF EXTENSION		REVISE	D EXP. DATE	
									Novem	ber 30, 2022	
	CURRE	NT VALUE	VALUE OF CHANG	GE NOTICE		EST	TIMATED AGGREGAT	LE CON	NTRACT V	ALUE	
	\$250	,001.00	\$0.00				\$250,00	01.00			
					RIPTION						
			1, 2022 model year v cifications and pricing								

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MDOT \$	NOTES
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE	2021	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet	\$42,684.00	Includes tinted glass.
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE	2021	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet	\$40,158.00	Includes tinted glass.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL	2021	CHEVROLET	TAHOE (CC15706)	Todd Wenzel Chevrolet	\$37,383.00	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL	2021	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel Chevrolet	\$39,908.00	Includes tinted glass.
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6	2021	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet	\$29,310.00	
0101-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min.,	2021	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet	\$26,498.00	
0121A-VAN	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$22,843.00	
0121-VAN	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$21,959.00	
0123-VAN	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2021	CHEVROLET	EXPRESS CG23406	Todd Wenzel Chevrolet	\$26,385.00	
0124A-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0124-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0125A-VAN	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.)	2021	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0125-VAN	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)	2021	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2021	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$29,770.00	
0126-VAN	VANS: VAN 15 PASSENGER	2021	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$28,785.00	

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MI Deal \$	Delivery Fee (Per mile)	NOTES
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet	\$42,653.00	\$1.75	Includes tinted glass.
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	ТАНОЕ (СК10706)	Todd Wenzel Chevrolet	\$40,128.00	\$1.75	Includes tinted glass.
090-ren	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	TAHOE (CC15706)	Todd Wenzel Chevrolet	\$37,353.00	\$1.75	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel Chevrolet	\$39,878.00	\$1.75	Includes tinted glass.
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2021	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet	\$36,805.00	\$1.25	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2021	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet	\$26,700.00	\$1.25	
1005-POL	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP (5W4)	2021	CHEVROLET	Silverado 1500 (CK10543)	Todd Wenzel Chevrolet	\$28,183.00	\$1.25	
1007-POL	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP (5W4)	2021	CHEVROLET	Silverado 1500 (CK10743)	Todd Wenzel Chevrolet	\$28,465.00	\$1.25	
1009-POL	Police - Tahoe 2WD 4dr with PPV (9C1)	2021	CHEVROLET	Tahoe (CC10706)	Todd Wenzel Chevrolet	\$33,193.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).
1010-POL	Police - Tahoe 4WD 4dr with PPV (9C1)	2021	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet	\$35,969.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).
1011-POL	Police - Tahoe 4WD 4dr with SSP (5W4)	2021	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet	\$35,346.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).



STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

Scott Poyer

517-284-6448

SW

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 3

to

O 3156 I	aigniand Dr., Po	BOX 310		- (0	ger in				
Hudso	nville, MI 49426			STATE	poyers@Michi	gan.gov			
Hudso Albert 734-72	Li				Yvon Dufour		DTMB		
734-72	21-1144 4265				Yvon Dufour (517) 249-045 dufoury@mich	5			
ali@to	ddwenzel.com				ਰੈ ^ਜ dufoury@mich	igan.gov			
CV012	27388								
			CONTRAC	T SUMM	APV				
VEHICLES	S - PATROL, PA	ASSENGER, TRU			AIXI				
INITIAL EF	FECTIVE DATE	INITIAL EXPIRAT	TION DATE	IN	ITIAL AVAILABLE OF	PTIONS	EXPIRATION DATE BEFORE		
Augu	st 1, 2017	November 3	0, 2022		1 - 2 Year	,			
	PAYM	IENT TERMS			DELIVI	ERY TIMEFRA	ME		
	ALTERNATE PAYMENT OPTION					EXT	ENDED P	URCHASING	
□ P-Ca	ard	□ PRC	☐ Othe	er		⊠ `			
MINIMUM DE	ELIVERY REQUIR	REMENTS							
			ESCRIPTION O						
OPTION	LENGTI	H OF OPTION	EXTENSION		LENGTH OF EXTENS	SION		ED EXP. DATE	
								nber 30, 2022	
	NT VALUE	VALUE OF CHAN			ESTIMATED AGGI		ITRACT V	ALUE	
\$250	0,001.00	\$0.00				250,001.00			
=" 10	// //2000 DOO!			RIPTION				A II and	
		model year vehicles ions and pricing rem							

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MI Deal \$	Delivery Fee (Per mile)	NOTES
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet	\$42,653.00	\$1.75	Includes tinted glass.
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet	\$40,128.00	\$1.75	Includes tinted glass.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	TAHOE (CC15706)	Todd Wenzel Chevrolet	\$37,353.00	\$1.75	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL (Payload 1,500 lbs., min.)	2021	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel Chevrolet	\$39,878.00	\$1.75	Includes tinted glass.
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2021	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet	\$36,805.00	\$1.25	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2021	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet	\$26,700.00	\$1.25	
1005-POL	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP (5W4)	2021	CHEVROLET	Silverado 1500 (CK10543)	Todd Wenzel Chevrolet	\$28,183.00	\$1.25	
1007-POL	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP (5W4)	2021	CHEVROLET	Silverado 1500 (CK10743)	Todd Wenzel Chevrolet	\$28,465.00	\$1.25	
1009-POL	Police - Tahoe 2WD 4dr with PPV (9C1)	2021	CHEVROLET	Tahoe (CC10706)	Todd Wenzel Chevrolet	\$33,193.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).
1010-POL	Police - Tahoe 4WD 4dr with PPV (9C1)	2021	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet	\$35,969.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).
1011-POL	Police - Tahoe 4WD 4dr with SSP (5W4)	2021	CHEVROLET	Tahoe (CK10706)	Todd Wenzel Chevrolet	\$35,346.00	\$1.75	Pricing includes base model and Mandatory options only(no credits).

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MDOT \$	NOTES
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE	2021	CHEVROLET	SUBURBAN (CK10906)	Todd Wenzel Chevrolet	\$42,684.00	Includes tinted glass.
0052-4WDU	FOUR WHEEL DRIVE UTILITY VEHICLE: UTILITY VEHICLE, LARGE, 6 to 8 PASSENGER ALTERNATIVE	2021	CHEVROLET	TAHOE (CK10706)	Todd Wenzel Chevrolet	\$40,158.00	Includes tinted glass.
0060-LGU	LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL	2021	CHEVROLET	TAHOE (CC15706)	Todd Wenzel Chevrolet	\$37,383.00	Includes tinted glass.
0061-LGU	LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6 PASSENGER, HALF TON, ALTERNATIVE FUEL	2021	CHEVROLET	SUBURBAN (CC15906)	Todd Wenzel Chevrolet	\$39,908.00	Includes tinted glass.
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6	2021	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet	\$29,310.00	
0101-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min.,	2021	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet	\$26,498.00	
0121A-VAN	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$22,843.00	
0121-VAN	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$21,959.00	
0123-VAN	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2021	CHEVROLET	EXPRESS CG23406	Todd Wenzel Chevrolet	\$26,385.00	
0124A-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0124-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	2021	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0125A-VAN	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.)	2021	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0125-VAN	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)	2021	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2021	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$29,770.00	
0126-VAN	VANS: VAN 15 PASSENGER	2021	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$28,785.00	



STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 2

to

Contract Number <u>071B7700178</u>

TODD WENZEL CHEVROLET
3156 Highland Dr. , Po Box 310
Hudsonville, MI 49426
Albert Li
734-721-1144 4265
ali@toddwenzel.com
CV0127388

	۸	Scott Poyer	SW
	Program Manager	517-284-6448	
/TS	er	poyers@Michigan.gov	
ATE	C Adn	Yvon Dufour	DTMB
	Contract Administrator	(517) 249-0455	
	ct rator	dufoury@michigan.gov	
		1	

			CONTRAC	T SUMMARY			
VEHICLES	- PATROL, P.	ASSENGER, TRU	CKS AND VA	NS			
INITIAL EFF	ECTIVE DATE	INITIAL EXPIRAT	ION DATE	INITIAL AVAILABLE OPTIONS		EXPIRATI BEF	ON DATE ORE
Augus	t 1, 2017	November 30	, 2022	1 - 2 Year		Novembe	r 30, 2022
	PAYN	IENT TERMS		DELIVERY TI	MEFRA	AME	
		ALTERNATE PAY	MENT OPTION	IS	EXT	ENDED PUR	CHASING
□ P-Ca	rd	□ PRC	☐ Oth	er	⊠ \	Yes .	□ No
MINIMUM DE	LIVERY REQUIP	REMENTS					
		DE	ESCRIPTION O	F CHANGE NOTICE			
OPTION	LENGTI	H OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED I	EXP. DATE
						Novembe	r 30, 2022
CURRE	NT VALUE	VALUE OF CHANG	GE NOTICE	ESTIMATED AGGREGAT	E CON	ITRACT VAL	UE
\$250	,001.00	\$0.00		\$250,00	01.00		
			DESCI	RIPTION			

Effective November 15, 2019, the following amendment is hereby incorporated into the contract. 2020 Model Year Pricing Award per Schedule D Pricing (attached). All other terms, conditions, specifications and pricing remain the same. Per DTMB agreement, and DTMB Procurement approval.

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MDOT \$	Notes
0073A-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB ALTERNATIVE FUEL (6 Foot Box) (Payload 1,300 lbs., min.)	2020	CHEVROLET	SILVERADO (CK10753)	Todd Wenzel Chevrolet	\$29,310.00	
0101-MDT	MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min., (Payload 4,700 lb. min.)	2020	CHEVROLET	SILVERADO (CC31003)	Todd Wenzel Chevrolet	\$26,498.00	
0121A-VAN	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs., min.)	2020	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$22,843.00	
0121-VAN	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2020	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$21,959.00	
0123A-VAN	VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649 lbs., min.)	2020	CHEVROLET	EXPRESS (CG23406)	Todd Wenzel Chevrolet	\$27,078.00	
0123-VAN	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2020	CHEVROLET	EXPRESS CG23406	Todd Wenzel Chevrolet	\$26,133.00	
0124A-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL (Payload 3,100 lbs., min.)	2020	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0124-VAN	VANS: CARGO VAN BODY, THREE-QUARTER TON (Payload 3,100 lbs., min.)	2020	CHEVROLET	EXPRESS (CG23405)	Todd Wenzel Chevrolet	\$24,120.00	
0125A-VAN	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload 3,900 lbs., min.)	2020	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0125-VAN	VANS: CARGO VAN BODY, ONE TON (Payload 3,900 lbs., min.)	2020	CHEVROLET	EXPRESS (CG33405)	Todd Wenzel Chevrolet	\$26,685.00	
0126A-VAN	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL	2020	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$29,770.00	
0126-VAN	VANS: VAN 15 PASSENGER	2020	CHEVROLET	EXPRESS (CG33706)	Todd Wenzel Chevrolet	\$28,785.00	

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MI Deal \$	Delivery Fee (Per mile)	Notes
1005-POL	Police - Silverado 1500 4WD WT Crew Cab 147" with SSP (5W4)	2020	CHEVROLET	Silverado 1500 (CK10543)	Todd Wenzel Chevrolet	\$28,183.00	\$1.25	
1007-POL	Police - Silverado 1500 4WD WT Crew Cab 157" with SSP (5W4)	2020	CHEVROLET	Silverado 1500 (CK10743)	Todd Wenzel Chevrolet	\$28,465.00	\$1.25	
0077D-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY, EXTENDED CAB, DIESEL (6 Foot Box) (Payload 2,500 lbs., min.)	2020	CHEVROLET	SILVERADO (CK20753)	Todd Wenzel Chevrolet	\$36,805.00	\$1.25	
0078-4WDL	LIGHT DUTY TRUCK 4x4: PICK UP BODY 8 FT. Box (Payload 2,800 lbs., min.)	2020	CHEVROLET	SILVERADO (CK20903)	Todd Wenzel Chevrolet	\$26,700.00	\$1.25	



Todd Wenzel Chevrolet

STATE OF MICHIGAN **ENTERPRISE PROCUREMENT**

Department of Technology, Management, and Budget 525 W. ALLEGAN ST., LANSING, MICHIGAN 48913

Scott Poyer

SW

P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number 1

to

Contract Number 071B7700178

				ogram lanager	517-284-	6448	
3156 H	Highland Dr.			ger		Michigan.gov	
Hudso	nville, MI 49426			STATE			
Albert	Li			Adm	Yvon Duf	our	DTMB
CONTRACTOR	21-1144 4265			Contract Administrator	(517) 284	1-6996	
≆ ali@to	ddwenzel.com			ator	dufoury@	michigan.gov	1
*****	6745						
VEHICLES	S - PATROL, PAS	SSENGER TRI	CONTRACT S				
	FFECTIVE DATE	, , , , , , , , , , , , , , , , , , ,	RATION DATE		AVAILABL	E OPTIONS	EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW
Aug	ust 1, 2017	Novembe	er 30, 2022		1 - 2 Yea	ar	November 30, 2022
	PAYME	NT TERMS				DELIVERY TIM	IEFRAME
	ALT	ERNATE PAYMEN	IT OPTIONS			EXTE	NDED PURCHASING
□ P-Ca	ard	☐ Direct	Voucher (DV)		□ Other	⊠Ye	es 🗆 No
MINIMUM D	ELIVERY REQUIRE	MENTS					
			ESCRIPTION OF (
OPTION	LENGTH	OF OPTION	EXTENSION	LENG	TH OF EXT	ENSION	REVISED EXP. DATE
							November 30, 2022
CUR	RENT VALUE		IANGE NOTICE		STIMATED		CONTRACT VALUE
	\$1.00	\$250,	000.00			\$250,001	1.00
Effective 10	/01/2017 this cont	root is beroby inc	DESCRIE		tion the O	010 madal yas	ar pricing is awarded per
							ar pricing is awarded per gency agreement, and

SCHEDULE D - PRICING

Spec #	Description	MY	Make	Model	Awarded Dealer	MDOT Price	
VAN-0121	VANS: CARGO VAN BODY (Payload 1,700 lbs., min.)	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$21,959.00	
	VAIVS. CARGO VAIV BODT (Laylodd 1,700 lb3., Hill.)	2010	Cheviolet	CG23405	Chevrolet	Ψ 21 ,333.00	
VAN-0121A	VANS: CARGO VAN BODY ALTERNATIVE FUEL (Payload 1,700 lbs.,	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$22,843.00	
	min.)	2018	Cheviolet	CG23405	Chevrolet	\$22,843.00	
VAN-0123	VANS: VAN, 12 PASSENGER (Payload 2,649 lbs., min.)	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$26,133.00	
	VANS. VAN, 12 PASSENGER (Payloau 2,045 lbs., IIIII.)	2016	Cheviolet	CG23406	Chevrolet	\$20,133.00	
VAN-0123A	VANS: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload 2,649	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$27,078.00	
	lbs., min.)	2016	Cheviolet	CG23406	Chevrolet	\$27,076.00	
VAN-0124A	VANS: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$24,120.00	
	FUEL (Payload 3,100 lbs., min.)	2016	Cheviolet	CG23405	Chevrolet	\$24,120.00	
VAN-0125A	VANS: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$26,685.00	
	3,900 lbs., min.)	2016	Cheviolet	CG33405	Chevrolet	\$20,085.00	
VAN-0126	VANC. VAN 15 DACCENCED	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$28,785.00	
	VANS: VAN 15 PASSENGER		Chevrolet	CG33706	Chevrolet	\$28,785.00	
VAN-0126A	WANG WAN 15 DASSENCED ALTERNATIVE FLIEL	2018	Chevrolet	CHEVROLET EXPRESS	Todd Wenzel	\$29,770.00	
	VANS: VAN 15 PASSENGER ALTERNATIVE FUEL		Chevrolet	CG33706	Chevrolet	\$29,770.00	



STATE OF MICHIGAN **ENTERPRISE PROCUREMENT**

Department of Technology, Management & Budget 525 W. Allegan Street Lansing, MI 48933 P.O. Box 30026 Lansing, MI 48909

NOTICE OF CONTRACT

NOTICE OF CONTRACT NO. **071B7700178**

between

THE STATE OF MICHIGAN

and

	Todd Wenzel Chevrolet
8	3156 Highland Dr., PO Box 310
CTOR	Hudsonville, MI 49426
IRA(Albert Li
CONT	(734) 721-1144 ext. 4265
ၓ	ali@toddwenzel.com
	6745

	- L	Scott Poyer	MDOT
	Program Manager	(517) 284-6448	
ΛTΕ	M	poyers@michigan.gov	
ST/	ot ator	Yvon Dufour	DTMB
•,	Contract dministrator	(517) 284-6996	
	C Adn	dufoury@michigan.gov	

	CONTRA	ACT SUMMARY							
DESCRIPTION: Vehicles – Patrol, Passenger, Trucks, and Vans									
INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORI CHANGE(S) NOTED BELOV	_					
August 1, 2017	November 30, 2022	One, 2 year option	November 30, 2022						
PAYMEN	TTERMS	D	DELIVERY TIMEFRAME						
Net 45		90-120 Calendar Days							
ALTERNATE PAYMENT OPTION	IS		EXTENDED PURCHASING						
☐ P-card ☐	Direct Voucher (DV)	☐ Other	⊠ Yes □ No)					
MINIMUM DELIVERY REQUIREM	MENTS								
MISCELLANEOUS INFORMATIO	N								
ESTIMATED CONTRACT VALUE	AT TIME OF EXECUTION			\$1.00					

FOR THE CONTRACTOR:
Todd Wenzel Chevrolet Company Name
Authorized Agent Signature
Authorized Agent (Print or Type)
Date
FOR THE STATE:
Signature
Yvon Dufour – Senior Category Analyst Name & Title
DTMB Procurement – Commodities Agency
Date



STATE OF MICHIGAN

STANDARD CONTRACT TERMS

This STANDARD CONTRACT ("Contract") is agreed to between the State of Michigan (the "State") and Todd Wenzel Chevrolet ("Contractor"), a Delaware Corporation. This Contract is effective on August 1, 2017 ("Effective Date"), and unless terminated, expires on November 30, 2022.

This Contract may be renewed for up to one additional two-year period(s). Renewal must be by written agreement of the parties and will automatically extend the Term of this Contract.

The parties agree as follows:

 Duties of Contractor. Contractor must perform the services and provide the deliverables described in Schedule A – Statement of Work (the "Contract Activities"). An obligation to provide delivery of any commodity is considered a service and is a Contract Activity.

Contractor must furnish all labor, equipment, materials, and supplies necessary for the performance of the Contract Activities, and meet operational standards, unless otherwise specified in Schedule A.

Contractor must: (a) perform the Contract Activities in a timely, professional, safe, and workmanlike manner consistent with standards in the trade, profession, or industry; (b) meet or exceed the performance and operational standards, and specifications of the Contract; (c) provide all Contract Activities in good quality, with no material defects; (d) not interfere with the State's operations; (e) obtain and maintain all necessary licenses, permits or other authorizations necessary for the performance of the Contract; (f) cooperate with the State, including the State's quality assurance personnel, and any third party to achieve the objectives of the Contract; (g) return to the State any State-furnished equipment or other resources in the same condition as when provided when no longer required for the Contract; (h) not make any media releases without prior written authorization from the State; (i) assign to the State any claims resulting from state or federal antitrust violations to the extent that those violations concern materials or services supplied by third parties toward fulfillment of the Contract; (j) comply with all State physical and IT security policies and standards which will be made available upon request; and (k) provide the State priority in performance of the Contract except as mandated by federal disaster response requirements. Any breach under this paragraph is considered a material breach.

Contractor must also be clearly identifiable while on State property by wearing identification issued by the State, and clearly identify themselves whenever making contact with the State.

2. Notices. All notices and other communications required or permitted under this Contract must be in writing and will be considered given and received: (a) when verified by written receipt if sent by courier; (b) when actually received if sent by mail without verification of receipt; or (c) when verified by automated receipt or electronic logs if sent by facsimile or email.

If to State:	If to Contractor:
Yvon Dufour	Albert Li
525 W. Allegan,	3156 Highland Dr. PO Box 310
Constitution Hall, 1st Floor NE	Hudsonville, MI 49426
Lansing, MI 48933	ali@toddwenzel.com
dufoury@michigan.gov	(734) 721-1144 ext. 4265
(517) 284-6996	Cell: (734) 637-6643

Contract Administrator. The Contract Administrator for each party is the only person authorized to modify any terms of this Contract, and approve and execute any change under this Contract (each a "Contract Administrator"):

Version (09/2015) 1

State:	Contractor:
Yvon Dufour	Albert Li
525 W. Allegan,	3156 Highland Dr. PO Box 310
Constitution Hall, 1st Floor NE	Hudsonville, MI 49426
Lansing, MI 48933	ali@toddwenzel.com
dufoury @michigan.gov	(734) 721-1144 ext. 4265
(517) 284-6996	Cell: (734) 637-6643

4. Program Manager. The Program Manager for each party will monitor and coordinate the day-to-day activities of the Contract (each a "**Program Manager**"):

State:	Contractor:
Scott Poyer	Albert Li
poyers @michigan.gov	3156 Highland Dr. PO Box 310
(517) 284-6448	Hudsonville, MI 49426
	ali@toddwenzel.com
	(734) 721-1144 ext. 4265
	Cell: (734) 637-6643

- 5. **Performance Guarantee**. Contractor must at all times have financial resources sufficient, in the opinion of the State, to ensure performance of the Contract and must provide proof upon request. The State may require a performance bond (as specified in Schedule A) if, in the opinion of the State, it will ensure performance of the Contract.
- 6. Insurance Requirements. Contractor must maintain the insurances identified below and is responsible for all deductibles. All required insurance must: (a) protect the State from claims that may arise out of, are alleged to arise out of, or result from Contractor's or a subcontractor's performance; (b) be primary and non-contributing to any comparable liability insurance (including self-insurance) carried by the State; and (c) be provided by a company with an A.M. Best rating of "A" or better, and a financial size of VII or better.

Required Limits	Additional Requirements	
Commercial General Liability Insurance		
Minimal Limits: \$1,000,000 Each Occurrence Limit \$1,000,000 Personal & Advertising Injury Limit \$2,000,000 General Aggregate Limit \$2,000,000 Products/Completed Operations Deductible Maximum: \$50,000 Each Occurrence	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds using endorsement CG 20 10 11 85, or both CG 2010 07 04 and CG 2037 07 0.	
Umbrella or Excess Liability Insurance		
Minimal Limits: \$5,000,000 General Aggregate	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds.	
Automobile Liability Insurance		
Minimal Limits: \$1,000,000 Per Occurrence	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Hired and Non-Owned Automobile coverage.	
Workers' Compensation Insurance		

Version (09/2015) 2

Minimal Limits: Coverage according to applicable laws governing work activities.	Waiver of subrogation, except where waiver is prohibited by law.			
Employers Liability Insurance				
Minimal Limits: \$500,000 Each Accident \$500,000 Each Employee by Disease \$500,000 Aggregate Disease.				

If any of the required policies provide **claims-made** coverage, the Contractor must: (a) provide coverage with a retroactive date before the effective date of the contract or the beginning of Contract Activities; (b) maintain coverage and provide evidence of coverage for at least three (3) years after completion of the Contract Activities; and (c) if coverage is canceled or not renewed, and not replaced with another claims-made policy form with a retroactive date prior to the contract effective date, Contractor must purchase extended reporting coverage for a minimum of three (3) years after completion of work.

Contractor must: (a) provide insurance certificates to the Contract Administrator, containing the agreement or purchase order number, at Contract formation and within 20 calendar days of the expiration date of the applicable policies; (b) require that subcontractors maintain the required insurances contained in this Section; (c) notify the Contract Administrator within 5 business days if any insurance is cancelled; and (d) waive all rights against the State for damages covered by insurance. Failure to maintain the required insurance does not limit this waiver.

This Section is not intended to and is not be construed in any manner as waiving, restricting or limiting the liability of either party for any obligations under this Contract (including any provisions hereof requiring Contractor to indemnify, defend and hold harmless the State).

7. Administrative Fee and Reporting. Contractor must pay an administrative fee of 1% on the total unit cost of each vehicle purchased. This cost would include Page A or page B standard equipment and any additional options or MDOT options listed in each specification. Options added by the purchaser shall not be subject to the fee. The administrative fee shall be paid for all purchases made to Contractor under the Contract including transactions with the State (including its departments, divisions, agencies, offices, and commissions), MiDEAL members, and other states (including governmental subdivisions and authorized entities). Administrative fee payments must be made by check payable to the State of Michigan and mailed to:

Department of Technology, Management and Budget Cashiering P.O. Box 30681 Lansing, MI 48909

Contractor must submit an itemized purchasing activity report, which includes at a minimum, the name of the purchasing entity and the total dollar volume in sales. Reports should be mailed to DTMB-Procurement.

The administrative fee and purchasing activity report are due within 30 calendar days from the last day of each calendar quarter.

8. Extended Purchasing Program. This contract is extended to MiDEAL members. MiDEAL members include local units of government, school districts, universities, community colleges, and nonprofit hospitals. A current list of MiDEAL members is available at www.michigan.gov/mideal. Upon written agreement between the State and Contractor, this contract may also be extended to: (a) State of Michigan employees and (b) other states (including governmental subdivisions and authorized entities).

If extended, Contractor must supply all Contract Activities at the established Contract prices and terms. The State reserves the right to impose an administrative fee and negotiate additional discounts based on any increased volume generated by such extensions.

Version (09/2015) 3

Contractor must submit invoices to, and receive payment from, extended purchasing program members on a direct and individual basis.

- 9. Independent Contractor. Contractor is an independent contractor and assumes all rights, obligations and liabilities set forth in this Contract. Contractor, its employees, and agents will not be considered employees of the State. No partnership or joint venture relationship is created by virtue of this Contract. Contractor, and not the State, is responsible for the payment of wages, benefits and taxes of Contractor's employees and any subcontractors. Prior performance does not modify Contractor's status as an independent contractor.
- 10. Subcontracting. Contractor may not delegate any of its obligations under the Contract without the prior written approval of the State. Contractor must notify the State at least 90 calendar days before the proposed delegation, and provide the State any information it requests to determine whether the delegation is in its best interest. If approved, Contractor must: (a) be the sole point of contact regarding all contractual matters, including payment and charges for all Contract Activities; (b) make all payments to the subcontractor; and (c) incorporate the terms and conditions contained in this Contract in any subcontract with a subcontractor. Contractor remains responsible for the completion of the Contract Activities, compliance with the terms of this Contract, and the acts and omissions of the subcontractor. The State, in its sole discretion, may require the replacement of any subcontractor.
- **11. Staffing.** The State's Contract Administrator may require Contractor to remove or reassign personnel by providing a notice to Contractor.
- 12. Background Checks. Upon request, Contractor must perform background checks on all employees and subcontractors and its employees prior to their assignment. The scope is at the discretion of the State and documentation must be provided as requested. Contractor is responsible for all costs associated with the requested background checks. The State, in its sole discretion, may also perform background checks.
- 13. Assignment. Contractor may not assign this Contract to any other party without the prior approval of the State. Upon notice to Contractor, the State, in its sole discretion, may assign in whole or in part, its rights or responsibilities under this Contract to any other party. If the State determines that a novation of the Contract to a third party is necessary, Contractor will agree to the novation and provide all necessary documentation and signatures.
- 14. Change of Control. Contractor will notify, at least 90 calendar days before the effective date, the State of a change in Contractor's organizational structure or ownership. For purposes of this Contract, a change in control means any of the following: (a) a sale of more than 50% of Contractor's stock; (b) a sale of substantially all of Contractor's assets; (c) a change in a majority of Contractor's board members; (d) consummation of a merger or consolidation of Contractor with any other entity; (e) a change in ownership through a transaction or series of transactions; (f) or the board (or the stockholders) approves a plan of complete liquidation. A change of control does not include any consolidation or merger effected exclusively to change the domicile of Contractor, or any transaction or series of transactions principally for bona fide equity financing purposes.

In the event of a change of control, Contractor must require the successor to assume this Contract and all of its obligations under this Contract.

- **15. Ordering.** Contractor is not authorized to begin performance until receipt of authorization as identified in Schedule A.
- 16. Acceptance. Contract Activities are subject to inspection and testing by the State within 30 calendar days of the State's receipt of them ("State Review Period"), unless otherwise provided in Schedule A. If the Contract Activities are not fully accepted by the State, the State will notify Contractor by the end of the State Review Period that either: (a) the Contract Activities are accepted, but noted deficiencies must be corrected; or (b) the Contract Activities are rejected. If the State finds material deficiencies, it may: (i) reject the Contract Activities without performing any further inspections; (ii) demand performance at no additional cost; or (iii) terminate this Contract in accordance with Section 23, Termination for Cause.

Within 10 business days from the date of Contractor's receipt of notification of acceptance with deficiencies or rejection of any Contract Activities, Contractor must cure, at no additional cost, the

deficiency and deliver unequivocally acceptable Contract Activities to the State. If acceptance with deficiencies or rejection of the Contract Activities impacts the content or delivery of other non-completed Contract Activities, the parties' respective Program Managers must determine an agreed to number of days for re-submission that minimizes the overall impact to the Contract. However, nothing herein affects, alters, or relieves Contractor of its obligations to correct deficiencies in accordance with the time response standards set forth in this Contract.

If Contractor is unable or refuses to correct the deficiency within the time response standards set forth in this Contract, the State may cancel the order in whole or in part. The State, or a third party identified by the State, may perform the Contract Activities and recover the difference between the cost to cure and the Contract price plus an additional 10% administrative fee.

- 17. **Delivery.** Contractor must deliver all Contract Activities F.O.B. destination, within the State premises with transportation and handling charges paid by Contractor, unless otherwise specified in Schedule A. All containers and packaging becomes the State's exclusive property upon acceptance.
- 18. Risk of Loss and Title. Until final acceptance, title and risk of loss or damage to Contract Activities remains with Contractor. Contractor is responsible for filing, processing, and collecting all damage claims. The State will record and report to Contractor any evidence of visible damage. If the State rejects the Contract Activities, Contractor must remove them from the premises within 10 calendar days after notification of rejection. The risk of loss of rejected or non-conforming Contract Activities remains with Contractor. Rejected Contract Activities not removed by Contractor within 10 calendar days will be deemed abandoned by Contractor, and the State will have the right to dispose of it as its own property. Contractor must reimburse the State for costs and expenses incurred in storing or effecting removal or disposition of rejected Contract Activities.
- 19. Warranty Period. The warranty period, if applicable, for Contract Activities is a fixed period commencing on the date specified in Schedule A. If the Contract Activities do not function as warranted during the warranty period the State may return such non-conforming Contract Activities to the Contractor for a full refund.
- 20. Terms of Payment. Invoices must conform to the requirements communicated from time-to-time by the State. All undisputed amounts are payable within 45 days of the State's receipt. Contractor may only charge for Contract Activities performed as specified in Schedule A. Invoices must include an itemized statement of all charges. The State is exempt from State sales tax for direct purchases and may be exempt from federal excise tax, if Services purchased under this Agreement are for the State's exclusive use. Notwithstanding the foregoing, all prices are inclusive of taxes, and Contractor is responsible for all sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any federal, state, or local governmental entity on any amounts payable by the State under this Contract.

The State has the right to withhold payment of any disputed amounts until the parties agree as to the validity of the disputed amount. The State will notify Contractor of any dispute within a reasonable time. Payment by the State will not constitute a waiver of any rights as to Contractor's continuing obligations, including claims for deficiencies or substandard Contract Activities. Contractor's acceptance of final payment by the State constitutes a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still disputed.

The State will only disburse payments under this Contract through Electronic Funds Transfer (EFT). Contractor must register with the State at http://www.michigan.gov/cpexpress to receive electronic fund transfer payments. If Contractor does not register, the State is not liable for failure to provide payment. Without prejudice to any other right or remedy it may have, the State reserves the right to set off at any time any amount then due and owing to it by Contractor against any amount payable by the State to Contractor under this Contract.

- 21. Liquidated Damages Liquidated damages, if applicable, will be assessed as described in Schedule A.
- 22. Stop Work Order. The State may suspend any or all activities under the Contract at any time. The State will provide Contractor a written stop work order detailing the suspension. Contractor must comply with the stop work order upon receipt. Within 90 calendar days, or any longer period agreed to by Contractor, the State will either: (a) issue a notice authorizing Contractor to resume work, or (b) terminate the Contract or purchase order. The State will not pay for Contract Activities, Contractor's lost profits, or any additional compensation during a stop work period.

23. Termination for Cause. The State may terminate this Contract for cause, in whole or in part, if Contractor, as determined by the State: (a) endangers the value, integrity, or security of any location, data, or personnel; (b) becomes insolvent, petitions for bankruptcy court proceedings, or has an involuntary bankruptcy proceeding filed against it by any creditor; (c) engages in any conduct that may expose the State to liability; (d) breaches any of its material duties or obligations; or (e) fails to cure a breach within the time stated in a notice of breach. Any reference to specific breaches being material breaches within this Contract will not be construed to mean that other breaches are not material.

If the State terminates this Contract under this Section, the State will issue a termination notice specifying whether Contractor must: (a) cease performance immediately, or (b) continue to perform for a specified period. If it is later determined that Contractor was not in breach of the Contract, the termination will be deemed to have been a Termination for Convenience, effective as of the same date, and the rights and obligations of the parties will be limited to those provided in Section 24, Termination for Convenience.

The State will only pay for amounts due to Contractor for Contract Activities accepted by the State on or before the date of termination, subject to the State's right to set off any amounts owed by the Contractor for the State's reasonable costs in terminating this Contract. The Contractor must pay all reasonable costs incurred by the State in terminating this Contract for cause, including administrative costs, attorneys' fees, court costs, transition costs, and any costs the State incurs to procure the Contract Activities from other sources.

- 24. Termination for Convenience. The State may immediately terminate this Contract in whole or in part without penalty and for any reason, including but not limited to, appropriation or budget shortfalls. The termination notice will specify whether Contractor must: (a) cease performance of the Contract Activities immediately, or (b) continue to perform the Contract Activities in accordance with Section 25, Transition Responsibilities. If the State terminates this Contract for convenience, the State will pay all reasonable costs, as determined by the State, for State approved Transition Responsibilities.
- 25. Transition Responsibilities. Upon termination or expiration of this Contract for any reason, Contractor must, for a period of time specified by the State (not to exceed 90 calendar days), provide all reasonable transition assistance requested by the State, to allow for the expired or terminated portion of the Contract Activities to continue without interruption or adverse effect, and to facilitate the orderly transfer of such Contract Activities to the State or its designees. Such transition assistance may include, but is not limited to: (a) continuing to perform the Contract Activities at the established Contract rates; (b) taking all reasonable and necessary measures to transition performance of the work, including all applicable Contract Activities, training, equipment, software, leases, reports and other documentation, to the State or the State's designee; (c) taking all necessary and appropriate steps, or such other action as the State may direct, to preserve, maintain, protect, or return to the State all materials, data, property, and confidential information provided directly or indirectly to Contractor by any entity, agent, vendor, or employee of the State; (d) transferring title in and delivering to the State, at the State's discretion, all completed or partially completed deliverables prepared under this Contract as of the Contract termination date; and (e) preparing an accurate accounting from which the State and Contractor may reconcile all outstanding accounts (collectively, "Transition Responsibilities"). This Contract will automatically be extended through the end of the transition period.
- 26. General Indemnification. Contractor must defend, indemnify and hold the State, its departments, divisions, agencies, offices, commissions, officers, and employees harmless, without limitation, from and against any and all actions, claims, losses, liabilities, damages, costs, attorney fees, and expenses (including those required to establish the right to indemnification), arising out of or relating to: (a) any breach by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable) of any of the promises, agreements, representations, warranties, or insurance requirements contained in this Contract; (b) any infringement, misappropriation, or other violation of any intellectual property right or other right of any third party; (c) any bodily injury, death, or damage to real or tangible personal property occurring wholly or in part due to action or inaction by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable).

The State will notify Contractor in writing if indemnification is sought; however, failure to do so will not relieve Contractor, except to the extent that Contractor is materially prejudiced. Contractor must, to the satisfaction of the State, demonstrate its financial ability to carry out these obligations.

The State is entitled to: (i) regular updates on proceeding status; (ii) participate in the defense of the proceeding; (iii) employ its own counsel; and to (iv) retain control of the defense if the State deems necessary. Contractor will not, without the State's written consent (not to be unreasonably withheld), settle, compromise, or consent to the entry of any judgment in or otherwise seek to terminate any claim, action, or proceeding. To the extent that any State employee, official, or law may be involved or challenged, the State may, at its own expense, control the defense of that portion of the claim.

Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. An attorney designated to represent the State may not do so until approved by the Michigan Attorney General and appointed as a Special Assistant Attorney General.

- 27. Infringement Remedies. If, in either party's opinion, any piece of equipment, software, commodity, or service supplied by Contractor or its subcontractors, or its operation, use or reproduction, is likely to become the subject of a copyright, patent, trademark, or trade secret infringement claim, Contractor must, at its expense: (a) procure for the State the right to continue using the equipment, software, commodity, or service, or if this option is not reasonably available to Contractor, (b) replace or modify the same so that it becomes non-infringing; or (c) accept its return by the State with appropriate credits to the State against Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.
- 28. Limitation of Liability. The State is not liable for consequential, incidental, indirect, or special damages, regardless of the nature of the action.
- 29. Disclosure of Litigation, or Other Proceeding. Contractor must notify the State within 14 calendar days of receiving notice of any litigation, investigation, arbitration, or other proceeding (collectively, "Proceeding") involving Contractor, a subcontractor, or an officer or director of Contractor or subcontractor, that arises during the term of the Contract, including: (a) a criminal Proceeding; (b) a parole or probation Proceeding; (c) a Proceeding under the Sarbanes-Oxley Act; (d) a civil Proceeding involving: (1) a claim that might reasonably be expected to adversely affect Contractor's viability or financial stability; or (2) a governmental or public entity's claim or written allegation of fraud; or (e) a Proceeding involving any license that Contractor is required to possess in order to perform under this Contract.
- 30. State Data. All data and information provided to Contractor by or on behalf of the State, and all data and information derived therefrom, is the exclusive property of the State ("State Data"); this definition is to be construed as broadly as possible. Upon request, Contractor must provide to the State, or a third party designated by the State, all State Data within 10 calendar days of the request and in the format requested by the State. Contractor will assume all costs incurred in compiling and supplying State Data. No State Data may be used for any marketing purposes.

31. Reserved.

- 32. Non-Disclosure of Confidential Information. The parties acknowledge that each party may be exposed to or acquire communication or data of the other party that is confidential, privileged communication not intended to be disclosed to third parties. The provisions of this Section survive the termination of this Contract.
 - a. Meaning of Confidential Information. For the purposes of this Contract, the term "Confidential Information" means all information and documentation of a party that: (a) has been marked "confidential" or with words of similar meaning, at the time of disclosure by such party; (b) if disclosed orally or not marked "confidential" or with words of similar meaning, was subsequently summarized in writing by the disclosing party and marked "confidential" or with words of similar meaning; and, (c) should reasonably be recognized as confidential information of the disclosing party. The term "Confidential Information" does not include any information or documentation that was: (a) subject to disclosure under the Michigan Freedom of Information Act (FOIA); (b) already in the possession of the receiving party without an obligation of confidentiality; (c)

developed independently by the receiving party, as demonstrated by the receiving party, without violating the disclosing party's proprietary rights; (d) obtained from a source other than the disclosing party without an obligation of confidentiality; or, (e) publicly available when received, or thereafter became publicly available (other than through any unauthorized disclosure by, through, or on behalf of, the receiving party). For purposes of this Contract, in all cases and for all matters, State Data is deemed to be Confidential Information.

- b. Obligation of Confidentiality. The parties agree to hold all Confidential Information in strict confidence and not to copy, reproduce, sell, transfer, or otherwise dispose of, give or disclose such Confidential Information to third parties other than employees, agents, or subcontractors of a party who have a need to know in connection with this Contract or to use such Confidential Information for any purposes whatsoever other than the performance of this Contract. The parties agree to advise and require their respective employees, agents, and subcontractors of their obligations to keep all Confidential Information confidential. Disclosure to a subcontractor is permissible where: (a) use of a subcontractor is authorized under this Contract; (b) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the subcontractor's responsibilities; and (c) Contractor obligates the subcontractor in a written contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor or any subcontractor may be required to execute a separate agreement to be bound by the provisions of this Section.
- c. <u>Cooperation to Prevent Disclosure of Confidential Information</u>. Each party must use its best efforts to assist the other party in identifying and preventing any unauthorized use or disclosure of any Confidential Information. Without limiting the foregoing, each party must advise the other party immediately in the event either party learns or has reason to believe that any person who has had access to Confidential Information has violated or intends to violate the terms of this Contract and each party will cooperate with the other party in seeking injunctive or other equitable relief against any such person.
- d. Remedies for Breach of Obligation of Confidentiality. Each party acknowledges that breach of its obligation of confidentiality may give rise to irreparable injury to the other party, which damage may be inadequately compensable in the form of monetary damages. Accordingly, a party may seek and obtain injunctive relief against the breach or threatened breach of the foregoing undertakings, in addition to any other legal remedies which may be available, to include, in the case of the State, at the sole election of the State, the immediate termination, without liability to the State, of this Contract or any Statement of Work corresponding to the breach or threatened breach.
- e. <u>Surrender of Confidential Information upon Termination</u>. Upon termination of this Contract or a Statement of Work, in whole or in part, each party must, within 5 calendar days from the date of termination, return to the other party any and all Confidential Information received from the other party, or created or received by a party on behalf of the other party, which are in such party's possession, custody, or control; provided, however, that Contractor must return State Data to the State following the timeframe and procedure described further in this Contract. Should Contractor or the State determine that the return of any Confidential Information is not feasible, such party must destroy the Confidential Information and must certify the same in writing within 5 calendar days from the date of termination to the other party.
- 33. Reserved
- 34. Reserved.
- 35. Reserved.
- **36.** Records Maintenance, Inspection, Examination, and Audit. The State or its designee may audit Contractor to verify compliance with this Contract. Contractor must retain, and provide to the State or its

designee and the auditor general upon request, all financial and accounting records related to the Contract through the term of the Contract and for 4 years after the latter of termination, expiration, or final payment under this Contract or any extension ("Audit Period"). If an audit, litigation, or other action involving the records is initiated before the end of the Audit Period, Contractor must retain the records until all issues are resolved.

Within 10 calendar days of providing notice, the State and its authorized representatives or designees have the right to enter and inspect Contractor's premises or any other places where Contract Activities are being performed, and examine, copy, and audit all records related to this Contract. Contractor must cooperate and provide reasonable assistance. If any financial errors are revealed, the amount in error must be reflected as a credit or debit on subsequent invoices until the amount is paid or refunded. Any remaining balance at the end of the Contract must be paid or refunded within 45 calendar days.

This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

- 37. Warranties and Representations. Contractor represents and warrants: (a) Contractor is the owner or licensee of any Contract Activities that it licenses, sells, or develops and Contractor has the rights necessary to convey title, ownership rights, or licensed use; (b) all Contract Activities are delivered free from any security interest, lien, or encumbrance and will continue in that respect; (c) the Contract Activities will not infringe the patent, trademark, copyright, trade secret, or other proprietary rights of any third party; (d) Contractor must assign or otherwise transfer to the State or its designee any manufacturer's warranty for the Contract Activities; (e) the Contract Activities are merchantable and fit for the specific purposes identified in the Contract; (f) the Contract signatory has the authority to enter into this Contract; (g) all information furnished by Contractor in connection with the Contract fairly and accurately represents Contractor's business, properties, finances, and operations as of the dates covered by the information, and Contractor will inform the State of any material adverse changes; and (h) all information furnished and representations made in connection with the award of this Contract is true, accurate, and complete, and contains no false statements or omits any fact that would make the information misleading. A breach of this Section is considered a material breach of this Contract, which entitles the State to terminate this Contract under Section 23. Termination for Cause.
- 38. Conflicts and Ethics. Contractor will uphold high ethical standards and is prohibited from: (a) holding or acquiring an interest that would conflict with this Contract; (b) doing anything that creates an appearance of impropriety with respect to the award or performance of the Contract; (c) attempting to influence or appearing to influence any State employee by the direct or indirect offer of anything of value; or (d) paying or agreeing to pay any person, other than employees and consultants working for Contractor, any consideration contingent upon the award of the Contract. Contractor must immediately notify the State of any violation or potential violation of these standards. This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.
- **39. Compliance with Laws.** Contractor must comply with all federal, state and local laws, rules and regulations.
- 40. Reserved.
- 41. Reserved.
- **42. Nondiscrimination.** Under the Elliott-Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, *et seq.*, and the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, *et seq.*, Contractor and its subcontractors agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status, or mental or physical disability. Breach of this covenant is a material breach of this Contract.
- **43. Unfair Labor Practice.** Under MCL 423.324, the State may void any Contract with a Contractor or subcontractor who appears on the Unfair Labor Practice register compiled under MCL 423.322.
- **44. Governing Law.** This Contract is governed, construed, and enforced in accordance with Michigan law, excluding choice-of-law principles, and all claims relating to or arising out of this Contract are governed

by Michigan law, excluding choice-of-law principles. Any dispute arising from this Contract must be resolved in Michigan Court of Claims. Contractor consents to venue in Ingham County, and waives any objections, such as lack of personal jurisdiction or *forum non conveniens*. Contractor must appoint agents in Michigan to receive service of process.

- **45. Non-Exclusivity.** Nothing contained in this Contract is intended nor will be construed as creating any requirements contract with Contractor. This Contract does not restrict the State or its agencies from acquiring similar, equal, or like Contract Activities from other sources.
- 46. Force Majeure. Neither party will be in breach of this Contract because of any failure arising from any disaster or acts of god that are beyond their control and without their fault or negligence. Each party will use commercially reasonable efforts to resume performance. Contractor will not be relieved of a breach or delay caused by its subcontractors. If immediate performance is necessary to ensure public health and safety, the State may immediately contract with a third party.
- 47. Dispute Resolution. The parties will endeavor to resolve any Contract dispute in accordance with this provision. The dispute will be referred to the parties' respective Contract Administrators or Program Managers. Such referral must include a description of the issues and all supporting documentation. The parties must submit the dispute to a senior executive if unable to resolve the dispute within 15 business days. The parties will continue performing while a dispute is being resolved, unless the dispute precludes performance. A dispute involving payment does not preclude performance.

Litigation to resolve the dispute will not be instituted until after the dispute has been elevated to the parties' senior executive and either concludes that resolution is unlikely, or fails to respond within 15 business days. The parties are not prohibited from instituting formal proceedings: (a) to avoid the expiration of statute of limitations period; (b) to preserve a superior position with respect to creditors; or (c) where a party makes a determination that a temporary restraining order or other injunctive relief is the only adequate remedy. This Section does not limit the State's right to terminate the Contract.

- **48. Media Releases.** News releases (including promotional literature and commercial advertisements) pertaining to the Contract or project to which it relates must not be made without prior written State approval, and then only in accordance with the explicit written instructions of the State.
- **49. Website Incorporation.** The State is not bound by any content on Contractor's website unless expressly incorporated directly into this Contract.
- **50. Order of Precedence.** In the event of a conflict between the terms and conditions of the Contract, the schedules, a purchase order, or an amendment, the order of precedence is: (a) the purchase order; (b) the amendment; (c) Schedule A; (d) any other schedules; and (e) the Contract.
- 51. Severability. If any part of this Contract is held invalid or unenforceable, by any court of competent jurisdiction, that part will be deemed deleted from this Contract and the severed part will be replaced by agreed upon language that achieves the same or similar objectives. The remaining Contract will continue in full force and effect.
- **52. Waiver.** Failure to enforce any provision of this Contract will not constitute a waiver.
- **53. Survival.** The provisions of this Contract that impose continuing obligations, including warranties and representations, termination, transition, insurance coverage, indemnification, and confidentiality, will survive the expiration or termination of this Contract.
- **54. Entire Contract and Modification.** This Contract is the entire agreement and replaces all previous agreements between the parties for the Contract Activities. This Contract may not be amended except by signed agreement between the parties (a "**Contract Change Notice**").

STATE OF MICHIGAN

Contract No. 071B7700178

Vehicles – Patrol, Passenger, Trucks, and Vans

SCHEDULE A STATEMENT OF WORK CONTRACT ACTIVITIES

The schedule identifies the requirements of this Contract. This contract includes new purchases for vehicles consisting of, patrol, passenger, trucks, and vans resulting from this solicitation.

The Contractor must provide deliverables, including the staffing to accomplish all service incidentals necessary to complete the work, as set forth in this contract.

Requirement

1. Specifications

1.1 The Contractor must provide the following:

A. Patrol, Passenger, Trucks, and Vans per Schedule B - Specifications.

All vehicles to be furnished hereunder shall conform to the attached specifications (Schedule B – Specifications). At the time of annual bid pricing, the contractor shall include a list of designated exceptions to specifications If equipment does not fully comply with specifications. When no statement of exception is indicated, conformance to specifications will be required. Exceptions must be registered with the item number(s) to which it applies and list the description of equipment involved. This information shall be submitted electronically with the bid submittal. The State reserves the right to accept or reject exceptions to the specification.

B. New Equipment

All vehicles must be new and of the manufacturer's current models in production at the time of order. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after-market equipment. Equipment not available from the factory may be dealer installed, in compliance with specifications.

C. Options

The Contractor shall provide options for vehicles at the lowest price available to all ordering entities. Pricing for options shall be regulated by published Kelly blue book www.kbb.com pricing, and shall not be greater than quoted KBB "Invoice" pricing.

1.2 Warranties

All vehicles purchased on this contract will be covered at a minimum by the same manufacturer's vehicle warranty as is provided to retail customers. The Contractor will be responsible for all materials and accessories used in the vehicle, whether the same is ready made or from an outside source; and this responsibility may not be transferred, conveyed, assigned to any other person, company, corporation or entity without the previous written approval of the State.

Extension of warranty and or other policy adjustments will be considered when constant maintenance is required or if replacement parts prove unsound. The State of Michigan shall expect the manufacturer to have an adequate stock of replacement parts available to service State of Michigan, and Extended Purchasing Participants vehicles, and to make delivery of all replacement parts to their dealers who may service the State of Michigan, and Extended Purchasing Participants vehicles, within a reasonable time. The prime Contractor will be required to contact the State of Michigan and Extended Purchasing Participants within ten (10) days after receipt of a contract release or purchase order, to arrange procedures concerning the implementation of warranty claims and to designate personnel to handle claims.

1.3 Recall Requirements and Procedures

The Contractor shall notify the State and/or the ordering entity within 48 hours of a recall notice.

2. Service Levels

2.1 Time Frames

Delivery shall be within:

• 90-120 calendar days after receipt of the order for vehicles.

The Contractor and the State, or Ordering Entity, may mutually agree upon alternate schedules in writing. Deviations from the agreed upon schedule exceeding seven (7) calendar days shall be subject to section 10, Invoice Credits.

2.2 Training

The dealer shall provide access for State and Ordering Entity mechanics to all on-line service and repair information including service bulletins for all vehicles purchased. The dealer shall provide access for State and Ordering Entity mechanics to service and repair training for the models purchased. Training shall be similar to the training offered to dealership mechanics.

2.3 Reporting

The State reserves the right to request reports from the Contractor.

2.4 Documents

Contractor shall submit the following documents at the time of delivery:

- a) Owner's/Operator's manual for vehicle and all add-on equipment.
- b) Warranty papers for chassis, body, and additional equipment if applicable.
- c) Maintenance manual(s).

2.5 Meetings

The State may request a kick-off meeting with the Contractor within thirty (30) days of the Effective Date. The State may request other meetings, as it deems appropriate.

3. Staffing

3.1 Contractor Representative

The Contractor shall appoint an individual, specifically assigned to State of Michigan accounts, that will respond to State inquiries regarding the Contract Activities, answering questions related to ordering and delivery, etc. (the "Contractor Representative").

The Contractor shall notify the Contract Administrator at least **30** calendar days before removing or assigning a new Contractor Representative.

Albert Li (734) 721-1144 Ext. 4265 Direct: (734) 713-1065 Cell: (734) 637-6643 ali@toddwenzel.com

3.2 Customer Service Toll-Free Number

The Contractor shall specify its toll-free number for the State to make contact with the Contractor Representative. The Contractor Representative shall be available for calls during the hours of 8 am to 5 pm EST.

Albert Li (734) 721-1144 Ext. 4265 Direct: (734) 713-1065 Cell: (734) 637-6643 ali@toddwenzel.com

3.3 Technical Support, Repairs and Maintenance

The Contractor shall specify its toll-free number (if different than above) for the State to make contact with the Contractor for technical support, repairs and maintenance. The Contractor shall be available for calls and service during the hours of 8 am to 5 pm EST.

Albert Li (734) 721-1144 Ext. 4265 Direct: (734) 713-1065 Cell: (734) 637-6643 ali@toddwenzel.com

3.4 Disclosure of Subcontractors

If the Contractor intends to utilize subcontractors, the Contractor shall disclose the following:

The legal business name; address; telephone number; a description of subcontractor's organization and the services it will provide; and information concerning subcontractor's ability to provide the Contract Activities. The relationship of the subcontractor to the Contractor.

Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.

A complete description of the Contract Activities that will be performed or provided by the subcontractor. Of the total bid, the price of the subcontractor's work.

4. Pricing

4.1 Price Term

The pre-qualified pool of vendors shall bid annually on vehicles. Compliance with specifications and the lowest bid, shall govern award for vehicles by manufacturer, model category, and/or model groups. The State reserves the right to negotiate with one or more Contractors. Once vehicles are awarded, prices are fixed for one model year with an option to "roll-over" pricing for the next model years. "Model year" is defined as the current model year at the time of the bid release. Dealers are obligated to provide the vehicle at the bid price as long as that model year is produced. "Roll-over" pricing shall be upon mutual agreement between the State and the dealer. The State reserves the right to prohibit "roll-over" pricing for any reason. Vehicles that are not rolled over are included in the upcoming annual bid cycle.

4.2 Price Changes

Prices quoted are the maximum to be charged during the vehicle model year. Model year is defined as the current model year at the time of the bid release.

Dealers are obligated to provide the vehicle at the bid price as long as that model year is produced with the following exceptions:

- a) The State or Ordering Entity shall receive the benefit of any decrease in price that may occur.
- b) If changes in manufacturer standard equipment or federal regulations affect the cost of the vehicle(s) during the model year by more than one hundred-dollars (\$100), the Contractor may request a price revision to reflect the actual cost increase experienced. The request must be accompanied by evidence that the change actually affected the Contractor's cost.
- c) If the State of Michigan raises the cost of the vehicle title fees during the contract period, Contractors may request a price adjustment to reflect the actual cost increase experienced.

Changes may be either increase or decrease, and may be requested by either party. Approved changes shall be firm for the remainder of the model year, and shall take effect 30 days after authorization by Contract Change Notice. The postmark date on the Contract Release/Purchase Order shall determine prices to be charged on an order that may have been in transit prior to implementation of price revisions.

Requests for price changes shall be RECEIVED IN WRITING AT LEAST 30 DAYS PRIOR TO THEIR EFFECTIVE DATE, and are subject to written acceptance before becoming effective. In the event new prices are not acceptable, the vehicle will be added to the upcoming bid cycle, making it available for all pre-qualified dealers to submit bids. The continued payment of any charges due after September 30th of any fiscal year will be subject to the availability of an appropriation for this purpose.

5. Ordering

5.1 Authorizing Document

Orders for delivery of commodities and/or services will be issued directly by the State, or Extended Purchasing Participants, through the issuance of a Purchase Order Form referencing this contract. The Contractor is asked to reference all items per section **8.1 Invoice Requirements.**

The Contractor is only authorized to sell vehicles specifically listed on their contract within the respective model year.

Any misrepresentations, such as selling of other vehicles, could be subject to the following:

- 1. Submittal of an official Vendor Performance with the State.
- 2. Loss of award (Contractor's current awarded vehicles to be re-bid amongst other Contractors).
- **3.** Early removal from pre-qualification.

5.2 Order Verification

The Contractor must have internal controls to verify abnormal orders and to ensure that only authorized individuals place orders.

When an item is backordered, the Contractor shall notify the State or Ordering Entity within ten (10) business days.

The Contractor shall provide an order confirmation within two (2) business days.

The Contractor shall provide a delivery timeframe within ten (10) business days.

6. Delivery

A. F.O.B. Delivered Items

Prices shall be quoted "F.O.B. Delivered" with transportation charges prepaid on all orders for State of Michigan Agencies, in the vicinity of Lansing, Michigan. Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration.

B. F.O.B. dealership Items

Prices shall be quoted "F.O.B. Dealership" with transportation charges prepaid to the primary Contractor location on all orders for Extended Purchasing Participants. Dealers must also quote a delivery cost per mile to facilitate calculation of delivery cost to various locations within Michigan. The delivery fee per vehicle for Extended Purchasing Participants shall be a maximum of \$2.50 per mile starting at the first mile. Dealers can include a lower delivery fee than \$2.50 per mile in their bid responses. The delivery cost per mile will be added to the unit cost of the vehicle unit price quoted to determine the "Total Unit Price" for "F.O.B. Dealership" items. Mileage will be calculated based upon the "Official Michigan Department of Transportation Highway Map". Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration.

C. Driver Delivery

Contractors will be permitted to drive vehicles to final destinations in compliance with the "Affidavit for Driver Delivery" attached, however, the affidavit must be completed, submitted, and in the contract file within Purchasing Operations to be applicable.

Delivery must be made between the hours of 8:00 A.M. and 4:00 P.M., Monday through Friday ONLY, excluding State Holidays. Contractors shall contact the ordering agency 48 hours prior to the scheduled delivery time and date, to obtain confirmation of staff availability.

7. Acceptance

7.1 Acceptance and Inspection

Prior to delivery, each vehicle shall be serviced and inspected by the dealer or their agent. At a minimum, this pre-delivery service and inspection shall cover the specifications listed in the State of Michigan Specifications per Schedule B, Pre-Delivery Service. A copy of the Contractor's inspection and service check, including the Contractors and vehicle identification, check-off of service and inspection performed and the service manager's signature shall be furnished with each vehicle delivered. The vehicles crank case, differential and transmission shall be filled to the manufacturer's recommended capacity and the fuel tank shall have a minimum of one-fourth of a tank of fuel when the vehicle arrives at the delivery destination. The Contractor shall provide a completed odometer statement, completed RD108 application for title form, vehicle window sticker or line setting ticket, and invoice for each vehicle at the time of delivery. The vehicle shall be clean and free from defects when delivered.

Each unit shall have an initial fill of windshield washer solution with solvent giving winter protection.

The receiving State Agency and Ordering Entity have been instructed to make inspection on receipt of units and to process payment documents promptly. Payment documents, however, will be delayed if the vehicle fails to comply with specification requirements.

8. Invoice and Payment

8.1 Invoice Requirements

All invoices submited to the State must include: (a) date; (b) contract number; (c) purchase order; (d) quantity; (e) description of the Contract Activities; (f) base vehicle unit price; (g) option unit price; (h) shipping cost (if any); and (i) total price.

8.2 MiDeal Requirements

- a) The Contractor must ensure that all purchasers are MiDEAL Members before extending the Contract pricing.
- b) The Contractor must submit quarterly reports of MiDEAL purchasing activities (See Standard Contract Terms, section 7).
- c) To the extent that MiDEAL Members purchase Deliverable(s) under this Contract, the quantities of Deliverable(s) purchased will be included in determining the appropriate rate wherever tiered pricing based on quantity is provided.
- d) The Contractor shall submit invoices to and receive payment from MiDEAL Members on a direct and individual basis (See Standard Contract Terms, section 8).

9. Additional Requirements

9.1 Environmental and Energy Efficient Products

The Contractor must include any relevant third-party certification, including the verification of a United States department of agriculture certified bio based product label.

The Contractor shall identify any energy efficient, bio-based, or otherwise environmental friendly products used in their products to the Program Manager (PM) 2 weeks prior to delivery.

9.2 Recycled Content and Recyclability Deliverable(s).

Without compromising performance or quality, the State prefers Deliverable(s) containing higher percentages of recycled materials. The Contractor must indicate an estimate of the percentage of recycled materials, if any, contained in each Deliverable:

(total estimated percentage of recovered material)

(estimated percentage of post-consumer material)

(estimated percentage of post-industrial waste)

9.3 Hazardous Chemical Identification

In accordance with the federal Emergency Planning and Community Right-to-Know Act, 42 USC 11001, et seq., as amended, the Contractor must provide a Safety Data Sheet (SDS) listing any hazardous chemicals, as defined in 40 CFR §370.2, to be delivered. Each hazardous chemical must be properly identified, including any applicable identification number, such as a National Stock Number or Special Item Number.

The Contractor must identify any hazardous chemicals that will be provided under any resulting contract.

The Contractor shall provide all current SDS to the Program Manager (PM) 2 weeks prior to delivery.

9.4 Mercury Content

Pursuant to MCL 18.1261d, mercury-free products must be procured when possible. The Contractor must explain if it intends to provide products containing mercury, the amount or concentration of mercury, and whether cost competitive alternatives exist. If a cost competitive alternative does exist, the Contractor must provide justification as to why the particular product is essential. All products containing mercury must be labeled as containing mercury.

The Contractor shall report if it intends to provide products containing mercury to the Program Manager (PM) no later than 48 hours after a purchase order is issued.

9.5 Brominated Flame Retardants

The State prefers to purchase products that do not contain brominated flame retardants (BFRs) whenever possible. The Contractor must disclose whether the products contain BFRs.

The Contractor must disclose to the Program Manager (PM) whether their products contain BFRs no later than 48 hours after a purchase order is issued.

10. Invoice Credits

Late or improper completion of the Contract Activities will cause loss and damage to the State and Extending Purchasing Participants and it would be impracticable and extremely difficult to fix the actual damage sustained by the State and/or Extending Purchasing Participants. Therefore, if there is late or improper completion of the Contract Activities, the State, and the Ordering Entity are entitled to collect invoice credits in the amount of 2/10th of 1% of the Purchase Order for each day the Contractor fails to remedy the late or improper completion of the Work.

11. Liquidated Damages

Unauthorized Removal of Key Personnel will interfere with the timely and proper completion of the Contract, to the loss and damage of the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, the State may assess liquidated damages against Contractor as specified below.

The State is entitled to collect \$500 per individual per day for the removal of any Key Personnel without prior approval of the State.

The State is entitled to collect \$500 per individual per day for an unapproved or untrained key personnel replacement.



SCHEDULE B SPECIFICATION INFORMATION

Vehicles – Patrol, Passenger, Trucks, and Vans



THESE SPECIFICATIONS APPLY TO ANY CONTRACTS RESULTING FROM RFP#007117B0011312 AND WILL BE REFERRED TO IN ANNUAL BID CYCLES BEGINNING 2018 MODEL YEAR. THESE SPECIFICATIONS ARE APPLICABLE TO MODEL YEARS 2018 - 2025 UNLESS OTHERWISE SPECIFIED (subject to change).

TABLE OF CONTENTS

General Specifications	p. 4
Passenger Vehicle Equipment (Page A)	p. 8
Truck Equipment (Page B)	p. 9
Pre-Delivery Service_	p. 11
Receiving Procedure	p. 13
Specifications for Subclasses	p. 1

GENERAL SPECIFICATIONS

Patrol vehicle equipment options are contained within each specification contained in this document.

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after-market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The <u>dealer's vehicle order confirmation sheet</u>, <u>which</u> includes all of the standard options provided with the vehicle in accordance with the State of Michigan Specification, shall be provided at each of these steps in the process:

With dealers annual bid submittal to the State of Michigan
With original quote from the dealer to the Ordering Entity
Upon delivery of the vehicle from the dealer to the Ordering Entity
The Ordering Entity shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

The dealer shall indicate on the TOP of the order confirmation sheet:

- The State specification number that applies
- MDOT or Local Units of Government specification

Diesel Vehicles are indicated with a "D" at the end of the specification number. Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

	PASSENGER VEHICLES	
3905-0001	Subcompact, 4-Door Sedan, Auto. Trans.	pg. 1
3905-0001B	Subcompact, 5-Door Hatchback, Auto. Trans.	pg. 2
3905-0002	Small, 4-Door Sedan, Auto. Trans.	pg. 3
3905-0002B	Small, 5-Door Hatchback, Auto. Trans.	pg. 4
3905-0003	Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	pg. 5
3905-0003A	Alt Fuel - 4-Door Sedan, Auto. Trans.	pg. 6
3905-0004	Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	pg. 7
3905-0005	Large-Size, Administrator Series, 4 -Door Sedan, Auto. Trans.	pg. 8
	HYBRID VEHICLES	
3905-0006Н-Р01	Hybrid Passenger Vehicle, 4-Door Sedan, Mid-Size, Auto. Trans.	pg. 9
3905-0006Н-Р02	Hybrid Passenger Vehicle, 4-Door Sedan, Full-Size, Auto. Trans	pg. 10
3905-0007H-U01	Hybrid Utility Vehicle, 5 Passenger, 4-Door, 2.W.D., Auto Trans.	pg. 11
3905-0007H-U02	Hybrid Utility Vehicle, 5 Passenger, 4-Door, 4.W.D., Auto Trans.	pg. 12
3905-0007H-U15	Hybrid Utility Vehicle, 5-6 Passenger, Full Size, 4-Door, 2.W.D.	pg. 13
3905-0007H-U16	Hybrid Utility Vehicle, 5-6 Passenger, Full Size, 4-Door, 4.W.D.	pg. 14
3905-0011-CAVEA	Hybrid Vehicle: Cut-Away Van, Parallel Hybrid, 158" Wheelbase	pg. 15
3905-0011-CAVEB	Hybrid Vehicle: Cut-Away Van, Parallel Hybrid, 176" Wheelbase	pg. 16
3905-0008H-T01	Hybrid Pick-up, 6' Box, Crew Cab, 2.W.D., GVWR. 7,000 lbs. min.	pg. 17
3905-0008H-T02	Hybrid Pick-up, 6' Box, Crew Cab, 4.W.D., GVWR. 7,000 lbs. min.	pg. 18
3905-0012-CBPEA	Hybrid Vehicle: Stripped Chassis, Parallel Hybrid Electric Drive, 158" wheelbase, 14,000 lbs. min GVWR	pg. 19
3905-0012-CBPEB	Hybrid Vehicle: Stripped Chassis, Parallel Hybrid Electric Drive, 176" Wheelbase, 14,000 lbs. min GVWR	pg. 20
3905-009H-CVE	Electric, Compact Van, F.W.D., 5000 LBS GVWR	pg. 21
	PATROL VEHICLES	
3905-0009A	Police Car, Large, 4-Door Sedan, Auto. Trans., F.W.D.	pg. 22
3905-0009B	Police Car, Large, 4-Door Sedan, Auto. Trans., F.W.D.	pg. 32
3905-0010A	Police Car, Large, 4-Door Sedan, Auto. Trans., R.W.D./ A.W.D.	pg. 42
3905-0010B	Police Car, Large, 4-Door Sedan, Auto. Trans., R.W.D./ A.W.D.	pg. 53
3905-0011	Police Car, Large, Auto Trans., R.W.D.	pg. 64
3905-0012	Police Car, Large, Auto Trans., R.W.D.	pg. 74
3905-0013A	Police Util., Pursuit, Large, 4-Door, Auto Trans., 2-Wheel Drive	pg. 84
3905-0013B	Police Util., Pursuit, Large, 4-Door, Auto Trans., 2-Wheel Drive	pg. 93
3905-0014A	Police Util., SSV, Large, 4-Door, Auto Trans., 2-Wheel Drive, Alt. Fuel	pg. 104
3905-0015A	Police Util., SSV, Large, 4-Door, Auto Trans., 4-Wheel Drive, Alt. Fuel	pg. 105
3905-0016	Police, Pursuit, Large, 4-Door Sport Utility, All-Wheel Drive	pg. 106
	TWO-WHEEL DRIVE UTILITY VEHICLES	
3905-0018	5 Passenger, 4-Door, Auto. Trans., Front-Wheel Drive	pg. 117
3905-0018A	Alt Fuel - 5 Passenger, Auto. Trans., 4-Door	pg. 118
3905-0018B	5 Passenger, 4-Door, Auto. Trans, All-Wheel Drive	pg. 119
3905-0019	6-8 Passenger, 4-Door, Auto. Trans.	pg. 120
	<u>LIGHT DUTY TRUCKS I</u>	
3958-0020	Pick-Up, 6 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	pg. 121

	PROCUREMENT	
3958-0023	Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	pg. 122
3958-0025	Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., "Work Truck"	pg. 123
3958-0026	Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	pg. 124
3958-0026A	Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,500 lbs., min.	pg. 125
3958-0027	Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	pg. 126
3958-0027A	Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	pg. 127
3958-0028	Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	pg. 128
3958-0028A	Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	pg. 129
3958-0029	Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	pg. 130
3958-0029D	Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	pg. 131
3958-0030	Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	pg. 132
3958-0030A	Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 3,000 lbs., min.	pg. 133
3958-0030D	Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 3,000 lbs., min.	pg. 134
3958-0031	Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	pg. 135
3958-0031D	Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	pg. 136
	VANS AND LARGE UTILITY VEHICLES	
3958-0032	Cargo Van, Payload - 1,700 lbs., min.	pg. 137
3958-0032A	Cargo Van, Payload - 1,700 lbs., min., Alt. Fuel	pg. 138
3905-0034	Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	pg. 139
3905-0034A	Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min., Alt. Fuel	pg. 140
3905-0035	Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	pg. 141
3905-0035A	Sport Van, 8 Passenger, Payload - 1,600 lbs., min., Alt. Fuel	pg. 142
3905-0036	Utility Vehicle, Half Ton, 6-Passenger, Payload - 1,500 lbs., min.	pg. 143
3905-0036A	Utility Vehicle, Half Ton, 6-Passenger, Payload - 1,500 lbs., min., Alt. Fuel	pg. 144
3905-0037	12-Passenger Van, Payload - 2,649 lbs., min.	pg. 145
3905-0037A	12-Passenger Van, Payload - 2,649 lbs., min., Alt. Fuel	pg. 146
3958-0038	Utility, Ext, 6 Passenger, Three-Quarter Ton, Payload – 2,400 lbs., min	pg. 147
3958-0039	Cargo Van, Three-Quarter Ton, Payload - 3,100 lbs., min	pg. 148
3958-0039A	Cargo Van, Three-Quarter Ton, Payload - 3,100 lbs., min, Alt. Fuel	pg. 149
3958-0039T	Cargo Van, One Ton, Payload - 3,900 lbs., min	pg. 150
3958-0039TA	Cargo Van, One Ton, Payload - 3,900 lbs., min, Alt. Fuel	pg. 151
3905-0040	Van, 15-Passenger	pg. 152
3905-0040A	Van, 15-Passenger, Alt. Fuel	pg. 153
3905-0041	Van, 5 Passenger, Compact, Front Wheel Drive, Payload - 1,470 lbs., min.	pg. 154
3905-0042	Van, 7 Passenger, Compact, Front Wheel Drive, Payload - 1,100 lbs., min.	pg. 155
3905-0042A	Alt Fuel -Van, 7 Passenger, Compact, FWD, Payload - 1,100 lbs., min.	pg. 156
3958-0044	Van, Cargo, Compact, Front Wheel Drive, Payload - 1,580 lbs., min.	pg. 157
3958-0044A	Alt Fuel - Van, Cargo, Compact, FWD, Payload - 1,580 lbs., min.	pg. 158
	LIGHT DUTY TRUCKS II	
3958-0046	Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., SRW, Payload – 3,000 lbs., min.	pg. 159
3958-0046D	Diesel Pick-Up, 6' Box, Crew Cab, 4 Dr., SRW, Payload – 3,000 lbs., min.	pg. 160
3958-0047	Pick-Up, 8 Ft. Box, Std. Cab, DRW,, Payload - 5,000 lbs., min.	pg. 161
3958-0047D	Diesel - Pick-Up, 8 Ft. Box, Std. Cab, DRW, Payload - 5,000 lbs., min.	pg. 162
3958-0048	Pick-Up, 8 Ft. Box, Std. Cab, SRW, Payload - 4,000 lbs., min.	pg. 163

	INOCURENIENI	
3958-0048D	Diesel - Pick-Up, 8 Ft. Box, Std. Cab, SRW, Payload - 3,800 lbs.	pg. 164
3958-0049	Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., SRW, Payload – 3,800 lbs. min.	pg. 165
3958-0049D	Diesel -Pick-Up, 8' Box, Crew Cab, 4 Dr., SRW, Payload – 3,700 lbs. min.	pg. 166
3958-0050	Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., DRW, Payload – 3,970 lbs. min.	pg. 167
3958-0050D	Diesel - Pick-Up, 8' Box, Ext Cab, 4 Dr., DRW, Payload – 3,700 lbs. min.	pg. 168
3958-0051	Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., SRW, Payload – 3,800 lbs. min.	pg. 169
3958-0051D	Diesel - Pick-Up, 8' Box, Ext Cab, 4 Dr., SRW, Payload – 3,500 lbs. min.	pg. 170
	COMMERCIAL VANS	
3905-0057	Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	pg. 171
3905-0058	Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	pg. 172
	MEDIUM DUTY TRUCKS AND BODIES	
3958-0072	Cab and Chassis, G.V.W.R. 10,000 lbs., Payload – 4,700 lbs. min.	pg. 173
3958-0072D	Diesel - Cab and Chassis, G.V.W.R. 12,500 lbs., Payload – 6,200 lbs. min.	pg. 174
3958-0077	Cab and Chassis, G.V.W.R 11,000 lbs min., Payload 5,500 lbs., min.	pg. 175
3958-0077D	Diesel- Cab and Chassis, G.V.W.R 11,000 lbs, Payload 5,500 lbs., min.	pg. 176
3958-0078D	Diesel - Cab and Chassis, G.V.W.R 12,500 lbs Payload 6,675 lbs., min.	pg. 177
	LIGHT DUTY TRUCKS AND UTILITY 4X4	
3958-0083	Utility Vehicle, 4 Door, Payload 900 lbs., min.	pg. 178
3958-0083A	Alt Fuel - Utility Vehicle, 4 Door, Payload – 900 lbs., min.	pg. 179
3958-0084	Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	pg. 180
3905-0085	Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	pg. 181
3958-0086	Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	pg. 182
3958-0086A	Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	pg. 183
3958-0087	Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	pg. 184
3958-0087A	Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	pg. 185
3958-0088	Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	pg. 186
3958-0088D	Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,350 lbs., min.	pg. 187
3958-0089	Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	pg. 188
3958-0089D	Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	pg. 189
3958-0090	Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	pg. 190
3958-0090A	Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	pg. 191
3958-0091	Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	pg. 192
3958-0091A	Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	pg. 193
3958-0092	Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	pg. 194
3958-0092D	Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	pg. 195
3958-0093	Cab and Chassis, G.V.W.R 10,000 lbs min., DRW	pg. 196
3958-0093D	Diesel - Cab and Chassis, G.V.W.R 10,000 lbs min., DRW	pg. 197
3905-0094	Utility Vehicle, Large, 6 – 8 Passenger, Payload - 1,500 lbs., min.	pg. 198
3905-0094A	Alt Fuel - Utility Vehicle, Large, 6 - 8 Passenger, Payload - 1,500 lbs., min.	pg. 199
	MEDIUM DUTY TRUCKS, 4X4	
3958-0098D	Diesel - Cab and Chassis, G.V.W.R. 12,000 lbs., Payload 5,800 lbs., min.	pg. 200
3958-0099D	Diesel - Cab and Chassis, G.V.W.R. 12,500 lbs., Payload 5,930 lbs., min.	pg. 201

PASSENGER VEHICLE EQUIPMENT (Page A)

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be</u> furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Conditioning.

Battery-Maximum CCA available.

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Std., front and rear, color coordinated.

Keys- (2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Transmission-Automatic

Upholstery, Seats - Cloth or Cloth and Vinyl.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

- <u>Delete:</u> On GM vehicles, OnStar and XM radio are deleted.

TRUCK EQUIPMENT (Page B)

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be</u> furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors All trucks are to be equipped with R.H. and L.H. outside rearview mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rearview mirror. In all cases, outside R.H. & L.H. rear view mirrors shall be 34 sq.in. minimum, swing away type and provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

Paint codes: factory paint codes shall be furnished with all vehicles; for all after-market painting, both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires are to be of the same manufacturer, tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Transmission-Automatic.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

All items removed for installation of optional equipment shall be returned to the State of Michigan or the Ordering Entity.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

Delete: On GM vehicles, OnStar and XM radio are deleted.

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

- 1. General appearance of body both interior and exterior for completeness and quality of workmanship.
- 2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - **b.** Windshield Washer
 - c. Battery
 - **d.** Power steering pump
 - e. Brake master cylinder
 - **f.** Engine oil
 - **g.** Transmission fluid level.
- 3. Mechanical operation of vehicle:
 - **a.** Steering gear and linkage
 - **b.** Suspension assembly, front and rear
 - **c.** Proper tire pressure to normal rated road requirements
 - **d.** Hood latch
 - e. Head lights, aim and adjust
 - **f.** Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - **h.** All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - **j.** Proper adjustment to all drive belts
- 4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.

5. Miscellaneous items to be furnished:

- **a.** Manufacturers Window Sticker shall not be removed from vehicle.
- **b.** Odometer Certification, vehicle window sticker, or line setting ticket, and Vehicle Curb Weight at time of delivery.
- c. Manufacturers or Dealers Pre-Delivery Check Sheet.
- **d.** Vehicle shall have a minimum of one fourth (1/4) tank of Fuel when delivered.
- **e.** Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.
- **f.** Completed RD108 application for title form.
- **g.** Invoice for each vehicle at the time of delivery.
- **h.** Vehicle Order Confirmation Sheet.

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

Vehicles delivered in accordance with the Michigan specifications shall be complete, including mechanical details, general workmanship and appearance, and shall be delivered with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the Contractor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the Ordering Entity

It is recommended that the following items be checked by the Ordering Entity prior to signing the Freight Bill:

- 1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
- 2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
- 3. Check for cracked or broken windows.
- 4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
- 5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the Ordering Entity to check for any other items that could possibly have been missing in accordance with the purchase order, specification data, and the dealer's vehicle order confirmation sheet.

SPECIFICATIONS FOR SUBCLASSES

Mich. Spec. # 3905-0001

PASSENGER VEHICLES: 4-DOOR SEDAN, SUBCOMPACT (Front Wheel Drive) Automatic Transmission

MODEL-2018 CURRENT NEW

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)
 ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
 ✓ Locks; power with remote
 ✓ Lug wrench and jack
 ✓ Radio; AM/FM w/Bluetooth

Mich. Spec. # 3905-0001B

PASSENGER VEHICLES: 5-DOOR HATCHBACK, SUBCOMPACT (Front Wheel Drive) Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # **3905-0002**

PASSENGER VEHICLES: 4-DOOR SEDAN, SMALL-SIZE (Front Wheel Drive) Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

<u>ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT)</u> OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and shall be included on all MDOT passenger vehicles.

✓ Camera; rearview (in dash monitor)
 ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
 ✓ Locks; power with remote
 ✓ Lug wrench and jack
 ✓ Radio; AM/FM w/Bluetooth
 ✓ Traction Control

Mich. Spec. # 3905-0002B

PASSENGER VEHICLES: 5-DOOR HATCHBACK, SMALL-SIZE (Front Wheel Drive) Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

√	Camera; rearview (in dash monitor)
	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # 3905-0003

<u>PASSENGER VEHICLES: LARGE-SIZE (Front Wheel Drive)</u> 4-Door Sedan -(Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # 3905-0003A

PASSENGER VEHICLES: LARGE-SIZE, ALTERNATIVE FUEL (Front Wheel Drive) 4-Door Sedan -(Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

~	1	Camera; rearview (in dash monitor)
~	/	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
~	/	Locks; power with remote
~	/	Lug wrench and jack
~	/	Radio; AM/FM w/Bluetooth
V	/	Traction Control

Mich. Spec. # 3905-0004

<u>PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)</u> 4-Door Sedan -(Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Seats; bucket type, front
✓	Traction Control

Mich. Spec. # 3905-0005

<u>PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES</u> 4-Door Sedan - (Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # 3905-0006H-P01

<u>HYBRID VEHICLES: PASSENGER, MID-SIZE (Front Wheel Drive)</u> 4-Door Sedan - (Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Seats; bucket type, front
✓	Traction Control

Mich. Spec. # 3905-0006H-P02

<u>HYBRID VEHICLES: PASSENGER, FULL-SIZE (Front Wheel Drive)</u> 4-Door Sedan -(Automatic Transmission)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Seats; bucket type, front
✓	Traction Control

Mich. Spec. # 3905-0007H-U01

<u>HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (2-WHEEL DRIVE),</u> 5 Passenger, 4 Door, Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

Ī	✓	Camera; rearview (in dash monitor)
	✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	✓	Locks; power with remote
	✓	Lug wrench and jack
	✓	Radio; AM/FM w/Bluetooth
	✓	Traction Control

Mich. Spec. # 3905-0007H-U02

<u>HYBRID VEHICLES: MUTLI-FUNCTIONAL UTILITY VEHICLE (4-WHEEL DRIVE),</u> 5 Passenger, 4 Door, Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

	\checkmark	Camera; rearview (in dash monitor)		
	✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
	✓	Locks; power with remote		
	✓	Lug wrench and jack		
	✓	Radio; AM/FM w/Bluetooth		
	✓	Traction Control		

Mich. Spec. # **3905-0007H-U15**

HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (2-WHEEL DRIVE, AUTOMATIC TRANSMISSION)

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Axle; rear-limited slip.
✓ Battery; 12 Volt, 600 CCA min.
✓ Bumper; Rear, Mfg. Std.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench
✓ Seats; Full bench front, & full width seat facing forward back of the front seat.
✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

✓	Camera; rearview (in dash monitor)		
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
✓	Locks; power with remote		
✓	Lug wrench and jack		
✓	Radio; AM/FM w/Bluetooth		
✓	Traction Control		

Mich. Spec. # 3905-0007H-U16

<u>HYBRID VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (4-WHEEL DRIVE)</u>

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

٧	/	Axle; rear-limited slip.	
v	Battery; 12 Volt, 600 CCA min.		
٧	/	Bumper; Rear, Mfg. Std.	
v	/	Fuel capacity; largest available from mfg.	
v	/	Lug wrench	
v	/	Seats; Full bench front, & full width seat facing forward back of the front seat.	
v	Spare tire and wheel; Full size. Mfg. Std. mounting.		

Mich. Spec. #3905-0011-CAVEA

HYBRID VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS. MIN GVWR

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Vehicle Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; Lithium-Ion		
✓	Bumper; Rear, Mfg. Std.		
\	Engine/Motor; 5.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)		
>	Fuel capacity; largest available from mfg.		
✓	Lug wrench		
✓	Seats; Front bucket seats – option to delete passenger seat		
✓	Spare tire and wheel; Full size. Mfg. Std. mounting		
✓	Wheelbase; 158". 100" cab to axle		

Mich. Spec. #3905-0011-CAVEB

HYBRID VEHICLES: CUT-AWAY VAN, PARALLEL HYBRID ELECTRIC DRIVE, 176" WHEELBASE, 14,000 LBS. MIN GVWR

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Vehicle Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

Wheelbase; 176". 118" cab to axle

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Battery; Lithium-Ion

Bumper; Rear, Mfg. Std.

Engine/Motor; 5.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)

Fuel capacity; largest available from mfg.

Lug wrench

Seats; Front bucket seats – option to delete passenger seat

Spare tire and wheel; Full size. Mfg. Std. mounting

PLEASE NOTE: This option is not available in combination with the shuttle bus body. In addition, speed control is not available for this option.

Mich. Spec. # **3905-0008H-T01**

HYBRID VEHICLES: LIGHT DUTY PICK-UP TRUCK, CREW CAB (2-WHEEL DRIVE) (6' Box) (GVWR-7,000 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Axle; rear-limited slip	
✓	Battery; 12 Volt, 540 CCA min.	
✓	Bumper; Rear, Mfg. Std.	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench	
✓	Seats; Cloth	
✓	Spare tire and wheel; Full size. Mfg. Std. mounting	

Mich. Spec. # 3905-0008H-T02

<u>HYBRID VEHICLES: LIGHT DUTY PICK-UP TRUCK, CREW CAB (4-WHEEL DRIVE)</u> (6' Box) (GVWR-7,000 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Axle; rear-limited slip	
✓	Battery; 12 Volt, 540 CCA min.	
✓	Bumper; Rear, Mfg. Std.	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench	
✓	Seats; Cloth	
✓	Spare tire and wheel; Full size. Mfg. Std. mounting	

Mich. Spec. # 3905-0012-CBPEA

HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 158" WHEELBASE, 14,000 LBS MIN GVWR

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; Lithium-Ion		
✓	Engine/Motor; 5.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)		
✓	Fuel capacity; largest available from mfg.		
✓	Lug wrench		
✓	Spare tire and wheel; Full size. Mfg. Std. mounting		
✓	Wheelbase; 158"		

PLEASE NOTE: Speed Control is not available for this option.

Mich. Spec. # 3905-0012-CBPEB

HYBRID VEHICLES: STRIPPED CHASSIS, PARALLEL HYBRID ELECTRIC DRIVE, 176" WHEELBASE, 14,000 LBS MIN GVWR

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; Lithium-Ion	
✓	Engine/Motor; 5.4L FFV-V-8 Engine (Gas/E-85) / 3 Phase AC Traction (Electric)	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench	
✓	Spare tire and wheel; Full size. Mfg. Std. mounting	
✓	Wheelbase; 176"	

PLEASE NOTE: Speed Control is not available for this option.

Mich. Spec. # 3905-0009H-CVE

ELECTRIC VEHICLES: COMPACT VAN, 5000 LBS MIN GVWR, FRONT WHEEL DRIVE, ELECTRIC

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; Lithium-Ion. Largest available from mfg. 55-80 miles before needing recharge	
✓	Door; Rear, 255 degree opening, with glass window. Sliding, no glass – option to include glass	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench	
✓	Motor; 3 Phase AC Traction (Electric)	
✓	Run-flat kit	
✓	Seats; Front bucket seats – no second row	

Mich. Spec. # 3905-0009A

Pg. 1

PATROL: POLICE CAR 4-Door Sedan Front Wheel Drive

Construction- Monocoque (Unitized) type Large

(120+ cubic feet volume)

MAKE

Chevrolet Impala - E85 Capable

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Tuesday, September 7, 2010.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0009A

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

Mich. Spec. # 3905-0009A

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

POWER PORT PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

GLASS

All windows shall be heat absorbing (tinted) type.

Mich. Spec. # 3905-0009A

Pg. 4

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

KEYS

Vehicle to be equipped with eight (8) remote entry key fobs. Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

Mich. Spec. # 3905-0009A

Pg. 5

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

Mich. Spec. # 3905-0009A

Pg. 6

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

Mich. Spec. # 3905-0009A

Pg. 7

SPOTLIGHTS

Unity ABS plastic spotlight (equipped with halogen spot lamp) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Manufacturer to supply four (4) copies of all Technical Service Bulletins covering vehicles purchased under this specification. May be supplied on disc if approved by Vehicle and Travel Services.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials, per State of Michigan specification 5260-S1. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

To be 3- or 4-speed, fully automatic, heaviest duty available. Must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

Mich. Spec. # 3905-0009A

Pg. 8

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dashboard preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform with this requirement.

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0009A

Pg. 9

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. **BRAKES** (Thermal Capacity Brake Fade Test)

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) Phase 1 Test vehicles will be required to make 2 consecutive stops from 90 mph, with a constant deceleration rate of 22 feet per second² maintained from 90 to 0 mph. Immediately following this brake heat-up procedure, the vehicle will make six (6) controlled impending skid (threshold) measured stops from 60 mph.
- c) Phase 2 After a 4-minute wait (heat soak), the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twelve (12) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 12 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0009A

Pg. 10

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	CATEGORY WEIGHT
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

BID ADJUSTMENT METHODOLOGY

<u>Bid Adjustment Figure:</u> The bid adjustment figure will be one percent (1%) of the lowest bid price received.

<u>Actual Dollar Adjustment:</u> In order to determine the actual dollar amount by which each vehicle's bid price will be adjusted, the bid adjustment figure is multiplied by that vehicle's total weighted score.

Adjusted Bid Price: The actual dollar adjustment amount arrived at for each vehicle is then added to that vehicle's actual bid price. The resultant figure is the adjusted bid price upon which the purchasing decision will be based.

Mich. Spec. # 3905-0009B

Pg. 1

POLICE CAR: PATROL

4-Door Sedan Front Wheel Drive Construction- Monocoque (Unitized) type Large

(120+ cubic feet volume)

MAKE

Ford Police Interceptor – E85 Capable

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Thursday, August 30, 2012.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0009B

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under-hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

Mich. Spec. # 3905-0009B

Pg. 3

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

POWER PORT(S) PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

Mich. Spec. # 3905-0009B

Pg. 4

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

IGNITION SECURITY

Vehicle must be equipped with an ignition security device. This device allows the user to leave the engine running and doors unlocked and prevent the vehicle from unauthorized use. The device can be FOB sense or key bypass type. If an unauthorized person attempts vehicle movement, the device should shut off the engine or prevent the vehicle from being shifted into gear.

KEYS

Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

Mich. Spec. # 3905-0009B

Pg. 5

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

Mich. Spec. # 3905-0009B

Pg. 6

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations are to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

Mich. Spec. # 3905-0009B

Pg. 7

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights are to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation is to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

Is to be 5 or 6 speed, fully automatic, heaviest duty available. It must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

Mich. Spec. # 3905-0009B

Pg. 8

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dashboard preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform with this requirement.

<u>UPHOLSTERY, FRONT & REAR</u>

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers not acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door is to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0009B

Pg. 9

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0009B

Pg. 10

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	CATEGORY WEIGHT
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0010A

Pg. 1

POLICE CAR: PATROL

4-Door Sedan All Wheel Drive Construction- Monocoque (Unitized) type Large

(120+ cubic feet volume)

MAKE

Ford Police Interceptor – E85 Capable

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2012** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Tuesday, September 6, 2018.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0010A

Pg. 2

SPECIFICATION

MODEL

2012 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

Mich. Spec. # 3905-0010A

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted, four-wheel disc anti-lock brake system.

POWER PORT(S) PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

Mich. Spec. # 3905-0010A

Pg. 4

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

KEYS

Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

Mich. Spec. # 3905-0010A

Pg. 5

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or

Mich. Spec. # 3905-0010A

Pg. 6

transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (**or**) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

Mich. Spec. # 3905-0010A

Pg. 7

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations are to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights are to be wired independent of ignition, individually fused with up to 15 amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation is to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

Mich. Spec. # 3905-0010A

Pg.8

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

Is to be 5 or 6 speed, fully automatic, heaviest duty available. It must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dash board preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform with this requirement.

Mich. Spec. # 3905-0010A

Pg. 9

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers not acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door is to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0010A

Pg. 10

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) **Phase 1** The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0010A

Pg. 11

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	<u>CATEGORY WEIGHT</u>
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0010B

Pg. 1

POLICE CAR: PATROL

4-Door Sedan
All Wheel Drive
Turbo Charged
Construction- Monocoque (Unitized) type
Large

(120+ cubic feet volume)

MAKE

Ford Police Interceptor

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2012** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Tuesday, September 6, 2018.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0010B

Pg. 2

SPECIFICATION

MODEL

2012 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

Mich. Spec. # 3905-0010B

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

POWER PORT(S) PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

Mich. Spec. # 3905-0010B

Pg. 4

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

KEYS

Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

Mich. Spec. # 3905-0010B

Pg. 5

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

Mich. Spec. # 3905-0010B

Pg. 6

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

Mich. Spec. # 3905-0010B

Pg. 7

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations are to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights are to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation is to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

Mich. Spec. # 3905-0010B

Pg. 8

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

Is to be 5 or 6 speed, fully automatic, heaviest duty available. It must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dashboard preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform with this requirement.

Mich. Spec. # 3905-0010B

Pg. 9

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers not acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door is to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0010B

Pg. 10

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph, the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0010B

Pg. 11

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	<u>CATEGORY WEIGHT</u>
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # **3905-0011**

Pg. 1

POLICE CAR: PATROL Rear Wheel Drive Construction- Monocoque (Unitized) type Large

(120+ cubic feet volume)

MAKE

Dodge Charger 5.7L

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 No later than 4 p.m., Thursday, August 30, 2012.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0011

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

ADVANCED STABILITY CONTROL SYSTEM

Vehicle to be equipped with advanced stability control system with yaw sensor. Software should allow driver the ability to drive for performance and emergency law enforcement driving. System to have two settings: full on and partial off.

AIR BAGS

Vehicle to be equipped with driver frontal impact, driver knee air bag, passenger frontal impact, side impact roof rail curtain air bags, and thoracic seat airbag passive restraint system.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum no-load curb idle output of 92 amps at 221 degrees Fahrenheit (at manufacturer's recommended idle speed), maximum in-park idle output of 135 amps @ 221 degrees Fahrenheit engine compartment air temperature near the alternator, and a maximum rated capacity of 173 amps @ 80 degrees Fahrenheit. Shall be of heavy-duty design, capable of surviving patrol car operation. Output ratings are for typical summer underhood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM type original equipment antenna embedded in glass.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 800 cold cranking amps.

Mich. Spec. # 3905-0011

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted, four-wheel disc, anti-lock brake system.

POWER PORT PREFERRED

To be located on instrument panel wired independent of ignition system.

CRUISE CONTROL

May be installed if standard equipment.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heaviest duty available, 2.65 ratio, with electronic traction control.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights.

Mich. Spec. # 3905-0011

Pg. 4

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

IGNITION SECURITY

Vehicle must be equipped with an ignition security device. This device allows the user to leave the engine running and doors unlocked and prevent the vehicle from unauthorized use. The device can be FOB sense or key bypass type. If an unauthorized person attempts vehicle movement, the device should shut off the engine or prevent the vehicle from being shifted into gear.

KEY/FOBS

Four keys and 4 fobs to be furnished with each car. Key/fobs may be dealer supplied on original equipment.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of the driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

Mich. Spec. # 3905-0011

Pg. 5

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 or more vehicles and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at each point of vehicle assembly. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle shall be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

Mich. Spec. # 3905-0011

Pg. 6

ROOF TOP REINFORCEMENT AND SPECIAL WIRING

Install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light.

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 8-way power, with reclining seatbacks. Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of ten (10) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk. Space saver spare mounted in trunk and full size wheel and tire provided with each vehicle is acceptable.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 160 mph scale. Analog type scale graduations to be linear and of 1 or 2 mph increments. Digital type speedometer to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights to be wired independent of ignition, individually fused with 10 to 20-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation to be approved by Michigan State Police.

Mich. Spec. # 3905-0011

Pg. 7

STARTING SYSTEM

May be equipped with computer controlled electronic auto start system.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Manufacturer to supply four (4) copies of all Technical Service Bulletins covering vehicles purchased under this specification. May be supplied on disc if approved by Vehicle and Travel Services.

TIRES

Tires preferred (including spare) to be Goodyear or Firestone, police pursuit radials, per State of Michigan specification 5260-S1. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police. Vehicle to be equipped with Tire Pressure Monitoring System.

TOOLS

Wheel wrench and jack.

TRANSMISSION

To be 4- or 5-speed, fully automatic, and heaviest duty available. Must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

Mich. Spec. # 3905-0011

Pg. 8

TRUNK AREA AND ENGINE COMPARTMENT LIGHTS

To be equipped with a trunk area and engine compartment light. Each light to be activated by lighting control module.

TRUNK MAT

To be full floor in trunk area, of heavy-duty material preferably rubber.

TRUNK RELEASE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, preferably located on the right side of the steering column (in glove box not acceptable). Electric system wired independently of ignition switch. Dealer may relocate control and/or alter factory wiring to conform with this requirement.

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (dark blue is preferred, dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered with all vinyl.

WHEELS AND COVERS

To be 18" heavy-duty construction, <u>designed for police use</u>, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0011

Pg. 9

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

0 - 60 MPH - 9.0 seconds or less 0 - 80 MPH - 14.9 seconds or less 0 - 100 MPH - 24.6 seconds or less

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet, and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120-mph minimum will be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph, the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0011

Pg. 10

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	<u>CATEGORY WEIGHT</u>
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

Deviation Factor: The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0012

Pg. 1

PATROL: POLICE CAR

Rear Wheel Drive Construction- Monocoque (Unitized) type Large

(120+ cubic feet volume)

MAKE

Chevrolet Caprice – 9 C1, E85 Capable Option Code PPV

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 No later than 4 p.m., Thursday, August 30, 2012.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0012

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

ADVANCED STABILITY CONTROL SYSTEM

Vehicle to be equipped with advanced stability control system with yaw sensor. Software should allow driver the ability to drive for performance and emergency law enforcement driving. System to have two settings: full on and performance mode.

AIR BAGS

Vehicle to be equipped with driver frontal impact, passenger frontal impact, side impact roof rail curtain air bags (front seat standard, full length optional), and thoracic seat airbag passive restraint system.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum no-load curb idle output of 80 amps @ 221 degrees (°) Fahrenheit (F), (at manufacturer's recommended idle speed), maximum in-park idle output of 120 amps @ 221° (F) engine compartment air temperature and a maximum capacity of 170 amps @ 77° (F). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 135 amps at 221° (F) engine compartment air temperature. Output ratings are for typical summer under hood ambient temperatures measured at 221° (F) and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM type original equipment antenna mounted on centerline of roof near rear window.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum

BATTERY

12 volt, 700 cold cranking amps. Auxiliary battery 600 cold cranking amps available as an option (RPO K4S).

Mich. Spec. # 3905-0012

Pg. 3

BODY SIDE MOLDING

Body side moldings not available.

BRAKES

Vehicle to be equipped with power assisted, four-wheel disc, anti-lock brake system.

POWER PORT PREFERRED

To be located on instrument panel wired independent of ignition system. Power remains on with retained accessory power.

CRUISE CONTROL

May be installed if standard equipment.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heaviest duty available, 2.92 ratio with Limited Slip.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

GLASS

Solar-Ray windshield and front doors.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights.

Mich. Spec. # 3905-0012

Pg. 4

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

IGNITION SECURITY

Vehicle must be equipped with an ignition security device. This device allows the user to leave the engine running and doors unlocked and prevent the vehicle from unauthorized use. The device can be FOB sense or key bypass type. If an unauthorized person attempts vehicle movement, the device should shut off the engine or prevent the vehicle from being shifted into gear.

KEY/FOBS

Two keys and fobs furnished. 6 additional keys and key fobs are available as an option. (RPO AMF)

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle. Operation to be independent of other lights. Exact mounting position to be approved by the Michigan State Police. Map lights are not available from the factory; may be installed by dealer. No interior light to be illuminated by open doors. (Option 7Y6)

LOCKS

To be equipped with power door locks. All locks on car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of the driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

Mich. Spec. # 3905-0012

Pg. 5

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 or more vehicles and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at the port of entry. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle shall be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions). (RPO WX7)

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum. Speakers are located in front and rear doors.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

Mich. Spec. # 3905-0012

Pg. 6

ROOF TOP REINFORCEMENT AND SPECIAL WIRING

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light. Structural support is to be added by second stage manufacturer.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 6-way power, with reclining seatbacks. Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of ten (10) inches is required between the bucket seats. Column mounted shift lever preferred; floor mounted shift lever acceptable, if column not available.

SPARE TIRE

Full size spare tire and wheel to be mounted in trunk.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations. (RPO 9C1)

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 160 mph scale. Analog type scale graduations are to be linear and of 1 or 2 mph increments. Digital type speedometer is to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights to be wired independent of ignition, individually fused a with 15 amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation to be approved by Michigan State Police.

Mich. Spec. # 3905-0012

Pg. 7

STARTING SYSTEM

May be equipped with computer controlled electronic auto start system.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires preferred (including spare) to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police. Vehicle to be equipped with Tire Pressure Monitoring System.

TOOLS

Wheel wrench and jack.

TRANSMISSION

To be 4, 5 or 6-speed, fully automatic, heaviest duty available. Must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

Mich. Spec. # 3905-0012

Pg. 8

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK AREA AND ENGINE COMPARTMENT LIGHTS

To be equipped with a trunk area compartment light. Light to be activated by lighting control module. Engine compartment light not available (may be installed by Second Stage manufacturer.)

TRUNK MAT

To be full floor in trunk area, of heavy-duty material preferably rubber.

TRUNK RELEASE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, preferably located on the right side of the steering column (in glove box not acceptable). Trunk release to be controlled by ignition.

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (dark blue is preferred, dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat is to be upholstered with all vinyl.

WHEELS AND COVERS

To be 18" heavy-duty construction, <u>designed for police use</u>, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0012

Pg. 9

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet, and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120-mph minimum will be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph, the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0012

Pg. 10

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	CATEGORY WEIGHT
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0013A

Pg. 1

PATROL: POLICE - 2-WHEEL DRIVE 4 DOOR SPORT UTILITY Construction- Body on Frame Large

(160 + cubic feet volume)

MAKE

Chevrolet Police Tahoe – *E85 Capable*Option Code PPV

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services State Secondary Complex (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, No later than 4 p.m., Thursday, August 30, 2012.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle, which fails to meet the minimum standards, found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0013A

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

ADVANCED STABILITY CONTROL SYSTEM

Vehicle to be equipped with advanced stability control system with yaw sensor. Software should allow driver the ability to drive for performance and emergency law enforcement driving. System to have three settings: full on, traction control off and stability control system completely off.

AIR BAGS

Vehicle to be equipped with driver and passenger frontal impact and thoracic air bags, and side curtain air bag system.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum no-load curb idle output of 98 amps @ 221 degrees (°) Fahrenheit (F), (at manufacturer's recommended idle speed) maximum in-park idle output of 124 amps @ 221° (F) engine compartment air temperature and a maximum capacity of 160 amps @ 77° (F). Shall be of heavy-duty design, capable of surviving patrol car operation. Output ratings are for typical summer under hood ambient temperatures measured at 221° (F) and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

Vehicle to be equipped with a dual battery system. Option Code 6A6

Mich. Spec. # 3905-0013A

Pg. 3

BODY SIDE MOLDING

To be deleted.

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

COOLING SYSTEM

Vehicle to a have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy-duty, limited slip required. Option Code G80

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FLOOR MAT

Heavy-duty full floor mat, front, rear, and cargo area, rubber preferred.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

Vehicle must have DRL (Daylight Running Lights) headlights deactivated. Equipped with high and low beam quartz-halogen headlights. Option Code 9G8

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

Mich. Spec. # 3905-0013A

Pg. 4

IGNITION SECURITY

Vehicle must be equipped with an ignition security device. This device allows the user to leave the engine running and doors unlocked and prevent the vehicle from unauthorized use. The device can be FOB sense or key bypass type. If an unauthorized person attempts vehicle movement, the device should shut off the engine or prevent the vehicle from being shifted into gear.

KEYS

Eight (8) keys are to be furnished with each car. Vehicle is to be equipped with eight (8) remote entry key fobs. Option Code AMF

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Dome light to be controlled by moving the instrument light intensity switch to maximum position. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

Vehicle to be equipped with an auxiliary light mounted next to the windshield garnish molding in center of vehicle. This auxiliary light to be a dome type light with switch mounted adjacent to or an integral part of the light. Operation of auxiliary light to be independent of standard dome light. May be dealer installed. Must be approved by Michigan State Police.

LIGHTS, OTHER

Vehicle also to be equipped with courtesy lights under instrument panel, cargo area light, controlled by a motion switch and lights-on warning system.

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car. Auto Lock/Auto Unlock disable required prior to delivery and must be manufacturer calibration.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

Mich. Spec. # 3905-0013A

Pg. 5

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3", minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 or more vehicles and prior to initial delivery of patrol vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection

POWER PORTS

To be located on instrument panel, wired independent of ignition system.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

RADIO NOISE SUPPRESSION

Vehicle shall be equipped with standard AM and police radio noise suppression package, including any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter. (Standard on PPV)

RADIO SPEAKERS

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (Dealer may install wiring extensions) Option Code: WX7

<u>Two/Four Speaker Installation: Speakers</u> to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed in the rear of the vehicle. Voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

Mich. Spec. # 3905-0013A

Pg. 6

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 6-way power. Both front seats to have heavy-duty interior construction designed for rugged police use; comfortable foam padded seat cushions and backs with seat bolster anti-wear protection for firearm and other police equipment preferred. A minimum width of ten (10) inches, from the floor to the top of the seat cushion is required between the bucket seats to permit the installation of electronic radio equipment.

SPARE TIRE

Full size spare tire and wheel to be mounted inside or under vehicle.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations. Option Code PPV

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations to be linear and of 1 or 2 mph increments. Digital type speedometers shall be in 1-mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuse shall be readily accessible, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. The vehicle manufacturer shall authorize any non-factory installation. Installation to be approved by Michigan State Police.

STEERING

Manufacturer to provide power steering, which affords maximum "firm feel" and fast return characteristics, designed for high speed emergency type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

Mich. Spec. # 3905-0013A

Pg. 7

TIRES

Tires, including spare, to be police pursuit radials, per State of Michigan specification 5260-S1. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police. Goodyear Tires preferred, with an appropriate speed rated Severe Snow Tire available.

TOOLS

Wheel wrench and jack.

TOWING PACKAGE

Vehicle to be equipped with a trailer-towing package and a Class III frame mounted receiver hitch. May be dealer installed.

TRANSMISSION

To be 6 speed, fully automatic, heaviest duty available. Must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector shall be shortest design available to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias), painted to be color coordinated. Color to be approved by Michigan State Police.

UPHOLSTERY

Seats to be upholstered in heavy-duty cloth with anti-wear materials for firearm. Combination of heavy-duty cloth and vinyl. Dark blue preferred medium or dark gray acceptable.

WHEELS AND COVERS

To be of heavy-duty construction, designed for police use, wheels to be black. Hubcaps preferred, full wheel covers acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature. Vehicle also to be equipped with rear window wiper and washer if single rear door or tailgate is used. High speed anti lift characteristics required.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0013A

Pg. 8

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

0 - 60 MPH - 9.0 seconds or less

0 - 80 MPH - 14.9 seconds or less

0 -100 MPH - 24.6 seconds or less

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120-mph minimum is accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- e) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- f) Phase 1 The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- g) **Phase2** After a 3.2-mile cool down performed at 60 mph the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- h) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0013A

Pg. 9

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	CATEGORY WEIGHT
Vehicle Dynamics	30 Points
0 - 100 Acceleration	20 Points
Braking	20 Points
Top-Speed	15 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

<u>Total Weighted Score:</u> The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0013B

Pg. 1

POLICE CAR: PATROL
4-Door Utility Vehicle
Front Wheel Drive
Construction- Monocoque (Unitized) type
Large

(120+ cubic feet volume)

MAKE

Ford Police Interceptor – E85 Capable

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2012** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Tuesday, September 6, 2018.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0013B

Pg. 2

SPECIFICATION

MODEL

2012 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

Mich. Spec. # 3905-0013B

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

POWER PORT(S) PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

Mich. Spec. # 3905-0013B

Pg. 4

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

KEYS

Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

Mich. Spec. # 3905-0013B

Pg. 5

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

Mich. Spec. # 3905-0013B

Pg. 6

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

Mich. Spec. # 3905-0013B

Pg. 7

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted below cargo floor.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations are to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights are to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation is to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

Mich. Spec. # 3905-0013B

Pg. 8

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

Is to be 5 or 6 speed, fully automatic, heaviest duty available. It must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dashboard preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform to this requirement.

Mich. Spec. # 3905-0013B

Pg. 9

<u>UPHOLSTERY, FRONT & REAR</u>

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers not acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door is to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0013B

Pg. 10

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH 0 - 80 MPH 14.9 seconds or less
 0 - 100 MPH 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph, the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # **3905-0013B**

Pg. 11

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	<u>CATEGORY WEIGHT</u>
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

Total Weighted Score: The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0014A

<u>PATROL: POLICE SPECIAL SERVICE VEHICLE –</u> LARGE 4 DOOR SPORT UTILITY 2-WHEEL DRIVE

ALTERNATE FUEL (Payload-900 lbs., min.)

MODEL-2018 CURRENT

PRELIMINARY REQUIREMENTS:

Option Code SSV

Transmission: Automatic

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Battery-12 Volt, 500 CCA, minimum.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Defogger-rear window.
- ☑ Spare tire and wheel. Full Size. Mfg. Std. mounting.
- ☑ Wrench-wheel.

Mich. Spec. # 3905-0015A

<u>PATROL: POLICE SPECIAL SERVICE VEHICLE –</u> LARGE 4 DOOR SPORT UTILITY 4-WHEEL DRIVE

ALTERNATE FUEL (Payload-900 lbs., min.)

MODEL-2018 CURRENT

PRELIMINARY REQUIREMENTS:

Option Code SSV

Transmission: Automatic

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Battery-12 Volt, 500 CCA, minimum.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Defogger-rear window.
- ☑ Spare tire and wheel. Full Size. Mfg. Std. mounting.
- ☑ Wrench-wheel.

Mich. Spec. # 3905-0016

Pg. 1

POLICE CAR: PATROL
4-Door Utility Vehicle
All Wheel Drive
Construction- Monocoque (Unitized) type
Large

(120+ cubic feet volume)

MAKE

Ford Police Interceptor – E85 Capable

BID REQUIREMENTS

Prior to bidding, a car dealer, manufacturer, or representative will be required to furnish a "police package" vehicle for test purposes. All test vehicles shall be **2018** models, which <u>are equipped</u> with the drive train, suspension, and brake components, as well as tires and interior appointments and instrumentation as called for in the specification requirements on all vehicles in this requisition. Submitters of vehicles shall declare in writing any deviations from the specifications at the time of delivery of these test vehicles. Interior and exterior colors shall be the manufacturer's option. One extra set of engine belts and four (4) wheels and tires shall be provided on test day for each car submitted. Test vehicles submitted shall have undergone sufficient break-in to permit extended periods of maximum acceleration and high speed driving. Brakes on the test car shall have been burnished prior to delivery.

Test cars shall be delivered to the Vehicle and Travel Services, State Secondary Complex, (517) 322-5000 6951 Crowner Drive, Lansing, Michigan, 48913 no later than 4 p.m., Thursday, August 30, 2012.

Each vehicle will be subjected to six competitive and qualification tests. Any vehicle which fails to meet the minimum standards found under the Qualification Testing section of this specification will not be considered for this bid.

The State of Michigan shall not be responsible for any damage during the tests or the condition of the vehicle when returned to the submitter after testing. Furthermore, all cars tested will be at the owner's risk for any damage occurring to the vehicles for any reason. The test vehicles will be tested and driven under the supervision of the Michigan Department of State Police by employees of the department or personnel designated by the department.

Vehicles used for testing will be available for pick up by the submitter no later than one (1) month following completion of testing.

Mich. Spec. # 3905-0016

Pg. 2

SPECIFICATION

MODEL

2018 CURRENT NEW - STANDARD FACTORY EQUIPPED:

Vehicles to be factory equipped with the following items, unless dealer installation is herein permitted.

AIR BAGS

Vehicle to be equipped with driver frontal-impact airbag, passenger frontal impact air bag, side-impact curtain roof rail airbags, and thoracic seat airbags.

AIR CONDITIONING

System must be designed to prevent component damage due to high speed driving.

ALTERNATOR

Transistorized regulator, minimum curb idle output of 110 amps at 221 degrees Fahrenheit, (at manufacturer's recommended idle speed). Shall be of heavy-duty design, capable of surviving patrol car operation. Maximum output shall be at least 130 amps at 221 degrees Fahrenheit. Output ratings are for typical summer under hood ambient temperatures measured at 221 degrees Fahrenheit and not S.A.E rating method.

ANTENNA

Vehicle to be equipped with standard AM/FM original equipment antenna embedded in glass. Mast type antenna not acceptable.

ANTIFREEZE

To be equipped with antifreeze protection to -35 degrees F minimum.

BATTERY

12 volt, minimum 720 cold cranking amps.

Mich. Spec. # 3905-0016

Pg. 3

BODY SIDE MOLDING

Vehicle to be equipped with body side molding. Molding on front doors to be deleted, preferred. No holes to be on doors for moldings.

BRAKES

Vehicle to be equipped with power assisted four-wheel disc anti-lock brake system.

POWER PORT(S) PREFERRED

To be located on instrument panel, wired independent of ignition system.

COOLING SYSTEM

Vehicle to have maximum size cooling system available, incorporating "coolant recovery" system.

DIFFERENTIAL

Heavy duty, final drive assembly.

ENGINE

Engine to be the largest cubic inch/liter displacement available in the model of the vehicle submitted, with specific displacement to the manufacturer's option, providing the car will meet or exceed the vehicle performance requirements in the Qualification Testing section of this specification.

FUEL SYSTEM

Fuel system shall be gasoline and/orE85 capable. System shall be able to operate at various percentages of the two fuel mixtures.

FLOOR MAT

Full floor mat, heavy-duty rubber or vinyl, front and rear.

Mich. Spec. # 3905-0016

Pg. 4

GLASS

All windows shall be heat absorbing (tinted) type.

HEADLIGHTS

To be equipped with high and low beam quartz-halogen headlights. If vehicle is equipped with Daylight Running Lights, it must incorporate a means (switch system) to make the lights inoperable at drivers' discretion.

HOOD LATCH RELEASE

To be equipped with inside hood latch release.

IGNITION SECURITY

Vehicle must be equipped with an ignition security device. This device allows the user to leave the engine running and doors unlocked and prevent the vehicle from unauthorized use. The device can be FOB sense or key bypass type. If an unauthorized person attempts vehicle movement, the device should shut off the engine or prevent the vehicle from being shifted into gear.

KEYS

Three (3) keys to be furnished with each car. Third key may be dealer supplied on original equipment blank only. Other key blanks may be generic copies.

LICENSE PLATE BRACKETS

Vehicle shall be equipped with manufacturer supplied front and rear license plate brackets. Dealer may install.

LIGHTS, INTERIOR

Dome light to be mounted on headliner on longitudinal centerline of vehicle approximately 25" from windshield garnish molding. Operation to be independent of other lights. Vehicle to be equipped with two, separately switched, map lights, to direct a restricted beam of light to the driver and/or the front seat passenger. Exact mounting position to be approved by the Michigan State Police. No interior light to be illuminated by open doors.

Mich. Spec. # 3905-0016

Pg. 5

LIGHT, ENGINE & TRUNK COMPARTMENT

To be equipped with an engine and trunk compartment light controlled by body computer or ball bearing switch.

LOCKS

To be equipped with power door locks. All locks on a car to be keyed alike, different key for each car.

MIRRORS, REARVIEW (INSIDE)

Day/night type.

MIRRORS, SIDEVIEW (OUTSIDE)

Remote control type, installed on left-hand and right-hand doors. Controls to be within convenient reach of driver. Rectangular design approximate size 5" x 3"; minimum viewing area of 15 square inches.

PAINT COLOR

To be same color as Dulux 93-032. Paint color code to be indicated on production code plate.

PILOT INSPECTION

On any order of 15 vehicles or more and prior to initial delivery of police vehicles, the manufacturer shall schedule a pilot model inspection in order to determine compliance with the specifications. The inspection shall be conducted at <u>each point of vehicle assembly</u>. The manufacturer will be responsible for all travel costs incurred for the pilot inspection.

PRE-DELIVERY SERVICE

Vehicles to undergo pre-delivery service as provided in the State of Michigan Specification Book. May be completed by dealer.

RADIO

Radio to be standard equipment model.

Mich. Spec. # 3905-0016

Pg. 6

RADIO NOISE SUPPRESSION

Vehicle to be equipped with standard AM and police radio noise suppression package, to include any optional grounding straps. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system, nor shall the vehicle be affected by the operation of a police mobile transmitter.

RADIO SPEAKER(S)

A permanent magnet speaker(s), either oval or round, to be mounted in the speaker opening(s) provided on the dash/door of the unit. Speaker(s) to be of a quality equal to automotive grade. Speaker leads connected to the speaker terminals, not grounded, shall extend three feet beyond the lower edge of the center of the dashboard, (dealer may install wiring extensions).

<u>Two/Four Speaker Installation:</u> Speakers to be located on left and right sides of the dashboard (preferred location) or positioned in the forward portion of the left and right hand front doors. Four-speaker system to include two additional speakers installed on rear deck shelf. It is preferred voice coil impedance of all speakers combined shall equal 8 ohms, power handling capacity 10 watts, minimum.

REAR WINDOW DEFOGGER

Electrical grid type. Control to be within convenient reach of driver, control switch to be clearly marked as to function.

ROOF TOP REINFORCEMENT

Preferred, install a steel plate at least 2.25 mm thick x 10" wide to the underside of top, centered on the longitudinal centerline of the roof panel. Plate is to extend from the windshield header to the first top cross-member support and is to be welded at both ends. Plate is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the plate is to support the overhead emergency light. (or) Roof top membrane support within underside of top, centered on the longitudinal centerline of the roof panel. Membrane support is to hold roof skin in its normal position, not allowing skin to deflect if pressure is applied to top surface. The purpose of the membrane is to support the overhead emergency light.

SEAT ASSEMBLY, FRONT

Bucket seat type, 45/45, or 40/40, individually adjustable. The driver's seat only to be 4-way power minimum (6 or 8 way power preferred). Both seats to have heavy-duty interior construction designed for rugged police use, comfortable foam-padded seat cushions, and backs. To permit the installation of radio equipment, a minimum width of eight (8) inches is required between the bucket seats. Floor mounted shift lever with console not permitted.

Mich. Spec. # 3905-0016

Pg. 7

SHELF

Mounted in trunk, a tray/shelf to secure radios and other equipment. May be dealer installed.

SPARE TIRE

Full size spare tire and wheel to be mounted under the cargo floor.

SPECIAL ENGINEERING, POLICE PACKAGE

Vehicle to be equipped with the manufacturer's engineered Police Package, capable of emergency high speed vehicle operations.

SPEEDOMETER

Shall be calibrated to within \pm 3 mph accuracy, 0 - 140 mph scale minimum. Analog type scale graduations are to be linear and of 1 or 2 mph increments. It may be supplemented or replaced by a digital type speedometer to be in 1 mph increments.

SPOTLIGHTS

Unity ABS plastic spot lamps with LED lamp assembly (Whelen P46SLC) to be mounted on the left-hand and right-hand "A" pillar. Left and right spotlights are to be wired independent of ignition, individually fused with up to 15-amp capacity. Spotlight fuses shall be readily accessible to the driver, with location in the fuse panel preferred. Spotlights shall be factory installed if offered by the vehicle manufacturer. Any non-factory installation shall be authorized by the vehicle manufacturer. Installation is to be approved by Michigan State Police.

STEERING

Power steering, manufacturer to provide steering gear which affords maximum "firm feel" and fast return characteristics designed for high speed pursuit type driving.

STEERING WHEEL

Tilt type steering wheel required. Round with anti-slip surface.

Mich. Spec. # 3905-0016

Pg. 8

SUSPENSION SYSTEM, POLICE

To include heavy-duty springs, front and rear, in combination with heavy-duty shock absorbers, and front and rear heavy-duty stabilizer bars.

TECHNICAL SERVICE BULLETINS

Technical Service Bulletins covering vehicles purchased under this specification must remain available for up to 6 years.

TIRES

Tires (including spare) preferred to be Goodyear, police pursuit radials. Speed rating to meet or exceed vehicle performance capabilities. Tire to be approved by Michigan State Police.

TOOLS

Wheel wrench and jack.

TRANSMISSION

Is to be 5 or 6 speed, fully automatic, heaviest duty available. It must incorporate manual or electronic low gear lockout to prevent manual shifting. Transmission selector lever shall be shortest design available, to minimize intrusion of the equipment mounting area.

TRIM

Front and rear bumper valances (fascias) to be color coordinated. Color to be approved by Michigan State Police.

TRUNK MAT

To be full floor.

TRUNK RELEASE, REMOTE

To be equipped with electrically operated remote control trunk release. Control to be within convenient reach of the driver, located on the right side of the steering column (in glove box not acceptable), centerline of dashboard preferred. Electric system wired independently of ignition switch (battery direct). Dealer may relocate control and/or alter factory wiring to conform to this requirement.

Mich. Spec. # 3905-0016

Pg. 9

UPHOLSTERY, FRONT & REAR

Front seats to be upholstered in heavy-duty cloth or combination of heavy-duty cloth and vinyl (blue is preferred or dark charcoal color acceptable). Not all vinyl is acceptable. Rear bench seat to be upholstered in all vinyl.

WHEELS AND COVERS

To be heavy-duty construction, designed for police use, black in color. It is preferred wheels be equipped with hubcaps. Full wheel covers not acceptable.

WINDOWS, POWER

Side windows to be electrically powered with each door having its own window control. The driver's door is to have controls for all windows. Rear door power window switches to be deactivated. Rear power windows to be operable from driver's position only.

WINDSHIELD WIPERS/WASHERS

Multiple speed electric, to include intermittent feature.

WIRING, SPECIAL

Vehicle to include a 30-amp circuit breaker equipped battery feed auxiliary wire, and 30-amp circuit breaker equipped ignition feed auxiliary wire.

NOTE: No dealer advertising to be on vehicles.

Mich. Spec. # 3905-0016

Pg. 10

QUALIFICATION TESTING

In order to qualify for bidding, all vehicles submitted by manufacturers must meet each of the following performance standards:

1. ACCELERATION

0 - 60 MPH - 9.0 seconds or less 0 - 80 MPH - 14.9 seconds or less 0 - 100 MPH - 24.6 seconds or less

Each vehicle will make 4 acceleration runs, and the times for the 4 runs will be averaged.

2. TOP SPEED

A speed of 110 mph must be attained within a distance of 4,838 feet and 120 mph within a distance of 8,985 feet. For purposes to be explained in the test booklet, the vehicle will, after attaining the 120 mph minimum be accelerated to the maximum speed attainable within 14 miles.

3. BRAKE TEST

- a) (Minimum Universal Burnish Procedure) Prior to being transported to the test sites, all test vehicles will have the brakes burnished by MSP staff performing 10 controlled impending skid (threshold) stops from 60 mph.
- b) <u>Phase 1</u> The test vehicle will make ten (10) controlled impending skid (threshold) measured stops from 60 mph.
- c) **Phase2** After a 3.2-mile cool down performed at 60 mph, the entire sequence will be repeated. The exact initial velocity at the beginning of each 60 0 mph decelerations, and the exact distance required to make each stop will be recorded by electronic speed and distance meters.
- d) The twenty (20) measured stops will be used to calculate the average deceleration rate, which is the vehicle's score for this test. Evidence of brake fade and ability of the vehicle to stop in a straight line within its own lane will be evaluated. A minimum of 25.79 ft/sec² average must be attained from phases (a) and (b) of 20 controlled impending skid (threshold) stops.

Mich. Spec. # 3905-0016

Pg. 11

COMPETITIVE TEST CATEGORIES

Each vehicle to be considered for the bid will be evaluated in the following weighted categories:

<u>CATEGORY</u>	CATEGORY WEIGHT
Vehicle Dynamics	30 Points
Braking	25 Points
0 - 100 Acceleration	20 Points
Top-Speed	10 Points
Ergonomics/Communications	10 Points
Fuel Economy	5 Points

SCORING METHODOLOGY

Raw Score: A raw score is developed for each vehicle by testing in each of the above categories. These scores are expressed in terms of seconds, miles-per-hour, feet-per-second², points, and miles-per-gallon.

<u>Deviation Factor:</u> The best scoring vehicle in each test category receives a "0" as its deviation factor. The decimal equivalent of the percentage by which each of the other vehicles varies from the best score in that category is that vehicle's deviation factor.

<u>Weighted Category Score:</u> Each vehicle's weighted category score is determined by multiplying its deviation factor (as determined above) by the category weight.

Total Weighted Score: The total weighted score for each vehicle is derived by adding together the six (6) weighted category scores for that vehicle.

Mich. Spec. # 3905-0018

TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE

Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # 3905-0018A

TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE – ALTERNATIVE FUEL

Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control
✓ ✓ ✓	Lug wrench and jack Radio; AM/FM w/Bluetooth

Mich. Spec. # 3905-0018B

TWO WHEEL DRIVE UTILITY VEHICLE: 5 PASSENGER, 4 DOOR, ALL-WHEEL DRIVE Automatic Transmission

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

✓	Camera; rearview (in dash monitor)
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Radio; AM/FM w/Bluetooth
✓	Traction Control

Mich. Spec. # 3905-0019

TWO WHEEL DRIVE UTILITY VEHICLE: 6-8 PASSENGER, 4 DOOR, FRONT WHEEL DRIVE

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

- ✓ Camera; rearview (in dash monitor)
 ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
 ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Traction Control

Mich. Spec. # **3958-0020**

<u>LIGHT DUTY TRUCK I: PICK-UP BODY **MIDSIZE,** REGULAR CAB</u> (Approx. 6' Box) (Payload-1,000 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 475 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting

Mich. Spec. # 3958-0023

<u>LIGHT DUTY TRUCK I: PICK-UP BODY **MIDSIZE**, EXTENDED CAB</u> (Approx. 6' Box) (Payload-1,260 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 475 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seats; rear.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3958-0025

<u>LIGHT DUTY TRUCK I: PICK-UP BODY, REGULAR CAB</u> (6' Box) (Payload-1,600 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
√	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seats; cloth.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3958-0026

<u>LIGHT DUTY TRUCK I: PICK-UP BODY, REGULAR CAB</u> (8 Foot Box) (Payload-1,600 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓ Ayle: rear_limited slip

•	Axic, icai-innicu siip.
✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3958-0026A

LIGHT DUTY TRUCK I: PICK-UP BODY, REGULAR CAB ALTERNATE FUEL VEHICLES

(8 Foot Box) (Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EOUIPPED" and are to be included on this vehicle.

- Axle; rear-limited slip. Battery; 12 Volt, 540 CCA min. Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- Lug wrench
- Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- Alarm; Back up Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- Camera; rearview (in dash monitor)
- Differential; heavy duty locking rear
- Engine; V8 gas engine with 6 speed automatic transmission
- Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- Locks; power with remote
- Lug wrench and jack
- Mirrors; extendable trailering
- Radio; AM/FM w/Bluetooth
- Seats: Cloth 40/20/40 split bench seat.
- Spare tire and wheel, full size. Mfg. standard mounting
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Transmission cooler; external auxiliary

Mich. Spec. # 3958-0027

<u>LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box, Payload-1,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

\	Axle; rear-limited slip.
>	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
\	Fuel capacity; largest available from mfg.
>	Lug wrench
✓	Seat; Rear - front facing bench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting

Mich. Spec. # 3958-0027A

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES

(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- EQUIPPED" and are to be included on this vehicle.

 Axle; rear-limited slip.

 Battery; 12 Volt, 540 CCA min.

 Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3958-0028

<u>LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box, Payload-1,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

T The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seat; Rear - front facing bench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3958-0028A

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES

(6 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 540 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.
- ✓ Towing capacity; heaviest available Mfg. Std.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3958-0029

LIGHT DUTY TRUCK I: PICK-UP BODY, REGULAR CAB

(8' Box) (Payload-3,240 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Alternator; 220 Amp
- ✓ Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0029D

LIGHT DUTY TRUCK I: PICK-UP BODY, REGULAR CAB, DIESEL

(8' Box) (Payload-3,240 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ | Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- Alarm; Back up
- Alternator; 220 Amp
- ✓ Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- Camera; rearview (in dash monitor)
- Differential; heavy duty locking rear
- Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- Locks; power with remote
- ✓ Lug wrench and jack
- Mirrors; extendable trailering
- Power outlet: 110-volt
- Provisions for roof mounted beacon
- Radio; AM/FM w/Bluetooth
- Seats: Cloth 40/20/40 split bench seat.
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks: front
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0030

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB

(8 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Seat; Rear front facing bench
- Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Alternator; 220 Amp
- ✓ Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0030A

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB ALTERNATE FUEL VEHICLES

(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EOUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 540 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

STATE OF MICHIGAN

Mich. Spec. # 3958-0030D

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB, DIESEL

(8 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Seat; Rear front facing bench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0031

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB

(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,800 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Seat; Rear front facing bench
- Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Alternator; 220 Amp
- ✓ Battery; 12 volt 730CCA, minimum, plus 12 volt 730CCA auxiliary
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0031D

LIGHT DUTY TRUCK I: PICK-UP BODY, EXTENDED CAB, DIESEL

(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,800 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Seat; Rear front facing bench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ | Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ | Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0032

<u>VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY</u> (Payload-1,700 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Wheelbase (inches), 125 minimum

Engine: Type & No. of Cylinders, 8 minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Doors; Panel rear-Window in top of each door. Locks on all doors. Door right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seat(s); High back, driver and passenger.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.
✓	Window(s); Glass, side and rear door

Mich. Spec. # 3958-0032A

VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY ALTERNATIVE FUEL (Payload-1,700 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Wheelbase (inches), 125 minimum

Engine: Type & No. of Cylinders, 8 minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Doors; Panel rear-Window in top of each door. Locks on all doors. Door right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seat(s); High back, driver and passenger.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.
✓	Window(s); Glass, side and rear door

Mich. Spec. # 3905-0034

VANS AND LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seat(s); Full bench front & full width seat facing forward behind of the front seat.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3905-0034A

VANS AND LARGE UTILITY VEHICLES: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE, ALTERNATIVE FUEL (Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Seat(s); Full bench front & full width seat facing forward behind of the front seat.
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3905-0035

VANS AND LARGE UTILITY VEHICLES: VAN, 8 PASSENGER (Payload-1,600 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS

Engine: Type & No. of Cylinders, 8 minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Body Finished interior; (No exposed outside body sheet metal) full length headlined
✓	Bumper; Mfg. Std.
✓	Door(s); Right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3905-0035A

VANS AND LARGE UTILITY VEHICLES: VAN, 8 PASSENGER ALTERNATIVE FUEL (Payload-1,600 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS

Engine: Type & No. of Cylinders, 8 minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Body Finished interior; (No exposed outside body sheet metal) full length headlined
✓	Bumper; Mfg. Std.
✓	Door(s); Right side, hinged.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3905-0036

VANS AND LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6-PASSENGER, HALF TON

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting

Mich. Spec. # 3905-0036A

VANS AND LARGE UTILITY VEHICLES: UTILITY VEHICLE, 6-PASSENGER, HALF TON, ALTERNATIVE FUEL

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
✓	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3905-0037

VANS AND LARGE UTILITY VEHICLES: VAN, 12 PASSENGER (Payload-2,649 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Body Finished interior; (No exposed outside body sheet metal) full length headlined
- ✓ Bumper; Mfg. Std.
- ✓ Door(s); Right side, hinged. Rear panel doors with glass.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Air conditioning; Front and Rear
- ✓ Battery; 12 volt 770CCA, minimum
- ✓ Body Finished interior; (No exposed outside body sheet metal) full length headlined
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Door(s); Right side, hinged. Rear panel doors with glass
- ✓ Fuel capacity; largest available from mfg.
- ✓ Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
- ✓ Heater; auxiliary-passenger compartment
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3905-0037A

VANS AND LARGE UTILITY VEHICLES: VAN, 12 PASSENGER ALTERNATIVE FUEL (Payload-2,649 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Body Finished interior; (No exposed outside body sheet metal) full length headlined
- ✓ Bumper; Mfg. Std.
- ✓ Door(s); Right side, hinged. Rear panel doors with glass.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Air conditioning; Front and Rear
- ✓ Battery; 12 volt 770CCA, minimum
- ✓ Body Finished interior; (No exposed outside body sheet metal) full length headlined
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Door(s); Right-side, hinged. Rear panel doors with glass
- ✓ Fuel capacity; largest available from mfg.
- Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
- ✓ Heater; auxiliary-passenger compartment
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3905-0038

VANS AND LARGE UTILITY VEHICLES: UTILITY VEHICLE, EXTENDED 6-PASSENGER, THREE-QUARTER TON

(Payload-2,400 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Axle; rear-limited slip.
\	Battery; 12 Volt, 600 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Full size. Mfg. Std. mounting.

Mich. Spec. # 3958-0039

VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY, THREE-QUARTER TON (Payload-3,100 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,550 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alternator; 145 Amp
- ✓ Alarm; Back up
- ✓ Battery; 12 volt 770CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
- ✓ Engine; 6.0L V8 gas with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; Cloth, Front, high back drivers and passenger
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3958-0039A

VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY, THREE-QUARTER TON ALTERNATIVE FUEL

(Payload-3,100 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,550 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Door(s); Rear, window top of each door. Door Right Side, hinged with windows. Locks on all doors.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alternator; 145 Amp
- ✓ Alarm; Back up
- ✓ Battery; 12 volt 770CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
- ✓ Engine; 6.0L V8 gas with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats; Cloth, Front, high back drivers and passenger
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3958-0039T

VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY, ONE TON

(Payload-3,900 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,550 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alternator; 145 Amp
- ✓ Alarm; Back up
- ✓ Battery; 12 volt 770CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with
- ✓ Engine; 6.0L V8 gas with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ | Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; Cloth, Front, high back drivers and passenger
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # **3958-0039TA**

VANS AND LARGE UTILITY VEHICLES: CARGO VAN BODY, ONE TON ALTERNATIVE FUEL (Payload-3,900 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,550 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alternator; 145 Amp
- ✓ Alarm; Back up
- ✓ Battery; 12 volt 770CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Doors; Rear, Panel-window in top of each door, Locks on all doors. Door right side, hinged with window
- ✓ Engine; 6.0L V8 gas with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; Cloth, Front, high back drivers and passenger
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3905-0040

VANS AND LARGE UTILITY VEHICLES: VAN-15 PASSENGER

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Air Conditioning; Front and Rear
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Front and Rear, Mfg. Std.
- ✓ Doors; Passenger, right side, hinged.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Air conditioning; Front and Rear
- ✓ Battery; 12 volt 770CCA, minimum
- ✓ Body Finished interior; (No exposed outside body sheet metal) full length headlined
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Door(s); Right side, hinged. Rear panel doors with glass
- Y Fuel capacity; largest available from mfg.
- ✓ Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
- ✓ Heater; auxiliary-passenger compartment
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3905-0040A

VANS AND LARGE UTILITY VEHICLES: VAN-15 PASSENGER ALTERNATIVE FUEL

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EOUIPPED" and are to be included on this vehicle.

- ✓ Air Conditioning; Front and Rear
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Front and Rear, Mfg. Std.
- ✓ Doors; Passenger, right side, hinged.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Full size. Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Air conditioning; Front and Rear
- ✓ Battery; 12 volt 770CCA, minimum
- Body Finished interior; (No exposed outside body sheet metal) full length headlined
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Door(s); Right side, hinged. Rear panel doors with glass
- ✓ Fuel capacity; largest available from mfg.
- Glass; Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door glass
- ✓ Heater; auxiliary-passenger compartment
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats; Cloth, Front, high back drivers and passenger and 3 bench seats
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-Season black walls, including spare, 16 inch
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary

Mich. Spec. # 3905-0041

VANS AND LARGE UTILITY VEHICLES: COMPACT VAN 5 PASSENGER, FRONT WHEEL DRIVE

(Payload-1,470 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (lbs.), 5,000 min.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 500 CCA min.
✓	Bumper; Front and Rear, Mfg. Std.
✓	Lug wrench
✓	Spare tire; Limited service tire and wheel. Mfg. Std. mounting.
✓	Speed Control; Factory Installed.

Mich. Spec. # 3905-0042

VANS AND LARGE UTILITY VEHICLES: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE (Payload-1,100 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (lbs.), 5,000 min.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 500 CCA min.
✓	Bumper; Front and Rear, Mfg. Std.
✓	Lug wrench
✓	Spare tire; Limited service tire and wheel. Mfg. Std. mounting.
✓	Speed Control; Factory Installed.

Mich. Spec. # 3905-0042A

VANS AND LARGE UTILITY VEHICLES: COMPACT VAN, 7 PASSENGER (Minimum), FRONT WHEEL DRIVE ALTERNATE FUEL VEHICLES (Payload-1,100 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS

G.V.W.R. (lbs.), 5,000 minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

١	Battery; 12 Volt, 500 CCA min.
١	Bumper; Front and Rear, Mfg. Std.
١	Lug wrench
1	Spare tire; Limited service tire and wheel. Mfg. Std. mounting.

Mich. Spec. # 3958-0044

VANS AND LARGE UTILITY VEHICLES: COMPACT VAN, CARGO, FRONT WHEEL DRIVE (Payload 1,580 lb., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 500 CCA min.
✓ Bumper; Front and Rear, Mfg. Std.
✓ Lug wrench

Spare tire; Limited service tire and wheel. Mfg. Std. mounting.

Mich. Spec. # 3958-0044A

VANS AND LARGE UTILITY VEHICLES: COMPACT VAN, CARGO, FRONT WHEEL DRIVE, ALTERNATIVE FUEL (Payload 1,580 lb., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 500 CCA min.
✓	Bumper; Front and Rear, Mfg. Std.
✓	Lug wrench
√	Spare tire; Limited service tire and wheel. Mfg. Std. mounting.

Mich. Spec. # 3958-0046

<u>LIGHT DUTY TRUCK II: PICK-UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL</u>

(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0046D

LIGHT DUTY TRUCK II: PICK-UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL, DIESEL

(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0047

<u>LIGHT DUTY TRUCK II: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS

G.V.W.R. 11,000 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0047D

LIGHT DUTY TRUCK II: PICK-UP BODY—STANDARD CAB, DIESEL, DUAL REAR WHEELS

(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS

G.V.W.R. 11,000 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0048

<u>LIGHT DUTY TRUCK II: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL</u> (8 Foot Box) (Payload-4,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 9,200 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0048D

LIGHT DUTY TRUCK II: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL, DIESEL

(8 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 9,200 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats; cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0049

LIGHT DUTY TRUCK II: PICK-UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL

(8 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0049D

LIGHT DUTY TRUCK II: PICK-UP BODY, CREW CAB, FOUR DOOR, SINGLE REAR WHEEL

(8 Foot Box) (Payload-3,700 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0050

LIGHT DUTY TRUCK II: PICK-UP BODY, EXTENDED CAB, FOUR DOOR <u>DUAL REAR WHEEL</u>

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- Battery; 12 volt 650CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0050D

LIGHT DUTY TRUCK II: PICK-UP BODY, EXTENDED CAB, FOUR DOOR DUAL REAR WHEEL, DIESEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
 - ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0051

LIGHT DUTY TRUCK II: PICK-UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EOUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0051D

LIGHT DUTY TRUCK II: PICK-UP BODY, EXTENDED CAB, FOUR DOOR SINGLE REAR WHEEL, DIESEL

4 X 2, (8 Foot Box), (Payload-3,500 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EOUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3905-0057

COMMERCIAL VANS: 10-PASSENGER, RAISED ROOF (Payload-3,200 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY SPECIFICATIONS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 100-Ah
✓	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
✓	Brakes; Power.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Mirrors; Rear View, Inside. Outside R.H. and L.H. Power Heated
✓	Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3905-0058

COMMERCIAL VANS: CARGO, RAISED ROOF (Payload-4,800 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 100-Ah
✓	Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Mirrors; Rear View, Inside. Outside R.H. and L.H. Power Heated
✓	Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0072

MEDIUM DUTY TRUCK: CAB AND CHASSIS G.V.W.R. 10,000 lbs. min., (Payload 4,700 lb. min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench

ADDITIONAL MDOT OPTIONS:

- ✓ Battery; 12 volt 650CCA, minimum
- ✓ Camera; rearview (in dash monitor)
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0072D

MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL

G.V.W.R. 12,500 lbs. min., (Payload 6,200 lb. min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Mirrors; Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- ✓ Spare tire and wheel; Mfg. Std. mounting.
- Tires; Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT (Goodyear preferred)

ADDITIONAL MDOT OPTIONS:

- Battery; 12 volt 650CCA, minimum
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery.
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0077

MEDIUM DUTY TRUCK: CAB AND CHASSIS

G.V.W.R 11,000 lbs minimum (Payload-5,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (11,000 lbs. min.)

Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench

ADDITIONAL MDOT OPTIONS:

- ✓ Battery; 12 volt 650CCA, minimum
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0077D

MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL

G.V.W.R. 11,000 lbs minimum (Payload-5,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (11,000 lbs. min.)

Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Mirrors; Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Battery; 12 volt 650CCA, minimum
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- \checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: Front, cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0078D

MEDIUM DUTY TRUCK: CAB AND CHASSIS, DIESEL

G.V.W.R. 12,500 lbs minimum (Payload-6,675 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (12,500 lbs. min.)

Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Axle; rear-limited slip.
- ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- Mirrors; Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.

ADDITIONAL MDOT OPTIONS:

- Battery; 12 volt 650CCA, minimum
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- Seats: Front, cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0083

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: UTILITY 4-WHEEL DRIVE, 4-DOOR</u> (Payload-900 lbs., min.)

MODEL-2018 CURRENT

PRELIMINARY REQUIREMENTS:

Transmission: Automatic, maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 600 CCA min.
✓ Bumper; Mfg. Std.
✓ Defogger; rear window.
✓ Lug wrench
✓ Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0083A

LIGHT DUTY TRUCKS AND UTILITY 4X4: UTILITY 2-WHEEL DRIVE, 4-DOOR ALTERNATE FUEL VEHICLES

(Payload-900 lbs., min.)

MODEL-2018 CURRENT

PRELIMINARY REQUIREMENTS:

Transmission: Automatic

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 500 CCA min.
✓ Bumper; Mfg. Std.
✓ Defogger; rear window.
✓ Lug wrench
✓ Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0084

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY **MIDSIZE**, (Approx. 7' Box) (Payload-1,000 lbs., min.)</u>

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

ſ	✓	Battery; 12 Volt, 500 CCA min.
	✓	Fuel capacity; largest available from mfg.
	✓	Lug wrench
	✓	Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3905-0085

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE</u>

(Payload-1,480 lbs., min.)

MODEL-2018 CURRENT NEW

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> <u>on all vehicles</u>, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓ Battery; 12 Volt, 600 CCA min.
✓ Fuel capacity; largest available from mfg.
✓ Lug wrench
✓ Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0086

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0086A

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB ALTERNATIVE FUEL

(8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Battery; 12 Volt, 540 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 650CCA, minimum
- ✓ Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ | Fuel capacity; largest available from mfg.
- ✓ Hubs; automatic locking on front or axle shaft disconnect system
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Rearview camera (in dash monitor)
- ✓ | Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
- ✓ | Skid Plates
- ✓ | Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Spray in bed liner (under rail)
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0087

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Mfg. Std. mounting.

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0087A

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB ALTERNATIVE FUEL

(6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and

are to be included on this vehicle.		
✓	Battery; 12 Volt, 540 CCA min.	
✓	Bumper; Mfg. Std.	
✓	Fuel capacity; largest available from mfg.	
✓	Lug wrench	
✓	Spare tire and wheel; Mfg. Std. mounting.	

ADDITIONAL MDOT OPTIONS:

uic t	o be included on this MDO1 vehicle.
✓	Alarm; Back up
✓	Battery; 12 volt 730CCA, minimum
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Differential; heavy duty locking rear
✓	Engine; V8 gas engine with 6 speed automatic transmission
✓	Fuel capacity; largest available from mfg.
✓	Hubs; automatic locking on front or axle shaft disconnect system
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth

- Rearview camera (in dash monitor) Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
- Skid Plates
- Spare tire and wheel, full size. Mfg. standard mounting Spray in bed liner (under rail)
- Step bars; Steel
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks: front Towing Package; heaviest duty available from mfg. Trailer brake controller; integrated
- Trailer hitch; class IV receiver type Transmission cooler; external auxiliary

Mich. Spec. # 3958-0088

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB

(8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- are to be included on this vehicle.

 ✓ Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- Hubs; automatic locking on front or axle shaft disconnect system
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Rearview camera (in dash monitor)
- Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
- ✓ Skid Plates
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- ✓ Step bars; Steel
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0088D

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB, DIESEL</u> (8 Foot Box) (Payload-2,350 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Battery; 12 Volt, 600 CCA min.
- ✓ Bumper; Mfg. Std.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

- ✓ Alarm; Back up
- ✓ Battery; 12 volt 730CCA, minimum
- Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
- ✓ Differential; heavy duty locking rear
- ✓ Fuel capacity; largest available from mfg.
- ✓ Hubs; automatic locking on front or axle shaft disconnect system
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Rearview camera (in dash monitor)
- Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
- ✓ Skid Plates
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- ✓ Step bars; Steel
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0089

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB

(6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

Lug wrench

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and

- 6	are to be included on this vehicle.		
	✓	Battery; 12 Volt, 600 CCA min.	
	✓	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.	
	✓	Fuel capacity; largest available from mfg.	

Spare tire and wheel; Mfg. Std. mounting.

ADDITIONAL MDOT OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and

are to be included on this MDOT vehicle.		
✓	Alarm; Back up	
✓	Battery; 12 volt 730CCA, minimum	
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.	

- Differential; heavy duty locking rear Fuel capacity; largest available from mfg.
- Hubs; automatic locking on front or axle shaft disconnect system
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- Locks; power with remote Lug wrench and jack
- Mirrors; extendable trailering
- Power outlet; 110-volt
- Provisions for roof mounted beacon
- Radio; AM/FM w/Bluetooth
- Rearview camera (in dash monitor)
- Seats: Front, cloth 40/20/40 split bench. Rear, cloth, full width forward facing. Seat adjuster; driver 10-way power.
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Step bars; Steel
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks; front
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Trailer hitch; class IV receiver type
- Transmission cooler; external auxiliary
- Up fitter switches

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0089D

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, EXTENDED CAB, DIESEL

(6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

are t	are to be included on this vehicle.		
✓	Battery; 12 Volt, 600 CCA min.		
✓	Bumper; Mfg. Std.		
✓	Fuel capacity; largest available from mfg.		
✓	Lug wrench		
✓	Spare tire and wheel; Mfg. Std. mounting.		

ADDITIONAL MDOT OPTIONS:

uic ii	o be included on this MDO1 vehicle.
✓	Alarm; Back up
✓	Alternator; 220 Amp
✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
✓	Differential; heavy duty locking rear
✓	Fuel capacity; largest available from mfg.
✓	Hubs; automatic locking on front or axle shaft disconnect system
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Mirrors; extendable trailering
✓	Power outlet; 110-volt
✓	Provisions for roof mounted beacon
✓	Radio; AM/FM w/Bluetooth
./	Description company (in deal manifest)

- Rearview camera (in dash monitor)

 Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing. Seat adjuster;
- driver 10-way power.
- ✓ Skid Plates
 ✓ Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- ✓ Step bars; Steel
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- Towing Package; heaviest duty available from mfg.
- ✓ Trailer brake controller; integrated
- ✓ Trailer hitch; class IV receiver type
- ✓ Transmission cooler; external auxiliary
- ✓ Up fitter switches

Mich. Spec. # 3958-0090

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY</u> (6 Ft. Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Spare tire and wheel; Mfg. Std. mounting.

Mich. Spec. # 3958-0090A

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY

ALTERNATIVE FUEL

(6 Ft. Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and

are to be included on this vehicle.				
\checkmark	Battery; 12 Volt, 540 CCA min.			
✓	Bumper; Mfg. Std.			
✓	Fuel capacity; largest available from mfg.			
✓	Lug wrench			
✓	Spare tire and wheel; Mfg. Std. mounting.			
ADDITIONAL MOOT OPTIONS.				

<u> ADDITIONAL MDOT OPTIONS:</u>

are to be included on this MDO1 vehicle.			
✓	Alarm; Back up		
✓	Alternator; 220 Amp		
✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary		
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.		
✓	Differential; heavy duty locking rear		
✓	Engine; V8 gas engine with 6 speed automatic transmission		
✓	Fuel capacity; largest available from mfg.		
✓	Hubs; automatic locking on front or axle shaft disconnect system		
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
✓	Locks; power with remote		
✓	Lug wrench and jack		
✓	Mirrors; extendable trailering		
✓	Power outlet; 110-volt		
✓	Provisions for roof mounted beacon		
✓	Radio; AM/FM w/Bluetooth		
✓	Rearview camera (in dash monitor)		

- Rearview camera (in dash monitor)
- Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power. Skid Plates
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Step bars; Steel
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks; front
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Trailer hitch; class IV receiver type
- Transmission cooler; external auxiliary ✓ Up fitter switches

Mich. Spec. # 3958-0091

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY (8 Ft. Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

✓	Battery; 12 Volt, 540 CCA min.
✓	Bumper; Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
✓	Fuel capacity; largest available from mfg.
✓	Lug wrench
✓	Skid Plate(s)
✓	Spare tire and wheel; Mfg. Std. mounting.
✓	Tow hooks; front, frame mounted.

Mich. Spec. # 3958-0091A

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY

ALTERNATIVE FUEL

(8 Ft. Box) (Payload-1,300 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and

are to be included on this vehicle.				
✓	Battery; 12 Volt, 540 CCA min.			
✓	Bumper; Mfg. Std.			
✓	Fuel capacity; largest available from mfg.			
✓	Lug wrench			
✓	Spare tire and wheel; Mfg. Std. mounting.			

ADDITIONAL MDOT OPTIONS:

arc u	are to be included on this MDO1 vehicle.			
✓	Alarm; Back up			
✓	Alternator; 220 Amp			
✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary			
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.			
✓	Differential; heavy duty locking rear			
\checkmark	Engine; V8 gas engine with 6 speed automatic transmission			
✓	Fuel capacity; largest available from mfg.			
✓	Hubs; automatic locking on front or axle shaft disconnect system			
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery			
✓	Locks; power with remote			
✓	Lug wrench and jack			
✓	Mirrors; extendable trailering			
✓	Power outlet; 110-volt			
✓	Provisions for roof mounted beacon			
✓	Radio; AM/FM w/Bluetooth			

- Rearview camera (in dash monitor)
- Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.
- Skid Plates
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Step bars; Steel
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks: front
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Trailer hitch; class IV receiver type Transmission cooler; external auxiliary
- Up fitter switches

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0092

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY

8 FT. Box (Payload 2,800 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle

•	are to be included on this vehicle.			
	✓	Battery; 12 Volt, 600 CCA min.		
	✓	Bumper; Mfg. Std.		
	✓	Fuel capacity; largest available from mfg.		
	✓	Lug wrench		
	✓	Spare tire and wheel; Mfg. Std. mounting.		

ADDITIONAL MDOT OPTIONS:

а	re to	o be included on this MDOT vehicle.
	✓	Alarm; Back up
	✓	Alternator; 220 Amp
	✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary
	✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.
	✓	Differential; heavy duty locking rear
	✓	Engine; V8 gas engine with 6 speed automatic transmission
	✓	Fuel capacity; largest available from mfg.
	✓	Hubs; automatic locking on front or axle shaft disconnect system
	✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
	✓	Locks; power with remote
	✓	Lug wrench and jack
	✓	Mirrors; extendable trailering
	✓	Power outlet; 110-volt
	✓	Provisions for roof mounted beacon
	✓	Radio; AM/FM w/Bluetooth
	✓	Rearview camera (in dash monitor)
	✓	Seats; cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power.

- cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power. **Skid Plates**
- Spare tire and wheel, full size. Mfg. standard mounting
- Spray in bed liner (under rail)
- Step bars; Steel
- Tires; all-terrain black walls, including spare, 17 inch
- Tow hooks; front
- Towing Package; heaviest duty available from mfg.
- Trailer brake controller; integrated
- Trailer hitch; class IV receiver type
- Transmission cooler; external auxiliary
- Up fitter switches

STATE OF MICHIGAN

DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET - PROCUREMENT

Mich. Spec. # 3958-0092D

LIGHT DUTY TRUCKS AND UTILITY 4X4: PICK-UP BODY, DIESEL

8 Ft. Box (Payload 2,800 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. 8,600 (lbs.), minimum

Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

are to be included on this vehicle.				
✓	Battery; 12 Volt, 600 CCA min.			
✓	Bumper; Mfg. Std.			
✓	Fuel capacity; largest available from mfg.			
✓	Lug wrench			
✓	Spare tire and wheel; Mfg. Std. mounting.			

ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

are to be included on this MDO1 vehicle.			
✓	Alarm; Back up		
✓	Alternator; 220 Amp		
✓	Battery; 12 volt 730CCA, minimum and additional 12 volt 730CCA auxiliary		
✓	Bed liner; spray in (under rail)		
✓	Bumper; rear, step down type, heaviest available towing capacity, Mfg. Std.		
✓	Differential; heavy duty locking rear		
✓	Fuel capacity; largest available from mfg.		
✓	Hubs; automatic locking on front or axle shaft disconnect system		
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
✓	Locks; power with remote		
✓	Lug wrench and jack		
✓	Mirrors; extendable trailering		
✓	Power outlet; 110-volt		
✓	Provisions for roof mounted beacon		
✓	Radio; AM/FM w/Bluetooth		
✓	Rearview camera (in dash monitor)		

•	Rearview camera (in dash monitor)
✓	Seats: cloth 40/20/40 split bench seat. Seat adjuster; driver 10-way power
✓	Skid Plates
✓	Spare tire and wheel, full size. Mfg. standard mounting
✓	Step bars; Steel
✓	Tires; all-terrain black walls, including spare, 17 inch
✓	Tow hooks; front
✓	Towing Package; heaviest duty available from mfg.
✓	Trailer brake controller; integrated
✓	Trailer hitch; class IV receiver type
✓	Transmission cooler; external auxiliary
	✓ ✓ ✓ ✓ ✓ ✓ ✓

✓ Up fitter switches

Mich. Spec. # 3958-0093

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: CAB AND CHASSIS, DUAL REAR WHEELS</u> (G.V.W.R. 10,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ✓ Battery; 12 Volt, 540 CCA min.
- ✓ Fuel capacity; largest available from mfg.
- ✓ Lug wrench
- ✓ Spare wheel

ADDITIONAL MDOT OPTIONS:

- Battery; 12 volt 650CCA, minimum
- ✓ Differential; heavy duty locking rear
- ✓ Engine; V8 gas engine with 6 speed automatic transmission
- ✓ Fuel capacity; largest available from mfg.
- ✓ Hubs; automatic locking on front or axle shaft disconnect system
- Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: cloth 40/20/40 split bench seat.
- ✓ Skid Plates
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up-fitter switches

Mich. Spec. # 3958-0093D

LIGHT DUTY TRUCKS AND UTLITY 4X4: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 10,000 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; 12 Volt, 600 CCA min.
✓	Fuel capacity; largest available from mfg
✓	Lug wrench
✓	Spare wheel

Trailer brake controller; integrated Transmission cooler; external auxiliary

ADDITIONAL MDOT OPTIONS:

Battery; 12 volt 650CCA, minimum		
✓ Differential; heavy duty locking rear		
✓ Fuel capacity; largest available from mfg.		
✓ Hubs; automatic locking on front or axle shaft disconnect system		
\checkmark Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery		
✓ Locks; power with remote		
✓ Lug wrench and jack		
✓ Mirrors; extendable trailering		
✓ Power outlet; 110-volt		
✓ Provisions for roof mounted beacon		
✓ Radio; AM/FM w/Bluetooth		
✓ Seats: cloth 40/20/40 split bench seat.		
✓ Skid Plates		
✓ Spare tire and wheel, full size. Mfg. standard mounting		
✓ Tires; all-terrain black walls, including spare, 17 inch		
Tow hooks: front		

Mich. Spec. # 3905-0094

<u>LIGHT DUTY TRUCKS AND UTILITY 4X4: UTILITY VEHICLE, LARGE, 6-8</u> <u>PASSENGER</u>

(Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic: w/2-speed Transfer Case.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

✓	/	Alternator; 80 amp., min.
✓	/	Battery; 12 Volt; 600 CCA, min.
✓		Body; Finished interior (no exposed outside body sheet metal), full-length headliner.
✓	/	Brakes; Power.
✓		Bumper; Rear, Mfg. Std.
✓	/	Fuel tank; largest single tank available from mfg.
•	/	Mirrors; Rear View, Inside. Outside R.H. and L.H. below eye level, swing away type, 54 square in minimum, Installed.
✓	/	Spare tire and wheel; Mfg. Std. mounting.
✓		Steering; Power.
✓	/	Lug wrench

Mich. Spec. # 3905-0094A

LIGHT DUTY TRUCKS AND UTILITY 4X4: UTILITY VEHICLE, LARGE, 6-8 PASSENGER ALTERNATIVE FUEL (Payload-1,500 lbs., min.)

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic: w/2-speed Transfer Case.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Passenger Vehicle Equipment <u>are to be supplied</u> on all vehicles, even though they may be optional with the manufacturer (refer to page A).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Battery; 12 Volt; 600 CCA, min.
✓	Bumper; Rear, Mfg. Std.
✓	Fuel tank; largest single tank available from mfg.
✓	Spare tire and wheel; Mfg. Std. mounting.
✓	Lug wrench

ADDITIONAL MDOT OPTIONS:

1	Battery; 12 volt 650CCA, minimum
✓	Camera; rearview (in dash monitor)
✓	Differential; heavy duty locking rear
✓	Fuel capacity; largest available from mfg.
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
✓	Locks; power with remote
✓	Lug wrench and jack
✓	Power outlet; 110-volt
✓	Radio; AM/FM w/Bluetooth
✓	Seats: Front, cloth 40/20/40 split bench seat. Rear, cloth, full width forward facing
✓	Skid Plates
✓	Spare tire and wheel, full size. Mfg. standard mounting
✓	Tow hooks; front
✓	Transmission cooler; external auxiliary

Mich. Spec. # 3958-0098D

MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, DIESEL G.V.W.R. 12,000 lbs. min., (Payload 5,800 lb. min.), 60" Min. C.A.

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

Transmission: Automatic with Maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> vehicles, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Axle, rear-limited slip.

 Axle, rear-limited slip.

 Battery; 12 Volt; 600 CCA, min.

 Fuel tank; largest single tank available from mfg.
- ✓ Lug wrench

ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ✓ Battery; 12 volt 650CCA, minimum
 ✓ Differential; heavy duty locking rear
 ✓ Fuel capacity; largest available from mfg.
- ✓ Hubs; auto locking on front
- ✓ Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery
- ✓ Locks; power with remote
- ✓ Lug wrench and jack
- ✓ Mirrors; extendable trailering
- ✓ Power outlet; 110-volt
- ✓ Provisions for roof mounted beacon
- ✓ Radio; AM/FM w/Bluetooth
- ✓ Seats: cloth 40/20/40 split bench seat.
- ✓ Spare tire and wheel, full size. Mfg. standard mounting
- ✓ Tires; all-terrain black walls, including spare, 17 inch
- ✓ Tow hooks; front
- ✓ Trailer brake controller; integrated
- ✓ Transmission cooler; external auxiliary
- ✓ Up-fitter switches

.

Mich. Spec. # 3958-0099D

MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS

(Payload-5,930 lbs., min.), 84" Min. C.A.

MODEL-2018 CURRENT NEW

PRELIMINARY REQUIREMENTS:

G.V.W.R. (12,500 lbs. min.)

Transmission: Automatic with maximum capacity transmission oil cooler, Factory installed.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

✓	Alternator; 80 amp., min.
✓	Axle, rear-limited slip.
✓	Battery; 12 Volt; 600 CCA, min.
✓	Fuel tank; largest single tank available from mfg.
✓	Lug wrench

ADDITIONAL MDOT OPTIONS:

✓ Trailer brake controller; integrated✓ Transmission cooler; external auxiliary

Up-fitter switches

These options are in addition to the options listed above as "STANDARD FACTORY				
EQUIPPED" and are to be included on this MDOT vehicle.				
✓	Battery; 12 volt 650CCA, minimum			
✓	Differential; heavy duty locking rear			
✓	Fuel capacity; largest available from mfg.			
✓	Hubs; auto locking on front			
✓	Keys; (1) added set (total = 3 sets) w/ code numbers; incl. with vehicle upon delivery			
✓	Locks; power with remote			
✓	Lug wrench and jack			
✓	Mirrors; extendable trailering			
✓	Power outlet; 110-volt			
✓	Provisions for roof mounted beacon			
✓	Radio; AM/FM w/Bluetooth			
✓	Seats: cloth 40/20/40 split bench seat.			
✓	Spare tire and wheel, full size. Mfg. standard mounting			
✓	Tires; all-terrain black walls, including spare, 17 inch			
✓	Tow hooks: front			

Schedule C

AFFIDAVIT FOR DRIVER DELIVERY

Domestic Vehicle Dealers - Patrol, Passenger, Trucks, and Vans

Vehicles may be driven to the final delivery destination if the following conditions are met:

- 1. The drivers of the vehicles are correctly licensed and trained in proper vehicle operation.
- 2. The contractor accepts all responsibility and liability for vehicles in transit.
- 3. The requesting contractor should sign the affidavit below and submit this with the bid.

The contractor accepts all responsibility and liability for vehicles in transit and guarantees the vehicles shall be transported in a safe, proper, and efficient manner.

I understand that the State may cancel approval of this affidavit at any time during the contract if the contractor fails to meet the above obligations.

Fleet / Municipal Sales
Title

Todd Wenzel Cherrolet