

Department of Technology, Management, and Budget 320 S. WALNUT ST., LANSING, MICHIGAN 48933

320 S. WALNUT ST., LANSING, MICHIGAN 48933 P.O. BOX 30026 LANSING, MICHIGAN 48909

#### **CONTRACT CHANGE NOTICE**

Change Notice Number 7

to Contract Number <u>180000001104</u>

	GORNO FORD INC		≂ ₽	Scott Poyer	MDOT	
CO	22025 Allen Road		Program Manager	517 284-6448		
NO	Woodhaven, MI 48183	ST.	er	poyers@michigan.gov		
TR		ATE	Contrac dministr	Yvon Dufour	DTMB	
P C	Jim Agney			(517) 249-0455		
'OR	734-671-4033			dufoury@michigan.gov		
	jagney@gornoford.com		7	, , ,		
	CV0019327					

	CONTRACT SUMMARY								
VEHICLES – CAB & CH	ASSIS								
INITIAL EFFECTIVE DATE	INITIAL EXPIRAT	TION DATE	INITIAL AVAILABLE OPTION	S	EXPIRATION DATE BEFORE				
August 1, 2018	November 3	0, 2021	2 - 1 Year		November	30, 2023			
PAY	MENT TERMS	DELIVERY T	IMEFRA	ME					
N/A									
	S	EXT		HASING					
P-Card     PRC     Oth			er	⊠ Yes					
MINIMUM DELIVERY REQUI	MINIMUM DELIVERY REQUIREMENTS								
	D	ESCRIPTION O	F CHANGE NOTICE						
OPTION LENGT	TH OF OPTION	EXTENSION	LENGTH OF EXTENSION	EXTENSION REVISED EXP. I		XP. DATE			
					November	30, 2023			
CURRENT VALUE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGA	TE CON	ITRACT VALU	E			
\$2,900,000.00	\$0.00		\$2,900,0	000.00					
	DESCRIPTION								
Effective 11/14/2022 pricing on this contract is hereby updated, per revised Schedule D1 - Pricing. All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.									

Current market conditions may result in the following:
1) Current pricing may not be available.
2) Purchase orders may be required as "order verification".
3) Ordering dates for particular makes and models have passed.
4) Future ordering dates for particular makes and models are within a very small window of time.
5) Pricing is subject to change until the vehicle is scheduled for a final production date.

<ol> <li>Pricing is subj</li> </ol>	5) Pricing is subject to change until the vehicle is scheduled for a final production date.								
Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MI Deal \$	Delivery Fee (Per mile)	Critical Order Dates	Notes
3958-0109	CUT-AWAY VANS: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)	2024	Ford	E-450 14000 GVWR (E4F) 158" WB, 100" CA	Gorno Ford 18000001104	Contact dealer for quote	\$2.50	open 10/27 close tbd	Pricing is for regular cab base truck, and no options.
3958-0110	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	2023	Ford	F-450 16500 GVWR (F4G) 145" WB, 60" CA	Gorno Ford 18000001104	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0111D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	2023	Ford	F-450 16500 GVWR (F4G) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0112	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	2023	Ford	F-450 16500 GVWR (F4H) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0113D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	2023	Ford	F-450 16500 GVWR (F4H) 145" WB, 60" CA	Gorno Ford 180000001104	Contact dealer for quote	\$2.50	open 11/14 could close in 1-3 dys	Pricing is for regular cab base truck, and no options.
3958-0114	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	2023	Ford	F-450 16500 GVWR (F4G) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0115D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	2023	Ford	F-450 16500 GVWR (F4G) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0116	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)	2023	Ford	F-450 16500 GVWR (F4H) 145" WB, 60" CA	Gorno Ford 180000001104	Contact dealer for quote	\$2.50	open 11/14/22 close TBD	Pricing is for regular cab base truck, and no options.
3958-0117D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	2023	Ford	F-450 16500 GVWR (F4H) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0118	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	2023	Ford	F-550 18000 GVWR (F5G) 145" WB, 60" CA	Gorno Ford 180000001104	Contact dealer for quote	\$2.50	open 11/14/22 close TBD	Pricing is for regular cab base truck, and no options.
3958-0118D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	2023	Ford	F-550 18000 GVWR (F5G) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0119	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	2023	Ford	F-550 18000 GVWR (F5H) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0119D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	2023	Ford	F-550 18000 GVWR (F5H) 145" WB, 60" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 11/14/22 could close in 1-3 days	Pricing is for regular cab base truck, and no options.
3958-0134	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE	2024	Ford	F-650 25600 GVWR 158" WB, 84" CA	Gorno Ford 180000001104	Contact dealer for quote	\$2.50	open 10/27/22 close TBD	Pricing is for regular cab base truck, and no options.
3958-0135D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs., min.)	2024	Ford	F-650 25600 GVWR 158" WB, 84" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	opem 10/27/22 close TBD	Pricing is for regular cab base truck, and no options.
3958-0160D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE AXLE, 300 H.P. DIESEL ENGINE	2024	Ford	F-750 33000 GVWR 158" WB, 84" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 10/27 close tbd	Pricing is for regular cab base truck, and no options.
3958-0164D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.), DIESEL	2024	Ford	F-750 31000 GVWR 158" WB, 84" CA	Gorno Ford <b>180000001104</b>	Contact dealer for quote	\$2.50	open 10/27 close tbd	Pricing is for regular cab base truck, and no options.

#### Current market conditions may result in the following:

Current market conditions may result in the following:
 Current pricing may not be available.
 Purchase orders may be required as "order verification".
 Ordering dates for particular makes and models have passed.
 Future ordering dates for particular makes and models are within a very small window of time.
 Pricing is subject to change until the vehicle is scheduled for a final production date.

Spec #	DESCRIPTION	Year	Make	Model	Awarded Dealer	MDOT	Critical Order	Notes
	CUT-AWAY VANS: DUAL REAR WHEELS,			E-450 14000 GVWR		Contact	Dates	Pricing is for regular
3958-0109	(G.V.W.R. 14,000 lbs., min.)	2023	Ford	(E4F) 158" WB, 100"	Gorno Ford	dealer for	open 10/27/22	cab base truck, and
3938-0109	(G.V.W.R. 14,000 lbs., mm.)	2025	Foru	(E4F) 138 WB, 100 CA	18000001104	quote	closes tbd	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-450 16500 GVWR		Contact	open 11/14/22,	Pricing is for regular
3958-0110	(G.V.W.R. 14,500 LBS., min.)	2023	Ford	(F4G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
3938-0110	(G.V.W.R. 14,500 LB3., IIIII.)	2025	Foru	(F4G) 145 WB, 00 CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0111D	DUAL REAR WHEELS, DIESEL, (G.V.W.R.	2023	Ford	(F4G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
3338-01110	14,500 LBS., min.)	2025	roid	(140) 145 WB, 00 CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0112	DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS.,	2023	Ford	(F4H) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
5556-0112	min.) (4 x 4)	2025	1010	(1411) 145 WD, 00	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0113D	DUAL REAR WHEELS, DIESEL, (G.V.W.R.	2023	Ford	(F4H) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
3538-01130	14,500 LBS., min.) (4 x 4)	2025	roid	(1411) 145 WB, 00	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-450 16500 GVWR		Contact	open 11/14/22,	Pricing is for regular
3958-0114	(G.V.W.R. 14,500 LBS., min.)	2023	Ford	(F4G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
5556-0114	(C.V.W.N. 14,500 LBS., IIIII.)	2025	1010	(140) 145 WD, 00 CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0115D	DUAL REAR WHEELS, DIESEL, (G.V.W.R.	2023	Ford	(F4G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
0000 01100	14,500 LBS., min.)			(1.10, 1.10, 111), 00 CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0116	(G.V.W.R. 15,000 LBS., min.) (4 x 4)	2023	Ford	(F4H) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
0000 0110				(, <u>_</u> , CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-450 16500 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0117D	DUAL REAR WHEELS, DIESEL, (G.V.W.R.	2023	Ford	(F4H) 145" WB, 60"	o" Gorno Ford	dealer for	could close in 1-3	cab base truck, and
	14,500 LBS., min.) (4 x 4)			(, <u>_</u> , CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-550 18000 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0118	DUAL REAR WHEELS (G.V.W.R. 18,000 LBS.,	2023	Ford	(F5G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
	min.)			CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-550 18000 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0118D	DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000	2023	Ford	(F5G) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
	LBS., min.)			CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-550 18000 GVWR		Contact	open 11/14/22	Pricing is for regular
3958-0119	DUAL REAR WHEELS (G.V.W.R. 18,000 LBS.,	2023	Ford	(F5H) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
	min.) (4 x 4)			CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,			F-550 18000 GVWR	Come Foul	Contact	open 11/14/22	Pricing is for regular
3958-0119D	DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000	2023	Ford	(F5H) 145" WB, 60"	Gorno Ford	dealer for	could close in 1-3	cab base truck, and
	LBS., min.) (4 x 4)			CA	18000001104	quote	days	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS,				Correc Found	Contact	onon 10/27/22	Pricing is for regular
3958-0134	(G.V.W.R. 21,000 lbs., min.), LOW PROFILE	2023	Ford	F-650 25600 GVWR	Gorno Ford 180000001104	dealer for	open 10/27/22, close tbd	cab base truck, and
				158" WB, 84" CA	18000001104	quote	close thu	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-650 25600 GVWR	Gorno Ford	Contact	open 10/27/22	Pricing is for regular
3958-0135D	DIESEL, (G.V.W.R. 21,000 lbs., min.)	2023	Ford		18000001104	dealer for		cab base truck, and
				158" WB, 84" CA	10000001104	quote	close tbd	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-750 33000 GVWR	Gorno Ford	Contact	open 10/27/22	Pricing is for regular
3958-0160D	(G.V.W.R. 33,000 lbs., min.), SINGLE AXLE,	2023	Ford	158" WB, 84" CA	18000001104	dealer for	close tbd	cab base truck, and
	300 H.P. DIESEL ENGINE			130 WD, 04 CA	10000001104	quote	close thu	no options.
	HEAVY DUTY TRUCKS: CAB AND CHASSIS			F-750 31000 GVWR	Gorno Ford	Contact	open 10/27/22	Pricing is for regular
3958-0164D	(G.V.W.R. 27,000 LBS., MIN.), DIESEL	2023	Ford	158" WB, 84" CA	18000001104	dealer for	close tbd	cab base truck, and
				130 WD, 04 CA	10000001104	quote	close thu	no options.



Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

#### **CONTRACT CHANGE NOTICE**

Change Notice Number 6

to Contract Number <u>180000001104</u>

	GORNO FORD INC	~	Pr	Scott Poyer	MDOT	
СО	22025 Allen Road	lanage	ograr anag	517 284-6448		
-	Woodhaven, MI 48183	<sub>er</sub> ST/	3	poyers@michigan.gov		
'RA	Jim Agney	Adm	Adn	Yvon Dufour	DTMB	
сто	734-671-4033	ministrato	ontra	(517) 249-0455		
OR	jagney@gornoford.com	rator	, <del>C</del>	dufoury@michigan.gov		
	CV0019327			·		

	CONTRACT SUMMARY								
VEHICLES	- CAB & CHA	ASSIS							
INITIAL EFF	ECTIVE DATE	INITIAL EXPIRAT	ION DATE	INITIAL AVAILABLE OPTION	INITIAL AVAILABLE OPTIONS				
Augus	st 1, 2018	November 30	), 2021	2 - 1 Year		November 30, 2023			
PAYMENT TERMS				DELIVERY TIMEFRAME					
N/A									
ALTERNATE PAYMENT OPTIO				NS EXTENDED PURCHASING					
🗆 P-Ca	rd		🗆 Oth	er	X	Yes 🗆 No			
MINIMUM DE		REMENTS							
		D	ESCRIPTION O	F CHANGE NOTICE					
OPTION	LENGTI	H OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED EXP. DATE			
						November 30, 2023			
CURRE	NT VALUE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGAT		ITRACT VALUE			
\$2,900,000.00 \$0.00			\$2,900,000.00						
	DESCRIPTION								
Effective 2/4	/2022, the follow	wing amendment is h	nereby incorpo	rated into the contract. 2022 mode	el year	trucks are awarded per			

Effective 2/4/2022, the following amendment is hereby incorporated into the contract. 2022 model year trucks are awarded per attached Schedule D1 - Pricing & Schedule D2 - Pricing with Options. All other terms, conditions, specifications, and pricing remain the same. Per agency request, and DTMB Procurement approval.

# Schedule D1 - FORD PRICING

				GORNO			
SPECIFICATION NUMBER	SPECIFICATION DESCRIPTIONS	MODEL	Description	MDOT BASE PRICE	+ Base options	TOTAL MDOT PRICE	NOTES
<del>3958-0109</del>	3958 -0109 CUT AWAY VANS: DUAL REAR WHEELS,	<del>E-450 (E4F)</del>	E-450 REG CAB CHASSIS	<del>\$29,789.00</del>	<del>\$3,413.00</del>	<del>\$33,202.00</del>	NOT AWARDED
	<del>(G.V.W.R. 14,000 lbs., min.)</del>	<del>(14,000 GVWR)</del>	<del>4X2 158" WB, 100" CA</del>				
3958-0110	3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB	F-450 (F4G)	F-450 REG CAB CHASSIS	Pricing NOT AV		Approx. March	
	AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	(16,500 GVWR)	145" WB, 60" CA		2022		
3958-0111D	3958-0111D (3958-0115D) HEAVY DUTY TRUCKS: CAB	F-450 (F4G)	F-450 REG CAB CHASSIS			Annual March	
	AND CHASSIS, DUAL REAR WHEELS, DIESEL,			Pricing NOT AV		Approx. March	
	(G.V.W.R. 14,500 LBS., min.)	(16,500 GVWR)	4X2 145" WB, 60" CA		2022		
3958-0112	3958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS						
	DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.) (4	F-450 (F4H)	F-450 REG CAB CHASSIS	Pricing NOT AV	AILABLE until A	Approx. March	
		(16,500 GVWR)	4X4 145" WB, 60" CA		2022		
2050 04425							
3958-0113D	3958-0113D (3958-0117D) HEAVY DUTY TRUCKS: CAB	F-450 (F4H)	F-450 REG CAB CHASSIS	Pricing NOT AV	AILABLE until A	Approx. March	
(3958-0117D	AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R.	(16,500 GVWR)	4X4 145" WB, 60" CA	Ŭ	2022		
	14,500 LBS., min.) (4 x 4)	(10)000 01111/					
3958-0116	3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-450 (F4H)	F-450 REG CAB CHASSIS	Pricing NOT AVA	AILABLE until A	Approx. March	
	(G.V.W.R. 15,000 LBS., min.) (4 x 4)	(16,500 GVWR)	4X4 145" WB, 60" CA		2022		
3958-0118							
	3958-0118 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-550 (F5G)	F-550 REG CAB CHASSIS	Pricing NOT AV		Approx. March	
	DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	(18,000 GVWR)	4X2 145" WB, 60" CA		2022		
3958-0118D	3958-0118D HEAVY DUTY TRUCKS: CAB AND						
2929-0119D		F-550 (F5G)	F-550 REG CAB CHASSIS	Pricing NOT AV	AILABLE until A	Approx. March	
	CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R.	(18,000 GVWR)	4X2 145" WB, 60" CA		2022		
	18,000 LBS., min.)						
3958-0119	3958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-550 (F5H)	F-550 REG CAB CHASSIS	Pricing NOT AV		Annroy March	
	DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x			Pricing NOT AVAILABLE until Approx. March 2022			
	4)	(18,000 GVWR)	4X4 145" WB, 60" CA		2022		
3958-0119D	3958-0119D HEAVY DUTY TRUCKS: CAB AND						
	CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R.	F-550 (F5H)	F-550 REG CAB CHASSIS	Pricing NOT AVA	AILABLE until A	Approx. March	
	18,000 LBS., min.) (4 x 4)	(18,000 GVWR)	4X4 145" WB, 60" CA	2022			
2050 0124	18,000 LBS., IIIII.) (4 X 4)				1	1	
3958-0134	3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-650 (F6K)	F-650 REG CAB CHASSIS				Total price is for Regular cab. S
	(G.V.W.R. 21,000 lbs., min.), LOW PROFILE	(22,000 GVWR)	169" WB, 84" CA	\$48,613.00	\$1,127.00	\$49,740.00	Schedule D2 for options.
		• •	-				
3958-0135	3958-0135 HEAVY DUTY TRUCKS: CAB AND CHASSIS	F-650 (F6K)	F-650 REG CAB CHASSIS	\$56,408.00	\$2,332.00	\$58,740.00	Total price is for Regular cab. S
	DIESEL, (G.V.W.R. 21,000 lbs., min.)	(22,000 GVWR)	169" WB, 84" CA	\$50,400.00	\$2,552.00	\$50,7 40.00	Schedule D2 for options.
3958-0160D	3958-0160D HEAVY DUTY TRUCKS: CAB AND CHASSIS	F-750 (F7K)	F-750 REG CAB CHASSIS				Total price is for Regular cab. S
	(G.V.W.R. 33,000 lbs., min.), SINGLE AXLE, 300 H.P.			\$57 <i>,</i> 197.00	\$9,532.00	\$66,729.00	
	DIESEL ENGINE	(33,000 GVWR)	169" WB <i>,</i> 84" CA				Schedule D2 for options.
3958-0164D	3958-0164D HEAVY DUTY TRUCKS: CAB AND CHASSIS	F-750 (F7K)	F-750 REG CAB CHASSIS				Total price is for Regular cab. S
	(G.V.W.R. 27,000 LBS., MIN.), DIESEL	(31,000 GVWR)	169" WB, 84" CA	\$57,195.00	\$9,262.00	\$66,457.00	Schedule D2 for options.
		(51,000 07 111)	105 110,04 04				
						ΤΟΤΑΙ	
SPECIFICATION			<b>.</b>	MIDEAL BASE	+ Base	TOTAL	
NUMBER	SPECIFICATION DESCRIPTIONS	MODEL	Description	PRICE	options	MIDEAL	NOTES
		· ·			-	PRICE	
3958-0109	39580109 CUT-AWAY VANS: DUAL REAR WHEELS,	E-450 (E4F)	E-450 REG CAB CHASSIS	\$28,080.00	\$3,032.00	\$31,112.00	See Schedule D2 for options.
	(G.V.W.R. 14,000 lbs., min.)	(14,000 GVWR)	4X2 158" WB, 100" CA				
3958-0110	3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB	F-450 (F4G)	F-450 REG CAB CHASSIS	Pricing NOT AV	AILABLE until A	Approx. March	
	AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	(16,500 GVWR)	145" WB, 60" CA		2022		
3958-0111D	3958-0111D (3958-0115D) HEAVY DUTY TRUCKS: CAB	F-450 (F4G)	F-450 REG CAB CHASSIS	Pricing NOT AVA		Annrox March	
	AND CHASSIS, DUAL REAR WHEELS, DIESEL,	(16,500 GVWR)	4X2 145" WB, 60" CA		2022		
	(G.V.W.R. 14,500 LBS., min.)	(10,500 GVVVK)	472 143 WD, OU CA		2022		
3958-0112	3958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS	F-450 (F4H)	F-450 REG CAB CHASSIS	Pricing NOT AV		horey March	
	DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.) (4			Pricing NOT AVAILABLE until Approx. March 2022			
	x 4)	(16,500 GVWR)	4X4 145" WB, 60" CA	2022			
3958-0113D	3958-0113D (3958-0117D) HEAVY DUTY TRUCKS: CAB	F-450 (F4H)		Pricing NOT AVAILABLE until America March			
(3958-0117D	AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R.		F-450 REG CAB CHASSIS	Pricing NOT AVAILABLE until Approx. March			
,	14,500 LBS., min.) (4 x 4)	(16,500 GVWR)	4X4 145" WB, 60" CA	2022			
3958-0116	3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-450 (F4H)	F-450 REG CAB CHASSIS	Pricing NOT AVAILABLE until Approx. March			
	(G.V.W.R. 15,000 LBS., min.) (4 x 4)	(16,500 GVWR)	4X4 145" WB, 60" CA	2022			
3958-0118							
0000 0110	3958-0118 HEAVY DUTY TRUCKS: CAB AND CHASSIS,	F-550 (F5G)	F-550 REG CAB CHASSIS	Pricing NOT AVAILABLE until Approx. March			
	DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	(18,000 GVWR)	4X2 145" WB, 60" CA		2022		
3958-0118D	3958-0118D HEAVY DUTY TRUCKS: CAB AND						
2220-0119D	CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R.	F-550 (F5G)	F-550 REG CAB CHASSIS	Pricing NOT AVA	AILABLE until A	Approx. March	
		(18,000 GVWR)	4X2 145" WB, 60" CA		2022		
2059 0110	18,000 LBS., min.) 3958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS,						
3958-0119	3330-0113 HEAVE DOTT TRUCKS. CAD AND CHASSIS,			Drising NOT AV		Manual Desale	

3958-0119	3958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	F-550 (F5H) (18,000 GVWR)	F-550 REG CAB CHASSIS 4X4 145" WB, 60" CA	Pricing NOT AVAILABLE until Approx. March 2022			
3958-0119D	3958-0119D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	F-550 (F5H) (18,000 GVWR)	F-550 REG CAB CHASSIS 4X4 145" WB, 60" CA	Pricing NOT AVAILABLE until Approx. March 2022			
3958-0134	3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE	F-650 (F6K) (22,000 GVWR)	F-650 REG CAB CHASSIS 169" WB, 84" CA	\$46,498.00	\$1,130.00	\$47,628.00	Total price is for Regular cab. See Schedule D2 for options.
3958-0135	3958-0135 HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs., min.)	F-650 (F6K) (22,000 GVWR)	F-650 REG CAB CHASSIS 169" WB, 84" CA	\$54,408.00	\$2,335.99	\$56,743.99	Total price is for Regular cab. See Schedule D2 for options.
3958-0160D	3958-0160D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE AXLE, 300 H.P. DIESEL ENGINE	F-750 (F7K) (33,000 GVWR)	F-750 REG CAB CHASSIS 169" WB, 84" CA	\$55,597.00	\$9,535.00	\$65,132.00	Total price is for Regular cab. See Schedule D2 for options.
3958-0164D	3958-0164D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.), DIESEL	F-750 (F7K) (31,000 GVWR)	F-750 REG CAB CHASSIS 169" WB, 84" CA	\$55,497.00	\$9,265.00	\$64,762.00	Total price is for Regular cab. See Schedule D2 for options.

	Schedule D2 - Specs wi	th options			
	39580109 CUT-AWAY VANS: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	E-450 14000 GVWR (E4F) 158" WB, 100" CA	<del>\$29,789.00</del>	\$28,080.00	
2	Wheelbase/CA Options	178WB (120" CA)	<del>\$740.00</del>	\$730.00	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
3	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				*Unit may not be safe to
3	though they may be optional with the manufacturer (refer to page B).		<del>\$0.00</del>	\$0.00	drive
	ADDITIONAL OPTIONS				
4	Cruise Control		<del>\$1,275.00</del>	\$1,242.00	526 Adds 60J
5	Rearview Mirror		<del>\$0.00</del>	\$0.00	?
6	Alarm - Back up				
Ŭ			<del>\$0.00</del>	\$0.00	Install at Body Company
7	Alternator - 145 Amp	210 Amp	<del>\$0.00</del>	\$0.00	
8	Battery 12 volt 770CCA, minimum	750CCA	<del>\$0.00</del>	\$0.00	Standard
9	Camera - Rearview (in dash monitor)				INSTALL @ BODY
5			<del>\$430.00</del>	\$401.00	COMPANY
10	Differential, heavy duty locking rear		<del>\$252.00</del>	\$245.00	X83
11	Engine - 6.0L V8 gas with 6 speed automatic transmission	7.3L V8 STD	<del>-\$300.00</del>	-\$319.00	99К
12	Fuel capacity - largest available from mfg.	55 gal	<del>\$0.00</del>	\$0.00	
13	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
15	delivery.		<del>\$7.00</del>	\$0.00	
14	Locks - Power with remotes	REQUIRES P/MIRRORS	<del>\$690.00</del>	\$423.00	903
15	Lug wrench and jack	jack not available from Ford			
16	Power outlet - 110-volt		<del>\$94.00</del>	\$91.00	901
17	Radio - AM/FM w/Bluetooth		<del>\$0.00</del>	\$0.00	Standard
18	Seats-Cloth, Front, high back drivers and passenger		<del>\$0.00</del>	\$0.00	CE & 211
19	Spare tire and wheel, full size. Mfg. standard mounting		<del>\$225.00</del>	\$219.00	51A
20	Transmission cooler - external auxiliary		<del>\$0.00</del>	\$0.00	
21	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		<del>\$0.00</del>	\$0.00	

3	958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS.,				
	min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-450 16500 GVWR (F4G) 145"			
	MODEL - CORRENT NEW	WB, 60" CA	\$38,881.00	\$37,778.00	Pricing NOT AVAILABLE until
2	Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$160.00	Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL OPTIONS				
7	Battery-12 Volt, 600 CCA, minimum.	750CCA	STD	STD	
8	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
	51 sq. in., minimum.		STD	STD	
	ADDITIONAL MDOT OPTIONS				
	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X4G
	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X4G
	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W4G
	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W4G
14	Axle Rear Limited slip		\$331.00	\$331.00	X8L
15	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
	delivery.		\$170.00	\$170.00	
-	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$373.00	\$373.00	512 & 61J
	Switches, upfitter for auxiliary		STD	STD	
	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
	Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	
	Trailer brake controller, factory installed		\$249.00	249,00	
21	Trailer Hitch, Class III Receiver Type	not available	\$0.00	\$0.00	Install @ body co
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		4	4	ADD 200.00 FOR CREW
		Includes SYNC Entertainment & Bluetooth	\$986.00	\$986.00	САВ
23	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Technology System	\$370.00	\$370.00	96V Adds 17F & 525
24	All of the above listed & SYNC Entertainment & Bluetooth Technology System		STD	STD	
	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
					FOR X4G & W4G
26	Cab Steps-Black Molded		\$294.00	\$294.00	ADD120.00
27	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
28	School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
29	Omaha Orange [W5684E]		\$625.00	\$625.00	MB
30	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

	3958-0111D (3958-0115D) HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR				
	WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	<b>EXCEPTIONS TO SPECIFICATIONS</b>	MDOT PRICE	MIDEAL PRICE	NOTES
4	MODEL CURRENT NEW	F-450 16500 GVWR (F4G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA	\$47,010.00	\$45,195.00	
2	Wheelbase/CA Options	169WB (84" CA)	180,00	\$180.00	Pricing NOT AVAILABLE until Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		std	std	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X4G
8	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X4G
9	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W4G
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W4G
11	Axle Rear Limited slip		\$331.00	\$331.00	X4N
12	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
12	delivery.		\$170.00	\$170.00	
12	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
13	51 sq. in., minimum.		\$0.00	std	
14	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
	Switches, upfitter for auxiliary		std	std	
15	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
16	Towing package: Heaviest duty available from manufacturer		std	std	531
17	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
18	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry				90L Adds 63A, Crew cab
	rower windows, Locks, ricated winters, and Kemote Keyless entry		\$977.00	\$977.00	+ \$192
19	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control		\$370.00	\$370.00	96V Adds 17F & 525
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
	Cab Steps-Black Molded		\$291.00	\$291.00	sc & crew add 120.00
	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT		+====		
	School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
	Omaha Orange [W5684E]		\$625.99	\$625.00	MB
	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	2

3	958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R.				
	14,500 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-450 16500 GVWR (F4H) 145"			
	MODEL - CORRENT NEW	WB, 60" CA	\$41,480.00	\$40,395.00	Pricing NOT AVAILABLE until
2	Wheelbase/CA Options	169WB (84" CA)	\$185.00	\$185.00	Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		std	std	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
0	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	Х4Н
8	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	Х4Н
9	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W4H
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,935.00	W4H
11	Axle Rear Limited slip		\$332.00	\$332.00	X8L
12	Hubs autolocking on front	not available on gas engine	std	std	
13	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
15	delivery.		\$170.00	\$170.00	
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
14	51 sq. in., minimum.		std	std	
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
16	Switches, upfitter for auxiliary		std	std	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
18	Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	?
19	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	crerw cab add 200.00
21	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	no cd	\$370.00	\$370.00	96V Adds 17F & 525
22	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
23	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
24	Cab Steps-Black Molded		\$291.00	\$291.00	18B, crew cab + \$114
25	Upfitter Interface Module		\$269.00	\$269.00	18A
26	Snow Plow Prep Package (4X4)		\$228.00	\$228.00	473
	SPECIAL PAINT				
27	School Bus Yellow [84S53]		\$625.00	\$625.00	BY
28	Omaha Orange [W5684E]		\$625.00	\$625.00	MB
29	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

395	8-0113D (3958-0117D) HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS,				
	DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-450 16500 GVWR (F4H) 145"			
	MODEL - CORRENT NEW	WB, 60" CA	\$49,609.00	\$48,459.00	Pricing NOT AVAILABLE until
2	Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$180.00	Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
0	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X4H
8	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X4H
9	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W4H
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W4H
11	Axle Rear Limited slip		\$327.00	\$327.00	X4N
12	Hubs autolocking on front	Standard	STD	STD	
13	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$170.00	\$170.00	
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
14	51 sq. in., minimum.	Included with 90L	STD	STD	
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
16	Switches, upfitter for auxiliary		STD	STD	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
18	Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	?
19	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
20	Power Windows Locks Heated Mirrors and Remote Kowless entry				90L Adds 63A, Crew cab
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	+ \$192
21	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control		\$370.00	\$370.00	96V Adds 17F & 525
22	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
23	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
24	Cab Steps-Black Molded		\$291.00	\$291.00	SC & CC ADD 120.00
25	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
26	School Bus Yellow [84S53]		\$625.00	\$625.00	BY
27	Omaha Orange [W5684E]		\$625.00	\$625.00	МВ
28	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

39	958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA	\$41,485.00	\$40,399.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$180.00	Pricing NOT AVAILABLE until Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision.				
Э	Factory installed.		\$255.00	\$255.00	62R
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
0	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X4H
8	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X4H
9	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W4H
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W4H
11	Axle Rear Limited slip		std	std	X4N
12	Hubs autolocking on front				
13	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$170.00	\$170.00	
4.4	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
	51 sq. in., minimum.	Included with 90L	std	std	
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
16	Switches, upfitter for auxiliary		std	std	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
4.0	Trace Truck Typelage Dedicit to meet C V W D. Deer ducie must be der some (Condensation for 1)				
18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$195.00	\$195.00	TGK
19	Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	?
	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
21	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	add cc 200.00
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control		\$370.00	\$370.00	96V Adds 17F & 525
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
25	Cab Steps-Black Molded		\$291.00	\$291.00	sc & cc 120.00
	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
-	School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
28	Omaha Orange [W5684E]		\$625.00	\$625.00	МВ
29	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

3958-0118 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R.				
18,000 LBS., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1 MODEL - CURRENT NEW	F-550 18000 GVWR (F5G) 145"			
	WB, 60" CA	\$39,877.00	\$38,757.00	Pricing NOT AVAILABLE until
2 Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$180.00	Approx. March 2022
3 Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4 Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
PRELIMINARY REQUIREMENTS:				
<b>5</b> Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		\$0.00	\$0.00	44G
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6 The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
ADDITIONAL MDOT OPTIONS				
7 Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X5G
8 Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X5G
9 Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W5G
<b>10</b> Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W5G
11 Axle Rear Limited slip		\$331.00	\$331.00	X8L
<b>12</b> Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
delivery.		\$170.00	\$170.00	
<b>13</b> Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
51 sq. in., minimum.	included with 90L	std	std	
<b>14</b> Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
<b>15</b> Switches, upfitter for auxiliary		std	std	
16 Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
<b>17</b> Times Truck Tubalass Padial to most G V W P. Paar duals mud and snow (Goodyser proferred)				
<b>17</b> Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$195.00	\$195.00	TGM
<b>18</b> Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	?
<b>19</b> Trailer brake controller, factory installed		\$245.00	\$245.00	52B (deselects 531)
<b>20</b> Transmission Power Take-Off Provision		\$255.00	\$255.00	62R
<b>21</b> Power Windows, Locks, Heated Mirrors, and Remote Keyless entry				90L Adds 63A, Crew cab
<b>21</b> I Ower windows, Locks, fieated winfors, and Keniole Keyless entry		\$977.00	\$977.00	+ \$192
<b>22</b> Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	no cd	\$370.00	\$370.00	96V Adds 17F & 525
<b>23</b> All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
<b>24</b> 110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
25 Cab Steps-Black Molded		\$291.00	\$291.00	sc & cc \$120.00
26 Upfitter Interface Module		\$269.00	\$269.00	18A
SPECIAL PAINT				
<b>27</b> School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
<b>28</b> Omaha Orange[W5684E]		\$625.00	\$625.00	MB
<b>29</b> Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

3	958-0118D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS				
	(G.V.W.R. 18,000 LBS., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-550 18000 GVWR (F5G) 145"			
	MODEL - CORRENT INEW	WB, 60" CA	\$47,991.00	\$46,899.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$180.00	Pricing NOT AVAILABLE until Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		\$0.00	\$0.00	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
0	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X5G
8	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X5G
9	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W5G
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W5G
11	Axle Rear Limited slip		\$331.00	\$331.00	X4N
12	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
	delivery.		\$170.00	\$170.00	
13	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 90L			
13	51 sq. in., minimum.	Included with SOL	std	std	
14	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369 <b>.00</b>	512 & 61J
15	Switches, upfitter for auxiliary		std	std	
16	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
17	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)				
17	Thes, Truck, Tubeless, Radial, to meet O. V. W.K. Real duals, mud and show (Oobdyear preferred)		\$195.00	\$195.00	TGM
18	Towing package: Heaviest duty available from manufacturer				535 (deselects X4N & selects
18			\$528.00	\$528.00	X4L)
19	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
	Transmission Power Take-Off Provision		\$255.00	\$255.00	62R
21	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	crew \$200.00
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control		\$370.00	\$370.00	96V Adds 17F & 525
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
	110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
	Cab Steps-Black Molded		\$291.00	\$291.00	sc & cc add 120.00
	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
27	School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
28	Omaha Orange [W5684E]		\$625.00	\$625.00	МВ
29	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

3958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R.				
18,000 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1 MODEL - CURRENT NEW	F-550 18000 GVWR (F5H) 145"			
1 MODEL - CORRENT NEW	WB, 60" CA	\$42,465.00	\$41 <i>,</i> 435.00	Pricing NOT AVAILABLE until
2 Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$182.00	Approx. March 2022
3 Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4 Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
PRELIMINARY REQUIREMENTS:				
<b>5</b> Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		\$0.00	\$0.00	44G
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6 The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
ADDITIONAL MDOT OPTIONS				
7 Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X5H
8 Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	Х5Н
9 Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W5H
<b>10</b> Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W5H
11 Axle Rear Limited slip		\$331.00	\$331.00	X8L
<b>12</b> Hubs autolocking on front	Standard	\$0.00	\$0.00	
Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
delivery.		\$170.00	\$170.00	
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	In shaded with 001			
<sup>14</sup> 51 sq. in., minimum.	Included with 90L	std	std	
<b>15</b> Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
<b>16</b> Switches, upfitter for auxiliary		std	std	
17 Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
<b>10</b> Time Truck Takelers Dediel (c. WWD, Deen dedle med ender (Coolers and )				
<b>18</b> Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$195.00	\$195.00	TGM
<b>19</b> Towing package: Heaviest duty available from manufacturer		\$0.00	\$0.00	?
<b>20</b> Trailer brake controller, factory installed		\$245.00	\$245.00	52B (deselects 531)
21 Transmission Power Take-Off Provision		\$255.00	\$255.00	62R
22 Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	for cc add 200.00
23 Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	no cd	\$370.00	\$370.00	96V Adds 17F & 525
24 All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	
<b>25</b> 110V/400W Outlet		\$455.00	\$455.00	43C Adds 86M & 67B
26 Cab Steps-Black Molded		\$291.00	\$291.00	sc & cc add 120.00
27 Upfitter Interface Module		\$269.00	\$269.00	18A
SPECIAL PAINT				
<b>28</b> School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
<b>29</b> Omaha Orange [W5684E]		\$625.00	\$625.00	МВ
<b>30</b> Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	

3	958-0119D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS				
	(G.V.W.R. 18,000 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-550 18000 GVWR (F5H) 145"			
		WB, 60" CA	\$52,996.00	\$51,856.00	Pricing NOT AVAILABLE until
	Wheelbase/CA Options	169WB (84" CA)	\$180.00	\$180.00	Approx. March 2022
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	44G
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
	Super Cab option	168WB (60" CA)	\$2,895.00	\$2,895.00	X5H
	Super Cab option	192WB (84" CA)	\$3,065.00	\$3,065.00	X5H
	Crew Cab option	179WB (60" CA)	\$3,755.00	\$3,755.00	W5H
10	Crew Cab option	203WB (84" CA)	\$3,925.00	\$3,925.00	W5H
11	Axle Rear Limited slip		\$331.00	\$331.00	X4N
12	Hubs autolocking on front	Standard			213
12	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$170.00	\$170.00	
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	Included with 001			
14	51 sq. in., minimum.	Included with 90L	\$0.00	\$0.00	
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
16	Switches, upfitter for auxiliary		STD	STD	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	?
18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$195.00	\$195.00	TGM
_	,,,,		\$195.00	\$195.00	
19	Towing package: Heaviest duty available from manufacturer		\$528.00	\$528.00	535 (deselects X4N & selects X4L)
20	Trailer brake controller, factory installed		\$249.00	\$249.00	52B (deselects 531)
	Transmission Power Take-Off Provision		\$255.00	\$255.00	62R
21			\$255.00	Ş255.00	90L Adds 63A, Crew cab
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$977.00	\$977.00	+ \$192
23	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	NO CD	\$370.00	\$370.00	96V Adds 17F & 525
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Standard	\$0.00	\$0.00	50V AUUS 171 Q 525
	110V/400W Outlet	Standard	\$455.00	\$455.00	43C Adds 86M & 67B
	Cab Steps-Black Molded		\$291.00	\$291.00	SC & CC ADD 120.00
	Upfitter Interface Module		\$269.00	\$269.00	18A
21	SPECIAL PAINT		- <del>7205.00</del>		TOM
28	School Bus Yellow [84S53]		\$625.00	\$625.00	ВҮ
-	Omaha Orange [W5684E]		\$625.00	\$625.00	MB
	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	
30	Destination enarge & an other rees or cosis not designated above (provide details in NOTES )		ŞU.UU	ŞU.UU	

3	958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW				
	PROFILE	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-650 25600 GVWR (F6B) 169"			
		WB, 84" CA	<mark>\$48,613.00</mark>	\$46,498.00	MODEL F6B
	PRELIMINARY REQUIREMENTS:				
	6.8L 3V SEFI V-10 Gas - 320hp @3900 rpm, 460 lbft. torque @ 3000 rpm	7.3L V8 GAS	STD	std	
3	6 speed TorqShift HD automatic Trans - Double OD, less PTO provision		std	std	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
4	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even		ć0.00	¢0.00	
	though they may be optional with the manufacturer (refer to page B). ADDITIONAL OPTIONS		\$0.00	\$0.00	
5	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of		ć7.00	¢10.00	
6	delivery. * 4 wheel ABS, hydroylic disc brokes		\$7.00 STD	\$10.00 STD	
	* 4-wheel ABS, hydraulic disc brakes				
7	* Air conditioning * AM/EM stored with sock scan, single in dash CD player, MP3 decoder, suviliary audio input:		STD	STD	
8	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;		CTD	CTD	
	external memory control * Douting running lights	NO CD	STD	STD	
9	* Daytime running lights * Variable intermittant winers		\$25.00	\$25.00	
10	* Variable intermittent wipers		STD	STD STD	
	* Tachometer * Falding low hash driver husbat and low hash researcer husbat and		STD		
12	* Folding low back driver bucket seat, low back passenger bucket seat		STD	STD	
13			\$60.00	\$60.00	
14 15	1	CO. CAL	STD	STD	60 GAL
-	* 65.0 gal. left front fuel tank, * Front cycle connecity 8500 lbs	60 GAL	\$250.00	\$250.00	60 GAL
10	* Front axle capacity: 8500 lbs.		STD	STD	
_	<ul><li>* Front spring rating: 8500 lbs.</li><li>* Frame section modulus: 10.7 cu.in.</li></ul>		STD	STD STD	
	* Cab to axle: 84"		STD STD	STD	
20	* Heated fuel/water separator	NA FOR GAS ENGINE		N/A	
20	* Right mounted horizontal muffler, Right mounted horizontal tailpipe	NA FOR GAS ENGINE	N/A STD	STD	
22	* Dual electric horn		STD	STD	
22	* 245/70R19.5 G BSW AS tires		STD	STD	
24	* Tinted glass		STD	STD	
25	* Wireless streaming	FOR CELL PHONE	STD	STD	
26	* Dual manual mirrors		STD	STD	
20	* 19.5 x 6.75 white steel disc wheels		STD	STD	
28		STD, ELECTRONIC MODEL	\$235.00	\$235.00	
			STD	STD	
29 30	* 200 amp alternator		STD	STD	
31			STD	STD	
	* Multi-leaf rear springs		STD	STD	
_	* Rear axle capacity: 13500 lbs.		STD	STD	
	* Rear spring rating: 15500 lbs.		STD	STD	
	* Frame Yield Strength 80000 psi		STD	STD	
	* Axle to end of frame: 63"		STD	STD	
	* Engine retarder	GAS ENGINE	N/A	N/A	
<b>—</b>	ADDITIONAL MDOT OPTIONS				
38	Provide pricing for Super Cab option		\$1,570.00	\$1,570.00	
	Provide pricing for Crew Cab option		\$3,265.00	\$3,265.00	
	the free free free free free				

	PREFFERED EQUIPMENT PACKAGE 600A
	6.8L 3V SEFI V-10 Gas - 320hp @3900 rpm, 460 lbft. torque @ 3000 rpm
	50-State Emissions
42	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl
	determined by Rear Axle
	Ratio and Tire Size:
	Wheels, Front 19.Sx6.75 White Powder Coated Steel, 8-Hole
	Tires, Front Two 245/70R19.5G Hankook AH11 (618 rev/mile)
	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole
	Tires, Rear Four 245/70R19.SG Hankook AH11 (618 rev/mile)
	Hydraulic Brake System - Bosch HydroMax
	8,500 lb. Cap. Non-Driving - Dana D-850F
	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap
	13,500 lb. Single-Speed
	Multi-Leaf Springs - 15,500 lb. Cap
	158" Wheelbase/84" CA/63" AF/260" OAL
	Single Channel -10.75 SM, 80,000 PSI
	Under Cab, Right Side Outlet, Switchback-Style
	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection
	200 Amp Denso SC5 Heavy Duty Alternator
	Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box
	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl
	Mirrors, Dual - Rectangular, XL2020 - 96" Width Paint Type - Environmentally Friendly, "3 - Wet System"
	Bumper, Front - Black, Full Width
	Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals
	Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals
	Manual Regen Initiation - Driver Interface in Message Center
	Engine Exhaust Brake
	Painted Grille - Plastic
	Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
	Tow Hooks, Front (2) - Frame-Mounted, Painted Black
	Four Body Builder Switches - Mounted in Center Instrument Panel
	Floor Covering - Black Vinyl
	Intelligent Oil Life Monitor
	Steering Column - Tilt
	Steering Wheel - Black PVC w/Integral Cruise Control Switches
	Body Builder Wiring - At Back of Cab, Combined GVWR Limit: 25,600 lbs.
	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal
	SYNC Media System
	Radio, Electronic Premium AM/FM Stereo, Disc
	Shock Absorbers, Rear - Double Acting
	5.29 Axle Ratio
	Jump Start Stud - Remote Mounted
	Daytime Running Lamps
	Transmission Power Take-Off Provision w/LiveDrive Capability
	SPECIAL PAINT
	School Bus Yellow [84S53]

	N/C	N/C	
7.3L V8 GAS	STD	STD	
	N/C	N/C	
	STD	STD	
	STD	STD	
	\$0.00	\$0.00	
	Included	Included	
LISTED ABOVE	STD	STD	
	Included	Included	
LISTED ABOVE	\$0.00	\$0.00	
	STD	STD	
NO CD	STD	STD	
	165	165	
	STD	STD	
	\$90.00	\$90.00	
LISTED ABOVE	\$0.00	\$0.00	
	\$295.00	\$295.00	
	\$0.00	\$0.00	

Omaha Orange [W5684E]		\$0.00	\$0.00	
Destination charge & all other fees or costs not designated above (p	rovide details in "NOTES")	\$0.00	\$0.00	
Destination charge & all other fees or costs not designated above (p	rovide details in "NOTES")		\$0.00	

39	58-0135 HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-650 22000 GVWR 169" (F6E)	MDOTTRICE	MIDEALTRICE	NOTES
1	MODEL - CURRENT NEW	WB, 84" CA	\$56,408.00	\$54,408.00	MODEL F6E
	PRELIMINARY REQUIREMENTS:		+	<i>te ij i e e e e</i>	
2	6.7L V-8 OHV w/diesel direct injection 270hp		STD	STD	
	6 speed automatic w/OD		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
4	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL OPTIONS				
5	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
Э	delivery.		\$7.00	\$10.99	
6	* 4-wheel ABS, hydraulic disc brakes		STD	STD	
7	* Air conditioning		STD	STD	
8	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;				
ð		NO CD	STD	STD	
9	* Daytime running lights		\$25.00	\$25.00	
	* Variable intermittent wipers		STD	STD	
	* Tachometer		STD	STD	
12	* Folding low back driver bucket seat, low back passenger bucket seat		STD	STD	
13	* 1,400 amp (total) dual batteries		STD	STD	
	* Side steps		STD	STD	
	* 65.0 gal. left front fuel tank, 50.0 gal. right front fuel tank	50 GAL STD	\$915.00	\$915.00	
	* Front axle capacity: 8500 lbs.		STD	STD	
17	* Front spring rating: 8500 lbs.		STD	STD	
	* Frame section modulus: 10.7 cu.in.		STD	STD	
19	* Cab to axle: 84"		STD	STD	
20	* Heated fuel/water separator		STD	STD	
21	* Right mounted horizontal muffler, Right mounted horizontal tailpipe		STD	STD	
	* Dual electric horn		STD	STD	
23	* 245/70R19.5 G BSW AS tires		STD	STD	
24	* Tinted glass		STD	STD	
25	* Wireless streaming	FOR CELL PHONE	STD	STD	
26	* Dual manual mirrors		STD	STD	
27	* 19.5 x 6.75 white steel disc wheels		STD	STD	
28	* Message Center	STD, ELECTRONIC MODEL	\$235.00	\$235.00	
29	* Vinyl seats		STD	STD	
30	* 200 amp alternator		STD	STD	
31	* Audio control on steering wheel		STD	STD	
32	* Multi-leaf rear springs		STD	STD	
	* Rear axle capacity: 13500 lbs.		STD	STD	
34	* Rear spring rating: 15500 lbs.		STD	STD	
35	* Frame Yield Strength 80000 psi		STD	STD	
36	* Axle to end of frame: 63"		STD	STD	
37	* Engine retarder		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS		STD	STD	
38	Provide pricing for Super Cab option		\$1,570.00	\$1,570.00	
39	Provide pricing for Crew Cab option		\$3,265.00	\$3,265.00	

	7
	PREFFERED EQUIPMENT PACKAGE 600A
	6.7L Power Stroke V8 Turbo Diesel - 270 HP@ 2400
	50-State Emissions
42	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl
74	determined by Rear Axle
	Ratio and Tire Size:
43	Wheels, Front 19.Sx6.75 White Powder Coated Steel, 8-Hole
44	Tires, Front Two 245/70R19.5G Hankook AH11 (618 rev/mile)
45	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole
46	Tires, Rear Four 245/70R19.SG Hankook AH11 (618 rev/mile)
47	Hydraulic Brake System - Bosch HydroMax
48	8,500 lb. Cap. Non-Driving - Dana D-850F
49	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap
50	13,500 lb. Single-Speed
51	Multi-Leaf Springs - 15,500 lb. Cap
52	158" Wheelbase/84" CA/63" AF/260" OAL
53	Single Channel -10.75 SM, 80,000 PSI
54	Under Cab, Right Side Outlet, Switchback-Style
55	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection
56	200 Amp Denso SC5 Heavy Duty Alternator
57	Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box
58	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl
59	Mirrors, Dual - Rectangular, XL2020 - 96" Width
60	Paint Type - Environmentally Friendly, "3 - Wet System"
61	Bumper, Front - Black, Full Width
62	Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals
63	Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals
64	Manual Regen Initiation - Driver Interface in Message Center
65	Engine Exhaust Brake
66	Painted Grille - Plastic
67	Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
68	Tow Hooks, Front (2) - Frame-Mounted, Painted Black
69	Four Body Builder Switches - Mounted in Center Instrument Panel
70	Floor Covering - Black Vinyl
71	Intelligent Oil Life Monitor
72	Steering Column - Tilt
73	Steering Wheel - Black PVC w/Integral Cruise Control Switches
74	Body Builder Wiring - At Back of Cab, Combined GVWR Limit: 25,600 lbs.
75	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal
76	SYNC Media System
77	Radio, Electronic Premium AM/FM Stereo, Disc
78	Shock Absorbers, Rear - Double Acting
79	5.29 Axle Ratio
80	Jump Start Stud - Remote Mounted
	Daytime Running Lamps
82	Transmission Power Take-Off Provision w/LiveDrive Capability
	SPECIAL PAINT
83	School Bus Yellow [84S53]

	N/C	N/C	
	STD	STD	
	N/C	N/C	
	STD	STD	
	STD	STD	
	\$0.00	\$0.00	
	Included	Included	
	STD	STD	
	Included	Included	
LISTED ABOVE	\$0.00	\$0.00	
STD	\$0.00	\$0.00	
NO CD	\$0.00	\$0.00	
	165	165	
	\$0.00	\$0.00	
	\$90.00	\$90.00	
LISTED ABOVE	\$0.00	\$0.00	
	\$895.00	\$895.00	
	\$0.00	\$0.00	

84	Omaha Orange [W5684E]	[	\$0.00	\$0.00	
	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	
	8-0160D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE			<b>F</b> = 1 = 5	
	AXLE, 300 H.P. DIESEL ENGINE	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-750 33000 GVWR 169" WB,			
1	MODEL - CURRENT NEW	84" CA	\$57,197.00	\$55,597.00	
	PRELIMINARY REQUIREMENTS:				
	6.7L V-8 OHV w/diesel direct injection 300hp		\$1,995.00	\$1,995.00	
_	6 speed automatic w/OD		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
4	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL OPTIONS				
-	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
5	delivery.		\$7.00	\$10.00	
	* 4-wheel ABS, air brakes		\$2,530.00	\$2,530.00	
	* Air conditioning		STD	STD	
	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;				
8	external memory control	NO CD	STD	STD	
_	* Daytime running lights		\$25.00	\$25.00	
	* Variable intermittent wipers		STD	STD	
	* Tachometer		STD	STD	
-	* Folding low back driver bucket seat, low back passenger bucket seat		STD	STD	
	* 1,500 amp (total) dual batteries		STD	STD	
	* Side steps		STD	STD	
_	1	50 GAL STD	\$915.00	\$915.00	
	* Front axle capacity: 12000 lbs.		\$525.00	\$525.00	
	* Front spring rating: 12000 lbs.		\$305.00	\$305.00	
	* Frame section modulus: 14.2 cu.in.		\$365.00	\$365.00	
	* Cab to axle: 84"		STD	STD	
	* Fuel/water separator		STD	STD	
	* Right mounted horizontal muffler, Right mounted horizontal tailpipe		STD	STD	
	* Dual electric horn		STD	STD	
23	* 279/82R22.5 G BSW AS tires	255/70R22.5H	\$180.00	\$180.00	
_	* Tinted glass		STD	STD	
_	* Wireless streaming	FOR CELL PHONE	STD	STD	
-	* Dual manual mirrors		STD	STD	
	* 22.5 x 8.25 white steel disc wheels		STD	STD	
-	* Message Center		STD	STD	
_	* Vinyl seats		STD	STD	
	* 200 amp alternator		STD	STD	
	* Audio control on steering wheel		STD	STD	
	* Multi-leaf rear springs		STD	STD	
-	* Rear axle capacity: 21000 lbs.		STD	STD	
	* Rear spring rating: 21000 lbs.		STD	STD	
	* Frame Yield Strength 120000 psi	LISTED ABOVE	\$0.00	\$0.00	
	* Axle to end of frame: 49"		STD	STD	
_	* Engine retarder		STD	STD	
	ADDITIONAL MDOT OPTIONS				
L		ļ	1		

<b>38</b> Provide pricing for Super Cab option		\$1,595.00
<b>39</b> Provide pricing for Crew Cab option		\$4,285.00
PREFFERED EQUIPMENT PACKAGE 600A		N/C
<b>40</b> 50-State Emissions		N/C
<b>41</b> Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - less Park Pawl		STD
Ratio and Tire Size:		STD
<b>42</b> Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole		STD
<b>43</b> Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)		STD
<b>44</b> Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole		STD
<b>45</b> Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)		STD
<b>46</b> 21,000 lb. Single Reduction - Open - Dana/Spicer 21060S		STD
<b>47</b> Multi-Leaf Springs - 21,000 lb. Cap		STD
<b>48</b> 158" Wheelbase/84" CA/49" AF/246" OAL		STD
<b>49</b> Under Cab, Right Side Outlet, Switchback-Style		STD
<b>50</b> 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection		\$0.00
51 200 Amp Denso SC5 Heavy Duty Alternator		Included
52 Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box		STD
<b>53</b> 30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl		STD
<b>54</b> Mirrors, Dual - Rectangular, XL2020 - 96" Width		STD
<b>55</b> Paint Type - Environmentally Friendly, "3 - Wet System"		STD
56 Bumper, Front - Black, Full Width		Included
57 Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals		Included
58 Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals		Included
59 Manual Regen Initiation - Driver Interface in Message Center		Included
60 Engine Exhaust Brake		Included
61 Painted Grille - Plastic		Included
62 Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights		Included
<b>63</b> Tow Hooks, Front (2) - Frame-Mounted, Painted Black		Included
64 Four Body Builder Switches - Mounted in Center Instrument Panel		Included
65 Floor Covering - Black Vinyl		Included
66 Intelligent Oil Life Monitor		Included
67 Steering Column - Tilt		Included
<b>68</b> Steering Wheel - Black PVC w/Integral Cruise Control Switches		Included
6.7L Power Stroke V-8 Turbo Diesel - 300hp @ 2500 RPM	LISTED ABOVE	\$0.00
<b>70</b> 12,000 lb. Cap. Non-Driving - Dana E-1202I - I-Beam Type	LISTED ABOVE	\$0.00
71 Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	LISTED ABOVE	\$0.00
<b>72</b> Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	LISTED ABOVE	\$0.00
<b>73</b> SYNC Media System		STD
74 Radio, Electronic Premium AM/FM Stereo, Disc	NO CD	STD
<b>75</b> Engine Block Heater, Phillips, 120 Volt/750 Watt		\$60.00
<b>76</b> Air Brakes - Straight Truck	LISTED ABOVE	\$0.00
77 Air Dryer, Bendix AD/IP w/Heater		\$460.00
<b>78</b> Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop		\$100.00
<b>79</b> Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)		\$130.00
<b>80</b> Taper-Leaf Springs, Parabolic - 12,000 lb Cap	LISTED ABOVE	\$130.00
<b>81</b> Jump Start Stud - Remote Mounted		\$90.00
<b>82</b> Daytime Running Lamps	LISTED ABOVE	\$90.00
<b>83</b> Power Equipment Group - (Included in (90A) Appearance Group)		\$470.00

	\$1,595.00	\$1,595.00	
	\$4,285.00	\$4,285.00	
	N/C	N/C	
	N/C	N/C	
	STD	STD	
	\$0.00	\$0.00	
	Included	Included	
	STD	STD	
	Included	Included	
LISTED ABOVE	\$0.00	\$0.00	
LISTED ABOVE	\$0.00	\$0.00	
LISTED ABOVE	\$0.00	\$0.00	
LISTED ABOVE	\$0.00	\$0.00	
	STD	STD	
NO CD	STD	STD	
	\$60.00	\$60.00	
LISTED ABOVE	\$0.00	\$0.00	
	\$460.00	\$460.00	
	\$100.00	\$100.00	
	\$130.00	\$130.00	
LISTED ABOVE	\$0.00	\$0.00	
	\$90.00	\$90.00	
LISTED ABOVE	\$0.00	\$0.00	
	\$470.00	\$470.00	

			4000 00	+	
	Transmission Power Take-Off Provision w/LiveDrive Capability		\$895.00	\$895.00	
	Shock Absorbers, Rear - Double Acting		\$165.00	\$165.00	
	6.17 Axle Ratio		N/C	N/C	
	Remote Keyless Entry w/2 Key Fobs		\$195.00	\$195.00	
	Anti Theft System		\$120.00	\$120.00	
	SPECIAL PAINT				
	School Bus Yellow [84S53]		\$0.00	\$0.00	
	Omaha Orange [W5684E]		\$0.00	\$0.00	
	Destination charge & all other fees or costs not designated above (provide details in "NOTES")		\$0.00	\$0.00	
	3958-0164D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.),				
	DIESEL	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	F-750 31000 GVWR 169" WB,			
		84" CA	\$57,195.00	\$55,497.00	
	PRELIMINARY REQUIREMENTS:				
2	6.7L V-8 OHV w/diesel direct injection 300hp		\$1,995.00	\$1,995.00	
3	6 speed automatic w/OD		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
4	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL OPTIONS				
5	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
Э	delivery.		\$7.00	\$10.00	
6	* 4-wheel ABS, air brakes		\$2,530.00	\$2,530.00	
7	* Air conditioning		STD	STD	
	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;				
8	external memory control	NO CD	STD	STD	
_	* Daytime running lights		\$25.00	\$25.00	
	* Variable intermittent wipers		STD	STD	
	* Tachometer		STD	STD	
	* Folding low back driver bucket seat, low back passenger bucket seat		STD	STD	
	* 1,500 amp (total) dual batteries		STD	STD	
	* Side steps		STD	STD	
	* 65.0 gal. left front fuel tank, 50.0 gal. right front fuel tank	50 GAL STD	\$915.00	\$915.00	
	* Front axle capacity: 10000 lbs.		\$915.00 STD	\$915.00 STD	
	* Front spring rating: 12000 lbs.		\$305.00	\$305.00	
	* Frame section modulus: 14.2 cu.in.		\$365.00	\$365.00	
	* Cab to axle: 84"		\$365.00 std	\$365.00 std	
				std	
	* Fuel/water separator * Pight mounted horizontal muffler. Pight mounted horizontal tailning		std std		
	* Right mounted horizontal muffler, Right mounted horizontal tailpipe		std	std	
	* Dual electric horn * 270/22D22 5 C DSW AS times		std	std	
	* 279/82R22.5 G BSW AS tires		\$180.00	\$180.00	
_	* Tinted glass		std	std	
	* Wireless streaming	for cell phone	STD	STD	
	* Dual manual mirrors		STD	STD	
_	* 22.5 x 8.25 white steel disc wheels		STD	STD	
	* Message Center	STD, ELECTRONIC UNIT	\$235.00	\$235.00	
	* Vinyl seats		STD	STD	
	* 200 amp alternator		STD	STD	
31	* Audio control on steering wheel		STD	STD	

<b>32</b> * Multi-leaf rear springs		STD
<b>33</b> * Rear axle capacity: 21000 lbs.		STD
<b>34</b> * Rear spring rating: 21000 lbs.		STD
<b>35</b> * Frame Yield Strength 120000 psi	SEE ABOVE	\$0.00
<b>36</b> * Axle to end of frame: 49"		STD
<b>37</b> * Transmission PTO Provision		\$895.00
<b>38</b> * Engine retarder		STD
ADDITIONAL MDOT OPTIONS		
<b>39</b> Provide pricing for Super Cab option		\$1,595.0
<b>40</b> Provide pricing for Crew Cab option		\$4,285.0
PREFFERED EQUIPMENT PACKAGE 600A		N/C
41 50-State Emissions		N/C
42 Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl		STD
Ratio and Tire Size:		STD
<b>43</b> Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole		STD
<b>44</b> Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)		STD
<b>45</b> Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole		STD
<b>46</b> Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)		STD
<b>47</b> 21,000 lb. Single Reduction - Open - Dana/Spicer 21060S		STD
48 Multi-Leaf Springs - 21,000 lb. Cap		STD
<b>49</b> 158" Wheelbase/84" CA/49" AF/246" OAL		STD
<b>50</b> Under Cab, Right Side Outlet, Switchback-Style		STD
51 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection		\$0.00
52 200 Amp Denso SC5 Heavy Duty Alternator		Include
<b>53</b> Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box		STD
54 30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl		STD
55 Mirrors, Dual - Rectangular, XL2020 - 96" Width		STD
56 Paint Type - Environmentally Friendly, "3 - Wet System"		STD
<b>57</b> Bumper, Front - Black, Full Width		Include
58 Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals		Include
59 Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals		Include
60 Manual Regen Initiation - Driver Interface in Message Center		Include
61 Engine Exhaust Brake		Include
62 Painted Grille - Plastic		Include
<b>63</b> Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights		Include
<b>64</b> Tow Hooks, Front (2) - Frame-Mounted, Painted Black		Included
<b>65</b> Four Body Builder Switches - Mounted in Center Instrument Panel		Included
66 Floor Covering - Black Vinyl		Included
67 Intelligent Oil Life Monitor		Included
68 Steering Column - Tilt		Included
69 Steering Wheel - Black PVC w/Integral Cruise Control Switches		Included
<b>70</b> 6.7L Power Stroke V-8 Turbo Diesel - 300hp @ 2500 RPM	LISTED ABOVE	\$0.00
<b>71</b> 10,000 lb. Cap. Non-Driving - Dana E-1202I		\$0.00
<b>72</b> Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	LISTED ABOVE	\$0.00
<b>73</b> Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	LISTED ABOVE	\$0.00
<b>74</b> SYNC Media System		STD
<b>75</b> Radio, Electronic Premium AM/FM Stereo, Disc	NO CD	STD
	1000	510

	STD	STD	
	STD	STD	
	STD	STD	
EE ABOVE	\$0.00	\$0.00	
	STD	STD	
	\$895.00	\$895.00	
	STD	STD	
	\$1,595.00	\$1,595.00	
	\$4,285.00	\$4,285.00	
	N/C	N/C	
	N/C	N/C	
	STD	STD	
	STD	STD	
	\$0.00	\$0.00	
	Included	Included	
	STD	STD	
	Included	Included	
ISTED ABOVE	\$0.00	\$0.00	
	\$0.00	\$0.00	
STED ABOVE	\$0.00	\$0.00	
STED ABOVE	\$0.00	\$0.00	
0.05	STD	STD	
O CD	STD	STD	1
	\$90.00	\$90.00	

			40.00	40.00	
	Air Brakes - Straight Truck	listed above	\$0.00	\$0.00	
78	Air Dryer, Bendix AD/IP w/Heater		\$460.00	\$460.00	
79	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop		\$100.00	\$100.00	
80	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)		\$130.00	\$130.00	
81	Taper-Leaf Springs, Parabolic - 12,000 lb Cap	see above	\$0.00	\$0.00	
82	Jump Start Stud - Remote Mounted		\$90.00	\$90.00	
83	Daytime Running Lamps	listed above	\$0.00	\$0.00	
84	Power Equipment Group - (Included in (90A) Appearance Group)		\$460.00	\$460.00	
85	Transmission Power Take-Off Provision w/LiveDrive Capability	listed above	\$0.00	\$0.00	
86	Shock Absorbers, Rear - Double Acting		\$165.00	\$165.00	
87	6.17 Axle Ratio		N/C	N/C	
88	Remote Keyless Entry w/2 Key Fobs		\$195.00	\$195.00	
89	Anti Theft System		\$120.00	\$120.00	
	SPECIAL PAINT				
90	School Bus Yellow [84S53]		\$0.00	\$0.00	
91	Omaha Orange [W5684E]		\$0.00	\$0.00	
92	Destination charge & all other fees or costs not designated above (provide details in "NOTES")				
92			\$0.00	\$0.00	



Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

#### **CONTRACT CHANGE NOTICE**

Change Notice Number 5

to Contract Number <u>180000001104</u>

	GORNO FORD INC		M Pr	Scott Poyer	MDOT	
CO	22025 Allen Road		ogram	517 284-6448		
-	Woodhaven, MI 48183	er STA		poyers@michigan.gov		
$\mathbf{x}$	Jim Agney	TE	Adm	Yvon Dufour	DTMB	
СТО	734-671-4033		Contract Administrator	(517) 249-0455		
	jagney@gornoford.com		:t ator	dufoury@michigan.gov		
	CV0019327					

CONTRACT SUMMARY								
VEHICLES – CAB & CHASSIS								
INITIAL EFFECTIVE DATE INITIAL EXPIRATION DATE INITIAL AVAILABLE OPTIO				INITIAL AVAILABLE OPTIONS	S EXPIRATION DATE BEFORE			
August 1, 201	1, 2018 November 30, 2021 2 - 1 Year					November	30, 2021	
PAYMENT TERMS DELIVERY TIMEFRAME								
N/A N/A								
ALTERNATE PAYMENT OPTIONS EXTENDED PURCHASING								
□ P-Card			C 🗆 Other 🛛 🖾 Yes 🗆 N				□ No	
MINIMUM DELIVERY	REQUIR	REMENTS						
N/A								
		D	ESCRIPTION O	F CHANGE NOTICE				
OPTION	LENGT	H OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED E	XP. DATE	
$\square$	2	Years				November	30, 2023	
CURRENT VALU	JE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGAT		TRACT VALU	E	
\$2,100,000.00	C	\$800,000	.00	\$2,900,0	00.00			
DESCRIPTION								
Effective 11/16/2021, this contract is exercising available option years 1 and 2 and is increased by \$800,000.00. The revised expiration date is 11/30/2023. All other terms, conditions, specifications, and pricing remain the same. Per Vendor and Agency agreement, DTMB Central Procurement approval and Ad Board approval on 11/16/2021.								

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909



# **CONTRACT CHANGE NOTICE**

Change Notice Number 4

to

Contract Number 171180000001104

GORNO FORD INC	₹ P	Scott Poyer	MDOT
22025 Allen Road	Program Manager	517 284-6448	
Woodhaven, MI 48183	n er ST/	poyers@michigan.gov	
Jim Agney	Adm	Yvon Dufour	DTMB
734-671-4033	Contract dministrator	(517) 249-0455	
jagney@gornoford.com	ator	dufoury@michigan.gov	
CV0019327			

	CONTRACT SUMMARY							
VEHICLES	VEHICLES – CAB & CHASSIS							
INITIAL EFF	ECTIVE DATE	INITIAL EXPIRAT	TION DATE	INITIAL AVAILABLE OPTIONS	6		TION DATE FORE	
Augus	st 1, 2018	November 30	0, 2021	2 - 1 Year		Novemb	er 30, 2021	
	PAYN	IENT TERMS	IT TERMS DELIVERY TIMEFRAME					
		ALTERNATE PAY	MENT OPTION	IS	EXT	ENDED PU	RCHASING	
🗆 P-Ca	ird		🗆 Oth	er	$\boxtimes$	Yes	🗆 No	
MINIMUM DE		REMENTS						
		D	ESCRIPTION O	F CHANGE NOTICE				
OPTION	LENGTI	H OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED	EXP. DATE	
						Novemb	er 30, 2021	
CURRE	NT VALUE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGAT	E CON	ITRACT VA	LUE	
\$100	,000.00	\$2,000,00	0.00	\$2,100,0	00.00			
			DESC	RIPTION				
Effective 7/1	6/2019, the follo	owing amendment is	hereby incorpo	prated into the contract. 2020 mode	el yea	r trucks are	awarded per	

Effective 7/16/2019, the following amendment is hereby incorporated into the contract. 2020 model year trucks are awarded per Schedule D1 - Pricing & Schedule D2 - Pricing with Options. In addition, this contract is hereby increased by \$2,000,000. All other terms, conditions, specifications, and pricing remain the same. Per agency request, DTMB Procurement approval, and State Administrative Board approval on 5/21/2019.

Gorno - FORD									
SPECIFICATION NUMBER	MODEL	Description	MDOT BASE PRICE	+ Base options	TOTAL MDOT PRICE	EXCEPTIONS TO SPECIFICATIONS			
3958-0109	E450 (14,000 GVWR)		\$24,757.00	\$2,851.00	\$27,608.00	See Schedule D2 - Pricing w Options			
3958-0110	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$30,163.00	\$5,058.00	\$35,221.00	See Schedule D2 - Pricing w Options			
3958-0111D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$37,948.00	\$5,544.00	\$43,492.00	See Schedule D2 - Pricing w Options			
3958-0112	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$32,738.00	\$5,217.00	\$37,955.00	See Schedule D2 - Pricing w Options			
3958-0113D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$40,513.00	\$5,713.00	\$46,226.00	See Schedule D2 - Pricing w Options			
3958-0114	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$30,163.00	\$5,058.00	\$35,221.00	See Schedule D2 - Pricing w Options			
3958-0115D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$37,948.00	\$5,544.00	\$43,492.00	See Schedule D2 - Pricing w Options			
3958-0116	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$32,763.00	\$5,485.00	\$38,248.00	See Schedule D2 - Pricing w Options			
3958-0117D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$40,513.00	\$5,713.00	\$46,226.00	See Schedule D2 - Pricing w Options			
3958-0118	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$31,144.00	\$5,485.00	\$36,629.00	See Schedule D2 - Pricing w Options			
3958-0118D	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$38,915.00	\$5,971.00	\$44,886.00	See Schedule D2 - Pricing w Options			
3958-0119	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$33,728.00	\$5,654.00	\$39,382.00	See Schedule D2 - Pricing w Options			
3958-0119D	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$41,503.00	\$6,140.00	\$47,643.00	See Schedule D2 - Pricing w Options			

Effective 7/16/2019

SPECIFICATION NUMBER	MODEL	Description	MIDEAL BASE PRICE	+ Base options	TOTAL MIDEAL PRICE	DELIVERY PER MILE	EXCEPTIONS TO SPECIFICATIONS
3958-0109	E450 (14,000 GVWR)		\$24,045.00	\$3,102.00	\$27,147.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0110	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$28,899.00	\$5,058.00	\$33,957.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0111D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$36,699.00	\$5,544.00	\$42,243.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0112	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$31,595.00	\$5,217.00	\$36,812.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0113D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$39,195.00	\$5,713.00	\$44,908.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0114	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$28,899.00	\$5,058.00	\$33,957.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0115D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$36,699.00	\$5,544.00	\$42,243.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0116	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$31,565.00	\$5,485.00	\$37,050.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0117D	F450 (16,500 GVWR)	Base cost with Regular Cab 145" WB	\$39,195.00	\$5,713.00	\$44,908.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0118	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$29,785.00	\$5,485.00	\$35,270.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0118D	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$37,535.00	\$5,971.00	\$43,506.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0119	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$32,345.00	\$5,654.00	\$37,999.00	\$2.50	See Schedule D2 - Pricing w Options
3958-0119D	F550 (18,000 GVWR)	Base cost with Regular Cab 145" WB	\$40,035.00	\$6,140.00	\$46,175.00	\$2.50	See Schedule D2 - Pricing w Options

Effective 7/16/2019

	GORNO FORD				
	39580109 CUT-AWAY VANS: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)				NOTEC
		EXCEPTIONS TO SPECIFICATIONS E-450 14000 GVWR (E4F) 158"	MDOT PRICE	MIDEAL PRICE	NOTES
1	MODEL - CURRENT NEW	WB, 100" CA - Including			
		DESTINATION	\$24,757.00	\$24,045.00	
2	Wheelbase/CA Options	178WB (120" CA)	\$641.00	\$730.00	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
3	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	*Unit may not be safe to drive
	ADDITIONAL OPTIONS Cruise Control		¢218.00	¢220.00	525
	Rearview Mirror		\$218.00	\$220.00 \$0.00	525 625
6	Alarm - Back up	not available	<b>\$0.00</b> \$0.00	\$0.00	Install at Body Company
7	Alternator - 145 Amp	155 Amp	\$0.00	\$0.00	motan at body company
	Battery 12 volt 770CCA, minimum	750CCA	\$46.00	\$46.00	63G
	Camera - Rearview (in dash monitor)	in rear view mirror	\$400.00	\$400.00	43C(deselects 98S & 525)
	Differential, heavy duty locking rear		\$246.00	\$246.00	XF3
		6.2L	-\$319.00	-\$319.00	996
12		55 gal	\$0.00	\$0.00	
13	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$50.00	\$160.00	
14	Locks - Power with remotes				903 + 948 (includes 3rd key -
45	The summer of the le	inclused manifelds from Fouri	\$828.00	\$878.00	\$200)
	Lug wrench and jack Power outlet - 110-volt	jack not available from Ford	\$91.00	\$91.00	901
10	Radio - AM/FM w/Bluetooth		\$91.00	\$91.00	
17			\$432.00	\$432.00	98S (adds cruise (see above for price) and 585 - \$269), deselects 625)
19	Seats-Cloth, Front, high back drivers and passenger		\$0.00	\$0.00	
	Spare tire and wheel, full size. Mfg. standard mounting		\$218.00	\$218.00	51A
	Transmission cooler - external auxiliary		\$0.00		Install at Body Company
	Please identify ALL other fees or costs not designated above that are included in your "Base		<b>40.00</b>	÷0.00	at 200, company
21	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
	958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS.,				
	min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-450 16500 GVWR (F4G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
	WILL HEAD (CA. O. C.	DESTINATION	\$30,163.00	\$28,899.00	
	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
	Wheelbase/CA Options Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	PRELIMINARY REQUIREMENTS:	205WB (120" CA)	\$525.00	\$525.00	
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
5	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		510	510	
-	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL OPTIONS				

-		750000	CTD.	CTD.	
1	Battery-12 Volt, 600 CCA, minimum.	750CCA	STD	STD	
8	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		CTD	CTD	
	ADDITIONAL MDOT OPTIONS		STD	STD	
40		1 COM/D (CO!! CA)	ća 200.00	¢2,200,00	×46
	Super Cab option Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	X4G
11		192WB (84" CA)	\$2,465.00	\$2,465.00	X4G
	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W4G
	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W4G
14	L		\$328.00	\$328.00	X8L
15	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of			4	
	delivery.		\$160.00	\$160.00	
-	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
17	Switches, upfitter for auxiliary		STD	STD	
18	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
19	Towing package: Heaviest duty available from manufacturer		\$41.00	\$41.00	531(deselects 52B)
20	Trailer brake controller, factory installed		\$246.00	\$246.00	52B (deselects 531)
21	Trailer Hitch, Class III Receiver Type	not available			Install @ body co
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$1,082.00	\$1,082.00	90L, (includes 3rd key - \$250), crew cab +\$194
		Includes SYNC Entertainment & Bluetooth	\$1,082.00	\$1,082.00	CaD +3134
23	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Technology System	\$910.00	\$910.00	96V
24	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
25	110V/400W Outlet		\$159.00	\$159.00	43C
26	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
27	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
28	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
29	Omaha Orange [W5684E]		\$601.00	\$601.00	MB
20	Please identify ALL other fees or costs not designated above that are included in your "Base				
30	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
	3958-0111D (3958-0115D) HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR				
	WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-450 16500 GVWR (F4G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
		DESTINATION	\$37,948.00	\$36,699.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
~	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	X4G
8	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	X4G
9	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W4G
10	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W4G
	Axle Rear Limited slip		\$328.00	\$328.00	X4N
<u> </u>	, ·	L			

	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
12	delivery.		\$160.00	\$160.00	
-	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,		\$100.00	\$100.00	
13	51 sq. in., minimum.		STD	STD	
14	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
14	Switches, upfitter for auxiliary	(Trease ensure an terns are included)	STD	STD	512 0 015
15	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
			<u> </u>	<del></del>	535 High Capacity Trailer Tow,
16	Towing package: Heaviest duty available from manufacturer	MAY REQ LIMITED SLIP	\$527.00	\$527.00	4.30 LS Ratio Rear Axle
17	Trailer brake controller, factory installed		\$246.00	\$246.00	52B (deselects 531)
10	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry				90L, (includes 3rd key - \$250), crew
10	rower windows, Locks, rieated miniors, and Remote Regress entry		\$1,082.00	\$1,082.00	cab +\$194
19	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$910.00	\$910.00	96V
20	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
21	110V/400W Outlet		\$159.00	\$159.00	43C
22	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
23	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT		-		
24	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
25	Omaha Orange [W5684E]		\$601.00	\$601.00	МВ
26	Please identify ALL other fees or costs not designated above that are included in your "Base				
26	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
3	958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R.				
	14,500 LBS., min.) (4 x 4)	<b>EXCEPTIONS TO SPECIFICATIONS</b>	MDOT PRICE	MIDEAL PRICE	NOTES
		F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
		DESTINATION	\$32,738.00	\$31,595.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
<u> </u>	ADDITIONAL MDOT OPTIONS		40.000 00	<u> </u>	
	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	Х4Н
	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	X4H
	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W4H
10	Crew Cab action		62 225 22	62 225 22	
	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W4H
11	Axle Rear Limited slip	· · ·	\$328.00	\$328.00	X8L
11	Axle Rear Limited slip Hubs autolocking on front	203WB (84" CA) not available on gas engine			
11	Axle Rear Limited slip	· · ·	\$328.00	\$328.00	
11 12 13	Axle Rear Limited slip Hubs autolocking on front Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of	· · ·	\$328.00 \$0.00	\$328.00 \$0.00	
11 12	Axle Rear Limited slip Hubs autolocking on front Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.	· · ·	\$328.00 \$0.00	\$328.00 \$0.00	
11 12 13 14 15	Axle Rear Limited slip Hubs autolocking on front Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery. Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Spare tire and wheel. Wrench-wheel and jack.	· · ·	\$328.00 \$0.00 \$160.00	\$328.00 \$0.00 \$160.00	
11 12 13 14 15	Axle Rear Limited slip Hubs autolocking on front Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery. Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	not available on gas engine	\$328.00 \$0.00 \$160.00 STD	\$328.00 \$0.00 \$160.00 STD	X8L

40	Towing people and Harviest duty evollable from menufacturer		¢44.00	¢44.00	
	Towing package: Heaviest duty available from manufacturer		\$41.00	\$41.00	531(deselects 52B)
	Trailer brake controller, factory installed		\$246.00	\$246.00	52B (deselects 531) 90L, (includes 3rd key - \$250), crew
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry	Ladada SVAIC Entertainment & Divetantic	\$1,082.00	\$1,082.00	cab +\$194
21	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$910.00	\$910.00	96V
22	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
23	110V/400W Outlet		\$159.00	\$159.00	43C
24	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
25	Upfitter Interface Module		\$269.00	\$269.00	18A
26	Snow Plow Prep Package (4X4)		\$159.00	\$159.00	473
	SPECIAL PAINT				
27	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
28	Omaha Orange [W5684E]		\$601.00	\$601.00	MB
	Please identify ALL other fees or costs not designated above that are included in your "Base				
29	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
395	8-0113D (3958-0117D) HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS,				
	DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			expires 11/30/19
		DESTINATION	\$40,513.00	\$39,195.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
<u> </u>	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
-	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		5.0	512	
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS		φ <del>υιου</del>	<i></i>	
7	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	Х4Н
8	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	Х4Н
9	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W4H
10	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W4H
11	Axle Rear Limited slip		\$328.00	\$328.00	X4N
	Hubs autolocking on front		\$169.00	\$169.00	213
	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of		\$109.00	\$105.00	
13	delivery.		\$160.00	\$160.00	
-	•		\$100.00	\$100.00	
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		STD	STD	
15	Spare tire and wheel. Wrench-wheel and jack.	(Disease ensure all items and inducts it			E13 8 611
	Spare the and wheel. Whench-wheel and Jack. Switches, upfitter for auxiliary	(Please ensure all items are included)	\$369.00 STD	\$369.00 STD	512 & 61J
	Throttle, Electronic, High Idle Engine RPM Control.		STD	STD	
17	Throug, Electronic, flightale Elignie KPW Control.		\$0.00	\$0.00	E2E High Conseits Trailer Terr
18	Towing package: Heaviest duty available from manufacturer	MAY REQUIRE LIMITED SLIP	\$527.00	\$527.00	535 High Capacity Trailer Tow, 4.30 LS Ratio Rear Axle
19	Trailer brake controller, factory installed		\$246.00	\$246.00	52B
				γ <b>2</b> 40.00	90L, (includes 3rd key - \$250), crew
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$1,082.00	\$1,082.00	cab +\$194
21	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$910.00	\$910.00	96V
22	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
					I

1         MODEL - CURRENT NEW           5         WB, 60" CA - Including	\$159.00 \$292.00 \$269.00 \$601.00 \$0.00 \$0.00 \$1,565.00 \$31,565.00 \$175.00 \$350.00	43C         18B, super & crew cab +\$114         18A         BY         MB         NOTES         expires 11/30/19
25       Upfitter Interface Module       \$269.00         SPECIAL PAINT	\$269.00 \$601.00 \$601.00 \$0.00 VIDEAL PRICE \$31,565.00 \$175.00	18A BY MB NOTES
SPECIAL PAINT       Image: [84S53]         26       School Bus Yellow [84S53]         27       Omaha Orange [W5684E]         28       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)       EXCEPTIONS TO SPECIFICATIONS MDOT PRICE         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION       \$32,763.00         2       Wheelbase/CA Options       169WB (84" CA)       \$175.00         3       Wheelbase/CA Options       193WB (108" CA)       \$350.00         4       Wheelbase/CA Options       205WB (120" CA)       \$525.00         9       PRELIMINARY REQUIREMENTS:       Transmission oil cooler with PT O. Provision	\$601.00 \$601.00 \$0.00 VIDEAL PRICE \$31,565.00 \$175.00	BY MB NOTES
26School Bus Yellow[84S53]\$601.0027Omaha Orange[W5684E]\$601.0028Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").\$0.003958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)EXCEPTIONS TO SPECIFICATIONSMDOT PRICE1MODEL - CURRENT NEWF-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION\$32,763.00\$32,763.002Wheelbase/CA Options169WB (84" CA)\$175.00\$350.003Wheelbase/CA Options193WB (108" CA)\$350.00\$255.004Wheelbase/CA Options205WB (120" CA)\$525.00\$255.005FRELIMINARY REQUIREMENTS: Transmission oil cooler with P.T.O. Provision\$20\$2525.00	\$601.00 \$0.00 MIDEAL PRICE \$31,565.00 \$175.00	MB NOTES
27Omaha Orange [W5684E]\$601.0028Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").\$0.003958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)EXCEPTIONS TO SPECIFICATIONSMDOT PRICE1MODEL - CURRENT NEWF-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION\$32,763.00\$32,763.002Wheelbase/CA Options169WB (84" CA)\$175.00\$32,763.00\$350.003Wheelbase/CA Options193WB (108" CA)\$350.00\$350.00\$350.004Wheelbase/CA Options205WB (120" CA)\$525.00\$255.00\$205WB (120" CA)	\$601.00 \$0.00 MIDEAL PRICE \$31,565.00 \$175.00	MB NOTES
28       Please identify ALL other fees or costs not designated above that are included in your "Base       \$0.00         28       Price" bid (provide details in "NOTES").       \$0.00         3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)       EXCEPTIONS TO SPECIFICATIONS       MDOT PRICE       M         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4H) 145"       WB, 60" CA - Including       \$32,763.00	\$0.00 MIDEAL PRICE \$31,565.00 \$175.00	NOTES
20       Price" bid (provide details in "NOTES").       \$0.00       \$0.00         3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)       Exceptions to specifications       MDOT PRICE       M         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4H) 145"       MDOT PRICE       M         2       Wheelbase/CA Options       169WB (84" CA)       \$175.00       \$32,763.0	VIDEAL PRICE \$31,565.00 \$175.00	
3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)       EXCEPTIONS TO SPECIFICATIONS       MDOT PRICE       M         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4H) 145"       WB, 60" CA - Including       \$32,763.00 <td>VIDEAL PRICE \$31,565.00 \$175.00</td> <td></td>	VIDEAL PRICE \$31,565.00 \$175.00	
Image: Problem in the system is a system is a system in the system is a system is a system in the system is a system	\$31,565.00 \$175.00	
1MODEL - CURRENT NEWF-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION432,763.002Wheelbase/CA Options169WB (84" CA)\$175.003Wheelbase/CA Options193WB (108" CA)\$350.004Wheelbase/CA Options205WB (120" CA)\$525.00PRELIMINARY REQUIREMENTS:Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision100	\$31,565.00 \$175.00	
1MODEL - CURRENT NEWWB, 60" CA - Including DESTINATION532,763.0052Wheelbase/CA Options169WB (84" CA)\$175.0053Wheelbase/CA Options193WB (108" CA)\$350.0054Wheelbase/CA Options205WB (120" CA)\$525.005PRELIMINARY REQUIREMENTS:Image: Comparison of cooler with P T O ProvisionImage: Comparison of cooler with P T O ProvisionImage: Comparison of cooler with P T O Provision	\$175.00	expires 11/30/19
Destination\$32,763.00\$32,763.00\$32Wheelbase/CA Options169WB (84" CA)\$175.001Wheelbase/CA Options193WB (108" CA)\$350.001Wheelbase/CA Options205WB (120" CA)\$525.001PRELIMINARY REQUIREMENTS:Image: Signation of cooler with P T O ProvisionImage: Signation of cooler with P T O ProvisionImage: Signation of cooler with P T O Provision	\$175.00	- p , , -
2Wheelbase/CA Options169WB (84" CA)\$175.003Wheelbase/CA Options193WB (108" CA)\$350.004Wheelbase/CA Options205WB (120" CA)\$525.00PRELIMINARY REQUIREMENTS:Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision	\$175.00	
3       Wheelbase/CA Options       193WB (108" CA)       \$350.00         4       Wheelbase/CA Options       205WB (120" CA)       \$525.00         PRELIMINARY REQUIREMENTS:       Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision       193WB (108" CA)       \$350.00		
4       Wheelbase/CA Options       205WB (120" CA)       \$525.00         PRELIMINARY REQUIREMENTS:		
PRELIMINARY REQUIREMENTS:	\$525.00	
Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision	+	
Factory installed.	\$254.00	62R
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	<i>+</i>	
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even		
6 though they may be optional with the manufacturer (refer to page B).	\$0.00	
ADDITIONAL MDOT OPTIONS	•	
	\$2,290.00	Х4Н
	\$2,465.00	Х4Н
	\$3,150.00	W4H
	\$3,325.00	W4H
11   Axle Rear Limited slip     \$328.00	\$328.00	X4N
12 Hubs autolocking on front not available on gas engine		
Keys – (1) additional set (total of 3 sets) with code numbers: shall be with the vehicle at the time of		
13 delivery.	\$160.00	
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,		
51 sq. in., minimum.	STD	
15 Spare tire and wheel. Wrench-wheel and jack. (Please ensure all items are included) \$369.00	\$369.00	512 & 61J
16 Switches, upfitter for auxiliary STD	SRD	
17   Throttle, Electronic, High Idle Engine RPM Control.   \$0.00	\$0.00	
19 Times Truck Tubeless Dadiel to most C V W.D. Been duels mud and an erry (Cas duese mediant d)		
18       Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)       \$173.00	\$173.00	TGM
19 Towing package: Heaviest duty available from manufacturer   \$41.00	\$41.00	531(deselects 52B)
20 Trailer brake controller, factory installed   \$246.00	\$246.00	52B (deselects 531)
21 Power Windows, Locks, Heated Mirrors, and Remote Keyless entry   \$1,082.00	\$1,082.00	90L, (includes 3rd key - \$250), crew cab +\$194
22       Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control       Includes SYNC Entertainment & Bluetooth Technology System         \$910.00	\$910.00	96V
23 All of the above listed & SYNC Entertainment & Bluetooth Technology System		
<b>24</b> 110V/400W Outlet \$159.00	\$159.00	43C
25 Cab Steps-Black Molded \$292.00	\$292.00	18B, super & crew cab +\$114
26 Upfitter Interface Module \$269.00	\$269.00	18A
SPECIAL PAINT		
<b>27</b> School Bus Yellow [84S53] \$601.00	\$601.00	ВҮ

28	Omaha Orange [W5684E]		\$601.00	\$601.00	MB
29	Please identify ALL other fees or costs not designated above that are included in your "Base				
29	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
3	958-0118 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R.				
	18,000 LBS., min.)	<b>EXCEPTIONS TO SPECIFICATIONS</b>	MDOT PRICE	MIDEAL PRICE	NOTES
		F-550 18000 GVWR (F5G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
		DESTINATION	\$31,144.00	\$29,785.00	
	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
_	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even		ÉO OO	¢0.00	
	though they may be optional with the manufacturer (refer to page B). ADDITIONAL MDOT OPTIONS		\$0.00	\$0.00	
7		168WB (60" CA)	ća 200.00	¢2,200,02	NEC
7 8	Super Cab option Super Cab option	· · · · ·	\$2,290.00	\$2,290.00	X5G
	Crew Cab option	192WB (84" CA) 179WB (60" CA)	\$2,465.00	\$2,465.00	X5G
9	Crew Cab option	203WB (84" CA)	\$3,150.00 \$3,325.00	\$3,159.00 \$3,325.00	W5G W5G
	Axle Rear Limited slip	203WB (84 CA)	\$328.00	\$3,325.00	X8L
	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of		\$328.00	\$328.00	X8L
12	delivery.		\$160.00	\$160.00	
	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,		\$160.00	\$160.00	
13	51 sq. in., minimum.		STD	STD	
14	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
	Switches, upfitter for auxiliary	(Flease ensure an items are included)	\$309.00 STD	\$309.00 STD	512 & 015
	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
10	Throug, Electronic, Then fall English Ki W Control.		<del></del>	<del>.00</del>	
17	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$173.00	\$173.00	TGM
18	Towing package: Heaviest duty available from manufacturer		\$41.00	\$41.00	531(deselects 52B)
	Trailer brake controller, factory installed		\$246.00	\$246.00	52B (deselects 531)
	Transmission Power Take-Off Provision		\$254.00	\$254.00	62R
			+	,	90L, (includes 3rd key - \$250), crew
21	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$1,082.00	\$1,082.00	cab +\$194
22	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$910.00	\$910.00	96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	realition of the second s		\$J10.00	500
	110V/400W Outlet		\$159.00	\$159.00	43C
25	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT		+20000	+	
27	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
	Omaha Orange [W5684E]		\$601.00	\$601.00	MB
	Please identify ALL other fees or costs not designated above that are included in your "Base				
29	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
3	958-0118D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS				
	(G.V.W.R. 18,000 LBS., min.)	<b>EXCEPTIONS TO SPECIFICATIONS</b>	MDOT PRICE	MIDEAL PRICE	NOTES

		F-550 18000 GVWR (F5G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	400.045.00		
		DESTINATION	\$38,915.00	\$37,535.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
4	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:		\$0.00	\$0.00	99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
_	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	X5G
8	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	X5G
9	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W5G
	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W5G
11	Axle Rear Limited slip		\$328.00	\$328.00	X4N
12	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
	delivery.		\$160.00	\$160.00	
13	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
	51 sq. in., minimum.		STD	STD	
	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
	Switches, upfitter for auxiliary		STD	STD	
16	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
17	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)				
17	Thes, Truck, Tubeless, Radial, to meet O.V.W.K. Real duals, mud and show (Goodyear preferred)		\$173.00	\$173.00	TGM
18	Towing package: Heaviest duty available from manufacturer				535 High Capacity Trailer Tow,
			\$527.00	\$527.00	4.30 LS Ratio Rear Axle
	Trailer brake controller, factory installed		\$246.00	\$246.00	52B
20	Transmission Power Take-Off Provision		\$254.00	\$254.00	62R
21	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		¢1.092.00	\$1,082.00	90L, (includes 3rd key - \$250), crew
		Includes SYNC Entertainment & Bluetooth	\$1,082.00	\$1,082.00	cab +\$194
22	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Technology System	\$910.00	\$910.00	96V
23	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
24	110V/400W Outlet		\$159.00	\$159.00	43C
25	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
26	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
27	School Bus Yellow [84S53]		\$601.00	\$601.00	BY
28	Omaha Orange [W5684E]		\$601.00	\$601.00	МВ
29	Please identify ALL other fees or costs not designated above that are included in your "Base				
29	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
3	958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R.	EXCEPTIONS TO SPECIFICATIONS			
	18,000 LBS., min.) (4 x 4)	LACEP HONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	NOTES
		F-550 18000 GVWR (F5H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
		DESTINATION	\$33,728.00	\$32,345.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
3	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	

	Without have /CA Orthour		6505 00	6525 00	
4	Wheelbase/CA Options PRELIMINARY REQUIREMENTS:	205WB (120" CA)	\$525.00	\$525.00	
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		CTD	CTD	
5			STD	STD	
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6			ć0.00	¢0.00	
	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
_	ADDITIONAL MDOT OPTIONS				
	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	Х5Н
	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	Х5Н
	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W5H
	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W5H
11	Axle Rear Limited slip		\$328.00	\$328.00	X8L
12	Hubs autolocking on front	not avilable on gas engine	\$169.00	\$169.00	213
13	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.		\$160.00	\$160.00	
	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,		+=00100	+	
14	51 sq. in., minimum.		STD	STD	
15	Spare tire and wheel. Wrench-wheel and jack.			\$369.00	512 & 61J
	Spare the and wheel. Whench-wheel and Jack. Switches, upfitter for auxiliary	(Please ensure all items are included)	\$369.00		512 & 613
_			STD	STD	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$173.00	\$173.00	TGM
19	Towing package: Heaviest duty available from manufacturer		\$41.00	\$41.00	531(deselects 52B)
20	Trailer brake controller, factory installed		\$246.00	\$246.00	52B (deselects 531)
21	Transmission Power Take-Off Provision		\$254.00	\$254.00	62R
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$1,082.00	\$1,082.00	90L, (includes 3rd key - \$250), crew cab +\$194
23	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$910.00	\$910.00	96V
24	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
25	110V/400W Outlet		\$159.00	\$159.00	43C
26	Cab Steps-Black Molded		\$292.00	\$292.00	18B, super & crew cab +\$114
27	Upfitter Interface Module		\$269.00	\$269.00	18A
	SPECIAL PAINT				
28	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
29	Omaha Orange [W5684E]		\$601.00	\$601.00	МВ
	Please identify ALL other fees or costs not designated above that are included in your "Base				
30	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	
3	958-0119D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS				
	(G.V.W.R. 18,000 LBS., min.) (4 x 4)	<b>EXCEPTIONS TO SPECIFICATIONS</b>	MDOT PRICE	MIDEAL PRICE	NOTES
		F-550 18000 GVWR (F5H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including			
_		DESTINATION	\$41,503.00	\$40,035.00	
2	Wheelbase/CA Options	169WB (84" CA)	\$175.00	\$175.00	
	Wheelbase/CA Options	193WB (108" CA)	\$350.00	\$350.00	
	Wheelbase/CA Options	205WB (120" CA)	\$525.00	\$525.00	
	PRELIMINARY REQUIREMENTS:	203WB (120 CA)		\$0.00	99T (6.7 diesel)
F	-		\$0.00 STD		551 (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD	STD	
L	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	L		ļ	

	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,290.00	\$2,290.00	Х5Н
8	Super Cab option	192WB (84" CA)	\$2,465.00	\$2,465.00	Х5Н
9	Crew Cab option	179WB (60" CA)	\$3,150.00	\$3,150.00	W5H
10	Crew Cab option	203WB (84" CA)	\$3,325.00	\$3,325.00	W5H
11	Axle Rear Limited slip		\$328.00	\$328.00	X4N
12	Hubs autolocking on front		\$169.00	\$169.00	213
13	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$160.00	\$160.00	
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
	51 sq. in., minimum.		STD	STD	
	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$369.00	\$369.00	512 & 61J
	Switches, upfitter for auxiliary		STD	STD	
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00	\$0.00	
18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$173.00	\$173.00	TGM
19					535 High Capacity Trailer Tow,
13	Towing package: Heaviest duty available from manufacturer		\$527.00	\$527.00	4.30 LS Ratio Rear Axle
20	Trailer brake controller, factory installed		\$246.00	\$246.00	52B
21	Transmission Power Take-Off Provision		\$254.00	\$254.00	62R
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$1,082.00	\$1,082.00	90L, (includes 3rd key - \$250), crew cab +\$194
23	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	ć010.00	\$910.00	96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Technology System	\$910.00	\$910.00	960
	110V/400W Outlet		\$159.00	\$159.00	43C
	Cab Steps-Black Molded		\$159.00	\$159.00	
	Upfitter Interface Module		•		18B, super & crew cab +\$114
21	SPECIAL PAINT		\$269.00	\$269.00	18A
20	School Bus Yellow [84S53]		\$601.00	\$601.00	ВҮ
	Omaha Orange [W5684E]		•		
29			\$601.00	\$601.00	MB
30	Please identify ALL other fees or costs not designated above that are included in your "Base		¢0.00	¢0.00	
	Price" bid (provide details in "NOTES").		\$0.00	\$0.00	L



# STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

## **CONTRACT CHANGE NOTICE**

Change Notice Number 3

to

Contract Number 171180000001104

GORNO FORD INC	≂ P	Scott Poyer	MDOT
22025 Allen Road	Program Manager	517 284-6448	
Woodhaven, MI 48183	er ST/	poyers@michigan.gov	
Jim Agney	Adm	Yvon Dufour	DTMB
734-671-4033	ontract ninistrator	(517) 249-0455	
jagney@gornoford.com	ct rator	dufoury@michigan.gov	
CV0019327		<u>an</u>	

CONTRACT SUMMARY										
VEHICLES – CAB & C	HASSIS									
INITIAL EFFECTIVE DAT	INITIAL EFFECTIVE DATE INITIAL EXPIRATION DATE INITIAL AVAILABLE OPTIO		INITIAL AVAILABLE OPTION	S	EXPIRATION DATE BEFORE					
August 1, 2018	18 November 30, 2021		2 - 1 Year		November 30, 2021					
PAYMENT TERMS DELIVERY			MEFR	AME						
	ALTERNATE PA	YMENT OPTION	IS	EXT	TENDED PURCHASING					
□ P-Card		🗆 Oth	er	X	Yes 🗆 No					
MINIMUM DELIVERY REQ	UIREMENTS									
	D	ESCRIPTION O	F CHANGE NOTICE							
OPTION LEN	GTH OF OPTION	EXTENSION	LENGTH OF EXTENSION		<b>REVISED EXP. DATE</b>					
					November 30, 2021					
CURRENT VALUE	VALUE OF CHAN	IGE NOTICE	ESTIMATED AGGREGAT		ITRACT VALUE					
\$200,000.00	(\$100,000	0.00)	\$100,0	00.00						
		DESC	RIPTION							
					Effective 1/15/2019, this contract is hereby decreased by \$100,000. In addition, ALL items per Schedule D1 - Pricing, and Schedule D2 - Pricing with Options, issued as Change Notice #2, shall be deleted. All other terms, conditions, specifications					

Schedule D2 - Pricing with Options, issued as Change Notice #2, shall be deleted. All other terms, conditions, specifications and pricing remain the same. Per DTMB request, agency agreement, and DTMB Procurement approval.



# STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget 525 W. ALLEGAN ST., LANSING, MICHIGAN 48913

P.O. BOX 30026 LANSING, MICHIGAN 4891 P.O. BOX 30026 LANSING, MICHIGAN 48909

## **CONTRACT CHANGE NOTICE**

Change Notice Number 2

to

Contract Number 171180000001104

GORNO FORD INC	₹ P	Scott Poyer	MDOT
22025 Allen Road	Program Manager	517 284-6448	
Woodhaven, MI 48183	er ST/	poyers@michigan.gov	
Jim Agney	Adm	Yvon Dufour	DTMB
734-671-4033	ontract ninistrator	(517) 249-0455	
jagney@gornoford.com	ct rator	dufoury@michigan.gov	
CV0019327		<u>an</u>	

CONTRACT SUMMARY					
VEHICLES – CAB & CH	ASSIS				
INITIAL EFFECTIVE DATE	IITIAL EFFECTIVE DATE INITIAL EXPIRATION DATE INITIAL AVAILABLE OPTIC			S	EXPIRATION DATE BEFORE
August 1, 2018	November 30, 2021		2 - 1 Year	2 - 1 Year	
PAYMENT TERMS DELIVERY T			MEFR	AME	
	ALTERNATE PA	MENT OPTION	IS	EXT	TENDED PURCHASING
P-Card  PRC  Other					Yes 🗆 No
MINIMUM DELIVERY REQUI	REMENTS				
	D	ESCRIPTION O	F CHANGE NOTICE		
OPTION LENGT	TH OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED EXP. DATE
					November 30, 2021
CURRENT VALUE	VALUE OF CHAN	GE NOTICE	ESTIMATED AGGREGAT		ITRACT VALUE
\$200,000.00	\$0.00		\$200,00	00.00	
		DESC	RIPTION		
Effective 11/30/2018, the following amendment is hereby incorporated into the contract. 2019 model year heavy trucks have been awarded per attached Schedule D1 - Pricing and Schedule D2 - Pricing with Options. All other terms, conditions,					

specifications and pricing remain the same. Per agency request, and DTMB Procurement approval.

### GORNO FORD

	SPECIFICATION NUMBER & DESCRIPTION	MODEL	MDOT PRICE	MIDEAL PRICE	DELIVERY PER MILE
3958-0109	CUT-AWAY VANS: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)	E-450 14000 GVWR (E4F) 158" WB, 100" CA - Including DESTINATION		\$24,345.00	<b>\$2.50</b>
3958-0110	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION		\$29,399.00	\$2.50
3958-0111D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION		\$36,999.00	\$2.50
3958-0112	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	F-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION		\$31,930.00	<b>\$2.50</b>
3958-0113D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	F-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION		\$39,595.00	<b>\$2.50</b>
3958-0114	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION		\$29,399.00	\$2.50
3958-0115D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)	F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION		\$36,999.00	\$2.50
3958-0116	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)	F-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION		\$31,865.00	\$2.50
3958-0117D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	F-450 16500 GVWR (F4H) 145" WB, 60" CA - Including DESTINATION		\$39,595.00	\$2.50
3958-0118	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	F-550 18000 GVWR (F5G) 145" WB, 60" CA - Including DESTINATION		\$30,275.00	\$2.50
3958-0118D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	F-550 18000 GVWR (F5G) 145" WB, 60" CA - Including DESTINATION		\$37,665.00	<b>\$2.50</b>
3958-0119	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	F-550 18000 GVWR (F5H) 145" WB, 60" CA - Including DESTINATION		\$32,845.00	\$2.50
3958-0119D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.) (4 x 4)	F-550 18000 GVWR (F5H) 145" WB, 60" CA - Including DESTINATION		\$40,735.00	<b>\$2.50</b>
3958-0134	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE	F-650 25600 GVWR 158" WB, 84" CA - Including DESTINATION	\$43,978.0 <b>0</b>	\$42,999.00	<b>\$2.50</b>
3958-0135D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs., min.)	F-650 25600 GVWR 158" WB, 84" CA - Including DESTINATION	\$51,302.00	\$50,199.00	<b>\$2.50</b>
3958-0160D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE AXLE, 300 H.P. DIESEL ENGINE	F-750 33000 GVWR 158" WB, 84" CA - Including DESTINATION	\$52,703.00	\$51,699.00	
3958-0164D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.), DIESEL	F-750 31000 GVWR 158" WB, 84" CA - Including DESTINATION	\$52,723.00	\$51,798.00	\$2.50

#### GORNO FORD 2019 MY PRICING HEAVY DUTY TRUCK, CAB AND CHASSIS SPECIFICATIONS & PRICING

System 100         CUT-AWAY VANS: DUAL REAR WHEELS, (G.V.W.R. 14,000 Dis., min.)         DEXEMPTIONS 10 OPERATIONS INDEAL PROCESSIONS (State 1)         INDEAL PROCESSION (State 1) <thindeal (stat<="" procession="" th=""><th>1       MODEL - CURRENT NEW       E4501040 GVWR (E47) LS8"         2       Wheelbase/CA Options       178WB (120" CA)         2       Wheelbase/CA Options       178WB (120" CA)         3       The Items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even. though they may be optional with the manufacturer (refer to page 8).       ADDTIIONAL OPTIONS         4       Cruise Control       5         7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearriew (in dash monitor). MDOT chooses the SYNC over the backup camera. Will have camera installed with upfitter,       10         10       Differential, heavy duty locking rear device camera installed with upfitter,       55 gal         12       Fee camera installed with upfitter,       55 gal         13       Lock's - Power with remotes       55 gal         14       Lock's - Power with remotes       16         15       Lag wrench and jack       16         16       Power could - 110×oli       17         17       Radio - AM/FM wBluetooth       17         18       Seats-Cloh, Front, high back drivers and passenger       19         19       Spare fire and wheel, full size. Mfg. standard mounting       17</th><th>4F) 158"</th><th>S: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)</th><th></th><th></th><th></th></thindeal>	1       MODEL - CURRENT NEW       E4501040 GVWR (E47) LS8"         2       Wheelbase/CA Options       178WB (120" CA)         2       Wheelbase/CA Options       178WB (120" CA)         3       The Items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even. though they may be optional with the manufacturer (refer to page 8).       ADDTIIONAL OPTIONS         4       Cruise Control       5         7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearriew (in dash monitor). MDOT chooses the SYNC over the backup camera. Will have camera installed with upfitter,       10         10       Differential, heavy duty locking rear device camera installed with upfitter,       55 gal         12       Fee camera installed with upfitter,       55 gal         13       Lock's - Power with remotes       55 gal         14       Lock's - Power with remotes       16         15       Lag wrench and jack       16         16       Power could - 110×oli       17         17       Radio - AM/FM wBluetooth       17         18       Seats-Cloh, Front, high back drivers and passenger       19         19       Spare fire and wheel, full size. Mfg. standard mounting       17	4F) 158"	S: DUAL REAR WHEELS, (G.V.W.R. 14,000 lbs., min.)			
1     MODEL - CURRENT NEW     WB, 100° CA, 100° S1, 23, 34, 300     \$2, 300       2     Wheelbase CA Options     3278WB (120° CA)     \$900.00        3     TO BE STANATION     \$278WB (120° CA)     \$900.00        4     TO BE STANATION     \$278WB (120° CA)     \$900.00        5     TO BE STANATION     \$500.00     ************************************	1     MODEL - CURRENT NEW     WB, 100° CA - including DESTINATION       2     Wheelbase/CA Options     178WB (120° CA)       7     DE STANDARD FACTORY EQUIPPED AS FOLLOWS:     178WB (120° CA)       3     The Rens listed in the general specifications for Track Gauigment are to be supplied on all vehicles, even. though they may be optional with the manufacturer (refer to page B).     100       4     Cruise Control     -       5     Rearview Mirror     -       6     Alarm - Back up     not ovoilable       7     Alternator - 145 Amp     250CCA       9     Camera - Rearview (in dash monitor). <i>MDOT chooses the SYNC over the backup camera. Will Anve camera installed vitu upfitter.</i> selected       10     Differential, heavy duy locking rear     -       11     Engine - 60.U, V8 gas with 6 speed automatic transmission     62.U       12     Fred capacity - Largest available from rafg.     -       13     Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.     -       14     Locks - Power with remotes     -       15     Lay were hand jack     -       16     Power outlet - 110-volt     -       17     Radio - AM/FM wBluetooth     -       18     Seast-Colin foront, full size, Mfg, standard mounting     -       20     Transmission			IVIDEAL PRICE	MILE	NOTES
Description         Description         Sequence           2         WheelbaseCCA Options         378WB (120"CA)         5590.00           3         Dest Erst ANDARD FACTORY EQUIPPED AS FOLLOWS:         378WB (120"CA)         550.00           3         Dest tens indications for transactions for for transactions for	Destination           2         Wheelbase/CA Options         178WB (120° CA)           TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         178WB (120° CA)           3         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         1           ADDITIONAL OPTIONS	ding \$24	E-450 14000 GVWR (E4F) 15			
Description         Description         Sequence           2         WheelbaseCCA Options         378WB (120"CA)         5590.00           3         Dest Erst ANDARD FACTORY EQUIPPED AS FOLLOWS:         378WB (120"CA)         550.00           3         Dest tens indications for transactions for for transactions for	Destination           2         Wheelbace/CA Options         178WB (120° CA)           3         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         170 BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         176 BE STANDARD FACTORY EQUIPPED AS FOLLOWS:           4         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         176 Alternator.           4         Cruise Control         185 Amp           5         Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will, have view miror \$40a if selected           10         Differential, heavy duty locking rear         161 Engine - 6.0L: V8 gas with 6 speed automatic transmission         6.2L           12         Fede capacity - largest available from mfg.         55 gat         55 gat           13         Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         16 Power outlet - 110 volt           14         Locks - Power with remotes         15         17 Radio - AMFA w (Bluetooth           18         Seats-Cloh, Front, high back drivers and passenger         19 Spare tire and wheel, full size. Mfg. standard mouting         20 Transmission cooler - starenal auxiliary           14         MODEL - CURRE		WB, 100" CA - Including	\$24,345.00	\$2.50	
2         Wischbas/CA Options         178/WG [120° CA]         \$980.00           10 DE STANDARD FACTORY EQUITPED AS FOLLOWS:	2       Wheelbase(CA Options       178WB (120° CA)         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       1       1         3       The items listed in the general specifications for Truck Raujament are to be supplied on all vehicles, even. through they may be optional with the manufacturer (refer to page 8).       ADDITIONAL OPTIONS         4       Cruise Control       5       Rearview Mirror       155 Armp         5       Rearview Mirror       155 Armp       155 Armp         6       Alarm - Back up       not available       165 Armp         7       Alternator - 145 Amp       155 Armp       156 Armp         8       Battery 12 volt 770CCA, minimum       750CCA       16 ever view mirror \$404 if selected         9       Camera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will, have camera installed with upfitter.       10 bifferential, heavy duty locking rear       621         11       Engine - 6.0L. V8 gas with 6 speed automatic transmission       6.21       162       162         12       Feed capacitalible from mfg.       55 gol       162       162       162         14       Locks - Power with remotes       164       162       162       162       162       162         15       Log wench and jack       163       163       178       163<	-				
To BE STANDARD FACTORY EQUIPTED AS FOLLOWS:	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:           3         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even. though they may be optional with the manufacturer (refer to page B).           ADDITIONAL OPTIONS         4           4         Cruise Control           5         Rearview Mirror           6         Alarm. Back up           7         Alternator - 145 Amp           8         Battery 12 volt 770CCA, minimum           9         Canera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will back camera installed with upfilter.           10         Differential, heavy duty tooking rear           11         Engine - 6.0L. VS gas with 6 speed automatic transmission         6.21           12         Fed capacity - largest available from mfg.         55 gal           3         Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of divery.         52 gal           14         Locks - Power with remotes         16           15         Lag wench and jack         16 chore outlet - 110-volt           17         Radio - AMFM willowoth         17           18         Seats-Cloth, Front, high back drivers and passenger         19           19         Sparet tire and wheel, full size. Mfg. standard mounting			\$690.00		
3         The terms listed in the several saceflections for Track traipment are to be supplied on all vehicles, even hough they may be option alwy the product with the manufacture (refer to page B).         5000         ************************************	The items listed in the seneral specifications for Truck Equipment are to be supplied on all vehicles. even.           ADDITIONAL OPTIONS           4 Cruise Control           5 Rearview Mirror           6 Alarm. Back up           7 Alternator. 145 Amp           8 Battery 12 Volt 770CCA, minimum           9 Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera. Will</u> <u>have camera instaled with upfitter.</u> 10 Differential, heavy duty locking rear           11 Engine - 6.0L V8 gas with 6 speed automatic transmission           12 Fuel capacity - largest available from mfg.           Keys = (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.           14 Locks - Power with remotes           15 Lag wrench and jack           16 Power outlet - 110-volt           17 Radio - AMFM w/Bluetooth           18 Seats-Cloth, Front, high back drivers and passenger           19 Spar tire and wheel, full size. Mfg. standard mounting           20 Transmission cooler - external auxiliary           21 Heel case identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").           2355-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS, min.)           1 MODEL - CURRENT NEW           2 Wheelbase/CA Options         169WR (84° CA) <td< td=""><td><u>,                                     </u></td><td></td><td>7</td><td></td><td></td></td<>	<u>,                                     </u>		7		
<ul> <li>Mough they may be applicable with the manufacture (refer to page B).</li> <li>ADDITONN</li> <li>Finise Control</li> <li>Stass Control Control</li> <li>Stass Con</li></ul>	3       bought they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       4         4       Cruise Control         5       Rearview Mirror         6       Alarm. Back up         7       Alternator - 145 Amp         8       Battery 12 volt 770CCA, minimum         9       Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera. Will</u> have camera installed with unfitter,         10       Differential, heavy duty locking rear         11       Engine - 6.0L. V8 gas with 6 speed automatic transmission         12       Full capacity - largest available from mfg.         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         14       Locks - Power with remotes         15       Lag wrench and jack         16       Power outlet - 110-volt         17       Radio - AM/FM w/Bluetooth         18       Seate-Cloth, Front, high back drivers and passenger         19       Spare tire and wheel, full size. Mfg. standard mounting         20       Transmission cooler - external auxiliary         14       MODEL - CURRENT NEW         9       Price'' bid (provide details in "NOTES").         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS		·			
ADDITIONAL OPTIONS         Second         Second           4 Cruis Control         525.00         925           5 Reaview Mirror         625.00         925           6 Alarn - Hask up         920.00         925           7 Alarnes Marcy I2 volt 7/0CCA, minimum         925.00         636           8 Battery I2 volt 7/0CCA, minimum         720CCB         597.00         636           9 Camera - Rearrive (in dash monitor). MDOT chaoses the SYNC over the backup camera. Will, between inros 5404 if sector         5404.00         432(deselects 988.8.25)           10 Differential heavy duy locking rear         524.00         573.00         936           12 Fluet capacity - largest available from fig.         522.00         531.00         936           13 Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         553.00         903 - 938           14 Locks - Power with remotes         553.00         903 - 938         901           17 Ratio - AMFM w Blactorh         520.00         531.00         903 - 938           18 Seart-Cloh, Front, high back drivers and passenger         500.00         901         901           17 Ratio - AMFM w Blactorh         520.00         531.00         903           3958-0110 (9958-014) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LESs,	ADDITIONAL OPTIONS       Intervention         4       Cruise Control       Intervention         5       Rearview Mirror       Intervention         6       Alternator - 145 Amp       155 Amp         7       Alternator - 145 Amp       155 Amp         9       Camera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will in reer view mirror \$404 if selected         10       Differential, heavy duty locking rear       in reer view mirror \$404 if selected         11       Engine - 6.0L. VS gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 god         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       iack not available from Ford       16         14       Locks - Power with remotes       12       12         15       Lag wrench and jack       iack not available from Ford       16         16       Power outlet - 10-volt       17       Ratio - AM/FM will bucoth       17         18       Seats-Cloth, Front, high back drivers and passenger       19       20       17       20         19       Spare tire and wheel, full size. Mfg, standard mounting <t< td=""><td>ف</td><td></td><td>\$0.00</td><td></td><td>*Unit may not be safe to drive</td></t<>	ف		\$0.00		*Unit may not be safe to drive
4       Chies Control       \$220.00       \$35         5       Rearview Mirror       \$325.00       \$65         6       Alarm - Back up       not evoliable       \$0.00       Install at Body Company         7       Allernator - 145 Amp       \$0.00       Install at Body Company         8       Battery 12: vol 770CCA, minimum       \$326.00       \$363         9       Camera - Rearview (in dash monitor), MDOT chanses the SYNC over the backap camera. Will have camera installed with upflitter,       \$360.00       \$363         10       Differential, heavy duty locking rear       \$243.00       \$373       \$363         12       Flore chance installed with splitter,       \$243.00       \$373       \$364         14       Edgiver, Jack and the speed atomatic transmission       \$2.1       \$523.00       \$366         14       Badiery 12: work with cole numbers; shall be with the vehicle at the time of ladivery, argets available from ford       \$20.00       \$16         14       Locks - Power with remotes       \$250.00       \$16       \$16         15       Lag wreach and jack       jack not available from ford       \$20.00       \$16         16       Power autiet - 110 -voit       \$220.00       \$11       \$11         16       Power autiet - 110 -voit	4       Craise Control         5       Rearview Mirror         6       Alarma Back up       not available         7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       750CCA         9       Canera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will plater camera installed will unfitter.       700CCA         10       Differential, heavy duty looking rear       11         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L         12       Fele capacity - largest available from mig.       55 gal         13       Keys = (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       15         14       Locks - Power with remotes       15       16         15       Lag wrench and jack       10       10         16       Power outlet - 110-volt       10       10         17       Radio - AM/FM wBluetooth       18       18       18       18         18       Seats-Cloth, Front, high back drivers and passenger       19       19       19       10       10       10       10       10       10       10       10       10       10       10       10       10					
5     Rearview Mirror     925.00     635       6     Alarm-Back up     50.00     Install at Body Company       7     Alarmator - 145 Amp     50.00     Install at Body Company       8     Battry 12 volt 770CCA, minimum     720CCA     \$40.00       9     Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera, Will</u> in rear view mirare 5404 if     selected       9     Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera, Will</u> in rear view mirare 5404 if     selected       9     Differential, heavy duy toching rear     52248.00     432(desalects 958 & 525)       10     Differential, heavy duy toching rear     52248.00     \$85       12     Ired capacity - Largest variable from mfg.     550.00     936       13     Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.     523.00     \$516       14     Lock - Power with remotes     520.00     \$52.00     \$01       14     Lock - Power with remotes     520.00     \$16       15     Power out: 1.10-Not     \$220.00     \$151       16     Power out: 1.10-Not     \$220.00     \$154       17     Radio - AM/FM wiBluetooth     \$200.00     \$154       18     Seate Cloh, Front, high back drivers and passenger	5       Rearview Mirror       not ovailable         6       Alarm - Back up       not ovailable         7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       250CCA         9       Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera. Will</u> have camera installed with upfilter.       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       in rear view mirror \$404 if selected         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       jack not available from Ford         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       jack not available from Ford         17       Radio - AM/FM w/Bluetooth       jack not available from Ford         18       Seats-Cloth, Front, high back drivers and passenger       jack not available from Ford         19       Spare tire and wheel, full size. Mfg. standard mounting       2D         20       Transmission cooler - external availlary	\$2		\$220.00		525
6     Alarma - Back up     install et Body Company       7     Alarma - Isa Kup     50.00       8     Battery 12 volt 770CCA, minimum     750CCA       9     Camera - Rearview (in dash monitor). <i>MDOT chaoses the SYNC over the backup camera</i> . Will, in any camera installed with upfilter, selected     540.00       10     Differential, heavy dury locking rear     540.00     432(deselects 985.8.525)       10     Differential, heavy dury locking rear     5280.00     ¥F3       11     Engine - GO. VS gas with of speed automatic transmission     6.24     5323.00     96       12     Fuel capacity - largest available from mag.     55 gad     50.00     96       13     Reizy - Cl. VS gas with oge of automatic transmission     6.24     5323.00     91       14     Locks - Power with remotes     55 gad     50.00     516       14     Locks - Power with remotes     552.00     901     91       15     Lag vench and jack     jack not available from Ford     592.00     901       16     Power outer - 110-volt     592.00     501     91       17     Radio - AMFM willbuetooth     592.00     50.00     51A       18     Sparts-Clop, Front, high back drivers and passenger     50.00     50.00     51A       19     Spart in a wheel, full isck, full prot	6       Alarm - Back up       not available         7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera. Will</u> have camera installed with upfitter.       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       6.21         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.21         12       Fale capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       16         15       Lag wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       16         17       Radio - AM/FM w/Bluetooth       17         18       Seats-Cloth, Front, high back drivers and passenger       19         19       Spare fire and wheel, full size. Mfg. standard mounting       20         20       Transmission coler - external auxiliary       1         21       Please identify ALL other fees or cost not designated above that are included in your "Base Price" bid (provide detatils in "NOTES").       558-80110 (3958-0114)					625
7     Alternator - 145 Amp     \$000       8     Battery 12 vol 770CCA, minimum     \$290CA     \$47.00     \$636       9     Camera - Rearview (in dash monitor). <i>MDOT chooses the SYNC over the backup camera. Will</i> in rear view mirror \$404 if have camera installed with upfitter.     \$400.0     \$432(deselects 985, 8.22)       10     Differential, heavy duty locking rear     \$240.00     \$432(deselects 985, 8.22)       11     Differential heavy duty locking rear     \$240.00     \$473.00       12     Fuel capacity - largest valiable from mig.     \$2500.0     \$500       14     Engine - 6.0L V8 gas with 6 speed automatic transmission     \$2.1     \$320.0       14     Locks - Power with remotes     \$500.0     \$166       15     Lag vertex h and jack.     \$2500.0     \$106       16     Power outile and wheel, full size. Mig. standard mounting     \$220.0     \$901 + 901       18     Setas-Cloth, Front, high back drivers and passenger     \$200.0     \$200.0     \$114       19     Spare time dweel, full size. Mig. standard mounting     \$220.0     \$200.0     \$114       20     Transmission cooler - external auxillary     \$200.0     \$200.0     \$114       21     Please identify ALL other fees or costs and designated above that are included in your "Base     \$200.0     Install of Body Company       21     Please	7       Alternator - 145 Amp       155 Amp         8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearview (in dash monitor). MDCT chooses the SYNC over the backup camera. Will for a mera installed with upfitter,       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       6.21         11       Engine - 6.01. V8 gas with 6 speed automatic transmission       6.22         12       Fuel capacity - largest available from mfg.       55 gol         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       55 gol         14       Locks - Power with remotes       16         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       17         17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19         19       Spare tire and wheel, full size. MFg. standard mounting       20         20       Transmission cooler - external auxiliary       1         21       Price'' bid (provide details in 'NOTES').       3958-0110 (3958-0114) HEAVY DUTY TRUCKS; CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS         2       Wheelbase/CA Options <td></td> <td>not available</td> <td></td> <td></td> <td></td>		not available			
8     Battery 12 volt 770CCA, minimum     750CcA     \$47.00     \$36       9     Cumera - Rearriew (in dush monitor), MDOT chooses the SYNC over the backup camera. Will have camera installed vith upfitter, have camera installed vith upfitter,     \$404.00     \$430(deselects 985 & 525)       10     Differential, heavy duty locking rear     \$249.00     \$431(deselects 985 & 525)       12     Fuel capacity - largest available from mfg.     \$500     \$500       13     Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.     \$520.00     \$636       14     Locks - Power with remotes     \$520.00     \$16       14     Locks - Power with remotes     \$622.00     \$010       17     Radio - AM/FM w/Bluetooth     \$709.00     958(aduets onlike, deselect \$25) + 580       18     Seats-Cloth, Front, high back drivers and passenger     \$50.00     \$12       19     Spare time and wheel, full size. Mfg. standard mounting     \$50.00     \$14       20     Transmission cooler - setternal auxiliary     \$50.00     \$14       21     Transmission cooler - setternal auxiliary     \$50.00     \$14       20     Transmission cooler - setternal auxiliary     \$50.00     \$14       21     Prease identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in NOTES").     \$200 </td <td>8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will have camera installed with upfitter,       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       in rear view mirror \$404 if selected         11       Engine - 6.0L. V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       15       14       14 cocks - Power with remotes         15       Lug wrench and jack       jack not available from Ford       16         16       Power outlet - 110-volt       17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19       19         20       Transmission cooler - external auxiliary       14       14       14         21       Pelesc apost-Options       1600 CWR (F46) 145"       14         21       MoDEL - CURRENT NEW       F-450 16500 GWR (F46) 145"       14         23       Wheelbase/CA Options       169WB (84" CA)       133WB (108" CA)</td> <td></td> <td></td> <td></td> <td></td> <td></td>	8       Battery 12 volt 770CCA, minimum       750CCA         9       Camera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will have camera installed with upfitter,       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       in rear view mirror \$404 if selected         11       Engine - 6.0L. V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       15       14       14 cocks - Power with remotes         15       Lug wrench and jack       jack not available from Ford       16         16       Power outlet - 110-volt       17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19       19         20       Transmission cooler - external auxiliary       14       14       14         21       Pelesc apost-Options       1600 CWR (F46) 145"       14         21       MoDEL - CURRENT NEW       F-450 16500 GWR (F46) 145"       14         23       Wheelbase/CA Options       169WB (84" CA)       133WB (108" CA)					
g     Camera - Rearview (in dash monitor). <u>MDOT chooses the SYNC over the backup camera. Will</u> have camera installed with upfitter.     in rear view mirror \$404 if selected     \$400     430(deselects 988 8.52)       have camera installed with upfitter.     5248.00     XF3       10     Differential, heavy duty locking rear     5248.00     XF3       21     Peel capecity - largest available from fig.     520.00     996       12     Feel capecity - largest available from fig.     520.00     516       14     Locks - Power with remotes     5230.00     901 + 948       15     Locks - Power with remotes     520.00     901 + 948       16     Power outle - 110-volt     592.00     901       17     Radio - AM/FM w/Bluetooth     590.00     901 + 948       18     Seats-Closh, Front, high back drivers and passenger     50.00     903       19     Spare tire and wheel, full size, Mfg, standard mounting     5220.00     914       20     Transmission coler - external auxilary     50.00     Install at Body Company       21     Preace with (Ind Sec Arivers and passenger     50.00     51A       20     Transmission coler - external auxilary     50.00     Install at Body Company       21     Prace Table (Ind yoride details in "NOTES").     50.00     Install at Body Company       21     Ple	9       Camera - Rearview (in dash monitor). MDOT chooses the SYNC over the backup camera. Will in rear view mirror \$404 if selected         9       Rave camera installed with upfilter.       in rear view mirror \$404 if selected         10       Differential, heavy duty locking rear       6.21         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.21         12       Fuel capacity - largest available from mfg.       55 gol         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       1         14       Locks - Power with remotes       jack not available from Ford       1         16       Power outlet - 110-volt       jack not available from Ford       1         17       Radio - AM/FM w/Bluetooth       1       1       1         18       Seats-Cloth, Front, high back drivers and passenger       1       2       1       1         19       Spare tire and wheel, full size. Mfg. standard mounting       2       2       1 <td< td=""><td></td><td></td><td></td><td></td><td>630</td></td<>					630
beside and several installed with upflitter.     selected     \$404.00     32(deselects \$958.8.5.25)       10     Differential, heavy duty locking rear     \$243.00     \$243.00       11     Engine - 6.0L. V8 gas with 6 speed automatic transmission     6.2L     .\$323.00     \$966       12     Fede capacity - largest available from mig.     \$5 gal     \$0.00     \$16       12     Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of a delivery.     \$523.00     \$16       14     Locks - Power with remotes     \$635.00     \$232.00     \$031.934       15     Lag wrench and jack     \$240.00     \$230.00     \$91.934       16     Power outlet - 110-vol     \$220.00     \$91.934       18     Seats-Cloth, Front, high back drivers and passenger     \$50.00     \$16.00       19     Spare tire and wheel, full size. Mg, standard mounting     \$220.00     \$14.00       20     Transmission cooler - settra auxiliary     \$0.00     \$16.00       20     Transmission cooler - settra auxiliary     \$0.00     \$0.00    >	9       have camera installed with upfitter.       selected         10       Differential, heavy duy locking rear       it         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       ist code numbers; shall be with the vehicle at the time of delivery.         14       Locks - Power with remotes       isck not available from Ford         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       isck not available from Ford         17       Radio - AM/FM w/Bluetooth       isck not available from Ford         18       Seats-Cloth, Front, high back drivers and passenger       isck not available from Ford         19       Spare tire and wheel, full size. Mfg. standard mounting       isck not available from Ford         20       Transmission cooler - external auxiliary       imn.)       isck ford gas base for the second seco			+		
10       Differential, havy duy locking rear       5249.00       XF3         11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L       -532.200       996         12       Feat capacity - largest available from mafg.       55 gal       50.00       516         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       55 gal       525.00       516         14       Locks - Power with remotes       5635.00       903 + 948       516         16       Power outlet - 110-volt       582.00       901       901         16       Readio - AMFM w/Bluetooth       5709.00       585[redudes cruine, deselects 623) + 58       903         19       Spare time and wheef, full size. Mfg. standard mounting       5709.00       585[redudes cruine, deselects 623) + 58         19       Spare time and wheef, full size. Mfg. standard mounting       50.00       104         20       Transmission cooler - external auxiliary       50.00       10514         11       MODEL - CURRENT NEW       F450 16500 GWWR (F46) 145"       S0.00       104         21       MoDEL - CURRENT NEW       F450 16500 GWWR (F46) 145"       S29,399.00       \$2.50         22       WheelbaseCA Options       169WWB (84" CA)	10       Differential, heavy duty locking rear       6.21         11       Engine - 6.0L. V8 gas with 6 speed automatic transmission       6.21         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       55 gal         14       Locks - Power with remotes       16         15       Lug wrench and jack       Jack not available from Ford         16       Power outlet - 110-volt       17         17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19         19       Spare tire and wheel, full size. Mfg, standard mounting       20         21       Price'' bid (provide details in 'NOTES'').       Price'' bid (provide details in 'NOTES'').         3958-0110 (3958-0114) HEAYY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS, min.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145''         10       Wheelbase/CA Options       199WB (108'' CA)         2       Wheelbase/CA Options       199WB (108'' CA)         3       Wheelbase/CA Options       199WB (108'' CA)         4       Wheelbase/CA Options       199WB (108'' CA) <td></td> <td></td> <td>\$404.00</td> <td></td> <td>43C(deselects 985 &amp; 525)</td>			\$404.00		43C(deselects 985 & 525)
11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L       -5323.00       996         12       Fede capacity - largest available from mfg.       55 gal       50.00       516         13       Keys - 101 additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       5250.00       903 + 948         14       Locks - Power with remotes       5635.00       903 + 948         15       Lag wrench and jack       580.00       903 + 948         16       Power outlet - 110-volt       \$250.00       901         17       Radio - AM/FM w/Bluetooth       \$200.0       901         18       Seats-Cloth, Front, high back drivers and passenger       \$200.0       901         19       Spare tire and wheel, full size, Mfg, standard mounting       \$220.00       \$1A         20       Transmission cooler - external auxiliary       \$0.00       install of Body Company         21       Prece' bid (provide details in "NOTES").       \$0.00       install of Body Company         21       Prece' bid (provide details in "NOTES").       \$0.00       \$2395.000       \$24.900         24       Wheelbase/CA Options       1990 Ne (08° CA)       \$24.900       \$22.50       \$25.50         24       Wheelbase/CA Options <td< td=""><td>11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       12       jack not available from Ford         14       Locks - Power with remotes       12       jack not available from Ford         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       17         17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19         20       Transmission cooler - external auxiliary       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., imin.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"       WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)       193WB (108" CA)         3       Wheelbase/CA Options       193WB (108" CA)       193WB (108" CA)         4       Wheelbase/CA Options       1</td><td></td><td></td><td></td><td></td><td></td></td<>	11       Engine - 6.0L V8 gas with 6 speed automatic transmission       6.2L         12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       12       jack not available from Ford         14       Locks - Power with remotes       12       jack not available from Ford         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       17         17       Radio - AM/FM w/Bluetooth       18         18       Seats-Cloth, Front, high back drivers and passenger       19         20       Transmission cooler - external auxiliary       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., imin.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"       WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)       193WB (108" CA)         3       Wheelbase/CA Options       193WB (108" CA)       193WB (108" CA)         4       Wheelbase/CA Options       1					
12       Field capacity - largest available from mfg.       55 gol       \$0.00         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       \$250.00       \$316         14       Locks - Power with remotes       \$635.00       903 + 948         15       Lag were hand jack       \$655.00       903 + 948         16       Power outlet - 110-volt       \$655.00       901         17       Radio - AM/FM wiBluetoth       \$90.00       \$911         18       Seats-Cloth, Front, high back drivers and passenger       \$00.00       \$010         19       Spare time and wheed, full size, Mfg. standard mounting       \$220.00       \$114         20       Transmission cooler - external auxiliary       \$0.00       install at Body Company         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES"), min.)       \$0.00       install at Body Company         21       MoDEL - CURRENT NEW       F450 16500 GWR [46] 145"       \$22,500       \$22,500         22       Wheelbase/CA Options       169WB [44" CA)       \$161.00       \$22,500         3984       With the manufacture (refer to page B).       \$29,000       \$22,500       \$22,500       \$22,500       \$22,500	12       Fuel capacity - largest available from mfg.       55 gal         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       14         14       Locks - Power with remotes       12         15       Lug wrench and jack       12ck not available from Ford         16       Power outlet - 110-volt       12         17       Radio - AM/FM w/Bluetooth       13         18       Seats-Cloth, Front, high back drivers and passenger       12         19       Spare tire and wheel, full size. Mfg. standard mounting       12         20       Transmission cooler - external auxiliary       12         11       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       Exceptions To SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"       WB, 60" CA - including DESTINATION         2       Wheelbase/CA Options       1393WB (108" CA)       1393WB (108" CA)         3       Wheelbase/CA Options       1393WB (108" CA)       1393WB (108" CA)         4       Wheelbase/CA Options       1393WB (108" CA)       1393WB (108" CA)         5       Transmission: Automatic: with					
13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       520.00       516         14       Locks - Power with remotes       \$583.00       903 + 948         15       Lag wrench and jack       jack not available fram Ford       901         16       Power outlet - 110-volt       \$522.00       901         17       Radio - AM/FM w/Bluetooth       \$579.00       955(includes coulis, deselects 62) + 58         18       Seats-Cloth, Front, high back drivers and passenger       \$0.00       \$114         20       Transmission cooler - external auxiliary       \$50.00       \$134         21       Prease identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       Install at Body Company         21       Prease identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         3958-80110 (3958-80114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       \$0.00       \$1510       \$0.00         2       Wheelbase/CA Options       169WB (60" CA - Including DESTINATION       \$22,300       \$2.50       \$2.50         2       Wheelbase/CA Options       193WB (108" CA)       \$3210       \$2.50       \$2.50	13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         14       Locks - Power with remotes         15       Lug wrench and jack       Jack not available from Ford         16       Power outlet - 110-volt       Jack not available from Ford         17       Radio - AM/FM w/Bluetooth       Image: Constraint of the power outlet - 110-volt         19       Spare tire and wheel, full size. Mfg. standard mounting       Image: Constraint of the power outlet outlet of the power outlet of the power outle					
13     delivery,     \$250.00     \$10       14     Locks - Power with remotes     \$635.00     903 + 948       15     Lug wrench and jack     jack not available from Ford        16     Power outlet - 110-volt     \$92.00     901       17     Radio - AM/FM WBluetooth     \$92.00     901       18     Seats-Cloth, Front, high back drivers and passenger     \$0.00     \$951       19     Spare tire and wheel, full size. Mfg. standard mounting     \$220.00     \$1A       20     Transmission cooler - external auxiliary     \$20.00     \$1A       21     Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES"), 3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS, min.)     EXCEPTIONS TO SPECIFICATIONS     MIDEAL PRICE     MILE       1     MODEL - CURRENT NEW     F-450 16500 GWR (F46] 145"     WILE     NOTES       2     Wheelbase/CA Options     169WR (84° CA)     \$16.00     \$25,399.00     \$2.50       2     Wheelbase/CA Options     193WB (108" CA)     \$327.00     \$25.00       3     Wheelbase/CA Options     205WB (120" CA)     \$327.00     \$16       4     Wheelbase/CA Options     205WB (120" CA)     \$327.00     \$16       5     Transmission: Automatic; with maximum capa	13       delivery.         14       Locks - Power with remotes         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       intervention         17       Radio - AM/FM w/Bluetooth       intervention         18       Seats-Cloth, Front, high back drivers and passenger       intervention         19       Spare tire and wheel, full size. Mfg. standard mounting       intervention         20       Transmission cooler - external auxiliary       intervention       intervention         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       sysse-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the			- <del> </del>		
14       Locks - Power with remotes       963:00       903 + 948         15       Lug wrench and jack       jack not available from Ford       1         16       Power outlet - 110-voit       \$92.00       901         17       Radio - AM/FM w/Bluetooth       \$709.00       \$95(Includes cruise, deselects 625) + 58         18       Seats-Cloth, Front, high back drivers and passenger       \$0.00       1         19       Spare tire and wheel, full size. Mfs. standard mounting       \$220.00       \$1A         20       Transmission cooler - external auxiliary       \$200.00       1         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       1         3958-0110       (958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS, Price" bid (provide details in "NOTES").       \$0.00       1         1       MODEL - CURRENT NEW       F-450 16500 GVWR [46] 145" WB, 60" CA - Including DESTINATION       \$21.50       \$22.50       \$2.50         2       Wheelbase/CA Options       193WB [108" CA)       \$161.00       1       1         3       Wheelbase/CA Options       193WB [108" CA)       \$322.00       \$2.50       \$2.50         4       Wheelbase/CA Options       193WB [108" CA)       \$	14       Locks - Power with remotes       jack not available from Ford         15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       jack not available from Ford         17       Radio - AM/FM w/Bluetooth       intervent of the state o	\$7	with code numbers, shall be with the venicle at the time of	\$250.00		\$1G
15       Lug wrench and jack       jack not available from Ford       9         16       Power outlet - 110-volt       \$92.00       901         17       Radio - AM/FM w/Bluetooth       \$92.00       983[includes cruise, deselects 623] + 58         18       Sears-Cloch, Front, high back drivers and passenger       \$50.00       \$14         19       Spare tire and wheel, full size. Mfg. standard mounting       \$220.00       \$1A         20       Transmission coler - external auxiliary       \$0.00       Install at Body Company         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       Install at Body Company         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       MIDEAL PRICE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" VB, 60" CA - Including DESTINATION       \$22,399.00       \$2.50       \$2.50         2       Wheelbase/CA Options       193WB (168" CA)       \$25.00       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50       \$2.50	15       Lug wrench and jack       jack not available from Ford         16       Power outlet - 110-volt       1         17       Radio - AM/FM w/Bluetooth       1         18       Seats-Cloth, Front, high back drivers and passenger       1         19       Spare tire and wheel, full size. Mfg. standard mounting       1         20       Transmission cooler - external auxiliary       1         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       5         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"       Wbe, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)       193WB (108" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       100 ESTANDARD FACTORY EQUIPPED AS FOLLOWS:       100 ESTANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optio					903 ± 9/8
16       Power outlet - 110-volt       \$92.00       901         17       Radio - AM/FM w/Bluetooth       \$709.00       \$985(includes cruise, deselects 625) + 58         18       Seats-Cloth, Front, high back drivers and passenger       \$0.00       \$14         19       Spare tire and wheel, full size. Mfg. standard mounting       \$220.00       \$1A         20       Transmission cooler - external auxiliary       \$0.00       Install at Body Company         21       Please identify ALL other fees or costs not designated above that are included in your "Base price" bid (provide details in "NOTES").       \$0.00       Install at Body Company         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       DEUVERY PER         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F46] 145"       \$29,399.00       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$21.50         3       Wheelbase/CA Options       193WB (108" CA)       \$227.00       \$2.50         4       Wheelbase/CA Options       205WB (120" CA)       \$497.00       \$21.50         7       PRELIMINARY REQUIREMENTS:       205WB (120" CA)       \$497.00       \$21.50         8       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory in	16       Power outlet - 110-volt         17       Radio - AM/FM w/Bluetooth         18       Seats-Cloth, Front, high back drivers and passenger         19       Spare tire and wheel, full size, Mfg. standard mounting         20       Transmission cooler - external auxiliary         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         1       MODEL - CURRENT NEW         2       Wheelbase/CA Options         3       Wheelbase/CA Options         3       Wheelbase/CA Options         4       Wheelbase/CA Options         1       MOBEL - CURRENT NEW         9       PRELIMINARY REQUIREMENTS:         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         10       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing		igck not quailable from Ford	3033.00		503 + 548
17       Radio - AM/FM w/Bluetooth       \$709.00       985(Includes cruise, deselects 625) + 58         18       Seats-Cloth, Front, high back drivers and passenger       \$0.00       \$14         19       Spare tire and wheel, full size. Mfg. standard mounting       \$220.00       \$1A         20       Transmission cooler - external auxiliary       \$0.00       Install at Body Company         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       Install at Body Company         23       PS8-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GWWR (F4G) 145"       \$29,399.00       \$2.50       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$29,399.00       \$2.50         3       Wheelbase/CA Options       1393WB (108" CA)       \$327.00       \$4       \$497.00       \$497.00         4       Wheelbase/CA Options       1393WB (108" CA)       \$327.00       \$497.00       \$497.00       \$7D         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       \$7D       \$7D       \$7D       \$7D <td>17       Radio - AM/FM w/Bluetooth         18       Seats-Cloth, Front, high back drivers and passenger         19       Spare tire and wheel, full size. Mfg. standard mounting         20       Transmission cooler - external auxiliary         Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         1       MODEL - CURRENT NEW         2       Wheelbase/CA Options         2       Wheelbase/CA Options         3       Uheelbase/CA Options         3       Wheelbase/CA Options         4       Wheelbase/CA Options         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.</td> <td></td> <td>Juck not available from Ford</td> <td><u> </u></td> <td></td> <td>901</td>	17       Radio - AM/FM w/Bluetooth         18       Seats-Cloth, Front, high back drivers and passenger         19       Spare tire and wheel, full size. Mfg. standard mounting         20       Transmission cooler - external auxiliary         Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         1       MODEL - CURRENT NEW         2       Wheelbase/CA Options         2       Wheelbase/CA Options         3       Uheelbase/CA Options         3       Wheelbase/CA Options         4       Wheelbase/CA Options         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		Juck not available from Ford	<u> </u>		901
11       Source	18       Seats-Cloth, Front, high back drivers and passenger         19       Spare tire and wheel, full size. Mfg. standard mounting         20       Transmission cooler - external auxiliary         21       Please identify ALL other fees or costs not designated above that are included in your ''Base Price'' bid (provide details in ''NOTES'').         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         EXCEPTIONS TO SPECIFICATIONS         7       MODEL - CURRENT NEW         Veheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       205WB (120" CA)         PRELIMINARY REQUIREMENTS:       5         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       6         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.			<i>Ş</i> 52.00		
19       Spare tire and wheel, full size. Mfg. standard mounting       \$220.00       51A         20       Transmission cooler - external auxiliary       \$0.00       Install at Body Company         21       Price'' bid (provide details in ''NOTES'').       \$0.00       \$0.00       Install at Body Company         3958-0110 (3958-0114) HEAVY DUTKS': CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       MILE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"       \$22,399.00       \$22,50       \$22,399.00       \$22,50         2       Wheelbase/CA Options       169WB (84" CA)       \$16.00       \$20,00       \$22,00       \$22,00       \$22,00         3       Wheelbase/CA Options       193WB (108" CA)       \$327,00       \$22,00       \$22,00       \$22,00       \$22,00       \$22,00       \$20,00       \$22,50       \$22,50       \$22,00<	19       Spare tire and wheel, full size. Mfg. standard mounting         20       Transmission cooler - external auxiliary         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0110       (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         EXCEPTIONS TO SPECIFICATIONS       F-450 16500 GVWR (F4G) 145"         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	\$7		\$709.00		98S(includes cruise, deselects 625) + 585
20       Transmission cooler - external auxiliary       \$0.00       Install at Body Company         21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       DEUVERY PER MILE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - including DESTINATION       \$29,399.00       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$205WB (120" CA)       \$407.00         3       Wheelbase/CA Options       193WB (108" CA)       \$327.00       \$407.00       \$407.00         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD       \$109.00       \$407.00       \$407.00         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00       \$000       \$000         7       Battery-12 Volt, 600 CCA, minimum.       250CCA       STD       \$100	20       Transmission cooler - external auxiliary         21       Please identify ALL other fees or costs not designated above that are included in your ''Base Price'' bid (provide details in ''NOTES'').         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW         20       Wheelbase/CA Options         3       Wheelbase/CA Options         4       Wheelbase/CA Options         1       MODEL - CURRENT NEW         2       Wheelbase/CA Options         3       Wheelbase/CA Options         1       Model ase/CA Options         2       Wheelbase/CA Options         3       Wheelbase/CA Options         4       Wheelbase/CA Options         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       1         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum	Ś	s and passenger	\$0.00		
21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       DELIVERY PER MILE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F46) 145"       \$29,399.00       \$2.50       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$20,00       \$2.50         3       Wheelbase/CA Options       193WB (108" CA)       \$327.00       \$2.50         4       Wheelbase/CA Options       205WB (120" CA)       \$497.00       \$497.00         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD       \$10         5       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00       \$0.00         4       Notes optional with the manufacturer (refer to page B).       \$0.00       \$0.00       \$0.00	21       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         PRELIMINARY REQUIREMENTS:       5         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	\$2	standard mounting	\$220.00		51A
21       Price" bid (provide details in "NOTES").       \$0.00         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       DELIVERY PER MILE       NOTES         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION       \$22,309.00       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$161.00         3       Wheelbase/CA Options       193WB (108" CA)       \$327.00       \$25.00         4       Wheelbase/CA Options       205WB (120" CA)       \$497.00       \$40         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD       \$10         5       To BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       \$0.00       \$0.00       \$0.00         6       The terms listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00       \$0.00         4       DDTITIONAL OPTIONS       50.00       \$0.00       \$0.00       \$0.00	21       Price" bid (provide details in "NOTES").         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	Ś	ary	\$0.00		Install at Body Company
Price" bid (provide details in "NOTES").       \$0.00         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       DELIVERY PER         1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION       \$29,399.00       \$2.50         2       Wheelbase/CA Options       169WB (84" CA)       \$161.00       \$40         3       Wheelbase/CA Options       193WB (108" CA)       \$327.00       \$497.00         4       Wheelbase/CA Options       205WB (120" CA)       \$497.00       \$497.00         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD       STD         5       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00       \$0.00         4       ADDITIONAL OPTIONS       50.00       \$0.00       \$0.00	Price" bid (provide details in "NOTES").         3958-0110 (3958-0114) HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)         EXCEPTIONS TO SPECIFICATIONS         f       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145"         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		costs not designated above that are included in your "Base			
Image:	min.)EXCEPTIONS TO SPECIFICATIONS1MODEL - CURRENT NEWF-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION2Wheelbase/CA Options169WB (84" CA)3Wheelbase/CA Options193WB (108" CA)4Wheelbase/CA Options205WB (120" CA)5Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:6The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).77Battery-12 Volt, 600 CCA, minimum.750CCA8Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.7	\$		\$0.00		
IMODEL - CURRENT NEWF-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION\$29,399.00\$2.502Wheelbase/CA Options169WB (84" CA)\$161.003Wheelbase/CA Options193WB (108" CA)\$327.004Wheelbase/CA Options205WB (120" CA)\$327.005Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD5Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD6The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).\$0.007Battery-12 Volt, 600 CCA, minimum.750CCASTD	1       MODEL - CURRENT NEW       F-450 16500 GVWR (F4G) 145" WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA) <b>PRELIMINARY REQUIREMENTS:</b> 5         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed. <b>TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:</b> 6         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		TY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS.,		DELIVERY PER	
1MODEL - CURRENT NEWWB, 60" CA - Including DESTINATION\$29,399.00\$2.502Wheelbase/CA Options169WB (84" CA)\$161.003Wheelbase/CA Options193WB (108" CA)\$327.004Wheelbase/CA Options205WB (120" CA)\$497.005Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD5Tro BE STANDARD FACTORY EQUIPPED AS FOLLOWS:STD6The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).\$0.004ADDITIONAL OPTIONSSTD7Battery-12 Volt, 600 CCA, minimum.750CCASTD	1       MODEL - CURRENT NEW       WB, 60" CA - Including DESTINATION         2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	CATIONS MIDE	min.) EXCEPTIONS TO SPECIFICATIO	MIDEAL PRICE	MILE	NOTES
DESTINATIONDESTINATION2Wheelbase/CA Options169WB (84" CA)\$161.003Wheelbase/CA Options193WB (108" CA)\$327.004Wheelbase/CA Options205WB (120" CA)\$497.005Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD5Tro BE STANDARD FACTORY EQUIPPED AS FOLLOWS:STD6The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).\$0.007Battery-12 Volt, 600 CCA, minimum.750CCASTD	2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         PRELIMINARY REQUIREMENTS:       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	IG) 145"	F-450 16500 GVWR (F4G) 14			
2Wheelbase/CA Options169WB (84" CA)\$161.003Wheelbase/CA Options193WB (108" CA)\$327.004Wheelbase/CA Options205WB (120" CA)\$497.009PRELIMINARY REQUIREMENTS:205WB (120" CA)\$497.005Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD5TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:56The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).\$0.006ADDITIONAL OPTIONS50.005D7Battery-12 Volt, 600 CCA, minimum.750CCASTD	2       Wheelbase/CA Options       169WB (84" CA)         3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         9       PRELIMINARY REQUIREMENTS:       205WB (120" CA)         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	ding <mark>\$29</mark>	WB, 60" CA - Including	\$29,399.00	\$2.50	l
3Wheelbase/CA Options193WB (108" CA)\$327.004Wheelbase/CA Options205WB (120" CA)\$497.009PRELIMINARY REQUIREMENTS:205WB (120" CA)\$497.005Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.STD7D BE STANDARD FACTORY EQUIPPED AS FOLLOWS:50.006The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).\$0.00ADDITIONAL OPTIONS50.0050.007Battery-12 Volt, 600 CCA, minimum.750CCASTD	3       Wheelbase/CA Options       193WB (108" CA)         4       Wheelbase/CA Options       205WB (120" CA)         9       PRELIMINARY REQUIREMENTS:       5         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       5         7       Battery-12 Volt, 600 CCA, minimum.       7         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA		DESTINATION			
4       Wheelbase/CA Options       205WB (120" CA)       \$497.00         PRELIMINARY REQUIREMENTS:       0       0         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD       0         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00       \$0.00         7       Battery-12 Volt, 600 CCA, minimum.       750CCA       STD       510	4       Wheelbase/CA Options       205WB (120" CA)         PRELIMINARY REQUIREMENTS:       5         5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       6         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	, <mark>\$1</mark>	169WB (84" CA)	\$161.00		
PRELIMINARY REQUIREMENTS:       Image: Constraint of the second sec	PRELIMINARY REQUIREMENTS:	) \$3	193WB (108" CA)	\$327.00		
5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.       STD         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       STD         ADDITIONAL OPTIONS       Image: Constraint of the general specification of the general specificatic definit of the general specificatic definit of the general spec	5       Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	.) \$4	205WB (120" CA)	\$497.00		
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:       Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00         Image: Constraint of the general specifications for Truck Equipment are to be supplied on all vehicles, even       \$0.00 <tr< td=""><td>TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.</td><td></td><td>TS:</td><td></td><td></td><td></td></tr<>	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.		TS:			
Image: Application of the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).       \$0.00         ADDITIONAL OPTIONS       \$0.00         7       Battery-12 Volt, 600 CCA, minimum.       750CCA       STD	6       The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA			STD		
6     though they may be optional with the manufacturer (refer to page B).     \$0.00       ADDITIONAL OPTIONS     \$0       7     Battery-12 Volt, 600 CCA, minimum.     750CCA     STD	6       though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS       7         7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       76000000000000000000000000000000000000					
though they may be optional with the manufacturer (refer to page B).     \$0.00       ADDITIONAL OPTIONS     Control       Battery-12 Volt, 600 CCA, minimum.     750CCA     STD	Image: Though they may be optional with the manufacturer (refer to page B).         ADDITIONAL OPTIONS         7       Battery-12 Volt, 600 CCA, minimum.         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.					
7     Battery-12 Volt, 600 CCA, minimum.     750CCA     STD	7       Battery-12 Volt, 600 CCA, minimum.       750CCA         8       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.       750CCA	Ş	manufacturer (refer to page B).	\$0.00		
	8 Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.					
Mirrors Deer View, Inside Outside D.H. and I.H. helew ave level extended reach ewing every time	<b>8</b> 51 sq. in., minimum.			STD		
o infinitions-kear view, instud. Outstude K.H. and L.H., below eye level, extended reach, swing away type,	51 sq. in., minimum.		R.H. and L.H., below eye level, extended reach, swing away type,			
51 sq. in., minimum.	ADDITIONAL MDOT OPTIONS			STD		
10         Super Cab option         168WB (60" CA)         \$2,160.00         X4G		<mark>\$2,</mark>	168WB (60" CA)	\$2,160.00		X4G
	11         Super Cab option         192WB (84" CA)	<mark>\$2,</mark>	192WB (84" CA)	\$2,326.00		X4G

40	Crew Cab option	179WB (60" CA)	¢2.072.00		11/10
	Crew Cab option	203WB (84" CA)	\$2,973.00		W4G
	Axle Rear Limited slip	203WB (84 CA)	\$3,143.00		W4G
			\$332.00		X8L
15	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of		4050.00	Key with	\$1G
	delivery.		\$250.00	programing	
	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$323.00		512 & 61J
	Switches, upfitter for auxiliary		STD		
	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00		?
	Towing package: Heaviest duty available from manufacturer		\$41.00		531(deselects 52B)
	Trailer brake controller, factory installed		\$249.00		52B (deselects 531)
21	Trailer Hitch, Class III Receiver Type	not available	\$0.00		Install @ body co
22	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$841.00		90L, crew cab +\$194
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$920.00		96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
27	Upfitter Interface Module		\$272.00		18A
	SPECIAL PAINT				
28	School Bus Yellow [84S53]		\$608.00		BY
29	Omaha Orange [W5684E]		\$608.00		
	Please identify ALL other fees or costs not designated above that are included in your "Base				
30	Price" bid (provide details in "NOTES").		\$0.00		
395	3-0111D (3958-0115D) HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS,			DELIVERY PER	
	<b>DIESEL</b> , (G.V.W.R. 14,500 LBS., min.)	EXCEPTIONS TO SPECIFICATIONS	MIDEAL PRICE	MILE	NOTES
		F-450 16500 GVWR (F4G) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	\$36,999.00	\$2.50	
		DESTINATION			
1		DESTINATION			
2	Wheelbase/CA Options		\$161.00		
	Wheelbase/CA Options Wheelbase/CA Options	169WB (84" CA)	\$161.00 \$327.00		
3	Wheelbase/CA Options	169WB (84" CA) 193WB (108" CA)	\$327.00		
3	Wheelbase/CA Options Wheelbase/CA Options	169WB (84" CA)	\$327.00 \$497.00		99T (6.7 diesel)
3 4	Wheelbase/CA Options Wheelbase/CA Options PRELIMINARY REQUIREMENTS:	169WB (84" CA) 193WB (108" CA)	\$327.00 \$497.00 \$0.00		99T (6.7 diesel)
3 4	Wheelbase/CA Options Wheelbase/CA Options <b>PRELIMINARY REQUIREMENTS:</b> Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.	169WB (84" CA) 193WB (108" CA)	\$327.00 \$497.00		99T (6.7 diesel)
3 4 5	Wheelbase/CA Options Wheelbase/CA Options PRELIMINARY REQUIREMENTS: Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:	169WB (84" CA) 193WB (108" CA)	\$327.00 \$497.00 \$0.00		99T (6.7 diesel)
3 4	Wheelbase/CA Options Wheelbase/CA Options PRELIMINARY REQUIREMENTS: Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even	169WB (84" CA) 193WB (108" CA)	\$327.00 \$497.00 \$0.00 STD		99T (6.7 diesel)
3 4 5	Wheelbase/CA Options Wheelbase/CA Options PRELIMINARY REQUIREMENTS: Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).	169WB (84" CA) 193WB (108" CA)	\$327.00 \$497.00 \$0.00		99T (6.7 diesel)
3 4 5 6	Wheelbase/CA Options Wheelbase/CA Options PRELIMINARY REQUIREMENTS: Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed. TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS: The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B). ADDITIONAL MDOT OPTIONS	169WB (84" CA) 193WB (108" CA) 205WB (120" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00		
3 4 5 6 7	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option	169WB (84" CA) 193WB (108" CA) 205WB (120" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00		X4G
3 4 5 6 7 8	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Super Cab option	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00 \$2,326.00		X4G X4G
3 4 5 6 7 8 9	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Super Cab option         Crew Cab option	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00		X4G X4G W4G
3 4 5 6 7 8 9 10	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00		X4G X4G W4G W4G
3 4 5 6 7 8 9 10 11	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00		X4G X4G W4G
3 4 5 6 7 8 9 10	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 <b>\$332.00</b>		X4G X4G W4G W4G
3 4 5 6 7 8 9 10 11	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00		X4G X4G W4G W4G
3 4 5 6 7 8 9 10 11	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$250.00		X4G X4G W4G W4G
3 4 5 6 7 8 9 10 11 11 12 13	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$250.00 \$TD		X4G X4G W4G W4G X4N
3 4 5 6 7 8 9 10 11 11 12 13	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 \$332.00 \$250.00		X4G X4G W4G W4G
3 4 5 6 7 8 9 10 11 12 13 14	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$3250.00 \$TD \$323.00 \$TD		X4G X4G W4G W4G X4N 512 & 61J
3         4           5         6           7         7           8         9           10         11           12         13           14         15	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Crew Cab option         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary         Throttle, Electronic, High Idle Engine RPM Control.	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 \$TD \$323.00 \$TD \$0.00		X4G X4G W4G W4G X4N 512 & 61J
3         4           5         6           7         8           9         10           11         12           13         14           15         16	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary         Throttle, Electronic, High Idle Engine RPM Control.         Towing package: Heaviest duty available from manufacturer	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 STD \$323.00 STD \$0.00 \$41.00		X4G X4G W4G W4G X4N 512 & 61J 7 531(deselects 52B)
3         4           5         6           7         8           9         10           11         12           13         14           15         16           17	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Crew Cab option         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary         Throttle, Electronic, High Idle Engine RPM Control.         Towing package: Heaviest duty available from manufacturer         Trailer brake controller, factory installed	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 \$3250.00 \$323.00 \$TD \$0.00 \$41.00 \$249.00		X4G X4G W4G W4G X4N 512 & 61J 512 & 61J 7 531(deselects 52B) 52B (deselects 531)
3         4           5         6           7         8           9         10           11         12           13         14           15         16           17         18	Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Crew Cab option         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary         Throttle, Electronic, High Idle Engine RPM Control.         Towing package: Heaviest duty available from manufacturer         Trailer brake controller, factory installed         Power Windows, Locks, Heated Mirrors, and Remote Keyless entry	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA) (Please ensure all items are included)	\$327.00 \$497.00 \$0.00 STD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 STD \$323.00 STD \$0.00 \$41.00		X4G X4G W4G W4G X4N 512 & 61J 7 531(deselects 52B)
3         4           5         6           7         8           9         10           11         12           13         14           15         16           17         18	Wheelbase/CA Options         Wheelbase/CA Options         PRELIMINARY REQUIREMENTS:         Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.         TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:         The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).         ADDITIONAL MDOT OPTIONS         Super Cab option         Crew Cab option         Crew Cab option         Crew Cab option         Axle Rear Limited slip         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         Spare tire and wheel. Wrench-wheel and jack.         Switches, upfitter for auxiliary         Throttle, Electronic, High Idle Engine RPM Control.         Towing package: Heaviest duty available from manufacturer         Trailer brake controller, factory installed	169WB (84" CA) 193WB (108" CA) 205WB (120" CA) 168WB (60" CA) 192WB (84" CA) 179WB (60" CA) 203WB (84" CA)	\$327.00 \$497.00 \$0.00 \$TD \$0.00 \$2,160.00 \$2,326.00 \$2,973.00 \$3,143.00 \$332.00 \$332.00 \$3250.00 \$323.00 \$TD \$0.00 \$41.00 \$249.00		X4G X4G W4G W4G X4N 512 & 61J 512 & 61J 7 531(deselects 52B) 52B (deselects 531)

20	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
-	Upfitter Interface Module		\$272.00		18A
	SPECIAL PAINT		<i><b>Q</b>272.000</i>		10/1
24	School Bus Yellow [84S53]		\$608.00		ВҮ
-	Omaha Orange [W5684E]		\$608.00		
	Please identify ALL other fees or costs not designated above that are included in your "Base		<i><i><i>ϕϕϕϕϕϕϕϕϕϕϕϕϕ</i></i></i>		
26	Price" bid (provide details in "NOTES").		\$0.00		
3	958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R.		çoloc	DELIVERY PER	
_	14,500 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MIDEAL PRICE		NOTES
		F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	\$31,930.00	\$2.50	
		DESTINATION			
2	Wheelbase/CA Options	169WB (84" CA)	\$166.00		
3	Wheelbase/CA Options	193WB (108" CA)	\$332.00		
4	Wheelbase/CA Options	205WB (120" CA)	\$497.00		
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD		
-	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
-	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00		
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,732.00		Х4Н
8	Super Cab option	192WB (84" CA)	\$2,897.00		Х4Н
9	Crew Cab option	179WB (60" CA)	\$3,545.00		W4H
10	Crew Cab option	203WB (84" CA)	\$3,710.00		W4H
11	Axle Rear Limited slip		\$332.00		X8L
12	Hubs autolocking on front	not available on gas engine	\$0.00		
13	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$250.00		
	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
14	51 sq. in., minimum.		STD		
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$323.00		512 & 61J
	Switches, upfitter for auxiliary		STD		
17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00		?
18	Towing package: Heaviest duty available from manufacturer		\$41.00		531(deselects 52B)
19	Trailer brake controller, factory installed		\$249.00		52B (deselects 531)
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$841.00		90L, crew cab +\$194
21	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth	6020.00		96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System	Technology System	\$920.00		900
_	110V/400W Outlet		¢161.00		43C
	Cab Steps-Black Molded		\$161.00		43C 18B, super & crew cab +\$114
-	Upfitter Interface Module		\$295.00		
-	Snow Plow Prep Package (4X4)		\$272.00 \$171.00		18A 472
20	Show Prov Prep Package (4X4) SPECIAL PAINT		\$171.00		473
27	School Bus Yellow [84S53]		\$608.00		PV.
	School Bus Fellow     [84555]       Omaha Orange     [W5684E]		\$608.00		ВҮ
20			<u>00.800</u>		
29	Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").		¢0.00		
305	8-0113D (3958-0117D) HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS,		\$0.00		
575	DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS		DELIVERY PER MILE	NOTES
	DIESEL, (G.V.W.N. 14,500 LDS., IIIII.) (4 X 4)	LACEPTIONS TO SPECIFICATIONS	INIDEAL PRICE	IVITLE	NOTES

		F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	\$39,595.00	\$2.50	
		DESTINATION	<i>ç</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ŷ2.50	
2	Wheelbase/CA Options	169WB (84" CA)	\$166.00		
3	Wheelbase/CA Options	193WB (108" CA)	\$332.00		
	Wheelbase/CA Options	205WB (120" CA)	\$497.00		
	PRELIMINARY REQUIREMENTS:		\$0.00		99T (6.7 diesel)
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
_	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00		
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,732.00		X4H
8	Super Cab option	192WB (84" CA)	\$2,897.00		Х4Н
	Crew Cab option	179WB (60" CA)	\$3,545.00		W4H
10	Crew Cab option	203WB (84" CA)	\$3,710.00		W4H
11			\$332.00		X4N
12	Hubs autolocking on front		\$171.00		213
13	Keys $-$ (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.		\$250.00		
14	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
	51 sq. in., minimum.		STD		
	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$323.00		512 & 61J
	Switches, upfitter for auxiliary		STD		
			\$0.00		?
			\$533.00		535
	Trailer brake controller, factory installed		\$249.00		52B
20	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$841.00		90L, crew cab +\$194
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$920.00		96V
22	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
25	Upfitter Interface Module		\$272.00		18A
	SPECIAL PAINT				
	School Bus Yellow [84S53]		\$608.00		ВҮ
27	Omaha Orange [W5684E]		\$608.00		
28	Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").		¢0.00		
	Price bid (provide details in NOTES ).		\$0.00		
3	958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MIDEAL PRICE	DELIVERY PER MILE	NOTES
		F-450 16500 GVWR (F4H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	\$31,865.00	\$2.50	
		DESTINATION			
2	Wheelbase/CA Options	169WB (84" CA)	\$166.00		
3	Wheelbase/CA Options	193WB (108" CA)	\$332.00		
4	Wheelbase/CA Options	205WB (120" CA)	\$497.00		
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, with P.T.O. Provision.				
5	Factory installed.		\$257.00		62R
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00		

	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,732.00		Х4Н
	Super Cab option	192WB (84" CA)	\$2,897.00		Х4Н
	Crew Cab option	179WB (60" CA)	\$3,545.00		W4H
	Crew Cab option	203WB (84" CA)	\$3,710.00		W4H
	Axle Rear Limited slip		\$332.00		X4N
	Hubs autolocking on front	not available on gas engine			
	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
13	delivery.		\$250.00		
	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
14	51 sq. in., minimum.		STD		
15	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$323.00		512 & 61J
16	Switches, upfitter for auxiliary		SRD		
	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00		?
	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$175.00		ТНВ
19	Towing package: Heaviest duty available from manufacturer		\$41.00		531(deselects 52B)
	Trailer brake controller, factory installed		\$249.00		52B (deselects 531)
	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$841.00		90L, crew cab +\$194
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Includes SYNC Entertainment & Bluetooth Technology System	\$920.00		96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
26	Upfitter Interface Module		\$272.00		18A
	SPECIAL PAINT				
	School Bus Yellow [84S53]		\$608.00		BY
28	Omaha Orange [W5684E]		\$608.00		
29	Please identify ALL other fees or costs not designated above that are included in your "Base				
	Price" bid (provide details in "NOTES").		\$0.00		
			\$19,211.00		
3	958-0118 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R. 18,000 LBS., min.)	EXCEPTIONS TO SPECIFICATIONS	MIDEAL PRICE	DELIVERY PER MILE	NOTES
1	MODEL - CURRENT NEW	F-550 18000 GVWR (F5G) 145" WB, 60" CA - Including DESTINATION	\$30,275.00	\$2.50	
2	Wheelbase/CA Options	169WB (84" CA)	\$166.00		
3	Wheelbase/CA Options	193WB (108" CA)	\$332.00		
4	Wheelbase/CA Options	205WB (120" CA)	\$497.00		
	PRELIMINARY REQUIREMENTS:				
5	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
6	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).		\$0.00		
	ADDITIONAL MDOT OPTIONS				
	Super Cab option	168WB (60" CA)	\$2,165.00		X5G
	Super Cab option	192WB (84" CA)	\$2,330.00		X5G
	Crew Cab option	179WB (60" CA)	\$2,978.00		W5G
	Crew Cab option	203WB (84" CA)	\$3,143.00		W5G
11	Axle Rear Limited slip		\$332.00		X8L
12	Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.		\$250.00		

13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)         15       Switches, upfitter for auxiliary       (Please ensure all items are included)         16       Throttle, Electronic, High Idle Engine RPM Control.       17         17       Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)			
51 sq. in., minimum.       51 sq. in., minimum.         14 Spare tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)         15 Switches, upfitter for auxiliary       16 Throttle, Electronic, High Idle Engine RPM Control.			
15       Switches, upfitter for auxiliary         16       Throttle, Electronic, High Idle Engine RPM Control.	STD		
16   Throttle, Electronic, High Idle Engine RPM Control.	i) <b>\$323.00</b>		512 & 61J
	STD		
17 Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)	\$0.00		?
	<b>\$175.00</b>		ТНВ
<b>18</b> Towing package: Heaviest duty available from manufacturer	\$41.00		531(deselects 52B)
<b>19</b> Trailer brake controller, factory installed	\$249.00		52B (deselects 531)
20 Transmission Power Take-Off Provision	\$257.00		62R
21 Power Windows, Locks, Heated Mirrors, and Remote Keyless entry	\$841.00		90L, crew cab +\$194
22       Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control       Includes SYNC Entertainment & Blue         Technology System       Technology System	stooth \$920.00		96V
23 All of the above listed & SYNC Entertainment & Bluetooth Technology System			
<b>24</b> 110V/400W Outlet	\$161.00		43C
25 Cab Steps-Black Molded	\$295.00		18B, super & crew cab +\$114
26 Upfitter Interface Module	\$272.00		18A
SPECIAL PAINT	<u> </u>		200
27 School Bus Yellow [84S53]	\$608.00		ВҮ
28         Omaha Orange         [W5684E]	\$608.00		
20       Onland Orange       [W 5004E]         20       Please identify ALL other fees or costs not designated above that are included in your "Base	2008.00		<u> </u>
29 Price" bid (provide details in "NOTES").	\$0.00		
The bid (provide details in NOTES ).	\$16,943.00		
2029 ALLON HEAVY DUTY TRUCKS, CAD AND CHASSIS DIESEL DUAL DEAD WHEELS	<b>\$10,945.00</b>		
3958-0118D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, DUAL REAR WHEELS (G.V.W.R. 18.000 LBS., min.) EXCEPTIONS TO SPECIFICATIONS		DELIVERY PER MILE	NOTES
	_	IVIILE	NOTES
F-550 18000 GVWR (F5G) 1		4	
1     MODEL - CURRENT NEW       WB, 60" CA - Including	; \$37,665.00	\$2.50	
DESTINATION			
2 Wheelbase/CA Options 169WB (84" CA)	\$166.00		
3   Wheelbase/CA Options   193WB (108" CA)	\$332.00		
4 Wheelbase/CA Options 205WB (120" CA)	\$497.00		
PRELIMINARY REQUIREMENTS:	\$0.00		99T (6.7 diesel)
<b>5</b> Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.	STD		
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:			
6 The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even			
though they may be optional with the manufacturer (refer to page B).	\$0.00		<u>                                     </u>
ADDITIONAL MDOT OPTIONS			
7 Super Cab option 168WB (60" CA)	\$2,165.00		X5G
8 Super Cab option 192WB (84" CA)	\$2,330.00		X5G
9 Crew Cab option 179WB (60" CA)	\$2,978.00		W5G
	\$3,143.00		W5G
10         Crew Cab option         203WB (84" CA)	\$332.00		X4N
10     Crew Cab option     203WB (84" CA)       11     Axle Rear Limited slip			
11       Axle Rear Limited slip         Keys = (1) additional set (total of 3 sets) with code numbers: shall be with the vehicle at the time of			
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of	\$250.00		
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         Mirrors-Rear View, Inside, Outside R H, and L H, below evelevel, extended reach, swing away type	\$250.00		
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,			
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.	STD		512 & 611
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.	STD () \$323.00		512 & 61J
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.         15       Switches, upfitter for auxiliary	stD () <b>\$323.00</b> StD		
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.	STD () \$323.00		512 & 61J ?
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.         15       Switches, upfitter for auxiliary	STD \$323.00 \$TD \$0.00		?
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.         15       Switches, upfitter for auxiliary         16       Throttle, Electronic, High Idle Engine RPM Control.         17       Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)	() STD () \$323.00 STD \$0.00 \$175.00		? THB
11       Axle Rear Limited slip         12       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         13       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.         14       Spare tire and wheel. Wrench-wheel and jack.         15       Switches, upfitter for auxiliary         16       Throttle, Electronic, High Idle Engine RPM Control.	STD \$323.00 \$TD \$0.00		?

20	Transmission Power Take-Off Provision		\$257.00		62R
-	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$841.00		90L, crew cab +\$194
		Includes SYNC Entertainment & Bluetooth	<b>3041.00</b>		50L, CIEW Cab 19194
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Technology System	\$920.00		96V
	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
25	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
26	Upfitter Interface Module		\$272.00		18A
	<u>SPECIAL PAINT</u>				
27	School Bus Yellow [84S53]		\$608.00		ВҮ
28	Omaha Orange [W5684E]		\$608.00		
29	Please identify ALL other fees or costs not designated above that are included in your "Base				
	Price" bid (provide details in "NOTES").		\$0.00		
3	958-0119 HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS (G.V.W.R.	EXCEPTIONS TO SPECIFICATIONS		DELIVERY PER	
	18,000 LBS., min.) (4 x 4)	EXCEPTIONS TO SPECIFICATIONS	MIDEAL PRICE	MILE	NOTES
		F-550 18000 GVWR (F5H) 145"			
1	MODEL - CURRENT NEW	WB, 60" CA - Including	\$32,845.00	\$2.50	
		DESTINATION			
2	Wheelbase/CA Options	169WB (84" CA)	\$161.00		
3	Wheelbase/CA Options	193WB (108" CA)	\$327.00		
	Wheelbase/CA Options	205WB (120" CA)	\$497.00		
	PRELIMINARY REQUIREMENTS:				
	Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.		STD		
	TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
	The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
6	though they may be optional with the manufacturer (refer to page B).		\$0.00		
	ADDITIONAL MDOT OPTIONS				
7	Super Cab option	168WB (60" CA)	\$2,727.00		Х5Н
	Super Cab option	192WB (84" CA)	\$2,893.00		Х5Н
9	Crew Cab option	179WB (60" CA)	\$3,900.00		W5H
	Crew Cab option	203WB (84" CA)	\$3,710.00		W5H
	Axle Rear Limited slip		\$332.00		X8L
-	Hubs autolocking on front	not avilable on gas engine	\$0.00		213
	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				-
13	delivery.		\$250.00		
$\vdash$	Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,				
14	51 sq. in., minimum.		STD		
	Spare tire and wheel. Wrench-wheel and jack.	(Please ensure all items are included)	\$323.00		512 & 61J
	Switches, upfitter for auxiliary		STD		
	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00		?
	× ×				·
18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		\$175.00		ТНВ
19	Towing package: Heaviest duty available from manufacturer		\$41.00		531(deselects 52B)
	Trailer brake controller, factory installed		\$249.00		52B (deselects 531)
	Transmission Power Take-Off Provision		\$249.00		62R
	Power Windows, Locks, Heated Mirrors, and Remote Keyless entry		\$257.00		90L, crew cab +\$194
		Includes SYNC Entertainment & Bluetooth			
	Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control	Technology System	\$920.00		96V
24	All of the above listed & SYNC Entertainment & Bluetooth Technology System				
	110V/400W Outlet		\$161.00		43C
26	Cab Steps-Black Molded		\$295.00		18B, super & crew cab +\$114
	Upfitter Interface Module		\$272.00		18A
	SPECIAL PAINT				
	School Bus Yellow [84S53]		\$608.00		BY
·		·			

19         Prescienting value feets in "NOTES":	20	Omaha Orange [W5684E]		¢600.00			1
Part Process Product Acta Bia "NOTES", CLASSIS, DIESH, DIAL REAR WHEELS         Source of the second acta Bia acta	29			\$608.00			
335-93         1990 fEAVY DUTY PRICES: CAR AND CHASSE, DEAL REAR WHEELS	30	Pricate fuentity ALL other fees or costs not designated above that are included in your "Base		¢0.00			
Image: Instant of the second secon	1	Price Did (provide details in NOTES). 3058-0119D HEAVV DUTV TRUCKS: CAR AND CHASSIS DIESEL DUAL REAR WHEELS		\$0.00			
HordErlCURRENT NEW         F553 13000 GXWR (Egr) 145         540,50         52,50           2         Wacdhas:CA Optiona         159WR (Bar' CA)         5510,00         159WR (Bar' CA)         5510,00           3         Wacdhas:CA Optiona         159WR (Bar' CA)         5510,00         159WR (Bar' CA)         5510,00           4         Wacdhas:CA Optiona         159WR (Bar' CA)         5510,00         159WR (Bar' CA)         5510,00           9         Wacdhas:CA Optiona         159WR (Bar' CA)         5510,00         159WR (Bar' CA)         5500,00           9         Wacdhas:CA Optiona         159WR (Bar' CA)         5500,00         559WR (Bar' CA)         5500,00           9         Firston NADRD FACTORY FXQUIPPED AS FOLLOWS:         168WR (Bar' CA)         552,77200         559HR           10         Firston NADRD FACTORY FXQUIPPED AS FOLLOWS:         168WR (Bar' CA)         55,772,700         559HR           2         Supric Can' option         129WR (Bar' CA)         55,772,700         559HR           3         Supric Can' option         129WR (Bar' CA)         55,772,700         559HR           4         Supric Can' option         129WR (Bar' CA)         55,772,700         559HR           5         Supric Can' option         129WR (Bar' CA) <t< td=""><td></td><td></td><td>EXCEPTIONS TO SPECIFICATIONS</td><td></td><td></td><td>NOTES</td><td></td></t<>			EXCEPTIONS TO SPECIFICATIONS			NOTES	
1MORDE - CURRENT NRWWE, 6° Ca. 1-cold DESTINATIONS2.20 Ca2Weehbase CA Options5151000515100051510003Weehbase CA Options150900 (10° CA)59120004Wachbase CA Options150900 (10° CA)59270004Wachbase CA Options150900 (10° CA)59270005Transmission Automatic with maximum capacity manuscion of cooler, Factory installed.57000977 (6.7 disce))6The instituted in the second use of cooler pactory installed.57000007OBS FC SANDE FACTORY COULTPED AS FOLLOWS:000006The instituted in the second use of cooler pace Ba bench term and dectar factors for took toxige Ba 		(0. • • • • • • • • • • • • • • • • • • •		NIIDEAL I NICL	IVILL	HOLES	
Image:	1	MODEL - CURRENT NEW		\$40,735,00	\$2.50		
2     WenchaseCA Options     1959W (84° CA)     \$161.00     MethodesCA Options       4     WenchaseCA Options     2050W (120° CA)     \$977.00     \$977.00       5     Transmission: Automatic with maximum capacity transmission of cooler, Factory installed.     500     \$977.67.67.66.0000       6     The INSTANCE VACUEVED SUPPLICATIONS     500     \$977.67.67.66.0000       7     DO BE STANCE VACUEVED SUPPLICATIONS     500     \$977.67.76.76.0000       6     The instituted in the according target (ransmission of cooler, Factory instituted on all whicks, even, the product even of manufacturer (refer to sage 8).     \$0.00     \$2272.00     \$307.00       6     The instituted in the according target (ransmission even by a solidied on all whicks, even, the product even of product in the according target (ransmission even by a solidied on all whicks, even, the product even of product in the according target (ransmission even by a solidied on all whicks, even, the product even of product in the according target (ransmission even by a solidied on all whicks, even, the according target (ransmission even by a solidied on all whicks, even, the according target (ransmission even by a solidied on all whicks, even hasker, a solidied	l .			<i>\$</i> 40,705.00	Ŷ2.50		
3       Mechage:C A Options       19300 (B2° CA)       9327.00       Image: Section (Section (Sect	2	Wheelbase/CA Options		\$161.00			
4     WeekbaseCA Options     205WB (120° CA)     5000     997 (6.7 discer)       5     Transmission: Automatic: with maximum capacity transmission oil cooker, Factury installed.     5700     997 (6.7 discer)       6     The ETANARD FACTORE VECUPTED AS FOLLOWS:     5000     997 (6.7 discer)       7     To BE STANARD FACTORE VECUPTED AS FOLLOWS:     5000     5000       8     Theore, Instance Participation of Look Econometa rate to be supplied on all vehicles, even.     5000     5000       ADDITIONAL NDOI OPTIONS     5000     5000     50300     50300       2     Super Cab option     1592WB (6° CA)     5,727.00     533400       3     Cew Cab option     1592WB (6° CA)     5,7300     50300       10     Cew Cab option     1592WB (6° CA)     5,7300     50300       11     Add Rear Linden Jip     51200     533400     50300       12     Hab avalocking on front     51200     532400     533400       13     Add Rear Linden Jip     51200     522000     5000       14     Keya - (1) dottional 37 seb) with code numbers, shall be with the vehicle at the time of divery.     51300     5228 613       14     Mitrors, Rear Vaw, Inside Couside R.H. and L.H., below eye level, extended reach, swing away typ:     510     52200     5000       15     Statter of a							
PRELIMINARY REQUIREMENTS:997 (6.7 disset)Transmission of looler, Factory installed.500997 (6.7 disset)To Restrainstory atomatics with maximum capacity transmission of looler, Factory installed.500500To Re STANDARD FACTORY FQLUPPED AS FOLLOWS:	-		· · ·				
5     Transmission: Automatic: with maximum capacity transmission of cooler, factory installed.     Status     Status     Status       7     The EX STANDARD FACTORY FOLIPPED AS FOLLOWS:     Status     Status       6     The Instituted in the general ageoffication for Truck Equipment are to be supplied on all whicks, even theore the supplied on all whicks, even the supplied on all which which at the time of divery.     Status     Status     Status       11     Add Reat Trucks, full the Engine RPM Control.     Prease even all term are included?     Status     Status       12     Trainer Marke, Weiler Granding     Status     Status     Status     Status       13     Status     Prease even all term are included?     Status     Status       14     Add Reat Trucks, Think Beard, Exc.     Status     Status     Status       15     Status     Status     Status     Status       16	<u> </u>					99T (6.7 diesel)	
TO RE STANDARD FACTORY FQUIPPED AS FOLLOWS:     Image: Constraint of the senser layer of the sensere	5						
9     The struct state in the general specifications for Truct Equipment are to be supplied on all vehicles, even.     900     900       ADDITIONAL MOOT OPTIONS     527.00     X544       3     Stare (1 about here was be potion) with the manufacturer (refer to page B).     155W8 (60° CA)     52.7200     X544       3     Stare (2 ab option)     152W8 (80° CA)     52.1700     W544       4     Stare (2 ab option)     179W8 (60° CA)     53.17000     W544       10     Crex Cab option     293W8 (80° CA)     53.1700     W544       11     Adde frear Limited slip     532.00     X544       12     Icks at objeck ing on front     532.00     X544       13     Keys (-1) additional set (1 oad of 3 sets) with ende numbers; shall be with the vehicle at the time of drivery.     532.00     532.00     522.60       14     Mirrors Rar View, Inside, Outside RH, and LH, below eye level, extended reach, swing away type, Si sq in, minimum.     510     5000     7       15     System, and wheel. Wrench-wheel and jack.     (Piesae ensure all tows are induced)     532.00     522.60       14     Mirrors Rar View, Inside Courside RF Rear duals, mud and anow (Goodyear preferred)     5331.00     535 (deaster) 548 is sin sine on XHR       15     Sprace Tab option     527.00     528     528       16     Traite brack, Rearded Mirrors, a	-			0.2			
9         body there may be optional with the manufacture (refer to page B).         5000         5000           ADDITIONAL ADDOT OPTIONS         158WH 60° CA)         52,27270         X511           7         Speer Cab option         159WB 60° CA)         52,27270         X511           8         Speer Cab option         159WB 60° CA)         52,39000         W514           10         Cee Cab option         179WB 60° CA)         52,1200         W514           11         Add Rear Linuted stip         5332.00         X644           12         Habs anotocking on front         5332.00         X644           13         Keys         Mitrors. Fear View, Inside Outside R.H. and L.H., below eye level, extended reach, swing away type,         570         S70           14         Witrors. Fear View, Inside Outside R.H. and L.H., below eye level, extended reach, swing away type,         570         S70           15         Speer tim and wheel. Wrench-wheel and jack.         (Please ensure al items are noteded         \$322.00         S712.86 £11           16         Witrors, Rubel Engine RPM Control.         Prove         \$323.00         S512.86 £11           17         Intrade Table Angline RPM Control.         S512.00         S512.86 £11           16         Witrors and Remote Kryless entry         \$3240							
DUTTONAL MDOT OFTIONSImage: constraint of the set o	6			\$0.00			
7       Sper Cab option       159W0 [80* (A)       52900       X5H         9       Sper Cab option       159W0 [80* (A)       53300       W5H         9       Crew Cab option       179W8 [60* CA]       53300.00       W5H         10       Crew Cab option       179W8 [60* CA]       53300.00       W5H         11       Ack rear Limited slip       5324.00       X4N         12       Hub antolocking on front       5321.00       213         12       Hub antolocking on front       5323.00       213         13       Keys - (1) additional set total of 3 sets) with code numbers; shall be with the vehicle at the time of states are included!       5323.00       512.8 cJJ         14       Mirrors-Rear View, Inside. Outside R.H. and L.H., below cyc level, extended reach, swing away type is in minimum.       510       510         15       Synetic and wheel. Wrench-wheel and jack.       (Pease onsers al items are included!)       523.00       72         16       Swinchs. upfitter for anualiary       550       70       70         17       Transton on wheel Xereach wheel and jack.       (Pease onsers al items are includes!)       523.00       521.2 6 cJJ         18       Transton New, Take-Off Provision       523.00       525.00       528       528	<u> </u>						
8         Sper Cab option         129W B(8" CA)         52,893.00         X9H 40           9         Crew Cab option         179W B(6" CA)         53,900.00         WSH           10         Crew Cab option         203W B(8" CA)         53,900.00         WSH           11         Ask Rear Limited slip         5322.00         MSH           12         Habs autochking on front         5322.00         X4M           13         Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.         5325.00         Central Cab State Cab	7		168WB (60" CA)	\$2,727.00		Х5Н	
9         Crew Cab option         179WB (60° CA)         53 90.00         WH           10         Crew Cab option         203WB (84° CA)         53,710.00         WSH           10         Crew Cab option         5322.00         AM           11         Axle Rear Limited slip         5371.00         AXH           12         Hubs autolocking on front         5312.00         AXH           12         Hubs autolocking on front         5372.00         213           13         Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of spinon         5370.00         213           14         Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of spinon         5323.00         512 & 611           15         Spare tire and wheel. Wrench-wheel and jack.         (Ptesse ensure at mems are included)         530.00         7           16         Switchs, apritter for auxiliar         500.0         7         1           17         Thortel, Electronic, High Idle Engine RPM Control.         500.00         7         1           18         Traise, robotes, Kaliat to meet G. W.W. R. Rear duals, mud and snow (Goodyear preferred)         515.00         535 (desslets X44 & select X44)           19         Trainsmission Power Take CPI Provision<							
10Crew Cab option\$37.000W5H10Ava Reat Limited slip\$332.00\$4N11Ava Reat Limited slip\$332.00\$4N12Hubs autolocking on front\$317.00\$21313Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.\$250.00\$21314Mirrors-Reat View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, \$15\$250.00\$100\$10015Space tire and wheel. Wrench-wheel and jack.(Please ensure all terms are included)\$223.00\$128.6115Swincke, space tire and wheel. Wrench-wheel and jack.\$100\$100\$100\$10016Swincke, space tire and wheel. Wrench-wheel and jack.\$100\$100\$100\$10017Ihrors, Tack, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)\$100\$110\$110\$11016Transmission Power Take-Of Provision\$229.00\$28\$28\$28\$2812Transmission Power Take-Of Provision\$200.00\$28\$28\$28\$200.00\$2812Transmission Power Take-Of Provision\$225.00\$28\$28\$200.00\$2812Rotme from bumper, AM/PM Sterco Single Cd w/A speakers, & Cruise Control\$285.00\$28 <td< td=""><td>9</td><td></td><td></td><td></td><td></td><td>W5H</td><td></td></td<>	9					W5H	
11       Ake Rear Limited slip       S12       Model Slip       X4N         12       Huks audokcing on from       S17100       213         13       Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.       S17100       213         14       Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, S1700       5170       0       5170         15       Spare tire and wheel. Wrench-wheel and jack.       Pressee ensure all terms are included)       5323.000       5122.8.510         16       Wirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, S170       5170       0       5170         17       Thorte, Electronic, High Idle Engine RPM Control.       533.000       533.000       533 (Bealewast XMA assess XMA)         19       Towing package: Heaviest duty available from manufacturer       20       533.00       533 (Bealewast XMA assess XMA)         20       Transison Power Take-OIP Provision       624       525.00       628       628         21       Transison Power Take-OIP Provision and Remote Keyless entry       Reliver SVM Chretortainment & Buetooth Technology System       523.000       500, Crew cab +5134         22       Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       Reladei SVMC Chretortainment &	10		203WB (84" CA)	\$3,710.00		W5H	
15     Keys - (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.     5250.00     5250.00       15     Age, in, minimum.     5250.00     512     513       15     Spare tire and wheel. Wrench-wheel and jack.     (Please ensure all terms are included)     \$223.00     512     512       16     Switches, upfitter for auxiliary     500     7     500     7       17     Throthe, Electronic, High Idle Engine RPM Control.     500     7       18     Track, Tubeless, Radial, to meet G-V.W.R. Rear duals, mud and snow (Goodycar preferred)     \$313     \$351 (desident XHA selens X4)       19     Towing package: Heaviest dury available form manufacturer     \$333.00     \$321 (desident XHA selens X4)       21     Transmission Power Take-Off Provision     \$227.00     \$28       22     Forwer Windows, Locks, Heated Mirrors, and Remote Keyless entry     \$352.00     \$28       23     Chorner forubumper, ALPM Stereo,Single Cd w4 speakers, & Cruise Control Ecology System     \$314       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$325.00     \$38, upper Control installed       24     All of the above [isted & SYNC Entertainment & Bluetooth Technology System     \$325.00     \$38, upper Control installed       25     Forker Hant     \$100, verew cab \$134     \$255.00     188, supper &						X4N	
3       divery.       \$250.00       \$250.00       \$250.00         4       Mirros-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, \$1 s.g. in, minimum.       \$51 s.g. in, minimum.       \$51 s.g. in, minimum.         5       Spar tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)       \$523.00       \$12 R. 61J         5       Spar tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)       \$50.00       \$7         6       Switches, upottier for auxiliary       \$50.00       \$7       \$7         7       Thordit, Electronic, High Idle Engine RPM Control.       \$50.00       \$33 (denoicet XWR & select XWL)         10       Traisen scone Take-Off Provision       \$283.00       \$35 (denoicet XWR & select XWL)         20       Traisen ission Power Take-Off Provision       \$283.00       \$28         21       Tarasmission Power Take-Off Provision       \$280.00       \$90,00       \$90,00         22       Power Windows, Locks, Hated Mirrors, and Remote Keyless entry       Includer SWE Entertainment & Bilectooth Technology System       \$92.000       \$90,00         24       All of the above Isited & SYNC Entertainment & Bilectooth Technology System       \$92.000       \$92.000       \$90,00         25       1109/4000 Volute       \$100 Volute	12	Hubs autolocking on front		\$171.00		213	
3       divery.       \$250.00       \$250.00       \$250.00         4       Mirros-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, \$1 s.g. in, minimum.       \$51 s.g. in, minimum.       \$51 s.g. in, minimum.         5       Spar tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)       \$523.00       \$12 R. 61J         5       Spar tire and wheel. Wrench-wheel and jack.       (Please ensure all items are included)       \$50.00       \$7         6       Switches, upottier for auxiliary       \$50.00       \$7       \$7         7       Thordit, Electronic, High Idle Engine RPM Control.       \$50.00       \$33 (denoicet XWR & select XWL)         10       Traisen scone Take-Off Provision       \$283.00       \$35 (denoicet XWR & select XWL)         20       Traisen ission Power Take-Off Provision       \$283.00       \$28         21       Tarasmission Power Take-Off Provision       \$280.00       \$90,00       \$90,00         22       Power Windows, Locks, Hated Mirrors, and Remote Keyless entry       Includer SWE Entertainment & Bilectooth Technology System       \$92.000       \$90,00         24       All of the above Isited & SYNC Entertainment & Bilectooth Technology System       \$92.000       \$92.000       \$90,00         25       1109/4000 Volute       \$100 Volute		Kave (1) additional set (total of 3 sets) with code numbers: shall be with the vehicle at the time of					
1451 sq. in., minimum.51 b51 b51 c15Spure tire and wheel. Wrench-wheel and jack.(Please ensure all items are included)\$323.00\$12 & 61J15Spure tire and wheel. Wrench-wheel and jack.(Please ensure all items are included)\$323.00\$12 & 61J16Switches, upfilter for auxiliary57017Throttle, Electronic, High Idle Engine RPM Control.\$50.00?18Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)\$175,00THB19Towing package: Heaviest duty available from manufacturer\$533.00\$35 (deselects XW & selects XW)19Towing package: Heaviest duty available from manufacturer\$243.00\$2619Trailer brake controller, factory installed\$257.0062R21Transmission Power Take-Off Provision\$257.00\$2622Power Windows, Locks, Heated Mirrors, and Remote Keyless entryselect XWI23Chrome front bumper, AM/FM Sterco/Single Cd w/4 speakers, & Cruise Control\$245.00\$90U24All of the above listed & SYNC Entertainment & Bluetooth Technology System\$257.00188, super & crew cab \$11425LiOV400W Outet\$272.00188\$18, super & crew cab \$11426Cab Steps-Black Molded\$272.00188\$1827Upfitter Interface Module\$272.0018A\$608.0028Schoo Bux Stellow\$608.00\$00\$0029Omaha Orange[W36581]\$608.00 <td>13</td> <td></td> <td></td> <td>\$250.00</td> <td></td> <td></td> <td></td>	13			\$250.00			
S1 sq. in., minimum.       S10       S10       S10       S10         S1 Spare tire and wheel. Wrench-wheel and jack.       (Please ensure all items are includeel)       S10       S12 & 611         S1 Trans, Tincita, Electronic, High Idle Engine RPM Control.       S10       S10       ?         T1 Throtte, Electronic, High Idle Engine RPM Control.       S10       ?       ?         S1 Trans, Tincita, Electronic, High Idle Engine RPM Control.       S10       ?       ?         S1 Trans, Tincita, Electronic, High Idle Engine RPM Control.       S10       ?       ?         S1 Trans, Tincita, Electronic, High Idle Engine RPM Control.       S10       ?       ?         S1 Trans, Tincita, Electronic, High Idle Engine RPM Control.       S10       ?       ?         S1 Transmission Power Take, Controller, factory installed       S257.00       S28       ?         S1 Transmission Power Take, Off Provision       S26.00       ?       ?       ?         S2 Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       S481.00       ?       ?       ?         S1 Hot Powel Bited & SYNC Entertainment & Bluetooth Technology System       S21       ?       ?       ?       ?         S2 Fochol Bus Yellow       [8453]       S608.00       BY       8       ?       ?       ? <td></td> <td>Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,</td> <td></td> <td></td> <td></td> <td></td> <td></td>		Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type,					
15Spare tire and wheel. Wrench-wheel and jack.(Please ensure all terms are included)\$323.00512 & 61116Switches, upfitter for auxiliary $370$ $370$ $370$ 17Throttle, Electronic, High Idle Engine RPM Control. $500$ $7$ 18Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred) $$175.00$ $375$ (deselects XMR selects XMI)19Towing package: Heaviest dury available from manufacturer $$200.00$ $528$ $528$ 20Traiter factory installed $$257.00$ $62R$ 21Transmission Power Take-Off Provision $$200.00$ $$280.00$ $$600.00$ 22Ower Windows, Locks, Heated Mirrors, and Remote Keyless entry $Reludes SWC Entertainment & Bluetoon900, crew cab + $19423Chrome from bumper, AM/FM Stereo/Single C w/4 speakers, & Cruise ControlReludes SWC Entertainment & Bluetoon96024All of the above listed & SYNC Entertainment & Bluetoon900, crew cab + $19425110V/400W Outet1000000000000000000000000000000000000$	14			STD			
17     Throttle, Electronic, High Idle Engine RPM Control.     \$0.00     ?       17     Tres, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)     \$175.00     \$178.00       17     Tres, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)     \$153.00     \$153 (deselects XM & selets XM)       18     Truiter brack controller, factory installed     \$249.00     \$257.00     \$257.00       10     Trainsission Power Take- Off Provision     \$257.00     \$28       12     Transmission Power Take- Off Provision     \$257.00     \$28       12     Tornow front bumper, AM/FM Stereo/Single Cd W4 speakers, & Cruise Control     \$257.00     \$20       10     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$20     \$20       10/VA00W Outlet     \$260.00     \$277.00     \$28       10/VA00W Outlet     \$277.00     \$28     \$28       10/VA00W Outlet     \$277.00     \$28       20     School Bus Yellow [84S53]     \$277.00     \$88       21     Definer Interface Module     \$277.00     \$84       29     Ornaha Orange [W5684E]     \$508.00     \$89       20     Ornaha Orange [W5684E]     \$608.00     \$89       20     Preace Hight YALL Other fees or costs not designated above that are included in your "Ba	15		(Please ensure all items are included)	\$323.00		512 & 61J	
11       Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)       \$175.00       THB         13       Towing package: Heaviest duty available from manufacturer       \$533.00       \$35 (desclects X4L)         14       Towing package: Heaviest duty available from manufacturer       \$533.00       \$35 (desclects X4L)         14       Transmission Power Take controller, factory installed       \$249.00       \$28         12       Transmission Power Take.Off Provision       \$2857.00       \$28         12       Transmission Power Take.Off Provision       \$841.00       \$90L, crew cab +\$194         13       All of the above listed & SYNC Entertainment & Bluetooth Technology System       \$90L       \$96V         14       All of the above listed & SYNC Entertainment & Bluetooth Technology System       \$910.00       \$96V         15       110V/400W Outlet       \$110V/400W Outlet       \$295.00       188, super & crew cab +\$114         17       TypEfter Interface Module       \$295.00       188, super & crew cab +\$114         18       Stellow [84553]       \$20.00       \$29       \$20.00         18       School Bus Yellow [84553]       \$20.00       \$20       \$20         10       Prace identify ALL other fees or costs not designated above that are included in your "Base Price' bid (provide details in "	16	Switches, upfitter for auxiliary		STD			
1     Towing package: Heaviest duty available from manufacturer     533.00     535 (deselects XAL)       20     Trailer brake controller, factory installed     \$533.00     \$528       21     Trainer brake controller, factory installed     \$249.00     \$228       22     Power Windows, Locks, Heated Mirrors, and Remote Keyless entry     \$841.00     90L, crew cab +\$194       22     Power Windows, Locks, Heated Mirrors, and Remote Keyless entry     \$841.00     90L, crew cab +\$194       23     Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control     Indudes \$WC Entertainment & Bluetooth     \$920.00     \$96V       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$920.00     \$96V       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$920.00     \$96V       25     LID0/400W Outlet     \$161.00     43C       26     Cab Steps-Black Molded     \$272.00     18B, super & crew ob \$\$114       27     Upfitter Interface Module     \$250.00     18B, super & crew ob \$\$114       29     Omaha Orange [W5684E]     \$608.00     BY       29     Omaha Orange [W5684E]     \$000     \$000       29     Omaha Orange [W5684E]     \$0.00     \$000       30     Price'' bid (provide details in ''NOTES'').     \$0.00     \$000 <td>17</td> <td>Throttle, Electronic, High Idle Engine RPM Control.</td> <td></td> <td>\$0.00</td> <td></td> <td>?</td> <td></td>	17	Throttle, Electronic, High Idle Engine RPM Control.		\$0.00		?	
1     Towing package: Heaviest duty available from manufacturer     533.00     535 (deselects XAL)       20     Trailer brake controller, factory installed     \$533.00     \$528       21     Trainer brake controller, factory installed     \$249.00     \$228       22     Power Windows, Locks, Heated Mirrors, and Remote Keyless entry     \$841.00     90L, crew cab +\$194       22     Power Windows, Locks, Heated Mirrors, and Remote Keyless entry     \$841.00     90L, crew cab +\$194       23     Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control     Indudes \$WC Entertainment & Bluetooth     \$920.00     \$96V       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$920.00     \$96V       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     \$920.00     \$96V       25     LID0/400W Outlet     \$161.00     43C       26     Cab Steps-Black Molded     \$272.00     18B, super & crew ob \$\$114       27     Upfitter Interface Module     \$250.00     18B, super & crew ob \$\$114       29     Omaha Orange [W5684E]     \$608.00     BY       29     Omaha Orange [W5684E]     \$000     \$000       29     Omaha Orange [W5684E]     \$0.00     \$000       30     Price'' bid (provide details in ''NOTES'').     \$0.00     \$000 <td>18</td> <td>Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)</td> <td></td> <td>¢475.00</td> <td></td> <td>TUD</td> <td></td>	18	Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)		¢475.00		TUD	
20       Trailer brake controller, factory installed       528         21       Transmission Power Take-Off Provision       528         22       Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       5841.00       90L, crew cab +\$194         22       Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       100L crew cab +\$194       90L, crew cab +\$194         23       Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control       Includes SYNC Entertainment & Bluetooth Technology System       90L       96V         24       All of the above listed & SYNC Entertainment & Bluetooth Technology System       5161.00       43C         25       110V/400W Outlet       5161.00       43C         26       Cab Steps-Black Molded       5295.00       188, super & crew cab +\$114         27       Upritter Interface Module       5295.00       188, super & crew cab +\$114         28       School Bus Yellow       [84553]       892       892         29       Ornange [W5684E]       5608.00       89       892         30       Price'' bid (provide details in "NOTES'').       50.00       50.00       892         31       MODEL - CURRENT NEW       PROFILE       EXCEPTIONS TO SPECIFICATIONS       943,978.00       \$43,978.00       \$42,999.00       \$2.50     <							
21       Transmission Power Take-Off Provision       \$257.00       62R         22       Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       \$841.00       90L, crew cab +\$194         22       Ourme front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control       Indudes SWC Entertainment & Bluetooth Technology System       \$920.00       96V         24       All of the above listed & SYNC Entertainment & Bluetooth Technology System       \$920.00       96V         25       110V/400W Outlet       \$161.00       43C         26       Cab Steps-Black Molded       \$225.00       188, super & crew cab +\$114         27       Upfitter Interface Module       \$227.00       188, super & crew cab +\$114         28       School Bus Yellow [84553]       842       89       89         29       Omaha Orange [W5684E]       5608.00       89         20       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00       \$0.00         3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PRICE MIDEAL PRICE       MIDEAL PRICE MIDEAL PRICE       MIDEAL PRICE       Delivery PER MILE       NOT         1       MODEL - CURRENT NEW       PROFILE       EXCEPTIONS TO SPECIFICATIONS MDC \$43,978.00       \$43,978.00						· · ·	
22       Power Windows, Locks, Heated Mirrors, and Remote Keyless entry       \$841.00       90L, crew cab +\$194         23       Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control       \$920.00       96V         24       All of the above listed & SYNC Entertainment & Bluetooth Technology System        90L, crew cab +\$194         25       110V/400W Outlet         43C         26       Cab Steps-Black Molded       \$161.00       43C         27       Upfitter Interface Module       \$295.00       18B, super & crew cab +\$114         28       School Bus Yellow [84553]        18B, super & crew cab +\$114         29       Omaha Orange [W5684E]            20       Damba Orange [W5684E]            30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$500.00            31       MODEL - CURRENT NEW       PROFILE       EXCEPTIONS TO SPECIFICATIONS       MIDEAL PRICE       DELIVERY PER MILE       NOT         4       MODEL - CURRENT NEW       F650 25600 GWWR 158" WB, B4" CA - Including DESTINATION       \$42,999.00       \$2,500       \$2,500       \$2,500       \$2,500       \$2,500 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
2     Chrome front bumper, AM/FM Stereo/Single Cd w/4 speakers, & Cruise Control     Includes STWE Entertainment & Bluetooth     5920.00     96V       24     All of the above listed & SYNC Entertainment & Bluetooth Technology System     5920.00     96V       25     110V/400W Outlet     5161.00     43C       26     Cab Steps-Black Molded     5225.00     18B, super & crew cab +\$114       27     Upfritter Interface Module     \$272.00     18B, super & crew cab +\$114       28     School Bus Yellow     [84S53]     6688.00     BY       29     Omaha Orange     [W5684E]     5608.00     BY       29     Omaha Orange     [W5684E]     \$0.00     Specific Arrows       37     Flease identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").     \$0.00     \$0.00       37     Specific Arrows     Specific Arrows     \$0.00     Specific Arrows       37     MODEL - CURRENT NEW     Fe50 25600 GVWR 158" WB, 84" CA - Including DESTINATION     \$42,999.00     \$24,999.00     \$22,500       4     MODEL - CURRENT NEW     Fe50 25600 GVWR 158" WB, 84" CA - Including DESTINATION     \$43,978.00     \$42,999.00     \$2,500       5     PRELIMINARY REQUIREMENTS:     Fe50 25600 GVWR 158" WB, 84" CA - Including DESTINATION     \$42,999.00     \$2,500							
24       All of the above listed & SYNC Entertainment & Bluetooth Technology System       5000         25       110V/400W Outlet       \$161.00       43C         26       Cab Steps-Black Molded       \$295.00       18B, super & crew cab +\$114         27       Upfitter Interface Module       \$272.00       18B, super & crew cab +\$114         27       Upfitter Interface Module       \$272.00       18B, super & crew cab +\$114         28       School Bus Yellow       [84553]       BY         29       Omaha Orange       [W5684E]       BY         29       Omaha Orange       [W5684E]       School Bus         29       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         30       Please identify ALL other fees or Costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00       \$0.00         30       Please identify ALL other fees or Costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       MDOT PRICE       MIDEAL PRICE       DEUVERY PER MILE       NOT         30       Please identify ALL other fees or Costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00       \$2.50       <			Includes SYNC Entertainment & Bluetooth			JOL, CIEW CAD T3194	
25       110V/400W Outlet       \$161.00       43C         26       Cab Steps-Black Molded       \$295.00       18B, super & crew cab +\$114         27       Upfitter Interface Module       \$272.00       18B,         27       Upfitter Interface Module       \$272.00       18B,         28       School Bus Yellow       [84553]       \$608.00       BY         29       Omaha Orange       [W5684E]       \$608.00       \$608.00       BY         29       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00				\$920.00		96V	
26       Cab Steps-Black Molded       \$295.00       188, super & crew cab +\$114         27       Upfitter Interface Module       \$272.00       188A         39       SPECIAL PAINT       5608.00       BY         28       School Bus Yellow [84S53]       \$608.00       BY         29       Omaha Orange [W5684E]       \$608.00       BY         29       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0,00       \$0,00       BY         30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0,00       \$0,00       DeLIVERY PER MILE       NOT         30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0,00       \$0,00       DeLIVERY PER MILE       NOT         30       Prece "bid (provide details in "NOTES").       \$0,00       \$0,00       \$00       DeLIVERY PER MILE       NOT         1       MODEL - CURRENT NEW       F-650 25600 GVWR 158" WB, B       \$43,978.00       \$42,999.00       \$2.50       \$2.50         PRELIMINARY REQUIREMENTS:       MODE       MODE       MODE       MODE       MODE       S2.50       S2.50       S2.50 <td>24</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	24						
27       Upfitter Interface Module       \$272.00       18A         SPECIAL PAINT       Image: Constant of the section of th				\$161.00			
SPECIAL PAINT       Image [NS53]       Image [NS54E]       Image [NS684E]         29       Omaha Orange [WS684E]       \$608.00       BY         20       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PRICE       MDOT PRICE       MIDEAL PRICE       DELIVERY PER MILE       NOT         1       MODEL - CURRENT NEW       F-650 25600 GVWR 158" WB, BAS" CA - Including DESTINATION       \$42,999.00       \$2.50       \$2.50         PRELIMINARY REQUIREMENTS:       PRELIMINARY REQUIREMENTS:       Image State Sta				\$295.00		18B, super & crew cab +\$114	
28       School Bus Yellow [84S53]       \$608.00       BY         29       Omaha Orange [W5684E]       \$608.00       \$608.00       BY         30       Please identify ALL other fees or costs not designated above that are included in your "Base price" bid (provide details in "NOTES").       \$0.00	27	1		\$272.00		18A	
29       Omaha Orange [W5684E]       \$608.00       Image: [W5684E]         30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00         3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE       \$0.00       \$0.00       \$0.00         4       MODEL - CURRENT NEW       PROFILE       EXCEPTIONS TO SPECIFICATIONS MDOT PRICE       MIDEAL PRICE       DELIVERY PER MILE       NOT         5       MODEL - CURRENT NEW       84" CA - Including DESTINATION       \$43,978.00       \$42,999.00       \$2.50       \$2.50         5       PRELIMINARY REQUIREMENTS:       Image: State Sta							
30       Please identify ALL other fees or costs not designated above that are included in your "Base Price" bid (provide details in "NOTES").       \$0.00       \$0.00       \$0.00         30       3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE       EXCEPTIONS TO SPECIFICATIONS       MDOT PRICE       MIDEAL PRICE       DELIVERY PER MILE       NOT         1       MODEL - CURRENT NEW       F-650 25600 GVWR 158" WB, 84" CA - Including DESTINATION       \$43,978.00       \$42,999.00       \$2.50 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>BY</td><td></td></t<>						BY	
30       Price" bid (provide details in "NOTES").       \$0.00 <td>29</td> <td></td> <td></td> <td>\$608.00</td> <td></td> <td></td> <td></td>	29			\$608.00			
Price" bid (provide details in "NOTES").       \$0.00<	30						
PROFILE       EXCEPTIONS TO SPECIFICATIONS       MDOT PRICE       MIDEAL PRICE       DELIVERY PER MILE       NOT         1       MODEL - CURRENT NEW       F-650 25600 GVWR 158" WB, 84" CA - Including DESTINATION       \$43,978.00       \$42,999.00       \$2.50       \$2.50       \$42,999.00       \$2.50       \$42,999.00       \$2.50       \$42,999.00       \$2.50		Price" bid (provide details in "NOTES").		\$0.00			
1       MODEL - CURRENT NEW       F-650 25600 GVWR 158" WB, 84" CA - Including 0 543,978.00       \$42,999.00       \$2.50         2       PRELIMINARY REQUIREMENTS:       Image: Content of Conten of Content of Content of							
1       MODEL - CURRENT NEW       84" CA - Including DESTINATION       \$43,978.00       \$42,999.00       \$2.50         PRELIMINARY REQUIREMENTS:		PROFILE		MDOT PRICE	MIDEAL PRICE	DELIVERY PER MILE	NOTES
DESTINATION       PRELIMINARY REQUIREMENTS:			· · · · · · · · · · · · · · · · · · ·				
PRELIMINARY REQUIREMENTS:	1	MODEL - CURRENT NEW	Ŭ	\$43,978.00	\$42,999.00	\$2.50	
	L		DESTINATION				
2 6.8L 3V SEFI V-10 Gas - 320hp @ 3900 rpm, 460 lbft. torque @ 3000 rpm std std							
	2	6.8L 3V SEFI V-10 Gas - 320hp @3900 rpm, 460 lbft. torque @ 3000 rpm		std	std		

<b>3</b> 6 speed TorqShift HD automatic Trans - Double OD, less PTO provision		std	std	
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:				
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even				
4 though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00	
ADDITIONAL OPTIONS				
<b>5</b> Keys $-(1)$ additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
delivery.		\$250.00	\$250.00	
<b>6</b> * 4-wheel ABS, hydraulic disc brakes		std	std	
7 * Air conditioning		std	std	
8 * AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;				
external memory control		see below	see below	
9 * Daytime running lights		see below	see below	
<b>0</b> * Variable intermittent wipers		std	std	
1 * Tachometer		std	std	
2 * Folding low back driver bucket seat, low back passenger bucket seat		std	std	
<b>3</b> * 1,400 amp (total) dual batteries	1800 cca	see below	see below	
4 * Side steps		std	std	
<b>5</b> * 65.0 gal. left front fuel tank, 50.0 gal. right front fuel tank	60 gal-steel	see below	see below	
6 * Front axle capacity: 8500 lbs.		std	std	
7 * Front spring rating: 8500 lbs.		std	std	
8 * Frame section modulus: 10.7 cu.in.		std	std	
<b>9</b> * Cab to axle: 84"		std	std	
<b>20</b> * Heated fuel/water separator	on diesel power	n/a	n/a	
* Right mounted horizontal muffler, Right mounted horizontal tailpipe		std	std	
22 * Dual electric horn		std	std	
<b>23</b> * 245/70R19.5 G BSW AS tires		std	std	
24 * Tinted glass		std	std	
25 * Wireless streaming		n/a	n/a	
* Dual manual mirrors		std	std	
* 19.5 x 6.75 white steel disc wheels		std	std	
* Message Center		std	std	
<b>29</b> * Vinyl seats		std	std	
<b>30</b> * 200 amp alternator	240 amp alter	see below	see below	
* Audio control on steering wheel		std	std	
22 * Multi-leaf rear springs		std	std	
<b>3</b> * Rear axle capacity: 13500 lbs.		std	std	
<b>44</b> * Rear spring rating: 15500 lbs.		std	std	
<b>25</b> * Frame Yield Strength 80000 psi		std	std	
<b>36</b> * Axle to end of frame: 63"		std	std	
* Engine retarder	TOW/HAUL	n/a	n/a	
ADDITIONAL MDOT OPTIONS				
<b>88</b> Provide pricing for Super Cab option		<mark>\$1,975.00</mark>	1975.00.	
9 Provide pricing for Crew Cab option		\$4,670.00	\$4,670.00	
PREFFERED EQUIPMENT PACKAGE 600A		std	std	
6.8L 3V SEFI V-10 Gas - 320hp @3900 rpm, 460 lbft. torque @ 3000 rpm		std	std	
50-State Emissions		std	std	 
Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl				
determined by Rear Axle		std	std	
Ratio and Tire Size:		std	std	
3 Wheels, Front 19.Sx6.75 White Powder Coated Steel, 8-Hole		std	std	
Tires, Front Two 245/70R19.5G Hankook AH11 (618 rev/mile)		std	std	
<b>15</b> Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole		std	std	
G Tires, Rear Four 245/70R19.SG Hankook AH11 (618 rev/mile)		std	std	

47 Hydraulic Brake System - Bosch HydroMax		std	std		
<b>48</b> 8,500 lb. Cap. Non-Driving - Dana D-850F		std	std		
49 Taper-Leaf Springs, Parabolic - 8,500 lb. Cap		std	std		
<b>50</b> 13,500 lb. Single-Speed		std	std		
51 Multi-Leaf Springs - 15,500 lb. Cap		std	std		
<b>52</b> 158" Wheelbase/84" CA/63" AF/260" OAL		std	std		
<b>53</b> Single Channel -10.75 SM, 80,000 PSI		std	std		
54 Under Cab, Right Side Outlet, Switchback-Style		std	std		
55 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection		std	std		
56 200 Amp Denso SC5 Heavy Duty Alternator	240 amp alter	\$410.00	\$410.00		
57 Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box	optional	\$60.00	\$60.00		
58 30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl		std	std		
59 Mirrors, Dual - Rectangular, XL2020 - 96" Width		std	std		
60 Paint Type - Environmentally Friendly, "3 - Wet System"		std	std		
61 Bumper, Front - Black, Full Width		Included	Included		
62 Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals		Included	Included		
63 Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals		Included	Included		
<ul><li>64 Manual Regen Initiation - Driver Interface in Message Center</li></ul>	N/A GAS ENGINE				
65 Engine Exhaust Brake		Included	Included		
66 Painted Grille - Plastic		Included	Included		
67 Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights		Included	Included		
<ul><li>67 Lights - Kool Marker/Clearance - Amber Lenses, 5 Lights</li><li>68 Tow Hooks, Front (2) - Frame-Mounted, Painted Black</li></ul>		Included	Included		
<ul><li>69 Four Body Builder Switches - Mounted in Center Instrument Panel</li></ul>		\$125.00	\$125.00		
70 Floor Covering - Black Vinyl		Included	Included		
71 Intelligent Oil Life Monitor		n/a	n/a		
72 Steering Column - Tilt		Included	Included		
73 Steering Wheel - Black PVC w/Integral Cruise Control Switches		Included	Included		
74 Body Builder Wiring - At Back of Cab, Combined GVWR Limit: 25,600 lbs.		Included	Included		
75 Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	60 gal - steel	\$250.00	\$250.00		
76 SYNC Media System		\$395.00	\$ <b>395.00</b>		
77 Radio, Electronic Premium AM/FM Stereo, Disc		\$280.00	\$280.00		
78 Shock Absorbers, Rear - Double Acting		\$165.00	\$165.00		
<b>79</b> 5.29 Axle Ratio		std	std		
80 Jump Start Stud - Remote Mounted		\$90.00	\$90.00		
81 Daytime Running Lamps		\$45.00	\$45.00		
82 Transmission Power Take-Off Provision w/LiveDrive Capability		\$295.00	\$295.00		
SPECIAL PAINT					
83 School Bus Yellow [84S53]		n/c	n/c		
84 Omaha Orange [W5684E]		n/c	n/c		
Please identify ALL other fees or costs not designated above that are included in your "Base					
85 Price" bid (provide details in "NOTES").		\$0.00	\$0.00		
3958-0135 HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs., min.)	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	DELIVERY PER MILE	NOTES
	F-650 25600 GVWR 158" WB,				
1 MODEL - CURRENT NEW	84" CA - Including	\$51,302.00	\$50,199.00	\$2.50	
	DESTINATION	<i>+,</i>	+	4-100	
PRELIMINARY REQUIREMENTS:					
<ul> <li>2 6.7L V-8 OHV w/diesel direct injection 270hp</li> </ul>		STD	STD		Included in base price.
3 6 speed automatic w/OD		STD	STD		melauea in base price.
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		310	310		
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even					
4 The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even though they may be optional with the manufacturer (refer to page B).		¢0.00	¢0.00		
		\$0.00	\$0.00		
ADDITIONAL OPTIONS		l			

- n	Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of				
	delivery.	\$250.00	\$250.00		
	* 4-wheel ABS, hydraulic disc brakes	STD	STD		
7	* Air conditioning	STD	STD		
8	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;				
	external memory control	see below	see below		
	* Daytime running lights	see below	see below		
	* Variable intermittent wipers	STD	STD		
	* Tachometer	STD	STD		
	* Folding low back driver bucket seat, low back passenger bucket seat	STD	STD		
	* 1,400 amp (total) dual batteries	STD	STD		
	* Side steps	STD	STD		
	* 65.0 gal. left front fuel tank, 50.0 gal. right front fuel tank	see below	see below		
	* Front axle capacity: 8500 lbs.	STD	STD		
	* Front spring rating: 8500 lbs.	STD	STD		
	* Frame section modulus: 10.7 cu.in.	STD	STD		
	* Cab to axle: 84"	STD	STD		
	* Heated fuel/water separator	STD	STD		
	* Right mounted horizontal muffler, Right mounted horizontal tailpipe	STD	STD		
	* Dual electric horn	STD	STD		
	* 245/70R19.5 G BSW AS tires	STD	STD		
24	* Tinted glass	STD	STD		
	* Wireless streaming	\$120.00	\$120.00		
	* Dual manual mirrors	STD	STD		
	* 19.5 x 6.75 white steel disc wheels	STD	STD		
	* Message Center	STD	STD		
	* Vinyl seats	STD	STD		
	* 200 amp alternator	STD	STD		
	* Audio control on steering wheel	STD	STD		
	* Multi-leaf rear springs	STD	STD		
	* Rear axle capacity: 13500 lbs.	STD	STD		
	* Rear spring rating: 15500 lbs.	STD	STD		
	* Frame Yield Strength 80000 psi     * Axle to end of frame: 63"	STD	STD		
		STD	STD		
	* Engine retarder ADDITIONAL MDOT OPTIONS	STD	STD		
	Provide pricing for Super Cab option	64 075 00	64.075.00		
	Provide pricing for Super Cab option	\$1,975.00	\$1,975.00		
	Provide pricing for Crew Cab option PREFFERED EQUIPMENT PACKAGE 600A	\$4,670.00 N/C	\$4,670.00		
	6.7L Power Stroke V8 Turbo Diesel - 270 HP@ 2400	N/C	N/C STD		
	50-State Emissions	N/C	N/C		Included in base price.
	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl	N/C STD	STD		
	determined by Rear Axle	טונ	210		
	Ratio and Tire Size:	STD	STD		
	Wheels, Front 19.Sx6.75 White Powder Coated Steel, 8-Hole	STD	STD		
	Tires, Front Two 245/70R19.5G Hankook AH11 (618 rev/mile)		STD		
-		STD STD	STD		
	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole Tires, Rear Four 245/70R19.SG Hankook AH11 (618 rev/mile)	STD	STD		
		STD	STD		
	Hydraulic Brake System - Bosch HydroMax	STD	STD		
	8,500 lb. Cap. Non-Driving - Dana D-850F				
	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	STD		
	13,500 lb. Single-Speed Multi-Leaf Springs - 15,500 lb. Cap	STD STD	STD STD		
	wuu-Lear Springs - 15,500 lb. Cap	210	510	1	

52 158" Wheelbase/84" CA/63" AF/260" OAL		STD	STD		
<b>52</b> 158 Wheelbase/84 CA/65 AF/260 OAL <b>53</b> Single Channel -10.75 SM, 80,000 PSI		STD	STD		
53 Single Channel -10.75 Sivi, 80,000 PS1 54 Under Cab, Right Side Outlet, Switchback-Style		STD			
			STD		
<b>55</b> 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection		STD	STD		
<b>56</b> 200 Amp Denso SC5 Heavy Duty Alternator		Included	Included		
57 Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box		STD	STD		
<b>58</b> 30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl		STD	STD		
<b>59</b> Mirrors, Dual - Rectangular, XL2020 - 96" Width		STD	STD		
60 Paint Type - Environmentally Friendly, "3 - Wet System"		STD	STD		
61 Bumper, Front - Black, Full Width		Included	Included		
62 Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals		Included	Included		
63 Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals		Included	Included		
64 Manual Regen Initiation - Driver Interface in Message Center		Included	Included		
65 Engine Exhaust Brake		Included	Included		
66 Painted Grille - Plastic		Included	Included		
67 Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights		Included	Included		
68 Tow Hooks, Front (2) - Frame-Mounted, Painted Black		Included	Included		
69 Four Body Builder Switches - Mounted in Center Instrument Panel		Included	Included		
70 Floor Covering - Black Vinyl		Included	Included		
71 Intelligent Oil Life Monitor		Included	Included		
72 Steering Column - Tilt		Included	Included		
73 Steering Wheel - Black PVC w/Integral Cruise Control Switches		Included	Included		
74 Body Builder Wiring - At Back of Cab, Combined GVWR Limit: 25,600 lbs.		Included	Included		
75 Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal		\$915.00	\$915.00		
76 SYNC Media System		\$395.00	\$395.00		
77 Radio, Electronic Premium AM/FM Stereo, Disc		\$280.00	\$280.00		
78 Shock Absorbers, Rear - Double Acting		\$165.00	\$165.00		
<b>79</b> 5.29 Axle Ratio		STD	STD		
<b>80</b> Jump Start Stud - Remote Mounted		\$90.00	\$90.00		
81 Daytime Running Lamps		\$45.00	\$45.00		
<ul><li>82 Transmission Power Take-Off Provision w/LiveDrive Capability</li></ul>		\$895.00	\$895.00		
SPECIAL PAINT		<del>,,,,,,</del> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<del>,,,,,,</del> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
83 School Bus Yellow [84S53]		N/C	N/C		
84 Omaha Orange [W5684E]		N/C	N/C		
Please identify ALL other fees or costs not designated above that are included in your "Base		N/C	14/0		
85 Price" bid (provide details in "NOTES").		\$0.00	\$0.00		
3958-0160D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE		<del></del>	<del>, , , , , , , , , , , , , , , , , , , </del>		
AXLE, 300 H.P. DIESEL ENGINE	EXCEPTIONS TO SPECIFICATIONS	MDOT PRICE	MIDEAL PRICE	DELIVERY PER MILE	NOTES
	F-750 33000 GVWR 158" WB,				
1 MODEL - CURRENT NEW	84" CA - Including	\$52,703.00	\$51,699.00	\$2.50	
	DESTINATION	<i>\$52,765.00</i>	<i>\$51,055100</i>	÷2.50	
PRELIMINARY REQUIREMENTS:	Destination				
<ul> <li>2 6.7L V-8 OHV w/diesel direct injection 300hp</li> </ul>		\$1,995.00	\$1,995.00		Included in base price.
<ul> <li>3 6 speed automatic w/OD</li> </ul>		\$1,995.00 STD	\$1,995.00 STD		mciuueu in base price.
TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:		510	310		
The items listed in the general specifications for Truck Equipment are to be supplied on all vehicles, even					
4 though they may be optional with the manufacturer (refer to page B).		\$0.00	\$0.00		
ADDITIONAL OPTIONS			ŞU.UU		
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of					
		¢250.00	¢350.00		
delivery. 6 * 4-wheel ABS, air brakes		\$250.00	\$250.00 STD		
<ul><li>6 * 4-wheel ABS, air brakes</li><li>7 * Air conditioning</li></ul>		STD STD	STD STD		
		510	310		

8	* AM/FM stereo with seek-scan, single in-dash CD player, MP3 decoder, auxiliary audio input;			
	external memory control	see below	see below	
	* Daytime running lights	see below	see below	
10	* Variable intermittent wipers	STD	STD	
	* Tachometer	STD	STD	
12	* Folding low back driver bucket seat, low back passenger bucket seat	STD	STD	
	* 1,500 amp (total) dual batteries	STD	STD	
	* Side steps	STD	STD	
	* 65.0 gal. left front fuel tank, 50.0 gal. right front fuel tank	see below	see below	
	* Front axle capacity: 12000 lbs.	see below	see below	
	* Front spring rating: 12000 lbs.	see below	see below	
	* Frame section modulus: 14.2 cu.in.	see below	see below	
	* Cab to axle: 84"	STD	STD	
	* Fuel/water separator	STD	STD	
	* Right mounted horizontal muffler, Right mounted horizontal tailpipe	STD	STD	
	* Dual electric horn	STD	STD	
	* 279/82R22.5 G BSW AS tires	STD	STD	
	* Tinted glass	STD	STD	
	* Wireless streaming	\$120.00	\$120.00	
	* Dual manual mirrors	STD	STD	
	* 22.5 x 8.25 white steel disc wheels	STD	STD	
	* Message Center	STD	STD	
	* Vinyl seats	STD	STD	
	* 200 amp alternator	STD	STD	
	* Audio control on steering wheel	STD	STD	
	* Multi-leaf rear springs	STD	STD	
	* Rear axle capacity: 21000 lbs.	STD	STD	
	* Rear spring rating: 21000 lbs.	STD	STD	
	* Frame Yield Strength 120000 psi	see below	see below	
	* Axle to end of frame: 49"	STD	STD	
	* Engine retarder	STD	STD	
	ADDITIONAL MDOT OPTIONS			
	Provide pricing for Super Cab option	\$1,975.00	\$1,975.00	
39	Provide pricing for Crew Cab option	\$4,670.00	\$4,670.00	
	PREFFERED EQUIPMENT PACKAGE 600A	N/C	N/C	
	50-State Emissions	N/C	N/C	
41	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - less Park Pawl	STD	STD	
	Ratio and Tire Size:	STD	STD	
42	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD	STD	
	Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)	STD	STD	
	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	STD	STD	
	Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)	STD	STD	
	21,000 lb. Single Reduction - Open - Dana/Spicer 21060S	STD	STD	
	Multi-Leaf Springs - 21,000 lb. Cap	STD	STD	
	158" Wheelbase/84" CA/49" AF/246" OAL	STD	STD	
	Under Cab, Right Side Outlet, Switchback-Style	STD	STD	
	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	STD	STD	
	200 Amp Denso SC5 Heavy Duty Alternator	Included	Included	
	Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD	STD	
	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD	
	Mirrors. Dual - Rectangular, XL2020 - 96" Width	STD	STD	
-	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD	
	Bumper, Front - Black, Full Width	Included	Included	
	Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals	Included	Included	
	Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals	Included	Included	
50	miler beaus, near on fabilitated, birt beotoen master beaus	included	menaucu	

	see below see below	see below		
1	and halows	see below		1
	std	std		
	std	std		
	\$200.00	\$200.00		
+				
	\$0.00	\$0.00		
	sta	<u>s(a</u>		
				Included in base price
	¢1.005.00	¢1.005.00		Included to to come
84" CA - Including DESTINATION	\$52,723.00	\$51,798.00	\$2.50	
	MDOT PRICE	MIDEAL PRICE	DELIVERY PER MILE	NOTES
	\$0.00	\$0.00		
	N/C	N/C		
	N/C	N/C		
	\$120.00	\$120.00		
	\$170.00	\$170.00		
1	N/C	N/C		
	\$165.00	\$165.00		
	\$895.00	\$895.00		
	\$470.00	\$470.00		
	\$45.00	\$45.00		
+				
+				
+				
+				
+				
	\$365.00	\$365.00		-
	\$525.00	\$525.00		
	\$1,995.00	\$1,995.00		Included in base price
	Included	Included		
	Included	Included		
	Included	Included		
	F-750 31000 GVWR 158" WB, 84" CA - Including	Included         Included	Included         Included         Included           Included         Included         Included <tr< td=""><td>Included         Included           Included         Included           Stasson         Stasson           Stasson         Stasson           Stasson         Stasson           Stasson         Stasson</td></tr<>	Included         Included           Stasson         Stasson           Stasson         Stasson           Stasson         Stasson           Stasson         Stasson

Image: Constraint of the back parameter back total         Image: Constraint of the back parameter back total           Image: Constraint of the back parameter back total         Image: Constraint of the back parameter back total           Image: Constraint of the back parameter back total         Image: Constraint of the back parameter back parameter back total           Image: Constraint of the back parameter back total         Image: Constraint of the back parameter back param	44 vm 1 /			at al	
18       1.300 ang noah dual bandreds:       96       96       96         19       5.000 ang noah dual bandreds:       96       96       96         19       5.000 ang noah dual bandreds:       96       96       96         19       Form at all equations:       96       96       96       96         10       Form at all equations:       96       96       96       96       96         10       Form at all equations:       96 <td>11 * Tachometer</td> <td></td> <td>std</td> <td>std</td> <td> </td>	11 * Tachometer		std	std	 
1         Start         1 <td></td> <td></td> <td></td> <td></td> <td> </td>					 
15         Control and control and a con					 
10         Jotal Actional Science (Second Second Secon					 
17         Channa genergy range: 1200 lbs.         Set 2000         Set 2000         Set 2000           18         Chan ade Ka <sup>2</sup> 200         Set 2000         Set 2000           19         Chan ade Ka <sup>2</sup> 200         Set 2000         Set 2000           10         Chan ade Ka <sup>2</sup> 200         Set 2000         Set 2000           21         Fach and Ka <sup>2</sup> 300         300         Set 2000           21         Fach and Ka <sup>2</sup> 300         Set 2000         Set 2000           21         Fach and Ka <sup>2</sup> Set 2000         Set 2000         Set 2000           22         Set 2000         Set 2000         Set 2000         Set 2000           24         Fach and Ka 2000         Set 2000         Set 2000         Set 2000           23         Fach and Ka 2000         Set 2000         Set 2000         Set 2000         Set 2000           24         Fach and Ka 2000         Set 2000					 
Image         State Network         State Network         State Network           Image         Cab and State State         State Network         State Network         State Network           Image         Cab and State State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network         State Network         State Network         State Network           Image         State Network					
Image: 10         Calo nade: 81"         Effet meanse barizentia numBer. Right meanse dorizental lalipic         Head					
20         Field source superator         otd         std         std           21         Field monuted horizontal unifier, Kight monted horizontal unifier,         out					
2         8. juit mounted horizontal maillipe.         9. dd         9. juit mounted horizontal maillipe.         9. dd					
22         Paul electric hom         18d         98d           23         Paul electric hom         88d         900           24         Finded Jass         98d         98d           24         Finded Jass         98d         98d           24         Finded Jass         98d         98d           25         S.S.S Statis Mittore         98d         98d           25         S.S.S.S Statis Mittore         98d         98d           25         S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.	<b>20</b> * Fuel/water separator				
21       720x822.2 G FBXV AS fires       N/A       50.00       50.00         24       Flatted glas       std       dtd	<b>21</b> * Right mounted horizontal muffler, Right mounted horizontal tailpipe				
24       Pined Jass       100       100         25       Vinces streaming       100       100         26       Vania manual marrons       100       100         27       22.5.8.8.2 white steel disc wheels       5000       5000         28       Visces and the steer disc wheels       100       100         28       Visces and the steer disc wheels       100       100         29       Visces and the steer disc wheels       100       100         20 any alternator       100       100       100       100         28       Addo control on steering wheel       100       100       100         29       Visce and of frame steering wheel       100       100       100         29       Frame witch Streength 12000 hs.       100       100       100       100         20       Frame witch Streength 12000 pis       100       100       100       100         20       Frame witch Streength 12000 pis       100       100       100       100         20       Frame witch Streength 12000 pis       100       100       100       100         20       Frame witch Streength 12000 pis       100       100       100       100					
25         Pirelies streaming         m/a         m/a           26         Pinal manual mirrors         140         std           27         23.5 x 8.25 white steel disc wheels         50.00         50.00           27         Ving Seats         160         std         std           28         Ving Seats         160         std         std           29         Value control on storing wheel         160         std         std           21         Value control on storing wheel         180         std         std           21         Value control on storing wheel         180         std         std           23         Nalue control on storing wheel         180         std         std           24         Nalue control on storing wheel         180         std         std           24         Nalue control on storing wheel         180         std         std           25         Prane Yield Strength 120000 hs         180         std         std         std           26         Park transform on storing of the std         std         std         std         std           36         Park transform on storing of the std         stdd         std         std         std		N/A	\$0.00		
Be         Deal manual mirror         94d         94d         94d           27         22.55.8.25 white sted like whels         5000         5000           28         Nessage Center         84d         94d         94d           29         Yun's basts         84d         94d         94d           20         Yun's basts         84d         94d         94d           29         Yun's basts         84d         94d         94d           21         Audio control on steering wheel         84d         94d         94d           21         Audio control on steering wheel         94d         94d         94d         94d           21         Audio control on steering wheel         94d	<b>24</b> * Tinted glass		std	std	
27         22.5 x 8.2 s white stell die, wheels         90.00         50.00           28         Message Center         86.         86.         86.           29         Vinyl seats         86.         86.         86.           21         Audio control on stering wheel         86.         86.         86.           21         Nutri-I care arprings         86.         86.         86.           22         Nutri-I care arprings         86.         86.         86.           23         Rear adje rame prings         86.         86.         86.           24         Natri-I care orprings         86.         86.         86.           25         Pranze Vield Strength 120000 hs.         86.         86.         86.         86.           25         Pranze Vield Strength 120000 pci         86.	<b>25</b> * Wireless streaming		n/a	n/a	
28         Nessage Center         940         940         940           29         Vinyi seats         304         304         304         304           30         200 ang alternator         340         304         304         304           31         Andio control on steering whed         340         304         304         304           32         Multi-last fram springs         340         304         304         304           32         Pacer state conspirity: 21000 lbs.         3104         304         304         304           35         Pacer state conspirity: 21000 lbs.         3104         304         304         304           36         Pacer state different conspirits         307         510         301         301           37         Parsanserits of Drowision         304         304         304         304         304         301<	<b>26</b> * Dual manual mirrors		std	std	
30       Yung least       std       ed         31       A duio control on steering wheel       std       std <td><b>27</b> * 22.5 x 8.25 white steel disc wheels</td> <td></td> <td>\$0.00</td> <td>\$0.00</td> <td></td>	<b>27</b> * 22.5 x 8.25 white steel disc wheels		\$0.00	\$0.00	
30         * 200 anp alternator         500         * 400         500           31         * Addio control on stering wheel         500         500         500           32         * Muti-leaf rear springs         500         500         500           32         * Rear spring ratings (21000 Dis.         500         500         500           35         * Fear advect (2000 Dis.         500         500         500           36         * Addie canadity (2000 psi)         500         500         500           37         * Transmission PTO Provision         900         510         500           37         * Transmission PTO Provision         900         51         500         500           39         Pragine relarder         100/haul         51         500         510	28 * Message Center		std	std	
30         * 200 anp alternator         500         * 400         500           31         * Addio control on stering wheel         500         500         500           32         * Muti-leaf rear springs         500         500         500           32         * Rear spring ratings (21000 Dis.         500         500         500           35         * Fear advect (2000 Dis.         500         500         500           36         * Addie canadity (2000 psi)         500         500         500           37         * Transmission PTO Provision         900         510         500           37         * Transmission PTO Provision         900         51         500         500           39         Pragine relarder         100/haul         51         500         510			std		
11       * Aukilo control on secring wheel       std       std       std       std         21       * Multi-alter arear grings       std       std       std       std       std         32       * Koar solve canacity: 21000 hs.       std       std <t< td=""><td><b>30</b> * 200 amp alternator</td><td></td><td>std</td><td>std</td><td></td></t<>	<b>30</b> * 200 amp alternator		std	std	
12         Null-ical rear springs         std			std	std	
33 * Rear Ask capacity: 21000 lbs.       93d       93d       93d         45 * Rear syling rating: 21000 lbs.       93d       93d       93d         56 * Aale to end of frame: 49       910       910       910         56 * Aale to end of frame: 49       910       910       910       910         57 * Transmission PTO Provision       92e below       910       910         38 * Tansmission PTO Provision       92e below       920       910         39 Provide pricing for Super Cab option       51,990.00       51,990.00       910         41 S0.State Emissions       910       94,000       94,000       910         42 Ford Torgshift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       970       970       910         42 Ford Torgshift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       970       970       910         43 Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole       970       910       910       910         44 Titres, Front Two 11.182.25 Goodyaer Endurance RSA (496 rev/mile)       970       910       910       910         45 Wheels, Rear 22.58.25 White Powder Coated Steel, 10-Hole       970       970       910       910         46 Tirres, Rear Our 1182.25 Goodyaer Endurance RSA (496 rev/mile)			std	std	
14         Rear spring rating: 21000 hs.         1         8td         1           58         * Frame: Vield Strength 12000 pi         see below         see below <td< td=""><td></td><td></td><td>std</td><td></td><td></td></td<>			std		
15     * Frames Yield Strength 12000 psi     15     * Bernes Yield Strength 12000 psi     15       16     * Atke to end of frame: 49"     STD     STD     15       17     Transmission PTO Provision     15     STD     15       18     * Transmission PTO Provision     15     Std     16       18     * Transmission PTO Provision     15     16     16       19     Provide pricing for Crew Cab option     15,090.00     51,990.00     15,990.00       19     Provide pricing for Crew Cab option     15,090.00     51,990.00     16       10     Provide pricing for Crew Cab option     16,060.00     16     16       11     So-State Emissions     N/C     N/C     16       12     Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl     STD     STD       13     State Emissions     N/C     N/C     16       14     Torse, Forn 19.5x8.25 White Powder Coated Steel, 10-Hole     STD     STD       15     Wheels, Forn 19.5x8.25 White Powder Coated Steel, 10-Hole     STD     STD       16     Tirse, Forn 119.5x8.25 White Powder Coated Steel, 10-Hole     STD     STD       17     Ligod State Emissions     STD     STD     STD       18     Wheels, Forn 19.5x8.25 White					
66 * Axle to end of frame: 49"         STD         STD           37 * Transmission PTO Provision         see below         see below         see below           38 * hagine retarder         tow/haul         etd         std         std           ADDITIONAL MDOT OPTIONS         tow/haul         etd         std         std           39 Provide pricing for Super Cab option         S1,990.00         S1,990.00         S1,990.00           40 Provide pricing for Crew Cab option         S4,695.00         S4,695.00         S4,695.00         S4,695.00           41 50-State Emissions         N/C         N/C         N/C         N/C         N/C           41 for Stree         STD         STD         STD         STD         STD           42 Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         STD         STD         STD           43 Wheels, Front J9,58.25 White Powder Coated Steel, 10-Hole         n/a         n/a         STD         STD         STD           44 Trees, Front Jvo 1182,25G Goodyear Endurance RSA (496 rev/mile)         STD         STD         STD         STD           45 Wheels, Rear 22,588,25 White Powder Coated Steel, 10-Hole         STD         STD         STD         STD         STD         STD         STD         STD </td <td></td> <td></td> <td></td> <td></td> <td></td>					
17     * Transmission PTO Provision     see below     see below       38     * Engine retarder     tow/haul     std     std       ADDTIIONAL MDOT OPTIONS					
138     * Engine retarder     tow/haul     std     std       ADDTTONAL MODT OPTIONS					
ADDITIONAL MDOT OPTIONS          39       Provide pricing for Super Cab option       \$1,990.00       \$1,990.00       \$1,990.00         30       Provide pricing for Crew Cab option       \$4,695.00       \$4,695.00         PREFFERDE EQUIPMENT PACKAGE 600A       N/C       N/C       N/C         41       So-State Emissions       N/C       N/C       M         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       STD       STD       M         43       Wheels, Reat Fort 19.582.52       White Powder Coated Steel, 10-Hole       n/a       n/a       M         44       Tires, Front 19.582.52       Goodyear Endurance RSA (496 rev/mile)       STD       STD       STD         45       Wheels, Rear 22.582.52       White Powder Coated Steel, 10-Hole       STD				500 201011	
39       Provide pricing for Staper Cab option       \$1,990.00       \$1,990.00         40       Provide pricing for Crew Cab option       \$4,695.00       \$6,695.00         9REFERED EQUIPMENT PACKAGE 600A       N/C       N/C       N/C         41       50-State Emissions       N/C       N/C       N/C         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       STD       STD         8.atio and Tire Size:       STD       STD       STD         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole       n/a       n/a         44       Tires, Front Two 11822.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole       STD       STD         46       Tires, Front 19.25.26 Goodyear Endurance RSA (496 rev/mile)       STD       STD         47       21,000 Ib. Single Reduction - Open - Dana/Spicer 21060S       STD       STD         48       Multi-Leaf Springs - 21,000 Ib. Cap       STD       STD       STD         49       Is8' Wheelbase/84" CA/49" AF/246" OAL       STD       STD       STD         50       Under CAk, Right Side Outlet, Switchback-Style       STD       STD       STD	<b>38</b> * Engine retarder	tow/haul	std	std	
40       Provide pricing for Crew Cab option       \$4,695.00       \$4,695.00       \$4,695.00         PREFFERD EQUIPMENT PACKAGE 600A       N/C       N/C       N/C       N/C         41       50-State Emissions       N/C       N/C       N/C         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       STD       STD       STD         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole       n/a       n/a       Image: Coated Steel, 10-Hole       n/a       Image: Coated Steel, 10-Hole       STD       STD       STD         44       Tires, Front Two I IR22.5G Goodycar Endurance RSA (496 rev/mile)       STD       STD       STD       STD         45       Wheels, Rear Coatel Steel, 10-Hole       STD       STD       STD       STD       STD         46       Tires, Rear Four I IR22.5G Goodycar Endurance RSA (496 rev/mile)       STD       STD <td></td> <td>tow/haul</td> <td>std</td> <td>std</td> <td></td>		tow/haul	std	std	
PREFFERED EQUIPMENT PACKAGE 600AN/CN/C4150-State EmissionsN/CN/C42Ford TorgShift HD 6-Speed Automatic - Double Overdrive, Jess PTO Provision - with Park PawlSTDSTDRatio and Tire Size:STDSTDImage: STDSTD43Wheels, Front 19,5x8.25 White Powder Coated Steel, 10-Holen/an/aImage: STDImage: STD44Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)STDSTDImage: STDImage: STDImage	ADDITIONAL MDOT OPTIONS	tow/haul			
41       50-State Emissions       N/C       N/C       N/C         42       Ford TorgAhift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       STD       STD         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole       n/a       n/a         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         45       Wheels, Rear 2.5x8.25 White Powder Coated Steel, 10-Hole       STD       STD         46       Tires, Rear 2.5x8.25 White Powder Coated Steel, 10-Hole       STD       STD         47       21,000 Ib. Single Reduction - Open - Dana/Spicer 21060S       STD       STD         47       21,000 Ib. Single Reduction - Open - Dana/Spicer 21060S       STD       STD         49       158" Wheelbase/84" CA/49" AF/246" OAL       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD         52       200 Amp Denso SC5 Heavy Duty Alternator       Included       Included       Included         53 <td>ADDITIONAL MDOT OPTIONS           39 Provide pricing for Super Cab option</td> <td>tow/haul</td> <td>\$1,990.00</td> <td>\$1,990.00</td> <td></td>	ADDITIONAL MDOT OPTIONS           39 Provide pricing for Super Cab option	tow/haul	\$1,990.00	\$1,990.00	
42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl       STD       STD         Ratio and Tire Size:       STD       STD       STD         43       Wheels, Front 19, St8, 25 White Powder Coated Steel, 10-Hole       n/a       n/a         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         45       Wheels, Rear 22, St8, 25 White Powder Coated Steel, 10-Hole       STD       STD         47       Tires, Ferant Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         47       21,000 Ib. Single Reduction - Open - Dana/Spicer 21060S       STD       STD         48       Multi-Leaf Springs - 21,000 Ib. Cap       STD       STD       STD         49       IS8' Wheelbase/84'' CA/49'' AF2/46'' OAL       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD <td< td=""><td>ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option</td><td>tow/haul</td><td>\$1,990.00 \$4,695.00</td><td>\$1,990.00 \$4,695.00</td><td></td></td<>	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option	tow/haul	\$1,990.00 \$4,695.00	\$1,990.00 \$4,695.00	
Ratio and Tire Size:STDSTDSTD43Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Holen/an/an/a44Tires, Front Two 1122.5G Goodyear Endurance RSA (496 rev/mile)STDSTDSTD45Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-HoleSTDSTDSTD46Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)STDSTDSTD4721,000 lb. Single Reduction - Open - Dana/Spicer 210608STDSTDSTD48Multi-Leaf Springs - 21,000 lb. CapSTDSTDSTD49IS8' Wheelbase:84'' CA/49'' AF/246'' OALSTDSTDSTD50Under Cab, Right Side Outlet, Switchback-StyleSTDSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD52200 Amp Denso SCS Heavy Duty AlternatorIncludedIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD54300/030 Fixed Driver & Fixed Passenger w/Consolett - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96'' WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Re	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A	tow/haul	\$1,990.00 \$4,695.00 N/C	\$1,990.00 \$4,695.00 N/C	
43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole       n/a       n/a         44       Tirres, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole       STD       STD         45       Wheels, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         46       Tirres, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S       STD       STD         48       Multi-Leaf Springs - 21,000 lb. Cap       STD       STD       STD         49       IS8* Wheelbase/84* CA/49* AF/246* OAL       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         51       12 Gal, Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD         52       200 Amp Denso SC5 Heavy Duty Alternator       STD       STD       STD       STD         58       Battery, Two 750 CCA, IS00 Total, Includes Steel Battery Box       STD       STD       STD       STD         54       30/030 Fixed Driver & Fixed Passenger w/Consolette - Vinyl       STD       S	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions	tow/haul	\$1,990.00 \$4,695.00 N/C N/C	\$1,990.00 \$4,695.00 N/C N/C	
44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD       STD         45       Wheels, Rear 22.5x8.2S White Powder Coated Steel, 10-Hole       STD       STD       STD         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)       STD       STD       STD         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S       STD       STD       STD         48       Multi-Leaf Springs - 21,000 lb. Cap       STD       STD       STD         49       158" Wheelbase/84" CA/49" AF/246" OAL       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD         52       200 Amp Denso SC5 Heavy Duty Alternator       Included       Included       Included         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box       STD       STD       STD         54       300/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl       STD       STD       STD         54       StD       STD       STD       STD       STD       STD         58       Mirors, Dual - Rectangular,	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl	tow/haul	\$1,990.00 \$4,695.00 N/C N/C STD	\$1,990.00 \$4,695.00 N/C N/C STD	
45Wheels, Rear 22.5x8.25White Powder Coated Steel, 10-HoleSTDSTD46Tirres, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)STDSTDSTD4721,000 lb. Single Reduction - Open - Dana/Spicer 21060SSTDSTDSTD48Multi-Leaf Springs - 21,000 lb. CapSTDSTDSTD49158" Wheelbase/84" CA/49" AF/246" OALSTDSTDSTD50Under Cab, Right Side Outlet, Switchback-StyleSTDSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD51212 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD5430/030 Fixed Driver & Fixed Passenger w/Consolett - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD57Bumper, Front - Black, Full WidthIncludedIncludedIncluded58Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded50Manual Regen Initiation - Driver Interface in Message CenterIncludedInc	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:	tow/haul	\$1,990.00 \$4,695.00 N/C N/C STD STD	\$1,990.00 \$4,695.00 N/C N/C STD STD	
46Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)STDSTD4721,000 lb. Single Reduction - Open - Dana/Spicer 21060SSTDSTDSTD48Multi-Leaf Springs - 21,000 lb. CapSTDSTDSTD49158" Wheelbase/84" CA/49" AF/246" OALSTDSTDSTD50Under Cab, Right Side Outlet, Switchback-StyleSTDSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncludedSTDSTD53Battery - Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD58Wheel Seals, Front - Black, Full WidthIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole	tow/haul	\$1,990.00 \$4,695.00 N/C N/C STD STD n/a	\$1,990.00 \$4,695.00 N/C N/C STD STD n/a	
47       21.000 lb. Single Reduction - Open - Dana/Spicer 21060S       STD       STD       STD         48       Multi-Leaf Springs - 21.000 lb. Cap       STD       STD       STD         49       158" Wheelbase/84" CA/49" AF/246" OAL       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         50       Under Cab, Right Side Outlet, Switchback-Style       STD       STD       STD         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection       STD       STD       STD         52       200 Amp Denso SC5 Heavy Duty Alternator       Included       Included       Included         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box       STD       STD       STD         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl       STD       STD       STD         54       Mirrors, Dual - Rectangular, XL.2020 - 96" Width       STD       STD       STD         57       Bumper, Front - Black, Full Width       Included       Included       Included         58       Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals       Included       Included       STD         59       Wheel Seals, Rear - Oil lubricated, S	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)	tow/haul	\$1,990.00 \$4,695.00 N/C N/C STD STD n/a STD	\$1,990.00 \$4,695.00 N/C N/C STD STD n/a STD	
48Multi-Leaf Springs - 21,000 lb. CapSTDSTDSTD49158" Wheelbase/84" CA/49" AF/246" OALSTDSTDSTD50Under Cab, Right Side Outlet, Switchback-StyleSTDSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD57Bumper, Front - Black, Full WidthIncludedIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded50Manual Regen Initiation - Driver Interface in Message CenterIncludedIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD n/a STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD	
49158" Wheelbase/84" CA/49" AF/246" OALSTDSTDSTD50Under Cab, Right Side Outlet, Switchback-StyleSTDSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD57Bumper, Front - Black, Full WidthIncludedIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         9       PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD n/a STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD	
50Under Cab, Right Side Outlet, Switchback-StyleSTDSTD5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96'' WidthSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         9       PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD	
5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank SelectionSTDSTD52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         9       PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:       43         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD STD	
52200 Amp Denso SC5 Heavy Duty AlternatorIncludedIncludedIncluded53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTDSTD5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTDSTD57Bumper, Front - Black, Full WidthIncludedIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	<ul> <li>ADDITIONAL MDOT OPTIONS</li> <li>39 Provide pricing for Super Cab option</li> <li>40 Provide pricing for Crew Cab option</li> <li>PREFFERED EQUIPMENT PACKAGE 600A</li> <li>41 50-State Emissions</li> <li>42 Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl Ratio and Tire Size:</li> <li>43 Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>44 Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>45 Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>46 Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>47 21,000 lb. Single Reduction - Open - Dana/Spicer 21060S</li> <li>48 Multi-Leaf Springs - 21,000 lb. Cap</li> <li>49 158" Wheelbase/84" CA/49" AF/246" OAL</li> </ul>	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD n/a STD STD STD STD STD STD STD STD STD	
53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery BoxSTDSTD5430/030 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         9       PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         8       Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
5430/030 Fixed Driver & Fixed Passenger w/Consolette - VinylSTDSTD55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         9       PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:       43         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
55Mirrors, Dual - Rectangular, XL2020 - 96" WidthSTDSTD56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:       43         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SC5 Heavy Duty Alternator	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
56Paint Type - Environmentally Friendly, "3 - Wet System"STDSTD57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	<ul> <li>ADDITIONAL MDOT OPTIONS</li> <li>39 Provide pricing for Super Cab option</li> <li>40 Provide pricing for Crew Cab option</li> <li>PREFFERED EQUIPMENT PACKAGE 600A</li> <li>41 50-State Emissions</li> <li>42 Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl</li> <li>Ratio and Tire Size:</li> <li>43 Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>44 Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>45 Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>46 Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>47 21,000 lb. Single Reduction - Open - Dana/Spicer 21060S</li> <li>48 Multi-Leaf Springs - 21,000 lb. Cap</li> <li>49 158" Wheelbase/84" CA/49" AF/246" OAL</li> <li>50 Under Cab, Right Side Outlet, Switchback-Style</li> <li>51 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection</li> <li>52 200 Amp Denso SC5 Heavy Duty Alternator</li> <li>53 Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box</li> </ul>	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
57Bumper, Front - Black, Full WidthIncludedIncluded58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS39Provide pricing for Super Cab option40Provide pricing for Crew Cab option9PREFFERED EQUIPMENT PACKAGE 600A4150-State Emissions42Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl8Ratio and Tire Size:43Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole44Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)45Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole46Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)4721,000 lb. Single Reduction - Open - Dana/Spicer 21060S48Multi-Leaf Springs - 21,000 lb. Cap49158" Wheelbase/84" CA/49" AF/246" OAL50Under Cab, Right Side Outlet, Switchback-Style5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection52200 Amp Denso SC5 Heavy Duty Alternator53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	
58Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncludedIncluded	ADDITIONAL MDOT OPTIONS39Provide pricing for Super Cab option40Provide pricing for Crew Cab option9PREFFERED EQUIPMENT PACKAGE 600A4150-State Emissions42Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl8Ratio and Tire Size:43Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole44Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)45Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole46Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)4721,000 lb. Single Reduction - Open - Dana/Spicer 21060S48Multi-Leaf Springs - 21,000 lb. Cap49158" Wheelbase/84" CA/49" AF/246" OAL50Under Cab, Right Side Outlet, Switchback-Style5112 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection52200 Amp Denso SC5 Heavy Duty Alternator53Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box5430/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl55Mirrors, Dual - Rectangular, XL2020 - 96" Width	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	
59Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL SealsIncludedIncluded60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SCS Heavy Duty Alternator         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl         55       Mirrors, Dual - Rectangular, XL2020 - 96" Width         56       Paint Type - Environmentally Friendly	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	
60Manual Regen Initiation - Driver Interface in Message CenterIncludedIncluded61Engine Exhaust BrakeIncludedIncluded	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SC5 Heavy Duty Alternator         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl         55       Mirrors, Dual - Rectangular, XL2020 - 96" Width         56       Paint Type - Environmentally Friendly	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	
61     Engine Exhaust Brake       Included     Included	<ul> <li>ADDITIONAL MDOT OPTIONS</li> <li>39 Provide pricing for Super Cab option</li> <li>40 Provide pricing for Crew Cab option</li> <li>PREFFERED EQUIPMENT PACKAGE 600A</li> <li>41 50-State Emissions</li> <li>42 Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl Ratio and Tire Size:</li> <li>43 Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>44 Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>45 Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole</li> <li>46 Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)</li> <li>47 21,000 lb. Single Reduction - Open - Dana/Spicer 21060S</li> <li>48 Multi-Leaf Springs - 21,000 lb. Cap</li> <li>49 158" Wheelbase/84" CA/49" AF/246" OAL</li> <li>50 Under Cab, Right Side Outlet, Switchback-Style</li> <li>51 12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection</li> <li>52 200 Amp Denso SC5 Heavy Duty Alternator</li> <li>53 Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box</li> <li>54 30/0/30 Fixed Driver &amp; Fixed Passenger w/Consolette - Vinyl</li> <li>55 Mirrors, Dual - Rectangular, XL2020 - 96" Width</li> <li>56 Paint Type - Environmentally Friendly, "3 - Wet System"</li> <li>57 Bumper, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</li> </ul>	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       I58" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SC5 Heavy Duty Alternator         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl         55       Mirrors, Dual - Rectangular, XL2020 - 96" Width         56       Paint Type - Environmentally Friendly	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
62 Painted Grille - Plastic Included Included	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       I58" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SC5 Heavy Duty Alternator         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl         55       Mirrors, Dual - Rectangular, XL2020 - 96" Width         56       Paint Type - Environmentally Friendly	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD STD STD	
	ADDITIONAL MDOT OPTIONS         39       Provide pricing for Super Cab option         40       Provide pricing for Crew Cab option         PREFFERED EQUIPMENT PACKAGE 600A         41       50-State Emissions         42       Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - with Park Pawl         Ratio and Tire Size:         43       Wheels, Front 19.5x8.25 White Powder Coated Steel, 10-Hole         44       Tires, Front Two 11R22.5G Goodyear Endurance RSA (496 rev/mile)         45       Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole         46       Tires, Rear Four 11R22.5G Goodyear Endurance RSA (496 rev/mile)         47       21,000 lb. Single Reduction - Open - Dana/Spicer 21060S         48       Multi-Leaf Springs - 21,000 lb. Cap         49       158" Wheelbase/84" CA/49" AF/246" OAL         50       Under Cab, Right Side Outlet, Switchback-Style         51       12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection         52       200 Amp Denso SC5 Heavy Duty Alternator         53       Battery- Two 750 CCA, 1500 Total, Includes Steel Battery Box         54       30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl         55       Mirrors, Dual - Rectangular, XL2020 - 96" Width         56       Paint Type - Environmentally Friendly	tow/haul	\$1,990.00 \$4,695.00 N/C STD STD STD STD STD STD STD STD	\$1,990.00 \$4,695.00 N/C N/C STD STD STD STD STD STD STD STD STD STD	

63 Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included	Included	
64 Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included	Included	
65 Four Body Builder Switches - Mounted in Center Instrument Panel	Included	Included	
66 Floor Covering - Black Vinyl	Included	Included	
67 Intelligent Oil Life Monitor	Included	Included	
68 Steering Column - Tilt	Included	Included	
69 Steering Wheel - Black PVC w/Integral Cruise Control Switches	Included	Included	
<b>70</b> 6.7L Power Stroke V-8 Turbo Diesel - 300hp @ 2500 RPM	\$1,995.00	\$1,995.00	Included in base price.
<b>71</b> 10,000 lb. Cap. Non-Driving - Dana E-1202I	STD	STD	
72 Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00	\$365.00	
73 Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$915.00	
74 SYNC Media System	\$395.00	\$395.00	
75 Radio, Electronic Premium AM/FM Stereo, Disc	\$280.00	\$280.00	
76 Engine Block Heater, Phillips, 120 Volt/750 Watt	<mark>\$60.00 \$</mark>	\$60.00	
77 Air Brakes - Straight Truck	\$1,770.00	\$1,770.00	
<b>78</b> Air Dryer, Bendix AD/IP w/Heater	\$460.00	\$460.00	
<b>79</b> Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	<mark>\$100.00 \$</mark>	\$100.00	
<b>80</b> Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	<mark>\$135.00 \$</mark>	\$135.00	
81 Taper-Leaf Springs, Parabolic - 12,000 lb Cap	\$305.00	\$305.00	
82 Jump Start Stud - Remote Mounted	<mark>\$90.00 \$</mark>	\$90.00	
83 Daytime Running Lamps	<mark>\$45.00 \$</mark>	\$45.00	
84 Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00	\$470.00	
85 Transmission Power Take-Off Provision w/LiveDrive Capability	<mark>\$895.00 \$</mark>	\$895.00	
86 Shock Absorbers, Rear - Double Acting	<mark>\$165.00 \$</mark>	\$165.00	
<b>87</b> 6.17 Axle Ratio	N/C	N/C	
88 Remote Keyless Entry w/2 Key Fobs	<mark>\$170.00 \$</mark>	\$170.00	
89 Anti Theft System	\$120.00	\$120.00	
SPECIAL PAINT			
90 School Bus Yellow [84S53]	n/c	n/c	
91 Omaha Orange [W5684E]	n/c	n/c	
Please identify ALL other fees or costs not designated above that are included in your "Base			
Price" bid (provide details in "NOTES").	\$0.00	\$0.00	



# STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget 525 W. ALLEGAN ST., LANSING, MICHIGAN 48913

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

## **CONTRACT CHANGE NOTICE**

Change Notice Number 1

to

Contract Number 171180000001104

GORNO FORD INC	Z P	Scott Poyer	MDOT	
22025 Allen Road	am Co ger Adm STATE	517 284-6448		
Woodhaven, MI 48183		poyers@michigan.gov		
Jim Agney			Yvon Dufour	DTMB
734-671-4033				(517) 249-0455
jagney@gornoford.com	ct rator	dufoury@michigan.gov		
CV0019327		ar.		

CONTRACT SUMMARY									
VEHICLES – CAB & CHASSIS									
INITIAL EFFECTIVE DAT	INITIAL EXPIRA	TION DATE	INITIAL AVAILABLE OPTION	S	EXPIRATION DATE BEFORE				
August 1, 2018	November 3	0, 2021	2 - 1 Year		November 30, 2021				
PAYMENT TERMS DELIVERY TIMEFRAME									
	ALTERNATE PA	YMENT OPTION	IS	EXT	TENDED PURCHASING				
□ P-Card	□ Direct	Voucher (DV)	□ Other	X	Yes 🗆 No				
MINIMUM DELIVERY REQU	JIREMENTS								
	D	<b>ESCRIPTION O</b>	F CHANGE NOTICE						
OPTION LENG	TH OF OPTION	EXTENSION	LENGTH OF EXTENSION		REVISED EXP. DATE				
					November 30, 2021				
CURRENT VALUE	VALUE OF CHAN	IGE NOTICE	ESTIMATED AGGREGA		ITRACT VALUE				
\$0.00 \$200,000.00 \$200,000.00									
		DESC	RIPTION						
Effective 9/6/2018, this contract is hereby increased by \$200,000. In addition, pricing on this contract is hereby updated, per revised Schedule D Pricing (attached). All other terms, conditions, specifications and pricing remain the same. Per agency									

request, and DTMB Procurement approval.

	SIGNATURE FORD Cab & Chassis Trucks RFP 8/21/2018							
SPECIFICATION NUMBER	MODEL				MDOT BASE PRICE	Destination	MDOT OPTIONS PRICING	TOTAL MDOT PRICE
3958-0112	F450 (14,500 GVWR)	Base cost with Super Cab 192" WB	84" CA	4x4	\$33,375.00	\$1,495.00	\$3,843.00	\$38,713.00
3958-0113D(1)	F450 (14,500 GVWR)	Base cost with Regular Cab 169" WB	84" CA	4x4	\$38,790.00	\$1,495.00	\$4,946.00	\$45,231.00
3958-0113D(2)	F450 (14,500 GVWR)	Base cost with Super Cab 192" WB	84" CA	4x4	\$41,346.00	\$1,495.00	\$5,060.00	\$47,901.00
3958-0113D(3)	F450 (14,500 GVWR)	Base cost with <b>Crew</b> Cab 203" WB	84" CA	4x4	\$42,094.00	\$1,495.00	\$5,254.00	\$48,843.00
3958-0114(1)	F450 (15,000 GVWR)	Base cost with Regular Cab 169" WB	84" CA	4x2	\$28,498.00	\$1,495.00	\$4,242.00	\$34,235.00
3958-0114(2)	F450 (15,000 GVWR)	Base cost with Super Cab 192" WB	84" CA	4x2	\$30,523.00	\$1,495.00	\$4,356.00	\$36,374.00
3958-0114(3)	F450 (15,000 GVWR)	Base cost with <b>Crew</b> Cab 203" WB	84" CA	4x2	\$31,275.00	\$1,495.00	\$4,550.00	\$37,320.00
3958-0115D	F450 (15,000 GVWR)	Base cost with <b>Regular</b> Cab 169" WB	84" CA	4x2	\$36,225.00	\$1,495.00	\$5,044.00	\$42,764.00
3958-0118D	F550 (18,000 GVWR)	Base cost with <b>Regular</b> Cab 169" WB	84" CA	4x2	\$37,195.00	\$1,495.00	\$4,951.00	\$43,641.00
3958-0119	F550 (18,000 GVWR)	Base cost with Super Cab 192" WB	84" CA	4x4	\$35,329.00	\$1,495.00	\$3,961.00	\$40,785.00

Pricing includes destination charge and delivery to MDOT Fleet garage in Lansing MI

	GORNO FORD Cab & Chassis Trucks RFP 8/21/2018							
SPECIFICATION NUMBER	MODEL				MDOT BASE PRICE	Destination	MDOT OPTIONS PRICING	TOTAL MDOT PRICE
3958-0135D	F650 (23,500 GVWR)	Base cost with <b>Super</b> Cab 158" WB	120" CA	4x2	\$52,556.00	\$1,495.00	\$2,955.00	\$57,506.00

Pricing includes destination charge and delivery to MDOT Fleet garage in Lansing MI



# **STATE OF MICHIGAN ENTERPRISE PROCUREMENT**

STATE OF MICHIGAN DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET 525 W. ALLEGAN, LANSING, MI 48933 P.O. BOX 30026, LANSING, MI 48909

## **NOTICE OF CONTRACT**

#### NOTICE OF CONTRACT NO. <u>171 - 180000001104</u>

between

THE STATE OF MICHIGAN

and

- Gorno Ford
  - 22025 Allen Road

Woodhaven, MI 48183

Jim Agney (See Misc. Info below)

CONTRACTOR (734) 671-4033

CV0019327

jagney@gornoford.com

	n Pr	Scott Poyer	MDOT	
Program Manager		517 284-6448		
λTE	A M	poyers@michigan.gov		
ST/	ct ator	Yvon Dufour	DTMB	
Contract Administrator		517 249-0455		
		dufoury@michigan.gov		

CONTRACT SUMMARY					
DESCRIPTION: Vehicles – Cab & Chassis					
INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW		
August 1, 2018	November 30, 2021	2, one year options			
PAYMENT	TERMS	D	DELIVERY TIMEFRAME		
Net 45		90	)-120 Calendar Days		
ALTERNATE PAYMENT OPTIONS	8		EXTENDED PURCHASING		
□ P-card □	Payment Request (PR	C) 🗌 Other	🛛 Yes 🛛 No		
MINIMUM DELIVERY REQUIREMENTS					
MISCELLANEOUS INFORMATION	MISCELLANEOUS INFORMATION				
Eddie Williams, (734) 671-4893, eddiewilliams@gornoford.com Robert Alderman, (734) 671-4017, ralderman@gornoford.com					
ESTIMATED CONTRACT VALUE	ESTIMATED CONTRACT VALUE AT TIME OF EXECUTION \$0.00				

FOR THE CONTRACTOR:

Gorno Ford Company Name

Authorized Agent Signature

Authorized Agent (Print or Type)

Date

FOR THE STATE:

Signature

Yvon Dufour – Category Specialist Name & Title

DTMB Procurement

Agency

Date



# STATE OF MICHIGAN STANDARD CONTRACT TERMS

This STANDARD CONTRACT ("**Contract**") is agreed to between the State of Michigan (the "**State**") and Gorno Ford ("**Contractor**"), a Michigan Corporation. This Contract is effective on 8/1/2018 ("**Effective Date**"), and unless terminated, expires on 11/30/2021.

This Contract may be renewed for up to 2 additional one-year period(s). Renewal must be by written agreement of the parties and will automatically extend the Term of this Contract.

The parties agree as follows:

 Duties of Contractor. Contractor must perform the services and provide the deliverables described in Schedule A – Statement of Work (the "Contract Activities"). An obligation to provide delivery of any commodity is considered a service and is a Contract Activity.

Contractor must furnish all labor, equipment, materials, and supplies necessary for the performance of the Contract Activities, and meet operational standards, unless otherwise specified in Schedule A.

Contractor must: (a) perform the Contract Activities in a timely, professional, safe, and workmanlike manner consistent with standards in the trade, profession, or industry; (b) meet or exceed the performance and operational standards, and specifications of the Contract; (c) provide all Contract Activities in good quality, with no material defects; (d) not interfere with the State's operations; (e) obtain and maintain all necessary licenses, permits or other authorizations necessary for the performance of the Contract; (f) cooperate with the State, including the State's quality assurance personnel, and any third party to achieve the objectives of the Contract; (g) return to the State any State-furnished equipment or other resources in the same condition as when provided when no longer required for the Contract; (h) not make any media releases without prior written authorization from the State; (i) assign to the State any claims resulting from state or federal antitrust violations to the extent that those violations concern materials or services supplied by third parties toward fulfillment of the Contract; (j) comply with all State physical and IT security policies and standards which will be made available upon request; and (k) provide the State priority in performance of the Contract except as mandated by federal disaster response requirements. Any breach under this paragraph is considered a material breach.

Contractor must also be clearly identifiable while on State property by wearing identification issued by the State, and clearly identify themselves whenever making contact with the State.

Notices. All notices and other communications required or permitted under this Contract must be in writing and will be considered given and received: (a) when verified by written receipt if sent by courier; (b) when actually received if sent by mail without verification of receipt; or (c) when verified by automated receipt or electronic logs if sent by facsimile or email.

If to State:	If to Contractor:
Yvon Dufour	Jim Agney
525 W. Allegan,	22025 Allen Road
Constitution Hall, 1 <sup>st</sup> Floor NE	Woodhaven, MI 48183
Lansing, MI 48933	jagney@gornoford.com
dufoury@michigan.gov	(734) 671-4033
(517) 249-0455	

3. Contract Administrator. The Contract Administrator for each party is the only person authorized to modify any terms of this Contract, and approve and execute any change under this Contract (each a "Contract Administrator"):

State:	Contractor:	
Yvon Dufour	Jim Agney	
525 W. Allegan,	22025 Allen Road	
Constitution Hall, 1 <sup>st</sup> Floor NE	Woodhaven, MI 48183	
Lansing, MI 48933	jagney@gornoford.com	
dufoury@michigan.gov	(734) 671-4033	
(517) 249-0455		

4. Program Manager. The Program Manager for each party will monitor and coordinate the day-to-day activities of the Contract (each a "Program Manager"):

State:	Contractor:
Scott Poyer	Jim Agney
Poyers @michigan.gov	22025 Allen Road
(517) 284-6448	Woodhaven, MI 48183
	jagney@gornoford.com
	(734) 671-4033

- 5. Performance Guarantee. Contractor must at all times have financial resources sufficient, in the opinion of the State, to ensure performance of the Contract and must provide proof upon request. The State may require a performance bond (as specified in Schedule A) if, in the opinion of the State, it will ensure performance of the Contract.
- 6. Insurance Requirements. Contractor must maintain the insurances identified below and is responsible for all deductibles. All required insurance must: (a) protect the State from claims that may arise out of, are alleged to arise out of, or result from Contractor's or a subcontractor's performance; (b) be primary and non-contributing to any comparable liability insurance (including self-insurance) carried by the State; and (c) be provided by a company with an A.M. Best rating of "A" or better, and a financial size of VII or better.

Required Limits	Additional Requirements			
Commercial General Liability Insurance				
Minimal Limits: \$1,000,000 Each Occurrence Limit \$1,000,000 Personal & Advertising Injury Limit \$2,000,000 General Aggregate Limit \$2,000,000 Products/Completed Operations Deductible Maximum: \$50,000 Each Occurrence	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds using endorsement CG 20 10 11 85, or both CG 2010 07 04 and CG 2037 07 0.			
Umbrella or Excess	Liability Insurance			
<u>Minimal Limits:</u> \$5,000,000 General Aggregate	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds.			
Automobile Liabil	ity Insurance			
<u>Minimal Limits:</u> \$1,000,000 Per Occurrence	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Hired and Non-Owned Automobile coverage.			

Workers' Compensation Insurance					
Minimal Limit Coverage ac work activitie	cording to applicable laws governing	Waiver of subrogation, except where waiver is prohibited by law.			
	Employers Liability Insurance				
Minimal Limits:					
\$500,000 Each Accident					
\$500,000 Each Employee by Disease					
\$500,000 Aggregate Disease.					

If any of the required policies provide **claims-made** coverage, the Contractor must: (a) provide coverage with a retroactive date before the effective date of the contract or the beginning of Contract Activities; (b) maintain coverage and provide evidence of coverage for at least three (3) years after completion of the Contract Activities; and (c) if coverage is canceled or not renewed, and not replaced with another claims-made policy form with a retroactive date prior to the contract effective date, Contractor must purchase extended reporting coverage for a minimum of three (3) years after completion of work.

Contractor must: (a) provide insurance certificates to the Contract Administrator, containing the agreement or purchase order number, at Contract formation and within 20 calendar days of the expiration date of the applicable policies; (b) require that subcontractors maintain the required insurances contained in this Section; (c) notify the Contract Administrator within 5 business days if any insurance is cancelled; and (d) waive all rights against the State for damages covered by insurance. Failure to maintain the required insurance does not limit this waiver.

This Section is not intended to and is not be construed in any manner as waiving, restricting or limiting the liability of either party for any obligations under this Contract (including any provisions hereof requiring Contractor to indemnify, defend and hold harmless the State).

7. Administrative Fee and Reporting. Contractor must pay an administrative fee of 1% on all payments made to Contractor under the Contract including transactions with the State (including its departments, divisions, agencies, offices, and commissions), MiDEAL members, and other states (including governmental subdivisions and authorized entities). Administrative fee payments must be made by check payable to the State of Michigan and mailed to:

Department of Technology, Management and Budget Cashiering P.O. Box 30681 Lansing, MI 48909

Contractor must submit an itemized purchasing activity report, which includes at a minimum, the name of the purchasing entity and the total dollar volume in sales. Reports should be mailed to MiDeal@michigan.gov.

The administrative fee and purchasing activity report are due within 30 calendar days from the last day of each calendar quarter.

8. Extended Purchasing Program. This contract is extended to MiDEAL members. MiDEAL members include local units of government, school districts, universities, community colleges, and nonprofit hospitals. A current list of MiDEAL members is available at <u>www.michigan.gov/mideal</u>. Upon written agreement between the State and Contractor, this contract may also be extended to: (a) State of Michigan employees and (b) other states (including governmental subdivisions and authorized entities).

If extended, Contractor must supply all Contract Activities at the established Contract prices and terms. The State reserves the right to impose an administrative fee and negotiate additional discounts based on any increased volume generated by such extensions.

Contractor must submit invoices to, and receive payment from, extended purchasing program members on a direct and individual basis.

9. Independent Contractor. Contractor is an independent contractor and assumes all rights, obligations and liabilities set forth in this Contract. Contractor, its employees, and agents will not be considered employees of the State. No partnership or joint venture relationship is created by virtue of this Contract. Contractor, and not the

State, is responsible for the payment of wages, benefits and taxes of Contractor's employees and any subcontractors. Prior performance does not modify Contractor's status as an independent contractor.

- **10. Subcontracting.** Contractor may not delegate any of its obligations under the Contract without the prior written approval of the State. Contractor must notify the State at least 90 calendar days before the proposed delegation, and provide the State any information it requests to determine whether the delegation is in its best interest. If approved, Contractor must: (a) be the sole point of contact regarding all contractual matters, including payment and charges for all Contract Activities; (b) make all payments to the subcontractor; and (c) incorporate the terms and conditions contained in this Contract in any subcontract with a subcontractor. Contractor remains responsible for the completion of the Contract Activities, compliance with the terms of this Contract, and the acts and omissions of the subcontractor. The State, in its sole discretion, may require the replacement of any subcontractor.
- **11. Staffing.** The State's Contract Administrator may require Contractor to remove or reassign personnel by providing a notice to Contractor.
- **12. Background Checks.** Upon request, Contractor must perform background checks on all employees and subcontractors and its employees prior to their assignment. The scope is at the discretion of the State and documentation must be provided as requested. Contractor is responsible for all costs associated with the requested background checks. The State, in its sole discretion, may also perform background checks.
- **13. Assignment.** Contractor may not assign this Contract to any other party without the prior approval of the State. Upon notice to Contractor, the State, in its sole discretion, may assign in whole or in part, its rights or responsibilities under this Contract to any other party. If the State determines that a novation of the Contract to a third party is necessary, Contractor will agree to the novation and provide all necessary documentation and signatures.
- 14. Change of Control. Contractor will notify, at least 90 calendar days before the effective date, the State of a change in Contractor's organizational structure or ownership. For purposes of this Contract, a change in control means any of the following: (a) a sale of more than 50% of Contractor's stock; (b) a sale of substantially all of Contractor's assets; (c) a change in a majority of Contractor's board members; (d) consummation of a merger or consolidation of Contractor with any other entity; (e) a change in ownership through a transaction or series of transactions; (f) or the board (or the stockholders) approves a plan of complete liquidation. A change of control does not include any consolidation or merger effected exclusively to change the domicile of Contractor, or any transaction or series of transactions principally for bona fide equity financing purposes.

In the event of a change of control, Contractor must require the successor to assume this Contract and all of its obligations under this Contract.

- **15.** Ordering. Contractor is not authorized to begin performance until receipt of authorization as identified in Schedule A.
- 16. Acceptance. Contract Activities are subject to inspection and testing by the State within 30 calendar days of the State's receipt of them ("State Review Period"), unless otherwise provided in Schedule A. If the Contract Activities are not fully accepted by the State, the State will notify Contractor by the end of the State Review Period that either: (a) the Contract Activities are accepted, but noted deficiencies must be corrected; or (b) the Contract Activities are rejected. If the State finds material deficiencies, it may: (i) reject the Contract Activities without performing any further inspections; (ii) demand performance at no additional cost; or (iii) terminate this Contract in accordance with Section 23, Termination for Cause.

Within 10 business days from the date of Contractor's receipt of notification of acceptance with deficiencies or rejection of any Contract Activities, Contractor must cure, at no additional cost, the deficiency and deliver unequivocally acceptable Contract Activities to the State. If acceptance with deficiencies or rejection of the Contract Activities impacts the content or delivery of other non-completed Contract Activities, the parties' respective Program Managers must determine an agreed to number of days for re-submission that minimizes the overall impact to the Contract. However, nothing herein affects, alters, or relieves Contractor of its obligations to correct deficiencies in accordance with the time response standards set forth in this Contract.

If Contractor is unable or refuses to correct the deficiency within the time response standards set forth in this Contract, the State may cancel the order in whole or in part. The State, or a third party identified by the State, may perform the Contract Activities and recover the difference between the cost to cure and the Contract price plus an additional 10% administrative fee.

- **17. Delivery.** Contractor must deliver all Contract Activities F.O.B. destination, within the State premises with transportation and handling charges paid by Contractor, unless otherwise specified in Schedule A. All containers and packaging becomes the State's exclusive property upon acceptance.
- 18. Risk of Loss and Title. Until final acceptance, title and risk of loss or damage to Contract Activities remains with Contractor. Contractor is responsible for filing, processing, and collecting all damage claims. The State will record and report to Contractor any evidence of visible damage. If the State rejects the Contract Activities, Contractor must remove them from the premises within 10 calendar days after notification of rejection. The risk of loss of rejected or non-conforming Contract Activities remains with Contractor. Rejected Contract Activities not removed by Contractor within 10 calendar days will be deemed abandoned by Contractor, and the State will have the right to dispose of it as its own property. Contractor must reimburse the State for costs and expenses incurred in storing or effecting removal or disposition of rejected Contract Activities.
- **19.** Warranty Period. The warranty period, if applicable, for Contract Activities is a fixed period commencing on the date specified in Schedule A. If the Contract Activities do not function as warranted during the warranty period the State may return such non-conforming Contract Activities to the Contractor for a full refund.
- 20. Terms of Payment. Invoices must conform to the requirements communicated from time-to-time by the State. All undisputed amounts are payable within 45 days of the State's receipt. Contractor may only charge for Contract Activities performed as specified in Schedule A. Invoices must include an itemized statement of all charges. The State is exempt from State sales tax for direct purchases and may be exempt from federal excise tax, if Services purchased under this Agreement are for the State's exclusive use. Notwithstanding the foregoing, all prices are inclusive of taxes, and Contractor is responsible for all sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any federal, state, or local governmental entity on any amounts payable by the State under this Contract.

The State has the right to withhold payment of any disputed amounts until the parties agree as to the validity of the disputed amount. The State will notify Contractor of any dispute within a reasonable time. Payment by the State will not constitute a waiver of any rights as to Contractor's continuing obligations, including claims for deficiencies or substandard Contract Activities. Contractor's acceptance of final payment by the State constitutes a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still disputed.

The State will only disburse payments under this Contract through Electronic Funds Transfer (EFT). Contractor must register with the State at <a href="http://www.michigan.gov/SIGMAVSS">http://www.michigan.gov/SIGMAVSS</a> to receive electronic fund transfer payments. If Contractor does not register, the State is not liable for failure to provide payment. Without prejudice to any other right or remedy it may have, the State reserves the right to set off at any time any amount then due and owing to it by Contractor against any amount payable by the State to Contractor under this Contract.

- 21. Liquidated Damages. Liquidated damages, if applicable, will be assessed as described in Schedule A.
- 22. Stop Work Order. The State may suspend any or all activities under the Contract at any time. The State will provide Contractor a written stop work order detailing the suspension. Contractor must comply with the stop work order upon receipt. Within 90 calendar days, or any longer period agreed to by Contractor, the State will either: (a) issue a notice authorizing Contractor to resume work, or (b) terminate the Contract or purchase order. The State will not pay for Contract Activities, Contractor's lost profits, or any additional compensation during a stop work period.
- 23. Termination for Cause. The State may terminate this Contract for cause, in whole or in part, if Contractor, as determined by the State: (a) endangers the value, integrity, or security of any location, data, or personnel; (b) becomes insolvent, petitions for bankruptcy court proceedings, or has an involuntary bankruptcy proceeding filed against it by any creditor; (c) engages in any conduct that may expose the State to liability; (d) breaches any of its material duties or obligations; or (e) fails to cure a breach within the time stated in a notice of breach. Any reference to specific breaches being material breaches within this Contract will not be construed to mean that other breaches are not material.

If the State terminates this Contract under this Section, the State will issue a termination notice specifying whether Contractor must: (a) cease performance immediately, or (b) continue to perform for a specified period. If it is later determined that Contractor was not in breach of the Contract, the termination will be deemed to have been a Termination for Convenience, effective as of the same date, and the rights and obligations of the parties will be limited to those provided in Section 24, Termination for Convenience.

The State will only pay for amounts due to Contractor for Contract Activities accepted by the State on or before the date of termination, subject to the State's right to set off any amounts owed by the Contractor for the State's reasonable costs in terminating this Contract. The Contractor must pay all reasonable costs incurred by the State in terminating this Contract for cause, including administrative costs, attorneys' fees, court costs, transition costs, and any costs the State incurs to procure the Contract Activities from other sources.

- 24. Termination for Convenience. The State may immediately terminate this Contract in whole or in part without penalty and for any reason, including but not limited to, appropriation or budget shortfalls. The termination notice will specify whether Contractor must: (a) cease performance of the Contract Activities immediately, or (b) continue to perform the Contract Activities in accordance with Section 25, Transition Responsibilities. If the State terminates this Contract for convenience, the State will pay all reasonable costs, as determined by the State, for State approved Transition Responsibilities.
- Transition Responsibilities. Upon termination or expiration of this Contract for any reason, Contractor must, for 25. a period of time specified by the State (not to exceed 90 calendar days), provide all reasonable transition assistance requested by the State, to allow for the expired or terminated portion of the Contract Activities to continue without interruption or adverse effect, and to facilitate the orderly transfer of such Contract Activities to the State or its designees. Such transition assistance may include, but is not limited to: (a) continuing to perform the Contract Activities at the established Contract rates; (b) taking all reasonable and necessary measures to transition performance of the work, including all applicable Contract Activities, training, equipment, software, leases, reports and other documentation, to the State or the State's designee; (c) taking all necessary and appropriate steps, or such other action as the State may direct, to preserve, maintain, protect, or return to the State all materials, data, property, and confidential information provided directly or indirectly to Contractor by any entity, agent, vendor, or employee of the State; (d) transferring title in and delivering to the State, at the State's discretion, all completed or partially completed deliverables prepared under this Contract as of the Contract termination date; and (e) preparing an accurate accounting from which the State and Contractor may reconcile all outstanding accounts (collectively, "Transition Responsibilities"). This Contract will automatically be extended through the end of the transition period.
- 26. General Indemnification. Contractor must defend, indemnify and hold the State, its departments, divisions, agencies, offices, commissions, officers, and employees harmless, without limitation, from and against any and all actions, claims, losses, liabilities, damages, costs, attorney fees, and expenses (including those required to establish the right to indemnification), arising out of or relating to: (a) any breach by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable) of any of the promises, agreements, representations, warranties, or insurance requirements contained in this Contract; (b) any infringement, misappropriation, or other violation of any intellectual property right or other right of any third party; (c) any bodily injury, death, or damage to real or tangible personal property occurring wholly or in part due to action or inaction by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of them may be liable).

The State will notify Contractor in writing if indemnification is sought; however, failure to do so will not relieve Contractor, except to the extent that Contractor is materially prejudiced. Contractor must, to the satisfaction of the State, demonstrate its financial ability to carry out these obligations.

The State is entitled to: (i) regular updates on proceeding status; (ii) participate in the defense of the proceeding; (iii) employ its own counsel; and to (iv) retain control of the defense if the State deems necessary. Contractor will not, without the State's written consent (not to be unreasonably withheld), settle, compromise, or consent to the entry of any judgment in or otherwise seek to terminate any claim, action, or proceeding. To the extent that any State employee, official, or law may be involved or challenged, the State may, at its own expense, control the defense of that portion of the claim.

Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. An attorney designated to represent the State may not do so until approved by the Michigan Attorney General and appointed as a Special Assistant Attorney General.

27. Infringement Remedies. If, in either party's opinion, any piece of equipment, software, commodity, or service supplied by Contractor or its subcontractors, or its operation, use or reproduction, is likely to become the subject of a copyright, patent, trademark, or trade secret infringement claim, Contractor must, at its expense: (a) procure for the State the right to continue using the equipment, software, commodity, or service, or if this option is not reasonably available to Contractor, (b) replace or modify the same so that it becomes non-infringing; or (c) accept

its return by the State with appropriate credits to the State against Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.

- 28. Limitation of Liability and Disclaimer of Damages. IN NO EVENT WILL THE STATE'S AGGREGATE LIABILITY TO CONTRACTOR UNDER THIS CONTRACT, REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR BY STATUTE OR OTHERWISE, FOR ANY CLAIM RELATED TO OR ARISING UNDER THIS CONTRACT, EXCEED THE MAXIMUM AMOUNT OF FEES PAYABLE UNDER THIS CONTRACT. The State is not liable for consequential, incidental, indirect, or special damages, regardless of the nature of the action.
- **29. Disclosure of Litigation, or Other Proceeding.** Contractor must notify the State within 14 calendar days of receiving notice of any litigation, investigation, arbitration, or other proceeding (collectively, "**Proceeding**") involving Contractor, a subcontractor, or an officer or director of Contractor or subcontractor, that arises during the term of the Contract, including: (a) a criminal Proceeding; (b) a parole or probation Proceeding; (c) a Proceeding under the Sarbanes-Oxley Act; (d) a civil Proceeding involving: (1) a claim that might reasonably be expected to adversely affect Contractor's viability or financial stability; or (2) a governmental or public entity's claim or written allegation of fraud; or (e) a Proceeding involving any license that Contractor is required to possess in order to perform under this Contract.
- **30. State Data.** All data and information provided to Contractor by or on behalf of the State, and all data and information derived therefrom, is the exclusive property of the State ("**State Data**"); this definition is to be construed as broadly as possible. Upon request, Contractor must provide to the State, or a third party designated by the State, all State Data within 10 calendar days of the request and in the format requested by the State. Contractor will assume all costs incurred in compiling and supplying State Data. No State Data may be used for any marketing purposes.

#### 31. Reserved.

- **32.** Non-Disclosure of Confidential Information. The parties acknowledge that each party may be exposed to or acquire communication or data of the other party that is confidential, privileged communication not intended to be disclosed to third parties. The provisions of this Section survive the termination of this Contract.
  - Meaning of Confidential Information. For the purposes of this Contract, the term "Confidential a. Information" means all information and documentation of a party that: (a) has been marked "confidential" or with words of similar meaning, at the time of disclosure by such party; (b) if disclosed orally or not marked "confidential" or with words of similar meaning, was subsequently summarized in writing by the disclosing party and marked "confidential" or with words of similar meaning; and, (c) should reasonably be recognized as confidential information of the disclosing party. The term "Confidential Information" does not include any information or documentation that was: (a) subject to disclosure under the Michigan Freedom of Information Act (FOIA); (b) already in the possession of the receiving party without an obligation of confidentiality; (c) developed independently by the receiving party, as demonstrated by the receiving party, without violating the disclosing party's proprietary rights; (d) obtained from a source other than the disclosing party without an obligation of confidentiality; or, (e) publicly available when received, or thereafter became publicly available (other than through any unauthorized disclosure by, through, or on behalf of, the receiving party). For purposes of this Contract, in all cases and for all matters, State Data is deemed to be Confidential Information.
  - b. <u>Obligation of Confidentiality</u>. The parties agree to hold all Confidential Information in strict confidence and not to copy, reproduce, sell, transfer, or otherwise dispose of, give or disclose such Confidential Information to third parties other than employees, agents, or subcontractors of a party who have a need to know in connection with this Contract or to use such Confidential Information for any purposes whatsoever other than the performance of this Contract. The parties agree to advise and require their respective employees, agents, and subcontractors of their obligations to keep all Confidential Information confidential. Disclosure to a subcontractor is permissible where: (a) use of a subcontractor is authorized under this Contract; (b) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the subcontractor's responsibilities; and (c) Contractor obligates the subcontractor in a written contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor or any subcontractor may be required to execute a separate agreement to be bound by the provisions of this Section.

- c. <u>Cooperation to Prevent Disclosure of Confidential Information</u>. Each party must use its best efforts to assist the other party in identifying and preventing any unauthorized use or disclosure of any Confidential Information. Without limiting the foregoing, each party must advise the other party immediately in the event either party learns or has reason to believe that any person who has had access to Confidential Information has violated or intends to violate the terms of this Contract and each party will cooperate with the other party in seeking injunctive or other equitable relief against any such person.
- d. <u>Remedies for Breach of Obligation of Confidentiality</u>. Each party acknowledges that breach of its obligation of confidentiality may give rise to irreparable injury to the other party, which damage may be inadequately compensable in the form of monetary damages. Accordingly, a party may seek and obtain injunctive relief against the breach or threatened breach of the foregoing undertakings, in addition to any other legal remedies which may be available, to include, in the case of the State, at the sole election of the State, the immediate termination, without liability to the State, of this Contract or any Statement of Work corresponding to the breach or threatened breach.
- e. <u>Surrender of Confidential Information upon Termination</u>. Upon termination of this Contract or a Statement of Work, in whole or in part, each party must, within 5 calendar days from the date of termination, return to the other party any and all Confidential Information received from the other party, or created or received by a party on behalf of the other party, which are in such party's possession, custody, or control; provided, however, that Contractor must return State Data to the State following the timeframe and procedure described further in this Contract. Should Contractor or the State determine that the return of any Confidential Information is not feasible, such party must destroy the Confidential Information and must certify the same in writing within 5 calendar days from the date of termination to the other party. However, the State's legal ability to destroy Contractor data may be restricted by its retention and disposal schedule, in which case Contractor's Confidential Information will be destroyed after the retention period expires.
- 33. Reserved.
- 34. Reserved.
- 35. Reserved.
- 36. Records Maintenance, Inspection, Examination, and Audit. The State or its designee may audit Contractor to verify compliance with this Contract. Contractor must retain and provide to the State or its designee and the auditor general upon request, all financial and accounting records related to the Contract through the term of the Contract and for 4 years after the latter of termination, expiration, or final payment under this Contract or any extension ("Audit Period"). If an audit, litigation, or other action involving the records is initiated before the end of the Audit Period, Contractor must retain the records until all issues are resolved.

Within 10 calendar days of providing notice, the State and its authorized representatives or designees have the right to enter and inspect Contractor's premises or any other places where Contract Activities are being performed, and examine, copy, and audit all records related to this Contract. Contractor must cooperate and provide reasonable assistance. If any financial errors are revealed, the amount in error must be reflected as a credit or debit on subsequent invoices until the amount is paid or refunded. Any remaining balance at the end of the Contract must be paid or refunded within 45 calendar days.

This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

37. Warranties and Representations. Contractor represents and warrants: (a) Contractor is the owner or licensee of any Contract Activities that it licenses, sells, or develops and Contractor has the rights necessary to convey title, ownership rights, or licensed use; (b) all Contract Activities are delivered free from any security interest, lien, or encumbrance and will continue in that respect; (c) the Contract Activities will not infringe the patent, trademark, copyright, trade secret, or other proprietary rights of any third party; (d) Contractor must assign or otherwise transfer to the State or its designee any manufacturer's warranty for the Contract Activities; (e) the Contract Activities are merchantable and fit for the specific purposes identified in the Contract; (f) the Contract signatory has the authority to enter into this Contract; (g) all information furnished by Contractor in connection with the Contract fairly and accurately represents Contractor's business, properties, finances, and operations as of the dates covered by the information, and Contractor will inform the State of any material adverse changes;(h) all information furnished and representations made in connection with the award of this Contract is true, accurate, and complete, and contains

no false statements or omits any fact that would make the information misleading; and that (i) Contractor is neither currently engaged in nor will engage in the boycott of a person based in or doing business with a strategic partner as described in 22 USC 8601 to 8606. A breach of this Section is considered a material breach of this Contract, which entitles the State to terminate this Contract under Section 23, Termination for Cause.

- 38. Conflicts and Ethics. Contractor will uphold high ethical standards and is prohibited from: (a) holding or acquiring an interest that would conflict with this Contract; (b) doing anything that creates an appearance of impropriety with respect to the award or performance of the Contract; (c) attempting to influence or appearing to influence any State employee by the direct or indirect offer of anything of value; or (d) paying or agreeing to pay any person, other than employees and consultants working for Contractor, any consideration contingent upon the award of the Contract. Contractor must immediately notify the State of any violation or potential violation of these standards. This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.
- 39. Compliance with Laws. Contractor must comply with all federal, state and local laws, rules and regulations.
- 40. Reserved.
- 41. Reserved.
- **42. Nondiscrimination.** Under the Elliott-Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, *et seq.*, and the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, *et seq.*, Contractor and its subcontractors agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status, or mental or physical disability. Breach of this covenant is a material breach of this Contract.
- **43.** Unfair Labor Practice. Under MCL 423.324, the State may void any Contract with a Contractor or subcontractor who appears on the Unfair Labor Practice register compiled under MCL 423.322.
- 44. Governing Law. This Contract is governed, construed, and enforced in accordance with Michigan law, excluding choice-of-law principles, and all claims relating to or arising out of this Contract are governed by Michigan law, excluding choice-of-law principles. Any dispute arising from this Contract must be resolved in Michigan Court of Claims. Contractor consents to venue in Ingham County, and waives any objections, such as lack of personal jurisdiction or *forum non conveniens*. Contractor must appoint agents in Michigan to receive service of process.
- **45. Non-Exclusivity.** Nothing contained in this Contract is intended nor will be construed as creating any requirements contract with Contractor. This Contract does not restrict the State or its agencies from acquiring similar, equal, or like Contract Activities from other sources.
- 46. Force Majeure. Neither party will be in breach of this Contract because of any failure arising from any disaster or acts of god that are beyond their control and without their fault or negligence. Each party will use commercially reasonable efforts to resume performance. Contractor will not be relieved of a breach or delay caused by its subcontractors. If immediate performance is necessary to ensure public health and safety, the State may immediately contract with a third party.
- **47. Dispute Resolution.** The parties will endeavor to resolve any Contract dispute in accordance with this provision. The dispute will be referred to the parties' respective Contract Administrators or Program Managers. Such referral must include a description of the issues and all supporting documentation. The parties must submit the dispute to a senior executive if unable to resolve the dispute within 15 business days. The parties will continue performing while a dispute is being resolved, unless the dispute precludes performance. A dispute involving payment does not preclude performance.

Litigation to resolve the dispute will not be instituted until after the dispute has been elevated to the parties' senior executive and either concludes that resolution is unlikely, or fails to respond within 15 business days. The parties are not prohibited from instituting formal proceedings: (a) to avoid the expiration of statute of limitations period; (b) to preserve a superior position with respect to creditors; or (c) where a party makes a determination that a temporary restraining order or other injunctive relief is the only adequate remedy. This Section does not limit the State's right to terminate the Contract.

- **48.** Media Releases. News releases (including promotional literature and commercial advertisements) pertaining to the Contract or project to which it relates must not be made without prior written State approval, and then only in accordance with the explicit written instructions of the State.
- **49.** Website Incorporation. The State is not bound by any content on Contractor's website unless expressly incorporated directly into this Contract.
- 50. Entire Agreement and Order of Precedence. This Contract, which includes Schedule A Statement of Work, and expressly incorporated schedules and exhibits, is the entire agreement of the parties related to the Contract Activities. This Contract supersedes and replaces all previous understandings and agreements between the parties for the Contract Activities. If there is a conflict between documents, the order of precedence is: (a) first, this Contract, excluding its schedules, exhibits, and Schedule A Statement of Work; (b) second, Schedule A Statement of Work as of the Effective Date; and (c) third, schedules expressly incorporated into this Contract as of the Effective Date. NO TERMS ON CONTRACTOR'S INVOICES, ORDERING DOCUMENTS, WEBSITE, BROWSE-WRAP, SHRINK-WRAP, CLICK-WRAP, CLICK-THROUGH OR OTHER NON-NEGOTIATED TERMS AND CONDITIONS PROVIDED WITH ANY OF THE CONTRACT ACTIVITIES WILL CONSTITUTE A PART OR AMENDMENT OF THIS CONTRACT OR IS BINDING ON THE STATE FOR ANY PURPOSE. ALL SUCH OTHER TERMS AND CONDITIONS HAVE NO FORCE AND EFFECT AND ARE DEEMED REJECTED BY THE STATE, EVEN IF ACCESS TO OR USE OF THE CONTRACT ACTIVITIES REQUIRES AFFIRMATIVE ACCEPTANCE OF SUCH TERMS AND CONDITIONS.
- **51. Severability.** If any part of this Contract is held invalid or unenforceable, by any court of competent jurisdiction, that part will be deemed deleted from this Contract and the severed part will be replaced by agreed upon language that achieves the same or similar objectives. The remaining Contract will continue in full force and effect.
- 52. Waiver. Failure to enforce any provision of this Contract will not constitute a waiver.
- **53. Survival.** The provisions of this Contract that impose continuing obligations, including warranties and representations, termination, transition, insurance coverage, indemnification, and confidentiality, will survive the expiration or termination of this Contract.
- **54. Contract Modification.** This Contract may not be amended except by signed agreement between the parties (a "**Contract Change Notice**"). Notwithstanding the foregoing, no subsequent Statement of Work or Contract Change Notice executed after the Effective Date will be construed to amend this Contract unless it specifically states its intent to do so and cites the section or sections amended.

#### **Federal Provisions Addendum**

The provisions in this addendum may apply if the purchase will be paid for in whole or in part with funds obtained from the federal government. If any provision below is not required by federal law for this Contract, then it does not apply and must be disregarded. If any provision below is required to be included in this Contract by federal law, then the applicable provision applies and the language is not negotiable. If any provision below conflicts with the State's terms and conditions, including any attachments, schedules, or exhibits to the State's Contract, the provisions below take priority to the extent a provision is required by federal law; otherwise, the order of precedence set forth in the Contract applies. Hyperlinks are provided for convenience only; broken hyperlinks will not relieve Contractor from compliance with the law.

#### 1. Federally Assisted Construction Contracts

If this contract is a "**federally assisted construction contract**" as defined in <u>41 CRF Part 60-1.3</u>, and except as otherwise may be provided under <u>41 CRF Part 60</u>, then during performance of this Contract, the Contractor agrees as follows:

(1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

(3) The Contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the Contractor's legal duty to furnish information.

(4) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the Contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(5) The Contractor will comply with all provisions of <u>Executive Order 11246</u> of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.

(6) The Contractor will furnish all information and reports required by <u>Executive Order 11246</u> of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

(7) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this Contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in <u>Executive Order 11246</u> of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in <u>Executive Order 11246</u> of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(8) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of <u>Executive Order 11246</u> of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

#### 2. Davis-Bacon Act (Prevailing Wage)

- a. If applicable, the Contractor (and its Subcontractors) for prime construction contracts in excess of \$2,000 must comply with the Davis-Bacon Act (<u>40 USC 3141-3148</u>) as supplemented by Department of Labor regulations (<u>29 CFR Part 5</u>, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction").
- b. The Contractor (and its Subcontractors) shall pay all mechanics and laborers employed directly on the site of the work, unconditionally and at least once a week, and without subsequent deduction or rebate on any account, the full amounts accrued at time of payment, computed at wage rates not less than those stated in the advertised specifications, regardless of any contractual relationship which may be alleged to exist between the Contractor or subcontractor and the laborers and mechanics;
- c. The Contractor will post the scale of wages to be paid in a prominent and easily accessible place at the site of the work;
- d. There may be withheld from the Contractor so much of accrued payments as the contracting officer considers necessary to pay to laborers and mechanics employed by the Contractor or any Subcontractor on the work the difference between the rates of wages required by the Contract to be paid laborers and mechanics on the work and the rates of wages received by the laborers and mechanics and not refunded to the Contractor or Subcontractors or their agents.

#### 3. Copeland "Anti-Kickback" Act

If applicable, the Contractor must comply with the <u>Copeland "Anti-Kickback" Act</u> (40 USC 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"), which prohibits the Contractor and subrecipients from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled.

#### 4. Contract Work Hours and Safety Standards Act

If the Contract is **in excess of \$100,000** and **involves the employment of mechanics or laborers**, the Contractor must comply with <u>40 USC 3702</u> and <u>3704</u>, as supplemented by Department of Labor regulations (<u>29 CFR Part 5</u>), as applicable.

#### 5. Rights to Inventions Made Under a Contract or Agreement

If the Contract is funded by a federal "funding agreement" as defined under 37 CFR §401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

#### 6. Clean Air Act

If this Contract is **in excess of \$150,000**, the Contractor must comply with all applicable standards, orders, and regulations issued under the Clean Air Act (42 USC 7401-7671q) and the Federal Water Pollution Control Act (33 USC 1251-1387). Violations must be reported to the federal awarding agency and the regional office of the Environmental Protection Agency.

#### 7. Debarment and Suspension

A "contract award" (see <u>2 CFR 180.220</u>) must not be made to parties listed on the government-wide exclusions in the <u>System for Award Management</u> (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

#### 8. Byrd Anti-Lobbying Amendment

If this Contract exceeds \$100,000, bidders and the Contractor must file the certification required under <u>31 USC 1352</u>.

#### 9. Procurement of Recovered Materials

Under <u>2 CFR 200.322</u>, a non-Federal entity that is a state agency or agency of a political subdivision of a state **and its contractors** must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at <u>40 CFR part 247</u> that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

#### **Byrd Anti-Lobbying Certification**

The following certification and disclosure regarding payments to influence certain federal transactions are made under FAR 52.203-11 and 52.203-12 and <u>31 USC 1352</u>, the "Byrd Anti-Lobbying Amendment." Hyperlinks are provided for convenience only; broken hyperlinks will not relieve Contractor from compliance with the law.

- 1. <u>FAR 52.203-12</u>, "Limitation on Payments to Influence Certain Federal Transactions" is hereby incorporated by reference into this certification.
- 2. The bidder, by submitting its proposal, hereby certifies to the best of his or her knowledge and belief that:
  - a. No federal **appropriated** funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress on his or her behalf in connection with the awarding of any federal contract, the making of any federal grant, the making of any federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment or modification of any federal contract, grant, loan, or cooperative agreement;
  - b. If any funds other than federal appropriated funds (including profit or fee received under a covered federal transaction) have been paid, or will be paid, to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress on his or her behalf in connection with this solicitation, the bidder must complete and submit, with its proposal, <u>OMB standard form LLL</u>, <u>Disclosure of Lobbying Activities</u>, to the Solicitation Manager; and
  - c. He or she will include the language of this certification in all subcontract awards at any tier and require that all recipients of subcontract awards in excess of \$150,000 must certify and disclose accordingly.
- 3. This certification is a material representation of fact upon which reliance is placed at the time of Contract award. Submission of this certification and disclosure is a prerequisite for making or entering into this Contract under <u>31 USC 1352</u>. Any person making an expenditure prohibited under this provision or who fails to file or amend the disclosure form to be filed or amended by this provision is subject to a civil penalty of not less than \$10,000, and not more than \$100,000, for each such failure.

Signed by:

[Type name and title] [Type company name]

Date: \_\_\_\_\_

# **STATE OF MICHIGAN**

Contract No. 171 - 180000001104 Vehicles – Cab & Chassis

## SCHEDULE A STATEMENT OF WORK CONTRACT ACTIVITIES

#### Requirements

#### 1. Specifications

#### 1.1 The Contractor must provide the following:

A. Cab and Chassis vehicles per Schedule B - Specifications.

All vehicles to be furnished hereunder shall conform to the attached specifications (Schedule B – Specifications). If equipment does not fully comply with specifications, dealers shall include a list of designated exceptions to specifications. When no statement of exception is indicated, conformance to specifications will be required. Exceptions must be registered with the item number(s) to which it applies and list the description of equipment involved. The State reserves the right to accept or reject exceptions to the specification.

#### B. New Equipment

All vehicles must be new and of the manufacturer's current models in production at the time of order. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after-market equipment. Equipment not available from the factory may be dealer installed, in compliance with specifications.

#### C. Options

The Contractor shall provide options for Cab & Chassis at the lowest price available to all State Agencies, and Extended Purchasing Participants.

#### 1.2 Warranties

All vehicles purchased on this contract will be covered at a minimum by the same manufacturer's vehicle warranty as is provided to retail customers. The Contractor will be responsible for all materials and accessories used in the vehicle, whether the same is ready made or from an outside source; and <u>this responsibility may not</u> <u>be</u> transferred, conveyed, assigned to any other person, company, corporation or entity without the previous written approval of the State.

Extension of warranty and or other policy adjustments will be considered when constant maintenance is required or if replacement parts prove unsound. The State of Michigan shall expect the manufacturer to have an adequate stock of replacement parts available to service State of Michigan, and Extended Purchasing Participants vehicles, and to make delivery of all replacement parts to their dealers who may service the State of Michigan, and Extended Purchasing Participants vehicles, within a reasonable time. The prime Contractor will be required to contact the State of Michigan, and Extended Purchasing Participants within ten (10) days after receipt of a contract release or purchase order, to arrange procedures concerning the implementation of warranty claims and to designate personnel to handle claims.

#### 1.3 Recall Requirements and Procedures

The Contractor shall notify the Program Manager (PM) or their Designee within 48 hours of a recall notice via email.

#### 2. Service Levels

#### 2.1 Time Frames

Delivery shall be within:

- 90-120 calendar days after receipt of the order for Cab & Chassis without body equipment.
- 120-240 calendar days after receipt of order for Cab & Chassis equipped with Dump, Stake, or Van Type Bodies.

Version (05/0/15)

The Contractor and the State, or Extended Purchasing Participants, may mutually agree upon alternate schedules in writing. Deviations from the agreed upon schedule exceeding seven (7) calendar days shall be subject to section 10, Invoice Credits.

#### 2.2 Training

The dealer shall provide access for State and Ordering Entity mechanics to all on-line service and repair information including service bulletins for all vehicles purchased.

The dealer shall provide access for State and Ordering Entity mechanics to service and repair training for the models purchased. Training shall be similar to the training offered to dealership mechanics. Access to all engine service and training information is available.

**Ford:** Ford provides on line service and repair information for fleet customers that have a Ford Fleet FIN number. Web based courses are available for a fee. These web-based courses are similar to those that are available to Ford Dealer technicians. www.FordFleet.com

#### 2.3 Reporting

The State reserves the right to request reports from the Contractor.

By the second Friday of every December, the Contractor must submit a report of recycled content in commodities sold in that calendar year to contact **Yvon Dufour, or DTMB Procurement Designee**.

#### 2.4 Documents

Contractor shall submit the following documents at the time of delivery:

- a) Owner's/Operator's manual for vehicle and all add-on equipment.
- b) Warranty papers for chassis, body, and additional equipment if applicable.
- c) Maintenance manual(s).

#### 2.5 Meetings

The State may request a kick-off meeting with the Contractor within thirty (30) days of the Effective Date. The State may request other meetings, as it deems appropriate.

#### 3. Staffing

#### 3.1 Contractor Representative

The Contractor shall appoint an individual, specifically assigned to State of Michigan accounts, that will respond to State inquiries regarding the Contract Activities, answering questions related to ordering and delivery, etc. (the "Contractor Representative").

#### Jim Agney Office: 734-671-4033 Cell: 248-227-7445 jagney@gornoford.com

The Contractor shall notify the Contract Administrator at least **30** calendar days before removing or assigning a new Contractor Representative.

#### 3.2 Customer Service, Technical Support, Repairs and Maintenance Toll-Free Number

The Contractor shall specify its toll-free number for the State to make contact with the Contractor Representative. The Contractor Representative shall be available for calls during the hours of 8 am to 5 pm EST.

#### (888) 591-7710

3.3 Disclosure of Subcontractors

If the Contractor intends to utilize subcontractors, the Contractor shall disclose the following: The legal business name; address; telephone number; a description of subcontractor's organization and the services it will provide; and information concerning subcontractor's ability to provide the Contract Activities. The relationship of the subcontractor to the Contractor.

Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.

A complete description of the Contract Activities that will be performed or provided by the subcontractor. Of the total cost, the price of the subcontractor's work.

#### 4. Pricing

#### 4.1 Price Term

The pre-qualified pool of Contractors shall bid annually on vehicles. Compliance with specifications and the lowest bid, shall govern award for vehicles by manufacturer, model category, and/or model groups. The State reserves the right to negotiate with one or more Contractors. Once vehicles are awarded, prices are fixed for one model year with an option to "roll-over" pricing for the next model years. "Model year" is defined as the current model year at the time of the bid release. Dealers are obligated to provide the vehicle at the bid price as long as that model year is produced. "Roll-over" pricing shall be upon mutual agreement between the State and the dealer. The State reserves the right to prohibit "roll-over" pricing for any reason. Vehicles that are not rolled over are included in the upcoming annual bid cycle.

#### 4.2 Price Changes

Prices quoted are the maximum to be charged during the vehicle model year. Model year is defined as the current model year at the time of the bid release.

Dealers are obligated to provide the vehicle at the bid price as long as that model year is produced with the following exceptions:

- a) The State or Extended Purchasing Participants shall receive the benefit of any decrease in price that may occur.
- b) If changes in manufacturer standard equipment or federal regulations affect the cost of the vehicle(s) during the model year by more than one hundred-dollars (\$100), the Contractor may request a price revision to reflect the actual cost increase experienced. The request must be accompanied by evidence that the change actually affected the Contractor's cost.
- c) If the State of Michigan raises the cost of the vehicle title fees during the contract period, Contractors may request a price adjustment to reflect the actual cost increase experienced.

Changes may be either increase or decrease, and may be requested by either party. Approved changes shall be firm for the remainder of the model year, and shall take effect 30 days after authorization by Contract Change Notice. The postmark date on the Contract Release/Purchase Order shall determine prices to be charged on an order that may have been in transit prior to implementation of price revisions.

Requests for price changes shall be RECEIVED IN WRITING AT LEAST 30 DAYS PRIOR TO THEIR EFFECTIVE DATE, and are subject to written acceptance before becoming effective. In the event new prices are not acceptable, the vehicle will be added to the upcoming bid cycle making it available for all pre-qualified dealers to submit bids. The continued payment of any charges due after September 30th of any fiscal year will be subject to the availability of an appropriation for this purpose.

#### 5. Ordering

#### **5.1 Authorizing Document**

Orders for delivery of commodities and/or services will be issued directly by the State, or Extended Purchasing Participants, through the issuance of a Purchase Order Form referencing this contract. The Contractor is asked to reference all items per section **8.1 Invoice Requirements.** 

The Contractor is only authorized to sell vehicles specifically listed on their contract within the respective model year.

Any misrepresentations, such as selling of other vehicles, could be subject to the following:

- 1. Submittal of an official Vendor Performance with the State.
- 2. Loss of award (Contractor's current awarded vehicles to be re-bid amongst other Contractors).
- 3. Early removal from pre-qualification.

#### 5.2 Order Verification

The Contractor must have internal controls to verify abnormal orders and to ensure that only authorized individuals place orders.

When an item is backordered, the Contractor shall notify the State or Extended Purchasing Participants within ten (10) business days.

The Contractor shall provide an order confirmation within two (2) business days via email to the Designee indicated on the Purchase Order.

The Contractor shall provide a delivery timeframe within ten (10) business days via email to the Designee indicated on the Purchase Order.

#### 6. Delivery

#### A. F.O.B. Delivered Items

Prices shall be quoted "F.O.B. Delivered" with transportation charges prepaid on all orders for State of Michigan Agencies, in the vicinity of Lansing, Michigan. Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration.

#### B. F.O.B. dealership Items

Prices shall be quoted "F.O.B. Dealership" with transportation charges prepaid to the primary Contractor location on all orders for Extended Purchasing Participants. Dealers must also quote a delivery cost per mile to facilitate calculation of delivery cost to various locations within Michigan. The delivery fee per vehicle for Extended Purchasing Participants shall be a maximum of \$2.50 per mile starting at the first mile. Dealers can include a lower delivery fee than \$2.50 per mile in their bid responses. The delivery cost per mile will be added to the unit cost of the vehicle unit price quoted to determine the "Total Unit Price" for "F.O.B. Dealership" items. Mileage will be calculated based upon the "Official Michigan Department of Transportation Highway Map". Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration.

#### C. Driver Delivery

Contractors will be permitted to drive vehicles to final destinations in compliance with the "Affidavit for Driver Delivery" attached, however, the affidavit must be completed, submitted, and in the contract file within Purchasing Operations to be applicable.

Delivery must be made between the hours of 8:00 A.M. and 4:00 P.M., Monday through Friday ONLY, excluding State Holidays. Contractors shall contact the ordering agency 48 hours prior to the scheduled delivery time and date, to obtain confirmation of staff availability.

#### 7. Acceptance

#### 7.1 Acceptance and Inspection

Prior to delivery, each vehicle shall be serviced and inspected by the dealer or their agent. At a minimum, this pre-delivery service and inspection shall cover the specifications listed in the State of Michigan Specifications **per Schedule B, Pre-Delivery Service**. A copy of the Contractor's inspection and <u>service check</u>, including the Contractors and vehicle identification, check-off of service and inspection performed and the service manager's signature shall be furnished <u>with each vehicle</u> delivered. The vehicles crank case, differential and transmission shall be filled to the manufacturer's recommended capacity and the fuel tank shall have a minimum of one-fourth of a tank of fuel when the vehicle arrives at the delivery destination. The Contractor shall provide a completed odometer statement, completed RD108 application for title form, vehicle window sticker or line setting ticket, and invoice for each vehicle at the time of delivery. The vehicle shall be clean and free from defects when delivered.

The receipt of all items from section 2.4 shall be submitted complete.

Each unit shall have an initial fill of windshield washer solution with solvent giving winter protection.

The receiving State Agency and Extended Purchasing Participants have been instructed to make inspection on receipt of units and to process payment documents promptly. Payment documents, however, will be delayed if the vehicle fails to comply with specification requirements.

### 8. Invoice and Payment

#### 8.1 Invoice Requirements

All invoices submited to the State must include: (a) date; (b) contract number; (c) purchase order; (d) quantity; (e) description of the Contract Activities; (f) base vehicle unit price; (g) option unit price; (h) shipping cost (if any); and (i) total price.

#### 8.2 MiDeal Requirements

- a) The Contractor must ensure that all purchasers are MiDEAL Members before extending the Contract pricing.
- b) The Contractor must submit quarterly reports of MiDEAL purchasing activities (See Standard Contract Terms, section 7).
- c) To the extent that MiDEAL Members purchase Deliverable(s) under this Contract, the quantities of Deliverable(s) purchased will be included in determining the appropriate rate wherever tiered pricing based on quantity is provided.
- d) The Contractor shall submit invoices to and receive payment from MiDEAL Members on a direct and individual basis (See Standard Contract Terms, section 8).

#### 9. Additional Requirements

#### 9.1 Environmental and Energy Efficient Products

The Contractor shall identify any energy efficient, bio-based, or otherwise environmental friendly products used in the products to the Program Manager (PM) prior to delivery. This information must include any relevant third-party certification.

The Contractor shall identify any energy efficient, bio-based, or otherwise environmental friendly products used in their products to the Program Manager (PM) 2 weeks prior to delivery.

#### 9.2 Recycled Content and Recyclability

**Deliverable(s)**. Without compromising performance or quality, the State prefers Deliverable(s) containing higher percentages of recycled materials. The Bidder must indicate an estimate of the percentage of recycled materials, if any, contained in each Deliverable:

- (total estimated percentage of recovered material) %
- (estimated percentage of post-consumer material) %
- (estimated percentage of post-industrial waste) %

#### 9.3 Hazardous Chemical Identification

In accordance with the federal Emergency Planning and Community Right-to-Know Act, 42 USC 11001, *et seq.*, as amended, the Contractor must provide a Safety Data Sheet listing any hazardous chemicals, as defined in 40 CFR §370.2, to be delivered. Each hazardous chemical must be properly identified, including any applicable identification number, such as a National Stock Number or Special Item Number.

#### The Contractor shall provide all current SDS to the Program Manager (PM) 2 weeks prior to delivery.

#### 9.4 Mercury Content

Pursuant to MCL 18.1261d, mercury-free products must be procured when possible. The Contractor must explain if it intends to provide products containing mercury, the amount or concentration of mercury, and whether cost competitive alternatives exist. If a cost competitive alternative does exist, the Contractor must provide justification as to why the particular product is essential. All products containing mercury must be labeled as containing mercury.

The Contractor shall report if it intends to provide products containing mercury to the Program Manager (PM) no later than 48 hours after a purchase order is issued.

#### 9.5 Brominated Flame Retardants

The State prefers to purchase products that do not contain brominated flame-retardants (BFRs) whenever possible.

The Contractor must disclose to the Program Manager (PM) whether their products contain BFRs no later than 48 hours after a purchase order is issued.

#### **10. Invoice Credits**

Late or improper completion of the Contract Activities will cause loss and damage to the State and Extending Purchasing Participants and it would be impracticable and extremely difficult to fix the actual damage sustained

Version (05/0/15)

by the State and/or Extending Purchasing Participants. Therefore, if there is late or improper completion of the Contract Activities, the State, and the Extended Purchasing Participants are entitled to collect invoice credits for 2/10<sup>th</sup> of 1% of the Purchase Order for each day the Contractor fails to remedy the late or improper completion of the Work.

#### 11. Liquidated Damages

Unauthorized Removal of Key Personnel will interfere with the timely and proper completion of the Contract, to the loss and damage of the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, the State may assess liquidated damages against Contractor as specified below.

The State is entitled to collect \$500 per individual per day for the removal of any Key Personnel without prior approval of the State.

The State is entitled to collect \$500 per individual per day for an unapproved or untrained key personnel replacement.



## SCHEDULE B SPECIFICATION INFORMATION

## Cab & Chassis



THESE SPECIFICATIONS APPLY TO ANY CONTRACTS RESULTING FROM RFP#171-180000002995 AND WILL BE REFERRED TO IN ANNUAL BID CYCLES BEGINNING 2016 MODEL YEAR. THESE SPECIFICATIONS ARE APPLICABLE TO MODEL YEARS 2016 - 2023 UNLESS OTHERWISE SPECIFIED.

## TABLE OF CONTENTS

4	GENERAL SPECIFICATIONS
5	TRUCK EQUIPMENT
7	PRE-DELIVERY SERVICE
9	RECEIVING PROCEDURE
	SPECIFICATIONS FOR SUBCLASSSES

2005 000011 (5505)	HYBRID VEHICLES: HEAVY DUTY TRUCK, CAB AND CHASSIS, DIESEL (G.V.W.R. 23,500	
3905-0008H-T50D	lbs., min.)	
3905-0012-CBPEA	HYBRID VEHICLES: Stripped Chassis, Parallel Hybrid Electric Drive, 158" wheelbase, 14,000 lbs.	
	min GVWR	
3905-0012-CBPEB	HYBRID VEHICLES: Stripped Chassis, Parallel Hybrid Electric Drive, 176" Wheelbase, 14,000 lbs.	
	min GVWR MEDIUM DUTY TRUCK 4X4: CAB AND CHASSIS, (G.V.W.R. 25,950 lbs., min.), DIESEL, (Body & Payload-Approx. 13,000	
39580096D	MEDIONIDU I I TROCK 4A4: CAB AND CHASSIS, (G. V. W.R. 23,930 lits., Hill.), DIESEL, (Body & Payload-Appiox. 15,000 [bs.)	
3958-0110	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)	
	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R.	
3958-0111D	14,500 LBS., min.)	
3958-0112	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.)(4x4)	
2059 01120	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R.	
3958-0113D	14,500 LBS., min.)(4x4)	
3958-0114	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.)	
3958-0115D	HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R.	
	15,000LBS., min.)	
3958-0116	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.)(4x4)	
3958-0117D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, (G.V.W.R. 15,000 LBS., min.)(4x4)	
3958-0134	HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE	
3958-0135D	HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, (G.V.W.R. 23,500 lbs., min.),	
3958-0136D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 21,000 lbs., min.), DIESEL	
3958-0160D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), DIESEL	
3958-0164D	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.), DIESEL	
2050 01500	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R 44,000 lbs., min.), 305HP DIESEL	
39580170D	ENGINE, SINGLE AXLE, DIESEL	
2050 01520	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 64,000lbs., min.) TANDEM AXLE,	
3958-0172D	370HP DIESEL ENGINE, WALKING BEAM AND SPRING SUSPENSION	
2050 01520	HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 52,000lbs., min.), TANDEM-Diesel	
3958-0173D	Engine, (Not Intended to be equipped with an Underbody Snow Plow)	
3958-0178D	HEAVY DUTY TRUCKS: TRACTOR: (G.C.W.R. 70,000lbs., min.), TANDEM AXLE, DIESEL	

## **GENERAL SPECIFICATIONS**

Truck Equipment	p. 5
Pre-Delivery Service	p. 7
Receiving Procedure	p. 9

Patrol vehicle equipment options are contained within each specification contained in this document.

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The <u>dealer's vehicle order confirmation sheet</u>, <u>which</u> includes all of the standard options provided with the vehicle in accordance with the State of Michigan Specification, shall be provided at each of these steps in the process:

With dealers annual bid submittal to the State of Michigan With original quote from the dealer to the Ordering Entity Upon delivery of the vehicle from the dealer to the Ordering Entity The Ordering Entity shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

The dealer shall indicate on the TOP of the order confirmation sheet:

- The State specification number that applies
- MDOT or Local Units of Government specification

Diesel Vehicles are indicated with a "D" at the end of the specification number. Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

## TRUCK EQUIPMENT (Page B)

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be</u> <u>furnished on all vehicles:</u>

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors All trucks are to be equipped with R.H. and L.H. outside rearview mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rearview mirror. In all cases, outside R.H. & L.H. rear view mirrors shall be 34 sq.in. minimum, swing away type and provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Transmission-Automatic.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

All items removed for installation of optional equipment shall be returned to the State of Michigan or the Ordering Entity.

VEHICLES SHALL TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

**Delete:** On GM vehicles, OnStar and XM radio are deleted.

## PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

- 1. General appearance of body both interior and exterior for completeness and quality of workmanship.
- 2. Lubrication and fluid levels and correcting any leaks:
  - a. Radiator
  - **b.** Windshield Washer
  - **c.** Battery
  - **d.** Power steering pump
  - e. Brake master cylinder
  - **f.** Engine oil
  - g. Transmission fluid level.
- 3. Mechanical operation of vehicle:
  - **a.** Steering gear and linkage
  - **b.** Suspension assembly, front and rear
  - **c.** Proper tire pressure to normal rated road requirements
  - **d.** Hood latch
  - e. Head lights, aim and adjust
  - **f.** Front wheel toe in and torque wheel nuts
  - g. Seat and shoulder belts operative
  - **h.** All locks and latches to be operative
  - i. Windshield wiper and washer to be operative
  - **j.** Proper adjustment to all drive belts
- 4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.

#### 5. Miscellaneous items to be furnished:

- **a.** Manufacturers Window Sticker shall not be removed from vehicle.
- **b.** Odometer Certification, vehicle window sticker, or line setting ticket, and Vehicle Curb Weight at time of delivery.
- c. Manufacturers or Dealers Pre-Delivery Check Sheet.
- **d.** Vehicle shall have a minimum of one fourth (<sup>1</sup>/<sub>4</sub>) tank of Fuel when delivered.
- e. Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.
- **f.** Completed RD108 application for title form.
- **g.** Invoice for each vehicle at the time of delivery.
- h. Vehicle Order Confirmation Sheet.

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

## Failure to adhere to specifications may be reason to delay payment.

## **RECEIVING PROCEDURE**

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the Contractor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the Ordering Entity

It is recommended that the following items be checked by the Ordering Entity prior to signing the Freight Bill:

- 1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
- 2. Visually inspect under hood for the following items:
  - a. Air cleaner
  - b. Battery and caps
  - c. Radiator cap
  - d. Windshield washer container.
- 3. Check for cracked or broken windows.
- 4. Check trunk compartment for the following:
  - a. Spare tire and wheel
  - b. Jack
  - c. Wheel wrench
  - d. Four hub caps
  - e. Trunk mat.
- 5. Check interior of vehicle for the following items:
  - a. Owner's manual and warranty material
  - b. Cigarette lighter
  - c. Two sets of keys (Three sets for MDOT)
  - d. Make sure all seat belts are installed
  - e. Sun visors
  - f. Upholstery damage or excessive soil.

It is the responsibility of the Ordering Entity to check for any other items that could possibly have been missing in accordance with the purchase order, specification data and the dealer's vehicle order confirmation sheet.

## SPECIFICATIONS FOR SUBCLASSES

## 3905-0008H-T50D - HYBRID VEHICLES: HEAVY DUTY TRUCK, CAB AND CHASSIS, DIESEL (G.V.W.R. 23,500 lbs., min.)

### MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Transmission: 5/6-speed

Allison w/ PTO Auto. 2000/2400/2200RDS

Ratio for minimum loaded road speed of approx. 68 mph.

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-120 amp. min., Reference 22SI or approved equal
- □ <u>Battery Carrier</u>: HEV, Power Electronics Carrier (Eaton) w/Hybrid, mounted under cab. Includes Cooling System, LSM behind PEC.
- Transmission/Drive Unit: Eaton-Fuller Hybrid EH-8E406A-CD 6-speed Automated Manual Transmission w/Electronic Shift Controls, Without ePTO capability. Eaton-Fuller AutoClutch DM1401, 700ft.lb torque capacity

### **ADDITIONAL MDOT OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- □ <u>Alternator</u>: 120A min capacity, pad mounted
- Transmission/Drive Unit: Eaton-Fuller Hybrid EH-8E406A-UP 6-speed Automated

Manual Transmission w/Electronic Shift Controls, <u>With</u>ePTO capability. Eaton-Fuller AutoClutch DM1401, 700ft.lb torque capacity

- □ <u>Battery Carrier</u>: HEV, Power Electronics Carrier (Eaton) w/Hybrid, mounted under cab. Includes Cooling System, LSM behind PEC.
- Body Integration, Remote Power Module: Mounted under cab or on battery box; up to six-(6) outputs and inputs, 20A per channel- includes one-(1) switch pack w/latched switches.
- □ <u>All other specs per MDOT requirements.</u>

## 3905-0012-CBPEA HYBRID VEHICLES: Stripped Chassis, Parallel Hybrid Electric Drive, 158" wheelbase, 14,000 lbs min GVWR

## MODEL - CURRENT NEW

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- □ 3 Phase AC Traction Motor (Electric) and 5.4L FFV V-8 Engine (Gas/E85)
- □ 158" Wheelbase
- □ Lithium-Ion Battery

Fuel capacity-largest available from mfg. Spare tire and wheel. Full size. Mfg. Stnd. mounting. Wrench-wheel.

PLEASE NOTE: Speed Control is not available for this option.

## 3905-0012-CBPEB HYBRID VEHICLES: Stripped Chassis, Parallel Hybrid Electric Drive, 176" Wheelbase, 14,000 lbs min GVWR

MODEL - CURRENT NEW

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- □ 3 Phase AC Traction Motor (Electric) and 5.4L FFV V-8 Engine (Gas/E85)
- □ 176" Wheelbase
- □ Lithium-Ion Battery

Fuel capacity-largest available from mfg. Spare tire and wheel. Full size. Mfg. Stnd. mounting. Wrench-wheel.

PLEASE NOTE: Speed Control is not available for this option.

## HEAVY DUTY TRUCKS

## 3958--0096D HEAVY DUTY TRUCK 4X4: CAB AND CHASSIS, (G.V.W.R. 25,950 lbs., min.), DIESEL, (Body & Payload-Approx. 13,000 lbs.)

#### MODEL - CURRENT NEW

#### **PRELIMINARY REQUIREMENTS:**

Gross H.P., min. 225

Clutch: Heavy duty

Transmission: 5-speed syncro. with 2-speed transfer case P.T.O. opening both sides

Front Wheel Lock-out Hubs.

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Alternator-100 amp. min., Reference 22SI or approved equal □ Battery's-12 Volt; 1050 CCA, minimum. Brakes-Full Air. Current FMVSS. Dust plates. Air dryer with spin on filter, Automatic Drain Valves. Automatic slack adjusters, Anti-Lock. Cab assist handles-right and left. Fuel/Water Separator with Heater. Fuel tanks-dual step, 50 gallon capacity each. Heater-Engine block, 110/120 VAC Hood, Tilt Type. Mirrors-Rear View, Outside. L.H. and R.H. West Coast type. 6" x 16", with stainless steel or powder coated steel heads, brackets, and hardware. Running board-To have running boards on each side, or step tanks. Spare wheel. Starting Aid-Cold weather, ether type or glow plug. Steering-Power. Tachometer. Throttle, Electronic, High Idle Engine RPM Control. Wheels, Hub Pilot Disc Type

## 3958-0110 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 14,500 LBS., min.)

MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Battery-12 Volt, 600 CCA, minimum. Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Wrench-wheel.

## ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery. Spare tire and wheel. Switches, upfitter for auxillary Throttle, Electronic, High Idle Engine RPM Control. Towing package: Heaviest duty available from manufacturer Trailer brake controller, factory installed Trailer Hitch, Class III Receiver Type

## 3958-0111D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.)

#### MODEL - CURRENT NEW

## PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

#### **ADDITIONAL MDOT OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0112 HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, (G.V.W.R. 14,500 LBS., min.) (4 x 4)

#### MODEL - CURRENT NEW

## PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

## ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Hubs autolocking on front
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.
Spare tire and wheel.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0113D HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 14,500 LBS., min.) (4 x 4)

#### MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications <u>are to be furnished on all vehicles:</u>

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

## ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Hubs autolocking on front
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum
Spare tire and wheel.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0114 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.)

#### MODEL - CURRENT NEW

#### **PRELIMINARY REQUIREMENTS:**

Transmission: Automatic: with maximum capacity transmission oil cooler. Factory installed.

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

#### ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Hubs autolocking on front
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.
Spare tire and wheel.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0115D HEAVY DUTY TRUCKS: CAB AND CHASSIS DUAL REAR WHEELS, DIESEL, (G.V.W.R. 15,000 LBS., min.)

### MODEL - CURRENT NEW

## PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with maximum capacity transmission oil cooler. Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

#### **ADDITIONAL MDOT OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Hubs autolocking on front
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.
Spare tire and wheel.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0116 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 15,000 LBS., min.) (4 x 4)

#### MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Transmission: Automatic: with maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

#### ADDITIONAL MDOT OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle Rear Limited slip
Hubs autolocking on front
Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.
Spare tire and wheel.
Switches, upfitter for auxillary
Throttle, Electronic, High Idle Engine RPM Control.
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)
Towing package: Heaviest duty available from manufacturer
Trailer brake controller, factory installed

## 3958-0117D HEAVY DUTY TRUCKS: CAB AND CHASSIS, DIESEL, (G.V.W.R. 15,000 LBS., min.) (4 x 4)

#### MODEL - CURRENT NEW

## PRELIMINARY REQUIREMENTS:

Transmission: Automatic: with maximum capacity transmission oil cooler, Factory installed.

### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Wrench-wheel.

#### **ADDITIONAL MDOT OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Axle rear limited slip

Hub autolocking on front

Keys -(1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.

□ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum.

Spare tire and wheel.

Switches, upfitter for auxillary

Throttle, Electronic, High Idle Engine RPM Control.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow (Goodyear preferred)

Towing package: Heaviest duty available from manufacturer

Trailer brake controller, factory installed

Transmission: P.T.O. Provision

## 3958-0134 HEAVY DUTY TRUCKS: CAB AND CHASSIS, (G.V.W.R. 21,000 lbs., min.), LOW PROFILE

MODEL - CURRENT NEW

## **PRELIMINARY REQUIREMENTS:**

Transmission: Automatic 5 or 6 speed w/ PTO Allison Auto. 2000/2400 Series

Ratio for minimum loaded road speed of approx. 68 mph

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Air Conditioning-Factory Installed Alternator-100 amp. min., Reference 22SI or approved equal Battery(s)-12 Volt, 1,100 CCA minimum. Cab assist handles-right and left. Fuel Tank-50 gallon each, minimum, L.H. and R.H. Step Tanks. Hood, Tilt. Mirrors-Rear View, Outside. L.H. and R.H. West Coast type, 6" x 16", installed, with stainless steel or powder coated steel or composite heads, brackets, and hardware. Shock Absorbers, Front and Rear Switches (6), outfitter, with remote power module (MDOT only) Throttle, Electronic, High Idle Engine RPM Control. Wheels, Hub Pilot Disc Type

**3958-0135 HEAVY DUTY TRUCKS: CAB AND CHASSIS DIESEL, (G.V.W.R. 21,000 lbs.,** min.)

#### MODEL - CURRENT NEW

#### **PRELIMINARY REQUIREMENTS:**

Transmission: 5/6-speed w/ PTO

Allison Auto. 2000/2200RDS Series

Ratio for minimum loaded road speed of approx. 68 mph

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Air Conditioning-Factory Installed Alternator-100 amp. min., Reference 22SI or approved equal Battery(s)-12 Volt, 1,100 CCA minimum. Cab assist handles-right and left. Fuel Tank-45 gallon each, minimum, L.H. and R.H. Step Tanks. Hood, Tilt. Mirrors-Rear View, Outside. L.H. and R.H. West Coast type, 6" x 16". Shock Absorbers, Front and Rear Switches (6), outfitter, with remote power module (MDOT only) Throttle, Electronic, High Idle Engine RPM Control. Wheels, Hub Pilot Disc Type

## 3958-0136D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 23,500 lbs., min.), DIESEL

MODEL - CURRENT NEW

## **PRELIMINARY REQUIREMENTS:**

Transmission: 5/6-speed

Allison w/ PTO Auto. 2000/2400/2200RDS

Ratio for minimum loaded road speed of approx. 68 mph.

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Alternator-100 amp. min., Reference 22SI or approved equal Battery(s)-12 Volt; 1,100 CCA minimum. Brakes-Full air. Current FMVSS. Dust plates. Air dryer with spin on filter, Automatic Drain Valves. Automatic slack adjusters. Cab assist handles-right and left. Fuel/Water Separator with Heater. Fuel Tanks-45 gallon each L.H. and R.H. Step tanks. Heater-engine block, 110/120 VAC Hood, Tilt. Mirrors, Rear View-Outside. L.H. & R.H. West Coast Type. 6" x 16", installed, with stainless steel or powder coated steel heads, brackets, and hardware. Shock absorbers-Front and Rear, double acting, telescopic. Starting Aid-Cold weather, ether type or glow plug. Switches (6), outfitter, with remote power module (MDOT only) Throttle, Electronic, High Idle Engine RPM Control. Wheels-Hub Piloted disc.

## 3958-0160D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.), SINGLE AXLE, 300 H.P. DIESEL ENGINE

MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Engine: Diesel Gross H.P.-300 min.

Transmission: 6-Speed, Allison 3000RDS or 3500RDS

Ratios for minimum loaded road speed of approx. 68 mph.

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Alternator-100 amp., minimum, Reference 22SI or approved equal.

Battery(s)-12 Volt; 1,250 CCA minimum.

Brakes-Full air. Current FMVSS. Dust plates. Air dryer with spin on filter, Automatic Drain Valves. Automatic slack adjusters.

Cab assist handles-right and left.

Engine Safety Devices-Warning light and audible alarm system activated when engine oil pressure falls below safe operating limit or when water temperature exceeds safe operating limit. Automatic engine shut-down with low oil pressure or high coolant temperature. Frame-Resisting bending moment 1,275,200 in.-lbs., min., Single Rail Frame Fuel Tanks-50 gallon each L.H. & R.H., center step tanks.

□ Fuel/Water Separator with Heater.

Heater-Engine block, 110/120 VAC

Hood, Tilt type, with Butterfly Opening.

Horns-Dual, air, Single Base, with Covers.

Mirrors, Rear View, Outside. L.H. & R.H. West Coast Type, 6" x 16", installed, with stainless

steel, powder coated steel, or composite heads, brackets, and hardware. Shock absorbers, Heavy Duty, Front and Rear. Starting Aid-Cold weather, ether type or glow plug. Switches (6), outfitter, with remote power module (MDOT only) Throttle, Electronic, High Idle Engine RPM Control. Wheels-Hub Piloted disc.

# 3958-0164D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.), DIESEL

### MODEL - CURRENT NEW

### **PRELIMINARY REQUIREMENTS:**

Transmission: 5/6 speed, Allison Auto, 2000/2350HS series

Axle: road speed of approx. 68 mph.

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Alternator-100 amp., minimum, Reference 22SI or approved equal. Battery(s)-12 Volts; 1500 CCA, Min. Brakes-Full air. Current FMVSS. Dust plates. Air dryer with spin on filter, Automatic Drain Valves. Automatic slack adjusters. Cab assist handles-right and left. Exhaust (PIPE ONLY) - Vertical installation. Fuel Tanks-L.H. and R.H. 45 (min.) gallon tanks, frame mounted. Fuel/Water Separator with Heater. Heater-Engine block, 110/120 VAC Hood, Tilt. Horns-Electric, dual. Mirrors-Rear View, Outside. L.H. and R.H. West Coast type. 6' x 16"; installed, with stainless steel or powder coated steel heads, brackets, and hardware. Oil Seals (wet)-front axle. Shock absorbers, Heavy Duty, Front and Rear. Starting Aid-Cold weather, ether type or glow plug. Switches (6), outfitter, with remote power module (MDOT) Throttle, Electronic, High Idle Engine RPM Control. Wheels-Hub Piloted disc.

Mich. Spec. # 3958-0170D

## 3958--0170D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 44,000 lbs., min.), 350 H.P. DIESEL ENGINE, SINGLE AXLE, DIESEL

#### MODEL - CURRENT NEW

#### **PRELIMINARY REQUIREMENTS:**

Wheelbase Approx. 186 (inches)

C.A. 112 to 114 (inches)

Axle to End of Frame 75 (inches) Engine:

Diesel Gross H.P.-350 min. Torque, Gross 1150 minimum

Transmission Allison –4500RDS, wide ratio, 6 speed, Transmission shifter to be dash mounted push button.

Single speed with driver controlled differential lock

Ratio for minimum loaded road speed of approx. 68 mph.

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Air Conditioning: Factory Installed

Air Cleaner with integral snow valve and in-cab control. Alternator-135 amp., minimum, Reference 34SI or approved equal. Air

filter restriction gauge, dash mounted, Filter Minder #3781-325.

Air Horn

Mich. Spec. # 3958-0170D

Battery(s)-12 Volt, 2775 Minimum

Battery Box must be mounted 35" back of cab or under cab with a 24" ground clearance.

☑ Battery Cable: The negative battery cable shall be run from the batteries to the engine block. This shall be a full length cable and be 00 gauge.

Brakes-Sealed Air Brake Chambers, Full air. Effective lining area 625 square inch, minimum, cast brake shoes. Air compressor 18.7 cfm, min. Air reservoir 2,000 cubic inch, minimum. Buzzer type low pressure continuous warning device. Air pressure gauge visible to driver. Check valve or equivalent safety device between reservoir tank(s). Spring loaded diaphragm type rear wheel parking brake. Air dryer with spin on filter, mounted outside of frame rail.

Automatic Drain Valves. Automatic slack adjusters. Brake and electrical connections to end of frame, are to be semi-four wheel trailer connections with seven wire electrical cable, mounted on rear cross member at end of frame.

Bumper, Front; 11" x 3" x 1/4" channel, 90" straight center section and

3" beveled ends. Channel ends to be enclosed with 1/4" thick steel plate. Straight channel acceptable. Sharp corners shall be ground smooth. Bumper shall be bolted to main frame rails. Cab assist handles-left and right, with full length external grab handles.

 $\square$ Cab Interior: The cab inside length shall be at least 52.4 inches. A cab extension shall be provided as needed.

Cab mounted – Air Suspension Type.

Cab-to-end of frame-proper length to accommodate an 11 foot dump box mounted

18" back of cab. The 18" space is required for fuel tank mounting.

Cigar Lighter

Color-Orange acrylic enamel to match PPG Concept DCC605-10 or equal.

Bumper and frame to be painted black.

Crankshaft-Crankshaft shall be drilled and tapped for a spicer driveline,

opening for drive line to be under radiator.

☑ Dash, Ergonomic type, angled towards driver

 $\square$  Defrost Duct: Shall be installed for passenger side window.

Directional Signals-Rear to be special combination, turn signal, stop and

tail-lights; standard canceling type. To be furnished by truck

Contractor.

Dome Light in Cab.

Electrical Connections: Body Builders package, easily accessible to cab

Engine Air Breather-Provide a manual control (inside cab) for outside air intake.

Engine Block Heater, 120v/1500 watt with "Y" cord for fuel heater, cord to operate both

Engine Safety Devices-Warning light and audible alarm system activated when

engine oil pressure falls below safe operating limit or when water temperature exceeds safe

operating limit. Automatic engine shut-down with low oil pressure or high coolant temperature. Exhaust System: a)Shall meet "scraper mounting clearance".

Shall be vertical stack fitted with heat shield and mounted outside of frame rails to accommodate fuel tank mounting per Mich. Spec. 3958-0171: (Tanks-Combination 80 gallon fuel tank

approximately 30" x 12" x72" and 26 gallon oil reservoir approximately 30" x 12" x 17" mounted 3" behind the cab and with 3" clearance to the dump body (space required approximately 18 inches). Tanks are to be mounted with equal overhang from each frame rail with 9" vertical clearance between bottom of tank and tops of frame rails.

The fuel tank is to have a sending unit and magnetic drain plug and is to be painted with Dupont Centari #4694A Holly Green.

Mich. Spec. # 3958-0170D

Oil Reservoir is to have an oil magnetic drain plug, lockable cap and combination level and heat gauge (Hydro-Craft #HSG-55 or equal) mounted approximately 6'' from the top of reservoir to top hole in gauge. Suction line 2'' shall enter tank from bottom and extend 1'' upward. Return line 1<sup>1</sup>/<sub>4</sub>'' shall enter bottom of tank and extend 4'' upward, suction and return line shall be approx. 5'' apart C. to C. Reservoir is to be painted with Dupont Centari 76931-AM.

#### Fuel tank and oil reservoir are to be fabricated from #7 gauge steel, pressure tested for leaks and F.H.A. labeled.

# Supporting frame for tanks shall be self draining and installed with metal/metal contact of framework. All straps and tanks shall be insulated against metal/metal contact.)

Any exhaust modification necessary to meet ground clearance or any other specification requirement shall be done with manufacturer's standard parts available through regular dealer parts inventories.

Any necessary exhaust modifications shall be subject to approval by authorized state personnel. In addition to all requirements, the exhaust shall exit the right side of the engine, the muffler shall be horizontally mounted under the cab on the right side, the tail pipe shall be vertically mounted on the right side directly beside the cab. The vertical pipe shall be supported by a frame mounted bracket. The tail pipe shall not be attached to the cab.

Fan clutch-Viscous type, thermostatic control or clutch type.

Frame-Straight rail, full length channel, frame, cross section 10.866" x 3.622" x 0.433" minimum. Section Modulus at point of maximum stress (Single Rail 22.12m section modulus 2,654,400 RBM, 120,000 PSI) 15.9 minimum (120,000 psi yield strength steel). All bolts heads shall be flush with frame surface from a point 64" forward of the rear axle centerline to a point 96" forward of the rear axle centerline.

Frame-Straight through type with mfg. standard integral extension, shall extend 20" in front of grill.

 $\square$  Frame Length: The frame shall extended 187 in. min. from the back of the cab. This

shall provide full support of 11 Ft. Dump Body mounted 18 in. behind cab.

Fuel tank-Transport tank only.

Fuel/Water Separator with Heater.

Gauges-Voltmeter or Ammeter, oil pressure, coolant temperature, tachometer, and transmission oil temperature.

Headlights-halogen type, with dimmer included in turn signal switch.

Heater-Engine block, 110/120 VAC

Hood-Tilt type with stationary grill, with accessory hatches to check and fill fluids without tilting hood.

Hourmeter, mounted in dash or under hood. To operate only when engine is running, oil pressure activated.

Line Setting Ticket: Furnish Two (2) copies with each cab and chassis delivered.

Locks-Cab Door. Keyed the same as the ignition switch with (3) keys provided.

Mirrors-Rear View, Outside. L.H. & R.H. West Coast type, Electric Heated, Power Adjustable, Dual Axis, 6" x 16" style, with stainless steel, composite or powder coated steel heads, brackets, and hardware.

Mich. Spec. # 3958-0170D

Mud Flaps-Plain, Anti Sail Type, including Anti-Sail Hardware. (No advertising either side.) mounted behind front wheels.

☑Oil Cooler, water to oil type

☑ Power Terminal Stud: A 12 volt power terminal shall be installed on the firewall under the hood. This shall be unfused and connection to 12 volt power at the starter solenoid with 6 gauge cable. The stud shall be 5/16 in. Diameter minimum and threaded for a standard nut. The stud shall be insulated from the firewall and have a removable insulated cover. This shall be mounted in an easily accessible position. This will be used to power lights and other electrical items installed by M-DOT.

Radio, AM/FM

Radiator-Petcock type drain fitting.

Running boards shall be furnished in addition to any concealed steps.

Scraper mounting Clearance-In the area between the rear edge of the front

fender and 40" rear of the cab, there shall be a minimum of 24" of ground clearance. Minimum ground clearance shall not be exceeded with a payload of 20,000 lbs.

Drive-line center bearing carrier, running boards, battery box, air tanks and exhaust system shall meet the 24" minimum ground clearance requirement.

Seats-High Back Bucket, both Driver and Passenger - Both must be Air Suspension, with adjustable Lumbar Back Support and folding arm rests.

Starting Motor: Leece Neville, MS2

Steering-Power, with tilt column.

Switches, Twelve additional factory installed dash mounted switches for electrical equipment installed by MDOT.

Throttle, Electronic, High Idle Engine RPM Control.

 $\square$  Trailer light cord socket: shall be sealed in the rear with a seven (7) wire cord.

☑ Vehicle Warranty: The cab and chassis furnished with this bid will be placed in service approximately 270 days after delivery. M-DOT will advise the Contractor in writing of the actual in-service dates and as part of the purchase agreement, the Contractor is to assure that the manufacturer's records reflect these in service dates.

Wheels-Rim width 12.25 DC Front, 8.25" Rear, Hub Piloted Disc, Heavy Duty Disc Type with Hand Holds

☑ Wheel Hubs: Front wheel hubs to be oil lubricated, clear caps with fill plugs, filled with 75W90 Synthetic Oil.

Windows-Power, both switches to be easily accessible to driver.

Wiring, Two way radio pre-wiring

☑ Wiring: Dash switched for hood mounted snow plow headlights. Wiring with connectors to be coiled under hood. Snow plow headlights to be supplied and installed by M-DOT.

Warranty: To begin with date vehicle is placed in service. This will be approximately 270 days after delivery to MDOT. MDOT will advise the contractor, in writing, of the actual in-service dates and the contractor must insure that the manufacturer's records accurately reflect the service dates.

The successful bidder shall provide a minimum of eight hours training at a central M-DOT location, to M-DOT mechanics on the servicing and repair of new technology componentry, particularly electronic related.

Mich. Spec. # 3958-0170D

It shall be the Contractor's responsibility to hold a vehicle pilot inspection at his manufacturing facility and furnish adequate transportation and lodging (if required) for four (4) personnel from the State of Michigan, before production. This inspection shall be held within 120 days of award.

## 3958-0172D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 64,000 lbs., min.) TANDEM AXLE, 430 H.P. DIESEL ENGINE, WALKING BEAM AND SPRING SUSPENSION

#### MODEL - CURRENT NEW

Wheelbase 211 (inches) min.

C.T. (inches) min,

Engine: Diesel

Gross H.P.-430 min. No. of Cylinders: 6 Torque, Gross 1,450 min.

Transmission: 6-speed, Allison –4500RDS with dash mounted Control push button

Axle, Min. Cap.-lbs. Front, 18,000 min.

Rear, 46,000 min.

Ratio for minimum loaded road speed of approx. 68 mph. With driver controlled differential lock

Springs, Min. Cap. at Ground

Front-lbs. each, 9,000 min. Multileaf Type with Shock Absorbers

Rear-lbs., 46,000 min. Hendrickson RT-463

Mich. Spec. # 3958-0172D

Tires, Truck, Tubeless, Radial, To match GVWR. Front to be Highway Tread, Rear duals-Traction Drive Tread. Same Mfg. Front and Rear (Goodyear preferred)

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Air Conditioning: Factory Installed

Alternator-135 amp., minimum, Reference 34SI or approved equal.

Air filter restriction gauge, dash mounted, Filter Minder #3781-325.

Air Horn

Battery(s)-12 Volt, 2700 CCA, Minimum

Battery Box must be mounted 35" back of cab or under cab with a 24" ground clearance.

☑ Battery Cable: The negative battery cable shall be run from the batteries to the engine block. This shall be a full length cable and be 00 gauge.

Brakes-Sealed Air Brake Chambers, Full air. Effective lining area 625 square inch, minimum. compressor 18.7 cfm, min. Air reservoir 2,000 cubic inch, minimum. Buzzer type low pressure continuous warning device. Air pressure gauge visible to driver. Check valve or equivalent safety device between reservoir tank(s). Spring loaded diaphragm type rear wheel parking brake. Air dryer with spin on filter, mounted outside of frame rail. Automatic Drain Valves. Automatic slack adjusters. Brake and electrical connections to end of frame, are to be semi-four wheel trailer connections with seven wire electrical cable, mounted on rear cross member at end of frame.

Bumper, Front; 11" x 3" x 1/4" channel, 90" straight center section and

3" beveled ends. Channel ends to be enclosed with 1/4" thick steel plate. Straight channel acceptable. Sharp corners shall be ground smooth. Bumper shall be bolted to main frame rails.

☑ Cab assist handles-left and right. Plus full length left side external grab handles.

☑Cab Interior: The cab inside length shall be at least 52.4 inches. A cab extension shall be provided as needed.

Cab mounted, Air Suspension Type.

Cab-to-end of frame-proper length to accommodate an 14 foot dump box mounted

18" back of cab. The 18" space is required for fuel tank mounting.

Cigar Lighter

Color-Orange acrylic enamel to match Dupont Centari 76931-AM.

Bumper and frame to be painted black.

Crankshaft-Crankshaft shall be drilled and tapped for a spicer driveline,

opening for drive line to be under radiator.

☑ Dash, Ergonomic type, angled towards driver

 $\blacksquare$  Defrost Duct: Shall be installed for passenger side window.

DEF Tank 7 Gallon (May Be Required. Subject to MDOT Custom Requirements). Directional Signals-Rear to be special combination, turn signal, stop and taillights; standard canceling type. To be furnished by truck Contractor. Dome Light in Cab. Engine Air Breather-Provide a manual control (inside cab) for outside air intake. Engine Block Heater, 120v/1500 watt with "Y" cord for fuel heater, cord to operate both Electrical Connections; Body Builders Package easily accessible to cab. Body builder wiring to be standard back of cab at left frame including sealed connectors for tail/amber turn/marker/backup/accessory power/ ground and stop/turn Engine Safety Devices-Warning light and audible alarm system activated when engine oil pressure falls below safe operating limit or when water temperature exceeds safe operating limit. Automatic engine shut-down with low oil pressure or high coolant temperature. Exhaust System: a) Shall meet "scraper mounting clearance". Shall be vertical stack fitted with heat shield and mounted outside of frame rails to accommodate fuel tank mounting per Mich. Spec. 3958-0171. Any exhaust modification necessary to meet ground clearance or any other specification requirement shall be done with manufacturer's standard parts available through regular dealer parts inventories. Any necessary exhaust modifications shall be subject to approval by authorized state personnel. In addition to all requirements, the exhaust shall exit the right side of the engine, the muffler shall be horizontally mounted under the cab on the right side, the tail pipe shall be vertically mounted on the right side directly beside the cab. The vertical pipe shall be supported by a frame mounted bracket. The tail pipe shall not be attached to the cab. Fan clutch-Viscous type, thermostatic control or clutch type. Frame-Straight rail, full length channel, frame cross section 10.866" x 3.622" x 0433" at point of

maximum stress Single Rail 22.125m, 2,654,400 RBM, 120,000 PSI. All bolts heads shall be flush with frame surface from a point 64" forward of the rear axle centerline to a point 96" forward of the rear axle centerline.

☑ Frame-Straight through type with mfg. standard integral extension, shall extend 20" in front of grill.

☑ Frame Length: The frame shall extend 213 in. min. from the back of the cab. This shall provide full support of 14 Ft. Dump Body mounted 18 in. behind cab.

Fuel tank-Transport tank only.

Fuel/Water Separator with Heater. Davco Fuel Pro #382 #382040

Gauges-Voltmeter or Ammeter, oil pressure, coolant temperature, tachometer, and transmission oil temperature.

Headlights-halogen type, with dimmer included in turn signal switch.

Heater-Engine block, 110/120 VAC

Hood-Tilt type with stationary grill, with accessory hatches to check and fill fluids without tilting hood.

Hourmeter, mounted in dash or under hood. To operate only when engine is running. Locking Differentials with power divider.

Locks-Cab Door. Keyed the same as ignition – furnish (3) keys

☑ Line Setting Ticket: Furnish Two (2) copies with each cab and chassis delivered.

Mich. Spec. # 3958-0172D

Mirrors-Rear View, Outside. L.H. & R.H. West Coast type, 6" x 16" style, Electric Heated, Power Adjustable, Dual Axis, with stainless steel, composite or powder coated steel heads, brackets, and hardware.

Mud Flaps-Plain, Anti Sail Type, including Anti-Sail Hardware. (No advertising either side.) mounted behind front wheels.

Oil Sampling Valve.

☑ Oil Cooler: Water to oil type

☑ Power Terminal Stud: A 12 volt power terminal shall be installed on the firewall under the hood. This shall be unfused and connection to 12 volt power at the starter solenoid with 6 gauge cable. The stud shall be 5/16 in. Diameter minimum and threaded for a standard nut. The stud shall be insulated from the firewall and have a removable insulated cover. This shall be mounted in an easily accessible position. This will be used to power lights and other electrical items installed by M-DOT.

Radiator-Petcock type drain fitting.

Running boards shall be furnished in addition to any concealed steps.

Scraper mounting Clearance-In the area between the rear edge of the front

fender and 40" rear of the cab, there shall be a minimum of 24" of ground clearance. Minimum ground clearance shall not be exceeded with a payload of 20,000 lbs. Drive-line center bearing carrier, running boards, battery box, air tanks and exhaust system shall meet the 24" minimum ground clearance requirement.

Seats-High Back Bucket, both Driver and Passenger - Air Suspension, with adjustable Lumbar Back Support and folding arm rests.

Starting Motor: Leece Neville, MS2

Steering-Power, with tilt column.

Switches, Twelve additional factory installed dash mounted switches for electrical equipment installed by MDOT.

Synthetic Lube in Rear Differentials.

Throttle, Electronic, High Idle Engine RPM Control.

- $\square$  Trailer light cord socket: shall be sealed in the rear with a seven (7) wire cord. Single wires in a split loom will not be acceptable.
- ☑ Vehicle Warranty: The cab and chassis furnished with this bid will be placed in service approximately 270 days after delivery. M-DOT will advise the Contractor in writing of the actual in-service dates and as part of the purchase agreement, the Contractor is to assure that the manufacturer's records reflect these in service dates.

Wheels-Rim width 12.25" DC Front, 8.25" Rear, Hub Piloted Disc, Heavy Duty Disc Type with Hand Holds

☑ Wheel Hubs: Front wheel hubs to be oil lubricated, clear caps with fill plugs, filled with 75W90 Synthetic Oil.

Windows-Power, both switches to be easily accessible to driver.

Wiring, Two way radio pre-wiring

☑ Wiring: Dash switched for hood mounted snow plow headlights. Wiring with connectors to be coiled under hood. Snow plow headlights to be supplied and installed by M-DOT.

Mich. Spec. # 3958-0172D

Warranty: To begin with date vehicle is placed in service. This will be approximately 270 days after delivery to MDOT. MDOT will advise the contractor, in writing, of the actual inservice dates and the contractor must insure that the manufacturer's records accurately reflect the service dates.

The successful bidder shall provide a minimum of eight hours training at a central M-DOT location, to M-DOT mechanics on the servicing and repair of new technology componentry, particularly electronic related.

It shall be the Contractor's responsibility to hold a vehicle pilot inspection at his manufacturing facility and furnish adequate transportation and lodging (if required) for four (4) personnel from the State of Michigan, before production. This inspection shall be held within 120 days of award.

## 3958-0173D HEAVY DUTY TRUCKS: CAB AND CHASSIS (G.V.W.R. 52,000 lbs., min.), TANDEM-Diesel Engine, (Not Intended to be equipped with an Underbody Snow Plow)

#### MODEL - CURRENT NEW

#### **PRELIMINARY REQUIREMENTS:**

Transmission: 6-speed, Allison –4500RDS with dash mounted Control push button Axle: Ratio for minimum loaded road speed of approx. 68 mph.

## TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (<u>refer to page B</u>).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

Alternator-130 amp., minimum, Reference 34SI or approved equal.

Arm Rests-R.H. and L.H.

Battery(s)-12 Volt; 1500 CCA minimum

Brakes-Full air. Current FMVSS. Spring set rear wheel parking brake. Air reserve tank. Low air pressure buzzer, 12 cfm compressor. Air dryer with spin on filter, Automatic Drain Valves. Dust plates. Automatic slacks

adjusters. Brake and electrical connections to end of frame, are to be semi four wheel trailer connections with 7 wire electrical cable, mounted on rear cross member at end of frame. Provide male and female connectors, loose in cab.

Cab assist handles-right and left.

Engine Safety Devices-Warning light and audible alarm system activated when

engine oil pressure falls below safe operating limit or when water temperature exceeds safe operating limit. Automatic engine shut-down with low oil pressure or high coolant temperature.

Fan Clutch-Thermostatic viscous type or clutch type.

Frame-Resisting bending moment 2,654,000 in-lb., min.

Fuel/Water Separator with Heater.

Fuel tanks-50 gal. each step tanks, R.H. and L.H.

Heater-Engine block, 110/120 VAC

Mich. Spec. # 3958-0173D

Hood, Tilt.

Horns air.

Mirrors-Rear View, Outside. L.H. & R.H. West Coast Type, 6" x 16". Installed with stainless steel or powder coated steel heads, brackets, and hardware.

Seats-Air suspension, driver and conventional passenger.

Starting Aid-Cold weather, ether type or glow plug.

Steering-Power.

Switches (6), outfitter, with remote power module (MDOT)

Tachometer.

Throttle, Electronic, High Idle Engine RPM Control.

Tow Hooks- Front, Mfg. Stnd. Turn Signals-Double face.

Wheels-rim width 22.5"X8.25", Hub Piloted Disc, Heavy Duty Disc Type with Hand Holds

## 3958-0178D HEAVY DUTY TRUCKS: TRACTOR: (G.C.W.R. 70,000 lbs., min.), TANDEM AXLE, DIESEL

#### MODEL - CURRENT NEW

### PRELIMINARY REQUIREMENTS:

Axle: (Air power divider control, air shift, dash board indicating light) Ratio for minimum loaded road speed of approx. 68 mph.

# TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed in the general specifications for Truck Equipment <u>are to be supplied on all</u> <u>vehicles</u>, even though they may be optional with the manufacturer (refer to page B).

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

□ Air Conditioning Alternator-130 amp., minimum, Reference 34SI or approved equal. Battery(s)-12 Volt; 1,875 CCA minimum. Brakes-Full air. Current FMVSS. Semi-Trailer connections with breakaway Valve. Dust plates. Air dryer with spin on filter, Automatic Drain Valves. Automatic Slack Adjusters. Cab assist handles-right and left. Catwalk-Provide grip strut metal catwalk behind cab, full width of frame and approx. 36 inches wide. Exhaust-Vertical with 90° elbow at top, 12'-10" maximum height. Fenders-front quarter, rubber or plastic. Fifth wheel-Air slide with tapered frame and kick plate. 36" track. Fuel Tanks-R.H. & L.H. step tanks, 150 gallon, min. total capacity. Fuel/Water Separator with Heater. Gauges-Voltmeter and oil pressure. Glass-Tinted all around. Heater-Engine block, 110/120 VAC Hood. Tilt. Horns-Dual, air. Jumper Light Cord and Hose Mounted on back of cab. Light cord to be equipped with 7-way plug.

Mich. Spec. # 3958-0178D

Mirrors-Rear View, Outside. L.H. & R.H. West Coast Type, 6" x 16", Installed with stainless steel or powder coated steel heads, brackets, and hardware.
Mud Flaps-Plain, Anti Sail Type, including Anti-Sail Hardware. (No advertising either side.) Oil seals (wet) - front and rear axle
Radiator fan-Viscous drive or clutch type.
Seats-air suspension, cloth, high back.
Silicon hoses-heater and radiator.
Starting Aid-Cold weather, Ether type.
Steering-Power.
Switches (6), outfitter, with remote power module (MDOT) Tachometer.
Tow Hooks-front, frame mounted.
Wheels-Hub Piloted disc .

# Schedule C

#### AFFIDAVIT FOR DRIVER DELIVERY Cab & Chassis

Vehicles may be driven to the final delivery destination if the following conditions are met:

- 1. The drivers of the vehicles are correctly licensed and trained in proper vehicle operation.
- 2. The contractor accepts all responsibility and liability for vehicles in transit.
- 3. The requesting contractor should sign the affidavit below and submit this with the bid.

The contractor accepts all responsibility and liability for vehicles in transit and guarantees the vehicles shall be transported in a safe, proper, and efficient manner.

I understand that the State may cancel approval of this affidavit at any time during the contract if the contractor fails to meet the above obligations.

Signed

\_\_\_\_\_7/19/18 Date

Government Sales Representative Title

> Gorno Ford Contractor