STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
320 S. WALNUT ST., LANSING, MICHIGAN 48933
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **15**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES (JDSS LLC)
	1300 River Drive
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
SKID STEER PURCHASE			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE**
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2024
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-Card	☐ PRC	☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			

DESCRIPTION OF CHANGE NOTICE				
OPTION	**LENGTH OF OPTION**	**EXTENSION**	**LENGTH OF EXTENSION**	**REVISED EXP. DATE**
☐		☐		January 12, 2024
CURRENT VALUE	**VALUE OF CHANGE NOTICE**		**ESTIMATED AGGREGATE CONTRACT VALUE**	
$3,349,000.00	$249,000.00		$3,598,000.00	

DESCRIPTION

Effective 8/3/2023 pricing on this contract is hereby updated, per revised Schedule E1, E2 & E3. In addition, this contract is hereby increased by $249,000. All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 86,397.19	$ 125.00	$4/Loaded Mile $50 Minimum
NON - AWARDED SPECIFICATIONS FOR PURCHASE					
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324G	Skid Steer Loader	$ 54,024.80	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 47,444.73	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery Per mile from Contractor's nearest dealer location
1	John Deere 333G	Compact Track Loader	$115,214.00	33%	$77,193.38	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G	Compact Track Loader	$96,348.00	33%	$64,553.16	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 325G	Compact Track Loader	$83,216.00	33%	$55,754.72	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G	Compact Track Loader	$72,553.00	33%	$48,610.51	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
5	John Deere 316GR	Skid Steer Loader	$56,924.00	33%	$38,139.08	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
6	John Deere 318G	Skid Steer Loader	$61,925.00	33%	$41,489.75	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 320G	Skid Steer Loader	$64,838.00	33%	$43,441.46	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 324G	Skid Steer Loader	$67,758.00	33%	$45,397.86	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 330G	Skid Steer Loader	$79,969.00	33%	$53,579.23	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 332G	Skid Steer Loader	$92,495.00	33%	$61,971.65	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 184 G-Tier	Compact Wheel Loader	$82,070.00	25%	$61,552.50	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
12	John Deere 204L	Compact Wheel Loader	$90,593.00	25%	$67,944.75	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
13	John Deere 204 G-Tier	Compact Wheel Loader	$105,315.00	25%	$78,986.25	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
14	John Deere 244L	Compact Wheel Loader	$124,578.00	26%	$92,187.72	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum

15	John Deere 244 P-Tier	Compact Wheel Loader	$132,074.00	25%	$99,055.50	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
16	John Deere 304L	Compact Wheel Loader	$104,414.00	26%	$77,266.36	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
17	John Deere 304 G-Tier	Compact Wheel Loader	$124,283.00	25%	$93,212.25	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
18	John Deere 324L	Compact Wheel Loader	$140,831.00	26%	$104,214.94	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
19	John Deere 324 P-Tier	Compact Wheel Loader	$148,327.00	25%	$111,245.25	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
20	John Deere 344 P-Tier	Compact Wheel Loader	$202,235.00	26%	$149,653.90	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
21	John Deere 17G	Compact Excavator	$40,331.00	28%	$29,038.32	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
22	John Deere 17 P-Tier	Compact Excavator	$41,954.00	27%	$30,626.42	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
23	John Deere 26G	Compact Excavator	$47,203.00	27%	$34,458.19	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
24	John Deere 26 P-Tier	Compact Excavator	$50,978.00	27%	$37,213.94	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
25	John Deere 30G	Compact Excavator	$59,127.00	28%	$42,571.44	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
26	John Deere 30 P-Tier	Compact Excavator	$60,898.00	27%	$44,455.54	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
27	John Deere 35G	Compact Excavator	$64,636.00	28%	$46,537.92	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
28	John Deere 35 P-Tier	Compact Excavator	$67,232.00	27%	$49,079.36	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
29	John Deere 50G	Compact Excavator	$88,404.00	28%	$63,650.88	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
30	John Deere 50 P-Tier	Compact Excavator	$91,229.00	27%	$66,597.17	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
31	John Deere 60G	Compact Excavator	$100,863.00	27%	$73,629.99	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
32	John Deere 60 P-Tier	Compact Excavator	$107,229.00	27%	$78,277.17	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Base Coded Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum

316GR Skid Steer

07-Jul-2023

Code	Description	QTY	List Price (USD)
06G0P	316GR Skid Steer	1	$56,924.00

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)

Copyright © 2023 Deere Company. All Rights Reserved.

Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.96 m (77.2 in.)
Height to hinge pin - 2.92 m (120 in.)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires

Warranty (US and Canada):
John Deere 2 years/2000 hours

06G0P	316GR Skid Steer	1	$56,924.00

PACKAGES

	Packages	Basic Factory Options - Required
0504	EH, Open ROPS, Manual Quik-Tatch, SL, 2 Speed, Attachment Performance Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).	No Added Cost
0505	EH, Cab/Heat/AC, Power Quik-Tatch, SL, 2 Speed, Attachment Performance Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux) Requires 2" or 3" lap belt w/shoulder strap.	$5,755.00
0507	EH Joystick Performance, Cab/Heat/AC, Power Quik-Tatch, SL & RC, 2 Speed, Attachment Performance, LED lights Requires 2" or 3" lap belt w/shoulder strap. Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator	$8,149.00

ENGINE

	Engine	Basic Factory Options - Required
4072	Engine - Turbocharged (Yanmar 4TNV86CHT 2.1L meets FT4 Emissions) Option for the United States, Canada, or regions that use ultra low sulfur fuels. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L	No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	4 Cylinder Turbo-Charged 65 Gross HP (48.5 kW) 61 Net HP (45.6 kW)		
	OPERATOR'S STATION		
	Seat		Basic Factory Options - Required
1050	Seat (Vinyl)		($431.00)
1051	Mechanical Suspension Seat (Vinyl)		No Added Cost
1052	Vinyl, Air-Ride Seat		$485.00
1053	Air Suspension Seat (Cloth with Heat) For use with cab units only		$671.00
	Seat Belt		Basic Factory Options - Required
1361	2-Inch Seat Belt For use with Canopy		No Added Cost
1362	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with Cab units		$228.00
1363	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with Cab units		$285.00
	WHEELS/TIRES/TRACKS		
	Wheels and Tires		Basic Factory Options - Required
5192	10 X 16.5 NHS, CAMSO SKS		($530.00)

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
5241	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$215.00
5242	10x16.5 10 PR Galaxy "Beefy Baby III" HD 63 in. Machine Width For use primarily in medium duty applications. Provides 63 in. machine width.		$158.00
5243	10x16.5 10 PR Galaxy "Beefy Baby III" HD 60 in. Machine Width For use primarily in medium duty applications. Provides 60 in. machine width.		No Added Cost
5244	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,863.00
	DESTINATION AND LANGUAGE		
	Destination Code		Basic Factory Options - Required
	North America		
0202	United States		No Added Cost
	Operator's Manual and Language		Basic Factory Options - Required
0259	English Operator's Manual		No Added Cost
0263	French Operator's Manual		No Added Cost
0280	Portuguese Operator's Manual		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0287	Spanish Operator's Manual		No Added Cost
	Labels		Basic Factory Options - Required
0351	Translated Text Labels		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
183E	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	MISCELLANEOUS		
	Engine - Order as Desired		Field Installed Attachments - Optional
8043	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)		$326.00
	Operator's Station and Controls - Order As Desired		Field Installed Attachments - Optional
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab.		$69.00
8052	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$428.00
8055	Radio, AM/FM with Bluetooth Weatherproof radio. For use with Cab units only and FT4 Engine.		$645.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8057	Rear View Camera Includes 5" LCD monitor.		$912.00
	Buckets - Order As Desired		Field Installed Attachments - Optional
8906	66 in Construction Bucket (16.2 cu ft) w/ Edge		$2,033.00
8907	66 in Construction Bucket (16.2 cu ft) w/ Serrated Edge		$2,116.00
8913	66 in Tooth Bucket (16.2 cu ft)		$2,012.00
	Weights And Ballasting - Order As Desired		Field Installed Attachments - Optional
8046	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity. Includes 2 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Double Set.		$402.00
8047	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity. Includes 4 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Single Set.		$803.00
	Rust Protection - Order As Desired		Field Installed Attachments - Optional
8039	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Not for use with export shipments as export pricing includes rust prevention.		$171.00
	Miscellaneous - Order As Desired		Field Installed Attachments - Optional
	Kits & Accessories		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).		$51.00
BYT10807	Attachment Control Field Kit - Radial Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.		$706.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11200	Block Heater 220V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		$471.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.		$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.		$52.00
BYT11443	Vinyl Cab Enclosure Kit		$927.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.		$525.00
BYT11275	Remote Control Field Kit For use with EH Controls.		$15,526.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,580.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11287	Rear View Camera Field Kit Includes 5" LCD Monitor. Only compatible with machines serial number 366357 and higher.		$876.00
BYT11068	Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.		$531.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		$185.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.		$927.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.		$387.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]		$108.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446201	Warning Beacon		$222.00
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		$611.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
KV26958	SMV Sign		$80.00
BYT12805	Hazard Warning Lights		$225.00
T394965	60 in. Bolt-on Cutting Edge, Serrated		$292.17
T394966	66 in. Bolt-on Serrated Cutting Edge		$302.05
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$2,116.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,619.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,942.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,823.00
AT419835	60 in. Grading Heel Bucket (14.0 cu. ft.)		$1,278.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT441038	60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth		$1,532.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,831.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$2,134.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00
AT331803	60 in. Dirt Bucket (14.3 cu. ft.)		$1,521.00
AT336694	60 in. Dirt Bucket (14.3 cu. ft.) with Teeth		$1,887.00
AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge		$1,797.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$2,033.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,693.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,936.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00

Tooth Bars — Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

318G Skid Steer

07-Jul-2023

Code	Description	QTY	List Price (USD)
0B70P	318G Skid Steer	1	$61,925.00

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)

Copyright © 2023 Deere Company. All Rights Reserved.

Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.96 m (77.2 in.)
Height to hinge pin - 2.92 m (120 in.)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires

Warranty (US and Canada):
John Deere 2 years/2000 hours

0B70P	318G Skid Steer	1	$61,925.00

PACKAGES

	Packages	Basic Factory Options - Required
0504	EH, Open ROPS, Manual Quik-Tatch, SL, 2 Speed, Attachment Performance Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).	No Added Cost
0505	EH, Cab/Heat/AC, Power Quik-Tatch, SL, 2 Speed, Attachment Performance Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux) Requires 2" or 3" lap belt w/shoulder strap.	$5,755.00
0507	EH Joystick Performance, Cab/Heat/AC, Power Quik-Tatch, SL & RC, 2 Speed, Attachment Performance, LED lights Requires 2" or 3" lap belt w/shoulder strap. Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator	$8,149.00

ENGINE

	Engine	Basic Factory Options - Required
4072	Engine - Turbocharged (Yanmar 4TNV86CHT 2.1L meets FT4 Emissions) Option for the United States, Canada, or regions that use ultra low sulfur fuels. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L	No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	4 Cylinder Turbo-Charged 65 Gross HP (48.5 kW) 61 Net HP (45.6 kW)		
	OPERATOR'S STATION		
	Seat		Basic Factory Options - Required
1050	Seat (Vinyl)		($431.00)
1051	Mechanical Suspension Seat (Vinyl)		No Added Cost
1052	Vinyl, Air-Ride Seat		$485.00
1053	Air Suspension Seat (Cloth with Heat) For use with cab units only		$671.00
	Seat Belt		Basic Factory Options - Required
1361	2-Inch Seat Belt For use with Canopy		No Added Cost
1362	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with Cab units		$228.00
1363	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with Cab units		$285.00
	WHEELS/TIRES/TRACKS		
	Wheels and Tires		Basic Factory Options - Required
5192	10 X 16.5 NHS, CAMSO SKS		($530.00)

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
5241	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$215.00
5242	10x16.5 10 PR Galaxy "Beefy Baby III" HD 63 in. Machine Width For use primarily in medium duty applications. Provides 63 in. machine width.		$158.00
5243	10x16.5 10 PR Galaxy "Beefy Baby III" HD 60 in. Machine Width For use primarily in medium duty applications. Provides 60 in. machine width.		No Added Cost
5244	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,863.00
	DESTINATION AND LANGUAGE		
	Destination Code		Basic Factory Options - Required
	North America		
0202	United States		No Added Cost
	Operator's Manual and Language		Basic Factory Options - Required
0259	English Operator's Manual		No Added Cost
0263	French Operator's Manual		No Added Cost
0280	Portuguese Operator's Manual		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0287	Spanish Operator's Manual		No Added Cost
	Labels		Basic Factory Options - Required
0351	Translated Text Labels		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
183E	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	MISCELLANEOUS		
	Engine - Order as Desired		Field Installed Attachments - Optional
8043	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)		$326.00
	Operator's Station and Controls - Order As Desired		Field Installed Attachments - Optional
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab.		$69.00
8052	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$428.00
8055	Radio, AM/FM with Bluetooth Weatherproof radio. For use with Cab units only and FT4 Engine.		$645.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8057	Rear View Camera Includes 5" LCD monitor.		$912.00
	Buckets - Order As Desired		Field Installed Attachments - Optional
8906	66 in Construction Bucket (16.2 cu ft) w/ Edge		$2,033.00
8907	66 in Construction Bucket (16.2 cu ft) w/ Serrated Edge		$2,116.00
8913	66 in Tooth Bucket (16.2 cu ft)		$2,012.00
8917	72 in Construction Bucket (17.8 cu ft) w/ Edge		$2,317.00
8918	72 in Construction Bucket (17.8 cu ft) w/ Serrated Edge		$2,543.00
8921	72 in Tooth Bucket (17.8 cu ft)		$2,246.00
	Weights And Ballasting - Order As Desired		Field Installed Attachments - Optional
8046	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity. Includes 2 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Double Set.		$402.00
8047	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity. Includes 4 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Single Set.		$803.00
	Rust Protection - Order As Desired		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8039	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Not for use with export shipments as export pricing includes rust prevention.		$171.00
	Frame - Order As Desired	Field Installed Attachments - Optional	
8054	Power Quik-Tatch for Canopy Units Not for use with Sunbelt or Cab units.		$777.00
	Miscellaneous - Order As Desired	Field Installed Attachments - Optional	
	Kits & Accessories	Field Installed Attachments - Optional	
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).		$51.00
BYT10806	Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.		$706.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11200	Block Heater 220V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		$471.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.		$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.		$52.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11443	Vinyl Cab Enclosure Kit		$927.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.		$525.00
BYT12233	Glass Cab Door Field Kit Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS		$838.00
BYT11275	Remote Control Field Kit For use with EH Controls.		$15,526.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,580.00
BYT11287	Rear View Camera Field Kit Includes 5" LCD Monitor. Only compatible with machines serial number 366357 and higher.		$876.00
BYT11068	Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.		$531.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		$185.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.		$927.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.		$387.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]		$108.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446201	Warning Beacon		$222.00
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		$611.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
KV26958	SMV Sign		$80.00
BYT12805	Hazard Warning Lights		$225.00
T394965	60 in. Bolt-on Cutting Edge, Serrated		$292.17
T394966	66 in. Bolt-on Serrated Cutting Edge		$302.05
T385220	72 in. Bolt-on Serrated Cutting Edge		$384.03

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	G.R.Mfg.	Field Installed Attachments - Optional	
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT12107	Rear Bumper Guard (for serial # after 366358)		$1,916.00
BYT10500	Rear Bumper Guard (for Serial # upto 366358)		$1,892.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,543.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$2,116.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,619.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,942.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,823.00
AT419835	60 in. Grading Heel Bucket (14.0 cu. ft.)		$1,278.00
AT441038	60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth		$1,532.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,831.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$2,134.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,579.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,708.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$2,048.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$2,323.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$2,246.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$2,317.00
AT331803	60 in. Dirt Bucket (14.3 cu. ft.)		$1,521.00
AT336694	60 in. Dirt Bucket (14.3 cu. ft.) with Teeth		$1,887.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$2,015.00
AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge		$1,797.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$2,033.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,693.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,936.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,817.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

320G SKID STEER

07-Jul-2023

Code	Description	QTY	List Price (USD)
00B2T	320G SKID STEER	1	$64,838.00

320G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter

Copyright © 2023 Deere Company. All Rights Reserved.

Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 69 Hp (51,7 Kw)
Rated Operating Capacity 2,190 lbs. (994 kg)
Tipping Load 4,380 lbs. (1,989 kg)
Hydraulic Pump Flow 20 gpm (76 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00B2T	320G SKID STEER	1	$64,838.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,580.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,126.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged Option for use at altitudes above 5,000 feet. Option for the United States, Canada, or regions that use ultra low sulfur fuels. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		$1,222.00
1305	Engine - Naturally Aspirated Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98C 3.3L 4 Cylinder Naturally Aspirated 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		No Added Cost
	Cold Start Packages		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		$191.00
2070	12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.		$528.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($339.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.		No Added Cost
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$2,054.00
2410	12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.		$2,789.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$406.00
2440	12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.		$867.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features:		$1,111.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)

Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	$671.00
	Seat Belt	Basic Factory Options - Required
4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$228.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$285.00
	Rear Camera	Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.	$912.00
	Radio	Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth	$645.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Bluetooth connection is for streaming only - does not allow for hands-free calling.		
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9041	72 in Construction Bucket (17.8 cu ft) w/ Edge		$2,317.00
9210	72 in Tooth Bucket (17.8 cu ft)		$2,246.00
9322	72 in Construction Bucket (17.8 cu ft) w/ Serrated Edge		$2,543.00
9052	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,503.00
9221	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,458.00
9332	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00
	Buckets		Field Installed Attachments - Optional
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$2,116.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,579.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,708.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,543.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$2,134.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,831.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,619.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,942.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$2,246.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$2,323.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$2,317.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,823.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,693.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$2,015.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$2,033.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,817.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,936.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$2,048.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8530	Power Quik-Tatch for Canopy Units		$777.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$69.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$396.00
BYT10945	Bottom Covers & Reinforcement Plates		$548.00
BYT10947	Bucket Cylinder Rod Guard		$634.00
BYT10943	Bumper, Rear w/o Deflectors		$1,872.00
BYT10948	Lift Cylinder Hose Guards		$497.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10263	Guard, Cab Roof Debris		$242.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Requires Level II FOPS Plate AT445276		
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10679	HD Rear Grille Provides protection to cooling package.		$611.00
BYT10681	Engine Air Pre-Cleaner Kit Compatible with 320G with Naturally Aspirated Engines code 1305.		$518.00
BYT10227	Standard Door		$1,062.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		$471.00
BYT10313	Backhoe Attachment Mounting Kit		$291.00
BYT11292	SSM - Use with Manual Controls		$185.00
BYT10680	SMV Sign		$80.00
BYT10651	Rear View Camera Includes 5" LCD monitor.		$876.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10641	Fluid Sampling Field Kit		$155.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10843	Single Point Support Kit		$2,980.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT374642	Foot Throttle Removal Kit		$60.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT427686	Engine Block Heater - 120 V		$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$561.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT10646	Remote Control Field Kit		$15,789.00
BYT10649	JDLink Hardware Kit - SSL/CTL		$202.00
BYT12804	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9909	Rust Preventative		$171.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

324G SKID STEER

07-Jul-2023

Code	Description	QTY	List Price (USD)
00C2T	324G SKID STEER	1	$67,758.00

324G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter

Copyright © 2023 Deere Company. All Rights Reserved.

Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,690 lbs. (1,221 kg)
Tipping Load 5,380 lbs. (2,443 kg)
Hydraulic Pump Flow 21 gpm (79 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Includes set of 2 stackable 86 lb (39 Kg) counterweights

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00C2T	324G SKID STEER	1	$67,758.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,580.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,126.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$11,123.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged Option for the United States, Canada, or regions that use ultra low sulfur fuels. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		No Added Cost
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)		$326.00

Copyright © 2023 Deere Company. All Rights Reserved.

Includes Hydrau XR Cold Start Oil for Hydraulics.

	Air Pre-Cleaner	Field Installed Attachments - Optional
8060	Engine Air Precleaner	$488.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
	JOHN DEERE WORKSIGHT™	
	JDLink	Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	No Added Cost
	WHEELS AND TIRES	
	Wheels and Tires	Basic Factory Options - Required
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD	$191.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	For use primarily in medium duty applications. Provides 63 in. machine width.		
2070	12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.		$528.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($339.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.		No Added Cost
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$2,054.00
2410	12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.		$2,789.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$406.00
2440	12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.		$867.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings		$1,111.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
12V 3 Pin and 14 Pin Attachment Control Harness			
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$671.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$228.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$285.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$912.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00
9041	72 in Construction Bucket (17.8 cu ft) w/ Edge		$2,317.00
9210	72 in Tooth Bucket (17.8 cu ft)		$2,246.00
9322	72 in Construction Bucket (17.8 cu ft) w/ Serrated Edge		$2,543.00
9052	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,503.00
9221	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,458.00
9332	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$2,116.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,579.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,708.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,543.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$2,134.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,831.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,619.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$2,323.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$2,317.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$2,246.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,942.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,823.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,693.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$2,015.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$2,033.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,817.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,936.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$2,048.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8305	Counterweight, (Double Set) Includes 2 stackable 86 lb weights (39 Kg) to add to the set included in base.		$402.00
8310	Counterweight, (Triple Set) Includes 4 stackable 86 lb weights (39 Kg) to add to the set included in base.		$803.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8530	Power Quik-Tatch for Canopy Units		$777.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$69.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$396.00
BYT10945	Bottom Covers & Reinforcement Plates		$548.00
BYT10947	Bucket Cylinder Rod Guard		$634.00
BYT10943	Bumper, Rear w/o Deflectors		$1,872.00
BYT10948	Lift Cylinder Hose Guards		$497.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
	Kits & Accessories	Field Installed Attachments - Optional	
BYT10679	HD Rear Grille Provides protection to cooling package.		$611.00
BYT10227	Standard Door		$1,062.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		$471.00
BYT10313	Backhoe Attachment Mounting Kit		$291.00
BYT11292	SSM - Use with Manual Controls		$185.00
BYT10680	SMV Sign		$80.00
BYT10651	Rear View Camera Includes 5" LCD monitor.		$876.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10641	Fluid Sampling Field Kit		$155.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10843	Single Point Support Kit		$2,980.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT374642	Foot Throttle Removal Kit		$60.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT427686	Engine Block Heater - 120 V		$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$561.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT10646	Remote Control Field Kit		$15,789.00
BYT10649	JDLink Hardware Kit - SSL/CTL		$202.00
BYT12804	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9909	Rust Preventative		$171.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

330G SKID STEER

07-Jul-2023

Code	Description	QTY	List Price (USD)
0BC2T	330G SKID STEER	1	$79,969.00

330G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction

Copyright © 2023 Deere Company. All Rights Reserved.

Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,000 lbs. (1,362 kg)
Tipping Load 6,000 lbs. (2,724 kg)
Hydraulic Pump Flow 24 gpm (91 L/m)
Machine Operating Weight 9,950 lbs. (4,517 kg)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Width without Attachment 78 in. (1.98 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 9,950 lbs. (4,517 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BC2T	330G SKID STEER	1	$79,969.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.		No Added Cost
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		$6,922.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,744.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2070	12x16.5 10 PR Titan HD2000-II Provides 73.2 in. machine width.		($843.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 73.5 in. machine width.		($1,371.00)
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		$509.00
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		No Added Cost
2410	12x16.5 Brawler Treaded SolidFlex Provides 73.3 in. machine width. Not compatible with steel tracks.		$1,418.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		$3,019.00
2440	12x16.5 12 PR Galaxy Hulk Provides 73.75 in. machine width.		($504.00)
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		$1,050.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,111.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,577.00
	Seat		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$671.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$228.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$285.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$912.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,611.00
	Radio		Field Installed Attachments - Optional

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9052	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,503.00
9221	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,458.00
9332	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00
9062	84 in Heavy Duty Construction Bucket (21.0 cu ft) w/ Edge		$2,648.00
9231	84 in Heavy Duty Tooth Bucket (21.0 cu ft)		$2,619.00
9342	84 in Construction Bucket (21.0 cu ft) w/ Serrated Edge		$2,897.00
	Buckets		Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$2,235.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,704.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,897.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,735.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,478.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,648.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,619.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8530	Power Quik-Tatch for Canopy Units		$777.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$69.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$396.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10945	Bottom Covers & Reinforcement Plates		$548.00
BYT10947	Bucket Cylinder Rod Guard		$634.00
BYT10913	Bucket Cylinder Rod Guard		$572.00
BYT10943	Bumper, Rear w/o Deflectors		$1,872.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10261	Guard, Rear Bumper		$1,984.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$376.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$519.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$266.00
BYT10258	Rear Window/Side Window Cab Guards		$1,104.00
BYT12304	Wiper Blade and Arm Guard		$202.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$7,272.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$793.00
	Kits & Accessories	Field Installed Attachments - Optional	
BYT10227	Standard Door		$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		$652.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		$700.00
BYT10039	Fluid Sampling Field Kit Serial numbers ending before 387881		$192.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10059	SMV Sign		$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
BYT10051	Rear View Camera Includes 5" LCD monitor.		$876.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00
AT439117	Engine Air Pre-Cleaner Kit		$471.00
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT439115	Block Heater Kit		$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
AT469520	Single Point Lift System		$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$351.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,647.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995)		$1,647.00

Copyright © 2023 Deere Company. All Rights Reserved.

Provides two additional control patterns:

- Electrohydraulic (EH) hand and foot controls (H pattern)
- Electrohydraulic (EH) hand and foot controls (ISO pattern)

BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$1,545.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$860.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).	$202.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$70.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.	$611.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)	$700.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).	$202.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality. Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$1,536.00
BYT13068	Power Quik-Tatch field kit with Boom Performance Package Field Kit This is a complete assembly Power Quik-Tatch kit, for machines equipped with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995), to replace worn or damaged Power Quik-Tatch on existing customer machines.	$2,291.00
BYT13067	Power Quik-Tatch Field Kit	$1,766.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	This is a complete assembly Power Quik-Tatch kit to replace worn or damaged Power Quik-Tatch on existing customer machines. Not for use with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995)		
BYT12801	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$171.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

332G SKID STEER

07-Jul-2023

Code	Description	QTY	List Price (USD)
0BD2T	332G SKID STEER	1	$92,495.00

332G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction

Copyright © 2023 Deere Company. All Rights Reserved.

Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,600 lbs. (1,633 kg)
Tipping Load 7,200 lbs. (3,266 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BD2T	332G SKID STEER	1	$92,495.00
	PACKAGES		
	Packages	Basic Factory Options - Required	
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		No Added Cost
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$4,818.00
	ENGINE		
	Cold Start Packages	Field Installed Attachments - Optional	
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Air Pre-Cleaner	Field Installed Attachments - Optional	
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals	Basic Factory Options - Required	
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		No Added Cost
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		($509.00)
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		$2,510.00
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		$541.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,111.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,577.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$671.00
	Seat Belt		Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		No Added Cost
4003	3-Inch Seat Belt with Shoulder Harness		$57.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Shoulder harness required with a cab package.		
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$912.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,611.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9052	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,503.00
9221	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,458.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9332	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00
9062	84 in Heavy Duty Construction Bucket (21.0 cu ft) w/ Edge		$2,648.00
9231	84 in Heavy Duty Tooth Bucket (21.0 cu ft)		$2,619.00
9342	84 in Construction Bucket (21.0 cu ft) w/ Serrated Edge		$2,897.00
9410	90 in Severe Duty Construction Bucket (22.4 cu. ft.) w/ Serrated Edge		$4,792.00
9415	90 in Severe Duty Tooth Bucket (22.4 cu ft)		$4,773.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$2,235.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,704.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		$4,792.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		$4,773.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,897.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,735.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,478.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,648.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,619.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$69.00
	G.R.Mfg.	Field Installed Attachments - Optional	
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10913	Bucket Cylinder Rod Guard		$572.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10261	Guard, Rear Bumper		$1,984.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$376.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$519.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$266.00
BYT10258	Rear Window/Side Window Cab Guards		$1,104.00
BYT12304	Wiper Blade and Arm Guard		$202.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$7,272.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$793.00

Kits & Accessories — Field Installed Attachments - Optional

BYT10227	Standard Door		$1,062.00
BYT10039	Fluid Sampling Field Kit Serial numbers ending before 387881		$192.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching,		$652.00

Copyright © 2023 Deere Company. All Rights Reserved.

shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.

BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)	$700.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	$3,169.00
BYT10048	Beacon Warning Light Magnetic Base	$329.00
BYT10059	SMV Sign	$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	$611.00
BYT10051	Rear View Camera Includes 5" LCD monitor.	$876.00
BYT10058	HD Rear Grille Provides protection to cooling package.	$611.00
AT439117	Engine Air Pre-Cleaner Kit	$471.00
AT466358	Backhoe Attachment Mounting Kit	$122.00
AT439115	Block Heater Kit	$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth	$593.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Streaming Bluetooth, no Hands-Free.		
AT469520	Single Point Lift System		$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$351.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,647.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$70.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$860.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		$611.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		$700.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,647.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,545.00
BYT10798	JDLink Hardware Kit - SSL/CTL		$202.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality. Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,536.00
BYT13067	Power Quik-Tatch Field Kit This is a complete assembly Power Quik-Tatch kit to replace worn or damaged Power Quik-Tatch on existing customer machines. Not for use with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995)		$1,766.00
BYT13068	Power Quik-Tatch field kit with Boom Performance Package Field Kit This is a complete assembly Power Quik-Tatch kit, for machines equipped with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995), to replace worn or damaged Power Quik-Tatch on existing customer machines.		$2,291.00
BYT12801	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection	Field Installed Attachments - Optional	
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$171.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

17 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0110FF	17 P-Tier Compact Excavator 0110FF (Gen-A)	1	$41,954.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$41,954.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

17G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0010FF	17G Compact Excavator	1	$40,331.00

ENGINE:
Yanmar 3TNV74F 3-61.0 cu. in. (0.99 l)
14.5 ISO9249 Net HP (10.8 kW)
Certified to EPA Tier 4 Final
Engine Coolant
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Foot Control
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom

UNDERCARRIAGE:
9.1 in. (230 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Travel
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 50 degree right rotation)
ROPS/OPG/FOPS Canopy
Work light, mounted on Boom
Counterweight 265 lb. (120 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. (1.82 m)
Arm 3 ft. 1 in. (0.93 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with: Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator
Light Switch with "On" Indicator
Two Travel Modes with Foot Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat

Code	Description	QTY	List Price (USD)
0010FF	17G Compact Excavator	1	$40,331.00

FRAME	
Arm	Field Installed Attachments - Optional
COLOR	
Color	Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10960	16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)		$746.00
BYT10961	18 In. (457 mm) Heavy Duty Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included)		$807.00
BYT10958	9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft.		$614.00
BYT10959	12 In. (305 mm) Heavy Duty Bucket; 0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included)		$686.00
BYT10922	30 in. (762 mm) Ditch Cleaning Bucket. 2.5 Cu.Ft, (0.073m3), with Bolt on Cutting Edge		$1,121.00
	MISCELLANEOUS		
	Interface Adapters		Field Installed Attachments - Optional
AT306179	Interface Adapter for 17 ZTS		$475.00
	G.R.Mfg.		Field Installed Attachments - Optional
BYT10076	Front Screen, Cab (GR#705923) (17 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$988.00
	Miscellaneous		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit		$111.00
	Clamps		Field Installed Attachments - Optional
AT451118	Hydraulic GREY Clamp Works with quick coupler buckets (excluding Heavy Duty). Does not include hydraulic couplers on hoses.		$2,212.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

26 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0130FF	26 P-Tier Compact Excavator 0130FF (Gen-A)	1	$50,978.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$50,978.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

26G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0020FF	26G Compact Excavator	1	$47,203.00

ENGINE:
Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)
Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Alternator Charge Warning Light Engine Coolant Warning Light and Alarm Engine Oil Pressure Warning Light Travel Mode Indicator Fuel Gauge and Warning Light Engine Preheat Indicator Light Switch with "On" Indicator Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet Operator manual storage in back of seat Propel Levers and Foldable Pedals		
0020FF	26G Compact Excavator	1	$47,203.00
	FRAME		
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab With Heater. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$4,479.00
	Seat		Field Installed Attachments - Optional
	COLOR		
	Color		Field Installed Attachments - Optional
	BUCKETS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
BYT10972	24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$3,263.00
BYT10971	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$3,017.00
BYT10965	30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)		$1,254.00
BYT10963	18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)		$996.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$1,082.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$952.00
	MISCELLANEOUS		
	Clamps		Field Installed Attachments - Optional
BYT11919	Hydraulic Gray Clamp Works with machines equipped with aux selector valve, JD26G / ZX26 SN 264782 or greater. For installation on JD26G / ZX26 SN 264781 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details.		$2,345.00
	Miscellaneous		Field Installed Attachments - Optional
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit		$111.00
AT495180	Front Screen, Canopy (GR#706024) (26 CE)		$642.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy		
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 264782		$166.00
	Interface Adapters		Field Installed Attachments - Optional
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter		$690.00
	G.R.Mfg.		Field Installed Attachments - Optional
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$865.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

30 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0140FF	30 P-Tier Compact Excavator 0140FF (Gen-A)	1	$60,898.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$60,898.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

30G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0100FF	30G Compact Excavator	1	$59,127.00

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing
With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
4 ft. 11 in. (1.5 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	One Mounted on Boom Counterweight 723 lb. (328 kg.) FRONT ATTACHMENTS: Boom 7 ft. 6 in. (2.28 m) Arm 3 ft. 8 in. (1.17 m) Mechanical Quick Coupler OPERATOR'S STATION: Electronic Throttle Control with Auto Idle Vinyl Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0100FF	30G Compact Excavator	1	$59,127.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 300 mm (12 in.) Track		No Added Cost
	FRAME		
	Arm		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7110	Standard Arm 3 ft. 10 in.(1.17m)		No Added Cost
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$6,555.00
	Seat		Basic Factory Options - Required
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$30.00
	Seat		Field Installed Attachments - Optional
	COLOR		
	Color		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	DESTINATION AND LANGUAGE		
	Shipping Preparation		Field Installed Attachments - Optional
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10972	24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$3,263.00
BYT10971	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$3,017.00
BYT10965	30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)		$1,254.00
BYT10963	18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)		$996.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$1,082.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$952.00
	MISCELLANEOUS		
	Clamps		Field Installed Attachments - Optional
BYT11548	Hydraulic Gray Clamp JD30G / ZX30: Works with machines equipped with aux selector valve, SN 266590 or greater. For installation onto JD30G / ZX30 machines SN 266589 or less, see DTAC solution 116315 for additional parts and details. JD35G / ZX35: Works with machines equipped with aux selector valve, Long Arm (7120) SN 285875 or greater, STND Arm (7110) SN 286100 or greater. For installation onto JD35G / ZX35 Long arm (7120) SN 285874 or less, Standard Arm (7110) SN 286099 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - see DTAC Solution 118369 for details.		$2,580.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)

If For Paladin Customworks Install, order AT349584 Installation Fee.

	Miscellaneous	Field Installed Attachments - Optional
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit	$111.00
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 266590	$166.00
	G.R.Mfg.	Field Installed Attachments - Optional
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.	$671.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.	$865.00
	Interface Adapters	Field Installed Attachments - Optional
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter	$690.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

35 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0150FF	35 P-Tier Compact Excavator 0150FF (Gen-A)	1	$67,232.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$67,232.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

35G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0050FF	35G Compact Excavator	1	$64,636.00

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing
With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
5 ft. 8 in. (1.74 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)

Copyright © 2022 Deere Company. All Rights Reserved.

One Mounted on Boom
Counterweight 1190 lb. (540 kg.)

FRONT ATTACHMENTS:
Boom 8 ft. (2.45 m)
Arm 4 ft. 4 in. (1.32 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

0050FF	35G Compact Excavator	1	$64,636.00

WHEELS, TIRES AND TRACKS

	Tracks	Basic Factory Options - Required
3125	Rubber Track 300 mm (12 in.) Track	No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes 300 mm (12 in.) Track Long lead-time item; contact Order Fulfillment for availability.	$1,126.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 4 in. (1.32 m).		No Added Cost
7120	Long Arm and Extra Counterwieght 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.		$1,578.00
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$6,555.00
	Seat		Basic Factory Options - Required
4140	Standard Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$30.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	BLADE		
	Blade	Field Installed Attachments - Optional	
9555	Angle Blade		$3,351.00
	COLOR		
	Color	Field Installed Attachments - Optional	
	DESTINATION AND LANGUAGE		
	Shipping Preparation	Field Installed Attachments - Optional	
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
BYT10973	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of 18” Bucket BYT10966 * Price includes a 5% discount from individual buckets' price		$3,366.00
BYT10974	24 in. (610 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of 24” Bucket BYT10967 * Price includes a 5% discount from individual buckets' prices		$4,230.00
BYT10968	30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included)		$1,254.00
BYT10966	18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included)		$1,096.00
BYT10969	36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included)		$1,535.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10967	24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included)		$1,256.00
BYT10970	34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth)		$1,613.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$1,082.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$952.00
BYT11907	12 in. (305 mm) Heavy Duty, 1.5 cu. ft. (0.04 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,250.00
BYT11910	34 in. (863 mm) Ditching, 5.9 cu. ft. (0.17 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,557.00
BYT11909	24 in. (610 mm) Heavy Duty, 4.0 cu. ft. (0.11 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,307.00
BYT11908	18 in. (457 mm) Heavy Duty, 2.8 cu. ft. (0.08 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,190.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT442164	Hydraulic Quick Coupler Works with John Deere 35 quick coupler buckets only.		$2,910.00
BYT12093	35 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb. Only compatible with coupler length thumb - BYT11993.		$6,175.00
	MISCELLANEOUS		
	G.R.Mfg.	Field Installed Attachments - Optional	

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$671.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$865.00
	Interface Adapters	Field Installed Attachments - Optional	
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter		$690.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - Std Arm - 286115 Serial No. Break - Long Arm - 285875		$166.00
BYT12376	Pin Kit - Pin Grabber Coupler Attachments - 35 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$115.00
	Clamps	Field Installed Attachments - Optional	
BYT11548	Hydraulic Gray Clamp JD30G / ZX30: Works with machines equipped with aux selector valve, SN 266590 or greater. For installation onto JD30G / ZX30 machines SN 266589 or less, see DTAC solution 116315 for additional parts and details. JD35G / ZX35: Works with machines equipped with aux selector valve, Long Arm (7120) SN 285875 or greater, STND Arm (7110) SN 286100 or greater. For installation onto JD35G / ZX35 Long arm (7120) SN 285874 or less, Standard Arm (7110) SN 286099 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - see DTAC Solution 118369 for details. If For Paladin Customworks Install, order AT349584 Installation Fee.		$2,580.00
BYT11993	THUMB, 35G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$2,713.00

and other dealer availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

50 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0180FF	50 P-Tier Compact Excavator 0180FF (Gen-A)	1	$91,229.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$91,229.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

50G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0060FF	50G Compact Excavator	1	$88,404.00

ENGINE:
Yanmar 4TNV88 (2.19 l)
35.9 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS Canopy
Toolbox
Vandal Locks for: Service Doors
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Counterweight 1543 lb. (700 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 2 in. (2.8 m)
Arm 4 ft. 6 in. (1.38 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0060FF	50G Compact Excavator	1	$88,404.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 400 mm (16 in.) Track		No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes 400 mm (16 in.) Track Long lead-time item; contact Order Fulfillment for availability.		$2,126.00
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 6 in. (1.38 m).		No Added Cost
7120	Long Arm and Extra Counterwieght 5 ft. 7 in. (1.69 m) and Extra Counterweight 474 lbs (215 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.		$1,618.00
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8185	ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$6,555.00
	Seat		Basic Factory Options - Required
4140	Standard Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$30.00
	BLADE		
	Blade		Field Installed Attachments - Optional
9555	Angle Blade		$3,564.00
	COLOR		
	Color		Field Installed Attachments - Optional
	DESTINATION AND LANGUAGE		
	Shipping Preparation		Field Installed Attachments - Optional
	BUCKETS		
	Buckets		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11001	24 in. (610 mm) Heavy Duty Bucket Bundle (TF23 Series Teeth included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$5,005.00
BYT10998	18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price		$4,893.00
BYT10999	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$4,449.00
BYT10984	36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 TK Teeth Included)		$1,941.00
BYT10980	24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. (0.15 Cu. M) (4 TK Teeth Included)		$1,592.00
BYT10986	36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth)		$1,854.00
BYT10983	30 in. (762 mm) Heavy Duty Bucket; 6.8 cu. ft. (0.19 cu. m) (5 Teeth Included)		$1,882.00
BYT10981	24 in. (610 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.15 cu. m) (4 Teeth Included)		$1,633.00
BYT10976	12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. (0.06 Cu. M) (3 TK Teeth Included)		$1,302.00
BYT10977	12 in. (305 mm) Heavy Duty Bucket; 2.1 cu. ft. (0.06 cu. m) (3 Teeth Included)		$1,337.00
BYT10985	36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 Teeth Included)		$2,002.00
BYT10979	18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)		$1,458.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10978	18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)		$1,417.00
BYT11000	24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth Included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$5,005.00
BYT10982	30 in. (762 mm) Heavy Duty Bucket; 6.8 Cu. Ft. (0.19 Cu. M) (5 TK Teeth Included)		$1,821.00
BYT11914	36 in. (914 mm) Ditching, 8.3 cu. ft. (0.24 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,851.00
BYT11911	12 in. (305 mm) Heavy Duty, 2.1 cu. ft. (0.06 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,449.00
BYT11913	24 in. (610 mm) Heavy Duty, 5.2 cu. ft. (0.15 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,717.00
BYT11912	18 in. (457 mm) Heavy Duty, 3.6 cu. ft. (0.11 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,559.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT452082	Hydraulic Quick Coupler Works with John Deere 50 quick coupler buckets only.		$3,244.00
BYT12094	50 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb - BYT11994.		$6,698.00
	MISCELLANEOUS		
	Interface Adapters	Field Installed Attachments - Optional	
AT306177	50/60 G/ZX Quick Change Adapter		$748.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	G.R.Mfg.	Field Installed Attachments - Optional	
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$671.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$865.00
BYT12747	Front Window Guard, Polycarbonate 1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 50G with Cab.		$2,710.00
	Clamps	Field Installed Attachments - Optional	
BYT11748	Hydraulic GREY Clamp JD50G / ZX50: Works with machines equipped with aux selector valve, SN 291400 or greater. For installation on JD50G / ZX50 machines SN 291399 and lower, see DTAC solution 116315. JD60G / ZX60: Works with machines equipped with aux selector valve, SN 291500 or greater. For installation on JD60G / ZX60 machines SN 291499 and lower, see DTAC solution 116315. Not Compatible with 12" buckets. If using with one way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. For Paladin Customworks Install, order AT349584 Installation Fee.		$2,537.00
BYT11994	THUMB, 50G/60G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$2,194.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Works with machines equipped with aux selector valve, Long Arm (7120) SN 291400 or greater, STND Arm (7110) SN 291400 or greater.		$166.00
BYT12377	Pin Kit - Pin Grabber Coupler Attachments - 50/60 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$147.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

60 P-Tier Compact Excavator

01-Feb-2023

Code	Description		
0190FF	60 P-Tier Compact Excavator 0190FF (Gen-A)	1	$107,229.00
	Option Codes		
0202	Destination Code - United States	1	No Added Cost
0259	English Customer Delivery Packet	1	No Added Cost
Total			**$107,229.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

60G Compact Excavator

01-Nov-2022

Code	Description	QTY	List Price (USD)
0071FF	60G Compact Excavator	1	$100,863.00

ENGINE:
Yanmar 4TNV98 (3.3 l)
53 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing
with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom
Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with
Release Under Pressure
Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Reduced Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(80 degree left and 60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1642 lb. (745 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Air Conditioning and Heat
Electronic Throttle Control
with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with
Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure
Indicator
Alternator Voltage
Indicator
Fuel Gauge and
Level Indicator
Engine Coolant
Temperature Gauge
and Indicator
Hour Meter
Operating Lights Switch
Operating Lights
Indicator
Foldable Propel Pedals and
Levers
Two Travel Modes with
Automatic Shifting And Speed
Selection Switch

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0071FF	60G Compact Excavator	1	$100,863.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 400 mm (16 in.) Track		No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes Long lead-time item; contact Order Fulfillment for availability. 400 mm (16 in.) Track		$2,126.00
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 11 in. (1.50 m).		No Added Cost
7120	Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).		$1,870.00
	Arm		Field Installed Attachments - Optional
	Miscellaneous		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8185	ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		$6,555.00
	BLADE		
	Blade	Field Installed Attachments - Optional	
9555	Angle Blade		$5,274.00
	COLOR		
	Color	Field Installed Attachments - Optional	
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
BYT10995	36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M.) (6 TK Teeth Included)		$2,225.00
BYT10989	18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)		$1,814.00
BYT10987	13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)		$1,621.00
BYT10997	42 in. (946 mm) Ditch Cleaning Bucket; 9.6 Cu. Ft. (0.26 Cu. M.) (No Teeth)		$1,850.00
BYT10996	36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M.) (6 TF Teeth Included)		$2,415.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10991	24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M.) (5 TK Teeth Included)		$2,020.00
BYT10988	13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TF Teeth Included)		$1,660.00
BYT10992	24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M.) (5 TF Teeth Included)		$2,099.00
BYT10994	30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M.) (5 TF Teeth Included)		$1,906.00
BYT10990	18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M.) (4 TF Teeth Included)		$1,884.00
BYT11916	18 in. (457 mm) Heavy Duty, 5.5 cu. ft. (0.16 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$2,099.00
BYT11915	13 in. (330 mm) Heavy Duty, 3.3 cu. ft. (0.09 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,718.00
BYT11917	24 in. (610 mm) Heavy Duty,7.5 cu. ft. (0.21 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$2,286.00
BYT11918	42 in. (1067 mm) Ditching, 9.6 cu. ft. (0.27 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$2,244.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT452558	Hydraulic Quick Coupler Works with John Deere series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.		$3,320.00
BYT12095	60 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb - BYT11994.		$6,726.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Interface Adapters	Field Installed Attachments - Optional	
AT306177	50/60 G/ZX Quick Change Adapter		$748.00
	G.R.Mfg.	Field Installed Attachments - Optional	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$865.00
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$671.00
BYT12748	Front Window Guard, Polycarbonate 1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 60G with Cab.		$2,760.00
	Clamps	Field Installed Attachments - Optional	
BYT11748	Hydraulic GREY Clamp JD50G / ZX50: Works with machines equipped with aux selector valve, SN 291400 or greater. For installation on JD50G / ZX50 machines SN 291399 and lower, see DTAC solution 116315. JD60G / ZX60: Works with machines equipped with aux selector valve, SN 291500 or greater. For installation on JD60G / ZX60 machines SN 291499 and lower, see DTAC solution 116315. Not Compatible with 12" buckets. If using with one way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. For Paladin Customworks Install, order AT349584 Installation Fee.		$2,537.00
BYT11994	THUMB, 50G/60G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$2,194.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Works with machines equipped with aux selector valve, Long Arm (7120) SN 291500 or greater, STND Arm (7110) SN 291500 or greater.		$166.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12377	Pin Kit - Pin Grabber Coupler Attachments - 50/60 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$147.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

317G Compact Track Loader

07-Jul-2023

Code	Description	QTY	List Price (USD)
06L0P	317G Compact Track Loader	1	$72,553.00

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Tipping load - 2756 kg (6070 lb) Hydraulic pump flow - 59 L/m (16 gpm) Travel speed - 11.3 km/h (7.0 mph) Bucket Breakout force - 2922 kg (6437 lb) Boom Breakout force - 2954 kg (5714 lb) Width without attachment - 1.82 m (71.5 in.) Length without attachment - 2.63 m (103 in.) Height to top of ROPS - 1.99 m (78.5 in.) Height to hinge pin - 3.07 m (121 in.) Warranty (US and Canada): John Deere 2 years/2000 hours		
06L0P	317G Compact Track Loader	1	$72,553.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0502	EH, Open ROPS, Manual Quik-Tatch, Self Level, 1 Speed, Attachment Performance Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		No Added Cost
0503	EH, Cab/Heat/AC, Power Quik-Tatch, Self Level, 1 Speed, Attachment Performance Requires 2" or 3" lap belt w/shoulder strap. Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		$5,654.00
0506	EH Joystick Performance, Cab/Heat/AC, Power Quik-Tatch, Self Level & Ride Control, 1 Speed, Attachment Performance, LED Lights Requires 2" or 3" lap belt w/shoulder strap. Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, single speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		$7,434.00
	OPERATOR'S STATION		
	Seat		Basic Factory Options - Required
1050	Seat (Vinyl)		($431.00)

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1051	Mechanical Suspension Seat (Vinyl)		No Added Cost
1052	Vinyl, Air-Ride Seat		$485.00
1053	Air Suspension Seat (Cloth with Heat) For use with cab units only		$671.00
	Seat Belt		Basic Factory Options - Required
1361	2-Inch Seat Belt For use with Canopy		No Added Cost
1362	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with cab units		$228.00
1363	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with cab units		$285.00
	WHEELS/TIRES/TRACKS		
	Track		Basic Factory Options - Required
5600	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks 65 in. machine width/narrow stance.		No Added Cost
5601	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks 68 in. machine width/wide stance.		No Added Cost
5603	Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks 71 in. machine width/wide stance.		$1,535.00
5605	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks 65 in. machine width/narrow stance.		$215.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
5606	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks 68 in. machine width/wide stance.		$215.00
5607	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks 71 in. machine width/wide stance.		$1,750.00
	DESTINATION AND LANGUAGE		
	Destination Code		Basic Factory Options - Required
	North America		
0202	United States		No Added Cost
	Operator's Manual and Language		Basic Factory Options - Required
0259	English Operator's Manual		No Added Cost
0263	French Operator's Manual		No Added Cost
0287	Spanish Operator's Manual		No Added Cost
	Labels		Basic Factory Options - Required
0351	Translated Text Labels		No Added Cost
	JOHN DEERE WORKSIGHT™		

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	JDLink		Basic Factory Options - Required
183E	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	MISCELLANEOUS		
	Engine - Order as Desired		Field Installed Attachments - Optional
8043	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Operator's Station and Controls - Order As Desired		Field Installed Attachments - Optional
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab.		$53.00
8052	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$428.00
8055	Radio, AM/FM with Bluetooth Weatherproof radio. For use with Cab units only and FT4 Engine.		$645.00
8057	Rear View Camera Includes 5" LCD monitor.		$912.00
	Buckets - Order As Desired		Field Installed Attachments - Optional
8906	66 in Construction Bucket (16.2 cu ft) w/ Edge		$2,033.00
8907	66 in Construction Bucket (16.2 cu ft) w/ Serrated Edge		$2,116.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8913	66 in Tooth Bucket (16.2 cu ft)		$2,012.00
8917	72 in Construction Bucket (17.8 cu ft) w/ Edge		$2,317.00
8918	72 in Construction Bucket (17.8 cu ft) w/ Serrated Edge		$2,543.00
8921	72 in Tooth Bucket (17.8 cu ft)		$2,246.00
8925	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,504.00
8926	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00
8929	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,457.00
	Weights And Ballasting - Order As Desired	Field Installed Attachments - Optional	
8046	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity. Includes 2 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Double Set.		$402.00
8047	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity. Includes 4 stackable 86 lb. weights (39 kg.). Not for use with Sunbelt or Single Set.		$803.00
	Rust Protection - Order As Desired	Field Installed Attachments - Optional	
8039	Rust Preventative		$171.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Coating protects exposed unpainted surfaces from road salt during shipment. Not for use with export shipments as export pricing includes rust prevention.		
	Frame - Order As Desired		Field Installed Attachments - Optional
8054	Power Quik-Tatch for Canopy Units Not for use with Sunbelt or Cab units		$777.00
	Miscellaneous - Order As Desired		Field Installed Attachments - Optional
	Kits & Accessories		Field Installed Attachments - Optional
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).		$51.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		$471.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.		$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.		$52.00
BYT11443	Vinyl Cab Enclosure Kit		$927.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.		$525.00
BYT12233	Glass Cab Door Field Kit		$838.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS		
BYT11275	Remote Control Field Kit For use with EH Controls.		$15,526.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,580.00
BYT11287	Rear View Camera Field Kit Includes 5" LCD Monitor. Only compatible with machines serial number 366357 and higher.		$876.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		$185.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.		$927.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.		$387.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]		$108.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446201	Warning Beacon		$222.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		$611.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
KV26958	SMV Sign		$80.00
BYT12805	Hazard Warning Lights		$225.00
T394966	66 in. Bolt-on Serrated Cutting Edge		$302.05
T385220	72 in. Bolt-on Serrated Cutting Edge		$384.03
T385219	78 in. Bolt-on Serrated Cutting Edge		$401.63
	G.R.Mfg.	Field Installed Attachments - Optional	
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT12107	Rear Bumper Guard (for serial # after 366358)		$1,916.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10500	Rear Bumper Guard (for Serial # upto 366358)		$1,892.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,543.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$2,116.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,619.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,942.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,823.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,831.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$2,134.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,579.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,708.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$2,048.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$2,102.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$2,323.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$2,246.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$2,317.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$2,015.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$2,033.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,693.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,440.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,936.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,817.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$2,011.00
	Tooth Bars		Field Installed Attachments - Optional
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00

Prices shown are

Copyright © 2023 Deere Company. All Rights Reserved.

325G COMPACT TRACK LOADER

07-Jul-2023

Code	Description	QTY	List Price (USD)
00D2T	325G COMPACT TRACK LOADER	1	$83,216.00

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2023 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)
Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00D2T	325G COMPACT TRACK LOADER	1	$83,216.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,580.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,126.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$11,123.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged - FT4 Option for the United States, Canada, or regions that use ultra low sulfur fuels. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		No Added Cost
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package		$326.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals		No Added Cost
1503	English Operator's Manual and No Text Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1512	French Operator's Manual and No Text Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
1516	Spanish Operator's Manual and No Text Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2500	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks Provides 71.5 in. machine width.		No Added Cost
2550	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 71.5 in. machine width.		$215.00
2600	Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.		$1,535.00
2645	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.		$1,750.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,111.00
	Seat		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$671.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt For use with Canopy		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$228.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$285.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$912.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		$154.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9041	72 in Construction Bucket (17.8 cu ft) w/ Edge		$2,317.00
9210	72 in Tooth Bucket (17.8 cu ft)		$2,246.00
9322	72 in Construction Bucket (17.8 cu ft) w/ Serrated Edge		$2,543.00
9052	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Edge		$2,503.00
9221	78 in Heavy Duty Tooth Bucket (19.4 cu ft)		$2,458.00
9332	78 in Heavy Duty Construction Bucket (19.4 cu ft) w/ Serrated Edge		$2,742.00
	Buckets		Field Installed Attachments - Optional
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,579.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,708.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,543.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$2,246.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$2,317.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$2,015.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,817.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$2,323.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$2,048.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Tooth Bars	Field Installed Attachments - Optional	
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8530	Power Quik-Tatch for Canopy Units		$777.00
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$53.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$396.00
BYT10947	Bucket Cylinder Rod Guard		$634.00
BYT10945	Bottom Covers & Reinforcement Plates		$548.00
BYT10948	Lift Cylinder Hose Guards		$497.00
BYT10943	Bumper, Rear w/o Deflectors		$1,872.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10679	HD Rear Grille		$611.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Provides protection to cooling package.		
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		$471.00
BYT10313	Backhoe Attachment Mounting Kit		$291.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00
BYT10651	Rear View Camera Includes 5" LCD monitor.		$876.00
BYT10680	SMV Sign		$80.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10641	Fluid Sampling Field Kit		$155.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10227	Standard Door		$1,062.00
BYT10843	Single Point Support Kit		$2,980.00
BYT10048	Beacon Warning Light		$329.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Magnetic Base		
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT374642	Foot Throttle Removal Kit		$60.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$459.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT427686	Engine Block Heater - 120 V		$115.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$561.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT10646	Remote Control Field Kit		$15,789.00
BYT10649	JDLink Hardware Kit - SSL/CTL		$202.00
BYT12804	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection	Field Installed Attachments - Optional	
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$171.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

331G COMPACT TRACK LOADER

07-Jul-2023

Code	Description	QTY	List Price (USD)
0BE2T	331G COMPACT TRACK LOADER	1	$96,348.00

331G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2023 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,100 lbs. (1,407 kg)
Tipping Load 8,857 lbs. (4,022 kg)
Hydraulic Pump Flow 24 gpm (91 L/m)
Travel Speed Low 6 mph (9.7 km/h)
Travel Speed High 8 mph (12.9 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 78.9 in. (2.00 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 11,800 lbs. (5,357 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BE2T	331G COMPACT TRACK LOADER	1	$96,348.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.		No Added Cost
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		$6,922.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,744.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		No Added Cost
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$297.00
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$512.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,111.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,577.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$671.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	For use with Canopy		
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$228.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$285.00
	Rear Camera	Field Installed Attachments - Optional	
8042	Rear View Camera Includes 5" LCD monitor.		$912.00
	ONBOARD GRADE INDICATION	Field Installed Attachments - Optional	
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,611.00
	Radio	Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9062	84 in Heavy Duty Construction Bucket (21.0 cu ft) w/ Edge		$2,648.00
9231	84 in Heavy Duty Tooth Bucket (21.0 cu ft)		$2,619.00
9342	84 in Construction Bucket (21.0 cu ft) w/ Serrated Edge		$2,897.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$2,235.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,704.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,735.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,897.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,619.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,478.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,648.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8530	Power Quik-Tatch for Canopy Units		$777.00
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$53.00
	G.R.Mfg.	Field Installed Attachments - Optional	
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$396.00
BYT10945	Bottom Covers & Reinforcement Plates		$548.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10947	Bucket Cylinder Rod Guard		$634.00
BYT10913	Bucket Cylinder Rod Guard		$572.00
BYT10943	Bumper, Rear w/o Deflectors		$1,872.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10261	Guard, Rear Bumper		$1,984.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$376.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$519.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$266.00
BYT10258	Rear Window/Side Window Cab Guards		$1,104.00
BYT12304	Wiper Blade and Arm Guard		$202.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes:		$7,272.00

Copyright © 2023 Deere Company. All Rights Reserved.

- Side and Rear Window Screens (BYT10258)
- Bumper (BYT10261)
- Bottom Cover Plates (BYT12663)
- Wiper Guard (BYT12304)
- Aux Hydraulic Coupler Guard (BYT10260)
- Level II FOPS Guard (AT445276)
- Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR
- Door Upgrade Kit (AT372950)
- Cab Roof Debris Guard (BYT10263)
- Work Light Guards (BYT10259)

Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.

BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780	$793.00

Kits & Accessories — Field Installed Attachments - Optional

BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.	$652.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)	$700.00
BYT10039	Fluid Sampling Field Kit Serial numbers ending before 387881	$192.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	$3,169.00
BYT10227	Standard Door	$1,062.00
BYT10051	Rear View Camera Includes 5" LCD monitor.	$876.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10059	SMV Sign		$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT469520	Single Point Lift System		$2,571.00
AT439115	Block Heater Kit		$115.00
AT439117	Engine Air Pre-Cleaner Kit		$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$351.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,647.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$70.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).		$1,545.00

Copyright © 2023 Deere Company. All Rights Reserved.

Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.

BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)	$1,647.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)	$700.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.	$611.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).	$202.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$860.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).	$202.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality. Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$1,536.00
BYT13068	Power Quik-Tatch field kit with Boom Performance Package Field Kit This is a complete assembly Power Quik-Tatch kit, for machines equipped with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995), to replace worn or damaged Power Quik-Tatch on existing customer machines.	$2,291.00
BYT13067	Power Quik-Tatch Field Kit This is a complete assembly Power Quik-Tatch kit to replace worn or damaged Power Quik-Tatch on existing customer machines. Not for use with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom	$1,766.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
Performance Package (0995)			
BYT12801	Hazard Warning Lights		$225.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$171.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

333G COMPACT TRACK LOADER

07-Jul-2023

Code	Description	QTY	List Price (USD)
0BF2T	333G COMPACT TRACK LOADER	1	$115,214.00

333G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2023 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)
Travel Speed 8 mph (12.9 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Top and Rear Windows Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BF2T	333G COMPACT TRACK LOADER	1	$115,214.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		No Added Cost
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$4,818.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$326.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$488.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		No Added Cost
	Grade Control		Field Installed Attachments - Optional
8503	SmartGrade™ Ready including Slope Control and Blade SmartGrade Ready includes Dozer Blade, harnesses, sensors, and DozerMode controls with EZ Grade to enable smooth manual operation and a future upgrade to SmartGrade 3D Mastless Grade Control using a field kit. Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 5” color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500) or SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade (8504).		$19,737.00
8504	SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 5” color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500), or SmartGrade™ Ready indlucing Slope Control and Blade (8503). SmartGrade includes 96” 6-Way Dozer Blade, fully integrated harnesses, sensors, and DozerMode controls with EZ Grade to enable smooth manual operation controls as well as 3D Mastless Grade Control. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.		$95,395.00
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		($264.00)
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		No Added Cost
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$215.00
	Undercarriage		Field Installed Attachments - Optional
8325	Anti-Vibration Undercarriage System Provides undercarriage isolation from the machine mainframe for reduced track vibration, smooth ride, and more material retention. Also includes an integrated bogie roller system for smooth transitions over peaks.		$7,298.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,111.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds		$2,577.00

Copyright © 2023 Deere Company. All Rights Reserved.

Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	$485.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	$671.00
	Seat Belt	Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	No Added Cost
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$57.00
	Rear Camera	Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.	$912.00
	ONBOARD GRADE INDICATION	Field Installed Attachments - Optional
8500	On-board Grade Indication	$1,611.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		
	Radio	Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$645.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$154.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9062	84 in Heavy Duty Construction Bucket (21.0 cu ft) w/ Edge		$2,648.00
9231	84 in Heavy Duty Tooth Bucket (21.0 cu ft)		$2,619.00
9342	84 in Construction Bucket (21.0 cu ft) w/ Serrated Edge		$2,897.00
9410	90 in Severe Duty Construction Bucket (22.4 cu ft) w/ Serrated Edge		$4,792.00
9415	90 in Severe Duty Tooth Bucket (22.4 cu ft)		$4,773.00
	Buckets	Field Installed Attachments - Optional	

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$2,235.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,704.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		$4,773.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		$4,792.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,897.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,735.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,478.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,648.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,619.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,444.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,881.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,742.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$2,412.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,458.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,503.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$2,130.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$2,225.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$402.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$803.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,205.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$522.00
8525	Cab Severe Duty Polycarbonate Door		$2,360.00
8030	Fire Extinguisher Bracket Mounting location is in the headliner of the cab		$53.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10913	Bucket Cylinder Rod Guard		$572.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$902.00
BYT10261	Guard, Rear Bumper		$1,984.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$376.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$242.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$519.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$1,060.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$266.00
BYT10258	Rear Window/Side Window Cab Guards		$1,104.00
BYT12304	Wiper Blade and Arm Guard		$202.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$7,272.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$793.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10227	Standard Door		$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching,		$652.00

Copyright © 2023 Deere Company. All Rights Reserved.

shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.

BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)	$700.00
BYT10039	Fluid Sampling Field Kit Serial numbers ending before 387881	$192.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	$3,169.00
BYT10048	Beacon Warning Light Magnetic Base	$329.00
BYT10059	SMV Sign	$80.00
BYT10051	Rear View Camera Includes 5" LCD monitor.	$876.00
BYT10058	HD Rear Grille Provides protection to cooling package.	$611.00
AT466358	Backhoe Attachment Mounting Kit	$122.00
AT469520	Single Point Lift System	$2,571.00
AT439115	Block Heater Kit	$115.00
AT439117	Engine Air Pre-Cleaner Kit	$471.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from		$974.00

Copyright © 2023 Deere Company. All Rights Reserved.

more information.

BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.	$351.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)	$1,647.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)	$700.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$1,545.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)	$1,647.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).	$202.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$860.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	$70.00
BYT11959	EH Joystick Performance Package	$611.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		
BYT11681	SG96 DOZER BLADE ATTACHMENT HOOKS		$276.00
BYT11682	SG96 DOZER BLADE BOX ENDS Additional Box End Attachments Converts Dozer Blade into Box Blade Requires Dozer Blade Attachments Hooks for mounting (BYT11681)		$2,684.00
BYT11683	SG96 DOZER BLADE SCARIFIER Additional Scarifier/Ripper Attachment Converts Dozer Blade into Scarifier/Ripper Requires Dozer Blade Attachments Hooks for mounting (BYT11681)		$3,221.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality. Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,536.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT12332	Grade Control Laser Adjustable Mast w/ Brackets Field Kit for CTL This field kit includes two adjustable masts, two top brackets, and all appropriate mounting bolts that enable installation of the laser receivers on the CTL blade.		$2,800.00
BYT13068	Power Quik-Tatch field kit with Boom Performance Package Field Kit This is a complete assembly Power Quik-Tatch kit, for machines equipped with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995), to replace worn or damaged Power Quik-Tatch on existing customer machines.		$2,291.00
BYT13067	Power Quik-Tatch Field Kit This is a complete assembly Power Quik-Tatch kit to replace worn or damaged Power Quik-Tatch on existing customer machines. Not for use with ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package (0995)		$1,766.00
BYT12801	Hazard Warning Lights		$225.00
BYT12927	Grade Control Laser Fixed Mast w/ Brackets Field Kit for CTL This field kit includes two fixed masts, two top brackets, and all appropriate mounting bolts that enable installation of the laser receivers on the CTL blade.		$2,875.00

Copyright © 2023 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12928	Grade Control Laser Fixed Mast Field Kit for CTL This field kit includes two fixed masts and mounting bolts. Replaces adjustable masts with fixed masts. Does not include two top brackets.		$1,050.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$171.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2023 Deere Company. All Rights Reserved.

184 G Compact Wheel Loader

01-Nov-2022

Code	Description	QTY	List Price (USD)
01A0T	184 G Compact Wheel Loader	1	$82,070.00

184 G Standard Equipment

ENGINE:
Yanmar 4TNV88C
Net Peak Power @ 2,200 rpm (SAE J1349 /ISO 9249)
44hp, 32.5 kW
Natural aspirated
Isolation Mounted
Meets EPA Final Tier 5
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
DPF underhood
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
830 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights (optional) (or LED option with Field kit)
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

Copyright © 2022 Deere Company. All Rights Reserved.

TRANSMISSION:
Joystick FNR (Forward Neutral
Reverse) Control with Electrohydraulic Third
Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST
Charge Pressure Filter
with Bypass to Reservoir
Oil-to-Air Cooler for
Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary
Final Drives
Limited Slip Differential
45% Front Differential
and 45% Rear Standard
Differential

BRAKES:
Service Brakes; Hydraulically
Actuated, Self-Adjusting
internal Wet Disc Brake and
Driveline Drum Brake
Park Brake; Automatic
Spring-Applied,
Hydraulic-Released
internal Wet Disc Brake

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
16 GPM (61 L/Min) (Max rated @ 1,000 psi (6895 kPa) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,

Copyright © 2022 Deere Company. All Rights Reserved.

Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
Engine Air Filter
Restriction
Hydraulic Oil Temperature
Hydraulic Oil Temperature
Forward-Reverse Travel
Fuel Level (Gauge Only - No Audible Alarm)
Hourmeter (Digital Only - No Audible Alarm)
Engine RPM (Display Only - No Audible Alarm)
Speedometer (Display Only - No Audible Alarm)
Indicator Lights:
Park Brake Actuated
High Speed Indicator
Low Speed Indicator

Turn Signal and Hazard
Lights
High Beam Indicator
Alternator, Low Voltage
Engine Preheat
Exhaust Filter
Pilot Disable
Floormat
Horn, Electric (Conforms to
SAE J994, J1446)

Key Start Switch with Electric
Fuel Shut-Off
Power Port
Convex Mirror (Conforms to
SAE J985)
(2) Exterior Convex Mirrors
(Conforms to SAE J985)
Built-In Operators Manual
Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers
and Antenna

LOADER:

Copyright © 2022 Deere Company. All Rights Reserved.

Hydraulic powered Attachment Coupler (Hook/Euro style) (Optional)
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock
(Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin
(Conforms to SAE J276)
Oscillating Frame Articulation
System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking
for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
16.4 Gallon (62 L) Fuel Tank
Reverse Warning Alarm
(Conforms to SAE J994,
J1446)

01A0T	184 G Compact Wheel Loader	1	$82,070.00

DESTINATION CODE

North America	Basic Factory Options - Required
0202 United States of America	No Added Cost

OPERATOR'S MANUAL AND DECALS

Operator's Manual and Decals	Basic Factory Options - Required
0259 Operator's Manual, English	No Added Cost

LINKAGE CONFIGURATION

Linkage	Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0451	Standard Z-Bar Linkage		No Added Cost
	PACKAGES		
	Packages		Basic Factory Options - Required
0500	Standard Loader - Cab		$14,175.00
	Includes the following: - Enclosed Cab with Heat/AC - Cloth, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Adjustable Tilt Steering Column		
0501	Standard Loader - Open Rops		No Added Cost
	Includes the following: - Open Air Canopy - Vinyl, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Fixed Steering Column		
	OPERATOR'S STATION AND CONTROLS		
	Vision Systems		Basic Factory Options - Required
0950	Less Vision System		No Added Cost
	RIDE CONTROL		
	Ride Control		Basic Factory Options - Required
1350	Less Ride Control		No Added Cost
1351	Ride Control		$2,625.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Ride Control cushions boom movements to increase operator comfort and improve material retention.		
	MACHINE CONNECTIVITY		
	Machine Connectivity		Basic Factory Options - Required
183B	Less JDLink		No Added Cost
	TRANSMISSION		
	Transmission		Basic Factory Options - Required
3001	Hydrostat With Single Speed Gearbox - Standard		No Added Cost
	ENGINE		
	Engine		Basic Factory Options - Required
4099	YANMAR 4TNV88C FT4/EU STAGE V Yanmar 4TNV88C 2.2 L 4 Cylinder Naturally Aspirated 48 Gross HP (36 kW) 44 Net HP (33 kW) Meets EPA FT4 Emissions		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
5201	405/70R18 Firestone Duraforce Total machine height w/Cab - 8 ft 2 inch (2481 mm) Total machine height w/Canopy – 8 ft 1 inch (2457 mm)		$1,280.00
5361	365/70R18 Mitas EM-01		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Total machine height w/Cab - 8 ft 1 inch (2458 mm) Total machine height w/Canopy – 8 ft (2434mm)		
	LIGHTING		
	Lighting		Basic Factory Options - Required
6050	Less Work Lights (LED Kit Ready) Dealer will need to order and install appropriate LED lighting via field kits.		($263.00)
6052	Halogen Work Lights Includes: - 2 Front Work Lights - 2 Rear Work Lights		No Added Cost
	HYDRAULIC COUPLERS OR ATTACHMENT MOUNTING		
	Buckets and Couplers		Basic Factory Options - Required
7400	Less Coupler/Quick-Tatch Coupler Ready Dealer will need to order and install appropriate coupler and bucket via field kits.		No Added Cost
	FORK FRAME		
	Fork Frame		Basic Factory Options - Required
7500	Less Fork Frame		No Added Cost
	BUCKETS		
	Buckets		Basic Factory Options - Required
7800	Less Bucket		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets	Field Installed Attachments - Optional	
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
BYT12420	0.9 cu. yd. (0.7 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,970.00
BYT12421	0.9 cu. yd. (0.7 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,750.00
	MISCELLANEOUS		
	Kits & Accessories	Field Installed Attachments - Optional	
BYT10522	LED Worklight Kit (Spot)		$196.00
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT11995	Bucket Dump Speed Control Kit		$350.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238)		
	COUPLERS		
	Couplers		Field Installed Attachments - Optional
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

204 G Compact Wheel Loader

01-Nov-2022

Code	Description	QTY	List Price (USD)
01B0T	204 G Compact Wheel Loader	1	$105,315.00

204 G Standard Equipment

ENGINE:
Yanmar 4TNV86CHT-M
Net Peak Power @ 2,200 rpm (SAE J1349 /ISO 9249)
62hp, 46.5 kW
Turbocharger
Isolation Mounted
Meets EPA Final Tier 5
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
DPF underhood
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
830 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights (optional) (or LED option with Field kit)
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

Copyright © 2022 Deere Company. All Rights Reserved.

TRANSMISSION:
Joystick FNR (Forward Neutral
Reverse) Control with Electrohydraulic Third
Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST
Charge Pressure Filter
with Bypass to Reservoir
Oil-to-Air Cooler for
Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary
Final Drives
Limited Slip Differential
45% Front Differential
and 45% Rear Standard
Differential

BRAKES:
Service Brakes; Hydraulically
Actuated, Self-Adjusting
internal Wet Disc Brake and
Driveline Drum Brake
Park Brake; Automatic
Spring-Applied,
Hydraulic-Released
internal Wet Disc Brake

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
18 GPM (70 L/Min) (Max rated @ 1,000 psi (6895 kPa) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,

Copyright © 2022 Deere Company. All Rights Reserved.

Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
Engine Air Filter
Restriction
Hydraulic Oil Temperature
Hydraulic Oil Temperature
Forward-Reverse Travel
Fuel Level (Gauge Only - No Audible Alarm)
Hourmeter (Digital Only - No Audible Alarm)
Engine RPM (Display Only - No Audible Alarm)
Speedometer (Display Only - No Audible Alarm)
Indicator Lights:
Park Brake Actuated
High Speed Indicator
Low Speed Indicator

Turn Signal and Hazard
Lights
High Beam Indicator
Alternator, Low Voltage
Engine Preheat
Exhaust Filter
Pilot Disable
Floormat
Horn, Electric (Conforms to
SAE J994, J1446)

Key Start Switch with Electric
Fuel Shut-Off
Power Port
(Available thru parts, not installed at factory. Had been removed from Ls in Stage V emissions program)
Convex Mirror (Conforms to
SAE J985)
(2) Exterior Convex Mirrors
(Conforms to SAE J985)
Built-In Operators Manual
Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers
and Antenna

Copyright © 2022 Deere Company. All Rights Reserved.

LOADER:
Hydraulic powered Attachment Coupler (Hook/Euro style) (Optional)
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock
(Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin
(Conforms to SAE J276)
Oscillating Frame Articulation
System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking
for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
16.4 Gallon (62 L) Fuel Tank
Reverse Warning Alarm
(Conforms to SAE J994,
J1446)

01B0T	204 G Compact Wheel Loader	1	$105,315.00

DESTINATION CODE

	North America	Basic Factory Options - Required
0202	United States of America	No Added Cost

OPERATOR'S MANUAL AND DECALS

	Operator's Manual and Decals	Basic Factory Options - Required
0259	Operator's Manual, English	No Added Cost

LINKAGE CONFIGURATION

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Linkage		Basic Factory Options - Required
0451	Standard Z-Bar Linkage		No Added Cost
	PACKAGES		
	Packages		Basic Factory Options - Required
0500	Standard Loader - Cab		$14,175.00
	Includes the following: - Enclosed Cab with Heat/AC - Cloth, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Adjustable Tilt Steering Column		
0501	Standard Loader - Open Rops		No Added Cost
	Includes the following: - Open Air Canopy - Vinyl, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Fixed Steering Column		
0502	Attachment Performance Loader - Cab		$15,750.00
	Includes the following: - Enclosed Cab with Heat/AC - Cloth, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function and mini joystick - Combined Throttle Lock & Creep Control - Adjustable Tilt Steering Column		
	OPERATOR'S STATION AND CONTROLS		
	Vision Systems		Basic Factory Options - Required
0950	Less Vision System		No Added Cost
	RIDE CONTROL		
	Ride Control		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1350	Less Ride Control		No Added Cost
1351	Ride Control Ride Control cushions boom movements to increase operator comfort and improve material retention.		$2,625.00
	MACHINE CONNECTIVITY		
	Machine Connectivity		Basic Factory Options - Required
183B	Less JDLink		No Added Cost
	TRANSMISSION		
	Transmission		Basic Factory Options - Required
3001	Hydrostat With Single Speed Gearbox - Standard		No Added Cost
	ENGINE		
	Engine		Basic Factory Options - Required
4072	YANMAR 4TNV86CHT FT4/EU STAGE V Yanmar 4TNV86CHT 2.1 L 4 Cylinder Turbocharged 65 Gros HP (49 kW) 62 Net HP (47 kW) Meets EPA FT4 Emissions		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
5201	405/70R18 Firestone Duraforce Total machine height w/Cab - 8 ft 2 inch (2481 mm) Total machine height w/Canopy – 8 ft 1 inch (2457 mm)		$1,280.00
5314	400/70R20 Michelin XMCL Total machine height w/Cab - 8 ft 3 in (2502 mm) Total machine height w/Canopy – 8 ft 2 in (2478 mm)		$2,338.00
5361	365/70R18 Mitas EM-01 Total machine height w/Cab - 8 ft 1 inch (2458 mm) Total machine height w/Canopy – 8 ft (2434mm)		No Added Cost
54G2	400/70R20 NOKIAN HAKKAPELIITTA Total machine height w/Cab - 8 ft 3 in (2506 mm) Total machine height w/Canopy – 8 ft 2 in (2482 mm)		$12,838.00
	LIGHTING		
	Lighting		Basic Factory Options - Required
6050	Less Work Lights (LED Kit Ready) Dealer will need to order and install appropriate LED lighting via field kits.		($263.00)
6052	Halogen Work Lights Includes: - 2 Front Work Lights - 2 Rear Work Lights		No Added Cost
	HYDRAULIC COUPLERS OR ATTACHMENT MOUNTING		
	Buckets and Couplers		Basic Factory Options - Required
7400	Less Coupler/Quick-Tatch Coupler Ready Dealer will need to order and install appropriate coupler and bucket via field kits.		No Added Cost
	FORK FRAME		
	Fork Frame		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7500	Less Fork Frame		No Added Cost
	BUCKETS		
	Buckets		Basic Factory Options - Required
7800	Less Bucket		No Added Cost
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
BYT12421	0.9 cu. yd. (0.7 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,750.00
BYT12420	0.9 cu. yd. (0.7 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,970.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Kits & Accessories	Field Installed Attachments - Optional	
BYT11995	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238)		$350.00
BYT10522	LED Worklight Kit (Spot)		$196.00
BYT10523	LED Worklight Kit (Flood)		$196.00
	COUPLERS		
	Couplers	Field Installed Attachments - Optional	
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

204L FOUR WHEEL DRIVE LOADER

01-Nov-2022

Code	Description	QTY	List Price (USD)
0AD0T	204L FOUR WHEEL DRIVE LOADER	1	$90,593.00

204L Standard Equipment

ENGINE:
Yanmar 4TNV98
61 SAE Net Horsepower (45 kW)
Isolation Mounted
Meets EPA Final Tier 4
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
Muffler, Under Hood, with
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
18 GPM (70 L/Min) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:

Copyright © 2022 Deere Company. All Rights Reserved.

Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with 2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Charge Pressure Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)

Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

0AD0T	204L FOUR WHEEL DRIVE LOADER	1	$90,593.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	OPERATOR'S STATION AND CONTROLS		
	Operator's Station		Basic Factory Options - Required
8419	Canopy Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.		No Added Cost
8422	Cab with Heater & Air Conditioner Fresh air heater, defroster, and pressurizer Headliner, floor mat, and insulated floor Tinted safety glass, front and rear Intermittent front and rear wipers and washers Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386) One interior rear view convex mirror Two exterior convex mirrors Integral front sun visor		$12,542.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98 3.3 L 4 Cylinder Naturally Aspirated 63 Gross HP (48 kW) 61 Net HP (45 kW) Meets EPA Final Tier 4 Emissions		$4,175.00
	HYDRAULICS		
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,142.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.		$1,280.00
4025	Mitas EM01 This tire option gives total machine height of 8 ft (2445 mm) for cab option and total machine height of 7 ft 11 inches (2421 mm) for the canopy option. 365/70R18		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.		$2,338.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7110	Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy		No Added Cost
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$2,440.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Replace kit AT321215		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
AT438075	Beacon Light For use with Cab code 8422		$561.00
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
AT427686	Block Heater Kit		$115.00
BYT11995	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583)		$350.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
AT452289	ISO Coupler Kit 204L/304L		$1,713.00
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
	BUCKETS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
	COUPLERS		
	Couplers		Field Installed Attachments - Optional
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

244 P-Tier Compact Wheel Loader

01-Feb-2023

Code	Description		
01G0T	244 P-Tier Compact Wheel Loader	1	$132,074.00
	Option Codes		
0202	United States of America	1	No Added Cost
0259	Operator's Manual, English	1	No Added Cost
0451	Standard Z-Bar Linkage	1	No Added Cost
0950	Less Vision System	1	No Added Cost
183B	Less JDLink	1	No Added Cost
3003	Hydrostat With Two Speed Synchronized Shift-On-Fly Trans Rabbit/Turtle Travel Modes	1	No Added Cost
4062	YANMAR 4TNV98CT FT4/EU STAGE V Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbocharged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA FT4 Emissions	1	No Added Cost
7500	Less Fork Frame	1	No Added Cost
7800	Less Bucket	1	No Added Cost
Total			**$132,074.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

244L- FOUR WHEEL DRIVE LOADER

01-Nov-2022

Code	Description	QTY	List Price (USD)
0AF0T	244L- FOUR WHEEL DRIVE LOADER	1	$124,578.00

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery totaling 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Locking Front Differential and Rear Standard Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degrees in Each Direction)
Plus an Additional 26 Degree Rear Wheel Steer

HYDRAULIC SYSTEM:
17 GPM (65 L/Min) Engine Mounted Gear Pump - Open Center Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console Steering Wheel with Spinner
Seat, Deluxe Deep Foam, Fabric, Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Hourmeter
Speedometer

Copyright © 2022 Deere Company. All Rights Reserved.

Actuated, Self Adjusting
internal Wet Disc Brake and
Driveline Drum Brake
Park Brake; Automatic
Spring-Applied,
Hydraulic-Released
internal Wet Disc Brake

Fuel Gauge
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview
Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors
(Conforms to SAE J985)
Built-In Operator's Manual
Storage Compartment
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for
Boom and Bucket and 3rd function electrohydraulic mini
joystick built in
Boom Float
Return to Dig Feature
Loader Boom Service Lock
(Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin
(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking For:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm
(Conforms to SAE J994, J1446)
Contact DMAC for Foam Filled or Solid Tire Applications

0AF0T	244L- FOUR WHEEL DRIVE LOADER	1	$124,578.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
2210	Standard Cloth Seat, Mid-Back, Mechanical Suspension		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2230	Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar		$2,421.00
	Controls		Basic Factory Options - Required
2410	Standard Control Package Includes Rimpull Control and Inching Pedal.		No Added Cost
2430	Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.		$1,461.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbo-Charged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA Final Tier 4 Emissions		$4,764.00
	HYDRAULICS		
	Hydraulic System and Coupler		Basic Factory Options - Required
2840	Three Function, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		No Added Cost
2842	Three Function w/High Flow Option, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		$4,607.00
28A1	Four Spool Valve (ISO Coupler)		$3,675.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,463.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 9 ft (2743 mm)		$1,280.00
4025	Mitas EM01 365/70R18 This tire option gives total machine height of 8 ft 11 in (2472 mm)		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 9 ft 1 in (2774 mm)		$2,338.00
4035	400/70R20 Michelin Bibload L3 This tire option gives total machine height of 9 ft 1 in (2768 mm)		$2,713.00
40F1	Nokian HakkaPeliitta TRI 400/70R20EM		$2,813.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		$269.00
7140	Less Work Lights (LED Kit Ready)		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
8550	Less Bucket ISO Coupler included.		$1,900.00
	Other Work Tools		Field Installed Attachments - Optional
9200	Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$1,863.00
9420	Front Windshield Guard Long Lead Time Item. For factory equivalent field installed kit please order the following: 244L/324L - BYT10741 344L - BYT11488		$2,311.00
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215		$2,440.00
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
LW9069320	Beacon Light		$489.00
AT337325	Air Intake Pre-cleaner Kit		$182.00
AT427686	Block Heater Kit		$115.00
AT357576	ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments AT357576 ISO Adapter to Quik Tatch Coupler - Adapter for Standard Coupler to use Compact Attachments - For 244L/324L Compact Loader machines not ordered Quik-TatchTM ready from factory, also order: - AT218580 Relay (Quantity 2) - LW12241469 Quik-TatchTM Rocker Switch - LW12834096 Quik-TatchTM Extension Harness - LW12858760 Quik-TatchTM Extension Harness (324L High Lift Machines) - 57M7146 30 A Fuse		$1,841.00
BYT10741	Front Windshield Guard Field Kit For use on 244L and 324L models.		$3,006.00
BYT11761	Creep Control and Throttle Lock Field Kit		$1,660.00
BYT11996	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583) 2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320638 & BYT11584)		$325.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
BYT11225	Reversing Fan (Field Installed)		$2,328.00
BYT10744	JDLINK Ultimate Kit		$200.00
	Buckets Couplers & Forks	Field Installed Attachments - Optional	
BYT11760	ISO COUPLER KIT		$2,044.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		$4,546.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width		$3,472.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes 2 built-in lift loops		
	COUPLERS		
	Couplers		Field Installed Attachments - Optional
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

304 G Compact Wheel Loader

01-Nov-2022

Code	Description	QTY	List Price (USD)
01C0T	304 G Compact Wheel Loader	1	$124,283.00

304 G Standard Equipment
ENGINE:
Yanmar 4TN86CHT-M high power
Net Peak Power @ 2,200 rpm (SAE J1349 /ISO 9249)
72 SAE Net Horsepower (53.4 kW)
Turbocharger
Isolation Mounted
Meets EPA Final Tier 4
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
DPF underhood
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
830 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits with battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights (optional) (or LED option with Field kit)
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:

Copyright © 2022 Deere Company. All Rights Reserved.

Joystick FNR (Forward Neutral
Reverse) Control with Electrohydraulic Third
Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Filter
with Bypass to Reservoir
Oil-to-Air Cooler for
Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary
Final Drives
Limited Slip Differential
45% Front Differential
and 45% Rear Standard
Differential

BRAKES:
Service Brakes; Hydraulically
Actuated, Self-Adjusting
internal Wet Disc Brake and
Driveline Drum Brake
Park Brake; Automatic
Spring-Applied,
Hydraulic-Released
internal Wet Disc Brake

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
21 GPM (80 L/Min) (Max rated @ 1,000 psi (6895 kPa) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric,(Cab Option) Mechanical
Suspension for Weight/

Copyright © 2022 Deere Company. All Rights Reserved.

Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
Engine Air Filter
Restriction
Hydraulic Oil Temperature
Oil Temperature
Forward-Reverse Travel
Stop Indicator
Fuel Level (Fuel Gauge Only - No Audible Alarm)
Hourmeter (Digital Only - No Audible Alarm)
Engine RPM (Display Only - No Audible Alarm)
Speedometer (Display Only - No Audible Alarm)
Indicator Lights:
Park Brake Actuated
Alternator, Low Voltage
Engine Preheat
Exhaust Filter
Pilot Disable
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard
Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to
SAE J994, J1446)

Key Start Switch with Electric
Fuel Shut-Off
Power Port
(Available thru parts, not installed at factory. Had been removed from Ls in Stage V emissions program)

Interior Mounted Rearview
Convex Mirror (Conforms to
SAE J985)
(2) Exterior Convex Mirrors
(Conforms to SAE J985)
Built-In Operators Manual
Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers
and Antenna

Copyright © 2022 Deere Company. All Rights Reserved.

LOADER:
Hydraulic powered Attachment Coupler (Hook/Euro style) (Optional)
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock
(Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin
(Conforms to SAE J276)
Oscillating Frame Articulation
System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking
for:
Engine Enclosure
Fuel Fill Cap
Operator Enclosure
Rear Engine Access Door
16.4 Gallon (62 L) Fuel Tank
Reverse Warning Alarm
(Conforms to SAE J994,
J1446)

01C0T	304 G Compact Wheel Loader	1	$124,283.00

DESTINATION CODE

North America — Basic Factory Options - Required

0202	United States of America	No Added Cost

OPERATOR'S MANUAL AND DECALS

Operator's Manual and Decals — Basic Factory Options - Required

0259	Operator's Manual, English	No Added Cost

LINKAGE CONFIGURATION

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Linkage		Basic Factory Options - Required
0451	Standard Z-Bar Linkage		No Added Cost
	PACKAGES		
	Packages		Basic Factory Options - Required
0500	Standard Loader - Cab		$14,175.00
	Includes the following: - Enclosed Cab with Heat/AC - Cloth, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Adjustable Tilt Steering Column		
0501	Standard Loader - Open Rops		No Added Cost
	Includes the following: - Open Air Canopy - Vinyl, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function - Fixed Steering Column		
0502	Attachment Performance Loader - Cab		$15,750.00
	Includes the following: - Enclosed Cab with Heat/AC - Cloth, Mid-Back, Mechanical Suspension Seat - Three Function Control Valve w/EH 3rd Function and mini joystick - Combined Throttle Lock & Creep Control - Adjustable Tilt Steering Column		
	OPERATOR'S STATION AND CONTROLS		
	Vision Systems		Basic Factory Options - Required
0950	Less Vision System		No Added Cost
	RIDE CONTROL		
	Ride Control		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1350	Less Ride Control		No Added Cost
1351	Ride Control Ride Control cushions boom movements to increase operator comfort and improve material retention.		$2,625.00
	MACHINE CONNECTIVITY		
	Machine Connectivity		Basic Factory Options - Required
183B	Less JDLink		No Added Cost
	TRANSMISSION		
	Transmission		Basic Factory Options - Required
3002	Hydrostat With Single Speed Gearbox - High Speed Rabbit/Turtle Travel Modes		$1,575.00
	ENGINE		
	Engine		Basic Factory Options - Required
4098	YANMAR 4TN86CHT FT4/EU STAGE V Yanmar 4TN86CHT High Power 2.1 L 4 Cylinder Turbocharged 74 Gros HP (55 kW) 72 Net HP (53 kW) Meets EPA FT4 Emissions		No Added Cost
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
5201	405/70R18 Firestone Duraforce Total machine height w/Cab - 8 ft 7 inch (2607 mm) Total machine height w/Canopy – 8 ft 6 inch (2583 mm)		$1,280.00
5314	400/70R20 Michelin XMCL Total machine height w/Cab - 8 ft 8 inch (2628 mm) Total machine height w/Canopy – 8 ft 7 inch (2604 mm)		$2,338.00
5362	405/70R20 Mitas EM-01 Total machine height w/Cab - 8 ft 8 in (2634 mm) Total machine height w/Canopy – 8 ft 7 in (2610 mm)		No Added Cost
54G2	400/70R20 NOKIAN HAKKAPELIITTA Total machine height w/Cab - 8 ft 8 inch (2632 mm) Total machine height w/Canopy – 8 ft 7 inch (2608 mm)		$12,838.00
	LIGHTING		
	Lighting		Basic Factory Options - Required
6050	Less Work Lights (LED Kit Ready) Dealer will need to order and install appropriate LED lighting via field kits.		($263.00)
6052	Halogen Work Lights Includes: - 2 Front Work Lights - 2 Rear Work Lights		No Added Cost
	HYDRAULIC COUPLERS OR ATTACHMENT MOUNTING		
	Buckets and Couplers		Basic Factory Options - Required
7400	Less Coupler/Quick-Tatch Coupler Ready Dealer will need to order and install appropriate coupler and bucket via field kits.		No Added Cost
	FORK FRAME		
	Fork Frame		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7500	Less Fork Frame		No Added Cost
	BUCKETS		
	Buckets		Basic Factory Options - Required
7800	Less Bucket		No Added Cost
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413238	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$6,849.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11995 Bucket Dump Speed Control Kit		$4,546.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width		$3,177.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes 2 built-in lift loops		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
BYT11995	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238)		$350.00
BYT10522	LED Worklight Kit (Spot)		$196.00
BYT10523	LED Worklight Kit (Flood)		$196.00
	COUPLERS		
	Couplers		Field Installed Attachments - Optional
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

304L FOUR WHEEL DRIVE LOADER

01-Nov-2022

Code	Description	QTY	List Price (USD)
0AE0T	304L FOUR WHEEL DRIVE LOADER	1	$104,414.00

304L Standard Equipment

ENGINE:
Yanmar 4TNV98
65 SAE Net Horsepower (48 kW)
Isolation Mounted
Meets EPA Final Tier 4
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
Muffler, Under Hood, with
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits with battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
20 GPM (77 L/Min) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:

Copyright © 2022 Deere Company. All Rights Reserved.

Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with 2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)

Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

0AE0T	304L FOUR WHEEL DRIVE LOADER	1	$104,414.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	OPERATOR'S STATION AND CONTROLS		
	Operator's Station		Basic Factory Options - Required
8419	Canopy Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.		No Added Cost
8422	Cab with Heater & Air Conditioner Fresh air heater, defroster, and pressurizer Headliner, floor mat, and insulated floor Tinted safety glass, front and rear Intermittent front and rear wipers and washers Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386) One interior rear view convex mirror Two exterior convex mirrors Integral front sun visor		$12,542.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine John Deere PowerTech E 4.5 L Yanmar 4TNV98 3.3 L 4 Cylinder Naturally Aspirated 68 Gross HP (50 kW) 65 Net HP (48 kW) Meets EPA Final Tier 4 Emissions		$4,444.00
	HYDRAULICS		
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,142.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.		No Added Cost
4025	Mitas EM01 405/70R20 This tire option gives total machine height of 8 ft 2 inches (2495 mm) for cab option and total machine height of 8 ft 1 inch (2471 mm) for the canopy option.		($1,280.00)
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.		$1,111.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7110	Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy		No Added Cost
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$2,440.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Replace kit AT321215		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
AT438075	Beacon Light For use with Cab code 8422		$561.00
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
AT427686	Block Heater Kit		$115.00
BYT11995	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583)		$350.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
AT452289	ISO Coupler Kit 204L/304L		$1,713.00
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
	BUCKETS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413238	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$6,849.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		$4,546.00
	COUPLERS		
	Couplers		Field Installed Attachments - Optional
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

and other dealer
availability, and

specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

324 P-Tier Compact Wheel Loader

01-Feb-2023

Code	Description		
01H0T	324 P-Tier Compact Wheel Loader	1	$148,327.00
	Option Codes		
0202	United States of America	1	No Added Cost
0259	Operator's Manual, English	1	No Added Cost
0950	Less Vision System	1	No Added Cost
183B	Less JDLink	1	No Added Cost
3003	Hydrostat With Two Speed Synchronized Shift-On-Fly Trans Rabbit/Turtle Travel Modes	1	No Added Cost
4062	YANMAR 4TNV98CT FT4/EU STAGE V Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbocharged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA FT4 Emissions	1	No Added Cost
7500	Less Fork Frame	1	No Added Cost
7800	Less Bucket	1	No Added Cost
Total			**$148,327.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

324L - FOUR WHEEL DRIVE LOADER

01-Nov-2022

Code	Description	QTY	List Price (USD)
0AG0T	324L - FOUR WHEEL DRIVE LOADER	1	$140,831.00

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) 12 Volt, 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving / (2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

HYDRAULIC SYSTEM:
Joystick FNR Control with Third Function Control Lever
24 GPM (91 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic Oil Reservoir with Sight Glass

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Front Diff/Lock and Rear Std. Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degree in Each Direction) Plus an Additional 26
Degree Rear Wheel Steer

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console
Steering Wheel with Spinner
Seat, Deep Foam, Fabric, Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests, 2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Fasten Seat Belt
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Fuel Gauge
Speedometer
Hourmeter
Turn Signal and Hazard Lights
High Beam Indicator
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
Two Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment and Manual

Copyright © 2022 Deere Company. All Rights Reserved.

Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig (Bucket Leveling) Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L)
Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Refer to Service Administration Manual for Foam Filled or Solid Tire applications

0AG0T	324L - FOUR WHEEL DRIVE LOADER	1	$140,831.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
2210	Standard Cloth Seat, Mid-Back, Mechanical Suspension		No Added Cost
2230	Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar		$2,421.00
	Controls		Basic Factory Options - Required
2410	Standard Control Package		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Rimpull Control and Inching Pedal.		
2430	Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.		$1,461.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbo-Charged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA Final Tier 4 Emissions		$4,764.00
	HYDRAULICS		
	Hydraulic System and Coupler		Basic Factory Options - Required
2840	Three Function, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		No Added Cost
2842	Three Function w/High Flow Option, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		$4,607.00
28A1	Four Spool Valve (ISO Coupler)		$3,675.00
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,463.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 9 ft 1 in (2774 mm)		$1,280.00
4025	Mitas EM01 405/70R20 This tire option gives total machine height of 9 ft 2 in (2804 mm)		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 9 ft 2 in (2804 mm)		$2,391.00
4035	400/70R20 Michelin Bibload L3 This tire option gives total machine height of 9 ft 2 in (2798 mm)		$2,713.00
40F1	Nokian HakkaPeliitta TRI 400/70R20EM		$2,813.00
	LINKAGE		
	Linkage		Basic Factory Options - Required
2010	Standard Z-bar linkage Height to Hinge Pin 132 in.		No Added Cost
2020	High Lift Z-bar linkage Height to Hinge Pin 149 in.		$2,170.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		$269.00
7140	Less Work Lights (LED Kit Ready) Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
8550	Less Bucket ISO Coupler included.		$1,900.00
	Other Work Tools		Field Installed Attachments - Optional
9200	Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$1,863.00
9420	Front Windshield Guard Long Lead Time Item. For factory equivalent field installed kit please order the following: 244L/324L - BYT10741 344L - BYT11488		$2,311.00
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215		$2,440.00
BYT11584	2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler		$5,610.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
LW9069320	Beacon Light		$489.00
AT337325	Air Intake Pre-cleaner Kit		$182.00
AT427686	Block Heater Kit		$115.00
AT357576	ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments AT357576 ISO Adapter to Quik Tatch Coupler - Adapter for Standard Coupler to use Compact Attachments - For 244L/324L Compact Loader machines not ordered Quik-TatchTM ready from factory, also order: - AT218580 Relay (Quantity 2) - LW12241469 Quik-TatchTM Rocker Switch - LW12834096 Quik-TatchTM Extension Harness - LW12858760 Quik-TatchTM Extension Harness (324L High Lift Machines) - 57M7146 30 A Fuse		$1,841.00
BYT11761	Creep Control and Throttle Lock Field Kit		$1,660.00
BYT11996	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583) 2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320638 &		$325.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11584)			
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
BYT11225	Reversing Fan (Field Installed)		$2,328.00
BYT10744	JDLINK Ultimate Kit		$200.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
BYT11760	ISO COUPLER KIT		$2,044.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$4,796.00
AT413238	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$6,849.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,552.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro)		$4,546.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$3,177.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$3,472.00
	COUPLERS		
	Couplers	Field Installed Attachments - Optional	
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,815.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

344 P-Tier Compact Wheel Loader

01-Feb-2023

Code	Description		
01J0T	344 P-Tier Compact Wheel Loader	1	$202,235.00
	Option Codes		
0202	United States of America	1	No Added Cost
0259	Operator's Manual, English	1	No Added Cost
0950	Less Vision System	1	No Added Cost
183B	Less JDLink	1	No Added Cost
3003	Hydrostat With Two Speed Synchronized Shift-On-Fly Rabbit/Turtle Travel Modes	1	No Added Cost
4007	JOHN DEERE POWERTECH PWS 4045H FT4/EU STA John Deere Powertech 4045H 4.5 L 4 Cylinder Turbocharged 106 Gross HP (78 kW) 103 Net HP (76 kW) Meets EPA FT4 Emissions	1	No Added Cost
1100	Less Obstacle Intelligence	1	No Added Cost
Total			**$202,235.00**

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

SD72 SIDE DISCHARGE BUCKET

Code	Description	List price
9110T	**SD72 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007* *F.O.B. Dubuque, Iowa*	
9110T	SD72 SIDE DISCHARGE BUCKET	USD $10,113.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

SD84 SIDE DISCHARGE BUCKET

Code	Description	List price
9120T	**SD84 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008* *F.O.B. Dubuque, Iowa*	
9120T	SD84 SIDE DISCHARGE BUCKET	USD $12,487.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **CUTTING EDGES**	
KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*	See Parts
	KITS & ACCESSORIES	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

BL7

Code	Description	List price
0500KV	**BL7**	
	BL7, 84IN SNOW/UTIL BLADE	
	BASE MACHINE	
0500KV	BL7	USD $2,717.00

Copyright © Deere & Company. All Rights Reserved.

BL9

Code	Description	List price
0520KV	**BL9**	
	BL9, 108IN SNOW/UTIL BLADE	
	BASE MACHINE	
0520KV	BL9	USD $2,953.00

Copyright © Deere & Company. All Rights Reserved.

BL10

Code	Description	List price
0530KV	**BL10**	
	BL10, 120IN SNOW/UTIL BLADE	
	BASE MACHINE	
0530KV	BL10	USD $3,189.00

Copyright © Deere & Company. All Rights Reserved.

BV9 SNOW V BLADE

Code	Description	List price
0BW0T	**BV9 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BW0T	BV9 SNOW V BLADE	USD $6,539.00

Copyright © Deere & Company. All Rights Reserved.

BV8 SNOW V BLADE

Code	Description	List price
0BX0T	**BV8 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BX0T	BV8 SNOW V BLADE	USD $6,331.00

Copyright © Deere & Company. All Rights Reserved.

BV6 SNOW V BLADE

Code	Description	List price
0BY0T	**BV6 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BY0T	BV6 SNOW V BLADE	USD $5,240.00

Copyright © Deere & Company. All Rights Reserved.

SB78B Snow Blower

Code	Description	List price
6981T	**SB78B Snow Blower** 18-27 GPM	
	BASE MACHINE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *F.O.B. Dubuque, Iowa*	
6981T	SB78B Snow Blower	USD $11,099.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB78B Snow Blower

Code	Description	List price
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB84B Snow Blower

Code	Description	List price
7091T	**SB84B Snow Blower** 18-27 GPM	
	BASE MACHINE *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL* *F.O.B. Dubuque, Iowa*	
7091T	SB84B Snow Blower	USD $11,244.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB84B Snow Blower

Code	Description	List price
	For 300-Series with E-H Joystick controls. *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00

Copyright © Deere & Company. All Rights Reserved.

SP10C SNOW PUSH

Code	Description	List price
9371T	**SP10C SNOW PUSH**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.* *F.O.B. Dubuque, Iowa*	
9371T	SP10C SNOW PUSH	USD $4,755.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
	Dealer installed option.	
1000	Pullback Kit *SP10C Pullback Kit.*	USD $1,938.00
1001	Less Pullback Kit	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT440275	SP10C Pullback Kit	USD $1,970.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
95A0T	**SB72D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1150 lb. [520 kg] overall weight 43 in. [1090 mm] overall length 76 in. [1920 mm] overall width 72 in. [1830 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G 324G* *CTL: 325G*	

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
	Requires machine equipped with high flow hydraulics. *Requires machine equipped with quick connect couplers.* *Requires machine equipped with 14-pin electrical connector.* *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	
95A0T	SB72D Snow Blower	USD $12,386.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
	base unit. *Installation Instructions T250796.*	

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
95B0T	**SB78D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1195 lb. [540 kg] overall weight 43 in. [1090 mm] overall length 82 in. [2070 mm] overall width 78 in. [1980 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G*	

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
	Requires machine equipped with high flow hydraulics *Requires machine equipped with ½" quick connect couplers* *Requires machine equipped with 14-pin electrical connector.* *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
95B0T	SB78D Snow Blower	USD $12,522.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	

Copyright © Deere & Company. All Rights Reserved.

SB84D Snow Blower

Code	Description	List price
95C0T	**SB84D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1230 lb. [560 kg] overall weight 43 in. [1090 mm] overall length 88 in. [2225 mm] overall width 84 in. [2135 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 324G* *CTL: 325G – 333G* *Requires machine equipped with high flow hydraulics* *Requires machine equipped with ½" quick connect couplers* *Requires machine equipped with 14-pin electrical connector.*	

Copyright © Deere & Company. All Rights Reserved.

SB84D Snow Blower

Code	Description	List price
	Rear counterweight may improve machine stability while operating *F.O.B. Dubuque, Iowa*	
95C0T	SB84D Snow Blower	USD $12,659.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
9600T	**SB84H Snow Blower - High Flow** No Base Equipment provided.	
	BASE MACHINE *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.* *F.O.B. Dubuque, Iowa*	
9600T	SB84H Snow Blower - High Flow	USD $18,738.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*	USD $536.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*	USD $215.00
1003	14-Pin Connector Harness *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS*	USD $270.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
	329D-333D CTLs *329E-333E CTLs* *317G-333G CTLs* *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.*	
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $585.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*	USD $808.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

BL6B SNOW / UTILITY BLADE

Code	Description	List price
9610T	**BL6B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-318G SS* *317G CTL* *F.O.B. Dubuque, Iowa*	
9610T	BL6B SNOW / UTILITY BLADE	USD $4,218.00

Copyright © Deere & Company. All Rights Reserved.

BL7B SNOW / UTILITY BLADE

Code	Description	List price
9620T	**BL7B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements* *F.O.B. Dubuque, Iowa*	
9620T	BL7B SNOW / UTILITY BLADE	USD $4,349.00

Copyright © Deere & Company. All Rights Reserved.

BL8B SNOW / UTILITY BLADE

Code	Description	List price
9630T	**BL8B SNOW / UTILITY BLADE**	
	no Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements* *F.O.B. Dubuque, Iowa*	
9630T	BL8B SNOW / UTILITY BLADE	USD $4,482.00

Copyright © Deere & Company. All Rights Reserved.

BL9B SNOW / UTILITY BLADE

Code	Description	List price
9650T	**BL9B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
9650T	BL9B SNOW / UTILITY BLADE	USD $4,631.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

BL10B SNOW / UTILITY BLADE

Code	Description	List price
9660T	**BL10B SNOW / UTILITY BLADE**	
	no Base Equipment Description	
	BASE MACHINE	
	For: *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
9660T	BL10B SNOW / UTILITY BLADE	USD $5,501.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

SB60B Snow Blower

Code	Description	List price
9712T	**SB60B Snow Blower** 14-21 GPM	
	BASE MACHINE *For:* *312G-318G SS* *317G CTL* *F.O.B. Dubuque, Iowa*	
9712T	SB60B Snow Blower	USD $9,561.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB60B Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SP8C SNOW PUSH

Code	Description	List price
9801T	**SP8C SNOW PUSH**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.* *F.O.B. Dubuque, Iowa*	
9801T	SP8C SNOW PUSH	USD $4,167.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
	Dealer installed option.	
1000	Pullback Kit *SP8C Pullback Kit.*	USD $1,632.00
1001	Less Pullback Kit	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT440274	SP8C Pullback Kit	USD $1,717.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

30 October 2022

SB72B Snow Blower

Code	Description	List price
9972T	**SB72B Snow Blower** 14-21 GPM	
	BASE MACHINE *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL* *F.O.B. Dubuque, Iowa*	
9972T	SB72B Snow Blower	USD $10,296.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB72B Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SS30 STUMP SHREDDER

Code	Description	List price
07C1T	**SS30 STUMP SHREDDER** Features: Remove stumps from 8 in. [200 mm] to 28 in. [710 mm] in one pass Easily remove larger stumps with multiple bores Low speed, high torque planetary drive shreds stumps with less debris Bore up to 20 in. [510 mm] into the ground Low operating costs with maintenance every 1000 stumps Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 20-45 gpm [76 170 l/min] hydraulic flow range 30000 lb-ft. [40670 N m] maximum output torque 1300 lb. [590 kg] overall weight 30 in. [760 mm] cutting width 47 in. [1200 mm] overall width 0.75 in. [19 mm] thick AR500 steel auger blade	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* • *Requires machine equipped with cab door* • *Recommend machine equipped with high flow hydraulics* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, IA*	
07C1T	SS30 STUMP SHREDDER	USD $24,641.00

Copyright © Deere & Company. All Rights Reserved.

Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator

Code	Description	List price
07S0T	**Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator**	
	Tiltrotator, EC204 S40 w/2 Bkt, 26	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including 2 buckets; DB02 Digging Bucket and GB02 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator. Compatible with 26 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07S0T	Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator	USD $26,702.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12539	GB02 Grading Bucket, S40, 1000 mm	USD $1,330.00
BYT12538	DB02 Digging Bucket, S40, 550 mm	USD $1,660.00
BYT12540	CB03 Cable Bucket, S40, 290 mm	USD $910.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12543	Adapter Brackets, S40	USD $290.00
BYT12541	SG03 Sorting Grab, S40	USD $7,130.00
BYT12542	R05 Ripper, S40	USD $880.00

Copyright © Deere & Company. All Rights Reserved.

Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator

Code	Description	List price
07T0T	**Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator**	
	Tiltrotator, EC204 S40 w/2 Bkt, 30/35	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including 2 buckets; DB03 Digging Bucket and GB03 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator. Compatible with 30/35 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *For the 35 size machines, standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07T0T	Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator	USD $31,242.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12540	CB03 Cable Bucket, S40, 290 mm	USD $910.00
BYT12545	DB03 Digging Bucket, S40, 550 mm	USD $1,480.00
BYT12546	GB03 Grading Bucket, S40, 1000 mm	USD $1,240.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12541	SG03 Sorting Grab, S40	USD $7,130.00
BYT12543	Adapter Brackets, S40	USD $290.00
BYT12542	R05 Ripper, S40	USD $880.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator

Code	Description	List price
07U1T	**EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator**	
	EC-Oil Tiltrotator, EC206 S40 with 2 Buckets, 50 Size Excavator	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including EC-Oil and 2 buckets; DB05 Digging Bucket and GB05 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator w/ EC-Oil system between coupler and tiltrotator. Compatible with 50 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *Standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07U1T	EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator	USD $37,750.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12553	GRB1500V2 Grading Beam, QS40 *Grade large areas quickly and efficiently.*	USD $4,500.00
BYT12542	R05 Ripper, S40 *For use in hard or frozen ground.*	USD $880.00
BYT12551	SG06 Sorting Grab, S40 *Suitable for everything from sorting and light demolition work, to anywhere a powerful hydraulic grapple is needed.*	USD $7,740.00
BYT12543	Adapter Brackets, S40	USD $290.00
BYT12552	TG25HD Timber Grapple, QS40	USD $6,310.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator

Code	Description	List price
	Great for round timber or pipe handling and light sorting jobs. Grapples are reinforced with high-strength steel wear bars with 400 Brinell hardness.	
BYT12953	Adapter Brackets QS40 T59	USD $1,940.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12550	CB05 Cable Bucket, S40, 340 mm	USD $980.00
BYT12548	DB05 Digging Bucket, S40, 610 mm	USD $1,750.00
BYT12549	GB05 Grading Bucket, S40, 1200 mm	USD $1,640.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator

Code	Description	List price
07V1T	**EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator**	
	EC-Oil Tiltrotator, EC206 S40 with 2 Buckets, 60 Size Excavator	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including EC-Oil and 2 buckets; DB05 Digging Bucket and GB05 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator w/ EC-Oil system between coupler and tiltrotator. Compatible with 60 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *Standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07V1T	EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator	USD $37,750.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12550	CB05 Cable Bucket, S40, 340 mm	USD $980.00
BYT12549	GB05 Grading Bucket, S40, 1200 mm	USD $1,640.00
BYT12548	DB05 Digging Bucket, S40, 610 mm	USD $1,750.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12543	Adapter Brackets, S40	USD $290.00
BYT12552	TG25HD Timber Grapple, QS40	USD $6,310.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator

Code	Description	List price
	Great for round timber or pipe handling and light sorting jobs. Grapples are reinforced with high-strength steel wear bars with 400 Brinell hardness.	
BYT12551	SG06 Sorting Grab, S40 *Suitable for everything from sorting and light demolition work, to anywhere a powerful hydraulic grapple is needed.*	USD $7,740.00
BYT12553	GRB1500V2 Grading Beam, QS40 *Grade large areas quickly and efficiently.*	USD $4,500.00
BYT12542	R05 Ripper, S40 *For use in hard or frozen ground.*	USD $880.00
BYT12953	Adapter Brackets QS40 T59	USD $1,940.00

Copyright © Deere & Company. All Rights Reserved.

10 IN. STEEL TRACKS

Code	Description	List price
0023KV	**10 IN. STEEL TRACKS** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.	
	BASE MACHINE *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*	
0023KV	10 IN. STEEL TRACKS	USD $3,350.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT340611	Boom Stop Kit (Required for 313-315)	USD $154.00
AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*	USD $1,378.00
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter	USD $912.00

Copyright © Deere & Company. All Rights Reserved.

10 IN. STEEL TRACKS

Code	Description	List price
	Lowers bucket approximately 2 inches.	

Copyright © Deere & Company. All Rights Reserved.

12 IN. STEEL TRACKS / 320 & 324E

Code	Description	List price
0024KV	**12 IN. STEEL TRACKS / 320 & 324E** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.	
	BASE MACHINE *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*	
0024KV	12 IN. STEEL TRACKS / 320 & 324E	USD $3,674.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $912.00

Copyright © Deere & Company. All Rights Reserved.

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Code	Description	List price
0025KV	**12 IN. STEEL TRACKS / 325-328 & 326D-328D** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.	
	BASE MACHINE *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*	
0025KV	12 IN. STEEL TRACKS / 325-328 & 326D-328D	USD $4,040.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $912.00

Copyright © Deere & Company. All Rights Reserved.

10 IN. STEEL TRACKS

Code	Description	List price
9020T	**10 IN. STEEL TRACKS**	
	.	
	BASE MACHINE	
	For the following units with Heavy Duty Tires: *318E-320E SS* *Contains Chain Binder and Strap.*	
9020T	10 IN. STEEL TRACKS	USD $3,350.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $912.00

Copyright © Deere & Company. All Rights Reserved.

14 IN. STEEL TRACKS (330G & 332G)

Code	Description	List price
9021T	**14 IN. STEEL TRACKS (330G & 332G)** Equipment for Base Machine Improves Skid Steer traction Reduces ground pressure Adds counterbalance weight Track pitch: 10 in. (254 mm) Total number of pads: 42 Track weight: 1,066 lb. (484 kg)	
	BASE MACHINE *For the following units with 14 in. Heavy Duty Tires: 330G and 332G.* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2335 14 x 17.5 NHS, CAMSO SKS or 2450 14 x 17.5 PR Galaxy Hulk.* *For 2450 14 x 17.5 PR Galaxy Hulk tires, AT320928 (Spacer Kit) recommended as well.*	
9021T	14 IN. STEEL TRACKS (330G & 332G)	USD $5,011.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES**	
KV23789	Axle Blocks for 332	USD $104.00
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $912.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
0011KV	**TR36B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 16 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For:* *312GR-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
0011KV	TR36B TRENCHER	USD $5,245.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1002	16-20 gpm Motor Kit *For Standard Flow:* *SSL: 312GR 314G 316G 318G* *CTL: 317G 325G*	USD $1,044.00
1003	21-25 gpm Motor Kit *For Standard Flow:* *SSL: 320G 324G 330G 332G* *CTL: 331G 333G*	USD $1,208.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,540.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,577.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *36" x 6*	USD $1,122.00
2002	Wide Standard Cup Every Station *36" x 8"*	USD $1,107.00
2003	Wide Standard Cup Every Station *36" x 10"*	USD $1,233.00
2004	Wide Standard Cup Every Station *36" x 12"*	USD $1,416.00
2005	Wide 70/30 Combo Shark Tooth *36" x 6"*	USD $1,421.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT347419	36 in. x 6 in. Wide Standard Cup Every Station	USD $1,046.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,577.00
AT377716	27-35 gpm Motor Kit	USD $2,540.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
	For High Flow: *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*	
AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*	USD $1,208.00
AT347423	36 in. x 6 in. Wide 70/30 Combo Shark Tooth	USD $1,283.00
AT347420	36 in. x 8 in. Wide Standard Cup Every Station	USD $1,000.00
AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*	USD $1,044.00
AT347422	36 in. x 12 in. Wide Standard Cup Every Station	USD $1,416.00
AT347421	36 in. x 10 in. Wide Standard Cup Every Station	USD $1,233.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
0012KV	**TR48B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 16 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For:* *312GR-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
0012KV	TR48B TRENCHER	USD $5,766.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1002	16-20 gpm Motor Kit *For Standard Flow:* *SSL: 312GR 314G 316G 318G* *CTL: 317G 325G*	USD $1,044.00
1003	21-25 gpm Motor Kit *For Standard Flow:* *SSL: 320G 324G 330G 332G* *CTL: 331G 333G*	USD $1,208.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,540.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,577.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *48" x 6"*	USD $1,159.00
2002	Wide Standard Cup Every Station *48" x 8"*	USD $1,290.00
2005	Wide 70/30 Combo Shark Tooth *48" x 6"*	USD $1,461.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT347424	48 in. x 6 in. Wide Standard Cup Every Station	USD $1,149.00
AT347425	48 in. x 8 in. Wide Standard Cup Every Station	USD $1,290.00
AT347426	48 in. x 6 in. Wide Combo Shark Tooth	USD $1,461.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,577.00
AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS*	USD $2,540.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
	CT322, CT332 CTLs *323D-333D CTLs*	
AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*	USD $1,208.00
AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*	USD $1,044.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

TR60B TRENCHER

Code	Description	List price
0013KV	**TR60B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 27 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
0013KV	TR60B TRENCHER	USD $6,685.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,540.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,577.00

Copyright © Deere & Company. All Rights Reserved.

TR60B TRENCHER

Code	Description	List price
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *60" x 6"*	USD $1,361.00
2005	Wide 70/30 Combo Shark Tooth *60" x 6"*	USD $1,858.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,577.00
AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*	USD $2,540.00
AT347427	60 in. x 6 in. Wide Standard Cup Every Station	USD $1,361.00
AT347428	60 in. x 6 in. Wide 70/30 Combo Shark Tooth	USD $1,858.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

TC36 TRENCHER

Code	Description	List price
08A1T	**TC36 TRENCHER** Features: Numerous configurations available to match most applications Ideal for lower duty-cycle users in ag or light construction Low-profile chain and sprocket drive for nearly flush trenching along structures Two position manual side shift Spring-loaded, heavy-duty trencher boom Crumber shoe for clean trench bottom Spoil auger to move material away from trench Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1130 lb. [510 kg] overall weight 86 in. [2185 mm] overall length 53 in. [1345 mm] overall width 36 in. [915 mm] trench depth at 65° trenching angle 50000 lb. [22680 kg] rated double standard, anti back-flex chain Standard cup tooth option available in widths of 6 12 in. [150 305 mm] Combo shark tooth option available in width of 6 in. [150 mm] Hydraulic Specifications: 14 - 22 gpm [53 83 l/min] hydraulic flow range 2000 psi [13800 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 324G* *CTL: 317G – 325G* • *Requires machine equipped with ½" quick connect couplers* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
08A1T	TC36 TRENCHER	USD $5,937.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	

Copyright © Deere & Company. All Rights Reserved.

TC36 TRENCHER

Code	Description	List price
2001	Wide Standard Cup Every Station *36" x 6*	USD $1,122.00
2002	Wide Standard Cup Every Station *36" x 8"*	USD $1,107.00
2003	Wide Standard Cup Every Station *36" x 10"*	USD $1,233.00
2004	Wide Standard Cup Every Station *36" x 12"*	USD $1,416.00
2005	Wide 70/30 Combo Shark Tooth *36" x 6"*	USD $1,421.00

Copyright © Deere & Company. All Rights Reserved.

TC48 TRENCHER

Code	Description	List price
08B1T	**TC48 TRENCHER** Features: Numerous configurations available to match most applications Ideal for lower duty-cycle users in ag or light construction Low-profile chain and sprocket drive for nearly flush trenching along structures Two position manual side shift Spring-loaded, heavy-duty trencher boom Crumber shoe for clean trench bottom Spoil auger to move material away from trench Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1180 lb. [540 kg] overall weight 86 in. [2185 mm] overall length 53 in. [1345 mm] overall width 48 in. [1220 mm] trench depth at 65° trenching angle 50000 lb. [22680 kg] rated double standard, anti back-flex chain Standard cup tooth option available in widths of 6 8 in. [150 205 mm] Combo shark tooth option available in width of 6 in. [150 mm] Hydraulic Specifications: 14 - 22 gpm [53 83 l/min] hydraulic flow range 2000 psi [13800 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 324G* *CTL: 317G – 325G* • *Requires machine equipped with ½" quick connect couplers* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
08B1T	TC48 TRENCHER	USD $5,999.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	

Copyright © Deere & Company. All Rights Reserved.

TC48 TRENCHER

Code	Description	List price
2001	Wide Standard Cup Every Station *48" x 6"*	USD $1,359.00
2002	Wide Standard Cup Every Station *48" x 8"*	USD $1,433.00
2005	Wide 70/30 Combo Shark Tooth *48" x 6"*	USD $1,617.00

Copyright © Deere & Company. All Rights Reserved.

THREE-POINT HITCH ADAPTER

Code	Description	List price
02C0T	**THREE-POINT HITCH ADAPTER**	
	Equipment for Base Machine	
	Hookup and quickly move tractor implements	
	Category 1&2 Hitch Rating	
	BASE MACHINE	
	F.O.B. Dubuque, Iowa	
02C0T	THREE-POINT HITCH ADAPTER	USD $1,085.00

Copyright © Deere & Company. All Rights Reserved.

AF72 AG FORKS (ALDI)

Code	Description	List price
9330T	**AF72 AG FORKS (ALDI)**	
	No Base Equipment Description	
	BASE MACHINE	
	For use on the following models: *317-328 SS* *318D-328D SS* *318E-328E SS* *CT315, CT322 CTLs* *317G CTL* *319D-323D CTLs* *319E-323E CTLs* *F.O.B. Dubuque, Iowa*	
9330T	AF72 AG FORKS (ALDI)	USD $1,498.00

Copyright © Deere & Company. All Rights Reserved.

AF78 AG FORKS (ALDI)

Code	Description	List price
9340T	**AF78 AG FORKS (ALDI)**	
	No Base Equipment Description	
	BASE MACHINE	
	For use on the following models: *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs* *F.O.B. Dubuque, Iowa*	
9340T	AF78 AG FORKS (ALDI)	USD $1,659.00

Copyright © Deere & Company. All Rights Reserved.

AF66 AG FORKS (ALDI)

Code	Description	List price
9360T	**AF66 AG FORKS (ALDI)**	
	No Base Equipment Description	
	BASE MACHINE	
	For use on the following models: *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL* *F.O.B. Dubuque, Iowa*	
9360T	AF66 AG FORKS (ALDI)	USD $1,351.00

Copyright © Deere & Company. All Rights Reserved.

AT14 Angle-Tatch

Code	Description	List price
03D0T	**AT14 Angle-Tatch** Equipment for Base Machine The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling. Overall Width cm/(in) 118.87 (46.8) Overall Height cm/(in) 46.99 (18.5) Overall Depth cm/(in) 10.67 (4.2) Cylinder Bore cm/(in) 6.35 (2.5) Rod Diameter cm/(in) 3.30 (1.3) Title Angle (degree) 14 Lift Capacity kg/(lb.) 1905.08 (4,200) Weight kg/(lb.) 191.41 (422)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.* *F.O.B. Dubuque, Iowa*	
03D0T	AT14 Angle-Tatch	USD $4,054.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
03N1T	**PA30B PLANETARY DRIVE AUGER** Equipment for Base Machine Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Auger Bits: Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head	
	BASE MACHINE *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *FOB Dubuque,Ia.*	
03N1T	PA30B PLANETARY DRIVE AUGER	USD $2,997.00
	ATTACHING COMPONENTS **Basic Factory Options** **BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION**	
1008	PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	USD $440.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
1011	PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *For compact excavator machines equipped with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	No Added Cost
	Additional Factory Options **INTERFACE ADAPTERS**	
9801	Interface Adapter for 26G - 35G CE and 110 TLB	USD $703.00
9803	Interface Adapter for 50G - 60G CE	USD $719.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $304.00
9002	8 in. Heavy Duty Bit	USD $452.00
9003	9 in. Heavy Duty Bit	USD $432.00
9004	10 in. Heavy Duty Bit	USD $496.00
9005	12 in. Heavy Duty Bit	USD $513.00
9006	15 in. Heavy Duty Bit	USD $697.00
9007	18 in. Heavy Duty Bit	USD $840.00
9008	24 in. Heavy Duty Bit	USD $1,052.00
9009	30 in. Heavy Duty Bit	USD $1,460.00
9010	36 in. Heavy Duty Bit	USD $1,661.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9013	30 in. Tree and Shrub Bit	USD $1,010.00
9014	36 in. Tree and Shrub Bit	USD $1,198.00
9015	9 in. Rock Bit	USD $1,187.00
9016	12 in. Rock Bit	USD $1,317.00
9017	9 in. HD Difficult Ground Bit	USD $640.00
9018	12 in. HD Difficult Ground Bit	USD $683.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
9019	15 in. HD Difficult Ground Bit	USD $893.00
9020	18 in. HD Difficult Ground Bit	USD $1,063.00
9021	24 in. HD Difficult Ground Bit	USD $1,483.00
	ATTACHMENTS FOR FIELD CONVERSION AUGER BITS	
KV15775	36 in. Tree and Shrub Bit	USD $1,198.00
KV15770	30 in. Heavy Duty Bit	USD $1,460.00
KV15774	30 in. Tree and Shrub Bit	USD $1,010.00
KV15771	36 in. Heavy Duty Bit	USD $1,661.00
KV15776	9 in. Rock Bit	USD $1,187.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $513.00
KV15769	24 in. Heavy Duty Bit	USD $1,052.00
KV15768	18 in. Heavy Duty Bit	USD $840.00
KV15765	10 in. Heavy Duty Bit	USD $496.00
KV15767	15 in. Heavy Duty Bit	USD $697.00
KV15763	8 in. Heavy Duty Bit	USD $452.00
KV15777	12 in. Rock Bit	USD $1,317.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $304.00
AT379606	9 in. HD Difficult Ground Bit	USD $640.00
KV15764	9 in. Heavy Duty Bit	USD $432.00
AT379608	15 in. HD Difficult Ground Bit	USD $893.00
AT379609	18 in. HD Difficult Ground Bit	USD $1,063.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,483.00
AT379607	12 in. HD Difficult Ground Bit	USD $683.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,841.00
AT431624	PA15/PA30/PA40 Skid Steer Mounting Kit	USD $563.00
	INTERFACE ADAPTERS FOR COMPACT EXCAVATORS	
AT306926	Interface Adapter for 50-60 CE	USD $719.00
AT306925	Interface Adapter for 17 ZTS	USD $585.00
AT306924	Interface Adapter for 27-35 CE and 110 TLB	USD $703.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
03V1T	**PA15B PLANETARY DRIVE AUGER** Equipment for Base Machine Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Auger Bits: Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head	
	BASE MACHINE *For use on the following models:* *312G-314G SS* *17-27 CE* *FOB Dubuque,Ia.*	
03V1T	PA15B PLANETARY DRIVE AUGER	USD $2,755.00
	ATTACHING COMPONENTS **Basic Factory Options** **BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION**	
1006	PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	USD $400.00
1010	PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included* *For compact excavator machines equipped with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	No Added Cost
	Additional Factory Options **INTERFACE ADAPTERS**	

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
9800	Interface Adapter for 17 ZTS and 17G	USD $585.00
9801	Interface Adapter for 26G - 35G CE and 110 TLB	USD $703.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $304.00
9002	8 in. Heavy Duty Bit	USD $452.00
9003	9 in. Heavy Duty Bit	USD $432.00
9004	10 in. Heavy Duty Bit	USD $496.00
9005	12 in. Heavy Duty Bit	USD $513.00
9006	15 in. Heavy Duty Bit	USD $697.00
9007	18 in. Heavy Duty Bit	USD $840.00
9008	24 in. Heavy Duty Bit	USD $1,052.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9015	9 in. Rock Bit	USD $1,187.00
9016	12 in. Rock Bit	USD $1,317.00
9017	9 in. HD Difficult Ground Bit	USD $640.00
9018	12 in. HD Difficult Ground Bit	USD $683.00
9019	15 in. HD Difficult Ground Bit	USD $893.00
9020	18 in. HD Difficult Ground Bit	USD $1,063.00
9021	24 in. HD Difficult Ground Bit	USD $1,483.00
	ATTACHMENTS FOR FIELD CONVERSION **AUGER BITS**	
KV15776	9 in. Rock Bit	USD $1,187.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $513.00
KV15769	24 in. Heavy Duty Bit	USD $1,052.00
KV15768	18 in. Heavy Duty Bit	USD $840.00

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
KV15765	10 in. Heavy Duty Bit	USD $496.00
KV15767	15 in. Heavy Duty Bit	USD $697.00
KV15763	8 in. Heavy Duty Bit	USD $452.00
KV15777	12 in. Rock Bit	USD $1,317.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $304.00
AT379606	9 in. HD Difficult Ground Bit	USD $640.00
KV15764	9 in. Heavy Duty Bit	USD $432.00
AT379608	15 in. HD Difficult Ground Bit	USD $893.00
AT379609	18 in. HD Difficult Ground Bit	USD $1,063.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,483.00
AT379607	12 in. HD Difficult Ground Bit	USD $683.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,841.00
AT431624	PA15/PA30/PA40 Skid Steer Mounting Kit	USD $563.00
	INTERFACE ADAPTERS FOR COMPACT EXCAVATORS	
AT306926	Interface Adapter for 50-60 CE	USD $719.00
AT306925	Interface Adapter for 17 ZTS	USD $585.00
AT306924	Interface Adapter for 27-35 CE and 110 TLB	USD $703.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
9965T	**PA40 PLANETARY DRIVE AUGER**	
	PA40 Planetary Drive Auger Standard Equipment PA40 Base Machine Performance: Flow Requirements: 28 - 42 GPM (106 - 159 lpm) Operating Pressure: 3625 psi Overall Attachment: Maximum auger diameter: 48 in (1219mm) Output shaft: 2 in (51mm) Hexagon 3/4 in. Couplers and Hoses	
	BASE MACHINE	
	For use on the following models: *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.* *FOB Dubuque,Ia.*	
9965T	PA40 PLANETARY DRIVE AUGER	USD $6,186.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $304.00
9002	8 in. Heavy Duty Bit	USD $452.00
9003	9 in. Heavy Duty Bit	USD $432.00
9004	10 in. Heavy Duty Bit	USD $496.00
9005	12 in. Heavy Duty Bit	USD $513.00
9006	15 in. Heavy Duty Bit	USD $697.00
9007	18 in. Heavy Duty Bit	USD $840.00
9008	24 in. Heavy Duty Bit	USD $1,052.00
9009	30 in. Heavy Duty Bit	USD $1,460.00
9010	36 in. Heavy Duty Bit	USD $1,661.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9013	30 in. Tree and Shrub Bit	USD $1,010.00
9014	36 in. Tree and Shrub Bit	USD $1,198.00
9015	9 in. Rock Bit	USD $1,187.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
9016	12 in. Rock Bit	USD $1,317.00
9017	9 in. HD Difficult Ground Bit	USD $640.00
9018	12 in. HD Difficult Ground Bit	USD $683.00
9019	15 in. HD Difficult Ground Bit	USD $893.00
9020	18 in. HD Difficult Ground Bit	USD $1,063.00
9021	24 in. HD Difficult Ground Bit	USD $1,483.00
	ATTACHMENTS FOR FIELD CONVERSION AUGER BITS	
KV15775	36 in. Tree and Shrub Bit	USD $1,198.00
KV15770	30 in. Heavy Duty Bit	USD $1,460.00
KV15774	30 in. Tree and Shrub Bit	USD $1,010.00
KV15771	36 in. Heavy Duty Bit	USD $1,661.00
KV15776	9 in. Rock Bit	USD $1,187.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $513.00
KV15769	24 in. Heavy Duty Bit	USD $1,052.00
KV15768	18 in. Heavy Duty Bit	USD $840.00
KV15765	10 in. Heavy Duty Bit	USD $496.00
KV15767	15 in. Heavy Duty Bit	USD $697.00
KV15763	8 in. Heavy Duty Bit	USD $452.00
KV15777	12 in. Rock Bit	USD $1,317.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $304.00
AT379606	9 in. HD Difficult Ground Bit	USD $640.00
KV15764	9 in. Heavy Duty Bit	USD $432.00
AT379608	15 in. HD Difficult Ground Bit	USD $893.00
AT379609	18 in. HD Difficult Ground Bit	USD $1,063.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,483.00
AT379607	12 in. HD Difficult Ground Bit	USD $683.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,841.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

BH9B BACKHOE

Code	Description	List price
50A1T	**BH9B BACKHOE**	
	Product Features: Cushioned cylinders provide smooth operation and limit shock loads Low-profile console maximizes visibility Boom-lock and swing-lock levers are provided for secure transport Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control Swing speed control and 180° swing range maximizes efficiency in confined areas Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation. Dual lock arms quickly and easily latch to the SSL / CTL mainframe Ideal for light duty Ag or utility work Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1025 lb. [465 kg] overall weight, without mounting bracket 110 in. [2795 mm] maximum dig depth 88 in. [2235 mm] dip depth for 8 ft. flat bottom Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm] Hydraulic Specifications: 9 12 gpm [34 45 l/min] hydraulic flow range 2750 psi [19000 kPa] system relief pressure 3895 lb. [1765 kg] maximum breakout force	
	BASE MACHINE	
	For use on the following models: *SSL: 312GR – 318G*	

Copyright © Deere & Company. All Rights Reserved.

BH9B BACKHOE

Code	Description	List price
	CTL: 317G *Machine must be equipped with Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	
50A1T	BH9B BACKHOE	USD $13,804.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING KITS**	
1001	Mounting Kit - Small Frame SSL/CTL	USD $2,631.00
	BUCKETS **Basic Factory Options** **BUCKETS**	
2001	18 in. (457 mm) Bucket	USD $613.00
2002	24 in. (610 mm) Bucket	USD $674.00
2003	36 in. (914 mm) Bucket	USD $1,173.00
	ATTACHMENTS FOR FIELD CONVERSION **BUCKETS**	
BYT11400	36 in. (914 mm) Bucket	USD $1,173.00
BYT11398	18 in. (457 mm) Bucket	USD $613.00
BYT11399	24 in. (610 mm) Bucket	USD $674.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT11336	Backhoe Attachment Mounting Kit	USD $2,381.00
BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*	USD $2,417.00
	MISCELLANEOUS	
BYT11410	Rubber Stabilizer Pads	USD $148.00

Copyright © Deere & Company. All Rights Reserved.

AH80 BALE HUGGER

Code	Description	List price
03E0T	**AH80 BALE HUGGER**	
	Equipment for Base Machine Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales. -Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings -Provides constant pressure that eliminates the risk of dropping bales -Right-hand and left-hand sides open and close simultaneously -Can lift, move, and stack round or rectangular bales -Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs. Overall Width cm/(in) 120.65 (47.5) Overall Height cm/(in) 95.25 (37.5) Overall Depth cm/(in) 137.16 (54) Max. Opening cm/(in) 279.40 (110) Lift Capacity kg/(lb.) 1088.62 (2,400) Weight kg/(lb.) 217.72 (480)	
	BASE MACHINE	
	For use on the following models: *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.* *F.O.B. Dubuque, Iowa*	
03E0T	AH80 BALE HUGGER	USD $4,759.00

Copyright © Deere & Company. All Rights Reserved.

AB21 SINGLE BALE SPEAR

Code	Description	List price
05A0T	**AB21 SINGLE BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 907 kg at 0.61 m (2,000 lbs. at 24 in.) Width: 1.15 m (42.25 in.) Height: 0.57 m (22.38 in.) Depth: 1.28 m (50.50 in.) Spear Length: 1.24 m (49 in.) Weight: 66 kg (145 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05A0T	AB21 SINGLE BALE SPEAR	USD $776.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

AB32 DUAL BALE SPEAR

Code	Description	List price
05B0T	**AB32 DUAL BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.) Width: 1.24 m (48.75 in.) Height: 0.64 m (25.00 in.) Depth: 1.42 m (55.75 in.) Spear Length: 1.35 m (53 in.) Weight: 91 kg (200 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05B0T	AB32 DUAL BALE SPEAR	USD $897.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

AB31 SINGLE BALE SPEAR, HD

Code	Description	List price
05C0T	**AB31 SINGLE BALE SPEAR, HD** Equipment for Base Machine Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.) Width: 1.15 m (42.25 in.) Height: 0.59 m (23.13 in.) Depth: 1.28 m (50.50in.) Spear Length: 1.24 m (49in.) Weight: 70 kg (155 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05C0T	AB31 SINGLE BALE SPEAR, HD	USD $979.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

AB42 DUAL BALE SPEAR, HD

Code	Description	List price
05D0T	**AB42 DUAL BALE SPEAR, HD** Equipment for Base Machine Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.) Width: 1.24 m (48.75 in.) Height: 0.64 m (25.00 in.) Depth: 1.42 m (55.75 in.) Spear Length: 1.35 m (53 in.) Weight: 109 kg (240 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05D0T	AB42 DUAL BALE SPEAR, HD	USD $1,159.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

AB43 TRIPLE BALE SPEAR

Code	Description	List price
05E0T	**AB43 TRIPLE BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.) Width: 1.42 m (56.00 in.) Height: 0.62 m (24.25 in.) Depth: 1.33 m (52.25 in.) Spear Length: 1.24 m (49 in.) Weight: 102 kg (225 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05E0T	AB43 TRIPLE BALE SPEAR	USD $1,344.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,841.00

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 2D Ready System

Code	Description	List price
03R2T	**72” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2020 lb. [915 kg] overall weight 75 in. [1910 mm] overall width 72 in. [1830 mm] cutting width 11.5 ft.3 [0.33 m3] front box capacity 7.0 ft.3 [0.20 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03R2T	72” Box Blade - Topcon 2D Ready System	USD $24,095.00

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 3D Ready System

Code	Description	List price
03R3T	**72” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2020 lb. [915 kg] overall weight 75 in. [1910 mm] overall width 72 in. [1830 mm] cutting width 11.5 ft.3 [0.33 m3] front box capacity 7.0 ft.3 [0.20 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03R3T	72” Box Blade - Topcon 3D Ready System	USD $25,541.00

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 2D Ready System

Code	Description	List price
03S2T	**84” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2070 lb. [940 kg] overall weight 87 in. [2220 mm] overall width 84 in. [2130 mm] cutting width 13.4 ft.3 [0.38 m3] front box capacity 8.0 ft.3 [0.23 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 314G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03S2T	84” Box Blade - Topcon 2D Ready System	USD $24,667.00

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 3D Ready System

Code	Description	List price
03S3T	**84” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2070 lb. [940 kg] overall weight 87 in. [2220 mm] overall width 84 in. [2130 mm] cutting width 13.4 ft.3 [0.38 m3] front box capacity 8.0 ft.3 [0.23 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 314G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03S3T	84” Box Blade - Topcon 3D Ready System	USD $26,116.00

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 2D Ready System

Code	Description	List price
03T2T	**96” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2155 lb. [980 kg] overall weight 99 in. [2520 mm] overall width 96 in. [2440 mm] cutting width 15.3 ft.3 [0.43 m3] front box capacity 9.0 ft.3 [0.25 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03T2T	96” Box Blade - Topcon 2D Ready System	USD $25,674.00

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 3D Ready System

Code	Description	List price
03T3T	**96” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2155 lb. [980 kg] overall weight 99 in. [2520 mm] overall width 96 in. [2440 mm] cutting width 15.3 ft.3 [0.43 m3] front box capacity 9.0 ft.3 [0.25 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03T3T	96” Box Blade - Topcon 3D Ready System	USD $27,120.00

Copyright © Deere & Company. All Rights Reserved.

HH20C HYDRAULIC HAMMER

Code	Description	List price
0C80T	**HH20C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 800 - 3000 Flow Requirements: 6.6 - 14.5 gpm (25 - 55 lpm) Operating Pressure: 1305 - 2175 psi Moil Tool Point 1.9 in. (48 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Compact Excavators: 17G, 26G and 35G* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370209* *Moil Point - T370210* *Spade, Parallel to Boom - T370212* *Spade, Transverse to Boom - T370213* *Compacting Plate - T370214* *Pyramid Point - T370211* *F.O.B. Dubuque, Iowa*	
0C80T	HH20C HYDRAULIC HAMMER	USD $7,691.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	

Copyright © Deere & Company. All Rights Reserved.

HH20C HYDRAULIC HAMMER

Code	Description	List price
1000	LESS MOUNTING BRACKET	No Added Cost
1002	Mounting Bracket, 17 Compact Excavator	USD $461.00
1003	Mounting Bracket, 26-35 Compact Excavator	USD $796.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458340	Mounting Bracket, 17 Compact Excavator	USD $615.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $1,062.00
BYT12481	Mounting Bracket, HH20C/HH40C, 35 size machine, pin-on *Includes mounting bracket, hardware, and hydraulic components.* *Intended for use on 35 size machines when using HH20C or HH40C hammer with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12376 for use with coupler.*	USD $2,406.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
BYT10076	Front Screen, Cab (GR#705923) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $988.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH20C HYDRAULIC HAMMER

Code	Description	List price
	Use for D and E Series Models. *S/N 269401 and below.*	

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
0C90T	**HH40C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 700-2600 Flow Requirements: 10.6 - 18.5 gpm (40 - 70 lpm) Operating Pressure: 1450 - 2465 psi Moil Tool Point 2.2 in. (56 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370215* *Moil Point - T370216* *Spade, Parallel to Boom - T370218* *Spade, Transverse to Boom - T370219* *Compacting Plate - T370220* *Pyramid Point - T370217* *F.O.B. Dubuque, Iowa*	
0C90T	HH40C HYDRAULIC HAMMER	USD $8,993.00
	ATTACHING COMPONENTS	

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
	Basic Factory Options **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1003	Mounting Bracket, 26-35 Compact Excavator	USD $744.00
1001	Mounting Bracket, SSL & CTL	USD $2,205.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT457979	Skid Steer Mounting Bracket	USD $2,940.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $615.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $1,062.00
BYT12481	Mounting Bracket, HH20C/HH40C, 35 size machine, pin-on *Includes mounting bracket, hardware, and hydraulic components.* *Intended for use on 35 size machines when using HH20C or HH40C hammer with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12376 for use with coupler.*	USD $2,406.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $671.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $865.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
0CA0T	**HH60C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 600-1800 Flow Requirements: 9.2 - 23.8 gpm (35 - 90 lpm) Operating Pressure: 1305 - 2030 psi Moil Tool Point 2.8 in. (72 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370221* *Moil Point - T370222* *Spade, Parallel to Boom - T370223* *Spade, Transverse to Boom - T370224* *Compacting Plate - T370225* *F.O.B. Dubuque, Iowa*	
0CA0T	HH60C HYDRAULIC HAMMER	USD $11,236.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1003	Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*	USD $744.00
1001	Mounting Bracket, SSL & CTL	USD $2,205.00
1004	Mounting Bracket, 50-60 Compact Excavator *For use on machines without selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $777.00
1007	Mounting Bracket, 50-60 Compact Excavator *For use on machines with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $1,107.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458342	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $1,035.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $615.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $1,062.00
AT457979	Skid Steer Mounting Bracket	USD $2,940.00
AT458343	Mounting Bracket, 310 Backhoe Loader *For use on: 310K/L EP & 310G-L*	USD $1,206.00
AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	USD $1,238.00
BYT11749	Mounting Bracket, 50-60 Compact Excavator	USD $1,081.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
	For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.	
BYT12462	Mounting Bracket, HH60C, 35 size machine, pin-on *Includes mounting bracket, hardware, and hydraulic components. Intended for use on 35 size machines when using HH60C Hammer with Pin Grab Coupler.* *Does not include pins.Order pin kit BYT12376 for use with coupler.*	USD $2,436.00
BYT12480	Mounting Bracket, HH60C/HH80C, 50/60 size machine, pin-on *Includes mounting bracket, hardware, and hydraulic components. Intended for use on 50 or 60 size machines when using HH60C or HH80C Hammer with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12377 for use with coupler.*	USD $2,444.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $865.00
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $671.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $865.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
0CB0T	**HH80C Hydraulic Hammer** Equipment for Base Machine Performance: Blows Per Minute: 500 - 1700 Flow Requirements: 10.6-31.7 gpm (40-120 lpm) Operating Pressure: 1305 - 2030 psi Moil Tool Point 3.14 in. (80 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370226* *Moil Point - T370227* *Spade, Parallel to Boom - T370228* *Spade, Transverse to Boom - T370229* *Compacting Plate - T370230* *F.O.B. Dubuque, Iowa*	
0CB0T	HH80C Hydraulic Hammer	USD $12,969.00
	ATTACHING COMPONENTS	

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	Basic Factory Options **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1001	Mounting Bracket, SSL & CTL	USD $2,112.00
1004	Mounting Bracket, 50-60 Compact Excavator *For use on machines without selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $777.00
1005	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*	USD $904.00
1006	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	USD $928.00
1007	Mounting Bracket, 50-60 Compact Excavator *For use on machines with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $1,107.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458342	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $1,035.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $615.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $1,062.00
AT457979	Skid Steer Mounting Bracket	USD $2,940.00
AT458343	Mounting Bracket, 310 Backhoe Loader *For use on: 310K/L EP & 310G-L*	USD $1,206.00
AT460178	Mounting Bracket, 410 Backhoe Loader	USD $1,238.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	For use on: *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	
BYT11749	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $1,081.00
BYT12480	Mounting Bracket, HH60C/HH80C, 50/60 size machine, pin-on *Includes mounting bracket, hardware, and hydraulic components.* *Intended for use on 50 or 60 size machines when using HH60C or HH80C Hammer with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12377 for use with coupler.*	USD $2,444.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $865.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00
AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing)	USD $1,038.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	For use on: *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*	
	ATTACHMENTS & ACCESSORIES	
AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310K/L EP & 310G-L*	USD $1,215.00

Copyright © Deere & Company. All Rights Reserved.

BA72C 72" Angle Broom

Code	Description	List price
0302KV	**BA72C 72" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 910 lb. [410 kg] overall weight 72 in. [1830 mm] straight sweeping width 62 in. [1580 mm] angled sweeping width 92 in. [2330 mm] overall straight width 88 in. [2230 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0302KV	BA72C 72" Angle Broom	USD $9,108.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BA72C 72" Angle Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
BYT11026	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BA84C 84" Angle Broom

Code	Description	List price
0303KV	**BA84C 84" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 960 lb. [440 kg] overall weight 84 in. [2130 mm] straight sweeping width 73 in. [1850 mm] angled sweeping width 104 in. [2640 mm] overall straight width 98 in. [2490 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0303KV	BA84C 84" Angle Broom	USD $9,361.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit	USD $1,867.00

Copyright © Deere & Company. All Rights Reserved.

BA84C 84" Angle Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
BYT11027	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BA96C 96" Angle Broom

Code	Description	List price
0304KV	**BA96C 96" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1100 lb. [460 kg] overall weight 96 in. [2440 mm] straight sweeping width 83 in. [2110 mm] angled sweeping width 116 in. [2940 mm] overall straight width 109 in. [2760 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0304KV	BA96C 96" Angle Broom	USD $9,613.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT345212	Roof-Mounted Water Tank Kit	USD $1,867.00

Copyright © Deere & Company. All Rights Reserved.

BA96C 96" Angle Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
BYT11028	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BP72C 72" Pick-Up Broom

Code	Description	List price
0314KV	**BP72C 72" Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Adjustable baffle to increase hopper capacity by 22% Tool-free system for brush adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1275 lb. [580 kg] overall weight 72 in. [1830 mm] sweeping width 91 in. [2310 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* *FOB Dubuque,Iowa.*	
0314KV	BP72C 72" Pick-Up Broom	USD $9,474.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BP72C 72" Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BP84C 84" Pick-Up Broom

Code	Description	List price
0315KV	**BP84C 84" Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Adjustable baffle to increase hopper capacity by 22% Tool-free system for brush adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1400 lb. [640 kg] overall weight 84 in. [2130 mm] sweeping width 103 in. [2620 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 317G – 333G* *FOB Dubuque,Iowa.*	
0315KV	BP84C 84" Pick-Up Broom	USD $11,011.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BP84C 84" Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR72C 72" Rigid Pick-Up Broom

Code	Description	List price
1521T	**BR72C 72" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 970 lb. [440 kg] overall weight 72 in. [1830 mm] sweeping width 81 in. [2060 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* *CWL: 204L – 304L* **requires skid steer style coupler* *FOB Dubuque,Iowa.*	
1521T	BR72C 72" Rigid Pick-Up Broom	USD $6,476.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BR72C 72" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR84C 84" Rigid Pick-Up Broom

Code	Description	List price
1531T	**BR84C 84" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1090 lb. [500 kg] overall weight 84 in. [2130 mm] sweeping width 93 in. [2370 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 325G* *CWL: 204L – 324L* **requires skid steer style coupler* *FOB Dubuque,Iowa.*	
1531T	BR84C 84" Rigid Pick-Up Broom	USD $6,996.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
AT345212	Roof-Mounted Water Tank Kit	USD $1,867.00

Copyright © Deere & Company. All Rights Reserved.

BR84C 84" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR60C 60" Rigid Pick-Up Broom

Code	Description	List price
8202T	**BR60C 60" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 880 lb. [400 kg] overall weight 60 in. [1520 mm] sweeping width 69 in. [1760 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 318G* *FOB Dubuque,Iowa.*	
8202T	BR60C 60" Rigid Pick-Up Broom	USD $5,957.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BR60C 60" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

CP12D COLD PLANER

Code	Description	List price
8211T	**CP12D COLD PLANER** Equipment for Base Machine Drum Size: 12 in. (305 mm) Cutting Width Design Features: Standard Flow Hydraulics 15-22 gpm (56-83 lpm) Planetary Drive Manual Tilt of +/- 11 Degrees Manual Depth Control 0-5 in. (0-127 mm) Hydraulic Side Shift 0-19 in. (0-483 mm) Quantity of pics 37 Spray Bar with nozzles, less water tank NOTE: The eight-button control handle is NOT required.	
	BASE MACHINE *For Standard Flow:* *315-328 SSLs* *318D-328D SSLs* *318E-328E SSLs* *316GR - 324G SSLs* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *317G-325G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
8211T	CP12D COLD PLANER	USD $14,827.00
	PICK KIT **Basic Factory Options** **PICK KIT**	

Copyright © Deere & Company. All Rights Reserved.

CP12D COLD PLANER

Code	Description	List price
	Pick kits are not factory installed and must be installed by the dealer.	
1001	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1002	RP18 *Asphalt only.*	USD $188.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	USD $603.00
AT462796	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP12D replacement cutting tools.*	USD $790.00
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

CP18E COLD PLANER

Code	Description	List price
8222T	**CP18E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2200 lb. [1000 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 18 in. [455 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP18E COLD PLANER

Code	Description	List price
8222T	CP18E COLD PLANER	USD $24,372.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1005	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1006	RP18 *Asphalt only.*	USD $121.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT462798	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP18D or CP18E replacement cutting tools.*	USD $835.00
AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP18D or CP18E replacement cutting tools.*	USD $719.00

Copyright © Deere & Company. All Rights Reserved.

CP24E COLD PLANER

Code	Description	List price
8232T	**CP24E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2400 lb. [1090 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 24 in. [610 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP24E COLD PLANER

Code	Description	List price
8232T	CP24E COLD PLANER	USD $29,644.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1009	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1010	RP18 *Asphalt only.*	USD $153.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D or CP24E replacement cutting tools.*	USD $906.00
AT462800	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP24D or CP24E replacement cutting tools.*	USD $1,059.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

CP30E COLD PLANER

Code	Description	List price
9012T	**CP30E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2600 lb. [1180 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 30 in. [760 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP30E COLD PLANER

Code	Description	List price
9012T	CP30E COLD PLANER	USD $29,958.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1013	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1014	RP18 *Asphalt only.*	USD $227.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,867.00
AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP30D or CP30E replacement cutting tools.*	USD $1,082.00
AT462802	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP30D or CP30E replacement cutting tools.*	USD $1,279.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

PC4 PLATE COMPACTOR

Code	Description	List price
03W1T	**PC4 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 4,000 lbf / 17.8 kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 13 x 25 in. / 330 x 635 mm Compaction Area 325 in. sq. / 209550 mm sq. Hydraulic Flow Range 9-14 gpm / 34-53 l/min Regulated Flow 9 gpm / 34 l/min Operating Pressure 2600 psi / 17930 kPa Pressure Relief Setting 3000 psi / 20680 kPa Weight* 397 lb. / 180 kg Length 30.7 in. / 780 mm Width 13.0 in. / 330 mm Height* 20.3 in. / 515 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 26 Size, 30 Size, 35 Size Compact Excavators. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03W1T	PC4 PLATE COMPACTOR	USD $5,807.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1001	Mounting Adapter Kit, 26 and 30 Size Excavators *Includes mounting bracket, hardware, and hydraulic components for installation.* *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315.* *Additional components may be required for selector valve equipped machines.*	USD $860.00
1002	Mounting Adapter Kit, 35 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $882.00

Copyright © Deere & Company. All Rights Reserved.

PC4 PLATE COMPACTOR

Code	Description	List price
	For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.	
1012	Mounting Adaptor Kit, 35 Size Excavators w/ Pin-Grabber Coupler *Intended for use on 35 size machines when using PC4 Plate compactor.* *Order BYT12376 (Pin Kit - Pin Grabber Coupler Attachments - 35).* *Not compatible with wedge style couplers. Only compatible with Pin-Grabber Coupler. Not recommended for use with thumb.* *Includes mounting bracket, hardware, hoses and hydraulic components for installation. Does not include pins.*	USD $2,587.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10728	Mounting Adapter Kit, PC4 (26G/30G)	USD $860.00
BYT10828	Mounting Adapter Kit, PC4 (35G)	USD $882.00
BYT12461	Mounting Adapter Kit, PC4, 35 size pin-on *Includes mounting bracket, hardware, and hydraulic components.* *Intended for use on 35 size machines when using PC4 Plate compactor with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12376 for use with coupler.*	USD $2,587.00

Copyright © Deere & Company. All Rights Reserved.

PC7 PLATE COMPACTOR

Code	Description	List price
03X1T	**PC7 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 6,400 lbf / 28.5kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm Compaction Area 499 in. sq. / 322000 mm sq. Hydraulic Flow Range 15-20 gpm / 57-76 l/min Regulated Flow 18 gpm / 68 l/min Operating Pressure 2000 psi / 13790 kPa Pressure Relief Setting 2200 psi / 15170 kPa Weight* 600 lb. / 272 kg Length 35 in. / 890 mm Width 18.1 in. / 460 mm Height* 21.5 in. / 546 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 50 Size and 60 Size Compact Excavators. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03X1T	PC7 PLATE COMPACTOR	USD $6,969.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1003	Mounting Adapter Kit, 50 and 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.* *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315.* *Additional components may be required for selector valve equipped machines.*	USD $920.00
1008	Mounting Adapter Kit, 50 and 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $1,173.00

Copyright © Deere & Company. All Rights Reserved.

PC7 PLATE COMPACTOR

Code	Description	List price
	For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.	
1013	Mounting Adaptor Kit, 50/60 Size Excavators w/ Pin-Grabber Coupler *Intended for use on 50 size machines when using PC7 Plate compactor.* *Order BYT12377 (Pin Kit - Pin Grabber Coupler Attachments - 50/60).* *Not compatible with wedge style couplers. Only compatible with Pin-Grabber Coupler. Not recommended for use with thumb.* *Includes mounting bracket, hardware, hoses and hydraulic components for installation.*	USD $2,682.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10729	Mounting Adapter Kit, PC7 (50G/ZX, 60G/ZX) *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $920.00
BYT11750	Mounting Adapter Kit, PC7 (50G/ZX, 60G/ZX) *For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $1,173.00
BYT12468	Mounting Adapter Kit, PC7/PC10, 50/60 size pin-on *Includes mounting bracket, hardware, and hydraulic components.* *Intended for use on 50 or 60 size machines when using PC7 or PC10 Plate compactor with Pin Grab Coupler.* *Does not include pins. Order pin kit BYT12377 for use with coupler.*	USD $2,682.00

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
03Y1T	**PC10 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 8,000 lbf / 35.6 kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 24 x 28 in. / 610 x 710 mm Compaction Area 671 in. sq. / 433100 mm sq. Hydraulic Flow Range 20-24 gpm / 76-91 l/min Regulated Flow 21 gpm / 79 l/min Operating Pressure 2000 psi / 13790 kPa Pressure Relief Setting 2200 psi / 15170 kPa Weight* 888 lb. / 403 kg Length 37.0 in. / 940 mm Width 24.0 in. / 610 mm Height* 25.5 in. / 648 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 60 Size Compact Excavators, 75-135 Midsize Excavators, and 310-410 Backhoes. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03Y1T	PC10 PLATE COMPACTOR	USD $8,130.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1004	Mounting Adapter Kit, 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.* *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.*	USD $940.00
1007	Mounting Adapter Kit, 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $1,173.00

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
	For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.	
1005	Mounting Adapter Kit, 310L/EL Backhoe *Requires auxiliary hydraulics with one way flow.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $983.00
1006	Mounting Adapter Kit, 310SL/HL, 410L Backhoe *Requires auxiliary hydraulics with one way flow.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $1,044.00
1010	Mounting Adapter Kit, 75 and 85 Size Excavators *For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $2,106.00
1011	Mounting Adapter Kit, 130 and 135 Size Excavators *Requires auxiliary high-flow hydraulics.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $2,710.00
1013	Mounting Adaptor Kit, 50/60 Size Excavators w/ Pin-Grabber Coupler *Includes mounting bracket, hardware, hoses and hydraulic components for installation.* *Not compatible with wedge style couplers. Only compatible with Pin-Grabber Coupler. Not recommended for use with thumb.* *Intended for use on 60 size machines when using PC10 Plate compactor.* *Order BYT12377 (Pin Kit - Pin Grabber Coupler Attachments - 50/60).*	USD $2,682.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
BYT10731	Mounting Adapter Kit, PC10 (410 BHL w/Coupler)	USD $1,044.00
BYT10863	Mounting Adapter Kit, PC10 (60G/ZX) *For use on 60G/ZX machines without selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $940.00
BYT10827	Mounting Adapter Kit, PC10 (310 BHL w/Coupler)	USD $983.00
BYT11751	Mounting Adapter Kit, PC10 (60G/ZX) *For use on 60G/ZX machines with selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $1,173.00
BYT11923	Mounting Adapter Kit, PC10 (75/85, G/ZX) *For use with 75/85 G/ZX Excavators equipped with selector valve from the factory. Includes Mounting Bracket, Machine-side Hydraulic Adapters, and Hoses.*	USD $2,106.00
BYT12188	Mounting Adapter Kit, PC10 (130/135 G/ZX) *For use with 130/135 G/ZX Excavators equipped with auxiliary hydraulics. Includes Mounting Bracket, Machine-side Hydraulic Adapters, and Hoses.*	USD $2,710.00
BYT12468	Mounting Adapter Kit, PC7/PC10, 50/60 size pin-on *Includes mounting bracket, hardware, and hydraulic components. Intended for use on 50 or 60 size machines when using PC7 or PC10 Plate compactor with Pin Grab Coupler. Does not include pins. Order pin kit BYT12377 for use with coupler.*	USD $2,682.00

Copyright © Deere & Company. All Rights Reserved.

DB84 DOZER BLADE

Code	Description	List price
9780T	**DB84 DOZER BLADE** Overall width: 84.0 in. (2133 mm) Length: 31.5 in. (800 mm) Blade height: 24.0 in. (610 mm) Blade width (full angle): 74.1 in. (1882 mm) Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm) Degrees of angle: 30, right or left Degrees of tilt: 10, up or down Adjustable skid shoe: Standard Comes Standard with 3 Pin Wire Harness	
	BASE MACHINE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
9780T	DB84 DOZER BLADE	USD $7,503.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $263.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)	USD $585.00

Copyright © Deere & Company. All Rights Reserved.

DB84 DOZER BLADE

Code	Description	List price
	D Series (S/N 198376 and above) *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

DB96 DOZER BLADE

Code	Description	List price
9790T	**DB96 DOZER BLADE** Overall width: 96.0 in. (2438 mm) Length: 31.5 in. (800 mm) Blade height: 24.0 in. (610 mm) Blade width (full angle): 84.7 in. (2151 mm) Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm) Degrees of angle: 30, right or left Degrees of tilt: 10, up or down Adjustable skid shoe: Standard Comes Standard with 3 Pin Wire Harness	
	BASE MACHINE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
9790T	DB96 DOZER BLADE	USD $7,672.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $263.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)	USD $585.00

Copyright © Deere & Company. All Rights Reserved.

DB96 DOZER BLADE

Code	Description	List price
	D Series (S/N 198376 and above) *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

GR72B ROCK / BRUSH GRAPPLE

Code	Description	List price
05Q1T	**GR72B ROCK / BRUSH GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Weld-in serrated cutting edge for difficult ground conditions Improved hose routing to protect hydraulics Enhanced construction throughout grapple Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1165 lb. [530 kg] overall weight 72 in. [1830 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening 20 tines at 3 in. [75 mm] spacing Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Includes weld-in serrated cutting edge for difficult ground conditions*	
05Q1T	GR72B ROCK / BRUSH GRAPPLE	USD $6,056.00

Copyright © Deere & Company. All Rights Reserved.

GR84B ROCK / BRUSH GRAPPLE

Code	Description	List price
05R1T	**GR84B ROCK / BRUSH GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1255 lb. [570 kg] overall weight 84 in. [2135 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening 23 tines at 3 in. [75 mm] spacing Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating*	
05R1T	GR84B ROCK / BRUSH GRAPPLE	USD $7,095.00

Copyright © Deere & Company. All Rights Reserved.

GS66B SCRAP GRAPPLE

Code	Description	List price
05S1T	**GS66B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1070 lb. [485 kg] overall weight 66 in. [1675 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered*	
05S1T	GS66B SCRAP GRAPPLE	USD $5,928.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $216.00

Copyright © Deere & Company. All Rights Reserved.

GS72B SCRAP GRAPPLE

Code	Description	List price
05T1T	**GS72B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1110 lb. [505 kg] overall weight 72 in. [1830 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered*	
05T1T	GS72B SCRAP GRAPPLE	USD $6,005.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $216.00

Copyright © Deere & Company. All Rights Reserved.

GS78B SCRAP GRAPPLE

Code	Description	List price
05U1T	**GS78B SCRAP GRAPPLE**	
	Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1150 lb. [520 kg] overall weight 78 in. [1980 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE	
05U1T	*For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered* GS78B SCRAP GRAPPLE	USD $6,452.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $216.00

Copyright © Deere & Company. All Rights Reserved.

GS84B SCRAP GRAPPLE

Code	Description	List price
05V1T	**GS84B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1185 lb. [540 kg] overall weight 84 in. [2135 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating*	
05V1T	GS84B SCRAP GRAPPLE	USD $7,282.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $216.00

Copyright © Deere & Company. All Rights Reserved.

MS60 MATERIAL / MANURE SCRAPER

Code	Description	List price
8500T	**MS60 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*	
8500T	MS60 MATERIAL / MANURE SCRAPER	USD $1,817.00

Copyright © Deere & Company. All Rights Reserved.

MS72 MATERIAL / MANURE SCRAPER

Code	Description	List price
8510T	**MS72 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*	
8510T	MS72 MATERIAL / MANURE SCRAPER	USD $2,534.00

Copyright © Deere & Company. All Rights Reserved.

MS84 MATERIAL / MANURE SCRAPER

Code	Description	List price
8520T	**MS84 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*	
8520T	MS84 MATERIAL / MANURE SCRAPER	USD $2,633.00

Copyright © Deere & Company. All Rights Reserved.

MS96 MATERIAL / MANURE SCRAPER

Code	Description	List price
8530T	**MS96 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	
8530T	MS96 MATERIAL / MANURE SCRAPER	USD $2,512.00

Copyright © Deere & Company. All Rights Reserved.

MH60D Mulching Head

Code	Description	List price
07A2T	**MH60D Mulching Head** Features: Remove up to 8 in. [203 mm] trees and 12 in. [305 mm] stumps 30 double carbide-tipped teeth to mulch materials Heavy-duty mulching door for finer processing Heavy-duty, 2-speed motor efficiently uses available horsepower Hydraulic pressure gauge to monitor performance Adjustable, 3-position heavy-duty push bar Enhanced frame construction and bolt-on skid shoes Specifications: Skid steer coupler attachment interface 14-pin electrical connector 1/2 in. hydraulic quick couplers 24-45 gpm [91 170 l/min] hydraulic flow range 2730 lb. [1240 kg] overall weight 60 in. [1520 mm] cutting width 74 in. [1880 mm] overall width Optional Equipment: Knife cutting tools for smoother cutting and finer chip size	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* *• Requires machine equipped with high flow hydraulics* *• Requires machine equipped with 14-pin electrical connector.* *• Requires applicable severe-duty door* *• Requires applicable operator protection* *• For optimal performance, recommend non-hydraulic self-leveling machines* *• Rear counterweight may improve machine stability while operating* *• For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
07A2T	MH60D Mulching Head	USD $44,263.00
	MULCHING HEAD **Basic Factory Options**	

Copyright © Deere & Company. All Rights Reserved.

MH60D Mulching Head

Code	Description	List price
	ROTORS	
2000	Mulching Head Smooth Rotor *Used for ground engagement of 1-2". The smooth drum creates less of a HP draw when mixing wood material into the top layer of the dirt. Spiral design also makes it so that fewer tools are engaging the wood material at any given time.* *Comes equipped with 30 carbide tipped tools as standard equipment. Optional single-edge knife tools available.* *Replacement teeth available through parts. Carbide tooth: T312862 | Knife tooth: T338203*	No Added Cost
2001	Mulching Head DCR Rotor *Ideal when you need to process material into a fine end product. The depth control rings provide a smaller bite to create a fast cut with less horsepoer draw. The DCR is not recommended for sandy and rocky environments or a job where you may engage the ground; this can cause faster wear.* *Comes equipped with 24 double-edge knife tools as standard equipment.* *Replacement teeth available through parts. Knife tooth: T464410.*	USD $7,659.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT433505	Knife Tool Kit	USD $201.00
BYT11301	High Debris Application Package *Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.*	USD $593.00

Copyright © Deere & Company. All Rights Reserved.

ME36 Mulching Head CCE

Code	Description	List price
07D1T	**ME36 Mulching Head CCE** 36IN EXCAVATOR MULCHING HEAD CCE	
	BASE MACHINE *36IN EXCAVATOR MULCHING HEAD* *F.O.B. Dubuque, Iowa*	
07D1T	ME36 Mulching Head CCE	USD $20,013.00
	MULCHING HEAD **Basic Factory Options** **PICK ONE**	
1000	LESS MOUNTING BRACKET/HOSES	No Added Cost
1001	MOUNTING KIT, 50/60, WEDGE STYLE	USD $2,806.00
1002	MOUNTING KIT, 50/60, PIN-ON	USD $2,806.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12747	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 50G with Cab.*	USD $2,710.00
BYT12748	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 60G with Cab.*	USD $2,760.00
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve *INCLUDES HYDRAULIC QUICK DISCONNECTS FOR SELECTOR VALVE MACHINES. SEE MACHINE LISTING FOR SERIAL NUMBER COMPATIBILITY.*	USD $166.00
BYT12502	CASE DRAIN KIT, 50/60 COMPACT EXC.	USD $182.00
BYT12321	MOUNTING KIT, 50/60, PIN-ON *Includes mounting bracket, hydraulic adaptors, and hoses for selector valve equipped machines with Pin-Grabber Couplers.*	USD $2,695.00
BYT12320	MOUNTING KIT, 50/60, WEDGE STYLE *Includes mounting bracket, hydraulic adaptors, and hoses for selector value equipped machines equipped with manual or hydraulic wedge coupler.*	USD $2,695.00

Copyright © Deere & Company. All Rights Reserved.

MP66B MULTI-PURPOSE BUCKET

Code	Description	List price
0AQ0T	**MP66B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *312-324G SSL* *318E-324E SSL* *317G CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AQ0T	MP66B MULTI-PURPOSE BUCKET	USD $4,531.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436718	Spill Guard Assembly, MP66B	USD $237.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436470	66 in. Bolt-On Cutting Edge for MP66B	USD $454.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436521	66 in. Tooth Bar - 7 Teeth, MP66B	USD $845.00
AT436489	MP66 Over BOCE Toothbar, MP66B	USD $1,275.00

Copyright © Deere & Company. All Rights Reserved.

MP72B MULTI-PURPOSE BUCKET

Code	Description	List price
0AR0T	**MP72B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *312G-324G SSL* *318E-328E SSL* *317G, 325G CTL* *319E, 323E CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AR0T	MP72B MULTI-PURPOSE BUCKET	USD $5,443.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436719	Spill Guard Assembly, MP72B	USD $264.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436471	Bolt-On Cutting Edge for 72 in. Bucket	USD $455.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436522	72 in. Tooth Bar - 7 Teeth, MP72B	USD $910.00
AT436490	MP72 Over BOCE Toothbar, MP72B	USD $1,367.00

Copyright © Deere & Company. All Rights Reserved.

MP78B MULTI-PURPOSE BUCKET

Code	Description	List price
0AS0T	**MP78B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *318E-332E SSL* *320G-332G SSL* *317G, 325G CTL* *319E-333E CTL* *331G-333G CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AS0T	MP78B MULTI-PURPOSE BUCKET	USD $5,597.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436720	Spill Guard Assembly, MP78B	USD $246.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436472	78 in. Bolt-On Cutting Edge for MP78B	USD $669.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436491	MP78 Over BOCE Toothbar, MP78B	USD $1,260.00
AT436523	78 in. Tooth Bar - 8 Teeth, MP78B	USD $904.00

Copyright © Deere & Company. All Rights Reserved.

MP84B MULTI-PURPOSE BUCKET

Code	Description	List price
0AT0T	**MP84B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *326E-332E SSLs* *330G-332G SSLs* *323E-333E CTLs* *325G-333G CTLs* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AT0T	MP84B MULTI-PURPOSE BUCKET	USD $5,786.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436721	Spill Guard Assembly, MP84B	USD $272.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436473	Bolt-On Cutting Edge for 84 in. Bucket	USD $590.00
	BUCKETS ATTACHMENTS FOR FIELD CONVERSION TOOTH BARS	
AT436492	MP84 Over BOCE Toothbar, MP84B	USD $1,386.00
AT436524	84 in. Tooth Bar - 8 Teeth, MP84B	USD $1,065.00

Copyright © Deere & Company. All Rights Reserved.

NF44 Nursery Fork

Code	Description	List price
0BU0T	**NF44 Nursery Fork**	
	WORKSITE NF44 NURSERY FORK	
	BASE MACHINE	
	For: *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL* *F.O.B. Dubuque, IA*	
0BU0T	NF44 Nursery Fork	USD $6,206.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	PRESSURE CONTROL VALVE ASSEMBLY	USD $480.00
1001	LESS CONTROL VALVE ASSEMBLY	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT460780	Pressure Control Valve	USD $480.00

Copyright © Deere & Company. All Rights Reserved.

SEVERE DUTY PALLET FORK

Code	Description	List price
06U0T	**SEVERE DUTY PALLET FORK**	
	Equipment for Base Machine Frame has option of 45 inch or 60 inch width of the rails Forks have options of 48 inch or 60 inch length of tines Robust, two-piece walk-through brick guard Optional bolt-on brick guard kit to complete backrest Unrestricted Visibility to Fork Tips Rear Ballast is not required but may enhance machine stability.	
	BASE MACHINE	
	For: *330G-332G SS* *331G-333G CTLs* *F.O.B. Dubuque, Iowa*	
06U0T	SEVERE DUTY PALLET FORK	USD $2,128.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
1000	45" Severe Duty Fork Frame	No Added Cost
1001	60" Severe Duty Fork Frame	USD $200.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
2004	48" TINES ITA CLASS 3B *9900 lb. rating on forks (per pair of tines)*	USD $923.00
2005	60" TINES ITA CLASS 3B *9900 lb. rating on forks (per pair of tines)*	USD $1,151.00
	MISCELLANEOUS **Additional Factory Options** **BRACKET KITS**	
9001	Bolt-On Walk-Through Brick Guard	USD $124.00
	ATTACHMENTS FOR FIELD CONVERSION **MISCELLANEOUS**	
BYT10349	Bolt-On Walk-Through Brick Guard	USD $124.00

Copyright © Deere & Company. All Rights Reserved.

SEVERE DUTY PALLET FORK

Code	Description	List price
	FRAME KIT **ATTACHMENTS FOR FIELD CONVERSION** **FRAME KIT**	
BYT10008	Severe Duty 60 in. Fork Frame (No Forks)	USD $2,320.00
BYT10071	Severe Duty 45 in. Fork Frame (No Forks)	USD $2,128.00

Copyright © Deere & Company. All Rights Reserved.

PR72B ANGLE POWER RAKE

Code	Description	List price
0264KV	**PR72B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 72 in. Rake 72 in. (1827 mm) Raking Width 81 in. (2056 mm) Operating Width 64 in. (1625 mm) Length 31 in. (787 mm) Height 8.6 in. (22 mm) Tooth Roller Diameter 11 gpm (42 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs* *F.O.B. Dubuque, Iowa*	
0264KV	PR72B ANGLE POWER RAKE	USD $12,435.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

PR72B ANGLE POWER RAKE

Code	Description	List price
AT332454	12 Volt Receptacle Kit	USD $210.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $263.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $585.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR96B ANGLE POWER RAKE

Code	Description	List price
0265KV	**PR96B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 96 in. Rake 90 in. (2284 mm) Raking Width 99 in. (2513 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (22 mm) Tooth Roller Diameter 15 gpm (57 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
0265KV	PR96B ANGLE POWER RAKE	USD $16,252.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

PR96B ANGLE POWER RAKE

Code	Description	List price
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $263.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $585.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR84B ANGLE POWER RAKE

Code	Description	List price
1580T	**PR84B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 84 in. Rake 84 in. (2134 mm) Raking Width 93 in. (2362 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (220 mm) Tooth Roller Diameter 18 gpm (68 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
1580T	PR84B ANGLE POWER RAKE	USD $13,144.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

PR84B ANGLE POWER RAKE

Code	Description	List price
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $263.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $585.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR60 ANGLE POWER RAKE

Code	Description	List price
7830T	**PR60 ANGLE POWER RAKE** Equipment for Base Machine NOTE: 12V Receptacle Kit is Required.	
	BASE MACHINE *For:* *312G-318G SS* *F.O.B. Dubuque, Iowa*	
7830T	PR60 ANGLE POWER RAKE	USD $11,591.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT332454	12 Volt Receptacle Kit	USD $210.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $549.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $585.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $459.00

Copyright © Deere & Company. All Rights Reserved.

R66 ROCK BUCKET

Code	Description	List price
7950T	**R66 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *312G-320G SSLs* *318E, 320E SSLs* *317G CTL* *F.O.B. Dubuque, Iowa*	
7950T	R66 ROCK BUCKET	USD $1,856.00

Copyright © Deere & Company. All Rights Reserved.

30 October 2022

R75 ROCK BUCKET

Code	Description	List price
7960T	**R75 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *318E-332E SSLs* *320G-332G SSLs* *317G-333G CTLs* *319E-333E CTLs* *110 TLB* *F.O.B. Dubuque, Iowa*	
7960T	R75 ROCK BUCKET	USD $1,985.00

Copyright © Deere & Company. All Rights Reserved.

R84 ROCK BUCKET

Code	Description	List price
7970T	**R84 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *320E-332E SSLs* *320G-332G SSLs* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
7970T	R84 ROCK BUCKET	USD $2,115.00

Copyright © Deere & Company. All Rights Reserved.

RB72 ROLLOUT BUCKET

Code	Description	List price
05F1T	**RB72 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.* *F.O.B. Dubuque, Iowa*	
05F1T	RB72 ROLLOUT BUCKET	USD $7,150.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9000	CUTTING EDGE ASSEMBLY, MP72 BOLT-ON	USD $452.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
AT436471	Bolt-On Cutting Edge for 72 in. Bucket	USD $455.00

Copyright © Deere & Company. All Rights Reserved.

RB84 ROLLOUT BUCKET

Code	Description	List price
05G1T	**RB84 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.* *F.O.B. Dubuque, Iowa*	
05G1T	RB84 ROLLOUT BUCKET	USD $7,770.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9001	CUTTING EDGE ASSEMBLY, MP84 BOLT-ON	USD $585.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
AT436473	Bolt-On Cutting Edge for 84 in. Bucket	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

RB96 ROLLOUT BUCKET

Code	Description	List price
05H1T	**RB96 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.* *F.O.B. Dubuque, Iowa*	
05H1T	RB96 ROLLOUT BUCKET	USD $8,180.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9002	CUTTING EDGE KIT, 96	USD $573.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
BYT10747	96 in. Bolt-On Cutting Edge for RB96	USD $537.00

Copyright © Deere & Company. All Rights Reserved.

RR72 ROOT RAKE

Code	Description	List price
03A0T	**RR72 ROOT RAKE**	
	Equipment for Base Machine	
	Replaceable pin-on teeth	
	Greaseable pivot pins	
	Hardened-steel bushings	
	Weld-on "D" ring	
	Width: 1830 mm (72 in.)	
	Length: 780 mm (30.8 in.)	
	Grapple Opening: 1295 mm (51 in.)	
	Weight: 497 kg (1,095 lb.)	
	BASE MACHINE	
	For:	
	318E-328E SS	
	318G-332G SS	
	319E-323E CTL	
	317G-333G CTLs	
	204K & 304K Compact Wheel Loader	
	F.O.B. Dubuque, Iowa	
03A0T	RR72 ROOT RAKE	USD $8,554.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RR78 ROOT RAKE

Code	Description	List price
03B0T	**RR78 ROOT RAKE** Equipment for Base Machine Replaceable pin-on teeth Greaseable pivot pins Hardened-steel bushings Weld-on "D" ring Width: 1980 mm (78 in.) Length: 780 mm (30.8 in.) Grapple Opening: 1295 mm (51 in.) Weight: 522 kg (1,150 lb.)	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader* *F.O.B. Dubuque, Iowa*	
03B0T	RR78 ROOT RAKE	USD $9,257.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RR84 ROOT RAKE

Code	Description	List price
03C0T	**RR84 ROOT RAKE**	
	Equipment for Base Machine Replaceable pin-on teeth Greaseable pivot pins Hardened-steel bushings Weld-on "D" ring Width: 2135 mm (84 in.) Length: 780 mm (30.8 in.) Grapple Opening: 1295 mm (51 in.) Weight: 553 kg (1,220 lb.)	
	BASE MACHINE	
	For: *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader* *F.O.B. Dubuque, Iowa*	
03C0T	RR84 ROOT RAKE	USD $9,788.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RT52 ROTARY TILLER

Code	Description	List price
7520T	**RT52 ROTARY TILLER** Equipment for Base Machine Performance: Tills to a 6 in. (152 mm) Depth Standard Offset Left Making It Useful For All Tilling Jobs Hydraulics: Standard Flow Hydraulics Minimum Hydraulic Flow: 18 gpm (68 lpm) Maximum Hydraulic Flow: 28 gpm (106 lpm) Maximum System Pressure: 3000 psi (21 Mpa) Dimensions: Tilling Width: 52 in. (1.3m) Overall Width: 62 in. (1.6m) Overall Length: 48 in. (1.2m) Overall Height: 35 in. (0.9m) NOTE: Optional Scarifier may improve performance.	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

RT52 ROTARY TILLER

Code	Description	List price
7520T	RT52 ROTARY TILLER	USD $7,047.00

Copyright © Deere & Company. All Rights Reserved.

RT66 ROTARY TILLER

Code	Description	List price
7530T	**RT66 ROTARY TILLER** Equipment for Base Machine Performance: Tills to a 6 in. (152 mm) Depth Standard Offset Left and Center Position Make It Useful For All Tilling Jobs Hydraulics: Standard Flow Hydraulics Minimum Hydraulic Flow: 18 gpm (60 lpm) Maximum Hydraulic Flow: 28 gpm (106 lpm) Maximum System Pressure: 3000 psi (21 Mpa) Dimensions: Tilling Width: 66 in. (1.7m) Overall Width: 76 in. (1.9m) Overall Length: 48 in. (1.2m) Overall Height: 35 in. (0.9m) NOTE: Optional Scarifier may improve performance.	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

RT66 ROTARY TILLER

Code	Description	List price
7530T	RT66 ROTARY TILLER	USD $7,736.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT340330	Scarifier Kit RT66 *Contains 5 teeth*	USD $272.00

Copyright © Deere & Company. All Rights Reserved.

STATE OF MICHIGAN
ENTERPRISE PROCUREMENT

Department of Technology, Management, and Budget

320 S. WALNUT ST., LANSING, MICHIGAN 48933

P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **14**

to

Contract Number **071B7700093**

CURRENT CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES (JDSS Inc)
	1300 River Drive
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

NEW CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES (JDSS LLC)
	1300 River Drive
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE CONTACTS

Program Manager	Various	DTMB	Contract Administrator	Yvon Dufour	DTMB
				(517) 249-0455	
				dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2024

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
P-Card	Direct Voucher (PRC)	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2024

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$3,349,000.00	$0.00	$3,349,000.00

DESCRIPTION

Effective 2/10/2023, the following amendment is hereby incorporated into the contract. John Deere Construction Retail Sales (JDSS Inc) is sold to John Deere Construction Retail Sales (JDSS LLC). This is a legal ownership change. The Tax ID has changed as a result. However, the SIGMA VSS Customer Number will remain the same. All other terms, conditions, specifications, and pricing remain the same. Per Vendor and Agency agreement and DTMB Central Procurement approval.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
320 S. WALNUT ST., LANSING, MICHIGAN 48933
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **13**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1300 River Drive
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
SKID STEER PURCHASE			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE**
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2023
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-Card	☐ PRC	☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			

DESCRIPTION OF CHANGE NOTICE				
OPTION	**LENGTH OF OPTION**	**EXTENSION**	**LENGTH OF EXTENSION**	**REVISED EXP. DATE**
☐		☒	One year	January 12, 2024
CURRENT VALUE	**VALUE OF CHANGE NOTICE**		**ESTIMATED AGGREGATE CONTRACT VALUE**	
$3,049,000.00	$300,000.00		$3,349,000.00	

DESCRIPTION

Effective 10/11/2022, this contract is extended 12 months; and is increased by $300,000. The revised contract expiration date is 1/12/2024. All other terms, conditions, specifications, and pricing remain the same. Per DTMB request, DTMB Procurement approval, and State Administrative Board approval on 10/11/2022.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
320 S. WALNUT ST., LANSING, MICHIGAN 48933
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **12**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2023

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS	EXTENDED PURCHASING
☐ P-Card ☐ PRC ☐ Other	☒ Yes ☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2023

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$3,049,000.00	$0.00	$3,049,000.00

DESCRIPTION

Effective 8/5/2022 equipment and pricing on this contract is hereby updated, per revised Schedules E1, E2, and E3 (attached).
All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 82,244.53	$ 125.00	$4/Loaded Mile $50 Minimum
	NON - AWARDED SPECIFICATIONS FOR PURCHASE				
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324G	Skid Steer Loader	$ 53,927.65	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 44,638.10	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery Per mile from Contractor's nearest dealer location
1	John Deere 333G Compact Track Loader	Compact Track Loader	$108,725.00	33%	$72,845.75	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G Compact Track Loader	Compact Track Loader	$90,974.00	33%	$60,952.58	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 325G Compact Track Loader	Compact Track Loader	$75,750.00	33%	$50,752.50	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G Compact Track Loader	Compact Track Loader	$68,312.00	33%	$45,769.04	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$46,804.00	33%	$31,358.68	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$51,567.00	33%	$34,549.89	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 320G Skid Steer Loader	Skid Steer Loader	$59,463.00	33%	$39,840.21	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 324G Skid Steer Loader	Skid Steer Loader	$61,081.00	33%	$40,924.27	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$75,375.00	33%	$50,501.25	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$87,088.00	33%	$58,348.96	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum
13	John Deere 204L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AD0T	$90,593.00	25%	$67,944.75	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
14	John Deere 244L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AF0T	$118,646.00	26%	$87,798.04	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
15	John Deere 304L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AE0T	$104,414.00	26%	$77,266.36	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
16	John Deere 324L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AG0T	$134,125.00	26%	$99,252.50	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum

17	John Deere 17G Compact Excavator	Excavator, Track Base Code 0010FF	$38,410.00	28%	$27,655.20	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
18	John Deere 26G Compact Excavator	Excavator, Track Base Code 0020FF	$44,955.00	27%	$32,817.15	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
19	John Deere 30G Compact Excavator	Excavator, Track Base Code 0100FF	$56,311.00	28%	$40,543.92	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
20	John Deere 35G Compact Excavator	Excavator, Track Base Code 0050FF	$61,558.00	28%	$44,321.76	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
21	John Deere 50G Compact Excavator	Excavator, Track Base Code 0060FF	$84,194.00	28%	$60,619.68	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
22	John Deere 60G Compact Excavator	Excavator, Track Base Code 0071FF	$96,060.00	27%	$70,123.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum

318G SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0B72T	318G SKID STEER	1	$51,567.00

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)

Copyright © 2022 Deere Company. All Rights Reserved.

Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.96 m (77.2 in.)
Height to hinge pin - 2.92 m (120 in.)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires

Warranty (US and Canada):
John Deere 2 years/2000 hours

0B72T	318G SKID STEER	1	$51,567.00

PACKAGES

	Packages	Basic Factory Options - Required
0740	EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	$5,320.00

Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

0745	EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	$10,801.00

Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

0765	EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	$13,081.00

Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.

EH (ISO - H pattern) joystick controls with performance package includes:
- Creeper Mode
- Boom and bucket speed settings
- Selectable propel
- Switchable accelerator/decelerator

ENGINE

	Engine	Basic Factory Options - Required
1301	Engine - Turbocharged	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)

Copyright © 2022 Deere Company. All Rights Reserved.

61 Net hp (45.6 kW)

	Cold Start Packages	Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	$310.00
8051	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	$310.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
	Export Codes	Field Installed Attachments - Optional
	JOHN DEERE WORKSIGHT™	
	JDLink	Basic Factory Options - Required
1741	Less JDLink	No Added Cost
170K	JDLink™	$1,777.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		No Added Cost
2041	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 60 in. machine width.		$150.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($505.00)
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,774.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$205.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
6000	Seat (Vinyl)		($410.00)
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Keyless Start		Field Installed Attachments - Optional
8395	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$408.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9020	60 in. Dirt Bucket (14.3 cu. Ft)		$994.00
9021	60 in. Dirt Bucket (14.3 cu. Ft) with Edge		$1,212.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9025	60 in. Grading Heel Bucket (14.3 cu. Ft)		$1,056.00
9027	60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth		$1,266.00
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		$1,749.00
9190	60 in. Dirt Bucket (14.3 cu. ft) with Teeth		$1,296.00
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		$2,102.00
	Buckets	Field Installed Attachments - Optional	
AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge		$1,485.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,399.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,502.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
AT331803	60 in. Dirt Bucket (14.3 cu. ft.)		$1,257.00
AT336694	60 in. Dirt Bucket (14.3 cu. ft.) with Teeth		$1,559.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
AT441038	60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth		$1,266.00
AT419835	60 in. Grading Heel Bucket (14.0 cu. ft.)		$1,056.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,514.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$1,763.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,102.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$1,749.00
	Tooth Bars	Field Installed Attachments - Optional	
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.		$383.00
8305	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.		$765.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8410	Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.		$351.00
8530	Power Quik-Tatch for Canopy Units		$740.00
	Kits & Accessories	Field Installed Attachments - Optional	
KV26958	SMV Sign		$80.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446202	Hazard Warning Lights		$131.00
AT446201	Warning Beacon		$222.00
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		$611.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,377.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.		$927.00
BYT10806	Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.		$706.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set		$387.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Provides 100 lbs. of rated operating capacity.		
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		$185.00
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).		$51.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		$471.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11200	Block Heater 220V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.		$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.		$52.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.		$525.00
BYT11443	Vinyl Cab Enclosure Kit		$927.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]		$108.00
BYT11068	Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.		$354.00
BYT12233	Glass Cab Door Field Kit Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously		$729.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	configured with an open ROPS		
T394966	66 in. Bolt-on Serrated Cutting Edge		$293.25
T385220	72 in. Bolt-on Serrated Cutting Edge		$372.85
T394965	60 in. Bolt-on Cutting Edge, Serrated		$283.66
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10500	Rear Bumper Guard (for Serial # upto 366358)		$1,720.00
BYT12107	Rear Bumper Guard (for serial # after 366358)		$1,742.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

320G SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
00B2T	320G SKID STEER	1	$59,463.00

320G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter

Copyright © 2022 Deere Company. All Rights Reserved.

Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 69 Hp (51,7 Kw)
Rated Operating Capacity 2,190 lbs. (994 kg)
Tipping Load 4,380 lbs. (1,989 kg)
Hydraulic Pump Flow 20 gpm (76 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00B2T	320G SKID STEER	1	$59,463.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,314.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$9,644.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		$2,665.00
1305	Engine - Naturally Aspirated Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98C 3.3L 4 Cylinder Naturally Aspirated 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		$1,501.00
	Cold Start Packages		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		$182.00
2070	12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.		$503.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($323.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.		No Added Cost
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,956.00
2410	12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.		$2,656.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$387.00
2440	12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.		$826.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control		$1,058.00

Copyright © 2022 Deere Company. All Rights Reserved.

mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	$639.00
	Seat Belt	Basic Factory Options - Required
4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$271.00
	Rear Camera	Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.	$869.00
	Radio	Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		$1,749.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00
	Buckets	Field Installed Attachments - Optional	
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$1,749.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$1,763.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,514.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,399.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,502.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
8530	Power Quik-Tatch for Canopy Units		$740.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc.		

Copyright © 2022 Deere Company. All Rights Reserved.

4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001 Fax: (205)655-8005

BYT10946	Light Guard Kit	$360.00
BYT10945	Bottom Covers & Reinforcement Plates	$498.00
BYT10947	Bucket Cylinder Rod Guard	$576.00
BYT10943	Bumper, Rear w/o Deflectors	$1,702.00
BYT10948	Lift Cylinder Hose Guards	$452.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	$820.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	$220.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	$964.00

Kits & Accessories — Field Installed Attachments - Optional

BYT10679	HD Rear Grille Provides protection to cooling package.	$611.00
BYT10681	Engine Air Pre-Cleaner Kit Compatible with 320G with Naturally Aspirated Engines code 1305.	$471.00
BYT10227	Standard Door	$1,062.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		$471.00
BYT10313	Backhoe Attachment Mounting Kit		$291.00
BYT11292	SSM - Use with Manual Controls		$185.00
BYT10680	SMV Sign		$80.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10641	Fluid Sampling Field Kit		$134.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10843	Single Point Support Kit		$2,623.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT374642	Foot Throttle Removal Kit		$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT431921	Hazard Warning Lights		$131.00
AT427686	Block Heater Kit		$115.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

324G SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
00C2T	324G SKID STEER	1	$61,081.00

324G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter

Copyright © 2022 Deere Company. All Rights Reserved.

Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,690 lbs. (1,221 kg)
Tipping Load 5,380 lbs. (2,443 kg)
Hydraulic Pump Flow 21 gpm (79 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Includes set of 2 stackable 86 lb (39 Kg) counterweights

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00C2T	324G SKID STEER	1	$61,081.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,314.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$9,644.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$10,593.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		$2,665.00
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)		$310.00

Copyright © 2022 Deere Company. All Rights Reserved.

Includes Hydrau XR Cold Start Oil for Hydraulics.

	Air Pre-Cleaner	Field Installed Attachments - Optional
8060	Engine Air Precleaner	$465.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
	JOHN DEERE WORKSIGHT™	
	JDLink	Basic Factory Options - Required
1741	Less JDLink	No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	$1,777.00
	WHEELS AND TIRES	
	Wheels and Tires	Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		$182.00
2070	12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.		$503.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($323.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.		No Added Cost
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,956.00
2410	12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.		$2,656.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$387.00
2440	12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.		$826.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control		$1,058.00

Copyright © 2022 Deere Company. All Rights Reserved.

mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	$639.00
	Seat Belt	Basic Factory Options - Required
4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$271.00
	Rear Camera	Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.	$869.00
	Radio	Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		$1,749.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00
	Buckets	Field Installed Attachments - Optional	
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$1,749.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$1,763.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,514.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,399.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,502.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight		Field Installed Attachments - Optional
8305	Counterweight, (Double Set) Includes 2 stackable 86 lb weights (39 Kg) to add to the set included in base.		$383.00
8310	Counterweight, (Triple Set) Includes 4 stackable 86 lb weights (39 Kg) to add to the set included in base.		$765.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
8530	Power Quik-Tatch for Canopy Units		$740.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10946	Light Guard Kit		$360.00
BYT10945	Bottom Covers & Reinforcement Plates		$498.00
BYT10947	Bucket Cylinder Rod Guard		$576.00
BYT10943	Bumper, Rear w/o Deflectors		$1,702.00
BYT10948	Lift Cylinder Hose Guards		$452.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$820.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$220.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$964.00
	Kits & Accessories	Field Installed Attachments - Optional	
BYT10679	HD Rear Grille Provides protection to cooling package.		$611.00
BYT10227	Standard Door		$1,062.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		$471.00
BYT10313	Backhoe Attachment Mounting Kit		$291.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11292	SSM - Use with Manual Controls		$185.00
BYT10680	SMV Sign		$80.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10641	Fluid Sampling Field Kit		$134.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10843	Single Point Support Kit		$2,623.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT374642	Foot Throttle Removal Kit		$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT431921	Hazard Warning Lights		$131.00
AT427686	Block Heater Kit		$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

330G SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0BC2T	330G SKID STEER	1	$75,375.00

330G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction

Copyright © 2022 Deere Company. All Rights Reserved.

Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,000 lbs. (1,362 kg)
Tipping Load 6,000 lbs. (2,724 kg)
Hydraulic Pump Flow 24 gpm (91 L/m)
Machine Operating Weight 9,950 lbs. (4,517 kg)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Width without Attachment 78 in. (1.98 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 9,950 lbs. (4,517 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BC2T	330G SKID STEER	1	$75,375.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.		No Added Cost
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		$6,592.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,232.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2070	12x16.5 10 PR Titan HD2000-II Provides 73.2 in. machine width.		($803.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 73.5 in. machine width.		($1,306.00)
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		$485.00
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2410	12x16.5 Brawler Treaded SolidFlex Provides 73.3 in. machine width. Not compatible with steel tracks.		$1,350.00
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		$2,875.00
2440	12x16.5 12 PR Galaxy Hulk Provides 73.75 in. machine width.		($480.00)
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		$1,000.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,454.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$869.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,534.00
	Radio		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		$3,087.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Miscellaneous — Field Installed Attachments - Optional		
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
8530	Power Quik-Tatch for Canopy Units		$740.00
	G.R.Mfg. — Field Installed Attachments - Optional		
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10946	Light Guard Kit		$360.00
BYT10945	Bottom Covers & Reinforcement Plates		$498.00
BYT10947	Bucket Cylinder Rod Guard		$576.00
BYT10913	Bucket Cylinder Rod Guard		$520.00
BYT10943	Bumper, Rear w/o Deflectors		$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$820.00
BYT10261	Guard, Rear Bumper		$1,804.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$242.00
BYT10258	Rear Window/Side Window Cab Guards		$1,004.00
BYT12304	Wiper Blade and Arm Guard		$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$6,611.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$721.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10227	Standard Door		$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		$459.00
BYT10039	Fluid Sampling Field Kit		$175.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10050	Hazard Warning Lights Hardware Mounted		$131.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10059	SMV Sign		$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT439117	Engine Air Pre-Cleaner Kit		$471.00
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT439115	Block Heater Kit		$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
AT469520	Single Point Lift System		$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$281.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,545.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$860.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11971	LF G Foot Throttle Removal		$54.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		$611.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		$459.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$1,396.00
	RUST PROTECTION		
	Rust Protection	Field Installed Attachments - Optional	
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

332G SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0BD2T	332G SKID STEER	1	$87,088.00

332G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction

Copyright © 2022 Deere Company. All Rights Reserved.

Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,600 lbs. (1,633 kg)
Tipping Load 7,200 lbs. (3,266 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BD2T	332G SKID STEER	1	$87,088.00
	PACKAGES		
	Packages	Basic Factory Options - Required	
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		No Added Cost
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$4,589.00
	ENGINE		
	Cold Start Packages	Field Installed Attachments - Optional	
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	Air Pre-Cleaner	Field Installed Attachments - Optional	
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals	Basic Factory Options - Required	
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		No Added Cost
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		($485.00)
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		$2,390.00
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		$515.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,454.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness		$217.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Shoulder harness required with a cab package.		
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Rear Camera	Field Installed Attachments - Optional	
8042	Rear View Camera Includes 5" LCD monitor.		$869.00
	ONBOARD GRADE INDICATION	Field Installed Attachments - Optional	
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,534.00
	Radio	Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9410	90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)		$3,960.00
9415	90 in. SD Tooth Bucket (22.4 cu. ft.)		$3,944.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		$3,087.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		$3,960.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		$3,944.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10913	Bucket Cylinder Rod Guard		$520.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$820.00
BYT10261	Guard, Rear Bumper		$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$242.00
BYT10258	Rear Window/Side Window Cab Guards		$1,004.00
BYT12304	Wiper Blade and Arm Guard		$184.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$6,611.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$721.00
	Kits & Accessories	Field Installed Attachments - Optional	
BYT10227	Standard Door		$1,062.00
BYT10039	Fluid Sampling Field Kit		$175.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		$459.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10050	Hazard Warning Lights Hardware Mounted		$131.00
BYT10059	SMV Sign		$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00
AT439117	Engine Air Pre-Cleaner Kit		$471.00
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT439115	Block Heater Kit		$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
AT469520	Single Point Lift System		$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$281.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$54.00
BYT11957	LF G Reversing Fan Field Kit		$860.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		$611.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		$459.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,545.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$1,396.00
	RUST PROTECTION		
	Rust Protection	Field Installed Attachments - Optional	
9909	Rust Preventative		$163.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

17G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0010FF	17G Compact Excavator	1	$38,410.00

ENGINE:
Yanmar 3TNV74F 3-61.0 cu. in. (0.99 l)
14.5 ISO9249 Net HP (10.8 kW)
Certified to EPA Tier 4 Final
Engine Coolant
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Foot Control
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom

UNDERCARRIAGE:
9.1 in. (230 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Travel
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 50 degree right rotation)
ROPS/OPG/FOPS Canopy
Work light, mounted on Boom
Counterweight 265 lb. (120 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. (1.82 m)
Arm 3 ft. 1 in. (0.93 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with: Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator
Light Switch with "On" Indicator
Two Travel Modes with Foot Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat

Code	Description	QTY	List Price (USD)
0010FF	17G Compact Excavator	1	$38,410.00

FRAME	
Arm	Field Installed Attachments - Optional
COLOR	
Color	Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10960	16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)		$616.00
BYT10961	18 In. (457 mm) Heavy Duty Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included)		$667.00
BYT10958	9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft.		$508.00
BYT10959	12 In. (305 mm) Heavy Duty Bucket; 0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included)		$567.00
BYT10922	30 in. (762 mm) Ditch Cleaning Bucket. 2.5 Cu.Ft, (0.073m3), with Bolt on Cutting Edge		$926.00
	MISCELLANEOUS		
	Interface Adapters		Field Installed Attachments - Optional
AT306179	Interface Adapter for 17 ZTS		$475.00
	G.R.Mfg.		Field Installed Attachments - Optional
BYT10076	Front Screen, Cab (GR#705923) (17 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$898.00
	Miscellaneous		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit		$111.00
	Clamps		Field Installed Attachments - Optional
AT451118	Hydraulic GREY Clamp Works with quick coupler buckets (excluding Heavy Duty). Does not include hydraulic couplers on hoses.		$1,828.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

26G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0020FF	26G Compact Excavator	1	$44,955.00

ENGINE:
Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)
Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Alternator Charge Warning Light Engine Coolant Warning Light and Alarm Engine Oil Pressure Warning Light Travel Mode Indicator Fuel Gauge and Warning Light Engine Preheat Indicator Light Switch with "On" Indicator Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet Operator manual storage in back of seat Propel Levers and Foldable Pedals		
0020FF	26G Compact Excavator	1	$44,955.00
	FRAME		
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab With Heater. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$4,266.00
	Seat		Field Installed Attachments - Optional
	COLOR		
	Color		Field Installed Attachments - Optional
	BUCKETS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
BYT10972	24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$2,697.00
BYT10971	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$2,493.00
BYT10965	30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)		$1,036.00
BYT10963	18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)		$823.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$894.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$787.00
	MISCELLANEOUS		
	Clamps		Field Installed Attachments - Optional
BYT11919	Hydraulic Gray Clamp Works with machines equipped with aux selector valve, JD26G / ZX26 SN 264782 or greater. For installation on JD26G / ZX26 SN 264781 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details.		$1,938.00
	Miscellaneous		Field Installed Attachments - Optional
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit		$111.00
AT495180	Front Screen, Canopy (GR#706024) (26 CE)		$584.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy		
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 264782		$166.00
	Interface Adapters	Field Installed Attachments - Optional	
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter		$690.00
	G.R.Mfg.	Field Installed Attachments - Optional	
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$786.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

30G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0100FF	30G Compact Excavator	1	$56,311.00

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing
With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
4 ft. 11 in. (1.5 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	One Mounted on Boom Counterweight 723 lb. (328 kg.) FRONT ATTACHMENTS: Boom 7 ft. 6 in. (2.28 m) Arm 3 ft. 8 in. (1.17 m) Mechanical Quick Coupler OPERATOR'S STATION: Electronic Throttle Control with Auto Idle Vinyl Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0100FF	30G Compact Excavator	1	$56,311.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 300 mm (12 in.) Track		No Added Cost
	FRAME		
	Arm		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7110	Standard Arm 3 ft. 10 in.(1.17m)		No Added Cost
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		$6,243.00
	Seat		Basic Factory Options - Required
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$29.00
	Seat		Field Installed Attachments - Optional
	COLOR		
	Color		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	DESTINATION AND LANGUAGE		
	Shipping Preparation		Field Installed Attachments - Optional
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
BYT10972	24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$2,697.00
BYT10971	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$2,493.00
BYT10965	30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)		$1,036.00
BYT10963	18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)		$823.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$894.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$787.00
	MISCELLANEOUS		
	Clamps		Field Installed Attachments - Optional
BYT11548	Hydraulic Gray Clamp JD30G / ZX30: Works with machines equipped with aux selector valve, SN 266590 or greater. For installation onto JD30G / ZX30 machines SN 266589 or less, see DTAC solution 116315 for additional parts and details. JD35G / ZX35: Works with machines equipped with aux selector valve, Long Arm (7120) SN 285875 or greater, STND Arm (7110) SN 286100 or greater. For installation onto JD35G / ZX35 Long arm (7120) SN 285874 or less, Standard Arm (7110) SN 286099 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - see DTAC Solution 118369 for details.		$2,345.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)

If For Paladin Customworks Install, order AT349584 Installation Fee.

	Miscellaneous	Field Installed Attachments - Optional
BYT10142	Auxiliary Hydraulic Quick Disconnect Kit	$111.00
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 266590	$166.00
	G.R.Mfg.	Field Installed Attachments - Optional
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.	$610.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.	$786.00
	Interface Adapters	Field Installed Attachments - Optional
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter	$690.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

35G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0050FF	35G Compact Excavator	1	$61,558.00

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing
With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
5 ft. 8 in. (1.74 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	One Mounted on Boom Counterweight 1190 lb. (540 kg.) FRONT ATTACHMENTS: Boom 8 ft. (2.45 m) Arm 4 ft. 4 in. (1.32 m) Mechanical Quick Coupler OPERATOR'S STATION: Electronic Throttle Control with Auto Idle Vinyl Seat with Fore/Aft Adjustment 2 in. Retractable Seat Belt Horn Hour Meter Instrumentation Lights Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator Foldable Propel Pedals and Levers Two Travel Modes with Automatic Shifting and Speed Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0050FF	35G Compact Excavator	1	$61,558.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 300 mm (12 in.) Track		No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes Long lead-time item; contact Order Fulfillment for availability. 300 mm (12 in.) Track		$1,072.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 4 in. (1.32 m).		No Added Cost
7120	Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg).		$1,503.00
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost
8185	ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		$6,243.00
	Seat		Basic Factory Options - Required
4140	Standard Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$29.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	BLADE		
	Blade	Field Installed Attachments - Optional	
9555	Angle Blade		$3,191.00
	COLOR		
	Color	Field Installed Attachments - Optional	
	DESTINATION AND LANGUAGE		
	Shipping Preparation	Field Installed Attachments - Optional	
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
BYT10973	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of 18” Bucket BYT10966 * Price includes a 5% discount from individual buckets' price		$2,782.00
BYT10974	24 in. (610 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of 24” Bucket BYT10967 * Price includes a 5% discount from individual buckets' prices		$3,496.00
BYT10968	30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included)		$1,036.00
BYT10966	18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included)		$906.00
BYT10969	36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included)		$1,268.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10967	24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included)		$1,038.00
BYT10970	34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth)		$1,333.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)		$894.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164		$787.00
BYT11907	12 in. (305 mm) Heavy Duty, 1.5 cu. ft. (0.04 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,033.00
BYT11910	34 in. (863 mm) Ditching, 5.9 cu. ft. (0.17 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,287.00
BYT11909	24 in. (610 mm) Heavy Duty, 4.0 cu. ft. (0.11 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$1,080.00
BYT11908	18 in. (457 mm) Heavy Duty, 2.8 cu. ft. (0.08 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35		$984.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT442164	Hydraulic Quick Coupler Works with John Deere 35 quick coupler buckets only.		$2,645.00
BYT12093	35 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb. Only compatible with coupler length thumb - BYT11993.		$5,103.00
	MISCELLANEOUS		
	G.R.Mfg.	Field Installed Attachments - Optional	

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$610.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$786.00
	Interface Adapters	Field Installed Attachments - Optional	
AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter		$690.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - Std Arm - 286115 Serial No. Break - Long Arm - 285875		$166.00
BYT12376	Pin Kit - Pin Grabber Coupler Attachments - 35 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$95.00
	Clamps	Field Installed Attachments - Optional	
BYT11548	Hydraulic Gray Clamp JD30G / ZX30: Works with machines equipped with aux selector valve, SN 266590 or greater. For installation onto JD30G / ZX30 machines SN 266589 or less, see DTAC solution 116315 for additional parts and details. JD35G / ZX35: Works with machines equipped with aux selector valve, Long Arm (7120) SN 285875 or greater, STND Arm (7110) SN 286100 or greater. For installation onto JD35G / ZX35 Long arm (7120) SN 285874 or less, Standard Arm (7110) SN 286099 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - see DTAC Solution 118369 for details. If For Paladin Customworks Install, order AT349584 Installation Fee.		$2,345.00
BYT11993	THUMB, 35G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$2,466.00

and other dealer
availability, and
specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

50G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0060FF	50G Compact Excavator	1	$84,194.00

ENGINE:
Yanmar 4TNV88 (2.19 l)
35.9 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS Canopy
Toolbox
Vandal Locks for: Service Doors
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Counterweight 1543 lb. (700 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 2 in. (2.8 m)
Arm 4 ft. 6 in. (1.38 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with: Engine Preheat Indicator Engine Oil Pressure Indicator Alternator Voltage Indicator Fuel Gauge and Level Indicator Engine Coolant Temperature Gauge and Indicator Hour Meter Operating Lights Switch Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Selection Switch Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0060FF	50G Compact Excavator	1	$84,194.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 400 mm (16 in.) Track		No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes Long lead-time item; contact Order Fulfillment for availability. 400 mm (16 in.) Track		$2,025.00
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 6 in. (1.38 m).		No Added Cost
7120	Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 5 ft. 7 in. (1.69 m) and Extra Counterweight 474 lbs (215 kg).		$1,541.00
	Arm		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8185	ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		$6,243.00
	Seat		Basic Factory Options - Required
4140	Standard Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4145	Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).		No Added Cost
4150	Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		$29.00
	BLADE		
	Blade		Field Installed Attachments - Optional
9555	Angle Blade		$3,394.00
	COLOR		
	Color		Field Installed Attachments - Optional
	DESTINATION AND LANGUAGE		
	Shipping Preparation		Field Installed Attachments - Optional
	BUCKETS		
	Buckets		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11001	24 in. (610 mm) Heavy Duty Bucket Bundle (TF23 Series Teeth included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$4,136.00
BYT10998	18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price		$4,044.00
BYT10999	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$3,677.00
BYT10984	36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 TK Teeth Included)		$1,604.00
BYT10980	24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. (0.15 Cu. M) (4 TK Teeth Included)		$1,315.00
BYT10986	36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth)		$1,532.00
BYT10983	30 in. (762 mm) Heavy Duty Bucket; 6.8 cu. ft. (0.19 cu. m) (5 Teeth Included)		$1,556.00
BYT10981	24 in. (610 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.15 cu. m) (4 Teeth Included)		$1,350.00
BYT10976	12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. (0.06 Cu. M) (3 TK Teeth Included)		$1,076.00
BYT10977	12 in. (305 mm) Heavy Duty Bucket; 2.1 cu. ft. (0.06 cu. m) (3 Teeth Included)		$1,105.00
BYT10985	36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 Teeth Included)		$1,655.00
BYT10979	18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)		$1,205.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10978	18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)		$1,171.00
BYT11000	24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth Included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		$4,136.00
BYT10982	30 in. (762 mm) Heavy Duty Bucket; 6.8 Cu. Ft. (0.19 Cu. M) (5 TK Teeth Included)		$1,505.00
BYT11914	36 in. (914 mm) Ditching, 8.3 cu. ft. (0.24 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,530.00
BYT11911	12 in. (305 mm) Heavy Duty, 2.1 cu. ft. (0.06 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,198.00
BYT11913	24 in. (610 mm) Heavy Duty, 5.2 cu. ft. (0.15 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,419.00
BYT11912	18 in. (457 mm) Heavy Duty, 3.6 cu. ft. (0.11 cu. m), 50 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,289.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT452082	Hydraulic Quick Coupler Works with John Deere 50 quick coupler buckets only.		$2,949.00
BYT12094	50 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb - BYT11994.		$5,535.00
	MISCELLANEOUS		
	Interface Adapters	Field Installed Attachments - Optional	
AT306177	50/60 G/ZX Quick Change Adapter		$748.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	G.R.Mfg.	Field Installed Attachments - Optional	
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$610.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$786.00
BYT12747	Front Window Guard, Polycarbonate 1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 50G with Cab.		$2,710.00
	Clamps	Field Installed Attachments - Optional	
BYT11748	Hydraulic GREY Clamp JD50G / ZX50: Works with machines equipped with aux selector valve, SN 291400 or greater. For installation on JD50G / ZX50 machines SN 291399 and lower, see DTAC solution 116315. JD60G / ZX60: Works with machines equipped with aux selector valve, SN 291500 or greater. For installation on JD60G / ZX60 machines SN 291499 and lower, see DTAC solution 116315. Not Compatible with 12" buckets. If using with one way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. For Paladin Customworks Install, order AT349584 Installation Fee.		$2,306.00
BYT11994	THUMB, 50G/60G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$1,995.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Works with machines equipped with aux selector valve, Long Arm (7120) SN 291400 or greater, STND Arm (7110) SN 291400 or greater.		$166.00
BYT12377	Pin Kit - Pin Grabber Coupler Attachments - 50/60 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$122.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

60G Compact Excavator

27-Jun-2022

Code	Description	QTY	List Price (USD)
0071FF	60G Compact Excavator	1	$96,060.00

ENGINE:
Yanmar 4TNV98 (3.3 l)
53 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing
with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom
Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with
Release Under Pressure
Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Reduced Tail Swing Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(80 degree left and 60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1642 lb. (745 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Air Conditioning and Heat
Electronic Throttle Control
with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with
Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure
Indicator
Alternator Voltage
Indicator
Fuel Gauge and
Level Indicator
Engine Coolant
Temperature Gauge
and Indicator
Hour Meter
Operating Lights Switch
Operating Lights
Indicator
Foldable Propel Pedals and
Levers
Two Travel Modes with
Automatic Shifting And Speed
Selection Switch

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Motion Alarm with Cancel Switch Cupholder 12 Volt Cell Phone Outlet		
0071FF	60G Compact Excavator	1	$96,060.00
	WHEELS, TIRES AND TRACKS		
	Tracks		Basic Factory Options - Required
3125	Rubber Track 400 mm (16 in.) Track		No Added Cost
3128	Steel Track with Triple Semi-Grouser Shoes Long lead-time item; contact Order Fulfillment for availability. 400 mm (16 in.) Track		$2,025.00
	FRAME		
	Arm		Basic Factory Options - Required
7110	Standard Arm 4 ft. 11 in. (1.50 m).		No Added Cost
7120	Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).		$1,781.00
	Arm		Field Installed Attachments - Optional
	Miscellaneous		Field Installed Attachments - Optional
	OPERATOR'S STATION AND CONTROLS		
	Canopy or Cab		Basic Factory Options - Required
8150	ROPS / FOPS Canopy		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8185	ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		$6,243.00
	BLADE		
	Blade	Field Installed Attachments - Optional	
9555	Angle Blade		$5,023.00
	COLOR		
	Color	Field Installed Attachments - Optional	
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
BYT10995	36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M.) (6 TK Teeth Included)		$1,838.00
BYT10989	18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)		$1,499.00
BYT10987	13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)		$1,340.00
BYT10997	42 in. (946 mm) Ditch Cleaning Bucket; 9.6 Cu. Ft. (0.26 Cu. M.) (No Teeth)		$1,529.00
BYT10996	36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M.) (6 TF Teeth Included)		$1,996.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10991	24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M.) (5 TK Teeth Included)		$1,669.00
BYT10988	13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TF Teeth Included)		$1,372.00
BYT10992	24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M.) (5 TF Teeth Included)		$1,735.00
BYT10994	30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M.) (5 TF Teeth Included)		$1,575.00
BYT10990	18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M.) (4 TF Teeth Included)		$1,557.00
BYT11916	18 in. (457 mm) Heavy Duty, 5.5 cu. ft. (0.16 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,734.00
BYT11915	13 in. (330 mm) Heavy Duty, 3.3 cu. ft. (0.09 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,420.00
BYT11917	24 in. (610 mm) Heavy Duty,7.5 cu. ft. (0.21 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,889.00
BYT11918	42 in. (1067 mm) Ditching, 9.6 cu. ft. (0.27 cu. m), 60 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12377 - Pin Kit - Pin Grabber Coupler Attachments - 50/60		$1,854.00
	HYDRAULICS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT452558	Hydraulic Quick Coupler Works with John Deere series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.		$3,018.00
BYT12095	60 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb - BYT11994.		$5,559.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Interface Adapters	Field Installed Attachments - Optional	
AT306177	50/60 G/ZX Quick Change Adapter		$748.00
	G.R.Mfg.	Field Installed Attachments - Optional	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.		$786.00
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.		$610.00
BYT12748	Front Window Guard, Polycarbonate 1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 60G with Cab.		$2,760.00
	Clamps	Field Installed Attachments - Optional	
BYT11748	Hydraulic GREY Clamp JD50G / ZX50: Works with machines equipped with aux selector valve, SN 291400 or greater. For installation on JD50G / ZX50 machines SN 291399 and lower, see DTAC solution 116315. JD60G / ZX60: Works with machines equipped with aux selector valve, SN 291500 or greater. For installation on JD60G / ZX60 machines SN 291499 and lower, see DTAC solution 116315. Not Compatible with 12" buckets. If using with one way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. For Paladin Customworks Install, order AT349584 Installation Fee.		$2,306.00
BYT11994	THUMB, 50G/60G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE		$1,995.00
	Miscellaneous	Field Installed Attachments - Optional	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Works with machines equipped with aux selector valve, Long Arm (7120) SN 291500 or greater, STND Arm (7110) SN 291500 or greater.		$166.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12377	Pin Kit - Pin Grabber Coupler Attachments - 50/60 Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine.		$122.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

317G COMPACT TRACK LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
06L2T	317G COMPACT TRACK LOADER	1	$68,312.00

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)

Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.99 m (78.5 in.)
Height to hinge pin - 3.07 m (121 in.)

Warranty (US and Canada):
John Deere 2 years/2000 hours

06L2T	317G COMPACT TRACK LOADER	1	$68,312.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0730	EH, Open ROPS, Manual QT, SL, 1spd, Att Perf		No Added Cost
	Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
0735	EH, Cab/Heat/AC, Power QT, SL, 1spd, Att Perf		$5,385.00
	Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
0760	EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 1spd, Att Perf, LED lights		$7,080.00
	Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, single speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package		$310.00
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
	DESTINATION AND LANGUAGE		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	Export Codes		Field Installed Attachments - Optional
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2500	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks Provides 65 in. machine width (narrow stance).		No Added Cost
2510	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks Provides 68 in. machine width (wide stance).		No Added Cost
2550	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 65 in. machine width (narrow stance).		$205.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2570	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 68 in. machine width (wide stance).		$205.00
2600	Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks Provides 71 in. machine width (wide stance).		$1,462.00
2645	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks Provides 71 in. machine width (wide stance).		$1,667.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
6000	Seat (Vinyl)		($410.00)
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Radio	Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Keyless Start	Field Installed Attachments - Optional	
8395	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$408.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		$1,749.00
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00
	Buckets	Field Installed Attachments - Optional	
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,399.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,502.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,514.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$1,763.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,102.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$1,749.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
	Tooth Bars	Field Installed Attachments - Optional	
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.		$383.00
8305	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.		$765.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8530	Power Quik-Tatch for Canopy Units		$740.00
	Kits & Accessories	Field Installed Attachments - Optional	
KV26958	SMV Sign		$80.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446202	Hazard Warning Lights		$131.00
AT446201	Warning Beacon		$222.00
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		$611.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,377.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)

Only compatible with machines serial number 366357 and higher.

BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	$387.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.	$185.00
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).	$51.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.	$471.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.	$115.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.	$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.	$52.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.	$525.00
BYT11443	Vinyl Cab Enclosure Kit	$927.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	$108.00
BYT12233	Glass Cab Door Field Kit Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS	$729.00
T385220	72 in. Bolt-on Serrated Cutting Edge	$372.85

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
T394966	66 in. Bolt-on Serrated Cutting Edge		$293.25
T385219	78 in. Bolt-on Serrated Cutting Edge		$389.93
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10500	Rear Bumper Guard (for Serial # upto 366358)		$1,720.00
BYT12107	Rear Bumper Guard (for serial # after 366358)		$1,742.00
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

325G COMPACT TRACK LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
00D2T	325G COMPACT TRACK LOADER	1	$75,750.00

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2022 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)
Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
00D2T	325G COMPACT TRACK LOADER	1	$75,750.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		$5,314.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$9,644.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$10,593.00
	ENGINE		
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged - FT4 Required for the United States and Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		$2,718.00
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package		$310.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals		No Added Cost
1503	English Operator's Manual and No Text Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1512	French Operator's Manual and No Text Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
1516	Spanish Operator's Manual and No Text Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2500	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks Provides 71.5 in. machine width.		No Added Cost
2550	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 71.5 in. machine width.		$205.00
2600	Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.		$1,462.00
2645	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.		$1,667.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,058.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$869.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9040	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		$2,266.00
	Buckets	Field Installed Attachments - Optional	
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		$1,915.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		$1,665.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		$1,502.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		$1,920.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		$1,692.00
	Tooth Bars	Field Installed Attachments - Optional	
KV11598	72 in. Tooth Bar - 7 Teeth		$562.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		$808.00
	WEIGHTS AND BALLASTING		
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8530	Power Quik-Tatch for Canopy Units		$740.00
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173		

Copyright © 2022 Deere Company. All Rights Reserved.

Phone: (800)841-8001 Fax: (205)655-8005

BYT10946	Light Guard Kit	$360.00
BYT10947	Bucket Cylinder Rod Guard	$576.00
BYT10945	Bottom Covers & Reinforcement Plates	$498.00
BYT10948	Lift Cylinder Hose Guards	$452.00
BYT10943	Bumper, Rear w/o Deflectors	$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	$820.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	$220.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	$964.00

Kits & Accessories — Field Installed Attachments - Optional

BYT10679	HD Rear Grille Provides protection to cooling package.	$611.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	$471.00
BYT10313	Backhoe Attachment Mounting Kit	$291.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10647	Attachment Control 3 & 14 pin attachment connector		$706.00
BYT10680	SMV Sign		$80.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10641	Fluid Sampling Field Kit		$134.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10650	SSM - Use with EH Controls		$185.00
BYT10227	Standard Door		$1,062.00
BYT10843	Single Point Support Kit		$2,623.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10356	Field Kit, Reversing Fan		$860.00
BYT10168	Boom Mounted Mirrors		$78.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10062	Radio Field Kit		$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT374642	Foot Throttle Removal Kit		$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		$335.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT431921	Hazard Warning Lights		$131.00
AT427686	Block Heater Kit		$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

331G COMPACT TRACK LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0BE2T	331G COMPACT TRACK LOADER	1	$90,974.00

331G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2022 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,100 lbs. (1,407 kg)
Tipping Load 8,857 lbs. (4,022 kg)
Hydraulic Pump Flow 24 gpm (91 L/m)
Travel Speed Low 6 mph (9.7 km/h)
Travel Speed High 8 mph (12.9 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 78.9 in. (2.00 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 11,800 lbs. (5,357 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BE2T	331G COMPACT TRACK LOADER	1	$90,974.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.		No Added Cost
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		$6,592.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		$10,232.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		No Added Cost
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$283.00
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$488.00
	OPERATOR'S STATION AND CONTROLS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		$2,454.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		$869.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,534.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		$147.00
	BUCKETS		

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		$3,087.00
	Buckets		Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,087.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional	
8530	Power Quik-Tatch for Canopy Units		$740.00
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
	G.R.Mfg.	Field Installed Attachments - Optional	

Copyright © 2022 Deere Company. All Rights Reserved.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.
G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001 Fax: (205)655-8005

BYT10946	Light Guard Kit	$360.00
BYT10945	Bottom Covers & Reinforcement Plates	$498.00
BYT10947	Bucket Cylinder Rod Guard	$576.00
BYT10913	Bucket Cylinder Rod Guard	$520.00
BYT10943	Bumper, Rear w/o Deflectors	$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	$820.00
BYT10261	Guard, Rear Bumper	$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler	$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779	$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	$964.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10259	Guard, Front Single and Dual Rear Worklights		$242.00
BYT10258	Rear Window/Side Window Cab Guards		$1,004.00
BYT12304	Wiper Blade and Arm Guard		$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$6,611.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$721.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		$459.00
BYT10039	Fluid Sampling Field Kit		$175.00
BYT10767	On-Board Grade Indication		$1,545.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10227	Standard Door		$1,062.00
BYT10050	Hazard Warning Lights Hardware Mounted		$131.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10059	SMV Sign		$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT469520	Single Point Lift System		$2,571.00
AT439115	Block Heater Kit		$115.00
AT439117	Engine Air Pre-Cleaner Kit		$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$281.00
BYT11997	4-Way Switchable Control Field Kit		$1,049.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$54.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,545.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		$459.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		$611.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$860.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines.		$202.00

Copyright © 2022 Deere Company. All Rights Reserved.

Hardware for mounting JDLink MTG terminal (does not include MTG).

BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout	$1,396.00

RUST PROTECTION

Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

333G COMPACT TRACK LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0BF2T	333G COMPACT TRACK LOADER	1	$108,725.00

333G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged

Copyright © 2022 Deere Company. All Rights Reserved.

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)
Travel Speed 8 mph (12.9 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Top and Rear Windows Water Shedding Deluxe Seating Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours		
0BF2T	333G COMPACT TRACK LOADER	1	$108,725.00
	PACKAGES		
	Packages		Basic Factory Options - Required
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		No Added Cost
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		$4,589.00
	ENGINE		
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		$465.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		$1,777.00
	Grade Control		Field Installed Attachments - Optional
8503	SmartGrade™ Ready including Slope Control and Blade SmartGrade Ready includes Dozer Blade, harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation and a future upgrade to SmartGrade 3D Mastless Grade Control using a field kit. Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7” color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500) or SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade (8504).		$19,737.00
8504	SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7” color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500), or SmartGrade™ Ready indlucing Slope Control and Blade (8503). SmartGrade includes 96” 6-Way Dozer Blade, fully integrated harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation controls as well as 3D Mastless Grade Control. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.		$95,395.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	UNDERCARRIAGE		
	Track		Basic Factory Options - Required
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		($251.00)
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		No Added Cost
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		$205.00
	Undercarriage		Field Installed Attachments - Optional
8325	Anti-Vibration Undercarriage System Provides undercarriage isolation from the machine mainframe for reduced track vibration, smooth ride, and more material retention. Also includes an integrated bogie roller system for smooth transitions over peaks.		$6,950.00
	OPERATOR'S STATION AND CONTROLS		
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.		$2,454.00

Copyright © 2022 Deere Company. All Rights Reserved.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	$639.00
	Seat Belt	Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	$271.00
	Rear Camera	Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.	$869.00
	ONBOARD GRADE INDICATION	Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		$1,534.00
	Radio	Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Floor Mat	Field Installed Attachments - Optional	
8380	Footrest with Floormat		$147.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
9410	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		$3,960.00
9415	90 in. SD Tooth Bucket (22.4 cu. ft.)		$3,944.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		$3,087.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		$2,234.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		$3,944.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		$3,960.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		$2,188.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		$2,165.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		$2,266.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		$2,069.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		$1,760.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		$1,839.00
	Tooth Bars	Field Installed Attachments - Optional	
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		$750.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
KV12296	78 in. Tooth Bar - 8 Teeth		$616.00
	WEIGHTS AND BALLASTING		
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		$1,148.00
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		$497.00
8525	Cab Severe Duty Polycarbonate Door		$2,248.00
	G.R.Mfg.		Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
BYT10913	Bucket Cylinder Rod Guard		$520.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		$820.00
BYT10261	Guard, Rear Bumper		$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		$242.00
BYT10258	Rear Window/Side Window Cab Guards		$1,004.00
BYT12304	Wiper Blade and Arm Guard		$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		$6,611.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		$721.00
	Kits & Accessories — Field Installed Attachments - Optional		
BYT10227	Standard Door		$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		$459.00
BYT10039	Fluid Sampling Field Kit		$175.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		$3,169.00
BYT10050	Hazard Warning Lights Hardware Mounted		$131.00
BYT10048	Beacon Warning Light Magnetic Base		$329.00
BYT10059	SMV Sign		$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.		$611.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT466358	Backhoe Attachment Mounting Kit		$122.00
AT469520	Single Point Lift System		$2,571.00
AT439115	Block Heater Kit		$115.00
AT439117	Engine Air Pre-Cleaner Kit		$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		$54.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
AT419446	Joystick Pod Mounted Throttle		$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		$281.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		$459.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$1,545.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern)		$1,049.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$860.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		$54.00
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		$611.00
BYT11681	SG96 DOZER BLADE ATTACHMENT HOOKS		$230.00
BYT11682	SG96 DOZER BLADE BOX ENDS Additional Box End Attachments Converts Dozer Blade into Box Blade Requires Dozer Blade Attachments Hooks for mounting (BYT11681)		$2,303.00
BYT11683	SG96 DOZER BLADE SCARIFIER Additional Scarifier/Ripper Attachment Converts Dozer Blade into Scarifier/Ripper Requires Dozer Blade Attachments Hooks for mounting (BYT11681)		$2,928.00
BYT11620	SmartGrade JDLink Hardware Kit - SSL/CTL Use ONLY with 333G SmartGrade. This Enables SmartGrade Remote support. Includes Integration harness and ethernet harness. Machine Must be equipped with JDLink Option (170C or 170K) or will require the MTG field kit. Hardware for mounting JDLink MTG terminal (does not include MTG).		$694.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality		$1,396.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		$202.00
BYT12332	Grade Control Laser Mast Field Kit for CTL		$2,000.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	This field kit includes two masts, two top brackets, and all appropriate mounting bolts that enable installation of the laser receivers on the CTL blade.		
	RUST PROTECTION		
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

204L FOUR WHEEL DRIVE LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0AD0T	204L FOUR WHEEL DRIVE LOADER	1	$90,593.00

204L Standard Equipment

ENGINE:
Yanmar 4TNV98
61 SAE Net Horsepower (45 kW)
Isolation Mounted
Meets EPA Final Tier 4
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
Muffler, Under Hood, with
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
18 GPM (70 L/Min) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:

Copyright © 2022 Deere Company. All Rights Reserved.

Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with 2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Charge Pressure Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential 45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
Park Brake Actuated Forward-Reverse Travel I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)

Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

0AD0T	204L FOUR WHEEL DRIVE LOADER	1	$90,593.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	OPERATOR'S STATION AND CONTROLS		
	Operator's Station		Basic Factory Options - Required
8419	Canopy Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.		No Added Cost
8422	Cab with Heater & Air Conditioner Fresh air heater, defroster, and pressurizer Headliner, floor mat, and insulated floor Tinted safety glass, front and rear Intermittent front and rear wipers and washers Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386) One interior rear view convex mirror Two exterior convex mirrors Integral front sun visor		$11,945.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98 3.3 L 4 Cylinder Naturally Aspirated 63 Gross HP (48 kW) 61 Net HP (45 kW) Meets EPA Final Tier 4 Emissions		$3,976.00
	HYDRAULICS		
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,040.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.		$1,219.00
4025	Mitas EM01 This tire option gives total machine height of 8 ft (2445 mm) for cab option and total machine height of 7 ft 11 inches (2421 mm) for the canopy option. 365/70R18		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.		$2,227.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7110	Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy		No Added Cost
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$2,440.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Replace kit AT321215		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
AT438075	Beacon Light For use with Cab code 8422		$510.00
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
AT427686	Block Heater Kit		$115.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
AT452289	ISO Coupler Kit 204L/304L		$1,713.00
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch)		$3,964.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,484.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,063.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$2,870.00
	HYDRAULIC COUPLERS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,500.00
	FORK TINES		
	Fork Tines	Field Installed Attachments - Optional	
BYT10092	Class 3 Fork Frame with 60” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		$2,726.00
BYT10083	Class 3 Fork Frame with 48” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		$2,485.00

Manufacturer’s Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

244L- FOUR WHEEL DRIVE LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0AF0T	244L- FOUR WHEEL DRIVE LOADER	1	$118,646.00

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery totaling 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button)
Locking Front Differential
and Rear Standard Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28
Degrees in Each Direction)
Plus an Additional 26 Degree
Rear Wheel Steer

HYDRAULIC SYSTEM:
17 GPM (65 L/Min) Engine
Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab,
heat and air conditioning standard.
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471, ISO 3449)
Steel Roof
Left and Right Side Access
Walk Through Cab
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric, Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission
Oil Temperature
Indicator Lights:
Engine Air Filter
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Hourmeter
Speedometer

Copyright © 2022 Deere Company. All Rights Reserved.

Actuated, Self Adjusting
internal Wet Disc Brake and
Driveline Drum Brake
Park Brake; Automatic
Spring-Applied,
Hydraulic-Released
internal Wet Disc Brake

Fuel Gauge
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview
Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors
(Conforms to SAE J985)
Built-In Operator's Manual
Storage Compartment
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for
Boom and Bucket and 3rd function electrohydraulic mini
joystick built in
Boom Float
Return to Dig Feature
Loader Boom Service Lock
(Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin
(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking For:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm
(Conforms to SAE J994, J1446)
Contact DMAC for Foam Filled or Solid Tire Applications

0AF0T	244L- FOUR WHEEL DRIVE LOADER	1	$118,646.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
2210	Standard Cloth Seat, Mid-Back, Mechanical Suspension		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
2230	Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar		$2,306.00
	Controls		Basic Factory Options - Required
2410	Standard Control Package Includes Rimpull Control and Inching Pedal.		No Added Cost
2430	Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.		$1,391.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbo-Charged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA Final Tier 4 Emissions		$4,537.00
	HYDRAULICS		
	Hydraulic System and Coupler		Basic Factory Options - Required
2840	Three Function, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		No Added Cost
2842	Three Function w/High Flow Option, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		$4,388.00
28A1	Four Spool Valve (ISO Coupler)		$3,500.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,346.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 9 ft (2743 mm)		$1,219.00
4025	Mitas EM01 365/70R18 This tire option gives total machine height of 8 ft 11 in (2472 mm)		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 9 ft 1 in (2774 mm)		$2,227.00
4035	400/70R20 Michelin Bibload L3 This tire option gives total machine height of 9 ft 1 in (2768 mm)		$2,584.00
40F1	Nokian HakkaPeliitta TRI 400/70R20EM		$2,679.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		$256.00
7140	Less Work Lights (LED Kit Ready)		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
8550	Less Bucket ISO Coupler included.		$1,727.00
	Other Work Tools		Field Installed Attachments - Optional
9200	Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$1,774.00
9420	Front Windshield Guard Long Lead Time Item. For factory equivalent field installed kit please order the following: 244L/324L - BYT10741 344L - BYT11488		$2,201.00
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215		$2,440.00
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
LW9069320	Beacon Light		$206.00
AT337325	Air Intake Pre-cleaner Kit		$182.00
AT427686	Block Heater Kit		$115.00
AT357576	ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments AT357576 ISO Adapter to Quik Tatch Coupler - Adapter for Standard Coupler to use Compact Attachments - For 244L/324L Compact Loader machines not ordered Quik-TatchTM ready from factory, also order: - AT218580 Relay (Quantity 2) - LW12241469 Quik-TatchTM Rocker Switch - LW12834096 Quik-TatchTM Extension Harness - LW12858760 Quik-TatchTM Extension Harness (324L High Lift Machines) - 57M7146 30 A Fuse		$1,584.00
BYT10741	Front Windshield Guard Field Kit For use on 244L and 324L models.		$2,725.00
BYT11761	Creep Control and Throttle Lock Field Kit		$1,443.00
BYT11996	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583) 2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320638 & BYT11584)		$325.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
BYT11225	Reversing Fan (Field Installed)		$2,328.00
BYT11293	Boom Height Kick-Out Boom Height Kick-out		$709.00
BYT10744	JDLINK Ultimate Kit		$999,999.00
	Buckets Couplers & Forks	Field Installed Attachments - Optional	
BYT11760	ISO COUPLER KIT		$1,690.00
	BUCKETS		
	Buckets	Field Installed Attachments - Optional	
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$3,964.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,484.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,063.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		$3,757.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$2,870.00
	HYDRAULIC COUPLERS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,500.00
	FORK TINES		
	Fork Tines	Field Installed Attachments - Optional	
BYT10092	Class 3 Fork Frame with 60” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		$2,726.00
BYT10083	Class 3 Fork Frame with 48” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		$2,485.00

Manufacturer’s Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

304L FOUR WHEEL DRIVE LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0AE0T	304L FOUR WHEEL DRIVE LOADER	1	$104,414.00

304L Standard Equipment

ENGINE:
Yanmar 4TNV98
65 SAE Net Horsepower (48 kW)
Isolation Mounted
Meets EPA Final Tier 4
and EU Stage IIIB
Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and
Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust
Evacuator Valve and
Muffler, Under Hood, with
Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes
Rated Reserve Capacity
Master Electrical Disconnect
Switch
Blade-Type Multi-Fused
Circuits with battery load center bolt down main fuses
Sealed External Electrical
Connections
Electrical Load Center In
Operator Station
Positive Terminal Battery
Cover
Lights (Conforms to SAE J99):
(2) Driving/(2) Front
Working Halogen Lights
(2) Front and (2) Rear
Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
20 GPM (77 L/Min) Engine
Mounted Gear Pump - Open
Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO
3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam,
Fabric,(Cab Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest
Seat, Deluxe Deep Foam,
Vinyl,(Canopy Option) Mechanical
Suspension for Weight/
Height, Fore-Aft
Adjustment, Backrest Tilts
and Adjustable Arm Rest

2 In. (51 mm) Seat Belt with
Retractor (Conforms to
SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:

Copyright © 2022 Deere Company. All Rights Reserved.

Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with 2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)

Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

0AE0T	304L FOUR WHEEL DRIVE LOADER	1	$104,414.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	OPERATOR'S STATION AND CONTROLS		
	Operator's Station		Basic Factory Options - Required
8419	Canopy Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.		No Added Cost
8422	Cab with Heater & Air Conditioner Fresh air heater, defroster, and pressurizer Headliner, floor mat, and insulated floor Tinted safety glass, front and rear Intermittent front and rear wipers and washers Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386) One interior rear view convex mirror Two exterior convex mirrors Integral front sun visor		$11,945.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98 3.3 L 4 Cylinder Naturally Aspirated 68 Gross HP (50 kW) 65 Net HP (48 kW) Meets EPA Final Tier 4 Emissions John Deere PowerTech E 4.5 L		$4,232.00
	HYDRAULICS		
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,040.00
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.		No Added Cost
4025	Mitas EM01 This tire option gives total machine height of 8 ft 2 inches (2495 mm) for cab option and total machine height of 8 ft 1 inch (2471 mm) for the canopy option. 405/70R20		($1,219.00)
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.		$1,058.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required
7110	Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy		No Added Cost
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$2,440.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Replace kit AT321215		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
AT438075	Beacon Light For use with Cab code 8422		$510.00
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
AT427686	Block Heater Kit		$115.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
AT452289	ISO Coupler Kit 204L/304L		$1,713.00
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch)		$3,964.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		
AT413238	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$5,660.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,484.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$2,870.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,063.00
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		$3,757.00
	HYDRAULIC COUPLERS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,500.00
	FORK TINES		
	Fork Tines	Field Installed Attachments - Optional	

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT10083	Class 3 Fork Frame with 48” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		$2,485.00
BYT10092	Class 3 Fork Frame with 60” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		$2,726.00

Manufacturer’s Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

324L - FOUR WHEEL DRIVE LOADER

27-Jun-2022

Code	Description	QTY	List Price (USD)
0AG0T	324L - FOUR WHEEL DRIVE LOADER	1	$134,125.00

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) 12 Volt, 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving / (2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

HYDRAULIC SYSTEM:
Joystick FNR Control with Third Function Control Lever
24 GPM (91 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic Oil Reservoir with Sight Glass

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Front Diff/Lock and Rear Std. Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degree in Each Direction) Plus an Additional 26
Degree Rear Wheel Steer

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console
Steering Wheel with Spinner
Seat, Deep Foam, Fabric, Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests, 2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Fasten Seat Belt
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Fuel Gauge
Speedometer
Hourmeter
Turn Signal and Hazard Lights
High Beam Indicator
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
Two Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment and Manual

Copyright © 2022 Deere Company. All Rights Reserved.

Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig (Bucket Leveling) Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L)
Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Refer to Service Administration Manual for Foam Filled or Solid Tire applications

0AG0T	324L - FOUR WHEEL DRIVE LOADER	1	$134,125.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
2210	Standard Cloth Seat, Mid-Back, Mechanical Suspension		No Added Cost
2230	Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar		$2,306.00
	Controls		Basic Factory Options - Required
2410	Standard Control Package		No Added Cost

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes Rimpull Control and Inching Pedal.		
2430	Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.		$1,391.00
	ENGINE		
	Engine		Basic Factory Options - Required
0924	Engine Yanmar 4TNV98CT 3.3 L 4 Cylinder Turbo-Charged 73 Gross HP (54 kW) 71 Net HP (52 kW) Meets EPA Final Tier 4 Emissions		$4,537.00
	HYDRAULICS		
	Hydraulic System and Coupler		Basic Factory Options - Required
2840	Three Function, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		No Added Cost
2842	Three Function w/High Flow Option, Joystick w/FNR Control 1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		$4,388.00
28A1	Four Spool Valve (ISO Coupler)		$3,500.00
	Ride Control		Basic Factory Options - Required
3000	Less Ride Control		No Added Cost
3010	Ride Control		$2,346.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
4020	405/70R18 Firestone Duraforce This tire option gives total machine height of 9 ft 1 in (2774 mm)		$1,219.00
4025	Mitas EM01 405/70R20 This tire option gives total machine height of 9 ft 2 in (2804 mm)		No Added Cost
4030	400/70R20 Michelin XMCL This tire option gives total machine height of 9 ft 2 in (2804 mm)		$2,277.00
4035	400/70R20 Michelin Bibload L3 This tire option gives total machine height of 9 ft 2 in (2798 mm)		$2,584.00
40F1	Nokian HakkaPeliitta TRI 400/70R20EM		$2,679.00
	LINKAGE		
	Linkage		Basic Factory Options - Required
2010	Standard Z-bar linkage Height to Hinge Pin 132 in.		No Added Cost
2020	High Lift Z-bar linkage Height to Hinge Pin 149 in.		$2,067.00
	ELECTRICAL		
	Work Lights		Basic Factory Options - Required

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
7120	Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights		$256.00
7140	Less Work Lights (LED Kit Ready) Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		No Added Cost
	WORK TOOLS AND COUPLERS		
	Buckets and Couplers		Basic Factory Options - Required
8545	Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or BYT11760 ISO Integrated Coupler. Must also order a bucket if desired.		No Added Cost
8550	Less Bucket ISO Coupler included.		$1,727.00
	Other Work Tools		Field Installed Attachments - Optional
9200	Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		$1,774.00
9420	Front Windshield Guard Long Lead Time Item. For factory equivalent field installed kit please order the following: 244L/324L - BYT10741 344L - BYT11488		$2,201.00
	Buckets & Pallet Forks		Field Installed Attachments - Optional
BYT11466	Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215		$2,440.00
BYT11584	2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler		$4,636.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		
	MISCELLANEOUS		
	Kits & Accessories		Field Installed Attachments - Optional
BYT10523	LED Worklight Kit (Flood)		$196.00
BYT10522	LED Worklight Kit (Spot)		$196.00
LW9069320	Beacon Light		$206.00
AT337325	Air Intake Pre-cleaner Kit		$182.00
AT427686	Block Heater Kit		$115.00
AT357576	ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments AT357576 ISO Adapter to Quik Tatch Coupler - Adapter for Standard Coupler to use Compact Attachments - For 244L/324L Compact Loader machines not ordered Quik-TatchTM ready from factory, also order: - AT218580 Relay (Quantity 2) - LW12241469 Quik-TatchTM Rocker Switch - LW12834096 Quik-TatchTM Extension Harness - LW12858760 Quik-TatchTM Extension Harness (324L High Lift Machines) - 57M7146 30 A Fuse		$1,584.00
BYT11761	Creep Control and Throttle Lock Field Kit		$1,443.00
BYT11996	Bucket Dump Speed Control Kit Kit includes spool stops for dump control valve to protect the linkage components from damage when using buckets weighing >1100 lbs (500 kg), including: 1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch (AT413237) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch (AT413238) 2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320636 & BYT11583) 2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler (AT320638 &		$325.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11584)			
	Miscellaneous		Field Installed Attachments - Optional
AT390659	Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.		$530.00
BYT11225	Reversing Fan (Field Installed)		$2,328.00
BYT11293	Boom Height Kick-Out Boom Height Kick-out		$709.00
BYT10744	JDLINK Ultimate Kit		$999,999.00
	Buckets Couplers & Forks		Field Installed Attachments - Optional
BYT11760	ISO COUPLER KIT		$1,690.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
AT413237	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$3,964.00
AT413238	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops. Requires BYT11995 Bucket Dump Speed Control Kit		$5,660.00
AT413236	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Quik-Tatch) Includes Skid Shoes and Bolt-on Cutting Edge		$2,484.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		
BYT11583	2.1 cu. yd. (1.6 cu. m.) Light Material Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires BYT11996 Bucket Dump Speed Control Kit		$3,757.00
BYT11581	1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		$2,063.00
BYT11582	1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket (Hook/Euro) Includes Skid Shoes and Bolt-on Cutting Edge 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops		$2,870.00
	HYDRAULIC COUPLERS		
	Hydraulic Couplers	Field Installed Attachments - Optional	
AT412608	Skid Steer Compatible Quik-Tatch Coupler		$1,500.00
BYT10470	Skid Steer Quik-Tatch Coupler Cover		$131.00
	FORK TINES		
	Fork Tines	Field Installed Attachments - Optional	
BYT10083	Class 3 Fork Frame with 48” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		$2,485.00
BYT10092	Class 3 Fork Frame with 60” Fork Tines (Quik-Tatch) Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		$2,726.00

Manufacturer's Sug and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

316GR SKID STEER

27-Jun-2022

Code	Description	QTY	List Price (USD)
06G2T	316GR SKID STEER	1	$46,804.00

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. in.) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)

Copyright © 2022 Deere Company. All Rights Reserved.

Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.96 m (77.2 in.)
Height to hinge pin - 2.92 m (120 in.)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires

Warranty (US and Canada):
John Deere 2 years/2000 hours

06G2T	316GR SKID STEER	1	$46,804.00

PACKAGES

Packages	Basic Factory Options - Required

0740	EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	$5,320.00

Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

0745	EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	$10,801.00

Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

0765	EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	$13,081.00

Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.

EH (ISO - H pattern) joystick controls with performance package includes:
- Creeper Mode
- Boom and bucket speed settings
- Selectable propel
- Switchable accelerator/decelerator

ENGINE

Engine	Basic Factory Options - Required

1301	Engine - Turbocharged	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
61 Net hp (45.6 kW)			
	Cold Start Packages		Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
8051	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		$310.00
	DESTINATION AND LANGUAGE		
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
	Export Codes		Field Installed Attachments - Optional
	JOHN DEERE WORKSIGHT™		
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™		$1,777.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		
	WHEELS AND TIRES		
	Wheels and Tires		Basic Factory Options - Required
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		No Added Cost
2041	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 60 in. machine width.		$150.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		($505.00)
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		$1,774.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		$205.00
	OPERATOR'S STATION AND CONTROLS		
	Seat		Basic Factory Options - Required
6000	Seat (Vinyl)		($410.00)
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		$462.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		$271.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		$614.00
	Keyless Start		Field Installed Attachments - Optional
8395	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.		$408.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9020	60 in. Dirt Bucket (14.3 cu. Ft)		$994.00
9021	60 in. Dirt Bucket (14.3 cu. Ft) with Edge		$1,212.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9025	60 in. Grading Heel Bucket (14.3 cu. Ft)		$1,056.00
9027	60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth		$1,266.00
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		$1,749.00
9190	60 in. Dirt Bucket (14.3 cu. ft) with Teeth		$1,296.00
9200	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
	Buckets		Field Installed Attachments - Optional
AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge		$1,485.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		$1,680.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		$1,190.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		$1,399.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		$1,600.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		$1,662.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		$1,737.00
AT331803	60 in. Dirt Bucket (14.3 cu. ft.)		$1,257.00
AT336694	60 in. Dirt Bucket (14.3 cu. ft.) with Teeth		$1,559.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		$1,605.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		$1,338.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		$1,507.00
AT441038	60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth		$1,266.00
AT419835	60 in. Grading Heel Bucket (14.0 cu. ft.)		$1,056.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		$1,514.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		$1,763.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		$1,749.00
	Tooth Bars	Field Installed Attachments - Optional	
KV12294	66 in. Tooth Bar - 7 Teeth		$524.00
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		$786.00
	WEIGHTS AND BALLASTING		
	Counterweight	Field Installed Attachments - Optional	
8300	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.		$383.00
8305	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.		$765.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	MISCELLANEOUS		
	Miscellaneous		Field Installed Attachments - Optional
8410	Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.		$351.00
	Kits & Accessories		Field Installed Attachments - Optional
KV26958	SMV Sign		$80.00
KV21995	12 Volt Demonstration Kit 3-pin connector		$323.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat		$323.00
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat		$491.00
AT464541	Fluid Sampling Field Kit		$88.00
AT446202	Hazard Warning Lights		$131.00
AT446201	Warning Beacon		$222.00
BYT10069	Radio Field Kit		$525.00
BYT10168	Boom Mounted Mirrors		$78.00
BYT10454	EH Joystick Performance Package		$611.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
	Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		$355.00
BYT10800	Single Point Lift System		$1,377.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.		$927.00
BYT10807	Attachment Control Field Kit - Radial Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.		$706.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.		$387.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		$185.00
BYT11282	JDLink Hardware Kit - SSL/CTL Use with 312GR - 318G Only compatible with machines serial number 366357 and higher. Hardware for mounting JDLink MTG terminal (does not include MTG).		$51.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		$471.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11200	Block Heater 220V Field Kit Only compatible with machines serial number 366357 and higher.		$115.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.		$3,169.00

Copyright © 2022 Deere Company. All Rights Reserved.

Code	Description	QTY	List Price (USD)
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.		$52.00
BYT11297	Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling. Only compatible with machines serial number 366357 and higher.		$525.00
BYT11443	Vinyl Cab Enclosure Kit		$927.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]		$108.00
BYT11068	Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.		$354.00
BYT12233	Glass Cab Door Field Kit Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS		$729.00
T394966	66 in. Bolt-on Serrated Cutting Edge		$293.25
T394965	60 in. Bolt-on Cutting Edge, Serrated		$283.66
	RUST PROTECTION		
	Rust Protection	Field Installed Attachments - Optional	
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Copyright © 2022 Deere Company. All Rights Reserved.

SS30 STUMP SHREDDER

Code	Description	List price
07C1T	**SS30 STUMP SHREDDER** Features: Remove stumps from 8 in. [200 mm] to 28 in. [710 mm] in one pass Easily remove larger stumps with multiple bores Low speed, high torque planetary drive shreds stumps with less debris Bore up to 20 in. [510 mm] into the ground Low operating costs with maintenance every 1000 stumps Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 20-45 gpm [76 170 l/min] hydraulic flow range 30000 lb-ft. [40670 N m] maximum output torque 1300 lb. [590 kg] overall weight 30 in. [760 mm] cutting width 47 in. [1200 mm] overall width 0.75 in. [19 mm] thick AR500 steel auger blade	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* • *Requires machine equipped with cab door* • *Recommend machine equipped with high flow hydraulics* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, IA*	
07C1T	SS30 STUMP SHREDDER	USD $22,862.00

Copyright © Deere & Company. All Rights Reserved.

Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator

Code	Description	List price
07S0T	**Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator**	
	Tiltrotator, EC204 S40 w/2 Bkt, 26	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including 2 buckets; DB02 Digging Bucket and GB02 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator. Compatible with 26 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07S0T	Tiltrotator, EC204, S40 with 2 Buckets, 26 Size Excavator	USD $24,246.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12539	GB02 Grading Bucket, S40, 1000 mm	USD $1,020.00
BYT12538	DB02 Digging Bucket, S40, 550 mm	USD $1,280.00
BYT12540	CB03 Cable Bucket, S40, 290 mm	USD $700.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12543	Adapter Brackets, S40	USD $240.00
BYT12541	SG03 Sorting Grab, S40	USD $5,940.00
BYT12542	R05 Ripper, S40	USD $680.00

Copyright © Deere & Company. All Rights Reserved.

Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator

Code	Description	List price
07T0T	**Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator**	
	Tiltrotator, EC204 S40 w/2 Bkt, 30/35	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including 2 buckets; DB03 Digging Bucket and GB03 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator. Compatible with 30/35 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *For the 35 size machines, standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07T0T	Tiltrotator, EC204, S40 with 2 Buckets, 30/35 Size Excavator	USD $28,626.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12540	CB03 Cable Bucket, S40, 290 mm	USD $700.00
BYT12545	DB03 Digging Bucket, S40, 550 mm	USD $1,140.00
BYT12546	GB03 Grading Bucket, S40, 1000 mm	USD $950.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12541	SG03 Sorting Grab, S40	USD $5,940.00
BYT12543	Adapter Brackets, S40	USD $240.00
BYT12542	R05 Ripper, S40	USD $680.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator

Code	Description	List price
07U1T	**EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator**	
	EC-Oil Tiltrotator, EC206 S40 with 2 Buckets, 50 Size Excavator	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including EC-Oil and 2 buckets; DB05 Digging Bucket and GB05 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator w/ EC-Oil system between coupler and tiltrotator. Compatible with 50 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *Standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07U1T	EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator	USD $37,750.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12553	GRB1500V2 Grading Beam, QS40 *Grade large areas quickly and efficiently.*	USD $3,460.00
BYT12542	R05 Ripper, S40 *For use in hard or frozen ground.*	USD $680.00
BYT12551	SG06 Sorting Grab, S40 *Suitable for everything from sorting and light demolition work, to anywhere a powerful hydraulic grapple is needed.*	USD $6,450.00
BYT12543	Adapter Brackets, S40	USD $240.00
BYT12552	TG25HD Timber Grapple, QS40	USD $4,790.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 50 Size Excavator

Code	Description	List price
	Great for round timber or pipe handling and light sorting jobs. Grapples are reinforced with high-strength steel wear bars with 400 Brinell hardness.	
BYT12953	Adapter Brackets QS40 T59	USD $1,940.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12550	CB05 Cable Bucket, S40, 340 mm	USD $750.00
BYT12548	DB05 Digging Bucket, S40, 610 mm	USD $1,350.00
BYT12549	GB05 Grading Bucket, S40, 1200 mm	USD $1,260.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator

Code	Description	List price
07V1T	**EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator**	
	EC-Oil Tiltrotator, EC206 S40 with 2 Buckets, 60 Size Excavator	
	BASE MACHINE	
	Full Engcon Tiltrotator kit, including EC-Oil and 2 buckets; DB05 Digging Bucket and GB05 Grading Bucket. *Upon installation of this package the machine will have a fully functioning tiltrotator w/ EC-Oil system between coupler and tiltrotator. Compatible with 60 size Deere and Hitachi machines. Requires a machine with Cab and Quick Disconnect Kit (BYT11478).* *Standard arm and extra counterweight recommended (see parts catalog), reference machine manual for further details.* *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of engcon, and will be handled directly between the Dealer and engcon.* *engcon* *2666 State Street #9* *Hamden, Connecticut 06517* *Phone: (203)691-5920* *For additional product or specification information, see engcon product brochure.*	
07V1T	EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator	USD $37,750.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **BUCKETS**	
BYT12550	CB05 Cable Bucket, S40, 340 mm	USD $750.00
BYT12549	GB05 Grading Bucket, S40, 1200 mm	USD $1,260.00
BYT12548	DB05 Digging Bucket, S40, 610 mm	USD $1,350.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12543	Adapter Brackets, S40	USD $240.00
BYT12552	TG25HD Timber Grapple, QS40	USD $4,790.00

Copyright © Deere & Company. All Rights Reserved.

EC-Oil Tiltrotator, EC206 QS40 with 2 Buckets, 60 Size Excavator

Code	Description	List price
	Great for round timber or pipe handling and light sorting jobs. Grapples are reinforced with high-strength steel wear bars with 400 Brinell hardness.	
BYT12551	SG06 Sorting Grab, S40 *Suitable for everything from sorting and light demolition work, to anywhere a powerful hydraulic grapple is needed.*	USD $6,450.00
BYT12553	GRB1500V2 Grading Beam, QS40 *Grade large areas quickly and efficiently.*	USD $3,460.00
BYT12542	R05 Ripper, S40 *For use in hard or frozen ground.*	USD $680.00
BYT12953	Adapter Brackets QS40 T59	USD $1,940.00

Copyright © Deere & Company. All Rights Reserved.

10 IN. STEEL TRACKS

Code	Description	List price
0023KV	**10 IN. STEEL TRACKS** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.	
	BASE MACHINE *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*	
0023KV	10 IN. STEEL TRACKS	USD $3,350.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT340611	Boom Stop Kit (Required for 313-315)	USD $154.00
AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*	USD $1,378.00
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

10 IN. STEEL TRACKS

Code	Description	List price
	Lowers bucket approximately 2 inches.	

Copyright © Deere & Company. All Rights Reserved.

12 IN. STEEL TRACKS / 320 & 324E

Code	Description	List price
0024KV	**12 IN. STEEL TRACKS / 320 & 324E** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.	
	BASE MACHINE *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*	
0024KV	12 IN. STEEL TRACKS / 320 & 324E	USD $3,674.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Code	Description	List price
0025KV	**12 IN. STEEL TRACKS / 325-328 & 326D-328D** Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads Heavy Duty Bushings for Long Wear Life Drilled Link Holes for Increased Strength Outside Plate is Open for Easy Cleaning and Length Adjustment Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.	
	BASE MACHINE *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*	
0025KV	12 IN. STEEL TRACKS / 325-328 & 326D-328D	USD $4,040.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

10 IN. STEEL TRACKS

Code	Description	List price
9020T	**10 IN. STEEL TRACKS**	
	.	
	BASE MACHINE	
	For the following units with Heavy Duty Tires: *318E-320E SS* *Contains Chain Binder and Strap.*	
9020T	10 IN. STEEL TRACKS	USD $3,350.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

14 IN. STEEL TRACKS (330G & 332G)

Code	Description	List price
9021T	**14 IN. STEEL TRACKS (330G & 332G)** Equipment for Base Machine Improves Skid Steer traction Reduces ground pressure Adds counterbalance weight Track pitch: 10 in. (254 mm) Total number of pads: 42 Track weight: 1,066 lb. (484 kg)	
	BASE MACHINE *For the following units with 14 in. Heavy Duty Tires: 330G and 332G.* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2335 14 x 17.5 NHS, CAMSO SKS or 2450 14 x 17.5 PR Galaxy Hulk.* *For 2450 14 x 17.5 PR Galaxy Hulk tires, AT320928 (Spacer Kit) recommended as well.*	
9021T	14 IN. STEEL TRACKS (330G & 332G)	USD $5,011.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES**	
KV23789	Axle Blocks for 332	USD $104.00
AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*	USD $554.00
AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*	USD $590.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
0011KV	**TR36B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 16 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For:* *312GR-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
0011KV	TR36B TRENCHER	USD $5,245.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1002	16-20 gpm Motor Kit *For Standard Flow:* *SSL: 312GR 314G 316G 318G* *CTL: 317G 325G*	USD $840.00
1003	21-25 gpm Motor Kit *For Standard Flow:* *SSL: 320G 324G 330G 332G* *CTL: 331G 333G*	USD $972.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,045.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,075.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *36" x 6*	USD $1,122.00
2002	Wide Standard Cup Every Station *36" x 8"*	USD $1,107.00
2003	Wide Standard Cup Every Station *36" x 10"*	USD $1,177.00
2004	Wide Standard Cup Every Station *36" x 12"*	USD $1,352.00
2005	Wide 70/30 Combo Shark Tooth *36" x 6"*	USD $1,421.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT347419	36 in. x 6 in. Wide Standard Cup Every Station	USD $744.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,388.00
AT377716	27-35 gpm Motor Kit	USD $2,337.00

Copyright © Deere & Company. All Rights Reserved.

TR36B TRENCHER

Code	Description	List price
	For High Flow: *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*	
AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*	USD $880.00
AT347423	36 in. x 6 in. Wide 70/30 Combo Shark Tooth	USD $967.00
AT347420	36 in. x 8 in. Wide Standard Cup Every Station	USD $806.00
AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*	USD $854.00
AT347422	36 in. x 12 in. Wide Standard Cup Every Station	USD $1,113.00
AT347421	36 in. x 10 in. Wide Standard Cup Every Station	USD $980.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
0012KV	**TR48B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 16 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For:* *312GR-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
0012KV	TR48B TRENCHER	USD $5,758.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1002	16-20 gpm Motor Kit *For Standard Flow:* *SSL: 312GR 314G 316G 318G* *CTL: 317G 325G*	USD $840.00
1003	21-25 gpm Motor Kit *For Standard Flow:* *SSL: 320G 324G 330G 332G* *CTL: 331G 333G*	USD $972.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,045.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,075.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *48" x 6"*	USD $1,159.00
2002	Wide Standard Cup Every Station *48" x 8"*	USD $1,235.00
2005	Wide 70/30 Combo Shark Tooth *48" x 6"*	USD $1,450.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT347424	48 in. x 6 in. Wide Standard Cup Every Station	USD $867.00
AT347425	48 in. x 8 in. Wide Standard Cup Every Station	USD $942.00
AT347426	48 in. x 6 in. Wide Combo Shark Tooth	USD $1,155.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,388.00
AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS*	USD $2,337.00

Copyright © Deere & Company. All Rights Reserved.

TR48B TRENCHER

Code	Description	List price
	CT322, CT332 CTLs *323D-333D CTLs*	
AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*	USD $880.00
AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*	USD $854.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

TR60B TRENCHER

Code	Description	List price
0013KV	**TR60B TRENCHER** Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control Performance: 27 to 44 gpm 2000 to 3300 psi Integral Quik-Tatch Mounting Frame NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.	
	BASE MACHINE *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
0013KV	TR60B TRENCHER	USD $6,685.00
	HYDRAULICS **Basic Factory Options** **MOTOR KITS**	
1004	27-35 gpm Motor Kit *For High Flow:* *SSL: 320G 324G* *CTL: 325G*	USD $2,045.00
1005	36-44 gpm Motor Kit *For High Flow:* *SSL: 330G 332G* *CTL: 331G 333G*	USD $2,075.00

Copyright © Deere & Company. All Rights Reserved.

TR60B TRENCHER

Code	Description	List price
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	
2001	Wide Standard Cup Every Station *60" x 6"*	USD $1,300.00
2005	Wide 70/30 Combo Shark Tooth *60" x 6"*	USD $1,775.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*	USD $2,388.00
AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*	USD $2,337.00
AT347427	60 in. x 6 in. Wide Standard Cup Every Station	USD $1,038.00
AT347428	60 in. x 6 in. Wide 70/30 Combo Shark Tooth	USD $1,356.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

TC36 TRENCHER

Code	Description	List price
08A1T	**TC36 TRENCHER** Features: Numerous configurations available to match most applications Ideal for lower duty-cycle users in ag or light construction Low-profile chain and sprocket drive for nearly flush trenching along structures Two position manual side shift Spring-loaded, heavy-duty trencher boom Crumber shoe for clean trench bottom Spoil auger to move material away from trench Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1130 lb. [510 kg] overall weight 86 in. [2185 mm] overall length 53 in. [1345 mm] overall width 36 in. [915 mm] trench depth at 65° trenching angle 50000 lb. [22680 kg] rated double standard, anti back-flex chain Standard cup tooth option available in widths of 6 12 in. [150 305 mm] Combo shark tooth option available in width of 6 in. [150 mm] Hydraulic Specifications: 14 - 22 gpm [53 83 l/min] hydraulic flow range 2000 psi [13800 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 324G* *CTL: 317G – 325G* • *Requires machine equipped with ½" quick connect couplers* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
08A1T	TC36 TRENCHER	USD $5,393.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	

Copyright © Deere & Company. All Rights Reserved.

TC36 TRENCHER

Code	Description	List price
2001	Wide Standard Cup Every Station *36" x 6*	USD $1,122.00
2002	Wide Standard Cup Every Station *36" x 8"*	USD $1,107.00
2003	Wide Standard Cup Every Station *36" x 10"*	USD $1,177.00
2004	Wide Standard Cup Every Station *36" x 12"*	USD $1,352.00
2005	Wide 70/30 Combo Shark Tooth *36" x 6"*	USD $1,421.00

Copyright © Deere & Company. All Rights Reserved.

TC48 TRENCHER

Code	Description	List price
08B1T	**TC48 TRENCHER** Features: Numerous configurations available to match most applications Ideal for lower duty-cycle users in ag or light construction Low-profile chain and sprocket drive for nearly flush trenching along structures Two position manual side shift Spring-loaded, heavy-duty trencher boom Crumber shoe for clean trench bottom Spoil auger to move material away from trench Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1180 lb. [540 kg] overall weight 86 in. [2185 mm] overall length 53 in. [1345 mm] overall width 48 in. [1220 mm] trench depth at 65° trenching angle 50000 lb. [22680 kg] rated double standard, anti back-flex chain Standard cup tooth option available in widths of 6 8 in. [150 205 mm] Combo shark tooth option available in width of 6 in. [150 mm] Hydraulic Specifications: 14 - 22 gpm [53 83 l/min] hydraulic flow range 2000 psi [13800 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 324G* *CTL: 317G – 325G* • *Requires machine equipped with ½" quick connect couplers* • *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
08B1T	TC48 TRENCHER	USD $5,458.00
	CHAIN **Basic Factory Options** **CHAIN OPTIONS**	

Copyright © Deere & Company. All Rights Reserved.

TC48 TRENCHER

Code	Description	List price
2001	Wide Standard Cup Every Station *48" x 6"*	USD $1,359.00
2002	Wide Standard Cup Every Station *48" x 8"*	USD $1,433.00
2005	Wide 70/30 Combo Shark Tooth *48" x 6"*	USD $1,617.00

Copyright © Deere & Company. All Rights Reserved.

VR66C SMOOTH VIBRATORY ROLLER

Code	Description	List price
7760T	**VR66C SMOOTH VIBRATORY ROLLER** Equipment for Base Machine Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 66 in. (1.7 m) Smooth Drum 7800 lbf (3538 kg) Dynamic Force 2600 vpm @ 20 gpm Frequency Drum Diameter 24 in. (61.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.	
	BASE MACHINE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
7760T	VR66C SMOOTH VIBRATORY ROLLER	USD $11,720.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set)	USD $367.00

Copyright © Deere & Company. All Rights Reserved.

VR66C SMOOTH VIBRATORY ROLLER

Code	Description	List price
	Includes 2 - 86 lb weights (39 Kg)	
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

VR73C SMOOTH VIBRATORY ROLLER

Code	Description	List price
7770T	**VR73C SMOOTH VIBRATORY ROLLER** Equipment for Base Machine Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 73 in. (1.8 m) Smooth Drum 8,550 lbf (3878 kg) Dynamic Force 2600 vpm @ 20 gpm Frequency Drum Diameter - 24 in. (61.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast May Enhance Stability.	
	BASE MACHINE *For:* *324E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
7770T	VR73C SMOOTH VIBRATORY ROLLER	USD $12,221.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set)	USD $367.00

Copyright © Deere & Company. All Rights Reserved.

VR73C SMOOTH VIBRATORY ROLLER

Code	Description	List price
	Includes 2 - 86 lb weights (39 Kg)	
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

VR84C SMOOTH VIBRATORY ROLLER

Code	Description	List price
7780T	**VR84C SMOOTH VIBRATORY ROLLER** Equipment for Base Machine Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 84 in. (2.1 m) Smooth Drum 9,370 lbf (4250 kg) Dynamic Force 2600 vpm @ 20 gpm Frequency Drum Diameter - 24 in. (61.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast May Enhance Stability.	
	BASE MACHINE *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
7780T	VR84C SMOOTH VIBRATORY ROLLER	USD $12,762.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set)	USD $367.00

Copyright © Deere & Company. All Rights Reserved.

VR84C SMOOTH VIBRATORY ROLLER

Code	Description	List price
	Includes 2 - 86 lb weights (39 Kg)	
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

VR66C PADDED VIBRATORY ROLLER

Code	Description	List price
7790T	**VR66C PADDED VIBRATORY ROLLER** Equipment for Base Machine Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 66 in. (1.7 m) Padded Drum 7800 lbf (3538 kg) Dynamic Force 2600 vpm @ 20 gpm Frequency Drum Diameter less Pads - 20 in. (51.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.	
	BASE MACHINE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
7790T	VR66C PADDED VIBRATORY ROLLER	USD $12,518.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

VR66C PADDED VIBRATORY ROLLER

Code	Description	List price
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

VR73C PADDED VIBRATORY ROLLER

Code	Description	List price
7800T	**VR73C PADDED VIBRATORY ROLLER** Equipment for Base Machine Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 73 in. (1.8 m) Padded Drum 8,550 lbf (3878 kg) Dynamic Force 2600 vpm @ 20 gpm Frequency Drum Diameter less Pads - 20 in. (51.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast May Enhance Stability.	
	BASE MACHINE *For:* *324E-332E SS* *324G-332G SS* *317G-333G CTLs* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
7800T	VR73C PADDED VIBRATORY ROLLER	USD $13,032.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

THREE-POINT HITCH ADAPTER

Code	Description	List price
02C0T	**THREE-POINT HITCH ADAPTER**	
	Equipment for Base Machine	
	Hookup and quickly move tractor implements	
	Category 1&2 Hitch Rating	
	BASE MACHINE	
	F.O.B. Dubuque, Iowa	
02C0T	THREE-POINT HITCH ADAPTER	USD $1,085.00

Copyright © Deere & Company. All Rights Reserved.

AT14 Angle-Tatch

Code	Description	List price
03D0T	**AT14 Angle-Tatch** Equipment for Base Machine The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling. Overall Width cm/(in) 118.87 (46.8) Overall Height cm/(in) 46.99 (18.5) Overall Depth cm/(in) 10.67 (4.2) Cylinder Bore cm/(in) 6.35 (2.5) Rod Diameter cm/(in) 3.30 (1.3) Title Angle (degree) 14 Lift Capacity kg/(lb.) 1905.08 (4,200) Weight kg/(lb.) 191.41 (422)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.* *F.O.B. Dubuque, Iowa*	
03D0T	AT14 Angle-Tatch	USD $3,861.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
03N1T	**PA30B PLANETARY DRIVE AUGER** Equipment for Base Machine Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Auger Bits: Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head	
	BASE MACHINE *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *FOB Dubuque,Ia.*	
03N1T	PA30B PLANETARY DRIVE AUGER	USD $2,997.00
	ATTACHING COMPONENTS **Basic Factory Options** **BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION**	
1008	PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	USD $440.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
1011	PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *For compact excavator machines equipped with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	No Added Cost
	Additional Factory Options **INTERFACE ADAPTERS**	
9801	Interface Adapter for 26G - 35G CE and 110 TLB	USD $703.00
9803	Interface Adapter for 50G - 60G CE	USD $719.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $263.00
9002	8 in. Heavy Duty Bit	USD $376.00
9003	9 in. Heavy Duty Bit	USD $383.00
9004	10 in. Heavy Duty Bit	USD $438.00
9005	12 in. Heavy Duty Bit	USD $445.00
9006	15 in. Heavy Duty Bit	USD $579.00
9007	18 in. Heavy Duty Bit	USD $729.00
9008	24 in. Heavy Duty Bit	USD $886.00
9009	30 in. Heavy Duty Bit	USD $1,187.00
9010	36 in. Heavy Duty Bit	USD $1,351.00
9011	18 in. Tree and Shrub Bit	USD $670.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9013	30 in. Tree and Shrub Bit	USD $1,010.00
9014	36 in. Tree and Shrub Bit	USD $1,198.00
9015	9 in. Rock Bit	USD $1,030.00
9016	12 in. Rock Bit	USD $1,142.00
9017	9 in. HD Difficult Ground Bit	USD $583.00

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
9018	12 in. HD Difficult Ground Bit	USD $623.00
9019	15 in. HD Difficult Ground Bit	USD $787.00
9020	18 in. HD Difficult Ground Bit	USD $923.00
9021	24 in. HD Difficult Ground Bit	USD $1,351.00
	ATTACHMENTS FOR FIELD CONVERSION AUGER BITS	
KV15775	36 in. Tree and Shrub Bit	USD $1,198.00
KV15770	30 in. Heavy Duty Bit	USD $1,187.00
KV15774	30 in. Tree and Shrub Bit	USD $1,010.00
KV15771	36 in. Heavy Duty Bit	USD $1,351.00
KV15776	9 in. Rock Bit	USD $1,030.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $445.00
KV15769	24 in. Heavy Duty Bit	USD $886.00
KV15768	18 in. Heavy Duty Bit	USD $729.00
KV15765	10 in. Heavy Duty Bit	USD $438.00
KV15767	15 in. Heavy Duty Bit	USD $579.00
KV15763	8 in. Heavy Duty Bit	USD $376.00
KV15777	12 in. Rock Bit	USD $1,142.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $263.00
AT379606	9 in. HD Difficult Ground Bit	USD $583.00
KV15764	9 in. Heavy Duty Bit	USD $383.00
AT379608	15 in. HD Difficult Ground Bit	USD $787.00
AT379609	18 in. HD Difficult Ground Bit	USD $923.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,351.00
AT379607	12 in. HD Difficult Ground Bit	USD $623.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION	

Copyright © Deere & Company. All Rights Reserved.

PA30B PLANETARY DRIVE AUGER

Code	Description	List price
	KITS & ACCESSORIES	
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,584.00
AT431624	PA15/PA30/PA40 Skid Steer Mounting Kit	USD $563.00
	INTERFACE ADAPTERS FOR COMPACT EXCAVATORS	
AT306926	Interface Adapter for 50-60 CE	USD $719.00
AT306925	Interface Adapter for 17 ZTS	USD $585.00
AT306924	Interface Adapter for 27-35 CE and 110 TLB	USD $703.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
03V1T	**PA15B PLANETARY DRIVE AUGER** Equipment for Base Machine Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Auger Bits: Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head	
	BASE MACHINE *For use on the following models:* *312G-314G SS* *17-27 CE* *FOB Dubuque,Ia.*	
03V1T	PA15B PLANETARY DRIVE AUGER	USD $2,774.00
	ATTACHING COMPONENTS **Basic Factory Options** **BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION**	
1006	PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	USD $400.00
1010	PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included* *For compact excavator machines equipped with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	No Added Cost
	Additional Factory Options **INTERFACE ADAPTERS**	

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
9800	Interface Adapter for 17 ZTS and 17G	USD $585.00
9801	Interface Adapter for 26G - 35G CE and 110 TLB	USD $703.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $263.00
9002	8 in. Heavy Duty Bit	USD $376.00
9003	9 in. Heavy Duty Bit	USD $383.00
9004	10 in. Heavy Duty Bit	USD $438.00
9005	12 in. Heavy Duty Bit	USD $445.00
9006	15 in. Heavy Duty Bit	USD $579.00
9007	18 in. Heavy Duty Bit	USD $729.00
9008	24 in. Heavy Duty Bit	USD $886.00
9011	18 in. Tree and Shrub Bit	USD $670.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9015	9 in. Rock Bit	USD $1,030.00
9016	12 in. Rock Bit	USD $1,142.00
9017	9 in. HD Difficult Ground Bit	USD $583.00
9018	12 in. HD Difficult Ground Bit	USD $623.00
9019	15 in. HD Difficult Ground Bit	USD $787.00
9020	18 in. HD Difficult Ground Bit	USD $923.00
9021	24 in. HD Difficult Ground Bit	USD $1,351.00
	ATTACHMENTS FOR FIELD CONVERSION **AUGER BITS**	
KV15776	9 in. Rock Bit	USD $1,030.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $445.00
KV15769	24 in. Heavy Duty Bit	USD $886.00

Copyright © Deere & Company. All Rights Reserved.

PA15B PLANETARY DRIVE AUGER

Code	Description	List price
KV15768	18 in. Heavy Duty Bit	USD $729.00
KV15765	10 in. Heavy Duty Bit	USD $438.00
KV15767	15 in. Heavy Duty Bit	USD $579.00
KV15763	8 in. Heavy Duty Bit	USD $376.00
KV15777	12 in. Rock Bit	USD $1,142.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $263.00
AT379606	9 in. HD Difficult Ground Bit	USD $583.00
KV15764	9 in. Heavy Duty Bit	USD $383.00
AT379608	15 in. HD Difficult Ground Bit	USD $787.00
AT379609	18 in. HD Difficult Ground Bit	USD $923.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,351.00
AT379607	12 in. HD Difficult Ground Bit	USD $623.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,584.00
AT431624	PA15/PA30/PA40 Skid Steer Mounting Kit	USD $563.00
	INTERFACE ADAPTERS FOR COMPACT EXCAVATORS	
AT306926	Interface Adapter for 50-60 CE	USD $719.00
AT306925	Interface Adapter for 17 ZTS	USD $585.00
AT306924	Interface Adapter for 27-35 CE and 110 TLB	USD $703.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
9965T	**PA40 PLANETARY DRIVE AUGER**	
	PA40 Planetary Drive Auger Standard Equipment PA40 Base Machine Performance: Flow Requirements: 28 - 42 GPM (106 - 159 lpm) Operating Pressure: 3625 psi Overall Attachment: Maximum auger diameter: 48 in (1219mm) Output shaft: 2 in (51mm) Hexagon 3/4 in. Couplers and Hoses	
	BASE MACHINE	
	For use on the following models: *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.* *FOB Dubuque,Ia.*	
9965T	PA40 PLANETARY DRIVE AUGER	USD $6,186.00
	AUGER **Additional Factory Options** **AUGER BITS**	
9000	4 in. Heavy Duty Bit	USD $239.00
9001	6 in. Heavy Duty Bit	USD $263.00
9002	8 in. Heavy Duty Bit	USD $376.00
9003	9 in. Heavy Duty Bit	USD $383.00
9004	10 in. Heavy Duty Bit	USD $438.00
9005	12 in. Heavy Duty Bit	USD $445.00
9006	15 in. Heavy Duty Bit	USD $579.00
9007	18 in. Heavy Duty Bit	USD $729.00
9008	24 in. Heavy Duty Bit	USD $886.00
9009	30 in. Heavy Duty Bit	USD $1,187.00
9010	36 in. Heavy Duty Bit	USD $1,351.00
9011	18 in. Tree and Shrub Bit	USD $670.00
9012	24 in. Tree and Shrub Bit	USD $694.00
9013	30 in. Tree and Shrub Bit	USD $1,010.00
9014	36 in. Tree and Shrub Bit	USD $1,198.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
9015	9 in. Rock Bit	USD $1,030.00
9016	12 in. Rock Bit	USD $1,142.00
9017	9 in. HD Difficult Ground Bit	USD $583.00
9018	12 in. HD Difficult Ground Bit	USD $623.00
9019	15 in. HD Difficult Ground Bit	USD $787.00
9020	18 in. HD Difficult Ground Bit	USD $923.00
9021	24 in. HD Difficult Ground Bit	USD $1,351.00
	ATTACHMENTS FOR FIELD CONVERSION AUGER BITS	
KV15775	36 in. Tree and Shrub Bit	USD $1,198.00
KV15770	30 in. Heavy Duty Bit	USD $1,187.00
KV15774	30 in. Tree and Shrub Bit	USD $1,010.00
KV15771	36 in. Heavy Duty Bit	USD $1,351.00
KV15776	9 in. Rock Bit	USD $1,030.00
KV15773	24 in. Tree and Shrub Bit	USD $694.00
KV15772	18 in. Tree and Shrub Bit	USD $670.00
KV15766	12 in. Heavy Duty Bit	USD $445.00
KV15769	24 in. Heavy Duty Bit	USD $886.00
KV15768	18 in. Heavy Duty Bit	USD $729.00
KV15765	10 in. Heavy Duty Bit	USD $438.00
KV15767	15 in. Heavy Duty Bit	USD $579.00
KV15763	8 in. Heavy Duty Bit	USD $376.00
KV15777	12 in. Rock Bit	USD $1,142.00
KV15761	4 in. Heavy Duty Bit	USD $239.00
KV15762	6 in. Heavy Duty Bit	USD $263.00
AT379606	9 in. HD Difficult Ground Bit	USD $583.00
KV15764	9 in. Heavy Duty Bit	USD $383.00
AT379608	15 in. HD Difficult Ground Bit	USD $787.00
AT379609	18 in. HD Difficult Ground Bit	USD $923.00
AT379610	24 in. HD Difficult Ground Bit	USD $1,351.00

Copyright © Deere & Company. All Rights Reserved.

PA40 PLANETARY DRIVE AUGER

Code	Description	List price
AT379607	12 in. HD Difficult Ground Bit	USD $623.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*	USD $1,584.00
	EXTENSIONS & ADAPTERS	
KV15782	2-9/16 in. Round to 2 in. Hex	USD $143.00
KV15781	2 in. Hex to 2-9/16 in. Round Adaptor	USD $219.00
KV15780	24 in. Hex Drive Extension	USD $209.00
KV15779	12 in. Hex Drive Extension	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

BH9B BACKHOE

Code	Description	List price
50A1T	**BH9B BACKHOE**	
	Product Features: Cushioned cylinders provide smooth operation and limit shock loads Low-profile console maximizes visibility Boom-lock and swing-lock levers are provided for secure transport Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control Swing speed control and 180° swing range maximizes efficiency in confined areas Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation. Dual lock arms quickly and easily latch to the SSL / CTL mainframe Ideal for light duty Ag or utility work Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1025 lb. [465 kg] overall weight, without mounting bracket 110 in. [2795 mm] maximum dig depth 88 in. [2235 mm] dip depth for 8 ft. flat bottom Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm] Hydraulic Specifications: 9 12 gpm [34 45 l/min] hydraulic flow range 2750 psi [19000 kPa] system relief pressure 3895 lb. [1765 kg] maximum breakout force	
	BASE MACHINE	
	For use on the following models: *SSL: 312GR – 318G*	

Copyright © Deere & Company. All Rights Reserved.

BH9B BACKHOE

Code	Description	List price
	CTL: 317G *Machine must be equipped with Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	
50A1T	BH9B BACKHOE	USD $13,804.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING KITS**	
1001	Mounting Kit - Small Frame SSL/CTL	USD $2,631.00
	BUCKETS **Basic Factory Options** **BUCKETS**	
2001	18 in. (457 mm) Bucket	USD $613.00
2002	24 in. (610 mm) Bucket	USD $674.00
2003	36 in. (914 mm) Bucket	USD $1,173.00
	ATTACHMENTS FOR FIELD CONVERSION **BUCKETS**	
BYT11400	36 in. (914 mm) Bucket	USD $1,173.00
BYT11398	18 in. (457 mm) Bucket	USD $613.00
BYT11399	24 in. (610 mm) Bucket	USD $674.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT11336	Backhoe Attachment Mounting Kit	USD $2,381.00
BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*	USD $2,631.00
BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*	USD $2,417.00
	MISCELLANEOUS	
BYT11410	Rubber Stabilizer Pads	USD $148.00

Copyright © Deere & Company. All Rights Reserved.

AH80 BALE HUGGER

Code	Description	List price
03E0T	**AH80 BALE HUGGER** Equipment for Base Machine Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales. -Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings -Provides constant pressure that eliminates the risk of dropping bales -Right-hand and left-hand sides open and close simultaneously -Can lift, move, and stack round or rectangular bales -Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs. Overall Width cm/(in) 120.65 (47.5) Overall Height cm/(in) 95.25 (37.5) Overall Depth cm/(in) 137.16 (54) Max. Opening cm/(in) 279.40 (110) Lift Capacity kg/(lb.) 1088.62 (2,400) Weight kg/(lb.) 217.72 (480)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.* *F.O.B. Dubuque, Iowa*	
03E0T	AH80 BALE HUGGER	USD $3,966.00

Copyright © Deere & Company. All Rights Reserved.

AB21 SINGLE BALE SPEAR

Code	Description	List price
05A0T	**AB21 SINGLE BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 907 kg at 0.61 m (2,000 lbs. at 24 in.) Width: 1.15 m (42.25 in.) Height: 0.57 m (22.38 in.) Depth: 1.28 m (50.50 in.) Spear Length: 1.24 m (49 in.) Weight: 66 kg (145 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05A0T	AB21 SINGLE BALE SPEAR	USD $699.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

AB32 DUAL BALE SPEAR

Code	Description	List price
05B0T	**AB32 DUAL BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.) Width: 1.24 m (48.75 in.) Height: 0.64 m (25.00 in.) Depth: 1.42 m (55.75 in.) Spear Length: 1.35 m (53 in.) Weight: 91 kg (200 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05B0T	AB32 DUAL BALE SPEAR	USD $861.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

AB31 SINGLE BALE SPEAR, HD

Code	Description	List price
05C0T	**AB31 SINGLE BALE SPEAR, HD** Equipment for Base Machine Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.) Width: 1.15 m (42.25 in.) Height: 0.59 m (23.13 in.) Depth: 1.28 m (50.50in.) Spear Length: 1.24 m (49in.) Weight: 70 kg (155 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05C0T	AB31 SINGLE BALE SPEAR, HD	USD $856.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

AB42 DUAL BALE SPEAR, HD

Code	Description	List price
05D0T	**AB42 DUAL BALE SPEAR, HD** Equipment for Base Machine Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.) Width: 1.24 m (48.75 in.) Height: 0.64 m (25.00 in.) Depth: 1.42 m (55.75 in.) Spear Length: 1.35 m (53 in.) Weight: 109 kg (240 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05D0T	AB42 DUAL BALE SPEAR, HD	USD $1,041.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

AB43 TRIPLE BALE SPEAR

Code	Description	List price
05E0T	**AB43 TRIPLE BALE SPEAR** Equipment for Base Machine Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.) Width: 1.42 m (56.00 in.) Height: 0.62 m (24.25 in.) Depth: 1.33 m (52.25 in.) Spear Length: 1.24 m (49 in.) Weight: 102 kg (225 lbs.)	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
05E0T	AB43 TRIPLE BALE SPEAR	USD $1,280.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 2D Ready System

Code	Description	List price
03R2T	**72” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2020 lb. [915 kg] overall weight 75 in. [1910 mm] overall width 72 in. [1830 mm] cutting width 11.5 ft.3 [0.33 m3] front box capacity 7.0 ft.3 [0.20 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03R2T	72” Box Blade - Topcon 2D Ready System	USD $24,095.00

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 3D Ready System

Code	Description	List price
03R3T	**72” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2020 lb. [915 kg] overall weight 75 in. [1910 mm] overall width 72 in. [1830 mm] cutting width 11.5 ft.3 [0.33 m3] front box capacity 7.0 ft.3 [0.20 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

72” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03R3T	72” Box Blade - Topcon 3D Ready System	USD $25,541.00

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 2D Ready System

Code	Description	List price
03S2T	**84” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2070 lb. [940 kg] overall weight 87 in. [2220 mm] overall width 84 in. [2130 mm] cutting width 13.4 ft.3 [0.38 m3] front box capacity 8.0 ft.3 [0.23 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 314G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03S2T	84” Box Blade - Topcon 2D Ready System	USD $24,667.00

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 3D Ready System

Code	Description	List price
03S3T	**84” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2070 lb. [940 kg] overall weight 87 in. [2220 mm] overall width 84 in. [2130 mm] cutting width 13.4 ft.3 [0.38 m3] front box capacity 8.0 ft.3 [0.23 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 314G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

84” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03S3T	84” Box Blade - Topcon 3D Ready System	USD $26,116.00

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 2D Ready System

Code	Description	List price
03T2T	**96” Box Blade - Topcon 2D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2155 lb. [980 kg] overall weight 99 in. [2520 mm] overall width 96 in. [2440 mm] cutting width 15.3 ft.3 [0.43 m3] front box capacity 9.0 ft.3 [0.25 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 2D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03T2T	96” Box Blade - Topcon 2D Ready System	USD $25,674.00

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 3D Ready System

Code	Description	List price
03T3T	**96” Box Blade - Topcon 3D Ready System** Features: Push-pull design to move material for fine grading Two cylinders to provide cross-slope operation Reversible cutting edges Convex mirror for material visibility Power-coated paint finish Foam-filled tires on oscillating axle Two, 1.5 in. [38 mm] diameter mast poles Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2155 lb. [980 kg] overall weight 99 in. [2520 mm] overall width 96 in. [2440 mm] cutting width 15.3 ft.3 [0.43 m3] front box capacity 9.0 ft.3 [0.25 m3] rear box capacity Hydraulic Specifications: 15 - 25 gpm [57 95 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *This product is a referral program. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of Level Best Precision Grading, and will be handled directly between the Dealer and Level Best Precision Grading.* *Level Best Precision Grading* *250 Earland Drive* *New Holland, Pennsylvania 17557* *Phone: (800)342-0905 Fax: (717)354-2162* *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with ½” quick connect couplers and 3/8” case drain coupler*	

Copyright © Deere & Company. All Rights Reserved.

96” Box Blade - Topcon 3D Ready System

Code	Description	List price
	• *Requires 14-pin auxiliary electrical connector* • *Rear counterweight may improve machine stability while operating* • *Creeper Mode may improve machine performance while operating* • *Requires additional grade control components from Topcon dealer*	
03T3T	96” Box Blade - Topcon 3D Ready System	USD $27,120.00

Copyright © Deere & Company. All Rights Reserved.

HH20C HYDRAULIC HAMMER

Code	Description	List price
0C80T	**HH20C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 800 - 3000 Flow Requirements: 6.6 - 14.5 gpm (25 - 55 lpm) Operating Pressure: 1305 - 2175 psi Moil Tool Point 1.9 in. (48 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Compact Excavators: 17G, 26G and 35G* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370209* *Moil Point - T370210* *Spade, Parallel to Boom - T370212* *Spade, Transverse to Boom - T370213* *Compacting Plate - T370214* *Pyramid Point - T370211* *F.O.B. Dubuque, Iowa*	
0C80T	HH20C HYDRAULIC HAMMER	USD $7,691.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	

Copyright © Deere & Company. All Rights Reserved.

HH20C HYDRAULIC HAMMER

Code	Description	List price
1000	LESS MOUNTING BRACKET	No Added Cost
1002	Mounting Bracket, 17 Compact Excavator	USD $445.00
1003	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458340	Mounting Bracket, 17 Compact Excavator	USD $424.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
BYT10076	Front Screen, Cab (GR#705923) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $898.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
0C90T	**HH40C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 700-2600 Flow Requirements: 10.6 - 18.5 gpm (40 - 70 lpm) Operating Pressure: 1450 - 2465 psi Moil Tool Point 2.2 in. (56 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370215* *Moil Point - T370216* *Spade, Parallel to Boom - T370218* *Spade, Transverse to Boom - T370219* *Compacting Plate - T370220* *Pyramid Point - T370217* *F.O.B. Dubuque, Iowa*	
0C90T	HH40C HYDRAULIC HAMMER	USD $8,993.00
	ATTACHING COMPONENTS	

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
	Basic Factory Options **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1003	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
1001	Mounting Bracket, SSL & CTL	USD $1,623.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT457979	Skid Steer Mounting Bracket	USD $1,824.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $424.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $610.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $786.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH40C HYDRAULIC HAMMER

Code	Description	List price
	Use for D and E Series Models. *S/N 269401 and below.*	

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
0CA0T	**HH60C HYDRAULIC HAMMER** Equipment for Base Machine Performance: Blows Per Minute: 600-1800 Flow Requirements: 9.2 - 23.8 gpm (35 - 90 lpm) Operating Pressure: 1305 - 2030 psi Moil Tool Point 2.8 in. (72 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370221* *Moil Point - T370222* *Spade, Parallel to Boom - T370223* *Spade, Transverse to Boom - T370224* *Compacting Plate - T370225* *F.O.B. Dubuque, Iowa*	
0CA0T	HH60C HYDRAULIC HAMMER	USD $11,236.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1003	Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*	USD $591.00
1001	Mounting Bracket, SSL & CTL	USD $1,623.00
1004	Mounting Bracket, 50-60 Compact Excavator *For use on machines without selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $741.00
1007	Mounting Bracket, 50-60 Compact Excavator *For use on machines with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $1,107.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458342	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $741.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $424.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
AT457979	Skid Steer Mounting Bracket	USD $1,824.00
AT458343	Mounting Bracket, 310 Backhoe Loader *For use on: 310K/L EP & 310G-L*	USD $859.00
AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	USD $884.00
BYT11749	Mounting Bracket, 50-60 Compact Excavator	USD $820.00

Copyright © Deere & Company. All Rights Reserved.

HH60C HYDRAULIC HAMMER

Code	Description	List price
	For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.	
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $786.00
AT435404	Front Screen, Canopy (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Canopy.*	USD $610.00
AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $786.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *2- or 3-inch Seat Belt with Shoulder Harness required.*	USD $945.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
0CB0T	**HH80C Hydraulic Hammer** Equipment for Base Machine Performance: Blows Per Minute: 500 - 1700 Flow Requirements: 10.6-31.7 gpm (40-120 lpm) Operating Pressure: 1305 - 2030 psi Moil Tool Point 3.14 in. (80 mm) Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.	
	BASE MACHINE *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC* *For extra bits, see the following part numbers in the parts system:* *Chisel Point - T370226* *Moil Point - T370227* *Spade, Parallel to Boom - T370228* *Spade, Transverse to Boom - T370229* *Compacting Plate - T370230* *F.O.B. Dubuque, Iowa*	
0CB0T	HH80C Hydraulic Hammer	USD $12,969.00
	ATTACHING COMPONENTS	

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	Basic Factory Options **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1001	Mounting Bracket, SSL & CTL	USD $1,623.00
1004	Mounting Bracket, 50-60 Compact Excavator *For use on machines without selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $741.00
1005	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*	USD $859.00
1006	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	USD $884.00
1007	Mounting Bracket, 50-60 Compact Excavator *For use on machines with selector valves from factory. See DTAC solution 116315 for serial number breaks.*	USD $1,107.00
	ATTACHMENTS FOR FIELD CONVERSION **ADAPTERS & MOUNTING FRAMES**	
AT458342	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $741.00
AT458340	Mounting Bracket, 17 Compact Excavator	USD $424.00
AT458341	Mounting Bracket, 26-35 Compact Excavator	USD $591.00
AT457979	Skid Steer Mounting Bracket	USD $1,824.00
AT458343	Mounting Bracket, 310 Backhoe Loader *For use on: 310K/L EP & 310G-L*	USD $859.00
AT460178	Mounting Bracket, 410 Backhoe Loader	USD $884.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	For use on: *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*	
BYT11749	Mounting Bracket, 50-60 Compact Excavator *For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with HH60, HH80. See DTAC solution 116315 for serial number breaks.*	USD $820.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **MISCELLANEOUS**	
ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series Compact Excavator with a Cab.*	USD $786.00
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	KITS & ACCESSORIES	
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	USD $320.00
AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*	USD $3,201.00
AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not for use on Backhoes equipped with Bucket Coupler.*	USD $1,038.00

Copyright © Deere & Company. All Rights Reserved.

HH80C Hydraulic Hammer

Code	Description	List price
	For use on: *310SG-SL* *310SL HL* *315SG-SL* *410G-L*	
	ATTACHMENTS & ACCESSORIES	
AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310K/L EP & 310G-L*	USD $1,215.00

Copyright © Deere & Company. All Rights Reserved.

BA72C 72" Angle Broom

Code	Description	List price
0302KV	**BA72C 72" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 910 lb. [410 kg] overall weight 72 in. [1830 mm] straight sweeping width 62 in. [1580 mm] angled sweeping width 92 in. [2330 mm] overall straight width 88 in. [2230 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0302KV	BA72C 72" Angle Broom	USD $8,731.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BA72C 72" Angle Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
BYT11026	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BA84C 84" Angle Broom

Code	Description	List price
0303KV	**BA84C 84" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 960 lb. [440 kg] overall weight 84 in. [2130 mm] straight sweeping width 73 in. [1850 mm] angled sweeping width 104 in. [2640 mm] overall straight width 98 in. [2490 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 317G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0303KV	BA84C 84" Angle Broom	USD $8,972.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit	USD $1,328.00

Copyright © Deere & Company. All Rights Reserved.

BA84C 84" Angle Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
BYT11027	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BA96C 96" Angle Broom

Code	Description	List price
0304KV	**BA96C 96" Angle Broom** Features: Heavy-duty, high-torque motor protected within broom frame 50/50 poly-wire brush segments 32 in. [810 mm] brush diameter Hydraulic angling ± 30° either direction Fold-away storage stands Specifications: Skid steer coupler attachment interface 3-pin electrical connector 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1100 lb. [460 kg] overall weight 96 in. [2440 mm] straight sweeping width 83 in. [2110 mm] angled sweeping width 116 in. [2940 mm] overall straight width 109 in. [2760 mm] overall angled width Optional Equipment: All-polypropylene brush segments Hood extension with rubber deflector for 180° brush coverage Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with 3-pin electrical connector.* *FOB Dubuque,Iowa.*	
0304KV	BA96C 96" Angle Broom	USD $9,212.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit	USD $1,328.00

Copyright © Deere & Company. All Rights Reserved.

BA96C 96" Angle Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
BYT11028	180 Degree Hood Extension Kit	USD $998.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BP72C 72" Pick-Up Broom

Code	Description	List price
0314KV	**BP72C 72" Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Adjustable baffle to increase hopper capacity by 22% Tool-free system for brush adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1275 lb. [580 kg] overall weight 72 in. [1830 mm] sweeping width 91 in. [2310 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* *FOB Dubuque,Iowa.*	
0314KV	BP72C 72" Pick-Up Broom	USD $8,060.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BP72C 72" Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BP84C 84" Pick-Up Broom

Code	Description	List price
0315KV	**BP84C 84" Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Adjustable baffle to increase hopper capacity by 22% Tool-free system for brush adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1400 lb. [640 kg] overall weight 84 in. [2130 mm] sweeping width 103 in. [2620 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 317G – 333G* *FOB Dubuque,Iowa.*	
0315KV	BP84C 84" Pick-Up Broom	USD $9,370.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

BP84C 84" Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR72C 72" Rigid Pick-Up Broom

Code	Description	List price
1521T	**BR72C 72" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 970 lb. [440 kg] overall weight 72 in. [1830 mm] sweeping width 81 in. [2060 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* *CWL: 204L – 304L* **requires skid steer style coupler* *FOB Dubuque,Iowa.*	
1521T	BR72C 72" Rigid Pick-Up Broom	USD $6,034.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BR72C 72" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR84C 84" Rigid Pick-Up Broom

Code	Description	List price
1531T	**BR84C 84" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 1090 lb. [500 kg] overall weight 84 in. [2130 mm] sweeping width 93 in. [2370 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 325G* *CWL: 204L – 324L* **requires skid steer style coupler* *FOB Dubuque,Iowa.*	
1531T	BR84C 84" Rigid Pick-Up Broom	USD $6,521.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G – 332G* *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
AT345212	Roof-Mounted Water Tank Kit	USD $1,328.00

Copyright © Deere & Company. All Rights Reserved.

BR84C 84" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 312GR – 318G *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

BR60C 60" Rigid Pick-Up Broom

Code	Description	List price
8202T	**BR60C 60" Rigid Pick-Up Broom** Features: Heavy-duty, high-torque bi-directional motor protected within broom frame 50/50 poly-wire brush segments 26 in. [660 mm] brush diameter Precise brush-contact adjustment Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 15-25 gpm [57 95 l/min] hydraulic flow range 880 lb. [400 kg] overall weight 60 in. [1520 mm] sweeping width 69 in. [1760 mm] overall width Optional Equipment: All-polypropylene brush segments Gutter brush with wire bristles Broom-mounted water tank kit with 25 gal. [95 l] capacity Roof-mounted water tank kit with 30 gal. [113.5 l] capacity	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 318G* *FOB Dubuque,Iowa.*	
8202T	BR60C 60" Rigid Pick-Up Broom	USD $5,552.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR – 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT435129	Roof-Mounted Water Tank Kit	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

BR60C 60" Rigid Pick-Up Broom

Code	Description	List price
	SSL: 320G – 332G *CTL: 325G – 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	
BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G – 332G* *CTL: 317G – 333G* *30 gal. [113.5 l] capacity*	USD $712.00
BYT11030	Gutter Broom Kit	USD $1,201.00
BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*	USD $248.00

Copyright © Deere & Company. All Rights Reserved.

RE40 BRUSH CUTTER

Code	Description	List price
07F0T	**RE40 BRUSH CUTTER**	
	RE40 BRUSH CUTTER - 35 G/ZX	
	BASE MACHINE	
	RE40 BRUSH CUTTER - 35 G/ZX	
07F0T	RE40 BRUSH CUTTER	USD $7,649.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1001	MOUNTING KIT, 35, PIN-ON ADAPTER	USD $698.00
1002	MOUNTING KIT, 35, WEDGE ADAPTER	USD $733.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve *INCLUDES HYDRAULIC QUICK DISCONNECTS FOR SELECTOR VALVE MACHINES. SEE MACHINE LISTING FOR SERIAL NUMBER COMPATIBILITY.*	USD $166.00
BYT12365	MOUNTING KIT, 30/35, WEDGE ADAPTER *INCLUDES MOUNTING BRACKET FOR MACHINES EQUIPPED WITH STANDARD MANUAL COUPLER OR HYDRAULIC COUPLER AT442164*	USD $733.00
BYT12346	MOUNTING KIT, 30/35, PIN-ON ADAPTER *INCLUDES MOUNTING BRACKET FOR MACHINES EQUIPPED WITH HYDRAULIC COUPLER BYT12093*	USD $698.00

Copyright © Deere & Company. All Rights Reserved.

RE50 BRUSH CUTTER

Code	Description	List price
07G0T	**RE50 BRUSH CUTTER**	
	RE50 BRUSH CUTTER - 50/60 G/ZX	
	BASE MACHINE	
	RE50 BRUSH CUTTER - 50/60 G/ZX	
07G0T	RE50 BRUSH CUTTER	USD $10,117.00
	ATTACHING COMPONENTS **Basic Factory Options** **MOUNTING BRACKETS**	
1000	LESS MOUNTING BRACKET	No Added Cost
1003	MOUNTING KIT, 50/60, PIN-ON ADAPTER	USD $1,322.00
1004	MOUNTING KIT, 50/60, WEDGE ADAPTER	USD $1,335.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve *INCLUDES HYDRAULIC QUICK DISCONNECTS FOR SELECTOR VALVE MACHINES. SEE MACHINE LISTING FOR SERIAL NUMBER COMPATIBILITY.*	USD $166.00
BYT12366	MOUNTING KIT, 50/60, WEDGE ADAPTER	USD $1,335.00
BYT12747	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 50G with Cab.*	USD $2,710.00
BYT12347	MOUNTING KIT, 50/60, PIN-ON ADAPTER *Includes mounting bracket for machines equipped with hydraulic coupler BYT12094 (50G) or BYT12095 (60G)*	USD $1,322.00
BYT12748	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 60G with Cab.*	USD $2,760.00

Copyright © Deere & Company. All Rights Reserved.

RB72 ROLLOUT BUCKET

Code	Description	List price
05F1T	**RB72 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.* *F.O.B. Dubuque, Iowa*	
05F1T	RB72 ROLLOUT BUCKET	USD $5,524.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9000	CUTTING EDGE ASSEMBLY, MP72 BOLT-ON	USD $381.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
AT436471	Bolt-On Cutting Edge for 72 in. Bucket	USD $381.00

Copyright © Deere & Company. All Rights Reserved.

RB84 ROLLOUT BUCKET

Code	Description	List price
05G1T	**RB84 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.* *F.O.B. Dubuque, Iowa*	
05G1T	RB84 ROLLOUT BUCKET	USD $5,830.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9001	CUTTING EDGE ASSEMBLY, MP84 BOLT-ON	USD $494.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
AT436473	Bolt-On Cutting Edge for 84 in. Bucket	USD $494.00

Copyright © Deere & Company. All Rights Reserved.

RB96 ROLLOUT BUCKET

Code	Description	List price
05H1T	**RB96 ROLLOUT BUCKET**	
	Equipment for Base Machine	
	BASE MACHINE	
	High Dump Rollout Bucket. For use on the following models: *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.* *F.O.B. Dubuque, Iowa*	
05H1T	RB96 ROLLOUT BUCKET	USD $6,124.00
	CUTTING EDGES **Additional Factory Options** **CUTTING EDGES**	
9002	CUTTING EDGE KIT, 96	USD $573.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit	USD $108.00
AT436025	Boom Mounted Hose Guide Kit	USD $102.00
	CUTTING EDGES	
BYT10747	96 in. Bolt-On Cutting Edge for RB96	USD $537.00

Copyright © Deere & Company. All Rights Reserved.

CP12D COLD PLANER

Code	Description	List price
8211T	**CP12D COLD PLANER** Equipment for Base Machine Drum Size: 12 in. (305 mm) Cutting Width Design Features: Standard Flow Hydraulics 15-22 gpm (56-83 lpm) Planetary Drive Manual Tilt of +/- 11 Degrees Manual Depth Control 0-5 in. (0-127 mm) Hydraulic Side Shift 0-19 in. (0-483 mm) Quantity of pics 37 Spray Bar with nozzles, less water tank NOTE: The eight-button control handle is NOT required.	
	BASE MACHINE *For Standard Flow:* *315-328 SSLs* *318D-328D SSLs* *318E-328E SSLs* *316GR - 324G SSLs* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *317G-325G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
8211T	CP12D COLD PLANER	USD $13,496.00
	PICK KIT **Basic Factory Options** **PICK KIT**	

Copyright © Deere & Company. All Rights Reserved.

CP12D COLD PLANER

Code	Description	List price
	Pick kits are not factory installed and must be installed by the dealer.	
1001	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1002	RP18 *Asphalt only.*	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	USD $443.00
AT462796	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP12D replacement cutting tools.*	USD $378.00
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

CP18E COLD PLANER

Code	Description	List price
8222T	**CP18E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2200 lb. [1000 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 18 in. [455 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP18E COLD PLANER

Code	Description	List price
8222T	CP18E COLD PLANER	USD $23,809.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1005	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1006	RP18 *Asphalt only.*	USD $121.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT462798	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP18D or CP18E replacement cutting tools.*	USD $452.00
AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP18D or CP18E replacement cutting tools.*	USD $531.00

Copyright © Deere & Company. All Rights Reserved.

CP24E COLD PLANER

Code	Description	List price
8232T	**CP24E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2400 lb. [1090 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 24 in. [610 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP24E COLD PLANER

Code	Description	List price
8232T	CP24E COLD PLANER	USD $27,471.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1009	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1010	RP18 *Asphalt only.*	USD $149.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D or CP24E replacement cutting tools.*	USD $672.00
AT462800	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP24D or CP24E replacement cutting tools.*	USD $570.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

CP30E COLD PLANER

Code	Description	List price
9012T	**CP30E COLD PLANER** Features: Ideal for street repairs, pavement removal, cutting around manholes, and small milling jobs Standard flow is equipped with manual depth, tilt, and side shift adjustment Heavy duty planetary drive produces high torque Rear spoil clearance reduces recirculation of material Removeable side plate for planing close to curbs Two tooth options: general purpose for concrete asphalt or RP18 for asphalt only Water nozzle kit is standard for use with optional water tank kits Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler 2600 lb. [1180 kg] overall weight 50 in. [1280 mm] overall length 65 in. [1650 mm] overall width 30 in. [760 mm] planing width and 0 5 in. [0 125 mm] planing depth ±8° of tilt and side shift +22 / -3 in. [+560 / -75 mm] right / left of center Hydraulic Specifications: 29 - 41 gpm [109 155 l/min] hydraulic flow range 3800 psi [26200 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics.* • *Requires machine equipped with ½" quick connect couplers and 3/8" case drain coupler.* • *Requires machine equipped with 14-pin electrical connector.* • *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

CP30E COLD PLANER

Code	Description	List price
9012T	CP30E COLD PLANER	USD $28,669.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
	Pick kits are not factory installed and must be installed by the dealer.	
1013	General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1014	RP18 *Asphalt only.*	USD $227.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,328.00
AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP30D or CP30E replacement cutting tools.*	USD $806.00
AT462802	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP30D or CP30E replacement cutting tools.*	USD $712.00
AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*	USD $1,829.00

Copyright © Deere & Company. All Rights Reserved.

PC4 PLATE COMPACTOR

Code	Description	List price
03W1T	**PC4 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 4,000 lbf / 17.8 kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 13 x 25 in. / 330 x 635 mm Compaction Area 325 in. sq. / 209550 mm sq. Hydraulic Flow Range 9-14 gpm / 34-53 l/min Regulated Flow 9 gpm / 34 l/min Operating Pressure 2600 psi / 17930 kPa Pressure Relief Setting 3000 psi / 20680 kPa Weight* 397 lb. / 180 kg Length 30.7 in. / 780 mm Width 13.0 in. / 330 mm Height* 20.3 in. / 515 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 26 Size, 30 Size, 35 Size Compact Excavators. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03W1T	PC4 PLATE COMPACTOR	USD $5,807.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1001	Mounting Adapter Kit, 26 and 30 Size Excavators *Includes mounting bracket, hardware, and hydraulic components for installation.* *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315.* *Additional components may be required for selector valve equipped machines.*	USD $860.00
1002	Mounting Adapter Kit, 35 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $882.00

Copyright © Deere & Company. All Rights Reserved.

PC4 PLATE COMPACTOR

Code	Description	List price
	For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10728	Mounting Adapter Kit, PC4 (26G/30G)	USD $860.00
BYT10828	Mounting Adapter Kit, PC4 (35G)	USD $882.00

Copyright © Deere & Company. All Rights Reserved.

PC7 PLATE COMPACTOR

Code	Description	List price
03X1T	**PC7 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 6,400 lbf / 28.5kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm Compaction Area 499 in. sq. / 322000 mm sq. Hydraulic Flow Range 15-20 gpm / 57-76 l/min Regulated Flow 18 gpm / 68 l/min Operating Pressure 2000 psi / 13790 kPa Pressure Relief Setting 2200 psi / 15170 kPa Weight* 600 lb. / 272 kg Length 35 in. / 890 mm Width 18.1 in. / 460 mm Height* 21.5 in. / 546 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 50 Size and 60 Size Compact Excavators. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03X1T	PC7 PLATE COMPACTOR	USD $6,969.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1003	Mounting Adapter Kit, 50 and 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.* *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315.* *Additional components may be required for selector valve equipped machines.*	USD $920.00
1008	Mounting Adapter Kit, 50 and 60 Size Excavators *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $1,173.00

Copyright © Deere & Company. All Rights Reserved.

PC7 PLATE COMPACTOR

Code	Description	List price
	For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10729	Mounting Adapter Kit, PC7 (50G/ZX, 60G/ZX) *For use on 50G/ZX, 60G/ZX machines without selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $920.00
BYT11750	Mounting Adapter Kit, PC7 (50G/ZX, 60G/ZX) *For use on 50G/ZX, 60G/ZX machines with selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $1,020.00

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
03Y1T	**PC10 PLATE COMPACTOR** Equipment for Base Machine Impulse Force 8,000 lbf / 35.6 kN Cycles/Minute at Regulated Flow 2,000 rpm Base Plate Dimensions 24 x 28 in. / 610 x 710 mm Compaction Area 671 in. sq. / 433100 mm sq. Hydraulic Flow Range 20-24 gpm / 76-91 l/min Regulated Flow 21 gpm / 79 l/min Operating Pressure 2000 psi / 13790 kPa Pressure Relief Setting 2200 psi / 15170 kPa Weight* 888 lb. / 403 kg Length 37.0 in. / 940 mm Width 24.0 in. / 610 mm Height* 25.5 in. / 648 mm *Without mounting adapter - requires respective machine mounting adapter	
	BASE MACHINE *For 60 Size Compact Excavators, 75-135 Midsize Excavators, and 310-410 Backhoes. Includes Plate Compactor and Mounting Hardware.* *F.O.B. Dubuque, Iowa*	
03Y1T	PC10 PLATE COMPACTOR	USD $8,130.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	Less mounting bracket and hoses *Plate Compactor Only*	No Added Cost
1004	Mounting Adapter Kit, 60 Size Excavators *For machines NOT equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $940.00
1007	Mounting Adapter Kit, 60 Size Excavators	USD $1,173.00

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
	For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines. *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	
1005	Mounting Adapter Kit, 310L/EL Backhoe *Requires auxiliary hydraulics with one way flow.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $983.00
1006	Mounting Adapter Kit, 310SL/HL, 410L Backhoe *Requires auxiliary hydraulics with one way flow.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $1,044.00
1010	Mounting Adapter Kit, 75 and 85 Size Excavators *For machines equipped with selector valve. For serial number break and additional information, see DTAC Solution 116315. Additional components may be required for selector valve equipped machines.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $2,106.00
1011	Mounting Adapter Kit, 130 and 135 Size Excavators *Requires auxiliary high-flow hydraulics.* *Includes mounting bracket, hardware, hoses, and hydraulic components for installation.*	USD $2,710.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10731	Mounting Adapter Kit, PC10 (410 BHL w/Coupler)	USD $1,044.00
BYT10863	Mounting Adapter Kit, PC10 (60G/ZX) *For use on 60G/ZX machines without selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.*	USD $940.00
BYT10827	Mounting Adapter Kit, PC10 (310 BHL w/Coupler)	USD $983.00
BYT11751	Mounting Adapter Kit, PC10 (60G/ZX)	USD $1,020.00

Copyright © Deere & Company. All Rights Reserved.

PC10 PLATE COMPACTOR

Code	Description	List price
	For use on 60G/ZX machines with selector valves from factory, for use with PC7. See DTAC solution 116315 for serial number breaks.	
BYT11923	Mounting Adapter Kit, PC10 (75/85, G/ZX) *For use with 75/85 G/ZX Excavators equipped with selector valve from the factory. Includes Mounting Bracket, Machine-side Hydraulic Adapters, and Hoses.*	USD $2,106.00
BYT12188	Mounting Adapter Kit, PC10 (130/135 G/ZX) *For use with 130/135 G/ZX Excavators equipped with auxiliary hydraulics. Includes Mounting Bracket, Machine-side Hydraulic Adapters, and Hoses.*	USD $2,710.00

Copyright © Deere & Company. All Rights Reserved.

DB84 DOZER BLADE

Code	Description	List price
9780T	**DB84 DOZER BLADE** Overall width: 84.0 in. (2133 mm) Length: 31.5 in. (800 mm) Blade height: 24.0 in. (610 mm) Blade width (full angle): 74.1 in. (1882 mm) Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm) Degrees of angle: 30, right or left Degrees of tilt: 10, up or down Adjustable skid shoe: Standard Comes Standard with 3 Pin Wire Harness	
	BASE MACHINE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
9780T	DB84 DOZER BLADE	USD $7,503.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $183.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)	USD $474.00

Copyright © Deere & Company. All Rights Reserved.

DB84 DOZER BLADE

Code	Description	List price
	D Series (S/N 198376 and above) *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

DB96 DOZER BLADE

Code	Description	List price
9790T	**DB96 DOZER BLADE** Overall width: 96.0 in. (2438 mm) Length: 31.5 in. (800 mm) Blade height: 24.0 in. (610 mm) Blade width (full angle): 84.7 in. (2151 mm) Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm) Degrees of angle: 30, right or left Degrees of tilt: 10, up or down Adjustable skid shoe: Standard Comes Standard with 3 Pin Wire Harness	
	BASE MACHINE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
9790T	DB96 DOZER BLADE	USD $7,672.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $183.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)	USD $474.00

Copyright © Deere & Company. All Rights Reserved.

DB96 DOZER BLADE

Code	Description	List price
	D Series (S/N 198376 and above) *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

Heavy Duty 45 In. Frame and Set of Forks

Code	Description	List price
03J1T	**Heavy Duty 45 In. Frame and Set of Forks** Equipment for Base Machine 45 in. Wide Heavy Duty Pallet Fork Frame and Guard Unrestricted Visibility to Fork Tips 42 in. or 48 in. Long Fork Tines Available	
	BASE MACHINE *Includes 45" Heavy Duty Frame and Two Fork Set* *For:* *312G-332G SS* *320E-324E SS* *317G-333G CTLs* *323E CTL* *Additional tine options available.* *F.O.B. Dubuque, Iowa*	
03J1T	Heavy Duty 45 In. Frame and Set of Forks	USD $1,017.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1006	42" TINES RATED 4000 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*	No Added Cost
1008	48" TINES RATED 4000 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*	USD $33.00
1007	42" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*	USD $83.00
1009	48" TINES RATED 5500 LBS *For:* *312G-332G SS*	USD $149.00

Copyright © Deere & Company. All Rights Reserved.

Heavy Duty 45 In. Frame and Set of Forks

Code	Description	List price
	320E-324E SS *317G-325G CTLs* *323E CTL*	
1010	48" TINES RATED 6200 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*	USD $241.00
	FRAME KIT **ATTACHMENTS FOR FIELD CONVERSION** **FRAME KIT**	
AT492257	Heavy Duty 45 in. Fork Frame (No Forks)	USD $679.00

Copyright © Deere & Company. All Rights Reserved.

Heavy Duty 60 in. Frame and Set of Forks

Code	Description	List price
03K2T	**Heavy Duty 60 in. Frame and Set of Forks**	
	Equipment for Base Machine Heavy Duty Forks - 6,200 lb. Load Capacity 60 in. Wide Pallet Fork Frame and Guard Unrestricted Visibility to Fork Tips 48 in. Long Fork Tines Available Fork Tine Load Capacity of 6,200 lb. per Pair NOTE: Rear Counterweights is Not Required, but May Enhance Machine Stability.	
	BASE MACHINE	
	Includes 60" Frame and Two Fork Set *For:* *320E-324E SS* *320G-332G SS* *317G-333G CTLs* *323E CTL* *F.O.B. Dubuque, Iowa*	
03K2T	Heavy Duty 60 in. Frame and Set of Forks	USD $1,382.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1010	48" TINES RATED 6200 LBS	USD $241.00

Copyright © Deere & Company. All Rights Reserved.

SEVERE DUTY PALLET FORK

Code	Description	List price
06U0T	**SEVERE DUTY PALLET FORK**	
	Equipment for Base Machine Frame has option of 45 inch or 60 inch width of the rails Forks have options of 48 inch or 60 inch length of tines Robust, two-piece walk-through brick guard Optional bolt-on brick guard kit to complete backrest Unrestricted Visibility to Fork Tips Rear Ballast is not required but may enhance machine stability.	
	BASE MACHINE	
	For: *330G-332G SS* *331G-333G CTLs* *F.O.B. Dubuque, Iowa*	
06U0T	SEVERE DUTY PALLET FORK	USD $1,909.00
	PICK KIT **Basic Factory Options** **PICK KIT**	
1000	45" Severe Duty Fork Frame	No Added Cost
1001	60" Severe Duty Fork Frame	USD $200.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
2004	48" TINES ITA CLASS 3B *9900 lb. rating on forks (per pair of tines)*	USD $300.00
2005	60" TINES ITA CLASS 3B *9900 lb. rating on forks (per pair of tines)*	USD $400.00
	MISCELLANEOUS **Additional Factory Options** **BRACKET KITS**	
9001	Bolt-On Walk-Through Brick Guard	USD $124.00
	ATTACHMENTS FOR FIELD CONVERSION **MISCELLANEOUS**	
BYT10349	Bolt-On Walk-Through Brick Guard	USD $124.00

Copyright © Deere & Company. All Rights Reserved.

SEVERE DUTY PALLET FORK

Code	Description	List price
	FRAME KIT **ATTACHMENTS FOR FIELD CONVERSION** **FRAME KIT**	
BYT10008	Severe Duty 60 in. Fork Frame (No Forks)	USD $1,822.00
BYT10071	Severe Duty 45 in. Fork Frame (No Forks)	USD $1,622.00

Copyright © Deere & Company. All Rights Reserved.

NF44 Nursery Fork

Code	Description	List price
0BU0T	**NF44 Nursery Fork**	
	WORKSITE NF44 NURSERY FORK	
	BASE MACHINE	
	For: *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL* *F.O.B. Dubuque, IA*	
0BU0T	NF44 Nursery Fork	USD $4,705.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1000	PRESSURE CONTROL VALVE ASSEMBLY	USD $403.00
1001	LESS CONTROL VALVE ASSEMBLY	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT460780	Pressure Control Valve	USD $403.00

Copyright © Deere & Company. All Rights Reserved.

GR72B ROCK / BRUSH GRAPPLE

Code	Description	List price
05Q1T	**GR72B ROCK / BRUSH GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Weld-in serrated cutting edge for difficult ground conditions Improved hose routing to protect hydraulics Enhanced construction throughout grapple Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1165 lb. [530 kg] overall weight 72 in. [1830 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening 20 tines at 3 in. [75 mm] spacing Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 332G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Includes weld-in serrated cutting edge for difficult ground conditions*	
05Q1T	GR72B ROCK / BRUSH GRAPPLE	USD $5,505.00

Copyright © Deere & Company. All Rights Reserved.

GR84B ROCK / BRUSH GRAPPLE

Code	Description	List price
05R1T	**GR84B ROCK / BRUSH GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1255 lb. [570 kg] overall weight 84 in. [2135 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening 23 tines at 3 in. [75 mm] spacing Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating*	
05R1T	GR84B ROCK / BRUSH GRAPPLE	USD $6,450.00

Copyright © Deere & Company. All Rights Reserved.

GS66B SCRAP GRAPPLE

Code	Description	List price
05S1T	**GS66B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1070 lb. [485 kg] overall weight 66 in. [1675 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 312GR – 318G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered*	
05S1T	GS66B SCRAP GRAPPLE	USD $5,389.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

GS72B SCRAP GRAPPLE

Code	Description	List price
05T1T	**GS72B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1110 lb. [505 kg] overall weight 72 in. [1830 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 318G – 332G* *CTL: 317G – 325G* • *Requires machine equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered*	
05T1T	GS72B SCRAP GRAPPLE	USD $5,459.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

GS78B SCRAP GRAPPLE

Code	Description	List price
05U1T	**GS78B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1150 lb. [520 kg] overall weight 78 in. [1980 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating* • *Bolt-on cutting edge not included, but can be ordered*	
05U1T	GS78B SCRAP GRAPPLE	USD $5,865.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

GS84B SCRAP GRAPPLE

Code	Description	List price
05V1T	**GS84B SCRAP GRAPPLE** Features: Two independent action grapples with integrated open stop 1.375 in. [35 mm] diameter greaseable, hardened pivot pins Improved hose routing to protect hydraulics Enhanced construction throughout grapple Predrilled cutting edge for bolt-on options Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1185 lb. [540 kg] overall weight 84 in. [2135 mm] overall width 37.4 in. [950 mm] grapple opening at tips 40.75 in. [1035 mm] grapple opening Cylinder Specifications: 1.4 in. [36 mm] rod diameter 2.5 in. [64 mm] bore diameter 8.1 in. [206 mm] stroke length Optional Equipment: Bolt-on side plates for increased capacity Bolt-on straight or serrated cutting edge	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G* *CWL: 204L – 324L* **requires skid steer style coupler* • *Requires SSL / CTL equipped with boom mounted hose guide* • *Rear counterweight may improve machine stability while operating*	
05V1T	GS84B SCRAP GRAPPLE	USD $6,620.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10674	Bolt-on Side Plates	USD $180.00

Copyright © Deere & Company. All Rights Reserved.

MS60 MATERIAL / MANURE SCRAPER

Code	Description	List price
8500T	**MS60 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*	
8500T	MS60 MATERIAL / MANURE SCRAPER	USD $1,817.00

Copyright © Deere & Company. All Rights Reserved.

MS72 MATERIAL / MANURE SCRAPER

Code	Description	List price
8510T	**MS72 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*	
8510T	MS72 MATERIAL / MANURE SCRAPER	USD $2,534.00

Copyright © Deere & Company. All Rights Reserved.

MS84 MATERIAL / MANURE SCRAPER

Code	Description	List price
8520T	**MS84 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*	
8520T	MS84 MATERIAL / MANURE SCRAPER	USD $2,633.00

Copyright © Deere & Company. All Rights Reserved.

MS96 MATERIAL / MANURE SCRAPER

Code	Description	List price
8530T	**MS96 MATERIAL / MANURE SCRAPER** Features: Units come standard with the pull back kit installed Rubber edges are reversible and replaceable Applications include but not limited to: Manure removal Flood clean up Light snow removal Any place where pushing material is needed with a rubber edge	
	BASE MACHINE *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	
8530T	MS96 MATERIAL / MANURE SCRAPER	USD $2,512.00

Copyright © Deere & Company. All Rights Reserved.

MH60D Mulching Head

Code	Description	List price
07A2T	**MH60D Mulching Head** Features: Remove up to 8 in. [203 mm] trees and 12 in. [305 mm] stumps 30 double carbide-tipped teeth to mulch materials Heavy-duty mulching door for finer processing Heavy-duty, 2-speed motor efficiently uses available horsepower Hydraulic pressure gauge to monitor performance Adjustable, 3-position heavy-duty push bar Enhanced frame construction and bolt-on skid shoes Specifications: Skid steer coupler attachment interface 14-pin electrical connector 1/2 in. hydraulic quick couplers 24-45 gpm [91 170 l/min] hydraulic flow range 2730 lb. [1240 kg] overall weight 60 in. [1520 mm] cutting width 74 in. [1880 mm] overall width Optional Equipment: Knife cutting tools for smoother cutting and finer chip size	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* *• Requires machine equipped with high flow hydraulics* *• Requires machine equipped with 14-pin electrical connector.* *• Requires applicable severe-duty door* *• Requires applicable operator protection* *• For optimal performance, recommend non-hydraulic self-leveling machines* *• Rear counterweight may improve machine stability while operating* *• For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
07A2T	MH60D Mulching Head	USD $36,623.00
	MULCHING HEAD **Basic Factory Options**	

Copyright © Deere & Company. All Rights Reserved.

MH60D Mulching Head

Code	Description	List price
	ROTORS	
2000	Mulching Head Smooth Rotor *Used for ground engagement of 1-2". The smooth drum creates less of a HP draw when mixing wood material into the top layer of the dirt. Spiral design also makes it so that fewer tools are engaging the wood material at any given time.* *Comes equipped with 30 carbide tipped tools as standard equipment. Optional single-edge knife tools available.* *Replacement teeth available through parts. Carbide tooth: T312862 | Knife tooth: T338203*	No Added Cost
2001	Mulching Head DCR Rotor *Ideal when you need to process material into a fine end product. The depth control rings provide a smaller bite to create a fast cut with less horsepoer draw. The DCR is not recommended for sandy and rocky environments or a job where you may engage the ground; this can cause faster wear.* *Comes equipped with 24 double-edge knife tools as standard equipment.* *Replacement teeth available through parts. Knife tooth: T464410.*	USD $7,659.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT433505	Knife Tool Kit	USD $201.00
BYT11301	High Debris Application Package *Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.*	USD $547.00

Copyright © Deere & Company. All Rights Reserved.

ME36 Mulching Head CCE

Code	Description	List price
07D1T	**ME36 Mulching Head CCE** 36IN EXCAVATOR MULCHING HEAD CCE	
	BASE MACHINE *36IN EXCAVATOR MULCHING HEAD* *F.O.B. Dubuque, Iowa*	
07D1T	ME36 Mulching Head CCE	USD $20,013.00
	MULCHING HEAD **Basic Factory Options** **PICK ONE**	
1000	LESS MOUNTING BRACKET/HOSES	No Added Cost
1001	MOUNTING KIT, 50/60, WEDGE STYLE	USD $2,806.00
1002	MOUNTING KIT, 50/60, PIN-ON	USD $2,806.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT12747	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 50G with Cab.*	USD $2,710.00
BYT12748	Front Window Guard, Polycarbonate *1/2" Polycarbonate. Hinged. Tested to: ISO 10262 Level II. For 60G with Cab.*	USD $2,760.00
BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve *INCLUDES HYDRAULIC QUICK DISCONNECTS FOR SELECTOR VALVE MACHINES. SEE MACHINE LISTING FOR SERIAL NUMBER COMPATIBILITY.*	USD $166.00
BYT12502	CASE DRAIN KIT, 50/60 COMPACT EXC.	USD $182.00
BYT12321	MOUNTING KIT, 50/60, PIN-ON *Includes mounting bracket, hydraulic adaptors, and hoses for selector valve equipped machines with Pin-Grabber Couplers.*	USD $2,695.00
BYT12320	MOUNTING KIT, 50/60, WEDGE STYLE *Includes mounting bracket, hydraulic adaptors, and hoses for selector value equipped machines equipped with manual or hydraulic wedge coupler.*	USD $2,695.00

Copyright © Deere & Company. All Rights Reserved.

MP66B MULTI-PURPOSE BUCKET

Code	Description	List price
0AQ0T	**MP66B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *312-324G SSL* *318E-324E SSL* *317G CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AQ0T	MP66B MULTI-PURPOSE BUCKET	USD $4,345.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436718	Spill Guard Assembly, MP66B	USD $194.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436470	66 in. Bolt-On Cutting Edge for MP66B	USD $374.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436521	66 in. Tooth Bar - 7 Teeth, MP66B	USD $825.00
AT436489	MP66 Over BOCE Toothbar, MP66B	USD $885.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

MP72B MULTI-PURPOSE BUCKET

Code	Description	List price
0AR0T	**MP72B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *312G-324G SSL* *318E-328E SSL* *317G, 325G CTL* *319E, 323E CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AR0T	MP72B MULTI-PURPOSE BUCKET	USD $5,219.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436719	Spill Guard Assembly, MP72B	USD $199.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436471	Bolt-On Cutting Edge for 72 in. Bucket	USD $381.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436522	72 in. Tooth Bar - 7 Teeth, MP72B	USD $710.00
AT436490	MP72 Over BOCE Toothbar, MP72B	USD $1,005.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

MP78B MULTI-PURPOSE BUCKET

Code	Description	List price
0AS0T	**MP78B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *318E-332E SSL* *320G-332G SSL* *317G, 325G CTL* *319E-333E CTL* *331G-333G CTL* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AS0T	MP78B MULTI-PURPOSE BUCKET	USD $5,367.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436720	Spill Guard Assembly, MP78B	USD $230.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436472	78 in. Bolt-On Cutting Edge for MP78B	USD $416.00
	BUCKETS **ATTACHMENTS FOR FIELD CONVERSION** **TOOTH BARS**	
AT436491	MP78 Over BOCE Toothbar, MP78B	USD $1,279.00
AT436523	78 in. Tooth Bar - 8 Teeth, MP78B	USD $727.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

MP84B MULTI-PURPOSE BUCKET

Code	Description	List price
0AT0T	**MP84B MULTI-PURPOSE BUCKET**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *326E-332E SSLs* *330G-332G SSLs* *323E-333E CTLs* *325G-333G CTLs* *Requires SSL / CTL equipped with boom mounted hose guide* *F.O.B. Dubuque, Iowa*	
0AT0T	MP84B MULTI-PURPOSE BUCKET	USD $5,548.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436721	Spill Guard Assembly, MP84B	USD $244.00
AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)	USD $97.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00
	CUTTING EDGES	
AT436473	Bolt-On Cutting Edge for 84 in. Bucket	USD $494.00
	BUCKETS ATTACHMENTS FOR FIELD CONVERSION TOOTH BARS	
AT436492	MP84 Over BOCE Toothbar, MP84B	USD $1,002.00
AT436524	84 in. Tooth Bar - 8 Teeth, MP84B	USD $856.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

PR72B ANGLE POWER RAKE

Code	Description	List price
0264KV	**PR72B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 72 in. Rake 72 in. (1827 mm) Raking Width 81 in. (2056 mm) Operating Width 64 in. (1625 mm) Length 31 in. (787 mm) Height 8.6 in. (22 mm) Tooth Roller Diameter 11 gpm (42 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs* *F.O.B. Dubuque, Iowa*	
0264KV	PR72B ANGLE POWER RAKE	USD $12,429.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

PR72B ANGLE POWER RAKE

Code	Description	List price
AT332454	12 Volt Receptacle Kit	USD $210.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $183.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $474.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR96B ANGLE POWER RAKE

Code	Description	List price
0265KV	**PR96B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 96 in. Rake 90 in. (2284 mm) Raking Width 99 in. (2513 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (22 mm) Tooth Roller Diameter 15 gpm (57 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
0265KV	PR96B ANGLE POWER RAKE	USD $14,123.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

PR96B ANGLE POWER RAKE

Code	Description	List price
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $183.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $474.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR84B ANGLE POWER RAKE

Code	Description	List price
1580T	**PR84B ANGLE POWER RAKE** Equipment for Base Machine Box End Plates: Front or Rear Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center Bi-Directional Raking Capability Specifications: 84 in. Rake 84 in. (2134 mm) Raking Width 93 in. (2362 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (220 mm) Tooth Roller Diameter 18 gpm (68 lpm) Hydraulics NOTE: Applicable Attachment Control Kit is Required	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
1580T	PR84B ANGLE POWER RAKE	USD $13,135.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	

Copyright © Deere & Company. All Rights Reserved.

PR84B ANGLE POWER RAKE

Code	Description	List price
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	USD $183.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $474.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

PR60 ANGLE POWER RAKE

Code	Description	List price
7830T	**PR60 ANGLE POWER RAKE** Equipment for Base Machine NOTE: 12V Receptacle Kit is Required.	
	BASE MACHINE *For:* *312G-318G SS* *F.O.B. Dubuque, Iowa*	
7830T	PR60 ANGLE POWER RAKE	USD $11,591.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT332454	12 Volt Receptacle Kit	USD $210.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $474.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
KV21995	12 Volt Demonstration Kit *3-pin connector*	USD $323.00

Copyright © Deere & Company. All Rights Reserved.

R66 ROCK BUCKET

Code	Description	List price
7950T	**R66 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *312G-320G SSLs* *318E, 320E SSLs* *317G CTL* *F.O.B. Dubuque, Iowa*	
7950T	R66 ROCK BUCKET	USD $1,856.00

Copyright © Deere & Company. All Rights Reserved.

R75 ROCK BUCKET

Code	Description	List price
7960T	**R75 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *318E-332E SSLs* *320G-332G SSLs* *317G-333G CTLs* *319E-333E CTLs* *110 TLB* *F.O.B. Dubuque, Iowa*	
7960T	R75 ROCK BUCKET	USD $1,985.00

Copyright © Deere & Company. All Rights Reserved.

R84 ROCK BUCKET

Code	Description	List price
7970T	**R84 ROCK BUCKET** Equipment for Base Machine: 3" Tine Spacing The tine tips are fully gusseted on both sides for added durability and dependability. The tine tips are also connected to each other to add strength. These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.	
	BASE MACHINE *For:* *320E-332E SSLs* *320G-332G SSLs* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	
7970T	R84 ROCK BUCKET	USD $2,115.00

Copyright © Deere & Company. All Rights Reserved.

RL84 ROLLER LEVEL

Code	Description	List price
7070T	**RL84 ROLLER LEVEL** Equipment for Base Machine Features: 2 Std Greaseable Bearings Front & Rear Bolt-on Cutting Edges Specifications: 93.3 in. (2367 mm) Overall Width 66.7 in. (1694 mm) Length 25.6 in. (650 mm) Height 84 in. (2133 mm) Box Width 0.5 x 6 x 84 in. Front Cutting Edge 0.5 x 6 x 84 in. Rear Cutting Edge	
	BASE MACHINE *For:* *326E-332E SS* *330G-332G SS* *317G-331G CTLs* *319E-333E CTLs* *F.O.B. Dubuque, Iowa*	
7070T	RL84 ROLLER LEVEL	USD $5,101.00

Copyright © Deere & Company. All Rights Reserved.

RR72 ROOT RAKE

Code	Description	List price
03A0T	**RR72 ROOT RAKE** Equipment for Base Machine Replaceable pin-on teeth Greaseable pivot pins Hardened-steel bushings Weld-on "D" ring Width: 1830 mm (72 in.) Length: 780 mm (30.8 in.) Grapple Opening: 1295 mm (51 in.) Weight: 497 kg (1,095 lb.)	
	BASE MACHINE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader* *F.O.B. Dubuque, Iowa*	
03A0T	RR72 ROOT RAKE	USD $6,512.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RR78 ROOT RAKE

Code	Description	List price
03B0T	**RR78 ROOT RAKE** Equipment for Base Machine Replaceable pin-on teeth Greaseable pivot pins Hardened-steel bushings Weld-on "D" ring Width: 1980 mm (78 in.) Length: 780 mm (30.8 in.) Grapple Opening: 1295 mm (51 in.) Weight: 522 kg (1,150 lb.)	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader* *F.O.B. Dubuque, Iowa*	
03B0T	RR78 ROOT RAKE	USD $7,048.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RR84 ROOT RAKE

Code	Description	List price
03C0T	**RR84 ROOT RAKE** Equipment for Base Machine Replaceable pin-on teeth Greaseable pivot pins Hardened-steel bushings Weld-on "D" ring Width: 2135 mm (84 in.) Length: 780 mm (30.8 in.) Grapple Opening: 1295 mm (51 in.) Weight: 553 kg (1,220 lb.)	
	BASE MACHINE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader* *F.O.B. Dubuque, Iowa*	
03C0T	RR84 ROOT RAKE	USD $7,451.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
BYT10477	Boom Mounted Hose Guide Kit *For: 312GR-318G*	USD $108.00
AT436025	Boom Mounted Hose Guide Kit *[E-series] [G-series: 320G - 333G]*	USD $102.00

Copyright © Deere & Company. All Rights Reserved.

RC60B ROTARY CUTTER

Code	Description	List price
8281T	**RC60B ROTARY CUTTER**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *SSL: 312GR – 324G* *CTL: 317G – 325G* *Requires machine equipped with standard flow hydraulics.* *Requires applicable severe-duty door.* *Rear counterweight may improve machine stability.* *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
8281T	RC60B ROTARY CUTTER	USD $7,553.00
	WHEELS AND TIRES **Basic Factory Options** **WHEEL KIT**	
1000	FRONT WHEEL KIT *Dealer-Installed*	USD $1,037.00
1001	LESS FRONT WHEEL KIT	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT442703	Front Wheel Kit	USD $850.00
AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*	USD $290.00

Copyright © Deere & Company. All Rights Reserved.

RC72B ROTARY CUTTER

Code	Description	List price
8341T	**RC72B ROTARY CUTTER**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *SSL: 318G – 332G* *CTL: 317G – 333G* *Requires machine equipped with standard flow hydraulics.* *Requires applicable severe-duty door.* *Rear counterweight may improve machine stability.* *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
8341T	RC72B ROTARY CUTTER	USD $7,796.00
	WHEELS AND TIRES **Basic Factory Options** **WHEEL KIT**	
1000	FRONT WHEEL KIT *Dealer-Installed*	USD $1,037.00
1001	LESS FRONT WHEEL KIT	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT442703	Front Wheel Kit	USD $850.00
AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*	USD $290.00

Copyright © Deere & Company. All Rights Reserved.

RS72 ROTARY CUTTER

Code	Description	List price
8342T	**RS72 ROTARY CUTTER** Product Features: Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter Direct drive bearing for higher efficiency and extended durability Hydraulic valving stops blades from spinning in seconds upon shutdown Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris Four alternating bevel blades are made of 0.75 in. [19.1 mm] thick high-grade steel in a reversible design to provide a deep, self-clearing cut and long wear life. Standard pressure gauge to monitor blade load for optimal performance Optional bolt-on carbide stump grinder teeth for debris and ground cleanup Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 2008 lb. [910 kg] overall weight 77 in. [1960 mm] overall width 72 in. [1830 mm] cutting width 10 in. [254 mm] maximum tree diameter cutting capacity Four 0.75 in. [19.1 mm] double bevel reversible blades Hydraulic Specifications: 30 - 45 gpm [114 170 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *For:* *330G-332G SSL* *331G-333G CTLs* • *Requires machine equipped with high flow hydraulics* • *Requires applicable severe-duty door* • *Rear counterweight may improve machine stability while operating*	

Copyright © Deere & Company. All Rights Reserved.

RS72 ROTARY CUTTER

Code	Description	List price
	• *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
8342T	RS72 ROTARY CUTTER	USD $16,003.00
	CUTTING SYSTEM **Basic Factory Options** **CARBIDE TOOTH KIT**	
1100	CARBIDE TOOTH KIT	USD $500.00
1101	LESS CARBIDE TOOTH KIT	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT456609	Replacement Blade Kit	USD $723.00
AT456636	Wear Plate Kit	USD $121.00
AT456608	Carbide Tooth Kit	USD $424.00

Copyright © Deere & Company. All Rights Reserved.

RC78B ROTARY CUTTER

Code	Description	List price
8351T	**RC78B ROTARY CUTTER**	
	No Base Equipment Description.	
	BASE MACHINE	
	For use on the following models: *SSL: 324G – 332G* *CTL: 317G – 333G* *Requires machine equipped with standard flow hydraulics.* *Requires applicable severe-duty door.* *Rear counterweight may improve machine stability.* *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
8351T	RC78B ROTARY CUTTER	USD $8,344.00
	WHEELS AND TIRES **Basic Factory Options** **WHEEL KIT**	
1000	FRONT WHEEL KIT *Dealer-Installed*	USD $850.00
1001	LESS FRONT WHEEL KIT	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT442703	Front Wheel Kit	USD $850.00
AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*	USD $290.00

Copyright © Deere & Company. All Rights Reserved.

RX72 ROTARY CUTTER

Code	Description	List price
83A1T	**RX72 ROTARY CUTTER** Product Features: Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter Direct drive bearing for higher efficiency and extended durability Hydraulic valving stops blades from spinning in seconds upon shutdown Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris Three blades made of 0.625 in. [15.9 mm] thick forged steel Optimized blade carrier design for quick start-up and recovery performance Standard pressure gauge to monitor blade load for optimal performance Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers 1810 lb. [820 kg] overall weight 77 in. [1960 mm] overall width 72 in. [1830 mm] cutting width 10 in. [254 mm] maximum tree diameter cutting capacity Three 0.625 in. [15.9 mm] single bevel blades Hydraulic Specifications: 30 - 45 gpm [114 170 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics* • *Requires applicable severe-duty door* • *Rear counterweight may improve machine stability while operating* • *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301*	

Copyright © Deere & Company. All Rights Reserved.

RX72 ROTARY CUTTER

Code	Description	List price
	F.O.B. Dubuque, Iowa	
83A1T	RX72 ROTARY CUTTER	USD $15,040.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
AT456636	Wear Plate Kit	USD $121.00
BYT11465	Replacement Blade Kit	USD $450.00

Copyright © Deere & Company. All Rights Reserved.

RX84 ROTARY CUTTER

Code	Description	List price
83B1T	**RX84 ROTARY CUTTER** Product Features: Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter Direct drive bearing for higher efficiency and extended durability Hydraulic valving stops blades from spinning in seconds upon shutdown Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris Three blades made of 0.625 in. [15.9 mm] thick forged steel Optimized blade carrier for improved start-up and recovery performance Standard pressure gauge to monitor blade load for optimal performance Specifications: Skid steer coupler attachment interface 1/2 in. hydraulic quick couplers with 3/8 in. case drain coupler 2260 lb. [1025 kg] overall weight 89 in. [2265 mm] overall width 84 in. [2135 mm] cutting width 10 in. [254 mm] maximum tree diameter cutting capacity Three 0.625 in. [15.9 mm] single bevel blades Hydraulic Specifications: 30 - 45 gpm [114 170 l/min] hydraulic flow range 4000 psi [28000 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 332G* *CTL: 331G – 333G* • *Requires machine equipped with high flow hydraulics* • *Requires applicable severe-duty door* • *Rear counterweight may improve machine stability while operating* • *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301*	

Copyright © Deere & Company. All Rights Reserved.

RX84 ROTARY CUTTER

Code	Description	List price
	F.O.B. Dubuque, Iowa	
83B1T	RX84 ROTARY CUTTER	USD $17,663.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION KITS & ACCESSORIES	
BYT11426	Wear Plate Kit	USD $132.00
BYT11465	Replacement Blade Kit	USD $450.00

Copyright © Deere & Company. All Rights Reserved.

RT52 ROTARY TILLER

Code	Description	List price
7520T	**RT52 ROTARY TILLER** Equipment for Base Machine Performance: Tills to a 6 in. (152 mm) Depth Standard Offset Left Making It Useful For All Tilling Jobs Hydraulics: Standard Flow Hydraulics Minimum Hydraulic Flow: 18 gpm (68 lpm) Maximum Hydraulic Flow: 28 gpm (106 lpm) Maximum System Pressure: 3000 psi (21 Mpa) Dimensions: Tilling Width: 52 in. (1.3m) Overall Width: 62 in. (1.6m) Overall Length: 48 in. (1.2m) Overall Height: 35 in. (0.9m) NOTE: Optional Scarifier may improve performance.	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

RT52 ROTARY TILLER

Code	Description	List price
7520T	RT52 ROTARY TILLER	USD $7,047.00

Copyright © Deere & Company. All Rights Reserved.

RT66 ROTARY TILLER

Code	Description	List price
7530T	**RT66 ROTARY TILLER** Equipment for Base Machine Performance: Tills to a 6 in. (152 mm) Depth Standard Offset Left and Center Position Make It Useful For All Tilling Jobs Hydraulics: Standard Flow Hydraulics Minimum Hydraulic Flow: 18 gpm (60 lpm) Maximum Hydraulic Flow: 28 gpm (106 lpm) Maximum System Pressure: 3000 psi (21 Mpa) Dimensions: Tilling Width: 66 in. (1.7m) Overall Width: 76 in. (1.9m) Overall Length: 48 in. (1.2m) Overall Height: 35 in. (0.9m) NOTE: Optional Scarifier may improve performance.	
	BASE MACHINE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *F.O.B. Dubuque, Iowa*	

Copyright © Deere & Company. All Rights Reserved.

RT66 ROTARY TILLER

Code	Description	List price
7530T	RT66 ROTARY TILLER	USD $7,736.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT340330	Scarifier Kit RT66 *Contains 5 teeth*	USD $272.00

Copyright © Deere & Company. All Rights Reserved.

SA60 SIDE DISCHARGE BUCKET

Code	Description	List price
9090T	**SA60 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTLs* *F.O.B. Dubuque, Iowa*	
9090T	SA60 SIDE DISCHARGE BUCKET	USD $7,166.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	USD $196.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

SA72 SIDE DISCHARGE BUCKET

Code	Description	List price
9100T	**SA72 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *F.O.B. Dubuque, Iowa*	
9100T	SA72 SIDE DISCHARGE BUCKET	USD $9,562.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

SD72 SIDE DISCHARGE BUCKET

Code	Description	List price
9110T	**SD72 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007* *F.O.B. Dubuque, Iowa*	
9110T	SD72 SIDE DISCHARGE BUCKET	USD $10,113.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00

Copyright © Deere & Company. All Rights Reserved.

SD84 SIDE DISCHARGE BUCKET

Code	Description	List price
9120T	**SD84 SIDE DISCHARGE BUCKET**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008* *F.O.B. Dubuque, Iowa*	
9120T	SD84 SIDE DISCHARGE BUCKET	USD $12,487.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*	USD $63.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	USD $367.00
AT311312	Rear Weight Bracket Kit (325-332)	USD $199.00
	CUTTING EDGES	
KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*	See Parts

Copyright © Deere & Company. All Rights Reserved.

AD7 SILAGE DEFACER

Code	Description	List price
03G0T	**AD7 SILAGE DEFACER** Equipment for Base Machine Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending. Cutting Width 96.9 in. (2460.6 mm) Depth of cut 0-3 in Reach 11 ft. Weight 1037 lb. (470 kg) Hydraulic Flow 16-25 gpm	
	BASE MACHINE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.* *For High Debris Applications highly recommend installing High Debris Application Package - BYT11301* *F.O.B. Dubuque, Iowa*	
03G0T	AD7 SILAGE DEFACER	USD $6,401.00

Copyright © Deere & Company. All Rights Reserved.

BL7

Code	Description	List price
0500KV	**BL7**	
	BL7, 84IN SNOW/UTIL BLADE	
	BASE MACHINE	
0500KV	BL7	USD $2,717.00

Copyright © Deere & Company. All Rights Reserved.

BL9

Code	Description	List price
0520KV	**BL9**	
	BL9, 108IN SNOW/UTIL BLADE	
	BASE MACHINE	
0520KV	BL9	USD $2,953.00

Copyright © Deere & Company. All Rights Reserved.

BL10

Code	Description	List price
0530KV	**BL10**	
	BL10, 120IN SNOW/UTIL BLADE	
	BASE MACHINE	
0530KV	BL10	USD $3,189.00

Copyright © Deere & Company. All Rights Reserved.

BV9 SNOW V BLADE

Code	Description	List price
0BW0T	**BV9 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BW0T	BV9 SNOW V BLADE	USD $6,539.00

Copyright © Deere & Company. All Rights Reserved.

BV8 SNOW V BLADE

Code	Description	List price
0BX0T	**BV8 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BX0T	BV8 SNOW V BLADE	USD $6,331.00

Copyright © Deere & Company. All Rights Reserved.

BV6 SNOW V BLADE

Code	Description	List price
0BY0T	**BV6 SNOW V BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.* *F.O.B. Dubuque, Iowa*	
0BY0T	BV6 SNOW V BLADE	USD $5,240.00

Copyright © Deere & Company. All Rights Reserved.

SB78B Snow Blower

Code	Description	List price
6981T	**SB78B Snow Blower** 18-27 GPM	
	BASE MACHINE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *F.O.B. Dubuque, Iowa*	
6981T	SB78B Snow Blower	USD $10,344.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB78B Snow Blower

Code	Description	List price
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB84B Snow Blower

Code	Description	List price
7091T	**SB84B Snow Blower** 18-27 GPM	
	BASE MACHINE *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL* *F.O.B. Dubuque, Iowa*	
7091T	SB84B Snow Blower	USD $10,480.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB84B Snow Blower

Code	Description	List price
	For 300-Series with E-H Joystick controls. *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00

Copyright © Deere & Company. All Rights Reserved.

SP10C SNOW PUSH

Code	Description	List price
9371T	**SP10C SNOW PUSH**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.* *F.O.B. Dubuque, Iowa*	
9371T	SP10C SNOW PUSH	USD $4,440.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
	Dealer installed option.	
1000	Pullback Kit *SP10C Pullback Kit.*	USD $1,938.00
1001	Less Pullback Kit	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT440275	SP10C Pullback Kit	USD $1,970.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
95A0T	**SB72D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1150 lb. [520 kg] overall weight 43 in. [1090 mm] overall length 76 in. [1920 mm] overall width 72 in. [1830 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G 324G* *CTL: 325G*	

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
	Requires machine equipped with high flow hydraulics. *Requires machine equipped with quick connect couplers.* *Requires machine equipped with 14-pin electrical connector.* *Rear counterweight may improve machine stability while operating.* *F.O.B. Dubuque, Iowa*	
95A0T	SB72D Snow Blower	USD $11,413.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SB72D Snow Blower

Code	Description	List price
	base unit. *Installation Instructions T250796.*	

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
95B0T	**SB78D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1195 lb. [540 kg] overall weight 43 in. [1090 mm] overall length 82 in. [2070 mm] overall width 78 in. [1980 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 320G – 332G* *CTL: 325G – 333G*	

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
	Requires machine equipped with high flow hydraulics *Requires machine equipped with ½" quick connect couplers* *Requires machine equipped with 14-pin electrical connector.* *Rear counterweight may improve machine stability while operating* *F.O.B. Dubuque, Iowa*	
95B0T	SB78D Snow Blower	USD $11,545.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB78D Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	

Copyright © Deere & Company. All Rights Reserved.

SB84D Snow Blower

Code	Description	List price
95C0T	**SB84D Snow Blower** Features: Two-stage hydraulic snow blowers are ideal for clearing snow from roadways, parking lots, driveways, or sidewalks by throwing snow up to 13.7 m [45 ft.] Direct drive motors at the auger and impeller provide robust and reliable performance High-volume intake shroud maximizes snow clearing productivity In-cab controls of poly-lined chute and deflector for easy snow placement Easily adjustable skid shoes set cutting edge height to accommodate different surface types Replaceable bolt-on wear-resistant tapered steel edges and poly edges are available Serrated auger option available to cut through the toughest of snow conditions Specifications: Skid steer coupler attachment interface in. hydraulic quick couplers 14-pin electrical connector 1230 lb. [560 kg] overall weight 43 in. [1090 mm] overall length 88 in. [2225 mm] overall width 84 in. [2135 mm] intake width 36 in. [915 mm] intake height 45 ft. [13.7 m] max. throw distance Hydraulic Specifications: 30 - 42 gpm [114 159 l/min] hydraulic flow range 3500 psi [24100 kPa] maximum operating pressure	
	BASE MACHINE *For use on the following models:* *SSL: 330G – 324G* *CTL: 325G – 333G* *Requires machine equipped with high flow hydraulics* *Requires machine equipped with ½" quick connect couplers* *Requires machine equipped with 14-pin electrical connector.*	

Copyright © Deere & Company. All Rights Reserved.

SB84D Snow Blower

Code	Description	List price
	Rear counterweight may improve machine stability while operating *F.O.B. Dubuque, Iowa*	
95C0T	SB84D Snow Blower	USD $11,677.00
	AUGER **Basic Factory Options** **AUGER TYPE**	
2001	Smooth Auger	No Added Cost
2002	Serrated Auger	USD $711.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
9600T	**SB84H Snow Blower - High Flow** No Base Equipment provided.	
	BASE MACHINE *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.* *F.O.B. Dubuque, Iowa*	
9600T	SB84H Snow Blower - High Flow	USD $17,473.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*	USD $536.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*	USD $215.00
1003	14-Pin Connector Harness *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS*	USD $270.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
	329D-333D CTLs *329E-333E CTLs* *317G-333G CTLs* *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.*	
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $427.00
AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	USD $268.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	USD $474.00
AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	USD $739.00
AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	USD $750.00
AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*	USD $808.00

Copyright © Deere & Company. All Rights Reserved.

SB84H Snow Blower - High Flow

Code	Description	List price
AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	USD $525.00
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*	USD $245.00

Copyright © Deere & Company. All Rights Reserved.

BL6B SNOW / UTILITY BLADE

Code	Description	List price
9610T	**BL6B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-318G SS* *317G CTL* *F.O.B. Dubuque, Iowa*	
9610T	BL6B SNOW / UTILITY BLADE	USD $4,218.00

Copyright © Deere & Company. All Rights Reserved.

BL7B SNOW / UTILITY BLADE

Code	Description	List price
9620T	**BL7B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements* *F.O.B. Dubuque, Iowa*	
9620T	BL7B SNOW / UTILITY BLADE	USD $4,349.00

Copyright © Deere & Company. All Rights Reserved.

BL8B SNOW / UTILITY BLADE

Code	Description	List price
9630T	**BL8B SNOW / UTILITY BLADE**	
	no Base Equipment Description	
	BASE MACHINE	
	For: *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements* *F.O.B. Dubuque, Iowa*	
9630T	BL8B SNOW / UTILITY BLADE	USD $4,482.00

Copyright © Deere & Company. All Rights Reserved.

BL9B SNOW / UTILITY BLADE

Code	Description	List price
9650T	**BL9B SNOW / UTILITY BLADE**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
9650T	BL9B SNOW / UTILITY BLADE	USD $4,631.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

BL10B SNOW / UTILITY BLADE

Code	Description	List price
9660T	**BL10B SNOW / UTILITY BLADE**	
	no Base Equipment Description	
	BASE MACHINE	
	For: *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *F.O.B. Dubuque, Iowa*	
9660T	BL10B SNOW / UTILITY BLADE	USD $5,501.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

SB60B Snow Blower

Code	Description	List price
9712T	**SB60B Snow Blower** 14-21 GPM	
	BASE MACHINE *For:* *312G-318G SS* *317G CTL* *F.O.B. Dubuque, Iowa*	
9712T	SB60B Snow Blower	USD $8,909.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB60B Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

SP8C SNOW PUSH

Code	Description	List price
9801T	**SP8C SNOW PUSH**	
	No Base Equipment Description	
	BASE MACHINE	
	For: *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.* *F.O.B. Dubuque, Iowa*	
9801T	SP8C SNOW PUSH	USD $3,962.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
	Dealer installed option.	
1000	Pullback Kit *SP8C Pullback Kit.*	USD $1,632.00
1001	Less Pullback Kit	No Added Cost
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT440274	SP8C Pullback Kit	USD $1,717.00
AT357576	ISO Adapter to Quik Tatch Coupler	USD $1,584.00

Copyright © Deere & Company. All Rights Reserved.

26 June 2022

SB72B Snow Blower

Code	Description	List price
9972T	**SB72B Snow Blower** 14-21 GPM	
	BASE MACHINE *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL* *F.O.B. Dubuque, Iowa*	
9972T	SB72B Snow Blower	USD $9,696.00
	PICK ONE **Basic Factory Options** **PICK ONE**	
1001	Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*	USD $620.00
1002	14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $326.00
1003	14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*	USD $536.00
	MISCELLANEOUS **ATTACHMENTS FOR FIELD CONVERSION** **KITS & ACCESSORIES**	
AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*	USD $210.00
AT361655	Control Box and Harness	USD $525.00

Copyright © Deere & Company. All Rights Reserved.

SB72B Snow Blower

Code	Description	List price
	For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D. *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*	
AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H, SB72D, SB78D, SB84D.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*	USD $268.00

Copyright © Deere & Company. All Rights Reserved.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **11**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
SKID STEER PURCHASE			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE**
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2023
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-Card	☐ PRC	☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			

DESCRIPTION OF CHANGE NOTICE				
OPTION	**LENGTH OF OPTION**	**EXTENSION**	**LENGTH OF EXTENSION**	**REVISED EXP. DATE**
☐		☐		January 12, 2023
CURRENT VALUE	**VALUE OF CHANGE NOTICE**		**ESTIMATED AGGREGATE CONTRACT VALUE**	
$2,549,000.00	$500,000.00		$3,049,000.00	

DESCRIPTION

Effective 4/26/2022, this contract is hereby increased by $500,000. All other terms, conditions, specifications, and pricing remain the same. Per agency request, DTMB Procurement approval, and State Administrative Board approval on 4/26/2022.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **10**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
SKID STEER PURCHASE			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE**
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2023
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-Card	☐ PRC	☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			

DESCRIPTION OF CHANGE NOTICE				
OPTION	**LENGTH OF OPTION**	**EXTENSION**	**LENGTH OF EXTENSION**	**REVISED EXP. DATE**
☐		☐		January 12, 2023
CURRENT VALUE	**VALUE OF CHANGE NOTICE**		**ESTIMATED AGGREGATE CONTRACT VALUE**	
$2,300,000.00	$249,000.00		$2,549,000.00	

DESCRIPTION

Effective 3/17/2022, this contract is hereby increased by $249,000. All other terms, conditions, specifications and pricing remain the same. Per agency request, and DTMB Procurement approval.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **9**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1300 River Drive
	Moline, IL 61265
	Brooke DeVol
	309-207-0431
	forsbergbrookel@johndeere.com
	CV0130122

STATE			
	Program Manager	Various	DTMB
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
SKID STEER PURCHASE			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE**
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2023
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-Card	☐ PRC	☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			

DESCRIPTION OF CHANGE NOTICE				
OPTION	**LENGTH OF OPTION**	**EXTENSION**	**LENGTH OF EXTENSION**	**REVISED EXP. DATE**
☐		☐		January 12, 2023
CURRENT VALUE	**VALUE OF CHANGE NOTICE**	**ESTIMATED AGGREGATE CONTRACT VALUE**		
$2,000,000.00	$300,000.00	$2,300,000.00		

DESCRIPTION

Effective December 7, 2021, this contract is hereby increased by $300,000.00. All other terms, conditions, specifications, and pricing remain the same. Per Vendor and Agency agreement, DTMB Central Procurement approval and Ad Board approval on December 7, 2021.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **8**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	DTMB
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☒	2 years	☐		January 12, 2023

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$2,000,000.00	$0.00	$2,000,000.00

DESCRIPTION

Effective 11/16/2020, the first and second option years available on this contract are hereby exercised. The revised contract expiration date is 1/12/2023. All other terms, conditions, specifications and pricing remain the same. Per agency request, and DTMB Procurement approval.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **7**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$2,000,000.00	$0.00	$2,000,000.00

DESCRIPTION

Effective 10/8/2020 equipment and pricing on this contract is hereby updated, per revised Schedules E1, E2, and E3 (attached). All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 62,310.00	$ 125.00	$4/Loaded Mile $50 Minimum
	NON - AWARDED SPECIFICATIONS FOR PURCHASE				
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324E	Skid Steer Loader	$ 38,075.00	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 31,074.00	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery Per mile from Contractor's nearest dealer location	Price Change Justification for New Base Code 10/1/2020
1	John Deere 333G Compact Track Loader	Compact Track Loader	$82,621.00	33%	$55,356.07	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-0BF2T Moved Engine into Base Price. No price increase on fully configured machine
2	John Deere 331G Compact Track Loader	Compact Track Loader	$76,346.00	33%	$51,151.82	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-0BE2T Moved Engine into Base Price. No price increase on fully configured machine
3	John Deere 325G Compact Track Loader	Compact Track Loader	$62,198.00	33%	$41,672.66	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-00D2T Moved SSM keyless start and 2 speed transmission into Base Price. No price increase on fully configured machine
4	John Deere 317G Compact Track Loader	Compact Track Loader	$58,590.00	33%	$39,255.30	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$38,493.00	33%	$25,790.31	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$40,440.00	33%	$27,094.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
9	John Deere 320G Skid Steer Loader	Skid Steer Loader	$46,601.00	33%	$31,222.67	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-00B2T Moved tire code 2315, SSM keyless start and 2 speed transmission into Base Price. No price increase on fully configured machine.
10	John Deere 324G Skid Steer Loader	Skid Steer Loader	$49,307.00	33%	$33,035.69	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-00C2T Moved tire code 2315, SSM keyless start and 2 speed transmission into Base Price. No price increase on fully configured machine.
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$60,965.00	33%	$40,846.55	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-0BC2T Moved tire code 2335 into Base Price. No price increase on fully configured machine.
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$63,996.00	33%	$42,877.32	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	New Base Code-0BD2T Moved tire code 2320 into Base Price. No price increase on fully configured machine.
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
13	John Deere 204L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AD0T	$78,811.00	25%	$59,108.25	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum	
14	John Deere 244L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AF0T	$98,083.00	26%	$72,581.42	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum	
15	John Deere 304L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AE0T	$91,526.00	26%	$67,729.24	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum	
16	John Deere 324L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AG0T	$111,203.00	26%	$82,290.22	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum	
17	John Deere 17G Compact Excavator	Excavator, Track Base Code 0010FF	$32,265.00	28%	$23,230.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
18	John Deere 26G Compact Excavator	Excavator, Track Base Code 0020FF	$39,188.00	27%	$28,607.24	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
19	John Deere 30G Compact Excavator	Excavator, Track Base Code 0100FF	$47,301.00	28%	$34,056.72	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
20	John Deere 35G Compact Excavator	Excavator, Track Base Code 0050FF	$52,663.00	28%	$37,917.36	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
21	John Deere 50G Compact Excavator	Excavator, Track Base Code 0060FF	$69,833.00	28%	$50,279.76	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	
22	John Deere 60G Compact Excavator	Excavator, Track Base Code 0071FF	$77,990.00	27%	$56,932.70	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum	

JOHN DEERE

Current Date 03Jan2020

204L FOUR WHEEL DRIVE LOADER

204L Standard Equipment

ENGINE:
Yanmar 4TNV98
61 SAE Net Horsepower (45 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F (-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard (Conforms to SAE J1308)
ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits battery load center bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE
Hydraulic Test Ports
AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential
BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
STEERING:
Hydraulic Power Steer:
40 Degrees Articulation
HYDRAULIC SYSTEM:
18 GPM (70 L/Min) Engine Mounted Gear Pump - Open Center control valve
Combined Hydrostatic/Hydraulic Oil Reservoir Sight Glass
OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab, Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna
LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)
OVERALL VEHICLE:
Articulation Locking Pin

J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Charge Pressure Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure

(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
204L FOUR WHEEL DRIVE LOADER	0AD0T	$78,811.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,945.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine John Deere PowerTech E 4.5 L	0924	$3,976.00

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,040.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.	4020	$1,219.00
Mitas EM01 365/70R18 This tire option gives total machine height of 8 ft (2445 mm) for cab option and total machine height of 7 ft 11 inches (2421 mm) for the canopy option.	4025	No Added Cost
400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.	4030	$2,227.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights Canopy 2x Front, 2x Rear Halogen WorkLights	7110	No Added Cost
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,148.00

Only available with Cab Option Code 8422

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		

JOHN DEERE

Current Date 03Jan2020

244L- FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery totaling 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degrees in Each Direction)
Plus an Additional 26 Degree Rear Wheel Steer

HYDRAULIC SYSTEM:
17 GPM (65 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab,
heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Hourmeter
Speedometer
Fuel Gauge
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and
Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders

Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Locking Front Differential and Rear Standard Differential
Grease Bank for Oscillating Rear Axle

Steering Console
Steering Wheel with Spinner
Seat, Deluxe Deep Foam, Fabric, Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Park Brake Actuated
Forward-Reverse Travel

Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking For:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Contact DMAC for Foam Filled or Solid Tire Applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
244L- FOUR WHEEL DRIVE LOADER	0AF0T	$98,083.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,306.00

CONTROLS

Description	Code	Price
Standard Control Package Includes Rimpull Control and Inching Pedal.	2410	No Added Cost
Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.	2430	$1,391.00

ENGINE

Description	Code	Price

Engine	0924	$4,537.00
103 SAE Net Horsepower (76 kW) Isolation Mounted with Turbocharger Meets EPA Final Tier 4 and EU Stage IV Emissions		

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,388.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,346.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$1,219.00
This tire option gives total machine height of 9 ft (2743 mm)		
Mitas EM01	4025	No Added Cost
This tire option gives total machine height of 8 ft 11 in (2472 mm) 365/70R18		
400/70R20 Michelin XMCL	4030	$2,227.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
400/70R20 Michelin Bibload L3	4035	$2,584.00
This tire option gives total machine height of 9 ft 1 in (2768 mm)		
Nokian HakkaPeliitta TRI 400/70R20EM	40F1	$2,679.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab	7120	$256.00
2x Front, 2x Rear Halogen WorkLights		
Less Work Lights (LED Kit Ready)	7140	No Added Cost
Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523		

(2xflood)

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost
Less Bucket ISO Coupler included.	8550	$1,727.00
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.	8555	$3,766.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.	8560	$4,895.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Spool Stop LW11621919	8565	$5,874.00

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	9200	$1,774.00
Front Windshield Guard Long Lead Time Item.	9420	$2,201.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler	AT316646	$2,930.00

* 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops		
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$180.00
Beacon Light	LW9069320	$204.00
Block Heater Kit	AT427686	$114.00
Front Windshield Guard	BYT10741	$2,698.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
LED Worklight Kit (Spot)	BYT10522	$194.00
Reversing Fan (Field Installed)	BYT11225	$2,305.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Boom Height Kick-Out Boom Height Kick-out	BYT11293	$702.00
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch	BYT10083	$2,299.00

Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,523.00
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$525.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

304L FOUR WHEEL DRIVE LOADER

304L Standard Equipment

ENGINE:
Yanmar 4TNV98
65 SAE Net Horsepower (48 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F (-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard (Conforms to SAE J1308)
ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits with battery load center bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE
Hydraulic Test Ports
AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential
BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
STEERING:
Hydraulic Power Steer:
40 Degrees Articulation
HYDRAULIC SYSTEM:
20 GPM (77 L/Min) Engine Mounted Gear Pump - Open Center control valve
Combined Hydrostatic/Hydraulic Oil Reservoir Sight Glass
OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab, Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna
LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)
OVERALL VEHICLE:
Articulation Locking Pin

J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure

(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
304L FOUR WHEEL DRIVE LOADER	0AE0T	$91,526.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,945.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine John Deere PowerTech E 4.5 L	0924	$4,232.00

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,040.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.	4020	No Added Cost
Mitas EM01 This tire option gives total machine height of 8 ft 2 inches (2495 mm) for cab option and total machine height of 8 ft 1 inch (2471 mm) for the canopy option. 405/70R20	4025	($1,219.00)
400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.	4030	$1,058.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy	7110	No Added Cost
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,148.00

Only available with Cab Option Code 8422

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.	AT413238	$4,288.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Beacon Light	AT438075	$505.00

For use with Cab code 8422		
Beacon Light	AT443300	$505.00
For use with Canopy code 8419.		
Block Heater Kit	AT427686	$114.00
Creep Control Kit	AT438074	$2,696.00
For use with Cab code 8422		
LED Worklight Kit (Spot)	BYT10522	$194.00
Ride Control	BYT10052	$1,835.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Vandal Kit	AT438076	$394.00
For use with Canopy code 8419. Includes 2 covers; 1 for guage, 1 for switches.		
Miscellaneous		
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch Coupler	BYT10083	$2,299.00
Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler	BYT10092	$2,523.00
Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		
Electrical Attachment Control Kit	AT390659	$525.00
Provides both 3 pin and 14 pin connectors and a control box.		
ISO Coupler Kit 204L/304L	AT452289	$1,696.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

324L - FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) 12 Volt, 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving / (2) Front Working Halogen Lights
(2) Front and (2) Rear

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Front Diff/Lock and Rear Std. Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer: 56 Degrees Articulation (28 Degree in Each Direction) Plus an Additional 26 Degree Rear Wheel Steer

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic
Fuel Gauge
Speedometer
Hourmeter
Turn Signal and Hazard Lights
High Beam Indicator
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
Two Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment and Manual
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler

Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig (Bucket Leveling) Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation

Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

HYDRAULIC SYSTEM:
Joystick FNR Control with Third Function Control Lever
24 GPM (91 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic Oil Reservoir with Sight Glass

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

Steering Console
Steering Wheel with Spinner
Seat, Deep Foam, Fabric, Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests, 2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Fasten Seat Belt
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range

System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L)
Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Refer to Service Administration Manual for Foam Filled or Solid Tire applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
324L - FOUR WHEEL DRIVE LOADER	0AG0T	$111,203.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,306.00

CONTROLS

Description	Code	Price
Standard Control Package Includes Rimpull Control and Inching Pedal.	2410	No Added Cost
Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.	2430	$1,391.00

ENGINE

Description	Code	Price
Engine	0924	$4,537.00
103 SAE Net Horsepower (76 kW) Isolation Mounted with Turbocharger Meets EPA Final Tier 4 and EU Stage IV Emissions		

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,388.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,346.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$1,219.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
Mitas EM01	4025	No Added Cost
This tire option gives total machine height of 9 ft 2 in (2804 mm) 405/70R20		
400/70R20 Michelin XMCL	4030	$2,277.00
This tire option gives total machine height of 9 ft 2 in (2804 mm)		
400/70R20 Michelin Bibload L3	4035	$2,584.00
This tire option gives total machine height of 9 ft 2 in (2798 mm)		
Nokian HakkaPeliitta TRI 400/70R20EM	40F1	$2,679.00

LINKAGE

Description	Code	Price
Standard Z-bar linkage	2010	No Added Cost
Height to Hinge Pin 132 in.		
High Lift Z-bar linkage	2020	$2,067.00

Height to Hinge Pin 149 in.

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	$256.00
Less Work Lights (LED Kit Ready) Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)	7140	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost
Less Bucket ISO Coupler included.	8550	$1,727.00
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.	8555	$3,766.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.	8560	$4,895.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Spool Stop LW11621919	8565	$5,874.00
2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Includes Spool Stop LW11621919	8570	$6,848.00

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	9200	$1,774.00

Front Windshield Guard Long Lead Time Item.	9420	$2,201.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320638	$5,386.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops	AT413238	$4,288.00

Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.		
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$180.00
Beacon Light	LW9069320	$204.00
Block Heater Kit	AT427686	$114.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
LED Worklight Kit (Spot)	BYT10522	$194.00
Reversing Fan (Field Installed)	BYT11225	$2,305.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Boom Height Kick-Out Boom Height Kick-out	BYT11293	$702.00
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,299.00
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,523.00
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$525.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

17G Compact Excavator

ENGINE:
Yanmar 3TNV74F 3-61.0 cu. in. (0.99 l)
14.5 ISO9249 Net HP (10.8 kW)
Certified to EPA Tier 4 Final
Engine Coolant
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid
HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Foot Control
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom
UNDERCARRIAGE:
9.1 in. (230 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Travel
Axial Piston Propel Motor
UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 50 degree right rotation)
ROPS/OPG/FOPS Canopy
Work light, mounted on Boom
Counterweight 265 lb. (120 kg.)
Vandal Locks for Service Doors
FRONT ATTACHMENTS:
Boom 6 ft. (1.82 m)
Arm 3 ft. 1 in. (0.93 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Foot Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
17G Compact Excavator	0010FF	$32,265.00

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 In. (305 mm) Heavy Duty Bucket;	BYT10959	$477.00

0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included) Actions		
16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)	BYT10960	$515.00
18 In. (457 mm) Heavy Duty Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included)	BYT10961	$560.00
9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft. (0.020 Cu. M)	BYT10958	$429.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp Works with quick coupler buckets (excluding 9 Heavy Duty). Does not include hydraulic couplers on hoses.	AT451118	$1,672.00
Interface Adapters		
Interface Adapter for 17 ZTS	AT306179	$440.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705923) (17 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	BYT10076	$1,129.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

26G Compact Excavator

ENGINE:
Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid
HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors
FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)
Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Automatic Shifting and Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat
Propel Levers and Foldable Pedals

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
26G Compact Excavator	0020FF	$39,188.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost

ROPS / FOPS Cab	8185	$4,266.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater.		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164	BYT10962	$644.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10971	$2,307.00
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10972	$2,496.00
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$805.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	AT451119	$1,705.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00
Front Screen, Canopy (GR#706024) (26 CE) Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy	AT495180	$603.00
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 264782	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$653.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

30G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator

Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
4 ft. 11 in. (1.5 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 723 lb. (328 kg.)
FRONT ATTACHMENTS:
Boom 7 ft. 6 in. (2.28 m)
Arm 3 ft. 8 in. (1.17 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
30G Compact Excavator	0100FF	$47,301.00

TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
12 in. (300 mm).		

ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
3 ft. 10 in.(1.17m)		

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	$6,243.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		

SEAT

Description	Code	Price
Suspension Seat - Vinyl	4145	$351.00
Requires ROPS / FOPS Canopy (8150).		
Suspension Seat - Cloth	4150	$380.00
Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	$644.00
Does not work with Hydraulic coupler AT442164		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	$2,307.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	$2,496.00
Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00

30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$805.00
Clamps		
Hydraulic Clamp - Factory Installation Fee	AT487517	$830.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00
Hydraulic GREY Clamp For dealer install, also order T213184 - Wear Plate (QTY 1) and AT317646 - Arm Bracket (QTY 1). These parts are not required if ordering AT487517 - Factory Installation Fee.	BYT10715	$1,918.00
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 266590	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

35G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
5 ft. 8 in. (1.74 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1190 lb. (540 kg.)
FRONT ATTACHMENTS:
Boom 8 ft. (2.45 m)
Arm 4 ft. 4 in. (1.32 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
35G Compact Excavator	0050FF	$52,663.00

TRACKS

Description	Code	Price
Rubber Track 12 in. (300 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 12 in. (300 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$1,072.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$3,135.00

ARM

Description	Code	Price
Standard Arm 4 ft. 4 in. (1.32 m).	7110	No Added Cost
Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg).	7120	$1,503.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.	8185	$6,243.00

SEAT

Description	Code	Price
Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).	4145	$351.00
Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).	4150	$380.00

Optional - *Select as desired*

BOLT

Description	Code	Price
Bolt On Cutting Edge Long lead-time item; contact Order Fulfillment for availability.	9100	$760.00

BLADE

Description	Code	Price
Angle Blade	9555	$2,982.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164	BYT10962	$644.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price	BYT10973	$2,574.00
18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included)	BYT10966	$749.00
24 in. (610 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10974	$3,235.00
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00
24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included)	BYT10967	$852.00
30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included)	BYT10968	$958.00
34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth)	BYT10970	$986.00
36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included)	BYT10969	$1,065.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp Works with quick coupler buckets except 12" Heavy Duty. If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206) from Parts. FOR SN PRIOR TO 265350 ALSO ORDER T213184 and AT317646.	AT386304	$1,617.00
Hydraulic Couplers		
Hydraulic Quick Coupler	AT442164	$2,448.00

Works with John Deere and Hitachi 35 quick coupler buckets only.		
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - Std Arm - 286115 Serial No. Break - Long Arm - 285875	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

50G Compact Excavator

ENGINE:
Yanmar 4TNV88 (2.19 l)
35.9 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom
UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS Canopy
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1543 lb. (700 kg.)
FRONT ATTACHMENTS:
Boom 9 ft. 2 in. (2.8 m)
Arm 4 ft. 6 in. (1.38 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
50G Compact Excavator	0060FF	$69,833.00

TRACKS

Description	Code	Price
Rubber Track 16 in. (400 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$2,025.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$5,990.00

ARM

Description	Code	Price
Standard Arm 4 ft. 6 in. (1.38 m).	7110	No Added Cost
Long Arm and Extra Counterwieght 5 ft. 7 in. (1.69 m) and Extra Counterweight 474 lbs (215 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.	7120	$1,541.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.	8185	$6,243.00

SEAT

Description	Code	Price
Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).	4145	$351.00
Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).	4150	$380.00

Optional - *Select as desired*

BOLT

Description	Code	Price
Bolt On Cutting Edge Can only be ordered for the Angle Blade option. Long lead-time item; contact Order Fulfillment for availability.	9100	$1,061.00

BLADE

Description	Code	Price
Angle Blade	9555	$3,172.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. (0.06 Cu. M) (3 TK Teeth Included)	BYT10976	$897.00
12 in. (305 mm) Heavy Duty Bucket; 2.1 cu. ft. (0.06 cu. m) (3 Teeth Included)	BYT10977	$897.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10999	$3,402.00
18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price	BYT10998	$3,742.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)	BYT10978	$986.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$986.00
24 in. (610 mm) Heavy Duty Bucket Bundle (TF23 Series Teeth included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11001	$3,827.00
24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth Included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11000	$3,827.00
24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. (0.15 Cu. M) (4 TK Teeth Included)	BYT10980	$1,110.00
24 in. (610 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.15 cu. m) (4 Teeth Included)	BYT10981	$1,110.00
30 in. (762 mm) Heavy Duty Bucket; 6.8 cu. ft. (0.19 cu. m) (5 Teeth Included)	BYT10983	$1,226.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 TK Teeth Included)	BYT10984	$1,365.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 Teeth Included)	BYT10985	$1,365.00
36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth)	BYT10986	$1,231.00

Clamps

Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	BYT10171	$1,898.00

Hydraulic Couplers

Hydraulic Quick Coupler Works with John Deere and Hitachi 50 quick coupler buckets only.	AT452082	$2,729.00
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00

Interface Adapters

Interface Adapter for 50-60 CE	AT306177	$692.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

60G Compact Excavator

ENGINE:
Yanmar 4TNV98 (3.3 l)
53 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Reduced Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1642 lb. (745 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Air Conditioning and Heat
Electronic Throttle Control with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
60G Compact Excavator	0071FF	$77,990.00

TRACKS

Description	Code	Price
Rubber Track 16 in. (400 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$2,025.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$5,990.00

ARM

Description	Code	Price
Standard Arm 4 ft. 11 in. (1.50 m).	7110	No Added Cost
Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).	7120	$1,781.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.	8185	$6,243.00

Optional - *Select as desired*

BLADE

Description	Code	Price
Angle Blade	9555	$4,694.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
13 In. (330 mm) Heavy Duty 3 Tooth Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	BYT10988	$1,065.00
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	BYT10987	$1,065.00

18 in. (457 mm) Heavy Duty 4 Tooth Bucket; 5.1 cu. ft.	BYT10990	$1,163.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$986.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	BYT10989	$1,163.00
24 in. (610 mm) Heavy Duty 5 Tooth Bucket; 7.5 cu. ft.	BYT10992	$1,310.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	BYT10991	$1,310.00
30 in. (762 mm) Heavy Duty 5 Tooth Bucket; 10.0 cu. ft	BYT10994	$1,457.00
36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M) (6 TK Teeth Included)	BYT10995	$1,450.00
36 in. Heavy Duty 5 Tooth Bucket; 12.5 cu. ft.	BYT10996	$1,516.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint)	BYT10997	$1,415.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	BYT10171	$1,898.00
Hydraulic Couplers		
Hydraulic Quick Coupler Works with John Deere and Hitachi 60 series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.	AT452558	$2,793.00
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00
Interface Adapters		
Interface Adapter for 50-60 CE	AT306177	$692.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through		

	John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
	Front Screen, Cab (GR#705577) (60 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	ETN112936	$653.00
	Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00

JOHN DEERE

Current Date 03Jan2020

317G COMPACT TRACK LOADER

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)
Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.99 m (78.5 in)
Height to hinge pin - 3.07 m (121 in)
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
317G COMPACT TRACK LOADER	06L2T	$58,590.00

PACKAGES

Description	Code	Price
EH, Open ROPS, Manual QT, SL, 1spd, Att Perf	0730	No Added Cost

Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

EH, Cab/Heat/AC, Power QT, SL, 1spd, Att Perf	0735	$5,385.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 1spd, Att Perf, LED lights	0760	$7,080.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, single speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2500	No Added Cost
Provides 65 in. machine width (narrow stance).		
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2510	No Added Cost

Provides 68 in. machine width (wide stance).		
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	$205.00
Provides 65 in. machine width (narrow stance).		
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2570	$205.00
Provides 68 in. machine width (wide stance).		
Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks	2600	$1,462.00
Provides 71 in. machine width (wide stance).		
Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	$1,667.00
Provides 71 in. machine width (wide stance).		

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat)	6006	$639.00
Cloth seat only available with cab machines.		

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
Shoulder harness required with a cab package.		
3-Inch Seat Belt with Shoulder Harness	4003	$271.00
Shoulder harness required with a cab package.		

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00

Includes programmable machine security code system.

BUCKETS

Description	Code	Price
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00

78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,828.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00

66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Jdlink		
JDLink Field Kit	BYT11282	$50.00
Hardware for mounting JDLink MTG terminal (does not include MTG).		
Kits & Accessories		
12 Volt Demonstration Kit	KV21995	$320.00
3-pin connector		
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00

Block Heater 110V Field Kit	BYT11199	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00

Miscellaneous		
72 in. Bolt-on Serrated Cutting Edge	T385220	View Price
78 in. Bolt-on Serrated Cutting Edge	T385219	View Price
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

316GR SKID STEER

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
316GR SKID STEER	06G2T	$38,493.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd	0715	$5,877.00
Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	0740	$5,320.00
Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	0745	$10,801.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	0765	$13,081.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.		
EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (45.6 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		

French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	No Added Cost
For use primarily in medium duty applications. Provides 63 in. machine width.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2041	$150.00
For use primarily in medium duty applications. Provides 60 in. machine width.		
10 X 16.5 NHS, CAMSO SKS	2285	($505.00)
For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
10x16.5 Brawler Treaded SolidFlex	2400	$1,774.00
For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.		
10x16.5 10 PR Galaxy Hulk	2430	$205.00

For use primarily in medium duty/hard surface applications.
Provides 63 in. machine width.

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00
Includes programmable machine security code system.		

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	$383.00
Provides 100 additional pounds of rated operating capacity.		
Counterweight, (Double Set)	8305	$765.00

Provides 200 additional pounds of rated operating capacity.

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$351.00

Replaces standard auxiliary hydraulic couplers.

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00

Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Radial Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10807	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00
Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00

Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

318G SKID STEER

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
318G SKID STEER	0B72T	$40,440.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd	0715	$5,877.00
Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	0740	$5,320.00
Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	0745	$10,801.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	0765	$13,081.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.		
EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (45.6 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		

French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	No Added Cost
For use primarily in medium duty applications. Provides 63 in. machine width.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2041	$150.00
For use primarily in medium duty applications. Provides 60 in. machine width.		
10 X 16.5 NHS, CAMSO SKS	2285	($505.00)
For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
10x16.5 Brawler Treaded SolidFlex	2400	$1,774.00
For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.		
10x16.5 10 PR Galaxy Hulk	2430	$205.00

For use primarily in medium duty/hard surface applications.
Provides 63 in. machine width.

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module) Includes programmable machine security code system.	8395	$408.00

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00

72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.	8410	$351.00
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00

66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10806	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00

Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00

Miscellaneous		
72 in. Bolt-on Serrated Cutting Edge	T385220	View Price
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 25Jun2020

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe

Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter

Boom Float
Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)

Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
325G COMPACT TRACK LOADER	00D2T	$62,198.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0722	$588.00
Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0750	$5,902.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	0755	$10,232.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.	0770	$11,181.00

ENGINE

Description	Code	Price
Engine - Turbocharged - FT4 Required for the United States and Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)	1301	$2,718.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost
Spanish Operator's Manual and No Text Decals	1516	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2500	No Added Cost
Provides 71.5 in. machine width.		
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	$205.00
Provides 71.5 in. machine width.		
Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks	2600	$1,462.00
Provides 74.7 in. machine width.		
Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	$1,667.00
Provides 74.7 in. machine width.		

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost

ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,058.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00
Radio, AM/FM with Aux Input	8340	$552.00

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,730.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).	8300	$383.00
Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).	8305	$765.00
Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).	8310	$1,148.00

MISCELLANEOUS

Description	Code	Price
Power Quik-Tatch for Canopy Units	8530	$740.00
HD Rear Grille Provides protection to cooling package.	8370	$497.00
Cab Severe Duty Polycarbonate Door	8525	$2,248.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,730.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with	BYT10853	$1,730.00

Serrated Edge		
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$699.00
Backhoe Attachment Mounting Kit	BYT10313	$288.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT427686	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$918.00
EH Joystick Performance Package	BYT10454	$605.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$466.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10641	$133.00

Foot Throttle Removal Kit	AT374642	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$605.00
Hazard Warning Lights	AT431921	$130.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$332.00
Joystick Pod Mounted Throttle	AT419446	$155.00
Radio Field Kit	BYT10062	$520.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$867.00
SMV Sign	BYT10680	$79.00
SSM - Use with EH Controls	BYT10650	$183.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Single Point Support Kit	BYT10843	$2,880.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Tooth Bars		
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		

Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 04Jun2020

331G COMPACT TRACK LOADER

331G Base Equipment

Engine:
4 Cylinder Turbo-Charged Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Hydraulic Pump Flow 24 gpm (91 L/m)
Travel Speed Low 6 mph (9.7 km/h)
Travel Speed High 8 mph (12.9 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 78.9 in. (2.00 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 11,800 lbs. (5,357 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows

Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,100 lbs. (1,407 kg)
Tipping Load 8,857 lbs. (4,022 kg)

Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
331G COMPACT TRACK LOADER	0BE2T	$76,346.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.	0720	No Added Cost
Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	0752	$6,592.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	0755	$10,232.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00

	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	Less JDLink	1741	No Added Cost

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.	2505	No Added Cost
Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2605	$283.00
Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2650	$488.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds	0995	$2,454.00

Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00

Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,835.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	$383.00
Includes 2 stackable 86 lb weights (39 Kg).		
Counterweight, (Double Set)	8305	$765.00
Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

MISCELLANEOUS

Description	Code	Price
Power Quik-Tatch for Canopy Units	8530	$740.00
HD Rear Grille	8370	$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	$2,248.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,730.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$1,835.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit	AT417736	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.	BYT11301	$542.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera	BYT10051	$867.00

Includes 5" LCD monitor.		
SMV Sign	BYT10059	$79.00
Severe Duty Door	BYT10226	$3,138.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10913	$460.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00

Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Light Guard Kit	BYT10946	$270.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 04Jun2020

333G COMPACT TRACK LOADER

333G Base Equipment

Engine:
4 Cylinder Turbo-Charged Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)
Travel Speed 8 mph (12.9 km/h)
Construction Bucket
Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy

Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)

Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
333G COMPACT TRACK LOADER	0BF2T	$82,621.00

PACKAGES

Description	Code	Price
Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	0752	$6,592.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.	0770	$11,181.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite	170C	$1,513.00

technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.	2505	($251.00)
Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2605	No Added Cost
Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2650	$205.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings	0995	$2,454.00

12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)	8500	$1,534.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,835.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	9410	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,781.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	$383.00
Includes 2 stackable 86 lb weights (39 Kg).		
Counterweight, (Double Set)	8305	$765.00
Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

MISCELLANEOUS

Description	Code	Price
HD Rear Grille	8370	$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	$2,248.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,730.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$1,835.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,781.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.	BYT11301	$542.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00

Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bucket Cylinder Rod Guard	BYT10913	$460.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate	AT445276	$681.00

	Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
	Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
	Rear Window/Side Window Cab Guards	BYT10258	$692.00
	Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 25Jun2020

320G SKID STEER

320G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 69 Hp (51,7 Kw)
Rated Operating Capacity
Hydraulic Pump Flow 20 gpm (76 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-

Engine Coolant Temp. Hydraulic Oil Temp. Job Clock	2,190 lbs. (994 kg) Tipping Load 4,380 lbs. (1,989 kg)	Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
320G SKID STEER	00B2T	$46,061.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0722	$588.00
Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0750	$5,902.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	0755	$10,232.00

ENGINE

Description	Code	Price
Engine - Turbocharged Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)	1301	$2,665.00
Engine - Naturally Aspirated Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98C 3.3L 4 Cylinder Naturally Aspirated 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)	1305	$1,501.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Added Cost
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Added Cost
French Operator's Manual and Decals For use with FT4 Engine.	1510	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Added Cost
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170C	$1,513.00
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.	2040	$182.00
12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.	2070	$503.00

10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.	2285	($323.00)
12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.	2315	No Added Cost
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.	2400	$1,956.00
12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.	2410	$2,656.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.	2430	$387.00
12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.	2440	$826.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price

2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$552.00
Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,337.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,730.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).	8300	$383.00
Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).	8305	$765.00
Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).	8310	$1,148.00

MISCELLANEOUS

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$497.00
Cab Severe Duty Polycarbonate Door	8525	$2,248.00
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,337.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00

66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,730.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,730.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$699.00
Backhoe Attachment Mounting Kit	BYT10313	$288.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT427686	$114.00
Bobcat Attachment Harness Adapter Kit	BYT10661	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$918.00
EH Joystick Performance Package	BYT10454	$605.00
Engine Air Pre-Cleaner Kit Compatible with 320G with Naturally Aspirated Engines code 1305.	BYT10681	$466.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$466.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10641	$133.00
Foot Throttle Removal Kit	AT374642	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$605.00
Hazard Warning Lights	AT431921	$130.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$332.00
Joystick Pod Mounted Throttle	AT419446	$155.00
Radio Field Kit	BYT10062	$520.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$867.00
SMV Sign	BYT10680	$79.00
SSM - Use with EH Controls	BYT10650	$183.00
SSM - Use with Manual Controls	BYT11292	$183.00

Severe Duty Door	BYT10226	$3,138.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	$173.00
Single Point Support Kit	BYT10843	$2,880.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,609.00
Wheels & Tires, Single (Left H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	$378.00
For 63 In. machine width		
12x16.5 12PR Galaxy Hulk, Left	AT446726	$610.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
For 60 In. machine width		
10x16.5 NHS CAMSO SKS	BYT10897	$328.00
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$610.00
12x16.5 NHS CAMSO SKS	BYT10898	$404.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance,		

and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 25Jun2020

324G SKID STEER

324G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,690 lbs. (1,221 kg)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Includes set of 2 stackable 86 lb (39 Kg) counterweights

Attachment Coupler:
John Deere patented Quik-

Engine Coolant Temp.	Tipping Load 5,380 lbs. (2,443 kg)	Tatch system (no grease required)
Hydraulic Oil Temp.	Hydraulic Pump Flow 21 gpm (79 L/m)	Warranty: John Deere 2 years/2000 hours
Job Clock		
Service Codes		

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
324G SKID STEER	00C2T	$49,307.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0722	$588.00
Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.	0750	$5,902.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	0755	$10,232.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.	0770	$11,181.00

ENGINE

Description	Code	Price
Engine - Turbocharged Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)	1301	$2,665.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost

For use with FT4 Engine.

English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Added Cost
French Operator's Manual and Decals For use with FT4 Engine.	1510	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Added Cost
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170C	$1,513.00
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.	2040	$182.00
12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.	2070	$503.00
10x16.5 NHS, CAMSO SKS	2285	($323.00)

For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.	2315	No Added Cost
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.	2400	$1,956.00
12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.	2410	$2,656.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.	2430	$387.00
12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.	2440	$826.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost

2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$552.00
Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00

66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,337.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,730.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Double Set) Includes 2 stackable 86 lb weights (39 Kg) to add to the set included in base.	8305	$383.00
Counterweight, (Triple Set)	8310	$765.00

Includes 4 stackable 86 lb weights (39 Kg) to add to the set included in base.

MISCELLANEOUS

Description	Code	Price
HD Rear Grille	8370	$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	$2,248.00
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,337.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00

72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,730.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,730.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$699.00
Backhoe Attachment Mounting Kit	BYT10313	$288.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT427686	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package	BYT10648	$918.00

Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	$605.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$466.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10641	$133.00
Foot Throttle Removal Kit	AT374642	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$605.00
Hazard Warning Lights	AT431921	$130.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$332.00
Joystick Pod Mounted Throttle	AT419446	$155.00
Radio Field Kit	BYT10062	$520.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$867.00
SMV Sign	BYT10680	$79.00
SSM - Use with EH Controls	BYT10650	$183.00
SSM - Use with Manual Controls	BYT11292	$183.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Single Point Support Kit	BYT10843	$2,880.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00

Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,609.00
Wheels & Tires, Single (Left H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$378.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$610.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$404.00
10x16.5 NHS CAMSO SKS	BYT10897	$328.00
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$610.00
12x16.5 NHS CAMSO SKS	BYT10898	$404.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate	AT445276	$681.00

Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Toe Guard and Door Upgrade Kit	AT372950	$565.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 04Jun2020

330G SKID STEER

330G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity

Machine Operating Weight 9,950 lbs. (4,517 kg)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Width without Attachment 78 in. (1.98 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 9,950 lbs. (4,517 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating

Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes	3,000 lbs. (1,362 kg) Tipping Load 6,000 lbs. (2,724 kg) Hydraulic Pump Flow 24 gpm (91 L/m)	Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
330G SKID STEER	0BC2T	$60,965.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.	0720	No Added Cost
Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	0752	$6,592.00
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	0755	$10,232.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite	170C	$1,513.00

technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR Titan HD2000-II Provides 73.2 in. machine width.	2070	($803.00)
12 X 16.5 NHS, CAMSO SKS Provides 73.5 in. machine width.	2315	($1,306.00)
14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.	2320	$485.00
14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.	2335	No Added Cost
12x16.5 Brawler Treaded SolidFlex Provides 73.3 in. machine width. Not compatible with steel tracks.	2410	$1,350.00
14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.	2420	$2,875.00
12x16.5 12 PR Galaxy Hulk Provides 73.75 in. machine width.	2440	($480.00)
14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.	2450	$1,000.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.	0953	$1,058.00

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat)	6006	$639.00

Cloth seat only available with cab machines.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00

Shoulder harness required with a cab package.

3-Inch Seat Belt with Shoulder Harness	4003	$271.00

Shoulder harness required with a cab package.

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00

Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00
Includes 5" LCD monitor.		

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,730.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00

84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,835.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).	8300	$383.00
Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).	8305	$765.00
Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).	8310	$1,148.00

MISCELLANEOUS

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$497.00
Cab Severe Duty Polycarbonate Door	8525	$2,248.00
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$1,835.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00

84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00

Kits & Accessories

Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls.	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.	BYT11301	$542.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00

On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,609.00
14x17.5 14 PR Titan HD2000-III	KV21892	$3,018.00
14x17.5 NHS CAMSO SKS	BYT10901	$2,466.00
Wheels & Tires, Single (Left H& Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$941.00
Wheels & Tires, Single (Right H& Only)		
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
12x16.5 NHS CAMSO SKS	BYT10898	$404.00

14x17.5 12 PR SKS Extra-Wall	BYT10900	$627.00
14x17.5 14 PR Titan HD2000-III	KV23691	$768.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$941.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10913	$460.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Light Guard Kit	BYT10946	$270.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 04Jun2020

332G SKID STEER

332G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity

Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:

Engine Coolant Temp.	3,600 lbs. (1,633 kg)	John Deere patented Quik-Tatch system (no grease required)
Hydraulic Oil Temp.	Tipping Load 7,200 lbs. (3,266 kg)	
Job Clock	Hydraulic Pump Flow 25 gpm (95 L/m)	Warranty:
Service Codes		John Deere 2 years/2000 hours
Diagnostic Codes		

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
332G SKID STEER	0BD2T	$63,996.00

PACKAGES

Description	Code	Price
Cab/Heat/AC, Power QT, SL & RC, 2Spd	0752	$6,592.00
Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		
Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio	0770	$11,181.00
Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and		

obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.	2320	No Added Cost
14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.	2335	($485.00)
14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.	2420	$2,390.00
14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.	2450	$515.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features:	0995	$2,454.00

EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$869.00

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)	8500	$1,534.00

RADIO

Description	Code	Price

Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	$147.00

BUCKETS

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,730.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,835.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9410	$2,856.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9415	$2,781.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).	8300	$383.00
Counterweight, (Double Set)	8305	$765.00

Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

MISCELLANEOUS

Description	Code	Price
HD Rear Grille	8370	$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	$2,248.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$1,835.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,781.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit	AT417736	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls.	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.	BYT11301	$542.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door	BYT10226	$3,138.00

Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
14x17.5 14 PR Titan HD2000-III	KV21892	$3,018.00
14x17.5 NHS CAMSO SKS	BYT10901	$2,466.00
Wheels & Tires, Single (Left H& Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$941.00
Wheels & Tires, Single (Right H& Only)		
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
14x17.5 12 PR SKS Extra-Wall	BYT10900	$627.00
14x17.5 14 PR Titan HD2000-III	KV23691	$768.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$941.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		

Bucket Cylinder Rod Guard	BYT10913	$460.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

AF66 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9360T		AF66 AG FORKS *For use on the following models:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL*		1,263.00

AF78 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9340T		AF78 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,550.00

AT14 Angle-Tatch

Equipment for Base Machine

The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling.
Overall Width cm/(in) 118.87 (46.8)
Overall Height cm/(in) 46.99 (18.5)
Overall Depth cm/(in) 10.67 (4.2)
Cylinder Bore cm/(in) 6.35 (2.5)
Rod Diameter cm/(in) 3.30 (1.3)
Title Angle (degree) 14
Lift Capacity kg/(lb.) 1905.08 (4,200)
Weight kg/(lb.) 191.41 (422)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03D0T		AT14 Angle-Tatch *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		3,336.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

PA15B PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive:
 Heavy Duty, All Gear Design
 Sealed Drive Unit
 Reverse Rotation Feature

Forged Alloy Steel
Heat-Treated Bolt-On Teeth
Reinforced Boring Head

Auger Bits:
 Double-Wrap Flighting

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03V1T		PA15B PLANETARY DRIVE AUGER *For use on the following models:* *312G-314G SS* *17-27 CE*		2,248.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1006		PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		400.00
1007		PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included*		No Added Cost
		INTERFACE ADAPTERS		
9800		Interface Adapter for 17 ZTS and 17G		585.00
9801		Interface Adapter for 26G - 35G CE and 110 TLB		703.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

PA30B PLANETARY DRIVE AUGER

Equipment for Base Machine

```
Planetary Drive:                    Forged Alloy Steel
 Heavy Duty, All Gear Design        Heat-Treated Bolt-On Teeth
 Sealed Drive Unit                  Reinforced Boring Head
 Reverse Rotation Feature

Auger Bits:
 Double-Wrap Flighting
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03N1T		PA30B PLANETARY DRIVE AUGER *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		2,428.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1008		PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		440.00
1009		PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.*		No Added Cost
		INTERFACE ADAPTERS		
9801		Interface Adapter for 26G - 35G CE and 110 TLB		703.00
9803		Interface Adapter for 50G - 60G CE		719.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

PA30B PLANETARY DRIVE AUGER

Continued

PA40 PLANETARY DRIVE AUGER

Equipment for Base Machine

PA40 Planetary Drive Auger Standard Equipment
PA40 Base Machine Performance:
Flow Requirements: 28 - 42 GPM (106 - 159 lpm)
Operating Pressure: 3625 psi
Overall Attachment:
Maximum auger diameter: 48 in (1219mm)
Output shaft: 2 in (51mm) Hexagon
3/4 in. Couplers and Hoses

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
9965T		PA40 PLANETARY DRIVE AUGER *For use on the following models:* *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.*		5,397.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

BH9B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are provided for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light duty Ag or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1025 lb. [465 kg] overall weight, without mounting bracket
110 in. [2795 mm] maximum dig depth
88 in. [2235 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2750 psi [19000 kPa] system relief pressure
3895 lb. [1765 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

50A1T		BH9B BACKHOE *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *Machine must be equipped with Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*	10,138.00

MOUNTING KITS

1001		Mounting Kit - Small Frame SSL/CTL	2,631.00

BUCKETS

2001		18 in. (457 mm) Bucket	613.00
2002		24 in. (610 mm) Bucket	674.00
2003		36 in. (914 mm) Bucket	1,173.00

DEALER-INSTALLED KITS

Buckets

	BYT11398	18 in. (457 mm) Bucket	613.00
	BYT11399	24 in. (610 mm) Bucket	674.00
	BYT11400	36 in. (914 mm) Bucket	1,173.00

BH9B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11410	Rubber Stabilizer Pads		148.00

BH10B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are accessible from the seat for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light construction, Ag, or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1285 lb. [585 kg] overall weight, without mounting bracket
116 in. [2945 mm] maximum dig depth
99 in. [2515 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2500 psi [17000 kPa] system relief pressure
5675 lb. [2575 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
75C1T		BH10B BACKHOE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *If using on a 312GR - 318G SSL/CTL, machine must be equipped with Power Quick-Tatch. 320G and larger can be equipped with either Manual or Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*		13,495.00
		MOUNTING KITS		
1001		Mounting Kit - Small Frame SSL/CTL		2,631.00
1002		Mounting Kit - Mid Frame SSL/CTL		2,417.00
1003		Mounting Kit - Large Frame SSL/CTL		2,381.00
		BUCKETS		
2001		18 in. (457 mm) Bucket		966.00
2002		24 in. (610 mm) Bucket		1,011.00
2003		36 in. (914 mm) Bucket		1,299.00
		DEALER-INSTALLED KITS		
		Buckets		

BH10B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	BYT11401	18 in. (457 mm) Bucket		966.00
	BYT11402	24 in. (610 mm) Bucket		1,011.00
	BYT11403	36 in. (914 mm) Bucket		1,299.00
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11411	Rubber Stabilizer Pads		625.00

BH11B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are accessible from the seat for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light construction, Ag, or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1455 lb. [660 kg] overall weight, without mounting bracket
133 in. [3380 mm] maximum dig depth
119 in. [3025 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2500 psi [17000 kPa] system relief pressure
6200 lb. [2575 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
75B1T		BH11B BACKHOE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *If using on a 312GR - 318G SSL/CTL, machine must be equipped with Power Quick-Tatch. 320G and larger can be equipped with either Manual or Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*		14,228.00
		MOUNTING KITS		
1001		Mounting Kit - Small Frame SSL/CTL		2,631.00
1002		Mounting Kit - Mid Frame SSL/CTL		2,417.00
1003		Mounting Kit - Large Frame SSL/CTL		2,381.00
		BUCKETS		
2001		18 in. (457 mm) Bucket		966.00
2002		24 in. (610 mm) Bucket		1,011.00
2003		36 in. (914 mm) Bucket		1,299.00
		DEALER-INSTALLED KITS		
		Buckets		

BH11B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	BYT11401	18 in. (457 mm) Bucket		966.00
	BYT11402	24 in. (610 mm) Bucket		1,011.00
	BYT11403	36 in. (914 mm) Bucket		1,299.00
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11411	Rubber Stabilizer Pads		625.00

AH80 BALE HUGGER

Equipment for Base Machine

Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales.
-Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings
-Provides constant pressure that eliminates the risk of dropping bales
-Right-hand and left-hand sides open and close simultaneously
-Can lift, move, and stack round or rectangular bales
-Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs.
Overall Width cm/(in) 120.65 (47.5)
Overall Height cm/(in) 95.25 (37.5)
Overall Depth cm/(in) 137.16 (54)
Max. Opening cm/(in) 279.40 (110)
Lift Capacity kg/(lb.) 1088.62 (2,400)
Weight kg/(lb.) 217.72 (480)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03E0T		AH80 BALE HUGGER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*	3,185.00

AB21 SINGLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center:
907 kg at 0.61 m (2,000 lbs. at 24 in.)

Depth: 1.28 m (50.50 in.)
Spear Length: 1.24 m (49 in.)
Weight: 66 kg (145 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.57 m (22.38 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05A0T		AB21 SINGLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		587.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB32 DUAL BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 91 kg (200 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05B0T		AB32 DUAL BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		723.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB31 SINGLE BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.28 m (50.50in.)
Spear Length: 1.24 m (49in.)
Weight: 70 kg (155 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.59 m (23.13 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05C0T		AB31 SINGLE BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		720.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB42 DUAL BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 109 kg (240 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05D0T		AB42 DUAL BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		875.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB43 TRIPLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.33 m (52.25 in.)
Spear Length: 1.24 m (49 in.)
Weight: 102 kg (225 lbs.)

Width: 1.42 m (56.00 in.)
Height: 0.62 m (24.25 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05E0T		AB43 TRIPLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,010.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

BALE SPEAR, SQUARE

Equipment for Base Machine

No Base Equipment Description Provided

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9350T		BALE SPEAR, SQUARE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

72" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2020 lb. [915 kg] overall weight
- 75 in. [1910 mm] overall width
- 72 in. [1830 mm] cutting width
- 11.5 ft.3 [0.33 m3] front box capacity
- 7.0 ft.3 [0.20 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03R2T		72" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		19,642.00

84" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2070 lb. [940 kg] overall weight
- 87 in. [2220 mm] overall width
- 84 in. [2130 mm] cutting width
- 13.4 ft.3 [0.38 m3] front box capacity
- 8.0 ft.3 [0.23 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03S2T		84" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 314G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	20,146.00

96" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2155 lb. [980 kg] overall weight
- 99 in. [2520 mm] overall width
- 96 in. [2440 mm] cutting width
- 15.3 ft.3 [0.43 m3] front box capacity
- 9.0 ft.3 [0.25 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03T2T		96" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		20,529.00

72" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2020 lb. [915 kg] overall weight
- 75 in. [1910 mm] overall width
- 72 in. [1830 mm] cutting width
- 11.5 ft.3 [0.33 m3] front box capacity
- 7.0 ft.3 [0.20 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03R3T		72" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		21,060.00

84" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2070 lb. [940 kg] overall weight
- 87 in. [2220 mm] overall width
- 84 in. [2130 mm] cutting width
- 13.4 ft.3 [0.38 m3] front box capacity
- 8.0 ft.3 [0.23 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03S3T		84" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 314G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	21,564.00

96" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2155 lb. [980 kg] overall weight
- 99 in. [2520 mm] overall width
- 96 in. [2440 mm] cutting width
- 15.3 ft.3 [0.43 m3] front box capacity
- 9.0 ft.3 [0.25 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03T3T		96" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	21,947.00

BA72C 72" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
910 lb. [410 kg] overall weight
72 in. [1830 mm] straight sweeping width
62 in. [1580 mm] angled sweeping width
92 in. [2330 mm] overall straight width
88 in. [2230 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0302KV		BA72C 72" Angle Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,335.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11026	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA84C 84" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
960 lb. [440 kg] overall weight
84 in. [2130 mm] straight sweeping width
73 in. [1850 mm] angled sweeping width
104 in. [2640 mm] overall straight width
98 in. [2490 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0303KV		BA84C 84" Angle Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,538.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11027	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA96C 96" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1100 lb. [460 kg] overall weight
96 in. [2440 mm] straight sweeping width
83 in. [2110 mm] angled sweeping width
116 in. [2940 mm] overall straight width
109 in. [2760 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0304KV		BA96C 96" Angle Broom *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,740.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11028	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP72C 72" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1275 lb. [580 kg] overall weight
72 in. [1830 mm] sweeping width
91 in. [2310 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0314KV		BP72C 72" Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G*		6,965.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP84C 84" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1400 lb. [640 kg] overall weight
84 in. [2130 mm] sweeping width
103 in. [2620 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0315KV		BP84C 84" Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G*		8,097.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR60C 60" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
880 lb. [400 kg] overall weight
60 in. [1520 mm] sweeping width
69 in. [1760 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
8202T		BR60C 60" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 318G*		4,798.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR72C 72" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
970 lb. [440 kg] overall weight
72 in. [1830 mm] sweeping width
81 in. [2060 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1521T		BR72C 72" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *CWL: 204L - 304L *requires skid steer style coupler*		5,215.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR84C 84" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1090 lb. [500 kg] overall weight
84 in. [2130 mm] sweeping width
93 in. [2370 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1531T		BR84C 84" Rigid Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 325G* *CWL: 204L - 324L *requires skid steer style coupler*		5,635.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

CP12D COLD PLANER

Equipment for Base Machine

Drum Size:
12 in. (305 mm) Cutting Width
Design Features:
Standard Flow Hydraulics
15-22 gpm (56-83 lpm)
Planetary Drive
Manual Tilt of +/- 11 Degrees
Manual Depth Control
0-5 in. (0-127 mm) Hydraulic Side Shift
0-19 in. (0-483 mm)
Quantity of pics 37
Spray Bar with nozzles, less water tank

NOTE: The eight-button control handle is NOT required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8211T		CP12D COLD PLANER *For Standard Flow:* *315-328 SSLs* *318D-328D SSLs* *318E-328E SSLs* *316GR - 324G SSLs* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *317G-325G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	10,810.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1001		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1002		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	443.00
	AT462796	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP12D replacement cutting tools.*	378.00

CP12D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP18D COLD PLANER

Equipment for Base Machine

Drum Size:
18 in. (457 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 45
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8221T		CP18D COLD PLANER *For High Flow:* *320-332 SSLs* *320D-332D SSLs* *320E-332E SSLs* *320G-332G SSLs* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G-333G CTLs* *244L, 324L CWLs - Requires skid-steer style Quick-Tach coupler.* *Requires machine equipped with 14-pin electrical connector.*	21,083.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1005		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1006		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP18D replacement cutting tools.*	531.00
	AT462798	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP18D replacement cutting tools.*	452.00

CP18D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP24D COLD PLANER

Equipment for Base Machine

Drum Size:
24 in. (610 mm) Cutting Width

Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in.
(0-127 mm)
Hydraulic Side Shift
-3 - 22 in.
(-76 - 559 mm)
Quantity of pics 57
Spray Bar with nozzles, less water tank
NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8231T		CP24D COLD PLANER *For High Flow:* *325-332 SSLs* *326D-332D SSLs* *326E-332E SSLs* *330G-332G SSLs* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *331G-333G CTLs* *244L, 324L CWLs - Requires skid-steer style Quick-Tach coupler.* *Requires machine equipped with 14-pin electrical connector.*	24,165.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1009		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1010		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	672.00
	AT462800	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP24D replacement cutting tools.*	570.00

CP24D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP30D COLD PLANER

Equipment for Base Machine

Drum Size:
30 in. (762 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 69
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9011T		CP30D COLD PLANER *For High Flow:* *325-332 SSLs* *326D-332D SSLs* *326E-332E SSLs* *330G-332G SSLs* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *331G-333G CTLs* *Requires machine equipped with 14-pin electrical connector.*	25,079.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1013		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1014		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP30D replacement cutting tools.*	806.00
	AT462802	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP30D replacement cutting tools.*	712.00

CP30D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

DB84 DOZER BLADE

Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 74.1 in. (1882 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9780T		DB84 DOZER BLADE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,375.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 84.7 in. (2151 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9790T		DB96 DOZER BLADE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,894.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

GS60 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

TO BE DELIVERED

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7870T		GS60 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *CT315 CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		3,976.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT475186	Cylinder Stop Kit		30.00
	AT425249	Demolition Door Kit		936.00

GS66B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1070 lb. [485 kg] overall weight
66 in. [1675 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05S1T		GS66B SCRAP GRAPPLE *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,096.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00

GS72B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1110 lb. [505 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05T1T		GS72B SCRAP GRAPPLE *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,216.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
		Miscellaneous		
	T385220	72 in. Bolt-on Serrated Cutting Edge		See Parts

GS78B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1150 lb. [520 kg] overall weight
78 in. [1980 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05U1T		GS78B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,515.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
		Miscellaneous		
	T385219	78 in. Bolt-on Serrated Cutting Edge		See Parts

GS84B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1185 lb. [540 kg] overall weight
84 in. [2135 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05V1T		GS84B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		5,071.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00

GR72B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Weld-in serrated cutting edge for difficult ground conditions
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1165 lb. [530 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
20 tines at 3 in. [75 mm] spacing
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05Q1T		GR72B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	4,335.00

GR84B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
- Two independent action grapples with integrated open stop
- 1.375 in. [35 mm] diameter greaseable, hardened pivot pins
- Improved hose routing to protect hydraulics
- Enhanced construction throughout grapple

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers
- 1255 lb. [570 kg] overall weight
- 84 in. [2135 mm] overall width
- 37.4 in. [950 mm] grapple opening at tips
- 40.75 in. [1035 mm] grapple opening
- 23 tines at 3 in. [75 mm] spacing

Cylinder Specifications:
- 1.4 in. [36 mm] rod diameter
- 2.5 in. [64 mm] bore diameter
- 8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05R1T		GR84B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	5,064.00

HH20C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 800 - 3000
Flow Requirements:
6.6 - 14.5 gpm (25 - 55 lpm)

Operating Pressure:
1305 - 2175 psi
Moil Tool Point 1.9 in.
(48 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C80T		HH20C HYDRAULIC HAMMER *For use on the following models:* *Compact Excavators: 17G, 26G and 35G*		7,188.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1002		Mounting Bracket, 17 Compact Excavator		445.00
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT417602	Severe Duty Door		3,169.00

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*

HH20C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	AT337084	Front Protection Screen for Canopy (GR#705155) (17 CE) ** Required when a Hydraulic Breaker is equipped on a 17D/17G/ZX17U Compact Excavator with a canopy.* **Required when a Hydraulic Breaker is equipped on a 17D/17G/ZX17-U Compact Excavator with a Canopy.*		683.00
	BYT10076	Front Screen, Cab (GR#705923) (17 CE)		1,129.00

HH40C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 700-2600
Flow Requirements:
10.6 - 18.5 gpm (40 - 70 lpm)

Operating Pressure:
1450 - 2465 psi
Moil Tool Point 2.2 in.
(56 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C90T		HH40C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB*		8,405.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT417602	Severe Duty Door		3,169.00

HH40C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	AT435404	Front Screen, Cab (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		539.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		653.00

HH60C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 600-1800
Flow Requirements:
9.2 - 23.8 gpm (35 - 90 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 2.8 in.
(72 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CA0T		HH60C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB*		10,501.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT417602	Severe Duty Door		3,169.00
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	ETN112936	Front Screen, Cab (GR#705577) (60 CE)		653.00
	AT435404	Front Screen, Cab (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		539.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		653.00

HH80C Hydraulic Hammer

Equipment for Base Machine

Performance:
Blows Per Minute: 500 - 1700
Flow Requirements:
10.6-31.7 gpm (40-120 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 3.14 in.
(80 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CB0T		HH80C Hydraulic Hammer *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC*		12,121.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1001		Mounting Bracket, SSL & CTL		1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
1005		Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
1006		Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
		DEALER-INSTALLED KITS		
	AT457979	**Adapters & Mounting Frames** Skid Steer Mounting Bracket		1,824.00
	AT458340	**Adapters & Mounting Frames** Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
		Attachments & Accessories		
	AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310K/L EP & 310G-L*		1,215.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		1,038.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT417602	Severe Duty Door		3,169.00

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued...		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	ETN112936	Front Screen, Cab (GR#705577) (60 CE)		653.00

MS60 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8500T		MS60 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		1,698.00

MS72 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8510T		MS72 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,255.00

MS84 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8520T		MS84 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		2,344.00

MS96 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8530T		MS96 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		2,135.00

MH60D MULCHING HEAD

Equipment for Base Machine

Features:
Remove up to 8 in. [203 mm] trees and 12 in. [305 mm] stumps
30 double carbide-tipped teeth to mulch materials
Heavy-duty mulching door for finer processing
Heavy-duty, 2-speed motor efficiently uses available horsepower
Hydraulic pressure gauge to monitor performance
Adjustable, 3-position heavy-duty push bar
Enhanced frame construction and bolt-on skid shoes
Specifications:
Skid steer coupler attachment interface
14-pin electrical connector
1/2 in. hydraulic quick couplers
24-45 gpm [91 170 l/min] hydraulic flow range
2730 lb. [1240 kg] overall weight
60 in. [1520 mm] cutting width
74 in. [1880 mm] overall width
Optional Equipment:
Knife cutting tools for smoother cutting and finer chip size

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
07A1T		MH60D MULCHING HEAD *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *- Requires machine equipped with high flow hydraulics* *- Requires machine equipped with 14-pin electrical connector.* *- Requires applicable severe-duty door* *- Requires applicable operator protection* *- For optimal performance, recommend non-hydraulic self-leveling machines* *- Rear counterweight may improve machine stability while operating*		36,623.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT433505	Knife Tool Kit		201.00

MP66B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AQ0T		MP66B MULTI-PURPOSE BUCKET *For use on the following models:* *312-324G SSL* *318E-324E SSL* *317G CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		3,719.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436470	66 in. Bolt-On Cutting Edge for MP66B		374.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436718	Spill Guard Assembly, MP66B		194.00
		Tooth Bars		
	AT436521	66 in. Tooth Bar - 7 Teeth, MP66B		825.00
	AT436489	MP66 Over BOCE Toothbar, MP66B		885.00

MP72B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AR0T		MP72B MULTI-PURPOSE BUCKET *For use on the following models:* *312G-324G SSL* *318E-328E SSL* *317G, 325G CTL* *319E, 323E CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		4,468.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436719	Spill Guard Assembly, MP72B		199.00
		Tooth Bars		
	AT436522	72 in. Tooth Bar - 7 Teeth, MP72B		710.00
	AT436490	MP72 Over BOCE Toothbar, MP72B		1,005.00

MP78B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AS0T		MP78B MULTI-PURPOSE BUCKET *For use on the following models:* *318E-332E SSL* *320G-332G SSL* *317G, 325G CTL* *319E-333E CTL* *331G-333G CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		4,594.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436472	78 in. Bolt-On Cutting Edge for MP78B		416.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436720	Spill Guard Assembly, MP78B		230.00
		Tooth Bars		
	AT436523	78 in. Tooth Bar - 8 Teeth, MP78B		727.00
	AT436491	MP78 Over BOCE Toothbar, MP78B		1,279.00

MP84B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AT0T		MP84B MULTI-PURPOSE BUCKET *For use on the following models:* *326E-332E SSLs* *330G-332G SSLs* *323E-333E CTLs* *325G-333G CTLs* *Requires SSL / CTL equipped with boom mounted hose guide*		4,749.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		494.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436721	Spill Guard Assembly, MP84B		244.00
		Tooth Bars		
	AT436524	84 in. Tooth Bar - 8 Teeth, MP84B		856.00
	AT436492	MP84 Over BOCE Toothbar, MP84B		1,002.00

NF44 Nursery Fork

Equipment for Base Machine

WORKSITE NF44 NURSERY FORK

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, IA		
0BU0T		NF44 Nursery Fork *For:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL*		4,066.00
		PICK ONE		
1000		PRESSURE CONTROL VALVE ASSEMBLY		403.00
1001		LESS CONTROL VALVE ASSEMBLY		No Added Cost
		DEALER-INSTALLED KITS		
		Miscellaneous		
	AT460780	Pressure Control Valve		403.00

Heavy Duty 45 In. Frame and Set of Forks

Equipment for Base Machine

45 in. Wide Heavy Duty Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
42 in. or 48 in. Long Fork Tines

Available

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03J1T		Heavy Duty 45 In. Frame and Set of Forks *Includes 45" Heavy Duty Frame and Two Fork Set* *For:* *312G-332G SS* *320E-324E SS* *317G-333G CTLs* *323E CTL* *Additional tine options available.*		864.00
		PICK ONE		
1001		45" FRAME W/ 42" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		No Added Cost
1002		45" FRAME W/ 48" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		33.00
1003		45" FRAME W/ 42" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		83.00
1004		45" FRAME W/ 48" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		149.00

Heavy Duty 45 In. Frame and Set of Forks

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		PICK ONE Continued...		
1005		45" FRAME W/ 48" TINES RATED 6200 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		241.00
		DEALER-INSTALLED KITS		
		Frame Kit		
	AT492257	Heavy Duty 45 in. Fork Frame (No Forks)		679.00

Heavy Duty 60 in. Frame and Set of 48" Forks

Equipment for Base Machine

Heavy Duty Forks - 6,200 lb. Load Capacity
60 in. Wide Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
48 in. Long Fork Tines Available

Fork Tine Load Capacity of 6,200 lb. per Pair
NOTE: Rear Counterweights is Not Required, but May Enhance Machine Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03K1T		Heavy Duty 60 in. Frame and Set of 48" Forks *Includes 60" Frame and Two Fork Set of 48" HD Tines* *For:* *320E-324E SS* *320G-332G SS* *317G-333G CTLs* *323E CTL*		1,415.00
		DEALER-INSTALLED KITS		
		Frame Kit		
	AT492262	Heavy Duty 60 in. Fork Frame (No Forks)		989.00

Severe Duty Pallet Fork

Equipment for Base Machine

Frame has option of 45 inch or 60 inch width of the rails
Forks have options of 48inch or 60 inch length of tines
8800 lb. rating on forks (per pair of tines)
Robust, two-piece walk-through brick guard

Optional bolt-on brick guard kit to complete backrest
Unrestricted Visibility to Fork Tips

Rear Ballast is not required but may enhance machine stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
06U0T		Severe Duty Pallet Fork *For:* *330G-332G SS* *331G-333G CTLs*		1,622.00
		PICK KIT		
1000		45" Severe Duty Fork Frame		No Added Cost
1001		60" Severe Duty Fork Frame		200.00
		PICK ONE		
2000		48" TINES ITA CLASS 3B		300.00
2001		60" TINES ITA CLASS 3B		400.00
		BRACKET KITS		
9001		Bolt-On Walk-Through Brick Guard		124.00
		DEALER-INSTALLED KITS		
		Fork Kit		
	AT468499	48 in. Fork Tines ITA Class 3B		300.00
	AT470816	60 in. Fork Tines ITA Class 3B		400.00
		Frame Kit		
	BYT10071	Severe Duty 45 in. Fork Frame (No Forks)		1,622.00
	BYT10008	Severe Duty 60 in. Fork Frame (No Forks)		1,822.00
		Miscellaneous		
	BYT10349	Bolt-On Walk-Through Brick Guard		124.00

PC4 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 4,000 lbf / 17.8 kN	Operating Pressure 2600 psi / 17930 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 3000 psi / 20680 kPa
Base Plate Dimensions 13 x 25 in. / 330 x 635 mm	Weight* 397 lb. / 180 kg
Compaction Area 325 in. sq. / 209550 mm sq.	Length 30.7 in. / 780 mm
Hydraulic Flow Range 9-14 gpm / 34-53 l/min	Width 13.0 in. / 330 mm
Regulated Flow 9 gpm / 34 l/min	Height* 20.3 in. / 515 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03W1T		PC4 PLATE COMPACTOR *For:* *26G, 30G, 35G CE*	5,616.00

PICK ONE

1000		Less mounting bracket and hoses	No Added Cost
1001		Mounting Adapter Kit *For use on 26G and 30G with PC4*	860.00
1002		Mounting Adapter Kit *For use on 35G with PC4*	882.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT10728	Mounting Adapter Kit, PC4 (26G/30G)	860.00
	BYT10828	Mounting Adapter Kit, PC4 (35G)	882.00

PC7 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 6,400 lbf / 28.5kN
Cycles/Minute at Regulated Flow 2,000 rpm
Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm
Compaction Area 499 in. sq. / 322000 mm sq.
Hydraulic Flow Range 15-20 gpm / 57-76 l/min
Regulated Flow 18 gpm / 68 l/min
Operating Pressure 2000 psi / 13790 kPa
Pressure Relief Setting 2200 psi / 15170 kPa
Weight* 600 lb. / 272 kg
Length 35 in. / 890 mm
Width 18.1 in. / 460 mm
Height* 21.5 in. / 546 mm
*Without mounting adapter - requires respective machine
mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03X1T		PC7 PLATE COMPACTOR *For:* *50G, 60G CE*		6,739.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1003		Mounting Adapter Kit *For use on 50G, 60G with PC7*		920.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10729	Mounting Adapter Kit, PC7 (50G/60G)		920.00

PC10 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 8,000 lbf / 35.6 kN	Operating Pressure 2000 psi / 13790 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 2200 psi / 15170 kPa
Base Plate Dimensions 24 x 28 in. / 610 x 710 mm	Weight* 888 lb. / 403 kg
Compaction Area 671 in. sq. / 433100 mm sq.	Length 37.0 in. / 940 mm
Hydraulic Flow Range 20-24 gpm / 76-91 l/min	Width 24.0 in. / 610 mm
Regulated Flow 21 gpm / 79 l/min	Height* 25.5 in. / 648 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03Y1T		PC10 PLATE COMPACTOR *For:* *60G CE* *310L/EL, 310L/HL, 410L BHL*		7,863.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1004		Mounting Adapter Kit *For use on 60G with PC10*		940.00
1005		Mounting Adapter Kit *For use on 310L/EL BHL with PC10*		983.00
1006		Mounting Adapter Kit *For use on 310SL/HL, 410L BHL with PC10*		1,044.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10827	Mounting Adapter Kit, PC10 (310 BHL w/Coupler)		983.00
		Miscellaneous		
	BYT10731	Mounting Adapter Kit, PC10 (410 BHL w/Coupler)		1,044.00
	BYT10863	Mounting Adapter Kit, PC10 (60G)		940.00

PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7830T		PR60 ANGLE POWER RAKE *For:* *312G-318G SS*		8,913.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	AT332454	12 Volt Receptacle Kit		208.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

72 in. Rake
72 in. (1827 mm) Raking
Width
81 in. (2056 mm) Operating
Width
64 in. (1625 mm) Length
31 in. (787 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
11 gpm (42 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0264KV		PR72B ANGLE POWER RAKE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs*		10,252.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	AT332454	12 Volt Receptacle Kit		208.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

84 in. Rake
84 in. (2134 mm) Raking
Width
93 in. (2362 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (220 mm) Tooth
Roller Diameter
18 gpm (68 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1580T		PR84B ANGLE POWER RAKE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs*		10,835.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

96 in. Rake
90 in. (2284 mm) Raking
Width
99 in. (2513 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
15 gpm (57 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0265KV		PR96B ANGLE POWER RAKE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		11,650.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7950T		R66 ROCK BUCKET *For:* *312G-320G SSLs* *318E, 320E SSLs* *317G CTL*		1,735.00

R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7960T		R75 ROCK BUCKET *For:* *318E-332E SSLs* *320G-332G SSLs* *317G-333G CTLs* *319E-333E CTLs* *110 TLB*		1,855.00

R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7970T		R84 ROCK BUCKET *For:* *320E-332E SSLs* *320G-332G SSLs* *319E-333E CTLs* *325G-333G CTLs*		1,977.00

RL84 ROLLER LEVEL

Equipment for Base Machine

Features:
- 2 Std Greaseable Bearings
- Front & Rear Bolt-on Cutting Edges

Specifications:
- 93.3 in. (2367 mm) Overall Width
- 66.7 in. (1694 mm) Length
- 25.6 in. (650 mm) Height
- 84 in. (2133 mm) Box Width
- 0.5 x 6 x 84 in. Front Cutting Edge
- 0.5 x 6 x 84 in. Rear Cutting Edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7070T		RL84 ROLLER LEVEL *For:* *326E-332E SS* *330G-332G SS* *317G-331G CTLs* *319E-333E CTLs*		4,146.00

RB72 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05F1T		RB72 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.*		5,012.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit		107.00

RB84 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

05G1T		RB84 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.*	5,290.00

DEALER-INSTALLED KITS

		Cutting Edges	
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket	494.00
		Kits & Accessories	
	AT436025	Boom-Mounted Hose Guide Kit	102.00
	BYT10477	Boom-Mounted Hose Guide Kit	107.00

RB96 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

05H1T		RB96 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.*	5,557.00

DEALER-INSTALLED KITS

Cutting Edges

BYT10747	96 in. Bolt-On Cutting Edge for RB96	537.00

Kits & Accessories

AT436025	Boom-Mounted Hose Guide Kit	102.00
BYT10477	Boom-Mounted Hose Guide Kit	107.00

RR72 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1830 mm (72 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 497 kg (1,095 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03A0T		RR72 ROOT RAKE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader*		5,574.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RR78 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1980 mm (78 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 522 kg (1,150 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03B0T		RR78 ROOT RAKE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader*		6,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RR84 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 2135 mm (84 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 553 kg (1,220 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03C0T		RR84 ROOT RAKE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader*		6,378.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RX72 ROTARY CUTTER

Equipment for Base Machine

Product Features:
- Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
- Direct drive bearing for higher efficiency and extended durability
- Hydraulic valving stops blades from spinning in seconds upon shutdown
- Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
- Three blades made of 0.625 in. [15.9 mm] thick forged steel
- Optimized blade carrier design for quick start-up and recovery performance
- Standard pressure gauge to monitor blade load for optimal performance

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers
- 1810 lb. [820 kg] overall weight
- 77 in. [1960 mm] overall width
- 72 in. [1830 mm] cutting width
- 10 in. [254 mm] maximum tree diameter cutting capacity
- Three 0.625 in. [15.9 mm] single bevel blades

Hydraulic Specifications:
- 30 - 45 gpm [114 170 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

83A1T		RX72 ROTARY CUTTER *For use on the following models:* *SSL: 330G 332G* *CTL: 331G 333G* *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating*	11,866.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT11465	Replacement Blade Kit	450.00
	AT456636	Wear Plate Kit	121.00

RX84 ROTARY CUTTER

Equipment for Base Machine

Product Features:
Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
Direct drive bearing for higher efficiency and extended durability
Hydraulic valving stops blades from spinning in seconds upon shutdown
Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
Three blades made of 0.625 in. [15.9 mm] thick forged steel
Optimized blade carrier for improved start-up and recovery performance
Standard pressure gauge to monitor blade load for optimal performance

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers with 3/8 in. case drain coupler
2260 lb. [1025 kg] overall weight
89 in. [2265 mm] overall width
84 in. [2135 mm] cutting width
10 in. [254 mm] maximum tree diameter cutting capacity
Three 0.625 in. [15.9 mm] single bevel blades

Hydraulic Specifications:
30 - 45 gpm [114 170 l/min] hydraulic flow range
4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

83B1T		RX84 ROTARY CUTTER *For use on the following models:* *SSL: 330G 332G* *CTL: 331G 333G* *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating*	13,936.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT11465	Replacement Blade Kit	450.00
	BYT11426	Wear Plate Kit	132.00

RC60B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8281T		RC60B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *316G-324G SS* *318E-324E SS*		6,465.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		936.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC60B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00

RC72B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8341T		RC72B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *318G-332G SS* *320E-332E SS* *317G-333G CTLs* *323E- 333E CTLs*		6,674.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		936.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC72B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00

RC78B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8351T		RC78B ROTARY CUTTER *Requires a demolition door (Code 5201 or 5203) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *317G-333G CTLs* *323E- 333E CTLs*		7,143.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC78B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372950	Toe Guard and Door Upgrade Kit *Required to meet ISO 8084 Forestry Applications* *Required to meet ISO 8084 Forestry Applications*		565.00
		Referral Attachments		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT388939	Lift Cylinder Hose Guards		420.00

RS72 ROTARY CUTTER

Equipment for Base Machine

Product Features:
Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
Direct drive bearing for higher efficiency and extended durability
Hydraulic valving stops blades from spinning in seconds upon shutdown
Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
Four alternating bevel blades are made of 0.75 in. [19.1 mm] thick high-grade steel in a reversible design to provide a deep, self-clearing cut and long wear life.
Standard pressure gauge to monitor blade load for optimal performance
Optional bolt-on carbide stump grinder teeth for debris and ground cleanup

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
2008 lb. [910 kg] overall weight
77 in. [1960 mm] overall width
72 in. [1830 mm] cutting width
10 in. [254 mm] maximum tree diameter cutting capacity
Four 0.75 in. [19.1 mm] double bevel reversible blades

Hydraulic Specifications:
30 - 45 gpm [114 170 l/min] hydraulic flow range
4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8342T		RS72 ROTARY CUTTER *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating* *For:* *330G-332G SSL* *331G-333G CTLs*	13,445.00

CARBIDE TOOTH KIT

1100		CARBIDE TOOTH KIT	424.00
1101		LESS CARBIDE TOOTH KIT	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT456608	Carbide Tooth Kit	424.00
	AT456609	Replacement Blade Kit	723.00
	AT456636	Wear Plate Kit	121.00

RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left Making It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (68 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)

Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
52 in. (1.3m)
Overall Width:
62 in. (1.6m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7520T		RT52 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	5,658.00

RT66 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left and Center Position Make It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (60 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)
Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
66 in. (1.7m)
Overall Width:
76 in. (1.9m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7530T		RT66 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		6,212.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT340330	Scarifier Kit RT66 *Contains 5 teeth*		272.00

SA60 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9090T		SA60 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTLs*		5,510.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SA72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9100T		SA72 SIDE DISCHARGE BUCKET *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs*		7,678.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SD72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9110T		SD72 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007*		7,058.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SD84 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9120T		SD84 SIDE DISCHARGE BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008*		9,602.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

AD11 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 7 ft.
Weight 910 lb. (413 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03F0T		AD11 SILAGE DEFACER *For use on the following models:* *320G-332G SS* *318E-332E SS* *325G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		6,048.00

AD7 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 11 ft.
Weight 1037 lb. (470 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03G0T		AD7 SILAGE DEFACER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		5,982.00

SB72H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9550T		SB72H Snow Blower - High Flow *For:* *318E-324E SS* *320G-324G SS* *323E CTL* *325G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,586.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *320G SS* *CT322 CTL* *323D CTL* *323E CTL* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-320 SS* *CT322 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-320D SS* *318E-320E SS* *320G SS* *323D CTL* *323E CTL* *325G CTL*		270.00
		DEALER-INSTALLED KITS		

SB72H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9570T		SB78H Snow Blower - High Flow *For:* *318E-328E SS* *320G-330G SS* *323E-333E CTLs* *325G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,789.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *320G-324G SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-328 SS* *CT322-CT332 CTLs*		215.00
1003		14-Pin Connector Harness *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-328D SS* *318E-328E SS* *316G-332G SS* *323D-333D CTLs* *323E-333E CTLs* *317G-333G CTLs* *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.*		270.00
		DEALER-INSTALLED KITS		

SB78H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9600T		SB84H Snow Blower - High Flow *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		13,786.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS* *329D-333D CTLs* *329E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		

SB84H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB60B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9712T		SB60B Snow Blower *For:* *312G-318G SS* *317G CTL*		7,485.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB72B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9972T		SB72B Snow Blower *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL*		7,650.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB78B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
6981T		SB78B Snow Blower *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)*		8,162.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB84B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7091T		SB84B Snow Blower *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL*		8,269.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SP8C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9801T		SP8C SNOW PUSH *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,392.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP8C Pullback Kit.*		1,632.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440274	SP8C Pullback Kit		1,717.00

SP10C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9371T		SP10C SNOW PUSH *For:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,801.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP10C Pullback Kit.*		1,938.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440275	SP10C Pullback Kit		1,970.00

BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9610T		BL6B SNOW / UTILITY BLADE *For:* *312G-318G SS* *317G CTL*		3,328.00

BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9620T		BL7B SNOW / UTILITY BLADE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,432.00

BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9630T		BL8B SNOW / UTILITY BLADE *For:* *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,536.00

BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9650T		BL9B SNOW / UTILITY BLADE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,202.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00

BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9660T		BL10B SNOW / UTILITY BLADE *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,991.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00

BV6 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BY0T		BV6 SNOW V BLADE *For:* *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,755.00

BV8 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BX0T		BV8 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,995.00

BV9 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BW0T		BV9 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		5,159.00

SS30 STUMP SHREDDER

Equipment for Base Machine

Features:
Remove stumps from 8 in. [200 mm] to 28 in. [710 mm] in one pass
Easily remove larger stumps with multiple bores
Low speed, high torque planetary drive shreds stumps with less debris
Bore up to 20 in. [510 mm] into the ground
Low operating costs with maintenance every 1000 stumps

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
20-45 gpm [76 170 l/min] hydraulic flow range
30000 lb-ft. [40670 N m] maximum output torque
1300 lb. [590 kg] overall weight
30 in. [760 mm] cutting width
47 in. [1200 mm] overall width
0.75 in. [19 mm] thick AR500 steel auger blade

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, IA

07C1T		SS30 STUMP SHREDDER *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *Requires machine equipped with cab door* *Recommend machine equipped with high flow hydraulics* *Rear counterweight may improve machine stability while operating*	21,366.00

THREE-POINT HITCH ADAPTER

Equipment for Base Machine

Hookup and quickly move tractor implements
Category 1&2 Hitch Rating

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
02C0T		THREE-POINT HITCH ADAPTER		928.00

10 IN. STEEL TRACKS

Equipment for Base Machine

.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9020T		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *318E-320E SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0023KV		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*		1,378.00
	AT340611	Boom Stop Kit (Required for 313-315)		154.00
	AT351259	Bucket Offset Adapter		590.00

12 IN. STEEL TRACKS / 320 & 324E

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0024KV		12 IN. STEEL TRACKS / 320 & 324E *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*		3,434.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0025KV		12 IN. STEEL TRACKS / 325-328 & 326D-328D *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

14 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0026KV		14 IN. STEEL TRACKS *For the following units with 14 in. Heavy Duty Tires:* *328D and 328E (No kits required).* *328 Skid Steer Loaders (Requires track guard kit KV17333).* *332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,545.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	AT351259	Bucket Offset Adapter		590.00

14 IN. STEEL TRACKS (330G & 332G)

Equipment for Base Machine

Improves Skid Steer traction
Reduces ground pressure
Adds counterbalance weight
Track pitch: 10 in. (254 mm)
Total number of pads: 42

Track weight: 1,066 lb. (484 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9021T		14 IN. STEEL TRACKS (330G & 332G) *For the following units with 14 in. Heavy Duty Tires:* *330G and 332G (No kits required).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,683.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	AT351259	Bucket Offset Adapter		590.00

TR36B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0011KV		TR36B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,490.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *36" x 6*		920.00
2002		Wide Standard Cup Every Station *36" x 8"*		954.00
2003		36" x 10" Wide Standard Cup Every Station		1,177.00
2004		36" x 12" Wide Standard Cup Every Station		1,352.00
2005		Wide 70/30 Combo Shark Tooth *36" x 6"*		1,225.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT347421	36 in. x 10 in. Wide Standard Cup Every Station		980.00
	AT347422	36 in. x 12 in. Wide Standard Cup Every Station		1,113.00
	AT347423	36 in. x 6 in. Wide 70/30 Combo Shark Tooth		967.00
	AT347419	36 in. x 6 in. Wide Standard Cup Every Station		744.00
	AT347420	36 in. x 8 in. Wide Standard Cup Every Station		806.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT348835	Counterweight, Stackable (Single Set)		363.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

TR48B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0012KV		TR48B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,543.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR48B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *48" x 6"*		1,114.00
2002		Wide Standard Cup Every Station *48" x 8"*		1,235.00
2005		Wide 70/30 Combo Shark Tooth *48" x 6"*		1,394.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347426	48 in. x 6 in. Wide Combo Shark Tooth		1,155.00
	AT347424	48 in. x 6 in. Wide Standard Cup Every Station		867.00
	AT347425	48 in. x 8 in. Wide Standard Cup Every Station		942.00
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

TR60B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 27 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0013KV		TR60B TRENCHER *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,666.00
		MOTOR KITS		
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *60" x 6"*		1,300.00
2005		Wide 70/30 Combo Shark Tooth *60" x 6"*		1,775.00
		DEALER-INSTALLED KITS		

TR60B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347428	60 in. x 6 in. Wide 70/30 Combo Shark Tooth		1,356.00
	AT347427	60 in. x 6 in. Wide Standard Cup Every Station		1,038.00
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR66C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Smooth Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency
Drum Diameter 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7760T		VR66C SMOOTH VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR73C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Smooth Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter - 24 in. (61.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7770T		VR73C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*	10,461.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set)	363.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	62.00

VR84C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
84 in. (2.1 m) Smooth Drum
9,370 lbf (4250 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency
Drum Diameter - 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses
NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7780T		VR84C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	10,925.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set)	363.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	62.00

VR66C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Padded Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7790T		VR66C PADDED VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,715.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Padded Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7800T		VR73C PADDED VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		11,156.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **6**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$2,000,000.00	$0.00	$2,000,000.00

DESCRIPTION

Effective 1/24/2020 pricing on this contract hereby updated, per revised Schedule E1 - Pricing, Schedule E2 - Pricing Sheets, and Schedule E3 - Worksite Pro Attachments Pricing (attached). All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 62,310.00	$ 125.00	$4/Loaded Mile $50 Minimum
	NON - AWARDED SPECIFICATIONS FOR PURCHASE				
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324E	Skid Steer Loader	$ 38,075.00	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 31,074.00	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery Per mile from Contractor's nearest dealer location
1	John Deere 333G Compact Track Loader	Compact Track Loader	$78,649.00	33%	$52,694.83	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G Compact Track Loader	Compact Track Loader	$72,731.00	33%	$48,729.77	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 325G Compact Track Loader	Compact Track Loader	$59,711.00	33%	$40,006.37	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G Compact Track Loader	Compact Track Loader	$58,590.00	33%	$39,255.30	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
5	John Deere 312GR Skid Steer Loader	Skid Steer Loader	$34,554.00	33%	$23,151.18	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
6	John Deere 314G Skid Steer Loader	Skid Steer Loader	$36,104.00	33%	$24,189.68	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$38,493.00	33%	$25,790.31	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$40,440.00	33%	$27,094.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 320G Skid Steer Loader	Skid Steer Loader	$42,364.00	33%	$28,383.88	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 324G Skid Steer Loader	Skid Steer Loader	$45,610.00	33%	$30,558.70	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$55,118.00	33%	$36,929.06	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$57,440.00	33%	$38,484.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum
13	John Deere 204L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AD0T	$78,811.00	25%	$59,108.25	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
14	John Deere 244L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AF0T	$98,083.00	26%	$72,581.42	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
15	John Deere 304L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AE0T	$91,526.00	26%	$67,729.24	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
16	John Deere 324L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AG0T	$111,203.00	26%	$82,290.22	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
17	John Deere 17G Compact Excavator	Excavator, Track Base Code 0010FF	$32,265.00	28%	$23,230.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
18	John Deere 26G Compact Excavator	Excavator, Track Base Code 0020FF	$39,188.00	27%	$28,607.24	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
19	John Deere 30G Compact Excavator	Excavator, Track Base Code 0100FF	$47,301.00	28%	$34,056.72	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
20	John Deere 35G Compact Excavator	Excavator, Track Base Code 0050FF	$52,663.00	28%	$37,917.36	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
21	John Deere 50G Compact Excavator	Excavator, Track Base Code 0060FF	$69,833.00	28%	$50,279.76	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
22	John Deere 60G Compact Excavator	Excavator, Track Base Code 0071FF	$77,990.00	27%	$56,932.70	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum

JOHN DEERE

Current Date 03Jan2020

204L FOUR WHEEL DRIVE LOADER

204L Standard Equipment

ENGINE:
Yanmar 4TNV98
61 SAE Net Horsepower (45 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F (-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard (Conforms to SAE J1308)
ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits battery load center bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE
Hydraulic Test Ports
AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential
BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
STEERING:
Hydraulic Power Steer:
40 Degrees Articulation
HYDRAULIC SYSTEM:
18 GPM (70 L/Min) Engine Mounted Gear Pump - Open Center control valve
Combined Hydrostatic/Hydraulic Oil Reservoir Sight Glass
OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab, Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna
LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)
OVERALL VEHICLE:
Articulation Locking Pin

J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Charge Pressure Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure

(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
204L FOUR WHEEL DRIVE LOADER	0AD0T	$78,811.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,945.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine John Deere PowerTech E 4.5 L	0924	$3,976.00

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,040.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.	4020	$1,219.00
Mitas EM01 365/70R18 This tire option gives total machine height of 8 ft (2445 mm) for cab option and total machine height of 7 ft 11 inches (2421 mm) for the canopy option.	4025	No Added Cost
400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.	4030	$2,227.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights Canopy 2x Front, 2x Rear Halogen WorkLights	7110	No Added Cost
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,148.00

Only available with Cab Option Code 8422

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops		

JOHN DEERE

Current Date 03Jan2020

244L- FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery totaling 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degrees in Each Direction)
Plus an Additional 26 Degree Rear Wheel Steer

HYDRAULIC SYSTEM:
17 GPM (65 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab,
heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Hourmeter
Speedometer
Fuel Gauge
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and
Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders

Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Locking Front Differential and Rear Standard Differential
Grease Bank for Oscillating Rear Axle

Steering Console
Steering Wheel with Spinner
Seat, Deluxe Deep Foam, Fabric, Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Park Brake Actuated
Forward-Reverse Travel

Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking For:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Contact DMAC for Foam Filled or Solid Tire Applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
244L- FOUR WHEEL DRIVE LOADER	0AF0T	$98,083.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,306.00

CONTROLS

Description	Code	Price
Standard Control Package Includes Rimpull Control and Inching Pedal.	2410	No Added Cost
Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.	2430	$1,391.00

ENGINE

Description	Code	Price

Engine	0924	$4,537.00
103 SAE Net Horsepower (76 kW) Isolation Mounted with Turbocharger Meets EPA Final Tier 4 and EU Stage IV Emissions		

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,388.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,346.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$1,219.00
This tire option gives total machine height of 9 ft (2743 mm)		
Mitas EM01	4025	No Added Cost
This tire option gives total machine height of 8 ft 11 in (2472 mm) 365/70R18		
400/70R20 Michelin XMCL	4030	$2,227.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
400/70R20 Michelin Bibload L3	4035	$2,584.00
This tire option gives total machine height of 9 ft 1 in (2768 mm)		
Nokian HakkaPeliitta TRI 400/70R20EM	40F1	$2,679.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab	7120	$256.00
2x Front, 2x Rear Halogen WorkLights		
Less Work Lights (LED Kit Ready)	7140	No Added Cost
Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523		

(2xflood)

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost
Less Bucket ISO Coupler included.	8550	$1,727.00
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.	8555	$3,766.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.	8560	$4,895.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Spool Stop LW11621919	8565	$5,874.00

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	9200	$1,774.00
Front Windshield Guard Long Lead Time Item.	9420	$2,201.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler	AT316646	$2,930.00

* 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops		
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$180.00
Beacon Light	LW9069320	$204.00
Block Heater Kit	AT427686	$114.00
Front Windshield Guard	BYT10741	$2,698.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
LED Worklight Kit (Spot)	BYT10522	$194.00
Reversing Fan (Field Installed)	BYT11225	$2,305.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Boom Height Kick-Out Boom Height Kick-out	BYT11293	$702.00
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch	BYT10083	$2,299.00

Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,523.00
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$525.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

304L FOUR WHEEL DRIVE LOADER

304L Standard Equipment

ENGINE:
Yanmar 4TNV98
65 SAE Net Horsepower (48 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F (-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard (Conforms to SAE J1308)
ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits with battery load center bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE
Hydraulic Test Ports
AXLES:
Heavy-Duty Outboard Planetary Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential
BRAKES:
Service Brakes; Hydraulically Actuated, Self-Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake
STEERING:
Hydraulic Power Steer:
40 Degrees Articulation
HYDRAULIC SYSTEM:
20 GPM (77 L/Min) Engine Mounted Gear Pump - Open Center control valve
Combined Hydrostatic/Hydraulic Oil Reservoir Sight Glass
OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab, Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab option Only)
Steering Wheel with Spinner
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers and Antenna
LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)
OVERALL VEHICLE:
Articulation Locking Pin

J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control
Inching Pedal
Vertical Element, HST Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with
Audible and Visual Warning:
Engine Oil Pressure

(Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and
Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
304L FOUR WHEEL DRIVE LOADER	0AE0T	$91,526.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,945.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine John Deere PowerTech E 4.5 L	0924	$4,232.00

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,040.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.	4020	No Added Cost
Mitas EM01 This tire option gives total machine height of 8 ft 2 inches (2495 mm) for cab option and total machine height of 8 ft 1 inch (2471 mm) for the canopy option. 405/70R20	4025	($1,219.00)
400/70R20 Michelin XMCL This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.	4030	$1,058.00

WORK LIGHTS

Description	Code	Price
Halogen Work Lights 2x Front, 2x Rear Halogen WorkLights Canopy	7110	No Added Cost
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,148.00

Only available with Cab Option Code 8422

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.	AT413238	$4,288.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Beacon Light	AT438075	$505.00

For use with Cab code 8422		
Beacon Light	AT443300	$505.00
For use with Canopy code 8419.		
Block Heater Kit	AT427686	$114.00
Creep Control Kit	AT438074	$2,696.00
For use with Cab code 8422		
LED Worklight Kit (Spot)	BYT10522	$194.00
Ride Control	BYT10052	$1,835.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Vandal Kit	AT438076	$394.00
For use with Canopy code 8419. Includes 2 covers; 1 for guage, 1 for switches.		
Miscellaneous		
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch Coupler	BYT10083	$2,299.00
Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)		
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler	BYT10092	$2,523.00
Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		
Electrical Attachment Control Kit	AT390659	$525.00
Provides both 3 pin and 14 pin connectors and a control box.		
ISO Coupler Kit 204L/304L	AT452289	$1,696.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

324L - FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) 12 Volt, 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving / (2) Front Working Halogen Lights
(2) Front and (2) Rear

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Front Diff/Lock and Rear Std. Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer: 56 Degrees Articulation (28 Degree in Each Direction) Plus an Additional 26 Degree Rear Wheel Steer

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic
Fuel Gauge
Speedometer
Hourmeter
Turn Signal and Hazard Lights
High Beam Indicator
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
Two Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment and Manual
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler

Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig (Bucket Leveling) Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation

Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

HYDRAULIC SYSTEM:
Joystick FNR Control with Third Function Control Lever
24 GPM (91 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic Oil Reservoir with Sight Glass

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

Steering Console
Steering Wheel with Spinner
Seat, Deep Foam, Fabric, Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests, 2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Fasten Seat Belt
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range

System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift & Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking for:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L)
Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Refer to Service Administration Manual for Foam Filled or Solid Tire applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
324L - FOUR WHEEL DRIVE LOADER	0AG0T	$111,203.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,306.00

CONTROLS

Description	Code	Price
Standard Control Package Includes Rimpull Control and Inching Pedal.	2410	No Added Cost
Attachment Assist (Creep Control & Throttle Lock) Includes Rimpull Control and Inching Pedal.	2430	$1,391.00

ENGINE

Description	Code	Price
Engine	0924	$4,537.00
103 SAE Net Horsepower (76 kW) Isolation Mounted with Turbocharger Meets EPA Final Tier 4 and EU Stage IV Emissions		

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,388.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,346.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$1,219.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
Mitas EM01	4025	No Added Cost
This tire option gives total machine height of 9 ft 2 in (2804 mm) 405/70R20		
400/70R20 Michelin XMCL	4030	$2,277.00
This tire option gives total machine height of 9 ft 2 in (2804 mm)		
400/70R20 Michelin Bibload L3	4035	$2,584.00
This tire option gives total machine height of 9 ft 2 in (2798 mm)		
Nokian HakkaPeliitta TRI 400/70R20EM	40F1	$2,679.00

LINKAGE

Description	Code	Price
Standard Z-bar linkage	2010	No Added Cost
Height to Hinge Pin 132 in.		
High Lift Z-bar linkage	2020	$2,067.00

Height to Hinge Pin 149 in.

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab 2x Front, 2x Rear Halogen WorkLights	7120	$256.00
Less Work Lights (LED Kit Ready) Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)	7140	No Added Cost

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost
Less Bucket ISO Coupler included.	8550	$1,727.00
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.	8555	$3,766.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.	8560	$4,895.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Spool Stop LW11621919	8565	$5,874.00
2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Includes Spool Stop LW11621919	8570	$6,848.00

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	9200	$1,774.00

Front Windshield Guard Long Lead Time Item.	9420	$2,201.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,957.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,930.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,276.00
2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320638	$5,386.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2m) Tires, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm) Replace kit AT321215	BYT11466	$2,258.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,935.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,952.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops	AT413238	$4,288.00

Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.		
Skid Steer Compatible Quik Tatch Coupler	AT412608	$869.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$180.00
Beacon Light	LW9069320	$204.00
Block Heater Kit	AT427686	$114.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
LED Worklight Kit (Spot)	BYT10522	$194.00
Reversing Fan (Field Installed)	BYT11225	$2,305.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$130.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Boom Height Kick-Out Boom Height Kick-out	BYT11293	$702.00
Class 3 Fork Frame with 48" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,299.00
Class 3 Fork Frame with 60" Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,523.00
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$525.00
LED Worklight Kit (Flood)	BYT10523	$194.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

17G Compact Excavator

ENGINE:
Yanmar 3TNV74F 3-61.0 cu. in. (0.99 l)
14.5 ISO9249 Net HP (10.8 kW)
Certified to EPA Tier 4 Final
Engine Coolant
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid
HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Foot Control
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom
UNDERCARRIAGE:
9.1 in. (230 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Travel
Axial Piston Propel Motor
UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 50 degree right rotation)
ROPS/OPG/FOPS Canopy
Work light, mounted on Boom
Counterweight 265 lb. (120 kg.)
Vandal Locks for Service Doors
FRONT ATTACHMENTS:
Boom 6 ft. (1.82 m)
Arm 3 ft. 1 in. (0.93 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Foot Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
17G Compact Excavator	0010FF	$32,265.00

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 In. (305 mm) Heavy Duty Bucket;	BYT10959	$477.00

0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included) Actions		
16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)	BYT10960	$515.00
18 In. (457 mm) Heavy Duty Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included)	BYT10961	$560.00
9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft. (0.020 Cu. M)	BYT10958	$429.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp Works with quick coupler buckets (excluding 9 Heavy Duty). Does not include hydraulic couplers on hoses.	AT451118	$1,672.00
Interface Adapters		
Interface Adapter for 17 ZTS	AT306179	$440.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705923) (17 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	BYT10076	$1,129.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

26G Compact Excavator

ENGINE:
Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid
HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors
FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)
Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Automatic Shifting and Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat
Propel Levers and Foldable Pedals

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
26G Compact Excavator	0020FF	$39,188.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost

ROPS / FOPS Cab	8185	$4,266.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater.		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164	BYT10962	$644.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10971	$2,307.00
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10972	$2,496.00
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$805.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	AT451119	$1,705.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00
Front Screen, Canopy (GR#706024) (26 CE) Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy	AT495180	$603.00
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 264782	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$653.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

30G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator

Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
4 ft. 11 in. (1.5 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 723 lb. (328 kg.)
FRONT ATTACHMENTS:
Boom 7 ft. 6 in. (2.28 m)
Arm 3 ft. 8 in. (1.17 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
30G Compact Excavator	0100FF	$47,301.00

TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
12 in. (300 mm).		

ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
3 ft. 10 in.(1.17m)		

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	$6,243.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		

SEAT

Description	Code	Price
Suspension Seat - Vinyl	4145	$351.00
Requires ROPS / FOPS Canopy (8150).		
Suspension Seat - Cloth	4150	$380.00
Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	$644.00
Does not work with Hydraulic coupler AT442164		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	$2,307.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$671.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	$2,496.00
Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00

30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$805.00
Clamps		
Hydraulic Clamp - Factory Installation Fee	AT487517	$830.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$103.00
Hydraulic GREY Clamp For dealer install, also order T213184 - Wear Plate (QTY 1) and AT317646 - Arm Bracket (QTY 1). These parts are not required if ordering AT487517 - Factory Installation Fee.	BYT10715	$1,918.00
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 266590	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

35G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
5 ft. 8 in. (1.74 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1190 lb. (540 kg.)
FRONT ATTACHMENTS:
Boom 8 ft. (2.45 m)
Arm 4 ft. 4 in. (1.32 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
35G Compact Excavator	0050FF	$52,663.00

TRACKS

Description	Code	Price
Rubber Track 12 in. (300 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 12 in. (300 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$1,072.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$3,135.00

ARM

Description	Code	Price
Standard Arm 4 ft. 4 in. (1.32 m).	7110	No Added Cost
Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg).	7120	$1,503.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.	8185	$6,243.00

SEAT

Description	Code	Price
Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).	4145	$351.00
Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).	4150	$380.00

Optional - *Select as desired*

BOLT

Description	Code	Price
Bolt On Cutting Edge Long lead-time item; contact Order Fulfillment for availability.	9100	$760.00

BLADE

Description	Code	Price
Angle Blade	9555	$2,982.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164	BYT10962	$644.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price	BYT10973	$2,574.00
18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included)	BYT10966	$749.00
24 in. (610 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10974	$3,235.00
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$722.00
24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included)	BYT10967	$852.00
30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included)	BYT10968	$958.00
34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth)	BYT10970	$986.00
36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included)	BYT10969	$1,065.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp Works with quick coupler buckets except 12" Heavy Duty. If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206) from Parts. FOR SN PRIOR TO 265350 ALSO ORDER T213184 and AT317646.	AT386304	$1,617.00
Hydraulic Couplers		
Hydraulic Quick Coupler	AT442164	$2,448.00

Works with John Deere and Hitachi 35 quick coupler buckets only.		
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$639.00
Miscellaneous		
Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - Std Arm - 286115 Serial No. Break - Long Arm - 285875	BYT11478	$103.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

50G Compact Excavator

ENGINE:
Yanmar 4TNV88 (2.19 l)
35.9 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom
UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS Canopy
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1543 lb. (700 kg.)
FRONT ATTACHMENTS:
Boom 9 ft. 2 in. (2.8 m)
Arm 4 ft. 6 in. (1.38 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
50G Compact Excavator	0060FF	$69,833.00

TRACKS

Description	Code	Price
Rubber Track 16 in. (400 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$2,025.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$5,990.00

ARM

Description	Code	Price
Standard Arm 4 ft. 6 in. (1.38 m).	7110	No Added Cost
Long Arm and Extra Counterwieght 5 ft. 7 in. (1.69 m) and Extra Counterweight 474 lbs (215 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.	7120	$1,541.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.	8185	$6,243.00

SEAT

Description	Code	Price
Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).	4145	$351.00
Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).	4150	$380.00

Optional - *Select as desired*

BOLT

Description	Code	Price
Bolt On Cutting Edge Can only be ordered for the Angle Blade option. Long lead-time item; contact Order Fulfillment for availability.	9100	$1,061.00

BLADE

Description	Code	Price
Angle Blade	9555	$3,172.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. (0.06 Cu. M) (3 TK Teeth Included)	BYT10976	$897.00
12 in. (305 mm) Heavy Duty Bucket; 2.1 cu. ft. (0.06 cu. m) (3 Teeth Included)	BYT10977	$897.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10999	$3,402.00
18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price	BYT10998	$3,742.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)	BYT10978	$986.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$986.00
24 in. (610 mm) Heavy Duty Bucket Bundle (TF23 Series Teeth included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11001	$3,827.00
24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth Included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11000	$3,827.00
24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. (0.15 Cu. M) (4 TK Teeth Included)	BYT10980	$1,110.00
24 in. (610 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.15 cu. m) (4 Teeth Included)	BYT10981	$1,110.00
30 in. (762 mm) Heavy Duty Bucket; 6.8 cu. ft. (0.19 cu. m) (5 Teeth Included)	BYT10983	$1,226.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 TK Teeth Included)	BYT10984	$1,365.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 Teeth Included)	BYT10985	$1,365.00
36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth)	BYT10986	$1,231.00

Clamps

Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	BYT10171	$1,898.00

Hydraulic Couplers

Hydraulic Quick Coupler Works with John Deere and Hitachi 50 quick coupler buckets only.	AT452082	$2,729.00
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00

Interface Adapters

Interface Adapter for 50-60 CE	AT306177	$692.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00
Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	AT451135	$653.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

60G Compact Excavator

ENGINE:
Yanmar 4TNV98 (3.3 l)
53 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Reduced Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1642 lb. (745 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Air Conditioning and Heat
Electronic Throttle Control with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
60G Compact Excavator	0071FF	$77,990.00

TRACKS

Description	Code	Price
Rubber Track 16 in. (400 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$2,025.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$5,990.00

ARM

Description	Code	Price
Standard Arm 4 ft. 11 in. (1.50 m).	7110	No Added Cost
Long Arm and Extra Counterwieght Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).	7120	$1,781.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.	8185	$6,243.00

Optional - *Select as desired*

BLADE

Description	Code	Price
Angle Blade	9555	$4,694.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
13 In. (330 mm) Heavy Duty 3 Tooth Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	BYT10988	$1,065.00
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	BYT10987	$1,065.00

18 in. (457 mm) Heavy Duty 4 Tooth Bucket; 5.1 cu. ft.	BYT10990	$1,163.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$986.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	BYT10989	$1,163.00
24 in. (610 mm) Heavy Duty 5 Tooth Bucket; 7.5 cu. ft.	BYT10992	$1,310.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	BYT10991	$1,310.00
30 in. (762 mm) Heavy Duty 5 Tooth Bucket; 10.0 cu. ft	BYT10994	$1,457.00
36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M) (6 TK Teeth Included)	BYT10995	$1,450.00
36 in. Heavy Duty 5 Tooth Bucket; 12.5 cu. ft.	BYT10996	$1,516.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint)	BYT10997	$1,415.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$671.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$547.00
Hydraulic GREY Clamp	BYT10171	$1,898.00
Hydraulic Couplers		
Hydraulic Quick Coupler Works with John Deere and Hitachi 60 series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.	AT452558	$2,793.00
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,772.00
Interface Adapters		
Interface Adapter for 50-60 CE	AT306177	$692.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through		

	John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
	Front Screen, Cab (GR#705577) (60 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	ETN112936	$653.00
	Front Screen, Cab (GR#705578) (30-50G CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	AT435404	$539.00

JOHN DEERE

Current Date 03Jan2020

317G COMPACT TRACK LOADER

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)
Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.99 m (78.5 in)
Height to hinge pin - 3.07 m (121 in)
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
317G COMPACT TRACK LOADER	06L2T	$58,590.00

PACKAGES

Description	Code	Price
EH, Open ROPS, Manual QT, SL, 1spd, Att Perf	0730	No Added Cost

Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).

EH, Cab/Heat/AC, Power QT, SL, 1spd, Att Perf	0735	$5,385.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, single speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 1spd, Att Perf, LED lights	0760	$7,080.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, single speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2500	No Added Cost
Provides 65 in. machine width (narrow stance).		
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2510	No Added Cost

Provides 68 in. machine width (wide stance).		
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	$205.00
Provides 65 in. machine width (narrow stance).		
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2570	$205.00
Provides 68 in. machine width (wide stance).		
Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks	2600	$1,462.00
Provides 71 in. machine width (wide stance).		
Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	$1,667.00
Provides 71 in. machine width (wide stance).		

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat)	6006	$639.00
Cloth seat only available with cab machines.		

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
Shoulder harness required with a cab package.		
3-Inch Seat Belt with Shoulder Harness	4003	$271.00
Shoulder harness required with a cab package.		

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00

Includes programmable machine security code system.

BUCKETS

Description	Code	Price
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00

78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,828.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00

66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Jdlink		
JDLink Field Kit	BYT11282	$50.00
Hardware for mounting JDLink MTG terminal (does not include MTG).		
Kits & Accessories		
12 Volt Demonstration Kit	KV21995	$320.00
3-pin connector		
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00

Block Heater 110V Field Kit	BYT11199	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00

Miscellaneous		
72 in. Bolt-on Serrated Cutting Edge	T385220	View Price
78 in. Bolt-on Serrated Cutting Edge	T385219	View Price
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank
Final Drive System and Undercarriage:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out
Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe

Engine Coolant Temperature Operator Selectable LCD Digital Readout:

Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)

Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)

Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
325G COMPACT TRACK LOADER	00D0T	$59,711.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	No Added Cost

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS	0846	($20.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks	0861	($583.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)

Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0871	($1,551.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks	0867	($978.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,392.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P	0889	($1,650.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,718.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,822.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	No Added Cost
TWO-SPEED	1050	$2,079.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 19 gpm	3000	No Added Cost
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$588.00

Pump Flow = 19 gpm		
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 19 gpm	3004	$1,278.00
High Flow Hydraulics Pump Flow = 27 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,871.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	$3,127.00

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320 mm) Tracks Provides 71.5 in. machine width.	2500	No Added Cost
Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 71.5 in. machine width.	2550	$205.00
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 74.7 in. machine width.	2600	$1,462.00
Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.	2645	$1,667.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Added Cost
French Operator's Manual & Decals For use with FT4 Engine	1510	No Added Cost
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Added Cost
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Added Cost
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Added Cost
Spanish Operator's Manual & No Text Decals Not for Canada	1516	No Added Cost

For use with IT4/Stage IIIB Engine

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$920.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price

Engine Air Precleaner	8060	$465.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$89.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00

Includes: programmable machine security code system

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

JOHN DEERE

Current Date 03Jan2020

331G COMPACT TRACK LOADER

331G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Hydraulic Pump Flow 24 gpm (91 L/m)
Travel Speed Low 6 mph (9.7 km/h)
Travel Speed High 8 mph (12.9 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 78.9 in. (2.00 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 11,800 lbs. (5,357)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows

Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,100 lbs. (1,407 kg)
Tipping Load 8,857 lbs. (4,022 kg)

Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
331G COMPACT TRACK LOADER	0BE0T	$72,731.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	No Added Cost

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($277.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,110.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)

* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,462.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,615.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
90 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,822.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat)	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,234.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

*Requires code 5001 - Power Quick-Tatch

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 23.5 gpm	3000	No Added Cost
High Flow Hydraulics Pump Flow = 36.5 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,871.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydraulic Self-Level Up	3100	$1,278.00
Less Ride Control	3101	No Added Cost
Ride Control for EH Boom Performance Package *Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package	3102	$690.00

TRACK

Description	Code	Price
Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2650	$488.00
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.	2505	No Added Cost
Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2605	$283.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Added Cost
French Operator's Manual & Decals For use with FT4 Engine	1510	No Added Cost
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Added Cost
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Added Cost
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Added Cost

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	No Added Cost
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$920.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170C	$1,513.00

Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00
Includes 5" LCD monitor.		

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$357.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$497.00

Provides protection to cooling package.

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$2,171.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,856.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00

78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$2,171.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00

Kits & Accessories

Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module)	BYT10454	$605.00

is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00

84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10913	$460.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Protection Package	BYT10942	$4,842.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Screens, Sides and Rear	BYT10944	$846.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit	AT372950	$565.00

Required to meet ISO 8084 Forestry Applications

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

333G COMPACT TRACK LOADER

333G Base Equipment

Engine:
4 Cylinder Turbo-Charged Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)
Travel Speed 8 mph (12.9 km/h)

Construction Bucket
Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy

Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)

Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
333G COMPACT TRACK LOADER	0BF0T	$78,649.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader Includes standard equipment	0800	No Added Cost
Utility Package With ISO Pattern Joystick Controls Package includes: * EH (ISO Pattern) Joystick Controls (0950) * English Operator's Manual & Decals (1501) * Wide Zig-Zag Bar Track - 17.7 in. (2650) * Standard Base Hydraulics (3000) * Ride Control (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001) * Canopy - ROPS / FOPS (5200) * Standard Lighting Package (5500) * Mechanical Suspension Seat (Vinyl) (6001) * Standard Fan Drive (6500)	0816	($249.00)
Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package Package includes: * ISO-H Switchable Controls and EH Joystick Performance Package (0953) * English Operator's Manual & Decals (1501) * Wide Zig-Zag Bar Track - 17.7 in. (2650) * Standard Base Hydraulics (3000) * Ride Control and Hydrulic Self-Level Up (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001)	0821	($1,083.00)

* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,435.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,972.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and	5205	$6,822.00

Severe Duty Door

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat)	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,234.00
ISO Joystick Controls with Integrated Detents & EH	0995	$2,454.00

Joystick Performance Package & EH Boom Performance Package

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

*Requires code 5001 - Power Quick-Tatch

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 25 gpm	3000	No Added Cost
High Flow Hydraulics Pump Flow = 41 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,871.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydraulic Self-Level Up	3100	$1,278.00
Less Ride Control	3101	No Added Cost
Ride Control for EH Boom Performance Package *Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package	3102	$690.00

TRACK

Description	Code	Price
Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2650	$205.00
Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.	2505	($251.00)
Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.	2605	No Added Cost

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Added Cost
French Operator's Manual & Decals For use with FT4 Engine	1510	No Added Cost
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Added Cost
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Added Cost
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Added Cost

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	No Added Cost
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$920.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not	170C	$1,513.00

agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00

Includes Heavy Duty 925cca Battery and Block Heater.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

Includes 5" LCD monitor.

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00

Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg)	8305	$357.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)	8310	$357.00

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

GRILLE

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$497.00

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	9410	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,781.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$2,171.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,856.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$2,171.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,781.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set)	AT348835	$363.00

Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		

Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bucket Cylinder Rod Guard	BYT10913	$460.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit	AT372950	$565.00

Required to meet ISO 8084 Forestry Applications

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

312GR SKID STEER

312GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 704 kg (1550 lb)
Tipping load - 1407 kg (3100 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2392 kg (5273 lb)
Boom Breakout force - 2163 kg (4768 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (115.1 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
312GR SKID STEER	0AP2T	$34,554.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Open ROPS, Manual QT, SL, 1spd	0705	$586.00
Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
Foot Contrl, Cab/Heat, Power QT, SL, 1spd	0710	$4,305.00
Includes foot controls, cab with heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 51 Gross hp (37.1 kW) 48 Net hp (35.1 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite		

technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.	2040	No Added Cost
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 60 in. machine width.	2041	$150.00
10 X 16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.	2285	($505.00)
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.	2400	$1,774.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.	2430	$205.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00

3-Inch Seat Belt with Shoulder Harness	4003	$271.00
Shoulder harness required with a cab package.		

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Cold Start Package	8051	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00
Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00
Includes programmable machine security code system.		

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00

66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.	8410	$351.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00

60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Radial Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10807	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00
Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit	BYT10661	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Engine Air Pre-cleaner Kit Compatible with 312GR and 314G.	BYT11412	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00

66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 03Jan2020

314G SKID STEER

314G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 799 kg (1760 lb)
Tipping load - 1598 kg (3520 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2323 kg (5117 lb)
Boom Breakout force - 2176 kg (4793 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 3.05 m (120 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
314G SKID STEER	06J2T	$36,104.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Open ROPS, Manual QT, SL, 1spd	0705	$586.00
Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
Foot Contrl, Cab/Heat, Power QT, SL, 1spd	0710	$4,305.00
Includes foot controls, cab with heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 51 Gross hp (37.1 kW) 48 Net hp (35.1 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite		

technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.	2040	No Added Cost
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 60 in. machine width.	2041	$150.00
10 X 16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.	2285	($505.00)
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.	2400	$1,774.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.	2430	$205.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00

3-Inch Seat Belt with Shoulder Harness	4003	$271.00
Shoulder harness required with a cab package.		

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Cold Start Package	8051	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00
Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00
Includes programmable machine security code system.		

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00

66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.	8410	$351.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00

60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10806	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00
Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit	BYT10661	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Engine Air Pre-cleaner Kit Compatible with 312GR and 314G.	BYT11412	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00

66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 03Jan2020

316GR SKID STEER

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
316GR SKID STEER	06G2T	$38,493.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd	0715	$5,877.00
Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	0740	$5,320.00
Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	0745	$10,801.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	0765	$13,081.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.		
EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (45.6 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		

French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	No Added Cost
For use primarily in medium duty applications. Provides 63 in. machine width.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2041	$150.00
For use primarily in medium duty applications. Provides 60 in. machine width.		
10 X 16.5 NHS, CAMSO SKS	2285	($505.00)
For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
10x16.5 Brawler Treaded SolidFlex	2400	$1,774.00
For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.		
10x16.5 10 PR Galaxy Hulk	2430	$205.00

For use primarily in medium duty/hard surface applications.
Provides 63 in. machine width.

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

Radio, AM/FM with Bluetooth	8342	$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00
Includes programmable machine security code system.		

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	$383.00
Provides 100 additional pounds of rated operating capacity.		
Counterweight, (Double Set)	8305	$765.00

Provides 200 additional pounds of rated operating capacity.

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$351.00

Replaces standard auxiliary hydraulic couplers.

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00

Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Radial Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10807	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00
Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00

Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

318G SKID STEER

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine
Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires
Warranty (US and Canada):
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
318G SKID STEER	0B72T	$40,440.00

PACKAGES

Description	Code	Price
Foot Contrl, Open ROPS, Manual QT, 1spd	0700	No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, single speed transmission, and standard hydraulics.

Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd	0715	$5,877.00
Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		
EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	0740	$5,320.00
Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	0745	$10,801.00
Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		
EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights	0765	$13,081.00
Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting.		
EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (45.6 kW).		

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		

French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	No Added Cost
For use primarily in medium duty applications. Provides 63 in. machine width.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2041	$150.00
For use primarily in medium duty applications. Provides 60 in. machine width.		
10 X 16.5 NHS, CAMSO SKS	2285	($505.00)
For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
10x16.5 Brawler Treaded SolidFlex	2400	$1,774.00
For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel over-the-tire tracks.		
10x16.5 10 PR Galaxy Hulk	2430	$205.00

For use primarily in medium duty/hard surface applications.
Provides 63 in. machine width.

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($410.00)
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	$462.00
Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	6006	$639.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4001	$217.00
3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	4003	$271.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$310.00
Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8051	$310.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module) Includes programmable machine security code system.	8395	$408.00

BUCKETS

Description	Code	Price
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$929.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$1,133.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$977.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,171.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,485.00
60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	$1,211.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00

72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,599.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	8300	$383.00
Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	8305	$765.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.	8410	$351.00
Power Quik-Tatch for Canopy Units	8530	$740.00

RUST PROTECTION

Description	Code	Price
Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	9909	$163.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$929.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,151.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,229.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$977.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,171.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00

66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
Jdlink		
JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG).	BYT11282	$50.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$320.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$486.00
Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068.	BYT10806	$699.00
Block Heater 110V Field Kit	BYT11199	$114.00

Block Heater 220V Field Kit	BYT11200	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$107.00
Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.	BYT11068	$350.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT11283	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$605.00
Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G.	BYT11415	$466.00
Fire Extinguisher Mounting Bracket Kit	BYT11438	$51.00
Fluid Sampling Field Kit	AT464541	$87.00
Hazard Warning Lights	AT446202	$130.00
Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system.	BYT11419	$183.00
Polycarbonate Cab Door Field Kit	BYT11494	$3,138.00
Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	BYT10533	$383.00
Rear View Camera Field Kit Includes 5" LCD Monitor.	BYT11287	$867.00
SMV Sign	KV26958	$79.00
Single Point Lift System	BYT10800	$724.00
Vinyl Cab Enclosure	AT459416	$364.00
Vinyl Cab Enclosure Kit	BYT11443	$918.00
Warning Beacon	AT446201	$220.00

Miscellaneous		
72 in. Bolt-on Serrated Cutting Edge	T385220	View Price
Boom Mounted Mirrors	BYT10168	$77.00
Radio AM/FM Bluetooth Field Kit Bluetooth connection is for streaming only. Does not allow for hands-free calling.	BYT11297	$520.00
Operator Environment		
Radio Field Kit	BYT10069	$520.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$404.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$506.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

320G SKID STEER

320G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank
Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:
Gross Horsepower 69 Hp (51,7 Kw)
Hydraulic Pump Flow 20 gpm (76 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-

Engine Coolant Temp. Hydraulic Oil Temp.	Rated Operating Capacity 2,190 lbs. (994 kg) Tipping Load 4,380 lbs. (1,989 kg)	Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
320G SKID STEER	00B0T	$42,364.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Deluxe Package	0861	($591.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,560.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,110.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Cab with AC, Heat/Defrost (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,421.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
10x16.5 10 PR Galaxy "Beefy Baby III" HD (2040)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,659.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE - NATURALLY ASPIRATED	1305	$1,501.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
4 Cylinder Naturally Aspirated
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,574.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door Polycarbonate Front Door w/ Wiper and Sliding Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5205	$6,822.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$639.00
Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price

E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	No Added Cost
Two-Speed	1050	$1,645.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	No Added Cost
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 21 gpm	3001	$588.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 21 gpm.	3004	$1,278.00
High Flow Hydraulics Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,871.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3005	$3,127.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price

English Operator's Manual and Decals For use with FT4 Engine.	1501	No Added Cost
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Added Cost

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	No Added Cost
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$920.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. Skid Steer width	2040	$1,826.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. Skid Steer width	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. Skid Steer width Not Compatible with Tracks.	2400	$3,600.00
12x16.5 10 PR Titan HD2000-II	2070	$2,147.00

Provides 73.2 in. Skid Steer width		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Provides 73.3 in. Skid Steer width Not Compatible with Tracks		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00
Provides 62.5 in. Skid Steer width		
10 X 16.5 NHS, CAMSO SKS	2285	$1,321.00
Provides 63.3 in. Skid Steer width		
12 X 16.5 NHS, CAMSO SKS	2315	$1,644.00
Provides 69.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00

For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Single Set) (8300)

Counterweight, Stackable (Third Set)	8310	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$497.00

Provides protection to cooling package.

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$56.00

Not for use with Cold Start Package (8050).

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00

72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,279.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,565.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,474.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,788.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,485.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,599.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,828.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00

72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$699.00
Backhoe Attachment Mounting Kit	BYT10313	$288.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT427686	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set)	AT348835	$363.00

Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$918.00
EH Joystick Performance Package	BYT10454	$605.00
Engine Air Pre-Cleaner Kit Compatible with 320G with Naturally Aspirated Engines code 1305.	BYT10681	$466.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$466.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10641	$133.00
Foot Throttle Removal Kit	AT374642	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$605.00
Hazard Warning Lights	AT431921	$130.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$332.00
Joystick Pod Mounted Throttle	AT419446	$155.00
Radio Field Kit	BYT10062	$520.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$867.00
SMV Sign	BYT10680	$79.00
SSM - Use with EH Controls	BYT10650	$183.00
SSM - Use with Manual Controls	BYT11292	$183.00
Severe Duty Door		

JOHN DEERE

Current Date 03Jan2020

324G SKID STEER

324G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Hydraulic Pump Flow 21 gpm (79 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-

Engine Coolant Temp. Hydraulic Oil Temp.	Rated Operating Capacity 2,690 lbs. (1,221 kg) Tipping Load 5,380 lbs. (2,443 kg)	Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
324G SKID STEER	00C0T	$45,610.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Deluxe Package	0861	($591.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,560.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,110.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Cab with AC, Heat/Defrost (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,542.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P	0889	($1,799.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)

Reversing Fan Drive (6501)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,665.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,822.00

Polycarbonate Front Door w/ Wiper and Sliding Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat)	6006	$639.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price

2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	No Added Cost
Two-Speed	1050	$1,645.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	No Added Cost
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 21 gpm	3001	$588.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 21 gpm.	3004	$1,278.00
High Flow Hydraulics Pump Flow = 32gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,871.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control Pump Flow = 32gpm	3005	$3,127.00

Includes 1/2 in Auxiliary coupler sizes.

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Added Cost
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Added Cost

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	No Added Cost
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$920.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. Skid Steer width	2040	$1,826.00

10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Provides 63 in. Skid Steer width		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Provides 67.25 in. Skid Steer width Not Compatible with Tracks.		
12x16.5 10 PR Titan HD2000-II	2070	$2,147.00
Provides 73.2 in. Skid Steer width		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Provides 73.3 in. Skid Steer width Not Compatible with Tracks		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00
Provides 62.5 in. Skid Steer width		
10 X 16.5 NHS, CAMSO SKS	2285	$1,321.00
Provides 63.3 in. Skid Steer width		
12 X 16.5 NHS, CAMSO SKS	2315	$1,644.00
Provides 69.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$408.00
Includes: programmable machine security code system		

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00
For use with E-H (ISO Pattern) Joystick Controls (0950).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Second Set)	8305	$357.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	$357.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$497.00

Provides protection to cooling package.

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$56.00

Not for use with Cold Start Package (8050).

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,197.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,288.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,336.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,407.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,430.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00

78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,279.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,565.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,474.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,788.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,485.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,599.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,828.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,162.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	BYT10855	$1,485.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,197.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$1,016.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,108.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,336.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,256.00

66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,407.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	BYT10854	$1,599.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,092.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,430.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,828.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,530.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,788.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,530.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$320.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$699.00
Backhoe Attachment Mounting Kit	BYT10313	$288.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT427686	$114.00
Bobcat Attachment Harness Adapter Kit	BYT10661	$351.00

Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$918.00
EH Joystick Performance Package	BYT10454	$605.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$466.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10641	$133.00
Foot Throttle Removal Kit	AT374642	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$605.00
Hazard Warning Lights	AT431921	$130.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$332.00
Joystick Pod Mounted Throttle	AT419446	$155.00
Radio Field Kit	BYT10062	$520.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$867.00
SMV Sign	BYT10680	$79.00
SSM - Use with EH Controls	BYT10650	$183.00
SSM - Use with Manual Controls	BYT11292	$183.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00

Severe Duty Door Hardware Kit	BYT10085	$173.00
Single Point Support Kit	BYT10843	$2,880.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Boom Mounted Mirrors	BYT10168	$77.00
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$29.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$485.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$728.00
72 in. Tooth Bar - 7 Teeth	KV11598	$520.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$748.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,609.00
Wheels & Tires, Single (Left H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$378.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$610.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$404.00
10x16.5 NHS CAMSO SKS	BYT10897	$328.00
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$610.00
12x16.5 NHS CAMSO SKS	BYT10898	$404.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance,		

and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Protection Package	BYT10942	$4,842.00
Screens, Sides and Rear	BYT10944	$846.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 03Jan2020

330G SKID STEER

330G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity

Machine Operating Weight 9,950 lbs. (4,517 kg)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Width without Attachment 78 in. (1.98 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 9,950 lbs. (4,517 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating

Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes	3,000 lbs. (1,362 kg) Tipping Load 6,000 lbs. (2,724 kg) Hydraulic Pump Flow 24 gpm (91 L/m)	Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
330G SKID STEER	0BC0T	$55,118.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($522.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,442.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)

* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,794.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,897.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
91.2 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,822.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$639.00
Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,234.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

*Requires code 5001 - Power Quick-Tatch

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	No Added Cost
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	$1,871.00
Pump Flow = 36.5 gpm. Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,278.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	No Added Cost
Ride Control for EH Boom Performance Package	3102	$690.00
*Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package		

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		

French Operator's Manual and Decals For use with FT4 Engine.	1510	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	No Added Cost
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$920.00

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR Titan HD2000-II Provides 73.2 in. Skid Steer width	2070	$2,147.00
12x16.5 Treaded Brawler SolidFlex Provides 73.3 in. Skid Steer width Not Compatible with Tracks	2410	$4,300.00
14x17.5 14 PR Titan HD2000-II Provides 78.5 in. Skid Steer width Not compatible with Steel Tracks.	2320	$3,435.00
14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. Skid Steer width Not Compatible with Steel Tracks.	2420	$5,825.00
14x17.5 14 PR Galaxy Hulk Provides 77 in. Skid Steer width Not compatible with Steel Tracks.	2450	$3,950.00
12x16.5 12 PR Galaxy Hulk Provides 62.5 in. Skid Steer width	2440	$2,470.00

12 X 16.5 NHS, CAMSO SKS	2315	$1,644.00
Provides 69.5 in. Skid Steer width		
14 X 17.5 NHS, CAMSO SKS	2335	$2,950.00
Provides 77.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00
Includes Heavy Duty 925cca Battery and Block Heater		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00
For use with E-H (ISO Pattern) Joystick Controls (0950).		

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

Includes 5" LCD monitor.

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00

Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$357.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Single Set) (8300)

Counterweight, Stackable (Third Set)	8310	$357.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$497.00

Provides protection to cooling package.

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,474.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,788.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,828.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$2,171.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$2,171.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00

90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00
Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls.	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera	BYT10051	$867.00

Includes 5" LCD monitor.		
SMV Sign	BYT10059	$79.00
Severe Duty Door	BYT10226	$3,138.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,609.00
14x17.5 14 PR Titan HD2000-III	KV21892	$3,018.00
14x17.5 NHS CAMSO SKS	BYT10901	$2,466.00
Wheels & Tires, Single (Left H& Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$941.00
Wheels & Tires, Single (Right H& Only)		
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
12x16.5 NHS CAMSO SKS	BYT10898	$404.00
14x17.5 12 PR SKS Extra-Wall	BYT10900	$627.00
14x17.5 14 PR Titan HD2000-III	KV23691	$768.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$941.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$402.00
Bucket Cylinder Rod Guard	BYT10913	$460.00
Bucket Cylinder Rod Guard	BYT10947	$460.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$270.00
Protection Package	BYT10942	$4,842.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Screens, Sides and Rear	BYT10944	$846.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved. About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 03Jan2020

332G SKID STEER

332G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity

Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:

Engine Coolant Temp.	3,600 lbs. (1,633 kg)	John Deere patented Quik-Tatch system (no grease required)
Hydraulic Oil Temp.	Tipping Load 7,200 lbs. (3,266 kg)	Warranty:
Job Clock	Hydraulic Pump Flow 25 gpm (95 L/m)	John Deere 2 years/2000 hours
Service Codes		
Diagnostic Codes		

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
332G SKID STEER	0BD0T	$57,440.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($522.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,442.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,794.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,121.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$849.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,574.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,822.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$639.00
Vinyl, Air-Ride Seat	6003	$462.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$217.00
3-Inch Seat Belt with Shoulder Harness	4003	$271.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,058.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,234.00
ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.	0995	$2,454.00

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

*Requires code 5001 - Power Quick-Tatch

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	No Added Cost
Pump Flow = 25 gpm		
High Flow Hydraulics	3002	$1,871.00
Pump Flow = 41gpm		
Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,278.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	No Added Cost
Ride Control for EH Boom Performance Package	3102	$690.00
*Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package		

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost

For use with FT4 Engine.

French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$740.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$920.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II	2320	$3,435.00
Provides 78.5 in. Skid Steer width Not compatible with Steel Tracks.		
14x17.5 Treaded Brawler SolidFlex	2420	$5,825.00
Provides 73.5 in. Skid Steer width Not Compatible with Steel Tracks.		
14x17.5 14 PR Galaxy Hulk	2450	$3,950.00
Provides 77 in. Skid Steer width Not compatible with Steel Tracks.		
14 X 17.5 NHS, CAMSO SKS	2335	$2,950.00
Provides 77.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	$1,513.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere.		

Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$310.00

Includes Heavy Duty 925cca Battery and Block Heater

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$335.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$465.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$614.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$147.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).
For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$869.00

Includes 5" LCD monitor.

ONBOARD GRADE INDICATION

Description	Code	Price
On-board Grade Indication	8500	$1,534.00

Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$357.00
Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg)	8305	$357.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)	8310	$357.00

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$497.00

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$163.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,545.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,530.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,714.00

90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9410	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,781.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,474.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,788.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,828.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$2,171.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,856.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,469.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,625.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	$2,171.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,714.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,856.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,856.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,781.00
Kits & Accessories		
Attachment Control	BYT10917	$454.00
Beacon Warning Light	BYT10048	$326.00

Block Heater Kit	AT439115	$114.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$351.00
Boom-Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$363.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$918.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls.	BYT10454	$605.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$851.00
Fluid Sampling Field Kit	BYT10039	$173.00
Foot Throttle Removal Kit	AT410246	$53.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$605.00
Hazard Warning Lights	BYT10050	$130.00
High Spring Effort Joysticks	AT433683	$781.00
Joystick Pod Mounted Throttle	AT419446	$155.00
On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).	BYT10767	$1,530.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$587.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$867.00
SMV Sign	BYT10059	$79.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,138.00

Severe Duty Door Hardware Kit	BYT10085	$173.00
Standard Door	BYT10227	$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	$121.00
Engine Air Pre-Cleaner Kit	AT439117	$466.00
Single Point Lift System	AT469520	$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$844.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,853.00
14x17.5 14 PR Titan HD2000-III	KV21892	$3,018.00
14x17.5 NHS CAMSO SKS	BYT10901	$2,466.00
Wheels & Tires, Single (Left H& Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$941.00
Wheels & Tires, Single (Right H& Only)		
12x16.5 10 PR Titan HD2000-III	KV23689	$477.00
14x17.5 12 PR SKS Extra-Wall	BYT10900	$627.00
14x17.5 14 PR Titan HD2000-III	KV23691	$768.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$941.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bucket Cylinder Rod Guard	BYT10913	$460.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$342.00

Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$681.00
Rear Winch Kit Not compatible with S/N: 340405+ contact GR Mfg.	BYT10912	$11,756.00
Rear Window/Side Window Cab Guards	BYT10258	$692.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,842.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$565.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

AF66 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9360T		AF66 AG FORKS *For use on the following models:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL*		1,263.00

AF78 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9340T		AF78 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,550.00

AT14 Angle-Tatch

Equipment for Base Machine

The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling.
Overall Width cm/(in) 118.87 (46.8)
Overall Height cm/(in) 46.99 (18.5)
Overall Depth cm/(in) 10.67 (4.2)
Cylinder Bore cm/(in) 6.35 (2.5)
Rod Diameter cm/(in) 3.30 (1.3)
Title Angle (degree) 14
Lift Capacity kg/(lb.) 1905.08 (4,200)
Weight kg/(lb.) 191.41 (422)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03D0T		AT14 Angle-Tatch *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		3,336.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

PA15B PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive:
 Heavy Duty, All Gear Design
 Sealed Drive Unit
 Reverse Rotation Feature

Forged Alloy Steel
Heat-Treated Bolt-On Teeth
Reinforced Boring Head

Auger Bits:
 Double-Wrap Flighting

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03V1T		PA15B PLANETARY DRIVE AUGER *For use on the following models:* *312G-314G SS* *17-27 CE*		2,248.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1006		PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		400.00
1007		PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included*		No Added Cost
		INTERFACE ADAPTERS		
9800		Interface Adapter for 17 ZTS and 17G		585.00
9801		Interface Adapter for 26G - 35G CE and 110 TLB		703.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

PA30B PLANETARY DRIVE AUGER

Equipment for Base Machine

```
Planetary Drive:                    Forged Alloy Steel
 Heavy Duty, All Gear Design        Heat-Treated Bolt-On Teeth
 Sealed Drive Unit                  Reinforced Boring Head
 Reverse Rotation Feature

Auger Bits:
 Double-Wrap Flighting
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03N1T		PA30B PLANETARY DRIVE AUGER *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		2,428.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1008		PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		440.00
1009		PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.*		No Added Cost
		INTERFACE ADAPTERS		
9801		Interface Adapter for 26G - 35G CE and 110 TLB		703.00
9803		Interface Adapter for 50G - 60G CE		719.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

PA30B PLANETARY DRIVE AUGER

Continued

PA40 PLANETARY DRIVE AUGER

Equipment for Base Machine

PA40 Planetary Drive Auger Standard Equipment
PA40 Base Machine Performance:
Flow Requirements: 28 - 42 GPM (106 - 159 lpm)
Operating Pressure: 3625 psi
Overall Attachment:
Maximum auger diameter: 48 in (1219mm)
Output shaft: 2 in (51mm) Hexagon
3/4 in. Couplers and Hoses

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
9965T		PA40 PLANETARY DRIVE AUGER *For use on the following models:* *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.*		5,397.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
		Kits & Accessories		
	KV15777	12 in. Rock Bit		1,142.00
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00
		Miscellaneous		
	AT306926	Interface Adapter for 50-60 CE		719.00

BH9B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are provided for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light duty Ag or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1025 lb. [465 kg] overall weight, without mounting bracket
110 in. [2795 mm] maximum dig depth
88 in. [2235 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2750 psi [19000 kPa] system relief pressure
3895 lb. [1765 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

50A1T		BH9B BACKHOE *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *Machine must be equipped with Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*	10,138.00

MOUNTING KITS

1001		Mounting Kit - Small Frame SSL/CTL	2,631.00

BUCKETS

2001		18 in. (457 mm) Bucket	613.00
2002		24 in. (610 mm) Bucket	674.00
2003		36 in. (914 mm) Bucket	1,173.00

DEALER-INSTALLED KITS

Buckets

	BYT11398	18 in. (457 mm) Bucket	613.00
	BYT11399	24 in. (610 mm) Bucket	674.00
	BYT11400	36 in. (914 mm) Bucket	1,173.00

BH9B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11410	Rubber Stabilizer Pads		148.00

BH10B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are accessible from the seat for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light construction, Ag, or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1285 lb. [585 kg] overall weight, without mounting bracket
116 in. [2945 mm] maximum dig depth
99 in. [2515 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2500 psi [17000 kPa] system relief pressure
5675 lb. [2575 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
75C1T		BH10B BACKHOE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *If using on a 312GR - 318G SSL/CTL, machine must be equipped with Power Quick-Tatch. 320G and larger can be equipped with either Manual or Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*		13,495.00
		MOUNTING KITS		
1001		Mounting Kit - Small Frame SSL/CTL		2,631.00
1002		Mounting Kit - Mid Frame SSL/CTL		2,417.00
1003		Mounting Kit - Large Frame SSL/CTL		2,381.00
		BUCKETS		
2001		18 in. (457 mm) Bucket		966.00
2002		24 in. (610 mm) Bucket		1,011.00
2003		36 in. (914 mm) Bucket		1,299.00
		DEALER-INSTALLED KITS		
		Buckets		

BH10B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	BYT11401	18 in. (457 mm) Bucket		966.00
	BYT11402	24 in. (610 mm) Bucket		1,011.00
	BYT11403	36 in. (914 mm) Bucket		1,299.00
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11411	Rubber Stabilizer Pads		625.00

BH11B BACKHOE

Equipment for Base Machine

Product Features:
Cushioned cylinders provide smooth operation and limit shock loads
Low-profile console maximizes visibility
Boom-lock and swing-lock levers are accessible from the seat for secure transport
Two-lever control of boom / swing (left) and dipperstick / bucket (right) allow precise control
Swing speed control and 180° swing range maximizes efficiency in confined areas
Heavy-duty buckets feature an easy clean-out design and three linkage options to maximize curl, reach, or breakout force
Machine ingress / egress is easy due to a convenient grab handle and open design. Standard tilt-away seat allows easy access to skid steer / CTL cab. Seat includes height and fore / aft adjustment to ensure comfortable operation.
Dual lock arms quickly and easily latch to the SSL / CTL mainframe
Ideal for light construction, Ag, or utility work

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1455 lb. [660 kg] overall weight, without mounting bracket
133 in. [3380 mm] maximum dig depth
119 in. [3025 mm] dip depth for 8 ft. flat bottom
Bucket widths of 18 in. [455 mm], 24 in. [610 mm], or 36 in. [915 mm]

Hydraulic Specifications:
9 12 gpm [34 45 l/min] hydraulic flow range
2500 psi [17000 kPa] system relief pressure
6200 lb. [2575 kg] maximum breakout force

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
75B1T		BH11B BACKHOE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *If using on a 312GR - 318G SSL/CTL, machine must be equipped with Power Quick-Tatch. 320G and larger can be equipped with either Manual or Power Quick-Tatch.* *Rear counterweight may improve machine stability while operating.*		14,228.00
		MOUNTING KITS		
1001		Mounting Kit - Small Frame SSL/CTL		2,631.00
1002		Mounting Kit - Mid Frame SSL/CTL		2,417.00
1003		Mounting Kit - Large Frame SSL/CTL		2,381.00
		BUCKETS		
2001		18 in. (457 mm) Bucket		966.00
2002		24 in. (610 mm) Bucket		1,011.00
2003		36 in. (914 mm) Bucket		1,299.00
		DEALER-INSTALLED KITS		
		Buckets		

BH11B BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	BYT11401	18 in. (457 mm) Bucket		966.00
	BYT11402	24 in. (610 mm) Bucket		1,011.00
	BYT11403	36 in. (914 mm) Bucket		1,299.00
		Kits & Accessories		
	BYT11332	Backhoe Attachment Mounting Kit *For Small Frame G-Series SSLs and CTLs*		2,631.00
	BYT11334	Backhoe Attachment Mounting Kit *For Mid Frame G-Series SSLs and CTLs*		2,417.00
	BYT11336	Backhoe Attachment Mounting Kit		2,381.00
		Miscellaneous		
	BYT11411	Rubber Stabilizer Pads		625.00

AH80 BALE HUGGER

Equipment for Base Machine

Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales.
-Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings
-Provides constant pressure that eliminates the risk of dropping bales
-Right-hand and left-hand sides open and close simultaneously
-Can lift, move, and stack round or rectangular bales
-Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs.
Overall Width cm/(in) 120.65 (47.5)
Overall Height cm/(in) 95.25 (37.5)
Overall Depth cm/(in) 137.16 (54)
Max. Opening cm/(in) 279.40 (110)
Lift Capacity kg/(lb.) 1088.62 (2,400)
Weight kg/(lb.) 217.72 (480)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03E0T		AH80 BALE HUGGER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*	3,185.00

AB21 SINGLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center:
907 kg at 0.61 m (2,000 lbs. at 24 in.)

Depth: 1.28 m (50.50 in.)
Spear Length: 1.24 m (49 in.)
Weight: 66 kg (145 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.57 m (22.38 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05A0T		AB21 SINGLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		587.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB32 DUAL BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 91 kg (200 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05B0T		AB32 DUAL BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		723.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB31 SINGLE BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.28 m (50.50in.)
Spear Length: 1.24 m (49in.)
Weight: 70 kg (155 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.59 m (23.13 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05C0T		AB31 SINGLE BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		720.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB42 DUAL BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 109 kg (240 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05D0T		AB42 DUAL BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		875.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

AB43 TRIPLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.33 m (52.25 in.)
Spear Length: 1.24 m (49 in.)
Weight: 102 kg (225 lbs.)

Width: 1.42 m (56.00 in.)
Height: 0.62 m (24.25 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05E0T		AB43 TRIPLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,010.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

BALE SPEAR, SQUARE

Equipment for Base Machine

No Base Equipment Description Provided

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9350T		BALE SPEAR, SQUARE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

72" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2020 lb. [915 kg] overall weight
- 75 in. [1910 mm] overall width
- 72 in. [1830 mm] cutting width
- 11.5 ft.3 [0.33 m3] front box capacity
- 7.0 ft.3 [0.20 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03R2T		72" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		19,642.00

84" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2070 lb. [940 kg] overall weight
- 87 in. [2220 mm] overall width
- 84 in. [2130 mm] cutting width
- 13.4 ft.3 [0.38 m3] front box capacity
- 8.0 ft.3 [0.23 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03S2T		84" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 314G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	20,146.00

96" Box Blade - Topcon 2D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2155 lb. [980 kg] overall weight
- 99 in. [2520 mm] overall width
- 96 in. [2440 mm] cutting width
- 15.3 ft.3 [0.43 m3] front box capacity
- 9.0 ft.3 [0.25 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03T2T		96" Box Blade - Topcon 2D Ready System *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		20,529.00

72" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2020 lb. [915 kg] overall weight
- 75 in. [1910 mm] overall width
- 72 in. [1830 mm] cutting width
- 11.5 ft.3 [0.33 m3] front box capacity
- 7.0 ft.3 [0.20 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03R3T		72" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*		21,060.00

84" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2070 lb. [940 kg] overall weight
- 87 in. [2220 mm] overall width
- 84 in. [2130 mm] cutting width
- 13.4 ft.3 [0.38 m3] front box capacity
- 8.0 ft.3 [0.23 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03S3T		84" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 314G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	21,564.00

96" Box Blade - Topcon 3D Ready System

Equipment for Base Machine

Features:
- Push-pull design to move material for fine grading
- Two cylinders to provide cross-slope operation
- Reversible cutting edges
- Convex mirror for material visibility
- Power-coated paint finish
- Foam-filled tires on oscillating axle
- Two, 1.5 in. [38 mm] diameter mast poles

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers and 3/8 in. case drain coupler
- 2155 lb. [980 kg] overall weight
- 99 in. [2520 mm] overall width
- 96 in. [2440 mm] cutting width
- 15.3 ft.3 [0.43 m3] front box capacity
- 9.0 ft.3 [0.25 m3] rear box capacity

Hydraulic Specifications:
- 15 - 25 gpm [57 95 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

03T3T		96" Box Blade - Topcon 3D Ready System *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 333G* *- Requires machine equipped with ½ quick connect couplers and 3/8 case drain coupler* *- Requires 14-pin auxiliary electrical connector* *- Rear counterweight may improve machine stability while operating* *- Creeper Mode may improve machine performance while operating* *- Requires additional grade control components from Topcon dealer*	21,947.00

BA72C 72" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
910 lb. [410 kg] overall weight
72 in. [1830 mm] straight sweeping width
62 in. [1580 mm] angled sweeping width
92 in. [2330 mm] overall straight width
88 in. [2230 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0302KV		BA72C 72" Angle Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,335.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11026	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA84C 84" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
960 lb. [440 kg] overall weight
84 in. [2130 mm] straight sweeping width
73 in. [1850 mm] angled sweeping width
104 in. [2640 mm] overall straight width
98 in. [2490 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0303KV		BA84C 84" Angle Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,538.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11027	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA96C 96" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1100 lb. [460 kg] overall weight
96 in. [2440 mm] straight sweeping width
83 in. [2110 mm] angled sweeping width
116 in. [2940 mm] overall straight width
109 in. [2760 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0304KV		BA96C 96" Angle Broom *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,740.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11028	180 Degree Hood Extension Kit		998.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP72C 72" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1275 lb. [580 kg] overall weight
72 in. [1830 mm] sweeping width
91 in. [2310 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0314KV		BP72C 72" Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G*		6,965.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP84C 84" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1400 lb. [640 kg] overall weight
84 in. [2130 mm] sweeping width
103 in. [2620 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0315KV		BP84C 84" Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G*		8,097.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR60C 60" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
880 lb. [400 kg] overall weight
60 in. [1520 mm] sweeping width
69 in. [1760 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
8202T		BR60C 60" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 318G*		4,798.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR72C 72" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
970 lb. [440 kg] overall weight
72 in. [1830 mm] sweeping width
81 in. [2060 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1521T		BR72C 72" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *CWL: 204L - 304L *requires skid steer style coupler*		5,215.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR84C 84" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1090 lb. [500 kg] overall weight
84 in. [2130 mm] sweeping width
93 in. [2370 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1531T		BR84C 84" Rigid Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 325G* *CWL: 204L - 324L *requires skid steer style coupler*		5,635.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G - 332G* *CTL: 317G - 333G* *30 gal. [113.5 l] capacity*		712.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G - 332G* *CTL: 325G - 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

CP12D COLD PLANER

Equipment for Base Machine

Drum Size:
12 in. (305 mm) Cutting Width
Design Features:
Standard Flow Hydraulics
15-22 gpm (56-83 lpm)
Planetary Drive
Manual Tilt of +/- 11 Degrees
Manual Depth Control
0-5 in. (0-127 mm) Hydraulic Side Shift
0-19 in. (0-483 mm)
Quantity of pics 37
Spray Bar with nozzles, less water tank

NOTE: The eight-button control handle is NOT required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8211T		CP12D COLD PLANER *For Standard Flow:* *315-328 SSLs* *318D-328D SSLs* *318E-328E SSLs* *316GR - 324G SSLs* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *317G-325G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	10,810.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1001		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1002		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	443.00
	AT462796	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP12D replacement cutting tools.*	378.00

CP12D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP18D COLD PLANER

Equipment for Base Machine

Drum Size:
18 in. (457 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 45
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8221T		CP18D COLD PLANER *For High Flow:* *320-332 SSLs* *320D-332D SSLs* *320E-332E SSLs* *320G-332G SSLs* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G-333G CTLs* *244L, 324L CWLs - Requires skid-steer style Quick-Tach coupler.* *Requires machine equipped with 14-pin electrical connector.*	21,083.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1005		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1006		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP18D replacement cutting tools.*	531.00
	AT462798	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP18D replacement cutting tools.*	452.00

CP18D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP24D COLD PLANER

Equipment for Base Machine

Drum Size:
24 in. (610 mm) Cutting Width

Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in.
(0-127 mm)
Hydraulic Side Shift
-3 - 22 in.
(-76 - 559 mm)
Quantity of pics 57
Spray Bar with nozzles, less water tank
NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8231T		CP24D COLD PLANER *For High Flow:* *325-332 SSLs* *326D-332D SSLs* *326E-332E SSLs* *330G-332G SSLs* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *331G-333G CTLs* *244L, 324L CWLs - Requires skid-steer style Quick-Tach coupler.* *Requires machine equipped with 14-pin electrical connector.*	24,165.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1009		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1010		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP24D replacement cutting tools.*	672.00
	AT462800	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP24D replacement cutting tools.*	570.00

CP24D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

CP30D COLD PLANER

Equipment for Base Machine

Drum Size:
30 in. (762 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 69
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9011T		CP30D COLD PLANER *For High Flow:* *325-332 SSLs* *326D-332D SSLs* *326E-332E SSLs* *330G-332G SSLs* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *331G-333G CTLs* *Requires machine equipped with 14-pin electrical connector.*	25,079.00

PICK KIT

Pick kits are not factory installed and must be installed by the dealer.

1013		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1014		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.* *Contains one full set of CP30D replacement cutting tools.*	806.00
	AT462802	Carbide Cutting Tools, RP18 *Asphalt only.* *Contains one full set of CP30D replacement cutting tools.*	712.00

CP30D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR - 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit		1,829.00

DB84 DOZER BLADE

Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 74.1 in. (1882 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9780T		DB84 DOZER BLADE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,375.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 84.7 in. (2151 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9790T		DB96 DOZER BLADE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,894.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

GS60 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

TO BE DELIVERED

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7870T		GS60 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *CT315 CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		3,976.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT475186	Cylinder Stop Kit		30.00
	AT425249	Demolition Door Kit		936.00

GS66B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1070 lb. [485 kg] overall weight
66 in. [1675 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05S1T		GS66B SCRAP GRAPPLE *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,096.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00

GS72B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1110 lb. [505 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05T1T		GS72B SCRAP GRAPPLE *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,216.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
		Miscellaneous		
	T385220	72 in. Bolt-on Serrated Cutting Edge		See Parts

GS78B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1150 lb. [520 kg] overall weight
78 in. [1980 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05U1T		GS78B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,515.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
		Miscellaneous		
	T385219	78 in. Bolt-on Serrated Cutting Edge		See Parts

GS84B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1185 lb. [540 kg] overall weight
84 in. [2135 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05V1T		GS84B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		5,071.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00

GR72B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Weld-in serrated cutting edge for difficult ground conditions
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1165 lb. [530 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
20 tines at 3 in. [75 mm] spacing
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05Q1T		GR72B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	4,335.00

GR84B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
- Two independent action grapples with integrated open stop
- 1.375 in. [35 mm] diameter greaseable, hardened pivot pins
- Improved hose routing to protect hydraulics
- Enhanced construction throughout grapple

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers
- 1255 lb. [570 kg] overall weight
- 84 in. [2135 mm] overall width
- 37.4 in. [950 mm] grapple opening at tips
- 40.75 in. [1035 mm] grapple opening
- 23 tines at 3 in. [75 mm] spacing

Cylinder Specifications:
- 1.4 in. [36 mm] rod diameter
- 2.5 in. [64 mm] bore diameter
- 8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05R1T		GR84B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	5,064.00

HH20C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 800 - 3000
Flow Requirements:
6.6 - 14.5 gpm (25 - 55 lpm)

Operating Pressure:
1305 - 2175 psi
Moil Tool Point 1.9 in.
(48 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C80T		HH20C HYDRAULIC HAMMER *For use on the following models:* *Compact Excavators: 17G, 26G and 35G*		7,188.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1002		Mounting Bracket, 17 Compact Excavator		445.00
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT417602	Severe Duty Door		3,169.00

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*

HH20C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	AT337084	Front Protection Screen for Canopy (GR#705155) (17 CE) ** Required when a Hydraulic Breaker is equipped on a 17D/17G/ZX17U Compact Excavator with a canopy.* **Required when a Hydraulic Breaker is equipped on a 17D/17G/ZX17-U Compact Excavator with a Canopy.*		683.00
	BYT10076	Front Screen, Cab (GR#705923) (17 CE)		1,129.00

HH40C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 700-2600
Flow Requirements:
10.6 - 18.5 gpm (40 - 70 lpm)

Operating Pressure:
1450 - 2465 psi
Moil Tool Point 2.2 in.
(56 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C90T		HH40C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB*		8,405.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT417602	Severe Duty Door		3,169.00

HH40C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	AT435404	Front Screen, Cab (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		539.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		653.00

HH60C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 600-1800
Flow Requirements:
9.2 - 23.8 gpm (35 - 90 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 2.8 in.
(72 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CA0T		HH60C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB*		10,501.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Adapters & Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT425249	Demolition Door Kit		936.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT417602	Severe Duty Door		3,169.00
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	ETN112936	Front Screen, Cab (GR#705577) (60 CE)		653.00
	AT435404	Front Screen, Cab (GR#705578) (30-50G CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		539.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		653.00

HH80C Hydraulic Hammer

Equipment for Base Machine

Performance:
Blows Per Minute: 500 - 1700
Flow Requirements:
10.6-31.7 gpm (40-120 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 3.14 in.
(80 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CB0T		HH80C Hydraulic Hammer *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC*		12,121.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1001		Mounting Bracket, SSL & CTL		1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
1005		Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
1006		Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
		DEALER-INSTALLED KITS		
	AT457979	**Adapters & Mounting Frames** Skid Steer Mounting Bracket		1,824.00
	AT458340	**Adapters & Mounting Frames** Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not compatible with Backhoe Loader New Series Multi-Brand Quick Coupler.*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
		Attachments & Accessories		
	AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310K/L EP & 310G-L*		1,215.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L* *Not for use on Backhoes equipped with Bucket Coupler.* *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		1,038.00
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT417602	Severe Duty Door		3,169.00

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued...		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE)		No Charge
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE)		No Charge
	ETN112936	Front Screen, Cab (GR#705577) (60 CE)		653.00

MS60 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8500T		MS60 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		1,698.00

MS72 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8510T		MS72 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,255.00

MS84 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8520T		MS84 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		2,344.00

MS96 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8530T		MS96 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		2,135.00

MH60D MULCHING HEAD

Equipment for Base Machine

Features:
Remove up to 8 in. [203 mm] trees and 12 in. [305 mm] stumps
30 double carbide-tipped teeth to mulch materials
Heavy-duty mulching door for finer processing
Heavy-duty, 2-speed motor efficiently uses available horsepower
Hydraulic pressure gauge to monitor performance
Adjustable, 3-position heavy-duty push bar
Enhanced frame construction and bolt-on skid shoes
Specifications:
Skid steer coupler attachment interface
14-pin electrical connector
1/2 in. hydraulic quick couplers
24-45 gpm [91 170 l/min] hydraulic flow range
2730 lb. [1240 kg] overall weight
60 in. [1520 mm] cutting width
74 in. [1880 mm] overall width
Optional Equipment:
Knife cutting tools for smoother cutting and finer chip size

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
07A1T		MH60D MULCHING HEAD *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *- Requires machine equipped with high flow hydraulics* *- Requires machine equipped with 14-pin electrical connector.* *- Requires applicable severe-duty door* *- Requires applicable operator protection* *- For optimal performance, recommend non-hydraulic self-leveling machines* *- Rear counterweight may improve machine stability while operating*		36,623.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT433505	Knife Tool Kit		201.00

MP66B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AQ0T		MP66B MULTI-PURPOSE BUCKET *For use on the following models:* *312-324G SSL* *318E-324E SSL* *317G CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		3,719.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436470	66 in. Bolt-On Cutting Edge for MP66B		374.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436718	Spill Guard Assembly, MP66B		194.00
		Tooth Bars		
	AT436521	66 in. Tooth Bar - 7 Teeth, MP66B		825.00
	AT436489	MP66 Over BOCE Toothbar, MP66B		885.00

MP72B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AR0T		MP72B MULTI-PURPOSE BUCKET *For use on the following models:* *312G-324G SSL* *318E-328E SSL* *317G, 325G CTL* *319E, 323E CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		4,468.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436719	Spill Guard Assembly, MP72B		199.00
		Tooth Bars		
	AT436522	72 in. Tooth Bar - 7 Teeth, MP72B		710.00
	AT436490	MP72 Over BOCE Toothbar, MP72B		1,005.00

MP78B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AS0T		MP78B MULTI-PURPOSE BUCKET *For use on the following models:* *318E-332E SSL* *320G-332G SSL* *317G, 325G CTL* *319E-333E CTL* *331G-333G CTL* *Requires SSL / CTL equipped with boom mounted hose guide*		4,594.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436472	78 in. Bolt-On Cutting Edge for MP78B		416.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436720	Spill Guard Assembly, MP78B		230.00
		Tooth Bars		
	AT436523	78 in. Tooth Bar - 8 Teeth, MP78B		727.00
	AT436491	MP78 Over BOCE Toothbar, MP78B		1,279.00

MP84B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AT0T		MP84B MULTI-PURPOSE BUCKET *For use on the following models:* *326E-332E SSLs* *330G-332G SSLs* *323E-333E CTLs* *325G-333G CTLs* *Requires SSL / CTL equipped with boom mounted hose guide*		4,749.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		494.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436721	Spill Guard Assembly, MP84B		244.00
		Tooth Bars		
	AT436524	84 in. Tooth Bar - 8 Teeth, MP84B		856.00
	AT436492	MP84 Over BOCE Toothbar, MP84B		1,002.00

NF44 Nursery Fork

Equipment for Base Machine

WORKSITE NF44 NURSERY FORK

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, IA		
0BU0T		NF44 Nursery Fork *For:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL*		4,066.00
		PICK ONE		
1000		PRESSURE CONTROL VALVE ASSEMBLY		403.00
1001		LESS CONTROL VALVE ASSEMBLY		No Added Cost
		DEALER-INSTALLED KITS		
		Miscellaneous		
	AT460780	Pressure Control Valve		403.00

Heavy Duty 45 In. Frame and Set of Forks

Equipment for Base Machine

45 in. Wide Heavy Duty Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
42 in. or 48 in. Long Fork Tines

Available

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03J1T		Heavy Duty 45 In. Frame and Set of Forks *Includes 45" Heavy Duty Frame and Two Fork Set* *For:* *312G-332G SS* *320E-324E SS* *317G-333G CTLs* *323E CTL* *Additional tine options available.*		864.00
		PICK ONE		
1001		45" FRAME W/ 42" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		No Added Cost
1002		45" FRAME W/ 48" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		33.00
1003		45" FRAME W/ 42" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		83.00
1004		45" FRAME W/ 48" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		149.00

Heavy Duty 45 In. Frame and Set of Forks

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		PICK ONE Continued...		
1005		45" FRAME W/ 48" TINES RATED 6200 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		241.00
		DEALER-INSTALLED KITS		
		Frame Kit		
	AT492257	Heavy Duty 45 in. Fork Frame (No Forks)		679.00

Heavy Duty 60 in. Frame and Set of 48" Forks

Equipment for Base Machine

Heavy Duty Forks - 6,200 lb. Load Capacity
60 in. Wide Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
48 in. Long Fork Tines Available

Fork Tine Load Capacity of 6,200 lb. per Pair
NOTE: Rear Counterweights is Not Required, but May Enhance Machine Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03K1T		Heavy Duty 60 in. Frame and Set of 48" Forks *Includes 60" Frame and Two Fork Set of 48" HD Tines* *For:* *320E-324E SS* *320G-332G SS* *317G-333G CTLs* *323E CTL*		1,415.00
		DEALER-INSTALLED KITS		
		Frame Kit		
	AT492262	Heavy Duty 60 in. Fork Frame (No Forks)		989.00

Severe Duty Pallet Fork

Equipment for Base Machine

Frame has option of 45 inch or 60 inch width of the rails
Forks have options of 48inch or 60 inch length of tines
8800 lb. rating on forks (per pair of tines)
Robust, two-piece walk-through brick guard

Optional bolt-on brick guard kit to complete backrest
Unrestricted Visibility to Fork Tips

Rear Ballast is not required but may enhance machine stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
06U0T		Severe Duty Pallet Fork *For:* *330G-332G SS* *331G-333G CTLs*		1,622.00
		PICK KIT		
1000		45" Severe Duty Fork Frame		No Added Cost
1001		60" Severe Duty Fork Frame		200.00
		PICK ONE		
2000		48" TINES ITA CLASS 3B		300.00
2001		60" TINES ITA CLASS 3B		400.00
		BRACKET KITS		
9001		Bolt-On Walk-Through Brick Guard		124.00
		DEALER-INSTALLED KITS		
		Fork Kit		
	AT468499	48 in. Fork Tines ITA Class 3B		300.00
	AT470816	60 in. Fork Tines ITA Class 3B		400.00
		Frame Kit		
	BYT10071	Severe Duty 45 in. Fork Frame (No Forks)		1,622.00
	BYT10008	Severe Duty 60 in. Fork Frame (No Forks)		1,822.00
		Miscellaneous		
	BYT10349	Bolt-On Walk-Through Brick Guard		124.00

PC4 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 4,000 lbf / 17.8 kN	Operating Pressure 2600 psi / 17930 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 3000 psi / 20680 kPa
Base Plate Dimensions 13 x 25 in. / 330 x 635 mm	Weight* 397 lb. / 180 kg
Compaction Area 325 in. sq. / 209550 mm sq.	Length 30.7 in. / 780 mm
Hydraulic Flow Range 9-14 gpm / 34-53 l/min	Width 13.0 in. / 330 mm
Regulated Flow 9 gpm / 34 l/min	Height* 20.3 in. / 515 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03W1T		PC4 PLATE COMPACTOR *For:* *26G, 30G, 35G CE*	5,616.00

PICK ONE

1000		Less mounting bracket and hoses	No Added Cost
1001		Mounting Adapter Kit *For use on 26G and 30G with PC4*	860.00
1002		Mounting Adapter Kit *For use on 35G with PC4*	882.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT10728	Mounting Adapter Kit, PC4 (26G/30G)	860.00
	BYT10828	Mounting Adapter Kit, PC4 (35G)	882.00

PC7 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 6,400 lbf / 28.5kN
Cycles/Minute at Regulated Flow 2,000 rpm
Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm
Compaction Area 499 in. sq. / 322000 mm sq.
Hydraulic Flow Range 15-20 gpm / 57-76 l/min
Regulated Flow 18 gpm / 68 l/min
Operating Pressure 2000 psi / 13790 kPa
Pressure Relief Setting 2200 psi / 15170 kPa
Weight* 600 lb. / 272 kg
Length 35 in. / 890 mm
Width 18.1 in. / 460 mm
Height* 21.5 in. / 546 mm
*Without mounting adapter - requires respective machine
mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03X1T		PC7 PLATE COMPACTOR *For:* *50G, 60G CE*		6,739.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1003		Mounting Adapter Kit *For use on 50G, 60G with PC7*		920.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10729	Mounting Adapter Kit, PC7 (50G/60G)		920.00

PC10 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 8,000 lbf / 35.6 kN	Operating Pressure 2000 psi / 13790 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 2200 psi / 15170 kPa
Base Plate Dimensions 24 x 28 in. / 610 x 710 mm	Weight* 888 lb. / 403 kg
Compaction Area 671 in. sq. / 433100 mm sq.	Length 37.0 in. / 940 mm
Hydraulic Flow Range 20-24 gpm / 76-91 l/min	Width 24.0 in. / 610 mm
Regulated Flow 21 gpm / 79 l/min	Height* 25.5 in. / 648 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03Y1T		PC10 PLATE COMPACTOR *For:* *60G CE* *310L/EL, 310L/HL, 410L BHL*		7,863.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1004		Mounting Adapter Kit *For use on 60G with PC10*		940.00
1005		Mounting Adapter Kit *For use on 310L/EL BHL with PC10*		983.00
1006		Mounting Adapter Kit *For use on 310SL/HL, 410L BHL with PC10*		1,044.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10827	Mounting Adapter Kit, PC10 (310 BHL w/Coupler)		983.00
		Miscellaneous		
	BYT10731	Mounting Adapter Kit, PC10 (410 BHL w/Coupler)		1,044.00
	BYT10863	Mounting Adapter Kit, PC10 (60G)		940.00

PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7830T		PR60 ANGLE POWER RAKE *For:* *312G-318G SS*		8,913.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	AT332454	12 Volt Receptacle Kit		208.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

72 in. Rake
72 in. (1827 mm) Raking
Width
81 in. (2056 mm) Operating
Width
64 in. (1625 mm) Length
31 in. (787 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
11 gpm (42 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0264KV		PR72B ANGLE POWER RAKE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs*		10,252.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	AT332454	12 Volt Receptacle Kit		208.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

84 in. Rake
84 in. (2134 mm) Raking
Width
93 in. (2362 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (220 mm) Tooth
Roller Diameter
18 gpm (68 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1580T		PR84B ANGLE POWER RAKE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs*		10,835.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

96 in. Rake
90 in. (2284 mm) Raking
Width
99 in. (2513 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
15 gpm (57 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0265KV		PR96B ANGLE POWER RAKE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		11,650.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit		320.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		181.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00

R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7950T		R66 ROCK BUCKET *For:* *312G-320G SSLs* *318E, 320E SSLs* *317G CTL*		1,735.00

R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7960T		R75 ROCK BUCKET *For:* *318E-332E SSLs* *320G-332G SSLs* *317G-333G CTLs* *319E-333E CTLs* *110 TLB*		1,855.00

R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7970T		R84 ROCK BUCKET *For:* *320E-332E SSLs* *320G-332G SSLs* *319E-333E CTLs* *325G-333G CTLs*		1,977.00

RL84 ROLLER LEVEL

Equipment for Base Machine

Features:
- 2 Std Greaseable Bearings
- Front & Rear Bolt-on Cutting Edges

Specifications:
- 93.3 in. (2367 mm) Overall Width
- 66.7 in. (1694 mm) Length
- 25.6 in. (650 mm) Height
- 84 in. (2133 mm) Box Width
- 0.5 x 6 x 84 in. Front Cutting Edge
- 0.5 x 6 x 84 in. Rear Cutting Edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7070T		RL84 ROLLER LEVEL *For:* *326E-332E SS* *330G-332G SS* *317G-331G CTLs* *319E-333E CTLs*		4,146.00

RB72 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05F1T		RB72 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.*		5,012.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit		107.00

RB84 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

05G1T		RB84 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.*	5,290.00

DEALER-INSTALLED KITS

		Cutting Edges	
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket	494.00
		Kits & Accessories	
	AT436025	Boom-Mounted Hose Guide Kit	102.00
	BYT10477	Boom-Mounted Hose Guide Kit	107.00

RB96 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

05H1T		RB96 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.*	5,557.00

DEALER-INSTALLED KITS

Cutting Edges

BYT10747	96 in. Bolt-On Cutting Edge for RB96	537.00

Kits & Accessories

AT436025	Boom-Mounted Hose Guide Kit	102.00
BYT10477	Boom-Mounted Hose Guide Kit	107.00

RR72 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1830 mm (72 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 497 kg (1,095 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03A0T		RR72 ROOT RAKE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader*		5,574.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RR78 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1980 mm (78 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 522 kg (1,150 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03B0T		RR78 ROOT RAKE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader*		6,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RR84 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 2135 mm (84 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 553 kg (1,220 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03C0T		RR84 ROOT RAKE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader*		6,378.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom-Mounted Hose Guide Kit		102.00
	BYT10477	Boom-Mounted Hose Guide Kit *For: 312GR-318G*		107.00

RX72 ROTARY CUTTER

Equipment for Base Machine

Product Features:
- Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
- Direct drive bearing for higher efficiency and extended durability
- Hydraulic valving stops blades from spinning in seconds upon shutdown
- Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
- Three blades made of 0.625 in. [15.9 mm] thick forged steel
- Optimized blade carrier design for quick start-up and recovery performance
- Standard pressure gauge to monitor blade load for optimal performance

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers
- 1810 lb. [820 kg] overall weight
- 77 in. [1960 mm] overall width
- 72 in. [1830 mm] cutting width
- 10 in. [254 mm] maximum tree diameter cutting capacity
- Three 0.625 in. [15.9 mm] single bevel blades

Hydraulic Specifications:
- 30 - 45 gpm [114 170 l/min] hydraulic flow range
- 4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

83A1T		RX72 ROTARY CUTTER *For use on the following models:* *SSL: 330G 332G* *CTL: 331G 333G* *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating*	11,866.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT11465	Replacement Blade Kit	450.00
	AT456636	Wear Plate Kit	121.00

RX84 ROTARY CUTTER

Equipment for Base Machine

Product Features:
Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
Direct drive bearing for higher efficiency and extended durability
Hydraulic valving stops blades from spinning in seconds upon shutdown
Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
Three blades made of 0.625 in. [15.9 mm] thick forged steel
Optimized blade carrier for improved start-up and recovery performance
Standard pressure gauge to monitor blade load for optimal performance

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers with 3/8 in. case drain coupler
2260 lb. [1025 kg] overall weight
89 in. [2265 mm] overall width
84 in. [2135 mm] cutting width
10 in. [254 mm] maximum tree diameter cutting capacity
Three 0.625 in. [15.9 mm] single bevel blades

Hydraulic Specifications:
30 - 45 gpm [114 170 l/min] hydraulic flow range
4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

83B1T		RX84 ROTARY CUTTER *For use on the following models:* *SSL: 330G 332G* *CTL: 331G 333G* *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating*	13,936.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT11465	Replacement Blade Kit	450.00
	BYT11426	Wear Plate Kit	132.00

RC60B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8281T		RC60B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *316G-324G SS* *318E-324E SS*		6,465.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		936.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC60B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00

RC72B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8341T		RC72B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *318G-332G SS* *320E-332E SS* *317G-333G CTLs* *323E- 333E CTLs*		6,674.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.* *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		936.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC72B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00

RC78B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8351T		RC78B ROTARY CUTTER *Requires a demolition door (Code 5201 or 5203) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *317G-333G CTLs* *323E- 333E CTLs*		7,143.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		317.00
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.* *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,169.00

RC78B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.* *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		174.00
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372950	Toe Guard and Door Upgrade Kit *Required to meet ISO 8084 Forestry Applications* *Required to meet ISO 8084 Forestry Applications*		565.00
		Referral Attachments		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT388939	Lift Cylinder Hose Guards		420.00

RS72 ROTARY CUTTER

Equipment for Base Machine

Product Features:
Clear medium to heavy brush and hardwoods up to 10 in. [254 mm] in diameter
Direct drive bearing for higher efficiency and extended durability
Hydraulic valving stops blades from spinning in seconds upon shutdown
Retractable forward shield rolls back to expose blades to larger trees and falls closed for processing material and minimizing flying debris
Four alternating bevel blades are made of 0.75 in. [19.1 mm] thick high-grade steel in a reversible design to provide a deep, self-clearing cut and long wear life.
Standard pressure gauge to monitor blade load for optimal performance
Optional bolt-on carbide stump grinder teeth for debris and ground cleanup

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
2008 lb. [910 kg] overall weight
77 in. [1960 mm] overall width
72 in. [1830 mm] cutting width
10 in. [254 mm] maximum tree diameter cutting capacity
Four 0.75 in. [19.1 mm] double bevel reversible blades

Hydraulic Specifications:
30 - 45 gpm [114 170 l/min] hydraulic flow range
4000 psi [28000 kPa] maximum operating pressure

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8342T		RS72 ROTARY CUTTER *Requires machine equipped with high flow hydraulics* *Requires applicable severe-duty door* *Rear counterweight may improve machine stability while operating* *For:* *330G-332G SSL* *331G-333G CTLs*	13,445.00

CARBIDE TOOTH KIT

1100		CARBIDE TOOTH KIT	424.00
1101		LESS CARBIDE TOOTH KIT	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT456608	Carbide Tooth Kit	424.00
	AT456609	Replacement Blade Kit	723.00
	AT456636	Wear Plate Kit	121.00

RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left Making It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (68 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)

Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
52 in. (1.3m)
Overall Width:
62 in. (1.6m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7520T		RT52 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	5,658.00

RT66 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left and Center Position Make It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (60 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)
Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
66 in. (1.7m)
Overall Width:
76 in. (1.9m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7530T		RT66 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		6,212.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT340330	Scarifier Kit RT66 *Contains 5 teeth*		272.00

SA60 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9090T		SA60 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTLs*		5,510.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SA72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9100T		SA72 SIDE DISCHARGE BUCKET *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs*		7,678.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SD72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9110T		SD72 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007*		7,058.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

SD84 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9120T		SD84 SIDE DISCHARGE BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008*		9,602.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		62.00

AD11 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 7 ft.
Weight 910 lb. (413 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03F0T		AD11 SILAGE DEFACER *For use on the following models:* *320G-332G SS* *318E-332E SS* *325G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		6,048.00

AD7 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 11 ft.
Weight 1037 lb. (470 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03G0T		AD7 SILAGE DEFACER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		5,982.00

SB72H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9550T		SB72H Snow Blower - High Flow *For:* *318E-324E SS* *320G-324G SS* *323E CTL* *325G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,586.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *320G SS* *CT322 CTL* *323D CTL* *323E CTL* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-320 SS* *CT322 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-320D SS* *318E-320E SS* *320G SS* *323D CTL* *323E CTL* *325G CTL*		270.00
		DEALER-INSTALLED KITS		

SB72H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9570T		SB78H Snow Blower - High Flow *For:* *318E-328E SS* *320G-330G SS* *323E-333E CTLs* *325G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,789.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *320G-324G SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-328 SS* *CT322-CT332 CTLs*		215.00
1003		14-Pin Connector Harness *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-328D SS* *318E-328E SS* *316G-332G SS* *323D-333D CTLs* *323E-333E CTLs* *317G-333G CTLs* *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.*		270.00
		DEALER-INSTALLED KITS		

SB78H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9600T		SB84H Snow Blower - High Flow *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		13,786.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS* *329D-333D CTLs* *329E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		

SB84H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control		423.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons)		469.00
	AT348477	Attachment Control (with E-H Joystick Controls)		265.00
	AT348475	Attachment Control (with Foot, Hand Controls)		732.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		743.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB60B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9712T		SB60B Snow Blower *For:* *312G-318G SS* *317G CTL*		7,485.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB72B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9972T		SB72B Snow Blower *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL*		7,650.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB78B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
6981T		SB78B Snow Blower *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)*		8,162.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SB84B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7091T		SB84B Snow Blower *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL*		8,269.00
		PICK ONE		
1001		Control Box and Harness *This is for units not equipped with an Attachment Control Kit.*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if not equipped on base machine.*		215.00
1003		14-Pin Connector Harness *For machines equipped with EH Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped on base machine.*		270.00

SP8C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9801T		SP8C SNOW PUSH *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,392.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP8C Pullback Kit.*		1,632.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440274	SP8C Pullback Kit		1,717.00

SP10C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9371T		SP10C SNOW PUSH *For:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,801.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP10C Pullback Kit.*		1,938.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440275	SP10C Pullback Kit		1,970.00

BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9610T		BL6B SNOW / UTILITY BLADE *For:* *312G-318G SS* *317G CTL*		3,328.00

BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9620T		BL7B SNOW / UTILITY BLADE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,432.00

BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9630T		BL8B SNOW / UTILITY BLADE *For:* *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,536.00

BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9650T		BL9B SNOW / UTILITY BLADE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,202.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00

BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9660T		BL10B SNOW / UTILITY BLADE *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,991.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00

BV6 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BY0T		BV6 SNOW V BLADE *For:* *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,755.00

BV8 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BX0T		BV8 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,995.00

BV9 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BW0T		BV9 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		5,159.00

SS30 STUMP SHREDDER

Equipment for Base Machine

Features:
Remove stumps from 8 in. [200 mm] to 28 in. [710 mm] in one pass
Easily remove larger stumps with multiple bores
Low speed, high torque planetary drive shreds stumps with less debris
Bore up to 20 in. [510 mm] into the ground
Low operating costs with maintenance every 1000 stumps

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
20-45 gpm [76 170 l/min] hydraulic flow range
30000 lb-ft. [40670 N m] maximum output torque
1300 lb. [590 kg] overall weight
30 in. [760 mm] cutting width
47 in. [1200 mm] overall width
0.75 in. [19 mm] thick AR500 steel auger blade

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, IA

07C1T		SS30 STUMP SHREDDER *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *Requires machine equipped with cab door* *Recommend machine equipped with high flow hydraulics* *Rear counterweight may improve machine stability while operating*	21,366.00

THREE-POINT HITCH ADAPTER

Equipment for Base Machine

Hookup and quickly move tractor implements
Category 1&2 Hitch Rating

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
02C0T		THREE-POINT HITCH ADAPTER		928.00

10 IN. STEEL TRACKS

Equipment for Base Machine

.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9020T		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *318E-320E SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0023KV		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*		1,378.00
	AT340611	Boom Stop Kit (Required for 313-315)		154.00
	AT351259	Bucket Offset Adapter		590.00

12 IN. STEEL TRACKS / 320 & 324E

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0024KV		12 IN. STEEL TRACKS / 320 & 324E *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*		3,434.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0025KV		12 IN. STEEL TRACKS / 325-328 & 326D-328D *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT351259	Bucket Offset Adapter		590.00

14 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0026KV		14 IN. STEEL TRACKS *For the following units with 14 in. Heavy Duty Tires:* *328D and 328E (No kits required).* *328 Skid Steer Loaders (Requires track guard kit KV17333).* *332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,545.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	AT351259	Bucket Offset Adapter		590.00

14 IN. STEEL TRACKS (330G & 332G)

Equipment for Base Machine

Improves Skid Steer traction
Reduces ground pressure
Adds counterbalance weight
Track pitch: 10 in. (254 mm)
Total number of pads: 42

Track weight: 1,066 lb. (484 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9021T		14 IN. STEEL TRACKS (330G & 332G) *For the following units with 14 in. Heavy Duty Tires:* *330G and 332G (No kits required).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,683.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	AT351259	Bucket Offset Adapter		590.00

TR36B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0011KV		TR36B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,490.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *36" x 6*		920.00
2002		Wide Standard Cup Every Station *36" x 8"*		954.00
2003		36" x 10" Wide Standard Cup Every Station		1,177.00
2004		36" x 12" Wide Standard Cup Every Station		1,352.00
2005		Wide 70/30 Combo Shark Tooth *36" x 6"*		1,225.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT347421	36 in. x 10 in. Wide Standard Cup Every Station		980.00
	AT347422	36 in. x 12 in. Wide Standard Cup Every Station		1,113.00
	AT347423	36 in. x 6 in. Wide 70/30 Combo Shark Tooth		967.00
	AT347419	36 in. x 6 in. Wide Standard Cup Every Station		744.00
	AT347420	36 in. x 8 in. Wide Standard Cup Every Station		806.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT348835	Counterweight, Stackable (Single Set)		363.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

TR48B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0012KV		TR48B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,543.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR48B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *48" x 6"*		1,114.00
2002		Wide Standard Cup Every Station *48" x 8"*		1,235.00
2005		Wide 70/30 Combo Shark Tooth *48" x 6"*		1,394.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347426	48 in. x 6 in. Wide Combo Shark Tooth		1,155.00
	AT347424	48 in. x 6 in. Wide Standard Cup Every Station		867.00
	AT347425	48 in. x 8 in. Wide Standard Cup Every Station		942.00
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

TR60B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 27 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0013KV		TR60B TRENCHER *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,666.00
		MOTOR KITS		
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *60" x 6"*		1,300.00
2005		Wide 70/30 Combo Shark Tooth *60" x 6"*		1,775.00
		DEALER-INSTALLED KITS		

TR60B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347428	60 in. x 6 in. Wide 70/30 Combo Shark Tooth		1,356.00
	AT347427	60 in. x 6 in. Wide Standard Cup Every Station		1,038.00
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR66C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Smooth Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency
Drum Diameter 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7760T		VR66C SMOOTH VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR73C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Smooth Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter - 24 in. (61.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7770T		VR73C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*	10,461.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set)	363.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	62.00

VR84C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
84 in. (2.1 m) Smooth Drum
9,370 lbf (4250 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency
Drum Diameter - 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses
NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7780T		VR84C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	10,925.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set)	363.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	62.00

VR66C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Padded Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7790T		VR66C PADDED VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,715.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Padded Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7800T		VR73C PADDED VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		11,156.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set)		363.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		62.00

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **5**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$990,000.00	$1,010,000.00	$2,000,000.00

DESCRIPTION

Effective date, this contract is hereby increased by $1,010,000. All other terms, conditions, specifications, and pricing remain the same. Per DTMB request, DTMB Procurement approval, and State Administrative Board approval on 9/26/2019.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **4**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$970,000.00	$20,000.00	$990,000.00

DESCRIPTION

Effective 9/3/2019, this contract is hereby increased by $20,000. All other terms, conditions, specifications and pricing remain the same. Per agency request, and DTMB Procurement approval.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **3**
to
Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$750,000.00	$220,000.00	$970,000.00

DESCRIPTION

Effective 4/10/2019, this contract is hereby increased by $220,000. All other terms, conditions, specifications and pricing remain the same. Per agency request, and DTMB Procurement approval.

STATE OF MICHIGAN
CENTRAL PROCUREMENT SERVICES
Department of Technology, Management, and Budget
525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **2**

to

Contract Number **071B7700093**

CONTRACTOR	
	JOHN DEERE CONSTRUCTION RETAIL SALES,
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ PRC	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$750,000.00	$0.00	$750,000.00

DESCRIPTION

Effective 2/14/2019 pricing and equipment on this contract are hereby updated, per revised Schedule E1 Pricing, Schedule E2 Pricing Sheets, and Schedule E3 Worksite Pro Attachments Pricing (attached). All other terms, conditions, specifications and pricing remain the same. Per contractor request , and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 62,310.00	$ 125.00	$4/Loaded Mile $50 Minimum
	NON - AWARDED SPECIFICATIONS FOR PURCHASE				
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324E	Skid Steer Loader	$ 38,075.00	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 31,074.00	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery Per mile from Contractor's nearest dealer location
1	John Deere 333G Compact Track Loader	Compact Track Loader	$76,731.00	33%	$51,409.77	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G Compact Track Loader	Compact Track Loader	$72,011.00	33%	$48,247.37	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 325G Compact Track Loader	Compact Track Loader	$58,829.00	33%	$39,415.43	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G Compact Track Loader	Compact Track Loader	$52,000.00	33%	$34,840.00	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
5	John Deere 312GR Skid Steer Loader	Skid Steer Loader	$32,204.00	33%	$21,576.68	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
6	John Deere 314G Skid Steer Loader	Skid Steer Loader	$33,553.00	33%	$22,480.51	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$36,275.00	33%	$24,304.25	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$37,717.00	33%	$25,270.39	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 320G Skid Steer Loader	Skid Steer Loader	$41,635.00	33%	$27,895.45	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 324G Skid Steer Loader	Skid Steer Loader	$44,708.00	33%	$29,954.36	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$54,170.00	33%	$36,293.90	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$56,010.00	33%	$37,526.70	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum
13	John Deere 204L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AD0T	$ 72,929.00	25%	$54,696.75	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
14	John Deere 244L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AF0T	$ 91,731.00	26%	$67,880.94	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
15	John Deere 304L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AE0T	$ 84,145.00	26%	$62,267.30	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
16	John Deere 324L Compact Four Wheel Drive Loader	Loader, Four Wheel Drive Base Code 0AG0T	$ 104,531.00	26%	$77,352.94	PDI: $400 Attachments: $120/hr	$5/Loaded Mile $50 Minimum
17	John Deere 17G Compact Excavator	Excavator, Track Base Code 0010FF	$ 31,158.00	28%	$22,433.76	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
18	John Deere 26G Compact Excavator	Excavator, Track Base Code 0020FF	$ 37,946.00	27%	$27,700.58	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
19	John Deere 30G Compact Excavator	Excavator, Track Base Code 0100FF	$ 45,900.00	28%	$33,048.00	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
20	John Deere 35G Compact Excavator	Excavator, Track Base Code 0050FF	$ 51,156.00	28%	$36,832.32	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
21	John Deere 50G Compact Excavator	Excavator, Track Base Code 0060FF	$ 67,990.00	28%	$48,952.80	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
22	John Deere 60G Compact Excavator	Excavator, Track Base Code 0071FF	$ 75,987.00	27%	$55,470.51	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum

JOHN DEERE

Current Date 21Jan2019

17G Compact Excavator

ENGINE:
Yanmar 3TNV74F 3-61.0 cu. in. (0.99 l)
14.5 ISO9249 Net HP (10.8 kW)
Certified to EPA Tier 4 Final
Engine Coolant
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Foot Control
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom

UNDERCARRIAGE:
9.1 in. (230 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Travel
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 50 degree right rotation)
ROPS/OPG/FOPS Canopy
Work light, mounted on Boom
Counterweight 265 lb. (120 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. (1.82 m)
Arm 3 ft. 1 in. (0.93 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Foot Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
17G Compact Excavator	0010FF	$31,158.00

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price

Buckets		
12 In. (305 mm) Heavy Duty Bucket; 0.8 Cu. Ft. (0.027 Cu. M) (3 Teeth Included) Actions	BYT10959	$468.00
16 In. (406 mm) Heavy Duty Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)	BYT10960	$505.00
16 In. (406 mm) Heavy Duty GREY Bucket; 1.2 Cu. Ft. (0.03 Cu. M) (3 Teeth Included)	AT316549G	$505.00
18 In. (457 mm) Heavy Duty GREY Bucket; 1.4 Cu. Ft. (0.04 Cu. M) (4 Teeth Included)	AT316550G	$549.00
9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft. (0.020 Cu. M)	AT316547	$421.00
9 In. (229 mm) Heavy Duty Bucket; 0.6 Cu. Ft. (0.020 Cu. M)	BYT10958	$421.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$536.00
Hydraulic GREY Clamp Works with quick coupler buckets (excluding 9 Heavy Duty). Does not include hydraulic couplers on hoses.	AT451118	$1,639.00
Hydraulics		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$101.00
Interface Adapters		
Interface Adapter for 17 ZTS	AT306179	$431.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
Front Screen, Cab (GR#705923) (17 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.	BYT10076	$1,107.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 21Jan2019

26G Compact Excavator

ENGINE:
Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:
Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines to End of Boom

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors

FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)
Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Alternator Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator Light Switch with "On" Indicator
Two Travel Modes with Automatic Shifting and Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat
Propel Levers and Foldable Pedals

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
26G Compact Excavator	0020FF	$37,946.00

CANOPY OR CAB

Description	Code	Price

ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	$4,182.00
With Heater. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	$631.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10971	$2,488.00
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$658.00
24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10972	$2,692.00
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$708.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$789.00
Clamps		
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$536.00
Hydraulic GREY Clamp	AT451119	$1,672.00
Hydraulics		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$101.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$626.00
Kits & Accessories		
Radio AM, FM, Clock, and Set-able station buttons	4647737	View Price

REFERRAL ATTACHMENTS

Description	Code	Price

G.r.mfg.

Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$640.00

*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 21Jan2019

30G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator

Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure

Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
4 ft. 11 in. (1.5 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure

Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 723 lb. (328 kg.)

FRONT ATTACHMENTS:
Boom 7 ft. 6 in. (2.28 m)
Arm 3 ft. 8 in. (1.17 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price

30G Compact Excavator	0100FF	$45,900.00

TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
12 in. (300 mm).		

ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
3 ft. 10 in.(1.17m)		

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	$6,121.00
With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		

SEAT

Description	Code	Price
Suspension Seat - Vinyl	4145	$344.00
Requires ROPS / FOPS Canopy (8150).		
Suspension Seat - Cloth	4150	$373.00
Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		

Optional - *Select as desired*

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
Hydraulic Clamp - Factory Installation Fee	AT487517	$814.00
Buckets		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	$2,488.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	$658.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	$2,692.00

Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$708.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	$789.00
Clamps		
Hydraulic GREY Clamp	BYT10715	$1,880.00
For dealer install, also order T213184 - Wear Plate (QTY 1) and AT317646 - Arm Bracket (QTY 1). These parts are not required if ordering AT487517 - Factory Installation Fee.		
Hydraulics		
Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	$101.00
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$626.00
Kits & Accessories		
Radio	4647737	View Price
AM, FM, Clock, and Set-able station buttons		

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$640.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		
Front Screen, Canopy (GR#705578) (35-50 CE)	AT435404	$528.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 21Jan2019

35G Compact Excavator

ENGINE:
Yanmar 3TNV88 (1.64 l)
23.3 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure
Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
5 ft. 8 in. (1.74 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (72 degree left and 62 degree right rotation)
ROPS/FOPS Canopy
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1190 lb. (540 kg.)

FRONT ATTACHMENTS:
Boom 8 ft. (2.45 m)
Arm 4 ft. 4 in. (1.32 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
35G Compact Excavator	0050FF	$51,156.00

TRACKS

Description	Code	Price
Rubber Track 12 in. (300 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 12 in. (300 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$1,051.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$3,074.00

ARM

Description	Code	Price
Standard Arm 4 ft. 4 in. (1.32 m).	7110	No Added Cost
Long Arm and Extra Counterwieght 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.	7120	$1,474.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.	8185	$6,121.00

SEAT

Description	Code	Price
Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150).	4145	$344.00
Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).	4150	$373.00

Optional - *Select as desired*

BLADE

Description	Code	Price
Angle Blade	9555	$2,924.00

BOLT

Description	Code	Price
Bolt On Cutting Edge	9100	$745.00

Long lead-time item; contact Order Fulfillment for availability.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10973	$2,776.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price		
18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included)	BYT10966	$734.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10974	$3,172.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	$708.00
24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included)	BYT10967	$835.00
30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included)	BYT10968	$939.00
34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth)	BYT10970	$967.00
36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included)	BYT10969	$1,044.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee	AT349585	$658.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic Clamp, Short Arm - Factory Installation Fee	AT349584	$536.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic GREY Clamp	AT386304	$1,786.00
Works with quick coupler buckets except 12" Heavy Duty. If equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321206) from Parts. FOR SN PRIOR TO 265350 ALSO ORDER T213184 and AT317646.		

Hydraulic GREY Clamp Bundle	AT340080G	$6,779.00
* Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with quick coupler buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses from Parts: AT321206 and AT324558 for the 35G, ZX35U-5		
Hydraulic Couplers		
Hydraulic Quick Coupler	AT442164	$2,400.00
Works with John Deere and Hitachi 35 quick coupler buckets only.		
Hydraulic Quick Coupler - Factory Installation Fee	AT461031	$1,737.00
Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.		
Interface Adapters		
Interface Adapter for 27-35 CE and 110 TLB	AT305753	$626.00
Kits & Accessories		
Heavy Duty Battery	TY21764	View Price
Recommended for Cold Start climates		
Radio	4647737	View Price
AM, FM, Clock, and Set-able station buttons		
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$640.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		
Front Screen, Canopy (GR#705578) (35-50 CE)	AT435404	$528.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 21Jan2019

50G Compact Excavator

ENGINE:
Yanmar 4TNV88 (2.19 l)
35.9 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Zero Tail Swing Configuration
360 Degree Upper Structure

Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS Canopy
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1543 lb. (700 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 2 in. (2.8 m)
Arm 4 ft. 6 in. (1.38 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
50G Compact Excavator	0060FF	$67,990.00

TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
16 in. (400 mm).		
Steel Track with Triple Semi-Grouser Shoes	3128	$1,985.00
16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.		
Rubber Crawler Pads	3130	$5,873.00
Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.		

ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
4 ft. 6 in. (1.38 m).		
Long Arm and Extra Counterwieght	7120	$1,511.00
5 ft. 7 in. (1.69 m) and Extra Counterweight 474 lbs (215 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.		

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	$6,121.00
With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.		

SEAT

Description	Code	Price
Suspension Seat - Vinyl	4145	$344.00
Requires ROPS / FOPS Canopy (8150).		
Suspension Seat - Cloth	4150	$373.00
Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185).		

Optional - *Select as desired*

BLADE

Description	Code	Price
Angle Blade	9555	$3,110.00

BOLT

Description	Code	Price
Bolt On Cutting Edge	9100	$1,040.00

Can only be ordered for the Angle Blade option.
Long lead-time item; contact Order Fulfillment for availability.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
12 in. (305 mm) Heavy Duty Bucket; 2.1 Cu. Ft. (0.06 Cu. M) (3 TK Teeth Included)	BYT10976	$879.00
12 in. (305 mm) Heavy Duty Bucket; 2.1 cu. ft. (0.06 cu. m) (3 Teeth Included)	BYT10977	$879.00
18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT10999	$4,344.00
18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	AT441522	$3,669.00
18 in. (457 mm) Heavy Duty Bucket Bundle (TK Teeth Included) * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' price	BYT10998	$3,669.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)	BYT10978	$967.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 Cu. Ft. (0.10 Cu. M) (4 TK Teeth Included)	AT439375	$967.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$967.00
24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11001	$4,127.00
24 in. (610 mm) Heavy Duty Bucket Bundle (TK Teeth Included) Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices	BYT11000	$3,752.00

24 in. (610 mm) Heavy Duty Bucket; 5.2 Cu. Ft. (0.15 Cu. M) (4 TK Teeth Included)	BYT10980	$1,088.00
24 in. (610 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.15 cu. m) (4 Teeth Included)	BYT10981	$1,088.00
30 in. (762 mm) Heavy Duty Bucket; 6.8 Cu. Ft. (0.19 Cu. M) (5 TK Teeth Included)	BYT10982	$1,202.00
30 in. (762 mm) Heavy Duty Bucket; 6.8 cu. ft. (0.19 cu. m) (5 Teeth Included)	BYT10983	$1,202.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 TK Teeth Included)	BYT10984	$1,338.00
36 In. (914 mm) Heavy Duty Bucket; 8.3 Cu Ft. (.24 Cu. M) (6 Teeth Included)	BYT10985	$1,338.00
36 in. (914 mm) Ditch Cleaning Bucket; 8.3 cu. ft. (0.24 cu. m) (No Teeth)	BYT10986	$1,207.00

Clamps

Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$658.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$536.00
Hydraulic GREY Clamp	BYT10171	$1,861.00
Hydraulic GREY Clamp Bundle * Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with Quick Coupler Buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses from Parts: AT321206 and AT324558 for the 50G, ZX50U-5 AT451847 and AT324558 for the 60G, ZX60U-5	AT340081G	$7,061.00

Hydraulic Couplers

Hydraulic Quick Coupler Works with John Deere and Hitachi 50 quick coupler buckets only.	AT452082	$2,675.00
Hydraulic Quick Coupler - Factory Installation Fee Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.	AT461031	$1,737.00

Interface Adapters

Interface Adapter for 50-60 CE	AT306177	$678.00

Kits & Accessories

Heavy Duty Battery	TY25803	View Price
* Recommended for Cold Start climates		
Radio	4647737	View Price
AM, FM, Clock, and Set-able station buttons		
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price

REFERRAL ATTACHMENTS

Description	Code	Price
G.r.mfg.		
Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	$640.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		
Front Screen, Canopy (GR#705578) (35-50 CE)	AT435404	$528.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 21Nov2018

60G Compact Excavator

ENGINE:
Yanmar 4TNV98 (3.3 l)
53 SAE Net HP
Certified to EPA Final Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt

HYDRAULICS:
Closed-Center, Load-Sensing
with One Variable Displacement Pump and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing,
Blade, and Auxiliary
Excavator to Backhoe Control
Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines with
Release Under Pressure Hydraulic Quick Couplers to End of Boom

UNDERCARRIAGE:
16 in. (400 mm) Rubber Track
6 ft. 7 in. (2.0 m) Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Automatic Shifting
Axial Piston Propel Motor

UPPERSTRUCTURE:
Reduced Tail Swing Configuration
360 Degree Upper Structure Rotation
Independent Boom Swing (80 degree left and 60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy (Cab)
One Mounted on Boom
Counterweight 1642 lb. (745 kg.)

FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Air Conditioning and Heat
Electronic Throttle Control with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure Indicator
Alternator Voltage Indicator
Fuel Gauge and Level Indicator
Engine Coolant Temperature Gauge and Indicator
Hour Meter
Operating Lights Switch
Operating Lights Indicator
Foldable Propel Pedals and Levers
Two Travel Modes with Automatic Shifting And Speed
Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet

Required - *You must select one from each category*

BASE MACHINE

Description	Code	Price
60G Compact Excavator	0071FF	$75,987.00

TRACKS

Description	Code	Price
Rubber Track 16 in. (400 mm).	3125	No Added Cost
Steel Track with Triple Semi-Grouser Shoes 16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.	3128	$1,985.00
Rubber Crawler Pads Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.	3130	$5,873.00

ARM

Description	Code	Price
Standard Arm 4 ft. 11 in. (1.50 m).	7110	No Added Cost
Long Arm and Extra Counterwieght 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.	7120	$1,748.00

CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.	8185	$6,121.00

Optional - *Select as desired*

BLADE

Description	Code	Price
Angle Blade	9555	$4,602.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
13 In. (330 mm) Heavy Duty 3 Tooth Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	BYT10988	$949.00
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	BYT10987	$949.00
18 in. (457 mm) Heavy Duty 4 Tooth Bucket; 5.1 cu. ft.	BYT10990	$1,036.00

18 in. (457 mm) Heavy Duty 4 Tooth GREY Bucket; 5.1 cu. ft.	AT460878G	$1,036.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	$879.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	BYT10989	$1,036.00
24 in. (610 mm) Heavy Duty 5 Tooth Bucket; 7.5 cu. ft.	BYT10992	$1,167.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	AT460881	$1,167.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	BYT10991	$1,167.00
30 in. (762 mm) Heavy Duty 5 Tooth Bucket; 10.0 cu. ft	BYT10994	$1,298.00
30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M) (5 TK Teeth Included)	AT460887	$1,298.00
30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M) (5 TK Teeth Included)	BYT10993	$1,298.00
36 in. Heavy Duty 5 Tooth Bucket; 12.5 cu. ft.	BYT10996	$1,351.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint)	BYT10997	$1,261.00
Clamps		
Hydraulic Clamp, Long Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349585	$598.00
Hydraulic Clamp, Short Arm - Factory Installation Fee * Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130	AT349584	$487.00
Hydraulic GREY Clamp	BYT10171	$1,692.00
Hydraulic GREY Clamp Bundle * Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with Quick Coupler Buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses from Parts: AT321206 and AT324558 for the 50G, ZX50U-5 AT451847 and AT324558 for the 60G, ZX60U-5	AT340081G	$6,419.00
Hydraulic Couplers		
Hydraulic Quick Coupler Works with John Deere and Hitachi 60 series quick coupler buckets only; AT461521G, AT460874, AT460878G, AT460879, AT460880G, AT460881, AT460882G, AT460887, AT460888G, AT460889, AT408385, AT408385G.	AT452558	$2,489.00
Hydraulic Quick Coupler - Factory Installation Fee	AT461031	$1,579.00

Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa. Must also order Hydraulic Quick Coupler.		
Interface Adapters		
Interface Adapter for 50-60 CE	AT306177	$616.00
Kits & Accessories		
Heavy Duty Battery	TY25879	View Price
Recommended for Cold Start climates		
Radio	4647737	View Price
AM, FM, Clock, and Set-able station buttons		
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price

REFERRAL ATTACHMENTS

Description	Code	Price
G.R.Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Front Screen, Cab (GR#705577) (60 CE)	ETN112936	$582.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 02Jan2019

204L FOUR WHEEL DRIVE LOADER

204L Standard Equipment

ENGINE:
Yanmar 4TNV98
61 SAE Net Horsepower (45 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust Evacuator Valve and
Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard

(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect

Switch
Blade-Type Multi-Fused Circuits battery load center
bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE J99):
Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary
Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically
Actuated, Self-Adjusting internal Wet Disc Brake and

Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released
internal Wet Disc Brake

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
18 GPM (70 L/Min) Engine Mounted Gear Pump - Open

Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab
Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to

SAE J994, J1446)

Key Start Switch with Electric
Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to

SAE J985)
(2) Exterior Convex Mirrors

(Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers
and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:

(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick
Hydrostatic Transmission with 2 Speed ranges:
Infinite Speed Control Inching Pedal
Vertical Element, HST Charge Pressure Filter with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests

2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure

Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains

Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
204L FOUR WHEEL DRIVE LOADER	0AD0T	$72,929.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,654.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine	0924	$3,879.00

Yanmar 4TNV98 meets EPA FT4 and EU Stage IIIB Emissions
Automatic Glow Plug
Starter Protection
Automatic Derating for Exceeded System Temperatures
Electronically Controlled Fuel Delivery System
Under Hood Dual Element Air Cleaner with Restriction Indicator
Dual-Stage Fuel Filter and Water Separator 500 Hour Spin-on Oil Filter

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$1,990.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$5,149.00

This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.

Mitas EM01	4025	$3,960.00

365/70R18
This tire option gives total machine height of 8 ft (2445 mm) for cab option and total machine height of 7 ft 11 inches (2421 mm) for the canopy option.

400/70R20 Michelin XMCL	4030	$6,181.00

This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.

WORK LIGHTS

Description	Code	Price
Halogen Work Lights	7110	No Added Cost

Canopy
2x Front, 2x Rear Halogen WorkLights

Halogen Work Lights - Cab	7120	No Added Cost

2x Front, 2x Rear Halogen WorkLights

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready	8545	No Added Cost

Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or AT452289 ISO Integrated Coupler. Must also order a bucket if desired.

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,096.00
Only available with Cab Option Code 8422		

DEALER-INSTALLED KITS

Description	Code	Price
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,888.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,880.00
Class 3 Fork Frame with 48 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,243.00
Class 3 Fork Frame with 60 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,461.00
ISO Coupler Kit 204L/304L	AT452289	$1,655.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$848.00
Kits & Accessories		
Block Heater Kit	AT427686	$112.00
Kits & Accessories		
Beacon Light For use with Cab code 8422	AT438075	$493.00
Beacon Light For use with Canopy code 8419.	AT443300	$493.00
Creep Control Kit For use with Cab code 8422	AT438074	$2,630.00

LED Worklight Kit (Flood)	BYT10523	$189.00
LED Worklight Kit (Spot)	BYT10522	$189.00
Ride Control	BYT10052	$1,790.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$127.00
Vandal Kit For use with Canopy code 8419. Includes 2 covers; 1 for guage, 1 for switches.	AT438076	$384.00
Miscellaneous		
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$512.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 02Jan2019

244L- FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed
Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery totaling 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and

Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer: 56 Degrees Articulation (28

Degrees in Each Direction) Plus an Additional 26 Degree
Rear Wheel Steer

HYDRAULIC SYSTEM:
17 GPM (65 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab,
heat and air conditioning standard.
Isolation Mounted (Conforms
to SAE J1040, J231, ISO 3471, ISO 3449)
Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console
Steering Wheel with Spinner
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Hourmeter
Speedometer
Fuel Gauge
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
(2) Exterior Convex Mirrors

(Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and
Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift

(2) Rear Work Lights

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control
Inching Pedal
Vertical Filter Element

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button)
Locking Front Differential and Rear Standard Differential
Grease Bank for Oscillating Rear Axle

Seat, Deluxe Deep Foam, Fabric, Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests
2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Park Brake Actuated
Forward-Reverse Travel

& Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains
Vandal Protection Locking For:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Contact DMAC for Foam Filled or Solid Tire Applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
244L- FOUR WHEEL DRIVE LOADER	0AF0T	$91,731.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,250.00

CONTROLS

Description	Code	Price
Standard Control Package	2410	No Added Cost

Includes Rimpull Control and Inching Pedal.

Attachment Assist (Creep Control & Throttle Lock)	2430	$2,049.00

Includes Rimpull Control and Inching Pedal.

ENGINE

Description	Code	Price
Engine	0924	$4,426.00

Yanmar 4TNV98CT meets EPA FT4 and EU Stage IIIB Emissions
Turbo Charged

Automatic Glow Plug
Starter Protection
Automatic Derating for Exceeded System Temperatures
Electronically Controlled Fuel Delivery System
Under Hood Dual Element Air Cleaner with Restriction Indicator
Dual-Stage Fuel Filter and Water Separator 500 Hour Spin-on Oil Filter

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,281.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,289.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$5,372.00
This tire option gives total machine height of 9 ft (2743 mm)		
Mitas EM01	4025	$4,010.00
365/70R18 This tire option gives total machine height of 8 ft 11 in (2472 mm)		
400/70R20 Michelin XMCL	4030	$6,481.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
400/70R20 Michelin Bibload L3	4035	$6,481.00
This tire option gives total machine height of 9 ft 1 in (2768 mm)		

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab	7120	$250.00
2x Front, 2x Rear Halogen WorkLights		
Less Work Lights (LED Kit Ready)	7140	No Added Cost
Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or AT452288 ISO Integrated Coupler. Must also order a bucket if desired.	8545	No Added Cost
Less Bucket ISO Coupler included.	8550	$1,685.00
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.	8555	$3,674.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.	8560	$4,776.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Dump Control Valve Kit, AT320957.	8565	$5,731.00

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	9200	$1,731.00
Front Windshield Guard Long Lead Time Item.	9420	$2,147.00

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,909.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,859.00
	AT320636	$4,172.00

2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530		
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2 m) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	AT321215	$2,009.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,888.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,880.00
Class 3 Fork Frame with 48 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,243.00
Class 3 Fork Frame with 60 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,461.00
ISO Coupler Kit 244L/324L	AT452288	$2,705.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$848.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$176.00
Beacon Light	LW9069320	$199.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
Kits & Accessories		
Block Heater Kit	AT427686	$112.00
Kits & Accessories		
LED Worklight Kit (Flood)	BYT10523	$189.00

LED Worklight Kit (Spot)	BYT10522	$189.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$127.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Miscellaneous		
Electrical Attachment Control Kit	AT390659	$512.00
Provides both 3 pin and 14 pin connectors and a control box.		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 02Jan2019

304L FOUR WHEEL DRIVE LOADER

304L Standard Equipment

ENGINE:
Yanmar 4TNV98
65 SAE Net Horsepower (48 kW)
Isolation Mounted
Meets EPA Final Tier 4 and EU Stage IIIB Emissions
Engine Coolant -34 Degree F
(-37 Degree C)
Air Intake Pre Heater
Coolant Recovery Tank
Belt Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type
Air Cleaner with Dust Evacuator Valve and
Muffler, Under Hood, with Angled exhaust Stack and Diffuser
Enclosed Safety Fan Guard

(Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) Battery
850 CCA, 80 Minutes Rated Reserve Capacity
Master Electrical Disconnect

Switch
Blade-Type Multi-Fused Circuits with battery load center bolt down main fuses
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Positive Terminal Battery Cover
Lights (Conforms to SAE

Hydraulic Test Ports

AXLES:
Heavy-Duty Outboard Planetary
Final Drives
Limited Slip Differential
45% Front Differential and 45% Rear Standard Differential

BRAKES:
Service Brakes; Hydraulically
Actuated, Self-Adjusting internal Wet Disc Brake and

Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Power Steer:
40 Degrees Articulation

HYDRAULIC SYSTEM:
20 GPM (77 L/Min) Engine Mounted Gear Pump - Open

Center control valve
Combined Hydrostatic/Hydraulic
Oil Reservoir Sight Glass

OPERATOR'S STATION:
Modular Design ROPS/FOPS Canopy/Cab,
Isolation Mounted (Conforms
to SAE J1040, J231, ISO 3471,ISO 3449)
Steel Roof
Left Side Access
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
Tilt Steering Console (Cab

Engine Coolant
Engine Air Filter
Temperature
Hydraulic Oil Temperature
Oil Temperature
Fuel Gauge (Fuel Gauge Only - No Audible Alarm)
Hourmeter
Indicator Lights:
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Turn Signal and Hazard Lights
High Beam Indicator
Battery Voltage
Floormat
Horn, Electric (Conforms to

SAE J994, J1446)

Key Start Switch with Electric
Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to

SAE J985)
(2) Exterior Convex Mirrors

(Conforms to SAE J985)
Built-In Operators Manual Storage Compartment
Pre-wired for Beacon
Cab includes Radio Speakers
and Antenna

LOADER:
Hydraulic powered Attachment Coupler
Z-Bar Linkage
Boom Float
Return to Dig Feature (visual indicator)
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:

J99):
(2) Driving/(2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors

TRANSMISSION:
Joystick FNR (Forward Neutral Reverse) Control with Electrohydraulic Third Function Control on Joystick

Hydrostatic Transmission with
2 Speed ranges:
Infinite Speed Control Inching Pedal
Vertical Element, HST Filter

with Bypass to Reservoir
Oil-to-Air Cooler for Transmission

option Only)
Steering Wheel with Spinner
Seat, Deluxe Deep Foam, Fabric,(Cab Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest
Seat, Deluxe Deep Foam, Vinyl,(Canopy Option)
Mechanical Suspension for Weight/ Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rest

2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure

Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift and Engine Frame Lift Eyes and Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains

Vandal Protection Locking for:
Engine Enclosure (Fuel Fill inside Engine Compartment)
Operator Enclosure
Rear Engine Access Door
13.2 Gallon (50 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
304L FOUR WHEEL DRIVE LOADER	0AE0T	$84,145.00

OPERATOR'S STATION

Description	Code	Price
Canopy	8419	No Added Cost

Includes fixed steering column, floormat, locking storage compartment, two front and two rear work lights, vinyl mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386), one interior rear view convex mirror, two exterior convex mirrors.

Cab with Heater & Air Conditioner	8422	$11,654.00

Fresh air heater, defroster, and pressurizer
Headliner, floor mat, and insulated floor
Tinted safety glass, front and rear
Intermittent front and rear wipers and washers
Fabric mechanical suspension seat with 2 in. (51mm) seat belt with retractors (conforms to SAE J386)
One interior rear view convex mirror
Two exterior convex mirrors
Integral front sun visor

ENGINE

Description	Code	Price
Engine	0924	$4,129.00

Yanmar 4TNV98 meets EPA FT4 and EU Stage IIIB Emissions
Automatic Glow Plug
Starter Protection
Automatic Derating for Exceeded System Temperatures
Electronically Controlled Fuel Delivery System
Under Hood Dual Element Air Cleaner with Restriction Indicator
Dual-Stage Fuel Filter and Water Separator 500 Hour Spin-on Oil Filter

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$1,990.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$5,149.00

This tire option gives total machine height of 8 ft 1 inch (2468 mm) for cab option and total machine height of 8 ft (2444 mm) for the canopy option.

Mitas EM01	4025	$5,348.00

405/70R20
This tire option gives total machine height of 8 ft 2 inches (2495 mm) for cab option and total machine height of 8 ft 1 inch (2471 mm) for the canopy option.

400/70R20 Michelin XMCL	4030	$6,181.00

This tire option gives total machine height of 8 ft 2 inches (2488 mm) for cab option and total machine height of 8 ft 1 inch (2464 mm) for the canopy option.

WORK LIGHTS

Description	Code	Price
Halogen Work Lights	7110	No Added Cost

Canopy
2x Front, 2x Rear Halogen WorkLights

Halogen Work Lights - Cab	7120	No Added Cost

2x Front, 2x Rear Halogen WorkLights

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready	8545	No Added Cost

Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or AT452289 ISO Integrated Coupler. Must also order a bucket if desired.

Optional - *Select as desired*

SPEED CONTROL

Description	Code	Price
Creep/Speed Control	9300	$2,096.00
Only available with Cab Option Code 8422		

DEALER-INSTALLED KITS

Description	Code	Price
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,888.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,880.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.	AT413238	$4,183.00
Class 3 Fork Frame with 48 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,243.00
Class 3 Fork Frame with 60 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)	BYT10092	$2,461.00
ISO Coupler Kit 204L/304L	AT452289	$1,655.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$848.00
Kits & Accessories		
Block Heater Kit	AT427686	$112.00
Kits & Accessories		
Beacon Light For use with Cab code 8422	AT438075	$493.00
	AT443300	$493.00

Beacon Light For use with Canopy code 8419.		
Creep Control Kit For use with Cab code 8422	AT438074	$2,630.00
LED Worklight Kit (Flood)	BYT10523	$189.00
LED Worklight Kit (Spot)	BYT10522	$189.00
Ride Control	BYT10052	$1,790.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$127.00
Vandal Kit For use with Canopy code 8419. Includes 2 covers; 1 for guage, 1 for switches.	AT438076	$384.00
Miscellaneous		
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$512.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

312GR SKID STEER

312GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar

In-cab boom lockout system

Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature

Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 704 kg (1550 lb)
Tipping load - 1407 kg (3100 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2392 kg (5273 lb)
Boom Breakout force - 2163 kg (4768 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (115.1 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
312GR SKID STEER	0AP0T	$32,204.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($308.00)

with Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab	0885	($806.00)

with Heat / Defrost & Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.	2040	$1,826.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.	2041	$1,976.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.	2400	$3,600.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00

66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00

66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$743.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$743.00

Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00

Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

314G SKID STEER

314G SKID STEER
Vertical Lift Boom Path

Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 799 kg (1760 lb)
Tipping load - 1598 kg (3520 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2323 kg (5117 lb)
Boom Breakout force - 2176 kg (4793 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 3.05 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
314G SKID STEER	06J0T	$33,553.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($308.00)

with Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab	0885	($806.00)

with Heat / Defrost & Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.	2040	$1,826.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.	2041	$1,976.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.	2400	$3,600.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00

66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00

66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$743.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$743.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	$371.00

For 63 In. machine width		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$396.00
For 60 In. machine width		
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 19Mar2018

316GR SKID STEER

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
316GR SKID STEER	06G0T	$36,275.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($1,023.00)

with E-H (ISO Pattern) Joysticks
Package Includes:
E-H (ISO) Joystick Controls (0950)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

Cab	0885	($1,640.00)

with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package
Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L

4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm.	3004	$1,250.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00

66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00

66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 316GR & 318G) with Manual Foot controls (0900) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10004	$743.00
Attachment Control For G series (models 316GR & 318G) with Manual Hand controls (0925) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10006	$743.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00

Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

317G COMPACT TRACK LOADER

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system

Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)
Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.99 m (78.5 in)
Height to hinge pin - 3.07 m (121 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
317G COMPACT TRACK LOADER	06L0T	$52,000.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price

will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader Includes standard equipment	0800	In Base Price
Rental Package EH with ISO Package Includes: E-H (ISO Pattern) Joystick Controls (0950) Single-Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 12.6 in Tracks (2510) Standard Hydraulics (3000) 2-Inch Seat Belt (4000) Manual Quik-Tatch (5000) Canopy - ROPS / FOPS (5200) Seat (Vinyl) (6000)	0875	($215.00)
Utility Package with E-H (ISO or H Pattern) Switchable with Performance Package Package Includes: E-H (ISO or H Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt (4002) Power Quik-Tatch (5001) Canopy - ROPS / FOPS (5200) Vinyl, Air-Ride Seat (6003) Keyless Start (Sealed Switch Module) (8395) Deluxe Lighting Package (8515)	0880	($841.00)
Cab with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package Package Includes: E-H (ISO or H-Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt with Shoulder Harness (4003) Power Quik-Tatch (5001) Cab Enclosure with Air Conditioning, Heat and Defrost (5204) Air Suspension Seat (Cloth with Heat) (6006) Chrome Exhaust (8225) Radio, AM/FM with Aux Input (8340) Foot Rest with Floormat (8380) Keyless Start (Sealed Switch Module) (8395) Deluxe Lighting Package (8515)	0885	($1,419.00)

ENGINE

Description	Code	Price
Engine - Turbocharged Option for the United States, Canada, or regions that use ultra low sulfur	1301	$1,304.00

fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW)

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200).

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm	3004	$1,250.00

TRACK

Description	Code	Price
Narrow 12.6 in (320mm) Tracks - 65 in Narrow Machine Stance	2500	No Charge
12.6 in (320mm) Tracks - 68 in Wide Machine Stance	2510	In Base Price
Narrow Zig-Zag Bar Track - 12.6 in. Gives 65 in. CTL width.	2550	$200.00
Wide Zig-Zag Bar Track - 12.6 in. Gives 68 in. CTL width.	2570	$200.00
Wide 15.7 in (400mm) Tracks - 71 in Wide Machine Stance	2600	$1,430.00
Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks	2645	$1,630.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	$724.00

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00
For use with enclosed cab only: codes 5204 & 5205		

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00
Includes: programmable machine security code system		

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

Includes 2 additional side lights and LED light bulbs for all exterior machine lights.

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,400.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,300.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.

Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	ETN197323	$1,400.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
Kits and Accessories		
12 Volt Demonstration Kit	KV21995	$314.00
3-pin connector		

2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door	AT446612	$3,076.00

Includes windshield wiper.
2- or 3-inch Seat Belt with Shoulder Harness required.

Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00

Miscellaneous

66 in. Bolt-On Cutting Edge	U16748	View Price
Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)		
72 in. Bolt-On Cutting Edge	T32742	View Price
Requires additional hardware; see Parts.		

Tooth Bars

66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

318G SKID STEER

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
318G SKID STEER	0B70T	$37,717.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($1,023.00)

with E-H (ISO Pattern) Joysticks
Package Includes:
E-H (ISO) Joystick Controls (0950)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

Cab	0885	($1,640.00)

with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package
Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L

4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package Includes: Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes) Creeper Mode Boom and Bucket Speed Settings (Production, Utility, Precision modes)	0985	$3,067.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm.	3004	$1,250.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00

66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,400.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00

60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	ETN197323	$1,400.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
Cutting Edges		
60 in. Bolt-On Cutting Edge	KV17819	View Price
Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)		
Kits and Accessories		

12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 316GR & 318G) with Manual Foot controls (0900) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10004	$743.00
Attachment Control For G series (models 316GR & 318G) with Manual Hand controls (0925) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10006	$743.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00

Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		

10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 07Feb2019

320G SKID STEER

320G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 69 Hp
Tipping Load 4,380 lbs. (1,989 kg)
Hydraulic Pump Flow 20 gpm (76 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-

Engine RPM	(51,7 Kw)	Tatch system (no grease required)
Battery Voltage	Rated Operating Capacity 2,190 lbs. (994 kg)	
Engine Coolant Temp.		Warranty: John Deere 2 years/2000 hours
Hydraulic Oil Temp.		

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
320G SKID STEER	00B0T	$41,635.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Deluxe Package	0861	($605.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,596.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,136.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Cab with AC, Heat/Defrost (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is
certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE - NATURALLY ASPIRATED	1305	$1,475.00

Required for the United States. Not available for export to markets without
ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
4 Cylinder Naturally Aspirated
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost

Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door Polycarbonate Front Door w/ Wiper and Sliding Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5205	$6,672.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$265.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	No Added Cost
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	No Added Cost
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 21 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 21 gpm.	3004	$1,250.00
High Flow Hydraulics Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3005	$3,058.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Added Cost
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Added Cost
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Added Cost
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Added Cost
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Added Cost

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost

Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Provides 63 in. Skid Steer width		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Provides 63 in. Skid Steer width		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Provides 67.25 in. Skid Steer width Not Compatible with Tracks.		
12x16.5 10 PR Titan HD2000-III	2070	$2,147.00
Provides 73.2 in. Skid Steer width		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Provides 73.3 in. Skid Steer width Not Compatible with Tracks		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00
Provides 62.5 in. Skid Steer width		
10 X 16.5 NHS, CAMSO SKS	2285	$1,321.00
Provides 63.3 in. Skid Steer width		
12 X 16.5 NHS, CAMSO SKS	2315	$1,644.00
Provides 69.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00
Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.		

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00
Not for use with Cold Start Package (8050).		

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,117.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,276.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$974.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,212.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,174.00

66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,079.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,263.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,086.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,310.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,154.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,379.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,379.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,193.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,402.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,287.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,500.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,515.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,275.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,500.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,254.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,534.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,445.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,753.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,456.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,568.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,792.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,117.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$974.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,212.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,174.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,086.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,310.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,263.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,379.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,071.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,379.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,193.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,402.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,500.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,515.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,275.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,500.00
Buckets		
66 in. Construction Bucket (16.2 CU. FT.) with Serrated Edge	BYT10855	$1,456.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,276.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$996.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,079.00
72 in. Construction Bucket (17.8 CU. FT.) with Serrated Edge	BYT10854	$1,568.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,154.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,254.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,534.00
78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,792.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,287.00
78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,445.00

78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,753.00
Kits & Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
Attachment Control 3 & 14 pin attachment connector	BYT10647	$685.00
Backhoe Attachment Mounting Kit	BYT10313	$282.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Boom Mounted Mirrors	BYT10168	$75.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$900.00
EH Joystick Performance Package	BYT10454	$593.00
Engine Air Pre-Cleaner Kit Compatible with 320G with Naturally Aspirated Engines code 1305.	BYT10681	$457.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$834.00
Fluid Sampling Field Kit	BYT10641	$130.00
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$593.00
Hazard Warning Lights	AT431921	$127.00
	AT428072	$325.00

Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$850.00
SMV Sign	BYT10680	$77.00
SSM - Use with EH Controls	BYT10650	$179.00
SSM - Use with Manual Controls	BYT11292	$179.00
Severe Duty Door Requires severe duty hardware kit BYT10085.	BYT10226	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Support Kit	BYT10843	$2,824.00
Standard Door	BYT10227	$1,030.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
Tooth Bars		
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,577.00
Wheels & Tires, Single (Left H& Only)		

10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 NHS CAMSO SKS	BYT10897	$322.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00
12x16.5 NHS CAMSO SKS	BYT10898	$396.00

REFERRAL ATTACHMENTS

Description G.r.mfg.	Code	Price
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 07Feb2019

324G SKID STEER

324G SKID STEER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp
Tipping Load 5,380 lbs. (2,443 kg)
Hydraulic Pump Flow 21 gpm (79 L/m)
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-

Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.

(54.8 Kw)
Rated Operating Capacity
2,690 lbs. (1,221 kg)

Tatch system (no grease required)

Warranty:
John Deere 2 years/2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
324G SKID STEER	00C0T	$44,708.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Deluxe Package	0861	($605.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,596.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,136.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Cab with AC, Heat/Defrost (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Polycarbonate Front Door w/ Wiper and Sliding Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$265.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	No Added Cost
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	No Added Cost
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 21 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	$1,250.00

Pump Flow = 21 gpm.

High Flow Hydraulics	3002	$1,830.00
Pump Flow = 32gpm Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	$3,058.00
Pump Flow = 32gpm Includes 1/2 in Auxiliary coupler sizes.		

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	No Added Cost
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	No Added Cost
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00

Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Provides 63 in. Skid Steer width		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Provides 63 in. Skid Steer width		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Provides 67.25 in. Skid Steer width Not Compatible with Tracks.		
12x16.5 10 PR Titan HD2000-III	2070	$2,147.00
Provides 73.2 in. Skid Steer width		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Provides 73.3 in. Skid Steer width Not Compatible with Tracks		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00
Provides 62.5 in. Skid Steer width		
10 X 16.5 NHS, CAMSO SKS	2285	$1,321.00
Provides 63.3 in. Skid Steer width		
12 X 16.5 NHS, CAMSO SKS	2315	$1,644.00
Provides 69.5 in. Skid Steer width		

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at

www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
	8305	$349.00

Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)	8310	$349.00

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$486.00

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca Not for use with Cold Start Package (8050).	8045	$55.00

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$1,117.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,276.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$974.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,212.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,174.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$1,079.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,263.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$1,086.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,310.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,154.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,379.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,379.00

72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,193.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,402.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,287.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,500.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,515.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,275.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,500.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,254.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,534.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,445.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,753.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,456.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,568.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,792.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$1,117.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$974.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,212.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,174.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$1,086.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,310.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,263.00

	72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,379.00
	72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$1,071.00
	72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,379.00
	72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,193.00
	72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,402.00
	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,500.00
	78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,515.00
	78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,275.00
	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,500.00
	Buckets		
	66 in. Construction Bucket (16.2 CU. FT.) with Serrated Edge	BYT10855	$1,456.00
	66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,276.00
	66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$996.00
	66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$1,079.00
	72 in. Construction Bucket (17.8 CU. FT.) with Serrated Edge	BYT10854	$1,568.00
	72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,154.00
	72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	$1,254.00
	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	$1,534.00
	78 in. HD Construction Bucket (19.4 CU. FT.) with Serrated Edge	BYT10853	$1,792.00
	78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,287.00
	78 in. HD Grading Heel Bucket (18.2 cu. Ft.)	BYT10191	$1,445.00
	78 in. HD Grading Heel Bucket (18.2 cu. Ft.) with Teeth	BYT10328	$1,753.00
	Kits & Accessories		
	12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
	Attachment Control 3 & 14 pin attachment connector	BYT10647	$685.00
	Backhoe Attachment Mounting Kit	BYT10313	$282.00
	Beacon Warning Light	BYT10048	$320.00
	Block Heater Kit	AT427686	$112.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	BYT10661	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Boom Mounted Mirrors	BYT10168	$75.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10648	$900.00
EH Joystick Performance Package	BYT10454	$593.00
Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	BYT10682	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).	BYT10356	$834.00
Fluid Sampling Field Kit	BYT10641	$130.00
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10679	$593.00
Hazard Warning Lights	AT431921	$127.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$325.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10651	$850.00
SMV Sign	BYT10680	$77.00
SSM - Use with EH Controls	BYT10650	$179.00
SSM - Use with Manual Controls	BYT11292	$179.00

Severe Duty Door	BYT10226	$3,076.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Support Kit	BYT10843	$2,824.00
Standard Door	BYT10227	$1,030.00
Miscellaneous		
66 in. Bolt-On Cutting Edge	U16748	View Price
Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
Tooth Bars		
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
12x16.5 NHS CAMSO SKS	BYT10899	$1,577.00
Wheels & Tires, Single (Left H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	$371.00
For 63 In. machine width		
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$396.00
For 60 In. machine width		
10x16.5 NHS CAMSO SKS	BYT10897	$322.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00
12x16.5 NHS CAMSO SKS	BYT10898	$396.00

REFERRAL ATTACHMENTS

Description	Code	Price

G.r.mfg.

Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Cab Roof Debris	BYT10263	$121.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 02Jan2019

324L - FOUR WHEEL DRIVE LOADER

ENGINE:
Yanmar 4TNV98CT
70 SAE Net Horsepower (52 kW)
Isolation Mounted
Turbocharged
Glow Plugs
Engine Coolant -34 Degree F (-37 Degree C)
Coolant Recovery Tank
Proportional Speed
Hydraulic Driven Cooling Fan
Spin-On Engine Oil and Fuel Filters
Oil-to-Water Engine Oil Cooler
Dual Safety Element Dry-Type Air Cleaner with Dust Evacuator Valve and Pre-Screener
Muffler, Under Hood, with Exhaust Stack
Enclosed Safety Fan Guard (Conforms to SAE J1308)

ELECTRICAL:
12 Volt System
80 Amp Sealed Alternator
(1) 12 Volt, 925 CCA
Master Electrical Disconnect Switch
Blade-Type Multi-Fused Circuits
Sealed External Electrical Connections
Electrical Load Center In Operator Station
Bypass Start Safety Cover on Starter
Positive Terminal Battery Covers
Lights (Conforms to SAE J99):
(2) Driving / (2) Front Working Halogen Lights
(2) Front and (2) Rear Turn/Flashing
(2) Rear Stop Lights
(2) Rear Reflectors
(2) Rear Work Lights

AXLES:
Heavy-Duty Outboard Planetary Final Drives
100% Manual (Push Button) Front Diff/Lock and Rear Std. Differential
Grease Bank for Oscillating Rear Axle

BRAKES:
Service Brakes; Hydraulically Actuated, Self Adjusting internal Wet Disc Brake and Driveline Drum Brake
Park Brake; Automatic Spring-Applied, Hydraulic-Released internal Wet Disc Brake

STEERING:
Hydraulic Stereo Steer:
56 Degrees Articulation (28 Degree in Each Direction) Plus an Additional 26 Degree Rear Wheel Steer

OPERATOR'S STATION:
Modular Design ROPS/FOPS Cab, heat and air conditioning standard.
Isolation Mounted (Conforms to SAE J1040, J231, ISO 3471, ISO 3449)

Steel Roof
Left and Right Side Access Walk Through Cab
Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)
3-Way Tilt and telescopic Steering Console
Steering Wheel with Spinner
Seat, Deep Foam, Fabric,
Speedometer
Hourmeter
Turn Signal and Hazard Lights
High Beam Indicator
Floormat
Horn, Electric (Conforms to SAE J994, J1446)
Key Start Switch with Electric Fuel Shut-Off
Power Port
Interior Mounted Rearview Convex Mirror (Conforms to SAE J985)
Two Exterior Convex Mirrors (Conforms to SAE J985)
Built-In Operator's Manual Storage Compartment and Manual
Pre-wired for Beacon and Radio
Cab includes Radio Speakers and Antenna

LOADER:
Powered Attachment Coupler
Z-Bar Linkage
Three Function Hydraulics, with Joystick Pilot Control for Boom and Bucket and 3rd function electrohydraulic mini joystick built in
Boom Float
Return to Dig (Bucket Leveling) Feature
Loader Boom Service Lock (Conforms to SAE J38)

OVERALL VEHICLE:
Articulation Locking Pin (Conforms to SAE J276)
Oscillating Frame Articulation System
Front and Rear Fenders
Integral Loader Frame Lift & Tie Down Eyes
Integral Engine Frame Lift

HYDRAULIC SYSTEM:
Joystick FNR Control with Third Function Control Lever
24 GPM (91 L/Min) Engine Mounted Gear Pump - Open Center
Combined Hydrostatic/Hydraulic Oil Reservoir with Sight Glass

TRANSMISSION:
Single Lever Shift Control, F-N-R and 2 Speed automatic gear box
Hydrostatic Transmission with Infinite Speed Control Inching Pedal
Vertical Filter Element

Mechanical Suspension for Weight/Height, Fore-Aft Adjustment, Backrest Tilts and Adjustable Arm Rests, 2 In. (51 mm) Seat Belt with Retractor (Conforms to SAE J386)
Electronic Monitor System with Audible and Visual Warning:
Engine Oil Pressure
Engine Coolant Temperature
HST Transmission Oil Temperature
Indicator Lights:
Engine Air Filter
Fasten Seat Belt
Park Brake Actuated
Forward-Reverse Travel
I or II Speed Range
Fuel Gauge

& Tie Down Eyes
Full Counterweight
Drawbar with Pin
Rear Bottom Guard
Environmental Fluid Drains

Vandal Protection Locking for:
Engine Enclosure
Operator Enclosure
Rear Engine Access Door
Fuel Fill
21.5 Gallon (80 L) Fuel Tank
Reverse Warning Alarm (Conforms to SAE J994, J1446)
Refer to Service Administration Manual for Foam Filled or Solid Tire applications

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Baltimore, Maryland

Description	Code	Price
324L - FOUR WHEEL DRIVE LOADER	0AG0T	$104,531.00

SEAT

Description	Code	Price
Standard Cloth Seat, Mid-Back, Mechanical Suspension	2210	No Added Cost
Deluxe Cloth Seat, Air Suspension, High-Back with Headrest, Heated, and Lumbar	2230	$2,250.00

CONTROLS

Description	Code	Price
Standard Control Package	2410	No Added Cost

Includes Rimpull Control and Inching Pedal.

Attachment Assist (Creep Control & Throttle Lock)	2430	$2,049.00

Includes Rimpull Control and Inching Pedal.

ENGINE

Description	Code	Price
Engine	0924	$4,426.00

Yanmar 4TNV98CT meets EPA FT4 and EU Stage IIIB Emissions
Turbo Charged

Automatic Glow Plug
Starter Protection
Automatic Derating for Exceeded System Temperatures
Electronically Controlled Fuel Delivery System
Under Hood Dual Element Air Cleaner with Restriction Indicator
Dual-Stage Fuel Filter and Water Separator 500 Hour Spin-on Oil Filter

HYDRAULIC SYSTEM AND COUPLER

Description	Code	Price
Three Function, Joystick w/FNR Control	2840	No Added Cost
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler.		
Three Function w/High Flow Option, Joystick w/FNR Control	2842	$4,281.00
1 lever controls boom and bucket, mini-EH thumb joystick proportionally controls auxiliary function. Includes third function lines to the coupler. Includes third function detent.		

RIDE CONTROL

Description	Code	Price
Less Ride Control	3000	No Added Cost
Ride Control	3010	$2,289.00

WHEELS AND TIRES

Description	Code	Price
405/70R18 Firestone Duraforce	4020	$5,372.00
This tire option gives total machine height of 9 ft 1 in (2774 mm)		
Mitas EM01	4025	$5,397.00
405/70R20 This tire option gives total machine height of 9 ft 2 in (2804 mm)		
400/70R20 Michelin XMCL	4030	$6,481.00
This tire option gives total machine height of 9 ft 2 in (2804 mm)		
400/70R20 Michelin Bibload L3	4035	$6,481.00
This tire option gives total machine height of 9 ft 2 in (2798 mm)		

LINKAGE

Description	Code	Price
Standard Z-bar linkage	2010	No Added Cost
Height to Hinge Pin 132 in.		
High Lift Z-bar linkage	2020	$2,017.00
Height to Hinge Pin 149 in.		

WORK LIGHTS

Description	Code	Price
Halogen Work Lights - Cab	7120	$250.00
2x Front, 2x Rear Halogen WorkLights		
Less Work Lights (LED Kit Ready)	7140	No Added Cost
Dealer will need to order and install BYT10522 (2xspot) and/or BYT10523 (2xflood)		

BUCKETS AND COUPLERS

Description	Code	Price
Less Coupler / Coupler Ready	8545	No Added Cost
Dealer must order and install AT412608 Integrated Skid Steer Compatible Quik Tatch Coupler or AT452288 ISO Integrated Coupler. Must also order a bucket if desired.		
Less Bucket	8550	$1,685.00
ISO Coupler included.		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler	8555	$3,674.00
74.8 in. (1.90 m) overall width. Includes 2 built-in lift loops.		
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler	8560	$4,776.00
86.6 in. (2.2 m) overall width. Includes 2 built-in lift loops.		
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler	8565	$5,731.00
94.5 in. (2.4 m) overall width. Includes 2 built-in lift loops. Includes Dump Control Valve Kit, AT320957.		
2.6 cu. yd. (2.0 cu. m.) Light Material Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler	8570	$6,681.00
94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Includes Bucket Dump Control Valve Kit		

Optional - *Select as desired*

OTHER WORK TOOLS

Description	Code	Price
Pallet Forks for Standard ISO Coupler	9200	$1,731.00
Frame width 48 in. (~1200 mm) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)		
Front Windshield Guard	9420	$2,147.00
Long Lead Time Item.		

DEALER-INSTALLED KITS

Description	Code	Price
Buckets & Pallet Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler * 74.8 in. (1.90 m) overall width * Includes 2 built-in lift loops	AT316647	$1,909.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for ISO Coupler * 86.6 in. (2.2 m) overall width * Includes 2 built-in lift loops	AT316646	$2,859.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for ISO Coupler 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit, AT370530	AT320636	$4,172.00
Pallet Forks for ISO Coupler Class ITA 2B fork frame Frame width 49 in. (1.2 m) Tines, 4 in. x 1.8 in. x 48 in. (100 x 45 x 1200 mm)	AT321215	$2,009.00
Buckets Couplers & Forks		
1.0 cu. yd. (0.8 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 74.8 in. (1.90 m) overall width Includes 2 built-in lift loops	AT413236	$1,888.00
1.4 cu. yd. (1.1 cu. m.) General Purpose Bucket with Skid Shoes and Bolt-On Cutting Edge for Quik Tatch 86.6 in. (2.2 m) overall width Includes 2 built-in lift loops	AT413237	$2,880.00
2.1 cu. yd. (1.6 cu. m.) Light Material Bucket with Skid Shoes and Bolt-on Cutting Edge for Quik Tatch 94.5 in. (2.4 m) overall width Includes 2 built-in lift loops Requires Dump Control Valve Kit LW11621918, which can be ordered in JDPoint.	AT413238	$4,183.00
Class 3 Fork Frame with 48 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 48" Forks Class ITA 3B Fork Frame Frame Width 60 in. (1.5m) Tines, 4-3/4 in. x 2in x 48in (120mm x 50mm x 1220mm) Overall Length Fork Frame + Forks: 57in (1445mm)	BYT10083	$2,243.00
Class 3 Fork Frame with 60 Fork Tines for Quik Tatch Coupler Pallet Fork Frame Kit, 60" Forks Class ITA 3B Fork Frame	BYT10092	$2,461.00

Frame Width 60 in. (1.5m) Tines, 4-1/2 in. x 2in x 60in (116mm x 50mm x 1524mm) Overall Length Fork Frame + Forks: 69in (1750mm)		
ISO Coupler Kit 244L/324L	AT452288	$2,705.00
Skid Steer Compatible Quik Tatch Coupler	AT412608	$848.00
Kits & Accessories		
Air Intake Pre-cleaner Kit	AT337325	$176.00
Beacon Light	LW9069320	$199.00
ISO Adapter to Quik Tatch Coupler Adapter for ISO Coupler to use Skid Steer Attachments	AT357576	$1,584.00
Kits & Accessories		
Block Heater Kit	AT427686	$112.00
Kits & Accessories		
LED Worklight Kit (Flood)	BYT10523	$189.00
LED Worklight Kit (Spot)	BYT10522	$189.00
Skid Steer Quik Tatch Coupler Cover	BYT10470	$127.00
Miscellaneous		
3 in. Retractable Seat Belt	AT171619	View Price
Miscellaneous		
Electrical Attachment Control Kit Provides both 3 pin and 14 pin connectors and a control box.	AT390659	$512.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 13Mar2018

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system

Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)
Tipping Load 7,400 lbs. (3,357 kg)

Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)

Warranty:
John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
325G COMPACT TRACK LOADER	00D0T	$58,829.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS	0846	($20.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks	0861	($596.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)

No JDLink (1741)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0871	($1,587.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks	0867	($1,001.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

IT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,558.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

IT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P	0889	($1,822.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,678.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)	5205	$6,672.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	In Base Price

TWO-SPEED	1050	$2,033.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 19 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 19 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 19 gpm	3004	$1,250.00
High Flow Hydraulics Pump Flow = 27 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	$3,058.00

TRACK

Description	Code	Price
Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 71.5 in. CTL width.	2500	In Base Price
Narrow Zig-Zag Bar Track - 12.6 in. Gives 71.5 in. CTL width.	2550	$200.00
Wide Gives 74.7 in. CTL width.	2600	$1,430.00
Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks Gives 74.7 in. CTL width.	2645	$1,630.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
Spanish Operator's Manual & Decals	1515	No Charge

For use with FT4 Engine

English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	In Base Price
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$900.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170A	$1,200.00
Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

BUCKETS

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,120.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,370.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,400.00

78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,290.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,565.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,600.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
Buckets		
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	$1,370.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00

78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) and 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.	AT427985	$728.00
Attachment Control Kit For E series (models 318, 319, 320, 323, 324 and 326) and 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Cold Start Package	AT432105	$355.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H	AT427988	$593.00

Selectable propel aggressiveness
Creeper Mode
Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425361	$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Field Kit, Reversing Fan	AT413072	$964.00
Kit is compatible with medium frame models (320E, 324E, 323E, 320G, 324G, 325G). For S/N 269401 and below.		
Field Kit, Reversing Fan	AT448244	$834.00
Kit is compatible with E series models (320E, 323E, 324E, 328E, 329E, 332E, 333E) and 320G, 324G, 325G.		
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille	AT398389	$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn	AT348484	$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	$152.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door	AT417602	$3,107.00
Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models. S/N 269401 and below.		
Severe Duty Door	AT446334	$3,076.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		

S/N 269402 and above.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit	AT425132	$1,030.00
S/N 269401 and below.		
Standard Door, Field Kit	AT446335	$1,030.00
S/N 269402 and above.		
Miscellaneous		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit	AT372950	$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 12Mar2018

330G SKID STEER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
330G SKID STEER	0BC0T	$54,170.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)

* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,847.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
91.2 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

4-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 36.5 gpm. Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,250.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	In Base Price

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Charge
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Charge
For use with FT4 Engine.		

QUIK-TATCH

Description	Code	Price

Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR SKS Extra-Wall	2310	$1,644.00
Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
12x16.5 10 PR Titan HD2000-III	2070	$2,147.00
Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		
14x17.5 14 PR Titan HD2000-II	2320	$3,362.00
No narrow setting possible Not compatible with Steel Tracks.		
14x17.5 12 PR SKS Extra-Wall	2330	$2,887.00
For use primarily in dirt applications. No narrow setting possible.		
14x17.5 Treaded Brawler SolidFlex	2420	$5,700.00
Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.		
14x17.5 14 PR Galaxy Hulk	2450	$3,865.00
Not compatible with Steel Tracks.		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

JDLINK

Description	Code	Price
	170A	$1,200.00

JDLink Ultimate Cellular - 3 Years

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).
For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price

Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00

84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00

84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	BYT10356	$834.00

Kit is compatible with G series models (331G, 333G, 330G & 332G).		
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only)		

14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only)		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10913	$376.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00

Screens, Sides and Rear	BYT10944	$710.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 13Mar2018

331G COMPACT TRACK LOADER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
331G COMPACT TRACK LOADER	0BE0T	$72,011.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($283.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,136.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)

* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,496.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,579.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
90 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and	5205	$6,672.00

Severe Duty Door

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 36.5 gpm		
Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

TRACK

Description	Code	Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	$477.00
Narrow Offset Block Lug Rubber Tracks - 15.8 in.	2505	In Base Price
Gives 78.9 inch CTL width.		
Wide Offset Block Lug Rubber Tracks - 17.7 in.	2605	$277.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine		
French Operator's Manual & Decals	1510	No Charge
For use with FT4 Engine		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine		
English Operator's Manual & No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		
French Operator's Manual & No Text Decals	1512	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		

Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price

Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00

84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
See Attachments for Multi-Purpose Buckets		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00

78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00

Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$346.00

Bucket Cylinder Rod Guard	BYT10913	$376.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Screens, Sides and Rear	BYT10944	$710.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 12Mar2018

332G SKID STEER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
332G SKID STEER	0BD0T	$56,010.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)

* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,045.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

4-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 25 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 41gpm Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,250.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	In Base Price

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Charge
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Charge
For use with FT4 Engine.		

QUIK-TATCH

Description	Code	Price

Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II	2320	$3,362.00
Gives 78.5 in. Skid Steer width at wide setting Not compatible with Steel Tracks.		
14x17.5 12 PR SKS Extra-Wall	2330	$2,887.00
For use primarily in dirt applications. No narrow setting possible.		
14x17.5 Treaded Brawler SolidFlex	2420	$5,700.00
Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.		
14x17.5 14 PR Galaxy Hulk	2450	$3,865.00
Not compatible with Steel Tracks.		

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms

and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).
For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9410	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,434.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price

Rust Preventative	9909	$160.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,434.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge	KV12758	View Price
Requires additional hardware; see Parts.		
	KV12471	View Price

84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.		
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00

High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only)		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00

14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bucket Cylinder Rod Guard	BYT10913	$376.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 13Mar2018

333G COMPACT TRACK LOADER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
333G COMPACT TRACK LOADER	0BF0T	$76,731.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($255.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,108.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)

* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,468.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,875.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and	5205	$6,672.00

Severe Duty Door

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 25 gpm	3000	In Base Price
High Flow Hydraulics Pump Flow = 41 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

TRACK

Description	Code	Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	$200.00
Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 78.9 inch CTL width.	2505	($257.00)
Wide Offset Block Lug Rubber Tracks - 17.7 in.	2605	In Base Price

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	In Base Price

Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price

Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00

84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	9410	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,434.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
See Attachments for Multi-Purpose Buckets		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,434.00
Buckets		

78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00

Cutting Edges

78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price

Kits and Accessories

Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features:	BYT10454	$593.00

Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

REFERRAL ATTACHMENTS

Description	Code	Price

G.R. Mfg.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Bucket Cylinder Rod Guard	BYT10913	$376.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

AF66 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9360T		AF66 AG FORKS *For use on the following models:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL*		1,263.00

AF78 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9340T		AF78 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,550.00

AT14 Angle-Tatch

Equipment for Base Machine

The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling.
Overall Width cm/(in) 118.87 (46.8)
Overall Height cm/(in) 46.99 (18.5)
Overall Depth cm/(in) 10.67 (4.2)
Cylinder Bore cm/(in) 6.35 (2.5)
Rod Diameter cm/(in) 3.30 (1.3)
Title Angle (degree) 14
Lift Capacity kg/(lb.) 1905.08 (4,200)
Weight kg/(lb.) 191.41 (422)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03D0T		AT14 Angle-Tatch *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		3,336.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

PA15B PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive:
 Heavy Duty, All Gear Design
 Sealed Drive Unit
 Reverse Rotation Feature

Forged Alloy Steel
Heat-Treated Bolt-On Teeth
Reinforced Boring Head

Auger Bits:
 Double-Wrap Flighting

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03V1T		PA15B PLANETARY DRIVE AUGER *For use on the following models:* *312G-314G SS* *17-27 CE*		2,248.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1006		PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		400.00
1007		PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included*		No Added Cost
		INTERFACE ADAPTERS		
9800		Interface Adapter for 17 ZTS and 17G		585.00
9801		Interface Adapter for 26G - 35G CE and 110 TLB		703.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	KV15777	12 in. Rock Bit		1,142.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15761	4 in. Heavy Duty Bit		239.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
	AT306926	Interface Adapter for 50-60 CE		719.00
		Kits & Accessories		
	AT321209	Hydraulic Hose *For use on 35 and 50 CE Long Arm option.*		See Parts
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00

PA30B PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive:
 Heavy Duty, All Gear Design
 Sealed Drive Unit
 Reverse Rotation Feature

Forged Alloy Steel
Heat-Treated Bolt-On Teeth
Reinforced Boring Head

Auger Bits:
 Double-Wrap Flighting

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

FOB Dubuque,Ia.

03N1T	PA30B PLANETARY DRIVE AUGER *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	2,428.00

BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION

1008	PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	440.00
1009	PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR LESS MOUNTING BRACKET *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.*	No Added Cost

INTERFACE ADAPTERS

9801	Interface Adapter for 26G - 35G CE and 110 TLB	703.00
9803	Interface Adapter for 50G - 60G CE	719.00

AUGER BITS

9000	4 in. Heavy Duty Bit	239.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Adapters & Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	KV15777	12 in. Rock Bit		1,142.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
	AT306926	Interface Adapter for 50-60 CE		719.00
		Kits & Accessories		
	AT321209	Hydraulic Hose *For use on 35 and 50 CE Long Arm option.*		See Parts

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00

PA40 PLANETARY DRIVE AUGER

Equipment for Base Machine

PA40 Planetary Drive Auger Standard Equipment
PA40 Base Machine Performance:
Flow Requirements: 28 - 42 GPM (106 - 159 lpm)
Operating Pressure: 3625 psi
Overall Attachment:
Maximum auger diameter: 48 in (1219mm)
Output shaft: 2 in (51mm) Hexagon
3/4 in. Couplers and Hoses

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
9965T		PA40 PLANETARY DRIVE AUGER *For use on the following models:* *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.*		5,397.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		239.00
9001		6 in. Heavy Duty Bit		263.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		383.00
9004		10 in. Heavy Duty Bit		438.00
9005		12 in. Heavy Duty Bit		445.00
9006		15 in. Heavy Duty Bit		579.00
9007		18 in. Heavy Duty Bit		729.00
9008		24 in. Heavy Duty Bit		886.00
9009		30 in. Heavy Duty Bit		1,187.00
9010		36 in. Heavy Duty Bit		1,351.00
9011		18 in. Tree and Shrub Bit		670.00
9012		24 in. Tree and Shrub Bit		694.00
9013		30 in. Tree and Shrub Bit		1,010.00
9014		36 in. Tree and Shrub Bit		1,198.00
9015		9 in. Rock Bit		1,030.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9016		12 in. Rock Bit		1,142.00
9017		9 in. HD Difficult Ground Bit		583.00
9018		12 in. HD Difficult Ground Bit		623.00
9019		15 in. HD Difficult Ground Bit		787.00
9020		18 in. HD Difficult Ground Bit		923.00
9021		24 in. HD Difficult Ground Bit		1,351.00
		DEALER-INSTALLED KITS		
		Auger Bits		
	KV15765	10 in. Heavy Duty Bit		438.00
	AT379607	12 in. HD Difficult Ground Bit		623.00
	KV15766	12 in. Heavy Duty Bit		445.00
	KV15777	12 in. Rock Bit		1,142.00
	AT379608	15 in. HD Difficult Ground Bit		787.00
	KV15767	15 in. Heavy Duty Bit		579.00
	AT379609	18 in. HD Difficult Ground Bit		923.00
	KV15768	18 in. Heavy Duty Bit		729.00
	KV15772	18 in. Tree and Shrub Bit		670.00
	AT379610	24 in. HD Difficult Ground Bit		1,351.00
	KV15769	24 in. Heavy Duty Bit		886.00
	KV15773	24 in. Tree and Shrub Bit		694.00
	KV15770	30 in. Heavy Duty Bit		1,187.00
	KV15774	30 in. Tree and Shrub Bit		1,010.00
	KV15771	36 in. Heavy Duty Bit		1,351.00
	KV15775	36 in. Tree and Shrub Bit		1,198.00
	KV15761	4 in. Heavy Duty Bit		239.00
	KV15762	6 in. Heavy Duty Bit		263.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		583.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15764	9 in. Heavy Duty Bit		383.00
	KV15776	9 in. Rock Bit		1,030.00
		Extensions & Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		219.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		209.00
		Interface Adapters For Compact Excavators		
	AT306925	Interface Adapter for 17 ZTS		585.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		703.00
	AT306926	Interface Adapter for 50-60 CE		719.00
		Kits & Accessories		
	AT321209	Hydraulic Hose *For use on 35 and 50 CE Long Arm option.*		See Parts
	AT357576	ISO Adapter to Quik Tatch Coupler *Adapter for Standard Coupler to use Skid Steer Attachments*		1,584.00

AH80 BALE HUGGER

Equipment for Base Machine

Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales.
-Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings
-Provides constant pressure that eliminates the risk of dropping bales
-Right-hand and left-hand sides open and close simultaneously
-Can lift, move, and stack round or rectangular bales
-Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs.
Overall Width cm/(in) 120.65 (47.5)
Overall Height cm/(in) 95.25 (37.5)
Overall Depth cm/(in) 137.16 (54)
Max. Opening cm/(in) 279.40 (110)
Lift Capacity kg/(lb.) 1088.62 (2,400)
Weight kg/(lb.) 217.72 (480)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03E0T		AH80 BALE HUGGER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*	3,185.00

AB21 SINGLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center:
907 kg at 0.61 m (2,000 lbs. at 24 in.)

Depth: 1.28 m (50.50 in.)
Spear Length: 1.24 m (49 in.)
Weight: 66 kg (145 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.57 m (22.38 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05A0T		AB21 SINGLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		587.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

AB32 DUAL BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 91 kg (200 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05B0T		AB32 DUAL BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		723.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

AB31 SINGLE BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.28 m (50.50in.)
Spear Length: 1.24 m (49in.)
Weight: 70 kg (155 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.59 m (23.13 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05C0T		AB31 SINGLE BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		720.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

AB42 DUAL BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 109 kg (240 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05D0T		AB42 DUAL BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		875.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

AB43 TRIPLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.33 m (52.25 in.)
Spear Length: 1.24 m (49 in.)
Weight: 102 kg (225 lbs.)

Width: 1.42 m (56.00 in.)
Height: 0.62 m (24.25 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05E0T		AB43 TRIPLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,010.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

BALE SPEAR, SQUARE

Equipment for Base Machine

No Base Equipment Description Provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9350T		BALE SPEAR, SQUARE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

BA72C 72" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
910 lb. [410 kg] overall weight
72 in. [1830 mm] straight sweeping width
62 in. [1580 mm] angled sweeping width
92 in. [2330 mm] overall straight width
88 in. [2230 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0302KV		BA72C 72" Angle Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,335.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11026	180 Degree Hood Extension Kit		998.00
	AT495468	Bristle Replacement Kit *50/50 Wire/Poly Mix*		543.00
	AT495471	Bristle Replacement Kit *All Polypropylene*		569.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA84C 84" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
960 lb. [440 kg] overall weight
84 in. [2130 mm] straight sweeping width
73 in. [1850 mm] angled sweeping width
104 in. [2640 mm] overall straight width
98 in. [2490 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0303KV		BA84C 84" Angle Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,538.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11027	180 Degree Hood Extension Kit		998.00
	AT495469	Bristle Replacement Kit *50/50 Wire/Poly Mix*		628.00
	AT495472	Bristle Replacement Kit *All Polypropylene*		581.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BA96C 96" Angle Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque motor protected within broom frame
50/50 poly-wire brush segments
32 in. [810 mm] brush diameter
Hydraulic angling ± 30° either direction
Fold-away storage stands
Specifications:
Skid steer coupler attachment interface
3-pin electrical connector
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1100 lb. [460 kg] overall weight
96 in. [2440 mm] straight sweeping width
83 in. [2110 mm] angled sweeping width
116 in. [2940 mm] overall straight width
109 in. [2760 mm] overall angled width
Optional Equipment:
All-polypropylene brush segments
Hood extension with rubber deflector for 180° brush coverage
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0304KV		BA96C 96" Angle Broom *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *# Requires machine equipped with 3-pin electrical connector.*		7,740.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT11028	180 Degree Hood Extension Kit		998.00
	AT495470	Bristle Replacement Kit *50/50 Wire/Poly Mix*		715.00
	AT495473	Bristle Replacement Kit *All Polypropylene*		644.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP72C 72" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1275 lb. [580 kg] overall weight
72 in. [1830 mm] sweeping width
91 in. [2310 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0314KV		BP72C 72" Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G*		6,965.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	T415140	Bolt-on Cutting Edge Kit		150.00
	AT495475	Bristle Replacement Kit *50/50 Wire/Poly Mix*		536.00
	AT495478	Bristle Replacement Kit *All Polypropylene*		447.00
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G # 332G* *CTL: 317G # 333G* *30 gal. [113.5 l] capacity*		712.00
	AT495713	Gutter Broom Bristle Replacement Kit *All Wire*		175.00
	AT495714	Gutter Broom Bristle Replacement Kit *All Polypropylene*		175.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00

BP72C 72" Pick-Up Broom

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BP84C 84" Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Adjustable baffle to increase hopper capacity by 22%
Tool-free system for brush adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1400 lb. [640 kg] overall weight
84 in. [2130 mm] sweeping width
103 in. [2620 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
0315KV		BP84C 84" Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 317G - 333G*		8,097.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	T415141	Bolt-on Cutting Edge Kit		170.00
	AT495476	Bristle Replacement Kit *50/50 Wire/Poly Mix*		642.00
	AT495479	Bristle Replacement Kit *All Polypropylene*		536.00
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G # 332G* *CTL: 317G # 333G* *30 gal. [113.5 l] capacity*		712.00
	AT495713	Gutter Broom Bristle Replacement Kit *All Wire*		175.00
	AT495714	Gutter Broom Bristle Replacement Kit *All Polypropylene*		175.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00

BP84C 84" Pick-Up Broom

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR60C 60" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
880 lb. [400 kg] overall weight
60 in. [1520 mm] sweeping width
69 in. [1760 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
8202T		BR60C 60" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 318G*		4,798.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	T415740	Bolt-on Cutting Edge Kit		200.00
	AT495474	Bristle Replacement Kit *50/50 Wire/Poly Mix*		433.00
	AT495477	Bristle Replacement Kit *All Polypropylene*		383.00
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G # 332G* *CTL: 317G # 333G* *30 gal. [113.5 l] capacity*		712.00
	AT495713	Gutter Broom Bristle Replacement Kit *All Wire*		175.00
	AT495714	Gutter Broom Bristle Replacement Kit *All Polypropylene*		175.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00

BR60C 60" Rigid Pick-Up Broom

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR72C 72" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
970 lb. [440 kg] overall weight
72 in. [1830 mm] sweeping width
81 in. [2060 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1521T		BR72C 72" Rigid Pick-Up Broom *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *CWL: 204L - 304L *requires skid steer style coupler*		5,215.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	T415738	Bolt-on Cutting Edge Kit		220.00
	AT495475	Bristle Replacement Kit *50/50 Wire/Poly Mix*		536.00
	AT495478	Bristle Replacement Kit *All Polypropylene*		447.00
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G # 332G* *CTL: 317G # 333G* *30 gal. [113.5 l] capacity*		712.00
	AT495713	Gutter Broom Bristle Replacement Kit *All Wire*		175.00
	AT495714	Gutter Broom Bristle Replacement Kit *All Polypropylene*		175.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00

BR72C 72" Rigid Pick-Up Broom

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

BR84C 84" Rigid Pick-Up Broom

Equipment for Base Machine

Features:
Heavy-duty, high-torque bi-directional motor protected within broom frame
50/50 poly-wire brush segments
26 in. [660 mm] brush diameter
Precise brush-contact adjustment
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
15-25 gpm [57 95 l/min] hydraulic flow range
1090 lb. [500 kg] overall weight
84 in. [2130 mm] sweeping width
93 in. [2370 mm] overall width
Optional Equipment:
All-polypropylene brush segments
Gutter brush with wire bristles
Broom-mounted water tank kit with 25 gal. [95 l] capacity
Roof-mounted water tank kit with 30 gal. [113.5 l] capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1531T		BR84C 84" Rigid Pick-Up Broom *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 325G* *CWL: 204L - 324L *requires skid steer style coupler*		5,635.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	T415739	Bolt-on Cutting Edge Kit		240.00
	AT495476	Bristle Replacement Kit *50/50 Wire/Poly Mix*		642.00
	AT495479	Bristle Replacement Kit *All Polypropylene*		536.00
	BYT11033	Broom-Mounted Water Tank Kit *SSL: 312G # 332G* *CTL: 317G # 333G* *30 gal. [113.5 l] capacity*		712.00
	AT495713	Gutter Broom Bristle Replacement Kit *All Wire*		175.00
	AT495714	Gutter Broom Bristle Replacement Kit *All Polypropylene*		175.00
	BYT11030	Gutter Broom Kit		1,201.00
	BYT11025	Nozzle Kit *Nozzle kit for roof-mounted water tank kits*		248.00

BR84C 84" Rigid Pick-Up Broom

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Roof-Mounted Water Tank Kit *SSL: 312GR # 318G* *CTL: 317G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *SSL: 320G # 332G* *CTL: 325G # 333G* *30 gal. [113.5 l] capacity* *Use with nozzle kit*		1,829.00

CP12D COLD PLANER

Equipment for Base Machine

Drum Size:
12 in. (305 mm) Cutting Width
Design Features:
Standard Flow Hydraulics
15-22 gpm (56-83 lpm)
Planetary Drive
Manual Tilt of +/- 11 Degrees
Manual Depth Control
0-5 in. (0-127 mm) Hydraulic Side Shift
0-19 in. (0-483 mm)
Quantity of pics 37
Spray Bar with nozzles, less water tank

NOTE: The eight-button control handle is NOT required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8211T		CP12D COLD PLANER *For Standard Flow:* *316-318G SS* *315-328 SS* *318D-328D* *318E-328E* *316GR - 324G* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		10,810.00
		PICK KIT		
1001		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		No Added Cost
1002		RP18 *Asphalt only.*		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		443.00
	AT462796	Carbide Cutting Tools, RP18 *Asphalt only.*		378.00
	AT345212	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00

CP12D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT435129	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00

CP18D COLD PLANER

Equipment for Base Machine

Drum Size:
18 in. (457 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 45
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8221T		CP18D COLD PLANER *For High Flow:* *320-332 SS* *320D-332D SS* *320E-332E SS* *324G SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*	21,083.00

PICK KIT

1005		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1006		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	531.00
	AT462798	Carbide Cutting Tools, RP18 *Asphalt only.*	452.00
	AT345212	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*	1,328.00
	AT435129	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*	1,829.00

CP24D COLD PLANER

Equipment for Base Machine

Drum Size:
24 in. (610 mm) Cutting Width

Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in.
(-76 - 559 mm)
Quantity of pics 57
Spray Bar with nozzles, less water tank
NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8231T		CP24D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		24,165.00
		PICK KIT		
1009		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		No Added Cost
1010		RP18 *Asphalt only.*		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		672.00
	AT462800	Carbide Cutting Tools, RP18 *Asphalt only.*		570.00
	AT345212	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00
	AT435129	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00

CP30D COLD PLANER

Equipment for Base Machine

Drum Size:
30 in. (762 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in.
(-76 - 559 mm)
Quantity of pics 69
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9011T		CP30D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	25,079.00

PICK KIT

1013		General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	No Added Cost
1014		RP18 *Asphalt only.*	No Added Cost

DEALER-INSTALLED KITS

Kits & Accessories

	AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	806.00
	AT462802	Carbide Cutting Tools, RP18 *Asphalt only.*	712.00
	AT345212	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*	1,328.00
	AT435129	Roof-Mounted Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*	1,829.00

DB84 DOZER BLADE

Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 74.1 in. (1882 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9780T		DB84 DOZER BLADE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,375.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

DB84 DOZER BLADE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 84.7 in. (2151 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9790T		DB96 DOZER BLADE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,894.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

DB96 DOZER BLADE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

GU60 UTILITY AG GRAPPLE

Equipment for Base Machine

TO BE DELIVERED.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7860T		GU60 UTILITY AG GRAPPLE *For:* *312G-318G SS* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		2,531.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT475186	Cylinder Stop Kit		30.00

GU66 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease Hardened 1 in. Cylinder Rods

Dimensions:
Width 66 in.
Height Grapple Closed 27.6 in.
Height Grapple Opened 45.7 in.
Grapple Opening 36 in.
Opening Between Tines 4.5 in.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0220KV		GU66 UTILITY AG GRAPPLE *For:* *312G-320G SS* *318E-320E SS* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		2,614.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Kits & Accessories		
	AT475186	Cylinder Stop Kit		30.00

GU72 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

Dimensions:
Width 72 in.
Height Grapple Closed 27.6 in.
Height Grapple Opened 45.7 in.
Grapple Opening 36 in.
Opening Between Tines 4.5 in.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0221KV		GU72 UTILITY AG GRAPPLE *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E, 323E CTL* *110 TLB* *400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	2,770.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

Kits & Accessories

	AT475186	Cylinder Stop Kit	30.00

GU78 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
- Single Grapple for Better Handling of Hay, Silage, and Manure
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 78 in.
- Height Grapple Closed 27.6 in.
- Height Grapple Opened 45.7 in.
- Grapple Opening 36 in.
- Opening Between Tines 4.5 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0222KV		GU78 UTILITY AG GRAPPLE *For:* *318E-328E SS* *320G-324G SS* *317G, 325G CTL* *319E, 323E CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		2,967.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Kits & Accessories		
	AT475186	Cylinder Stop Kit		30.00

GS60 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

TO BE DELIVERED

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7870T		GS60 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *CT315 CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		3,976.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*		918.00
		Kits & Accessories		
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT475186	Cylinder Stop Kit		30.00

GS66 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 66 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0280KV		GS66 SCRAP GRAPPLE BUCKET *For:* *312-320G SS* *318E-320E SS* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	4,096.00

DEALER-INSTALLED KITS

Kits & Accessories

AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*	918.00
AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

GS66 SCRAP GRAPPLE BUCKET

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT475186	Cylinder Stop Kit		30.00
		Kits & Accessories		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*		See Parts
		Miscellaneous		
	U16748	66 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

GS66B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1070 lb. [485 kg] overall weight
66 in. [1675 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05S1T		GS66B SCRAP GRAPPLE *For use on the following models:* *SSL: 312GR - 318G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,096.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*		See Parts
		Miscellaneous		
	T394966	66 in. Bolt-on Serrated Cutting Edge		See Parts
		Miscellaneous		
	U16748	66 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

GS72B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1110 lb. [505 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05T1T		GS72B SCRAP GRAPPLE *For use on the following models:* *SSL: 318G - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	4,216.00

DEALER-INSTALLED KITS

Kits & Accessories

BYT10674	Bolt-on Side Plates	180.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts

Miscellaneous

T385220	72 in. Bolt-on Serrated Cutting Edge	See Parts

Miscellaneous

T32742	72 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*	See Parts

GS78B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1150 lb. [520 kg] overall weight
78 in. [1980 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05U1T		GS78B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		4,515.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12758	78 in. Bolt-On Cutting Edge *Requires Eight Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*		See Parts
		Miscellaneous		
	T385219	78 in. Bolt-on Serrated Cutting Edge		See Parts

GS84B SCRAP GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Predrilled cutting edge for bolt-on options
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1185 lb. [540 kg] overall weight
84 in. [2135 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length
Optional Equipment:
Bolt-on side plates for increased capacity
Bolt-on straight or serrated cutting edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
05V1T		GS84B SCRAP GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*		5,071.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits & Accessories		
	BYT10674	Bolt-on Side Plates		180.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*		See Parts
		Miscellaneous		
	T385218	84 in. Bolt-on Serrated Cutting Edge		See Parts

GR72B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
Two independent action grapples with integrated open stop
1.375 in. [35 mm] diameter greaseable, hardened pivot pins
Weld-in serrated cutting edge for difficult ground conditions
Improved hose routing to protect hydraulics
Enhanced construction throughout grapple
Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
1165 lb. [530 kg] overall weight
72 in. [1830 mm] overall width
37.4 in. [950 mm] grapple opening at tips
40.75 in. [1035 mm] grapple opening
20 tines at 3 in. [75 mm] spacing
Cylinder Specifications:
1.4 in. [36 mm] rod diameter
2.5 in. [64 mm] bore diameter
8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05Q1T		GR72B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 312GR - 332G* *CTL: 317G - 325G* *Requires machine equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	4,129.00

GR84B ROCK / BRUSH GRAPPLE

Equipment for Base Machine

Features:
- Two independent action grapples with integrated open stop
- 1.375 in. [35 mm] diameter greaseable, hardened pivot pins
- Improved hose routing to protect hydraulics
- Enhanced construction throughout grapple

Specifications:
- Skid steer coupler attachment interface
- 1/2 in. hydraulic quick couplers
- 1255 lb. [570 kg] overall weight
- 84 in. [2135 mm] overall width
- 37.4 in. [950 mm] grapple opening at tips
- 40.75 in. [1035 mm] grapple opening
- 23 tines at 3 in. [75 mm] spacing

Cylinder Specifications:
- 1.4 in. [36 mm] rod diameter
- 2.5 in. [64 mm] bore diameter
- 8.1 in. [206 mm] stroke length

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

05R1T		GR84B ROCK / BRUSH GRAPPLE *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *CWL: 204L - 324L *requires skid steer style coupler* *Requires SSL / CTL equipped with boom mounted hose guide* *Rear counterweight may improve machine stability while operating*	4,823.00

HH20C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 800 - 3000
Flow Requirements:
6.6 - 14.5 gpm (25 - 55 lpm)

Operating Pressure:
1305 - 2175 psi
Moil Tool Point 1.9 in.
(48 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C80T		HH20C HYDRAULIC HAMMER *For use on the following models:* *Compact Excavators: 17G, 26G and 35G*		7,188.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1002		Mounting Bracket, 17 Compact Excavator		445.00
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00

HH20C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
		Kits and Accessories		
	T370209	Chisel		See Parts
	T370214	Compacting Plate		See Parts
	T370210	Moil Point		See Parts
	T370211	Pyramid		See Parts
	T370212	Spade, Parallel to Boom		See Parts
	T370213	Spade, Transverse to Boom		See Parts
		REFERRAL ATTACHMENTS		
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	AT337084	Front Protection Screen for Canopy (GR#705155) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -2 Compact Excavator with a Canopy.*		670.00
	BYT10076	Front Screen, Cab (GR#705923) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		1,107.00

HH40C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 700-2600
Flow Requirements:
10.6 - 18.5 gpm (40 - 70 lpm)

Operating Pressure:
1450 - 2465 psi
Moil Tool Point 2.2 in.
(56 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C90T		HH40C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB*		8,405.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

HH40C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
		Kits and Accessories		
	T370215	Chisel		See Parts
	T370220	Compacting Plate		See Parts
	T370216	Moil Point		See Parts
	T370217	Pyramid		See Parts
	T370218	Spade, Parallel to Boom		See Parts
	T370219	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*	768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*	620.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*	640.00
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*	528.00

HH60C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 600-1800
Flow Requirements:
9.2 - 23.8 gpm (35 - 90 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 2.8 in.
(72 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CA0T		HH60C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB*		10,501.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Added Cost
1003		Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*		591.00
1001		Mounting Bracket, SSL & CTL		1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
		Kits and Accessories		
	T370221	Chisel		See Parts
	T370225	Compacting Plate		See Parts
	T370222	Moil Point		See Parts
	T370223	Spade, Parallel to Boom		See Parts
	T370224	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued...		
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		640.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		640.00
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		528.00

HH80C Hydraulic Hammer

Equipment for Base Machine

Performance:
Blows Per Minute: 500 - 1700
Flow Requirements:
10.6-31.7 gpm (40-120 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 3.14 in.
(80 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0CB0T		HH80C Hydraulic Hammer *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC*	12,121.00

MOUNTING BRACKETS

1000		Less Mounting Bracket	No Added Cost
1001		Mounting Bracket, SSL & CTL	1,623.00
1004		Mounting Bracket, 50-60 Compact Excavator	741.00
1005		Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*	859.00
1006		Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*	884.00

DEALER-INSTALLED KITS

Adapters and Mounting Frames

	AT458340	Mounting Bracket, 17 Compact Excavator	424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator	591.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*	859.00

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Attachments & Accessories		
	AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L*		1,215.00
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
		Kits and Accessories		
	AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		1,038.00
	T370226	Chisel		See Parts
	T370230	Compacting Plate		See Parts
	T370227	Moil Point		See Parts
	T370228	Spade, Parallel to Boom		See Parts
	T370229	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.r.mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		640.00

MS60 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8500T		MS60 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		1,698.00

MS72 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8510T		MS72 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,255.00

MS84 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8520T		MS84 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		2,344.00

MS96 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8530T		MS96 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		2,135.00

MH60D MULCHING HEAD

Equipment for Base Machine

Features:
Remove up to 8 in. [203 mm] trees and 12 in. [305 mm] stumps
30 double carbide-tipped teeth to mulch materials
Heavy-duty mulching door for finer processing
Heavy-duty, 2-speed motor efficiently uses available horsepower
Hydraulic pressure gauge to monitor performance
Adjustable, 3-position heavy-duty push bar
Enhanced frame construction and bolt-on skid shoes
Specifications:
Skid steer coupler attachment interface
14-pin electrical connector
1/2 in. hydraulic quick couplers
24-45 gpm [91 170 l/min] hydraulic flow range
2730 lb. [1240 kg] overall weight
60 in. [1520 mm] cutting width
74 in. [1880 mm] overall width
Optional Equipment:
Knife cutting tools for smoother cutting and finer chip size

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
07A1T		MH60D MULCHING HEAD *For use on the following models:* *SSL: 330G - 332G* *CTL: 331G - 333G* *- Requires machine equipped with high flow hydraulics* *- Requires machine equipped with 14-pin electrical connector.* *- Requires applicable severe-duty door* *- Requires applicable operator protection* *- For optimal performance, recommend non-hydraulic self-leveling machines* *- Rear counterweight may improve machine stability while operating*		36,623.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT433505	Knife Tool Kit		201.00

MP66B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AQ0T		MP66B MULTI-PURPOSE BUCKET *For use on the following models:* *312-324G SS* *318E-324E SS* *317G CTL*		3,719.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436470	66 in. Bolt-On Cutting Edge for MP66B		374.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
		Kits & Accessories		
	AT436718	Spill Guard Assembly, MP66B		194.00
		Tooth Bars		
	AT436521	66 in. Tooth Bar - 7 Teeth, MP66B		825.00
	AT436489	MP66 Over BOCE Toothbar, MP66B		885.00

MP72B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AR0T		MP72B MULTI-PURPOSE BUCKET *For use on the following models:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E, 323E CTLs*		4,468.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
		Kits & Accessories		
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436719	Spill Guard Assembly, MP72B		199.00
		Tooth Bars		
	AT436522	72 in. Tooth Bar - 7 Teeth, MP72B		710.00
	AT436490	MP72 Over BOCE Toothbar, MP72B		1,005.00

MP78B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AS0T		MP78B MULTI-PURPOSE BUCKET *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G, 325G CTL* *319E-333E CTLs* *331G-333G CTLs*		4,594.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436472	78 in. Bolt-On Cutting Edge for MP78B		416.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
		Kits & Accessories		
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436720	Spill Guard Assembly, MP78B		230.00
		Tooth Bars		
	AT436523	78 in. Tooth Bar - 8 Teeth, MP78B		727.00
	AT436491	MP78 Over BOCE Toothbar, MP78B		1,279.00

MP84B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AT0T		MP84B MULTI-PURPOSE BUCKET *For use on the following models:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,749.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		494.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
		Kits & Accessories		
	AT436525	Side Cutter Assembly, (MP72B, MP78B, MP84B)		97.00
	AT436721	Spill Guard Assembly, MP84B		244.00
		Tooth Bars		
	AT436524	84 in. Tooth Bar - 8 Teeth, MP84B		856.00
	AT436492	MP84 Over BOCE Toothbar, MP84B		1,002.00

NF44 Nursery Fork

Equipment for Base Machine

WORKSITE NF44 NURSERY FORK

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, IA		
0BU0T		NF44 Nursery Fork *For:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL*		4,066.00
		PICK ONE		
1000		PRESSURE CONTROL VALVE ASSEMBLY		403.00
1001		LESS CONTROL VALVE ASSEMBLY		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT460780	Pressure Control Valve		403.00

Heavy Duty 45 In. Frame and Set of Forks

Equipment for Base Machine

45 in. Wide Heavy Duty Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
42 in. or 48 in. Long Fork Tines

Available

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03J1T		Heavy Duty 45 In. Frame and Set of Forks *Includes 45" Heavy Duty Frame and Two Fork Set* *For:* *312G-332G SS* *320E-324E SS* *317G-333G CTLs* *323E CTL* *Additional tine options available.*		864.00
		PICK ONE		
1001		45" FRAME W/ 42" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		No Added Cost
1002		45" FRAME W/ 48" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		33.00
1003		45" FRAME W/ 42" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		83.00
1004		45" FRAME W/ 48" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		149.00

Heavy Duty 45 In. Frame and Set of Forks

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		PICK ONE Continued...		
1005		45" FRAME W/ 48" TINES RATED 6200 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		241.00

Heavy Duty 60 in. Frame and Set of 48" Forks

Equipment for Base Machine

Heavy Duty Forks - 6,200 lb. Load Capacity
60 in. Wide Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
48 in. Long Fork Tines Available

Fork Tine Load Capacity of 6,200 lb. per Pair
NOTE: Rear Counterweights is Not Required, but May Enhance Machine Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03K1T		Heavy Duty 60 in. Frame and Set of 48" Forks *Includes 60" Frame and Two Fork Set of 48" HD Tines* *For:* *320E-324E SS* *320G-332G SS* *317G-333G CTLs* *323E CTL*		1,415.00

Severe Duty Pallet Fork

Equipment for Base Machine

Frame has option of 45 inch or 60 inch width of the rails
Forks have options of 48inch or 60 inch length of tines
8800 lb. rating on forks (per pair of tines)
Robust, two-piece walk-through brick guard

Optional bolt-on brick guard kit to complete backrest
Unrestricted Visibility to Fork Tips

Rear Ballast is not required but may enhance machine stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
06U0T		Severe Duty Pallet Fork *For:* *330G-332G SS* *331G-333G CTLs*		1,622.00
		PICK KIT		
1000		45" Severe Duty Fork Frame		No Added Cost
1001		60" Severe Duty Fork Frame		200.00
		PICK ONE		
2000		48" TINES ITA CLASS 3B		300.00
2001		60" TINES ITA CLASS 3B		400.00
		BRACKET KITS		
9001		Bolt-On Walk-Through Brick Guard		124.00

PC4 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 4,000 lbf / 17.8 kN	Operating Pressure 2600 psi / 17930 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 3000 psi / 20680 kPa
Base Plate Dimensions 13 x 25 in. / 330 x 635 mm	Weight* 397 lb. / 180 kg
Compaction Area 325 in. sq. / 209550 mm sq.	Length 30.7 in. / 780 mm
Hydraulic Flow Range 9-14 gpm / 34-53 l/min	Width 13.0 in. / 330 mm
Regulated Flow 9 gpm / 34 l/min	Height* 20.3 in. / 515 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03W1T		PC4 PLATE COMPACTOR *For:* *26G, 30G, 35G CE*	5,616.00

PICK ONE

1000		Less mounting bracket and hoses	No Added Cost
1001		Mounting Adapter Kit *For use on 26G and 30G with PC4*	860.00
1002		Mounting Adapter Kit *For use on 35G with PC4*	882.00

DEALER-INSTALLED KITS

Kits & Accessories

	BYT10728	Mounting Adapter Kit, PC4 (26G/30G)	860.00
	BYT10828	Mounting Adapter Kit, PC4 (35G)	882.00

PC7 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 6,400 lbf / 28.5kN
Cycles/Minute at Regulated Flow 2,000 rpm
Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm
Compaction Area 499 in. sq. / 322000 mm sq.
Hydraulic Flow Range 15-20 gpm / 57-76 l/min
Regulated Flow 18 gpm / 68 l/min
Operating Pressure 2000 psi / 13790 kPa
Pressure Relief Setting 2200 psi / 15170 kPa
Weight* 600 lb. / 272 kg
Length 35 in. / 890 mm
Width 18.1 in. / 460 mm
Height* 21.5 in. / 546 mm
*Without mounting adapter - requires respective machine
mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03X1T		PC7 PLATE COMPACTOR *For:* *50G, 60G CE*		6,739.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1003		Mounting Adapter Kit *For use on 50G, 60G with PC7*		920.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10729	Mounting Adapter Kit, PC7 (50G/60G)		920.00

PC10 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 8,000 lbf / 35.6 kN	Operating Pressure 2000 psi / 13790 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 2200 psi / 15170 kPa
Base Plate Dimensions 24 x 28 in. / 610 x 710 mm	Weight* 888 lb. / 403 kg
Compaction Area 671 in. sq. / 433100 mm sq.	Length 37.0 in. / 940 mm
Hydraulic Flow Range 20-24 gpm / 76-91 l/min	Width 24.0 in. / 610 mm
Regulated Flow 21 gpm / 79 l/min	Height* 25.5 in. / 648 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03Y1T		PC10 PLATE COMPACTOR *For:* *60G CE* *310L/EL, 310L/HL, 410L BHL*		7,863.00
		PICK ONE		
1000		Less mounting bracket and hoses		No Added Cost
1004		Mounting Adapter Kit *For use on 60G with PC10*		940.00
1005		Mounting Adapter Kit *For use on 310L/EL BHL with PC10*		983.00
1006		Mounting Adapter Kit *For use on 310SL/HL, 410L BHL with PC10*		1,044.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	BYT10827	Mounting Adapter Kit, PC10 (310 BHL w/Coupler)		983.00
		Operator Environment		
	BYT10731	Mounting Adapter Kit, PC10 (410 BHL w/Coupler)		1,044.00
	BYT10863	Mounting Adapter Kit, PC10 (60G)		940.00

PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7830T		PR60 ANGLE POWER RAKE *For:* *312G-318G SS*		8,913.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT332454	12 Volt Receptacle Kit		204.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

72 in. Rake
72 in. (1827 mm) Raking
Width
81 in. (2056 mm) Operating
Width
64 in. (1625 mm) Length
31 in. (787 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
11 gpm (42 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0264KV		PR72B ANGLE POWER RAKE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs*		10,252.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT332454	12 Volt Receptacle Kit		204.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

PR72B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

84 in. Rake
84 in. (2134 mm) Raking
Width
93 in. (2362 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (220 mm) Tooth
Roller Diameter
18 gpm (68 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1580T		PR84B ANGLE POWER RAKE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs*		10,835.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

PR84B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

96 in. Rake
90 in. (2284 mm) Raking
Width
99 in. (2513 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
15 gpm (57 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0265KV		PR96B ANGLE POWER RAKE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		11,650.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

PR96B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
7950T		R66 ROCK BUCKET *For:* *312G-320G SS* *318E, 320E SS* *317G CTL*		1,735.00

R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
7960T		R75 ROCK BUCKET *For:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs* *110 TLB*		1,855.00

R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
7970T		R84 ROCK BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		1,977.00

RL84 ROLLER LEVEL

Equipment for Base Machine

Features:
- 2 Std Greaseable Bearings
- Front & Rear Bolt-on Cutting Edges

Specifications:

93.3 in. (2367 mm) Overall Width	66.7 in. (1694 mm) Length
	25.6 in. (650 mm) Height
	84 in. (2133 mm) Box Width
	0.5 x 6 x 84 in. Front Cutting Edge
	0.5 x 6 x 84 in. Rear Cutting Edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7070T		RL84 ROLLER LEVEL *For:* *326E-332E SS* *330G-332G SS* *317G-331G CTLs* *319E-333E CTLs*		4,146.00

RB72 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05F1T		RB72 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.*		5,012.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		381.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	BYT10477	Boom Mounted Hose Guide Kit		105.00

RB84 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05G1T		RB84 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.*		5,290.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		494.00
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	BYT10477	Boom Mounted Hose Guide Kit		105.00

RB96 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

05H1T		RB96 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.*	5,557.00

DEALER-INSTALLED KITS

Cutting Edges

BYT10747	96 in. Bolt-On Cutting Edge for RB96	537.00

Kits & Accessories

AT436025	Boom Mounted Hose Guide Kit	102.00
BYT10477	Boom Mounted Hose Guide Kit	105.00

RR72 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1830 mm (72 in.)
Length: 780 mm (30.8 in.)

Grapple Opening: 1295 mm (51 in.)
Weight: 497 kg (1,095 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03A0T		RR72 ROOT RAKE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader*		5,574.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RR78 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1980 mm (78 in.)
Length: 780 mm (30.8 in.)

Grapple Opening: 1295 mm (51 in.)
Weight: 522 kg (1,150 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03B0T		RR78 ROOT RAKE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader*		6,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RR84 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 2135 mm (84 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 553 kg (1,220 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03C0T		RR84 ROOT RAKE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader*		6,378.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RC60B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8281T		RC60B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *316G-324G SS* *318E-324E SS*		6,465.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00
		Kits and Accessories		
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00

RC72B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8341T		RC72B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *318G-332G SS* *320E-332E SS* *317G-333G CTLs* *323E- 333E CTLs*		6,674.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00
		Kits and Accessories		
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00

RC78B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8351T		RC78B ROTARY CUTTER *Requires a demolition door (Code 5201 or 5203) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *317G-333G CTLs* *323E- 333E CTLs*		7,143.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		850.00
1001		LESS FRONT WHEEL KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00
		Kits and Accessories		
	AT442703	Front Wheel Kit		850.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		290.00
		REFERRAL ATTACHMENTS		
		G.R.Mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.*		

RC78B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT372953	Bottom Openings Cover Plates *For use on 326D, 328D, 329D, 332D, 333D*		350.00
	AT372945	Exhaust Hood Opening Seal		120.00
	AT372955	Front Work Lights and Rear Hood Light Guards		218.00
	AT388939	Lift Cylinder Hose Guards		420.00
	AT397455	Rear Deflectors with Bumper		1,962.00
		G.r.mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372949	Operator Rear Window / Side Window Guards *Required to meet ISO 8084 Forestry Applications* *Not recommended for use with Hazard Warning Lights*		640.00
	AT372950	Toe Guard and Door Upgrade Kit *Required to meet ISO 8084 Forestry Applications*		492.00
		Miscellaneous		
	AT432855	Auxillary Hydraulic Line Quick Coupler Guard		220.00
	AT432853	Bottom Opening Cover Plates		350.00
	AT432861	Exhaust Hood Opening Seal		120.00

RC78B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued...		
	AT432858	Rear Deflector and Bumper		1,962.00

RS72 EXTREME DUTY ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8342T		RS72 EXTREME DUTY ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs*		13,445.00
		CARBIDE TOOTH KIT		
1100		CARBIDE TOOTH KIT		424.00
1101		LESS CARBIDE TOOTH KIT		No Added Cost
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT456608	Carbide Tooth Kit		424.00
	AT456609	Replacement Blade Kit		723.00
	AT456636	Wear Plate Kit		121.00

RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left Making It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (68 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)

Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
52 in. (1.3m)
Overall Width:
62 in. (1.6m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7520T		RT52 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	5,658.00

RT66 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left and Center Position Make It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (60 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)
Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
66 in. (1.7m)
Overall Width:
76 in. (1.9m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7530T		RT66 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		6,212.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT340330	Scarifier Kit RT66 *Contains 5 teeth*		272.00

SA60 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9090T		SA60 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTLs*		5,510.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

SA72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9100T		SA72 SIDE DISCHARGE BUCKET *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs*		7,678.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

SD72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9110T		SD72 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007*		7,058.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

SD84 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9120T		SD84 SIDE DISCHARGE BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008*		9,602.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

AD11 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 7 ft.
Weight 910 lb. (413 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03F0T		AD11 SILAGE DEFACER *For use on the following models:* *320G-332G SS* *318E-332E SS* *325G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		6,048.00

AD7 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 11 ft.
Weight 1037 lb. (470 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03G0T		AD7 SILAGE DEFACER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		5,982.00

SB60B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9711T		SB60B Snow Blower *For:* *312G-318G SS* *317G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,485.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits and Accessories		
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB72B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9971T		SB72B Snow Blower *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,650.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

SB72B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
6980T		SB78B Snow Blower *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		8,162.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

SB78B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7090T		SB84B Snow Blower *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		8,269.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00

SB84B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB72H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9550T		SB72H Snow Blower - High Flow *For:* *318E-324E SS* *320G-324G SS* *323E CTL* *325G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,586.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *320G SS* *CT322 CTL* *323D CTL* *323E CTL* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-320 SS* *CT322 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-320D SS* *318E-320E SS* *320G SS* *323D CTL* *323E CTL* *325G CTL*		270.00
		DEALER-INSTALLED KITS		

SB72H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9570T		SB78H Snow Blower - High Flow *For:* *318E-328E SS* *320G-330G SS* *323E-333E CTLs* *325G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,789.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *320G-324G SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-328 SS* *CT322-CT332 CTLs*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-328D SS* *318E-328E SS* *316G-332G SS* *323D-333D CTLs* *323E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		

SB78H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9600T		SB84H Snow Blower - High Flow *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		13,786.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS* *329D-333D CTLs* *329E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00

SB84H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
		Kits & Accessories		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SP8C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9801T		SP8C SNOW PUSH *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,392.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP8C Pullback Kit.*		1,632.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
		Kits and Accessories		
	AT440274	SP8C Pullback Kit		1,717.00

SP10C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9371T		SP10C SNOW PUSH *For:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,801.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP10C Pullback Kit.*		1,938.00
1001		Less Pullback Kit		No Added Cost
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
		Kits and Accessories		
	AT440275	SP10C Pullback Kit		1,970.00

BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9610T		BL6B SNOW / UTILITY BLADE *For:* *312G-318G SS* *317G CTL*		3,328.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250744	6 ft. Blade Extension		See Parts
	T236767	6 ft. Non-Metallic Edge		See Parts

BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9620T		BL7B SNOW / UTILITY BLADE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,432.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250745	7 ft. Blade Extension		See Parts
	KV24031	7 ft. Non-Metallic Edge		See Parts

BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9630T		BL8B SNOW / UTILITY BLADE *For:* *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,536.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250746	8 ft. Blade Extension		See Parts
	KV24032	8 ft. Non-Metallic Edge		See Parts

BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9650T		BL9B SNOW / UTILITY BLADE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,202.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
		Kits and Accessories		
	T250747	9 ft. Blade Extension		See Parts
	KV24033	9 ft. Non-Metallic Edge		See Parts

BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9660T		BL10B SNOW / UTILITY BLADE *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,991.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
		Kits and Accessories		
	T250748	10 ft. Blade Extension		See Parts
	KV24034	10 ft. Non-Metallic Edge		See Parts

BV6 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BY0T		BV6 SNOW V BLADE *For:* *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,755.00

BV8 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BX0T		BV8 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,995.00

BV9 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BW0T		BV9 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		5,159.00

SS30 STUMP SHREDDER

Equipment for Base Machine

Features:
Remove stumps from 8 in. [200 mm] to 28 in. [710 mm] in one pass
Easily remove larger stumps with multiple bores
Low speed, high torque planetary drive shreds stumps with less debris
Bore up to 20 in. [510 mm] into the ground
Low operating costs with maintenance every 1000 stumps

Specifications:
Skid steer coupler attachment interface
1/2 in. hydraulic quick couplers
20-45 gpm [76 170 l/min] hydraulic flow range
30000 lb-ft. [40670 N m] maximum output torque
1300 lb. [590 kg] overall weight
30 in. [760 mm] cutting width
47 in. [1200 mm] overall width
0.75 in. [19 mm] thick AR500 steel auger blade

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, IA

07C1T		SS30 STUMP SHREDDER *For use on the following models:* *SSL: 320G - 332G* *CTL: 325G - 333G* *Requires machine equipped with cab door* *Recommend machine equipped with high flow hydraulics* *Rear counterweight may improve machine stability while operating*	21,366.00

THREE-POINT HITCH ADAPTER

Equipment for Base Machine

Hookup and quickly move tractor implements
Category 1&2 Hitch Rating

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
02C0T		THREE-POINT HITCH ADAPTER		928.00

10 IN. STEEL TRACKS

Equipment for Base Machine

.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9020T		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *318E-320E SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	KV22839	Strap		See Parts

10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0023KV		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*		1,378.00
	KV22838	Binder		See Parts
	AT340611	Boom Stop Kit (Required for 313-315)		154.00
	KV22839	Strap		See Parts

12 IN. STEEL TRACKS / 320 & 324E

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0024KV		12 IN. STEEL TRACKS / 320 & 324E *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*		3,434.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	KV22839	Strap		See Parts

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0025KV		12 IN. STEEL TRACKS / 325-328 & 326D-328D *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	KV22839	Strap		See Parts

14 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0026KV		14 IN. STEEL TRACKS *For the following units with 14 in. Heavy Duty Tires:* *328D and 328E (No kits required).* *328 Skid Steer Loaders (Requires track guard kit KV17333).* *332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,545.00
		DEALER-INSTALLED KITS		
	AT351259	**Kits & Accessories** Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	AT320928	**Kits & Accessories** 2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	KV22838	Binder		See Parts
	KV22839	Strap		See Parts

14 IN. STEEL TRACKS (330G & 332G)

Equipment for Base Machine

Improves Skid Steer traction
Reduces ground pressure
Adds counterbalance weight
Track pitch: 10 in. (254 mm)
Total number of pads: 42

Track weight: 1,066 lb. (484 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9021T		14 IN. STEEL TRACKS (330G & 332G) *For the following units with 14 in. Heavy Duty Tires:* *330G and 332G (No kits required).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,683.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
		Kits & Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	KV22838	Binder		See Parts
	KV22839	Strap		See Parts

TR36B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0011KV		TR36B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,490.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *36" x 6*		920.00
2002		Wide Standard Cup Every Station *36" x 8"*		954.00
2003		36" x 10" Wide Standard Cup Every Station		1,177.00
2004		36" x 12" Wide Standard Cup Every Station		1,352.00
2005		Wide 70/30 Combo Shark Tooth *36" x 6"*		1,225.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT347421	36 in. x 10 in. Wide Standard Cup Every Station		980.00
	AT347422	36 in. x 12 in. Wide Standard Cup Every Station		1,113.00
	AT347423	36 in. x 6 in. Wide 70/30 Combo Shark Tooth		967.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT347419	36 in. x 6 in. Wide Standard Cup Every Station		744.00
	AT347420	36 in. x 8 in. Wide Standard Cup Every Station		806.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00

TR48B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0012KV		TR48B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,543.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR48B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *48" x 6"*		1,114.00
2002		Wide Standard Cup Every Station *48" x 8"*		1,235.00
2005		Wide 70/30 Combo Shark Tooth *48" x 6"*		1,394.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Kits & Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347426	48 in. x 6 in. Wide Combo Shark Tooth		1,155.00
	AT347424	48 in. x 6 in. Wide Standard Cup Every Station		867.00
	AT347425	48 in. x 8 in. Wide Standard Cup Every Station		942.00

TR48B TRENCHER

Continued

TR60B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 27 to 44 gpm
- 2000 to 3300 psi

Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0013KV		TR60B TRENCHER *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,666.00
		MOTOR KITS		
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *60" x 6"*		1,300.00
2005		Wide 70/30 Combo Shark Tooth *60" x 6"*		1,775.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

TR60B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Kits & Accessories		
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347428	60 in. x 6 in. Wide 70/30 Combo Shark Tooth		1,356.00
	AT347427	60 in. x 6 in. Wide Standard Cup Every Station		1,038.00

VR66C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

```
Performance:
 Powered by Standard                Drum Diameter 24 in.
 Auxiliary                           (61.0 cm)
Hydraulics
 Drum Oscillation of +/- 15         Quik-Tatch Mounting with
 Degrees                             1/2 in. Couplers and Hoses
 66 in. (1.7 m) Smooth Drum
 7800 lbf (3538 kg)                 NOTE: Rear Ballast is
 Dynamic Force                      Required on the 317 & 320.
 2600 vpm @ 20 gpm                  Rear Ballast May Enhance
 Frequency                          Stability on Other Models.
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7760T		VR66C SMOOTH VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,033.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR73C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Smooth Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency
Drum Diameter - 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses
NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7770T		VR73C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*	10,461.00

DEALER-INSTALLED KITS

Kits & Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

VR84C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
84 in. (2.1 m) Smooth Drum
9,370 lbf (4250 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter - 24 in. (61.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7780T		VR84C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		10,925.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR66C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Padded Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7790T		VR66C PADDED VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		10,715.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Padded Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7800T		VR73C PADDED VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		11,156.00
		DEALER-INSTALLED KITS		
		Kits & Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

STATE OF MICHIGAN
ENTERPRISE PROCUREMENT

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913
P.O. BOX 30026 LANSING, MICHIGAN 48909

CONTRACT CHANGE NOTICE

Change Notice Number **1**

to

Contract Number **071B7700093**

CONTRACTOR	
	John Deere Construction Retail Sales
	1515 Fifth Avenue
	Moline, IL 61265
	Jayne Osborne
	309-765-1996
	osbornejaynem@johndeere.com
	CV0130122

STATE			
	Program Manager	Scott Poyer	SW
		517-284-6448	
		poyers@Michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		(517) 249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY

SKID STEER PURCHASE

INITIAL EFFECTIVE DATE	INITIAL EXPIRATION DATE	INITIAL AVAILABLE OPTIONS	EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW
January 13, 2017	January 12, 2021	2 - 1 Year	January 12, 2021

PAYMENT TERMS	DELIVERY TIMEFRAME

ALTERNATE PAYMENT OPTIONS			EXTENDED PURCHASING	
☐ P-Card	☐ Direct Voucher (DV)	☐ Other	☒ Yes	☐ No

MINIMUM DELIVERY REQUIREMENTS

DESCRIPTION OF CHANGE NOTICE

OPTION	LENGTH OF OPTION	EXTENSION	LENGTH OF EXTENSION	REVISED EXP. DATE
☐		☐		January 12, 2021

CURRENT VALUE	VALUE OF CHANGE NOTICE	ESTIMATED AGGREGATE CONTRACT VALUE
$750,000.00	$0.00	$750,000.00

DESCRIPTION

Effective 3/29/2018 pricing and equipment on this contract is hereby updated, per revised Schedule E1 - Pricing, Schedule E2 - Pricing Sheets, and Schedule E3 - Worksite PRO Attachments Pricing (attached). All other terms, conditions, specifications and pricing remain the same. Per contractor request, and DTMB Procurement approval.

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE

Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 62,310.00	$ 125.00	$4/Loaded Mile $50 Minimum
	NON - AWARDED SPECIFICATIONS FOR PURCHASE				
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324E	Skid Steer Loader	$ 38,075.00	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 31,074.00	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Delivery: Per mile from Contractor's nearest dealer location
1	John Deere 333G Compact Track Loader	Compact Track Loader	$76,731.00	33%	$51,409.77	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G Compact Track Loader	Compact Track Loader	$72,011.00	33%	$48,247.37	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 325G Compact Track Loader	Compact Track Loader	$58,829.00	33%	$39,415.43	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G Compact Track Loader	Compact Track Loader	$52,000.00	33%	$34,840.00	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
5	John Deere 312GR Skid Steer Loader	Skid Steer Loader	$32,204.00	33%	$21,576.68	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
6	John Deere 314G Skid Steer Loader	Skid Steer Loader	$33,553.00	33%	$22,480.51	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$36,275.00	33%	$24,304.25	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$37,717.00	33%	$25,270.39	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 320G Skid Steer Loader	Skid Steer Loader	$39,070.00	33%	$26,176.90	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 324G Skid Steer Loader	Skid Steer Loader	$42,143.00	33%	$28,235.81	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$54,170.00	33%	$36,293.90	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$56,010.00	33%	$37,526.70	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum

JOHN DEERE

Current Date 13Mar2018

333G COMPACT TRACK LOADER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
333G COMPACT TRACK LOADER	0BF0T	$76,731.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($255.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,108.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)

* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,468.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,875.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and	5205	$6,672.00

Severe Duty Door

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 25 gpm	3000	In Base Price
High Flow Hydraulics Pump Flow = 41 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

TRACK

Description	Code	Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	$200.00
Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 78.9 inch CTL width.	2505	($257.00)
Wide Offset Block Lug Rubber Tracks - 17.7 in.	2605	In Base Price

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	In Base Price

Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price

Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00

84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	9410	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,434.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
See Attachments for Multi-Purpose Buckets		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,434.00
Buckets		

78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00

Cutting Edges

78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price

Kits and Accessories

Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features:	BYT10454	$593.00

Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

REFERRAL ATTACHMENTS

Description	Code	Price

G.R. Mfg.

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Bucket Cylinder Rod Guard	BYT10913	$376.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 13Mar2018

331G COMPACT TRACK LOADER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
331G COMPACT TRACK LOADER	0BE0T	$72,011.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($283.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,136.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)

* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,496.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,579.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
90 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and	5205	$6,672.00

Severe Duty Door

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
4-Way Switchable Controls and EH Joystick Performance Package Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick Control, or ISO & Foot Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 36.5 gpm		
Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

TRACK

Description	Code	Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	$477.00
Narrow Offset Block Lug Rubber Tracks - 15.8 in.	2505	In Base Price
Gives 78.9 inch CTL width.		
Wide Offset Block Lug Rubber Tracks - 17.7 in.	2605	$277.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine		
French Operator's Manual & Decals	1510	No Charge
For use with FT4 Engine		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine		
English Operator's Manual & No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		
French Operator's Manual & No Text Decals	1512	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		

Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price

Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

BUCKETS

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00

84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
See Attachments for Multi-Purpose Buckets		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00

78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00

Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$346.00

Bucket Cylinder Rod Guard	BYT10913	$376.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Screens, Sides and Rear	BYT10944	$710.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 19Mar2018

317G COMPACT TRACK LOADER

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system

Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)
Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.99 m (78.5 in)
Height to hinge pin - 3.07 m (121 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
317G COMPACT TRACK LOADER	06L0T	$52,000.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price

will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader Includes standard equipment	0800	In Base Price
Rental Package EH with ISO Package Includes: E-H (ISO Pattern) Joystick Controls (0950) Single-Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 12.6 in Tracks (2510) Standard Hydraulics (3000) 2-Inch Seat Belt (4000) Manual Quik-Tatch (5000) Canopy - ROPS / FOPS (5200) Seat (Vinyl) (6000)	0875	($215.00)
Utility Package with E-H (ISO or H Pattern) Switchable with Performance Package Package Includes: E-H (ISO or H Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt (4002) Power Quik-Tatch (5001) Canopy - ROPS / FOPS (5200) Vinyl, Air-Ride Seat (6003) Keyless Start (Sealed Switch Module) (8395) Deluxe Lighting Package (8515)	0880	($841.00)
Cab with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package Package Includes: E-H (ISO or H-Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt with Shoulder Harness (4003) Power Quik-Tatch (5001) Cab Enclosure with Air Conditioning, Heat and Defrost (5204) Air Suspension Seat (Cloth with Heat) (6006) Chrome Exhaust (8225) Radio, AM/FM with Aux Input (8340) Foot Rest with Floormat (8380) Keyless Start (Sealed Switch Module) (8395) Deluxe Lighting Package (8515)	0885	($1,419.00)

ENGINE

Description	Code	Price
Engine - Turbocharged Option for the United States, Canada, or regions that use ultra low sulfur	1301	$1,304.00

fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW)

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200).

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm	3004	$1,250.00

TRACK

Description	Code	Price
Narrow 12.6 in (320mm) Tracks - 65 in Narrow Machine Stance	2500	No Charge
12.6 in (320mm) Tracks - 68 in Wide Machine Stance	2510	In Base Price
Narrow Zig-Zag Bar Track - 12.6 in. Gives 65 in. CTL width.	2550	$200.00
Wide Zig-Zag Bar Track - 12.6 in. Gives 68 in. CTL width.	2570	$200.00
Wide 15.7 in (400mm) Tracks - 71 in Wide Machine Stance	2600	$1,430.00
Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks	2645	$1,630.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	$724.00

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00
For use with enclosed cab only: codes 5204 & 5205		

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00
Includes: programmable machine security code system		

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

Includes 2 additional side lights and LED light bulbs for all exterior machine lights.

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,400.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	$1,300.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.

Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	ETN197323	$1,400.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
Kits and Accessories		
12 Volt Demonstration Kit	KV21995	$314.00
3-pin connector		

2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door	AT446612	$3,076.00

Includes windshield wiper.
2- or 3-inch Seat Belt with Shoulder Harness required.

Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00

Miscellaneous

66 in. Bolt-On Cutting Edge	U16748	View Price
Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)		
72 in. Bolt-On Cutting Edge	T32742	View Price
Requires additional hardware; see Parts.		

Tooth Bars

66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

312GR SKID STEER

312GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar

In-cab boom lockout system

Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature

Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 704 kg (1550 lb)
Tipping load - 1407 kg (3100 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2392 kg (5273 lb)
Boom Breakout force - 2163 kg (4768 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (115.1 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
312GR SKID STEER	0AP0T	$32,204.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($308.00)

with Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab	0885	($806.00)

with Heat / Defrost & Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.	2040	$1,826.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.	2041	$1,976.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.	2400	$3,600.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00

66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00

66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$743.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$743.00

Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00

Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

314G SKID STEER

314G SKID STEER
Vertical Lift Boom Path

Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 799 kg (1760 lb)
Tipping load - 1598 kg (3520 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2323 kg (5117 lb)
Boom Breakout force - 2176 kg (4793 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 3.05 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
314G SKID STEER	06J0T	$33,553.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($308.00)

with Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab	0885	($806.00)

with Heat / Defrost & Foot Controls
Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.	2040	$1,826.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.	2041	$1,976.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.	2400	$3,600.00

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00

66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00

66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$743.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$743.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	$371.00

For 63 In. machine width		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$396.00
For 60 In. machine width		
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 19Mar2018

316GR SKID STEER

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
316GR SKID STEER	06G0T	$36,275.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($1,023.00)

with E-H (ISO Pattern) Joysticks
Package Includes:
E-H (ISO) Joystick Controls (0950)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

Cab	0885	($1,640.00)

with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package
Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L

4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm.	3004	$1,250.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00

66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00

66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
Cutting Edges		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 316GR & 318G) with Manual Foot controls (0900) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10004	$743.00
Attachment Control For G series (models 316GR & 318G) with Manual Hand controls (0925) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10006	$743.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00

Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00

Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 19Mar2018

318G SKID STEER

318G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator

Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure

Quick Specs:
Rated Operating Capacity - 883 kg (1945 lb)
Tipping load - 1771 kg (3900 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)

Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
318G SKID STEER	0B70T	$37,717.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package	0880	($1,023.00)

with E-H (ISO Pattern) Joysticks
Package Includes:
E-H (ISO) Joystick Controls (0950)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

Cab	0885	($1,640.00)

with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package
Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.1L

4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW).

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package Includes: Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes) Creeper Mode Boom and Bucket Speed Settings (Production, Utility, Precision modes)	0985	$3,067.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm.	3004	$1,250.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

Optional - *Select as desired*

PACKAGES

Description	Code	Price
E-H Attachment Performance Package	8400	$296.00
Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.		
Deluxe Lighting Package	8515	$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$75.00

MIRRORS

Description	Code	Price

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	$540.00

For use with enclosed cab only: codes 5204 & 5205

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

COUNTERWEIGHT

Description	Code	Price
Rear Counterweight, 2 100LBS	8131	$375.00

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00

66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,400.00

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	$343.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00

60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	ETN197344	$1,300.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	ETN197323	$1,400.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
Cutting Edges		
60 in. Bolt-On Cutting Edge	KV17819	View Price
Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)		
Kits and Accessories		

12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$476.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 316GR & 318G) with Manual Foot controls (0900) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10004	$743.00
Attachment Control For G series (models 316GR & 318G) with Manual Hand controls (0925) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10006	$743.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$735.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	BYT10477	$105.00
Boom Mounted Mirrors	BYT10168	$75.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$900.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00

Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$36.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$52.00
Hazard Warning Lights	AT446202	$127.00
Radio Field Kit	BYT10069	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$77.00
SSM with Anti-Theft	AT459848	$710.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	BYT10800	$710.00
Vinyl Cab Enclosure	AT459416	$357.00
Warning Beacon	AT446201	$216.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only)		

10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Rear Bumper Guard	BYT10500	$722.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 12Mar2018

320G SKID STEER

320G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 4,200 lbs. (1.907 kg)
Boom Breakout Force 3,500 lbs. (1,589 kg)
Width without Attachment 69.2 in. (1.76 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 78.8 in. (2.00 m)
Height to Hinge Pin 121.5 in. (3.09 m)
Machine Operating Weight 7,150 lbs. (3,246 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Operator Selectable LCD Digital Readout:	Performance Characteristics:	John Deere patented Quik-Tatch system (no grease required)
Hourmeter	Gross Horsepower 69 Hp (51,7 Kw)	
Engine RPM	Rated Operating Capacity 2,190 lbs. (994 kg)	Warranty:
Battery Voltage	Tipping Load 4,380 lbs. (1,989 kg)	John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours
Engine Coolant Temp.	Hydraulic Pump Flow 20 gpm (76 L/m)	
Hydraulic Oil Temp.		
Job Clock		
Service Codes		

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
320G SKID STEER	00B0T	$39,070.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package with Foot Controls	0846	($215.00)

Package includes:
Foot Controls (0900)
Single-Speed (1025)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Deluxe Package	0861	($861.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,853.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,392.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

IT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,825.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
10x16.5 10 PR Galaxy "Beefy Baby III" HD (2040)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
66 in. Construction Bucket (16.2 cu. ft.) with Edge (9032)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE - NATURALLY ASPIRATED	1305	$1,475.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
4 Cylinder Naturally Aspirated
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$3,600.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$575.00

Pump Flow = 21 gpm		
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 21 gpm.	3004	$1,250.00
High Flow Hydraulics Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00
HIGH FLOW HYDRAULICS, HYDRAULIC SELF-LEVELING, AND RIDE CONTROL Pump Flow = 30gpm Includes 1/2 in Auxiliary coupler sizes.	3005	$3,058.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Charge
Spanish Operator's Manual and Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price

Includes 2 front halogen work headlights and rear work light.

Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
Gives 62.4 in. Skid Steer width at narrow setting. Gives 68.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
Gives 67.4 in. Skid Steer width at wide setting. Not Compatible with Tracks.		
12x16.5 10 PR SKS Extra-Wall	2310	$1,644.00
Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
12x16.5 10 PR Titan HD2000-III	2070	$2,147.00
Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price

Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)	8305	$349.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)	8310	$349.00

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille Provides protection to cooling package.	8370	$486.00

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca Not for use with Cold Start Package (8050).	8045	$55.00

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00

66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,370.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,565.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	9036	$1,300.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,400.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00

78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
Buckets		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	$1,370.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH	BYT10853	$1,600.00

SERRATED EDGE		
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) or 320G, 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.	AT427985	$728.00
Attachment Control Kit For E series (models 318, 319, 320, 323, 324 and 326) or 320G, 324G, 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Cold Start Package Includes Hydraulic Bypass.	AT432105	$355.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module)	AT427988	$593.00

is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit For use with FT4 Naturally Aspirated Engine (Order code 1305)	AT425360	$457.00
Engine Air Pre-Cleaner Kit For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310	AT425361	$457.00
Field Kit, Reversing Fan Kit is compatible with medium frame models (320E, 324E, 323E, 320G, 324G, 325G). For S/N 269401 and below.	AT413072	$964.00
Field Kit, Reversing Fan Kit is compatible with E series models (320E, 323E, 324E, 328E, 329E, 332E, 333E) and 320G, 324G, 325G.	AT448244	$834.00
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille Provides protection to cooling package	AT398389	$593.00
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn For use with Foot Controls (0900) or Hand Controls (0925)	AT348484	$152.00
Horn For use with EH Controls (0950) or (0975)	AT339797	$115.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$325.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications.	AT417602	$3,107.00

Use for D and E Series Models. Also 320G. S/N 269401 and below.		
Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.	AT446334	$3,076.00
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit S/N 269401 and below.	AT425132	$1,030.00
Standard Door, Field Kit S/N 269402 and above.	AT446335	$1,030.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	$396.00

For 60 In. machine width		
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit	AT372950	$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 12Mar2018

324G SKID STEER

324G SKID STEER
Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 80 HD heavy duty chain, continuous loop
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 74 Hp
Travel Speed-Low 6.9 mph (11.1 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,500 lbs. (2,497 kg)
Width without Attachment 70.1 in. (1.78 m)
Length without Attachment 112 in. 2.85 m)
Height to Top of ROPS 79.4 in. (2.02 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-Tatch system (no grease

Hourmeter	(54.8 Kw)	required)
Engine RPM	Rated Operating Capacity	
Battery Voltage	2,690 lbs. (1,221 kg)	Warranty:
Engine Coolant Temp.	Tipping Load 5,380 lbs.	John Deere 1st Year full
Hydraulic Oil Temp.	(2,443 kg)	machine/Unlimited hours
Job Clock	Hydraulic Pump Flow 21 gpm	w/2nd year of Powertrain
Service Codes	(79 L/m)	plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
324G SKID STEER	00C0T	$42,143.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package with Foot Controls	0846	($215.00)

Package includes:
Foot Controls (0900)
Single-Speed (1025)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Deluxe Package	0861	($861.00)

CANOPY PACKAGE WITH 2 SPEED AND E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)

Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

DELUXE CAB PACKAGE WITH AC, HEAT, DEFROST, E-H (ISO OR H PATTERN SWITCHABLE), AND PERFORMANCE PACKAGE	0871	($1,853.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Package	0867	($1,392.00)

CAB PACKAGE WITH AC, HEAT/DEFROST WITH E-H (ISO PATTERN) JOYSTICKS
Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4003)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5204)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

IT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,956.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
72 in. Construction Bucket (17.8 cu. ft.) with Edge (9041)

IT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P	0889	($2,220.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
12x16.5 10 PR Titan HD2000-III (2070)
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
72 in. Construction Bucket (17.8 cu. ft.) with Edge (9041)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price

Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door Polycarbonate Front Door w/ Wiper and Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5205	$6,672.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$3,600.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 21 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 21 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 21 gpm.	3004	$1,250.00
High Flow Hydraulics Pump Flow = 32gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00
HIGH FLOW HYDRAULICS, HYDRAULIC SELF-LEVELING, AND RIDE CONTROL Pump Flow = 32gpm Includes 1/2 in Auxiliary coupler sizes.	3005	$3,058.00

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual and No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
French Operator's Manual and No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1512	No Charge
Spanish Operator's Manual and Decals	1515	No Charge

For use with FT4 Engine.

Spanish Operator's Manual and No Text Decals	1516	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals for Canada	1511	No Charge
Canada only. For use with IT4/Stage IIIB Engine.		

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
Heavy Duty. For use primarily in dirt applications. Gives 62.9 in. Skid Steer width at narrow setting. Gives 69.0 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
Gives 62.4 in. Skid Steer width at narrow setting. Gives 68.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
Gives 67.4 in. Skid Steer width at wide setting. Not Compatible with Tracks.		
12x16.5 10 PR SKS Extra-Wall	2310	$1,644.00
Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
	2070	$2,147.00

12x16.5 10 PR Titan HD2000-III Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		
12x16.5 Treaded Brawler SolidFlex Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks	2410	$4,300.00
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170A	$1,200.00
Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$303.00

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	$1,170.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	9125	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	9127	$1,370.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	$1,565.00
	9036	$1,300.00

66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	9322	$1,400.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
Buckets		
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	$1,300.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
	BYT10854	$1,400.00

72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	$1,370.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For E series (models 318, 319, 320, 323, 324 and 326) or 320G, 324G, 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
	AT436025	$102.00

Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		
Boom Mounted Mirrors	BYT10168	$75.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	AT427988	$593.00
Engine Air Pre-Cleaner Kit For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310	AT425361	$457.00
Field Kit, Reversing Fan Kit is compatible with E series models (320E, 323E, 324E, 328E, 329E, 332E, 333E) and 320G, 324G, 325G.	AT448244	$834.00
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille Provides protection to cooling package	AT398389	$593.00
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn For use with Foot Controls (0900) or Hand Controls (0925)	AT348484	$152.00
Horn For use with EH Controls (0950) or (0975)	AT339797	$115.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$325.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00

Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.	AT446334	$3,076.00
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit S/N 269402 and above.	AT446335	$1,030.00
Miscellaneous		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
Wheels and Tires, Single (Left Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels and Tires, Single (Right Hand Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 60 In. machine width	AT466913	$396.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00

12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit	AT372950	$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 12Mar2018

330G SKID STEER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
330G SKID STEER	0BC0T	$54,170.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)

* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,847.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
91.2 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

4-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 23.5 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 36.5 gpm. Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,250.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	In Base Price

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Charge
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Charge
For use with FT4 Engine.		

QUIK-TATCH

Description	Code	Price

Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR SKS Extra-Wall	2310	$1,644.00
Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
12x16.5 10 PR Titan HD2000-III	2070	$2,147.00
Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		
14x17.5 14 PR Titan HD2000-II	2320	$3,362.00
No narrow setting possible Not compatible with Steel Tracks.		
14x17.5 12 PR SKS Extra-Wall	2330	$2,887.00
For use primarily in dirt applications. No narrow setting possible.		
14x17.5 Treaded Brawler SolidFlex	2420	$5,700.00
Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.		
14x17.5 14 PR Galaxy Hulk	2450	$3,865.00
Not compatible with Steel Tracks.		
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

JDLINK

Description	Code	Price
	170A	$1,200.00

JDLink Ultimate Cellular - 3 Years

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).
For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price

Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00

84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00

84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	BYT10356	$834.00

Kit is compatible with G series models (331G, 333G, 330G & 332G).		
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only)		

14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only)		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10913	$376.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00

Screens, Sides and Rear	BYT10944	$710.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 12Mar2018

332G SKID STEER

No Base Equipment
Description

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
332G SKID STEER	0BD0T	$56,010.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* 14x17.5 14 PR Titan HD2000-II (2320)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 2 in. Seat Belt (4000)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)

* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)
* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* 14x17.5 14 PR Galaxy Hulk (2450)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,045.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

4-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULICS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 25 gpm		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 41gpm Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$1,250.00
And Hydraulic Self-Level Up.		
Less Ride Control	3101	In Base Price

OPERATOR'S MANUAL AND DECALS

SECURE EXTENDED WARRANTY Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Charge
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Charge
For use with FT4 Engine.		

QUIK-TATCH

Description	Code	Price

Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II	2320	$3,362.00
Gives 78.5 in. Skid Steer width at wide setting Not compatible with Steel Tracks.		
14x17.5 12 PR SKS Extra-Wall	2330	$2,887.00
For use primarily in dirt applications. No narrow setting possible.		
14x17.5 Treaded Brawler SolidFlex	2420	$5,700.00
Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.		
14x17.5 14 PR Galaxy Hulk	2450	$3,865.00
Not compatible with Steel Tracks.		

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years	170A	$1,200.00

Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms

and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).
For use with E-H (ISO Pattern) Joystick Controls (0950).

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

BUCKETS

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)	9410	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	9415	$2,434.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	$1,600.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	$1,900.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	$2,500.00

RUST PROTECTION

Description	Code	Price

Rust Preventative	9909	$160.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	$2,500.00
90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	AT455408	$2,500.00
90 in. SD Tooth Bucket (22.4 cu. ft.)	AT450326	$2,434.00
Buckets		
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
84" HD CONSTRUCTION BUCKET (21.0 CU. FT.) WITH SERRATED EDGE	BYT10849	$1,900.00
Cutting Edges		
78 in. Bolt-On Cutting Edge	KV12758	View Price
Requires additional hardware; see Parts.		
	KV12471	View Price

84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.		
Kits and Accessories		
Attachment Control Joystick handles fully populated with all buttons. 3 and 14 Pin electrical attachment control harness. Dash mounted 4th function Rocker Switch.	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Battery Disconnect Field Kit Quick release battery power disconnect for long term machine storage.	BYT10056	$125.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	BYT10041	$900.00
EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	BYT10454	$593.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan Kit is compatible with G series models (331G, 333G, 330G & 332G).	BYT10356	$834.00
Foot Throttle Removal Kit	AT410246	$52.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00

High Spring Effort Joysticks	AT433683	$766.00
JDLink Hardware Kit	BYT10060	$100.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications. Severe Duty Door Hardware kit is also needed.	AT438266	$3,076.00
Severe Duty Door Hardware Kit	BYT10085	$170.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only)		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00

14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg. G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bucket Cylinder Rod Guard	BYT10913	$376.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	$280.00
Guard, Cab Roof Debris	BYT10263	$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	$320.00
Guard, Front Single and Dual Rear Worklights	BYT10259	$218.00
Guard, Rear Bumper	BYT10261	$1,402.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	AT445276	$602.00
Rear Winch Kit	BYT10912	$10,630.00
Rear Window/Side Window Cab Guards	BYT10258	$680.00
Severe Duty Forestry Package Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.	BYT10264	$4,420.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 13Mar2018

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage:
1-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery 750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system

Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe

Gauges and Instruments:
Key start ignition & electronic rotary throttle
Fuel Gauge
Engine Coolant Temperature

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)
Tipping Load 7,400 lbs. (3,357 kg)

Seating
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)

Warranty:
John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
325G COMPACT TRACK LOADER	00D0T	$58,829.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS	0846	($20.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics (3000)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks	0861	($596.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)

No JDLink (1741)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Standard Lighting Package (5500)
Vinyl, Air-Ride Seat (6003)
Standard Fan Drive (6500)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0871	($1,587.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Wide Zig-Zag Bar Track - 15.8 in. (2645)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks	0867	($1,001.00)

Package includes:
E-H (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Standard Lighting Package (5500)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Radio, AM/FM with Bluetooth (8342)
Keyless Start (Sealed Switch Module) (8395)

IT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package	0888	($1,558.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Standard Fan Drive (6500)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

IT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P	0889	($1,822.00)

Package includes:
ISO-H Switchable Controls and EH Joystick Performance Package (0953)
Two-Speed (1050)
Turbocharged Engine (1310)
English Operator's Manual & Decals for Canada (1502)
No JDLink (1741)
Narrow Zig-Zag Bar Track - 12.6 in. (2550)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
Deluxe Lighting Package (5550)
Air Suspension Seat (Cloth with Heat) (6006)
Reversing Fan Drive (6501)
Rear View Camera (8042)
Cold Start Package (8050)
Chrome Exhaust (8225)
Radio, AM/FM with Bluetooth (8342)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,678.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

CANOPY OR CAB

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Cab Enclosure with Air-Conditioning, Heat and Defrost Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).	5204	$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)	5205	$6,672.00

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00

SEAT BELT

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00

TRANSMISSION

Description	Code	Price
SINGLE-SPEED	1025	In Base Price

TWO-SPEED	1050	$2,033.00

HYDRAULICS

Description	Code	Price
Standard Hydraulics Pump Flow = 19 gpm	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Pump Flow = 19 gpm	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Pump Flow = 19 gpm	3004	$1,250.00
High Flow Hydraulics Pump Flow = 27 gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00
High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	$3,058.00

TRACK

Description	Code	Price
Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 71.5 in. CTL width.	2500	In Base Price
Narrow Zig-Zag Bar Track - 12.6 in. Gives 71.5 in. CTL width.	2550	$200.00
Wide Gives 74.7 in. CTL width.	2600	$1,430.00
Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks Gives 74.7 in. CTL width.	2645	$1,630.00

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
Spanish Operator's Manual & Decals	1515	No Charge

For use with FT4 Engine

English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

LIGHTING

Description	Code	Price
Standard Lighting Package Includes 2 front halogen work headlights and rear work light.	5500	In Base Price
Deluxe Lighting Package Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.	5550	$900.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

JDLINK

Description	Code	Price
JDLink Ultimate Cellular - 3 Years Includes JDLink hardware: 4G LTE modular telematics gateway (MTG) with Wi-Fi data transfer and Bluetooth circuitry, JDLink Ultimate activation, integrated cab wiring harness and antenna. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes a 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	170A	$1,200.00
Less JDLink	1741	No Charge

Optional - *Select as desired*

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	$303.00

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics

EXHAUST

Description	Code	Price
Chrome Exhaust	8225	$328.00

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	$455.00

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	$600.00

MIRRORS

Description	Code	Price
Mirror (mount on boom)	8355	$87.00

FLOOR MAT

Description	Code	Price
Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

KEYLESS START

Description	Code	Price
Keyless Start (Sealed Switch Module)	8395	$399.00

Includes: programmable machine security code system

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	$850.00

Includes 5" LCD monitor.

COUNTERWEIGHT

Description	Code	Price
Counterweight, Stackable (Single Set)	8300	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

EXPORT CODES

Description	Code	Price

BATTERIES

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00

Not for use with Cold Start Package (8050).

WARNING LIGHTS

Description	Code	Price
Hazard Warning Lights	8075	$159.00

GRILLE

Description	Code	Price
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

BUCKETS

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	$1,120.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	$1,370.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	$1,400.00

78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	$1,290.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	$1,565.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	$1,600.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
Buckets		
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	$1,400.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	$1,120.00
72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	$1,370.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	$1,600.00

78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
Kits and Accessories		
12 Volt Demonstration Kit 3-pin connector	KV21995	$314.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) and 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.	AT427985	$728.00
Attachment Control Kit For E series (models 318, 319, 320, 323, 324 and 326) and 325G with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	AT436025	$102.00
Cold Start Package	AT432105	$355.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H	AT427988	$593.00

Selectable propel aggressiveness
Creeper Mode
Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425361	$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Field Kit, Reversing Fan	AT413072	$964.00
Kit is compatible with medium frame models (320E, 324E, 323E, 320G, 324G, 325G). For S/N 269401 and below.		
Field Kit, Reversing Fan	AT448244	$834.00
Kit is compatible with E series models (320E, 323E, 324E, 328E, 329E, 332E, 333E) and 320G, 324G, 325G.		
Foot Throttle Removal Kit	AT374642	$52.00
HD Rear Grille	AT398389	$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn	AT348484	$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	$152.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio Field Kit	BYT10062	$510.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door	AT417602	$3,107.00
Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models. S/N 269401 and below.		
Severe Duty Door	AT446334	$3,076.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		

S/N 269402 and above.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit	AT425132	$1,030.00
S/N 269401 and below.		
Standard Door, Field Kit	AT446335	$1,030.00
S/N 269402 and above.		
Miscellaneous		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars		
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Bottom Covers & Reinforcement Plates	BYT10945	$346.00
Bucket Cylinder Rod Guard	BYT10947	$376.00
Bumper, Rear w/o Deflectors	BYT10943	$1,356.00
Lift Cylinder Hose Guards	BYT10948	$380.00
Light Guard Kit	BYT10946	$248.00
Protection Package	BYT10942	$4,414.00
Screens, Sides and Rear	BYT10944	$710.00
Toe Guard and Door Upgrade Kit	AT372950	$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

AF60 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9290T		AF60 AG FORKS *For use on the following models:* *312-318G SS* *313-315 SS* *CT315*		1,111.00

AF66 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9360T		AF66 AG FORKS *For use on the following models:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL*		1,263.00

AF72 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9330T		AF72 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT315, CT322 CTLs* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,400.00

AF78 AG FORKS

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9340T		AF78 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,550.00

AT14 Angle-Tatch

Equipment for Base Machine

The Angle-Tatch attaches to the Quik-Tatch coupler and allows attachments to tilt up to 14 degrees to the left and right of level. The Angle-Tatch allows buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling.
Overall Width cm/(in) 118.87 (46.8)
Overall Height cm/(in) 46.99 (18.5)
Overall Depth cm/(in) 10.67 (4.2)
Cylinder Bore cm/(in) 6.35 (2.5)
Rod Diameter cm/(in) 3.30 (1.3)
Title Angle (degree) 14
Lift Capacity kg/(lb.) 1905.08 (4,200)
Weight kg/(lb.) 191.41 (422)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03D0T		AT14 Angle-Tatch *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		3,160.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

PA15B PLANETARY DRIVE AUGER

Equipment for Base Machine

```
Planetary Drive:                    Forged Alloy Steel
 Heavy Duty, All Gear Design        Heat-Treated Bolt-On Teeth
 Sealed Drive Unit                  Reinforced Boring Head
 Reverse Rotation Feature

Auger Bits:
 Double-Wrap Flighting
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03V1T		PA15B PLANETARY DRIVE AUGER *For use on the following models:* *312G-314G SS* *17-27 CE*		2,165.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1006		PA15B PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		405.00
1007		PA15B PLANETARY AUGER FOR COMPACT EXCAVATOR *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included*		In Base Price
		INTERFACE ADAPTERS		
9800		Interface Adapter for 17 ZTS		390.00
9801		Interface Adapter for 27-35 CE and 110 TLB		390.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		245.00
9001		6 in. Heavy Duty Bit		269.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		414.00
9004		10 in. Heavy Duty Bit		435.00
9005		12 in. Heavy Duty Bit		446.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9006		15 in. Heavy Duty Bit		582.00
9007		18 in. Heavy Duty Bit		728.00
9008		24 in. Heavy Duty Bit		880.00
9011		18 in. Tree and Shrub Bit		671.00
9012		24 in. Tree and Shrub Bit		690.00
9015		9 in. Rock Bit		1,334.00
9016		12 in. Rock Bit		1,562.00
9017		9 in. HD Difficult Ground Bit		549.00
9018		12 in. HD Difficult Ground Bit		635.00
9019		15 in. HD Difficult Ground Bit		789.00
9020		18 in. HD Difficult Ground Bit		935.00
9021		24 in. HD Difficult Ground Bit		1,343.00
		DEALER-INSTALLED KITS		
		AUGER BITS		
	KV15765	10 in. Heavy Duty Bit		435.00
	AT379607	12 in. HD Difficult Ground Bit		635.00
	KV15766	12 in. Heavy Duty Bit		446.00
	KV15777	12 in. Rock Bit		1,562.00
	AT379608	15 in. HD Difficult Ground Bit		789.00
	KV15767	15 in. Heavy Duty Bit		582.00
	AT379609	18 in. HD Difficult Ground Bit		935.00
	KV15768	18 in. Heavy Duty Bit		728.00
	KV15772	18 in. Tree and Shrub Bit		671.00
	AT379610	24 in. HD Difficult Ground Bit		1,343.00
	KV15769	24 in. Heavy Duty Bit		880.00
	KV15773	24 in. Tree and Shrub Bit		690.00
	KV15761	4 in. Heavy Duty Bit		245.00
	KV15762	6 in. Heavy Duty Bit		269.00
	KV15763	8 in. Heavy Duty Bit		376.00

PA15B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT379606	9 in. HD Difficult Ground Bit		549.00
	KV15764	9 in. Heavy Duty Bit		414.00
	KV15776	9 in. Rock Bit		1,334.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		235.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		201.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS		
	AT306925	Interface Adapter for 17 ZTS		390.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		390.00

PA30B PLANETARY DRIVE AUGER

Equipment for Base Machine

```
Planetary Drive:                    Forged Alloy Steel
 Heavy Duty, All Gear Design        Heat-Treated Bolt-On Teeth
 Sealed Drive Unit                  Reinforced Boring Head
 Reverse Rotation Feature

Auger Bits:
 Double-Wrap Flighting
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
03N1T		PA30B PLANETARY DRIVE AUGER *For use on the following models:* *316G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		2,293.00
		BACKHOE PLANETARY DRIVE AUGER QUICK CONNECTION		
1008		PA30B PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		405.00
1009		PA30B PLANETARY AUGER FOR COMPACT EXCAVATOR AND 110 TLB *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.*		In Base Price
		INTERFACE ADAPTERS		
9801		Interface Adapter for 27-35 CE and 110 TLB		390.00
9803		Interface Adapter for 50-60 CE		390.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		245.00
9001		6 in. Heavy Duty Bit		269.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		414.00
9004		10 in. Heavy Duty Bit		435.00
9005		12 in. Heavy Duty Bit		446.00
9006		15 in. Heavy Duty Bit		582.00
9007		18 in. Heavy Duty Bit		728.00
9008		24 in. Heavy Duty Bit		880.00
9009		30 in. Heavy Duty Bit		1,150.00
9010		36 in. Heavy Duty Bit		1,369.00
9011		18 in. Tree and Shrub Bit		671.00
9012		24 in. Tree and Shrub Bit		690.00
9013		30 in. Tree and Shrub Bit		975.00
9014		36 in. Tree and Shrub Bit		1,167.00
9015		9 in. Rock Bit		1,334.00
9016		12 in. Rock Bit		1,562.00
9017		9 in. HD Difficult Ground Bit		549.00
9018		12 in. HD Difficult Ground Bit		635.00
9019		15 in. HD Difficult Ground Bit		789.00
9020		18 in. HD Difficult Ground Bit		935.00
9021		24 in. HD Difficult Ground Bit		1,343.00
		DEALER-INSTALLED KITS		
		AUGER BITS		
	KV15765	10 in. Heavy Duty Bit		435.00
	AT379607	12 in. HD Difficult Ground Bit		635.00
	KV15766	12 in. Heavy Duty Bit		446.00
	KV15777	12 in. Rock Bit		1,562.00
	AT379608	15 in. HD Difficult Ground Bit		789.00
	KV15767	15 in. Heavy Duty Bit		582.00

PA30B PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT379609	18 in. HD Difficult Ground Bit		935.00
	KV15768	18 in. Heavy Duty Bit		728.00
	KV15772	18 in. Tree and Shrub Bit		671.00
	AT379610	24 in. HD Difficult Ground Bit		1,343.00
	KV15769	24 in. Heavy Duty Bit		880.00
	KV15773	24 in. Tree and Shrub Bit		690.00
	KV15770	30 in. Heavy Duty Bit		1,150.00
	KV15774	30 in. Tree and Shrub Bit		975.00
	KV15771	36 in. Heavy Duty Bit		1,369.00
	KV15775	36 in. Tree and Shrub Bit		1,167.00
	KV15761	4 in. Heavy Duty Bit		245.00
	KV15762	6 in. Heavy Duty Bit		269.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		549.00
	KV15764	9 in. Heavy Duty Bit		414.00
	KV15776	9 in. Rock Bit		1,334.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters		
	KV15779	12 in. Hex Drive Extension		180.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		235.00
	KV15782	2-9/16 in. Round to 2 in. Hex		143.00
	KV15780	24 in. Hex Drive Extension		201.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS		
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		390.00
	AT306926	Interface Adapter for 50-60 CE		390.00
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT321209	Hydraulic Hose *For use on 35 and 50 CE Long Arm option.*		See Parts

PA40 PLANETARY DRIVE AUGER

Equipment for Base Machine

PA40 Planetary Drive Auger Standard Equipment
PA40 Base Machine Performance:
Flow Requirements: 28 - 42 GPM (106 - 159 lpm)
Operating Pressure: 3625 psi
Overall Attachment:
Maximum auger diameter: 48 in (1219mm)
Output shaft: 2 in (51mm) Hexagon
3/4 in. Couplers and Hoses

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Ia.		
9965T		PA40 PLANETARY DRIVE AUGER *For use on the following models:* *330G, 332G, 331G & 333G with High Flow.* *Includes Skid Steer Mounting Bracket.*		5,750.00
		AUGER BITS		
9000		4 in. Heavy Duty Bit		245.00
9001		6 in. Heavy Duty Bit		269.00
9002		8 in. Heavy Duty Bit		376.00
9003		9 in. Heavy Duty Bit		414.00
9004		10 in. Heavy Duty Bit		435.00
9005		12 in. Heavy Duty Bit		446.00
9006		15 in. Heavy Duty Bit		582.00
9007		18 in. Heavy Duty Bit		728.00
9008		24 in. Heavy Duty Bit		880.00
9009		30 in. Heavy Duty Bit		1,150.00
9010		36 in. Heavy Duty Bit		1,369.00
9011		18 in. Tree and Shrub Bit		671.00
9012		24 in. Tree and Shrub Bit		690.00
9013		30 in. Tree and Shrub Bit		975.00
9014		36 in. Tree and Shrub Bit		1,167.00
9015		9 in. Rock Bit		1,334.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		AUGER BITS Continued...		
9016		12 in. Rock Bit		1,562.00
9017		9 in. HD Difficult Ground Bit		549.00
9018		12 in. HD Difficult Ground Bit		635.00
9019		15 in. HD Difficult Ground Bit		789.00
9020		18 in. HD Difficult Ground Bit		935.00
9021		24 in. HD Difficult Ground Bit		1,343.00
		DEALER-INSTALLED KITS		
		AUGER BITS		
	KV15765	10 in. Heavy Duty Bit		435.00
	AT379607	12 in. HD Difficult Ground Bit		635.00
	KV15766	12 in. Heavy Duty Bit		446.00
	KV15777	12 in. Rock Bit		1,562.00
	AT379608	15 in. HD Difficult Ground Bit		789.00
	KV15767	15 in. Heavy Duty Bit		582.00
	AT379609	18 in. HD Difficult Ground Bit		935.00
	KV15768	18 in. Heavy Duty Bit		728.00
	KV15772	18 in. Tree and Shrub Bit		671.00
	AT379610	24 in. HD Difficult Ground Bit		1,343.00
	KV15769	24 in. Heavy Duty Bit		880.00
	KV15773	24 in. Tree and Shrub Bit		690.00
	KV15770	30 in. Heavy Duty Bit		1,150.00
	KV15774	30 in. Tree and Shrub Bit		975.00
	KV15771	36 in. Heavy Duty Bit		1,369.00
	KV15775	36 in. Tree and Shrub Bit		1,167.00
	KV15761	4 in. Heavy Duty Bit		245.00
	KV15762	6 in. Heavy Duty Bit		269.00
	KV15763	8 in. Heavy Duty Bit		376.00
	AT379606	9 in. HD Difficult Ground Bit		549.00

PA40 PLANETARY DRIVE AUGER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15764	9 in. Heavy Duty Bit		414.00
	KV15776	9 in. Rock Bit		1,334.00

BH11 BACKHOE

Equipment for Base Machine

11 ft. Digging Depth
Quik-Tatch Mounting
180 Degree Swing
Arc
Low-profile Console
173 in. (4394 mm) Reach from
Swing Pivot
180 Degree Bucket Rotation

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7500T		BH11 BACKHOE *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		12,770.00
		MOUNTING KITS		
1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		585.00
1009		Mounting Kit with Tie Downs *For use on the following models:* *318D-320D SS* *318E-320E SS* *319D-323D CTLs* *319E-323E CTLs*		249.00
1005		Less Mounting Kit		In Base Price
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		585.00
		MECHANICAL QUICK COUPLER		
3000		Mechanical Quick Coupler		257.00
3001		Less Mechanical Quick Coupler		In Base Price
		BUCKETS		
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		684.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		932.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		591.00

BH11 BACKHOE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		BUCKETS Continued...		
9505		18 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		615.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		662.00
		DEALER-INSTALLED KITS		
		Buckets		
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		601.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		707.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		624.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		674.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		963.00
	AT327433	Mechanical Quick Coupler		485.00
		Kits and Accessories		
	AT466358	Backhoe Attachment Mounting Kit *330G & 332G SSL* *331G & 333G CTL*		119.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous		
	BM19556	Rubber Street Pad Kit		See Parts
		Tie Down Yokes and Mounting Kits		
	KV24551	Mounting Kit for 317-320, CT322		460.00
	KV22699	Mounting Kit for 325-332, CT332		460.00
	AT377726	Mounting Kit with Tie Downs *318D-320D SS, 318E-320E SS* *319D-323D CTL,319E-323E CTL*		597.00
	AT414193	Mounting Kit with Tie Downs *326D-332D SS, 326E-332E SS, 330G-332G SS,* *329D-333D CTL, 329E-333E CTL, 331G-333G CTL*		512.00
	KV16198	Tie Down Yoke for 317-320, CT322		358.00
	KV16199	Tie Down Yoke for 325-332, CT332		358.00

AH80 BALE HUGGER

Equipment for Base Machine

Bale Hugger is designed for very large bales. It has a maximum opening of 110 inches and will squeeze the bales together to transport, stack or load bales.
-Designed with round tubing to provide maximum durability while preventing damage to wrapped bale coverings
-Provides constant pressure that eliminates the risk of dropping bales
-Right-hand and left-hand sides open and close simultaneously
-Can lift, move, and stack round or rectangular bales
-Ideal for 1,000 lb. silage bags with a maximum load of 2,400 lbs.
Overall Width cm/(in) 120.65 (47.5)
Overall Height cm/(in) 95.25 (37.5)
Overall Depth cm/(in) 137.16 (54)
Max. Opening cm/(in) 279.40 (110)
Lift Capacity kg/(lb.) 1088.62 (2,400)
Weight kg/(lb.) 217.72 (480)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03E0T		AH80 BALE HUGGER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*	2,771.00

AB21 SINGLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center:
907 kg at 0.61 m (2,000 lbs. at 24 in.)

Depth: 1.28 m (50.50 in.)
Spear Length: 1.24 m (49 in.)
Weight: 66 kg (145 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.57 m (22.38 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05A0T		AB21 SINGLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		536.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

AB32 DUAL BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 91 kg (200 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05B0T		AB32 DUAL BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		645.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

AB31 SINGLE BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1361 kg at 0.61 m (3,000 lbs. at 24 in.)
Depth: 1.28 m (50.50in.)
Spear Length: 1.24 m (49in.)
Weight: 70 kg (155 lbs.)

Width: 1.15 m (42.25 in.)
Height: 0.59 m (23.13 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05C0T		AB31 SINGLE BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		657.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

AB42 DUAL BALE SPEAR, HD

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.42 m (55.75 in.)
Spear Length: 1.35 m (53 in.)
Weight: 109 kg (240 lbs.)

Width: 1.24 m (48.75 in.)
Height: 0.64 m (25.00 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05D0T		AB42 DUAL BALE SPEAR, HD *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		750.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

AB43 TRIPLE BALE SPEAR

Equipment for Base Machine

Capacity at Load Center: 1814 kg at 0.61 m (4,000 lbs. at 24 in.)
Depth: 1.33 m (52.25 in.)
Spear Length: 1.24 m (49 in.)
Weight: 102 kg (225 lbs.)

Width: 1.42 m (56.00 in.)
Height: 0.62 m (24.25 in.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05E0T		AB43 TRIPLE BALE SPEAR *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		900.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

BALE SPEAR, SQUARE

Equipment for Base Machine

No Base Equipment Description Provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9350T		BALE SPEAR, SQUARE *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		954.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

BA72 ANGLE BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 32 in. Diameter Brush

Angle Control:
- Hydraulic Angling
- Electronically Activated
- 30 Degrees Either Direction From Center

Standard Equipment:
- Jackstands
- Rubber Dirt Deflector

72 in. Straight Sweeping Width
62.5 in. Angled Sweeping Width
87 in. Overall Straight Width
83 in. Overall Angled Width

NOTE: Applicable Attachment Control Kit is Required

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

FOB Dubuque,Iowa.

0300KV		BA72 ANGLE BROOM *For use on the following models:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	6,209.00

DEALER-INSTALLED KITS

Kits and Accessories

KV21995	12 Volt Demonstration Kit *3-pin connector*	314.00
AT332454	12 Volt Receptacle Kit	204.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

BA72 ANGLE BROOM

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT349599	Broom Spray Bar, 72 in.		661.00
	AT323246	Dual Motor Kit *For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.* *For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.* *Installation instructions T216317.*		1,087.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,328.00

BA84 ANGLE BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 32 in. Diameter Brush

Angle Control:
- Hydraulic Angling
- Electronically Activated
- 30 Degrees Either Direction From Center

Standard Equipment:
- Jackstands
- Rubber Dirt Deflector

84 in. Straight Sweeping Width

73 in. Angled Sweeping Width

99 in. Overall Straight Width

93.5 in. Overall Angled Width

NOTE: Applicable Attachment Control Kit Required

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

FOB Dubuque,Iowa.

0301KV		BA84 ANGLE BROOM *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	6,400.00

DEALER-INSTALLED KITS

Kits and Accessories

	KV21995	12 Volt Demonstration Kit *3-pin connector*	314.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

BA84 ANGLE BROOM

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT349600	Broom Spray Bar, 84 in.		708.00
	AT323246	Dual Motor Kit *For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.* *For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.* *Installation instructions T216317.*		1,087.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,328.00

BP72 PICK-UP BROOM

Equipment for Base Machine

Specifications:
10-28 gpm Hydraulic Flow
50/50 Poly Wire Brush
25 in. Diameter Brush

Standard Equipment:
2 Caster Wheels for Better Stability
Baffle to Material in Bucket
Infinite Brush Height

Specifications:
72 in. Sweeping Width
86 in. Overall Width
88 in. Sweeping Width with Gutter Brush
14.3 Cubic Feet Hopper Capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

FOB Dubuque,Iowa.

0310KV		BP72 PICK-UP BROOM *For use on the following models:* *314-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	5,923.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT349599	Broom Spray Bar, 72 in.	661.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*	1,818.00
	KV23660	Single Gutter Brush	1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*	1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*	1,328.00

BP84 PICK-UP BROOM

Equipment for Base Machine

Specifications:
10-28 gpm Hydraulic Flow
50/50 Poly Wire Brush
25 in. Diameter Brush

Standard Equipment:
2 Caster Wheels for Better Stability
Baffle to Material in Bucket
Infinite Brush Height

Specifications:
84 in. Sweeping Width
98 in. Overall Width
100 in. Sweeping Width with Gutter Brush
16.7 Cubic Feet Hopper Capacity

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

FOB Dubuque,Iowa.

0311KV		BP84 PICK-UP BROOM *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	7,106.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT349600	Broom Spray Bar, 84 in.	708.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*	1,818.00
	KV23660	Single Gutter Brush	1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*	1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*	1,328.00

BR60 RIGID PICK-UP BROOM

Equipment for Base Machine

TO BE DELIVERED.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
7820T		BR60 RIGID PICK-UP BROOM *For use on the following models:* *312-318G SS* *313-315 SS* *CT315 CTL* *317G CTL*		4,116.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT349598	Broom Spray Bar, 60 in.		640.00
	KV23661	Second Gutter Brush		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*		1,829.00

BR72 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications:
10-30 gpm (37.8-113.5 lpm) Hydraulic Flow
50/50 Poly Wire Brush
25 in. (635 mm) Diameter Brush
6.38 in. (162 mm) Core Diameter
Forward & Backward Operation
72 in. (1828 mm) Sweeping Width
86.1 in. (2187 mm) Working Width
88 in. (2184 mm)Sweeping Width with Gutter Brush
15.75 cu. ft. (0.45 cu m) Hopper Capacity

Dimensions:
29 in. (736 mm) Height
53.3 in. (1354 mm) Length

Operating Width: 950 lbs. (431 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1520T		BR72 RIGID PICK-UP BROOM *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *319D-333D CTLs* *317G CTL* *319E-333E CTLs* *204K, 304K CWL* *110 TLB* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		4,533.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT349599	Broom Spray Bar, 72 in.		661.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*		1,829.00

BR72 RIGID PICK-UP BROOM

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,328.00

BR84 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications:
- 10-30 gpm (37.8-113.5 lpm) Hydraulic Flow
- 50/50 Poly Wire Brush
- 25 in. (635 mm) Diameter Brush
- 6.38 in. (162 mm) Core Diameter
- Forward & Backward Operation
- 84 in. (2133 mm) Sweeping Width
- 98.1 in. (2492 mm) Working Width
- 100 in. (2540 mm) Sweeping Width with Gutter Brush
- 18.21 cu. ft. (0.52 cu m) Hopper Capacity

Dimensions:
- 29 in. (736 mm) Height
- 53.3 in. (1354 mm) Length

Operating Width: 1050 lbs. (476 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		FOB Dubuque,Iowa.		
1530T		BR84 RIGID PICK-UP BROOM *For use on the following models:* *317-332 SS* *318D-332D* *318E-332E* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		4,952.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT349600	Broom Spray Bar, 84 in.		708.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*		1,818.00
	KV23660	Single Gutter Brush		1,853.00

BR84 RIGID PICK-UP BROOM

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *330G-332G* *CTL:* *319D-333D* *319E-333E* *331G-333G* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,328.00

CP12D COLD PLANER

Equipment for Base Machine

Drum Size:
12 in. (305 mm) Cutting Width
Design Features:
Standard Flow Hydraulics
15-22 gpm (56-83 lpm)
Planetary Drive
Manual Tilt of +/- 11 Degrees
Manual Depth Control
0-5 in. (0-127 mm) Hydraulic Side Shift
0-19 in. (0-483 mm)
Quantity of pics 37
Spray Bar with nozzles, less water tank

NOTE: The eight-button control handle is NOT required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8211T		CP12D COLD PLANER *For Standard Flow:* *316-318G SS* *315-328 SS* *318D-328D* *318E-328E* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	9,818.00

PICK KIT

1001		General Purpose	In Base Price
1002		RP18	No Charge

DEALER-INSTALLED KITS

Kits and Accessories

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*	728.00

CP12D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		443.00
	AT462796	Carbide Cutting Tools, RP18 *Asphalt only.*		378.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00

CP18D COLD PLANER

Equipment for Base Machine

Drum Size:
18 in. (457 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 45
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8221T		CP18D COLD PLANER *For High Flow:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*	19,525.00

PICK KIT

1005		General Purpose	In Base Price
1006		RP18	No Charge

DEALER-INSTALLED KITS

Kits and Accessories

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	718.00

CP18D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		531.00
	AT462798	Carbide Cutting Tools, RP18 *Asphalt only.*		452.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00

CP24D COLD PLANER

Equipment for Base Machine

Drum Size:
24 in. (610 mm) Cutting Width

Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in.
(0-127 mm)
Hydraulic Side Shift
-3 - 22 in.
(-76 - 559 mm)
Quantity of pics 57
Spray Bar with nozzles, less water tank
NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8231T		CP24D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	22,384.00

PICK KIT

1009		General Purpose	In Base Price
1010		RP18	No Charge

DEALER-INSTALLED KITS

Kits and Accessories

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	718.00

CP24D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		672.00
	AT462800	Carbide Cutting Tools, RP18 *Asphalt only.*		570.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00

CP30D COLD PLANER

Equipment for Base Machine

Drum Size:
30 in. (762 mm) Cutting Width
Design Features:
High Flow Hydraulics
29-41 gpm (110-155 lpm)
Planetary Drive
Tilt of +/- 8 Degrees
Depth Control 0-5 in. (0-127 mm)
Hydraulic Side Shift
-3 - 22 in. (-76 - 559 mm)
Quantity of pics 69
Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9011T		CP30D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	23,233.00

PICK KIT

1013		General Purpose	In Base Price
1014		RP18	No Charge

DEALER-INSTALLED KITS

Kits and Accessories

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*	718.00

CP30D COLD PLANER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		806.00
	AT462802	Carbide Cutting Tools, RP18 *Asphalt only.*		712.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series, E-Series and G-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,328.00

DB84 DOZER BLADE

Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 74.1 in. (1882 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9780T		DB84 DOZER BLADE *For:* *318G-324G SS* *318E-326E SS* *317G, 325G CTL* *319E, 323E CTL* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		5,838.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

DB84 DOZER BLADE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	T227282	Restrictor Elbow - 0.065 in. *For enhanced dozer blade tilt cylinder control*		See Parts

DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 84.7 in. (2151 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9790T		DB96 DOZER BLADE *For:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,313.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*		See Parts
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

DB96 DOZER BLADE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	T227282	Restrictor Elbow - 0.065 in. *For enhanced dozer blade tilt cylinder control*		See Parts

GU60 UTILITY AG GRAPPLE

Equipment for Base Machine

TO BE DELIVERED.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7860T		GU60 UTILITY AG GRAPPLE *For:* *312G-318G SS* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		2,531.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT475186	Cylinder Stop Kit		30.00

GU66 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
- Single Grapple for Better Handling of Hay, Silage, and Manure
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease Hardened 1 in. Cylinder Rods

Dimensions:
- Width 66 in.
- Height Grapple Closed 27.6 in.
- Height Grapple Opened 45.7 in.
- Grapple Opening 36 in.
- Opening Between Tines 4.5 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0220KV		GU66 UTILITY AG GRAPPLE *For:* *312G-320G SS* *318E-320E SS* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	2,614.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT475186	Cylinder Stop Kit	30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

GU72 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

Dimensions:
Width 72 in.
Height Grapple Closed 27.6 in.
Height Grapple Opened 45.7 in.
Grapple Opening 36 in.
Opening Between Tines 4.5 in.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0221KV		GU72 UTILITY AG GRAPPLE *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E, 323E CTL* *110 TLB* *400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		2,770.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT475186	Cylinder Stop Kit		30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

GU78 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

Dimensions:
Width 78 in.
Height Grapple Closed 27.6 in.
Height Grapple Opened 45.7 in.
Grapple Opening 36 in.
Opening Between Tines 4.5 in.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0222KV		GU78 UTILITY AG GRAPPLE *For:* *318E-328E SS* *320G-324G SS* *317G, 325G CTL* *319E, 323E CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	2,967.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT475186	Cylinder Stop Kit	30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

GT72 BRUSH TINED GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 72 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 38.2 in.
- Opening Between Tines 4 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0290KV		GT72 BRUSH TINED GRAPPLE *For:* *312G-330G SS* *318E-328E SS* *317G, 325G CTL* *319E, 323E CTL* *204K, 244J, 304K, 324J CWL* *400X/400CX, 542/542SL Loaders* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		4,129.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT475186	Cylinder Stop Kit		30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00

GT72 BRUSH TINED GRAPPLE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

GT80 BRUSH TINED GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 80 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 38.2 in.
- Opening Between Tines 4 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0291KV		GT80 BRUSH TINED GRAPPLE *For:* *320E-332E SS* *320G-332G SS* *317G CTL* *325G-333G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		4,593.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT475186	Cylinder Stop Kit		30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00

GT80 BRUSH TINED GRAPPLE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

GS60 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

TO BE DELIVERED

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7870T		GS60 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *CT315 CTL* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*		3,976.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT475186	Cylinder Stop Kit		30.00
	AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*		918.00

GS66 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 66 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0280KV		GS66 SCRAP GRAPPLE BUCKET *For:* *312-320G SS* *318E-320E SS* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	4,096.00

DEALER-INSTALLED KITS

Kits and Accessories

AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
KV23054	Bolt on Side Plates for Scrap Grapple	166.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
AT475186	Cylinder Stop Kit	30.00
AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*	918.00
AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00

GS66 SCRAP GRAPPLE BUCKET

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous		
	U16748	66 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

GS72 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 72 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0281KV		GS72 SCRAP GRAPPLE *For:* *318E-332E SS* *320G-332G SS* *317G, 325G CTL* *319E-323E CTLs* *400X/400CX, 542/542SL Loaders* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	4,216.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	KV23054	Bolt on Side Plates for Scrap Grapple	166.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT475186	Cylinder Stop Kit	30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00

GS72 SCRAP GRAPPLE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous		
	T32742	72 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

GS78 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 78 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0282KV		GS78 SCRAP GRAPPLE *For:* *320E-332E SS* *320G-332G SS* *317G, 325G CTL* *319E-333E CTLs* *331G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	4,515.00

DEALER-INSTALLED KITS

Cutting Edges

	KV12758	78 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Eight Grade 8 Plow Bolts and Nuts (PB750225)*	See Parts

Kits and Accessories

	AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	KV23054	Bolt on Side Plates for Scrap Grapple	166.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts

GS78 SCRAP GRAPPLE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT475186	Cylinder Stop Kit		30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

GS84 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 84 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0283KV		GS84 SCRAP GRAPPLE *For:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes cylinder stop kit required for compatibility with large frame G-Series (330G, 331G, 332G, 333G) and some competitive brands.*	5,071.00

DEALER-INSTALLED KITS

Cutting Edges

	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Eight Grade 8 Plow Bolts (19H1596) and Nuts (14H794)*	See Parts

Kits and Accessories

	AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	KV23054	Bolt on Side Plates for Scrap Grapple	166.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts

GS84 SCRAP GRAPPLE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT475186	Cylinder Stop Kit		30.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

HH20C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 800 - 3000
Flow Requirements:
6.6 - 14.5 gpm (25 - 55 lpm)

Operating Pressure:
1305 - 2175 psi
Moil Tool Point 1.9 in.
(48 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C80T		HH20C HYDRAULIC HAMMER *For use on the following models:* *Compact Excavators: 17G, 26G and 35G*		6,711.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1002		Mounting Bracket, 17 Compact Excavator		424.00
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	T370209	Chisel		See Parts
	T370214	Compacting Plate		See Parts

HH20C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	T370210	Moil Point		See Parts
	T370211	Pyramid		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370212	Spade, Parallel to Boom		See Parts
	T370213	Spade, Transverse to Boom		See Parts
		REFERRAL ATTACHMENTS		
		G.R. Mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	AT337084	Front Protection Screen for Canopy (GR#705155) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -2 Compact Excavator with a Canopy.*		670.00
	BYT10076	Front Screen, Cab (GR#705923) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		1,006.00

HH40C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 700-2600
Flow Requirements:
10.6 - 18.5 gpm (40 - 70 lpm)

Operating Pressure:
1450 - 2465 psi
Moil Tool Point 2.2 in.
(56 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C90T		HH40C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 316G-324G, 318E, 320E and 324E* *Compact Track Loaders: 317G, 325G, 319E, 323E, and 329E* *Compact Excavators: 26G and 35G* *Backhoe Loader: 110 TLB*		7,697.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
1001		Mounting Bracket, SSL & CTL		1,546.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	T370215	Chisel		See Parts

HH40C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	T370220	Compacting Plate		See Parts
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	T370216	Moil Point		See Parts
	T370217	Pyramid		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370218	Spade, Parallel to Boom		See Parts
	T370219	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		480.00

HH60C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
Blows Per Minute: 600-1800
Flow Requirements:
9.2 - 23.8 gpm (35 - 90 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 2.8 in.
(72 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CA0T		HH60C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 312G-324G, 318E, 320E, 326E, 328E, 332E, 330G & 332G* *Compact Track Loaders: 317G, 325G, 319E, 323E, 329E, 333E, 331G & 333G* *Compact Excavators: 35G, 50G and 60G* *Backhoe Loader: 110 TLB*		9,803.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1003		Mounting Bracket, 26-35 Compact Excavator *For use on 35G only.*		591.00
1001		Mounting Bracket, SSL & CTL		1,546.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	T370221	Chisel		See Parts
	T370225	Compacting Plate		See Parts
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	T370222	Moil Point		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370223	Spade, Parallel to Boom		See Parts
	T370224	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.

G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00

HH60C HYDRAULIC HAMMER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued...		
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		480.00

HH80C Hydraulic Hammer

Equipment for Base Machine

Performance:
Blows Per Minute: 500 - 1700
Flow Requirements:
10.6-31.7 gpm (40-120 lpm)

Operating Pressure:
1305 - 2030 psi
Moil Tool Point 3.14 in.
(80 mm) Diameter

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.

Includes Moil Point.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CB0T		HH80C Hydraulic Hammer *For use on the following models:* *Skid Steer Loaders: 318E, 320E, 326E, 328E, 332E, 320G-332G* *Compact Track Loaders: 319E, 323E, 329E, 333E, 325G-333G* *Compact Excavators: 50G and 60G* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC*		11,316.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1001		Mounting Bracket, SSL & CTL		1,546.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
1005		Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00
1006		Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		884.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT458343	Mounting Bracket, 310 Backhoe Loader *For use on:* *310K/L EP & 310G-L*		859.00

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT460178	Mounting Bracket, 410 Backhoe Loader *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
	AT457979	Skid Steer Mounting Bracket		1,824.00
		Attachments and Accessories		
	AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L*		1,215.00
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		1,038.00
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	T370226	Chisel		See Parts
	T370230	Compacting Plate		See Parts
	T370227	Moil Point		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370228	Spade, Parallel to Boom		See Parts
	T370229	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support*

HH80C Hydraulic Hammer

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... *and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00

LP78 LANDPLANE

Equipment for Base Machine

Features:
- Sifting Plate
- 7 Scarifier Teeth
- Pin-on

50.0 in. Length
21.9 in. Height
4.0 in. Working Depth
5/8 x 6 Cutting Edge

Specifications:
- 78.0 in. Working Width

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
7460T		LP78 LANDPLANE *For use on the following models:* *320E-332E SS* *320G-332G SS* *317G, 325G CTL* *319E-333E CTLs* *331G-333G CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,514.00
		HYDRAULIC KITS		
1000		Hydraulic Kit		411.00
1001		Less Hydraulic Kit		In Base Price
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12758	78 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00

LP84 LANDPLANE

Equipment for Base Machine

```
Features:                          21.9 in. Height
 Sifting Plate                     4.0 in. Working Depth
 8 Scarifier Teeth                 5/8 x 6 Cutting Edge
 Pin-on
Specifications:
 84.0 in. Working Width
 50.0 in. Length
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
7470T		LP84 LANDPLANE *For use on the following models:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		2,733.00
		HYDRAULIC KITS		
1000		Hydraulic Kit		411.00
1001		Less Hydraulic Kit		In Base Price
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00

MS60 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8500T		MS60 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-318G SS* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		1,617.00

MS72 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8510T		MS72 MATERIAL / MANURE SCRAPER *For use on the following models:* *312G-324G SS* *318E-324E SS* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,147.00

MS84 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8520T		MS84 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		2,232.00

MS96 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
8530T		MS96 MATERIAL / MANURE SCRAPER *For use on the following models:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		2,033.00

MH60C MULCHING HEAD

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
06K0T		MH60C MULCHING HEAD *For High Flow:* *328E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Requires Applicable Operator Protection Kits* *Requires Applicable Severe Duty Door Kit* *For Optimum Performance use on Non Hydraulic Self-Leveling Machines*		29,931.00
		MULCHING DOOR		
1001		Front Mulching Trap Door *Dealer-Installed* *Requires Applicable Attachment Control Kit*		2,163.00
1000		Less Front Mulching Trap Door		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT415906	Cooler Kit, MH60C 2 SPD *Requires Fan Wiring Harness AT364347.*		4,975.00
	AT364347	Fan Wiring Harness *Installation instructions for the fan wiring harness are:* *T251958 - English* *T251959 - Spanish* *T251960 - French*		134.00
	AT412946	Front Mulching Trap Door Kit		2,394.00
	AT433111	Hose Guide kit for MH60C		667.00

MH60C MULCHING HEAD

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT433505	Knife Tool Kit		201.00

MP66B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AQ0T		MP66B MULTI-PURPOSE BUCKET *For use on the following models:* *312-324G SS* *318E-324E SS* *317G CTL*		3,578.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436470	66 in. Bolt-On Cutting Edge for MP66B		352.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436718	Spill Guard Assembly, MP66B		194.00
		Tooth Bars		
	AT436521	66 in. Tooth Bar - 7 Teeth, MP66B		825.00
	AT436489	MP66 Over BOCE Toothbar, MP66B		885.00

MP72B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AR0T		MP72B MULTI-PURPOSE BUCKET *For use on the following models:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E, 323E CTLs*		4,210.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		359.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436719	Spill Guard Assembly, MP72B		199.00
		Tooth Bars		
	AT436522	72 in. Tooth Bar - 7 Teeth, MP72B		667.00
	AT436490	MP72 Over BOCE Toothbar, MP72B		1,005.00

MP78B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AS0T		MP78B MULTI-PURPOSE BUCKET *For use on the following models:* *318E-332E SS* *320G-332G SS* *317G, 325G CTL* *319E-333E CTLs* *331G-333G CTLs*		4,330.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436472	78 in. Bolt-On Cutting Edge for MP78B		393.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436720	Spill Guard Assembly, MP78B		230.00
		Tooth Bars		
	AT436523	78 in. Tooth Bar - 8 Teeth, MP78B		684.00
	AT436491	MP78 Over BOCE Toothbar, MP78B		1,279.00

MP84B MULTI-PURPOSE BUCKET

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AT0T		MP84B MULTI-PURPOSE BUCKET *For use on the following models:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,475.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		463.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436721	Spill Guard Assembly, MP84B		244.00
		Tooth Bars		
	AT436524	84 in. Tooth Bar - 8 Teeth, MP84B		805.00
	AT436492	MP84 Over BOCE Toothbar, MP84B		942.00

NF44 Nursery Fork

Equipment for Base Machine

WORKSITE NF44 NURSERY FORK

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, IA		
0BU0T		NF44 Nursery Fork *For:* *312G-332G SS* *318E-332E SS* *317G-333G CTLs* *319E-333E CTLs* *204K-324K CWL*		4,211.00
		PICK ONE		
1000		PRESSURE CONTROL VALVE ASSEMBLY		403.00
1001		LESS CONTROL VALVE ASSEMBLY		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT460780	Pressure Control Valve		403.00

45 In. Frame and Set of Forks

Equipment for Base Machine

45 in. Wide Pallet Fork Frame and Guard — Available
Unrestricted Visibility to Fork Tips
42 in. or 48 in. Long Fork Tines

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03J1T		45 In. Frame and Set of Forks *Includes 45" SD Frame and Two Fork Set* *For:* *312G-332G SS* *320E-324E SS* *317G-333G CTLs* *323E CTL* *Additional tine options available.*		799.00
		PICK ONE		
1001		45" FRAME W/ 42" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		In Base Price
1002		45" FRAME W/ 48" TINES RATED 3750 LBS *For:* *312G-324G SS* *320E-324E SS* *317G-323G CTLs*		33.00
1003		45" FRAME W/ 42" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		83.00
1004		45" FRAME W/ 48" TINES RATED 5500 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		149.00

45 In. Frame and Set of Forks

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		PICK ONE Continued...		
1005		45" FRAME W/ 48" TINES RATED 6200 LBS *For:* *312G-332G SS* *320E-324E SS* *317G-325G CTLs* *323E CTL*		241.00

60 IN. FRAME AND 48" FORKS RATED 6200 LBS

Equipment for Base Machine

Heavy Duty Forks - 6,200 lb. Load Capacity
60 in. Wide Pallet Fork Frame and Guard
Unrestricted Visibility to Fork Tips
48 in. Long Fork Tines Available
Fork Tine Load Capacity of 6,200 lb. per Pair
NOTE: Rear Counterweights is Not Required, but May Enhance Machine Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03K1T		60 IN. FRAME AND 48" FORKS RATED 6200 LBS *Includes 60" Frame and Two Fork Set of 48" HD Tines* *For:* *320E-324E SS* *320G-332G SS* *317G-333G CTLs* *323E CTL*		1,309.00

SEVERE DUTY PALLET FORK

Equipment for Base Machine

Frame has option of 45 inch or 60 inch width of the rails
Forks have options of 48inch or 60 inch length of tines
8800 lb. rating on forks (per pair of tines)
Robust, two-piece walk-through brick guard

Optional bolt-on brick guard kit to complete backrest
Unrestricted Visibility to Fork Tips

Rear Ballast is not required but may enhance machine stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
06U0T		SEVERE DUTY PALLET FORK *For:* *330G-332G SS* *331G-333G CTLs*		1,500.00
		PICK KIT		
1000		45" Severe Duty Fork Frame		In Base Price
1001		60" Severe Duty Fork Frame		200.00
		PICK ONE		
2000		48" TINES ITA CLASS 3B		300.00
2001		60" TINES ITA CLASS 3B		400.00
		BRACKET KITS		
9001		Bolt-On Walk-Through Brick Guard		124.00

PC4 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 4,000 lbf / 17.8 kN	Operating Pressure 2600 psi / 17930 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 3000 psi / 20680 kPa
Base Plate Dimensions 13 x 25 in. / 330 x 635 mm	Weight* 397 lb. / 180 kg
Compaction Area 325 in. sq. / 209550 mm sq.	Length 30.7 in. / 780 mm
Hydraulic Flow Range 9-14 gpm / 34-53 l/min	Width 13.0 in. / 330 mm
Regulated Flow 9 gpm / 34 l/min	Height* 20.3 in. / 515 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03W1T		PC4 PLATE COMPACTOR *For:* *26G, 30G, 35G CE*		5,400.00
		PICK ONE		
1000		Less mounting bracket and hoses		In Base Price
1001		Mounting Adapter Kit *For use on 26G and 30G with PC4*		860.00
1002		Mounting Adapter Kit *For use on 35G with PC4*		882.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	BYT10728	Mounting Adapter Kit *For use on 26G and 30G with PC4.*		860.00
	BYT10828	Mounting Adapter Kit *For use on 35G with PC4.*		882.00

PC7 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 6,400 lbf / 28.5kN
Cycles/Minute at Regulated Flow 2,000 rpm
Base Plate Dimensions 18 x 27.5 in. / 460 x 700 mm
Compaction Area 499 in. sq. / 322000 mm sq.
Hydraulic Flow Range 15-20 gpm / 57-76 l/min
Regulated Flow 18 gpm / 68 l/min
Operating Pressure 2000 psi / 13790 kPa
Pressure Relief Setting 2200 psi / 15170 kPa
Weight* 600 lb. / 272 kg
Length 35 in. / 890 mm
Width 18.1 in. / 460 mm
Height* 21.5 in. / 546 mm
*Without mounting adapter - requires respective machine
mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03X1T		PC7 PLATE COMPACTOR *For:* *50G, 60G CE*		6,480.00
		PICK ONE		
1000		Less mounting bracket and hoses		In Base Price
1003		Mounting Adapter Kit *For use on 50G, 60G with PC7*		920.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	BYT10729	Mounting Adapter Kit *For use on 50G, 60G with PC7.*		920.00

PC10 PLATE COMPACTOR

Equipment for Base Machine

Impulse Force 8,000 lbf / 35.6 kN	Operating Pressure 2000 psi / 13790 kPa
Cycles/Minute at Regulated Flow 2,000 rpm	Pressure Relief Setting 2200 psi / 15170 kPa
Base Plate Dimensions 24 x 28 in. / 610 x 710 mm	Weight* 888 lb. / 403 kg
Compaction Area 671 in. sq. / 433100 mm sq.	Length 37.0 in. / 940 mm
Hydraulic Flow Range 20-24 gpm / 76-91 l/min	Width 24.0 in. / 610 mm
Regulated Flow 21 gpm / 79 l/min	Height* 25.5 in. / 648 mm
	*Without mounting adapter - requires respective machine mounting adapter

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03Y1T		PC10 PLATE COMPACTOR *For:* *60G CE* *310L/EL, 310L/HL, 410L BHL*		7,561.00
		PICK ONE		
1000		Less mounting bracket and hoses		In Base Price
1004		Mounting Adapter Kit *For use on 60G with PC10*		940.00
1005		Mounting Adapter Kit *For use on 310L/EL BHL with PC10*		983.00
1006		Mounting Adapter Kit *For use on 310SL/HL, 410L BHL with PC10*		1,044.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	BYT10863	Mounting Adapter Kit *For use on 60G with PC10.*		940.00
	BYT10827	Mounting Adapter Kit *For use on 310L/EL BHL with PC10.*		983.00
	BYT10731	Mounting Adapter Kit, PC10 (310SL/HL, 410L BHL *For use on 310SL/HL, 410L BHL with PC10.*		1,044.00

PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7830T		PR60 ANGLE POWER RAKE *For:* *312G-318G SS*		8,738.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT332454	12 Volt Receptacle Kit		204.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
Front or Rear

Angle Control:
12V Electric Actuator
Rotate 20 Degrees Either
Direction From Center

Bi-Directional Raking
Capability

72 in. Rake
72 in. (1827 mm) Raking
Width
81 in. (2056 mm) Operating
Width
64 in. (1625 mm) Length
31 in. (787 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
11 gpm (42 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0264KV		PR72B ANGLE POWER RAKE *For:* *312G-332G SSL* *318E-332E SS* *317G, 325G CTL* *319E, 323E CTLs*		10,051.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	AT332454	12 Volt Receptacle Kit		204.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

PR72B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
Front or Rear

Angle Control:
12V Electric Actuator
Rotate 20 Degrees Either
Direction From Center

Bi-Directional Raking
Capability

84 in. Rake
84 in. (2134 mm) Raking
Width
93 in. (2362 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (220 mm) Tooth
Roller Diameter
18 gpm (68 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1580T		PR84B ANGLE POWER RAKE *For:* *318E-332E SS* *320G-332G SSL* *317G-333G CTL* *319E-333E CTLs*		10,623.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

PR84B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
 Front or Rear

Angle Control:
 12V Electric Actuator
 Rotate 20 Degrees Either
 Direction From Center

Bi-Directional Raking
 Capability

96 in. Rake
90 in. (2284 mm) Raking
Width
99 in. (2513 mm) Operating
Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (22 mm) Tooth
Roller Diameter
15 gpm (57 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0265KV		PR96B ANGLE POWER RAKE *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		11,422.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		314.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00

PR96B ANGLE POWER RAKE

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7950T		R66 ROCK BUCKET *For:* *312G-320G SS* *318E, 320E SS* *317G CTL*		1,735.00

R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7960T		R75 ROCK BUCKET *For:* *318E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs* *110 TLB*		1,855.00

R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7970T		R84 ROCK BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		1,977.00

RL84 ROLLER LEVEL

Equipment for Base Machine

Features:
- 2 Std Greaseable Bearings
- Front & Rear Bolt-on Cutting Edges

Specifications:

93.3 in. (2367 mm) Overall Width	66.7 in. (1694 mm) Length
	25.6 in. (650 mm) Height
	84 in. (2133 mm) Box Width
	0.5 x 6 x 84 in. Front Cutting Edge
	0.5 x 6 x 84 in. Rear Cutting Edge

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7070T		RL84 ROLLER LEVEL *For:* *326E-332E SS* *330G-332G SS* *317G-331G CTLs* *319E-333E CTLs*		3,871.00

RB72 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05F1T		RB72 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *312G-324G SS* *318E-326E SS* *317G-325G CTLs* *319E-323E CTLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 72" Bolt-on Cutting Edge Kit, AT436471.*		4,886.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436471	Bolt-On Cutting Edge for 72 in. Bucket		359.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *For:* *E-series, 320G-333G*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RB84 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05G1T		RB84 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *320G-332G SS* *326E-332E SS* *325G-333G CTLs* *323E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 84" Bolt-on Cutting Edge Kit, AT436473.*		5,153.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	AT436473	Bolt-On Cutting Edge for 84 in. Bucket		463.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *For:* *E-series, 320G-333G*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RB96 ROLLOUT BUCKET

Equipment for Base Machine

Equipment for Base Machine

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
05H1T		RB96 ROLLOUT BUCKET *High Dump Rollout Bucket. For use on the following models:* *330G-332G SS* *328E-332E SS* *317G-325G CTLs* *331E-333E CTLs* *204K-324K CWLs* ** With the 312GR-318G, the Boom Mounted Hose Guide Kit, BYT10477, is recommended for proper hose routing.* ** With the E-series and 320G-333G, the Boom Mounted Hose Guide Kit, AT436025, is recommended.* ** For a replacement cutting edge, use the 96" Bolt-on Cutting Edge Kit, BYT10747.*		5,410.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	BYT10747	96 in. Bolt-On Cutting Edge for RB96		537.00
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *For:* *E-series, 320G-333G*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RR72 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1830 mm (72 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 497 kg (1,095 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03A0T		RR72 ROOT RAKE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader*		5,176.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RR78 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 1980 mm (78 in.)
Length: 780 mm (30.8 in.)

Grapple Opening: 1295 mm (51 in.)
Weight: 522 kg (1,150 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03B0T		RR78 ROOT RAKE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader*		5,602.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RR84 ROOT RAKE

Equipment for Base Machine

Replaceable pin-on teeth
Greaseable pivot pins
Hardened-steel bushings
Weld-on "D" ring
Width: 2135 mm (84 in.)
Length: 780 mm (30.8 in.)
Grapple Opening: 1295 mm (51 in.)
Weight: 553 kg (1,220 lb.)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03C0T		RR84 ROOT RAKE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader*		5,924.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT436025	Boom Mounted Hose Guide Kit *[E-series]* *[G-series: 320G - 333G]*		102.00
	BYT10477	Boom Mounted Hose Guide Kit *For:* *312GR-318G*		105.00

RC60B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8281T		RC60B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *316G-324G SS* *318E-324E SS*		6,051.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00

RC72B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8341T		RC72B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *318G-332G SS* *320E-332E SS* *317G-333G CTLs* *323E- 333E CTLs*		6,247.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00

RC78B ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8351T		RC78B ROTARY CUTTER *Requires a demolition door (Code 5201 or 5203) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *317G-333G CTLs* *323E- 333E CTLs*		6,686.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00
		REFERRAL ATTACHMENTS		
		G.R. Mfg. *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama*		

RC78B ROTARY CUTTER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		REFERRAL ATTACHMENTS Continued... ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT432855	Auxillary Hydraulic Line Quick Coupler Guard		220.00
	AT432853	Bottom Opening Cover Plates		350.00
	AT372953	Bottom Openings Cover Plates *For use on 326D, 328D, 329D, 332D, 333D*		350.00
	AT372945	Exhaust Hood Opening Seal		120.00
	AT432861	Exhaust Hood Opening Seal		120.00
	AT372955	Front Work Lights and Rear Hood Light Guards		218.00
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT388939	Lift Cylinder Hose Guards		420.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372949	Operator Rear Window / Side Window Guards *Required to meet ISO 8084 Forestry Applications* *Not recommended for use with Hazard Warning Lights*		640.00
	AT432858	Rear Deflector and Bumper		1,962.00
	AT397455	Rear Deflectors with Bumper		1,962.00
	AT372950	Toe Guard and Door Upgrade Kit *Required to meet ISO 8084 Forestry Applications*		492.00

RS72 EXTREME DUTY ROTARY CUTTER

Equipment for Base Machine

No Base Equipment Description.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8342T		RS72 EXTREME DUTY ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs*		12,587.00
		CARBIDE TOOTH KIT		
1100		CARBIDE TOOTH KIT		389.00
1101		LESS CARBIDE TOOTH KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT456608	Carbide Tooth Kit		518.00
	AT456609	Replacement Blade Kit		1,105.00
	AT456636	Wear Plate Kit		121.00

RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left Making It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (68 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)

Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
52 in. (1.3m)
Overall Width:
62 in. (1.6m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7520T		RT52 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*	5,358.00

RT66 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm) Depth
Standard Offset Left and Center Position Make It Useful For All Tilling Jobs

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (60 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)
Maximum System Pressure:
3000 psi (21 Mpa)

Dimensions:
Tilling Width:
66 in. (1.7m)
Overall Width:
76 in. (1.9m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7530T		RT66 ROTARY TILLER *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		5,883.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT340330	Scarifier Kit RT66 *Contains 5 teeth*		259.00

SA60 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9090T		SA60 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTLs*		5,510.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

SA72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9100T		SA72 SIDE DISCHARGE BUCKET *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs*		7,678.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00
		Miscellaneous		
	T32742	72 in. Bolt-On Cutting Edge		See Parts

SD72 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9110T		SD72 SIDE DISCHARGE BUCKET *For:* *312G-324G SS* *318E-328E SS* *317G, 325G CTL* *319E-323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007*		7,058.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00
		Miscellaneous		
	T32742	72 in. Bolt-On Cutting Edge		See Parts

SD84 SIDE DISCHARGE BUCKET

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9120T		SD84 SIDE DISCHARGE BUCKET *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008*		9,602.00
		DEALER-INSTALLED KITS		
		Cutting Edges		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

AD11 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 7 ft.
Weight 910 lb. (413 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03F0T		AD11 SILAGE DEFACER *For use on the following models:* *320G-332G SS* *318E-332E SS* *325G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*		5,830.00

AD7 SILAGE DEFACER

Equipment for Base Machine

Silage Defacer allows removal of haylage & silage from bunkers. Open design allows for great operator visibility and provides adjustable guides for depth of cut. Loosen silage while maintaining a smooth, compacted bunker space with the Silage Defacer. This unique tool pierces, separates, and rakes without cutting or reducing the size of the silage, helping to ensure complete blending.
Cutting Width 96.9 in. (2460.6 mm)
Depth of cut 0-3 in
Reach 11 ft.
Weight 1037 lb. (470 kg)
Hydraulic Flow 16-25 gpm

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

03G0T		AD7 SILAGE DEFACER *For use on the following models:* *312G-332G SS* *318E-332E SS* *317G-333G CTL* *319E-333E CTL* *204K-324K Wheel Loader with Skid Steer Style Coupler.*	5,765.00

SB60B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9711T		SB60B Snow Blower *For:* *312G-318G SS* *317G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		6,817.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB72B Snow Blower

Equipment for Base Machine

14-21 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9971T		SB72B Snow Blower *For:* *312-324G SS* *318E-324E SS* *317G, 325G CTL* *319E-323E CTL* *204K, 304K CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		6,972.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

SB72B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
6980T		SB78B Snow Blower *For:* *320E-332E SS* *320G-332G SS* *319E-333E CTLs* *331G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,453.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

SB78B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84B Snow Blower

Equipment for Base Machine

18-27 GPM

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7090T		SB84B Snow Blower *For:* *324E-332E SS* *324G-332G SS* *323E-333E CTLs* *325G-333G CTLs* *244J CWL (must be equipped with high flow option or kit)* *324J CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,553.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

SB84B Snow Blower

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB72H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9550T		SB72H Snow Blower - High Flow *For:* *318E-324E SS* *320G-324G SS* *323E CTL* *325G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		11,598.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *320G SS* *CT322 CTL* *323D CTL* *323E CTL* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-320 SS* *CT322 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-320D SS* *318E-320E SS* *320G SS* *323D CTL* *323E CTL* *325G CTL*		270.00
		DEALER-INSTALLED KITS		

SB72H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB78H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9570T		SB78H Snow Blower - High Flow *For:* *318E-328E SS* *320G-330G SS* *323E-333E CTLs* *325G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		11,788.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *320G-324G SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *325G CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *317-328 SS* *CT322-CT332 CTLs*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-328D SS* *318E-328E SS* *316G-332G SS* *323D-333D CTLs* *323E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		

SB78H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SB84H Snow Blower - High Flow

Equipment for Base Machine

No Base Equipment provided.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9600T		SB84H Snow Blower - High Flow *For:* *326E-332E SS* *330G-332G SS* *329E-333E CTLs* *331G-333G CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,723.00
		PICK ONE		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it.* *For:* *325-332 SS* *CT332 CTL*		215.00
1003		14-Pin Connector Harness *For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls.* *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *316G-332G SS* *329D-333D CTLs* *329E-333E CTLs* *317G-333G CTLs*		270.00
		DEALER-INSTALLED KITS		

SB84H Snow Blower - High Flow

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

SP8C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9801T		SP8C SNOW PUSH *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,119.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP8C Pullback Kit.*		1,632.00
1001		Less Pullback Kit		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440274	SP8C Pullback Kit		1,717.00

SP10C SNOW PUSH

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9371T		SP10C SNOW PUSH *For:* *326E-332E SS* *330G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,495.00
		PICK ONE		
		Dealer installed option.		
1000		Pullback Kit *SP10C Pullback Kit.*		1,938.00
1001		Less Pullback Kit		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440275	SP10C Pullback Kit		1,970.00

BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9610T		BL6B SNOW / UTILITY BLADE *For:* *312G-318G SS* *317G CTL*		3,200.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250744	6 ft. Blade Extension		See Parts
	T236767	6 ft. Non-Metallic Edge		See Parts

BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9620T		BL7B SNOW / UTILITY BLADE *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,300.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250745	7 ft. Blade Extension		See Parts
	KV24031	7 ft. Non-Metallic Edge		See Parts

BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9630T		BL8B SNOW / UTILITY BLADE *For:* *318G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,400.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	T250746	8 ft. Blade Extension		See Parts
	KV24032	8 ft. Non-Metallic Edge		See Parts

BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9650T		BL9B SNOW / UTILITY BLADE *For:* *318E-332E SS* *320G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J & 324J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	T250747	9 ft. Blade Extension		See Parts
	KV24033	9 ft. Non-Metallic Edge		See Parts

BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

no Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9660T		BL10B SNOW / UTILITY BLADE *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,799.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	T250748	10 ft. Blade Extension		See Parts
	KV24034	10 ft. Non-Metallic Edge		See Parts

BV6 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BY0T		BV6 SNOW V BLADE *For:* *312G-324G SS* *318E-326E SS* *319E-323E CTL* *325G CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,572.00

BV8 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BX0T		BV8 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,803.00

BV9 SNOW V BLADE

Equipment for Base Machine

No Base Equipment Description

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BW0T		BV9 SNOW V BLADE *For:* *318G-332G SS* *318E-332E SSL* *317G-333G CTLs* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,961.00

THREE-POINT HITCH ADAPTER

Equipment for Base Machine

Hookup and quickly move tractor implements
Category 1&2 Hitch Rating

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
02C0T		THREE-POINT HITCH ADAPTER		883.00

10 IN. STEEL TRACKS

Equipment for Base Machine

.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9020T		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *318E-320E SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0023KV		10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *312G-318G SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*		1,378.00
	KV22838	Binder		See Parts
	AT340611	Boom Stop Kit (Required for 313-315)		154.00
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

12 IN. STEEL TRACKS / 320 & 324E

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0024KV		12 IN. STEEL TRACKS / 320 & 324E *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E/G SS* *324E/G SS* *Contains Chain Binder and Strap.*		3,434.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

12 IN. STEEL TRACKS / 325-328 & 326D-328D

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0025KV		12 IN. STEEL TRACKS / 325-328 & 326D-328D *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

14 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
0026KV		14 IN. STEEL TRACKS *For the following units with 14 in. Heavy Duty Tires:* *328D and 328E (No kits required).* *328 Skid Steer Loaders (Requires track guard kit KV17333).* *332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,545.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

14 IN. STEEL TRACKS (330G & 332G)

Equipment for Base Machine

Improves Skid Steer traction
Reduces ground pressure
Adds counterbalance weight
Track pitch: 10 in. (254 mm)
Total number of pads: 42

Track weight: 1,066 lb. (484 kg)

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
9021T		14 IN. STEEL TRACKS (330G & 332G) *For the following units with 14 in. Heavy Duty Tires:* *330G and 332G (No kits required).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,683.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		590.00
	KV22839	Strap		See Parts

TR36B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0011KV		TR36B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,280.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *36" x 6*		826.00
2002		Wide Standard Cup Every Station *36" x 8"*		858.00
2003		36" x 10" Wide Standard Cup Every Station		1,058.00
2004		36" x 12" Wide Standard Cup Every Station		1,215.00
2005		Wide 70/30 Combo Shark Tooth *36" x 6"*		1,101.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT347421	36" x 10" Wide Standard Cup Every Station		980.00
	AT347422	36" x 12" Wide Standard Cup Every Station		1,113.00
	AT347423	36" x 6" Wide 70/30 Combo Shark Tooth		967.00
	AT347419	36" x 6" Wide Standard Cup Every Station		744.00
	AT347420	36" x 8" Wide Standard Cup Every Station		806.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00

TR36B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

TR48B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0012KV		TR48B TRENCHER *For:* *316G-332G SS* *318E-332E SS* *317G-331G CTL* *319E-333E CTLs*		4,328.00
		MOTOR KITS		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00

TR48B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		MOTOR KITS Continued...		
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *48" x 6"*		1,001.00
2002		Wide Standard Cup Every Station *48" x 8"*		1,109.00
2005		Wide 70/30 Combo Shark Tooth *48" x 6"*		1,253.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		854.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		880.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347426	48" x 6" Wide Combo Shark Tooth		1,155.00
	AT347424	48" x 6" Wide Standard Cup Every Station		867.00
	AT347425	48" x 8" Wide Standard Cup Every Station		942.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

TR60B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 27 to 44 gpm
- 2000 to 3300 psi

- Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0013KV		TR60B TRENCHER *For High Flow:* *318E-332E SS* *320G-332G SS* *323E-333E CTLs* *325G-333G CTLs*		4,446.00
		MOTOR KITS		
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
2001		Wide Standard Cup Every Station *60" x 6"*		1,168.00
2005		Wide 70/30 Combo Shark Tooth *60" x 6"*		1,594.00
		DEALER-INSTALLED KITS		

TR60B TRENCHER

Continued

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories		
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,337.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,388.00
	AT347428	60" x 6" Wide 70/30 Combo Shark Tooth		1,356.00
	AT347427	60" x 6" Wide Standard Cup Every Station		1,038.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR66C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
66 in. (1.7 m) Smooth Drum
7800 lbf (3538 kg) Dynamic Force
2600 vpm @ 20 gpm Frequency
Drum Diameter 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Required on the 317 & 320. Rear Ballast May Enhance Stability on Other Models.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7760T		VR66C SMOOTH VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*		9,455.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR73C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Smooth Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency
Drum Diameter - 24 in. (61.0 cm)
Quik-Tatch Mounting with 1/2 in. Couplers and Hoses
NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7770T		VR73C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *320G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		9,858.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

VR84C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
84 in. (2.1 m) Smooth Drum
9,370 lbf (4250 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter - 24 in. (61.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7780T		VR84C SMOOTH VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *319E-333E CTLs* *325G-333G CTLs*		10,296.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

VR66C PADDED VIBRATORY ROLLER

Equipment for Base Machine

```
Performance:
 Powered by Standard                Drum Diameter less Pads -
 Auxiliary                           20 in. (51.0 cm)
Hydraulics
 Drum Oscillation of +/- 15         Quik-Tatch Mounting with
 Degrees                             1/2 in. Couplers and Hoses
 66 in. (1.7 m) Padded Drum
 7800 lbf (3538 kg)                 NOTE: Rear Ballast is
 Dynamic Force                      Required on the 317 & 320.
 2600 vpm @ 20 gpm                  Rear Ballast May Enhance
 Frequency                          Stability on Other Models.
```

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

7790T		VR66C PADDED VIBRATORY ROLLER *For:* *312G-332G SS* *318E-332E SS* *317G-331G CTLs* *319E-333E CTLs*	10,098.00

DEALER-INSTALLED KITS

Kits and Accessories

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
Powered by Standard Auxiliary Hydraulics
Drum Oscillation of +/- 15 Degrees
73 in. (1.8 m) Padded Drum
8,550 lbf (3878 kg) Dynamic Force
2600 vpm @ 20 gpm
Frequency

Drum Diameter less Pads - 20 in. (51.0 cm)

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

Code	Attachment Identifier	Description	WEIGHT LBS.	List Price Suggested USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7800T		VR73C PADDED VIBRATORY ROLLER *For:* *324E-332E SS* *324G-332G SS* *317G-333G CTLs* *319E-333E CTLs*		10,512.00
		DEALER-INSTALLED KITS		
		Kits and Accessories		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

STATE OF MICHIGAN
ENTERPRISE PROCUREMENT

Department of Technology, Management & Budget
525 W. Allegan Street Lansing, MI 48933
P.O. Box 30026 Lansing, MI 48909

NOTICE OF CONTRACT

NOTICE OF CONTRACT NO. **071B7700093**
between
THE STATE OF MICHIGAN
and

CONTRACTOR	
	John Deere Construction Retail Sales
	1515 Fifth Avenue
	Moline, IL 61265
	Richard Murga
	309-765-0260
	murgarichard@johndeere.com
	*****7700

STATE			
	Program Manager	Scott Poyer	MDOT
		517-284-6448	
		poyers@michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		517-284-6996	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
DESCRIPTION: Skid Steer PURCHASE.			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW**
1/13/2017	1/12/2021	2, one year	
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
45 Days		120 days (max)	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-card ☐ Direct Voucher (DV) ☐ Other			☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			
MISCELLANEOUS INFORMATION			
ESTIMATED CONTRACT VALUE AT TIME OF EXECUTION			**$750,000.00**

FOR THE CONTRACTOR:

John Deere Construction Retail Sales
Company Name

Authorized Agent Signature

Authorized Agent **(Print or Type)**

Date

FOR THE STATE:

Signature

Name & Title

Agency

Date

STATE OF MICHIGAN

STANDARD CONTRACT TERMS

This STANDARD CONTRACT ("**Contract**") is agreed to between the State of Michigan (the "**State**") and John Deere Shared Services, Inc. DBA: John Deere Construction Retail Sales ("**Contractor**"), a Delaware Corporation. This Contract is effective on January 13, 2017 ("**Effective Date**"), and unless terminated, expires on January 12, 2021.

This Contract may be renewed for up to two (2) additional one (1) year period(s). Renewal is at the sole discretion of the State and will automatically extend the Term of this Contract. The State will document its exercise of renewal options via Contract Change Notice.

The parties agree as follows:

1. **Duties of Contractor.** Contractor must perform the services and provide the deliverables described in **Schedule A – Statement of Work** (the "**Contract Activities**"). An obligation to provide delivery of any commodity is considered a service and is a Contract Activity.

   Contractor must furnish all labor, equipment, materials, and supplies necessary for the performance of the Contract Activities, and meet operational standards, unless otherwise specified in Schedule A.

   Contractor must: (a) perform the Contract Activities in a timely, professional, safe, and workmanlike manner consistent with standards in the trade, profession, or industry; (b) meet or exceed the performance and operational standards, and specifications of the Contract; (c) provide all Contract Activities in good quality, with no material defects; (d) not interfere with the State's operations; (e) obtain and maintain all necessary licenses, permits or other authorizations necessary for the performance of the Contract; (f) cooperate with the State, including the State's quality assurance personnel, and any third party to achieve the objectives of the Contract; (g) return to the State any State-furnished equipment or other resources in the same condition as when provided when no longer required for the Contract; (h) not make any media releases without prior written authorization from the State; (i) assign to the State any claims resulting from state or federal antitrust violations to the extent that those violations concern materials or services supplied by third parties toward fulfillment of the Contract; (j) comply with all State physical and IT security policies and standards which will be made available upon request; and (k) provide the State priority in performance of the Contract except as mandated by federal disaster response requirements. Any breach under this paragraph is considered a material breach.

   Contractor must also be clearly identifiable while on State property by wearing identification issued by the State, and clearly identify themselves whenever making contact with the State.

2. **Notices.** All notices and other communications required or permitted under this Contract must be in writing and will be considered given and received: (a) when verified by written receipt if sent by courier; (b) when actually received if sent by mail without verification of receipt; or (c) when verified by automated receipt or electronic logs if sent by facsimile or email.

If to State:	If to Contractor:
Yvon Dufour *525 W. Allegan,* *Constitution Hall, 1st Floor NE* *Lansing, MI 48933* *dufoury@michigan.gov* *(517) 284-6996*	Richard Murga John Deere Construction Retail Sales 1515 Fifth Avenue Moline, IL 61265 MurgaRichard@JohnDeere.com (309) 765-0260

3. **Contract Administrator.** The Contract Administrator for each party is the only person authorized to modify any terms of this Contract, and approve and execute any change under this Contract (each a "**Contract Administrator**"):

State:	Contractor:
Yvon Dufour *525 W. Allegan,* *Constitution Hall, 1st Floor NE* *Lansing, MI 48933* *dufoury@michigan.gov* *(517) 284-6996*	Jayne Osborne - Account Manager John Deere Construction Retail Sales 1515 Fifth Avenue Moline, IL 61265 OsborneJayneM@JohnDeere.com (309) 765-1996

4. **Program Manager.** The Program Manager for each party will monitor and coordinate the day-to-day activities of the Contract (each a "**Program Manager**"):

State:	Contractor:
Scott Poyer *poyers@michigan.gov* *(517) 284-6448*	Mark R. Deakyne - Account Manager John Deere Construction Retail Sales 1515 Fifth Avenue Moline, IL 61265 (309) 765-0294 / (800) 319-3757 option 4 DeakyneMarkR@JohnDeere.com

5. **Performance Guarantee**. Contractor must at all times have financial resources sufficient, in the opinion of the State, to ensure performance of the Contract and must provide proof upon request. The State may require a performance bond (as specified in Schedule A) if, in the opinion of the State, it will ensure performance of the Contract.

6. **Insurance Requirements.** Contractor must maintain the insurances identified below and is responsible for all deductibles. All required insurance must: (a) protect the State from claims that may arise out of, are alleged to arise out of, or result from Contractor's or a subcontractor's performance; (b) be primary and non-contributing to any comparable liability insurance (including self-insurance) carried by the State; and (c) be provided by a company with an A.M. Best rating of "A" or better, and a financial size of VII or better.

Required Limits	Additional Requirements
Commercial General Liability Insurance	
Minimal Limits: $1,000,000 Each Occurrence Limit $1,000,000 Personal & Advertising Injury Limit $2,000,000 General Aggregate Limit $2,000,000 Products/Completed Operations Deductible Maximum: $50,000 Each Occurrence	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds using endorsement CG 20 10 11 85, or both CG 2010 07 04 and CG 2037 07 0.
Umbrella or Excess Liability Insurance	
Minimal Limits: $5,000,000 General Aggregate	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds.
Automobile Liability Insurance	
Minimal Limits: $1,000,000 Per Occurrence	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its

	departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Hired and Non-Owned Automobile coverage.
Workers' Compensation Insurance	
Minimal Limits: Coverage according to applicable laws governing work activities.	Waiver of subrogation, except where waiver is prohibited by law.
Employers Liability Insurance	
Minimal Limits: $500,000 Each Accident $500,000 Each Employee by Disease $500,000 Aggregate Disease.	

If any of the required policies provide **claims-made** coverage, the Contractor must: (a) provide coverage with a retroactive date before the effective date of the contract or the beginning of Contract Activities; (b) maintain coverage and provide evidence of coverage for at least three (3) years after completion of the Contract Activities; and (c) if coverage is canceled or not renewed, and not replaced with another claims-made policy form with a retroactive date prior to the contract effective date, Contractor must purchase extended reporting coverage for a minimum of three (3) years after completion of work.

Contractor must: (a) provide insurance certificates to the Contract Administrator, containing the agreement or purchase order number, at Contract formation and within 20 calendar days of the expiration date of the applicable policies; (b) require that subcontractors maintain the required insurances contained in this Section; (c) notify the Contract Administrator within 5 business days if any insurance is cancelled; and (d) waive all rights against the State for damages covered by insurance. Failure to maintain the required insurance does not limit this waiver.

This Section is not intended to and is not be construed in any manner as waiving, restricting or limiting the liability of either party for any obligations under this Contract (including any provisions hereof requiring Contractor to indemnify, defend and hold harmless the State).

7. **Administrative Fee and Reporting.** Contractor must pay an administrative fee of 2% on all payments made to Contractor under the Contract including transactions with the State (including its departments, divisions, agencies, offices, and commissions), MiDEAL members, and other states (including governmental subdivisions and authorized entities). Administrative fee payments must be made by check payable to the State of Michigan and mailed to:

Department of Technology, Management and Budget
Cashiering
P.O. Box 30681
Lansing, MI 48909

Contractor must submit an itemized purchasing activity report, which includes at a minimum, the name of the purchasing entity and the total dollar volume in sales. Reports should be mailed to DTMB-Procurement.

The administrative fee and purchasing activity report are due within 30 calendar days from the last day of each calendar quarter.

8. **Extended Purchasing Program.** This contract is extended to MiDEAL members. MiDEAL members include local units of government, school districts, universities, community colleges, and nonprofit hospitals. A current list of MiDEAL members is available at www.michigan.gov/mideal. Upon written agreement between the State and Contractor, this contract may also be extended to: (a) State of Michigan employees and (b) other states (including governmental subdivisions and authorized entities).

If extended, Contractor must supply all Contract Activities at the established Contract prices and terms. The State reserves the right to impose an administrative fee and negotiate additional discounts based on any increased volume generated by such extensions.

Contractor must submit invoices to, and receive payment from, extended purchasing program members on a direct and individual basis.

9. **Independent Contractor.** Contractor is an independent contractor and assumes all rights, obligations and liabilities set forth in this Contract. Contractor, its employees, and agents will not be considered employees of the State. No partnership or joint venture relationship is created by virtue of this Contract. Contractor, and not the State, is responsible for the payment of wages, benefits and taxes of Contractor's employees and any subcontractors. Prior performance does not modify Contractor's status as an independent contractor.

10. **Subcontracting.** Contractor may not delegate any of its obligations under the Contract without the prior written approval of the State. Contractor must notify the State at least 90 calendar days before the proposed delegation, and provide the State any information it requests to determine whether the delegation is in its best interest. If approved, Contractor must: (a) be the sole point of contact regarding all contractual matters, including payment and charges for all Contract Activities; (b) make all payments to the subcontractor; and (c) incorporate the terms and conditions contained in this Contract in any subcontract with a subcontractor. Contractor remains responsible for the completion of the Contract Activities, compliance with the terms of this Contract, and the acts and omissions of the subcontractor. The State, in its sole discretion, may require the replacement of any subcontractor.

11. **Staffing.** The State's Contract Administrator may require Contractor to remove or reassign personnel by providing a notice to Contractor.

12. **Background Checks.** Upon request, Contractor must perform background checks on all employees and subcontractors and its employees prior to their assignment. The scope is at the discretion of the State and documentation must be provided as requested. Contractor is responsible for all costs associated with the requested background checks. The State, in its sole discretion, may also perform background checks.

13. **Assignment.** Contractor may not assign this Contract to any other party without the prior approval of the State. Upon notice to Contractor, the State, in its sole discretion, may assign in whole or in part, its rights or responsibilities under this Contract to any other party. If the State determines that a novation of the Contract to a third party is necessary, Contractor will agree to the novation and provide all necessary documentation and signatures.

14. **Change of Control.** Contractor will notify, at least 90 calendar days before the effective date, the State of a change in Contractor's organizational structure or ownership. For purposes of this Contract, a change in control means any of the following: (a) a sale of more than 50% of Contractor's stock; (b) a sale of substantially all of Contractor's assets; (c) a change in a majority of Contractor's board members; (d) consummation of a merger or consolidation of Contractor with any other entity; (e) a change in ownership through a transaction or series of transactions; (f) or the board (or the stockholders) approves a plan of complete liquidation. A change of control does not include any consolidation or merger effected exclusively to change the domicile of Contractor, or any transaction or series of transactions principally for bona fide equity financing purposes.

    In the event of a change of control, Contractor must require the successor to assume this Contract and all of its obligations under this Contract.

15. **Ordering.** Contractor is not authorized to begin performance until receipt of authorization as identified in Schedule A.

16. **Acceptance.** Contract Activities are subject to inspection and testing by the State within 30 calendar days of the State's receipt of them ("**State Review Period**"), unless otherwise provided in Schedule A. If the Contract Activities are not fully accepted by the State, the State will notify Contractor by the end of the State Review Period that either: (a) the Contract Activities are accepted, but noted deficiencies must be corrected; or (b) the Contract Activities are rejected. If the State finds material deficiencies, it may: (i)

reject the Contract Activities without performing any further inspections; (ii) demand performance at no additional cost; or (iii) terminate this Contract in accordance with Section 23, Termination for Cause.

Within 10 business days from the date of Contractor's receipt of notification of acceptance with deficiencies or rejection of any Contract Activities, Contractor must cure, at no additional cost, the deficiency and deliver unequivocally acceptable Contract Activities to the State. If acceptance with deficiencies or rejection of the Contract Activities impacts the content or delivery of other non-completed Contract Activities, the parties' respective Program Managers must determine an agreed to number of days for re-submission that minimizes the overall impact to the Contract. However, nothing herein affects, alters, or relieves Contractor of its obligations to correct deficiencies in accordance with the time response standards set forth in this Contract.

If Contractor is unable or refuses to correct the deficiency within the time response standards set forth in this Contract, the State may cancel the order in whole or in part. The State, or a third party identified by the State, may perform the Contract Activities and recover the difference between the cost to cure and the Contract price plus an additional 10% administrative fee.

17. **Delivery.** Contractor must deliver all Contract Activities F.O.B. destination, within the State premises with transportation and handling charges paid by Contractor, unless otherwise specified in Schedule A. All containers and packaging becomes the State's exclusive property upon acceptance.

18. **Risk of Loss and Title.** Until final acceptance, title and risk of loss or damage to Contract Activities remains with Contractor. Contractor is responsible for filing, processing, and collecting all damage claims. The State will record and report to Contractor any evidence of visible damage. If the State rejects the Contract Activities, Contractor must remove them from the premises within 10 calendar days after notification of rejection. The risk of loss of rejected or non-conforming Contract Activities remains with Contractor. Rejected Contract Activities not removed by Contractor within 10 calendar days will be deemed abandoned by Contractor, and the State will have the right to dispose of it as its own property. Contractor must reimburse the State for costs and expenses incurred in storing or effecting removal or disposition of rejected Contract Activities.

19. **Warranty Period**. The warranty period, if applicable, for Contract Activities is a fixed period commencing on the date specified in Schedule A. If the Contract Activities do not function as warranted during the warranty period the State may return such non-conforming Contract Activities to the Contractor for a full refund.

20. **Terms of Payment.** Invoices must conform to the requirements communicated from time-to-time by the State. All undisputed amounts are payable within 45 days of the State's receipt. Contractor may only charge for Contract Activities performed as specified in Schedule A. Invoices must include an itemized statement of all charges. The State is exempt from State sales tax for direct purchases and may be exempt from federal excise tax, if Services purchased under this Agreement are for the State's exclusive use. Notwithstanding the foregoing, all prices are inclusive of taxes, and Contractor is responsible for all sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any federal, state, or local governmental entity on any amounts payable by the State under this Contract.

    The State has the right to withhold payment of any disputed amounts until the parties agree as to the validity of the disputed amount. The State will notify Contractor of any dispute within a reasonable time. Payment by the State will not constitute a waiver of any rights as to Contractor's continuing obligations, including claims for deficiencies or substandard Contract Activities. Contractor's acceptance of final payment by the State constitutes a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still disputed.

    The State will only disburse payments under this Contract through Electronic Funds Transfer (EFT). Contractor must register with the State at http://www.michigan.gov/cpexpress to receive electronic fund transfer payments. If Contractor does not register, the State is not liable for failure to provide payment. Without prejudice to any other right or remedy it may have, the State reserves the right to set off at any time any amount then due and owing to it by Contractor against any amount payable by the State to Contractor under this Contract.

21. **Liquidated Damages.** Liquidated damages, if applicable, will be assessed as described in Schedule A.

22. **Stop Work Order.** The State may suspend any or all activities under the Contract at any time. The State will provide Contractor a written stop work order detailing the suspension. Contractor must comply with the stop work order upon receipt. Within 90 calendar days, or any longer period agreed to by Contractor, the State will either: (a) issue a notice authorizing Contractor to resume work, or (b) terminate the Contract or purchase order. The State will not pay for Contract Activities, Contractor's lost profits, or any additional compensation during a stop work period.

23. **Termination for Cause.** The State may terminate this Contract for cause, in whole or in part, if Contractor, as determined by the State: (a) endangers the value, integrity, or security of any location, data, or personnel; (b) becomes insolvent, petitions for bankruptcy court proceedings, or has an involuntary bankruptcy proceeding filed against it by any creditor; (c) engages in any conduct that may expose the State to liability; (d) breaches any of its material duties or obligations; or (e) fails to cure a breach within the time stated in a notice of breach. Any reference to specific breaches being material breaches within this Contract will not be construed to mean that other breaches are not material.

    If the State terminates this Contract under this Section, the State will issue a termination notice specifying whether Contractor must: (a) cease performance immediately, or (b) continue to perform for a specified period. If it is later determined that Contractor was not in breach of the Contract, the termination will be deemed to have been a Termination for Convenience, effective as of the same date, and the rights and obligations of the parties will be limited to those provided in Section 24, Termination for Convenience.

    The State will only pay for amounts due to Contractor for Contract Activities accepted by the State on or before the date of termination, subject to the State's right to set off any amounts owed by the Contractor for the State's reasonable costs in terminating this Contract. The Contractor must pay all reasonable costs incurred by the State in terminating this Contract for cause, including administrative costs, attorneys' fees, court costs, transition costs, and any costs the State incurs to procure the Contract Activities from other sources.

24. **Termination for Convenience.** The State may immediately terminate this Contract in whole or in part without penalty and for any reason, including but not limited to, appropriation or budget shortfalls. The termination notice will specify whether Contractor must: (a) cease performance of the Contract Activities immediately, or (b) continue to perform the Contract Activities in accordance with Section 25, Transition Responsibilities. If the State terminates this Contract for convenience, the State will pay all reasonable costs, as determined by the State, for State approved Transition Responsibilities.

25. **Transition Responsibilities.** Upon termination or expiration of this Contract for any reason, Contractor must, for a period of time specified by the State (not to exceed 120 calendar days), provide all reasonable transition assistance requested by the State, to allow for the expired or terminated portion of the Contract Activities to continue without interruption or adverse effect, and to facilitate the orderly transfer of such Contract Activities to the State or its designees. Such transition assistance may include, but is not limited to: (a) continuing to perform the Contract Activities at the established Contract rates; (b) taking all reasonable and necessary measures to transition performance of the work, including all applicable Contract Activities, training, equipment, software, leases, reports and other documentation, to the State or the State's designee; (c) taking all necessary and appropriate steps, or such other action as the State may direct, to preserve, maintain, protect, or return to the State all materials, data, property, and confidential information provided directly or indirectly to Contractor by any entity, agent, vendor, or employee of the State; (d) transferring title in and delivering to the State, at the State's discretion, all completed or partially completed deliverables prepared under this Contract as of the Contract termination date; and (e) preparing an accurate accounting from which the State and Contractor may reconcile all outstanding accounts (collectively, "**Transition Responsibilities**"). This Contract will automatically be extended through the end of the transition period.

26. **General Indemnification.** Contractor must defend, indemnify and hold the State, its departments, divisions, agencies, offices, commissions, officers, and employees harmless, without limitation, from and against any and all actions, claims, losses, liabilities, damages, costs, attorney fees, and expenses (including those required to establish the right to indemnification), arising out of or relating to: (a) any breach by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable) of any of the promises, agreements, representations, warranties, or insurance requirements contained in this Contract; (b) any infringement, misappropriation, or other violation of any intellectual property right or other right of any third party; (c) any bodily injury, death, or damage to real or tangible personal property occurring wholly or in part due to action or inaction by

Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable).

The State will notify Contractor in writing if indemnification is sought; however, failure to do so will not relieve Contractor, except to the extent that Contractor is materially prejudiced. Contractor must, to the satisfaction of the State, demonstrate its financial ability to carry out these obligations.

The State is entitled to: (i) regular updates on proceeding status; (ii) participate in the defense of the proceeding; (iii) employ its own counsel; and to (iv) retain control of the defense if the State deems necessary. Contractor will not, without the State's written consent (not to be unreasonably withheld), settle, compromise, or consent to the entry of any judgment in or otherwise seek to terminate any claim, action, or proceeding. To the extent that any State employee, official, or law may be involved or challenged, the State may, at its own expense, control the defense of that portion of the claim.

Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. An attorney designated to represent the State may not do so until approved by the Michigan Attorney General and appointed as a Special Assistant Attorney General.

27. **Infringement Remedies.** If, in either party's opinion, any piece of equipment, software, commodity, or service supplied by Contractor or its subcontractors, or its operation, use or reproduction, is likely to become the subject of a copyright, patent, trademark, or trade secret infringement claim, Contractor must, at its expense: (a) procure for the State the right to continue using the equipment, software, commodity, or service, or if this option is not reasonably available to Contractor, (b) replace or modify the same so that it becomes non-infringing; or (c) accept its return by the State with appropriate credits to the State against Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.

28. **Limitation of Liability.** The State is not liable for consequential, incidental, indirect, or special damages, regardless of the nature of the action.

29. **Disclosure of Litigation, or Other Proceeding.** Contractor must notify the State within 14 calendar days of receiving notice of any litigation, investigation, arbitration, or other proceeding (collectively, "**Proceeding**") involving Contractor, a subcontractor, or an officer or director of Contractor or subcontractor, that arises during the term of the Contract, including: (a) a criminal Proceeding; (b) a parole or probation Proceeding; (c) a Proceeding under the Sarbanes-Oxley Act; (d) a civil Proceeding involving: (1) a claim that might reasonably be expected to adversely affect Contractor's viability or financial stability; or (2) a governmental or public entity's claim or written allegation of fraud; or (e) a Proceeding involving any license that Contractor is required to possess in order to perform under this Contract.

30. **Reserved.**

31. **Reserved.**

32. **Non-Disclosure of Confidential Information**. The parties acknowledge that each party may be exposed to or acquire communication or data of the other party that is confidential, privileged communication not intended to be disclosed to third parties. The provisions of this Section survive the termination of this Contract.

    a. Meaning of Confidential Information. For the purposes of this Contract, the term "**Confidential Information**" means all information and documentation of a party that: (a) has been marked "confidential" or with words of similar meaning, at the time of disclosure by such party; (b) if disclosed orally or not marked "confidential" or with words of similar meaning, was subsequently summarized in writing by the disclosing party and marked "confidential" or with words of similar meaning; and, (c) should reasonably be recognized as confidential information of the disclosing party. The term "Confidential Information" does not include any information or documentation that was: (a) subject to disclosure under the Michigan Freedom of Information Act (FOIA); (b) already in the possession of the receiving party without an obligation of confidentiality; (c) developed independently by the receiving party, as demonstrated by the receiving party, without violating the disclosing party's proprietary rights; (d) obtained from a source other than the

disclosing party without an obligation of confidentiality; or, (e) publicly available when received, or thereafter became publicly available (other than through any unauthorized disclosure by, through, or on behalf of, the receiving party). For purposes of this Contract, in all cases and for all matters, State Data is deemed to be Confidential Information.

b. Obligation of Confidentiality. The parties agree to hold all Confidential Information in strict confidence and not to copy, reproduce, sell, transfer, or otherwise dispose of, give or disclose such Confidential Information to third parties other than employees, agents, or subcontractors of a party who have a need to know in connection with this Contract or to use such Confidential Information for any purposes whatsoever other than the performance of this Contract. The parties agree to advise and require their respective employees, agents, and subcontractors of their obligations to keep all Confidential Information confidential. Disclosure to a subcontractor is permissible where: (a) use of a subcontractor is authorized under this Contract; (b) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the subcontractor's responsibilities; and (c) Contractor obligates the subcontractor in a written contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor or any subcontractor may be required to execute a separate agreement to be bound by the provisions of this Section.

c. Cooperation to Prevent Disclosure of Confidential Information. Each party must use its best efforts to assist the other party in identifying and preventing any unauthorized use or disclosure of any Confidential Information. Without limiting the foregoing, each party must advise the other party immediately in the event either party learns or has reason to believe that any person who has had access to Confidential Information has violated or intends to violate the terms of this Contract and each party will cooperate with the other party in seeking injunctive or other equitable relief against any such person.

d. Remedies for Breach of Obligation of Confidentiality. Each party acknowledges that breach of its obligation of confidentiality may give rise to irreparable injury to the other party, which damage may be inadequately compensable in the form of monetary damages. Accordingly, a party may seek and obtain injunctive relief against the breach or threatened breach of the foregoing undertakings, in addition to any other legal remedies which may be available, to include, in the case of the State, at the sole election of the State, the immediate termination, without liability to the State, of this Contract or any Statement of Work corresponding to the breach or threatened breach.

e. Surrender of Confidential Information upon Termination. Upon termination of this Contract or a Statement of Work, in whole or in part, each party must, within 5 calendar days from the date of termination, return to the other party any and all Confidential Information received from the other party, or created or received by a party on behalf of the other party, which are in such party's possession, custody, or control; provided, however, that Contractor must return State Data to the State following the timeframe and procedure described further in this Contract. Should Contractor or the State determine that the return of any Confidential Information is not feasible, such party must destroy the Confidential Information and must certify the same in writing within 5 calendar days from the date of termination to the other party. However, the State's legal ability to destroy Contractor data may be restricted by its retention and disposal schedule, in which case Contractor's Confidential Information will be destroyed after the retention period expires.

33. **Reserved.**

34. **Reserved.**

35. **Reserved.**

36. **Records Maintenance, Inspection, Examination, and Audit.** The State or its designee may audit Contractor to verify compliance with this Contract. Contractor must retain, and provide to the State or its designee and the auditor general upon request, all financial and accounting records related to the Contract through the term of the Contract and for 4 years after the latter of termination, expiration, or final payment under this Contract or any extension ("**Audit Period**"). If an audit, litigation, or other action involving the records is initiated before the end of the Audit Period, Contractor must retain the records until all issues are resolved.

Within 10 calendar days of providing notice, the State and its authorized representatives or designees have the right to enter and inspect Contractor's premises or any other places where Contract Activities are being performed, and examine, copy, and audit all records related to this Contract. Contractor must cooperate and provide reasonable assistance. If any financial errors are revealed, the amount in error must be reflected as a credit or debit on subsequent invoices until the amount is paid or refunded. Any remaining balance at the end of the Contract must be paid or refunded within 45 calendar days.

This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

37. **Warranties and Representations.** Contractor represents and warrants: (a) Contractor is the owner or licensee of any Contract Activities that it licenses, sells, or develops and Contractor has the rights necessary to convey title, ownership rights, or licensed use; (b) all Contract Activities are delivered free from any security interest, lien, or encumbrance and will continue in that respect; (c) the Contract Activities will not infringe the patent, trademark, copyright, trade secret, or other proprietary rights of any third party; (d) Contractor must assign or otherwise transfer to the State or its designee any manufacturer's warranty for the Contract Activities; (e) the Contract Activities are merchantable and fit for the specific purposes identified in the Contract; (f) the Contract signatory has the authority to enter into this Contract; (g) all information furnished by Contractor in connection with the Contract fairly and accurately represents Contractor's business, properties, finances, and operations as of the dates covered by the information, and Contractor will inform the State of any material adverse changes; and (h) all information furnished and representations made in connection with the award of this Contract is true, accurate, and complete, and contains no false statements or omits any fact that would make the information misleading. A breach of this Section is considered a material breach of this Contract, which entitles the State to terminate this Contract under Section 23, Termination for Cause.

38. **Conflicts and Ethics.** Contractor will uphold high ethical standards and is prohibited from: (a) holding or acquiring an interest that would conflict with this Contract; (b) doing anything that creates an appearance of impropriety with respect to the award or performance of the Contract; (c) attempting to influence or appearing to influence any State employee by the direct or indirect offer of anything of value; or (d) paying or agreeing to pay any person, other than employees and consultants working for Contractor, any consideration contingent upon the award of the Contract. Contractor must immediately notify the State of any violation or potential violation of these standards. This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

39. **Compliance with Laws.** Contractor must comply with all federal, state and local laws, rules and regulations.

40. **Reserved.**

41. **Reserved.**

42. **Nondiscrimination.** Under the Elliott-Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, *et seq*., and the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, *et seq*., Contractor and its subcontractors agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status, or mental or physical disability. Breach of this covenant is a material breach of this Contract.

43. **Unfair Labor Practice.** Under MCL 423.324, the State may void any Contract with a Contractor or subcontractor who appears on the Unfair Labor Practice register compiled under MCL 423.322.

44. **Governing Law.** This Contract is governed, construed, and enforced in accordance with Michigan law, excluding choice-of-law principles, and all claims relating to or arising out of this Contract are governed by Michigan law, excluding choice-of-law principles. Any dispute arising from this Contract must be resolved in Michigan Court of Claims. Contractor consents to venue in Ingham County, and waives any objections, such as lack of personal jurisdiction or *forum non conveniens*. Contractor must appoint agents in Michigan to receive service of process.

45. **Non-Exclusivity.** Nothing contained in this Contract is intended nor will be construed as creating any requirements contract with Contractor. This Contract does not restrict the State or its agencies from acquiring similar, equal, or like Contract Activities from other sources.

46. **Force Majeure.** Neither party will be in breach of this Contract because of any failure arising from any disaster or acts of god that are beyond their control and without their fault or negligence. Each party will use commercially reasonable efforts to resume performance. Contractor will not be relieved of a breach or delay caused by its subcontractors. If immediate performance is necessary to ensure public health and safety, the State may immediately contract with a third party.

47. **Dispute Resolution.** The parties will endeavor to resolve any Contract dispute in accordance with this provision. The dispute will be referred to the parties' respective Contract Administrators or Program Managers. Such referral must include a description of the issues and all supporting documentation. The parties must submit the dispute to a senior executive if unable to resolve the dispute within 15 business days. The parties will continue performing while a dispute is being resolved, unless the dispute precludes performance. A dispute involving payment does not preclude performance.

    Litigation to resolve the dispute will not be instituted until after the dispute has been elevated to the parties' senior executive and either concludes that resolution is unlikely, or fails to respond within 15 business days. The parties are not prohibited from instituting formal proceedings: (a) to avoid the expiration of statute of limitations period; (b) to preserve a superior position with respect to creditors; or (c) where a party makes a determination that a temporary restraining order or other injunctive relief is the only adequate remedy. This Section does not limit the State's right to terminate the Contract.

48. **Media Releases.** News releases (including promotional literature and commercial advertisements) pertaining to the Contract or project to which it relates must not be made without prior written State approval, and then only in accordance with the explicit written instructions of the State.

49. **Website Incorporation.** The State is not bound by any content on Contractor's website unless expressly incorporated directly into this Contract.

50. **Entire Agreement and Order of Precedence.** This Contract, which includes Schedule A – Statement of Work, and expressly incorporated schedules and exhibits, is the entire agreement of the parties related to the Contract Activities. This Contract supersedes and replaces all previous understandings and agreements between the parties for the Contract Activities. If there is a conflict between documents, the order of precedence is: (a) first, this Contract, excluding its schedules, exhibits, and Schedule A – Statement of Work; (b) second, Schedule A – Statement of Work as of the Effective Date; and (c) third, schedules expressly incorporated into this Contract as of the Effective Date. NO TERMS ON CONTRACTOR'S INVOICES, ORDERING DOCUMENTS, WEBSITE, BROWSE-WRAP, SHRINK-WRAP, CLICK-WRAP, CLICK-THROUGH OR OTHER NON-NEGOTIATED TERMS AND CONDITIONS PROVIDED WITH ANY OF THE CONTRACT ACTIVITIES WILL CONSTITUTE A PART OR AMENDMENT OF THIS CONTRACT OR IS BINDING ON THE STATE FOR ANY PURPOSE. ALL SUCH OTHER TERMS AND CONDITIONS HAVE NO FORCE AND EFFECT AND ARE DEEMED REJECTED BY THE STATE, EVEN IF ACCESS TO OR USE OF THE CONTRACT ACTIVITIES REQUIRES AFFIRMATIVE ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

51. **Severability.** If any part of this Contract is held invalid or unenforceable, by any court of competent jurisdiction, that part will be deemed deleted from this Contract and the severed part will be replaced by agreed upon language that achieves the same or similar objectives. The remaining Contract will continue in full force and effect.

52. **Waiver.** Failure to enforce any provision of this Contract will not constitute a waiver.

53. **Survival.** The provisions of this Contract that impose continuing obligations, including warranties and representations, termination, transition, insurance coverage, indemnification, and confidentiality, will survive the expiration or termination of this Contract.

54. **Contract Modification.** This Contract may not be amended except by signed agreement between the parties (a "**Contract Change Notice**"). Notwithstanding the foregoing, no subsequent Statement of Work or Contract Change Notice executed after the Effective Date will be construed to amend this Contract unless it specifically states its intent to do so and cites the section or sections amended.

STATE OF MICHIGAN

Contract No. 071B7700093
Agricultural, Grounds, Turf, Earth Moving, and Roadside Maintenance Equipment

SCHEDULE A
STATEMENT OF WORK
CONTRACT ACTIVITIES

This schedule identifies the requirements of this Contract.

This contract includes equipment for PURCHASE.

The Contractor must provide deliverables, including the staffing to accomplish all service incidentals necessary to complete the work, as set forth in this contract.

REQUIREMENT
SCOPE OF WORK
1.1 Specifications **The Contractor must provide the following Equipment for purchase per Schedule B, Specifications:** **FOR PURCHASE** **Awarded:** **12. C38-0101-16 Skid Steer Loader** **Not Awarded:** **13. C38-0101AWS-16 Skid Steer Loader**

A. EQUIPMENT FOR PURCHASE

1. Warranties

a) Contractor shall provide a one (1) year warranty on parts and labor or the manufacturer's warranty, whichever is greater.

b) The Sate shall contact the dealer for all warranty issues. The delivering dealer shall perform all warranty work.

c) The State reserves the right to require additional warranties.

2. Recall Requirements and Procedures

The Contractor shall notify the State and/or the ordering entity within 48 hours of a recall notice.

3. Service Levels
3.1 Time Frames

All Contract Activities must be delivered within **120** calendar days from receipt of order. The receipt of order date is pursuant to Section 2, Notice provisions of the Standard Contract Terms.

3.2 Delivery

Delivery will be expected within **120** calendar days for special orders and out of stock items, and **30** calendar days for in-stock items, upon date of order. Delivery will be made to the requested location and shall be F.O.B. Delivered or charged on a mileage rate or a one-time charge by Region (see **Schedule D – Prosperity Regions**) per **Schedule E1 - Pricing.**

F.O.B. dealership Items

Prices shall be quoted "F.O.B. Dealership" with transportation charges prepaid to the primary Contractor location on all orders for State of Michigan and Extended Purchasing Participants. Contractors must also quote a delivery cost per **Schedule E1 – Pricing**, to facilitate calculation of delivery cost to various locations within Michigan. The delivery cost per **Schedule E1 – Pricing,** will be added to the equipment price quoted to determine the "Total Price" for "F.O.B. Dealership" items. Mileage will be calculated based upon the "Official Michigan Department of Transportation Highway Map". Other F.O.B. terms will not be accepted. The State reserves the right to make their own shipping arrangements.

Freight Charges - Should an Agency order items that are below the minimum order requirement of the Contract, or should a Contractor quote F.O.B. Shipping Point on one-time purchases, the Contractor should choose the most economically advantageous carrier and must be approved by the using agency.

United Parcel Service (UPS) must be used in instances where the weight of the shipment is less than 150 lbs., or where shipments could be separated into smaller parcels such as three (3) 50 lb. packages.

If the Contractor fails to follow these shipping instructions, the State shall pay the shipping costs on the Contractor's invoice, minus the difference for the amount that was charged and the amount that would have been charged if the requested carrier had been used. The State reserves the right to arrange their own freight.

3.3 Training

The Contractor must provide the following training:

a) A comprehensive orientation training shall be provided at delivery or at an alternate time requested by the State. The training shall include equipment operation, maintenance, and inspection practices.

b) Upon request, the Contractor shall provide 8 hours of mechanics and operators training for up to eight (8) employees. The training is to be held at each ship to address. The Contractor shall provide unit pricing for training in **Schedule E1 - Pricing.**

B. *GENERAL REQUIREMENTS*

1.1 Incentives

a) **Trade-In Policy** – Trade-ins are allowed, and value is determined by the agencies preferred John Deere dealer.

2.1 Technical Support and Repairs

The support of equipment takes place through the John Deere dealer network. Should there be a need for equipment service, it is the Agency's responsibility to contact the delivering dealer for service. The Agency can also work with other dealers if necessary, as warranty and service work can be performed by any authorized John Deere dealer. In the event of service issues that cannot be

solved by the John Deere dealer, the dealer works with John Deere Company's dealer technical assistance center for elevated support.

2.2 Reporting

The Contractor must submit, to the Contract Administrator or their designee, the following written reports (if applicable):

- **a)** *Maintenance/service report*
- **b)** *Regional rental report*
- **c)** *Regional purchase report*

By the second Friday of every December, the Contractor must submit a report of recycled content in commodities sold in that calendar year to **the Contract Administrator or Designee**.

2.3 Meetings

The Contractor must attend the following meetings:

Kick-off meeting within 30 calendar days of the Effective Date.

The State may request other meetings, as it deems appropriate.

3. Staffing

3.1 Contractor Representative

The Contractor must appoint a Product Representative, specifically assigned to State of Michigan accounts, that will respond to State inquiries regarding the Contract Activities, answering questions related to ordering and delivery, etc. (the "Contractor Representative").

Mark R. Deakyne - Account Manager
1515 Fifth Avenue
Moline, IL 61265
(309) 765-0294 / (800) 319-3757 option 4
DeakyneMarkR@JohnDeere.com

The Contractor must notify the Contract Administrator at least **30** calendar days before removing or assigning a new Contractor Representative.

3.2 Customer Service Toll-Free Number

The Contractor must specify its toll-free number for the State to make contact with the Contractor Representative. The Contractor Representative must be available for calls during the hours of 8 am to 5 pm EST.

(800) 319-3757 option 4

3.3 Technical Support, Repairs and Maintenance

The Contractor must specify its toll-free number for the State to make contact with the Contractor for technical support, repairs, and maintenance. The Contractor must be available for calls and service during the hours of 8 am to 5 pm EST.

Technical support is provided by John Deere dealers. Agencies may contact their preferred John Deere dealer for technical support. Please see the enclosed list of John Deere dealers per **Schedule C – Dealer List**.

3.4 Disclosure of Subcontractors

If the Contractor intends to utilize subcontractors, the Contractor must disclose the following:

- **a)** The legal business name; address; telephone number; a description of subcontractor's organization and the services it will provide; and information concerning subcontractor's ability to provide the Contract Activities.
- **b)** The relationship of the subcontractor to the Contractor.
- **c)** Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.
- **d)** A complete description of the Contract Activities that will be performed or provided by the subcontractor.

3.5 Security

The Contractor's staff may be required to make deliveries to, or enter into State facilities. The State may require the Contractor's personnel to provide valid photo identification.

4. Pricing
4.1 Price Term

a) Pricing is firm for a 365 day period ("Pricing Period"). The first pricing period begins on the Effective Date. Adjustments may be requested, in writing, by either party and will take effect no earlier than the next Pricing Period. The State reserves the right to adjust the pricing period and allow automatic updates with limitations.

Pricing on all items listed in **Schedule B, Specifications** (or approved alternates) shall be firm-fixed. All remaining items within Contractor's **"catalog"** shall be available at a firm-fixed discount. All **"catalog"** pricing must be published and available at all times via website access, and/or electronic/printed price pages. Price quotes issued from the Contractor to the State must be verifiable via published pricing. The State reserves the right to limit "catalog" items at any time for any reason. It is expected the Contractor's Catalog items shall provide the best prices available to the State at all times and be firm-fixed. The State may remove items from the "Catalog" at any time without cause.

4.2 Price Changes

a) Adjustments will be based on changes in actual Contractor costs. Any request must be supported by written evidence documenting the change in costs. The State may consider sources, such as the Consumer Price Index; Producer Price Index; other pricing indices as needed; economic and industry data; manufacturer or supplier letters noting the increase in pricing; and any other data the State deems relevant.

b) Following the presentation of supporting documentation, both parties will have 30 days to review the information and prepare a written response. If the review reveals no need for modifications, pricing will remain unchanged unless mutually agreed to by the parties. If the review reveals that changes are needed, both parties will negotiate such changes, for no longer than 30 days, unless extended by mutual agreement.

c) The Contractor remains responsible for Contract Activities at the current price for all orders received before the mutual execution of a Change Notice indicating the start date of the new Pricing Period.

5. Ordering
5.1 Authorizing Document

The appropriate authorizing document for the Contract will be a purchase order.

5.2 Order Verification
The Contractor must have internal controls, to verify abnormal orders and to ensure that only authorized individuals place orders.

6. Acceptance
6.1 Acceptance, Inspection and Testing

The State will use the following criteria to determine acceptance of the Contract Activities:

a) Purchased equipment shall be delivered in new condition. Damaged equipment will not be accepted. The Contractor will repair or replace the damaged equipment at the Contractor's expense.

b) The Contractor shall provide documentation upon delivery that provides itemized deliverables.

c) Acceptance is not complete for partial deliveries until final deliverables are received.

6.2 Final Acceptance

a) The Contractor shall deliver the equipment. The State, or their designee, shall inspect the equipment and approve acceptance of goods upon delivery.

All set-up and/or training and orientation shall be completed.

7. Invoice and Payment
7.1 Invoice Requirements

All invoices submited to the State must include: (a) date; (b) purchase order; (c) quantity; (d) itemized description of the Contract Activities; (e) unit price; (f) shipping cost (if any); (g) total price; and (h) contract number.

8. Payment Methods

The State will make payment for Contract Activities by EFT as outlined in section 20 of Standard Contract Terms.

9. Additional Requirements

9.1 Environmental and Energy Efficient Products

Contractor must include any relevant third-party certification, including the verification of a United States department of agriculture certified bio based product label.

The following link provides information regarding John Deere's Environmental Stewardship

The Contractor shall identify any energy efficient, bio-based, or otherwise environmental friendly products used in their products to the Program Manager (PM) 2 weeks prior to delivery.

9.2 Recycled Content and Recyclability Deliverable(s).

Without compromising performance or quality, the State prefers Deliverable(s) containing higher percentages of recycled materials. The Contractor must indicate an estimate of the percentage of recycled materials, if any, contained in each Deliverable:

- (total estimated percentage of recovered material)
- (estimated percentage of post-consumer material)
- (estimated percentage of post-industrial waste)

9.3 Hazardous Chemical Identification

In accordance with the federal Emergency Planning and Community Right-to-Know Act, 42 USC 11001, *et seq.*, as amended, the Contractor must provide a Safety Data Sheet (SDS) listing any hazardous chemicals, as defined in 40 CFR §370.2, to be delivered. Each hazardous chemical must be properly identified, including any applicable identification number, such as a National Stock Number or Special Item Number.
The Contractor must identify any hazardous chemicals that will be provided under any resulting contract.

The Contractor shall provide all current SDS to the Program Manager (PM) 2 weeks prior to delivery.

9.4 Mercury Content

Pursuant to MCL 18.1261d, mercury-free products must be procured when possible. The Contractor must explain if it intends to provide products containing mercury, the amount or concentration of mercury, and whether cost competitive alternatives exist. If a cost competitive alternative does exist, the Contractor must provide justification as to why the particular product is essential. All products containing mercury must be labeled as containing mercury.

The Contractor shall report if it intends to provide products containing mercury to the Program Manager (PM) no later than 48 hours after a purchase order is issued.

9.5 Brominated Flame Retardants

The State prefers to purchase products that do not contain brominated flame retardants (BFRs) whenever possible. The Contractor must disclose whether the products contain BFRs.

The Contractor must disclose to the Program Manager (PM) whether their products contain BFRs no later than 48 hours after a purchase order is issued.

9.6 Key Personnel

The Contractor must appoint one individual(s) who will be directly responsible for the day to day operations of the Contract ("Key Personnel"). Key Personnel must be specifically assigned to the State account, be knowledgeable on the contractual requirements, and respond to State inquires within 8 hours.

Mark R. Deakyne - Account Manager
(309) 765-0294
(800) 319-3757 option 4
DeakyneMarkR@JohnDeere.com

Jayne Osborne - Account Manager
(800) 319-3757 / (309) 765-1996
OsborneJayneM@JohnDeere.com

Richard Murga – Account Manager
(309) 765-0260
(800) 319-3757 option 1
MurgaRichard@JohnDeere.com

The Contractor may not remove or assign Key Personnel without the prior consent of the State. Prior consent is not required for reassignment for reasons beyond the Contractor's control, including illness, disability, death, leave of absence, personal emergency circumstances, resignation, or termination for cause. The State may request a résumé and conduct an interview before approving a change. The State may require a 30 calendar day training period for replacement personnel.

9.8 Organizational Chart



10. Invoice Credits

Late or improper completion of the Contract Activities will cause loss and damage to the State and Extending Purchasing Participants and it would be impracticable and extremely difficult to fix the actual damage sustained by the State and/or Extending Purchasing Participants. Therefore, if there is late or improper completion of the Contract Activities, the State, and the Ordering Entity are entitled to collect invoice credits in the amount of $2/10^{th}$ of 1% of the Purchase Order for each day the Contractor fails to remedy the late or improper completion of the Work.

11. Liquidated Damages

Unauthorized Removal of Key Personnel will interfere with the timely and proper completion of the Contract, to the loss and damage of the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, the State may assess liquidated damages against Contractor as specified below.

The State is entitled to collect $500 per individual per day for the removal of any Key Personnel without prior approval of the State.

The State is entitled to collect $500 per individual per day for an unapproved or untrained key personnel replacement.

STATE OF MICHIGAN

Contract No. 071B7700093

Agricultural, Grounds, Turf, Earth Moving, and Roadside Maintenance Equipment

SCHEDULE B
SPECIFICATIONS

Equipment - Purchase	
SPEC SECTION	
12	**C38-0101-16 Skid Steer Loader**
13	**C38-0101AWS-16 Skid Steer Loader**

12. - Spec. No. C 38-0101CTL-16		
LOADER – SKID STEER-COMPACT TRACK LOADER		
1.1	Engine: Diesel, 107 HP Tier 4 Diesel. **(The acceptable engine HP for the size of this unit shall be aproximately 100hp (+/-))**	JD-333G 100HP Alternate Models: JD-317G 61HP JD-323E 74HP JD-331G 91.2HP
1.2	Cooling: Liquid	Standard All Models
1.3	Transmission: 2-Speed.	Standard (333G and 331G) Optional 323E Sigle Speed 317G
1.4	Air Cleaner: Dry type, replaceable element, with pre-cleaner.	Standard All Models
1.5	Oil Filter: Full-flow, replaceable element.	Standard All Models
1.6	Electrical System: 12 volt, manufacturer's standard size battery and alternator.	Standard All Models
1.7	Steering and Drive: Hydraulic servo-actuated with steering, braking, forward and reverse controlled by operation of hand lever or levers.	Standard All Models
1.8	Cab Enclosure with heat and AC	Available on All Models
1.9	Bucket: Dirt type, 84" width.	Available for 331G and 333G Models 317G and 323E maximum 76" Construction Bucket
1.10	Hydraulic System: Provide auxiliary hydraulics for operation of cold planer or other attachments, Variable Flow, pump size 36.6 gpm min., factory installed. Provide replaceable element filter.	**Model/Standard/High Flow** 333G/25 GPM/41.1 GPM 331G/23.5 GPM/36.5 GPM 323E/18 GPM/25 GPM 317G/16 GPM/---
1.11	Operating characteristics:	
	a. Rated operating capacity: 3,325 lbs. min.	At 35% 333G - 3700lbs. 331G - 3100lbs. 323E - 2590lbs. 317G - 2125lbs.
	b. Tipping load, SAE rated: 9300 lbs. min.	333G - 10570lbs. 331G - 8857lbs. 323E - 7400lbs. 317G - 6070lbs.
	c. Min. Height to Raised Bucket Pin: 132"	333G - 132" 331G - 132" 323E - 122.8" (10'3") 317G - 121" (10'1")
	d. Dump Height: 94" min.	333G - 98.6" (8'3") 331G - 98.6" (8'3") 323E - 98.4" (8'2") 317G - 89" (7'5")

	e. Travel Speed: 8.4 mph. approx.	333G - 7.8 mph 331G - 7.8 mph 323E - 8.7 mph 317G - 7.0 mph
1.12	Wheelbase: Approximately 48".	333G - 78.9" 331G - 78.9" 323E - 72" 317G - 65.1"
1.13	Overall Length with Bucket: 151" approx.	333G - 155.9" 331G - 155.9" 323E - 146.4" 317G - 137.4"
1.14	Operating Weight: **12,925 lbs**. approx. with bucket, without operator.	333G - 12100lbs. 331G - 11900lbs. 323E - 9440lbs. 317G - 8195lbs.
1.15	Tracks: Rubber 17 inches.	**Model/Standard/Wide Track** 333G/17.7"/---- 331G/15.8"/17.7" 323E/12.6"/15.8" 317G/12.6"/15.8"
1.16	Backup alarm	Standard All Models
1.17	Foot and hand throttle	Standard All Models
1.18	ROPS with enclosed cab.	Standard All Models
1.19	Hour meter	Standard All Models
1.2	Fuel gauge	Standard All Models
1.21	Locking fuel and hydraulic oil reservoir caps	Fluid caps are located under lockackable rear hood for all models.
1.22	Horn	Available All Models
1.23	Cold start kit and block heater	Available All Models
1.24	Adjustable seat with suspension	Standard All Models
1.25	Seat belt	Standard All Models
1.26	Parking brake	Standard All Models
1.27	Front working lights (2)	Standard All Models
1.28	Rear working lights (2)	Standard All Models
1.29	Beacon light	Available All Models
1.3	Lift arm stops	Standard All Models
1.31	ROPS mounted warning light monitoring system for:	
	a. Audible alarm for low engine oil pressure,	Standard All Models
	b. Transmission temperature,	Standard All Models
	c. Water temperature,	Standard All Models
	d. Alternator, battery voltage	Standard All Models
	e. Seat belt reminder	Standard All Models
LOADER – SKID STEER-COMPACT TRACK LOADER		
Make Offered:		**John Deere**
Model Offered:		**333G, 331G, 323E, 317G**

13. - Spec. No. C 38-0101-16		
SKID STEER LOADER		
1.1	Engine: Diesel, 54 HP SAE net	JD-332G 96.6HP
1.2	Cooling: Liquid	Standard All Models
1.3	Transmission: Hydrostatic with chain drive to all wheels.	Standard All Models
1.4	Air Cleaner: Dry type, replaceable element, with pre-cleaner.	Standard All Models
1.5	Oil Filter: Full-flow, replaceable element.	Standard All Models
1.6	Electrical System: 12 volt, manufacturer's standard size battery and alternator	Standard All Models
1.7	Steering and Drive: Hydraulic servo-actuated with steering, braking, forward and reverse controlled by operation of hand lever or levers.	Standard All Models

		Model/Capacity/Width
		JD-332G/19.4 cu ft/78"
		JD-330G/19.4 cu ft/78"
		JD-324E/16.2 cu ft/66"
		JD-318G/16.2 cu ft/66"
		JD-316GR/16.2 cu ft/66"
		JD-314G/16.2 cu ft/66"
1.8	Bucket: Dirt type, 11.5 min. cubic feet capacity, SAE rated heaped, 70" max. width	JD-312GR/16.2 cu ft/66"
		Model/Standard/High Flow
		JD-332G/25 GPM/41.1 GPM
		JD-330G/23.5 GPM/36.5 GPM
		JD-324E/21 GPM/29 GPM
		JD-318G/16 GPM/---
		JD-316GR/16 GPM/---
	Hydraulic System: Provide auxiliary hydraulics for operation of cold planer or other attachments,	JD-314G/16 GPM/---
1.9	pump size 22.0 gpm min., factory installed. Provide replaceable element filter.	JD-312GR/16 GPM/---
1.10	Operating characteristics:	
		JD-332G 3600lbs.
		JD-330G 3000lbs.
		JD-324E 2690lbs.
		JD-318G 1945lbs.
		JD-316GR 1750lbs.
		JD-314G 1760lbs.
1.11	a. Rated operating capacity: 1700 lbs. min.	JD-312GR 1550lbs.
		JD-332G 7200lbs.
		JD-330G 6000lbs.
		JD-324E 5380lbs.
		JD-318G 3890lbs.
		JD-316GR 3500lbs.
		JD-314G 3520lbs.
	b. Tipping load, SAE rated: 3400 lbs. min.	JD-312GR 3100lbs.
		JD-332G 132"
		JD-330G 132"
		JD-324E 125.5"
		JD-318G 120"
		JD-316GR 115.1"
		JD-314G 120"
	c. Min. Height to Raised Bucket Pin: 116"	JD-312GR 115.1"
		JD-332G 98.6"
		JD-330G 98.6"
		JD-324E 100.9"
		JD-318G 94.3"
		JD-316GR 88.6"
		JD-314G 94.3"
	d. Dump Height: 81" min.	JD-312GR 88.6"
		JD-332G 12 MPH
		JD-330G 12 MPH
		JD-324E 11.1 MPH
		JD-318G 10.1 MPH
		JD-316GR 10.1 MPH
		JD-314G 6.7 MPH
	e. Travel Speed: 6.0 mph. approx.	JD-312GR 6.7 MPH
		JD-332G 78.4"
		JD-330G 78"
		JD-324E 69.8"
		JD-318G 62.9"
		JD-316GR 62.9"
		JD-314G 62.9"
1.12	Wheelbase: Approximately 40".	JD-312GR 62.9"

1.13	Overall Length with Bucket: 144" approx.	JD-332G 155.9" JD-330G 155.9" JD-324E 136.8" JD-318G 127.6" JD-316GR 127.6" JD-314G 127.6" JD-312GR 127.6"
1.14	Operating Weight: 6,500 lbs. max. with bucket, without operator.	JD-332G 10000lbs. JD-330G 9900lbs. JD-324E 7500lbs. JD-318G 6475lbs. JD-316GR 6375lbs. JD-314G 6315lbs. JD-312GR 5995lbs.
1.15	Tires: Pneumatic, 12.00 x 16.5, 6 ply.	JD-332G 14 X 17.5 12 PR JD-330G 14 X 17.5 12 PR JD-324E 12 X 16.5 10 PR JD-318G 10 X 16.5 8 PR JD-316GR 10 X 16.5 8 PR JD-314G 10 X 16.5 8 PR JD-312GR 10 X 16.5 8 PR
1.16	Backup alarm	Standard All Models
1.17	Foot and hand throttle	Standard All Models
1.18	ROPS with overhead guard and integral screened sides.	Standard All Models
1.19	Hour meter	Standard All Models
1.2	Fuel gauge	Standard All Models
1.21	Locking fuel and hydraulic oil reservoir caps	Fluid caps are located under lockackable rear hood for all models.
1.22	Horn	Standard All Models
1.23	Cold start kit and block heater	Available for Models
1.24	Adjustable seat	Standard All Models
1.25	Seat belt	Standard All Models
1.26	Parking brake	Standard All Models
1.27	Front working lights (2)	Standard All Models
1.28	Rear working lights (2)	Standard All Models
1.29	Beacon light	Available for Models
1.3	Lift arm stops	Standard All Models
1.31	ROPS mounted warning light monitoring system for: Audible alarm for low engine oil pressure, transmission temperature, water temperature, alternator, battery voltage and seat belt reminder.	Standard All Models
	SKID STEER LOADER	
Make Offered:		**John Deere**
Model Offered:		**332G, 330G, 324E, 318G, 316GR, 314G, 312GR**

312G R / 316G R SPECIFICATIONS

Engine	312GR	316GR
Manufacturer and Model	Yanmar 4TNV86CT	Yanmar 4TNV86CHT
Non-Road Emission Standard	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Power (SAE J1349 / ISO 9249)	35.8 kW (48 hp) at 2,600 rpm	45.6 kW (61 hp) at 2,600 rpm
Gross Rated Power (ISO 14396)	37.8 kW (51 hp) at 2,600 rpm	48.5 kW (65 hp) at 2,600 rpm
Peak Torque	168 Nm (124 ft.-lb.) at 1,690 rpm	207 Nm (153 ft.-lb.) at 1,690 rpm
Displacement	2.1 L (128 cu. in.)	2.1 L (128 cu. in.)
Rated Engine Speed	2,600 rpm	2,600 rpm
Torque Rise	21% at 1,690 rpm	21% at 1,690 rpm
Aspiration	Turbocharged	Turbocharged
Air Cleaner	Dry dual element	Dry dual element
Cooling	**312GR / 316GR**	
Fan Type	Direct belt drive	
Powertrain	**312GR**	**316GR**
Type	Hydrostatic-manual or electrohydraulic (EH); 4 – 80 heavy-duty (HD) continuous-loop chain	
Speeds		
Single	10.8 km/h (6.7 mph)	11.1 km/h (6.9 mph)
2 Speed, High	—	16.3 km/h (10.1 mph)
Axles	Induction-hardened, one-piece forged axle shafts with maintenance-free oil-bath lubrication of inner and outer axle bearings	
Maximum Axle Torque	4664 Nm (3,440 lb.-ft.)	6459 Nm (4,764 lb.-ft.)
Tractive Effort	2565 kgf (5,655 lbf)	3552 kgf (7,831 lbf)
Final Drive	High-strength, adjustment-free chains	High-strength, adjustment-free chains
Brakes	Integral, automatic, spring-applied, hydraulically released, wet-disc park brake	
Hydraulics		
Pump Flow, Standard	59 L/m (16 gpm)	59 L/m (16 gpm)
System Pressure at Coupler	22 408 kPa (3,250 psi)	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated), Standard	22 kW (30 hp)	23 kW (31 hp)
Auxiliary Hydraulics	With flat-faced couplers	Optional connect-under-pressure with flat-faced couplers
Cylinders	**312GR / 316GR**	
Type	John Deere heat-treated, chrome-plated polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical	**312GR**	**316GR**
Voltage	12 volt	12 volt
Battery Capacity	750 CCA standard / 925 CCA optional	750 CCA standard / 925 CCA optional
Alternator Rating	70 amp	70 amp
Lights		
Standard	Halogen: 2 front and 1 rear	Halogen: 2 front and 1 rear
Deluxe	—	LED: 2 front, 2 side, and 1 rear
Operator's Station	**312GR / 316GR**	
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick pivot standard		
Tires/Wheels		
Standard Tire Size	10 x 16.5	
Serviceability		
Refill Capacity		
Fuel Tank	71 L (19 gal.)	
Operating Weights	**312GR**	**316GR**
Base Machine	2722 kg (5,995 lb.)	2894 kg (6,375 lb.)

312G R / 316G R *SPECIFICATIONS*

Machine Dimensions	312GR	316GR
A Length without Bucket	2.63 m (103.0 in.) (8 ft. 7 in.)	2.63 m (103.0 in.) (8 ft. 7 in.)
B Length with Foundry Bucket	3.24 m (127.6 in.) (10 ft. 8 in.)	3.24 m (127.6 in.) (10 ft. 8 in.)
C Width without Bucket	1.60 m (62.9 in.) (5 ft. 3 in.)	1.60 m (62.9 in.) (5 ft. 3 in.)
D Height to Top of ROPS	1.96 m (77.2 in.) (6 ft. 5 in.)	1.96 m (77.2 in.) (6 ft. 5 in.)
E Height to Hinge Pin	2.92 m (115.1 in.) (9 ft. 7 in.)	2.92 m (115.1 in.) (9 ft. 7 in.)
F Dump Height with Foundry Bucket	2.25 m (88.6 in.) (7 ft. 5 in.)	2.25 m (88.6 in.) (7 ft. 5 in.)
G Dump Reach		
With Foundry Bucket	0.40 m (15.8 in.)	0.40 m (15.8 in.)
With Construction Bucket	0.58 m (22.8 in.)	0.58 m (22.8 in.)
H Wheelbase	1.05 m (41.5 in.) (3 ft. 5 in.)	1.05 m (41.5 in.) (3 ft. 5 in.)
I Ground Clearance	0.18 m (7.0 in.)	0.18 m (7.0 in.)
J Angle of Departure	22.3 deg.	22.3 deg.
K Front Turn Radius with Foundry Bucket	2.01 m (79.0 in.) (6 ft. 7 in.)	2.01 m (79.0 in.) (6 ft. 7 in.)
L Dump Angle (full lift height)	45 deg.	45 deg.
M Bucket Rollback (ground level)	30 deg.	30 deg.
Loader Performance		
Tipping Load	1407 kg (3,100 lb.)	1589 kg (3,500 lb.)
SAE Rated Operating Capacity	704 kg (1,550 lb.)	795 kg (1,750 lb.)
With Counterweight	772 kg (1,700 lb.)	863 kg (1,900 lb.)
Boom Breakout Force		
With Foundry Bucket	2043 kg (4,500 lb.)	2157 kg (4,750 lb.)
With Construction Bucket	1816 kg (4,000 lb.)	2043 kg (4,500 lb.)
Bucket Breakout Force		
With Foundry Bucket	2270 kg (5,000 lb.)	2384 kg (5,250 lb.)
With Construction Bucket	1680 kg (3,700 lb.)	1816 kg (4,000 lb.)

312GR / 316GR SKID STEERS





Additional equipment

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Engine
●	●	●	●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●	●				Yanmar 4TNV86CT
		●	●	●	Yanmar 4TNV86CHT
●	●	●	●	●	Auto-idle
●	●	●	●	●	Automatic preheat
▲	▲	▲	▲	▲	Chrome exhaust stack
●	●	●	●	●	Electronic injection system
▲	▲	▲	▲	▲	Engine air precleaner kit
●	●	●	●	●	Fuel tank, 71 L (19 gal.)
●	●	●	●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	●	●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●	●	●	●	●	4-cylinder 48.5-kW (65 hp) 2.1-L (128 cu. in.) displacement
●	●	●	●	●	5-micron primary fuel filter and water separator
▲	▲	▲	▲	▲	Cold-weather starting package
					Cooling System
●	●				Coolant overflow bottle recovery tank
		●	●	●	Coolant surge tank
●	●	●	●	●	Direct belt-drive cooling fan system
●	●	●	●	●	No-tools-required swing-out oil cooler
					Powertrain
●	●	●	●		High-strength adjustment-free final-drive chains
				●	High-drive direct-drive motor
●	●	●	●		Automatic spring-applied hydraulically released wet-disc park brake
●	●	●	●		Wet-disc brakes
●	●	●	●	●	Transmission, single speed
		▲	▲		Transmission, 2 speed
					Hydraulic System
●	●	●	●	●	John Deere heat-treated, chrome-plated cylinder rods with replaceable bushings

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Hydraulic System *(continued)*
▲	▲	▲	▲	▲	Connect-under-pressure auxiliary couplers
●	●	●	●	●	Quick-check hydraulic fluid-level sight glass
●	●	●	●	●	1,000-hour, 5-micron hydraulic filter
●	●	●	●	●	Axial-piston hydrostatic pump
					Electrical
●	●	●	●	●	Automatic engine/hydraulic shut-down protection system
●	●	●	●	●	Auxiliary hydraulics operator-presence system
●	●	●	●	●	Courtesy lighting
●	●	●	●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, hydraulic filter restriction
		▲	▲	▲	Deluxe LED lighting package with additional side lights (2)
●	●	●	●	●	Front and rear halogen work lights
●	●	●	●	●	Triple-interlock operator-presence control system
●	●	●	●	●	Backup alarm
●	●	●	●	●	Battery, 750 CCA
▲	▲	▲	▲	▲	Battery, 925 CCA
▲	▲	▲	▲	▲	Hazard warning lights
▲	▲	▲	▲	▲	Strobe light, amber
●	●	●	●	●	Horn

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

Additional equipment *(continued)*

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station
●	●	●	●	●	Deluxe cab headliner
▲	▲	▲	▲	▲	Keyless-start sealed-switch module with integrated anti-theft system
●	●	●	●	●	Pull-down adjustable lap bar
●	●	●	●	●	Quick-pivot ROPS
●	●	●	●	●	Rear window
●	●	●	●	●	Top window
●	●	●	●	●	Removable top window
▲	▲	▲	▲	▲	Vinyl cab enclosure
▲	▲	▲	▲	▲	Glass cab enclosure
▲	▲	▲	▲	▲	Sliding/locking glass side windows
●	●	●	●	●	ROPS/FOPS operator structure
●	●	●	●	●	Seat belt, 51-mm (2-in.), retractable
▲	▲	▲	▲	▲	Seat belt, 76-mm (3-in.), retractable
▲	▲	▲	▲	▲	Shoulder belt
●	●	●	●	●	Water-shedding deluxe vinyl seat
▲	▲	▲	▲	▲	Deluxe vinyl suspension seat
▲	▲	▲	▲	▲	Air-ride cloth, heated seat
▲	▲	▲	▲	▲	Air-ride vinyl seat
●	●	●	●	●	12-volt power port / Dome light / Cargo storage / Beverage holder
		▲	▲	▲	Air conditioning with heater/ defroster
▲	▲	▲	▲	▲	Heater with defroster
▲	▲	▲	▲	▲	AM/FM/Weather-Band (WB) radio with auxiliary input
		▲	▲	●	Electrohydraulic (EH) ISO-pattern joystick controls
		▲	▲	▲	EH joystick performance package: Switchable ISO-H pattern / Creeper mode / Boom/bucket speed settings / Adjustable propel settings / Attachment controls
●	●	●	●		Manual foot and hand controls
▲	▲	▲	▲		Manual hands-only controls with foot throttle

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station *(continued)*
▲	▲	▲	▲	▲	Floor mat with left footrest
●	●	●	●	●	Rearview mirror
▲	▲	▲	▲	▲	Severe-duty cab door and wiper system
▲	▲	▲	▲	▲	Boom-mounted side mirrors
					Loader
●	●	●	●	●	In-cab boom lockout to secure loader before exiting seat
●	●	●	●	●	John Deere Quik-Tatch™
▲	▲	▲	▲	▲	Power Quik-Tatch
●		●			John Deere radial-lift boom
	●		●	●	John Deere vertical-lift boom
▲	▲	▲	▲	▲	Hydraulic self-leveling on/off
		▲	▲	▲	Hydraulic self-leveling on/off and ride control
					Other
●	●	●	●	●	Convenient front and rear tie-downs
●	●	●	●	●	Environmental drains for all fluid reservoirs
▲	▲	▲	▲		10x16.5 10 PR Galaxy "Beefy Baby III" heavy-duty (HD) tires for 1.52-m (60 in.) machine width
				●	320-mm (12.6 in.) tracks, 1.73-m (68 in.) wide machine stance
				▲	320-mm (12.6 in.) tracks, 1.65-m (65 in.) narrow machine stance
				▲	400-mm (15.8 in.) tracks, 1.80-m (71 in.) wide machine stance
▲	▲	▲	▲	▲	Chrome exhaust stack
▲	▲	▲	▲	▲	Rear counterweights (2), 45.36 kg (100 lb.)
▲	▲	▲	▲	▲	Single-point lift kit
▲	▲	▲	▲	▲	SMV sign kit
▲	▲	▲	▲		Spare tire and wheel
▲	▲	▲	▲		Tire options: SKS Extra-Wall, Galaxy Beefy Baby III, Galaxy Hulk, and Brawler Solid-Flex

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

314G / 318G SPECIFICATIONS

Engine	314G	318G
Manufacturer and Model	Yanmar 4TNV86CT	Yanmar 4TNV86CHT
Non-Road Emission Standard	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Power (SAE J1349 / ISO 9249)	35.8 kW (48 hp) at 2,600 rpm	45.6 kW (61 hp) at 2,600 rpm
Gross Rated Power (ISO 14396)	37.8 kW (51 hp) at 2,600 rpm	48.5 kW (65 hp) at 2,600 rpm
Peak Torque	168 Nm (124 ft.-lb.) at 1,690 rpm	207 Nm (153 ft.-lb.) at 1,690 rpm
Displacement	2.1 L (128 cu. in.)	2.1 L (128 cu. in.)
Rated Engine Speed	2,600 rpm	2,600 rpm
Torque Rise	21% at 1,690 rpm	16% at 1,690 rpm
Aspiration	Turbocharged	Turbocharged
Air Cleaner	Dry dual element	Dry dual element
Cooling	**314G / 318G**	
Fan Type	Direct belt drive	
Powertrain	**314G**	**318G**
Type	Hydrostatic-manual; 4 – 80 heavy-duty (HD) continuous-loop chain	Hydrostatic-manual or electrohydraulic (EH); 4 – 80 heavy-duty (HD) continuous-loop chain
Speeds		
Single	10.8 km/h (6.7 mph)	11.1 km/h (6.9 mph)
2 Speed, High	—	16.3 km/h (10.1 mph)
Axles	Induction-hardened, one-piece forged axle shafts with maintenance-free oil-bath lubrication of inner and outer axle bearings	
Maximum Axle Torque	4664 Nm (3,440 lb.-ft.)	6459 Nm (4,764 lb.-ft.)
Tractive Effort	3318 kgf (5,655 lbf)	3552 kgf (7,831 lbf)
Final Drive	High-strength, adjustment-free chains	High-strength, adjustment-free chains
Brakes	Integral, automatic, spring-applied, hydraulically released, wet-disc park brake	
Hydraulics		
Pump Flow, Standard	59 L/m (16 gpm)	59 L/m (16 gpm)
System Pressure at Coupler	22 408 kPa (3,250 psi)	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated), Standard	22 kW (30 hp)	23 kW (31 hp)
Auxiliary Hydraulics	With flat-faced couplers	Optional connect-under-pressure with flat-faced couplers
Cylinders	**314G / 318G**	
Type	John Deere heat-treated, chrome-plated polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical	**314G**	**318G**
Voltage	12 volt	12 volt
Battery Capacity	750 CCA standard / 925 CCA optional	750 CCA standard / 925 CCA optional
Alternator Rating	70 amp	70 amp
Lights		
Standard	Halogen: 2 front and 1 rear	Halogen: 2 front and 1 rear
Deluxe	—	LED: 2 front, 2 side, and 1 rear
Operator's Station	**314G / 318G**	
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick pivot standard		
Tires/Wheels		
Standard Tire Size	10 x 16.5	
Serviceability		
Refill Capacity		
Fuel Tank	71 L (19 gal.)	
Operating Weight	**314G**	**318G**
Base Machine	2867 kg (6,315 lb.)	2940 kg (6,475 lb.)

314G / 318G SPECIFICATIONS

Machine Dimensions	314G	318G
A Length without Bucket	2.63 m (103.0 in.) (8 ft. 7 in.)	2.63 m (103.0 in.) (8 ft. 7 in.)
B Length with Foundry Bucket	3.24 m (127.6 in.) (10 ft. 8 in.)	3.24 m (127.6 in.) (10 ft. 8 in.)
C Width without Bucket	1.60 m (62.9 in.) (5 ft. 3 in.)	1.60 m (62.9 in.) (5 ft. 3 in.)
D Height to Top of ROPS	1.96 m (77.2 in.) (6 ft. 5 in.)	1.96 m (77.2 in.) (6 ft. 5 in.)
E Height to Hinge Pin	3.05 m (120.0 in.) (10 ft. 0 in.)	3.05 m (120.0 in.) (10 ft. 0 in.)
F Dump Height with Foundry Bucket	2.40 m (94.3 in.) (7 ft. 10 in.)	2.40 m (94.3 in.) (7 ft. 10 in.)
G Dump Reach		
With Foundry Bucket	0.86 m (34.0 in.)	0.86 m (34.0 in.)
With Construction Bucket	1.05 m (41.3 in.) (3 ft. 5 in.)	1.05 m (41.3 in.) (3 ft. 5 in.)
H Wheelbase	1.05 m (41.5 in.) (3 ft. 5 in.)	1.05 m (41.5 in.) (3 ft. 5 in.)
I Ground Clearance	0.18 m (7.0 in.)	0.18 m (7.0 in.)
J Angle of Departure	22.3 deg.	22.3 deg.
K Front Turn Radius with Foundry Bucket	2.01 m (79.0 in.) (6 ft. 7 in.)	2.01 m (79.0 in.) (6 ft. 7 in.)
L Dump Angle (full lift height)	42 deg.	42 deg.
M Bucket Rollback (ground level)	30 deg.	30 deg.
Loader Performance		
Tipping Load	1598 kg (3,520 lb.)	1766 kg (3,890 lb.)
SAE Rated Operating Capacity	799 kg (1,760 lb.)	883 kg (1,945 lb.)
With Counterweight	863 kg (1,900 lb.)	951 kg (2,095 lb.)
Boom Breakout Force		
With Foundry Bucket	2043 kg (4,500 lb.)	2270 kg (5,000 lb.)
With Construction Bucket	1816 kg (4,000 lb.)	2270 kg (5,000 lb.)
Bucket Breakout Force		
With Foundry Bucket	2270 kg (5,000 lb.)	2724 kg (6,000 lb.)
With Construction Bucket	1589 kg (3,500 lb.)	1930 kg (4,250 lb.)



Additional equipment

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Engine
●	●	●	●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●	●				Yanmar 4TNV86CT
		●	●	●	Yanmar 4TNV86CHT
●	●	●	●	●	Auto-idle
●	●	●	●	●	Automatic preheat
▲	▲	▲	▲	▲	Chrome exhaust stack
●	●	●	●	●	Electronic injection system
▲	▲	▲	▲	▲	Engine air precleaner kit
●	●	●	●	●	Fuel tank, 71 L (19 gal.)
●	●	●	●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	●	●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●	●	●	●	●	4-cylinder 48.5-kW (65 hp) 2.1-L (128 cu. in.) displacement
●	●	●	●	●	5-micron primary fuel filter and water separator
▲	▲	▲	▲	▲	Cold-weather starting package
					Cooling System
●	●				Coolant overflow bottle recovery tank
		●	●	●	Coolant surge tank
●	●	●	●	●	Direct belt-drive cooling fan system
●	●	●	●	●	No-tools-required swing-out oil cooler
					Powertrain
●	●	●	●		High-strength adjustment-free final-drive chains
				●	High-drive direct-drive motor
●	●	●	●		Automatic spring-applied hydraulically released wet-disc park brake
●	●	●	●		Wet-disc brakes
●	●	●	●	●	Transmission, single speed
		▲	▲		Transmission, 2 speed
					Hydraulic System
●	●	●	●	●	John Deere heat-treated, chrome-plated cylinder rods with replaceable bushings

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Hydraulic System *(continued)*
▲	▲	▲	▲	▲	Connect-under-pressure auxiliary couplers
●	●	●	●	●	Quick-check hydraulic fluid-level sight glass
●	●	●	●	●	1,000-hour, 5-micron hydraulic filter
●	●	●	●	●	Axial-piston hydrostatic pump
					Electrical
●	●	●	●	●	Automatic engine/hydraulic shut-down protection system
●	●	●	●	●	Auxiliary hydraulics operator-presence system
●	●	●	●	●	Courtesy lighting
●	●	●	●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, hydraulic filter restriction
		▲	▲	▲	Deluxe LED lighting package with additional side lights (2)
●	●	●	●	●	Front and rear halogen work lights
●	●	●	●	●	Triple-interlock operator-presence control system
●	●	●	●	●	Backup alarm
●	●	●	●	●	Battery, 750 CCA
▲	▲	▲	▲	▲	Battery, 925 CCA
▲	▲	▲	▲	▲	Hazard warning lights
▲	▲	▲	▲	▲	Strobe light, amber
●	●	●	●	●	Horn

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

Additional equipment *(continued)*

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station
●	●	●	●	●	Deluxe cab headliner
▲	▲	▲	▲	▲	Keyless-start sealed-switch module with integrated anti-theft system
●	●	●	●	●	Pull-down adjustable lap bar
●	●	●	●	●	Quick-pivot ROPS
●	●	●	●	●	Rear window
●	●	●	●	●	Top window
●	●	●	●	●	Removable top window
▲	▲	▲	▲	▲	Vinyl cab enclosure
▲	▲	▲	▲	▲	Glass cab enclosure
▲	▲	▲	▲	▲	Sliding/locking glass side windows
●	●	●	●	●	ROPS/FOPS operator structure
●	●	●	●	●	Seat belt, 51-mm (2-in.), retractable
▲	▲	▲	▲	▲	Seat belt, 76-mm (3-in.), retractable
▲	▲	▲	▲	▲	Shoulder belt
●	●	●	●	●	Water-shedding deluxe vinyl seat
▲	▲	▲	▲	▲	Deluxe vinyl suspension seat
▲	▲	▲	▲	▲	Air-ride cloth, heated seat
▲	▲	▲	▲	▲	Air-ride vinyl seat
●	●	●	●	●	12-volt power port / Dome light / Cargo storage / Beverage holder
		▲	▲	▲	Air conditioning with heater/ defroster
▲	▲	▲	▲	▲	Heater with defroster
▲	▲	▲	▲	▲	AM/FM/Weather-Band (WB) radio with auxiliary input
		▲	▲	●	Electrohydraulic (EH) ISO-pattern joystick controls
		▲	▲	▲	EH joystick performance package: Switchable ISO-H pattern / Creeper mode / Boom/bucket speed settings / Adjustable propel settings / Attachment controls
●	●	●	●		Manual foot and hand controls
▲	▲	▲	▲		Manual hands-only controls with foot throttle

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station *(continued)*
▲	▲	▲	▲	▲	Floor mat with left footrest
●	●	●	●	●	Rearview mirror
▲	▲	▲	▲	▲	Severe-duty cab door and wiper system
▲	▲	▲	▲	▲	Boom-mounted side mirrors
					Loader
●	●	●	●	●	In-cab boom lockout to secure loader before exiting seat
●	●	●	●	●	John Deere Quik-Tatch™
▲	▲	▲	▲	▲	Power Quik-Tatch
●		●			John Deere radial-lift boom
	●		●	●	John Deere vertical-lift boom
▲	▲	▲	▲	▲	Hydraulic self-leveling on/off
		▲	▲	▲	Hydraulic self-leveling on/off and ride control
					Other
●	●	●	●	●	Convenient front and rear tie-downs
●	●	●	●	●	Environmental drains for all fluid reservoirs
▲	▲	▲	▲		10x16.5 10 PR Galaxy "Beefy Baby III" heavy-duty (HD) tires for 1.52-m (60 in.) machine width
				●	320-mm (12.6 in.) tracks, 1.73-m (68 in.) wide machine stance
				▲	320-mm (12.6 in.) tracks, 1.65-m (65 in.) narrow machine stance
				▲	400-mm (15.8 in.) tracks, 1.80-m (71 in.) wide machine stance
▲	▲	▲	▲	▲	Chrome exhaust stack
▲	▲	▲	▲	▲	Rear counterweights (2), 45.36 kg (100 lb.)
▲	▲	▲	▲	▲	Single-point lift kit
▲	▲	▲	▲	▲	SMV sign kit
▲	▲	▲	▲		Spare tire and wheel
▲	▲	▲	▲		Tire options: SKS Extra-Wall, Galaxy Beefy Baby III, Galaxy Hulk, and Brawler Solid-Flex

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

317G SPECIFICATIONS

Engine	317G
Manufacturer and Model	Yanmar 4TNV86CHT
Non-Road Emission Standard	EPA Final Tier 4/EU Stage IV
Cylinders	4
Net Power (SAE J1349 / ISO 9249)	45.6 kW (61 hp) at 2,500 rpm
Gross Rated Power (ISO 14396)	48.5 kW (65 hp) at 2,600 rpm
Peak Torque	207 Nm (153 ft.-lb.) at 1,690 rpm
Displacement	2.1 L (128 cu. in.)
Rated Engine Speed	2,600 rpm
Torque Rise	16% at 1,690 rpm
Aspiration	Turbocharged
Air Cleaner	Dry dual element
Cooling	
Fan Type	Direct belt drive
Powertrain	
Pump	Axial-piston hydrostatic
Motors	Axial-piston hydrostatic
Single Speed	11.3 km/h (7.0 mph)
Gearbox	High-drive double planetary reduction
Brakes	Integral, automatic, spring-applied, hydraulically released, wet-disc park brake
Undercarriage	
Rubber Tracks	Smooth-ride long-life rubber with steel inserts
Ground Pressure	
With Standard 320-mm (12.6 in.) Track	38 kPa (5.5 psi)
With Optional 400-mm (15.8 in.) Track	31 kPa (4.5 psi)
Track Rollers (per side)	4 triple-flange smooth-ride all-steel rollers
Track Idlers (per side)	1 double-flange and 1 single-flange smooth-ride all-steel rollers
Bearings/Seals (rollers/idlers)	Heavy-duty journal bearings and metal face seals
Tractive Effort	3632 kgf (8,000 lbf)
Hydraulics	
Type	3-spool open-center valve
Pump Flow, Standard	59 L/m (16 gpm)
System Pressure at Couplers	23 787 kPa (3,450 psi)
Hydraulic Horsepower (calculated)	23 kW (31 hp)
Auxiliary Hydraulics	Optional connect-under-pressure with flat-faced couplers
Cylinders	
Stroke	351 mm (13.8 in.)
Electrical	
Number of Batteries	1
Reserve Capacity	150 min. standard / 180 min. optional
Alternator Rating	70 amp
Lights	
Standard	Halogen: 2 front and 1 rear
Deluxe (optional)	LED: 2 front, 2 side, and 1 rear
Operator's Station	
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick pivot standard	

317G SPECIFICATIONS

Serviceability	317G
Refill Capacities	
Fuel Tank	71 L (19 gal.)
Cooling System	12 L (12.7 qt.)
Operating Weights	
With Standard 320-mm (12.6 in.) Track	3721 kg (8,195 lb.)
With Optional 400-mm (15.8 in.) Track	3789 kg (8,345 lb.)
Machine Dimensions	
A Length without Bucket	2.63 m (103.0 in.) (8 ft. 7 in.)
B Length	
With Foundry Bucket	3.24 m (127.6 in.) (10 ft. 8 in.)
With Construction Bucket	3.49 m (137.4 in.) (11 ft. 5 in.)
C Width without Bucket	
With Standard 320-mm (12.6 in.) Track	1.65 m (65.1 in.) (5 ft. 5 in.)
With Optional 400-mm (15.8 in.) Track	1.82 m (71.5 in.) (5 ft. 11 in.)
D Height to Top of ROPS	1.99 m (78.5 in.) (6 ft. 6 in.)
E Height to Hinge Pin	3.07 m (121.0 in.) (10 ft. 1 in.)
F Dump Height	
With Foundry Bucket	2.43 m (95.6 in.) (8 ft. 0 in.)
With Construction Bucket	2.26 m (89.0 in.) (7 ft. 5 in.)
G Dump Reach	
With Foundry Bucket	0.79 m (31.0 in.)
With Construction Bucket with Edge	0.98 m (38.6 in.) (3 ft. 3 in.)
H Ground Clearance	0.21 m (8.3 in.)
I Angle of Departure	32.3 deg.
J Front Turn Radius with Foundry Bucket	1.97 m (77.7 in.) (6 ft. 6 in.)
K Dump Angle (full lift height)	42 deg.
L Bucket Rollback (ground level)	30 deg.
Loader Performance	
Tipping Load	2756 kg (6,070 lb.)
SAE Rated Operating Capacity	
At 35% Tipping Load	965 kg (2,125 lb.)
At 50% Tipping Load	1378 kg (3,035 lb.)
With Counterweight	1022 kg (2,250 lb.)
Boom Breakout Force	
With Foundry Bucket	2270 kg (5,000 lb.)
With Construction Bucket	2270 kg (5,000 lb.)
Bucket Breakout Force	
With Foundry Bucket	2724 kg (6,000 lb.)
With Construction Bucket	1930 kg (4,250 lb.)

317G COMPACT TRACK LOADER





Additional equipment

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Engine
●	●	●	●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●	●				Yanmar 4TNV86CT
		●	●	●	Yanmar 4TNV86CHT
●	●	●	●	●	Auto-idle
●	●	●	●	●	Automatic preheat
▲	▲	▲	▲	▲	Chrome exhaust stack
●	●	●	●	●	Electronic injection system
▲	▲	▲	▲	▲	Engine air precleaner kit
●	●	●	●	●	Fuel tank, 71 L (19 gal.)
●	●	●	●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	●	●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●	●	●	●	●	4-cylinder 48.5-kW (65 hp) 2.1-L (128 cu. in.) displacement
●	●	●	●	●	5-micron primary fuel filter and water separator
▲	▲	▲	▲	▲	Cold-weather starting package
					Cooling System
●	●				Coolant overflow bottle recovery tank
		●	●	●	Coolant surge tank
●	●	●	●	●	Direct belt-drive cooling fan system
●	●	●	●	●	No-tools-required swing-out oil cooler
					Powertrain
●	●	●	●		High-strength adjustment-free final-drive chains
				●	High-drive direct-drive motor
●	●	●	●		Automatic spring-applied hydraulically released wet-disc park brake
●	●	●	●		Wet-disc brakes
●	●	●	●	●	Transmission, single speed
		▲	▲		Transmission, 2 speed
					Hydraulic System
●	●	●	●	●	John Deere heat-treated, chrome-plated cylinder rods with replaceable bushings

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Hydraulic System *(continued)*
▲	▲	▲	▲	▲	Connect-under-pressure auxiliary couplers
●	●	●	●	●	Quick-check hydraulic fluid-level sight glass
●	●	●	●	●	1,000-hour, 5-micron hydraulic filter
●	●	●	●	●	Axial-piston hydrostatic pump
					Electrical
●	●	●	●	●	Automatic engine/hydraulic shut-down protection system
●	●	●	●	●	Auxiliary hydraulics operator-presence system
●	●	●	●	●	Courtesy lighting
●	●	●	●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, hydraulic filter restriction
		▲	▲	▲	Deluxe LED lighting package with additional side lights (2)
●	●	●	●	●	Front and rear halogen work lights
●	●	●	●	●	Triple-interlock operator-presence control system
●	●	●	●	●	Backup alarm
●	●	●	●	●	Battery, 750 CCA
▲	▲	▲	▲	▲	Battery, 925 CCA
▲	▲	▲	▲	▲	Hazard warning lights
▲	▲	▲	▲	▲	Strobe light, amber
●	●	●	●	●	Horn

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

Additional equipment *(continued)*

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station
●	●	●	●	●	Deluxe cab headliner
▲	▲	▲	▲	▲	Keyless-start sealed-switch module with integrated anti-theft system
●	●	●	●	●	Pull-down adjustable lap bar
●	●	●	●	●	Quick-pivot ROPS
●	●	●	●	●	Rear window
●	●	●	●	●	Top window
●	●	●	●	●	Removable top window
▲	▲	▲	▲	▲	Vinyl cab enclosure
▲	▲	▲	▲	▲	Glass cab enclosure
▲	▲	▲	▲	▲	Sliding/locking glass side windows
●	●	●	●	●	ROPS/FOPS operator structure
●	●	●	●	●	Seat belt, 51-mm (2-in.), retractable
▲	▲	▲	▲	▲	Seat belt, 76-mm (3-in.), retractable
▲	▲	▲	▲	▲	Shoulder belt
●	●	●	●	●	Water-shedding deluxe vinyl seat
▲	▲	▲	▲	▲	Deluxe vinyl suspension seat
▲	▲	▲	▲	▲	Air-ride cloth, heated seat
▲	▲	▲	▲	▲	Air-ride vinyl seat
●	●	●	●	●	12-volt power port / Dome light / Cargo storage / Beverage holder
		▲	▲	▲	Air conditioning with heater/ defroster
▲	▲	▲	▲	▲	Heater with defroster
▲	▲	▲	▲	▲	AM/FM/Weather-Band (WB) radio with auxiliary input
		▲	▲	●	Electrohydraulic (EH) ISO-pattern joystick controls
		▲	▲	▲	EH joystick performance package: Switchable ISO-H pattern / Creeper mode / Boom/bucket speed settings / Adjustable propel settings / Attachment controls
●	●	●	●		Manual foot and hand controls
▲	▲	▲	▲		Manual hands-only controls with foot throttle

312GR SSL	314G SSL	316GR SSL	318G SSL	317G CTL	Operator's Station *(continued)*
▲	▲	▲	▲	▲	Floor mat with left footrest
●	●	●	●	●	Rearview mirror
▲	▲	▲	▲	▲	Severe-duty cab door and wiper system
▲	▲	▲	▲	▲	Boom-mounted side mirrors
					Loader
●	●	●	●	●	In-cab boom lockout to secure loader before exiting seat
●	●	●	●	●	John Deere Quik-Tatch™
▲	▲	▲	▲	▲	Power Quik-Tatch
●		●			John Deere radial-lift boom
	●		●	●	John Deere vertical-lift boom
▲	▲	▲	▲	▲	Hydraulic self-leveling on/off
		▲	▲	▲	Hydraulic self-leveling on/off and ride control
					Other
●	●	●	●	●	Convenient front and rear tie-downs
●	●	●	●	●	Environmental drains for all fluid reservoirs
▲	▲	▲	▲		10x16.5 10 PR Galaxy "Beefy Baby III" heavy-duty (HD) tires for 1.52-m (60 in.) machine width
				●	320-mm (12.6 in.) tracks, 1.73-m (68 in.) wide machine stance
				▲	320-mm (12.6 in.) tracks, 1.65-m (65 in.) narrow machine stance
				▲	400-mm (15.8 in.) tracks, 1.80-m (71 in.) wide machine stance
▲	▲	▲	▲	▲	Chrome exhaust stack
▲	▲	▲	▲	▲	Rear counterweights (2), 45.36 kg (100 lb.)
▲	▲	▲	▲	▲	Single-point lift kit
▲	▲	▲	▲	▲	SMV sign kit
▲	▲	▲	▲		Spare tire and wheel
▲	▲	▲	▲		Tire options: SKS Extra-Wall, Galaxy Beefy Baby III, Galaxy Hulk, and Brawler Solid-Flex

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

319E / 323E

Engine	**319E**	**323E**
Manufacturer and Model	Yanmar 4TNV98C (optional 4TNV98CT)	Yanmar 4TNV98CT
Non-Road Emission Standards	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Peak Power (SAE J1349 / ISO 9249)	49.4 kW (66 hp) at 2,500 rpm	52.5 kW (70 hp) at 2,500 rpm
Gross Rated Power (ISO 14396)	51.7 kW (69 hp) at 2,500 rpm	54.8 kW (74 hp) at 2,500 rpm
Peak Torque	241 Nm (178 ft.-lb.) at 1,625 rpm	280 Nm (207 ft.-lb.) at 1,800 rpm
Displacement	3.3 L (203 cu. in.)	3.3 L (203 cu. in.)
Rated Engine Speed	2,500 rpm	2,500 rpm
Torque Rise	22% at 1,625 rpm	34% at 1,800 rpm
Aspiration	Naturally aspirated (optional turbocharger)	Turbocharged
Air Cleaner	Dry dual element	Dry dual element
Cooling	**319E / 323E**	
Fan Type	Variable-speed hydraulic drive (optional reversing fan drive)	
Powertrain	**319E**	**323E**
Pump	Axial-piston hydrostatic	Axial-piston hydrostatic
Controls	Manual or electrohydraulic	Manual or electrohydraulic
Travel Speeds		
Single Speed, Standard	9.3 km/h (5.8 mph)	10.0 km/h (6.2 mph)
2 Speed, Optional		
Low	—	9.0 km/h (5.6 mph)
High	—	14.0 km/h (8.7 mph)
Brakes	Integral, automatic, spring-applied, hydraulically released wet-disc brake	
Undercarriage		
Rubber Tracks	Smooth-ride long-life rubber with steel inserts	Smooth-ride long-life rubber with steel inserts
Track Width		
Standard	320 mm (12.6 in.)	320 mm (12.6 in.)
Optional	—	400 mm (15.8 in.)
Ground Pressure		
Standard 320-mm (12.6 in.) Track	39.3 kPa (5.7 psi)	39.3 kPa (5.7 psi)
Optional 400-mm (15.8 in.) Track	—	32.4 kPa (4.7 psi)
Track Rollers (per side)	4 triple-flange smooth-ride all-steel rollers	4 triple-flange smooth-ride all-steel rollers
Track Idlers (per side)	2 double-flange smooth-ride all-steel rollers	2 double-flange smooth-ride all-steel rollers
Bearings/Seals (rollers/idlers)	Heavy-duty journal bearings and metal face seals	Heavy-duty journal bearings and metal face seals
Tractive Effort	3859 kgf (8,500 lbf)	3859 kgf (8,500 lbf)
Hydraulics		
Pump Flow		
Standard	57 L/m (15 gpm)	68 L/m (18 gpm)
Total with High-Flow Option	—	95 L/m (25 gpm)
System Pressure at Couplers	22 408 kPa (3,250 psi)	22 408 kPa (3,250 psi)
Hydraulic Horsepower Flow (calculated)		
Standard	21.2 kW (28.4 hp)	25.5 kW (34.1 hp)
High	—	35.3 kW (47.4 hp)
Cylinders	**319E / 323E**	
Type	John Deere heat-treated, chrome-plated, polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical		
Voltage	12 volt	
Battery Capacity	750 CCA (optional 925 CCA)	
Alternator Rating	70 amp	
Lights	Halogen, 2 front and 1 rear	
Operator's Station		

ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick-pivot standard

Serviceability	319E / 323E	
Refill Capacity		
Fuel Tank	76 L (20 gal.)	
Operating Weights	**319E**	**323E**
With Standard 320-mm (12.6 in.) Track	4286 kg (9,440 lb.)	4286 kg (9,440 lb.)
With Optional 400-mm (15.8 in.) Track	—	4358 kg (9,600 lb.)
Machine Dimensions		
A Length without Bucket	2.85 m (112 in.) (9 ft. 4 in.)	2.85 m (112 in.) (9 ft. 4 in.)
B Length with Foundry Bucket	3.47 m (136.8 in.) (11 ft. 5 in.)	3.47 m (136.8 in.) (11 ft. 5 in.)
C Width without Bucket		
With 320-mm (12.6 in.) Track	1.82 m (71.8 in.) (6 ft. 0 in.)	1.82 m (71.8 in.) (6 ft. 0 in.)
With 400-mm (15.8 in.) Track	—	1.91 m (75.2 in.) (6 ft. 3 in.)
D Height to Top of ROPS	2.05 m (80.6 in.) (6 ft. 9 in.)	2.05 m (80.6 in.) (6 ft. 9 in.)
E Height to Hinge Pin	3.12 m (122.8 in.) (10 ft. 3 in.)	3.12 m (122.8 in.) (10 ft. 3 in.)
F Dump Height with Foundry Bucket	2.50 m (98.4 in.) (8 ft. 2 in.)	2.50 m (98.4 in.) (8 ft. 2 in.)
G Dump Reach		
With Foundry Bucket	0.72 m (28.5 in.)	0.72 m (28.5 in.)
With Construction Bucket with Edge	0.92 m (36.1 in.) (3 ft. 0 in.)	0.92 m (36.1 in.) (3 ft. 0 in.)
H Ground Clearance	0.25 m (9.8 in.)	0.25 m (9.8 in.)
I Angle of Departure	31.4 deg.	31.4 deg.
J Front Turn Radius with Foundry Bucket	2.03 m (80.1 in.) (6 ft. 8 in.)	2.03 m (80.1 in.) (6 ft. 8 in.)
K Dump Angle (full lift height)	42 deg.	42 deg.
L Bucket Rollback (ground level)	32 deg.	32 deg.





Loader Performance	319E	323E
Tipping Load	2789 kg (6,143 lb.)	3360 kg (7,400 lb.)
SAE Rated Operating Capacity with Foundry Bucket		
At 35% Tipping Load	976 kg (2,150 lb.)	1176 kg (2,590 lb.)
At 50% Tipping Load	1394 kg (3,071 lb.)	1634 kg (3,600 lb.)
Boom Breakout	1589 kg (3,500 lb.)	1952 kg (4,300 lb.)
Bucket Breakout Force	2724 kg (6,000 lb.)	3178 kg (7,000 lb.)

Additional equipment

Key: ● Standard ▲ Optional or special — See your John Deere dealer for further information.

319E CTL	323E CTL	Engine
●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●		Yanmar 4TNV98C
▲	●	Yanmar 4TNV98CT
●	●	Auto-idle
▲	▲	Automatic fan tensioner
●	●	Automatic preheat
●	●	Electronic injection system
●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●	●	5-micron primary fuel filter and water separator
▲	▲	Cold-weather package
		Cooling System
●	●	Coolant recovery tank
●	●	Cool-on-demand cooling system
▲	▲	Reversing fan drive
		Powertrain
●	●	High-torque heavy-duty planetary-reduction final drive
●	●	Automatic spring-applied hydraulically released wet-disc park brakes
●	●	Transmission, single-speed
	▲	Transmission, 2-speed
		Hydraulic System
●	●	John Deere hydraulic cylinders with cushioned boom cylinders
●	●	Connect-under-pressure auxiliary couplers
●	●	Quick-check hydraulic fluid-level sight glass
●	●	5-micron hydraulic filter
	▲	High-flow hydraulics
		Electrical
●	●	Automatic shutdown with alarm
●	●	Auxiliary hydraulics operator-presence system

319E CTL	323E CTL	Electrical *(continued)*
●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, hydraulic filter restriction
●	●	Front and rear halogen work lights
●	●	Triple interlock operator-presence control system
▲	▲	Backup alarm
●	●	Battery, 750 CCA
▲	▲	Battery, 925 CCA
▲	▲	Hazard warning lights
▲	▲	Horn
▲	▲	Strobe light, amber
		Operator's Station
●	●	Deluxe cab headliner
▲	▲	Electrohydraulic (EH) ISO-pattern joystick controls
▲	▲	EH H-pattern joystick controls
▲	▲	EH foot and joystick controls
▲	▲	EH switchable foot-ISO-H-pattern controls
▲	▲	Keyless-start sealed-switch module with integrated anti-theft system
●	●	Electronic push-button auxiliary controls
●	●	Pull-down lap bar
●	●	Quick-pivot ROPS
●	●	Rear window
●	●	Top window
▲	▲	Removable top window
▲	▲	Side window kit
▲	▲	Sliding/locking glass side windows
●	●	ROPS/FOPS operator structure
●	●	Seat belt, 51-mm (2 in.), retractable
▲	▲	Seat belt, 76-mm (3 in.), retractable

319E CTL	323E CTL	Operator's Station *(continued)*
▲	▲	Shoulder belt
●		Water-shedding deluxe vinyl seat
▲	●	Deluxe vinyl suspension seat
▲	▲	Air-ride (cloth) seat
▲	▲	Air-ride (vinyl) seat
●	●	12-volt power port / Dome light / Cargo storage / Beverage holder
▲	▲	Air conditioning with heater/defroster
▲	▲	AM/FM/weatherband radio with auxiliary input
▲	▲	Cab enclosure
▲	▲	Severe-duty cab door
▲	▲	EH joystick controls
▲	▲	EH joystick performance package: Switchable ISO-H pattern / Creeper mode / Boom/bucket speed settings / Adjustable propel settings / Attachment controls
▲	▲	Floor mat
▲	▲	Floor mat with left footrest
▲	▲	Heater with defroster
▲	▲	Heavy-duty rear grille
▲	▲	Rearview mirror
		Loader
●	●	Integral cab boom lock
●	●	Patented John Deere Quik-Tatch™ (no grease required)
▲	▲	Power Quik-Tatch
●	●	Patented John Deere vertical-lift boom with superior visibility
▲	▲	Hydraulic self-leveling on/off
▲	▲	Ride control
		Other
●	●	Convenient front and rear tie-downs
●	●	Environmental drains for all fluid reservoirs
▲	▲	Chrome exhaust stack
▲	▲	Modular rear-weight packages
▲	▲	Single-point lift kit
▲	▲	SMV sign kit
●	●	Track, 320-mm (12.6 in.) wide
	▲	Track, 400-mm (15.8 in.) wide

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and hydraulic cooling fan at test conditions per ISO 9249. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE and ISO standards. Except where otherwise noted, these specifications are based on units with standard 320-mm (12.6 in.) tracks, full fuel tanks, and 79-kg (175 lb.) operators.

JohnDeere.com

DKAECTLCWP Litho in U.S.A. (16-05)



320E / 324E

Engine	**320E**	**324E**
Manufacturer and Model	Yanmar 4TNV98C (optional 4TNV98CT)	Yanmar 4TNV98CT
Non-Road Emission Standards	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Peak Power (SAE J1349 / ISO 9249)	49.4 kW (66 hp) at 2,500 rpm	52.5 kW (70 hp) at 2,500 rpm
Gross Rated Power (ISO 14396)	51.7 kW (69 hp) at 2,500 rpm	54.8 kW (74 hp) at 2,500 rpm
Peak Torque	241 Nm (178 ft.-lb.) at 1,625 rpm	280 Nm (207 ft.-lb.) at 1,800 rpm
Displacement	3.3 L (203 cu. in.)	3.3 L (203 cu. in.)
Rated Engine Speed	2,500 rpm	2,500 rpm
Torque Rise	22% at 1,625 rpm	34% at 1,800 rpm
Aspiration	Naturally aspirated (optional turbocharger)	Turbocharged
Air Cleaner	Dry dual element	Dry dual element
Cooling	**320E / 324E**	
Fan Type	Variable-speed hydraulic drive standard / reversing fan drive optional	
Powertrain	**320E**	**324E**
Type	Hydrostatic-manual or electrohydraulic (EH) controls; 4 – 80 heavy-duty, continuous-loop chains	
Speeds		
Single Speed	11.1 km/h (6.9 mph)	11.1 km/h (6.9 mph)
2 Speed, High	17.9 km/h (11.1 mph)	17.9 km/h (11.1 mph)
Axles	Induction-hardened, one-piece forged axle shafts with maintenance-free oil-bath lubrication of inner and outer axle bearings	
Maximum Axle Torque, Single Speed	6771 Nm (4,994 lb.-ft.)	6771 Nm (4,994 lb.-ft.)
Tractive Effort	3220 kgf (7,491 lbf)	3220 kgf (7,491 lbf)
Final Drive	High-strength, adjustment-free chains	High-strength, adjustment-free chains
Brakes	Integral, automatic, spring-applied, hydraulically released, wet-disc park brake	
Hydraulics		
Pump Flow		
Standard	76 L/m (20 gpm)	79 L/m (21 gpm)
Total with High-Flow Option	106 L/m (28 gpm)	110 L/m (29 gpm)
System Pressure at Couplers	22 408 kPa (3,250 psi)	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated)		
Standard	28 kW (38 hp)	32 kW (42 hp)
High	40 kW (53 hp)	44 kW (58 hp)
Auxiliary Hydraulics	Connect-under-pressure with flat-faced couplers	Connect-under-pressure with flat-faced couplers
Cylinders	**320E / 324E**	
Type	John Deere heat-treated, chrome-plated, polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical		
Voltage	12 volt	
Battery Capacity	750 CCA standard / 925 CCA optional	
Alternator Rating	70 amp	
Lights	Halogen, 2 front and 1 rear	
Operator's Station		
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick-pivot standard		
Serviceability		
Refill Capacity		
Fuel Tank	76 L (20 gal.)	

330G / 332G SPECIFICATIONS

Engine	330G	332G
Manufacturer and Model	Yanmar 4TNV94FHT	Yanmar 4TNV94FHT
Non-Road Emission Standard	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Peak Power (SAE J1349 / ISO 9249)	66.0 kW (88.5 hp) at 2,500 rpm	72.0 kW (96.6 hp) at 2,500 rpm
Gross Rated Power (ISO 14396)	68.0 kW (91.2 hp) at 2,500 rpm	74.6 kW (100 hp) at 2,500 rpm
Peak Torque	382 Nm (281.8 ft.-lb.) at 1,700 rpm	395 Nm (291.3 ft.-lb.) at 1,700 rpm
Displacement	3.1 L (186.3 cu. in.)	3.1 L (186.3 cu. in.)
Rated Engine Speed	2,500 rpm	2,500 rpm
Torque Rise	47% at 1,700 rpm	39% at 1,700 rpm
Aspiration	Turbocharged, intercooled	Turbocharged, intercooled
Air Cleaner	Dry dual element	Dry dual element
Cooling	**330G / 332G**	
Fan Type	Variable-speed hydraulic drive standard / reversing fan drive optional	
Powertrain	**330G**	**332G**
Type	Electrohydraulic (EH); 4 – 100 heavy-duty (HD) continuous-loop chain	
Travel Speeds		
Low	11.3 km/h (7 mph)	11.3 km/h (7 mph)
High	19.3 km/h (12 mph)	19.3 km/h (12 mph)
System High-Pressure Relief	34 474 kPa (5,000 psi)	34 474 kPa (5,000 psi)
Axles	Induction-hardened, one-piece forged axle shafts with maintenance-free oil-bath lubrication of inner and outer axle bearings	
Maximum Axle Torque	8480 Nm (6,235 lb.-ft.)	9289 Nm (6,830 lb.-ft.)
Tractive Effort	3905 kgf (8,610 lbf)	4218 kgf (9,300 lbf)
Final Drive	High-strength, adjustment-free chains	High-strength, adjustment-free chains
Brakes	Integral, automatic, spring-applied, hydraulically released, wet-disc park brake	
Hydraulics		
Pump Flow		
Standard	80 L/m (23.5 gpm)	95 L/m (25.0 gpm)
Total with High-Flow Option	138 L/m (36.5 gpm)	156 L/m (41.1 gpm)
System Pressure at Couplers	23 787 kPa (3,450 psi)	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated)		
Standard	35 kW (47 hp)	38 kW (50 hp)
High Flow	55 kW (74 hp)	62 kW (83 hp)
Cylinders	**330G / 332G**	
Type	John Deere heat-treated, chrome-plated polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical		
Voltage	12 volt	
Battery Capacity	925 CCA	
Alternator Rating	90 amp	
Lights	Halogen: 2 front and 1 rear standard / deluxe LED: 4 front and 1 rear optional	
Operator's Station		
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick pivot standard		
Tires/Wheels	**330G**	**332G**
Standard Tire Size	14 x 17.5 12 PR Extra Wall	14 x 17.5 14 PR Hauler
Serviceability	**330G / 332G**	
Refill Capacity		
Fuel Tank	96.5 L (25.5 gal.)	
Operating Weight	**330G**	**332G**
Base Machine	4495 kg (9,900 lb.)	4540 kg (10,000 lb.)

330G / 332G SPECIFICATIONS

Machine Dimensions	330G	332G
A Length without Bucket	3.10 m (122.0 in.) (10 ft. 2 in.)	3.10 m (122.0 in.) (10 ft. 2 in.)
B Length		
With Foundry Bucket	3.71 m (146.0 in.) (12 ft. 2 in.)	3.71 m (146.0 in.) (12 ft. 2 in.)
With Heavy-Duty Construction Bucket	3.96 m (155.9 in.) (13 ft. 0 in.)	3.96 m (155.9 in.) (13 ft. 0 in.)
C Width without Bucket	1.98 m (78.0 in.) (6 ft. 6 in.)	1.99 m (78.4 in.) (6 ft. 6 in.)
D Height to Top of ROPS	2.19 m (86.3 in.) (7 ft. 2 in.)	2.19 m (86.3 in.) (7 ft. 2 in.)
E Height to Hinge Pin	3.35 m (132.0 in.) (11 ft. 0 in.)	3.35 m (132.0 in.) (11 ft. 0 in.)
F Dump Height		
With Foundry Bucket	2.69 m (106.1 in.) (8 ft. 10 in.)	2.68 m (105.6 in.) (8 ft. 10 in.)
With Heavy-Duty Construction Bucket	2.50 m (98.6 in.) (8 ft. 3 in.)	2.50 m (98.6 in.) (8 ft. 3 in.)
G Dump Reach		
With Foundry Bucket	0.71 m (28.0 in.)	0.71 m (28.0 in.)
With Construction Bucket (no edge)	0.88 m (34.6 in.)	0.88 m (34.6 in.)
H Wheelbase	1.27 m (49.9 in.) (4 ft. 2 in.)	1.27 m (49.9 in.) (4 ft. 2 in.)
I Ground Clearance	0.25 m (9.7 in.)	0.25 m (9.7 in.)
J Angle of Departure	29 deg.	29 deg.
K Front Turn Radius with Foundry Bucket	2.18 m (85.7 in.) (7 ft. 2 in.)	2.18 m (85.7 in.) (7 ft. 2 in.)
L Dump Angle (full lift height)	48 deg.	48 deg.
M Bucket Rollback (ground level)	35 deg.	35 deg.

330G / 332G SKID STEERS



Loader Performance	330G	332G
Tipping Load	2724 kg (6,000 lb.)	3269 kg (7,200 lb.)
SAE Rated Operating Capacity	1362 kg (3,000 lb.)	1633 kg (3,600 lb.)
With Optional Set of Counterweights	1430 kg (3,150 lb.)	1703 kg (3,750 lb.)
Breakout Force		
With Heavy-Duty Construction Bucket		
Boom	2,724 kg (6,000 lb.)	3519 kg (7,750 lb.)
Bucket	3,450 kg (7,600 lb.)	4200 kg (9,250 lb.)
With Foundry Bucket		
Boom	3175 kg (7,000 lb.)	3865 kg (8,520 lb.)
Bucket	4241 kg (9,350 lb.)	6307 kg (13,904 lb.)

Additional equipment

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

330G	332G	Engine
●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●	●	Yanmar 4TNV94FHT
●	●	Auto-idle
●	●	Automatic fan tensioner
●	●	Automatic preheat
●	●	Electronic injection system
▲	▲	Engine air precleaner kit
●	●	Fuel tank, 96.5 L (25.5 gal.)
●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●		4-cylinder 68.0-kW (91.2 hp) 3.1-L (186.3 cu. in.) displacement
	●	4-cylinder 74.6-kW (100 hp) 3.1-L (186.3 cu. in.) displacement
●	●	5-micron primary fuel filter and water separator
▲	▲	Cold-weather starting package
		Cooling System
●	●	Coolant surge tank
●	●	Variable-speed hydraulically driven fan cooling system
▲	▲	Reversing fan drive
		Powertrain
●	●	High-strength adjustment-free final-drive chains
●	●	Automatic spring-applied hydraulically released wet-disc park brake
●	●	Wet-disc brakes
●	●	Transmission, 2 speed

330G	332G	Hydraulic System
●	●	John Deere hydraulic cylinders with cushioned boom cylinders
●	●	John Deere heat-treated, chrome-plated cylinder rods with replaceable bushings
●	●	Connect-under-pressure auxiliary couplers
●	●	Quick-check hydraulic fluid-level sight glass
●	●	1,000-hour, 5-micron hydraulic filter
▲	▲	High-flow hydraulics
●	●	Axial-piston hydrostatic pump
		Electrical
●	●	Automatic engine/hydraulic shutdown protection system
●	●	Auxiliary hydraulics operator-presence system
●	●	Courtesy lighting
●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, and hydraulic filter restriction
▲	▲	Deluxe LED lighting package with additional cab-integrated side lights (2)
●	●	Front and rear halogen work lights
●	●	Triple-interlock operator-presence control system
●	●	Backup alarm
●	●	Battery, 925 CCA
▲	▲	Hazard warning lights
▲	▲	Strobe light, amber
▲	▲	Horn

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

Additional equipment *(continued)*

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

330G	332G	Operator's Station
●	●	Deluxe cab headliner
●	●	Electrohydraulic (EH) ISO-pattern joystick controls
▲	▲	EH 3-way switchable ISO-H-foot and hand controls including joystick performance package: Switchable accelerator/decelerator, selectable propel speeds, creeper mode, boom- and bucket-speed settings, and 12-volt 3- and 14-pin attachment-control harness
▲	▲	EH ISO-H switchable controls and joystick performance package: Switchable accelerator/decelerator, selectable propel speeds, creeper mode, boom- and bucket-speed settings, and 12-volt 3- and 14-pin attachment-control harness
▲	▲	Keyless-start sealed-switch module with integrated anti-theft system and operator memory preference settings
●	●	Electronic push-button auxiliary controls
●	●	Pull-down adjustable lap bar
●	●	Quick-pivot ROPS
●	●	Rear window
●	●	Removable top window
▲	▲	Sliding/locking/removable glass side windows
●	●	ROPS/FOPS operator structure
▲	▲	Glass cab enclosure
●	●	Seat belt, 51 mm (2 in.), retractable
▲	▲	Shoulder belt, 51 mm (2 in.) or 76 mm (3 in.)
▲	▲	Severe-duty cab door and wiper system
●	●	Water-shedding deluxe vinyl suspension seat
▲	▲	Deluxe vinyl suspension seat
▲	▲	Air-ride cloth, heated seat
▲	▲	Air-ride vinyl seat
●	●	12-volt power port / Dome light / Cargo storage / Beverage holder
▲	▲	Air conditioning with heater/defroster
▲	▲	AM/FM/Weather-Band (WB) radio with auxiliary input and Bluetooth® for audio streaming
▲	▲	Floor mat with left footrest
●	●	Rearview mirror
▲	▲	Rearview camera
		Loader
●	●	In-cab boom lockout to secure loader before exiting seat
●	●	Patented John Deere Quik-Tatch™ (no grease required)
▲	▲	Power Quik-Tatch
●	●	Patented John Deere vertical-lift boom
▲	▲	Hydraulic self-leveling on/off
▲	▲	Hydraulic self-leveling on/off and ride control
		Other
●	●	Convenient front and rear tie-downs
●	●	Environmental drains for all fluid reservoirs
▲		12 x 16.5 8 PR SKS Extra Wall Heavy Duty
▲		12 x 16.5 10 PR Extra Wall
●	▲	14 x 17.5 12 PR Extra Wall
▲	●	14 x 17.5 14 PR Hauler
▲	▲	Battery disconnect
▲	▲	Chrome exhaust stack
▲	▲	Engine oil/hydraulic fluid-sampling kit
▲	▲	Forestry protection packages
▲	▲	Heavy-duty rear grille
▲	▲	Rear counterweights (available in sets of 1, 2, or 3), 78 kg (172 lb.) (each set)
▲	▲	Single-point lift kit
▲	▲	SMV sign kit
▲	▲	Spare tire and wheel
▲	▲	Tire options: SKS Extra-Wall, Galaxy Beefy Baby III, Galaxy Hulk, and Brawler Solid-Flex
▲	▲	JDLink™ Ultimate wireless communication system (available in specific countries; see your dealer for details)

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

331G / 333G SPECIFICATIONS

Engine	331G	333G
Manufacturer and Model	Yanmar 4TNV94FHT	Yanmar 4TNV94FHT
Non-Road Emission Standards	EPA Final Tier 4/EU Stage IV	EPA Final Tier 4/EU Stage IV
Cylinders	4	4
Net Peak Power (SAE J1349 / ISO 9249)	66.0 kW (88.5 hp) at 2,500 rpm	72.0 kW (96.6 hp) at 2,500 rpm
Gross Rated Power (ISO 14396)	68.0 kW (91.2 hp) at 2,500 rpm	74.6 kW (100 hp) at 2,500 rpm
Peak Torque	382 Nm (281.8 ft.-lb.) at 1,700 rpm	395 Nm (291.3 ft.-lb.) at 1,700 rpm
Displacement	3.1 L (186.3 cu. in.)	3.1 L (186.3 cu. in.)
Rated Engine Speed	2,500 rpm	2,500 rpm
Torque Rise	47% at 1,700 rpm	39% at 1,700 rpm
Aspiration	Turbocharged, intercooled	Turbocharged, intercooled
Air Cleaner	Dry dual element	Dry dual element
Cooling	**331G / 333G**	
Fan Type	Variable-speed hydraulic drive standard / reversing fan drive optional	
Powertrain	**331G**	**333G**
Pump	Axial-piston hydrostatic	Axial-piston hydrostatic
Controls	Electrohydraulic	Electrohydraulic
Travel Speeds		
Low	8.5 km/h (5.3 mph)	8.5 km/h (5.3 mph)
High	12.6 km/h (7.8 mph)	12.6 km/h (7.8 mph)
Brakes	Integral, automatic, spring-applied, hydraulically released wet-disc brake	
Undercarriage		
Rubber Tracks	New-Generation smooth-ride long-life rubber with steel inserts	
Track Width		
Standard	400 mm (15.8 in.)	450 mm (17.7 in.)
Optional	450 mm (17.7 in.)	400 mm (15.8 in.)
Ground Pressure		
400-mm (15.8 in.) Track (standard on 331G / optional on 333G)	38.1 kPa (5.5 psi)	38.4 kPa (5.6 psi)
450-mm (17.7 in.) Track (optional on 331G / standard on 333G)	33.9 kPa (4.9 psi)	34.1 kPa (5.0 psi)
Track Rollers (per side)	5 triple-flange smooth-ride all-steel rollers	5 triple-flange smooth-ride all-steel rollers
Track Idlers (per side)	2 double-flange smooth-ride all-steel rollers	2 double-flange smooth-ride all-steel rollers
Bearings/Seals (rollers/idlers)	Heavy-duty journal bearings and metal face seals	Heavy-duty journal bearings and metal face seals
Tractive Effort	5221 kgf (11,500 lbf)	5221 kgf (11,500 lbf)
Hydraulics		
Pump Flow		
Standard	80 L/m (23.5 gpm)	95 L/m (25.0 gpm)
Total with High-Flow Option	138 L/m (36.5 gpm)	156 L/m (41.1 gpm)
System Pressure at Couplers	23 787 kPa (3,450 psi)	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated)		
Standard	35 kW (47 hp)	38 kW (50 hp)
High	55 kW (74 hp)	62 kW (83 hp)
Cylinders	**331G / 333G**	
Type	John Deere heat-treated, chrome-plated, polished cylinder rods, hardened steel (replaceable bushings) pivot pins	
Electrical		
Voltage	12 volt	
Battery Capacity	925 CCA	
Alternator Rating	90 amp	
Lights	Halogen: 2 front and 1 rear standard / deluxe LED: 4 front and 1 rear optional	
Operator's Station		
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick-pivot standard		

331G / 333G SPECIFICATIONS

Serviceability	331G / 333G	
Refill Capacity		
Fuel Tank	114 L (30 gal.)	
Operating Weight	**331G**	**333G**
With Standard 400-mm (15.8 in.) Track	5403 kg (11,900 lb.)	—
With Standard 450-mm (17.7 in.) Track	—	5493 kg (12,100 lb.)
Machine Dimensions	**331G / 333G**	
A Length without Bucket	3.10 m (122 in.) (10 ft. 2 in.)	
B Length		
With Foundry Bucket	3.71 m (146 in.) (12 ft. 2 in.)	
With Heavy-Duty Construction Bucket	3.96 m (155.9 in.) (13 ft. 0 in.)	
C Width without Bucket		
With 400-mm (15.8 in.) Track	2.00 m (78.9 in.) (6 ft. 7 in.)	
With 450-mm (17.7 in.) Track	2.05 m (80.7 in.) (6 ft. 9 in.)	
D Height to Top of ROPS	2.20 m (86.7 in.) (7 ft. 3 in.)	
E Height to Hinge Pin	3.35 m (132 in.) (11 ft. 0 in.)	
F Dump Height		
With Foundry Bucket	2.69 m (106.1 in.) (8 ft. 10 in.)	
With Heavy-Duty Construction Bucket	2.50 m (98.6 in.) (8 ft. 3 in.)	
G Dump Reach		
With Foundry Bucket	0.71 m (28 in.)	
With Construction Bucket	0.88 m (34.6 in.)	
H Ground Clearance	0.24 m (9.4 in.)	
I Angle of Departure	31 deg.	
J Front Turn Radius with Foundry Bucket	2.18 m (85.7 in.) (7 ft. 2 in.)	
K Dump Angle (full lift height)	48 deg.	
L Bucket Rollback (ground level)	35 deg.	

331G / 333G COMPACT TRACK LOADERS



Loader Performance	331G	333G
Tipping Load	4021 kg (8,857 lb.)	4799 kg (10,570 lb.)
SAE Rated Operating Capacity at 35% Tipping Load	1407 kg (3,100 lb.)	1680 kg (3,700 lb.)
Breakout Force		
With Heavy-Duty Construction Bucket		
Boom	2724 kg (6,000 lb.)	3519 kg (7,750 lb.)
Bucket	3450 kg (7,600 lb.)	4200 kg (9,250 lb.)
With Foundry Bucket		
Boom	3175 kg (7,000 lb.)	3865 kg (8,520 lb.)
Bucket	4241 kg (9,350 lb.)	6307 kg (13,904 lb.)

Additional equipment

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

331G	333G	Engine
●	●	Meets EPA Final Tier 4/EU Stage IV emissions
●	●	Yanmar 4TNV94FHT
●	●	Auto-idle
●	●	Automatic fan tensioner
●	●	Automatic preheat
●	●	Electronic injection system
▲	▲	Engine air precleaner kit
●	●	Fuel tank, 114 L (30 gal.)
●	●	John Deere COOL-GARD™ II Extended-Life Engine Coolant
●	●	John Deere Plus-50™ 10w30 initial engine oil fill*
●		4-cylinder 68.0-kW (91.2 hp) 3.1-L (186.3 cu. in.) displacement
	●	4-cylinder 74.6-kW (100 hp) 3.1-L (186.3 cu. in.) displacement
●	●	5-micron primary fuel filter and water separator
▲	▲	Cold-weather starting package
		Cooling System
●	●	Coolant surge tank
●	●	Variable-speed hydraulically driven fan cooling system
▲	▲	Reversing fan drive
		Powertrain
●	●	High-torque heavy-duty planetary-reduction final drive
●	●	Automatic spring-applied hydraulically released wet-disc park brake
●	●	Wet-disc brakes
●	●	Transmission, 2 speed

331G	333G	Hydraulic System
●	●	John Deere hydraulic cylinders with cushioned boom cylinders
●	●	John Deere heat-treated, chrome-plated cylinder rods with replaceable bushings
●	●	Connect-under-pressure auxiliary couplers
●	●	Quick-check hydraulic fluid-level sight glass
●	●	1,000-hour, 5-micron hydraulic filter
▲	▲	High-flow hydraulics
●	●	Axial-piston hydrostatic pump
		Electrical
●	●	Automatic engine/hydraulic shutdown protection system
●	●	Auxiliary hydraulics operator-presence system
●	●	Courtesy lighting
●	●	Deluxe instrumentation EMU with: Operator-selectable monitoring – Hour meter, engine rpm, battery voltage, diagnostics, EMU configuration, engine coolant temperature, hydraulic oil temperature / LED warning indicators – Glow plug, seat switch, seat belt, door open, auxiliary hydraulics, park brake engaged, 2-speed engaged, stop, low engine oil pressure, engine coolant over-temperature, battery not charging, air filter restriction, and hydraulic filter restriction
▲	▲	Deluxe LED lighting package with additional cab-integrated side lights (2)
●	●	Front and rear halogen work lights
●	●	Triple-interlock operator-presence control system
●	●	Backup alarm
●	●	Battery, 925 CCA
●	●	Horn
▲	▲	Hazard warning lights
▲	▲	Strobe light, amber

**500-hour engine oil-change intervals when John Deere Plus-50 oil and John Deere oil filter are used.*

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

Additional equipment *(continued)*

Key: ● Standard ▲ Optional or special See your John Deere dealer for further information.

331G	333G	Operator's Station
●	●	Deluxe cab headliner
●	●	Electrohydraulic (EH) ISO-pattern joystick controls
▲	▲	EH 3-way switchable ISO-H-foot and hand controls including joystick performance package: Switchable accelerator/decelerator, selectable propel speeds, creeper mode, boom- and bucket-speed settings, and 12-volt 3- and 14-pin attachment-control harness
▲	▲	EH ISO-H switchable controls and joystick performance package: Switchable accelerator/decelerator, selectable propel speeds, creeper mode, boom- and bucket-speed settings, and 12-volt 3- and 14-pin attachment-control harness
●	●	Keyless-start sealed-switch module with integrated anti-theft system and operator memory preference settings
●	●	Electronic push-button auxiliary controls
●	●	Pull-down adjustable lap bar
●	●	Quick-pivot ROPS
●	●	Rear window
●	●	Removable top window
▲	▲	Sliding/locking/removable glass side windows
●	●	ROPS/FOPS operator structure
▲	▲	Glass cab enclosure
●	●	Seat belt, 51 mm (2 in.), retractable
▲	▲	Shoulder belt, 51 mm (2 in.) or 76 mm (3 in.)
▲	▲	Severe-duty cab door and wiper system
●	●	Water-shedding deluxe vinyl suspension seat
▲	▲	Air-ride cloth, heated seat
▲	▲	Air-ride vinyl seat
●	●	12-volt power port / Dome light / Cargo storage / Beverage holder

331G	333G	Operator's Station *(continued)*
▲	▲	Air conditioning with heater/defroster
▲	▲	AM/FM/Weather-Band (WB) radio with auxiliary input and Bluetooth® for audio streaming
▲	▲	Floor mat with left footrest
●	●	Rearview mirror
▲	▲	Rearview camera
		Loader
●	●	In-cab boom lockout to secure loader before exiting seat
●	●	Patented John Deere Quik-Tatch™ (no grease required)
▲	▲	Power Quik-Tatch
●	●	Patented John Deere vertical-lift boom
▲	▲	Hydraulic self-leveling on/off
▲	▲	Hydraulic self-leveling on/off and ride control
		Other
●	●	Convenient front and rear tie-downs
●	●	Environmental drains for all fluid reservoirs
▲	▲	Battery disconnect
▲	▲	Chrome exhaust stack
▲	▲	Engine oil/hydraulic fluid-sampling kit
▲	▲	Forestry protection packages
▲	▲	Heavy-duty rear grille
▲	▲	Rear counterweights (available in sets of 1, 2, or 3), 78 kg (172 lb.) (each set)
▲	▲	Single-point lift kit
▲	▲	SMV sign kit
●	▲	Track, 400-mm (15.8 in.) wide
▲	●	Track, 450-mm (17.7 in.) wide
▲	▲	JDLink™ Ultimate wireless communication system (available in specific countries; see your dealer for details)

Net engine power is with standard equipment including air cleaner, exhaust system, alternator, and cooling fan, at standard conditions per SAE J1349 and DIN 6270B, using No. 2-D fuel at 35 API gravity. Gross power is without cooling fan. Specifications and design subject to change without notice. Wherever applicable, specifications are in accordance with SAE standards. Except where otherwise noted, these specifications are based on units with standard equipment, full fuel tanks, and 79-kg (175-lb.) operator.

John Deere Retail Sales Dealer List

Dealer Name	Dlr Phys Address 1	Dlr Phys City	State	Zip	Dlr Phone	Dlr Fax No	Store Type
AIS CONSTRUCTION EQUIPMENT	**600 44TH STREET, SW**	**GRAND RAPIDS**	**MI**	**49548**	**616-538-2400**	**616-538-0449**	**Main**
AIS CONSTRUCTION EQUIPMENT C	56555 PONTIAC TRAIL	NEW HUDSON	MI	48165	248-437-8121	248-437-9750	SSC of 058219
AIS CONSTRUCTION EQUIPMENT C	8300 M72 EAST	WILLIAMSBURG	MI	49690	231-267-5060	231-267-5257	SSC of 058219
AIS CONSTRUCTION EQUIPMENT C	65809 GRATIOT AVENUE	LENOX	MI	48050	586-727-7502	586-727-7311	SSC of 058219
BADER & SONS CO.	**1365 E MONROE RD**	**ST LOUIS**	**MI**	**48880**	**989-681-5771**	**989-681-4041**	**Main**
BADER & SONS CO.	6018 E GRAND RIVER AVE	PORTLAND	MI	48875	517-647-4164	517-647-4180	SSC of 051651
BADER & SONS CO.	500 N GARFIELD ROAD	LINWOOD	MI	48634	989-697-4486	989-790-8015	SSC of 051651
BADER & SONS CO.	4363 S MOREY ROAD	LAKE CITY	MI	49651	231-839-8660	231-839-8665	SSC of 051651
BADER & SONS CO.	18880 NORTHLAND DRIVE	BIG RAPIDS	MI	49307	231-796-6302	231-796-6404	SSC of 051651
BADER & SONS CO.	4240 E. ROSEBUSH ROAD	ROSEBUSH	MI	48878	989-779-1707	989-779-1726	SSC of 051651
BADER & SONS CO.	106 N OCCIDENTAL HWY	TECUMSEH	MI	49286	517-423-2133	517-423-6505	SSC of 051651
D & G EQUIPMENT, INC.	3915 TRACTOR DRIVE	HOWELL	MI	48855	517-546-6000	517-546-6167	SSC of 050786
D & G EQUIPMENT, INC.	1047 N. SHIAWASSEE STREET	CORUNNA	MI	48817	989-743-8844	- -	SSC of 050786
D & G EQUIPMENT, INC.	290 NORTH RAILROAD STREET	RIVES JCT	MI	49277	517-513-6071	517-569-2344	SSC of 050786
D & G EQUIPMENT, INC.	2 INDUSTRIAL PARK DRIVE	WILLIAMSTON	MI	48895	517-655-4606	517-676-9694	SSC of 050786
D&G EQUIPMENT, INC.	**710 N. CEDAR STREET**	**MASON**	**MI**	**48854**	**517-655-4606**	**517-655-3156**	**Main**
GODFREY BROS INC	**1166 EAST CHICAGO ROAD**	**JONESVILLE**	**MI**	**49250**	**517-849-9966**	**517-849-2358**	**Main**
GREENMARK EQUIPMENT, INC.	**4098 M40**	**HOLLAND**	**MI**	**49423**	**269-751-5141**	**269-751-7081**	**Main**
GREENMARK EQUIPMENT, INC.	13940 EAGLE RIDGE DRIVE	KENT CITY	MI	49330	616-675-7500	616-899-2639	SSC of 050962
GREENMARK EQUIPMENT, INC.	2900 N M-43 HWY	HASTINGS	MI	49058	269-945-9526	269-945-5958	SSC of 050962
GREENMARK EQUIPMENT, INC.	16700 HEIMBACH ROAD	THREE RIVERS	MI	49093	269-467-6396	269-273-6794	SSC of 050962
GREENMARK EQUIPMENT, INC.	4082 TABOR ROAD	SODUS	MI	49126	269-461-6733	269-461-3327	SSC of 050962
GREENMARK EQUIPMENT, INC.	14501 US 12	UNION	MI	49130	269-641-5841	269-641-5241	SSC of 050962
GREENMARK EQUIPMENT, INC.	1224 M-66 HIGHWAY	ATHENS	MI	49011	269-729-5471	269-729-4844	SSC of 050962
NORTRAX, INC.	1818 N LINCOLN RD	ESCANABA	MI	498292502	906-789-9054	906-789-0344	SSC of 051957
TRI COUNTY	415 BIEBEL ROAD	CARO	MI	48723	989-673-8400	989-673-5922	SSC of 051252
TRI COUNTY	1314 SAND BCH RD	BAD AXE	MI	48413	989-269-9249	989-269-9091	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	**989 WEST SANILAC**	**SANDUSKY**	**MI**	**48471**	**810-648-2404**	**810-648-2226**	**Main**
TRI COUNTY EQUIP-SANDUSKY	7454 VANDYKE HIGHWAY	MARLETTE	MI	48453	810-346-2761	810-346-3406	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	4135 DAVISON ROAD	BURTON	MI	48509	810-742-3364	810-742-3646	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	3120 N. LAPEER ROAD	LAPEER	MI	48446	810-664-3798	810-664-7246	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	9952 SAGINAW STREET	REESE	MI	48757	989-868-4165	989-868-9699	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	8461 MAIN STREET	BIRCH RUN	MI	48415	989-624-9356	989-624-9605	SSC of 051252
TRI COUNTY EQUIP-SANDUSKY	6150 BAY ROAD	SAGINAW	MI	48604	989-791-1234	000-000-0000	SSC of 051252

State of Michigan Prosperity Regions



1. Upper Peninsula Prosperity Alliance
   - 1a. Western UP Prosperity Region
   - 1b. Central UP Prosperity Region
   - 1c. Eastern UP Prosperity Region
2. Northwest Prosperity Region
3. Northeast Prosperity Region
4. West Michigan Prosperity Alliance
   - 4a. West Central Prosperity Region
   - 4b. West Michigan Prosperity Region
5. East Central Michigan Prosperity Region
6. East Michigan Prosperity Region
7. South Central Prosperity Region
8. Southwest Prosperity Region
9. Southeast Michigan Prosperity Region
10. Detroit Metro Prosperity Region

Service Delivery Regions

8/6/2013

DTMB Technology, Management & Budget

CONTRACT # 071B7700093 - AWARDED SPECIFICATIONS FOR PURCHASE					
Spec #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	Quoted Price	Hourly rate for training (per Schedule A, Statement of Work, section A.,3.3)	DELIVERY Per mile from Contractor's nearest dealer location
12	C38-0101-16 Skid Steer Loader - John Deere 333G	Skid Steer Loader	$ 62,310.00	$ 125.00	$4/Loaded Mile $50 Minimum
NON - AWARDED SPECIFICATIONS FOR PURCHASE					
13	C38-0101AWS-16 Skid Steer Loader - John Deere 324E	Skid Steer Loader	$ 38,075.00	$ 125.00	$4/Loaded Mile $50 Minimum
13	C38-0101AWS-16 Skid Steer Loader - John Deere 316GR	Skid Steer Loader	$ 31,074.00	$ 125.00	$4/Loaded Mile $50 Minimum

Catalog Pricing For PURCHASE							Delivery
Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP Base Unit (See Schedule E2)	% Discount Off MSRP	Discount Price	Set-Up Fees & Pre-Delivery Inspection (PDI):	Per mile from Contractor's nearest dealer location
1	John Deere 333G Compact Track Loader	Compact Track Loader	$75,523.00	30%	$52,866.10	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
2	John Deere 331G Compact Track Loader	Compact Track Loader	$70,877.00	30%	$49,613.90	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
3	John Deere 323E Compact Track Loader	Compact Track Loader	$55,375.00	30%	$38,762.50	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
4	John Deere 317G Compact Track Loader	Compact Track Loader	$50,893.00	30%	$35,625.10	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
5	John Deere 312GR Skid Steer Loader	Skid Steer Loader	$31,542.00	33%	$21,133.14	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
6	John Deere 314G Skid Steer Loader	Skid Steer Loader	$32,863.00	33%	$22,018.21	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
7	John Deere 316GR Skid Steer Loader	Skid Steer Loader	$35,529.00	33%	$23,804.43	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
8	John Deere 318G Skid Steer Loader	Skid Steer Loader	$36,941.00	33%	$24,750.47	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
9	John Deere 320E Skid Steer Loader	Skid Steer Loader	$38,465.00	33%	$25,771.55	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
10	John Deere 324E Skid Steer Loader	Skid Steer Loader	$40,945.00	33%	$27,433.15	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
11	John Deere 330G Skid Steer Loader	Skid Steer Loader	$53,230.00	33%	$35,664.10	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
12	John Deere 332G Skid Steer Loader	Skid Steer Loader	$55,037.00	33%	$36,874.79	PDI: $300 Attachments: $120/hr	$4/Loaded Mile $50 Minimum
	John Deere Worksite Pro Attachments	CTL/SSL Attachments	See Schedule E3	20%		Attachments: $120/hr	$4/Loaded Mile $50 Minimum

JOHN DEERE

Current Date 14Sep2016

312GR SKID STEER

312GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature

Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 704 kg (1550 lb)
Tipping load - 1407 kg (3100 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2392 kg (5273 lb)
Boom Breakout force - 2163 kg (4768 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (115.1 in)
Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
312GR SKID STEER	0AP0T	$31,542.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package with Foot Controls	0880	($308.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab with Heat / Defrost & Foot Controls	0885	($806.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.0L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm.	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm.	3001	$575.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual & No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine.		
Spanish Operator's Manual & No Text Decals	1516	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00
NOTE: Not for use with Cold Start Package (8050).		
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Chrome Exhaust	8225	$75.00
Rear Counterweight, 2 100LBS	8131	$375.00
Radio, AM/FM/WB with Aux Input	8340	$540.00
For use with enclosed cab only: codes 5204 & 5205.		
Keyless Start (Sealed Switch Module)	8395	$399.00
Includes: programmable machine security code system.		

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges:		
60 in. Bolt-On Cutting Edge	KV17819	View Price

Requires additional hardware; see Parts.
Requires Six Grade 8 Plow Bolts and Nuts (PB625225)

Kits and Accessories:		
	KV21995	$308.00

12 Volt Demonstration Kit 3-pin connector		
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$308.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$467.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$728.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$728.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$35.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio, AM/FM/WB with Aux Input	AT459851	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$74.00
SSM with Anti-Theft	AT459848	$696.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	AT440657	$696.00
Vinyl Cab Enclosure	AT459416	$350.00

Warning Beacon	AT446201	$212.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars:		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only):		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only):		
10x16.5 10 PR Galaxy "Beefy Baby II" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 14Sep2016

314G SKID STEER

314G SKID STEER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CT
Electronic Injection
4 Cylinder
37.8 kW (51hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD
Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature

Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 799 kg (1760 lb)
Tipping load - 1598 kg (3520 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 10.8 km/h (6.7 mph)
Bucket Breakout force - 2323 kg (5117 lb)
Boom Breakout force - 2176 kg (4793 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 3.05 m (120 in)
Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
314G SKID STEER	06J0T	$32,863.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price

Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package with Foot Controls	0880	($308.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001).

Cab with Heat / Defrost & Foot Controls	0885	($806.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 8PR Galaxy "Beefy Baby II" HD (2040)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Heat and Defrost (5202)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Keyless Start (Sealed Switch Module) 8395.

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.0L
4 Cylinder Turbo-Charged
51 Gross hp (37.1 kW)
48 Net hp (35.1 kW).

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Cab Enclosure with Heat and Defrost	5202	$2,916.00

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200).	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm.	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm.	3001	$575.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall	2280	$1,321.00
For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	$1,826.00
For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width	2041	$1,976.00
For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.		
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00
For use primarily in severe duty applications. Gives 63.3 in. Skid Steer width at norrow setting Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks.		

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine.		
English Operator's Manual & No Text Decals	1503	No Charge
Not for Canada For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine.		
Spanish Operator's Manual & No Text Decals	1516	No Charge
Not for Canada. For use with IT4/Stage IIIB Engine.		

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Battery, Heavy Duty, 925cca	8045	$55.00
NOTE: Not for use with Cold Start Package (8050).		
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Chrome Exhaust	8225	$75.00
Rear Counterweight, 2 100LBS	8131	$375.00
Radio, AM/FM/WB with Aux Input	8340	$540.00
For use with enclosed cab only: codes 5204 & 5205.		
Keyless Start (Sealed Switch Module)	8395	$399.00
Includes: programmable machine security code system.		

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
Cutting Edges:		
60 in. Bolt-On Cutting Edge	KV17819	View Price
Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)		
Kits and Accessories:		
12 Volt Demonstration Kit	KV21995	$308.00
3-pin connector		
	AT417007	$308.00

2-inch Seat Belt with Shoulder Harness for Standard Seat		
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$467.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 312GR & 314G) with Manual Foot controls (0900). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10003	$728.00
Attachment Control For G series (models 312GR & 314G) with Manual Hand controls (0925). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10005	$728.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$35.00
Fluid Sampling Field Kit	AT464541	$20.00
Hazard Warning Lights	AT446202	$127.00
Radio, AM/FM/WB with Aux Input	AT459851	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$74.00
SSM with Anti-Theft	AT459848	$696.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00
Single Point Lift System	AT440657	$696.00
Vinyl Cab Enclosure	AT459416	$350.00
Warning Beacon	AT446201	$212.00

Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars:		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only):		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only):		
10x16.5 10 PR Galaxy "Beefy Baby II" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 14Sep2016

316GR SKID STEER

316GR SKID STEER
Radial Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In)
Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Rated Operating Capacity - 795 kg (1750 lb)
Tipping load - 1589 kg (3500 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2507 kg (5526 lb)
Boom Breakout force - 2294 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.96 m (77.2 in)
Height to hinge pin - 2.92 m (120 in)
Warranty (US and Canada):
John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
316GR SKID STEER	06G0T	$35,529.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
	0800	In Base Price

Standard Skid Steer

Note: Includes standard equipment.

Rental Package with Foot Controls	0875	($318.00)

Package Includes:
Foot Controls (0900)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 Brawler Treaded SolidFlex (2400)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000).

Utility Package with E-H (ISO Pattern) Joysticks	0880	($1,023.00)

Package Includes:
E-H (ISO) Joystick Controls (0950)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

Cab with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package	0885	($1,640.00)

Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Two-Speed (1050)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
10x16.5 10PR Galaxy Hulk (2430)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515).

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.0L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW).

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200).

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics Auxiliary Pump Flow = 16 gpm.	3000	In Base Price
Standard Hydraulics and Hydraulic Self-Leveling Up Auxiliary Pump Flow = 16 gpm.	3001	$575.00
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control Auxiliary Pump Flow = 16 gpm.	3004	$1,250.00

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall For use primarily in light duty or dirt applications. Gives 62.9 in. Skid Steer width at narrow setting Gives 69.3 in. Skid Steer width at wide setting.	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Gives 62.5 in. Skid Steer width at narrow setting Gives 68.9 in. Skid Steer width at wide setting.	2040	$1,826.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD 60" Machine Width For use primarily in medium duty applications. Gives 60.0 in. Skid Steer width at narrow setting Gives 71.4 in. Skid Steer width at wide setting.	2041	$1,976.00
10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Gives 62.8 in. Skid Steer width at narrow setting. Gives 69.2 in. Skid Steer width at wide setting.	2430	$2,031.00
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00

For use primarily in severe duty applications.
Gives 63.3 in. Skid Steer width at norrow setting
Gives 67.4 in. Skid Steer width at wide setting
Not Compatible with Tracks.

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine.	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine.	1503	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine.	1515	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada. For use with IT4/Stage IIIB Engine.	1516	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Battery, Heavy Duty, 925cca NOTE: Not for use with Cold Start Package (8050).	8045	$55.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	8050	$303.00
Chrome Exhaust	8225	$75.00
Rear Counterweight, 2 100LBS	8131	$375.00
Radio, AM/FM/WB with Aux Input For use with enclosed cab only: codes 5204 & 5205.	8340	$540.00
Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8380	$144.00
Keyless Start (Sealed Switch Module) Includes: programmable machine security code system.	8395	$399.00
E-H Attachment Performance Package	8400	$296.00

Replaces standard auxiliary couplers with connect under pressure couplers.
Includes 3 pin and 14 pin attachment control electrical harness.
Fully populated Joysticks with 4th function auxiliary control.

Deluxe Lighting Package	8515	$900.00

Includes 2 additional side lights and LED light bulbs for all exterior machine lights.

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
60 in. Dirt Bucket (14.3 cu. Ft)	9020	$801.00
60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	$992.00
60 in. Dirt Bucket (14.3 cu. Ft) with Teeth	9190	$1,060.00
60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	$855.00
60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	$1,025.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price

Buckets:		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	$855.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	$1,025.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
Cutting Edges:		
60 in. Bolt-On Cutting Edge Requires additional hardware; see Parts. Requires Six Grade 8 Plow Bolts and Nuts (PB625225)	KV17819	View Price
Kits and Accessories:		
12 Volt Demonstration Kit 3-pin connector	KV21995	$308.00
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$308.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$467.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control For G series (models 316GR & 318G) with Manual Foot controls (0900) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.	BYT10004	$728.00
	BYT10006	$728.00

Attachment Control For G series (models 316GR & 318G) with Manual Hand controls (0925) and Two-Speed (1050). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$721.00
Block Heater Kit, 110V	AT464134	$112.00
Block Heater Kit, 220V	AT464135	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$1,200.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	AT470204	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$35.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$51.00
Hazard Warning Lights	AT446202	$127.00
Radio, AM/FM/WB with Aux Input	AT459851	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$74.00
SSM with Anti-Theft	AT459848	$696.00
	AT446612	$3,076.00

Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.		
Single Point Lift System	AT440657	$696.00
Vinyl Cab Enclosure	AT459416	$350.00
Warning Beacon	AT446201	$212.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
Tooth Bars:		
60 in. Tooth Bar - 7 Teeth	KV12292	$445.00
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
Wheels and Tires, Single (Left Hand Only):		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price
Wheels and Tires, Single (Right Hand Only):		
10x16.5 10 PR Galaxy "Beefy Baby II" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 14Sep2016

317G COMPACT TRACK LOADER

317G COMPACT TRACK LOADER
Vertical Lift Boom Path
Equipment for Base Machine

Engine:
Yanmar 4TNV86CHT
Electronic Injection
4 Cylinder
48.5 kW (65hp)
2.1L (128 cu. In) Displacement
Auto Idle
Glow Plugs (Automatically Activated)
Engine/Hydraulic Systems Shutdown Protection
71.2 L (19 gal) fuel tank
750 CCA Battery
70 amp Alternator
Operator Station:
Roll Over Protective Structure (ROPS)
Falling Object Protective Structure (FOPS)
Top and rear windows
Seat, retractable seatbelt, adjustable lapbar
In-cab boom lockout system
Headliner with Interior Dome lighting
12V power port
Back-up Alarm
Horn
Rear View Mirror
Operator selectable LCD Deluxe Instrumentation:
Fuel Gauge
Engine Coolant Temperature

Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Diagnostic Codes
Indicator Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Engaged
Hydraulic Oil Over Temp
Air Filter Restriction
Engine Preheat
Safety Interlocks
Low Oil Pressure
Quick Specs:
Operating Weight - 8195 kg (3721 lb)
Rated Operating Capacity - 965 kg (2125 lb)
Tipping load - 2756 kg (6070 lb)
Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11.3 km/h (7.0 mph)
Bucket Breakout force - 2922 kg (6437 lb)
Boom Breakout force - 2954 kg (5714 lb)
Width without attachment - 1.82 m (71.5 in)
Length without attachment - 2.63 m (103 in)
Height to top of ROPS - 1.99 m (78.5 in)
Height to hinge pin - 3.07 m (121 in)
Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
317G COMPACT TRACK LOADER	06L0T	$50,893.00

COMPACT TRACK VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Rental Package EH with ISO	0875	($215.00)

Package Includes:
E-H (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
12.6 in Tracks (2510)
Standard Hydraulics (3000)
2-Inch Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000)

Utility Package with E-H (ISO or H Pattern) Switchable with Performance Package	0880	($841.00)

Package Includes:
E-H (ISO or H Pattern Switchable) with Performance Package (0985)
Single Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
15.7 in Tracks (2600)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
2-Inch Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515)

Cab with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package & Narrow Tracks	0882	($1,156.00)

Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Single Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
12.6 in Tracks (2500)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)
3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)

Cab with Air Conditioning, Heat / Defrost & E-H (ISO or H Pattern Switchable) with Performance Package	0885	($1,419.00)

Package Includes:
E-H (ISO or H-Pattern Switchable) with Performance Package (0985)
Single Speed (1025)
Engine - Turbocharged (1301)
English Operator's Manual & Decals (1501)
15.7 in Tracks (2600)
Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)

3-Inch Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth with Heat) (6006)
Chrome Exhaust (8225)
Radio, AM/FM with Aux Input (8340)
Foot Rest with Floormat (8380)
Keyless Start (Sealed Switch Module) (8395)
Deluxe Lighting Package (8515)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$1,304.00

Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV86CT 2.0L
4 Cylinder Turbo-Charged
65 Gross hp (48.5 kW)
61 Net hp (45.6 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat)	6006	$625.00

For use with Cab 5204.

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200).

2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	$3,067.00

Includes:
Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)
Creeper Mode
Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Auxiliary Pump Flow = 16 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$575.00

Auxiliary Pump Flow = 16 gpm

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	$1,250.00

Auxiliary Pump Flow = 16 gpm

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

TRACKS

Description	Code	Price
Narrow Offset Block Lug Rubber Tracks - 12.6 in	2500	No Charge

Gives 65 in. CTL width.

Wide Offset Block Lug Rubber Tracks - 12.6 in	2510	In Base Price

Gives 68 in. CTL width.

Narrow Zig-Zag Bar Track - 12.6 in.	2550	$200.00

Gives 65 in. CTL width.

Wide Zig-Zag Bar Track - 12.6 in. Gives 68 in. CTL width.	2570	$200.00
15.7 in (400mm) Tracks - 71 in Wide Machine Stance	2600	$1,430.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Battery, Heavy Duty, 925cca NOTE: Not for use with Cold Start Package (8050).	8045	$55.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics	8050	$303.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics	8051	$303.00
Rear Counterweight, 2 100LBS	8131	$375.00
Chrome Exhaust	8225	$75.00
License Plate Bracket with Light	8315	$152.00
Radio, AM/FM/WB with Aux Input For use with enclosed cab only: codes 5204 & 5205	8340	$540.00
Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8380	$144.00
Keyless Start (Sealed Switch Module) Includes: programmable machine security code system	8395	$399.00
E-H Attachment Performance Package	8400	$296.00

Replaces standard auxiliary couplers with connect under pressure couplers.
Includes 3 pin and 14 pin attachment control electrical harness.
Fully populated Joysticks with 4th function auxiliary control.

Deluxe Lighting Package	8515	$900.00

Includes 2 additional side lights and LED light bulbs for all exterior machine lights.

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	$1,322.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	$1,170.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
Kits and Accessories:		
12 Volt Demonstration Kit	KV21995	$308.00
3-pin connector		

2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	$308.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	$467.00
Attachment Control Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.	BYT10072	$721.00
Block Heater Kit, 110V	AT464134	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Connect Under Pressure Auxiliary Field Kit Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.	AT463917	$343.00
Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	AT459829	$1,200.00
EH Joystick Performance Package Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	AT470204	$593.00
Engine Air Pre-Cleaner Kit	AT440512	$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	$35.00
Fluid Sampling Field Kit	AT464541	$20.00
Foot Throttle Removal Kit	AT463994	$51.00
Hazard Warning Lights	AT446202	$127.00
Radio, AM/FM/WB with Aux Input	AT459851	$510.00
Rear Counterweight Includes 2-100 lb. weights and mounting hardware.	AT421580	$274.00
SMV Sign	KV26958	$74.00
SSM with Anti-Theft	AT459848	$696.00
Severe Duty Door Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.	AT446612	$3,076.00

Single Point Lift System	AT440657	$696.00
Vinyl Cab Enclosure	AT459416	$350.00
Warning Beacon	AT446201	$212.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T32742	View Price
Tooth Bars:		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 14Sep2016

320E SKID STEER

320E SKID STEER

Equipment for Base Machine

Engine:
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Cooling
Hydraulic Cool-on-Demand
Variable Speed Fan
Dual Element Air Cleaner
Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank
Final Drive System and Brakes:
Four Wheel Drive
Hydrostatic-Manual Pumps
Four 80 HD continuous loop chain drive
Integral Automatic Wet-Disk Brake Spring Applied Hydraulic Release
Gauges and Instruments:
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 750cca
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
20 gpm (76 L/m) Pump
5 Micron Hydraulic Filter
10w30 Engine Oil
John Deere Boom and Bucket Cylinders with Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout System
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Rated Operating Capacity 2,190 lbs. (994 kg)
Tipping Load 4,380 lbs. (1,989 kg)

Bucket Breakout Force 6,000lbs. (2,724 kg)
Boom Breakout Force 3.500lbs. (1,589 kg)
Axle Torque 4,994 lbs-ft (6,771 Nm)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Lap Bar
Operator Presence System
Interlocking Lap Bar and Retractable Seat Belt system

Seat Switch & Lap Bar Interlocks for Loader Arm, Bucket, & Auxiliary Circuits
Deluxe Headliner
12V power port
Cell Phone cargo net storage

Interior Dome Lighting
Cup Holder
Grab Handles for Easy Entry / Exit
Top and Rear Windows Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty (US and Canada):

John Deere Standard Warranty 1 Year Unlimited Hours Full Machine Warranty Followed by a 2nd Year / 2,000 hour Powertrain plus Hydraulic Coverage

Diagnostic Codes
Configuration Codes

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
320E SKID STEER	8311T	$38,465.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
320E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	($640.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0850	($1,224.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
Ride Control (3100)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl Air-Ride Seat (6003)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)
Foot Rest with Floormat (8380)

Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with Switchable EH Joystick Controls	0855	($1,488.00)

Package includes:
Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
Ride Control (3100)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl Air-Ride Seat (6003)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Rear View Mirror (interior cab mount) (8350)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls	0860	($1,271.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls	0865	($1,810.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
Ride Control (3100)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (interior cab mount) (8350)
Foot Rest with Floormat (8380)
Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls	0870	($2,074.00)

Package includes:
Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
Two-Speed (1050)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics (3000)
Ride Control (3100)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (interior cab mount) (8350)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

Engine - Naturally Aspirated	1305	$1,475.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
4 Cylinder Naturally Aspirated
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	$2,768.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth) For use with Cab Enclosure/Severe Duty Door (5204 & 5205).	6002	$452.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
EH (H Pattern) Joystick Controls High Spring Efforts	0975	$2,778.00
EH Foot and Joystick Controls	0980	$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls Code 8395 Keyless Start (Sealed Switch Module) is required. Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.	0990	$5,585.00

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)
Selectable propel aggressiveness
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 20 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$575.00

Pump Flow = 20 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	$1,830.00

Pump Flow = 30 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	$2,408.00

Pump Flow = 30 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

HORN

Description	Code	Price
Horn	6800	$140.00
Less Horn	6801	In Base Price

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR SKS Extra-Wall Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting	2310	$1,636.00
12x16.5 10 PR Titan HD2000-III Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting	2070	$2,147.00
10x16.5 Brawler Treaded SolidFlex Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks	2400	$3,600.00
12x16.5 Treaded Brawler SolidFlex Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks	2410	$4,300.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty For use primarily in dirt applications Gives 62.9 in. Skid Steer width at narrow setting Gives 69.0 in. Skid Steer width at wide setting	2280	$1,321.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD Gives 62.4 in. Skid Steer width at narrow setting Gives 68.4 in. Skid Steer width at wide setting	2040	$1,826.00
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge

French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	$105.00
Battery, Heavy Duty, 925cca NOTE: Not for use with Cold Start Package (8050)	8045	$55.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)	8050	$303.00
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)	8305	$349.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)	8310	$349.00
Radio, AM/FM/WB with Aux Input For use with enclosed cab only: codes 5204 & 5205	8340	$540.00
Rear View Mirror (Interior cab mount)	8350	$90.00
HD Rear Grille Provides protection to cooling package	8370	$486.00
	8380	$144.00

Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8390	$122.00
Switchable Accelerator / Decelerator Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).	8392	$237.00
Keyless Start (Sealed Switch Module) Includes: programmable machine security code system	8395	$399.00

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	$1,322.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	$1,007.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	$1,076.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00

Cutting Edges:

76 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T223081	View Price

Kits and Accessories:

12 Volt Demonstration Kit 3-pin connector	KV21995	$308.00
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.	AT427985	$728.00
Attachment Control Kit For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Cold Start Package Includes Hydraulic Bypass.	AT432105	$355.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	AT427988	$593.00
	AT425360	$457.00

Engine Air Pre-Cleaner Kit For use with FT4 Naturally Aspirated Engine (Order code 1305)		
Engine Air Pre-Cleaner Kit For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310	AT425361	$457.00
Field Kit, Reversing Fan For S/N 269401 and below.	AT413072	$964.00
Field Kit, Reversing Fan For S/N 269402 and above.	AT448244	$834.00
Foot Throttle Removal Kit	AT374642	$51.00
HD Rear Grille Provides protection to cooling package	AT398389	$593.00
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn For use with Foot Controls (0900) or Hand Controls (0925)	AT348484	$152.00
Horn For use with EH Controls (0950) or (0975)	AT339797	$115.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$325.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models. S/N 269401 and below.	AT417602	$3,107.00
Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.	AT446334	$3,076.00
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00

Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit S/N 269401 and below.	AT425132	$1,030.00
Standard Door, Field Kit S/N 269402 and above.	AT446335	$1,030.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars:		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00
Wheels and Tires, Four:		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
Wheels and Tires, Single (Left Hand Only):		
10x16.5 10PR Galaxy Hulk, Left	AT446723	$496.00
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels and Tires, Single (Right Hand Only):		
10x16.5 10 PR Galaxy "Beefy Baby II" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	$496.00

10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.:		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Front Work Lights and Rear Light Guards	AT432854	$218.00
Guard, Bucket Cylinder Rod	AT406620	$320.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series	AT445276	$602.00
Lift Cylinder Hose Guards	AT437325	$320.00
Operator Rear Window / Side Window Guards Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights	AT372949	$640.00
Rear Grille Guard w/o Side Bumpers	AT437324	$980.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 14Sep2016

323E COMPACT TRACK LOADER

323E Compact Track Loader Equipment for Base Machine

Engine:
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Cooling
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank
Final Drive System and Brakes:
Four Wheel Drive
Axial Piston Hydrostatic Pump & Motor
High Drive Double Planetary Reduction Gear Box
Integral Automatic Wet-Disk Brake Spring Applied Hydraulic Release
Grease Cylinder Undercarriage Track Tensioner
Patented Smooth Ride Undercarriage:
4 triple flanged rollers
2 duel flanged idlers
12.6in (320 mm) Rubber Tracks
Gauges and Instruments:
Fuel Gauge
Engine Coolant Temperature
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 750cca
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
18 gpm (68 L/m) Pump
5 Micron Hydraulic Filter
10w30 Engine Oil
John Deere Boom and Bucket Cylinders with Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout System
Auxiliary Hydraulics Lock-out Override
Boom Float
Rated Operating Capacity 2,590 lbs. (1176 kg)
Tipping Load 7,400 lbs. (3,360 kg)
Bucket Breakout Force 7,000lbs. (3,178 kg)
Boom Breakout Force 4,300lbs. (1,952 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Lap Bar
Operator Presence System
Interlocking Lap Bar and Retractable Seat Belt system
Seat Switch & Lap Bar Interlocks for Loader Arm, Bucket, & Auxiliary Circuits
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty (US and Canada):
John Deere Standard Warranty 1 Year Unlimited Hours Full Machine Warranty Followed by a 2nd Year / 2,000 hour Powertrain

Operator Selectable LCD Digital Readout: Hourmeter Engine RPM	Performance Characteristics:	plus Hydraulic Coverage

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
323E COMPACT TRACK LOADER	8321T	$55,375.00

COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
323E Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	($425.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0850	($1,007.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics (3000)
Ride Control (3100)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl, Air-Ride Seat (6003)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)

Rear View Mirror (Interior Cab Mount) (8350)
Foot Rest with Floormat (8380)
Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

Utility Package with Switchable EH Joystick Controls	0855	($1,268.00)

Package includes:
Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics (3000)
Ride Control (3100)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl Air-Ride Seat (6003)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Rear View Mirror (interior cab mount) (8350)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls	0860	($1,056.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls	0865	($1,592.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics (3000)
Ride Control (3100)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (interior cab mount) (8350)
Foot Rest with Floormat (8380)

Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls	0870	($1,854.00)

Package includes:
Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics (3000)
Ride Control (3100)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (interior cab mount) (8350)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,678.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	$2,768.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	$452.00
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
EH (H Pattern) Joystick Controls	0975	$2,778.00
High Spring Efforts		
EH Foot and Joystick Controls	0980	$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	$5,585.00
Code 8395 Keyless Start (Sealed Switch Module) is required. Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	$798.00
Code 8395 Keyless Start (Sealed Switch Module) is required. Switchable control patterns between ISO and H (If ordered with code 0950 or 0975) Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
Less EH Joystick Performance Package	7101	In Base Price

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

Two-Speed	1050	$2,033.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 18 gpm.		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$575.00
Pump Flow = 18 gpm Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
High Flow Hydraulics	3002	$1,830.00
Pump Flow = 25 gpm Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	$2,408.00
Pump Flow = 25 gpm Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option. Includes 1/2 in Auxiliary coupler sizes.		

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

HORN

Description	Code	Price
Horn	6800	$140.00

Less Horn	6801	In Base Price

TRACKS

Description	Code	Price
Narrow Offset Block Lug Rubber Tracks - 12.6 in. Gives 71.5 in. CTL width.	2500	In Base Price
Narrow Zig-Zag Bar Track - 12.6 in.	2550	$200.00
Wide Offset Block Lug Rubber Tracks - 15.8 in. Gives 74.7 in. CTL width	2600	$1,430.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	$105.00
Battery, Heavy Duty, 925cca Not for use with Cold Start Package (8050)	8045	$55.00
Cold Start Package Includes Battery, Heavy Duty, 925cca (8045), Block Heater, and Hydraulic Pump Unloader. (110 volt)	8050	$303.00

Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)	8305	$349.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)	8310	$349.00
Radio, AM/FM/WB with Aux Input For use with enclosed cab only: codes 5204 & 5205	8340	$540.00
Rear View Mirror (Interior cab mount)	8350	$90.00
HD Rear Grille Provides protection to cooling package.	8370	$486.00
Foot Rest with Floormat For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only	8380	$144.00
Floormat For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only	8390	$122.00
Switchable Accelerator / Decelerator Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).	8392	$237.00
Keyless Start (Sealed Switch Module)	8395	$399.00

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00

72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	$1,322.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
Kits and Accessories:		
12 Volt Demonstration Kit	KV21995	$308.00
3-pin connector		

Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit For S/N 288041 and below. For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.	AT427985	$728.00
Attachment Control Kit For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.	AT454477	$721.00
Backup Alarm For use with EH Controls (0950) or (0975)	AT348451	$204.00
Backup Alarm (Foot, Hand Controls) For use with Foot Controls (0900) or Hand Controls (0925)	AT348456	$204.00
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Cold Start Package	AT432105	$355.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	AT427988	$593.00
Engine Air Pre-Cleaner Kit For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310	AT425361	$457.00
Field Kit, Reversing Fan For S/N 269401 and below.	AT413072	$964.00
Field Kit, Reversing Fan For S/N 269402 and above.	AT448244	$834.00
Foot Throttle Removal Kit	AT374642	$51.00
	AT398389	$593.00

HD Rear Grille Provides protection to cooling package		
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn	AT348484	$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	$152.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door	AT417602	$3,107.00
Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models. S/N 269401 and below.		
Severe Duty Door	AT446334	$3,076.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit	AT425132	$1,030.00
S/N 269401 and below.		
Standard Door, Field Kit	AT446335	$1,030.00
S/N 269402 and above.		
Miscellaneous:		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	$28.00

Tooth Bars:		
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.:		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00
Front Work Lights and Rear Light Guards	AT432854	$218.00
Guard, Bucket Cylinder Rod	AT406620	$320.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series	AT445276	$602.00
Lift Cylinder Hose Guards	AT437325	$320.00
Operator Rear Window / Side Window Guards Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights	AT372949	$640.00
Rear Grille Guard w/o Side Bumpers	AT437324	$980.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 26Sep2016

324E SKID STEER

324E SKID STEER

Equipment for Base Machine

Engine:
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Cooling
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
21 Gallon (79 L) Fuel Tank
Final Drive System and Brakes:
Four Wheel Drive
Hydrostatic-Manual Pumps
Four 80 HD continuous loop chain drive
Integral Automatic Wet-Disk Brake Spring Applied Hydraulic Release
Gauges and Instruments:
Fuel Gauge
Engine Coolant Temperature Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 750cca
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve 20 gpm (76 L/m) Pump
5 Micron Hydraulic Filter
10w30 Engine Oil
John Deere Boom and Bucket Cylinders with Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout System
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:
Rated Operating Capacity 2,690 lbs. (1,221 kg)
Tipping Load 5,380 lbs. (2,443 kg)
Hydraulic Pump Flow 79 L/m (21 gpm)
Travel Speed 6.9 mph (11.1 km/h)
Bucket Breakout Force w/ Foundry Bucket 8,750lbs.
Boom Breakout Force w/ Construction Bucket 5,200lbs. (2,361 kg)
Width without Attachment 69.2 in. (1.76m)
Length without Attachment 112 in. (2.85m)
Height to Top of ROPS 79.4 in. (2.02m)
Height to Hinge Pin 125.5 in. (3.19m)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Lap Bar
Operator Presence System
Interlocking Lap Bar and Retractable Seat Belt system
Seat Switch & Lap Bar Interlocks for Loader Arm, Bucket, & Auxiliary Circuits
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty (US and Canada):
John Deere Standard Warranty 1 Year Unlimited Hours Full Machine

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp

(3,973 kg)
Bucket Breakout Force w/ Construction Bucket 6,000lbs. (2,724 kg)
Boom Breakout Force w/ Foundry Bucket 5,500lbs. (2,497 kg)

Warranty Followed by a 2nd Year / 2,000 hour Powertrain plus Hydraulic Coverage

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
324E SKID STEER	0BG0T	$40,945.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
324E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0846	($467.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
2 in. Seat Belt (4000)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0856	($1,156.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 12 PR Galaxy Hulk (2440)
Standard Hydraulics (3000)
Ride Control (3100)
2 in. Seat Belt (4000)
Power Quik-Tatch (5001)
Canopy - ROPS / FOPS (5200)
Vinyl Air-Ride Seat (6003)
Reversing Fan Drive (6501)

Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)
Foot Rest with Floormat (8380)
Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls	0861	($1,156.00)

Package includes:
Foot Controls (0900)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 10 PR Titan HD2000-III (2070)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls	0866	($1,728.00)

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Two-Speed (1050)
Turbocharged Engine (1301)
English Operator's Manual & Decals (1501)
12x16.5 12 PR Galaxy Hulk (2440)
Standard Hydraulics (3000)
Ride Control (3100)
3 in. Seat Belt with Shoulder Harness (4003)
Power Quik-Tatch (5001)
Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
Air Suspension Seat (Cloth) (6002)
Reversing Fan Drive (6501)
Horn (6800)
EH Joystick Performance Package (7100)
Backup Alarm (8040)
Chrome Exhaust (8225)
Radio, AM/FM/WB with Aux Input (8340)
Rear View Mirror (interior cab mount) (8350)
Foot Rest with Floormat (8380)
Switchable Accelerator/Decelerator (8392)
Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,613.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	$2,768.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00
Polycarbonate Front Door w/ Wiper and Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		

SEAT

Description	Code	Price
Seat (Vinyl)	6000	($417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205).		
Vinyl, Air-Ride Seat	6003	$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	$796.00
E-H (ISO Pattern) Joystick Controls	0950	$2,565.00
EH (H Pattern) Joystick Controls	0975	$2,778.00
High Spring Efforts		

EH Foot and Joystick Controls	0980	$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	$5,585.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)
Selectable propel aggressiveness
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	$1,608.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 21 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	$575.00

Pump Flow = 21 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	$1,830.00

Pump Flow = 29 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	$2,408.00

Pump Flow = 29 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

RIDE CONTROL

Description	Code	Price
Ride Control	3100	$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

HORN

Description	Code	Price
Horn	6800	$140.00
Less Horn	6801	In Base Price

WHEELS AND TIRES

Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD Gives 62.4 in. Skid Steer width at narrow setting Gives 68.4 in. Skid Steer width at wide setting	2040	$1,826.00
12x16.5 10 PR Titan HD2000-III Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting	2070	$2,147.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty For use primarily in dirt applications Gives 62.9 in. Skid Steer width at narrow setting Gives 69.0 in. Skid Steer width at wide setting	2280	$1,321.00
12x16.5 10 PR SKS Extra-Wall Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting	2310	$1,636.00
10x16.5 Brawler Treaded SolidFlex	2400	$3,600.00

Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks		
12x16.5 Treaded Brawler SolidFlex	2410	$4,300.00
Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		
10x16.5 10 PR Galaxy Hulk	2430	$2,031.00
12x16.5 12 PR Galaxy Hulk	2440	$2,470.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine		
French Operator's Manual & Decals for Canada	1511	No Charge
Canada only For use with IT4/Stage IIIB Engine		
French Operator's Manual & No Text Decals	1512	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine		
Spanish Operator's Manual & No Text Decals	1516	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	$105.00
Battery, Heavy Duty, 925cca	8045	$55.00
NOTE: Not for use with Cold Start Package (8050)		
Cold Start Package	8050	$303.00
Includes Hydraulic Bypass, and Block Heater. (110 volt)		
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)	8310	$349.00
Radio, AM/FM/WB with Aux Input For use with enclosed cab only: codes 5204 & 5205	8340	$540.00
Rear View Mirror (Interior cab mount)	8350	$90.00
HD Rear Grille Provides protection to cooling package	8370	$486.00
Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8380	$144.00
Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8390	$122.00
Switchable Accelerator / Decelerator Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).	8392	$237.00
Keyless Start (Sealed Switch Module) Includes: programmable machine security code system	8395	$399.00

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	$1,322.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	$1,048.00

66 in. Tooth Bucket (16.2 cu. ft.)	9200	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	$1,252.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
Buckets:		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	$889.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	$1,231.00

72 in. Utility Bucket (22.6 cu. ft.)	KV21474	$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
Kits and Accessories:		
12 Volt Demonstration Kit	KV21995	$308.00
3-pin connector		
Adapter, Three-Point Hitch (Category 1 & 2 Hitch Rating)	AT451600	$883.00
Attachment Control Kit	AT454477	$721.00
For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.		
Backup Alarm	AT348451	$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	$320.00
Block Heater Kit	AT427686	$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	$344.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Mirrors	BYT10168	$75.00
Counterweight, Stackable (Single Set)	AT348835	$356.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package Enables the following features: Switchable control patterns between ISO and H		

Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310	AT425361	$457.00
Field Kit, Reversing Fan For S/N 269402 and above.	AT448244	$834.00
Foot Throttle Removal Kit	AT374642	$51.00
HD Rear Grille Provides protection to cooling package	AT398389	$593.00
Hazard Warning Lights	AT431921	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Horn For use with Foot Controls (0900) or Hand Controls (0925)	AT348484	$152.00
Horn For use with EH Controls (0950) or (0975)	AT339797	$115.00
Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	AT428072	$325.00
Keyless Start (Sealed Switch Module)	AT427990	$401.00
Radio, AM/FM/WB with Aux Input	AT427984	$510.00
SMV Sign	AT427982	$77.00
Severe Duty Door Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications. S/N 269402 and above.	AT446334	$3,076.00
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	$170.00
Single Point Lift System	AT417891	$1,540.00
Standard Door, Field Kit S/N 269402 and above.	AT446335	$1,030.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)	U16748	View Price
72 in. Bolt-On Cutting Edge	T32742	View Price

Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	$28.00
Tooth Bars:		
66 in. Tooth Bar - 7 Teeth	KV12294	$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00
Wheels and Tires, Four:		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
Wheels and Tires, Single (Left Hand Only):		
12x16.5 12PR Galaxy Hulk, Left	AT446726	$598.00
Wheels and Tires, Single (Right Hand Only):		
10x16.5 10 PR Galaxy "Beefy Baby II" HD For 60 In. machine width	AT466913	$396.00
10x16.5 10 PR Galaxy "Beefy Baby III" HD For 63 In. machine width	AT466910	$371.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	$322.00
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	$598.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.:		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxiliary Hydraulic Line Quick Coupler	AT437326	$180.00

Front Work Lights and Rear Light Guards	AT432854	$218.00
Guard, Bucket Cylinder Rod	AT406620	$320.00
Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series	AT445276	$602.00
Lift Cylinder Hose Guards	AT437325	$320.00
Operator Rear Window / Side Window Guards Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights	AT372949	$640.00
Rear Grille Guard w/o Side Bumpers	AT437324	$980.00
Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	AT372950	$492.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 04Aug2016

330G SKID STEER

330G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery 925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity 3,000 lbs. (1,362 kg)
Tipping Load 6,000 lbs. (2,724 kg)
Hydraulic Pump Flow 24 gpm
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket
Breakout Force 7,600 lbs. (3,450 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Width without Attachment 78 in. (1.98 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 9,950 lbs. (4,517 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:

Job Clock	(91 L/m)	John Deere 1st Year full
Service Codes	Machine Operating Weight	machine/Unlimited hours
Diagnostic Codes	9,950 lbs. (4,517 kg)	w/2nd year of Powertrain
Configuration Codes	Travel Speed Low 7 mph	plus Hydraulics up to 2000
Indicator Warning Lights:	(11.3 km/h)	hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
330G SKID STEER	0BC0T	$53,230.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
330G Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes: * EH (ISO Pattern) Joystick Controls (0950) * Less JDLink (1741) * English Operator's Manual & Decals (1501) * 14x17.5 14 PR Titan HD2000-II (2320) * Standard Base Hydraulics (3000) * Ride Control (3100) * 2 in. Seat Belt (4000) * Power Quik-Tatch (5001) * Canopy - ROPS / FOPS (5200) * Standard Lighting Package (5500) * Mechanical Suspension Seat (Vinyl) (6001) * Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes: * ISO-H Switchable Controls and EH Joystick Performance Package (0953) * English Operator's Manual & Decals (1501) * Less JDLink (1741) * 14x17.5 14 PR Galaxy Hulk (2450) * Standard Base Hydraulics (3000) * Ride Control and Hydrulic Self-Level Up (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001) * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204) * Deluxe Lighting Package (5550) * Air Suspension Seat (Cloth with Heat) (6006) * Standard Fan Drive (6500) * Rear View Camera (8042) * Radio, AM/FM with Bluetooth (8342) * Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes: * ISO-H Switchable Controls and EH Joystick Performance Package (0953) * English Operator's Manual & Decals (1501) * Less JDLink (1741) * 14x17.5 14 PR Galaxy Hulk (2450) * High Flow Hydraulics (3002) * Ride Control and Hydrulic Self-Level Up (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001) * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204) * Deluxe Lighting Package (5550) * Air Suspension Seat (Cloth with Heat) (6006) * Reversing Fan Drive (6501) * Rear View Camera (8042) * Engine Air Precleaner (8060) * Radio, AM/FM with Bluetooth (8342) * HD Rear Grille (8370) * Foot Rest with Floormat (8380)

JDLINK

Description	Code	Price
JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	$1,200.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Charge

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$2,805.00
Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV94FHT 3.1L 4 Cylinder Turbo-Charged 91.2 Gross hp (67.1 kW) 87 Net hp (65.0 kW)		

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

SEAT

Description	Code	Price

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
3-Way Switchable Controls and EH Joystick Performance Package Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics Pump Flow = 23.5 gpm	3000	In Base Price
High Flow Hydraulics Pump Flow = 36.5 gpm. Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00

Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR Titan HD2000-III Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting	2070	$2,147.00
12x16.5 10 PR SKS Extra-Wall Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting	2310	$1,644.00
14x17.5 14 PR Titan HD2000-II No narrow setting possible Not compatible with Steel Tracks.	2320	$3,362.00
14x17.5 12 PR SKS Extra-Wall For use primarily in dirt applications. No narrow setting possible.	2330	$2,887.00
12x16.5 Treaded Brawler SolidFlex Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks	2410	$4,300.00
14x17.5 Treaded Brawler SolidFlex Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.	2420	$5,700.00
14x17.5 14 PR Galaxy Hulk Not compatible with Steel Tracks.	2450	$3,865.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals	1503	No Charge

Not for Canada For use with IT4/Stage IIIB Engine

French Operator's Manual & Decals	1510	No Charge
For use with FT4 Engine		
French Operator's Manual & No Text Decals	1512	No Charge
Not for Canada For use with IT4/Stage IIIB Engine		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine		

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Rear View Camera	8042	$850.00
Includes 5" LCD monitor.		
Cold Start Package	8050	$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater		
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set)	8300	$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM with Bluetooth	8342	$600.00
HD Rear Grille	8370	$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS:		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00

Buckets:		
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
Construction Buckets with Edge, 66-78" Bundle Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.	AT340103	$4,801.00
Construction Buckets with Edge, 72-84" Bundle Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.	AT340104	$5,071.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T223081	View Price
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories:		
12 Volt Demonstration Kit 3-pin connector	AT439261	$308.00
Attachment Control	BYT10040	$415.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package For machines configured with 3-way controls (ISO / H / Foot Controls). Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings	AT439260	$798.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	AT413072	$964.00

Field Kit, Reversing Fan	AT448244	$834.00
Foot Throttle Removal Kit	AT410246	$51.00
HD Rear Grille	BYT10058	$593.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM/WB with Aux Input and Bluetooth	BYT10042	$575.00
Streaming Bluetooth, no Hands-Free.		
SMV Sign	BYT10059	$77.00
Severe Duty Door	AT438266	$3,076.00
Includes windshield wiper. Required to meet ISO 8084 Forestry Applications.		
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars:		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four:		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only):		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only):		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00

14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.:		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	$220.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

JOHN DEERE

Current Date 15Sep2016

331G COMPACT TRACK LOADER

331G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 90 Hp (67
Travel Speed Low 6 mph (9.7 km/h)
Travel Speed High 8 mph (12.9 km/h)
Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)
Boom Breakout Force 6,000 lbs. (2,724 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 78.9 in. (2.00 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 11,800 lbs. (5,357)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:

Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp.	Kw) Rated Operating Capacity 3,100 lbs. (1,407 kg) Tipping Load 8,857 lbs. (4,022 kg) Hydraulic Pump Flow 24 gpm (91 L/m)	John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
331G COMPACT TRACK LOADER	0BE0T	$70,877.00

COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
331G Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	$283.00

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,136.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)

* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,496.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

JDLINK

Description	Code	Price
JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	$1,200.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,527.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
91.2 Gross hp (67.1 kW)
87 Net hp (65.0 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Ride Seat (Cloth with Heat)	6006	$625.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when		

operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

3-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 23.5 gpm

High Flow Hydraulics	3002	$1,830.00

Pump Flow = 36.5 gpm

Includes 1/2 in Auxiliary coupler sizes.

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

TRACKS

Description	Code	Price
	2500	In Base Price

Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 78.9 inch CTL width		
Wide Offset Block Lug Rubber Tracks - 17.7 in. Gives 80.7 inch CTL width	2600	$277.00
Wide Zig-Zag Bar Track - 17.7 in.	2650	$477.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$850.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.	8050	$303.00
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

Radio, AM/FM with Bluetooth	8342	$600.00
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS:		

See Attachments for Multi-Purpose Buckets

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00

84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
Buckets:		
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T223081	View Price
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories:		
12 Volt Demonstration Kit 3-pin connector	AT439261	$308.00
Attachment Control	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package	AT439260	$798.00

For machines configured with 3-way controls (ISO / H / Foot Controls). Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	AT448244	$834.00
Foot Throttle Removal Kit	AT410246	$51.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM/WB with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications.	AT438266	$3,076.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars:		
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 04Aug2016

332G SKID STEER

332G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
26 Gallon (97 L) Fuel Tank
Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
Four Wheel Drive
Four 100 HD continuous loop chain drive
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,600 lbs. (1,633 kg)
Tipping Load 7,200 lbs. (3,266 kg)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket
Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:

Job Clock Service Codes Diagnostic Codes Configuration Codes	Hydraulic Pump Flow 25 gpm (95 L/m) Travel Speed Low 7 mph (11.3 km/h)	John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
332G SKID STEER	0BD0T	$55,037.00

SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
332G Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	($534.00)

Package includes: * EH (ISO Pattern) Joystick Controls (0950) * Less JDLink (1741) * English Operator's Manual & Decals (1501) * 14x17.5 14 PR Titan HD2000-II (2320) * Standard Base Hydraulics (3000) * Ride Control (3100) * 2 in. Seat Belt (4000) * Power Quik-Tatch (5001) * Canopy - ROPS / FOPS (5200) * Standard Lighting Package (5500) * Mechanical Suspension Seat (Vinyl) (6001) * Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,475.00)

Package includes: * ISO-H Switchable Controls and EH Joystick Performance Package (0953) * English Operator's Manual & Decals (1501) * Less JDLink (1741) * 14x17.5 14 PR Galaxy Hulk (2450) * Standard Base Hydraulics (3000) * Ride Control and Hydrulic Self-Level Up (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001) * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204) * Deluxe Lighting Package (5550) * Air Suspension Seat (Cloth with Heat) (6006) * Standard Fan Drive (6500) * Rear View Camera (8042) * Radio, AM/FM with Bluetooth (8342) * Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,835.00)

Package includes: * ISO-H Switchable Controls and EH Joystick Performance Package (0953) * English Operator's Manual & Decals (1501) * Less JDLink (1741) * 14x17.5 14 PR Galaxy Hulk (2450) * High Flow Hydraulics (3002) * Ride Control and Hydrulic Self-Level Up (3100) * 3 in. Seat Belt with Shoulder Harness (4003) * Power Quik-Tatch (5001) * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204) * Deluxe Lighting Package (5550) * Air Suspension Seat (Cloth with Heat) (6006) * Reversing Fan Drive (6501) * Rear View Camera (8042) * Engine Air Precleaner (8060) * Radio, AM/FM with Bluetooth (8342) * HD Rear Grille (8370) * Foot Rest with Floormat (8380)

JDLINK

Description	Code	Price
JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	$1,200.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Charge

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,000.00
Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yamnar 4TNV94FHT 3.1L 4 Cylinder Turbo-Charged 100 Gross hp (75.0 kW) 97 Net hp (72.3 kW)		

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

SEAT

Description	Code	Price

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Suspension Seat (Cloth with Heat) For use with Cab 5204.	6006	$625.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt For use with Canopy - ROPS / FOPS (5200)	4000	In Base Price
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0953	$1,035.00
3-Way Switchable Controls and EH Joystick Performance Package Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	0993	$2,185.00

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics Pump Flow = 25 gpm	3000	In Base Price
High Flow Hydraulics Pump Flow = 41gpm Includes 1/2 in Auxiliary coupler sizes.	3002	$1,830.00

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00

Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II Gives 78.5 in. Skid Steer width at wide setting Not compatible with Steel Tracks.	2320	$3,362.00
14x17.5 12 PR SKS Extra-Wall For use primarily in dirt applications. No narrow setting possible.	2330	$2,887.00
14x17.5 Treaded Brawler SolidFlex Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Steel Tracks.	2420	$5,700.00
14x17.5 14 PR Galaxy Hulk Not compatible with Steel Tracks.	2450	$3,865.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$850.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater	8050	$303.00
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set) Includes 2 - 86 lb weights (39 Kg)	8305	$349.00
Counterweight, Stackable (Third Set) Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)	8310	$349.00
Radio, AM/FM with Bluetooth	8342	$600.00
HD Rear Grille Provides protection to cooling package.	8370	$486.00
Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8380	$144.00

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00

84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge	9410	$1,900.00
90 in. SD Tooth Bucket	9415	$1,850.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS:		
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. SD Construction Bucket with Serrated Edge	AT455408	$1,900.00
90 in. SD Tooth Bucket	AT450326	$1,850.00
Buckets:		
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00

Construction Buckets with Edge, 66-78" Bundle Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.	AT340103	$4,801.00
Construction Buckets with Edge, 72-84" Bundle Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.	AT340104	$5,071.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T223081	View Price
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories:		
12 Volt Demonstration Kit 3-pin connector	AT439261	$308.00
Attachment Control	BYT10040	$415.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	AT417736	$344.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package For machines configured with 3-way controls (ISO / H / Foot Controls). Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings	AT439260	$798.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	AT413072	$964.00
Field Kit, Reversing Fan	AT448244	$834.00
Foot Throttle Removal Kit	AT410246	$51.00

HD Rear Grille	BYT10058	$593.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM/WB with Aux Input and Bluetooth	BYT10042	$575.00
Streaming Bluetooth, no Hands-Free.		
SMV Sign	BYT10059	$77.00
Severe Duty Door	AT438266	$3,076.00
Includes windshield wiper. Required to meet ISO 8084 Forestry Applications.		
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars:		
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00
Wheels and Tires, Four:		
12x16.5 10 PR SKS Extra-Wall	KV21876	$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	$2,959.00
Wheels and Tires, Single (Left Hand Only):		
14x17.5 14PR Galaxy Hulk, Left	AT446729	$923.00
Wheels and Tires, Single (Right Hand Only):		
12x16.5 10 PR SKS Extra-Wall	KV23687	$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	$753.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	$923.00

REFERRAL ATTACHMENTS

Description	Code	Price
G.R. Mfg.:		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	$220.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

JOHN DEERE

Current Date 15Sep2016

333G COMPACT TRACK LOADER

333G Base Equipment

Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
Tri-Cool Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II" Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
30 Gallon (114 L) Fuel Tank

Final Drive System and Undercarriage:
2-Speed Transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 15.8 in (400 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:
12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:
Gross Horsepower 100 Hp (75 Kw)
Travel Speed 8 mph (12.9 km/h)

Construction Bucket
Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

Operator Selectable LCD Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.

Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)

John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000 hours

Required - *You must select one from each category*

BASE MACHINE

F.O.B. Dubuque, Iowa

Description	Code	Price
333G COMPACT TRACK LOADER	0BF0T	$75,523.00

COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
333G Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0816	$255.00

Package includes:
* EH (ISO Pattern) Joystick Controls (0950)
* Less JDLink (1741)
* English Operator's Manual & Decals (1501)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Canopy - ROPS / FOPS (5200)
* Standard Lighting Package (5500)
* Mechanical Suspension Seat (Vinyl) (6001)
* Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package	0821	($1,108.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* Standard Base Hydraulics (3000)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Standard Fan Drive (6500)

* Rear View Camera (8042)
* Radio, AM/FM with Bluetooth (8342)
* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow	0826	($1,468.00)

Package includes:
* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
* English Operator's Manual & Decals (1501)
* Less JDLink (1741)
* Wide Zig-Zag Bar Track - 17.7 in. (2650)
* High Flow Hydraulics (3002)
* Ride Control and Hydrulic Self-Level Up (3100)
* 3 in. Seat Belt with Shoulder Harness (4003)
* Power Quik-Tatch (5001)
* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
* Deluxe Lighting Package (5550)
* Air Suspension Seat (Cloth with Heat) (6006)
* Reversing Fan Drive (6501)
* Rear View Camera (8042)
* Engine Air Precleaner (8060)
* Radio, AM/FM with Bluetooth (8342)
* HD Rear Grille (8370)
* Foot Rest with Floormat (8380)

JDLINK

Description	Code	Price
JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	$1,200.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Charge

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	$3,818.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L
4 Cylinder Turbo-Charged
100 Gross hp (75.0 kW)
97 Net hp (72.3 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	$4,473.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

LIGHTING

Description	Code	Price
Standard Lighting Package	5500	In Base Price
Includes 2 front halogen work headlights and rear work light.		
Deluxe Lighting Package	5550	$900.00
Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	$452.00
Air Ride Seat (Cloth with Heat)	6006	$625.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	$212.00
3-Inch Seat Belt with Shoulder Harness	4003	$279.00

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
ISO-H Switchable Controls and EH Joystick Performance Package	0953	$1,035.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when		

operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

3-Way Switchable Controls and EH Joystick Performance Package	0993	$2,185.00

Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 25 gpm

High Flow Hydraulics	3002	$1,830.00

Pump Flow = 41 gpm

Includes 1/2 in Auxiliary coupler sizes.

RIDE CONTROL

Description	Code	Price
Ride Control and Hydrulic Self-Level Up	3100	$1,250.00
Less Ride Control	3101	In Base Price

QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	$724.00

COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	$830.00

TRACKS

Description	Code	Price
	2500	($257.00)

Narrow Offset Block Lug Rubber Tracks - 15.8 in. Gives 78.9 inch CTL width		
Wide Offset Block Lug Rubber Tracks - 17.7 in. Gives 80.7 inch CTL width	2600	In Base Price
Wide Zig-Zag Bar Track - 17.7 in.	2650	$200.00

OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

Optional - *Select as desired*

KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Rear View Camera Includes 5" LCD monitor.	8042	$850.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.	8050	$303.00
Engine Air Precleaner	8060	$455.00
Hazard Warning Lights	8075	$159.00
Chrome Exhaust	8225	$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	$349.00
Counterweight, Stackable (Second Set)	8305	$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	$349.00

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

Radio, AM/FM with Bluetooth	8342	$600.00
HD Rear Grille	8370	$486.00

Provides protection to cooling package.

Foot Rest with Floormat	8380	$144.00

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	$1,500.00
90 in. SD Construction Bucket with Serrated Edge	9410	$1,900.00
90 in. SD Tooth Bucket	9415	$1,850.00

EXPORT CODES

Description	Code	Price

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS:		

See Attachments for Multi-Purpose Buckets

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	$1,353.00

78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	$1,500.00
90 in. SD Construction Bucket with Serrated Edge	AT455408	$1,900.00
90 in. SD Tooth Bucket	AT450326	$1,850.00
Buckets:		
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	$1,149.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	$1,040.00
Cutting Edges:		
76 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	T223081	View Price
78 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12758	View Price
84 in. Bolt-On Cutting Edge Requires additional hardware; see Parts.	KV12471	View Price
Kits and Accessories:		
12 Volt Demonstration Kit 3-pin connector	AT439261	$308.00
Attachment Control	BYT10040	$415.00
Backhoe Attachment Mounting Kit	AT466358	$119.00
Beacon Warning Light	BYT10048	$320.00
Block Heater Kit	AT439115	$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	$344.00

Must have the 14 pin attachment connector already installed.		
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	AT348835	$356.00
EH Joystick Performance Package For machines configured with 3-way controls (ISO / H / Foot Controls). Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings	AT439260	$798.00
Engine Air Pre-Cleaner Kit	AT439117	$457.00
Field Kit, Reversing Fan	AT448244	$834.00
Foot Throttle Removal Kit	AT410246	$51.00
HD Rear Grille Provides protection to cooling package.	BYT10058	$593.00
Hazard Warning Lights	BYT10050	$127.00
High Spring Effort Joysticks	AT433683	$766.00
Joystick Pod Mounted Throttle	AT419446	$152.00
Radio, AM/FM/WB with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	BYT10042	$575.00
Rear View Camera Includes 5" LCD monitor.	BYT10051	$850.00
SMV Sign	BYT10059	$77.00
Severe Duty Door Includes windshield wiper. Required to meet ISO 8084 Forestry Applications.	AT438266	$3,076.00
Single Point Lift System	AT469520	$1,540.00
Standard Door, Field Kit	AT438268	$1,030.00
Tooth Bars:		
76 in. Tooth Bar - 8 Teeth	AT331906	$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	$803.00

84 in. Tooth Bar - 8 Teeth	KV12298	$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	$827.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

WORKSITE PRO AF60 AG FORKS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9290T		WORKSITE PRO AF60 AG FORKS *For use on the following models:* *312-318G SS* *313-315 SS* *CT315*		1,111.00

WORKSITE PRO AF66 AG FORKS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9360T		WORKSITE PRO AF66 AG FORKS *For use on the following models:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *317 CTL* *CT315 CTL*		1,263.00

WORKSITE PRO AF72 AG FORKS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9330T		WORKSITE PRO AF72 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT315, CT322 CTLs* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,400.00

WORKSITE PRO AF78 AG FORKS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9340T		WORKSITE PRO AF78 AG FORKS *For use on the following models:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs*		1,550.00

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive:
- Heavy Duty, All Gear Design
- Sealed Drive Unit
- Reverse Rotation Feature
- Relief Valve Protected

Double-Wrap Flighting
Forged Alloy Steel
Heat-Treated Bolt-On Teeth
Reinforced Boring Head

Auger Bits:

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1550T		WORKSITE PRO PA15 PLANETARY DRIVE AUGER *For use on the following models:* *312-314G SS* *313-315 SS* *CT315 CTL* *17-27 CE*		2,062.00
		BASE MACHINE TYPE		
1002		PA15 PLANETARY AUGER FOR SKID STEER *Includes Skid Steer Mounting Bracket* *Bit is NOT included*		405.00
1003		PA15 PLANETARY AUGER FOR COMPACT EXCAVATOR *NOTE:* ** Requires Interface Adapter (9800, 9801)* ** Interface Adapter NOT included* ** For 17 and 27 CE* ** Bit is NOT included*		In Base Price
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:		
9800		Interface Adapter for 17 ZTS		371.00
9801		Interface Adapter for 27-35 CE and 110 TLB		371.00
		AUGER BITS:		
9000		4 in. Heavy Duty Bit		233.00
9001		6 in. Heavy Duty Bit		256.00
9002		8 in. Heavy Duty Bit		358.00
9003		9 in. Heavy Duty Bit		394.00
9017		9 in. HD Difficult Ground Bit		523.00
9004		10 in. Heavy Duty Bit		414.00

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		AUGER BITS: Continued...		
9005		12 in. Heavy Duty Bit		425.00
9018		12 in. HD Difficult Ground Bit		605.00
9006		15 in. Heavy Duty Bit		554.00
9019		15 in. HD Difficult Ground Bit		751.00
9007		18 in. Heavy Duty Bit		693.00
9020		18 in. HD Difficult Ground Bit		890.00
9008		24 in. Heavy Duty Bit		838.00
9021		24 in. HD Difficult Ground Bit		1,279.00
9011		18 in. Tree and Shrub Bit		639.00
9012		24 in. Tree and Shrub Bit		657.00
9015		9 in. Rock Bit		1,270.00
9016		12 in. Rock Bit		1,488.00
		DEALER-INSTALLED KITS		
		AUGER BITS:		
	KV15765	10 in. Heavy Duty Bit		414.00
	AT379607	12 in. HD Difficult Ground Bit		605.00
	KV15766	12 in. Heavy Duty Bit		425.00
	KV15777	12 in. Rock Bit		1,488.00
	AT379608	15 in. HD Difficult Ground Bit		751.00
	KV15767	15 in. Heavy Duty Bit		554.00
	AT379609	18 in. HD Difficult Ground Bit		890.00
	KV15768	18 in. Heavy Duty Bit		693.00
	KV15772	18 in. Tree and Shrub Bit		639.00
	AT379610	24 in. HD Difficult Ground Bit		1,279.00
	KV15769	24 in. Heavy Duty Bit		838.00
	KV15773	24 in. Tree and Shrub Bit		657.00
	KV15761	4 in. Heavy Duty Bit		233.00
	KV15762	6 in. Heavy Duty Bit		256.00

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15763	8 in. Heavy Duty Bit		358.00
	AT379606	9 in. HD Difficult Ground Bit		523.00
	KV15764	9 in. Heavy Duty Bit		394.00
	KV15776	9 in. Rock Bit		1,270.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters:		
	KV15779	12 in. Hex Drive Extension		171.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		224.00
	KV15782	2-9/16 in. Round to 2 in. Hex		136.00
	KV15780	24 in. Hex Drive Extension		191.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:		
	AT306925	Interface Adapter for 17 ZTS		371.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		371.00

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Equipment for Base Machine

```
Planetary Drive:                    Double-Wrap Flighting
  Heavy Duty, All Gear Design       Forged Alloy Steel
  Sealed Drive Unit                 Heat-Treated Bolt-On Teeth
  Reverse Rotation Feature          Reinforced Boring Head
  Relief Valve Protected

Auger Bits:
```

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0102KV	WORKSITE PRO PA30 PLANETARY DRIVE AUGER *For use on the following models:* *316-318G SS* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K,244J, 304K, 324J CWL* *110 TLB* *35-60 CE* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	2,184.00

BASE MACHINE TYPE

1002	PA30 PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL *Includes Skid Steer Mounting Bracket* *Bit is NOT included*	405.00
1003	PA30 PLANETARY AUGER FOR COMPACT EXCAVATOR AND 110 TLB *Requires Interface Adapter (9801, 9803)* *Interface Adapter NOT included* *Bit is NOT included* *If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.*	In Base Price

INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:

9801	Interface Adapter for 27-35 CE and 110 TLB	371.00
9803	Interface Adapter for 50-60 CE	371.00

AUGER BITS:

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		AUGER BITS: Continued...		
9000		4 in. Heavy Duty Bit		233.00
9001		6 in. Heavy Duty Bit		256.00
9002		8 in. Heavy Duty Bit		358.00
9003		9 in. Heavy Duty Bit		394.00
9017		9 in. HD Difficult Ground Bit		523.00
9004		10 in. Heavy Duty Bit		414.00
9005		12 in. Heavy Duty Bit		425.00
9018		12 in. HD Difficult Ground Bit		605.00
9006		15 in. Heavy Duty Bit		554.00
9019		15 in. HD Difficult Ground Bit		751.00
9007		18 in. Heavy Duty Bit		693.00
9020		18 in. HD Difficult Ground Bit		890.00
9008		24 in. Heavy Duty Bit		838.00
9021		24 in. HD Difficult Ground Bit		1,279.00
9009		30 in. Heavy Duty Bit		1,095.00
9010		36 in. Heavy Duty Bit		1,304.00
9011		18 in. Tree and Shrub Bit		639.00
9012		24 in. Tree and Shrub Bit		657.00
9013		30 in. Tree and Shrub Bit		929.00
9014		36 in. Tree and Shrub Bit		1,111.00
9015		9 in. Rock Bit		1,270.00
9016		12 in. Rock Bit		1,488.00
		DEALER-INSTALLED KITS		
		AUGER BITS:		
	KV15765	10 in. Heavy Duty Bit		414.00
	AT379607	12 in. HD Difficult Ground Bit		605.00
	KV15766	12 in. Heavy Duty Bit		425.00
	KV15777	12 in. Rock Bit		1,488.00
	AT379608	15 in. HD Difficult Ground Bit		751.00

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV15767	15 in. Heavy Duty Bit		554.00
	AT379609	18 in. HD Difficult Ground Bit		890.00
	KV15768	18 in. Heavy Duty Bit		693.00
	KV15772	18 in. Tree and Shrub Bit		639.00
	AT379610	24 in. HD Difficult Ground Bit		1,279.00
	KV15769	24 in. Heavy Duty Bit		838.00
	KV15773	24 in. Tree and Shrub Bit		657.00
	KV15770	30 in. Heavy Duty Bit		1,095.00
	KV15774	30 in. Tree and Shrub Bit		929.00
	KV15771	36 in. Heavy Duty Bit		1,304.00
	KV15775	36 in. Tree and Shrub Bit		1,111.00
	KV15761	4 in. Heavy Duty Bit		233.00
	KV15762	6 in. Heavy Duty Bit		256.00
	KV15763	8 in. Heavy Duty Bit		358.00
	AT379606	9 in. HD Difficult Ground Bit		523.00
	KV15764	9 in. Heavy Duty Bit		394.00
	KV15776	9 in. Rock Bit		1,270.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters:		
	KV15779	12 in. Hex Drive Extension		171.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		224.00
	KV15782	2-9/16 in. Round to 2 in. Hex		136.00
	KV15780	24 in. Hex Drive Extension		191.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:		
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		371.00
	AT306926	Interface Adapter for 50-60 CE		371.00
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT321209	Hydraulic Hose *For use on 35 and 50 CE Long Arm option.*		See Parts

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

WORKSITE PRO BH7 BACKHOE

Equipment for Base Machine

94 in. (2388 mm) Digging Depth
Quik-Tatch Mounting
180 Degree Swing Arc
Low-profile Console
124 in. (3150 mm) Reach from Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8020T		WORKSITE PRO BH7 BACKHOE *For use on the following models:* *313-320 SS* *318D-320D SS* *318E-320E SS* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		9,517.00
		MOUNTING KITS		
1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		585.00
1008		Mounting Kit with Tie Down Yokes for 313-315, CT315		585.00
1009		Mounting Kit with Tie Downs *For use on the following models:* *318D-320D SS* *318E-320E SS* *319D-323D CTLs* *319E-323E CTLs*		249.00
1005		Less Mounting Kit		In Base Price
		MECHANICAL QUICK COUPLER		
3000		Mechanical Quick Coupler		257.00
3001		Less Mechanical Quick Coupler		In Base Price
		BUCKETS		
9510		9 in. (229 mm) Backhoe Pin-On Bucket - 2 Teeth		321.00
9511		13 in. (330 mm) Backhoe Pin-On Bucket - 3 Teeth		377.00
9512		16 in. (406 mm) Backhoe Pin-On Bucket - 3 Teeth		401.00
9513		9 in. HD Quick Coupler Bucket - 3 Teeth		393.00

WORKSITE PRO BH7 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		BUCKETS Continued...		
		NOTE: Required Mechanical Quick Coupler (3000 or AT349192)		
9514		12 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Required Mechanical Quick Coupler (3000 or AT349192)*		435.00
9515		16 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Required Mechanical Quick Coupler (3000 or AT349192)*		473.00
		DEALER-INSTALLED KITS		
		Buckets:		
	AT316548B	12 in (305 mm) HD Quick Coupler Bucket - 4 Teeth		443.00
	AT350684	13 in. (330 mm) Backhoe Bucket - 3 Teeth		384.00
	AT316549B	16 in (406 mm) HD Quick Coupler Bucket - 4 Teeth		480.00
	AT350685	16 in. (406 mm) Pin-On Backhoe Bucket - 3 Teeth		406.00
	AT350683	9 in. (229mm) Pin-On Backhoe Bucket - 2 Teeth		327.00
	AT349192	Mechanical Quick Coupler		485.00
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	BM19556	Rubber Street Pad Kit		See Parts
		Tie Down Yokes and Mounting Kits:		
	AT345659	Mounting Kit for 313-315, CT315		460.00
	KV24551	Mounting Kit for 317-320, CT322		460.00
	AT377726	Mounting Kit with Tie Downs *318D-320D SS, 318E-320E SS* *319D-323D CTL,319E-323E CTL*		597.00
	KV16198	Tie Down Yoke for 317-320, CT322		358.00

WORKSITE PRO BH8 BACKHOE

Equipment for Base Machine

8.5 ft. (2.6 m) Digging Depth
Quik-Tatch Mounting
180 Degree Swing
Arc
Low-profile Console

142 in. (3607 mm) Reach from
Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7480T		WORKSITE PRO BH8 BACKHOE *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		9,880.00
		MOUNTING KITS		
1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		585.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		585.00
1009		Mounting Kit with Tie Downs *For use on the following models:* *318D-320D SS* *318E-320E SS* *319D-323D CTLs* *319E-323E CTLs*		249.00
1010		Mounting Kit with Tie Downs *For use on the following models:* *326D-332D SS* *326E-332E SS* *329D-333D CTLs* *329E-333E CTLs*		249.00
1005		Less Mounting Kit		In Base Price
		MECHANICAL QUICK COUPLER		
3000		Mechanical Quick Coupler		257.00
3001		Less Mechanical Quick Coupler		In Base Price
		BUCKETS		
9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		600.00

WORKSITE PRO BH8 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		BUCKETS Continued...		
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		684.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		739.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		932.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		591.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		615.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		662.00
		DEALER-INSTALLED KITS		
		Buckets:		
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		601.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		620.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		707.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		624.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		764.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		674.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		963.00
	AT327433	Mechanical Quick Coupler		485.00
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	BM19556	Rubber Street Pad Kit		See Parts
		Tie Down Yokes and Mounting Kits:		
	KV24551	Mounting Kit for 317-320, CT322		460.00
	KV22699	Mounting Kit for 325-332, CT332		460.00

WORKSITE PRO BH8 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs *318D-320D SS, 318E-320E SS* *319D-323D CTL,319E-323E CTL*		597.00
	AT414193	Mounting Kit with Tie Downs *326D-332D SS, 326E-332E SS* *329D-333D CTL, 329E-333E CTL*		512.00
	KV16198	Tie Down Yoke for 317-320, CT322		358.00
	KV16199	Tie Down Yoke for 325-332, CT332		358.00

WORKSITE PRO BH9 BACKHOE

Equipment for Base Machine

9 ft. Digging Depth
Quik-Tatch Mounting
180 Degree Swing Arc
Low-profile Console
155 in. (3937 mm) Reach from Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7490T		WORKSITE PRO BH9 BACKHOE *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		12,035.00
		MOUNTING KITS		
1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		585.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		585.00
1009		Mounting Kit with Tie Downs *For use on the following models:* *318D-320D SS* *318E-320E SS* *319D-323D CTLs* *319E-323E CTLs*		249.00
1010		Mounting Kit with Tie Downs *For use on the following models:* *326D-332D SS* *326E-332E SS* *329D-333D CTLs* *329E-333E CTLs*		249.00
1005		Less Mounting Kit		In Base Price
		MECHANICAL QUICK COUPLER		
3000		Mechanical Quick Coupler		257.00
3001		Less Mechanical Quick Coupler		In Base Price
		BUCKETS		
9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		600.00

WORKSITE PRO BH9 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		BUCKETS Continued...		
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		684.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		739.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		932.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		591.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		615.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		662.00
		DEALER-INSTALLED KITS		
		Buckets:		
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		601.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		620.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		707.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		624.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		764.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		674.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		963.00
	AT327433	Mechanical Quick Coupler		485.00
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	BM19556	Rubber Street Pad Kit		See Parts
		Tie Down Yokes and Mounting Kits:		
	KV24551	Mounting Kit for 317-320, CT322		460.00
	KV22699	Mounting Kit for 325-332, CT332		460.00

WORKSITE PRO BH9 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs *318D-320D SS, 318E-320E SS* *319D-323D CTL,319E-323E CTL*		597.00
	AT414193	Mounting Kit with Tie Downs *326D-332D SS, 326E-332E SS* *329D-333D CTL, 329E-333E CTL*		512.00
	KV16198	Tie Down Yoke for 317-320, CT322		358.00
	KV16199	Tie Down Yoke for 325-332, CT332		358.00

WORKSITE PRO BH11 BACKHOE

Equipment for Base Machine

11 ft. Digging Depth
Quik-Tatch Mounting
180 Degree Swing Arc
Low-profile Console
173 in. (4394 mm) Reach from Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7500T		WORKSITE PRO BH11 BACKHOE *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		12,770.00
		MOUNTING KITS		
1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		585.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		585.00
1009		Mounting Kit with Tie Downs *For use on the following models:* *318D-320D SS* *318E-320E SS* *319D-323D CTLs* *319E-323E CTLs*		249.00
1010		Mounting Kit with Tie Downs *For use on the following models:* *326D-332D SS* *326E-332E SS* *329D-333D CTLs* *329E-333E CTLs*		249.00
1005		Less Mounting Kit		In Base Price
		MECHANICAL QUICK COUPLER		
3000		Mechanical Quick Coupler		257.00
3001		Less Mechanical Quick Coupler		In Base Price
		BUCKETS		
9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		600.00

WORKSITE PRO BH11 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		BUCKETS Continued...		
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		684.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		739.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		932.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		591.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		615.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth *NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)*		662.00
		DEALER-INSTALLED KITS		
		Buckets:		
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		601.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		620.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		707.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		624.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		764.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		674.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		963.00
	AT327433	Mechanical Quick Coupler		485.00
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	BM19556	Rubber Street Pad Kit		See Parts
		Tie Down Yokes and Mounting Kits:		
	KV24551	Mounting Kit for 317-320, CT322		460.00
	KV22699	Mounting Kit for 325-332, CT332		460.00

WORKSITE PRO BH11 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs *318D-320D SS, 318E-320E SS* *319D-323D CTL,319E-323E CTL*		597.00
	AT414193	Mounting Kit with Tie Downs *326D-332D SS, 326E-332E SS* *329D-333D CTL, 329E-333E CTL*		512.00
	KV16198	Tie Down Yoke for 317-320, CT322		358.00
	KV16199	Tie Down Yoke for 325-332, CT332		358.00

WORKSITE PRO BALE SPEAR, ROUND

Equipment for Base Machine

Center Main Spear:
- 40 in. (1015 mm) Length
- Tapered Design

Lower Auxiliary Spears:
- 1.25 in. (32 mm) Square
- 15 in. (383 mm) Length
- Tapered Design

Frame:
- Rugged 3 in. (76.2 mm) Square Tubing Frame
- Reinforced Spear Mountings
- Non-Slip Step Plates
- Integral Quik-Tatch Mounting Frame

NOTE: Round Bale Size and Weights Vary. Rear Ballast may be Required Depending on Round Bale Weight.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0140KV		WORKSITE PRO BALE SPEAR, ROUND *For use on the following models:* *312-318G SS* *313-315 SS* *CT315 CTL* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *110 TLB* *300CX, 400X/400CX, 522, 542/542SL Loaders* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		644.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO BALE SPEAR, SQUARE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9350T		WORKSITE PRO BALE SPEAR, SQUARE *For use on the following models:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		954.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO BA72 ANGLE BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 32 in. Diameter Brush

Angle Control:
- Hydraulic Angling
  - Electronically Activated
  - 30 Degrees Either Direction From Center

Standard Equipment:
- Jackstands
- Rubber Dirt Deflector

72 in. Straight Sweeping Width
62.5 in. Angled Sweeping Width
87 in. Overall Straight Width
83 in. Overall Angled Width

NOTE: Applicable Attachment Control Kit is Required

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0300KV		WORKSITE PRO BA72 ANGLE BROOM *For use on the following models:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	6,209.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	AT332454	12 Volt Receptacle Kit	204.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

WORKSITE PRO BA72 ANGLE BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT349599	Broom Spray Bar, 72 in.		661.00
	AT323246	Dual Motor Kit *For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.* *For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.* *Installation instructions T216317.*		1,087.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO BA84 ANGLE BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 32 in. Diameter Brush

Angle Control:
- Hydraulic Angling
  - Electronically Activated
  - 30 Degrees Either Direction From Center

Standard Equipment:
- Jackstands
- Rubber Dirt Deflector

84 in. Straight Sweeping Width

73 in. Angled Sweeping Width

99 in. Overall Straight Width

93.5 in. Overall Angled Width

NOTE: Applicable Attachment Control Kit Required

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0301KV		WORKSITE PRO BA84 ANGLE BROOM *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	6,400.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

WORKSITE PRO BA84 ANGLE BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT349600	Broom Spray Bar, 84 in.		708.00
	AT323246	Dual Motor Kit *For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.* *For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.* *Installation instructions T216317.*		1,087.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO BP72 PICK-UP BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 25 in. Diameter Brush

Standard Equipment:
- 2 Caster Wheels for Better Stability
- Baffle to Material in Bucket
- Infinite Brush Height

Specifications:
72 in. Sweeping Width
86 in. Overall Width
88 in. Sweeping Width with Gutter Brush
14.3 Cubic Feet Hopper Capacity

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0310KV		WORKSITE PRO BP72 PICK-UP BROOM *For use on the following models:* *314-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		5,923.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT349599	Broom Spray Bar, 72 in.		661.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO BP84 PICK-UP BROOM

Equipment for Base Machine

Specifications:
- 10-28 gpm Hydraulic Flow
- 50/50 Poly Wire Brush
- 25 in. Diameter Brush

Standard Equipment:
- 2 Caster Wheels for Better Stability
- Baffle to Material in Bucket
- Infinite Brush Height

Specifications:
84 in. Sweeping Width
98 in. Overall Width
100 in. Sweeping Width with Gutter Brush
16.7 Cubic Feet Hopper Capacity

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0311KV		WORKSITE PRO BP84 PICK-UP BROOM *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		7,106.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT349600	Broom Spray Bar, 84 in.		708.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO BR60 RIGID PICK-UP BROOM

Equipment for Base Machine

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7820T		WORKSITE PRO BR60 RIGID PICK-UP BROOM *For use on the following models:* *312-318G SS* *313-315 SS* *CT315 CTL* *317G CTL*		4,116.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT349598	Broom Spray Bar, 60 in.		640.00
	KV23661	Second Gutter Brush		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00

WORKSITE PRO BR72 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications:
- 10-30 gpm (37.8-113.5 lpm) Hydraulic Flow
- 50/50 Poly Wire Brush
- 25 in. (635 mm) Diameter Brush
- 6.38 in. (162 mm) Core Diameter
- Forward & Backward Operation
- 72 in. (1828 mm) Sweeping Width
- 86.1 in. (2187 mm) Working Width
- 88 in. (2184 mm)Sweeping Width with Gutter Brush
- 15.75 cu. ft. (0.45 cu m) Hopper Capacity

Dimensions:
- 29 in. (736 mm) Height
- 53.3 in. (1354 mm) Length

Operating Width: 950 lbs. (431 kg)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1520T		WORKSITE PRO BR72 RIGID PICK-UP BROOM *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *319D-333D CTLs* *317G CTL* *319E-333E CTLs* *204K, 304K CWL* *110 TLB* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		4,533.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT349599	Broom Spray Bar, 72 in.		661.00
	KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*		1,818.00
	KV23660	Single Gutter Brush		1,853.00
	AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO BR84 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications:
- 10-30 gpm (37.8-113.5 lpm) Hydraulic Flow
- 50/50 Poly Wire Brush
- 25 in. (635 mm) Diameter Brush
- 6.38 in. (162 mm) Core Diameter
- Forward & Backward Operation
- 84 in. (2133 mm) Sweeping Width
- 98.1 in. (2492 mm) Working Width
- 100 in. (2540 mm) Sweeping Width with Gutter Brush
- 18.21 cu. ft. (0.52 cu m) Hopper Capacity

Dimensions:
- 29 in. (736 mm) Height
- 53.3 in. (1354 mm) Length

Operating Width: 1050 lbs. (476 kg)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

1530T		WORKSITE PRO BR84 RIGID PICK-UP BROOM *For use on the following models:* *317-332 SS* *318D-332D* *318E-332E* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	4,952.00

DEALER-INSTALLED KITS

Kits and Accessories:

AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
AT349600	Broom Spray Bar, 84 in.	708.00
KV23661	Second Gutter Brush ** Must also order Single Gutter Brush to complete*	1,818.00
KV23660	Single Gutter Brush	1,853.00
AT435129	Water Tank Kit *SSL:* *318D-332D* *318E-332E* *CTL:* *319D-333D* *319E-333E* *For use with spray bar. 30 gallon capacity.*	1,829.00

WORKSITE PRO BR84 RIGID PICK-UP BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.*		1,296.00

WORKSITE PRO CP12D COLD PLANER

Equipment for Base Machine

Drum Size:
  12 in. (305 mm) Cutting Width
Design Features:
  Standard Flow Hydraulics
    15-22 gpm (56-83 lpm)
  Planetary Drive
  Manual Tilt of +/- 11 Degrees
  Manual Depth Control
    0-5 in. (0-127 mm)
  Hydraulic Side Shift
    0-19 in. (0-483 mm)
  Quantity of pics 37
  Spray Bar with nozzles, less water tank

NOTE: The eight-button control handle is NOT required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8211T		WORKSITE PRO CP12D COLD PLANER *For Standard Flow:* *316-318G SS* *315-328 SS* *318D-328D* *318E-328E* *CT315, CT322 CTLs* *319D-323D CTLs* *319E-323E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		9,721.00
		PICK KIT		
1001		Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		In Base Price
1002		Carbide Cutting Tools, RP18 *Asphalt only.*		No Charge
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00

WORKSITE PRO CP12D COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462795	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		443.00
	AT462796	Carbide Cutting Tools, RP18 *Asphalt only.*		372.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series and E-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,296.00

WORKSITE PRO CP18D COLD PLANER

Equipment for Base Machine

Drum Size:
  18 in. (457 mm) Cutting Width
Design Features:
  High Flow Hydraulics 29-41 gpm (110-155 lpm)
  Planetary Drive
  Tilt of +/- 8 Degrees
  Depth Control 0-5 in. (0-127 mm)
  Hydraulic Side Shift -3 - 22 in. (-76 - 559 mm)
  Quantity of pics 45
  Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8221T		WORKSITE PRO CP18D COLD PLANER *For High Flow:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		19,332.00
		PICK KIT		
1005		Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		In Base Price
1006		Carbide Cutting Tools, RP18 *Asphalt only.*		No Charge
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

WORKSITE PRO CP18D COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462797	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		531.00
	AT462798	Carbide Cutting Tools, RP18 *Asphalt only.*		445.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series and E-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,296.00

WORKSITE PRO CP24D COLD PLANER

Equipment for Base Machine

Drum Size:
  24 in. (610 mm) Cutting Width

Design Features:
  High Flow Hydraulics
    29-41 gpm (110-155 lpm)
  Planetary Drive
  Tilt of +/- 8 Degrees
  Depth Control 0-5 in.
  (0-127 mm)
  Hydraulic Side Shift
    -3 - 22 in.
  (-76 - 559 mm)
  Quantity of pics 57
  Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

8231T		WORKSITE PRO CP24D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	22,162.00

PICK KIT

1009		Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	In Base Price
1010		Carbide Cutting Tools, RP18 *Asphalt only.*	No Charge

DEALER-INSTALLED KITS

Kits and Accessories:

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00

WORKSITE PRO CP24D COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462799	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		672.00
	AT462800	Carbide Cutting Tools, RP18 *Asphalt only.*		562.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series and E-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,296.00

WORKSITE PRO CP30D COLD PLANER

Equipment for Base Machine

Drum Size:
  30 in. (762 mm) Cutting Width
Design Features:
  High Flow Hydraulics
    29-41 gpm (110-155 lpm)
  Planetary Drive
  Tilt of +/- 8 Degrees
  Depth Control 0-5 in. (0-127 mm)
  Hydraulic Side Shift
    -3 - 22 in. (-76 - 559 mm)
  Quantity of pics 69
  Spray Bar with nozzles, less water tank

NOTE: Hi-Flow Hyrdraulics and Applicable Attachment Control Kit are Required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9011T		WORKSITE PRO CP30D COLD PLANER *For High Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	23,003.00

PICK KIT

1013		Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*	In Base Price
1014		Carbide Cutting Tools, RP18 *Asphalt only.*	No Charge

DEALER-INSTALLED KITS

Kits and Accessories:

	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00

WORKSITE PRO CP30D COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT462801	Carbide Cutting Tools, General Purpose *Will do both concrete and asphalt, but will wear out in concrete.*		806.00
	AT462802	Carbide Cutting Tools, RP18 *Asphalt only.*		701.00
	AT435129	Water Tank Kit *For use with spray bar. 30 gallon capacity.* *Use for D-Series and E-Series.*		1,829.00
	AT345212	Water Tank Kit (317-332, CT322-CT332) *For use with spray bar. 30 gallon capacity.* *Use for 300 Series.*		1,296.00

WORKSITE PRO DB84 DOZER BLADE

Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 74.1 in. (1882 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9780T		WORKSITE PRO DB84 DOZER BLADE *For:* *318G SS* *317-325 SS* *318D-326D SS* *318E-326E SS* *CT322 CTL* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*	5,838.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*	See Parts
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

WORKSITE PRO DB84 DOZER BLADE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	T227282	Restrictor Elbow - 0.065 in. *For enhanced dozer blade tilt cylinder control*		See Parts

WORKSITE PRO DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)
Length: 31.5 in. (800 mm)
Blade height: 24.0 in. (610 mm)
Blade width (full angle): 84.7 in. (2151 mm)
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)
Degrees of angle: 30, right or left
Degrees of tilt: 10, up or down
Adjustable skid shoe: Standard
Comes Standard with 3 Pin Wire Harness

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

9790T		WORKSITE PRO DB96 DOZER BLADE *For:* *328-332 SS* *328D-332D SS* *328E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.*		6,313.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT336190	14 Pin Wire Harness Adapter (300 Series) *For use when equipped with an Attachment Control (with Traditional Controls), AT320590* *For use when equipped with an Eight Button Control Handle, AT320590*	See Parts
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

WORKSITE PRO DB96 DOZER BLADE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	T227282	Restrictor Elbow - 0.065 in. *For enhanced dozer blade tilt cylinder control*		See Parts

WORKSITE PRO GU60 UTILITY AG GRAPPLE

Equipment for Base Machine

Equipment for Base Machine:

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7860T		WORKSITE PRO GU60 UTILITY AG GRAPPLE *For:* *312-318G SS* *313-315 SS* *CT315*		2,531.00

WORKSITE PRO GU66 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
- Single Grapple for Better Handling of Hay, Silage, and Manure
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 66 in.
- Height Grapple Closed 27.6 in.
- Height Grapple Opened 45.7 in.
- Grapple Opening 36 in.
- Opening Between Tines 4.5 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0220KV		WORKSITE PRO GU66 UTILITY AG GRAPPLE *For:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *CT315 CTL* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders*	2,614.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

WORKSITE PRO GU72 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
- Single Grapple for Better Handling of Hay, Silage, and Manure
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 72 in.
- Height Grapple Closed 27.6 in.
- Height Grapple Opened 45.7 in.
- Grapple Opening 36 in.
- Opening Between Tines 4.5 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0221KV		WORKSITE PRO GU72 UTILITY AG GRAPPLE *For:* *312-318G SS* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs* *110 TLB* *400X/400CX, 542/542SL Loaders*	2,770.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

WORKSITE PRO GU78 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:
- Single Grapple for Better Handling of Hay, Silage, and Manure
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 78 in.
- Height Grapple Closed 27.6 in.
- Height Grapple Opened 45.7 in.
- Grapple Opening 36 in.
- Opening Between Tines 4.5 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0222KV		WORKSITE PRO GU78 UTILITY AG GRAPPLE *For:* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs*	2,967.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

WORKSITE PRO GT72 BRUSH TINED GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 72 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 38.2 in.
- Opening Between Tines 4 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0290KV		WORKSITE PRO GT72 BRUSH TINED GRAPPLE *For:* *312-318G SS* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT322 CTL* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs* *204K, 244J, 304K, 324J CWL* *400X/400CX, 542/542SL Loaders* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*	4,129.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00

WORKSITE PRO GT72 BRUSH TINED GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO GT80 BRUSH TINED GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 80 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 38.2 in.
- Opening Between Tines 4 in.

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0291KV		WORKSITE PRO GT80 BRUSH TINED GRAPPLE *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*	4,593.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

WORKSITE PRO GT80 BRUSH TINED GRAPPLE

Continued

WORKSITE PRO GS60 SCRAP GRAPPLE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7870T		WORKSITE PRO GS60 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *313-315 SS* *CT315 CTL*		3,976.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	KV23054	Bolt on Side Plates for Scrap Grapple		166.00
	AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*		918.00

WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 66 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0280KV		WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET *For:* *312-318G SS* *313-320 SS* *318D-320D SS* *318E-320E SS* *CT315 CTL* *317G CTL* *300CX, 400X/400CX, 542/542SL Loaders*	4,096.00

DEALER-INSTALLED KITS

Kits and Accessories:

AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
KV23054	Bolt on Side Plates for Scrap Grapple	166.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
AT425249	Demolition Door Kit *2- or 3-inch Seat Belt with Shoulder Harness required.*	918.00
AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00

WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	U16748	66 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

WORKSITE PRO GS72 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 72 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0281KV		WORKSITE PRO GS72 SCRAP GRAPPLE *For:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322 CTL* *317G CTL* *319D-323D CTLs* *319E-323E CTLs* *400X/400CX, 542/542SL Loaders*	4,216.00

DEALER-INSTALLED KITS

Kits and Accessories:

AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
KV23054	Bolt on Side Plates for Scrap Grapple	166.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*	392.00
KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00

WORKSITE PRO GS72 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00
		Miscellaneous:		
	T32742	72 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*		See Parts

WORKSITE PRO GS78 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 78 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0282KV		WORKSITE PRO GS78 SCRAP GRAPPLE *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTL* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*	4,515.00

DEALER-INSTALLED KITS

Cutting Edges:

KV12758	78 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Eight Grade 8 Plow Bolts and Nuts (PB750225)*	See Parts

Kits and Accessories:

AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
KV23054	Bolt on Side Plates for Scrap Grapple	166.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts

WORKSITE PRO GS78 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO GS84 SCRAP GRAPPLE

Equipment for Base Machine

Features:
- 2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
- Pivot Points are 1 in. Hardened
- Pins Able to Accept Grease
- Hardened 1 in. Cylinder Rods

Dimensions:
- Width 84 in.
- Height Grapple Closed 28.5 in.
- Height Grapple Opened 45.9 in.
- Grapple Opening 39.3 in.

Cutting Edge:
- Predrilled for Optional Bolt-On

Hydraulic Cylinders:
- 2 in. Bore
- 8.1 in. Stroke
- 1 in. Hardened Rod

Options:
- End Plates

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0283KV		WORKSITE PRO GS84 SCRAP GRAPPLE *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *319D-323D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*	5,071.00

DEALER-INSTALLED KITS

Cutting Edges:

KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Eight Grade 8 Plow Bolts (19H1596) and Nuts (14H794)*	See Parts

Kits and Accessories:

AT357576	ISO Adapter to Quik Tatch Coupler	1,584.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
KV23054	Bolt on Side Plates for Scrap Grapple	166.00
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00

WORKSITE PRO GS84 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT379709	Hose Guide Kit *Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)*		392.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO HH20C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
  Blows Per Minute: 800 - 3000
  Flow Requirements:
    6.6 - 14.5 gpm (25 - 55 lpm)

Operating Pressure:
 1305 - 2175 psi
  Moil Tool Point 1.9 in.
    (48 mm) Diameter

Quik-Tatch Mounting with
  1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.
Includes Moil Point.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0C80T		WORKSITE PRO HH20C HYDRAULIC HAMMER *For use on the following models:* *Compact Excavators: 17D and 27D*		6,711.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1002		Mounting Bracket, 17 Compact Excavator		424.00
1003		Mounting Bracket, 26-35 Compact Excavator		591.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	T370209	Chisel		See Parts
	T370214	Compacting Plate		See Parts
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	T370210	Moil Point		See Parts
	T370211	Pyramid		See Parts

WORKSITE PRO HH20C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370212	Spade, Parallel to Boom		See Parts
	T370213	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.:
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*	768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*	620.00
	AT337084	Front Protection Screen for Canopy (GR#705155) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -2 Compact Excavator with a Canopy.*	670.00
	BYT10076	Front Screen, Cab (GR#705923) (17 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*	1,006.00

WORKSITE PRO HH40C HYDRAULIC HAMMER

Equipment for Base Machine

```
Performance:
  Blows Per Minute: 700-2600
  Flow Requirements:
    10.6 - 18.5 gpm (40 - 70
    lpm)

Operating Pressure:
  1450 - 2465 psi
  Moil Tool Point 2.2 in.
    (56 mm) Diameter

Quik-Tatch Mounting with
  1/2 in. Couplers and Hoses

Note: Units Must be
Equipped with Demolition or
Severe Duty Door and
Shoulder Belt Kits
or Protection Screens.
Includes Moil Point.
```

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0C90T		WORKSITE PRO HH40C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 312-318G, 313, 315, 318D, 320D, 326D, 328D, 318E and 320E* *Compact Track Loaders: 317G, CT315, 319D, 323D, 329D, 319E, 323E, and 329E* *Compact Excavators: 27D and 35D* *Backhoe Loader: 110 TLB*	7,697.00

MOUNTING BRACKETS

1000		Less Mounting Bracket	No Charge
1001		Mounting Bracket, SSL & CTL	1,546.00
1003		Mounting Bracket, 26-35 Compact Excavator	591.00

DEALER-INSTALLED KITS

Adapters and Mounting Frames

	AT458340	Mounting Bracket, 17 Compact Excavator	424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator	591.00
	AT457979	Skid Steer Mounting Bracket	1,546.00

Kits and Accessories:

	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	311.00
	T370215	Chisel	See Parts
	T370220	Compacting Plate	See Parts
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*	918.00

WORKSITE PRO HH40C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	T370216	Moil Point		See Parts
	T370217	Pyramid		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370218	Spade, Parallel to Boom		See Parts
	T370219	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.:
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*	768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*	620.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*	582.00
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*	480.00

WORKSITE PRO HH60C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
- Blows Per Minute: 600-1800
- Flow Requirements:
  - 9.2 - 23.8 gpm (35 - 90 lpm)

Operating Pressure:
- 1305 - 2030 psi
- Moil Tool Point 2.8 in. (72 mm) Diameter

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CA0T		WORKSITE PRO HH60C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 313, 315, 318D, 320D, 326D, 328D, 332D, 318E, 320E, 326E, 328E, and 332E* *Compact Track Loaders: 317G, CT315, 319D, 323D, 329D, 333D, 319E, 323E, 329E, and 333E* *Compact Excavators: 27D, 35D, 50D and 60D* *Backhoe Loader: 110 TLB*		9,803.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1001		Mounting Bracket, SSL & CTL		1,546.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
1005		Mounting Bracket, 310 Backhoe Loader		859.00
1006		Mounting Bracket, 410 Backhoe Loader		884.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT458434	Mounting Bracket, 310 Backhoe Loader		859.00
	AT460178	Mounting Bracket, 410 Backhoe Loader		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
	AT457979	Skid Steer Mounting Bracket		1,546.00

WORKSITE PRO HH60C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	T370221	Chisel		See Parts
	T370225	Compacting Plate		See Parts
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	T370222	Moil Point		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370223	Spade, Parallel to Boom		See Parts
	T370224	Spade, Transverse to Boom		See Parts
		REFERRAL ATTACHMENTS		
		G.R. Mfg.: *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.* ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*		768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*		620.00
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00
	AT451135	Front Screen, Cab (GR#705753) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00

WORKSITE PRO HH60C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		REFERRAL ATTACHMENTS Continued...		
	AT435404	Front Screen, Canopy (GR#705578) (35-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.*		480.00

WORKSITE PRO HH80C HYDRAULIC HAMMER

Equipment for Base Machine

Performance:
- Blows Per Minute: 500 - 1700
- Flow Requirements:
  - 10.6-31.7 gpm (40-120 lpm)

Operating Pressure:
- 1305 - 2030 psi
- Moil Tool Point 3.14 in. (80 mm) Diameter

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens. Includes Moil Point.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0CB0T		WORKSITE PRO HH80C HYDRAULIC HAMMER *For use on the following models:* *Skid Steer Loaders: 318D, 320D, 326D, 328D, 332D, 318E, 320E, 326E, 328E, and 332E* *Compact Track Loaders: 319D, 323D, 329D, 333D, 319E, 323E, 329E, and 333E* *Compact Excavators: 50D and 60D* *Backhoe Loaders: 310K/L EP, 310K/L, 310SK/SL, 310SK TMC, 315SK/SL, 325K/L, 410K/L, 410K TMC*		11,316.00
		MOUNTING BRACKETS		
1000		Less Mounting Bracket		No Charge
1001		Mounting Bracket, SSL & CTL		1,546.00
1004		Mounting Bracket, 50-60 Compact Excavator		741.00
1005		Mounting Bracket, 310 Backhoe Loader		859.00
1006		Mounting Bracket, 410 Backhoe Loader		884.00
		DEALER-INSTALLED KITS		
		Adapters and Mounting Frames		
	AT458340	Mounting Bracket, 17 Compact Excavator		424.00
	AT458341	Mounting Bracket, 26-35 Compact Excavator		591.00
	AT458434	Mounting Bracket, 310 Backhoe Loader		859.00
	AT460178	Mounting Bracket, 410 Backhoe Loader		884.00
	AT458342	Mounting Bracket, 50-60 Compact Excavator		741.00
	AT457979	Skid Steer Mounting Bracket		1,546.00
		Kits and Accessories:		

WORKSITE PRO HH80C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT450567	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310K/L EP & 310G-L*		1,215.00
	AT450568	Backhoe Coupler Adapter Kit (Pin & Bushing) *For use on:* *310SG-SL* *310SL HL* *315SG-SL* *410G-L*		1,038.00
	AT371338	Backhoe Interface Adapter, Hydraulic Hammer		788.00
	T370226	Chisel		See Parts
	T370230	Compacting Plate		See Parts
	T370227	Moil Point		See Parts
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	T370228	Spade, Parallel to Boom		See Parts
	T370229	Spade, Transverse to Boom		See Parts

REFERRAL ATTACHMENTS

G.R. Mfg.:
G.R. Manufacturing, Inc.
** Kits listed below must be ordered through John Deere.*
** F.O.B. Trussville, Alabama*
** All kits include installation instructions*
** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.*

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

	AT318959	Front Protection Screen for Cab (GR#704995) (26-60 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Cab.*	768.00
	AT318960	Front Protection Screen for Canopy (GR#704996) (26-50 CE) **Required when a Hydraulic Breaker is equipped on a Deere D-Series or Hitachi -3 Compact Excavator with a Canopy.*	620.00

WORKSITE PRO HH80C HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		REFERRAL ATTACHMENTS Continued...		
	ETN112936	Front Screen, Cab (GR#705577) (60 CE) **Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.*		582.00

WORKSITE PRO LP72 LANDPLANE

Equipment for Base Machine

Features:
- Sifting Plate
- 6 Scarifier Teeth
- Pin-on

50.0 in. Length
21.9 in. Height
4.0 in. Working Depth
5/8 x 6 Cutting Edge

Specifications:
- 72.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7450T		WORKSITE PRO LP72 LANDPLANE *For use on the following models:* *312-318G SS* *313-325 SS* *318D-326D SS* *318E-326E SS* *CT315, CT322 CTLs* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,300.00
		HYDRAULIC KIT		
1000		Hydraulic Kit		411.00
1001		Less Hydraulic Kit		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00
		Miscellaneous:		
	T32742	72 in. Bolt-On Cutting Edge		See Parts

WORKSITE PRO LP78 LANDPLANE

Equipment for Base Machine

Features:
- Sifting Plate
- 7 Scarifier Teeth
- Pin-on

50.0 in. Length
21.9 in. Height
4.0 in. Working Depth
5/8 x 6 Cutting Edge

Specifications:
- 78.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7460T		WORKSITE PRO LP78 LANDPLANE *For use on the following models:* *317-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,514.00
		HYDRAULIC KIT		
1000		Hydraulic Kit		411.00
1001		Less Hydraulic Kit		In Base Price
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	KV12758	78 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories:		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00

WORKSITE PRO LP84 LANDPLANE

Equipment for Base Machine

Features:
- Sifting Plate
- 8 Scarifier Teeth
- Pin-on

50.0 in. Length
21.9 in. Height
4.0 in. Working Depth
5/8 x 6 Cutting Edge

Specifications:
- 84.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7470T		WORKSITE PRO LP84 LANDPLANE *For use on the following models:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		2,733.00
		HYDRAULIC KIT		
1000		Hydraulic Kit		411.00
1001		Less Hydraulic Kit		In Base Price
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories:		
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00

WORKSITE PRO MS60 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8500T		WORKSITE PRO MS60 MATERIAL / MANURE SCRAPER *For use on the following models:* *312-318G SS* *313, 315 SS* *CT315 CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		1,617.00

WORKSITE PRO MS72 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8510T		WORKSITE PRO MS72 MATERIAL / MANURE SCRAPER *For use on the following models:* *312-318G SS* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT315, 319D CTLs* *317G CTL* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		2,115.00

WORKSITE PRO MS84 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8520T		WORKSITE PRO MS84 MATERIAL / MANURE SCRAPER *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		2,199.00

WORKSITE PRO MS96 MATERIAL / MANURE SCRAPER

Equipment for Base Machine

Features:
- Units come standard with the pull back kit installed
- Rubber edges are reversible and replaceable

Applications include but not limited to:
- Manure removal
- Flood clean up
- Light snow removal
- Any place where pushing material is needed with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8530T		WORKSITE PRO MS96 MATERIAL / MANURE SCRAPER *For use on the following models:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		2,033.00

WORKSITE PRO MH60C MULCHING HEAD

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
06K0T		WORKSITE PRO MH60C MULCHING HEAD *For High Flow:* *328-332 SS* *328D-332D SS* *328E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs* *Requires Applicable Operator Protection Kits* *Requires Applicable Severe Duty Door Kit* *For Optimum Performance use on Non Hydraulic Self-Leveling Machines*		29,931.00
		MULCHING DOOR		
1001		Front Mulching Trap Door *Dealer-Installed* *Requires Applicable Attachment Control Kit*		2,163.00
1000		Less Front Mulching Trap Door		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT415906	Cooler Kit, MH60C 2 SPD *Requires Fan Wiring Harness AT364347.*		4,975.00
	AT364347	Fan Wiring Harness *Installation instructions for the fan wiring harness are:* *T251958 - English* *T251959 - Spanish* *T251960 - French*		134.00
	AT412946	Front Mulching Trap Door Kit		2,394.00
	AT433111	Hose Guide kit for MH60C		667.00
	AT433505	Knife Tool Kit		201.00

WORKSITE PRO MH60C MULCHING HEAD

Continued

WORKSITE PRO MP66 MULTI-PURPOSE BUCKET

Equipment for Base Machine

Performance:
- Low Profile Design for Superior Visibility
- Wear Resistant 1055 H.C. Steel at Key Wear Points
  - 3/4 x 6 in. at Cutting Edge
  - 1/2 x 3 in. at Dozer Edge
  - 3/4 x 4 in. at Clam Back Edge
  - 3/8 x 3 in. at End Plates
  - 3 1/2 x 4 in. Bottom Plate Runners
- Notched Jaws on Clam for Grappling

Superior Designed Strength:
- Triangular Box Section Structure at Heal Dozer Blade
- Reinforced Bucket Sides

Durability Convertability:
- Predrilled Cutting Edge for Optional "Bolt-On" Reversible Cutting Edge
- Predrilled Sides for Optional "Bolt-On" Tooth Bar less auxiliary bolt-on cutting edge

Capacities:
- Heaped 12.0 cu. ft. (0.34 cu. m)
- Struck 8.6 cu. ft. (0.24 cu. m)

Dual Hydraulic Cylinders:
- 6 in. Stroke
- 2.75 in. Bore
- 1.5 in. Rod Diameter

Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0201KV		WORKSITE PRO MP66 MULTI-PURPOSE BUCKET *For use on the following models:* *312-318G SS* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT315 CTL* *317G CTL*	2,896.00

DEALER-INSTALLED KITS

		Kits and Accessories:	
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts *Quantity of 70 Bolts and Nuts Per Box*	See Parts
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00
		Miscellaneous:	
	U16748	66 in. Bolt-On Cutting Edge *Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)*	See Parts
		Tooth Bars:	
	KV12294	66 in. Tooth Bar - 7 Teeth	475.00

WORKSITE PRO MP66 MULTI-PURPOSE BUCKET

Continued

WORKSITE PRO MP66B MULTI-PURPOSE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AQ0T		WORKSITE PRO MP66B MULTI-PURPOSE BUCKET *For use on the following models:* *312-318G SS* *318D, 320D SS* *318E, 320E SS* *317G CTL*		3,491.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	AT436470	66 in. Bolt-On Cutting Edge for MP66B		343.00
		Kits and Accessories:		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436718	Spill Guard Assembly, MP66B		194.00
		Tooth Bars:		
	AT436521	66 in. Tooth Bar - 7 Teeth, MP66B		825.00
	AT436489	MP66 Over BOCE Toothbar, MP66B		885.00

WORKSITE PRO MP72B MULTI-PURPOSE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AR0T		WORKSITE PRO MP72B MULTI-PURPOSE BUCKET *For use on the following models:* *312-318G SS* *318D-328D SS* *318E-328E SS* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs*		4,107.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	AT436471	72 in. Bolt-On Cutting Edge for MP72B		350.00
		Kits and Accessories:		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436719	Spill Guard Assembly, MP72B		199.00
		Tooth Bars:		
	AT436522	72 in. Tooth Bar - 7 Teeth, MP72B		651.00
	AT436490	MP72 Over BOCE Toothbar, MP72B		1,005.00

WORKSITE PRO MP78B MULTI-PURPOSE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AS0T		WORKSITE PRO MP78B MULTI-PURPOSE BUCKET *For use on the following models:* *318D-332D SS* *318E-332E SS* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		4,224.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	AT436472	78 in. Bolt-On Cutting Edge for MP78B		383.00
		Kits and Accessories:		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436720	Spill Guard Assembly, MP78B		230.00
		Tooth Bars:		
	AT436523	78 in. Tooth Bar - 8 Teeth, MP78B		667.00
	AT436491	MP78 Over BOCE Toothbar, MP78B		1,279.00

WORKSITE PRO MP84B MULTI-PURPOSE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0AT0T		WORKSITE PRO MP84B MULTI-PURPOSE BUCKET *For use on the following models:* *326D-332D SS* *326E-332E SS* *323D-333D CTLs* *323E-333E CTLs*		4,366.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	AT436473	84 in. Bolt-On Cutting Edge for MP84B		452.00
		Kits and Accessories:		
	AT436025	Boom Mounted Hose Guide Kit		102.00
	AT436525	Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		97.00
	AT436721	Spill Guard Assembly, MP84B		244.00
		Tooth Bars:		
	AT436524	84 in. Tooth Bar - 8 Teeth, MP84B		785.00
	AT436492	MP84 Over BOCE Toothbar, MP84B		919.00

WORKSITE PRO NF44 NURSERY FORK

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BU0T		WORKSITE PRO NF44 NURSERY FORK *For:* *312-318G SS* *318D-332D SS* *318E-332E SS* *317G CTL* *319D-333D CTL* *319E-333E CTL* *204K-324K CWL*		4,211.00
		PRESSURE CONTROL VALVE KIT		
1000		PRESSURE CONTROL VALVE ASSEMBLY		403.00
1001		LESS CONTROL VALVE ASSEBLY		In Base Price

WORKSITE PRO 42 IN. RAIL PALLET FORK

Equipment for Base Machine

Robust, Single Piece Backrest — Required but May Enhance
Unrestricted Visibility to Fork Tips — Machine Stability.

NOTE: Rear Ballast is not

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0252KV		WORKSITE PRO 42 IN. RAIL PALLET FORK *Includes Frame and Two Fork Set* *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *317G CTL* *CT315-CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX, 522, 542/542SL Loaders*	810.00

DEALER-INSTALLED KITS

Kits and Accessories:

	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*	356.00
	KV19146	Rail Fork Mounting Frame and Guard	431.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*	196.00
	AT311312	Rear Weight Bracket Kit (325-332)	199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight	61.00

WORKSITE PRO 48 IN. RAIL PALLET FORK

Equipment for Base Machine

```
Rail Fork Mounting Frame          Required but May Enhance
    and Guard
Unrestricted Visibility to        Machine Stability.
    Fork Tips

NOTE:  Rear Ballast is not
```

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0253KV		WORKSITE PRO 48 IN. RAIL PALLET FORK *Includes Frame and Two Fork Set* *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX, 522, 542/542SL Loaders*		832.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV19146	Rail Fork Mounting Frame and Guard		431.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO 48 IN. HEAVY DUTY RAIL PALLET FORK

Equipment for Base Machine

Frame has 60 inches of width on the rails
5000 lb. rating on fork (pair of tines)
  (when both are used)
Robust, Single Piece Backrest
Unrestricted Visibility to Fork

Tips

Rear Ballast is not required but may enhance machine stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
1570T		WORKSITE PRO 48 IN. HEAVY DUTY RAIL PALLET FORK *Includes Frame and Two Fork Set* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		1,473.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV26528	Heavy Duty Rail Fork Mounting Frame and Guard		754.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7830T		WORKSITE PRO PR60 ANGLE POWER RAKE *For:* *312-318G SS* *313-315 SS* *CT315 CTL*		8,567.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		308.00
	AT332454	12 Volt Receptacle Kit		204.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

WORKSITE PRO PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
  Front or Rear

Angle Control:
  12V Electric Actuator
  Rotate 20 Degrees Either
    Direction From Center

Bi-Directional Raking
  Capability

72 in. Rake
72 in. (1827 mm) Raking
  Width
81 in. (2056 mm) Operating
  Width
64 in. (1625 mm) Length
31 in. (787 mm) Height
8.6 in. (22 mm) Tooth
  Roller Diameter
11 gpm (42 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0264KV		WORKSITE PRO PR72B ANGLE POWER RAKE *For:* *312-318G CTL* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315, CT322 CTLs* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs*	9,854.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	AT332454	12 Volt Receptacle Kit	204.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00

WORKSITE PRO PR72B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

WORKSITE PRO PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
  Front or Rear

Angle Control:
  12V Electric Actuator
  Rotate 20 Degrees Either
    Direction From Center

Bi-Directional Raking
  Capability

84 in. Rake
84 in. (2134 mm) Raking
  Width
93 in. (2362 mm) Operating
  Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (220 mm) Tooth
  Roller Diameter
18 gpm (68 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

1580T		WORKSITE PRO PR84B ANGLE POWER RAKE *For:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*	10,415.00

DEALER-INSTALLED KITS

Kits and Accessories:

	KV21995	12 Volt Demonstration Kit *3-pin connector*	308.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*	177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*	415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*	460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*	260.00

WORKSITE PRO PR84B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

WORKSITE PRO PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates:
  Front or Rear

Angle Control:
  12V Electric Actuator
  Rotate 20 Degrees Either
    Direction From Center

Bi-Directional Raking
  Capability

96 in. Rake
90 in. (2284 mm) Raking
  Width
99 in. (2513 mm) Operating
  Width
64 in. (1625 mm) Length
32 in. (812 mm) Height
8.6 in. (22 mm) Tooth
  Roller Diameter
15 gpm (57 lpm) Hydraulics

Control Kit is Required

Specifications:

NOTE: Applicable Attachment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0265KV		WORKSITE PRO PR96B ANGLE POWER RAKE *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		11,198.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	KV21995	12 Volt Demonstration Kit *3-pin connector*		308.00
	KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) *3-pin connector*		177.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

WORKSITE PRO PR96B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00

WORKSITE PRO R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7950T		WORKSITE PRO R66 ROCK BUCKET *For:* *312-318G SS* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT315 CTL* *317G CTL*		1,735.00

WORKSITE PRO R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7960T		WORKSITE PRO R75 ROCK BUCKET *For:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *110 TLB*		1,855.00

WORKSITE PRO R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

The tine tips are fully gusseted on both sides for added durability and dependability.

The tine tips are also connected to each other to add strength.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7970T		WORKSITE PRO R84 ROCK BUCKET *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		1,977.00

WORKSITE PRO RL84 ROLLER LEVEL

Equipment for Base Machine

Features:
- 2 Std Greaseable Bearings
- Front & Rear Bolt-on Cutting Edges

Specifications:
- 93.3 in. (2367 mm) Overall Width
- 66.7 in. (1694 mm) Length
- 25.6 in. (650 mm) Height
- 84 in. (2133 mm) Box Width
- 0.5 x 6 x 84 in. Front Cutting Edge
- 0.5 x 6 x 84 in. Rear Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7070T		WORKSITE PRO RL84 ROLLER LEVEL *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		3,777.00

WORKSITE PRO RR72 ROOT RAKE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03A0T		WORKSITE PRO RR72 ROOT RAKE *For:* *318E-328E SS* *318G-332G SS* *319E-323E CTL* *317G-333G CTLs* *204K & 304K Compact Wheel Loader*		5,125.00

WORKSITE PRO RR78 ROOT RAKE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03B0T		WORKSITE PRO RR78 ROOT RAKE *For:* *318E-332E SS* *330G-332G SS* *319E-333E CTLs* *317G-333G CTLs* *204K, 244K & 304K Compact Wheel Loader*		5,547.00

WORKSITE PRO RR84 ROOT RAKE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
03C0T		WORKSITE PRO RR84 ROOT RAKE *For:* *326E-332E SS* *330G-332G SS* *323E-333E CTLs* *331G-333G CTLs* *204K, 244K, 304K & 324K Compact Wheel Loader*		5,865.00

WORKSITE PRO RC60B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8281T		WORKSITE PRO RC60B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *316-318G SS* *318D-320D* *318E-320E*		6,051.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *NOTE:* ** Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00

WORKSITE PRO RC72B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8341T		WORKSITE PRO RC72B ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *318G SS* *320D-332D SS* *320E-332E SS* *317G CTL* *323D-333D CTLs* *323E- 33E CTLs*		6,247.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *NOTE:* ** Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT425249	Demolition Door Kit *(313, 315, CT315)* *2- or 3-inch Seat Belt with Shoulder Harness required.* *This is a roll up door.*		918.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00

WORKSITE PRO RC72B ROTARY CUTTER

Continued

WORKSITE PRO RC78B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8351T		WORKSITE PRO RC78B ROTARY CUTTER *Requires a demolition door (Code 5201 or 5203) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326D-332D SS* *326E-332E SS* *317G CTL* *323D-333D CTLs* *323E- 33E CTLs*		6,686.00
		WHEEL KIT		
1000		FRONT WHEEL KIT *NOTE:* ** Dealer-Installed*		782.00
1001		LESS FRONT WHEEL KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		311.00
	AT442703	Front Wheel Kit		933.00
	AT442698	Pressure Gauge Kit *Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.*		265.00
	AT417602	Severe Duty Door *Includes windshield wiper.* *For ROPS Canopy units also order AT387526.* *Required to meet ISO 8084 Forestry Applications.* *Use for D and E Series Models.* *S/N 269401 and below.*		3,107.00
	AT387526	Severe-Duty Door Hardware Kit. *For use with ROPS Canopy units only. Not required for cab units.* *Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.* *Use for D Series Models.*		171.00
		REFERRAL ATTACHMENTS		
		G.R. Mfg.: *G.R. Manufacturing, Inc.* ** Kits listed below must be ordered through John Deere.*		

WORKSITE PRO RC78B ROTARY CUTTER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		REFERRAL ATTACHMENTS Continued... ** F.O.B. Trussville, Alabama* ** All kits include installation instructions* ** All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.* *G.R. Manufacturing, Inc.* *4800 Commerce Drive* *Trussville, Alabama 35173* *Phone: (800)841-8001* *Fax: (205)655-8005*		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT432855	Auxillary Hydraulic Line Quick Coupler Guard		220.00
	AT432853	Bottom Opening Cover Plates		350.00
	AT372953	Bottom Openings Cover Plates *For use on 326D, 328D, 329D, 332D, 333D*		350.00
	AT372945	Exhaust Hood Opening Seal		120.00
	AT432861	Exhaust Hood Opening Seal		120.00
	AT372955	Front Work Lights and Rear Hood Light Guards		218.00
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT372947	Lift Cylinder Hose Guards		420.00
	AT372956	Lift Cylinder Hose Guards		420.00
	AT388939	Lift Cylinder Hose Guards		420.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372949	Operator Rear Window / Side Window Guards *Required to meet ISO 8084 Forestry Applications* *Not recommended for use with Hazard Warning Lights*		640.00
	AT432858	Rear Deflector and Bumper		1,962.00
	AT397455	Rear Deflectors with Bumper		1,962.00
	AT397456	Rear Deflectors with Bumper		1,460.00
	AT388938	Rubber Boom Pocket Debris Guards		340.00
	AT372950	Toe Guard and Door Upgrade Kit *Required to meet ISO 8084 Forestry Applications*		492.00

WORKSITE PRO RS72 EXTREME DUTY ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
8342T		WORKSITE PRO RS72 EXTREME DUTY ROTARY CUTTER *Requires a demolition door (Code 5201, 5203, or AT425249) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).* *For:* *326D-332D SS* *326E-332E SS* *329D, 333D CTLs* *329E, 333E CTLs*		12,587.00
		CARBIDE TOOTH KIT		
1100		CARBIDE TOOTH KIT		389.00
1101		LESS CARBIDE TOOTH KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT456608	Carbide Tooth Kit		518.00
	AT456609	Replacement Blade Kit		1,105.00
	AT456636	Wear Plate Kit		121.00

WORKSITE PRO RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
- Tills to a 6 in. (152 mm) Depth
- Standard Offset Left Making It Useful For All Tilling Jobs

Hydraulics:
- Standard Flow Hydraulics
- Minimum Hydraulic Flow: 18 gpm (68 lpm)
- Maximum Hydraulic Flow: 28 gpm (106 lpm)
- Maximum System Pressure: 3000 psi (21 Mpa)

Dimensions:
- Tilling Width: 52 in. (1.3m)
- Overall Width: 62 in. (1.6m)
- Overall Length: 48 in. (1.2m)
- Overall Height: 35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7520T		WORKSITE PRO RT52 ROTARY TILLER *For:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		5,202.00

WORKSITE PRO RT66 ROTARY TILLER

Equipment for Base Machine

Performance:
- Tills to a 6 in. (152 mm) Depth
- Standard Offset Left and Center Position Make It Useful For All Tilling Jobs

Hydraulics:
- Standard Flow Hydraulics
- Minimum Hydraulic Flow: 18 gpm (60 lpm)
- Maximum Hydraulic Flow: 28 gpm (106 lpm)
- Maximum System Pressure: 3000 psi (21 Mpa)

Dimensions:
- Tilling Width: 66 in. (1.7m)
- Overall Width: 76 in. (1.9m)
- Overall Length: 48 in. (1.2m)
- Overall Height: 35 in. (0.9m)

NOTE: Optional Scarifier may improve performance.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7530T		WORKSITE PRO RT66 ROTARY TILLER *For:* *317-332 SS* *318D-333D SS* *318E-333E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		5,712.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT340330	Scarifier Kit RT66 *Contains 5 teeth*		247.00

WORKSITE PRO SA60 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9090T		WORKSITE PRO SA60 SIDE DISCHARGE BUCKET *For:* *312-318G SS* *315-320 SS* *318D-320D SS* *318E-320E SS* *CT315, CT322 CTLs* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs*		5,376.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	KV17819	60 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.* *Requires Six Grade 8 Plow Bolts and Nuts (PB625225)*		See Parts
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

WORKSITE PRO SA72 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9100T		WORKSITE PRO SA72 SIDE DISCHARGE BUCKET *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		7,491.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00
		Miscellaneous:		
	T32742	72 in. Bolt-On Cutting Edge		See Parts

WORKSITE PRO SD72 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9110T		WORKSITE PRO SD72 SIDE DISCHARGE BUCKET *For:* *312-318G SS* *317-328 SS* *318D-328D SS* *318E-328E SS* *CT315, CT322 CTLs* *317G CTL* *319D, 323D CTLs* *319E, 323E CTLs* *Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD72XLB0000007*		7,058.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00
		Miscellaneous:		
	T32742	72 in. Bolt-On Cutting Edge		See Parts

WORKSITE PRO SD84 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9120T		WORKSITE PRO SD84 SIDE DISCHARGE BUCKET *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.* *1TOSD84XAB0000008*		9,368.00
		DEALER-INSTALLED KITS		
		Cutting Edges:		
	KV12471	84 in. Bolt-On Cutting Edge *Requires additional hardware; see Parts.*		See Parts
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight *Must be ordered in quantity of 8.*		61.00

WORKSITE PRO SB60B SNOW BLOWER

Equipment for Base Machine

14-21 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9711T		WORKSITE PRO SB60B SNOW BLOWER *For:* *312-318G SS* *313-315 SS* *317G CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		6,817.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB72B SNOW BLOWER

Equipment for Base Machine

14-21 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9971T		WORKSITE PRO SB72B SNOW BLOWER *For:* *312-318G SS* *317-320 SS* *318D-320D SS* *318E-320E SS* *CT322 CTL* *317G CTL* *319D-323D CTL* *319E-323E CTL* *204K, 304K CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		6,972.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00

WORKSITE PRO SB72B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB78B SNOW BLOWER

Equipment for Base Machine

18-27 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
6980T		WORKSITE PRO SB78B SNOW BLOWER *For:* *320-332 SS* *320D-332D SS* *320E-332E SS* *CT322-CT332 CTL* *319D-333D CTL* *319E-333E CTL* *244J CWL (must be equipped with high flow option or kit)* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,453.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00

WORKSITE PRO SB78B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB84B SNOW BLOWER

Equipment for Base Machine

18-27 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7090T		WORKSITE PRO SB84B SNOW BLOWER *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322-CT332CTL* *323D-333D CTL* *323E-333E CTL* *244J CWL (must be equipped with high flow option or kit)* *324J CWL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		7,553.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00

WORKSITE PRO SB84B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9550T		WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *CT322 CTL* *323D CTL* *323E CTL* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		11,598.00
		COMPLETING KITS		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-320 SS* *318D-320D SS* *318E-320E SS* *CT322 CTL* *323D CTL* *323E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *NOTE:* ** Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *317-320 SS* *CT322 CTL*		215.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D&E-Series with Traditional Controls or E-H Joystick Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-320D SS* *318E-320E SS* *323D CTL* *323E CTL*		270.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00

WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9570T		WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		11,788.00
		COMPLETING KITS		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *315-328 SS* *318D-328D SS* *318E-328E SS* *CT322-CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *NOTE:* ** Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *317-328 SS* *CT322-CT332 CTLs*		215.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D&E-Series with Traditional Controls or E-H Joystick Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *318D-328D SS* *318E-328E SS* *323D-333D CTLs* *323E-333E CTLs*		270.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00

WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9600T		WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTLs* *329E-333E CTLs* *Also must order applicable 14-Pin Connector Harness from Attachments below.*		12,723.00
		COMPLETING KITS		
1001		Control Box and Harness (High Flow) *This is for units not equipped with an Attachment Control Kit.* *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D-333D CTL* *329E-333E CTL*		536.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) *NOTE:* ** Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *325-332 SS* *CT332 CTL*		215.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D&E-Series with Traditional Controls or E-H Joystick Controls) *Also order applicable Attachment Control Kit if base unit not equipped with it* *For:* *326D-332D SS* *326E-332E SS* *329D-333D CTLs* *329E-333E CTLs*		270.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT361652	14-Pin Connector Harness (For 300-series with Traditional Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *For 300-series with 8-button handle.* *Also order applicable Attachment Control Kit if base unit not equipped with it.* *Installation Instructions T249659.*		210.00

WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.* *For 300-Series with E-H Joystick controls.* *For D-Series with E-H Joystick Controls.* *For E-Series with E-H Joystick Controls.* *Also order applicable Attachment Control Kit if not equipped in base unit.* *Installation Instructions T250796.*		268.00
	AT427986	Attachment Control *For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.*		415.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) *D Series (S/N 198376 and above)* *For use with E-H Controls without Joystick Buttons* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector* *Replaces existing handles*		460.00
	AT348477	Attachment Control (with E-H Joystick Controls) *D Series (S/N 198376 and above)* *For use with E-H Joystick Controls (0950)* *Includes 3-pin and 14-pin connector*		260.00
	AT348475	Attachment Control (with Foot, Hand Controls) ** For D Series with Foot Controls (0900) or Hand Controls (0925)* ** Includes 3-pin and 14-pin connector* ** Replaces existing handles*		718.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) ** 14-pin connector* ** Includes 8-Button Control Handle*		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) *14-pin connector and 3-pin connector included*		245.00
	AT427985	Attachment Control Kit *For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.*		728.00
	AT361655	Control Box and Harness *For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H* *This is for units not equipped with an Attachment Control Kit.* *Installation Instructions T249658.*		525.00

WORKSITE PRO SP8C SNOW PUSH

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9801T		WORKSITE PRO SP8C SNOW PUSH *For:* *316-318G SS* *318D-332D SS* *318E-332E SS* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge.*		3,119.00
		PULLBACKS		
		NOTE: DEALER INSTALLED OPTION		
1000		SP8C PULLBACK KIT		1,632.00
1001		LESS PULLBACK KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440274	SP8C Pullback Kit		1,717.00

WORKSITE PRO SP10C SNOW PUSH

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9371T		WORKSITE PRO SP10C SNOW PUSH *For:* *326D-332D SS* *326E-332E SS* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* *With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.* *Includes a heavy-duty, replaceable rubber cutting edge*		3,495.00
		PULLBACKS		
		NOTE: DEALER INSTALLED OPTION		
1000		SP10C PULLBACK KIT		1,938.00
1001		LESS PULLBACK KIT		In Base Price
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	AT440275	SP10C Pullback Kit		1,970.00

WORKSITE PRO BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9610T		WORKSITE PRO BL6B SNOW / UTILITY BLADE *For:* *312-318G SS* *313-315 SS* *CT315 CTL* *317G CTL*		3,200.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	T250744	6 ft. Blade Extension		See Parts
	T236767	6 ft. Non-Metallic Edge		See Parts

WORKSITE PRO BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9620T		WORKSITE PRO BL7B SNOW / UTILITY BLADE *For:* *312-318G SS* *315-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *110 TLB* *300CX, 400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,300.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	T250745	7 ft. Blade Extension		See Parts
	KV24031	7 ft. Non-Metallic Edge		See Parts

WORKSITE PRO BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9630T		WORKSITE PRO BL8B SNOW / UTILITY BLADE *For:* *318G SS* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs* *110 TLB* *400X/400CX Loaders** **Please refer to A&T Sales Manual for other requirements*		3,400.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	T250746	8 ft. Blade Extension		See Parts
	KV24032	8 ft. Non-Metallic Edge		See Parts

WORKSITE PRO BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9650T		WORKSITE PRO BL9B SNOW / UTILITY BLADE *For:* *317-332 SS* *318D-332D SS* *318E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	T250747	9 ft. Blade Extension		See Parts
	KV24033	9 ft. Non-Metallic Edge		See Parts

WORKSITE PRO BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9660T		WORKSITE PRO BL10B SNOW / UTILITY BLADE *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs* *204K, 244J, 304K, 324J CWL* ** With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.*		4,799.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,584.00
	T250748	10 ft. Blade Extension		See Parts
	KV24034	10 ft. Non-Metallic Edge		See Parts

WORKSITE PRO BV6 SNOW V BLADE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BY0T		WORKSITE PRO BV6 SNOW V BLADE *For:* *312-316G SS* *318D-326D SS* *318E-326E SS* *319D-323D CTL* *319E-323E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,572.00

WORKSITE PRO BV8 SNOW V BLADE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BX0T		WORKSITE PRO BV8 SNOW V BLADE *For:* *318G SS* *318D-332D SSL* *318E-332E SSL* *317G CTL* *319D-332D CTL* *319E-333E CTL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,803.00

WORKSITE PRO BV9 SNOW V BLADE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0BW0T		WORKSITE PRO BV9 SNOW V BLADE *For:* *318G SS* *318D-332D SSL* *318E-332E SSL* *317G CTL* *319D-332D CTL* *319E-333E CTL* *204-324 CWL* *AT428072 Hydraulic Quick Coupler Adapter kit is available to adapt all HIGH FLOW series SSL and CTL machines to standard flow attachment couplers.*		4,961.00

WORKSITE PRO 10 IN. STEEL TRACKS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
9020T		WORKSITE PRO 10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *318E-320E SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		573.00
	KV22839	Strap		See Parts

WORKSITE PRO 10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 317-320.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0023KV		WORKSITE PRO 10 IN. STEEL TRACKS *For the following units with Heavy Duty Tires:* *312-318G SS* *313-324 SS* *318D-320D SS* *Contains Chain Binder and Strap.*		3,131.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 3/4 inches further away from Skid Steer.*		1,378.00
	KV22838	Binder		See Parts
	AT340611	Boom Stop Kit (Required for 313-315)		154.00
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		573.00
	KV22839	Strap		See Parts

WORKSITE PRO 12 IN. STEEL TRACKS / 320D & 324E

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 320.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0024KV		WORKSITE PRO 12 IN. STEEL TRACKS / 320D & 324E *For the following units with 12 in. Heavy Duty Tires:* *320 SS* *320D SS* *320E SS* *324E SS* *Contains Chain Binder and Strap.*		3,434.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		573.00
	KV22839	Strap		See Parts

WORKSITE PRO 12 IN. STEEL TRACKS / 325-328 & 326D-328D

Equipment for Base Machine

Self Cleaning CasTrac Design Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0025KV		WORKSITE PRO 12 IN. STEEL TRACKS / 325-328 & 326D-328D *For the following units with 12 in. Heavy Duty Tires:* *325, 328 SS* *326D, 328D SS* *326E, 328E SS* *Contains Chain Binder and Strap.*		4,040.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		573.00
	KV22839	Strap		See Parts

WORKSITE PRO 14 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links, and Pads

Heavy Duty Bushings for Long Wear Life

Drilled Link Holes for Increased Strength

Outside Plate is Open for Easy Cleaning and Length Adjustment

Tires must be in Wide Position when Tracks are Installed. Wheel Spacers are NOT Required on 325-328.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0026KV		WORKSITE PRO 14 IN. STEEL TRACKS *For the following units with 14 in. Heavy Duty Tires:* *328D and 328E (No kits required).* *328 Skid Steer Loaders (Requires track guard kit KV17333).* *332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789).* *Contains Chain Binder and Strap.* *Recommend Tire Code: 2330 14x75 17.5 12 PR SKS Extra-Wall; Other 14" tire offers not compatible.*		4,545.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT320928	2 in. Wheel Spacer Kit ** For special applications when increased track clearance is required.* ** Allows tires to be mounted 2 inches further away from Skid Steer.*		554.00
	KV23789	Axle Blocks for 332		104.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter *Lowers bucket approximately 2 inches.*		573.00
	KV22839	Strap		See Parts

WORKSITE PRO TR36B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Dubuque, Iowa

0011KV		WORKSITE PRO TR36B TRENCHER *For:* *316-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*	4,196.00

MOTOR KITS

NOTE: DEALER INSTALLED OPTION

1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*	840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*	972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*	2,045.00

WORKSITE PRO TR36B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		MOTOR KITS Continued...		
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
		NOTE: DEALER INSTALLED OPTION		
2001		36" x 6" Wide Standard Cup Every Station		826.00
2002		36" x 8" Wide Standard Cup Every Station		858.00
2003		36" x 10" Wide Standard Cup Every Station		1,058.00
2004		36" x 12" Wide Standard Cup Every Station		1,215.00
2005		36" x 6" Wide 70/30 Combo Shark Tooth		1,101.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		837.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		863.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,291.00
	AT347421	36" x 10" Wide Standard Cup Every Station		961.00
	AT347422	36" x 12" Wide Standard Cup Every Station		1,091.00
	AT347423	36" x 6" Wide 70/30 Combo Shark Tooth		948.00
	AT347419	36" x 6" Wide Standard Cup Every Station		729.00
	AT347420	36" x 8" Wide Standard Cup Every Station		790.00

WORKSITE PRO TR36B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,341.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO TR48B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 16 to 44 gpm
- 2000 to 3300 psi

Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0012KV		WORKSITE PRO TR48B TRENCHER *For:* *316-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		4,243.00
		MOTOR KITS		
		NOTE: DEALER INSTALLED OPTION		
1002		16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *318E, 320E SS* *CT322 CTL* *319D, 323D CTLs* *319E, 323E CTLs*		840.00
1003		21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT332 CTL* *329D, 333D CTLs* *329E, 333E CTLs*		972.00
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00

WORKSITE PRO TR48B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		MOTOR KITS Continued...		
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
		NOTE: DEALER INSTALLED OPTION		
2001		48" x 6" Wide Standard Cup Every Station		1,001.00
2002		48" x 8" Wide Standard Cup Every Station		1,109.00
2005		48" x 6" Wide 70/30 Combo Shark Tooth		1,253.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT377714	16-20 gpm Motor Kit *For Standard Flow:* *313-320 SS* *318D, 320D SS* *CT322 CTL* *319D, 323D CTLs*		837.00
	AT377715	21-25 gpm Motor Kit *For Standard Flow:* *325-332 SS* *326D-332D SS* *CT332 CTL* *329D, 333D CTLs*		863.00
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,291.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,341.00
	AT347426	48" x 6" Wide Combo Shark Tooth		1,132.00
	AT347424	48" x 6" Wide Standard Cup Every Station		850.00
	AT347425	48" x 8" Wide Standard Cup Every Station		924.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00

WORKSITE PRO TR48B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO TR60B TRENCHER

Equipment for Base Machine

Features:
- Heavy Duty Planetary Drive
- Manual Side Shift
- Excellent Visibility
- Indicators for Proper Digging Control

Performance:
- 27 to 44 gpm
- 2000 to 3300 psi

Integral Quik-Tatch Mounting Frame

NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
0013KV		WORKSITE PRO TR60B TRENCHER *For High Flow:* *325-332 SS* *318D-332D SS* *318E-332E SS* *CT332 CTL* *323D-333D CTLs* *323E-333E CTLs*		4,359.00
		MOTOR KITS		
		NOTE: DEALER INSTALLED OPTION		
1004		27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *318E-328E SS* *CT322, CT332 CTLs* *323D-333D CTLs* *323E-333E CTLs*		2,045.00
1005		36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS* *332E SS*		2,075.00
		CHAIN OPTIONS		
		NOTE: DEALER INSTALLED OPTION		
2001		60" x 6" Wide Standard Cup Every Station		1,168.00
2005		60" x 6" Wide 70/30 Combo Shark Tooth		1,594.00

DEALER-INSTALLED KITS

Kits and Accessories:

WORKSITE PRO TR60B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		DEALER-INSTALLED KITS Continued...		
	AT377716	27-35 gpm Motor Kit *For High Flow:* *317-325 SS* *318D-328D SS* *CT322, CT332 CTLs* *323D-333D CTLs*		2,291.00
	AT377717	36-44 gpm Motor Kit *For High Flow:* *328-332 SS* *332D SS*		2,341.00
	AT347428	60" x 6" Wide 70/30 Combo Shark Tooth		1,329.00
	AT347427	60" x 6" Wide Standard Cup Every Station		1,018.00
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO VR66C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

```
Performance:
  Powered by Standard              Drum Diameter 24 in.
    Auxiliary                        (61.0 cm)
     Hydraulics
  Drum Oscillation of +/- 15       Quik-Tatch Mounting with
    Degrees                          1/2 in. Couplers and Hoses
  66 in. (1.7 m) Smooth Drum
  7800 lbf (3538 kg)               NOTE:  Rear Ballast is
    Dynamic Force                  Required on the 317 & 320.
  2600 vpm @ 20 gpm                Rear Ballast May Enhance
    Frequency                      Stability on Other Models.
```

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7760T		WORKSITE PRO VR66C SMOOTH VIBRATORY ROLLER *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		9,224.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO VR73C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
- Powered by Standard Auxiliary Hydraulics
- Drum Oscillation of +/- 15 Degrees
- 73 in. (1.8 m) Smooth Drum
- 8,550 lbf (3878 kg) Dynamic Force
- 2600 vpm @ 20 gpm

Frequency
- Drum Diameter - 24 in. (61.0 cm)
- Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7770T		WORKSITE PRO VR73C SMOOTH VIBRATORY ROLLER *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		9,618.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO VR84C SMOOTH VIBRATORY ROLLER

Equipment for Base Machine

Performance:
- Powered by Standard Auxiliary Hydraulics
- Drum Oscillation of +/- 15 Degrees
- 84 in. (2.1 m) Smooth Drum
- 9,370 lbf (4250 kg) Dynamic Force
- 2600 vpm @ 20 gpm

Frequency

- Drum Diameter - 24 in. (61.0 cm)
- Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7780T		WORKSITE PRO VR84C SMOOTH VIBRATORY ROLLER *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *319D-333D CTLs* *319E-333E CTLs*		10,045.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO VR66C PADDED VIBRATORY ROLLER

Equipment for Base Machine

```
Performance:
  Powered by Standard              Drum Diameter less Pads -
    Auxiliary                        20 in. (51.0 cm)
     Hydraulics
  Drum Oscillation of +/- 15       Quik-Tatch Mounting with
    Degrees                          1/2 in. Couplers and Hoses
  66 in. (1.7 m) Padded Drum
  7800 lbf (3538 kg)               NOTE:  Rear Ballast is
    Dynamic Force                  Required on the 317 & 320.
  2600 vpm @ 20 gpm                Rear Ballast May Enhance
    Frequency                      Stability on Other Models.
```

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7790T		WORKSITE PRO VR66C PADDED VIBRATORY ROLLER *For:* *312-318G SS* *313-332 SS* *318D-332D SS* *318E-332E SS* *CT315-CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		9,852.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	KV14620	Rear Weight Bracket Kit (317-320) ** Requires Eight R66949Y Weights*		196.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00

WORKSITE PRO VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:
- Powered by Standard Auxiliary Hydraulics
- Drum Oscillation of +/- 15 Degrees
- 73 in. (1.8 m) Padded Drum
- 8,550 lbf (3878 kg) Dynamic Force
- 2600 vpm @ 20 gpm Frequency
- Drum Diameter less Pads - 20 in. (51.0 cm)
- Quik-Tatch Mounting with 1/2 in. Couplers and Hoses

NOTE: Rear Ballast May Enhance Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category		
		BASE MACHINE		
		F.O.B. Dubuque, Iowa		
7800T		WORKSITE PRO VR73C PADDED VIBRATORY ROLLER *For:* *325-332 SS* *326D-332D SS* *326E-332E SS* *CT322, CT332 CTLs* *317G CTL* *319D-333D CTLs* *319E-333E CTLs*		10,256.00
		DEALER-INSTALLED KITS		
		Kits and Accessories:		
	AT348835	Counterweight, Stackable (Single Set) *Includes 2 - 86 lb weights (39 Kg)*		356.00
	AT311312	Rear Weight Bracket Kit (325-332)		199.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		61.00