STATE OF MICHIGAN PROCUREMENT

Department Technology, Management and Budget

NOTICE OF CONTRACT

NOTICE OF CONTRACT NO. **250000000221**

between

THE STATE OF MICHIGAN

and

CONTRACTOR	
	Doosan Bobcat North America
	250 E. Beaton Drive
	West Fargo North Dakota 58078
	Nate Dwelle
	701-205-2517
	Nate.Dwelle@doosan.com
	CV0018781

STATE			
	Program Manager	Erin Reincke	MDOT
		517-855-1986	
		ReinckeE@michigan.gov	
	Contract Administrator	Yvon Dufour	DTMB
		517-249-0455	
		dufoury@michigan.gov	

CONTRACT SUMMARY			
DESCRIPTION: Purchase, Parts, and Maintenance & Repair for Agricultural, Grounds, Turf, Earth Moving, and Roadside, Maintenance Equipment			
INITIAL EFFECTIVE DATE	**INITIAL EXPIRATION DATE**	**INITIAL AVAILABLE OPTIONS**	**EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW**
1/1/2025	1/16/2029	5 - 1 Year	1/16/2029
PAYMENT TERMS		**DELIVERY TIMEFRAME**	
45 days		N/A	
ALTERNATE PAYMENT OPTIONS			**EXTENDED PURCHASING**
☐ P-card ☐ Payment Request (PRC)		☐ Other	☒ Yes ☐ No
MINIMUM DELIVERY REQUIREMENTS			
F.O.B. Destination			
MISCELLANEOUS INFORMATION			
THIS IS NOT AN ORDER: This Contract Agreement is awarded on the basis of our inquiry bearing the solicitation #240000002925. Orders for delivery will be issued directly by the Department in accordance to Schedule A, section 9.1 Authorizing Document.			
ESTIMATED CONTRACT VALUE AT TIME OF EXECUTION		**$2,000,000.00**	

FOR THE CONTRACTOR:

Company Name

Authorized Agent Signature

Authorized Agent (Print or Type)

Date

FOR THE STATE:

Signature

Name and Title

Agency

Date

STANDARD CONTRACT TERMS

This STANDARD CONTRACT ("**Contract**") is agreed to between the State of Michigan (the "**State**") and Doosan Bobcat North America ("**Contractor**"), a Delaware Corporation. This Contract is effective on 1/1/2025 ("**Effective Date**"), and unless terminated, expires on January 16, 2029 (the "**Term**").

This Contract may be renewed for up to five (5) additional one (1) year period(s). Renewal is at the sole discretion of the State and will automatically extend the Term of this Contract. The State will document its exercise of renewal options via Contract Change Notice.

The parties agree as follows:

1. **Duties of Contractor.** Contractor must perform the services and provide the deliverables (the "**Contract Activities**") described in a Statement of Work, the initial Statement of Work is attached as Schedule A – Statement of Work. An obligation to provide delivery of any commodity is considered a service and is a Contract Activity.

   Contractor must furnish all labor, equipment, materials, and supplies necessary for the performance of the Contract Activities unless otherwise specified in a Statement of Work.

   Contractor must: (a) perform the Contract Activities in a timely, professional, safe, and workmanlike manner consistent with standards in the trade, profession, or industry; (b) meet or exceed the performance and operational standards, and specifications of the Contract; (c) provide all Contract Activities in good quality, with no material defects; (d) not interfere with the State's operations; (e) obtain and maintain all necessary licenses, permits or other authorizations necessary for the performance of the Contract; (f) cooperate with the State, including the State's quality assurance personnel, and any third party to achieve the objectives of the Contract; (g) return to the State any State-furnished equipment or other resources in the same condition as when provided when no longer required for the Contract; (h) assign to the State any claims resulting from state or federal antitrust violations to the extent that those violations concern materials or services supplied by third parties toward fulfillment of the Contract; (i) comply with all State physical and IT security policies and standards which will be made available upon request; and (j) provide the State priority in performance of the Contract except as mandated by federal disaster response requirements. Any breach under this paragraph is considered a material breach.

   Contractor must also be clearly identifiable while on State property by wearing identification issued by the State, and clearly identify themselves whenever making contact with the State.

2. **Notices.** All notices and other communications required or permitted under this Contract must be in writing and will be considered given and received: (a) when verified by written receipt if sent by courier; (b) when actually received if sent by mail without verification of receipt; or (c) when verified by automated receipt or electronic logs if sent by facsimile or email.

If to State:	If to Contractor:
See Contract Administrator information shown below.	

3. **Contract Administrator.** The Contract Administrator, or the individual duly authorized for each party, is the only person authorized to modify any terms of this Contract, and approve and execute any change under this Contract (each a "**Contract Administrator**"):

State:	Contractor:
Yvon Dufour 300-320 South Walnut Street, Elliot Larsen Building, 2nd Floor. Lansing, MI 48933 dufoury@michigan.gov (517) 249-0455	Nate Dwelle Government Account Manager 250 E Beaton Dr, West Fargo, ND 58078 Nate.Dwelle@doosan.com 701-205-2517

4. **Program Manager.** The Program Manager for each party will monitor and coordinate the day-to-day activities of the Contract (each a "**Program Manager**"):

State:	Contractor:
Erin Reincke reinckee@michigan.gov (517) 284-6448	Nate Dwelle Government Account Manager 250 E Beaton Dr, West Fargo, ND 58078 Nate.Dwelle@doosan.com 701-205-2517

5. **Performance Guarantee.** Contractor must at all times have financial resources sufficient, in the opinion of the State, to ensure performance of the Contract and must provide proof upon request. The State may require a performance bond (as specified in a Statement of Work) if, in the opinion of the State, it will ensure performance of the Contract.

6. **Insurance Requirements.**
See Schedule C

7. Administrative Fee and Reporting Contractor must pay an administrative fee of **1%** on all payments made to Contractor under the Contract including transactions with the State (including its departments, divisions, agencies, offices, and commissions), MiDEAL members, and other states (including governmental subdivisions and authorized entities). Administrative fee payments must be made online by check or credit card at: https://www.thepayplace.com/mi/dtmb/adminfee
Contractor must submit an itemized purchasing activity report, which includes at a minimum, the name of the purchasing entity and the total dollar volume in sales. Reports should be mailed to MiDeal@michigan.gov.

The administrative fee and purchasing activity report are due within 30 calendar days from the last day of each calendar quarter.

8. **Extended Purchasing Program.** This contract is extended to MiDEAL members. MiDEAL members include local units of government, school districts, universities, community colleges, and nonprofit hospitals. A current list of MiDEAL members is available at www.michigan.gov/mideal.

   Upon written agreement between the State and Contractor, this contract may also be extended to: (a) other states (including governmental subdivisions and authorized entities).

   If extended, Contractor must supply all Contract Activities at the established Contract prices and terms. The State reserves the right to impose an administrative fee and negotiate additional discounts based on any increased volume generated by such extensions.

   Contractor must submit invoices to, and receive payment from, extended purchasing program members on a direct and individual basis.

9. **Relationship of the Parties.** The relationship between the parties is that of independent contractors. Contractor, its employees, and agents will not be considered employees of the State. No partnership or joint venture relationship is created by virtue of this Contract. Contractor, and not the State, is responsible for the payment of wages, benefits and taxes of Contractor's employees and any subcontractors. Prior performance does not modify Contractor's status as an independent contractor. Neither party has authority to contract for nor bind the other party in any manner whatsoever.

10. **Intellectual Property Rights.** If a Statement of Work requires Contractor to create any intellectual property, Contractor hereby acknowledges that the State is and will be the sole and exclusive owner of all right, title, and interest in the Contract Activities and all associated intellectual property rights, if any. Such Contract Activities are works made for hire as defined in Section 101 of the Copyright Act of 1976. To the extent any Contract Activities and related intellectual property do not qualify as works made for hire under the Copyright Act, Contractor will, and hereby does, immediately on its creation, assign, transfer and otherwise convey to the State, irrevocably and in perpetuity, throughout the universe, all right, title and interest in and to the Contract Activities, including all intellectual property rights therein.

11. **Subcontracting.** Contractor may not delegate any of its obligations under the Contract without the prior written approval of the State. Contractor must notify the State at least 90 calendar days before the proposed delegation and provide the State any information it requests to determine whether the delegation is in its best interest. If approved, Contractor must: (a) be the sole point of contact regarding all contractual matters, including payment and charges for all Contract Activities; (b) make all payments to the subcontractor; and (c) incorporate the terms and conditions contained in this Contract in any subcontract with a subcontractor. Contractor remains responsible for the completion of the Contract Activities, compliance with the

terms of this Contract, and the acts and omissions of the subcontractor. The State, in its sole discretion, may require the replacement of any subcontractor.

12. **Staffing.** The State's Contract Administrator may require Contractor to remove or reassign personnel providing services by providing a notice to Contractor.

13. **Background Checks.** Pursuant to Michigan law, all agencies subject to IRS Pub. 1075 are required to ask the Michigan State Police to perform fingerprint background checks on all employees, including Contractor and Subcontractor employees, who may have access to any database of information maintained by the federal government that contains confidential or personal information, including, but not limited to, federal tax information. Further, pursuant to Michigan law, any agency described above is prohibited from providing Contractors or Subcontractors with the result of such background check. For more information, please see Michigan Public Act 427 of 2018. Upon request, or as may be specified in a Statement of Work, Contractor must perform background checks on all employees and subcontractors and its employees prior to their assignment. The scope is at the discretion of the State and documentation must be provided as requested. Contractor is responsible for all costs associated with the requested background checks. The State, in its sole discretion, may also perform background checks.

14. **Assignment.** Contractor may not assign this Contract to any other party without the prior approval of the State. Upon notice to Contractor, the State, in its sole discretion, may assign in whole or in part, its rights or responsibilities under this Contract to any other party. If the State determines that a novation of the Contract to a third party is necessary, Contractor will agree to the novation and provide all necessary documentation and signatures.

15. **Change of Control.** Contractor will notify the State, within 30 days of any public announcement or otherwise once legally permitted to do so, of a change in Contractor's organizational structure or ownership. For purposes of this Contract, a change in control means any of the following: (a) a sale of more than 50% of Contractor's stock; (b) a sale of substantially all of Contractor's assets; (c) a change in a majority of Contractor's board members; (d) consummation of a merger or consolidation of Contractor with any other entity; (e) a change in ownership through a transaction or series of transactions; (f) or the board (or the stockholders) approves a plan of complete liquidation. A change of control does not include any consolidation or merger effected exclusively to change the domicile of Contractor, or any transaction or series of transactions principally for bona fide equity financing purposes.

    In the event of a change of control, Contractor must require the successor to assume this Contract and all of its obligations under this Contract.

16. **Ordering.** Contractor is not authorized to begin performance until receipt of authorization as identified in a Statement of Work.

17. **Acceptance.** Contract Activities are subject to inspection and testing by the State within 30 calendar days of the State's receipt of them ("**State Review Period**"), unless otherwise provided in a Statement of Work. If the Contract Activities are not fully accepted by the State, the State will notify Contractor by the end of the State

Review Period that either: (a) the Contract Activities are accepted but noted deficiencies must be corrected; or (b) the Contract Activities are rejected. If the State finds material deficiencies, it may: (i) reject the Contract Activities without performing any further inspections; (ii) demand performance at no additional cost; or (iii) terminate this Contract in accordance with Section 24, Termination for Cause.

Within 10 business days from the date of Contractor's receipt of notification of acceptance with deficiencies or rejection of any Contract Activities, Contractor must cure, at no additional cost, the deficiency and deliver unequivocally acceptable Contract Activities to the State. If acceptance with deficiencies or rejection of the Contract Activities impacts the content or delivery of other non-completed Contract Activities, the parties' respective Program Managers must determine an agreed to number of days for re-submission that minimizes the overall impact to the Contract. However, nothing herein affects, alters, or relieves Contractor of its obligations to correct deficiencies in accordance with the time response standards set forth in this Contract.

If Contractor is unable or refuses to correct the deficiency within the time response standards set forth in this Contract, the State may cancel the order in whole or in part. The State, or a third party identified by the State, may perform the Contract Activities and recover the difference between the cost to cure and the Contract price plus an additional 10% administrative fee.

18. **Delivery.** Contractor must deliver all Contract Activities F.O.B. destination, within the State premises with transportation and handling charges paid by Contractor, unless otherwise specified in a Statement of Work. All containers and packaging become the State's exclusive property upon acceptance.

19. **Risk of Loss and Title.** Until final acceptance, title and risk of loss or damage to Contract Activities remains with Contractor. Contractor is responsible for filing, processing, and collecting all damage claims. The State will record and report to Contractor any evidence of visible damage. If the State rejects the Contract Activities, Contractor must remove them from the premises within 10 calendar days after notification of rejection. The risk of loss of rejected or non-conforming Contract Activities remains with Contractor. Rejected Contract Activities not removed by Contractor within 10 calendar days will be deemed abandoned by Contractor, and the State will have the right to dispose of it as its own property. Contractor must reimburse the State for costs and expenses incurred in storing or effecting removal or disposition of rejected Contract Activities.

20. **Warranty Period.** The warranty period, if applicable, for Contract Activities is a fixed period commencing on the date specified in a Statement of Work. If the Contract Activities do not function as warranted during the warranty period, the State may return such non-conforming Contract Activities to the Contractor for a full refund.

21. **Invoices and Payment.** Invoices must conform to the requirements communicated from time-to-time by the State. All undisputed amounts are payable within 45 days of the State's receipt. Contractor may only charge for Contract Activities provided as specified in a Statement of Work. Invoices must include an itemized statement of all charges. The State is exempt from State sales tax for direct purchases and may be exempt from federal excise tax, if Services purchased under this Agreement are for

the State's exclusive use. Notwithstanding the foregoing, all fees are exclusive of taxes, and Contractor is responsible for all sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any federal, state, or local governmental entity on any amounts payable by the State under this Contract.

The State has the right to withhold payment of any disputed amounts until the parties agree as to the validity of the disputed amount. The State will notify Contractor of any dispute within a reasonable time. Payment by the State will not constitute a waiver of any rights as to Contractor's continuing obligations, including claims for deficiencies or substandard Contract Activities. Contractor's acceptance of final payment by the State constitutes a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still disputed.

The State will only disburse payments under this Contract through Electronic Funds Transfer (EFT). Contractor must register with the State at http://www.michigan.gov/SIGMAVSS to receive electronic fund transfer payments. If Contractor does not register, the State is not liable for failure to provide payment. Without prejudice to any other right or remedy it may have, the State reserves the right to set off at any time any amount then due and owing to it by Contractor against any amount payable by the State to Contractor under this Contract.

Excluding federal government charges and terms, Contractor warrants and agrees that each of the fees, economic or product terms or warranties granted pursuant to this Contract are comparable to or better than the equivalent fees, economic or product term or warranty being offered to any commercial or government customer (including any public educational institution within the State of Michigan) of Contractor. If Contractor enters into any arrangements with another customer of Contractor to provide the products or services, available under this Contract, under more favorable prices, as the prices may be indicated on Contractor's current U.S. and International price list or comparable document, then this Contract will be deemed amended as of the date of such other arrangements to incorporate those more favorable prices, and Contractor will immediately notify the State of such fee and formally memorialize the new pricing in a change notice.

22. Liquidated Damages. Liquidated damages, if applicable, will be assessed as described in a Statement of Work. The parties understand and agree that any liquidated damages (which includes but is not limited to applicable credits) set forth in this Contract are reasonable estimates of the State's damages in accordance with applicable law. The parties acknowledge and agree that Contractor could incur liquidated damages for more than 1 event. The assessment of liquidated damages will not constitute a waiver or release of any other remedy the State may have under this Contract for Contractor's breach of this Contract, including without limitation, the State's right to terminate this Contract for cause under Section 24 and the State will be entitled in its discretion to recover actual damages caused by Contractor's failure to perform its obligations under this Contract. However, the State will reduce such actual damages by the amounts of liquidated damages received for the same events causing the actual damages. Amounts due the State as liquidated damages may be set off against any fees payable to Contractor under this Contract, or the State may

bill Contractor as a separate item and Contractor will promptly make payments on such bills.

23. **Stop Work Order.** The State may suspend any or all activities under the Contract at any time. The State will provide Contractor a written stop work order detailing the suspension. Contractor must comply with the stop work order upon receipt. Within 90 calendar days, or any longer period agreed to by Contractor, the State will either: (a) issue a notice authorizing Contractor to resume work, or (b) terminate the Contract or delivery order. The State will not pay for Contract Activities, Contractor's lost profits, or any additional compensation during a stop work period.

24. **Termination for Cause.** (a) The State may terminate this Contract for cause, in whole or in part, if Contractor, as determined by the State: (i) endangers the value, integrity, or security of any facility, data, or personnel; (ii) becomes insolvent, petitions for bankruptcy court proceedings, or has an involuntary bankruptcy proceeding filed against it by any creditor; (iii) engages in any conduct that may expose the State to liability; (iv) breaches any of its material duties or obligations under this Contract; or (v) fails to cure a breach within the time stated by the State in a notice of breach, if in its sole discretion the State has chosen to provide a time to cure. Any reference to specific breaches being material breaches within this Contract will not be construed to mean that other breaches are not material.

    (b) If the State terminates this Contract under this Section, the State will issue a termination notice specifying whether Contractor must: (i) cease performance immediately. Contractor must submit all invoices for Contract Activities accepted by the State within 30 days of the date of termination. Failure to submit an invoice within that timeframe will constitute a waiver by Contractor for any amounts due to Contactor for Contract Activities accepted by the State under this Contract or (ii) continue to perform for a specified period. If it is later determined that Contractor was not in breach of the Contract, the termination will be deemed to have been a Termination for Convenience, effective as of the same date, and the rights and obligations of the parties will be limited to those provided in Section 25, Termination for Convenience.

    The State will only pay for amounts due to Contractor for Contract Activities accepted by the State on or before the date of termination, subject to the State's right to set off any amounts owed by the Contractor for the State's reasonable costs in terminating this Contract. Contractor must promptly reimburse to the State any fees prepaid by the State prorated to the date of such termination, including any prepaid fees. The Contractor must pay all reasonable costs incurred by the State in terminating this Contract for cause, including administrative costs, attorneys' fees, court costs, transition costs, and any costs the State incurs to procure the Contract Activities from other sources.

25. **Termination for Convenience**. The State may immediately terminate this Contract in whole or in part without penalty and for any reason or no reason, including but not limited to, appropriation or budget shortfalls. The termination notice will specify whether Contractor must: (a) cease performance of the Contract Activities immediately. Contractor must submit all invoices for Contract Activities accepted by the State within 30 days of the date of termination. Failure to submit an invoice within

that timeframe will constitute a waiver by Contractor for any amounts due Contractor for Contract Activities accepted by the State under this Contract, or (b) continue to perform the Contract Activities in accordance with Section 26, Transition Responsibilities. If the State terminates this Contract for convenience, the State will pay all reasonable costs, as determined by the State, for State approved Transition Responsibilities to the extent the funds are available.

26. **Transition Responsibilities.** Upon termination or expiration of this Contract for any reason, Contractor must, for a period of time specified by the State (not to exceed **90** calendar days), provide all reasonable transition assistance requested by the State, to allow for the expired or terminated portion of the Contract Activities to continue without interruption or adverse effect, and to facilitate the orderly transfer of such Contract Activities to the State or its designees. Such transition assistance may include, but is not limited to: (a) continuing to perform the Contract Activities at the established Contract rates; (b) taking all reasonable and necessary measures to transition performance of the work, including all applicable Contract Activities, training, equipment, software, leases, reports and other documentation, to the State or the State's designee; (c) transferring title in and delivering to the State, at the State's discretion, all completed or partially completed deliverables prepared under this Contract as of the Contract termination date; and (d) preparing an accurate accounting from which the State and Contractor may reconcile all outstanding accounts (collectively, "**Transition Responsibilities**"). This Contract will automatically be extended through the end of the transition period.

27. **Return of State Property.** Upon termination or expiration of this Contract for any reason, Contractor must take all necessary and appropriate steps, or such other action as the State may direct, to preserve, maintain, protect, or return to the State all materials, data, property, and confidential information provided directly or indirectly to the Contractor by any entity, agent, vendor, or employee of the State.

28. **Indemnification.** Contractor must defend, indemnify and hold the State, its departments, divisions, agencies, offices, commissions, officers, and employees harmless, without limitation, from and against any and all actions, claims, losses, liabilities, damages, costs, attorney fees, and expenses (including those required to establish the right to indemnification), arising out of or relating to: (a) any breach by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable) of any of the promises, agreements, representations, warranties, or insurance requirements contained in this Contract; (b) any infringement, misappropriation, or other violation of any intellectual property right or other right of any third party; (c) any bodily injury, death, or damage to real or tangible personal property occurring wholly or in part due to action or inaction by Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable); and (d) any acts or omissions of Contractor (or any of Contractor's employees, agents, subcontractors, or by anyone else for whose acts any of them may be liable).

    The State will notify Contractor in writing if indemnification is sought; however, failure to do so will not relieve Contractor, except to the extent that Contractor is materially

prejudiced. Contractor must, to the satisfaction of the State, demonstrate its financial ability to carry out these obligations.

The State is entitled to: (i) regular updates on proceeding status; (ii) participate in the defense of the proceeding; (iii) employ its own counsel; and to (iv) retain control of the defense, at its own cost and expense, if the State deems necessary. Contractor will not, without the State's prior written consent (not to be unreasonably withheld), settle, compromise, or consent to the entry of any judgment in or otherwise seek to terminate any claim, action, or proceeding.

Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. An attorney designated to represent the State may not do so until approved by the Michigan Attorney General and appointed as a Special Assistant Attorney General.

The State is constitutionally prohibited from indemnifying Contractor or any third parties.

29. **Infringement Remedies.** If, in either party's opinion, any piece of equipment, software, commodity, or service supplied by Contractor or its subcontractors, or its operation, use or reproduction, is likely to become the subject of a copyright, patent, trademark, or trade secret infringement claim, Contractor must, at its expense: (a) procure for the State the right to continue using the equipment, software, commodity, or service, or if this option is not reasonably available to Contractor, (b) replace or modify the same so that it becomes non-infringing; or (c) accept its return by the State with appropriate credits to the State against Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.

30. **Limitation of Liability and Disclaimer of Damages. IN NO EVENT WILL THE STATE'S AGGREGATE LIABILITY TO CONTRACTOR UNDER THIS CONTRACT, REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR BY STATUTE OR OTHERWISE, FOR ANY CLAIM RELATED TO OR ARISING UNDER THIS CONTRACT, EXCEED THE MAXIMUM AMOUNT OF FEES PAYABLE UNDER THIS CONTRACT.** The State is not liable for consequential, incidental, indirect, or special damages, regardless of the nature of the action.

31. **Disclosure of Litigation, or Other Proceeding.** Contractor must notify the State within 14 calendar days of receiving notice of any litigation, investigation, arbitration, or other proceeding (collectively, "**Proceeding**") involving Contractor, a subcontractor, or an officer or director of Contractor or subcontractor, that arises during the term of the Contract, including: (a) a criminal Proceeding; (b) a parole or probation Proceeding; (c) a Proceeding under the Sarbanes-Oxley Act; (d) a civil Proceeding involving: (1) a claim that might reasonably be expected to adversely affect Contractor's viability or financial stability; or (2) a governmental or public entity's claim or written allegation of fraud; or (3) any complaint filed in a legal or administrative proceeding alleging the Contractor or its subcontractors discriminated against its employees, subcontractors, vendors, or suppliers during the term of this Contract; or (e) a Proceeding involving any license that Contractor is required to possess in order to perform under this Contract.

32. **State Data.** All data and information provided to Contractor by or on behalf of the State, and all data and information derived therefrom, is the exclusive property of the State ("**State Data**"); this definition is to be construed as broadly as possible. Upon request, Contractor must provide to the State, or a third party designated by the State, all State Data within 10 calendar days of the request and in the format requested by the State. Contractor will assume all costs incurred in compiling and supplying State Data. No State Data may be used for any marketing or commercial purposes.

33. **Reserved.**

34. **Non-Disclosure of Confidential Information.** The parties acknowledge that each party may be exposed to or acquire communication or data of the other party that is confidential, privileged communication not intended to be disclosed to third parties.

    a. **Meaning of Confidential Information**. For the purposes of this Contract, the term "**Confidential Information**" means all information and documentation of a party that: (a) has been marked "confidential" or with words of similar meaning, at the time of disclosure by such party; (b) if disclosed orally or not marked "confidential" or with words of similar meaning, was subsequently summarized in writing by the disclosing party and marked "confidential" or with words of similar meaning; or, (c) should reasonably be recognized as confidential information of the disclosing party. The term "Confidential Information" does not include any information or documentation that was or is: (a) subject to disclosure under the Michigan Freedom of Information Act (FOIA); (b) already in the possession of the receiving party without an obligation of confidentiality; (c) developed independently by the receiving party, as demonstrated by the receiving party, without violating the disclosing party's proprietary rights; (d) obtained from a source other than the disclosing party without an obligation of confidentiality; or, (e) publicly available when received, or thereafter became publicly available (other than through any unauthorized disclosure by, through, or on behalf of, the receiving party). For purposes of this Contract, in all cases and for all matters, State Data is deemed to be Confidential Information.

    b. **Obligation of Confidentiality**. The parties agree to hold all Confidential Information in strict confidence and not to copy, reproduce, sell, transfer, or otherwise dispose of, give or disclose such Confidential Information to third parties other than employees, agents, or subcontractors of a party who have a need to know in connection with this Contract or to use such Confidential Information for any purposes whatsoever other than the performance of this Contract. The parties agree to advise and require their respective employees, agents, and subcontractors of their obligations to keep all Confidential Information confidential. Disclosure to a subcontractor is permissible where: (a) use of a subcontractor is authorized under this Contract; (b) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the subcontractor's responsibilities; and (c) Contractor obligates the subcontractor in a written contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor or any subcontractor may be

required to execute a separate agreement to be bound by the provisions of this Section.

c. **Cooperation to Prevent Disclosure of Confidential Information**. Each party must use its best efforts to assist the other party in identifying and preventing any unauthorized use or disclosure of any Confidential Information. Without limiting the foregoing, each party must advise the other party immediately in the event either party learns or has reason to believe that any person who has had access to Confidential Information has violated or intends to violate the terms of this Contract and each party will cooperate with the other party in seeking injunctive or other equitable relief against any such person.

d. **Remedies for Breach of Obligation of Confidentiality**. Each party acknowledges that breach of its obligation of confidentiality may give rise to irreparable injury to the other party, which damage may be inadequately compensable in the form of monetary damages. Accordingly, a party may seek and obtain injunctive relief against the breach or threatened breach of the foregoing undertakings, in addition to any other legal remedies which may be available, to include, in the case of the State, at the sole election of the State, the immediate termination, without liability to the State, of this Contract or any Statement of Work corresponding to the breach or threatened breach.

e. **Surrender of Confidential Information upon Termination**. Upon termination of this Contract or a Statement of Work, in whole or in part, each party must, within 5 calendar days from the date of termination, return to the other party any and all Confidential Information received from the other party, or created or received by a party on behalf of the other party, which are in such party's possession, custody, or control; provided, however, that Contractor must return State Data to the State following the timeframe and procedure described further in this Contract. Should Contractor or the State determine that the return of any Confidential Information is not feasible, such party must destroy the Confidential Information and must certify the same in writing within 5 calendar days from the date of termination to the other party. However, the State's legal ability to destroy Contractor data may be restricted by its retention and disposal schedule, in which case Contractor's Confidential Information will be destroyed after the retention period expires.

35. **Reserved.**

36. **Reserved.**

37. **Reserved.**

38. **Records Maintenance, Inspection, Examination, and Audit.** Pursuant to MCL 18.1470, the State or its designee may audit Contractor to verify compliance with this Contract. Contractor must retain and provide to the State or its designee and the auditor general upon request, all records related to the Contract through the term of the Contract and for 4 years after the latter of termination, expiration, or final payment under this Contract or any extension ("**Audit Period**"). If an audit, litigation, or other action involving the records is initiated before the end of the Audit Period, Contractor must retain the records until all issues are resolved.

Within 10 calendar days of providing notice, the State and its authorized representatives or designees have the right to enter and inspect Contractor's premises or any other places where Contract Activities are being performed, and examine, copy, and audit all records related to this Contract. Contractor must cooperate and provide reasonable assistance. If financial errors are revealed, the amount in error must be reflected as a credit or debit on subsequent invoices until the amount is paid or refunded. Any remaining balance at the end of the Contract must be paid or refunded within 45 calendar days.

This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

39. **Representations and Warranties.** Contractor represents and warrants: (a) Contractor is the owner or licensee of any Contract Activities that it licenses, sells, or develops and Contractor has the rights necessary to convey title, ownership rights, or licensed use; (b) all Contract Activities are delivered free from any security interest, lien, or encumbrance and will continue in that respect; (c) the Contract Activities will not infringe the patent, trademark, copyright, trade secret, or other proprietary rights of any third party; (d) Contractor must assign or otherwise transfer to the State or its designee any manufacturer's warranty for the Contract Activities; (e) the Contract Activities are merchantable and fit for the specific purposes identified in the Contract; (f) the Contract signatory has the authority to enter into this Contract; (g) all information furnished by Contractor in connection with the Contract fairly and accurately represents Contractor's business, properties, finances, and operations as of the dates covered by the information, and Contractor will inform the State of any material adverse changes;(h) all information furnished and representations made in connection with the award of this Contract is true, accurate, and complete, and contains no false statements or omits any fact that would make the information misleading; and that (i) Contractor is neither currently engaged in nor will engage in the boycott of a person based in or doing business with a strategic partner as described in 22 USC 8601 to 8606. A breach of this Section is considered a material breach of this Contract, which entitles the State to terminate this Contract under Section 24, Termination for Cause.

40. **Conflicts and Ethics.** Contractor will uphold high ethical standards and is prohibited from: (a) holding or acquiring an interest that would conflict with this Contract; (b) doing anything that creates an appearance of impropriety with respect to the award or performance of the Contract; (c) attempting to influence or appearing to influence any State employee by the direct or indirect offer of anything of value; or (d) paying or agreeing to pay any person, other than employees and consultants working for Contractor, any consideration contingent upon the award of the Contract. Contractor must immediately notify the State of any violation or potential violation of these standards. This Section applies to Contractor, any parent, affiliate, or subsidiary organization of Contractor, and any subcontractor that performs Contract Activities in connection with this Contract.

41. **Compliance with Laws.** Contractor must comply with all federal, state and local laws, rules and regulations.

42. **Reserved.**

43. **Reserved.**

44. **Nondiscrimination.** Under the Elliott-Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, *et seq*., the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, *et seq*., and Executive Directive 2019-09. Contractor and its subcontractors agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex (as defined in Executive Directive 2019-09), height, weight, marital status, partisan considerations, any mental or physical disability, or genetic information that is unrelated to the person's ability to perform the duties of a particular job or position. Breach of this covenant is a material breach of this Contract.

45. **Unfair Labor Practice.** Under MCL 423.324, the State may void this Contract if the name of the Contractor, or the name of a subcontractor, manufacturer, or supplier of the Contractor, subsequently appears on the Unfair Labor Practice register compiled under MCL 423.322.

46. **Governing Law.** This Contract is governed, construed, and enforced in accordance with Michigan law, excluding choice-of-law principles, and all claims relating to or arising out of this Contract are governed by Michigan law, excluding choice-of-law principles. Any dispute arising from this Contract must be resolved in the Michigan Court of Claims. Contractor waives any objections, such as lack of personal jurisdiction or *forum non conveniens*. Contractor must appoint an agent in Michigan to receive service of process.

47. **Non-Exclusivity.** Nothing contained in this Contract is intended nor is to be construed as creating any requirements contract with Contractor, nor does it provide Contractor with a right of first refusal for any future work. This Contract does not restrict the State or its agencies from acquiring similar, equal, or like Contract Activities from other sources.

48. **Force Majeure.** Neither party will be in breach of this Contract because of any failure arising from any disaster or acts of god that are beyond their control and without their fault or negligence. Each party will use commercially reasonable efforts to resume performance. Contractor will not be relieved of a breach or delay caused by its subcontractors. If immediate performance is necessary to ensure public health and safety, the State may immediately contract with a third party.

49. **Dispute Resolution.** The parties will endeavor to resolve any Contract dispute in accordance with this provision. The dispute will be referred to the parties' respective Contract Administrators or Program Managers. Such referral must include a description of the issues and all supporting documentation. The parties must submit the dispute to a senior executive if unable to resolve the dispute within 15 business days. The parties will continue performing while a dispute is being resolved, unless the dispute precludes performance. A dispute involving payment does not preclude performance.

    Litigation to resolve the dispute will not be instituted until after the dispute has been elevated to the parties' senior executive and either concludes that resolution is

unlikely or fails to respond within 15 business days. The parties are not prohibited from instituting formal proceedings: (a) to avoid the expiration of statute of limitations period; (b) to preserve a superior position with respect to creditors; or (c) where a party makes a determination that a temporary restraining order or other injunctive relief is the only adequate remedy. This Section does not limit the State's right to terminate the Contract.

50. **Media Releases.** News releases (including promotional literature and commercial advertisements) pertaining to the Contract or project to which it relates must not be made without the prior written approval of the State, and then only in accordance with the explicit written instructions of the State.

51. **Schedules**. All Schedules and Exhibits that are referenced herein and attached hereto are hereby incorporated by reference. The following Schedules are attached hereto and incorporated herein:

Document Title	Document Description
Schedule A	Statement of Work
Attachment 1 to Schedule A	Dealer List
Schedule B	Pricing
Schedule C	Insurance Requirements
Schedule D	Specifications
Schedule E	Prosperity Regional Map
Schedule F	Trailer Wiring Diagram

52. **Entire Agreement and Order of Precedence.** This Contract, which includes Statement of Work, and schedules and exhibits, is the entire agreement of the parties related to the Contract Activities. This Contract supersedes and replaces all previous understandings and agreements between the parties for the Contract Activities. If there is a conflict between documents, the order of precedence is: (a) first, this Contract, excluding its schedules, exhibits, and Statement of Work; (b) second, Statement of Work as of the Effective Date; and (c) third, schedules expressly incorporated into this Contract as of the Effective Date. NO TERMS ON CONTRACTOR'S INVOICES, ORDERING DOCUMENTS, WEBSITE, BROWSE-WRAP, SHRINK-WRAP, CLICK-WRAP, CLICK-THROUGH OR OTHER NON-NEGOTIATED TERMS AND CONDITIONS PROVIDED WITH ANY OF THE CONTRACT ACTIVITIES, OR DOCUMENTATION HEREUNDER, EVEN IF ATTACHED TO THE STATE'S DELIVERY OR PURCHASE ORDER, WILL CONSTITUTE A PART OR AMENDMENT OF THIS CONTRACT OR IS BINDING ON THE STATE OR ANY AUTHORIZED USER FOR ANY PURPOSE. ALL SUCH OTHER TERMS AND CONDITIONS HAVE NO FORCE AND EFFECT AND ARE DEEMED REJECTED BY THE STATE AND THE AUTHORIZED USER, EVEN IF

ACCESS TO OR USE OF THE CONTRACT ACTIVITIES REQUIRES AFFIRMATIVE ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

53. **Severability.** If any part of this Contract is held invalid or unenforceable, by any court of competent jurisdiction, that part will be deemed deleted from this Contract and the severed part will be replaced by agreed upon language that achieves the same or similar objectives. The remaining Contract will continue in full force and effect.

54. **Waiver.** Failure to enforce any provision of this Contract will not constitute a waiver.

55. **Survival.** Any right, obligation or condition that, by its express terms or nature and context is intended to survive, will survive the termination or expiration of this Contract; such rights, obligations, or conditions include, but are not limited to, those related to transition responsibilities; indemnification; disclaimer of damages and limitations of liability; State Data; non-disclosure of Confidential Information; representations and warranties; insurance and bankruptcy.

56. **Contract Modification.** This Contract may not be amended except by signed agreement between the parties (a "**Contract Change Notice**"). Notwithstanding the foregoing, no subsequent Statement of Work or Contract Change Notice executed after the Effective Date will be construed to amend this Contract unless it specifically states its intent to do so and cites the section or sections amended.

DOOSAN BOBCAT NORTH AMERICA, INC

SCHEDULE A – STATEMENT OF WORK CONTRACT ACTIVITIES

Contract No. 250000000221

Agricultural, Grounds, Turf, Earth Moving, and Roadside, Maintenance Equipment

SCOPE

This solicitation includes the following equipment categories for purchase, rent, and parts, maintenance & repair:

1. Agricultural Maintenance **2.** Grounds Maintenance **3.** Turf Maintenance **4.** Earth Moving **5.** Roadside Maintenance **6.** Equipment Rental **7.** Truck upfitting & Seasonal Maintenance Equipment

REQUIREMENTS

1.1 Product Specifications

The Contractor must provide one or more of the following:

Brands or trade names are for identification purposes only and do not limit the Contractor to such brands or trade names.

All equipment must be new. The purchase of used equipment is subject to State of Michigan Central Procurement guidelines and approval.

Specifications are as follows:

	Equipment - Purchase, Rent	
	SPEC SECTION	
1	**C03-2001CD-23 Dump Body**	**RENTAL ONLY**
2	**C03-2001SP-23 Snow Plow**	**RENTAL ONLY**
3	**C05-1601-23 Backhoe**	**RENTAL ONLY**
4	**C38-0101 CTL-23 Skid Steer Track Loader**	
5	**C38-0101-23 Skid Steer Loader**	
6	**C38-0101AWS-23 Skid Steer Loader**	
7	**C38-0501LP-23 Fork Lift, Propane, 6,000 Lbs Capacity**	
8	**C54-0001-23 Concrete Saw**	**RENTAL ONLY**
9	**C67-008T-23 Trailer**	**RENTAL ONLY**
10	**C67-20T LP-23 Trailer**	**RENTAL ONLY**
11	**C70-0001-23 Welder-Generator**	**RENTAL ONLY**
12	**C60-2001-16 Sand-Salt Spreader**	**RENTAL ONLY**
13	**C05-1003-23 Zero Turn 60-72 in deck**	**RENTAL ONLY**
14	**C06-1001-23 Utility Vehicle 6x4**	

15	C06-1002-23 Utility Vehicle 4 Wheel Drive	
16	C-62-0101RB-23 Loader, 4 Wheel drive 2.25 Cubic Yard Minimum Capacity	RENTAL ONLY
17	38-0201HD.23 Loader, 4 Wheel drive, Articulated, 3.0 Cubic Yard Minimum Capacity	RENTAL ONLY
18	05-00051.23 Crawler Dozer (30hp & up)	RENTAL ONLY
19	30-00LT23 Light Tower, Trailer Mounted Diesel Engine	RENTAL ONLY
20	38-0501D-23 Fork Lift, Diesel Engine, 8,000 Lbs Capacity	

A. EQUIPMENT FOR PURCHASE

2.1 Warranties

Describe any warranties included in this contract. Explain the process for reporting warranty issues and how the Contractor will handle any repairs or replacements.

The State reserves the right to require additional warranties other than those identified by the Contractor in its response to this RFP.

Bobcat Company provides a standard warranty that covers a full 2 years or 2,000 hours of usage, whichever occurs first. Equipment covered under this warranty include Bobcat skid-steer loaders, compact track loaders, compact excavators and large excavators. Coverage includes a 12-month/1000 hours replacement parts warranty (exclusions apply) on the purchase a genuine Bobcat part. Additionally, engine emissions components are protected for 3–5 years, depending on the machine's engine horsepower.

This 2-year/2,000-hour warranty is standard with all Bobcat skid-steer loaders, compact track loaders, compact excavators and large excavators sold on or after Jan. 1, 2019. Bobcat equipment sold through Dec. 31, 2018, is still under the previous standard warranty, which covers 12 months and unlimited hours of usage.

Warranty items are reported and handled through a dealer network. Dealer works with Bobcat Territory Service Manager to work through warranty process.

Repairs and replacement parts are done through the dealer network. Timelines may vary due to supply chain availability.

2.2 Recall Requirements and Procedure

Describe any recall requirements and procedures.

In the event of a Bobcat product recall, all registered owners who are impacted, are notified. Recent consumer product recalls conducted in cooperation with the U.S. Consumer Product Safety Commission. Available at Link: https://www.bobcat.com/na/en/parts-service/service/recalls

2.3 Time Frames

Contractors shall provide information regarding standard and "quick-ship" delivery programs available for each type of equipment. Please provide the delivery time associated with each program and identify shipping program limitations.

All Contract Activities must be delivered within **120** calendar days from receipt of order. The receipt of order date is pursuant to Section 2, Notice provisions of the Standard Contract Terms. Supply chain issues may impact delivery timeframes.

2.4 Delivery

Delivery will be expected within **120** calendar days for special orders and out of stock items, and **30** calendar days for in-stock items, upon date of order. Delivery will be made to the requested location and shall be F.O.B. Delivered or charged on a mileage rate or a one-time charge by Region (see **Schedule E – Prosperity Regions**) per **Schedule B - Pricing.**

The State prefers Delivery terms that would provide unencumbered service with the most competitive rates. The Contractor must select between **A.** or **B.** below for their primary shipping method.

A. F.O.B. Delivered Items

Prices shall be quoted "F.O.B. Delivered" with transportation charges prepaid on ALL orders for State of Michigan and Extended Purchasing Participants. These terms apply to **ALL** locations in the State of Michigan. Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration.

B. F.O.B. Dealership Items

Prices shall be quoted "F.O.B. Dealership" with transportation charges prepaid to the primary Contractor location on all orders for State of Michigan and Extended Purchasing Participants. Contractors must also quote a delivery cost per **Schedule B – Pricing**, to facilitate calculation of delivery cost to various locations within Michigan. The delivery cost per **Schedule B – Pricing,** will be added to the equipment price quoted to determine the "Total Price" for "F.O.B. Dealership" items. Mileage will be calculated based upon the "Official Michigan Department of Transportation Highway Map". Other F.O.B. terms will not be accepted and may disqualify a dealer from further consideration. The State reserves the right to make their own shipping arrangements.

Freight Charges - Should an Agency order items that are below the minimum order requirement of the Contract or should a Contractor quote F.O.B. Shipping Point on one-time purchases, the Contractor should choose the most economically advantageous carrier and must be approved by the using agency.

United Parcel Service (UPS) must be used in instances where the weight of the shipment is less than 150 lbs., or where shipments could be separated into smaller parcels such as three (3) 50 lb. packages.

If the Contractor fails to follow these shipping instructions, the State shall pay the shipping costs on the Contractor's invoice, minus the difference for the amount that was charged and the amount that would have been charged if the requested carrier had been used. The State reserves the right to arrange their own freight.

Contractor's must provide freight deliveries during the following times: 8 am to 3 pm Eastern, Monday through Friday.

2.5 Training

The Contractor must provide the following training:

A comprehensive orientation training shall be provided at delivery or at an alternate time requested by the State. The training shall include equipment operation, maintenance, and inspection practices. Upon request, the Contractor shall provide up to 8 hours of mechanics and operators training to up to eight (8) employees. The training is to be held at each ship to address. The Contractor shall provide unit pricing for training in **Schedule B, Pricing.**

B. EQUIPMENT FOR RENTAL (Optional)

3.1 Specifications

a) The Contractor shall provide equipment for rental that is similar in scope to equipment included in **Schedule D, Specifications.**

b) Brand or trade names referred to herein are for identification purposes only, and do not limit the Contractor to such brands, provided alternates offered are equal in quality and function to those specified.

c) In addition, the Contractor shall provide a complete list of equipment available for rental by category (e.g. loaders, dozers, sweepers, etc.) in **Schedule B – Pricing, Catalog Pricing for Rental.**

The list shall include:

- **i.** Daily, weekly, and monthly rental rates.
- **ii.** Percentage discount offered by category for such rates.
- **iii.** Only listed items that meet these requirements shall be included under this contract.

The Contractor must provide deliverables, including the staffing to accomplish all service incidentals necessary to complete the work, as set forth in this solicitation.

a) The Contractor must provide make and model of all equipment offered for rental. Brand or trade names provided by the Contractor are for identification purposes, and do not limit the Contractor to such brands, provided alternates offered are equal in quality and function to those specified.

b) All rental equipment is to meet or exceed applicable federal and state safety standards as mandated by OSHA, and MIOSHA Motor Carrier Division. This equipment is to meet or exceed applicable American National Standards Institute (ANSI) specifications. The Contractor will provide written documentation guaranteeing compliance with all safety standards.

c) The Contractor shall provide written documentation confirming satisfactory testing on equipment where mandated by law (to include but not limited to: stress testing, dielectric testing, visual inspections) completed by a licensed and reputable testing firm.

d) Rental equipment shall be no more than four (4) years old.

3.2 Availability and Delivery of Equipment

a) All requested orders must be delivered within two (2) calendar days/48 hours after receipt of order.

b) Emergencies will be responded to within one (1) to six (6) hours. Equipment shall be available as both F.O.B. delivered and F.O.B. pick-up.

c) No premium rates will be charged for delivery after normal business hours.

d) Rental equipment items shall be fully fueled and operational at the time of pick-up or delivery.

e) The Contractor will be required to perform a walk-around equipment inspection at the time of delivery and pickup.

f) The Contractor (or their designee) and the Program Manager (or their designee) shall document the inspection by mutual execution of an inspection document provided by the Contractor.

g) The Purchasing Entity is responsible for refueling all rented equipment upon its return.

3.3 Maintenance/Service

a) The Contractor will be responsible for all maintenance/service necessary to maintain satisfactory operation of rental equipment at no cost to the Purchasing Entity.

b) Equipment shall be serviced according to manufacturer specifications. The Contractor shall maintain an equipment schedule for service and retain complete lifetime service records for all equipment.

c) If a repair is needed and requires the piece of equipment to be out of service, the Contractor shall provide a replacement.

d) Contractor will maintain a Dedicated Product Support Department to ensure proper function of rented equipment.

e) On-site maintenance must be performed according to the recommended manufacturer maintenance schedule.

3.4 Training

The Contractor must provide the following training:

An orientation training shall be provided upon request at the time of delivery. The training shall be deemed sufficient by the Purchasing Entity, to include detailed equipment operation and minor maintenance and inspection practices.

C. PARTS, MAINTENANCE & REPAIR

4.1 Parts

Quality of Parts under these specifications should be name brand, nationally advertised merchandise. Equivalent substitutions must be approved by the agency contact person. Aftermarket Repair parts must be equal to or exceed Contractor original equipment manufacturers (OEM) specifications. Repair parts must be packaged and distributed under their respective nationally known name brands.

All rebuilt or remanufactured parts must meet the same requirements as listed above. Some repair parts may be required to be original equipment manufactured repair parts Contractor's dealer network must carry a complete line of OEM parts for all models of equipment they carry. Preservation, packaging, and packing and marking will be in accordance with best commercial practice to provide adequate protection against shipping damage.

4.2 Warranty/Buy Back
Contractors are required to provide any buy-back, trade-in, or exchange policy concerning repair parts sold to Purchasing Entities. Contractor shall correct ordering errors without further cost to the Purchasing Entity. A copy of the Warranty shall be included for replacement parts purchased.

4.3 Maintenance/Repair Facilities
Repair Facilities that will perform the warranty work of items under this Contract shall be identified as the Supplier's dealer network. The manufacturer, whether contracted directly, or associated with the Distributer by certified letter, is responsible for ensuring that the facilities are able to adhere to the contract requirements for warranty work performance.

D. GENERAL REQUIREMENTS

5.1 Incentives
Trade-in program is available to all customers utilizing the contract. Local Dealers will accommodate by providing competitive trade values for new purchases.
Returns will be handled on a case-by-case basis. We will work with customers, dealers, and the state to ensure our products and service meets and/or exceeds the expectations. If issues cannot be resolved replacement will be completed in a timely manner.

Multi-Unit Discount:
Bobcat T770 and T86 Compact Track Loaders:

- 1 Additional – 0%
- 2 Additional – 1%
- 3 Additional – 2%
- 4 or More Additional – 3%

5.2 Transition
Post-Contract Transition: Invoices must be sent within 45 days after expiration of contract. Any invoices received after 45 days will result in a non-payment of invoice.

6.1 Technical Support and Repairs
When providing technical support, the Call Center must resolve the caller's issue within 30 minutes. If the caller's issue cannot be resolved within 2 hours, on-site service must be scheduled. The on-site service must be performed within 36 hours of the time the issue was scheduled for service.

6.2 Reporting

The Contractor must submit to the Contract Administrator or their designee, the following written reports:

a) *Maintenance/service report*
b) *Regional rental report*
c) *Regional purchase report*

By the second Friday of every December, the Contractor must submit a report of recycled content in commodities sold in that calendar year to **the Contract Administrator or their Designee, DTMB Procurement**.

6.3 Meetings

The Contractor must attend the following meetings:

a) Kick-off meeting within 30 calendar days of the Effective Date.
b) The State may request other meetings as it deems appropriate.

7 Staffing

7.1 Contractor Representative

The Contractor must appoint Product Representative specifically assigned to State of Michigan accounts who will respond to State inquiries regarding the Contract Activities, answer questions related to ordering and delivery, etc. (the “Contractor Representative”).

The Contractor must notify the Contract Administrator at least 30 calendar days before removing or assigning a new Contractor Representative.

7.2 Key Personnel

The Contractor must appoint one individual who will be directly responsible for the day-to-day operations of the Contract (“Key Personnel”). Key Personnel must be specifically assigned to the State account, be knowledgeable on the contractual requirements, and respond to State inquiries within 24 hours.

Contractor’s Key Personnel must be available during the following times: 8 am to 5 pm Eastern, Monday through Friday, at a minimum.

The Contractor may not remove or assign Key Personnel without the prior consent of the State. Prior consent is not required for reassignment for reasons beyond the Contractor’s control, including illness, disability, death, leave of absence, personal emergency circumstances, resignation, or termination for cause. The State may request a résumé and conduct an interview before approving a change. The State may require a 30-calendar day training period for replacement personnel.

The Contractor must identify the Key Personnel, indicate where they will be physically located, describe the functions they will perform, and provide current chronological résumés.

Key Personnel:
Nate Dwelle - Government Account Manager
Doosan Bobcat North America, Inc.
250 E Beaton Drive, West Fargo ND
(701) 205-2517
Nate.Dwelle@doosan.com

7.3 Non-Key Personnel

The Contractor must notify the Contract Administrator at least 10-calendar days before removing or assigning non-key personnel.

7.4 Organizational Chart

Org Chart: Michael Ballweber

Michael Ballweber
President NA
16 / 4680

Bradley Claus
Vice President Construction Products
4 / 63

Brady Seavert
Vice President Construction Sales
7 / 54

Kristie Willett
Government Account Manager
4 / 4

Barry Hanson
Government Account Manager

Eric Veidel
Government Account Manager

Kaleb Raines
Sales Support Manager

Nathan Dwelle
Government Account Manager

Corey Waloch
Senior Director - Dealer Accounts
9 / 20

Daniel Stibral
EV Commercial Account Manager

John Funk
Commercial Advisor

Joshua Hegle
National / Key Acct Sales Ops Mgr Sr
4 / 4

Justin Cain
Senior Director - Dealer Accounts
5 / 15

Trent Gaehring
Director - Dealer Accounts
4 / 4

Jessica Staehr
Corporate Events Manager
2 / 2

Julie Portillo
Marketing Manager Product Planning
1 / 1

Matthew Kettner
Director Product Strategy
2 / 2

Adam Collins
Vice President Commercial Solutions
7 / 87

Courtney Fletcher
Vice President Legal & Compliance
6 / 18

Eric Spilde
Vice President Finance
6 / 125

James Flynn
Vice President Operations
9 / 2610

Jeremy Holck
Vice President Grounds Maint Products
6 / 80

Joel Honeyman
Vice President Global Innovation
7 / 53

Jonathan Grandon
Vice President Att, Parts & Service
5 / 194

Lance Mathern
Sr Vice President Industrial Products
8 / 289

Laura Ness Owens
VP NA Marketing; Global Brand & Comm
7 / 72

Nicol Winkelman
Vice President HR NA
5 / 126

Robert Otterson
Vice President Product Management
5 / 55

Russell Honeyman
Vice President Quality Management
7 / 101

Scott Johnson
Director Business Management

Scott Nelson
Sr Director GME Operations
5 / 791

Steven Thompson
Sr Vice President Corp Dev & Transform

7.5 Customer Service Toll-Free Number

The Contractor must specify its toll-free number for the State to contact the Contractor Representative who must be available for calls during the hours of 8 am to 5 pm Eastern Monday through Friday, at a minimum. Identify customer service availability for this proposal by hours and days of the week.

Toll Free: (701) 241-8719

8 am to 5 pm Eastern Monday through Friday

7.6 Technical Support, Repairs and Maintenance

The Contractor must specify its toll-free number for the State to contact the Contractor for technical support, repairs and maintenance. The Contractor must be available for calls and service during the hours of 8 am to 5 pm Eastern Monday through Friday, at a minimum. Identify availability for this proposal by hours and days of the week.

Toll Free: (701) 241-8719

8 am to 5 pm Eastern Monday through Friday

7.7 Disclosure of Subcontractors

If the Contractor intends to utilize subcontractors, the Contractor must disclose the following:

- The legal business name; address; telephone number; a description of subcontractor's organization and the services it will provide; and information concerning subcontractor's ability to provide the Contract Activities.
- The relationship of the subcontractor to the Contractor. Of the total bid, the price of the subcontractor's work. Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.
- A complete description of the Contract Activities that will be performed or provided by the subcontractor.
- **Geographically Disadvantaged Business Enterprise Sub-Contractors:** If contractors plan to utilize subcontractors to perform more than 20% of the deliverables under this contract, at least 20% of that subcontracted work must be awarded to Michigan-based Geographically Disadvantaged Business Enterprises (GDBE). Contractor will submit a plan detailing all subcontractors to be used, including the percentage of the work to be done by each. Contractor must inform the State to the name and address of the GDBE, the percentage of the work they will complete, the total amount estimated to be paid to the GDBE, and provide evidence for their qualifications as a GDBE. If contractor cannot find GDBE subcontractors to meet this requirement they must provide reasoning and justification to receive an exemption from this requirement from the State. (Existing business relationships will not be an approved reason for this.)

  GDBE definition: "Geographically-Disadvantaged Business Enterprise" means a person or entity that satisfies one or more of the following: (i) Is certified as a HUBZone Small Business

Concern by the United States Small Business Administration. (ii) Has a principal place of business located within a Qualified Opportunity Zone within Michigan. (iii) More than half of its employees have a principal residence located within a Qualified Opportunity Zone within Michigan, or both.

Additional information on GDBEs can be found here:

Michigan Qualified Opportunity Zone (QOZ) Map

Michigan Supplier Community (MiSC) Page

Contractor must provide detailed information as requested in the above requirement(s).	
The legal business name, address, telephone number of the subcontractor(s).	NA
A description of subcontractor's organization and the services it will provide and information concerning subcontractor's ability to provide the Contract Activities.	NA
The relationship of the subcontractor to the Contractor.	NA
Is the subcontractor a GDBE?	Choose an item.
Whether the Contractor has a previous working experience with the subcontractor. If yes, provide the details of that previous relationship.	NA
A complete description of the Contract Activities that will be performed or provided by the subcontractor.	NA
Of the total bid, the price of the subcontractor's work.	NA

Contractor must provide information based on the work performed by all subcontractors	
Total percentage of work that will be performed by subcontractors:	NA
Total percentage of subcontracted work that will be performed by GDBE subcontractors:	NA

7.8 Security

The Contractor will be subject the following security procedures:

a) Background checks have/will be conducted accordingly through Corporate and Dealer Networks of corporate and dealer personnel or through specified means of the state entity.

b) Those performing deliveries to State Facilities will carry appropriate identification and any state required credentials.

The Contractor's staff may be required to make deliveries to or enter State facilities. The State may require the Contractor's personnel to wear State issued identification badges.

8 Pricing

8.1 Price Term

Pricing is firm for a 365-day period ("Pricing Period"). The first pricing period begins on the Effective Date. Adjustments may be requested in writing by either party and will take effect no earlier than the next Pricing Period.

8.2 Price Changes

Adjustments will be based on changes in actual Contractor costs. Any request must be supported by written evidence documenting the change in costs. The State may consider sources, such as the Consumer Price Index; Producer Price Index; other pricing indices as needed; economic and industry data; manufacturer or supplier letters noting the increase in pricing; and any other data the State deems relevant.

Following the presentation of supporting documentation, both parties will have 30 days to review the information and prepare a written response. If the review reveals no need for modifications, pricing will remain unchanged unless mutually agreed to by the parties. If the review reveals that changes are needed, both parties will negotiate such changes, for no longer than 30 days, unless extended by mutual agreement.

The Contractor remains responsible for Contract Activities at the current price for all orders received before the mutual execution of a Change Notice indicating the start date of the new Pricing Period.

9 Ordering

9.1 Authorizing Document

The appropriate authorizing document for the Contract will be a purchase order or delivery order.

9.2 Order Verification

The Contractor must have internal controls approved by Central Procurement Services to verify abnormal orders and to ensure that only authorized individuals place orders.

10 Acceptance

10.1 Acceptance, Inspection and Testing

The State will use the following criteria to determine acceptance of the Contract Activities:

a) Equipment shall be delivered in new condition. Damaged equipment will not be accepted. The Contractor will repair or replace the damaged equipment at the Contractor's expense.

b) The Contractor shall provide documentation upon delivery that provides itemized deliverables.

c) Acceptance is not complete for partial deliveries until final deliverables are received.

10.2 Final Acceptance

a) The Contractor shall deliver the equipment. The State, or their designee, shall inspect the equipment and approve acceptance of goods upon delivery.

b) All set-up and/or training and orientation shall be completed.

11 Invoice and Payment

11.1 Invoice Requirements

All invoices submitted to the State must include: (a) date; (b) purchase order; (c) quantity; (d) itemized description of the Contract Activities; (e) unit price; (f) shipping cost (if any); (g) vendor-generated invoice number; and (h) total price.

11.2 Payment Methods

The State will make payment for Contract Activities by EFT.

12 Liquidated Damages

Late or improper completion of the Contract Activities will cause loss and damage to the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, if there is late or improper completion of the Contract Activities the State is entitled to collect liquidated damages in the amount of $5,000. and an additional $100 per day for each day Contractor fails to remedy the late or improper completion of the Work.

Unauthorized Removal of Key Personnel will interfere with the timely and proper completion of the Contract, to the loss and damage of the State, and it would be impracticable and extremely difficult to fix the actual damage sustained by the State. Therefore, the State may assess liquidated damages against Contractor as specified below.

- The State is entitled to collect $500. per individual per day for the removal of any Key Personnel without prior approval of the State.
- The State is entitled to collect $500. per individual per day for an unapproved or untrained key personnel replacement.

13 Additional Requirements

13.1 Environmental and Energy Efficiency Product Standards

The Contractor must identify any energy efficient, bio-based, or otherwise environmentally friendly products used in the products. Contractor must include any relevant third-party certification, including the verification of a United States Department of Agriculture certified bio-based product label.

Contractor must describe how products that meet these requirements are identified or otherwise labelled.

13.2 Hazardous Chemical Identification

In accordance with the federal Emergency Planning and Community Right-to-Know Act, 42 USC 11001, *et seq.*, as amended, the Contractor must provide a Material Safety Data Sheet listing any hazardous chemicals as defined in 40 CFR §370.2, to be delivered. Each hazardous chemical must be properly identified, including any applicable identification number, such as a National Stock Number or Special Item Number.

The Contractor must identify any hazardous chemicals that will be provided under any resulting contract.

13.3 Mercury Content

Pursuant to MCL 18.1261d, mercury-free products must be procured when possible. The Contractor must explain if it intends to provide products containing mercury, the amount or concentration of mercury, and whether cost competitive alternatives exist. If a cost competitive alternative does exist, the Contractor must provide justification as to why the particular product is essential. All products containing mercury must be labeled as containing mercury.

13.4 Brominated Flame Retardants

The State prefers to purchase products that do not contain brominated flame retardants (BFRs) whenever possible. The Contractor must disclose whether the products contain BFRs. Contractor must describe how products that meet these requirements are identified or otherwise labelled.

13.5 Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

The Contractor must confirm that the provided products do not intentionally contain PFAS. This consists of all components of the provided products, including product packaging.

14 Service-Level Agreements (SLAs)

A. The Contractor will be held accountable to meet the requirements and the service level requirements established in this Contract.

B. The State reserves the right to reconsider or amend SLA amounts for split awards should they occur.

Service Level Agreements for this Contract will be as follows:

SLA Metric 1. Timely Deliveries	
Definition and Purpose	The Contractor must ensure that items and quantities delivered are exactly the items, brands, and quantities on the Order Confirmation. No substitutions will be allowed without prior written permission by Program Manager and a Change Notice executed by the Contract Administrator. The entire order will be received on the same day unless a partial delivery has been approved in advance by the Program Manager.

SLA Metric 1. Timely Deliveries	
Acceptable Standard	1. All deliveries must occur in accordance with the approved delivery schedule for each Facility and Facility Receiving hours. See Section 2.4 Delivery. 2. Extenuating circumstances must be communicated by the Contractor to the Program Manager prior to the scheduled delivery date and time. 3. Items, brands, and quantities delivered will match the Order Confirmation exactly. 4. Signed and dated packing slips will be provided to purchasing agency at the time of delivery. 5. The entire order must be delivered on the same day unless a partial delivery has been approved in advance by the Program Manager. 6. Orders not received in their entirety, as determined by a review of the Data Sources, will be considered inaccurate. The acceptable standard is 100% compliance.
Credit Due for Failing to Meet the Service Level Agreements	1. $100.00 may be assessed for each of the first five occurrences of non-compliance in a given calendar year. 2. $500.00 may be assessed beginning with the sixth occurrence of non-compliance and on each occurrence thereafter in a given calendar year. Extenuating circumstances will be reviewed by the Program Manager before any Service Credits are assessed. At the discretion of the State, these credits may be applied toward any payable due to the Contractor or be payable directly to the State. Payments made directly to the state will be completed within 10 days of notice of assessment.

Name	Phone	Fax	Dealer Type
Ellens Equipment, Inc., McBain, MI	231-825-2416	231-825-2292	Full-Line
Bobcat of Motor City East, Chesterfield, MI	586-463-3333	734-421-1671	Full-Line
Midway Rentals, Inc., Negaunee, MI	906-228-4200	906-228-9379	Full-Line
Bobcat of Michiana, Niles, MI	(269) 849-0701	(269) 849-1822	Full-Line
Bobcat of Lansing, Lansing, MI	(517) 394-1155	(517) 394-1550	Full-Line
Midway Rentals, Inc., Kingsford, MI			Full-Line
M32 Enterprises, Gaylord, MI			Full-Line
Diuble Equipment Inc, Ann Arbor, MI	(734) 994-1313	(734) 994-7872	Full-Line
Bobcat of Greenland, Greenland, MI			Full-Line
Bobcat of Lansing, Jackson, MI			Full-Line
Carleton Equipment Co, Kalamazoo, MI	(269) 343-2943	(269) 343-4201	Full-Line/Portable Power
Carleton Eq. Bobcat of Grand Rapids, Byron Center, MI	(616) 877-3388	(616) 877-4737	Full-Line/Portable Power
Carleton Equipment Company Bobcat of Motor City, Livonia, MI	734-421-9999	734-261-9567	Full-Line/Portable Power
Carleton Equipment Bobcat of Saginaw/Flint, Saginaw, MI	(989) 777-6666	(989) 777-3357	Full-Line/Portable Power
Carleton Bobcat of Motor City, Howell, MI			Full-Line/Portable Power
Carleton Equipment Coldwater, Coldwater, MI			Full-Line/Portable Power
River Raisin Powersports, Monroe, MI			GME
Nelson's Speed Shop, Greenville, MI			GME
Tawas Bay Marine & Cycle, Tawas City, MI			GME
All Season Services and Sales, LLC, Harbor Beach, MI			GME
Fitzpatrick's Hardware, Alpena, MI			GME
Lakeside Motorsports, Inc., Mecosta, MI			GME
Grand Rental, Ludington, MI			GME
Great Lakes Rental and Supply, LLC, Durand, MI			GME
J&L Motorsports, Tecumseh, MI			GME
Bennett Powersports, Marlette, MI			GME
West Coast Farm Service, Kaleva, MI			GME
MIDWAY RENTALS, INC, MARQUETTE, MI			Portable Power
ROLAND MACHINERY COMPANY, ESCANABA, MI.	906-786-6920	906-786-5813	Portable Power
TOTAL ENERGY SYSTEMS LLC, WIXOM, MI			Portable Power

Contract 250000000221
Schedule B1 - Pricing

Catalog Pricing For PURCHASE (add lines below as needed)

Item #	EQUIPMENT MAKE & MODEL:	EQUIPMENT CATEGORY	MSRP	% Discount Off MSRP	% Discount Off MSRP if Delivery is Included	Set-Up Fees	TOTAL Cost With Set-up Fees (No Delivery)	1a. Western UP	1b. Central UP	1c. Eastern UP	2. Northwest	3. Northeast	4a. West Central	4b. West Michigan	5. East Central	6. East	7. South Central	8. Southwest	9. Southeast	10. Detroit Metro
	Bobcat Skid Steer Loaders																			
1	S70 Bobcat Skid-Steer Loader	Skid Steer Loader	28,160	22	$21,964.80	$100	$22,064.80	$925	$925	$925	$925	$925	$925	$925	$925	$925	$925	$925	$925	$925
2	S450 T4 V2 Bobcat Skid-Steer Loader	Skid Steer Loader	44,076	22	$34,379.28	$200	$34,579.28	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425
3	S510 T4 V2 Bobcat Skid-Steer Loader	Skid Steer Loader	46,886	22	$36,571.08	$150	$36,721.08	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675
4	S62 T4 Bobcat Skid Steer Loader	Skid Steer Loader	51,308	22	$40,020.24	$150	$40,170.24	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225
5	S590 T4 V2 Bobcat Skid-Steer Loader	Skid Steer Loader	52,021	22	$40,576.38	$150	$40,726.38	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450	$1,450
6	S64 T4 Bobcat Skid Steer Loader	Skid Steer Loader	57,998	22	$45,238.44	$150	$45,388.44	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225	$1,225
7	S66 T4 Bobcat Skid Steer Loader	Skid Steer Loader	59,146	22	$46,133.88	$150	$46,283.88	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050	$1,050
8	S650 T4 Bobcat Skid Steer Loader (Current)	Skid Steer Loader	60,146	22	$46,913.88	$200	$47,113.88	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475
9	S76 T4 Bobcat Skid Steer Loader	Skid Steer Loader	67,444	22	$52,606.32	$200	$52,806.32	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325	$1,325
10	S770 T4 Bobcat Skid-Steer Loader	Skid Steer Loader	75,029	22	$58,522.62	$300	$58,822.62	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425	$1,425
11	S86 T4 Bobcat Skid Steer Loader	Skid Steer Loader	80,623	22	$62,885.94	$300	$63,185.94	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525
	Bobcat Skid Steer Factory Installed Options			22																
	Bobcat Skid Steer Attachments			24		169/hr +PDI														
	Bobcat Compact Track Loaders																			
12	T450 T4 V2 Bobcat Compact Track Loader	Comapct Track Loader	59,057	28	$42,521.04	$200	$42,721.04	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350
13	T550 T4 V2 Bobcat Compact Track Loader	Comapct Track Loader	63,816	28	$45,947.52	$200	$46,147.52	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350
14	T62 T4 Bobcat Compact Track Loader	Comapct Track Loader	65,479	28	$47,144.88	$200	$47,344.88	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525
15	T595 T4 V2 Bobcat Compact Track Loader	Comapct Track Loader	68,513	28	$49,329.36	$200	$49,529.36	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250
16	T64 T4 Bobcat Compact Track Loader	Comapct Track Loader	70,790	28	$50,968.80	$200	$51,168.80	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700	$1,700
17	T66 T4 Bobcat Compact Track Loader	Comapct Track Loader	72,258	28	$52,025.76	$200	$52,225.76	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525	$1,525
18	T650 T4 Bobcat Compact Track Loader (Current)	Comapct Track Loader	79,614	28	$57,322.08	$200	$57,522.08	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475	$1,475
19	T76 T4 Bobcat Compact Track Loader	Comapct Track Loader	88,418	28	$63,660.96	$200	$63,860.96	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675
20	T770 T4 Bobcat Compact Track Loader	Comapct Track Loader	88,703	28	$63,866.16	$300	$64,166.16	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350	$1,350
21	T86 T4 Bobcat Compact Track Loader	Comapct Track Loader	120,753	28	$86,942.16	$300	$87,242.16	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500
	Compact Tract Loader Factory Installed Options			28																
	Bobcat Compact Track Loader Factory Installed Options			28																
	Bobcat Compact Track Loader Attachments			24		169/hr +PDI														
	Bobcat Excavators																			
22	E10 T4 Bobcat Compact Excavator	Compact Excavator	28,924	28	$20,825.28	$150	$20,975.28	$525	$525	$525	$525	$525	$525	$525	$525	$525	$525	$525	$525	$525
23	E20 T4 ZTS Compact Excavator	Compact Excavator	38,025	28	$27,378.00	$200	$27,578.00	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875
24	E20 T4 Bobcat Compact Excavator	Compact Excavator	38,786	28	$27,925.92	$200	$28,125.92	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875
25	E26 R-Series Bobcat Compact Excavator	Compact Excavator	46,706	28	$33,628.32	$200	$33,828.32	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375	$1,375
26	E32 R2-Series Bobcat Compact Excavator	Compact Excavator	54,270	28	$39,074.40	$200	$39,274.40	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250	$1,250
27	E35 25HP R2-Series Bobcat Compact Excavator	Compact Excavator	54,270	28	$39,074.40	$200	$39,274.40	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275
28	E40 R2-Series Bobcat Compact Excavator	Compact Excavator	63,670	28	$45,842.40	$200	$46,042.40	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500	$1,500
29	E35 33HP R2-Series Bobcat Compact Excavator	Compact Excavator	65,358	28	$47,057.76	$200	$47,257.76	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275
30	E38 R2-Series Bobcat Compact Excavator	Compact Excavator	66,012	28	$47,528.64	$200	$47,728.64	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275	$1,275

31	E42 R2-Series Bobcat Compact Excavator	Compact Excavator	66,402	28	$47,809.44	$200	$48,009.44	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625
32	E48 R2-Series Bobcat Compact Excavator	Compact Excavator	70,466	28	$50,735.52	$200	$50,935.52	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625	$1,625
33	E50 R2-Series Bobcat Compact Excavator	Compact Excavator	82,767	28	$59,592.24	$200	$59,792.24	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950
34	E55 R2-Series Bobcat Compact Excavator	Compact Excavator	83,595	28	$60,188.40	$200	$60,388.40	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950	$1,950
35	E60 R2-Series Bobcat Compact Excavator	Compact Excavator	91,019	28	$65,533.68	$250	$65,783.68	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000	$2,000
36	E88 R2-Series Bobcat Compact Excavator	Compact Excavator	126,470	28	$91,058.40	$300	$91,358.40	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100	$3,100
37	E145 Bobcat Excavator	Large Excavator	213,917	24	$162,576.92	$300	$162,876.92	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300
38	E165 Bobcat Excavator	Large Excavator	218,133	24	$165,781.08	$300	$166,081.08	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300	$5,300
	Bobcat Compact Excavator Factory Installed Options			28																
	Bobcat Large Excavator Factory Installed Options			24																
	Bobcat Excavator Attachments			24		169/hr +PDI														
	Bobcat UTVs																			
39	UV34 Gas Utility Vehicle	Utility Vehicles	19,262	20	$15,409.60	$100	$15,509.60	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420
40	UV34XL Gas Utility Vehicle	Utility Vehicles	20,349	20	$16,279.20	$100	$16,379.20	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520

41	UV34 Diesel Utility Vehicle	Utility Vehicles	20,924	20	$16,739.20	$100	$16,839.20	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420	$1,420
42	UV34XL Diesel Utility Vehicle	Utility Vehicles	21,387	20	$17,109.60	$100	$17,209.60	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520	$1,520
	Bobcat UTV Factory Installed Options			20																
	Bobcat Toolcat Utility Work Machines																			
43	Bobcat UW56	Toolcat™ Utility Work Machines	80,580	15	$68,493.00	$150	$68,643.00	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400	$1,400
44	Bobcat UW53	Toolcat™ Utility Work Machines	95,040	15		$150	$150.00	$975	$975	$975	$975	$975	$975	$975	$975	$975	$975	$975	$975	$975
	Bobcat Toolcat Utility Work Machines Factory Installed Options			15																
	Bobcat Toolcat Attachments			24		169/hr +PDI														
	Bobcat Versa-handlers																			
45	Bobcat TL519	Telehandlers	102,564	24	$77,948.64	$300	$78,248.64	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125
46	Bobcat TL619	Telehandlers	107,754	24	$81,893.04	$300	$82,193.04	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125	$2,125
47	Bobcat TL623	Telehandlers	116,398	24	$88,462.48	$300	$88,762.48	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200	$2,200
48	Bobcat TL723	Telehandlers	134,454	24	$102,185.04	$300	$102,485.04	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075	$3,075
49	Bobcat TL923	Telehandlers	147,679	24	$112,236.04	$300	$112,536.04	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800	$3,800
	Bobcat Versa-Handler Factory Installed Options			24																
	Bobcat Versa-Handlers Attachments			24		169/hr +PDI														
	Bobcat Small Articulated Loaders																			
50	Bobcat L23 Small Articulated Loader	Small Articulating Loaders (SAL)	40,788	24	$30,998.88	$150	$31,148.88	$850	$850	$850	$850	$850	$850	$850	$850	$850	$850	$850	$850	$850
51	Bobcat L28 Small Articulated Loader	Small Articulating Loaders (SAL)	47,789	24	$36,319.64	$150	$36,469.64	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875	$875
	Bobcat Articulated Loaders Factory Installed Options			24																
	Bobcat Articulated Loaders Attachments			24		169/hr +PDI														
	Bobcat Mini Track Loader																			
52	MT100 Mini Track Loader	Mini Track Loaders (MTL)	39,284	24	$29,855.84	$100	$29,955.84	$725	$725	$725	$725	$725	$725	$725	$725	$725	$725	$725	$725	$725
	Bobcat Mini Track Loader Factory Installed Options			24																
	Bobcat Mini Track Loader Attachments			24		169/hr +PDI														
	Bobcat Backhoe Loader																			
53	B760 T4 Bobcat Backhoe Loader	Backhoe Loaders	112,317	24	$85,360.92	$300	$85,660.92	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300
	Bobcat Backhoe Loader Factory Installed Options			24																
	Bobcat Backhoe Loader Attachments			24		169/hr +PDI														
	Bobcat Compact Wheel Loaders																			
54	Bobcat L65 Compact Wheel Loader	Compact Wheel Loaders (CWL)	80,673	24	$61,311.48	$200	$61,511.48	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850	$1,850
55	Bobcat L85 Compact Wheel Loader	Compact Wheel Loaders (CWL)	95,663	24	$72,703.88	$200	$72,903.88	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500
56	Bobcat L95 Compact Wheel Loader	Compact Wheel Loaders (CWL)	100,924	24	$76,702.24	$200	$76,902.24	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500	$2,500
	Bobcat Articulated Loaders Factory Installed Options			24																
	Bobcat Articulated Loaders Attachments			24		169/hr +PDI														
	Bobcat Compact Tractors																			
57	CT1021 Compact Tractor HST	Compact Tractors	13,985	20	$11,188.00	$150	$11,338.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
58	CT1025 Compact Tractor HST	Compact Tractors	15,929	20	$12,743.20	$150	$12,893.20	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
59	CT2025 Compact Tractor MST	Compact Tractors	19,023	20	$15,218.40	$150	$15,368.40	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
60	CT2025 Compact Tractor MST	Compact Tractors	19,023	20	$15,218.40	$150	$15,368.40	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840

61	CT2025 Compact Tractor HST	Compact Tractors	20,612	20	$16,489.60	$150	$16,639.60	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
62	CT2025 Compact Tractor HST	Compact Tractors	20,612	20	$16,489.60	$150	$16,639.60	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
63	CT2035 Compact Tractor MST	Compact Tractors	24,485	20	$19,588.00	$150	$19,738.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
64	CT2035 Compact Tractor MST	Compact Tractors	24,485	20	$19,588.00	$150	$19,738.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
65	CT2040 Compact Tractor MST	Compact Tractors	25,142	20	$20,113.60	$150	$20,263.60	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
66	CT2040 Compact Tractor MST	Compact Tractors	25,142	20	$20,113.60	$150	$20,263.60	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
67	CT2035 Compact Tractor HST	Compact Tractors	26,134	20	$20,907.20	$150	$21,057.20	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
68	CT2035 Compact Tractor HST	Compact Tractors	26,134	20	$20,907.20	$150	$21,057.20	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
69	CT2040 Compact Tractor HST	Compact Tractors	26,820	20	$21,456.00	$150	$21,606.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
70	CT2040 Compact Tractor HST	Compact Tractors	26,820	20	$21,456.00	$150	$21,606.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
71	CT4045 Compact Tractor SST	Compact Tractors	28,977	20	$23,181.60	$150	$23,331.60	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
72	CT4045 Compact Tractor - SST	Compact Tractors	28,977	20	$23,181.60	$150	$23,331.60	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
73	CT4050 Compact Tractor SST	Compact Tractors	30,459	20	$24,367.20	$150	$24,517.20	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
74	CT4050 Compact Tractor - SST	Compact Tractors	30,459	20	$24,367.20	$150	$24,517.20	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
75	CT4055 Compact Tractor SST	Compact Tractors	31,941	20	$25,552.80	$150	$25,702.80	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
76	CT4055 Compact Tractor - SST	Compact Tractors	31,941	20	$25,552.80	$150	$25,702.80	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
77	CT4045 Compact Tractor HST	Compact Tractors	32,103	20	$25,682.40	$150	$25,832.40	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
78	CT4045 Compact Tractor - HST	Compact Tractors	32,103	20	$25,682.40	$150	$25,832.40	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
79	CT4050 Compact Tractor HST	Compact Tractors	35,845	20	$28,676.00	$150	$28,826.00	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
80	CT4050 Compact Tractor - HST	Compact Tractors	35,845	20	$28,676.00	$150	$28,826.00	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
81	CT2535 Compact Tractor HST	Compact Tractors	38,100	20	$30,480.00	$150	$30,630.00	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
82	CT4058 Compact Tractor HST	Compact Tractors	38,202	20	$30,561.60	$150	$30,711.60	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
83	CT4058 Compact Tractor - HST	Compact Tractors	38,202	20	$30,561.60	$150	$30,711.60	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905	$905
84	CT2540 Compact Tractor HST	Compact Tractors	40,017	20	$32,013.60	$150	$32,163.60	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840	$840
85	CT5545 Compact Tractor eHST	Compact Tractors	43,559	20	$34,847.20	$150	$34,997.20	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034
86	CT5550 Compact Tractor eHST	Compact Tractors	46,244	20	$36,995.20	$150	$37,145.20	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034
87	CT5555 Compact Tractor eHST	Compact Tractors	48,650	20	$38,920.00	$150	$39,070.00	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034
88	CT5558 Compact Tractor eHST	Compact Tractors	52,186	20	$41,748.80	$150	$41,898.80	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034	$1,034
89	UT6573 Utility Tractor	Utility Tractors	56,843	20	$45,474.40	$150	$45,624.40	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200
90	UT6566 Utility Tractor	Utility Tractors	54,354	20	$43,483.20	$150	$43,633.20	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200
91	UT6066 Utility Tractor	Utility Tractors	44,866	20	$35,892.80	$150	$36,042.80	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200	$1,200
	Bobcat Compact Tractors Factory Installed Options			20																
	Bobcat Compact Tractors Attachments			24		169/hr +PDI														
	Bobcat Articulating Tractor																			
92	AT450 Bobcat Articulating Tractor	Articulating Tractors	28,049	16	$23,561.16	$150	$23,711.16	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401
	Bobcat Articulating Tractors Options, Attachments & Implements			16																
	Steiner Tractors																			
93	450-25 - Tractor	Articulating Tractors	27,099	16	$22,763.16	$150	$22,913.16	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401
94	450-32 - Tractor	Articulating Tractors	27,299	16	$22,931.16	$150	$23,081.16	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401
95	450-37 - Tractor	Articulating Tractors	24,799	16	$20,831.16	$150	$20,981.16	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401	$401
	Steiner Options, Attachments & Implements			16		169/hr														
	Bobcat Mowers																			
96	ZT2042SA - ZT2000 Zero Turn Riding Mowers	Mowers	5,419	20	$4,335.20	$50	$4,385.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
97	ZT2000 Zero Turn Riding Mower	Mowers	5,419	20	$4,335.20	$50	$4,385.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
98	ZT2048SA - ZT2000 Zero Turn Riding Mower	Mowers	5,579	20	$4,463.20	$50	$4,513.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175

99	ZT2052SB - ZT2000 Zero Turn Riding Mower	Mowers	5,799	20	$4,639.20	$50	$4,689.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
100	WB0736ST - WB700 Walk-Behind Commercial Mower	Mowers	7,419	20	$5,935.20	$50	$5,985.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
101	ZT3048SC - ZT3000 Zero Turn Riding Mower	Mowers	7,429	20	$5,943.20	$50	$5,993.20	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233
102	ZT3000 Zero Turn Riding Mower	Mowers	7,429	20	$5,943.20	$50	$5,993.20	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233
103	ZT3052SD - ZT3000 Zero Turn Riding Mower	Mowers	7,659	20	$6,127.20	$50	$6,177.20	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233
104	WB0748SU - WB700 Walk-Behind Commercial Mower	Mowers	7,999	20	$6,399.20	$50	$6,449.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
105	ZT3061SE - ZT3000 Zero Turn Riding Mower	Mowers	7,999	20	$6,399.20	$50	$6,449.20	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233	$233
106	WB0752SV - WB700 Walk-Behind Commercial Mower	Mowers	8,569	20	$6,855.20	$50	$6,905.20	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175	$175
107	ZT3548SF - ZT3500 Zero Turn Riding Mower	Mowers	9,319	20	$7,455.20	$50	$7,505.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
108	ZT3500 Zero Turn Riding Mower	Mowers	9,319	20	$7,455.20	$50	$7,505.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
109	ZT3552SG - ZT3500 Zero Turn Riding Mower	Mowers	9,549	20	$7,639.20	$50	$7,689.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
110	ZS4036SJ - ZS4000 Zero Turn Stand-On Mower	Mowers	9,699	20	$7,759.20	$50	$7,809.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
111	ZT3561SH - ZT3500 Zero Turn Riding Mower	Mowers	9,919	20	$7,935.20	$50	$7,985.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
112	ZS4048SF - ZS4000 Zero Turn Stand-On Mower	Mowers	10,349	20	$8,279.20	$50	$8,329.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
113	ZT5000 Zero Turn Riding Mower	Mowers	10,699	20	$8,559.20	$50	$8,609.20	$340	$340	$340	$340	$340	$340	$340	$340	$340	$340	$340	$340	$340
114	ZS4052SK - ZS4000 Zero Turn Stand-On Mower	Mowers	11,409	20	$9,127.20	$50	$9,177.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
115	ZS4061SK - ZS4000 Zero Turn Stand-On Mower	Mowers	11,749	20	$9,399.20	$50	$9,449.20	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298	$298
116	ZT6161SM - ZT6100 Zero Turn Riding Mower	Mowers	12,269	20	$9,815.20	$50	$9,865.20	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382
117	ZT6052SL - ZT6000 Zero Turn Riding Mower	Mowers	12,399	20	$9,919.20	$50	$9,969.20	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382
118	ZT6061SL - ZT6000 Zero Turn Riding Mower	Mowers	12,789	20	$10,231.20	$50	$10,281.20	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382
119	ZT6161SN - ZT6100 Zero Turn Riding Mower	Mowers	14,199	20	$11,359.20	$50	$11,409.20	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382
120	ZT7061SP - ZT7000 Zero Turn Riding Mower	Mowers	15,449	20	$12,359.20	$50	$12,409.20	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453
121	ZT7061SW - ZT7000 Zero Turn Riding Mower	Mowers	16,519	20	$13,215.20	$50	$13,265.20	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453
122	ZT7072SP - ZT7000 Zero Turn Riding Mower	Mowers	16,689	20	$13,351.20	$50	$13,401.20	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453
123	ZT7072SW - ZT7000 Zero Turn Riding Mower	Mowers	17,639	20	$14,111.20	$50	$14,161.20	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453	$453
124	ZT6000e Zero Turn Riding Mower	Electric Mowers	39,199	20	$31,359.20	$50	$31,409.20	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382	$382
	Mower Factory Installed Options			20																
	Mower Attachments			24		169/hr														
	Ryan/Bobcat Turf Equipment																			
125	RENOTHIN V HONDA FIXED BLADE, 5.5HP*	Rake	2,109	16	$1,771.56	$50	$1,821.56	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
126	RENOTHIN V HONDA FLAIL, 5.5HP*	Rake	2,109	16	$1,771.56	$50	$1,821.56	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
127	RENOTHIN V HONDA SPRING TINE, 5.5HP*	Rake	2,109	16	$1,771.56	$50	$1,821.56	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
128	RYAN LAWNAIRE IV EST B&S VNGRD, 6.5HP*	Aerators	3,529	16	$2,964.36	$50	$3,014.36	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91
129	RYAN-LAWNAIRE IV-EST, HONDA GX120, 4.0HP*	Aerators	3,529	16	$2,964.36	$50	$3,014.36	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91
130	RYAN, LAWNAIRE IV EST, HONDA GX120, EU	Aerators	3,829	16	$3,216.36	$50	$3,266.36	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
131	RYAN-LAWNAIRE TOW 36"	Aerators	3,839	16	$3,224.76	$50	$3,274.76	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
132	RYAN LAWNAIRE V EST B&S VNGRD, 6.5HP*	Aerators	3,979	16	$3,342.36	$50	$3,392.36	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91
133	RYAN-LAWNAIRE V-EST, HONDA GX120, 4.0HP*	Aerators	3,979	16	$3,342.36	$50	$3,392.36	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91	$91
134	RYAN, LAWNAIRE V EST, HONDA GX120 EU	Aerators	4,309	16	$3,619.56	$50	$3,669.56	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
135	RYAN, JR. SOD CTR 12" Honda GX160, EU	Sod Cutters	5,499	16	$4,619.16	$50	$4,669.16	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
136	RYAN-JR SODCTR 12, HONDA GX160, 5.5HP*	Sod Cutters	5,539	16	$4,652.76	$50	$4,702.76	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
137	RYAN-JR SODCTR 18, B&S VNGD, 6.5HP*	Sod Cutters	5,669	16	$4,761.96	$50	$4,811.96	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
138	RYAN-JR SODCTR 18, HONDA GX160, 5.5HP*	Sod Cutters	5,669	16	$4,761.96	$50	$4,811.96	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
139	RYAN JR. SOD CTR 18" Honda GX160, EU	Sod Cutters	5,929	16	$4,980.36	$50	$5,030.36	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0

140	RYAN-TRACAIRE, 3PT, 72, CAT 1	Aerators	5,879	16	$4,938.36	$50	$4,988.36	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168
141	RYAN-MATAWAY, HONDA GX390, 11.7HP*	Rake	5,999	16	$5,039.16	$50	$5,089.16	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
142	RYAN-HYDRO JR., 18" Honda, EU	Overseeder	6,289	16	$5,282.76	$50	$5,332.76	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
143	RYAN-HYDRO-JR 18, HONDA	Overseeder	6,549	16	$5,501.16	$50	$5,551.16	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
144	RYAN-HYDRO-JR 24, HONDA	Overseeder	7,239	16	$6,080.76	$50	$6,130.76	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111	$111
145	RYAN-MATAWAY OVSDR, HONDA GX390, 11.7HP*	Rake	9,399	16	$7,895.16	$50	$7,945.16	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168
146	RYAN-RENOVAIRE TOW 72"	Aerators	9,999	16	$8,399.16	$50	$8,449.16	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168	$168
147	RYAN-LAWNAIRE, ZTS, 15.0HP*	Aerators	12,999	16	$10,919.16	$50	$10,969.16	$246	$246	$246	$246	$246	$246	$246	$246	$246	$246	$246	$246	$246
	Ryan Options and Attachments	Turf Equipment		16		169/hr+PDI														
	Bobcat Compaction Equipment																			
148	RP60	Light Compaction - Rammer	4,617	36	$2,954.88		$2,954.88	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
149	RP68	Light Compaction - Rammer	4,877	36	$3,121.28		$3,121.28	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
150	FP10.13	Light Compaction - Forward Plates	2,658	36	$1,701.12		$1,701.12	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
151	FP15.40	Light Compaction - Forward Plates	3,160	36	$2,022.40		$2,022.40	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
152	FP15.50	Light Compaction - Forward Plates	3,525	36	$2,256.00		$2,256.00	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
153	RP22.40	Light Compaction - Reversible Plates	6,716	36	$4,298.24		$4,298.24	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
154	RP30.50	Light Compaction - Reversible Plates	8,635	36	$5,526.40		$5,526.40	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
155	RP49.20	Light Compaction - Reversible Plates	17,989	36	$11,512.96		$11,512.96	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160	$160
156	TR75	Light Compaction - Trench Roller	60,778	36	$38,897.92		$38,897.92	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410
	Doosan Portable Power																			
	Air Compressors																			
157	PA185WDO-T4F	Portable Air Compressor	35,543	36	$22,747.52		$22,747.52	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410
158	PA185VWDO-T4F	Portable Air Compressor	40,710	36	$26,054.40		$26,054.40	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410
159	PA185VPWDO-T4F	Portable Air Compressor	51,275	36	$32,816.00		$32,816.00	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410
160	PA185UWDO-T4F	Portable Air Compressor	45,508	36	$29,125.12		$29,125.12	$300	$300	$300	$300	$300	$300	$300	$300	$300	$300	$300	$300	$300
161	PA250VWDO-T4F	Portable Air Compressor	51,275	36	$32,816.00		$32,816.00	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410	$410
162	PA425VWCU-T4F	Portable Air Compressor	96,228	36	$61,585.92		$61,585.92	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770
163	PA450VPWCU-T4F	Portable Air Compressor	109,302	36	$69,953.28		$69,953.28	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770	$770
164	PA825VWCU-T4F	Portable Air Compressor	192,763	36	$123,368.32		$123,368.32	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005	$1,005
165	PA915WCU-T4F	Portable Air Compressor	247,120	36	$158,156.80		$158,156.80	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675
166	PA1600VPWCAT-T4F	Portable Air Compressor	392,050	36	$250,912.00		$250,912.00	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895
167	PA1600VPWCU-T4F	Portable Air Compressor	392,050	36	$250,912.00		$250,912.00	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895

168	PA750PWCU-T4F	Portable Air Compressor	316,705	36	$202,691.20		$202,691.20	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675
169	PA1170PWCAT-T4F	Portable Air Compressor	405,655	36	$259,619.20		$259,619.20	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895	$1,895
	Generators																			
170	PG25WDO-3A-T4F	Portable Generator	47,245	36	$30,236.80		$30,236.80	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465
171	PG40WDO-3A-T4F	Portable Generator	55,728	36	$35,665.92		$35,665.92	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465
172	PG50WDO-3A-T4F	Portable Generator	57,657	36	$36,900.48		$36,900.48	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465	$465
173	PG70WDO-3A-T4F	Portable Generator	90,685	36	$58,038.40		$58,038.40	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015
174	PG100WCU-3A-T4F	Portable Generator	106,015	36	$67,849.60		$67,849.60	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015
175	PG125WCU-3A-T4F	Portable Generator	127,182	36	$81,396.48		$81,396.48	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015
176	PG150WCU-3A-T4F	Portable Generator	153,698	36	$98,366.72		$98,366.72	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015	$1,015
177	PG190WCU-3A-T4F	Portable Generator	189,258	36	$121,125.12		$121,125.12	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515
178	PG240WCU-3A-T4F	Portable Generator	205,733	36	$131,669.12		$131,669.12	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515	$1,515
179	PG325WCU-3A-T4F	Portable Generator	250,710	36	$160,454.40		$160,454.40	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675	$1,675
180	PG400WCU-3B-T4F	Portable Generator	280,130	36	$179,283.20		$179,283.20	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785	$1,785
181	PG570WCU-2B-T4F	Portable Generator	392,958	36	$251,493.12		$251,493.12	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890	$1,890
	Light Towers																			
182	PL65WKBT-60HZ-T4F	Portable Light Tower	18,167	36	$11,626.67		$11,626.67	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285
183	PL80WKBT-60HZ-T4F	Portable Light Tower	19,023	36	$12,174.93		$12,174.93	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285	$285
	Doosan Industrial Vehical - Forklifts																			
	Electric Forklifts																			
184	Doosan B15T-7 3000lbs	Electric Forklift	28,285	22	$22,062.11		$22,062.11	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
185	Doosan B18T-7 3500lbs	Electric Forklift	29,283	22	$22,840.46		$22,840.46	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
186	Doosan B20T-7 4000lbs	Electric Forklift	30,326	22	$23,654.13		$23,654.13	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
187	Doosan BC15S-5 3500lbs	Electric Forklift	27,029	22	$21,082.59		$21,082.59	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
188	Doosan BC18S-5 3500lbs	Electric Forklift	27,945	22	$21,797.32		$21,797.32	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
189	Doosan BC20SC-5 4000lbs	Electric Forklift	28,499	22	$22,229.19		$22,229.19	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
190	Doosan BC20S-7 4000lbs	Electric Forklift	30,771	22	$24,001.02		$24,001.02	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
191	Doosan BC25S-7 5500lbs	Electric Forklift	30,771	22	$24,001.02		$24,001.02	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
192	Doosan BC30S-7 6000lbs	Electric Forklift	33,985	22	$26,508.11		$26,508.11	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
193	Doosan BC32S-7 65000lbs	Electric Forklift	36,443	22	$28,425.27		$28,425.27	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
194	Doosan B15SU-9 3000lbs	Electric Forklift	33,819	22	$26,378.79		$26,378.79	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
195	Doosan B18SU-9 3500lbs	Electric Forklift	35,058	22	$27,345.17		$27,345.17	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
196	Doosan B20SU-9 4000lbs	Electric Forklift	36,010	22	$28,087.81		$28,087.81	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
197	Doosan B16X-7-80V 3200lbs	Electric Forklift	29,923	22	$23,339.66		$23,339.66	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
198	Doosan B18X-7-80V 3600lbs	Electric Forklift	31,486	22	$24,559.34		$24,559.34	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
199	Doosan B20X-7-80V 4000lbs	Electric Forklift	32,363	22	$25,243.27		$25,243.27	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
200	Doosan B25X-7-80V 5000lbs	Electric Forklift	41,346	22	$32,249.73		$32,249.73	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
201	Doosan B30X-7-80V 6000lbs	Electric Forklift	45,876	22	$35,783.54		$35,783.54	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
202	Doosan B35X-7-80V 7000lbs	Electric Forklift	48,291	22	$37,667.04		$37,667.04	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
203	Doosan B40X-7-80V 8000lbs	Electric Forklift	59,263	24	$45,039.62		$45,039.62	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
204	Doosan B45X-7-80V 9000lbs	Electric Forklift	62,784	24	$47,715.62		$47,715.62	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
205	Doosan B50X-7-80V 10,000lbs	Electric Forklift	66,486	24	$50,529.22		$50,529.22	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
206	Doosan BR18SP-7 plus 3500lbs	Electric Forklift	38,497	22	$30,027.96		$30,027.96	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
207	Doosan BR20SP-7 plus 4000lbs	Electric Forklift	40,426	22	$31,532.13		$31,532.13	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
208	Doosan B15OP-9 3000lbs	Electric Forklift	29,635	22	$23,115.52		$23,115.52	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095

209	Doosan BER30-9 6000lbs	Electric Forklift	14,255	22	$11,119.00		$11,119.00	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
210	Doosan BER40-9 8000lbs	Electric Forklift	14,828	22	$11,565.79		$11,565.79	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
211	Doosan BWC33S-7 65000lbs	Electric Forklift	9,356	25	$7,016.84		$7,016.84	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
212	Doosan BW23S-7 45000lbs	Electric Forklift	4,053	25	$3,039.57		$3,039.57	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
213	Doosan BWS17S-7 3300lbs	Electric Forklift	10,167	25	$7,625.39		$7,625.39	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
214	Doosan BWP17S-7 3300lbs	Electric Forklift	18,386	25	$13,789.57		$13,789.57	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
215	Doosan BWT45S-7 10,000lbs tow	Electric Forklift	8,002	25	$6,001.80		$6,001.80	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
216	Doosan BUV03S-7 600lbs capacity	Electric Forklift	3,695	25	$2,771.10		$2,771.10	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
217	Doosan BSC05S-7 900lbs capacity	Electric Forklift	6,010	25	$4,507.26		$4,507.26	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
218	Doosan BBC23S-7 4400lbs capacity	Electric Forklift	14,569	25	$10,927.03		$10,927.03	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
219	Doosan BBC28S-7 6600lbs capacity	Electric Forklift	15,011	25	$11,258.51		$11,258.51	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
	Required Electric Forklift Accessory - Battery/Charger																			
220	Doosan B15T-7 3000lbs	Electric Forklift Accessory	6,753	0	$6,753.00		$6,753	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
221	Doosan B18T-7 3500lbs	Electric Forklift Accessory	7,902	0	$7,902.00		$7,902	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
222	Doosan B20T-7 4000lbs	Electric Forklift Accessory	7,900	0	$7,900.00		$7,900	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
223	Doosan BC15S-5 3500lbs	Electric Forklift Accessory	7,301	0	$7,301.00		$7,301	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
224	Doosan BC18S-5 3500lbs	Electric Forklift Accessory	7,301	0	$7,301.00		$7,301	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
225	Doosan BC20SC-5 4000lbs	Electric Forklift Accessory	7,301	0	$7,301.00		$7,301	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
226	Doosan BC20S-7 4000lbs	Electric Forklift Accessory	9,294	0	$9,294.00		$9,294	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
227	Doosan BC25S-7 5500lbs	Electric Forklift Accessory	9,294	0	$9,294.00		$9,294	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
228	Doosan BC30S-7 6000lbs	Electric Forklift Accessory	10,689	0	$10,689.00		$10,689	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
229	Doosan BC32S-7 65000lbs	Electric Forklift Accessory	10,689	0	$10,689.00		$10,689	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
230	Doosan B15SU-9 3000lbs	Electric Forklift Accessory	6,870	0	$6,870.00		$6,870	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
231	Doosan B18SU-9 3500lbs	Electric Forklift Accessory	7,640	0	$7,640.00		$7,640	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
232	Doosan B20SU-9 4000lbs	Electric Forklift Accessory	8,519	0	$8,519.00		$8,519	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
233	Doosan B16X-7-80V 3200lbs	Electric Forklift Accessory	7,873	0	$7,873.00		$7,873	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
234	Doosan B18X-7-80V 3600lbs	Electric Forklift Accessory	7,873	0	$7,873.00		$7,873	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
235	Doosan B20X-7-80V 4000lbs	Electric Forklift Accessory	7,873	0	$7,873.00		$7,873	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
236	Doosan B25X-7-80V 5000lbs	Electric Forklift Accessory	12,378	0	$12,378.00		$12,378	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
237	Doosan B30X-7-80V 6000lbs	Electric Forklift Accessory	12,491	0	$12,491.00		$12,491	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
238	Doosan B35X-7-80V 7000lbs	Electric Forklift Accessory	12,491	0	$12,491.00		$12,491	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0

239	Doosan B40X-7-80V 8000lbs	Electric Forklift Accessory	15,563	0	$15,563.00		$15,563	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
240	Doosan B45X-7-80V 9000lbs	Electric Forklift Accessory	15,563	0	$15,563.00		$15,563	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
241	Doosan B50X-7-80V 10,000lbs	Electric Forklift Accessory	15,563	0	$15,563.00		$15,563	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
242	Doosan BR18SP-7 plus 3500lbs	Electric Forklift Accessory	6,870	0	$6,870.00		$6,870	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
243	Doosan BR20SP-7 plus 4000lbs	Electric Forklift Accessory	6,870	0	$6,870.00		$6,870	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
244	Doosan B15OP-9 3000lbs	Electric Forklift Accessory	5,709	0	$5,709.00		$5,709	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
245	Doosan BER30-9 6000lbs	Electric Forklift Accessory	4,060	0	$4,060.00		$4,060	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
246	Doosan BER40-9 8000lbs	Electric Forklift Accessory	4,060	0	$4,060.00		$4,060	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
247	Doosan BWC33S-7 65000lbs	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
248	Doosan BW23S-7 45000lbs	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
249	Doosan BWS17S-7 3300lbs	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
250	Doosan BWP17S-7 3300lbs	Electric Forklift Accessory	3,668	0	$3,668.00		$3,668	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
251	Doosan BWT45S-7 10,000lbs tow	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
252	Doosan BUV03S-7 600lbs capacity	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
253	Doosan BSC05S-7 900lbs capacity	Electric Forklift Accessory	INCLUDED	0	INCLUDED		INCLUDED	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
254	Doosan BBC23S-7 4400lbs capacity	Electric Forklift Accessory	1,162	0	$1,162.00		$1,162	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
255	Doosan BBC28S-7 6600lbs capacity	Electric Forklift Accessory	1,162	0	$1,162.00		$1,162	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
	LP Gas Forklifts																			
256	Doosan GC15S-9 3000lbs	LP Gas Forklift	28,942	22	$22,574.85	$0.00	$22,574.85	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
257	Doosan GC18S-9 3500lbs	LP Gas Forklift	29,689	22	$23,157.39	$0.00	$23,157.39	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
258	Doosan GC20SC-9 4000lbs	LP Gas Forklift	30,469	22	$23,765.79	$0.00	$23,765.79	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
259	Doosan GC20S-9 4000lbs	LP Gas Forklift	31,811	22	$24,812.22	$0.00	$24,812.22	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
260	Doosan GC25S-9 5000lbs	LP Gas Forklift	32,983	22	$25,726.88	$0.00	$25,726.88	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
261	Doosan GC30S-9 6000lbs	LP Gas Forklift	37,327	22	$29,114.95	$0.00	$29,114.95	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
262	Doosan GC33S-9 6500lbs	LP Gas Forklift	39,293	22	$30,648.68	$0.00	$30,648.68	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
263	Doosan GC35S -9 8000lbs	LP Gas Forklift	54,844	22	$42,778.09	$0.00	$42,778.09	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
264	Doosan GC45S-9 10,000lbs	LP Gas Forklift	63,458	22	$49,497.18	$0.00	$49,497.18	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
265	Doosan GC55C-9 12,000lbs	LP Gas Forklift	68,156	22	$53,161.54	$0.00	$53,161.54	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
266	Doosan GC35BCS-9 8000lbs	LP Gas Forklift	57,994	22	$45,235.51	$0.00	$45,235.51	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
267	Doosan GC45BCS-9 10,000lbs	LP Gas Forklift	68,432	22	$53,377.07	$0.00	$53,377.07	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
268	Doosan GC55BCS-9 12,000lbs	LP Gas Forklift	76,956	22	$60,025.95	$0.00	$60,025.95	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
269	Doosan G15S-5LP 3000lbs	LP Gas Forklift	29,356	22	$22,897.94	$0.00	$22,897.94	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
270	Doosan G18S-5LP 3500lbs	LP Gas Forklift	30,699	22	$23,945.19	$0.00	$23,945.19	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875
271	Doosan G20SC-5LP 4000lbs	LP Gas Forklift	32,015	22	$24,971.51	$0.00	$24,971.51	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875	$1,875

272	Doosan G20E-7 4000lbs	LP Gas Forklift	32,059	22	$25,006.40	$0.00	$25,006.40	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
273	Doosan G25E-7 5000lbs	LP Gas Forklift	33,619	22	$26,222.79	$0.00	$26,222.79	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
274	Doosan G30E-7 6000lbs	LP Gas Forklift	36,776	22	$28,685.13	$0.00	$28,685.13	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
275	Doosan G33E-7 6500lbs	LP Gas Forklift	38,635	22	$30,135.52	$0.00	$30,135.52	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
276	Doosan G35EC-7 7000lbs	LP Gas Forklift	40,572	22	$31,645.85	$0.00	$31,645.85	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
277	Doosan G35S-7 8000lbs	LP Gas Forklift	55,253	24	$41,992.02	$0.00	$41,992.02	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
278	Doosan G40S-7 9000lbs	LP Gas Forklift	58,495	24	$44,456.42	$0.00	$44,456.42	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
279	Doosan G45S-7 10,000lbs	LP Gas Forklift	63,877	24	$48,546.42	$0.00	$48,546.42	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
280	DoosanG50C-7 11,000lbs	LP Gas Forklift	64,502	24	$49,021.22	$0.00	$49,021.22	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
281	Doosan G55C-7 12,000lbs	LP Gas Forklift	68,527	24	$52,080.82	$0.00	$52,080.82	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
282	Doosan G60S-7 13,500lbs	LP Gas Forklift	74,878	24	$56,906.96	185/hr	$56907 + PDI	RFQ FREIGHT												
283	Doosan G70S-7 15,500lbs	LP Gas Forklift	79,499	24	$60,419.02	185/hr	$60419. +PDI	RFQ FREIGHT												
	Diesel Forklifts																			
284	Doosan D20S-9 4000lbs	Diesel Forklift	38,521	24	$29,275.94	$0.00	$29,275.94	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
285	Doosan D25S-9 5000lbs	Diesel Forklift	40,874	24	$31,064.37	$0.00	$31,064.37	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
286	Doosan D30S-9 6000lbs	Diesel Forklift	43,614	24	$33,146.89	$0.00	$33,146.89	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
287	Doosan D33S-9 6500lbs	Diesel Forklift	45,437	24	$34,532.26	$0.00	$34,532.26	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
288	Doosan D35C-9 7000lbs	Diesel Forklift	47,334	24	$35,973.94	$0.00	$35,973.94	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095	$2,095
289	Doosan D35S-9 ODB 8000lbs	Diesel Forklift	65,532	24	$49,804.18	$0.00	$49,804.18	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
290	Doosan D40S-9 ODB 9000lbs	Diesel Forklift	69,355	24	$52,709.82	$0.00	$52,709.82	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
291	Doosan D45S-9 ODB 10,000lbs	Diesel Forklift	73,372	24	$55,762.91	$0.00	$55,762.91	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
292	Doosan D50C-9 ODB 11,000lbs	Diesel Forklift	76,793	24	$58,362.31	$0.00	$58,362.31	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
293	Doosan D55C-9 ODB 12,000lbs	Diesel Forklift	80,167	24	$60,927.27	$0.00	$60,927.27	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370	$3,370
294	Doosan D60S-9 13,500lbs - 2 Speed	Diesel Forklift	84,232	24	$64,016.33	$0.00	$64,016.33	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300
295	Doosan D70S-9 15,500lbs - 2 Speed	Diesel Forklift	89,716	24	$68,184.21	$0.00	$68,184.21	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300	$3,300
296	Doosan D80S-9 17,500lbs	Diesel Forklift	113,440	24	$86,214.05	185/hr	$86,214. + PDI	RFQ FREIGHT												
297	Doosan D90S-9 20,000lbs	Diesel Forklift	121,104	24	$92,038.91	185/hr	$92,039. + PDI	RFQ FREIGHT												
298	Doosan D100S-7 22,000lbs	Diesel Forklift	154,092	22	$120,191.84	185/hr	$120,192. + PDI	RFQ FREIGHT												
299	Doosan D120S-7 26,000lbs	Diesel Forklift	159,372	22	$124,309.90	185/hr	$124,310. + PDI	RFQ FREIGHT												
300	Doosan D140S-7 31,000lbs	Diesel Forklift	181,044	22	$141,214.07	185/hr	$141,214. + PDI	RFQ FREIGHT												
301	Doosan D160S-7 36,000lbs	Diesel Forklift	192,045	22	$149,795.48	185/hr	$149,795. + PDI	RFQ FREIGHT												
302	Doosan DV180-7 40,000lbs	Diesel Forklift	324,499	24	$246,619.54	185/hr	$246,619. + PDI	RFQ FREIGHT												
303	Doosan DV250-7 55,000lbs	Diesel Forklift	420,653	24	$319,696.52	185/hr	$319,696. + PDI	RFQ FREIGHT												
Please see Schedule B2 - Option Pricing																				

Schedule B2 - Option Pricing

BOBCAT COMPANY SUGGESTED PRICE LIST - August 2024

Bobcat Company

ORDER ADDRESS:
DOOSAN BOBCAT NORTH AMERICA, INC.
250 EAST BEATON DRIVE
PO BOX 6000
WEST FARGO, ND 58078-6000

Government Sales Points of Contact:	Phone:
Heather Messmer - Government Accounts Sales Support Mgr. heather.messmer@doosan.com	(701) 241-8719
Nate Dwelle- Government Account Manager nate.dwelle@doosan.com	(701) 241-2791
Barry Hanson - Government Account Manager barry.hanson@doosan.com	(701) 241-8793
Eric Veidel - Government Account Manager eric.veidel@doosan.com	(701) 222-5081
Kristie Willett - Government Account Manager kristie.willett@doosan.com	(704) 883-3772
Randy Fuss - Director, Government Accounts randy.fuss@doosan.com	(701) 241-8746

TOLL FREE #: 800-965-4232, Opt#2
FAX#: (855) 608-0681

PROMPT PAYMENT TERMS: Net 30
TIME OF DELIVERY: 60 to 90 Days ARO
COMMERCIAL CREDIT CARD: Accepted (Visa/Mastercard/American Express)

TID#: 38-0425350

REMIT TO ADDRESS:
DOOSAN BOBCAT NORTH AMERICA, INC.
PO BOX 74007382
CHICAGO, IL 60674

Product	Discount Percent	
	Machines	Factory Installed Options
Skid Steer Loaders	22.0%	22.0%
Compact Track Loaders	28.0%	28.0%
Loader Attachments	24.0%	24.0%

Compact Wheel Loader (CWL)	**24.0%**	**24.0%**
CWL Attachments	**24.0%**	**24.0%**
Small Articulating Loaders (SAL)	**24.0%**	**24.0%**
SAL Attachments	**24.0%**	**24.0%**
Compact Excavators	**28.0%**	**28.0%**
Large Excavators	**24.0%**	**24.0%**
Excavator Attachments	**24.0%**	**24.0%**
Mini Track Loaders (MTL)	**24.0%**	**24.0%**
MTL Attachments	**24.0%**	**24.0%**
Toolcat	**20.0%**	**20.0%**
Toolcat Attachments	**24.0%**	**24.0%**
Compact Tractors/Utility Tractors	**22.0%**	**22.0%**
Compact Tractor/Utility Tractors Attachments	**24.0%**	**24.0%**
Articulating Tractors & Attachments	**20.0%**	**20.0%**
Utility Vehicles	**20.0%**	**20.0%**
Telehandlers	**24.0%**	**24.0%**
VH Attachments	**24.0%**	**24.0%**
Bobcat® Mowers	**22.0%**	**22.0%**
RYAN Turf Equipment & Attachments	**16.0%**	**16.0%**
Steiner Tractors & Attachments	**16.0%**	**16.0%**
Compaction Equipment	**20.0%**	**20.0%**
Turf Renovation	**16.0%**	**16.0%**
Backhoe Loaders	**2400.0%**	**2400.0%**
Backhoe Loaders Attachments	**24.0%**	**24.0%**

August 1, 2024

BOBCAT SLP Pages

S70 (Tier 4)
Bobcat Skid-Steer Loader

Standard Equipment

23.5 HP Tier 4 Diesel Engine
Auxiliary Hydraulics
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Hour meter, Engine Temperature Gauge, Fuel Gauge (On Tank), Voltmeter and Warning Lights
Lift Arm Support
Lift Path: Radius
Lights: Front & Rear
Operator Cab
- Includes: Suspension Cushion Seat, Parking Brake, Rear Window, Seat Bar, Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Objects Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I

Spark Arrestor Muffler
Tires, 23 x 5.70-12, 4 PR, Bobcat Standard Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S70
Rated Operating Capacity	760 lbs.
Engine Model	D1005-E4B
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	23.5
Hydraulic Pump Capacity – Standard Flow	9.8 GPM
Travel Speed	6.1 MPH
Operating Weight	2,892 lbs.
Shipping Weight	2,545 lbs.
Cab Height	71.4"
Width (w/out Attachment)	35.5"
Length (w/out Attachment)	75.8"
Wheelbase	28.4"
Reach at Maximum Height	15.8"
Height to Hinge Pin	94.5"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M4003	S70 Skid-Steer Loader (Equipped with T4 Engine)	$28,160.00	22%	$21,964.80	$925.00	$100.00	$0.00	$22,989.80

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M4003-R02-C02	Cab Enclosure with Heater and Sound Reduction Includes Heater, Front Door with Wiper, Top and Side Sliding Windows, Rubber Floor Covers, Side Instrument Panel and Sound Reducing Foam Insulation.	$1,838.00	22%	$1,433.64	$0.00	$0.00	$0.00	$1,433.64
M4003-R09-C02	23 x 8.50-12, 6 PR, Heavy Duty Tires Set of four tires in place of base equipment. Loader width 44"	$194.00	22%	$151.32	$0.00	$0.00	$0.00	$151.32

S450 (Tier 4 V2 Engine) M3-Series
Bobcat Skid-Steer Loader

MSRP | Discount | Unit Price | Freight | PDI | Assembly | Discounted Price

Standard Equipment

- 49 HP Turbo Tier 4 V2 Diesel Engine
- Auxiliary Hydraulics: Variable Flow
- Backup Alarm
- Bob-Tach® Attachment Mounting System
- Bobcat Interlock Control System (BICS ™)
- Controls: Bobcat Standard
- Engine/Hydraulic Systems Shutdown
- Glow Plugs (Automatically Activated)
- Horn
- Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
- Lift Arm Support
- Lift Path: Radius
- Lights, Front & Rear
- Operator Cab
  - Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
  - Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
  - Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
- Parking Brake – Wedge Brake System
- Tires: 10-16.5, 10 PR, Bobcat Heavy Duty
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S450
Rated Operating Capacity	1,370 lbs.
Engine Model	2.4L V2 Bobcat Engir
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	49
Hydraulic Pump Capacity – Standard Flow	16.7 GPM
Travel Speed	7.6 MPH
Travel Speed – 2-Speed with SJC	6.5/9.2 MPH
Operating Weight	5,370 lbs.
Shipping Weight	4,896 lbs.
Cab Height	77.8"
Width (w/out Attachment)	58.6"
Length (w/out Attachment)	98.4"
Wheelbase	35.4"
Reach at Maximum Height	20.8"
Height to Hinge Pin	109.5"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0211	**S450 Skid-Steer Loader (Equipped with Tier 4 V2 Engine)**	$44,076.00	22%	$34,379.28	$1,425.00	$200.00	$0.00	$36,004.28

Part Number	Bobcat Packages Description	SLP In US $						
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0211-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	22%	$0.00	$0.00	$0.00	$0.00	$0.00
M0211-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, Single Direction Bucket Positioning, and Two-Speed Travel *Requires Selectable Joystick Controls	$3,471.00	22%	$2,707.38	$0.00	$0.00	$0.00	$2,707.38
M0211-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00	22%	$3,021.72	$0.00	$0.00	$0.00	$3,021.72
M0211-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, Single Direction Bucket Positioning, and Two-Speed Travel *Requires Selectable Joystick Controls	$7,344.00	22%	$5,728.32	$0.00	$0.00	$0.00	$5,728.32

Part Number	Optional Selection - Factory Installed Description	SLP In US $						
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0211-R01-C04	Selectable Joystick Control (SJC) *ONLY AVAILABLE WITH VERSATILITY AND COMFORT PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70

YOU ARE ABLE TO ORDER BASE ONLY, OR SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE.

Part Number	Machine Controls Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Controls							
M0211-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70

Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.

***Can only be ordered with Performance Package P20 or P22**

Part Number	Comfort Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE							
M0211-P07-C10	C10 Comfort Package	$508.00	22%	$396.24	$0.00	$0.00	$0.00	$396.24
	Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
	***Can only be ordered with P10 or P20**							
M0211-P07-C90	C90 Comfort Package	$2,769.00	22%	$2,159.82	$0.00	$0.00	$0.00	$2,159.82
	Includes: Enclosed Cab with Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
	***Can only be ordered with P12**							
M0211-P07-C20	C20 Comfort Package	$4,381.00	22%	$3,417.18	$0.00	$0.00	$0.00	$3,417.18
	Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							

Part Number	Performance Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE							
M0211-P06-P10	P10 Performance Package	$0.00	22%	$0.00	$0.00	$0.00	$0.00	$0.00
	Includes: Single Speed, Standard Flow							
M0211-P06-P12	P12 Performance Package	$882.00	22%	$687.96	$0.00	$0.00	$0.00	$687.96
	Includes: Power Bob-Tach							
M0211-P06-P20	P20 Performance Package	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26
	Includes: 2-Speed							
	***Can only be ordered with SJC Controls**							
M0211-P06-P22	P22 Performance Package	$2,648.00	22%	$2,065.44	$0.00	$0.00	$0.00	$2,065.44
	Includes: Power Bob-Tach, 2-Speed							
	***Can only be ordered with SJC Controls**							

Part Number	Bobcat Standard Controls Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	BOBCAT STANDARD CONTROLS IS REQUESTED MUST SELECT BASE MACHINE OR ONE OF THESE COMBINED PACKAG							
	Deluxe Open Cabin - Base Performance Pkg **Configuration Price:**							
M0211-P07-C10	C10 Comfort Package	$508.00	22%	$396.24	$0.00	$0.00	$0.00	$396.24
	Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P10	P10 Performance Package	$0.00	22%	$0.00	$0.00	$0.00	$0.00	$0.00
	Includes: Single Speed, Standard Flow							
	Deluxe Heat Cabin - Pwr Bob-Tach Pkg **Configuration Price:**							
M0211-P07-C90	C90 Comfort Package	$2,769.00	22%	$2,159.82	$0.00	$0.00	$0.00	$2,159.82
	Includes: Enclosed Cab with Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P12	P12 Performance Package	$882.00	22%	$687.96	$0.00	$0.00	$0.00	$687.96
	Includes: Power Bob-Tach							
	Deluxe Heat/AC Cabin - Base Performance Pkg **Configuration Price:**							
M0211-P07-C20	C20 Comfort Package	$4,381.00	22%	$3,417.18	$0.00	$0.00	$0.00	$3,417.18
	Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P10	P10 Performance Package	$0.00	22%	$0.00	$0.00	$0.00	$0.00	$0.00
	Includes: Single Speed, Standard Flow							
	Deluxe Heat/AC Cabin - Pwr Bob-Tach Pkg **Configuration Price:**							
M0211-P07-C20	C20 Comfort Package	$4,381.00	22%	$3,417.18	$0.00	$0.00	$0.00	$3,417.18
	Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P12	P12 Performance Package	$882.00	22%	$687.96	$0.00	$0.00	$0.00	$687.96
	Includes: Power Bob-Tach							

Part Number	Selectable Joystick Controls Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	IF BOBCAT SELECTABLE JOYSTICK CONTROLS IS REQUESTED MUST SELECT ONE OF THESE COMBINED PACKAGES							
	Deluxe Open Cabin - SJC - 2-Speed Pkg **Configuration Price:**							
M0211-P07-C10	C10 Comfort Package	$508.00	22%	$396.24	$0.00	$0.00	$0.00	$396.24
	Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P20	P20 Performance Package	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26

	Includes: 2-Speed							
M0211-R01-C04	Selectable Joystick Control (SJC)	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.							

Deluxe Heat/AC Cabin - SJC - Pwr Bob-Tach - 2-Speed Pkg	**Configuration Price:**							
M0211-P07-C20	C20 Comfort Package	$4,381.00	22%	$3,417.18	$0.00	$0.00	$0.00	$3,417.18
	Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P20	P20 Performance Package	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26
	Includes: 2-Speed							
M0211-R01-C04	Selectable Joystick Control (SJC)	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.							

Deluxe Heat/AC Cabin - SJC - Pwr Bob-Tach - 2-Speed Pkg	**Configuration Price:**							
M0211-P07-C20	C20 Comfort Package	$4,381.00	22%	$3,417.18	$0.00	$0.00	$0.00	$3,417.18
	Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat							
M0211-P06-P22	P22 Performance Package	$2,648.00	22%	$2,065.44	$0.00	$0.00	$0.00	$2,065.44
	Includes: Power Bob-Tach, 2-Speed							
M0211-R01-C04	Selectable Joystick Control (SJC)	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.							

S510 (Tier 4 V2 Engine) M3-Series Bobcat Skid-Steer Loader

Standard Equipment

55.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Radius
Lights, Front & Rear
Operator Cab
- Includes: Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Wedge Brake System
Tires: 10-16.5, 10 PR Bobcat Heavy Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S510
Rated Operating Capacity	1,790 lbs.
Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	55
Hydraulic Pump Capacity – Standard Flow	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.7 GPM
Travel Speed	7.64 MPH
Travel Speed – 2-Speed	11.02 MPH
Operating Weight	6,208 lbs.
Shipping Weight	5,359 lbs.
Cab Height	77.8"
Width (w/out Attachment)	64.7"
Length (w/out Attachment)	104.6"
Wheelbase	42.6"
Reach at Maximum Height	17.0"
Height to Hinge Pin	114.5"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0673	**S510 Skid-Steer Loader (Equipped with Tier 4 V2 Engine)**	$46,886.00	22%	$36,571.08	$1,675.00	$150.00	$0.00	$38,396.08

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0673-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26
M0673-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, and Single Direction Bucket Positioning	$3,470.00	22%	$2,706.60	$0.00	$0.00	$0.00	$2,706.60
M0673-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	$5,639.00	22%	$4,398.42	$0.00	$0.00	$0.00	$4,398.42
M0673-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, Single Direction Bucket Positioning, and Ride Control	$8,103.00	22%	$6,320.34	$0.00	$0.00	$0.00	$6,320.34

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0673-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	22%	$635.70	$0.00	$0.00	$0.00	$635.70

S590 (Tier 4 V2 Engine) M3-Series Bobcat Skid-Steer Loader

Standard Equipment

68.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear
Operator Cab
- Includes: Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Wedge Brake System
Tires: 10-16.5, 10 PR Bobcat Heavy Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S590
Rated Operating Capacity	2,000 lbs.

Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity – Standard Flow	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.7 GPM
Travel Speed	7.0 MPH
Travel Speed – 2-Speed	7.0/11.4 MPH
Operating Weight	6,765 lbs.
Shipping Weight	5,970 lbs.
Cab Height	77.8"
Width (w/out Attachment)	65.2"
Length (w/out Attachment)	104.6"
Wheelbase	42.6"
Reach at Maximum Height	32.6"
Height to Hinge Pin	119.0"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0675	**S590 Skid-Steer Loader (Equipped with Tier 4 V2 Engine)**	**$52,021.00**	**22%**	**$40,576.38**	**$1,450.00**	**$150.00**	**$0.00**	**$42,176.38**

Part Number	Bobcat Packages Description							
M0675-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	**$1,767.00**	**22%**	**$1,378.26**	**$0.00**	**$0.00**	**$0.00**	**$1,378.26**
M0675-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, and Single Direction Bucket Positioning	**$3,470.00**	**22%**	**$2,706.60**	**$0.00**	**$0.00**	**$0.00**	**$2,706.60**
M0675-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	**$5,639.00**	**22%**	**$4,398.42**	**$0.00**	**$0.00**	**$0.00**	**$4,398.42**
M0675-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, Single Direction Bucket Positioning, and Ride Control	**$8,103.00**	**22%**	**$6,320.34**	**$0.00**	**$0.00**	**$0.00**	**$6,320.34**

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0675-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	**$815.00**	**22%**	**$635.70**	**$0.00**	**$0.00**	**$0.00**	**$635.70**

S62 (Tier 4 V2 Engine) R-Series
Bobcat Skid-Steer Loader

Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation:
Lift Arm Support
Lift Path: Radius
Lights, Front & Rear LED
Operator Cab
- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, and Warning Indicators. Includes maintenance interval notification, fault display, job codes, quick start, and security lockouts.

Parking Brake: Wedge Brake System
Tires: 10-16.5, 8PR, Bobcat Standard Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S62
Rated Operating Capacity	2,100 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity – Standard Flow	17.6 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.9 GPM
Travel Speed	7.4 MPH
Travel Speed – Two Speed (Optional)	11.0 MPH
Operating Weight	6,884 lbs.
Shipping Weight	6,423 lbs.
Cab Height	80.5"
Width (w/out Attachment)	64.7"
Length (w/out Attachment)	107"
Wheelbase	44.6"
Reach at Maximum Height	20.4"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0353	S62 Skid-Steer Loader	$51,308.00	22%	$40,020.24	$1,225.00	$150.00	$0.00	$41,395.24

Part Number	Bobcat Packages Description	SLP In US $
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**	
M0353-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, 5" Display, and Standard Lights	$1,821.00
M0353-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, 5" Display, Standard Lights, and 7-Pin Attachment Control	$2,987.00
M0353-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 5" Display, Standard Lights, Two-Speed Travel, and 7-Pin Attachment Control	$7,167.00
M0353-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, AdjustableHeated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Radio, Rear Camer, and Ride Control	$10,940.00
M0353-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Radio, and Rear Camera; Features That Can Be Enabled: Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00

Part Number	Optional Selection - Factory Installed Description	SLP In US $	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tires							
M0353-R09-C02	10-16.5, 10 PR, Bobcat Heavy Duty Tires Machine width 64.7"	$284.00	22%	$221.52	$0.00	$0.00	$0.00	$221.52
M0353-R09-C03	10-16.5, 10 PR, Bobcat Heavy Duty Tires Offset Machine width 60.9"	$332.00	22%	$258.96	$0.00	$0.00	$0.00	$258.96
M0353-R09-C06	31x12-16.5, 10 PR, Bobcat Heavy Duty Wide Flotation Tires Machine width 66.4"	$670.00	22%	$522.60	$0.00	$0.00	$0.00	$522.60
	Controls							
M0353-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed Control.	$840.00	22%	$655.20	$0.00	$0.00	$0.00	$655.20
	Auxiliary Flow							
M0353-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTIO

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the

Bobcat ordering systems will automatically add the required equipment to the order.
Includes: Heat On/Off Switch on the Back of the Seat.

M0353-R05-C12	Heated Air Ride Suspension Seat - Cloth 3 Point Belt	$502.00	22%	$391.56	$0.00	$0.00	$0.00	$391.56

Includes: Heat On/Off Switch on the Back of the Seat.

M0353-R03-C03	High-Flow Hydraulics	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

Provides 26.9 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.

M0353-R28-C02	7-Pin Attachment Control	$260.00	22%	$202.80	$0.00	$0.00	$0.00	$202.80

Electrical Connection for Selected Attachments. *Required for High Flow and Super Flow Hydraulics.

S64 (Tier 4 V2 Engine) R-Series
Bobcat Skid-Steer Loader

Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation:
- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, and Warning Indicators. Includes maintenance interval notification, fault display, job codes, quick start, and security lockouts.

Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Wedge Brake System
Tires: 10-16.5, 8PR, Bobcat Standard Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S64
Rated Operating Capacity	2,300 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity – Standard Flow	17.6 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.9 GPM
Travel Speed	7.4 MPH
Travel Speed – Two Speed (Optional)	11.0 MPH
Operating Weight	6,974 lbs.
Shipping Weight	6,263 lbs.
Cab Height	80.5"
Width (w/out Attachment)	64.7"
Length (w/out Attachment)	107.0"
Wheelbase	44.6"
Reach at Maximum Height	34.2"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0359	S64 Skid-Steer Loader	$57,998.00	22%	$45,238.44	$1,225.00	$150.00	$0.00	$46,613.44

Part Number	Bobcat Packages Description	SLP In US $						
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0359-P11-C01	Base Package	$1,821.00	22%	$1,420.38	$0.00	$0.00	$0.00	$1,420.38

Includes: Open Cab, Manual Bob-Tach, 5" Display, and Standard Lights

M0359-P11-C03	Versatility Package	$2,987.00	22%	$2,329.86	$0.00	$0.00	$0.00	$2,329.86

Includes: Open Cab, Power Bob-Tach, 5" Display, Standard Lights, and 7-Pin Attachment Control

M0347-P11-C15	Cab Plus Package	$7,167.00	22%	$5,590.26	$0.00	$0.00	$0.00	$5,590.26

Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 5" Display, Standard

Lights, Two-Speed Travel, and 7-Pin Attachment Control

M0359-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Radio, Rear Camer, and Ride Control	$10,940.00	22%	$8,533.20	$0.00	$0.00	$0.00	$8,533.20
M0359-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Radio, and Rear Camera; Features That Can Be Enabled: Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00	22%	$7,623.72	$0.00	$0.00	$0.00	$7,623.72

Part Number	Machine Configuration Description	SLP In US $

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

	Tires							
M0359-R09-C02	10-16.5, 10 PR, Bobcat Heavy Duty Tires Machine width 64.7"	$284.00	22%	$221.52	$0.00	$0.00	$0.00	$221.52
M0359-R09-C03	10-16.5, 10 PR, Bobcat Heavy Duty Tires Offset Machine width 60.9"	$332.00	22%	$258.96	$0.00	$0.00	$0.00	$258.96
M0359-R09-C06	31x12-16.5, 10 PR, Bobcat Heavy Duty Wide Flotation Tires Machine width 66.4"	$670.00	22%	$522.60	$0.00	$0.00	$0.00	$522.60
	Controls							
M0359-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed Control.	$840.00	22%	$655.20	$0.00	$0.00	$0.00	$655.20
	Auxiliary Flow							
M0359-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Individual Performance Options							
	Tires							
M0359-R09-C02	10-16.5, 10 PR, Bobcat Heavy Duty Tires Machine width 64.7"	$284.00	22%	$221.52	$0.00	$0.00	$0.00	$221.52
M0359-R09-C06	31x12-16.5, 10 PR, Bobcat Heavy Duty Wide Flotation Tires Machine width 66.4"	$670.00	22%	$522.60	$0.00	$0.00	$0.00	$522.60
	Controls							
M0359-R01-C04	Selectable Joystick Control (SJC) *REQUIRED WITH COMFORT FOD PACKAGE* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed Control.	$840.00	22%	$655.20	$0.00	$0.00	$0.00	$655.20
	Auxiliary Flow							
M0359-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND COMFORT FOD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

S66 (Tier 4 V2 Engine) R-Series
Bobcat Skid-Steer Loader

Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine
Two-Speed Travel
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation:
- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, and Warning Indicators. Includes maintenance

Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar & 3-Point Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Wedge Brake System
Tires: 31x12x16.5, 10PR, Bobcat Super Float
Warranty: 2 years, or 2000 hours whichever occurs first

interval notification, fault display, job codes, quick start, and security lockouts.

Quick Specs

	S66
Rated Operating Capacity	2,400 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity – Standard Flow	17.6 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.9 GPM
Travel Speed	7.4 MPH
Travel Speed – Two Speed	11.0 MPH
Operating Weight	7,154 lbs.
Shipping Weight	6,443 lbs.
Cab Height	80.5"
Width (w/out Attachment)	64.7"
Length (w/out Attachment)	107.0"
Wheelbase	44.6"
Reach at Maximum Height	34.2"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0347	S66 Skid-Steer Loader	$60,146.00	22%	$46,913.88	$1,050.00	$150.00	$0.00	$48,113.88

Part Number	Bobcat Packages Description	SLP In US $						
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0347-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, 5" Display, and Standard Lights	$1,821.00	22%	$1,420.38	$0.00	$0.00	$0.00	$1,420.38
M0347-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, 5" Display, Standard Lights, and 7-Pin Attachment Control	$2,987.00	22%	$2,329.86	$0.00	$0.00	$0.00	$2,329.86
M0359-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 5" Display, Standard Lights, Two-Speed Travel, and 7-Pin Attachment Control	$7,167.00	22%	$5,590.26	$0.00	$0.00	$0.00	$5,590.26
M0347-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Radio, Rear Camer, and Ride Control	$10,940.00	22%	$8,533.20	$0.00	$0.00	$0.00	$8,533.20
M0347-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display, Premium Lights, Keyless Start, 7-Pin Attachment Control, Radio, and Rear Camera; Features That Can Be Enabled: Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00	22%	$7,623.72	$0.00	$0.00	$0.00	$7,623.72
M0347-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, 7-Pin Attachment Control, Radio, Rear Camera, and Dual Direction Bucket Positioning *Requires Selectable Joystick Controls	$15,773.00	22%	$12,302.94	$0.00	$0.00	$0.00	$12,302.94
M0347-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, 3 Point Seat Belt, Power Bob-Tach, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, 7-Pin Attachment Control, Radio, Rear Camera, Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$16,830.00	22%	$13,127.40	$0.00	$0.00	$0.00	$13,127.40

Part Number	Optional Selection - Factory Installed Description	SLP In US $						
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tires							
M0347-R09-C02	10-16.5, 10 PR, Bobcat Heavy Duty Tires Machine width 64.7"	$0.00	22%	$0.00	$0.00	$0.00	$0.00	$0.00
M0347-R09-C03	10-16.5, 10 PR, Bobcat Heavy Duty Tires Offset Machine width 60.9"	$72.00	22%	$56.16	$0.00	$0.00	$0.00	$56.16
	Controls							
M0347-R01-C04	Selectable Joystick Control (SJC) *REQUIRED WITH COMFORT FOD, DELUXE, AND GOLD PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed Control.	$840.00	22%	$655.20	$0.00	$0.00	$0.00	$655.20
	Auxiliary Flow							
M0347-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTIO							
	NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package							
M0347-R08-C03	Touch Display 7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands	$1,831.00	22%	$1,428.18	$0.00	$0.00	$0.00	$1,428.18

Free Calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.

M0347-R03-C03 High-Flow Hydraulics	$2,376.00	22%	$1,853.28	$0.00	$0.00	$0.00	$1,853.28

Provides 26.9 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.

M0347-R28-C02 7-Pin Attachment Control	$260.00	22%	$202.80	$0.00	$0.00	$0.00	$202.80

Electrical Connection for Selected Attachments. *Required for High Flow and Super Flow Hydraulics.

S650 (Tier 4 V2 Engine) M3-Series Bobcat Skid-Steer Loader

Standard Equipment

74.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear
Operator Cab
- Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Wedge Brake System
Tires: 31 x 12-16.5, 10 PR, Bobcat Heavy Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S650
Rated Operating Capacity	2,690 lbs.
Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Travel Speed	7.1 MPH
Travel Speed – 2-Speed	7.1/12.3 MPH
Operating Weight	8,061 lbs.
Shipping Weight	7,371 lbs.
Cab Height	81.3"
Width (w/out Attachment)	72.1"
Length (w/out Attachment)	108.4"
Wheelbase	45.3"
Reach at Maximum Height	33.5"
Height to Hinge Pin	124.0"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0231	S650 Skid-Steer Loader (Equipped with Tier 4 V2 Engine)	$59,146.00	22%	$46,133.88	$1,475.00	$200.00	$0.00	$47,808.88

Part Number	Bobcat Packages Description	SLP In US $						
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0231-P11-C01	Base Package	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26

Includes: Open Cab, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel

M0231-P11-C03	Versatility Package	$3,470.00	22%	$2,706.60	$0.00	$0.00	$0.00	$2,706.60

Includes: Open Cab, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, and Single Direction Bucket Positioning

M0231-P11-C05	Cab Package	$5,639.00	22%	$4,398.42	$0.00	$0.00	$0.00	$4,398.42

Includes: Enclosed HVAC Cab, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel

M0231-P11-C15	Cab Plus Package	$6,772.00	22%	$5,282.16	$0.00	$0.00	$0.00	$5,282.16

Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard

Lights, Two-Speed Travel, and Attachment Control

M0231-P11-C07	Comfort Package	$8,103.00	22%	$6,320.34	$0.00	$0.00	$0.00	$6,320.34

Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, Single Direction Bucket Positioning, and Ride Control

Part Number	Description	Optional Selection - Factory Installed SLP In US $

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Controls

M0231-R01-C04	Selectable Joystick Control (SJC)	$969.00	22%	$755.82	$0.00	$0.00	$0.00	$755.82

Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.

Auxiliary Flow

Part Number	Description	Machine Controls	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Controls

M0231-R01-C04	Selectable Joystick Control (SJC)	$969.00	22%	$755.82	$0.00	$0.00	$0.00	$755.82

Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid-Steer Loader

Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Keyless Start with
- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals

Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Wedge Brake System
Tires: 12-16.5, 12PR, Bobcat Heavy Duty
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S76
Rated Operating Capacity	2,900 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity – Standard Flow	23.3 GPM
Hydraulic Pump Capacity – High Flow (Optional)	30.3 GPM
Travel Speed	6.8 MPH
Travel Speed – Two Speed (Optional)	11.8 MPH
Operating Weight	8,615 lbs.
Shipping Weight	7,836 lbs.
Cab Height	81.8"
Width (w/out Attachment)	72.0"
Length (w/out Attachment)	113.9"
Wheelbase	48.3"
Reach at Maximum Height	37.4"
Height to Hinge Pin	128.3"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0369	S76 Skid-Steer Loader	$67,444.00	22%	$52,606.32	$1,325.00	$200.00	$0.00	$54,131.32

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0369-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, 5" Display, and Premium Lights	$10,940.00	22%	$8,533.20	$0.00	$0.00	$0.00	$8,533.20
M0369-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Radio, 5" Display, and Premium Lights; Features That Can Be Enabled: Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00	22%	$7,623.72	$0.00	$0.00	$0.00	$7,623.72
M0369-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium Lights, and Side Lights *Requires Selectable Joystick Controls	$15,743.00	22%	$12,279.54	$0.00	$0.00	$0.00	$12,279.54
M0369-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium Lights, Side Lights, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$16,799.00	22%	$13,103.22	$0.00	$0.00	$0.00	$13,103.22

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tires							
M0369-R09-C04	12-16.5, 12 PR, Bobcat Heavy Duty Tires Offset Machine width 68.5"	$528.00	22%	$411.84	$0.00	$0.00	$0.00	$411.84
	Controls							
M0369-R01-C04	Selectable Joystick Control (SJC) *REQUIRED WITH COMFORT FOD, DELUXE, AND GOLD PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed Control.	$893.00	22%	$696.54	$0.00	$0.00	$0.00	$696.54
	Auxiliary Flow							
M0369-R03-C03	High-Flow Hydraulics Provides 30.3 GPM and 3500 PSI for Attachment Operation.	$2,846.00	22%	$2,219.88	$0.00	$0.00	$0.00	$2,219.88

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTIO							
	NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package							
	NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.							
	Individual Cab Options							
M0369-R08-C03	Touch Display 7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	$1,831.00	22%	$1,428.18	$0.00	$0.00	$0.00	$1,428.18
M0369-R03-C03	High-Flow Hydraulics Provides 30.3 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	$2,846.00	22%	$2,219.88	$0.00	$0.00	$0.00	$2,219.88
M0369-R28-C02	7-Pin Attachment Control Electrical Connection for Selected Attachments. *Required for High Flow and Super Flow Hydraulics.	$260.00	22%	$202.80	$0.00	$0.00	$0.00	$202.80

S770 (Tier 4) M2-Series
Bobcat Skid-Steer Loader

Standard Equipment

74 HP Turbo Tier 4 Diesel Engine (S740)
92 HP Turbo Tier 4 Diesel Engine (S770)
Air Intake Heater (Automatically Activated)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach* Attachment Mounting System
Lights, Front & Rear
Operator Cab
- Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471

Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Parking Brake – Wedge Brake System
Tires: 12-16.5, 12 PR, Bobcat Heavy Duty

Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S770
Rated Operating Capacity	3,350 lbs.
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	92
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Travel Speed	7.1 MPH
Travel Speed – 2-Speed with SJC	7.1/12.3 MPH
Operating Weight	9,314 lbs.
Shipping Weight	8,428 lbs.
Cab Height	81.3"
Width (w/out Attachment)	72.1"
Length (w/out Attachment)	114.3"
Wheelbase	48.3"
Reach at Maximum Height	33.6"
Height to Hinge Pin	131.4"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0283	S770 Skid-Steer Loader (Equipped with T4 Engine)	$75,029.00	22%	$58,522.62	$1,425.00	$300.00	$0.00	$60,247.62

Part Number	Bobcat Packages Description	SLP In US $						
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0283-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26
M0283-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, and Single Direction Bucket Positioning	$3,471.00	22%	$2,707.38	$0.00	$0.00	$0.00	$2,707.38
M0283-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Manual Bob-Tach, Oval Display, Standard Lights, and Two-Speed Travel	$5,640.00	22%	$4,399.20	$0.00	$0.00	$0.00	$4,399.20
M0283-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, and Attachment Control	$6,771.00	22%	$5,281.38	$0.00	$0.00	$0.00	$5,281.38
M0283-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, Single Direction Bucket Positioning, and Ride Control	$8,832.00	22%	$6,888.96	$0.00	$0.00	$0.00	$6,888.96

Part Number	Optional Selection - Factory Installed Description	SLP In US $						
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0283-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$969.00	22%	$755.82	$0.00	$0.00	$0.00	$755.82
M0283-R03-C03	High Flow Hydraulics *ONLY AVAILABLE WITH COMFORT PACKAGE* Provides 36.6 GPM and 3500 PSI for attachment operation.	$2,763.00	22%	$2,155.14	$0.00	$0.00	$0.00	$2,155.14

Part Number	Machine Configuration Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS							
	Tires (S740) *Set of 4 Tires in Place of Base Equipment*							
M0283-R09-C03	12-16.5, 12 Pr, Bobcat Heavy Duty Tires Offset Loader width 68.5"	$95.00	22%	$74.10	$0.00	$0.00	$0.00	$74.10
	Controls							
M0283-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without package.	$969.00	22%	$755.82	$0.00	$0.00	$0.00	$755.82

Part Number	Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	SELECT A ORDERING PATH: 1:) SELECT ONE BOBCAT PACKAGE OR 2:) ONE COMFORT AND ONE PERFORMANCE PACKAGE OR 3:) SELECT INDIVIDUAL OPTIONS							
M0283-P10-C01	Core Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat, Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$4,738.00	22%	$3,695.64	$0.00	$0.00	$0.00	$3,695.64
M0283-P10-C02	Core + Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat, Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$7,040.00	22%	$5,491.20	$0.00	$0.00	$0.00	$5,491.20
M0283-P10-C11	Deluxe Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat, Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$9,101.00	22%	$7,098.78	$0.00	$0.00	$0.00	$7,098.78
M0283-P10-C12	Deluxe + Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat, Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$11,404.00	22%	$8,895.12	$0.00	$0.00	$0.00	$8,895.12
M0283-P10-C21	Premier Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat, Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	$13,760.00	22%	$10,732.80	$0.00	$0.00	$0.00	$10,732.80

Part Number	Comfort Cab Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
ST SELECT ONE BOBCAT PACKAGE OR ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIC								
M0283-P07-C10	C10 Comfort Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$508.00	22%	$396.24	$0.00	$0.00	$0.00	$396.24
M0283-P07-C23	C23 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$4,871.00	22%	$3,799.38	$0.00	$0.00	$0.00	$3,799.38
M0283-P07-C27	C27 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Radio, Heated Cloth Air Ride Suspension Seat	$5,869.00	22%	$4,577.82	$0.00	$0.00	$0.00	$4,577.82
M0283-P07-C37	C37 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat	$6,596.00	22%	$5,144.88	$0.00	$0.00	$0.00	$5,144.88

Part Number	Performance Cab Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
ST SELECT ONE BOBCAT PACKAGE OR ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIC								
	Standard Flow Packages:							
M0283-P06-P13	P13 Performance Package Includes: Power Bob-Tach, Hydraulic Bucket Positioning	$1,454.00	22%	$1,134.12	$0.00	$0.00	$0.00	$1,134.12
M0283-P06-P22	P22 Performance Package Includes: Power Bob-Tach, 2-Speed	$2,648.00	22%	$2,065.44	$0.00	$0.00	$0.00	$2,065.44
M0283-P06-P24	P24 Performance Package Includes: Power Bob-Tach, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$3,980.00	22%	$3,104.40	$0.00	$0.00	$0.00	$3,104.40
M0283-P06-P28	P28 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control.	$4,231.00	22%	$3,300.18	$0.00	$0.00	$0.00	$3,300.18
M0283-P06-P29	P29 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	$4,862.00	22%	$3,792.36	$0.00	$0.00	$0.00	$3,792.36
M0283-P06-P39	P39 Performance Package Includes: Bob-Dock Ready, Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	$6,099.00	22%	$4,757.22	$0.00	$0.00	$0.00	$4,757.22
	High Flow Packages:							
M0283-P06-P68	P68 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control	$6,533.00	22%	$5,095.74	$0.00	$0.00	$0.00	$5,095.74
M0283-P06-P69	P69 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	$7,164.00	22%	$5,587.92	$0.00	$0.00	$0.00	$5,587.92
M0283-P06-P79	P79 Performance Package Includes: Bob-Dock Ready, Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	$8,401.00	22%	$6,552.78	$0.00	$0.00	$0.00	$6,552.78

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGES OR COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

	Individual Cab Options							
M0283-R25-C04	Enclosed Cab With AC/Heat Deluxe cab with heat and air conditioning	$3,874.00	22%	$3,021.72	$0.00	$0.00	$0.00	$3,021.72
M0283-R25-C03	Enclosed Cab With Heat Deluxe cab with heat Reduces operator and by-stander noise levels	$2,356.00	22%	$1,837.68	$0.00	$0.00	$0.00	$1,837.68
M0283-R08-C03	Deluxe Instrument Panel with Keyless Start Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.	$728.00	22%	$567.84	$0.00	$0.00	$0.00	$567.84
M0283-R26-C02	Radio Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player. The Cab Accessories Package is required. See NOTE above. Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach	$511.00	22%	$398.58	$0.00	$0.00	$0.00	$398.58
M0283-R05-C12	Cloth Heated Air Ride Suspension Seat Includes Heat on/off switch on the back of the seat. The Cab Accessories Package is required. See NOTE above.	$487.00	22%	$379.86	$0.00	$0.00	$0.00	$379.86
	Individual Performance Options							
M0283-R06-C03	Power Bob-Tach Attachment System Connect and disconnect non-hydraulic attachments from inside the cab The Cab Accessories Package is required. See NOTE above.	$882.00	22%	$687.96	$0.00	$0.00	$0.00	$687.96
M0283-R06-C09	Bob-Dock Ready Attachment System Includes Power Bob-Tach, Bob-Dock interface plate, Tee and capped auxiliary hydraulic line within loader lift arm. Connect and disconnect hydraulic attachments from inside the cab.	$2,119.00	22%	$1,652.82	$0.00	$0.00	$0.00	$1,652.82
M0283-R28-C02	7-Pin Attachment Control Kit Required for High Flow Hydraulics.	$252.00	22%	$196.56	$0.00	$0.00	$0.00	$196.56
M0283-R03-C03	High Flow Hydraulics Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	$2,763.00	22%	$2,155.14	$0.00	$0.00	$0.00	$2,155.14
M0283-R04-C02	2-Speed Includes 2-Speed motors and 3-Point Seat Belt Low Travel Speed 7.1 MPH, High Travel Speed 10.4 MPH	$1,767.00	22%	$1,378.26	$0.00	$0.00	$0.00	$1,378.26

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Individual Performance Options							
M0283-R11-C02	Hydraulic Bucket Positioning Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.	$572.00	22%	$446.16	$0.00	$0.00	$0.00	$446.16
M0283-R33-C02	Automatic Ride Control Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is required. See NOTE above.	$760.00	22%	$592.80	$0.00	$0.00	$0.00	$592.80
M0283-R32-C02	Reversing Fan Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessories Package is required. See NOTE above.	$632.00	22%	$492.96	$0.00	$0.00	$0.00	$492.96

Part Number	Dealer Installed - Bob-Dock Mounting System Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Bob-Dock Attachment Mounting System – Whole Goods Accessories							
7346768	Bob-Dock Adapter Plate The adapter plate connects to your hydraulic attachment and has a locked hydraulic connection integrated within. The adapter can stay with the attachment permanently, or it can be removed and installed on another attachment. The adapter plate attaches to most hydraulic attachments to allow the Bob-Dock system to seamlessly connect and disconnect from hydraulic attachments. Note: Customers may require more than one Bob-Dock Adaptor Plate	$1,307.00	24%	$993.32	$109.00	$0.00	$0.00	$1,102.32

S86 (Tier 4 V2 Engine) R-Series
Bobcat Skid-Steer Loader

Standard Equipment

105.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Two-Speed Travel
Rear Camera
Bob-Tach® Mounting System
Backup Alarm
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Keyless Start with
- 5" Display Panel, Engine Temperature and Fuel Guages Hourmeter, RPM, Warning Indicators and other vitals

Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Wedge Brake System
Tires: 12-16.5, 12PR, Bobcat Heavy Duty
Telematics - Machine IQ
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S86
Rated Operating Capacity	3,400 lbs.
Engine Model	3.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	105
Hydraulic Pump Capacity – Standard Flow	23.6 GPM
Hydraulic Pump Capacity – High Flow (Optional)	36.6 GPM
Hydraulic Pump Capacity – Super Flow (Optional)	42 GPM
Travel Speed	6.9 MPH
Travel Speed – Two Speed	12.3 MPH
Operating Weight	9,728 lbs.
Shipping Weight	8,845 lbs.
Cab Height	83.1”
Width (w/out Attachment)	72.0"
Length (w/out Attachment)	120.4"
Wheelbase	51.3"
Reach at Maximum Height	38.0"

Part Number	Skid-Steer Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0383	S86 Skid-Steer Loader	$80,623.00	22%	$62,885.94	$1,525.00	$300.00	$0.00	$64,710.94

Part Number	Bobcat Packages Description	SLP In US $
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**	
M0383-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, 5" Display, and Premium Lights	$8,762.00
M0383-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Power Bob-Tach, 7" Touch Display, Premium Lights, and Side Lights *Requires Selectable Joystick Controls	$13,565.00
M0383-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Power Bob-Tach, 7" Touch Display, Premium Lights, Side Lights, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$14,622.00

Part Number	Optional Selection - Factory Installed Description	SLP In US $	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tires							
M0383-R09-C04	12-16.5, 12PLY, Bobcat Severe Duty Tires Recommended for Work on Asphalt, Concrete, or Other Hard Surfaces Where Tire Wear is Accelerated.	$528.00	22%	$411.84	$0.00	$0.00	$0.00	$411.84
	Controls							
M0383-R01-C04	Selectable Joystick Control (SJC) *REQUIRED WITH DELUXE AND GOLD PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed	$893.00	22%	$696.54	$0.00	$0.00	$0.00	$696.54

Auxiliary Flow

M0383-R03-C09 High-Flow Hydraulics	**$4,768.00**	**22%**	**$3,719.04**	**$0.00**	**$0.00**	**$0.00**	**$3,719.04**
Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.							
M0383-R03-C10 Super-Flow Hydraulics	**$5,840.00**	**22%**	**$4,555.20**	**$0.00**	**$0.00**	**$0.00**	**$4,555.20**
Includes Three Auxiliary Hydraulics Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.							

Part Number	Description	Individual Factory Options	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTIO

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M0383-R08-C03 Touch Display	**$1,831.00**	**22%**	**$1,428.18**	**$0.00**	**$0.00**	**$0.00**	**$1,428.18**
7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.							
M0383-R03-C09 High Flow, Power Bob-Tach for SJC Controls	**$4,768.00**	**22%**	**$3,719.04**	**$0.00**	**$0.00**	**$0.00**	**$3,719.04**
Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency. Also includes Power Bob-Tach. 7-Pin Attachent Control Will be Automatically Added.							
M0383-R03-C10 Super Flow, Power Bob-Tach	**$5,840.00**	**22%**	**$4,555.20**	**$0.00**	**$0.00**	**$0.00**	**$4,555.20**
Includes Three Auxiliary Hydraulics Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency. Also includes Power Bob-Tach. 7-Pin Attachent Control Will be Automatically Added. Requires SJC.							

August 1, 2024
BOBCAT SLP Pages

T7X
Bobcat Compact Track Loader

Standard Equipment

60.5 kWh Lithium Ion
- J1772-EVSE Charger-NEMA 14-50
  Battery management System
- System Voltage: 330-460 VDC

Horn
Backup Alarm
2-Speed
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Selectable Joystic Controls
- Drive & Workgroup response, Speed management
  Power management

Cylinder Cushion, Electric Actuators - Lift, Tilt, Float
Electric Performance De-rate/Stop Protection
Instrumentation: Keyless Start with
- 8" Touch Display Panel. Battery temperature and state of charge, h
  Hourmeter, Warning Indicators & Other vitals

Lift Arm Support
Lift Path: Vertical
Lights, Premium LED Front, Rear & Side LED with intergrated
Blue Strobe
Operator Cab
- Clear Sided CAB with Auto HVAC
- Includes: Cloth Heated Air Ride Seat with 3 pnt seat belt
  Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Deluxe Headliner, Radio, Rearview Camera Fire
  Extinguisher, Sound reduction
- Roll Over Protective Structure (ROPS) meets
  SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS)
  meets SAE-J1043 & ISO 3449, Level I;
  (Level II is available through Bobcat Parts)

Parking Brake: Spring Applied, Electric Released (SAER)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 17.7" Wide MBL
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T7x
Rated Operating Capacity - 35% of Tipping Load	2,900 lbs.
Rated Operating Capacity - 50% of Tipping Load	4,200 lbs.
Tipping Load	8,429 lbs.
Machine Power	Lithium Ion
Peak Power	80 kW 107 HP
Motor Power	Permanent Magnet (Brushless)
Electronics Coolant	Liquid
Low Speed	5.0 MPH
High Speed	7.8 MPH
Operating Weight	11,970 lbs.
Machine Shipping Weight	11,188 lbs.
Machine Shipping Weight with Bucket	11,790 lbs.
Cab Height	81.5"
Width (w/out Attachment)	78"
Length (w/out Attachment)	117.5"
Ground Contact Length	59.2"
Reach at Maximum Height	25.3"
Height to Hinge Pin	128.3"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0378	T7x All- Electric Compact Track Loader	$389,070.00	0%	$389,070.00	$1,800.00	$300.00	$0.00	$391,170.00

August 1, 2024
BOBCAT SLP Pages

T450 (Tier 4 V2 Engine) M3-Series
Bobcat Compact Track Loader

Standard Equipment

55 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Radius
Lights, Front & Rear
Operator Cab
- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 3 Rollers
Tracks: Rubber, 11.8" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T450
Rated Operating Capacity - 35% of Tipping Load	1,490 lbs.
Rated Operating Capacity - 50% of Tipping Load	2,120 lbs.
Tipping Load	4,257 lbs.
Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	55
Hydraulic Pump Capacity – Standard Flow	16.7 GPM
Travel Speed	7.0 MPH
Travel Speed – 2 Speed	7.3/11.0 MPH
Operating Weight	6,424 lbs.
Shipping Weight	5,728 lbs.
Cab Height	77.8"
Width (w/out Attachment)	55.0"
Length (w/out Attachment)	98.4"
Ground Contact Length	50.2"
Reach at Maximum Height	23.5"
Height to Hinge Pin	109.5"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0209	T450 Compact Track Loader (Equipped with Tier 4 V2 Engine)	$59,057.00	28%	$42,521.04	$1,350.00	$200.00	$0.00	$44,071.04

YOU ARE ABLE TO ORDER BASE ONLY, OR SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE.

Part Number	Bobcat Packages Description	SLP In US $

ORDERING PATH:
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0209-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0209-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$1,705.00	28%	$1,227.60	$0.00	$0.00	$0.00	$1,227.60
M0209-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00	28%	$2,789.28	$0.00	$0.00	$0.00	$2,789.28
M0209-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$5,578.00	28%	$4,016.16	$0.00	$0.00	$0.00	$4,016.16

Part Number	Optional Selection - Factory Installed Description	SLP In US $

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Controls

M0209-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80

Part Number	Comfort Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M0209-P07-C10	C10 Comfort Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$508.00	28%	$365.76	$0.00	$0.00	$0.00	$365.76
M0209-P07-C19	C19 Comfort Package Includes: Open Cab, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat ***Can only be ordered with P16 Standard Controls & P26 Standard Controls or SJC**	$1,236.00	28%	$889.92	$0.00	$0.00	$0.00	$889.92
M0209-P07-C20	C20 Comfort Package Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat ***Can only be ordered with P10**	$4,381.00	28%	$3,154.32	$0.00	$0.00	$0.00	$3,154.32
M0209-P07-C33	C33 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$5,599.00	28%	$4,031.28	$0.00	$0.00	$0.00	$4,031.28

***Can only be ordered with P26**

Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.

Part Number	Performance Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS							
M0209-P06-P10	P10 Performance Package Includes: Standard Flow, Single Speed	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0209-P06-P16	P16 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control	$1,133.00	28%	$815.76	$0.00	$0.00	$0.00	$815.76
M0209-P06-P26	P26 Performance Package Includes: Power Bob-Tach, 2-Speed, 7-Pin Attachment Control	$3,378.00	28%	$2,432.16	$0.00	$0.00	$0.00	$2,432.16

Part Number	Bobcat Standard Controls Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	IF BOBCAT STANDARD CONTROLS IS REQUESTED MUST SELECT ONE OF THESE COMBINED PACKAGES OR BASE MACHINE							
	Deluxe Open Cabin — **Configuration Price:**							
M0209-P07-C10	C10 Comfort Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$508.00	28%	$365.76	$0.00	$0.00	$0.00	$365.76
M0209-P06-P10	P10 Performance Package Includes: Standard Flow, Single Speed	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
	Deluxe Open Cabin w/ Deluxe Monitor - Pwr Bob-Tach - ACD Pkg — **Configuration Price:**							
M0209-P07-C19	C19 Comfort Package Includes: Open Cab, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$1,236.00	28%	$889.92	$0.00	$0.00	$0.00	$889.92
M0209-P06-P16	P16 Performance Package Includes: Power Bob-Tach, 7-Pin Attachment Control	$1,133.00	28%	$815.76	$0.00	$0.00	$0.00	$815.76
	Deluxe Open Cabin w/ Deluxe Monitor -Pwr Bob-Tach - 2-Speed - ACD Pkg — **Configuration Price:**							
M0209-P07-C19	C19 Comfort Package Includes: Open Cab, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$1,236.00	28%	$889.92	$0.00	$0.00	$0.00	$889.92
M0209-P06-P26	P26 Performance Package Includes: Power Bob-Tach, 2-Speed, 7-Pin Attachment Control	$3,378.00	28%	$2,432.16	$0.00	$0.00	$0.00	$2,432.16
	Deluxe Heat/AC Cabin — **Configuration Price:**							
M0209-P07-C20	C20 Comfort Package Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$4,381.00	28%	$3,154.32	$0.00	$0.00	$0.00	$3,154.32
M0209-P06-P10	P10 Performance Package Includes: Standard Flow, Single Speed	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
	Deluxe Heat/AC Cabin w/ Deluxe Monitor -Pwr Bob-Tach - 2-Speed - ACD Pkg — **Configuration Price:**							
M0209-P07-C33	C33 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$5,599.00	28%	$4,031.28	$0.00	$0.00	$0.00	$4,031.28
M0209-P06-P26	P26 Performance Package Includes: Power Bob-Tach, 2-Speed, 7-Pin Attachment Control	$3,378.00	28%	$2,432.16	$0.00	$0.00	$0.00	$2,432.16

Part Number	Selectable Joystick Controls Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	IF BOBCAT SELECTABLE JOYSTICK CONTROLS IS REQUESTED MUST SELECT ONE OF THESE COMBINED PACKAGES							
	Deluxe Open Cabin - SJC — **Configuration Price:**							
M0209-P07-C10	C10 Comfort Package Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$508.00	28%	$365.76	$0.00	$0.00	$0.00	$365.76
M0209-P06-P10	P10 Performance Package Includes: Standard Flow, Single Speed	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0209-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80
	Deluxe Open Cabin w/ Deluxe Monitor - SJC - Pwr Bob-Tach - 2-Speed - ACD Pkg — **Configuration Price:**							
M0209-P07-C19	C19 Comfort Package Includes: Open Cab, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$1,236.00	28%	$889.92	$0.00	$0.00	$0.00	$889.92
M0209-P06-P26	P26 Performance Package Includes: Power Bob-Tach, 2-Speed, 7-Pin Attachment Control	$3,378.00	28%	$2,432.16	$0.00	$0.00	$0.00	$2,432.16
M0209-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80
	Deluxe Heat/AC Cabin - SJC — **Configuration Price:**							
M0209-P07-C20	C20 Comfort Package Includes: Enclosed Cab with AC/Heat, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	$4,381.00	28%	$3,154.32	$0.00	$0.00	$0.00	$3,154.32
M0209-P06-P10	P10 Performance Package Includes: Standard Flow, Single Speed	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0209-R01-C04	Selectable Joystick Control (SJC)	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80
	Deluxe Heat/AC Cabin w/ Deluxe Monitor - SJC -Pwr Bob-Tach - 2-Speed - ACD Pkg — **Configuration Price:**							
M0209-P07-C33	C33 Comfort Package Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Adjustable Suspension Seat	$5,599.00	28%	$4,031.28	$0.00	$0.00	$0.00	$4,031.28
M0209-P06-P26	P26 Performance Package Includes: Power Bob-Tach, 2-Speed, 7-Pin Attachment Control	$3,378.00	28%	$2,432.16	$0.00	$0.00	$0.00	$2,432.16
M0209-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80

T550 (Tier 4 V2 Engine) M3-Series
Bobcat Compact Track Loader

Standard Equipment

68.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Standard Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Radius
Lights, Front & Rear
Operator Cab
- Includes: Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T550
Rated Operating Capacity - 35% of Tipping Load	1,995 lbs.
Rated Operating Capacity - 50% of Tipping Load	2,850 lbs.
Tipping Load	5,700 lbs.
Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity – Standard Flow	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.7 GPM
Travel Speed	7.1 MPH
Operating Weight	7,557 lbs.
Shipping Weight	6,746 lbs.
Cab Height	77.8"
Width (w/out Attachment)	67.0"
Length (w/out Attachment)	104.6"
Ground Contact Length	54.1"
Reach at Maximum Height	17.0"
Height to Hinge Pin	114.5"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0677	T550 Compact Track Loader (Equipped with Tier 4 V2 Engine)	$63,816.00	28%	$45,947.52	$1,350.00	$200.00	$0.00	$47,497.52

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0677-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0677-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$1,704.00	28%	$1,226.88	$0.00	$0.00	$0.00	$1,226.88
M0677-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00	28%	$2,789.28	$0.00	$0.00	$0.00	$2,789.28
M0677-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$5,578.00	28%	$4,016.16	$0.00	$0.00	$0.00	$4,016.16

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0677-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80

T595 (Tier 4 V2 Engine) M3-Series
Bobcat Compact Track Loader

Standard Equipment

70.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear
Operator Cab
- Includes: Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
200 lbs. frame mounted counterweights
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T595
Rated Operating Capacity - 35% of Tipping Load	2,200 lbs.
Rated Operating Capacity - 50% of Tipping Load	3,142 lbs.
Tipping Load	6,285 lbs.
Engine Model	2.4L V2 Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	70
Hydraulic Pump Capacity – Standard Flow	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional)	26.7 GPM
Travel Speed	7.1 MPH
Travel Speed - Two-Speed (Optional)	10.4 MPH
Operating Weight	8,022 lbs.
Shipping Weight	7,226 lbs.
Cab Height	77.8"
Width (w/out Attachment)	67.0"
Length (w/out Attachment)	104.6"
Ground Contact Length	54.1"
Reach at Maximum Height	34.9"
Height to Hinge Pin	119.0"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0679	T550 Compact Track Loader (Equipped with Tier 4 V2 Engine)	$68,513.00	28%	$49,329.36	$1,250.00	$200.00	$0.00	$50,779.36

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0679-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0679-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Travel, Attachment Control, and Single Direction Bucket Positioning	$3,949.00	28%	$2,843.28	$0.00	$0.00	$0.00	$2,843.28
M0679-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00	28%	$2,789.28	$0.00	$0.00	$0.00	$2,789.28
M0679-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Two-Speed Traved, Attachment Control, and Single Direction Bucket Positioning	$7,822.00	28%	$5,631.84	$0.00	$0.00	$0.00	$5,631.84

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Controls							
M0679-R01-C04	Selectable Joystick Control (SJC)	$815.00	28%	$586.80	$0.00	$0.00	$0.00	$586.80

.

T650 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Standard Equipment

74.0 HP Turbo Tier 4 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Lights, Front & Rear
Operator Cab
- Includes: Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)

Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T650
Rated Operating Capacity - 35% of Tipping Load	2,570 lbs.
Rated Operating Capacity - 50% of Tipping Load	3,670 lbs.
Tipping Load	7,343 lbs.
Engine Model	2.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Hydraulic Pump Capacity – High Flow	30.5 GPM
Travel Speed	6.0 MPH
Travel Speed - Two-Speed (Optional)	10.7 MPH
Operating Weight	9,113 lbs.
Shipping Weight	8,190 lbs.
Cab Height	81.3"
Width (w/out Attachment)	72.9"
Length (w/out Attachment)	108.4"
Ground Contact Length	57.7"
Reach at Maximum Height	36.0"
Height to Hinge Pin	124.0"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0233	T650 Compact Track Loader (Equipped with Tier 4 V2 Engine)	$79,614.00	28%	$57,322.08	$1,475.00	$200.00	$0.00	$58,997.08

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0233-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0233-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$1,704.00	28%	$1,226.88	$0.00	$0.00	$0.00	$1,226.88
M0233-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, and Attachment Control	$6,354.00	28%	$4,574.88	$0.00	$0.00	$0.00	$4,574.88
M0233-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$6,926.00	28%	$4,986.72	$0.00	$0.00	$0.00	$4,986.72

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tracks							
M0233-R09-C02	17.7" C-Pattern Track Compatible with Solid Mounted Carriages. Loader width is 78.0"	$1,703.00	28%	$1,226.16	$0.00	$0.00	$0.00	$1,226.16
	Controls							
M0233-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$969.00	28%	$697.68	$0.00	$0.00	$0.00	$697.68
	Auxiliary Flow							
M0233-R03-C03	High Flow Hydraulics *ONLY AVAILABLE WITH COMFORT PACKAGE* Provides 30.5 GPM and 3550 PSI for attachment operation.	$2,763.00	28%	$1,989.36	$0.00	$0.00	$0.00	$1,989.36
	Performance							
M0233-R21-C12	Two-Speed Includes 2-Speed motors and 3-Point Seat Belt	$2,190.00	28%	$1,576.80	$0.00	$0.00	$0.00	$1,576.80

T62 (Tier 4 V2 Engine) R-Series
Bobcat Compact Track Loader

Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Peformance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: 5" Display Panel (Rear Camera Ready)
- Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals

Lift Path: Radius
Lights, Front & Rear LED
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide

Lift Arm Support

Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T62
Rated Operating Capacity - 35% of Tipping Load	2,150 lbs.
- with Torsion Suspension	2,050 lbs.
Rated Operating Capacity - 50% of Tipping Load	3,072 lbs.
Tipping Load	6,143 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity-Standard Flow	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.9 GPM
Travel Speed	7.2 MPH
Travel Speed - Two Speed (Optional)	10.2 MPH
Operating Weight	8,612 lbs.
- with Torsion Suspension	9,070 lbs.
Shipping Weight	8,060 lbs.
Cab Height	80.5"
Width (w/out Attachment)	67.0"
- with Torsion Suspension	72.4"
Width with Wide Track Option (w/out Attachment)	70.2"
- with Torsion Suspension	73.4"
Length (w/out Attachment)	107"
Ground Contact Length	54.3"
Reach at Maximum Height	22.9"
Height to Hinge Pin	114.5"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0355	T62 Compact Track Loader	$65,479.00	28%	$47,144.88	$1,525.00	$200.00	$0.00	$48,869.88

Part Number	Bobcat Packages Description							
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**							
M0355-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Solid Undercarriage, 5" Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0355-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$1,167.00	28%	$840.24	$0.00	$0.00	$0.00	$840.24
M0355-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Premium Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Bucket Positioning, and Rear Camera	$10,603.00	28%	$7,634.16	$0.00	$0.00	$0.00	$7,634.16
M0355-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$5,366.00	28%	$3,863.52	$0.00	$0.00	$0.00	$3,863.52
M0355-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, 7-Pin Attachment Control, and Rear Camera; Features That Can Be Enabled: Two-Speed, Dual Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00	28%	$7,037.28	$0.00	$0.00	$0.00	$7,037.28

Part Number	Optional Selection - Factory Installed Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tracks/Undercarriage							
M0355-R09-C02	15.7" C-Pattern Tracks Compatible with Solid Mounted Carriages. Loader width is 70.2".	$1,654.00	28%	$1,190.88	$0.00	$0.00	$0.00	$1,190.88
	Controls							
M0355-R01-C04	Selectable Joystick Contol (SJC) *REQUIRED WITH COMFORT FOD PACKAGE* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$840.00	28%	$604.80	$0.00	$0.00	$0.00	$604.80
	Auxiliary Flow							
M0355-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00	28%	$1,710.72	$0.00	$0.00	$0.00	$1,710.72

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Individual Performance Options							
M0355-R03-C03	High-Flow Hydraulics Provides 26.9 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	$2,376.00	28%	$1,710.72	$0.00	$0.00	$0.00	$1,710.72
M0355-R28-C02	7-Pin Attachment Control Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	$260.00	28%	$187.20	$0.00	$0.00	$0.00	$187.20

T64 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine (T64)
74.0 HP Tier 4 V2 Bobcat Engine (T66)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471

Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Peformance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: 5" Display Panel (Rear Camera Ready)
- Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals

Lift Arm Support
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T64
Rated Operating Capacity - 35% of Tipping Load	2,300 lbs.
- with Torsion Suspension	2,200 lbs.
Rated Operating Capacity - 50% of Tipping Load	3,286 lbs.
Tipping Load	6,571 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	68
Hydraulic Pump Capacity-Standard Flow	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.9 GPM
Travel Speed	7.2 MPH
Travel Speed - Two Speed (Optional)	10.2 MPH
Operating Weight	8,727 lbs.
- with Torsion Suspension	9,348 lbs.
Shipping Weight	8,035 lbs.
Cab Height	80.5"
Width (w/out Attachment)	67.0"
- with Torsion Suspension	72.4"
Width with Wide Track Option (w/out Attachment)	70.2"
- with Torsion Suspension	73.4"
Length (w/out Attachment)	107.0"
Ground Contact Length	54.3"
Reach at Maximum Height	36.7"
Height to Hinge Pin	120.0"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0363	T64 Compact Track Loader	$70,790.00	28%	$50,968.80	$1,700.00	$200.00	$0.00	$52,868.80

Part Number	Bobcat Packages Description	SLP In US $
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**	
M0363-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Solid Undercarriage, 5" Display, and Standard Lights	$0.00
M0363-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$1,167.00
M0363-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$5,366.00
M0363-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Premium Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Bucket Positioning, and Rear Camera	$10,603.00
M0363-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, 7-Pin Attachment Control, and Rear Camera; Features That Can Be Enabled: Two-Speed, Dual Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00

Part Number	Optional Selection - Factory Installed Description	SLP In US $	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Tracks/Undercarriage							
M0363-R09-C02	15.7" C-Pattern Tracks Compatible with Solid Mounted Carriages. Loader width is 70.2".	$1,654.00	28%	$1,190.88	$0.00	$0.00	$0.00	$1,190.88
	Controls							
M0363-R01-C04	Selectable Joystick Contol (SJC) *REQUIRED WITH COMFORT FOD PACKAGE* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$840.00	28%	$604.80	$0.00	$0.00	$0.00	$604.80
	Auxiliary Flow							
M0363-R03-C03	High-Flow Hydraulics	$2,376.00	28%	$1,710.72	$0.00	$0.00	$0.00	$1,710.72

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Individual Performance Options							
M0363-R03-C03	High-Flow Hydraulics Provides 26.9 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	$2,376.00	28%	$1,710.72	$0.00	$0.00	$0.00	$1,710.72
M0363-R28-C02	7-Pin Attachment Control Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	$260.00	28%	$187.20	$0.00	$0.00	$0.00	$187.20

T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine (T66)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Lights, Front & Rear LED
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear

Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Peformance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: 5" Display Panel (Rear Camera Ready)
- Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals

Lift Arm Support
Lift Path: Vertical
Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
3yr Machine IQ Basics Subscription with
90-Day Machine IQ Health & Security Free Trial
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T66
Rated Operating Capacity - 35% of Tipping Load	2,450 lbs.
- with Torsion Suspension	2,350 lbs.
Rated Operating Capacity - 50% of Tipping Load	3,500 lbs.
Tipping Load	7,000 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity-Standard Flow	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.9 GPM
Travel Speed	7.2 MPH
Travel Speed - Two Speed (Optional)	10.2 MPH
Operating Weight	8,927 lbs.
- with Torsion Suspension	9,548 lbs.
Shipping Weight	8,235 lbs.
Cab Height	80.5"
Width (w/out Attachment)	67.0"
- with Torsion Suspension	72.4"
Width with Wide Track Option (w/out Attachment)	70.2"
- with Torsion Suspension	73.4"
Length (w/out Attachment)	107.0"
Ground Contact Length	54.3"
Reach at Maximum Height	36.7"
Height to Hinge Pin	120.0"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0349	T66 Compact Track Loader	$72,258.00	28%	$52,025.76	$1,525.00	$200.00	$0.00	$53,750.76

Part Number	Bobcat Packages Description	SLP In US $
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**	
M0349-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Solid Undercarriage, 5" Display, and Standard Lights	$0.00
M0349-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$1,167.00
M0349-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard Lights, and 7-Pin Attachment Control	$5,366.00
M0349-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Premium Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Bucket Positioning, and Rear Camera	$10,603.00
M0349-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Premium Lights, Side Lights, Keyless Start, 7-Pin Attachment Control, and Rear Camera; Features That Can Be Enabled: Two-Speed, Dual Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$9,774.00
M0349-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Bucket Positioning, and Rear Camera *Requires Selectable Joystick Controls	$15,407.00
M0349-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Bucket Positioning, Rear Camera, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	$17,292.00

Part Number	Optional Selection - Factory Installed Description	SLP In US $
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)	
	Tracks/Undercarriage	
M0349-R09-C02	15.7" C-Pattern Tracks Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 70.2".	$1,654.00
M0349-R09-C05	12.6" Multi Bar Track *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 67.0".	$634.00
M0349-R21-C13	5-Link Torsion Suspension Undercarriage *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Compatible with 12.6" Tracks (Loader Width 72.4") or 15.7" Tracks (Loader Width 73.4")	$2,482.00
	Controls	
M0349-R01-C04	Selectable Joystick Contol (SJC) *REQUIRED WITH COMFORT FOD, DELUXE, AND GOLD PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$840.00
	Auxiliary Flow	
M0349-R03-C03	High-Flow Hydraulics *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	$2,376.00

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0349-R09-C02	15.7" C-Pattern Tracks	$1,654.00	28%	$1,190.88	$0.00	$0.00	$0.00	$1,190.88
M0349-R09-C05	12.6" Multi Bar Track	$634.00	28%	$456.48	$0.00	$0.00	$0.00	$456.48
M0349-R21-C13	5-Link Torsion Suspension Undercarriage	$2,482.00	28%	$1,787.04	$0.00	$0.00	$0.00	$1,787.04
M0349-R01-C04	Selectable Joystick Contol (SJC)	$840.00	28%	$604.80	$0.00	$0.00	$0.00	$604.80
M0349-R03-C03	High-Flow Hydraulics	$2,376.00	28%	$1,710.72	$0.00	$0.00	$0.00	$1,710.72

T740 (Tier 4 V2 Engine) M3-Series
Bobcat Compact Track Loader

Standard Equipment

Standard Equipment

74 HP Turbo Tier 4 Diesel Engine
Air Intake Heater (Automatically Activated)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Selectable Joystick Controls
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear
Operator Cab
- Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 5 Rollers
Tracks: Rubber, 17.7" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T740
Rated Operating Capacity - 35% of Tipping Load	3,200 lbs.
with Roller Suspension Carriage	3,100 lbs.
Rated Operating Capacity - 50% of Tipping Load	4,571 lbs.
Tipping Load	9,143 lbs.
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional)	30.5 GPM
Travel Speed	6.0 MPH
Travel Speed – 2 Speed	5.5/8.3 MPH
Operating Weight	10,127 lbs.
with Roller Suspension Carriage	10,281 lbs.
Shipping Weight	9,211 lbs.
Cab Height	81.3"
Width (w/out Attachment)	78.0"
Length (w/out Attachment)	114.3"
Ground Contact Length	63.7"
Reach at Maximum Height	35.2"
Height to Hinge Pin	131.4"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0273	T740 Compact Track Loader (Equipped with Tier 4 V2 Engine)	$86,648.00	28%	$62,386.56	$1,600.00	$300.00	$0.00	$64,286.56

Part Number	Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0285-P11-C01	Base Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M0285-P11-C03	Versatility Package Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$1,705.00	28%	$1,227.60	$0.00	$0.00	$0.00	$1,227.60
M0285-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00	28%	$2,789.28	$0.00	$0.00	$0.00	$2,789.28
M0285-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Keyless Ignition, Deluxe Display,	$8,903.00	28%	$6,410.16	$0.00	$0.00	$0.00	$6,410.16
M0273-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, and Attachment Control	$5,007.00	28%	$3,605.04	$0.00	$0.00	$0.00	$3,605.04
M0285-P11-C12	Deluxe Package Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Keyless Ignition, Deluxe Display, Standard Lights, Attachment Control, Single Direction Bucket Positioning, Sound Reduction, Two-Speed Travel, 3yr Standard Telematics Subscription, Ride Control, and Reversing Fan	$10,779.00	28%	$7,760.88	$0.00	$0.00	$0.00	$7,760.88

Part Number	Optional Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Tracks/Undercarriage							
M0285-R09-C05	17.7" Multi Bar Track Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	$872.00	28%	$627.84	$0.00	$0.00	$0.00	$627.84
	Auxiliary Flow							
M0285-R03-C03	High Flow Hydraulics *ONLY AVAILABLE WITH COMFORT AND DELUXE PACKAGES* Provides 36.6 GPM and 3550 PSI for attachment operation.	$2,763.00	28%	$1,989.36	$0.00	$0.00	$0.00	$1,989.36

T76 R-Series
Bobcat Compact Track Loader

Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Selectable Joystic Controls
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Peformance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Keyless Start with
Lift Path: Vertical
Lights, Front & Rear LED
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake: Spring Applied, Pressure Released (SAPR)

- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals

Lift Arm Support

Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T76
Rated Operating Capacity - 35% of Tipping Load	2,900 lbs.
- with Torsion Suspension	2,800 lbs
Rated Operating Capacity - 50% of Tipping Load	4,143 lbs.
Tipping Load	8,285 lbs.
Engine Model	2.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity-Standard Flow	23.3 GPM
Hydraulic Pump Capacity-High Flow (Optional)	30.3 GPM
Travel Speed	6.8 MPH
Travel Speed - Two Speed (Optional)	9.2 MPH
Operating Weight	10,250 lbs.
- with Torsion Suspension	10,620 lbs.
Shipping Weight	9,460 lbs.
Cab Height	81.8"
Width (w/out Attachment)	72.9"
- with Torsion Suspension	72.9"
Width with Wide Track Option (w/out Attachment)	78.0"
- with Torsion Suspension	78.0"
Length (w/out Attachment)	113.9"
Ground Contact Length	59.3"
Reach at Maximum Height	37.4"
Height to Hinge Pin	128.3"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0371	T76 Compact Track Loader	$88,418.00	28%	$63,660.96	$1,675.00	$200.00	$0.00	$65,535.96

Part Number	Bobcat Packages Description	SLP In US $

ORDERING PATH:
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0371-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, Solid Undercarriage, 5" Display, and Premium Lights	$10,603.00	28%	$7,634.16	$0.00	$0.00	$0.00	$7,634.16
M0371-P11-C09	Comfort FOD Package Includes: Enclosed HVAC Cab, Radio, Solid Undercarriage, 5" Display, Premium Lights; Features That Can Be Enabled: Two-Speed, Dual Direction Bucket Positioning, Ride Control, Reversing Fan, and Auto Throttle	$9,774.00	28%	$7,037.28	$0.00	$0.00	$0.00	$7,037.28
M0371-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Solid Undercarriage, 7" Touch Display, Premium Lights, and Side Lights	$15,407.00	28%	$11,093.04	$0.00	$0.00	$0.00	$11,093.04
M0371-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, 7" Touch Display, Premium Lights, Side Lights, Ride Control, Reversing Fan, and Auto Throttle	$17,292.00	28%	$12,450.24	$0.00	$0.00	$0.00	$12,450.24

Part Number	Optional Selection - Factory Installed Description	SLP In US $

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Tracks/Undercarriage

M0371-R09-C02	17.7" C-Pattern Tracks Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 78".	$1,719.00	28%	$1,237.68	$0.00	$0.00	$0.00	$1,237.68
M0371-R09-C05	17.7" Multi Bar Track Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 78".	$740.00	28%	$532.80	$0.00	$0.00	$0.00	$532.80
M0371-R21-C13	5-Link Torsion Suspension Undercarriage Compatible with 12.6" Tracks (Loader Width 72.9") or 17.7" Tracks (Loader Width 78.0")	$2,570.00	28%	$1,850.40	$0.00	$0.00	$0.00	$1,850.40

Auxiliary Flow

M0371-R03-C03	High-Flow Hydraulics Provides 30.3 GPM and 3500 PSI for Attachment Operation.	$2,846.00	28%	$2,049.12	$0.00	$0.00	$0.00	$2,049.12

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M0371-R08-C03	Touch Display 7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	$1,831.00	28%	$1,318.32	$0.00	$0.00	$0.00	$1,318.32
M0371-R03-C03	High-Flow Hydraulics Provides 30.3 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	$2,846.00	28%	$2,049.12	$0.00	$0.00	$0.00	$2,049.12
M0371-R28-C02	7-Pin Attachment Control Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	$260.00	28%	$187.20	$0.00	$0.00	$0.00	$187.20

T770 (Tier 4) M2-Series Bobcat Compact Track Loader

Standard Equipment

92 HP Turbo Tier 4 Diesel Engine

Lights, Front & Rear

Air Intake Heater (Automatically Activated)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Bobcat Standard Controls
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Systems Shutdown
Horn
Instrumentation: Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical

Operator Cab
- Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 5 Rollers
Tracks: Rubber, 17.7" Wide

Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T770
Rated Operating Capacity - 35% of Tipping Load	3,475 lbs.
with Roller Suspension Carriage	3,325 lbs.
Rated Operating Capacity - 50% of Tipping Load	4,960 lbs.
Tipping Load	9,929 lbs.
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	92
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional)	36.6 GPM
Travel Speed	6.6 MPH
Travel Speed – 2 Speed	6.1/10.7 MPH
Operating Weight	10,515 lbs.
with Roller Suspension Carriage	10,678 lbs.
Shipping Weight	9,584 lbs.
Cab Height	81.3"
Width (w/out Attachment)	78.0"
Length (w/out Attachment)	114.3"
Ground Contact Length	63.7"
Reach at Maximum Height	35.2"
Height to Hinge Pin	131.4"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0285	T770 Compact Track Loader (Equipped with Tier 4 Engine)	$88,703.00	28%	$63,866.16	$1,350.00	$300.00	$0.00	$65,516.16

Part Number	Bobcat Packages Description	SLP In US $
	ORDERING PATH: **1:) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)**	
M0285-P11-C01	Base Package Includes: Open Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$0.00
M0285-P11-C03	Versatility Package Includes: Open Cab, Power Bob-Tach, Oval Display, Standard Lights, Attachment Control, and Single Direction Bucket Positioning	$1,705.00
M0285-P11-C05	Cab Package Includes: Enclosed HVAC Cab, Manual Bob-Tach, Oval Display, and Standard Lights	$3,874.00
M0285-P11-C15	Cab Plus Package Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Oval Display, Standard Lights, and Attachment Control	$5,007.00
M0285-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Power Bob-Tach, Keyless Ignition, Deluxe Display, Standard Lights, Attachment Control, Single Direction Bucket Positioning, and Two-Speed Travel	$8,903.00
M0285-P11-C12	Deluxe Package Includes: Enclosed HVAC Cab, Power Bob-Tach, Keyless Ignition, Deluxe Display, Standard Lights, Attachment Control, Single Direction Bucket Positioning, Two-Speed Travel, Ride Control, and Reversing Fan	$10,779.00

Part Number	Optional Selection - Factory Installed Description	SLP In US $
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)	
	Tracks/Undercarriage	
M0285-R09-C05	17.7" Multi Bar Track Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	$872.00
M0285-R21-C13	Roller Suspension Carriage *ONLY AVAILABLE WITH DELUXE PACKAGE* Includes Solid Mounted Undercarriage and 4 Rollers with Leaf Spring style suspension. Compatible with 12.6" tracks (Loader width 73.4") or 17.7" tracks (Loader width is 78.0")	$1,830.00
	Controls	
M0285-R01-C04	Selectable Joystick Control (SJC) Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	$969.00
	Auxiliary Flow	
M0285-R03-C03	High Flow Hydraulics *ONLY AVAILABLE WITH COMFORT AND DELUXE PACKAGES* Provides 36.6 GPM and 3550 PSI for attachment operation.	$2,763.00

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTION *NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package*							
M0285-R28-C02	7-Pin Attachment Control Required for High Flow Hydraulics.	$252.00	28%	$181.44	$0.00	$0.00	$0.00	$181.44
M0285-R03-C03	High Flow Hydraulics Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	$2,763.00	28%	$1,989.36	$0.00	$0.00	$0.00	$1,989.36
7346768	Bob-Dock Adapter Plate The adapter plate connects to your hydraulic attachment and has a locked hydraulic connection integrated within. The adapter can stay with the attachment permanently, or it can be removed and installed on another attachment. The adapter plate attaches to most hydraulic attachments to allow the Bob-Dock system to seamlessly connect and disconnect from hydraulic attachments. Note: Customers may require more than one Bob-Dock Adaptor Plate	$1,307.00	24%	$993.32	$109.00	$0.00	$0.00	$1,102.32

T86 R-Series
Bobcat Compact Track Loader

Standard Equipment

105.0 HP Tier 4 V2 Bobcat Engine
Auxiliary Hydraulics: Variable Flow
Two-Speed Travel
Rear Camara
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS ™)
Controls: Selectable Joystick Controls
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Peformance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Keyless Start with
- 5" Display Panel, Engine Temperature and Fuel Guages Hourmeter, RPM, Warning Indicators and other vitals

Lift Arm Support
Lift Path: Vertical
Lights, Front & Rear LED

Operator Cab
- Enclosed Cab with Heat and AC
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt Sound Reduction, Radio Ready SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Additional Features
- Power Bob-Tach®
- 7-Pin Attachment Control
- Dual Direction Bucket Positioning
- Automatic Ride Control
- Reversing Fan

Parking Brake: Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 5 Rollers
Tracks: Rubber, 17.7" Wide
Telematics - Machine IQ
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T86
Rated Operating Capacity - 35% of Tipping Load	3,800 lbs.
- with Torsion Suspension	3,700 lbs
Rated Operating Capacity - 50% of Tipping Load	5,429 lbs.
Tipping Load	10,857 lbs.
Engine Model	3.4L V2
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	105
Hydraulic Pump Capacity-Standard Flow	23.6 GPM
Hydraulic Pump Capacity-High Flow (Optional)	36.6 GPM
Hydraulic Pump Capacity-Super Flow (Optional)	42.0 GPM
Travel Speed	5.5 MPH
Travel Speed - Two Speed	10.7 MPH
Operating Weight	12,393 lbs.
- with Torsion Suspension	12,953 lbs.
Shipping Weight	11,477 lbs.
Cab Height	83.1"
Width (w/out Attachment)	78.0"
- with Torsion Suspension	78.0"
Length (w/out Attachment)	120.4"
Ground Contact Length	66.3"
Reach at Maximum Height	38.4"
Height to Hinge Pin	132.0"

Part Number	Compact Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0385	T86 Compact Track Loader	$120,753.00	28%	$86,942.16	$1,500.00	$300.00	$0.00	$88,742.16

Part Number	Bobcat Packages Description	SLP In US $

ORDERING PATH:
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0385-P11-C07	Comfort Package Includes: Enclosed HVAC Cab, Radio, Solid Undercarriage, 5" Display, and Premium Lights	$1,478.00	28%	$1,064.16	$0.00	$0.00	$0.00	$1,064.16
M0385-P11-C12	Deluxe Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, Solid Undercarriage, 7" Touch Display, Premium Lights, and Side Lights	$6,282.00	28%	$4,523.04	$0.00	$0.00	$0.00	$4,523.04
M0385-P11-C13	Gold Package Includes: Clear Side Auto HVAC Cab, 3yr Machine IQ Health & Security Subscription, Integrated Bluetooth Radio, 7" Touch Display, Premium Lights, Side Lights, Ride Control, and Reversing Fan	$8,167.00	28%	$5,880.24	$0.00	$0.00	$0.00	$5,880.24

Part Number	Optional Selection - Factory Installed Description	SLP In US $

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Tracks/Undercarriage

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0385-R09-C05	17.7" Multi Bar Track Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 78".	$910.00	28%	$655.20	$0.00	$0.00	$0.00	$655.20
M0385-R21-C13	5-Link Torsion Suspension Undercarriage Compatible with 17.7" Tracks (Width 78"), includes Triple Flange Rear Idler.	$6,430.00	28%	$4,629.60	$0.00	$0.00	$0.00	$4,629.60

Auxiliary Flow

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0385-R03-C09	High-Flow Hydraulics Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.	$3,860.00	28%	$2,779.20	$0.00	$0.00	$0.00	$2,779.20
M0385-R03-C10	Super-Flow Hydraulics Includes Three Auxiliary Hydraulic Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow, and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.	$4,932.00	28%	$3,551.04	$0.00	$0.00	$0.00	$3,551.04

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

CANNOT BE ADDED TO ANY ORDER WITH BOBCAT PACKAGE OR COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering

systems will automatically add the required equipment to the order.

M0385-R08-C03	Touch Display.....	**$1,831.00**	**28%**	**$1,318.32**	**$0.00**	**$0.00**	**$0.00**	**$1,318.32**
	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.							
	Individual Performance Options							
M0385-R03-C09	High-Flow Hydraulics.....	**$3,860.00**	**28%**	**$2,779.20**	**$0.00**	**$0.00**	**$0.00**	**$2,779.20**
	Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.							
M0385-R03-C10	Super-Flow Hydraulics.....	**$4,932.00**	**28%**	**$3,551.04**	**$0.00**	**$0.00**	**$0.00**	**$3,551.04**
	Includes Three Auxiliary Hydraulic Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow, and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.							

August 1, 2024
BOBCAT SLP Pages

MT100

Bobcat Mini Track Loader

Standard Equipment

24.8 HP Tier 4 Diesel Engine
Attachment interface; - Bob-Tach® Attachment Mounting System or CII Common Industry Interface
Auxiliary Hydraulics
Built-in Tie Down and Crane/Lift locations
Continuous Flow Shutoff Pedal
Counterweights - Includes (4) 30 pound weights
Hourmeter, Engine Temperature and Fuel Gauges, Voltmeter & Warning Lights
Hydrostatic Drive Train
ISO Pattern Joystick Travel Controls
Lift Arm Lockout with Manual Bypass
Lift Arm Support
Liquid-Cooled Diesel Engine
Neutral Start Interlocks
Parking Brake
Spark Arrestor Muffler
Storage Cubby
Tilt Lockout
Tracked Traction System: Rubber, 7 in. wide
Warranty: 12 Months, unlimited hours

Quick Specs

	MT100
Rated Operating Capacity - Counterweights in Undercarriage Position	1,000 lbs
Rated Operating Capacity - Counterweights in rear position on Uprights	1,060 lbs
Carry Position ROC* - Counterweights in Undercarriage Position	1,260 lbs
Carry Position ROC* - Counterweightsin rear position on Uprights	1,300 lbs
Engine Model	D902-E4B
Engine Fuel/Cooling	Diesel/Liquid
Horsepower	24.8 HP
Auxiliary Hydraulics Flow	12.0 GPM
Auxiliary PSI	2900 PSI
Travel Speed Fwd	4.1 MPH
Travel Speed Rev	2.9 MPH
Operating Weight	3390 lbs.
Shipping Weight	3035 lbs.
Width (w/out Bucket)	35.6 in.
Length (w/ Bucket)	106.2 in.
Ground Contact Length	41.4 in.
Reach @ Maximum Height	18.7 in.
Height to Hinge Pin	81.0 in.

*Carry Position ROC is measured as 35% of tip when the lift arm is raised 6" and bucket is fully rolled back

MT100

Bobcat Mini Track Loader

Part Number	Mini Track Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0115	MT100 Mini Track Loader	$39,284.00	24%	$29,855.84	$725.00	$100.00	$0.00	$30,680.84

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0115-R09-C02	9.8" Wide Track Option Machine width is 41.4"	$967.00	24%	$734.92	$0.00	$0.00	$0.00	$734.92

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7286202	Bob-Tach® Attachment Interface Kit Est. Install Time: 0.5 hr.	$1,058.00	24%	$804.08	$89.00	$0.00	$0.00	$893.08
7286203	Common Industry Interface Kit (CII) Est. Install Time: 0.5 hr.	$1,058.00	24%	$804.08	$89.00	$0.00	$0.00	$893.08

August 1, 2024
BOBCAT SLP Pages

L23 & L28
Bobcat Small Articulated Loader

Standard Equipment

24.8 HP Tier 4 Diesel Engine
Auxiliary Hydraulics: Variable Flow 12 GPM
Articulation Lock Bar
Backup Alarm
Bob-Tach® Attachment Mounting System
Operator Interlock Control System - Integrated in Left Arm Rest
Controls:
- Forward & Reverse Foot Pedals, Joystick Controlled Workgroup Functions & Variable Control Switches for Auxiliary Hydraulics

Engine/Hydraulic Systems Shutdown
Glow Plugs (Automatically Activated)
Horn
Instrumentation:
- Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights

Lift Arm Support Device
LED Work Lights: 2-Front & 1-Rear
Operator Canopy
- Cup holder, Adjustable Suspension Seat, Retractable Seat Belt
- Roll Over Protective Structure (ROPS) meets ISO 3471
- Falling Object Protective Structure (FOPS) meets ISO 3449, Level I

Parking Brake: Spring Applied, Pressure Released (SAPR)
Warranty: 1 Year, Unlimited Hours

L23 only
Standard Lift Arm (Non-Telescopic)
Tires: 23-8.50 x12 Turf 10 Ply (43.2" wide)

L28 only
Telescopic Lift Arm (24" Extension)
Tires: 23-10.50 x12 Turf 8 Ply (46.5" wide)

Quick Specs

	L23	L28
Rated Operating Capacity Straight - 50% of Tip Load	1395 lbs.	34 lbs. (888 lbs. E
Rated Operating Capacity Articulated- 50% of Tip Load	1159 lbs.	22 lbs. (712 lbs. E
Tip Load Straight	2789 lbs.	68 lbs. (1775 lbs. I
Engine Model	D1305	D1305
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquic
Horsepower	24.8	24.8
Hydraulic Pump Capacity-Standard Flow	12.1 GPM	12.1 GPM
Travel Speed	8.2 mph.	8.3 mph.
Operating Weight	3790 lbs.	4195 lbs.
- with add on CWT	4260 lbs.	4710 lbs.
Cab Height	78.1 in	78.1 in
Width (w/out Attachment)	43.2 in	46.5 in
Width with Wide Tire Option (w/out Attachment)	46.5 in	51.5 in
Length (w/out Attachment)	93.2 in	93.2 in
Wheel Base	47.2 in	47.2 in
Reach at Maximum Height	16.8 in	30.9 In
Height to Hinge Pin	85.4 in	104.4 in

L23 & L28
Bobcat Small Articulated Loader

Part Number	Small Articulated Loader Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1401	L23 Small Articulated Loader	$40,788.00	24%	$30,998.88	$850.00	$150.00	$0.00	$31,998.88
M1403	L28 Small Articulated Loader	$47,789.00	24%	$36,319.64	$875.00	$150.00	$0.00	$37,344.64

Part Number	Machine Configuration Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS							
	Tires L23							
M1401-R09-C02	23X10.50-12 TURF 8 Ply (47" machine width)	$220.00	24%	$167.20	$0.00	$0.00	$0.00	$167.20
M1401-R09-C05	23X5.7-12 STANDARD DUTY SSL 4 Ply (39" machine width, cannot be used with add on counterweight) 12 Ply (44" machine width)	$0.00	24%	$0.00	$0.00	$0.00	$0.00	$0.00
	Tires L28							
M1403-R09-C01	23X8.50-12 TURF 10 Ply (44" machine width cannot be used with add on counterweight)	$0.00	24%	$0.00	$0.00	$0.00	$0.00	$0.00
M1403-R09-C03	26X12.00-12 TURF Includes articulation limiter 8 Ply (52" machine width) (recommend fender flare kit from parts) 8 Ply (44" machine width) Includes articulation limiter 8 Ply (52" machine width) (recommend fender flare kit from parts)	$498.00	24%	$378.48	$0.00	$0.00	$0.00	$378.48

Part Number	Comfort Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN ADD INDIVIDUAL OPTIONS TO COMFORT PACKAGE							
M1403-P01-C02	Heated Cab Comfort Package Heated enclosed cab with wiper / washer, heated suspension seat, and block heater	$3,134.00	24%	$2,381.84	$0.00	$0.00	$0.00	$2,381.84

Part Number	Performance Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN ADD INDIVIDUAL OPTIONS TO COMFORT PACKAGE							
M1403-P01-C03	Comfort and Performance Package Heated enclosed cab with wiper / washer, heated suspension seat, block heater, Power Bobtach, Radio, & Traction Control	$5,805.00	24%	$4,411.80	$0.00	$0.00	$0.00	$4,411.80

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN ADD INDIVIDUAL OPTIONS TO COMFORT PACKAGE OR BASE MACHINE							
M1403-R06-C02	Power Bob-Tach® Attachment Mounting System	$1,154.00	24%	$877.04	$0.00	$0.00	$0.00	$877.04

	Connect and disconnect non-hydraulic attachments from inside the cab.							
M1403-R26-C02	Radio	**$564.00**	**24%**	**$428.64**	**$0.00**	**$0.00**	**$0.00**	**$428.64**
	Radio, speakers, and antenna							
M1403-R60-C02	Traction Assist	**$952.00**	**24%**	**$723.52**	**$0.00**	**$0.00**	**$0.00**	**$723.52**
	Press and hold switch to momentarily split traction drive equally to both sides of the machine.							

August 1, 2024
BOBCAT SLP Pages

Adapter Plate
Bobcat Loader Attachment



Quick Specs

Operating Weight..... 87 lbs.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (L23, L28)								
7100695	**Adapter Plate**..... (Installs on competitive attachment for use with Bobcat MT50, MT52, MT55, MT85 and MT100)	$695.00	24%	$528.20	$44.00	$0.00	$41.25	$613.45

Note: The adapter plate is not approved for use with buckets because of reduced breakout forces and ROC. Also, the below attachments have not been evaluated on the L23 or L28.

Competitive Model Number	Attachment Description	Notes
Dingo® 22414	Hydraulic Blade	Extend hoses 20" to get full
Dingo 22400	Auger Power Head	Maximum bit diameter is
Dingo 22801	Universal Auger Power Head	Maximum bit diameter is
Dingo 22441	Concrete Breaker	Extend hoses 20"
Dingo 22445	Tiller, 40"	
Dingo 22420	Boring Unit	
Dingo 22910	Vibratory Plow	
Dingo 22447	Trencher	
Harley Rake	M4F, M4M, M4H	
Ditch Witch SK5VP	Vibratory Plow	
Ditch Witch SK5TR	Trencher	Extend hoses 12"

Adapter Plate - Bob-Dock
Bobcat Loader Attachment



Quick Specs

Operating Weight..... 209 lbs.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S630, S650, S740, S770, T630, T650, T740, T770)(S86) (T76H, T86)								
7346768	**Bob-Dock Adapter Plate**.....	$1,307.00	24%	$993.32	$109.00	$0.00	$0.00	$1,102.32

Note: Customers may require more than one Bob-Dock Adapter Plate

Angle Broom
Bobcat Loader Attachment



Quick Specs

	52"	64"
Operating Weight.....	355 lbs.	385 lbs.
Sweep Width Straight.....	51.5"	63.5"
Sweep Width Fully Angled.....	46.5" @ 25°	57.5" @ 25°
Broom Angling.....	Hydraulic Cylinder	Hydraulic Cylinder
Drive System.....	Hydraulic Motor Direct Drive	Hydraulic Motor Direct Drive
Flow Range.....	9-17.4 GPM	9-17.4 GPM
Broom Bristle Diameter.....	26"	26"
Bristle Material.....	Poly Orange HD	Poly Orange HD
Number of Bristle Sections.....	27 Zig-Zag	33 Zig-Zag
Electrical.....	14 Pin Standard	14 Pin Standard

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Must order a hydraulic motor package with the 52" and 64" Angle Broom **To convert 14 pin to 7 pin order Kit # 7413216**							
(S70, S100, S450) (MT55, MT85/100) (L23, L28)								
M7043	**52" Angle Broom**..... (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 7-Pin Attachment Control Kit order PN 7413216)	$5,347.00	24%	$4,063.72	$170.00	$50.00	$0.00	$4,283.72
M7043-R02-C01	10.3 CID Motor Package 9.6 - 12.0 GPM..... (S70,S100, MT55, MT85/100, L23, L28)	$591.00	24%	$449.16	$0.00	$0.00	$0.00	$449.16
M7043-R02-C02	14.5 CID Motor Package 16.5 – 17.4 GPM ..... (S450)	$828.00	24%	$629.28	$0.00	$0.00	$0.00	$629.28
(S70, S100, S450) (T450) (MT55, MT85/100) (L23, L28)								
M7044	**64" Angle Broom**..... (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 7-Pin Attachment Control Kit order PN 7413216)	$5,882.00	24%	$4,470.32	$170.00	$50.00	$0.00	$4,690.32

M7044-R02-C01	10.3 CID Motor Package 9.6 - 12.0 GPM (S70,S100, MT55, MT85/100, L23, L28)	$550.00	24%	$418.00	$0.00	$0.00	$0.00	$418.00
M7044-R02-C02	14.5 CID Motor Package 16.5 – 17.4 GPM (S450, T450)	$770.00	24%	$585.20	$0.00	$0.00	$0.00	$585.20

Part Number	Dealer Installed Accessories - Order From Parts Description

Water Kit

Note: Water Kits are available for use with the Angle Broom attachments – see Water Kit page for details.

Angle Broom
Bobcat Loader Attachment



Quick Specs

	68"	84"
Operating Weight	860 lbs.	944 lbs.
Sweep Width Straight	68"	84"
Sweep Width Fully Angled	63" @ 25°	77" @ 25°
Broom Angling	Hydraulic Cylinder	Hydraulic Cylinder
Drive System	Hydraulic Motor Direct Drive	Hydraulic Motor Direct Drive
Flow Range	15-28 GPM	15-28 GPM
Broom Bristle Diameter	32"	32"
Bristle Material	Poly Orange HD	Poly Orange HD
Number of Bristle Sections	36 Zig-Zag 2 Straight	44 Zig-Zag 2 Straight

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T110, T140, T180, T190) (T450,T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76)							
7337703	**68" Angle Broom** (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 3)	**$7,794.00**	**24%**	**$5,923.44**	**$219.00**	**$50.00**	**$0.00**	**$6,192.44**
	(S150, S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S650,S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7337715	**84" Angle Broom** (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 2)	**$8,904.00**	**24%**	**$6,767.04**	**$249.00**	**$50.00**	**$0.00**	**$7,066.04**

Auger- Planetary Drive
Bobcat Loader Attachment

Auger Drive Unit

Planetary Drive Auger Quick Specs

	Model 12PH	Model 14PH	Model 20PH	Model 25PH	Model 35PH	Model 50PH
Ship Weight (Auger Drive)	140 lbs.	140 lbs.	140 lbs.	141 lbs.	325 lbs.	325 lbs.
Ship Weight (Mtg. Frame)	94 lbs	118 lbs	118 lbs	118 lbs	209 lbs	209 lbs
Operating Weight (less bit)	234 lbs	258 lbs	258 lbs	259 lbs	454 lbs	454 lbs
Digging Depth (without extensions)	56"	56"	56"	56"	72"	72"
Shaft Diameter - Round	-	-	-	-	-	-
Shaft Diameter - Hex	2.0"	2.0"	2.0"	2.0"	2.5"	2.5"
RPM						
@ 8 gpm (30 L/min.)	39 rpm	-	-	-	-	-
@ 12 gpm (45 L/min.)	60 rpm	48 rpm	-	-	-	-
@ 17 gpm (64 L/min.)	86 rpm	71 rpm	49 rpm	-	-	-
@ 18 gpm (68 L/min.)	-	75 rpm	52 rpm	-	46 rpm	36 rpm
@ 21 gpm (70 L/min.)	-	48 rpm	48 rpm	-	-	-
@ 22 gpm (83 L/min.)	-	90 rpm	61 rpm	49 rpm	56 rpm	45 rpm
@ 23 gpm (87 L/min.)	-	94 rpm	64 rpm	51 rpm	-	-
@ 26 gpm (98 L/min.)	-	98 rpm	67 rpm	53 rpm	67 rpm	53 rpm
@ 30 gpm (114 L/min.)	-	-	-	-	77 rpm	61 rpm
@ 32 gpm (121 L/min.)	-	-	-	-	82 rpm	65 rpm
@ 34 gpm (129 L/min.)	-	-	-	-	87 rpm	69 rpm
@ 36 gpm (136 L/min.)	-	-	-	-	92 rpm	73 rpm
@ 37 gpm (140 L/min.)	-	-	-	-	-	-
@ 38 gpm (144 L/min.)	-	-	-	-	98 rpm	77 rpm
Torque						
@ 2000 psi (19,788 kPa)	782 ft.lb (1,060 Nm)	911 ft.lb (1,235 Nm)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)	2,387 ft.lb. (3,237 Nm)	3,023 ft.lb. (4,100 Nm)
@ 2400 psi (16,547 kPa)	1,039 ft.lb (1,409 Nm)	1,208 ft.lb (1,638 Nm)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)	2,864 ft.lb. (3,884 Nm)	3,628 ft.lb. (4,920 Nm)
@ 2600 psi (17,926 kPa)	1,126 ft.lb (1,526 Nm)	1,309 ft.lb (1,775 Nm)	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)	3,103 ft.lb (4,208 Nm)	3,931 ft.lb. (5,330 Nm)
@ 2700 psi (18,616 kPa)	1,169 ft.lb (1,585 Nm)	1,359 ft.lb (1,843 Nm)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)	-	-
@ 3000 psi (20,684 kPa)	1,261 ft.lb (1,709 Nm)	1,465 ft.lb (1,986 Nm)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)	-	-
@ 3200 psi (22,753 kPa)	1,386 ft.lb (1,879 Nm)	1,611 ft.lb (2,184 Nm)	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)	3,819 ft.lb. (5,179 Nm)	4,838 ft.lb. (6,560 Nm)
@ 3300 psi (22,753 kPa)	1,429 ft.lb (1,937 Nm)	1,662 ft.lb (2,253 Nm)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)	-	-
@ 3500 psi (24,132 kPa)	1,516 ft.lb (2,055 Nm)	1,762 ft.lb (2,389 Nm)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)	4,177 ft.lb. (5,664 Nm)	5,291 ft.lb. (7,175 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

(MT100) (S70, S100) (S450) (T450) (L23, L28)							
7501033	**Model 12PH Auger Drive Unit**..... (Operate in Standard Flow only) (Must also order Mounting Frame for MT, SAL or Loader and Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,115.00**	**24%**	**$1,607.40**	**$65.00**	**$50.00**	**$82.50**	**$1,804.90**
(MT100) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66) (L23, L28)							
7501034	**Model 14PH Auger Drive Unit**..... (Operate in Standard Flow only) (Must also order Mounting Frame for MT, SAL or Loader and Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,195.00**	**24%**	**$1,668.20**	**$65.00**	**$50.00**	**$82.50**	**$1,865.70**
(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7501035	**Model 20PH Auger Drive Unit**..... (Operate in Standard Flow only) (Must also order loader frame for Model 20PH and Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,280.00**	**24%**	**$1,732.80**	**$65.00**	**$50.00**	**$82.50**	**$1,930.30**
(S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7501036	**Model 25PH Auger Drive Unit**..... (Operate in Standard Flow only) (Must also order loader frame for Model 25PH and Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,409.00**	**24%**	**$1,830.84**	**$65.00**	**$50.00**	**$82.50**	**$2,028.34**
(S510, S530, S550, S570, S590, S595, S630, S650, S740, S740H, S750, S770, S850) (S62H, S64, S64H, S66, S66H, (S76,S76H, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62H, T64H, T66, T66H, T76, T76H, T86)							
7220280	**Model 35PH Auger Drive Unit**..... (Must also order 35PH/50PH Mounting Frame and Bit) (Auger Drive unit is shipped with bit retention pin)	**$4,911.00**	**24%**	**$3,732.36**	**$130.00**	**$50.00**	**$82.50**	**$3,994.86**
(S550H, S570H, S590H, S595H, S630, S650, S740, S740H, S750, S770, S850)(S62H, S64H, S66, S66H, S76, S76H, S86) (A770) (T550H, T590H, T595H, T630, T650, T740, T750, T770, T870) (T62H, T64H, T66, T66H, T76, T76H, T86)							
7227984	**Model 50PH Auger Drive Unit**..... (Must also order 35PH/50PH Mounting Frame and Bit) (Auger Drive unit is shipped with bit retention pin)	**$5,620.00**	**24%**	**$4,271.20**	**$130.00**	**$50.00**	**$82.50**	**$4,533.70**

Part Number	Dealer Installed Auger Frames - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L23, L28) (S70) (MT100)								
7508120	**12PH/14PH Mini Track Loader/SAL Mounting Frame** ..... (Includes Mounting Hardware to attach auger drive)	**$750.00**	**24%**	**$570.00**	**$61.00**	**$0.00**	**$82.50**	**$713.50**
(S100) (S450-S850) (S62, S64, S66, S76, S86) (A770) (T450-T870) (T62, T64, T66, T76, T86)								
7508119	**12PH/14PH/20PH/25PH Mounting Frame**..... (Includes Mounting Hardware to attach auger drive)	**$720.00**	**24%**	**$547.20**	**$65.00**	**$0.00**	**$82.50**	**$694.70**
(S510-S850) (S62, S64, S66, S76, S86) (A770) (T550-T870) (T62, T64, T66, T76, T86)								
7223507	**35PH/50PH Mounting Frame**..... (Includes Mounting Hardware)	**$799.00**	**24%**	**$607.24**	**$91.00**	**$0.00**	**$0.00**	**$698.24**

Part Number	Dealer Installed Auger Bits - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Auger Drive & Bit Recommendations

12PH/14PH Augers—Recommended bit size 6" – 18"
20PH/25PH—Recommended bit size 6" – 30"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Auger- Direct Drive
Bobcat Loader Attachment

Auger Drive Unit

Direct Drive Auger Quick Specs

	Model 10	Model 15C	Model 15H	Model 30C	Model 30H
Ship Weight (Auger Drive).....	191 lbs.	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight (Mtg. Frame).....	162 lbs	193lbs	193 lbs	193 lbs	193 lbs
Operating Weight (less bit).....	283 lbs	358 lbs	354 lbs	376 lbs	370 lbs
Digging Depth (without extensions)	58"	62"	62"	62"	62"
Shaft Diameter - Round.....	2.5"	2.5"	-	2.5"	-
Shaft Diameter - Hex.....	-	2.0"	2.0"	2.0"	2.0"
RPM					
@ 8 gpm (30 L/min.).....	48 rpm	-	-	-	-
@ 12 gpm (45 L/min.).....	72 rpm	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.).....	102 rpm	80 rpm	80 rpm	41 rpm	41 rpm
@ 18 gpm (68 L/min.).....	-	-	-	-	-
@ 21 gpm (70 L/min.).....	-	99 rpm	99 rpm	51 rpm	51 rpm
@ 22 gpm (83 L/min.).....	-	-	-	-	-
@ 23 gpm (87 L/min.).....	-	109 rpm	109 rpm	56 rpm	56 rpm
@ 26 gpm (98 L/min.).....	-	-	-	-	-
@ 30 gpm (114 L/min.).....	-	-	-	70 rpm	70 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-	-
@ 34 gpm (129 L/min.).....	-	-	-	-	-
@ 36 gpm (136 L/min.).....	-	-	-	-	-
@ 37 gpm (140 L/min.).....	-	-	-	90 rpm	90 rpm
@ 38 gpm (144 L/min.).....	-	-	-	-	-
Torque					
@ 2000 psi (19,788 kPa).....	1,021 ft.lb. (1,523 Nm)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa).....	1,225 ft.lb. (1,661 Nm)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2600 psi (17,926 kPa).....	-	-	-	-	-
@ 2700 psi (18,616 kPa).....	1,378 ft.lb. (1,868 Nm)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa).....	1,532 ft.lb. (2,077 Nm)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3200 psi (22,753 kPa).....	-	-	-	-	-
@ 3300 psi (22,753 kPa).....	-	2,415 ft.lb.	2,415 ft.lb.	4,158 ft.lb.	4,158 ft.lb.

	(2,908 Nm)	(2,908 Nm)	(5,638 Nm)	(5,638 Nm)
@ 3500 psi (24,132 kPa)..... -	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (S70, S100, S130, S150, S160, S175, S185, S205) (S450) (T110, T140) (T450) (L23, L28)									
6808799	**Model 10 Auger Drive Unit**..... (Must also order Mounting Frame and Bit) (Must order mounting frame, light duty bit and swing stop kit when installing on MT50,MT52, MT55, MT85, and MT100)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
(S100, S130, S150, S160, S175, S185, S205) (S450*, S510*, S530*, S550*, S570*, S590*, S595*, S630*, S650*, S740*, S750*, S770*, S850*) (S62, S64, S66, S76, S86) (A770*) (T110, T140, T180, T190, T250, T300, T320) (T450*, T550*, T590*, T595*, T630*, T650*, T740*, T740H*, T750*, T770*, T870*) (T62, T64, T66, T76, T86)									
6809442	**Model 15C Auger Drive Unit**..... (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7145345	**Model 15H Hex Shaft Auger Drive Unit**..... (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450*, S510*, S530*, S550*, S550H*, S570*, S570H*, S590*, S590H*, S595*, S595H*, S630H*, S650*, S650H*, S740*, S740H*, S750*, S750H*, S770*, S770H*, S850*, S850H*) (S62*, S62H*, S64*, S64H*, S66*, S66H*, S76*, S76H*, S86*) (A770*, A770H*) (T140, T180, T180H, T190, T190H) (T450*, T550*, T550H*, T590*, T590H*, T595*, T595H*, T630*, T630H*, T650*, T650H*, T740*, T740H*, T750*, T750H*, T770*, T770H*, T870*, T870H*) (T62*, T62H*, T64*, T64H*, T66*, T66H*, T76*, T76H*, T86*)									
6809445	**Model 30C Auger Drive Unit**..... in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7138264	**Model 30H Hex Shaft Auger Drive Unit**..... (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

***Must also order Bumper Kit p/n 7172609 from Parts ONLY IF AUGER MOUNTING FRAME p/n 6812980 IS OLDER MODEL. Current Auger Mounting Frame p/n 6812980 includes Bumper Kit p/n 7172609.**

Part Number	Description	Dealer Installed Auger Frames - Order From Sales	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L23, L28) (S70) (MT50-MT55, MT85, MT100)									
6812946	**Auger 10 Bob-Tach Mounting Frame**..... (Includes Mounting Hardware)		$790.00	24%	$600.40	$61.00	$0.00	$0.00	$661.40
(MT85, MT100)									
7272933	**Auger 10 MTG Bracket CII**..... (Includes Mounting Hardware)		$790.00	24%	$600.40	$61.00	$0.00	$0.00	$661.40
(S100-S330, S450-S850) (S62, S64, S66, S76, S86) (A770) (T110-T320, T450-T870) (T62, T64, T66, T76, T86)									
6812980	**Auger 15C/H, 30C/H Mounting Frame**..... (Includes Mounting Hardware) (Includes Bumper Kit p/n 7172609)		$703.00	24%	$534.28	$64.00	$0.00	$0.00	$598.28

Bob-Tach Backhoe
Bobcat Loader Attachment



Quick Specs

Operating Weight (without bucket).....	750 lbs
Swing Angle.....	48 degrees left or right
Length.....	77.0"
Width.....	50.0"
Height.....	17.8"
Dig Depth.....	72.0"
Reach.....	77.0"
Dig Force – Bucket.....	4878 lbf.
Bolt-on X-Change.....	Standard

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S62, S64, S66, S66) (T180, T190) (T550, T590, T595) (T62, S64, S66,T66)									
6906767	**Bob-Tach Mounted Backhoe**..... (Must also order bucket, see Backhoe Bucket pages) (Loader must be equipped with an Attachment Control Kit – See Page 1 and 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-pin Attachment T-Harness P/N 6725383) (Bob-Tach Mounted Backhoe is NOT compatible with Rear Stabilizers)		$7,028.00	24%	$5,341.28	$179.00	$100.00	$41.25	$5,661.53

Part Number	Description	Dealer Installed Accessories - Order From Sales	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7104321	**Hydraulic Clamp**..... (Includes cylinder, hoses & pins) (Must also order Auxiliary Hydraulic Kit)		$2,554.00	24%	$1,941.04	$123.00	$50.00	$412.50	$2,526.54

Backhoe
Bobcat Loader Attachment



Quick Specs

	M06	***7BH***	***9BH***	***8811***
Operating Weight.....	685 lbs	1298 lbs	1487 lbs	2012 lbs
Dig Depth.....	76.2"	95.1"	116.6"	135.7"
Reach.....	88"	123.6"	145.3"	166"
Dig Force – Bucket.....	2200 lbf.	5294 lbf.	5318 lbf.	8611 lbf.
Dig Force – Dipper.....	968 lbf.	2835 lbf.	3291 lbf.	3020 lbf.
Bolt-on X-Change.....	N/A	Standard	Standard	Standard
Swing Angle.....	180°	180°	180°	180°
Stabilizer type.....	Hydraulic	Hydraulic	Hydraulic	Hydraulic

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

For current parts pricing, reference BobQuote or Dealer Parts Department.

(MT50, MT52, MT55)								
7101456	**M06 Backhoe** (Must order a Bucket and Mounting Kit)	$9,647.00	24%	$7,331.72	$203.00	$100.00	$330.00	$7,964.72
(S450, S510, S530, S550, S570, S590, S595) (T450, T550, T590, T595)								
7243518	**7BH Backhoe** (Must also order mounting kit and bucket) (Will not fit K-Series and older loaders)	$16,949.00	24%	$12,881.24	$531.00	$100.00	$330.00	$13,842.24
(S510, S530, S550, S570, S590, S595, S630, S650) (T550, T590, T595, T630, T650)								
7237275	**9BH Backhoe** (Must also order mounting kit and bucket) (Will not fit K-Series and older loaders)	$17,936.00	24%	$13,631.36	$361.00	$100.00	$330.00	$14,422.36
(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)								
7130772	**8811 Backhoe** (Must also order Mounting Kit and Bucket) (Must order Spacer Kit (PN 7168932) When mounting on M-Series machines) (Must order latch kit if backhoe serial number is below A5581500)	$19,109.00	24%	$14,522.84	$384.00	$100.00	$165.00	$15,171.84

Note: Use of Rear Stabilizers is recommended with the 9BH and 8811 Backhoes.
Note: Bolt-on street pads are available for the 607, 709, 8709, 811 and 8811 Backhoes from Bobcat Parts.

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Backhoe Attachments							
6817177	**Ripper, X-Change** (Used on the 709/8709/811/8811 Backhoes to penetrate and scarify frost or hard ground) (X-Change System required) (Operating Weight 195 lbs.)	$1,239.00	24%	$941.64	$84.00	$0.00	$0.00	$1,025.64
6806644	**Packer Wheel** (Use with 607/709/8709/811/8811 Backhoes to compact fill after trenching.) (X-Change System required) (Operating Weight 386 lbs.)	$2,919.00	24%	$2,218.44	$101.00	$50.00	$0.00	$2,369.44
	Backhoe Mounting Kits – Current							
7101552	**Mounting Kit** (M06 to MT52 or MT55)	$255.00	24%	$193.80	$22.00	$0.00	$165.00	$380.80
7228276	**Mounting Kit** (7BH & 9BH to S450, S510, S530, S550, S570, S590, S595, T450, T550, T590, T595) (Ship Weight 50 lbs) (Estimated install time 2 hrs)	$649.00	24%	$493.24	$53.00	$0.00	$0.00	$546.24
7168488	**Mounting Kit** (8811 to S630, S650, S740, S750, S770, A770, T630, T650, T740, T750, T770) (9BH to S630, S650, T630, T650) (Ship Weight 50 lbs.; Estimated install time 2 hours) (For Backhoe 8811 s/n A55809999 & below and s/n 630199999 & below, must also order p/n 7204238 from parts)	$391.67	24%	$297.67	$51.00	$0.00	$247.50	$596.17
7168932	**Bob-Tach Adapter Kit (Spacer)** (Required to mount 8811 to S630, S650, S740, S750, S770, S850, S76 A770, T630, T650, T740, T750, T770, T870, T76)	$1,125.00	24%	$855.00	$101.00	$0.00	$82.50	$1,038.50

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Laser Equipment							
(S130, S150, S160, S175, S185, S205) (S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T630, T650, T740, T750, T770)								
7387821	**Laser Receiver, CR700** (Can be used as handheld, machine, or rod-mounted laser receiver) (Includes magnetic mount for machines and clamp mount for grader rod)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Part Number	Backhoe Buckets - Order From Sales Description	SAE Heaped Capacity (FT³)	Ship WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Backhoe Buckets – Current									
(Bob-Tach Mounted Backhoe X-Change™ Style)										
Note: These buckets are the same buckets as used with the 607 Backhoe and 325 and 328 excavators.										
7333229	**12" Trenching Bucket, Smooth Lip**	1.33	167	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333230	**12" Trenching Bucket, 3 Weld-On Teeth**	1.33	173	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333244	**16" Trenching Bucket, Smooth Lip**	1.92	192	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333245	**16" Trenching Bucket, 3 Weld-On Teeth**	1.92	195	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333254	**20" Trenching Bucket, Smooth Lip**	2.53	226	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
7333255	**20" Trenching Bucket, 4 Bolt-On Teeth**	2.53	230	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
(M06 Pin-On Style)										
6715495	**9" Trenching Bucket, 2 Bolt-On Teeth**	0.5	53	$642.00	24%	$487.92	$47.00	$0.00	$0.00	$534.92
6715496	**12" Trenching Bucket, 3 Bolt-On Teeth**	0.7	63	$710.00	24%	$539.60	$47.00	$0.00	$0.00	$586.60
(406 Pin-On Style)										
6715495	**9" Trenching Bucket, 2 Bolt-On Teeth**	0.5	53	$642.00	24%	$487.92	$47.00	$0.00	$0.00	$534.92
6715496	**12" Trenching Bucket, 3 Bolt-On Teeth**	0.7	63	$710.00	24%	$539.60	$47.00	$0.00	$0.00	$586.60
6715497	**16" Trenching Bucket, 3 Bolt-On Teeth**	1.1	75	$778.00	24%	$591.28	$47.00	$0.00	$0.00	$638.28
7109522	**18" Trenching Bucket, 4 Bolt-On Teeth**	1.3	90	$802.00	24%	$609.52	$47.00	$0.00	$0.00	$656.52
6715498	**20" Trenching Bucket, 4 bolt-on teeth**	1.4	85	$847.00	24%	$643.72	$47.00	$0.00	$0.00	$690.72
Note: These buckets are the same buckets used with 322 excavator.										

Part Number	Backhoe Buckets - Order From Sales Description	SAE Heaped Capacity (FT³)	Ship WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Backhoe Buckets – Current (Continued)									
(7BH/607 X-Change™ Style)										
7333229	**12" Trenching Bucket, Smooth Lip**	1.33	167	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333230	**12" Trenching Bucket, 3 Weld-On Teeth**	1.33	173	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333244	**16" Trenching Bucket, Smooth Lip**	1.92	192	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333245	**16" Trenching Bucket, 3 Weld-On Teeth**	1.92	195	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333254	**20" Trenching Bucket, Smooth Lip**	2.53	226	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
7333255	**20" Trenching Bucket, 4 Bolt-On Teeth**	2.53	230	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
7333259	**24" Trenching Bucket, Smooth Lip**	3.14	254	$1,205.00	24%	$915.80	$100.00	$0.00	$0.00	$1,015.80
7333260	**24" Trenching Bucket, 4 Weld-On Shanks**	3.14	255	$1,205.00	24%	$915.80	$100.00	$0.00	$0.00	$1,015.80
Note: These buckets are the same buckets used with 322 excavator.										
(709/9BH/8709/811/8811 X-Change™ Style)										
7323832	**12" Trenching Bucket, Smooth Lip**	1.6	178	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7323833	**12" Trenching Bucket, 3 Weld-On Shanks**	1.6	184	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7324829	**16" Trenching Bucket, Smooth Lip**	2.31	206	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7324830	**16" Trenching Bucket, 4 Weld-On Shanks**	2.31	208	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7323841	**18" Trenching Bucket, Smooth Lip**	2.68	226	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7323842	**18" Trenching Bucket, 4 Weld-On Shanks**	2.68	231	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7323820	**20" Trenching Bucket, Smooth Lip**	3.05	241	$1,558.00	24%	$1,184.08	$101.00	$0.00	$0.00	$1,285.08
7323821	**20" Trenching Bucket, 4 Weld-On Shanks**	3.05	244	$1,558.00	24%	$1,184.08	$101.00	$0.00	$0.00	$1,285.08
7323529	**24" Trenching Bucket, Smooth Lip**	3.8	238	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7323530	**24" Trenching Bucket, 4 Weld-On Shanks**	3.8	274	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7323822	**30" Trenching Bucket, Smooth Lip**	4.91	319	$1,794.00	24%	$1,363.44	$105.00	$0.00	$0.00	$1,468.44
7323823	**30" Trenching Bucket, 5-Weld-On Shanks**	4.91	325	$1,794.00	24%	$1,363.44	$105.00	$0.00	$0.00	$1,468.44
7323824	**36" Trenching Bucket, Smooth Lip**	6.02	365	$1,953.00	24%	$1,484.28	$109.00	$0.00	$0.00	$1,593.28
7323825	**36" Trenching Bucket, 6 Weld-On Shanks**	6.02	365	$1,953.00	24%	$1,484.28	$109.00	$0.00	$0.00	$1,593.28
7333657	**36" Grading Bucket, No Teeth**	6.33	355	$1,849.00	24%	$1,405.24	$108.00	$0.00	$0.00	$1,513.24

Bale Forks
Bobcat Loader Attachment





Bale Forks with Pallet Fork Frame

Quick Specs

Weight Forks	100 lbs
Operating Capacity	Based on Machine's rated operating capacity
Length of Fork	40.8"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S100, S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T140, T180, T190) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
6815781	**Bale Forks, Set of 2** (Must also order pallet fork frame p/n 7297499, 7294305, or 7294332)	**$991.00**	**24%**	**$753.16**	**$84.00**	**$50.00**	**$0.00**	**$887.16**

Boring Unit
Bobcat Loader Attachment



Quick Specs

Operating Weight (without bit)	130 lbs
Overall Width	36"
Overall Height	17.5"
Overall Length	26.75"
Maximum recommended boring distance	30'

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
7110098	**Boring Unit** (Includes drive unit and guide tool)	**$3,266.00**	**24%**	**$2,482.16**	**$101.00**	**$50.00**	**$0.00**	**$2,633.16**

Box Blade
Bobcat Loader Attachment



Box Blade



Box Blade with Laser Receiver

Quick Specs

	Box Blade	***Box Blade with Laser Receiver***
Operating Weight	980 lbs. (445 kg)	1020 lbs. (464 kg)
Height	32.0" (813 mm)	32.0" (813 mm)
Width	85.5" (2173 mm)	85.5" (2173 mm)
Moldboard Width	84.0" (2134 mm)	84.0" (2134 mm)
Moldboard Cutting Edge (Reversible)	½" x 6"	½" x 6"
Grade Accuracy with Laser	N/A	+/- ¼"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
6906574	**84" Box Blade** (Used for rough grading and landscaping)	**$5,946.00**	**24%**	**$4,518.96**	**$236.00**	**$50.00**	**$41.25**	**$4,846.21**
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
6906676	**84" Box Blade With Laser Mounting** (Must also order LR410 Laser Receiver p/n 7436330)(Must order from Parts: LR410 harnesses 7426835 & 7426875 or harness pn 7144375 for BLR2 equipped Box Blades)(May also need laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser beacons) (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-Pin Attachment T-Harness P/N 7164095)	**$9,188.00**	**24%**	**$6,982.88**	**$236.00**	**$50.00**	**$41.25**	**$7,310.13**

Part Number	Dealer Installed Accessories - Order From Sales Description							
7275232	**Laser Transmitter, Dual Slope** (Trimble GL422N; includes CR700 receiver)	**$3,985.00**	**24%**	**$3,028.60**	**$71.00**	**$0.00**	**$0.00**	**$3,099.60**
6688806	**Tripod**	**$397.00**	**24%**	**$301.72**	**$22.00**	**$0.00**	**$0.00**	**$323.72**
7436330	**Laser Receiver, LR410** (Must order 1 for use with laser kit) (For use with Laser Box Blade S/N 657500370 and above). (May also need a laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser transmitters.)	**$2,338.00**	**24%**	**$1,776.88**	**$52.00**	**$0.00**	**$0.00**	**$1,828.88**

HD Box Blade
Bobcat Loader Attachment





Quick Specs

Operating Weight	1384 lb (628 kg)
Box Height	19.0 in (483 mm)
Front Box Capacity	7.0 ft³ (0.48.m³)
Rear Box Capacity	10.0 ft³ (0.28 m³)
Unit Height	46.0 in (1168 mm)
Unit Length	62.0 in (1575 mm)
Working Width	84.0 in (2134 mm)
Minimum Flow	5.0 gpm (19 lpm)
Maximum Flow	40.0 gpm (151 lpm)

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)									
7357063	**84" HD Box Blade**		**$22,101.00**	**24%**	**$16,796.76**	**$182.00**	**$50.00**	**$41.25**	**$17,070.01**
	(Approved for use only on BICS loaders) (Must also order 2 LR410 Laser Receivers) (May also need laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser beacons) (Loader must be equipped with an Attachment Control Kit) (If installing on loader with 14-Pin Attachment Control, must also order 14-Pin Attachment T-Harness P/N 7164095)								

Part Number	Description	Dealer Installed Accessories - Order From Sales	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7275232	**Laser Transmitter, Dual Slope**		**$3,985.00**	**24%**	**$3,028.60**	**$71.00**	**$0.00**	**$0.00**	**$3,099.60**
	(Trimble GL422N; includes CR700 receiver)								
6688806	**Tripod**		**$397.00**	**24%**	**$301.72**	**$22.00**	**$0.00**	**$0.00**	**$323.72**
7436330	**Laser Receiver, LR410**		**$2,338.00**	**24%**	**$1,776.88**	**$52.00**	**$0.00**	**$0.00**	**$1,828.88**
	Includes 1 LR410 reciever and case. (Must order 2 for use with laser kit) (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)								
7436108	**LR410 Laser Receiver Mount Kit**		**$1,148.00**	**24%**	**$872.48**	**$52.00**	**$0.00**	**$0.00**	**$924.48**
	(Required for Laser Grading System)(Must also order two LR410 laser receivers, p/n 7436330) (Includes 2 poles, 2 receiver harnesses, and 1 jumper harness (jumper connected to left receiver).								
7370490	**BLR2 Laser Receiver Mount Kit**		**$1,148.00**	**24%**	**$872.48**	**$59.00**	**$0.00**	**$0.00**	**$931.48**
	Includes 2 poles and 2 receiver harnesses. (Required for Laser Grading System) (*Not for use with LR410 receivers)								

Parts Needed to Equip Bobcat Graders and Boxblades with Guidance Systems

	2D Laser Guiding	3D Dual GPS	3D Single GPS	3D UTS	Sonic & Slope	dealer needed
Box Blade	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	t Compati
Box Blade w/Laser	Quantity: 1-LR410 Laser Receiver - **7436330**, 1-**7426875** Harness, 1-**7426835**	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
84" Grader	Laser Mounting Kit - **7436128,** LR410 Laser Receivers- **7436330 (Qty: 2)**	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
96" & 108" HD Grader	Laser Mounting Kit - **7436129,** LR410 Laser Receivers-**7436330 (Qty: 2)**	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Sonic Tracer & Slope Sensor Package - **7023454** Sonic Tracer & Slope Mounting Kit - **7211624**	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D
HD Box Blade	Laser Mounting Kit - **7436108,** LR410 Laser Receivers- **7436330 (Qty:2)**	Earthworks coming soon	Earthworks coming soon	Earthworks coming soon	Not Compatible	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D
Tripod - 6688806	Needed for all **Laser** guidance systems if customer does not have these items					
Laser Transmitter Dual Slope - 7275232						

Breaker, Hydraulic
Bobcat Loader Attachment



Quick Specs

	HB680	***HB880***	***HB980***
Operating Weight (nail point/loader frame)	436 lbs	681 lbs	756 bs
Operating Weight (nail point/Loader X-Change frame)	483 lbs	689 lbs	764 lbs
Impact Energy Class	150 ft. lb	300 ft. lb	500 ft. lb
CIMA Tool Energy Rating	143 ft. lb	207 ft. lb	282 ft. lb
Blows per Minute	1340 @ 13 gpm	1310 @ 17 gpm	1450 @ 2
Flow Requirements	7-13 gpm	8-17 gpm	12-21 gpm
Tool Working Length	13.0"	13.0"	14.0"
Tool Diameter	2.2"	2.6"	2.8"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	2 - 4"	4 - 10"	6 - 14"
Demolished Volume per Hour			
Non-Reinforced Concrete	1 - 4 cu. yd	4 - 12 cu. yd	- 15 cu. y
Reinforced Concrete	1 - 3 cu. yd	1 - 4 cu. yd	2 - 6 cu. y

	HB1180	***HB1380***	***HB2380***
Operating Weight (nail point/loader frame)	939 lbs	1129 lbs	1183 lbs
Operating Weight (nail point/Loader X-Change frame)	N/A	N/A	N/A
Impact Energy Class	750 ft. lb	850 ft. lb	1000 ft. lb
CIMA Tool Energy Rating	384 ft. lb	515 ft. lb	700 ft. lb
Blows per Minute	1280 @ 26 gpm	1230 @ 32 gpm	0 @ 33 gp

Flow Requirements	15-26 gpm	17-32 gpm	20-33 gpn
Tool Working Length	16.0"	17.0"	18.0"
Tool Diameter	3.0"	3.4"	3.8"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	8 - 16"	10 - 18"	12 – 20"
Demolished Volume per Hour			
Non-Reinforced Concrete	6 - 15 cu. yd	8 – 18 cu. yd	10 – 20 c
Reinforced Concrete	2 - 7 cu. yd	3 – 8 cu. yd	4 – 9 cu. y

Part Number	HB680 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
7113419	**HB680 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker) (When installing on MT50, must also order Shutdown Kit, p/n 6735945)	**$6,328.00**	**24%**	**$4,809.28**	**$141.00**	**$50.00**	**$0.00**	**$5,000.28**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – HB680							
7113736	**Bob-Tach Loader Mounting Frame** (Must also order a hose kit, P/N 6727411)	**$1,055.00**	**24%**	**$801.80**	**$116.00**	**$0.00**	**$0.00**	**$917.80**
7272954	**Breaker Frame CII, MT85, MT100** (Must also order a hose kit, P/N 6727411)	**$1,082.00**	**24%**	**$822.32**	**$116.00**	**$0.00**	**$0.00**	**$938.32**
7150181	**Loader X-Change Mounting Frame** (Uses X-Change pin-through design) (Must also order Breaker X-Change Mounting Cap p/n 7113656. This allows breaker with X-Change Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)	**$1,550.00**	**24%**	**$1,178.00**	**$116.00**	**$0.00**	**$0.00**	**$1,294.00**
7113656	**X-Change Mounting Cap**	**$769.00**	**24%**	**$584.44**	**$116.00**	**$0.00**	**$0.00**	**$700.44**
	Accessories – HB680							
6727411	**Hose Kit** (Includes hoses and quick couplers)	**$301.00**	**24%**	**$228.76**	**$0.00**	**$0.00**	**$0.00**	**$228.76**

Part Number	HB880 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T110, T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)								
7113420	**HB880 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	**$8,836.00**	**24%**	**$6,715.36**	**$171.00**	**$50.00**	**$0.00**	**$6,936.36**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – HB880							
7113737	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	**$1,122.00**	**24%**	**$852.72**	**$116.00**	**$0.00**	**$0.00**	**$968.72**
7113738	**Horizontal Loader Mounting Frame** (Recommended mounting frame for horizontal surface breaking only) (Must also order a hose kit, P/N 7114764)	**$1,037.00**	**24%**	**$788.12**	**$116.00**	**$0.00**	**$0.00**	**$904.12**
7141800	**Loader X-Change Mounting Frame** (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)	**$1,650.00**	**24%**	**$1,254.00**	**$116.00**	**$0.00**	**$0.00**	**$1,370.00**
7113657	**X-Change Mounting Cap**	**$796.00**	**24%**	**$604.96**	**$116.00**	**$0.00**	**$0.00**	**$720.96**
	Accessories – HB880							
7114764	**Hose Kit** (Ship Weight 20 lbs.)	**$342.00**	**24%**	**$259.92**	**$11.00**	**$0.00**	**$0.00**	**$270.92**

Part Number	HB980 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630*, S650*, S740*, S750*, S770*) (A770*) (S62, S64, S66, S76, S86) (T110, T140, T180, T190) (T450, T550, T590, T595, T630*, T650*, T740*, T750*, T770*) (T62, T64, T66, T76, T86)								
7113421	**HB980 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	**$11,068.00**	**24%**	**$8,411.68**	**$215.00**	**$50.00**	**$0.00**	**$8,676.68**

***May need to order Flow Control Valve Kit for M-Series, see below for details**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – HB980							
7113737	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	**$1,122.00**	**24%**	**$852.72**	**$116.00**	**$0.00**	**$0.00**	**$968.72**
7113738	**Horizontal Loader Mounting Frame** (Recommended mounting frame for horizontal surface breaking only) (Must also order a hose kit, P/N 7114764)	**$1,037.00**	**24%**	**$788.12**	**$116.00**	**$0.00**	**$0.00**	**$904.12**
7141800	**Loader X-Change Mounting Frame** (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)	**$1,650.00**	**24%**	**$1,254.00**	**$116.00**	**$0.00**	**$0.00**	**$1,370.00**
7113657	**X-Change Mounting Cap**	**$796.00**	**24%**	**$604.96**	**$116.00**	**$0.00**	**$0.00**	**$720.96**
	Accessories – HB980							
7114764	**Hose Kit**	**$342.00**	**24%**	**$259.92**	**$11.00**	**$0.00**	**$0.00**	**$270.92**

Part Number	HB1180 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)								
7115923	**HB1180 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	**$14,552.00**	**24%**	**$11,059.52**	**$283.00**	**$50.00**	**$0.00**	**$11,392.52**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frame – HB1180							
7115937	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	**$1,282.00**	**24%**	**$974.32**	**$116.00**	**$0.00**	**$0.00**	**$1,090.32**

	Accessories – HB1180							
7114764	Hose Kit	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	HB1380 Breaker							
	(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)							
7157576	HB1380 Breaker	$18,322.00	24%	$13,924.72	$350.00	$50.00	$0.00	$14,324.72
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)							
	Dealer Installed Accessories - Order From Sales							
	Mounting Frame – HB1380							
7115937	Loader Mounting Frame	$1,282.00	24%	$974.32	$116.00	$0.00	$0.00	$1,090.32
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)							
	Accessories – HB1380							
7114764	Hose Kit	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	HB2380 Breaker							
	(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)							
7133203	HB2380 Breaker	$22,191.00	24%	$16,865.16	$431.00	$50.00	$0.00	$17,346.16
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)							
	Dealer Installed Accessories - Order From Sales							
	Mounting Frame – HB2380							
7115937	Loader Mounting Frame	$1,282.00	24%	$974.32	$116.00	$0.00	$0.00	$1,090.32
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)							
	Accessories – HB2380							
7141851	Auto-Grease Kit	$2,299.00	24%	$1,747.24	$84.00	$0.00	$165.00	$1,996.24
7114764	Hose Kit	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Breaker, Nitrogen
Bobcat Loader Attachment



Quick Specs

	NB140	NB 150	NB160
Operating Weight (nail point/loader frame)	463 lbs	695 lbs	912 lbs
Operating Weight (nail point/Loader X-Change frame)	509 lbs	703 lbs	920 lbs
Impact Energy Class	350 ft. lb	550 ft. lb	900 ft. lb
AEM Tool Energy Rating	243 ft. lb	303 ft. lb	592 ft. lb
Blows per Minute	1,022 @ 13.2 gpm	1,075 @ 20.4 gpm	979 @ 23
Flow Requirements	7-13 gpm	13-20 gpm	13-24 gpm
Tool Working Length	14.6"	13.0"	18.4"
Tool Diameter	2.2"	2.6"	2.8"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	1 - 5"	6 - 15"	10 - 20"
Demolished Volume per Hour			
Non-Reinforced Concrete	1 - 4 cu. yds.	4 - 15 cu. yds.	- 20 cu. yd
Reinforced Concrete	1 - 4 cu. yds.	1 - 6 cu. yds.	- 8 cu. yd

	NB170	NB180
Operating Weight (nail point/loader frame)	1275 lbs	1395 lbs
Operating Weight (nail point/Loader X-Change frame)	N/A	N/A
Impact Energy Class	1200 ft. lb	1500 ft. lb
AEM Tool Energy Rating	759 ft. lb	996 ft. lb
Blows per Minute	965 @ 21.9 gpm	1,000 @ 29 gpm
Flow Requirements	11-24 gpm	15-30 gpm
Tool Working Length	21.9"	22.7"
Tool Diameter	3.2"	3.7"
Estimated Breaker Performance with Concrete		
Recommended Working Thickness	12 - 22"	14 - 24"
Demolished Volume per Hour		
Non-Reinforced Concrete	8 - 20 cu. yds.	11 - 25 cu. yds.
Reinforced Concrete	4 - 10 cu. yds.	5 - 16 cu. yds.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	NB140 Breaker							
	(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)							
7355666	NB140 Breaker	$5,059.00	24%	$3,844.84	$141.00	$50.00	$0.00	$4,035.84
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker) (When installing on MT50, must also order Shutdown Kit, p/n 6735945)							
	Dealer Installed Accessories - Order From Sales							
	Mounting Frames – NB140							
7113736	Bob-Tach Loader Mounting Frame	$1,055.00	24%	$801.80	$116.00	$0.00	$0.00	$917.80
	(Must also order a hose kit, P/N 6727411)							
7272954	Breaker Frame CII, MT85, MT100	$1,082.00	24%	$822.32	$116.00	$0.00	$0.00	$938.32
	(Must also order a hose kit, P/N 6727411)							
7150181	Loader X-Change Mounting Frame	$1,550.00	24%	$1,178.00	$116.00	$0.00	$0.00	$1,294.00
	(Uses X-Change pin-through design) (Must also order Breaker X-Change Mounting Cap p/n 7113656. This allows breaker with X-Change Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)							
7113656	X-Change Mounting Cap	$769.00	24%	$584.44	$116.00	$0.00	$0.00	$700.44
	Accessories – NB140							
6727411	Hose Kit	$301.00	24%	$228.76	$0.00	$0.00	$0.00	$228.76
	(Includes hoses and quick couplers)							

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	NB150 Breaker							
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T110, T140 T180, T190) (T450, T550, T590, T595) (T62, T64, T66)							
7234534	NB150 Breaker	$6,625.00	24%	$5,035.00	$141.00	$50.00	$0.00	$5,226.00
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)							

Part Number	Dealer Installed Accessories - Order From Sales Description							
	Mounting Frames – NB150							
7113737	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	$1,122.00	24%	$852.72	$116.00	$0.00	$0.00	$968.72
7113738	**Horizontal Loader Mounting Frame** (Recommended mounting frame for horizontal surface breaking only) (Must also order a hose kit, P/N 7114764)	$1,037.00	24%	$788.12	$116.00	$0.00	$0.00	$904.12
7141800	**Loader X-Change Mounting Frame** (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)	$1,650.00	24%	$1,254.00	$116.00	$0.00	$0.00	$1,370.00
7113657	**X-Change Mounting Cap**	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
	Accessories – NB150							
7114764	**Hose Kit** (Ship Weight 20 lbs.)	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Part Number	NB160 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)							
7234536	**NB160 Breaker** (Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	$8,298.00	24%	$6,306.48	$160.00	$50.00	$0.00	$6,516.48

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – NB160							
7113737	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	$1,122.00	24%	$852.72	$116.00	$0.00	$0.00	$968.72
7113738	**Horizontal Loader Mounting Frame** (Recommended mounting frame for horizontal surface breaking only) (Must also order a hose kit, P/N 7114764)	$1,037.00	24%	$788.12	$116.00	$0.00	$0.00	$904.12
7141800	**Loader X-Change Mounting Frame** (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)	$1,650.00	24%	$1,254.00	$116.00	$0.00	$0.00	$1,370.00
7113657	**X-Change Mounting Cap**	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
	Accessories – NB160							
7114764	**Hose Kit**	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Part Number	NB170 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)							
7355672	**NB170 Breaker** (Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	$12,634.00	24%	$9,601.84	$195.00	$50.00	$0.00	$9,846.84

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – NB170							
7115937	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	$1,282.00	24%	$974.32	$116.00	$0.00	$0.00	$1,090.32
	Accessories – NB170							
7114764	**Hose Kit**	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Part Number	NB180 Breaker Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)							
7355674	**NB180 Breaker** (Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	$14,417.00	24%	$10,956.92	$203.00	$50.00	$0.00	$11,209.92

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames – NB180							
7115937	**Loader Mounting Frame** (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	$1,282.00	24%	$974.32	$116.00	$0.00	$0.00	$1,090.32
	Accessories – NB180							
7114764	**Hose Kit**	$342.00	24%	$259.92	$11.00	$0.00	$0.00	$270.92

Brush Saw
Bobcat Loader Attachment



Top View

Quick Specs

Operating Weight	590 lbs
Number of Cutting Teeth	15
Tip Speed Cutting Teeth	3256 ft./min @ 24 gpm
Disc RPM @ 22 gpm	400 RPM
Flow Range	15 – 23 gpm
Cutting Wheel (Disc) Diameter	28.5"
Overall Width	48.0"
Overall Length	85.0"
Overall Height	29.5"

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7121030	**Brush Saw**	(Special Applications kit must be installed on loader when operating Brush Saw)	**$9,152.00**	**24%**	**$6,955.52**	**$209.00**	**$50.00**	**$0.00**	**$7,214.52**

Brushcat™ Rotary Cutter
Bobcat Loader Attachment



Quick Specs

	RC44	***RC5435***	***RC5450***
Operating Weight	931 lbs	1042 lbs	1042 lbs
Hydraulic Flow Range	9.0-12.5gpm	9.0-12.5gpm	12-18 gpm
Blade Tip Speed (Minimum Flow / ft./min)	11,948	12,783	11,715
Blade Tip Speed (Maximum Flow / ft./min)	16,595	17,754	17,573
Cutting Width	44in.	54in.	54in.
Cutting Height	3in.	3in.	3in.
Deck Length	58.18in.	68.18in.	68.18in.
Vertical Travel	8in.	8in.	8in.
Overall Width	48in.	58in.	58in.
Overall Height	26.5in.	26.5in.	26.5in.
Overall Length	64.12in.	74.12in.	74.12in.
Cutting Capacity	2in.	2in.	2in.

	RC66	***RC66HF***	***RC72***	***RC72HF***	***RC80HF***
Operating Weight	1437 lbs	1437 lbs	1500 lbs	1500 lbs	1581 lbs
Hydraulic Flow Range	15-24 gpm	24-36 gpm	15-26 gpm	24-40 gpm	24-40 gpm
Blade Tip Speed (Minimum Flow / ft./min)	11,399	11,394	9,922	9,922	10,932
Blade Tip Speed (Maximum Flow / ft./min)	18,238	17,064	17,197	16,536	18,219
Cutting Width	66"	66"	72"	72"	80"
Cutting Height	3"	3"	3"	3"	3"
Deck Length	61.1"	61.1"	64.3"	64.3"	67.7"
Vertical Travel	8"	8"	8"	8"	8"
Overall Width	70.3"	70.3"	76.3"	76.3"	84.3"
Overall Height	26.5"	26.5"	26.5"	26.5"	26.5"
Overall Length	67.2"	67.2"	70.4"	70.4"	73.8"
Cutting Capacity	Brush material up to 3 in. in diameter for all models				

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		(MT85, MT100) (L23, L28)							
7385981	**RC44 Brushcat Rotary Cutter**	(All loaders must be equipped with case drain kit) (MT85 and MT100 must be equipped with engine-shut off kit)	**$7,204.00**	**24%**	**$5,475.04**	**$223.00**	**$100.00**	**$82.50**	**$5,880.54**
		(L23, L28)							
7388300	**RC54-35 Brushcat Rotary Cutter**	(All loaders must be equipped with case drain kit)	**$7,859.00**	**24%**	**$5,972.84**	**$246.00**	**$100.00**	**$82.50**	**$6,401.34**
		(S450, T450)							
7424531	**RC54-50 Brushcat Rotary Cutter**	(All loaders must be equipped with case drain kit)	**$8,533.00**	**24%**	**$6,485.08**	**$246.00**	**$100.00**	**$82.50**	**$6,913.58**
		(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)							
7234049	**RC66 Brushcat Rotary Cutter**	(Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	**$9,037.00**	**24%**	**$6,868.12**	**$285.00**	**$50.00**	**$0.00**	**$7,203.12**
		(S160H, S175H, S185H, S205H) (S550H, S570H, S590H, S595H) (S62H, S64H, S66H) (T180H, T190H) (T550H, T590H, T595H) (T62H, T64H, T66H)							
7233014	**RC66HF Brushcat Rotary Cutter**	(Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	**$10,584.00**	**24%**	**$8,043.84**	**$285.00**	**$50.00**	**$0.00**	**$8,378.84**
		(S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T76) (T180, T190) (T62, T64, T66, T76) (A770)							
7218087	**RC72 Brushcat Rotary Cutter**	(Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	**$9,492.00**	**24%**	**$7,213.92**	**$300.00**	**$50.00**	**$0.00**	**$7,563.92**
		(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (A770H) (T62H, T64H, T66H, T76H)							
7233002	**RC72HF Brushcat Rotary Cutter**	(Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	**$10,855.00**	**24%**	**$8,249.80**	**$300.00**	**$50.00**	**$0.00**	**$8,599.80**
		(S630H, S650H, S740H, S750H, S770H, S850H) (S76H, S86) (T630H, T650H, T740H, T750H, T770H, T870H) (A770H) (T76H, T86)							
7233092	**RC80HF Brushcat Rotary Cutter**	(Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	**$11,078.00**	**24%**	**$8,419.28**	**$344.00**	**$50.00**	**$0.00**	**$8,813.28**

Brush Cutter, HD
Bobcat Loader Attachment

Quick Specs

	62"	62" HF	74"	74" HF	
Operating Weight (lbs)	1950	1950	2150	2150	###
Hydraulic Flow Range (gpm)	17-23	26-31	17-23	26-37	
Blade Tip Speed (MinFlow ft./min)	13,313	14,173	13,242	12,405	###
Blade Tip Speed (Max flow ft./min)	17,907	19,429	17,811	17,005	###
Cutting Width	62"	62"	74"	74"	86"
Overall Width	68.9"	68.9"	80.9"	80.9"	92.9"

Overall Height.....	24.5"	24.5"	24.5"	24.5"	24.5"
Overall Length.....	72.3"	72.3"	84.3"	84.3"	96"
Cutting Capacity.....	Brush material up to 10" in diameter for all models				
Standard Features.....	Dual edge blades, Reversible cutting direction				

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
	(S570, S590, S595, S630, S650, S740, S750, S770, A770, S850) (S62, S64, S66, S76) (T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
##	**62" HD Brush Cutter, Standard Flow….....** (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)	$14,809.00	24%	$11,254.84	$399.00	$100.00	$82.50	$11,836.34
	(S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, A770H, S850H) (S62H, S64H, S66H, S76H) (T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)							
##	**62" HD Brush Cutter, High Flow….....** (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)	$15,052.00	24%	$11,439.52	$399.00	$100.00	$82.50	$12,021.02
	(S595, S630, S650, S740, S750, S770, A770, S850) (S62, S64, S66, S76, S86) (T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
##	**74" HD Brush Cutter, Standard Flow.....** (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)	$16,106.00	24%	$12,240.56	$434.00	$100.00	$82.50	$12,857.06
	(S595H, S630H, S650H, S740H, S750H, S770H, A770H, S850H) (S62H, S64H, S66H, S76H, S86H) (T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)							
##	**74" HD Brush Cutter, High Flow….....** (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)	$16,424.00	24%	$12,482.24	$434.00	$100.00	$82.50	$13,098.74
	(S650H, S740H, S750H, S770H, A770H, S850H) (S66H, S76H, S86H) (T650H, T740H, T750H, T770H, T870H) (T66H, T76H, T86H)							
##	**86" HD Brush Cutter, High Flow….....** (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)	$17,538.00	24%	$13,328.88	$502.00	$100.00	$82.50	$14,013.38

Bucket
Bobcat Loader Attachment



Buckets - Order From Sales

Part Number	Description	SAE Capacity (FT^3) Struck	Heaped	Ship WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (L23, L28)										
6731520	**36" Constr./Ind. Bucket *....** (Not approved for use with 32" Utility Grapple, P/N 6728117)	3.18	4	167	$918.00	24%	$697.68	$73.00	$0.00	$0.00	$770.68
7117432	**36" Dirt Bucket *....** (Not approved for use with 32" Utility Grapple, P/N 6728117)	3.7	4.7	168	$876.00	24%	$665.76	$101.00	$0.00	$0.00	$766.76
7117433	**44" Dirt Bucket *....**	4.6	5.8	188	$927.00	24%	$704.52	$101.00	$0.00	$0.00	$805.52
7114488	**36" General Purpose Bucket *....** (For use with 32" Utility Grapple, P/N 7125370)	4.5	6	185	$925.00	24%	$703.00	$73.00	$0.00	$0.00	$776.00
7272912	**Bucket GP 36" CII, MT85, MT100 *....** (For use with 32" Utility Grapple, P/N 7125370)	4.5	6	185	$925.00	24%	$703.00	$73.00	$0.00	$0.00	$776.00
7114581	**44" General Purpose Bucket *....** (For use with 32" Utility Grapple, P/N 7125370)	5.5	7.4	207	$978.00	24%	$743.28	$73.00	$0.00	$0.00	$816.28
	(L23, L28) (MT55, MT85, MT100) (S70)										
7387672	**44" SAL Utility bucket *....**	8.1	9.9	232	$1,000.00	24%	$760.00	$73.00	$0.00	$0.00	$833.00
	(L23, L28)										
7387673	**54" SAL Utility bucket *....**	10	12.3	272	$1,130.00	24%	$858.80	$73.00	$0.00	$0.00	$931.80
7387674	**60" SAL Utility bucket *....**	11.1	13.7	293	$1,213.00	24%	$921.88	$73.00	$0.00	$0.00	$994.88
	(S70, MT55, MT85, MT100) (L23, L28)										
7117432	**36" Dirt Bucket *....**	3.7	4.7	168	$876.00	24%	$665.76	$101.00	$0.00	$0.00	$766.76
7117433	**44" Dirt Bucket *....**	4.6	5.8	188	$927.00	24%	$704.52	$101.00	$0.00	$0.00	$805.52
7114488	**36" General Purpose Bucket *....**	4.5	6	185	$925.00	24%	$703.00	$73.00	$0.00	$0.00	$776.00
7114581	**44" General Purpose Bucket *....**	5.5	7.4	207	$978.00	24%	$743.28	$73.00	$0.00	$0.00	$816.28
	(S70, MT85, MT100) (L23, L28)										
7272919	**Bucket GP 44" CII, MT85, MT100 *....**	5.5	7.4	207	$978.00	24%	$743.28	$73.00	$0.00	$0.00	$816.28
7114583	**50" General Purpose Bucket *....**	6.3	8.5	223	$1,022.00	24%	$776.72	$73.00	$0.00	$0.00	$849.72
	(S100)										
7117434	**50" Dirt Bucket *....**	5.2	6.6	202	$954.00	24%	$725.04	$78.00	$0.00	$0.00	$803.04
7114582	**50" General Purpose Bucket *....**	6.3	8.5	223	$1,022.00	24%	$776.72	$73.00	$0.00	$0.00	$849.72

Δ **Buckets have holes predrilled to accept bolt-on cutting edges.**

* **Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.**

Mini Loader Bucket Matrix

	Dirt Buckets			General Purpose Buckets						SAL Utility Buckets			C/I Bucket
Width (in)	36"	44"	50"	36"	36" CII	44"	44" CII	50"	50"	44"	54"	60"	36"
Part #	7117432	7117433	7117434	7114488	7272912	7114581	7272919	7114583	7114582	7387672	7387673	7387674	6731520
SAE Heap (ft^3)	4.7	5.8	6.6	6	6	7.4	7.4	8.5	8.5	9.9	12.3	13.7	4
Oper. Wgt (lbs)	168	188	202	185	185	207	207	223	223	232	272	293	167
SLP in US $	$876	$927	$954	$925	$925	$978	$978	$1,022	$1,022	$1,000	$1,130	$1,213	$918
MT50	x	x		x		x							x
MT52	x	x		x		x							x
MT55	x	x		x		x				x			x
MT85	x	x		x	x	x	x	x		x			x
MT100	x	x		x	x	x	x	x		x			x
L23	x	x		x		x		x		x	x	x	x
L28	x	x		x		x		x		x	x	x	x
S70	x	x		x		x		x		x			
S100			x						x				

	Standard Duty				Heavy Duty				Severe Duty				Light Material					
Width (in)	56	62	68	74	56	62	68	74	80	74	80	86	92	68	74	80	86	92	98
Part #	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06	7E+06
SAE Heap	10.7	12.0	13.3	14.5	13.7	15.3	16.9	18.5	20.1	23.5	24.8	26.2	27.5	24.9	27.3	29.7	32.1	50.2	53.8
Oper. WGT	318	336	354	373	442	476	508	546	578	762	806	849	892	589	632	669	706	864	914
SLP in US $	$1,128	$1,186	$1,216	$1,294	$1,448	$1,552	$1,712	$1,861	$2,026	$2,488	$2,681	$2,813	$2,986	$1,924	$2,036	$2,231	$2,378	$2,780	$3,100
SSLs																			
S450	X	X	X		X	X								X					
S510		X	X	X		X	X	X						X	X	X	X		
S530		X	X	X		X	X	X						X	X	X	X		
S550		X	X	X		X	X	X						X	X	X	X		
S570		X	X	X		X	X	X						X	X	X	X		
S590		X	X	X		X	X	X						X	X	X	X		
S595		X	X	X		X	X	X						X	X	X	X		
S62			X	X			X	X						X	X	X	X		
S64			X	X			X	X						X	X	X	X		
S66			X	X			X	X						X	X	X	X		
S630			X	X			X	X	X	X	X	X		X	X	X	X		
S650			X	X			X	X	X	X	X	X		X	X	X	X		
S76			X	X			X	X	X	X	X	X		X	X	X	X		
S750							X	X	X	X	X	X	X	X	X	X	X	X	X
S770							X	X	X	X	X	X	X	X	X	X	X	X	X
A770							X	X	X	X	X	X	X	X	X	X	X	X	X
S86								X	X	X	X	X	X		X	X	X	X	X
S850									X		X	X	X			X	X	X	X
CTLs																			
T450	X	X	X		X	X								X					
T550			X	X			X	X		X				X	X	X	X		
T590			X	X			X	X		X				X	X	X	X		

SkidSteer Loaders (SSLs)

CTLs

Compact Track Loaders																					
T590			X	X			X	X		X				X	X	X	X				
T595			X	X			X	X		X				X	X	X	X				
T62			X	X			X	X		X				X	X	X	X				
T64			X	X			X	X		X				X	X	X	X				
T66			X	X			X	X		X				X	X	X	X				
T630				X				X	X	X	X				X	X	X				
T650				X				X	X	X	X				X	X	X				
T76				X				X	X	X	X				X	X	X				
T740										X	X	X	X		X	X	X	X	X		
T770										X	X	X	X		X	X	X	X	X		
T86											X	X	X			X	X	X	X		
T870												X	X				X	X	X		

Part Number	Description	Struck	Heaped	Ship WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
Standard Duty Buckets											
7272770	56" Standard Duty Bucket Δ	8.1	10.7	318	$1,128.00	24%	$857.28	$80.00	$0.00	$0.00	$937.28
7272769	62" Standard Duty Bucket Δ	8.9	12	336	$1,186.00	24%	$901.36	$80.00	$0.00	$0.00	$981.36
7272771	68" Standard Duty Bucket Δ	9.8	13.3	354	$1,216.00	24%	$924.16	$80.00	$0.00	$0.00	$1,004.16
7272768	74" Standard Duty Bucket Δ	10.7	14.5	373	$1,294.00	24%	$983.44	$80.00	$0.00	$0.00	$1,063.44
Heavy Duty Buckets											
7293982	56" Heavy Duty Bucket *	10.2	13.7	442	$1,448.00	24%	$1,100.48	$80.00	$0.00	$0.00	$1,180.48
7272678	62" Heavy Duty Bucket *	11.3	15.3	476	$1,552.00	24%	$1,179.52	$107.00	$0.00	$0.00	$1,286.52
7272679	68" Heavy Duty Bucket *	12.4	16.9	508	$1,712.00	24%	$1,301.12	$110.00	$0.00	$0.00	$1,411.12
7272680	74" Heavy Duty Bucket *	13.5	18.5	546	$1,861.00	24%	$1,414.36	$116.00	$0.00	$0.00	$1,530.36
7272681	80" Heavy Duty Bucket *	14.7	20.1	578	$2,026.00	24%	$1,539.76	$121.00	$0.00	$0.00	$1,660.76
Severe Duty Buckets											
7326130	74" Severe Duty Bucket *	15.7	23.5	762	$2,488.00	24%	$1,890.88	$144.00	$0.00	$0.00	$2,034.88
7326129	80" Severe Duty Bucket *	17	24.8	806	$2,681.00	24%	$2,037.56	$152.00	$0.00	$0.00	$2,189.56
7326128	86" Severe Duty Bucket *	18.3	26.2	849	$2,813.00	24%	$2,137.88	$156.00	$0.00	$0.00	$2,293.88
7326127	92" Severe Duty Bucket *	19.6	27.5	892	$2,986.00	24%	$2,269.36	$150.00	$0.00	$0.00	$2,419.36
Light Material Buckets											
7279100	68" Light Material Bucket Δ	19.1	24.9	589	$1,924.00	24%	$1,462.24	$89.00	$0.00	$0.00	$1,551.24
7279101	74" Light Material Bucket Δ	20.8	27.3	632	$2,036.00	24%	$1,547.36	$89.00	$0.00	$0.00	$1,636.36
7279102	80" Light Material Bucket Δ	22.5	29.7	669	$2,231.00	24%	$1,695.56	$89.00	$0.00	$0.00	$1,784.56
7279103	86" Light Material Bucket Δ	24.3	32.1	706	$2,378.00	24%	$1,807.28	$89.00	$0.00	$0.00	$1,896.28
7279104	92" Light Material Bucket Δ	38.4	50.2	864	$2,780.00	24%	$2,112.80	$96.00	$0.00	$0.00	$2,208.80
7279105	98" Light Material Bucket Δ	41	53.8	914	$3,100.00	24%	$2,356.00	$96.00	$0.00	$0.00	$2,452.00

Δ Buckets have holes predrilled to accept bolt-on cutting edges.
* Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

Part Number	Dealer Installed Accessories - Order From Parts Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.							
7196474	Bucket Spill Guard, Standard (For 62 - 80" Heavy Duty) (Includes a see through 44" Spill Guard and Hardware) (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area from debris)	$463.00	24%	$351.88	$84.00	$0.00	$165.00	$600.88

Bucket Spill Guard
Bobcat Loader Attachment

Quick Specs

Operating Weight..... 27 lbs
Overall Width..... 59.75"
Width (Spill Guard)..... 44"
Overall Height..... 22.5"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(62 - 80" Heavy Duty Bucket)								
7196474	Bucket Spill Guard, Standard (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area) (Includes a see through 44" Spill Guard and Hardware)	$463.00	24%	$351.88	$84.00	$0.00	$165.00	$600.88

Chipper
Bobcat Loader Attachment



5A Chipper

8B Chipper

Quick Specs

	5A Chipper	***8B Chipper***
Operating Weight.....	1145 lbs	1660 lbs
Feeder Opening.....	5"	9.2"
Continuous Chipping Size.....	Up to 3" diameter material	Up to 5" diameter material
Feed Table Height.....	23.5"	25.4"
Discharge Chute Height.....	92"	93.3"
Blades.....	4 reversible tool steel blades	4 reversible tool steel blades
Dual Mounting Locations.....	Front or right side of loader	Front or right side of loader
Discharge Chute (Incl. End Deflector).....	Rotates 360°	Rotates 360°

Both chippers have automatic hydraulic feed, which includes speed control and load sensing system.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
6719129	5A Chipper (Loader must be equipped with an Attachment Control Kit – See Page 1) (Attachment includes a 7-pin harness only) (Approved G-Series and newer Loaders only)	$14,840.00	24%	$11,278.40	$308.00	$50.00	$41.25	$11,677.65
(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86)								
7117662	8B Chipper (Loader must be equipped with an 7-Pin Attachment Control Kit – See Page 1) (Approved G-Series and new Loaders only)	$18,056.00	24%	$13,722.56	$364.00	$50.00	$41.25	$14,177.81

Note: 5A Chipper must be installed on 700-800 Series BICS Loaders. Will not function on non-BICS loaders, 953s or 963s. 700-800 Series Loaders prior to G-Series need a Remote Attachment Control Kit, P/N 6716566. 8B Chipper must be installed on G-Series and new loaders only.

Combination Bucket

Combination Bucket
Bobcat Loader Attachment

Quick Specs

	62"	68"	74"	80"	84"
Operating Weight	807 lbs	852 lbs	898 lbs	1075 lbs	1109 lbs
Overall Width	62.5"	68.5"	74.5"	81.4"	85.4"
SAE Capacity Heaped	10.7 ft3	11.8 ft3	13.4 ft3	18.3 ft3	19.3 ft3
Number of Teeth	7 bolt-on	7 bolt-on	8 bolt-on	8 bolt-on	9 bolt-on
Max Clamping Force	8590 lbs	8590 lbs	8590 lbs	6834 lbs	6834 lbs
Cutting Edges	62-84" include Bolt-On Cutting Edge on Dozer & back of Clamshell				

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150*, S160*, S175*, S185*) (S450, S510*, S530*, S550*, S570*, S590*, S595*) (T140) (T450)								
7167310	**62" Combination Bucket** (Bolt-on Teeth are available from Bobcat Parts)	**$4,183.00**	**24%**	**$3,179.08**	**$189.00**	**$50.00**	**$0.00**	**$3,418.08**
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S630*, S650*, S740*, S750*, S770*) (S62, S64, S66, S76*) (T180, T190) (T550, T590, T595) (T62, T64, T66)								
7167311	**68" Combination Bucket** (Bolt-on Teeth are available from Bobcat Parts)	**$4,451.00**	**24%**	**$3,382.76**	**$210.00**	**$50.00**	**$0.00**	**$3,642.76**
(S150, S160, S175, S185, S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
7167312	**74" Combination Bucket** (Bolt-on Teeth are available from Bobcat Parts)	**$4,694.00**	**24%**	**$3,567.44**	**$201.00**	**$50.00**	**$0.00**	**$3,818.44**
(S630, S650, S740, S750, S770) (S76, S86) (A770) (T630, T650, T740, T750, T770) (T76, T86)								
7167313	**80" Combination Bucket** (Bolt-on Teeth are available from Bobcat Parts)	**$5,614.00**	**24%**	**$4,266.64**	**$230.00**	**$50.00**	**$0.00**	**$4,546.64**
(S740, S750, S770) (A770) (S86) (T650, T740, T750, T770) (T76, T86)								
7167314	**84" Combination Bucket** (Bolt-on Teeth are available from Bobcat Parts)	**$6,282.00**	**24%**	**$4,774.32**	**$235.00**	**$50.00**	**$0.00**	**$5,059.32**

***Requires Inset Rims**

Note: Combination Buckets are not approved for use with the Tilt-Tatch.

Note: Combination Buckets may interfere with tracks at extreme roll-back position on some loaders. Use of lift-arm stop is required if this occurs.

Note: It is recommended that a port relief be installed for use with the Combination Buckets except when used on a 463, S70, S100, T100 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.

- 6684646 Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
- 6684645 Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574 Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Note: Older loaders listed below will require the following parts, which must be ordered separately from Bobcat Parts.

- 6513594 Port Relief (for 740s with Gresen Valve)
- 6514641 Port Relief (for 843s with Cessna Valve)
- 6658127 Check Valve (for 853s with Apitech Valve)

Concrete Mixer
Bobcat Loader Attachment



Quick Specs

	Concrete Mixer
Operating Weight	440 lbs
Length	43.2"
Width	45.2"
Height	40.1"
Recommended Drum Speed	20 RPM @ 11 gpm
Capacity	6.9 cu. ft.
Rotation	Bi-rotational
Chain	#50 standard roller

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S175, S185, S205, S220, S250, S300, S330) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86)(A300) (A770) (T180, T190, T250, T300, T320) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
7186695	**Concrete Mixer** (Loader must be equipped with a 7-pin Attachment Control Kit. – See Page 1 and 2) (Attachment will not operate on competitive machines or 14-pin loaders) (Attachment includes a 7-Pin Harness only)	**$5,657.00**	**24%**	**$4,299.32**	**$179.00**	**$50.00**	**$0.00**	**$4,528.32**

Note: Concrete Mixer needs to be installed on BICS Loaders. Concrete Mixer will not function on non-BICS loaders, 953s or 963.

Concrete Pump
Bobcat Loader Attachment



Quick Specs

Operating Weight	2200 lbs	Concrete Cylinder Diameter	6.0"
Length	102.9"	Concrete Cylinder Stroke	24.0"
Width	47.9"	Swing Tube Diameter	5.0"
Height	54.9"	Concrete Placement	) cu. yards/hou
Hydraulic Flow Range	15 - 40 GPM	Maximum Concrete Pressure	750 psi
Hopper Capacity	10 cu. ft.	Maximum Aggregate Size	1.5" or less

***Volume output will vary depending on mix design, slump, line size, job site conditions and the loader's auxiliary hydraulic flow. Choose a high flow loader for optimum performance.**

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S185, S185H, S205, S205H) (S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)							
7108693	**Concrete Pump**	**$33,648.00**	**24%**	**$25,572.48**	**$627.00**	**$200.00**	**$0.00**	**$26,399.48**
	(Loader must be equipped with an Attachment Control Kit – See Page 1 and 2) (Attachment includes a 7-Pin Harness only) (May also need Delivery System Kit-unless customer has this equipment)							

Note: Concrete Pump needs to be installed on 700-800, S185-S300, A220-A300, T180-T300 G-Series or newer BICS Loaders or 963 G-Series, will not function on F-Series or non-BICS loaders, 953s or 963 C-Series.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6906079	**Delivery System Kit**	**$7,828.00**	**24%**	**$5,949.28**	**$182.00**	**$0.00**	**$0.00**	**$6,131.28**
	(Includes 5" elbow, 5" to 3" reducer, (3) 25 ft. sections of 3" flexible hose, 3" x 6' flexible hose, (3) 3" x 10' steel lines, (2) 5" couplings, (8) 3" couplings, 3" cleanout ball) (Ship Weight 640 lbs.)							
6906813	**Remote Control Kit**	**$3,076.00**	**24%**	**$2,337.76**	**$56.00**	**$0.00**	**$165.00**	**$2,558.76**
	(The hand held transmitter runs all functions of the Concrete Pump within a range of 200-400 feet from the pump.) (Ship Weight 8 lbs.)							

Digger
Bobcat Loader Attachment



Quick Specs

	12S	*25"*	*30"*	*36"*
Operating Weight	200 lbs	290 lbs	307 lbs	325 lbs
Dig Depth	28"	48"	48"	48"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)							
7100915	**12S Digger**	**$1,212.00**	**24%**	**$921.12**	**$102.00**	**$0.00**	**$0.00**	**$1,023.12**
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)							
6719756	**25" Digger**	**$1,806.00**	**24%**	**$1,372.56**	**$108.00**	**$50.00**	**$0.00**	**$1,530.56**
6719757	**30" Digger**	**$1,901.00**	**24%**	**$1,444.76**	**$108.00**	**$0.00**	**$0.00**	**$1,552.76**
6719758	**36" Digger**	**$1,981.00**	**24%**	**$1,505.56**	**$108.00**	**$0.00**	**$0.00**	**$1,613.56**

Dozer Blade
Bobcat Loader Attachment



Quick Specs

	54"	*80"*	*90"*	*96"*
Operating Weight	310 lbs	950 lbs	987 lbs	1580 lbs
Width	54"	80"	90"	96"
Width (Fully Angled)	46.8"	69.3"	78.0"	83.5"
Blade Height	20.0"	24.1"	24.2"	25.2"
Overall Height	21.9"	24.9"	25.2"	27.7"
Length	28.7"	33.0"	33.0"	34.8"
Oscillation	0°	± 8°	± 8°	± 10°
Angle	± 30°	± 30°	± 30°	± 30°
Cutting Edge (reversible)	0.38" x 4"	0.5" x 6"	0.5" x 6"	0.63" x 6"
Cylinders	1	3	3	3
Skid Shoes	Adjustable	Adjustable	Adjustable	Adjustable

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70)							
7196165	**54" Utility Blade (with hydraulic angle)**	**$2,444.00**	**24%**	**$1,857.44**	**$105.00**	**$50.00**	**$41.25**	**$2,053.69**
	(To be used as either a Snow Blade or a Dozer Blade)							
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
6905884	**80" Dozer Blade, 6-Way**	**$7,458.00**	**24%**	**$5,668.08**	**$217.00**	**$50.00**	**$82.50**	**$6,017.58**
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)							
	(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
6905811	**90" Dozer Blade, 6-Way**	**$8,050.00**	**24%**	**$6,118.00**	**$239.00**	**$50.00**	**$82.50**	**$6,489.50**
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)							
	(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)							
7105781	**96" Dozer Blade, 6-Way**	**$10,142.00**	**24%**	**$7,707.92**	**$342.00**	**$50.00**	**$82.50**	**$8,182.42**
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)							

Drop Hammer
Bobcat Loader Attachment



Quick Specs

Overall Weight	1925 lbs
Weight of Hammer	1140 lbs
Height (Hammer fully raised)	74"
Length	29"
Hammer Stroke	38"
Impact Energy Rating	3600 ft.-lbs
Required Flow	13 – 22 gpm
Stroke Rate per Minute	20"
Maximum Concrete Thickness	14-18
Minimum Concrete Thickness	5"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S175, S185, S205)(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)(S62, S64, S66, S76, S86) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (A770)								
7137810	**Drop Hammer**	**$12,566.00**	**24%**	**$9,550.16**	**$314.00**	**$50.00**	**$0.00**	**$9,914.16**

Disc Mulcher
Bobcat Loader Attachment

Quick Specs

	48" 88cc	48" 103cc	60" 132cc	60" 124cc
Operating Weight (lbs)	1625	1625	2100	2115
Cutting Width (in)	48	48	60	60
Overall Width (in)	63.1	63.1	77.7	77.7
Overall Height (in)	36.9	36.9	36.9	36.9
Overall Length	64.2	64.2	77.7	77.7
Hydraulic Flow Range (gpm)	23-29	30-37	30-45	30-45
Disc RPM @ 29 GPM	1178	NA	NA	NA
Disc RPM @ 37 GPM	NA	1288	1022	1061
Disc RPM @ 45 GPM	NA	NA	1219	1290
Max Cutting Capacity	Mulch up to 6" and cut up to 14" with all models			

Part Number	Attachment Description							
(S550*, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (S62, S64, S66, S76, S86) (T62, T64, T66, T76, T84, T86)								
7518475	**Disc Mulcher, 48, 88cc** (Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit) *S550 requires 200# counterweight kit PN 7129250	**$22,763.00**	**24%**	**$17,299.88**	**$350.00**	**$125.00**	**$82.50**	**$17,857.38**
(S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T630H, T650H, T740H, T750HH, T770H, T870H) (S62H, S64H, S66H, S76H, S86H) (T62H, T64H, T66H, T76H, T84H, T86H)								
7518801	**Disc Mulcher, 48" 103cc** (Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit)	**$23,026.00**	**24%**	**$17,499.76**	**$350.00**	**$125.00**	**$82.50**	**$18,057.26**
(S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T630H, T650H, T740H, T750HH, T770H, T870H) (S62H, S64H, S66H, S76H, S86H, S86) (T62H, T64H, T66H, T76H, T84H, T86H, T86)								
7518794	**Disc Mulcher, 60" 132cc**	**$28,158.00**	**24%**	**$21,400.08**	**$450.00**	**$125.00**	**$82.50**	**$22,057.58**
7518474	**Disc Mulcher, 60" 124cc Piston** (Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit)	**$30,263.00**	**24%**	**$22,999.88**	**$450.00**	**$125.00**	**$82.50**	**$23,657.38**

Drum Mulcher
Bobcat Loader Attachment

Quick Specs

	50" 2SPD STD	50" 2SPD DCR	61" 1SPD STD
Operating Weight	2350 lbs.	2514 lbs.	2500 lbs.
Operating Weight with Front Gate	2465 lbs.	2629 lbs.	2636 lbs.
Cutting Width	50"	50"	61.1"
Overall Width	64.6"	64.6"	75.8"
Length	43.3"	43.3"	43.3"
Height	61.9"	61.9"	61.9"
Max Hydraulic Flow	45 gpm	45 gpm	40 gpm
Max Hydraulic Pressure	4000 psi	4000 psi	4000 psi
Drum Speed (RPM)	1900-2000	2200-2300	1700-1800
Number of Teeth	24	20	30
Tree Diameter:			
Continuous Use	4 - 5"	4 - 5"	4 - 5"
Intermittent Removal	7 - 9"	7 - 9"	7 - 9"
Occasional Removal	10 - 12"	10 - 12"	10 - 12"

	61" 2SPD STD	61" 2SPD DCR	72" 2SPD STD
Operating Weight	2525 lbs.	2819 lbs.	3140 lbs.
Operating Weight with Front Gate	2685 lbs.	2954 lbs.	3290 lbs.
Cutting Width	61.1"	61.1"	72.3"
Overall Width	75.8"	75.8"	86.9"
Length	43.3"	43.3"	43.3"
Height	61.9"	61.9"	61.9"
Max Hydraulic Flow	45gpm	45 gpm	45 gpm
Max Hydraulic Pressure	4000 psi	4000 psi	4000 psi
Drum Speed (RPM)	1900-2000	2200-2300	1900-2000
Number of Teeth	30	24	36
Tree Diameter:			
Continuous Use	4 - 5"	4 - 5"	4 - 5"
Intermittent Removal	7 - 9"	7 - 9"	7 - 9"
Occasional Removal	10 - 12"	10 - 12"	10 - 12"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S750H, S770H, S850H) (S86) (A770H) (T750H, T770H, T870H) (T86)								
M7055	**Loader Drum Mulcher, 50" 2-Speed** • **For all M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit** • **Mulcher ships with Standard Drum unless DCR option is selected**	**$34,812.00**	**24%**	**$26,457.12**	**$451.00**	**$125.00**	**$82.50**	**$27,115.62**
M7055-R01-C01	Depth Control Rotor (DCR) Drum	**$4,430.00**	**24%**	**$3,366.80**	**$0.00**	**$0.00**	**$0.00**	**$3,366.80**
(S86, T86)								
M7055-R03-C02	LDR Drum Mulcher 50" 2SPD Super Flow • **The loader must be equipped with super flow**	**$1,291.00**	**24%**	**$981.16**	**$0.00**	**$0.00**	**$0.00**	**$981.16**
(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)								
M7056	**Loader Drum Mulcher, 61" 1-Speed** • **For all M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit** • **Standard Drum Only**	**$33,891.00**	**24%**	**$25,757.16**	**$480.00**	**$125.00**	**$82.50**	**$26,444.66**
M7056-A01-C01	Front Gate (Factory installed)	**$2,834.00**	**24%**	**$2,153.84**	**$0.00**	**$0.00**	**$0.00**	**$2,153.84**
(S750H*, S770H*, S850H) (S86) (A770H*) (T750H*, T770H*, T870H) (T86)								
M7057	**Loader Drum Mulcher, 61" 2-Speed** • **For all M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit** • **Mulcher ships with Standard Drum unless DCR option is selected** • *** See Notes under DCR Drum Option**	**$36,398.00**	**24%**	**$27,662.48**	**$480.00**	**$125.00**	**$82.50**	**$28,349.98**
M7057-R01-C01	Depth Control Rotor (DCR) Drum • **Not approved with S750H, S770H, A770H** • **T750H and T770H must be equipped with 400 Pound Counterweight Kit (p/n 7129252)**	**$4,632.00**	**24%**	**$3,520.32**	**$0.00**	**$0.00**	**$0.00**	**$3,520.32**
M7057-A01-C01	Front Gate (Factory installed)	**$2,834.00**	**24%**	**$2,153.84**	**$0.00**	**$0.00**	**$0.00**	**$2,153.84**
(S86, T86)								
M7057-R03-C02	LDR Drum Mulcher 61" 2SPD Super Flow • **The loader must be equipped with super flow**	**$1,349.00**	**24%**	**$1,025.24**	**$0.00**	**$0.00**	**$0.00**	**$1,025.24**
(S850H) (T750H, T770H, T870H) (T86)								
M7058	**Loader Drum Mulcher, 72" 2-Speed** • **For all M-Series Loaders (S850H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit** • **T750H and T770H must be equipped with 400 Pound Counterweight Kit (p/n 7129252)** • **Standard Drum Only**	**$40,212.00**	**24%**	**$30,561.12**	**$512.00**	**$125.00**	**$82.50**	**$31,280.62**
(T86)								
M7058-R03-C02	LDR Drum Mulcher 72" 2SPD Super Flow • **The loader must be equipped with super flow**	**$1,490.00**	**24%**	**$1,132.40**	**$0.00**	**$0.00**	**$0.00**	**$1,132.40**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7131810	**Forestry Applications Kit, K-Series** Kit is required to operate Drum Mulcher and provides operator & machine protection. Not compatible with rear auxiliary hydraulics. Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Debris Screen for Radiator, Muffler Guard, Lift Cylinder Debris Shields, Top and Rear Windows (1/4 in. polycarbonate), Cab Bulb Seal and Door Threshold and Seal (Estimated install time 6.5 hours)	**$7,544.00**	**24%**	**$5,733.44**	**$236.00**	**$0.00**	**$1,072.50**	**$7,041.94**
7230523	**Tier 3 and iT4 Forestry Applications Kit, M-Series** Kit is required to operate Drum Mulcher and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics. Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours)	**$11,934.00**	**24%**	**$9,069.84**	**$236.00**	**$0.00**	**$1,072.50**	**$10,378.34**
7257723	**Tier 4 Forestry Applications Kit, M-Series** Kit is required to operate Drum Mulcher and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics. Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours)	**$11,934.00**	**24%**	**$9,069.84**	**$236.00**	**$0.00**	**$1,072.50**	**$10,378.34**
7485084	**R-Series Forestry Kit T/S 8# Standard Cab (T86) (S86)** Kit is required to operate Drum Mulcher and provides operator & machine protection Kit includes: exhaust debris guard, polycarbonate side and rear windows, forestry door (3/4 in. laminated polycarbonate), level II FOPS, front and rear light guards, heavy duty spring, tailgate guard and fire extinguisher (estimated intall time 8 hours) Coupler guard must be ordered seperatly	**$11,524.00**	**24%**	**$8,758.24**	**$236.00**	**$0.00**	**$1,320.00**	**$10,314.24**
7485085	**R-Series Forestry Kit T/S 8# Clear Side Cab (T86) (S86)** Kit is required to operate Drum Mulcher and provides operator & machine protection. Clear side cab is required Kit includes: exhaust debris guard, polycarbonate rear windows, polycarbonate sliding side window, forestry door (3/4 in. laminated polycarbonate), level II FOPS, heavy duty spring, front and rear light guards, tailgate guard and fire extinguisher (estimated install time 7 hours)	**$10,097.00**	**24%**	**$7,673.72**	**$236.00**	**$0.00**	**$1,155.00**	**$9,064.72**

Coupler guard must be ordered seperatly

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7416906	**Front Gate, 50"** (Produces finer mulch) (Estimated install time 1.5 hours)	$2,213.00	24%	$1,681.88	$100.00	$0.00	$247.50	$2,029.38
7416761	**Front Gate, 61"** (Produces finer mulch) (Estimated install time 1.5 hours)	$2,484.00	24%	$1,887.84	$106.00	$0.00	$247.50	$2,241.34
7416944	**Front Gate, 72"** (Produces finer mulch) (Estimated install time 1.5 hours)	$3,022.00	24%	$2,296.72	$110.00	$0.00	$247.50	$2,654.22

Dumping Hopper
Bobcat Loader Attachment



Quick Specs

	Model 10	*Model 25*
Operating Weight	665 lbs	1190 lbs
Height	40"	40"
Length	83"	83"
Width	36"	84"
Capacity - Struck	25.7 cu. ft.	67.5 cu. ft.
Capacity - Heaped	29.7 cu. ft.	87.9 cu. ft.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S70, S100) (S450, S510, S530, S550, S570, S590) (S62, S64, S66) (T110) (T450) (L23, L28)							
6727275	**Model 10 Dumping Hopper** (Includes 8.5 x 12 Bobcat Heavy Duty Tire) (Tire is not installed on Dumping Hopper.) (For S100 and T110 must also order Mounting Frame P/N 6729483)	$4,303.00	24%	$3,270.28	$203.00	$50.00	$82.50	$3,605.78
	(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
6717597	**Model 25 Dumping Hopper** (Includes 8.5 x 12 Bobcat Heavy Duty Tires) (Tires are not installed on Dumping Hopper.)	$6,656.00	24%	$5,058.56	$263.00	$50.00	$82.50	$5,454.06

Flail Cutter
Bobcat Loader Attachment



Quick Specs

Operating Weight	1,640 lbs
Cutting Width	78"
Cutting Height	1.5" – 3"
Overall Width	91"
Flow	17 – 40 gpm
Hammers	21
Cutting Capacity	Brush material up to 3" in diameter
Blade Tip Speed	8200 ft./min. @ 2000 RPM 9000 ft./min. @ 2200 RPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)							
7101894	**FC200 Flail Cutter**	$16,773.00	24%	$12,747.48	$368.00	$100.00	$0.00	$13,215.48

Forks, Utility
Bobcat Loader Attachment



Quick Specs

	36"	*54"*	*60"*	*66"*	*72"*	*80"*
Operating Weight	200 lbs	280 lbs	304 lbs	330 lbs	356 lbs	388 lbs
# of Teeth Shipped	5	7	8	9	10	11
Max # of Teeth	9	13	15	17	19	21

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)							
6727904	**36" Utility fork, with 5 Teeth** (Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	$1,254.00	24%	$953.04	$102.00	$0.00	$0.00	$1,055.04
	(S70, S100, S130) (S450) (T110, T140) (T450) (L23, L28)							
6727888	**54" Utility fork, with 7 Teeth** (Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	$1,463.00	24%	$1,111.88	$101.00	$0.00	$0.00	$1,212.88
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62) (T140) (T450, T550,							

T590, T595) (T62)							
6725178	**60" Utility fork, with 8 Teeth** (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	**$1,625.00**	**24%**	**$1,235.00**	**$102.00**	**$0.00**	**$0.00**	**$1,337.00**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62)							
6725179	**66" Utility fork, with 9 Teeth** (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	**$1,902.00**	**24%**	**$1,445.52**	**$108.00**	**$0.00**	**$0.00**	**$1,553.52**
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
6725180	**72" Utility fork, with 10 Teeth** (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	**$2,002.00**	**24%**	**$1,521.52**	**$112.00**	**$0.00**	**$0.00**	**$1,633.52**
(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
7107243	**80" Utility fork, with 11 Teeth** (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).	**$2,333.00**	**24%**	**$1,773.08**	**$116.00**	**$0.00**	**$0.00**	**$1,889.08**

Grader
Bobcat Loader Attachment



Quick Specs

	84"	***96"***	***108"***
Operating Weight	1375 lbs	2788 lbs	2861 lbs
Width of Moldboard	84"	96"	108"
Width of Moldboard Fully Angled	76.1"	83.3"	93.7"
Moldboard Angle (Right or Left)	± 25°	± 30°	± 30°
Blade Offset (Right or Left)	± 12"(manual)	± 13"(hydraulic)	± 13"(hydraulic)
Bolster Oscillation	± 25°	± 12°	± 12°
Moldboard Cutting Edge (reversible)	½" x 6"	5/8" x 6"	5/8" x 6"
Cylinders	3	5	5

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)								
6906480	**Grader, 84"** (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	**$13,271.00**	**24%**	**$10,085.96**	**$335.00**	**$100.00**	**$41.25**	**$10,562.21**
(S740, S750, S770, S850) (S86) (A770) (T650, T740, T750, T770, T870) (T76, T86)								
7160005	**Grader, 96"** (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	**$21,615.00**	**24%**	**$16,427.40**	**$519.00**	**$100.00**	**$0.00**	**$17,046.40**
(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)								
7182060	**Grader, 108"** (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	**$23,331.00**	**24%**	**$17,731.56**	**$536.00**	**$100.00**	**$165.00**	**$18,532.56**
7177684	**End-Wing Kit** (Converts graders 96" and 108" into box blade for finish grading only) (Not compatible with the Sonic Tracer)	**$686.00**	**24%**	**$521.36**	**$51.00**	**$0.00**	**$82.50**	**$654.86**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7436330	**Laser Receiver, LR410** Includes 1 LR410 reciever and case. (Must order 2 for use with laser kit) (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	**$2,338.00**	**24%**	**$1,776.88**	**$52.00**	**$0.00**	**$0.00**	**$1,828.88**
7436128	**LR410 Mount Kit- 84" Grader** (For 84" Grader) (Approved for use on Graders S/N 648001631 & above, started production April 2009) ((Must also order two LR410 laser receivers, p/n 7436330)((Includes 2 receiver poles, 2 wiring harnesses, and 1 jumper	**$1,409.00**	**24%**	**$1,070.84**	**$52.00**	**$0.00**	**$0.00**	**$1,122.84**
7436129	**LR410 Laser Reciever Mount Kit-96" & 106" Grader** (For 96" and 108" Grader) (Must also order two LR410 laser receivers, p/n 7436330)((Includes 2 receiver poles, 2 wiring harnesses, and 1 jumper harness. Jumper to be attached to the left side of grader.)	**$1,506.00**	**24%**	**$1,144.56**	**$52.00**	**$0.00**	**$82.50**	**$1,279.06**
7164094	**BLR2 Laser Mounting Kit- 84" Grader** (For 84" Grader) (For use with only BLR2 receivers) (Approved for use on Graders S/N 648001631 & above, started production April 2009) (Includes 2 receiver poles and wiring harnesses)	**$1,409.00**	**24%**	**$1,070.84**	**$51.00**	**$0.00**	**$0.00**	**$1,121.84**
7177685	**BLR2 Laser Mounting Kit- 96"/108" Grader** (For 96" and 108" Grader) (For use with only BLR2 receivers)(Includes 2 receiver poles and wiring harnesses)	**$1,506.00**	**24%**	**$1,144.56**	**$51.00**	**$0.00**	**$82.50**	**$1,278.06**
7275232	**Laser Transmitter, Dual Slope** (Trimble GL422N; includes CR700 receiver)	**$3,985.00**	**24%**	**$3,028.60**	**$71.00**	**$0.00**	**$0.00**	**$3,099.60**
7514701	**Topcon Laser Mounting Kit- 96"/108" Grader** (For 96" and 108" Grader) (For use with only Topcon LS-B200W receivers)(Includes 2 receiver poles and wiring harnesses)							
7514700	**Topcon Laser Mounting Kit- 84" Grader** (For 84" Grader) (For use with only Topcon LS-B200W receivers) (Includes 2 receiver poles and wiring harnesses)	**$1,302.00**	**24%**	**$989.52**	**$52.00**	**$0.00**	**$330.00**	**$1,371.52**
7531738	**Topcon Transmitter, Dual Slope** Works with either Topcon or Trimble receivers	**$3,627.00**	**24%**	**$2,756.52**	**$52.00**	**$0.00**	**$0.00**	**$2,808.52**
7531739	**Topcon Elevating Tripod** Works with either Topcon or Trimble transmitters	**$675.00**	**24%**	**$513.00**	**$52.00**	**$0.00**	**$0.00**	**$565.00**
7211624	**Sonic Tracer and Slope Sensor Mounting Kit** (For 96" and 108" Grader) (Must also order Sonic Tracer and Slope Sensor Package, p/n 7023454) (Includes mounting brackets, hardware and wiring harnesses for sonic tracer and slope sensors) (Not compatible with the end-wing kit)	**$2,728.00**	**24%**	**$2,073.28**	**$51.00**	**$0.00**	**$82.50**	**$2,206.78**

6688806	**Tripod**	**$397.00**	**24%**	**$301.72**	**$22.00**	**$0.00**	**$0.00**	**$323.72**
7211624	**Sonic Tracer and Slope Sensor Mounting Kit** (For 96" and 108" Grader) (Must also order Sonic Tracer and Slope Sensor Package, p/n 7023454) (Includes mounting brackets, hardware and wiring harnesses for sonic tracer and slope sensors) (Not compatible with the end-wing kit)	**$2,728.00**	**24%**	**$2,073.28**	**$51.00**	**$0.00**	**$82.50**	**$2,206.78**
7023454	**Sonic Tracer & Slope Sensor Package** (Approved for 96" and 108" Grader) (Must also order Sonic Tracer and Slope Mounting Kit, p/n 7211624) (Includes ST400 Sonic Tracer, AS400 Slope Sensor (qty 2) and RS400 Rotation Sensor) (Use where laser transmitters won't work because of obstructions or where grader must follow predetermined slopes and land contours)	**$14,555.00**	**24%**	**$11,061.80**	**$260.00**	**$0.00**	**$165.00**	**$11,486.80**

Grader
Bobcat Loader Attachment

Parts Needed to Equip Bobcat Graders and Boxblades with Guidance Systems

	2D Laser Guiding	3D Dual GPS	3D Single GPS	3D UTS	Sonic & Slope	dealer needed
Box Blade	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	t Compati
Box Blade w/Laser	Quantity: 1-LR410 Laser Receiver - **7436330**, 1-**7426875 Harness**, 1-**7426835**	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
84" Grader	Laser Mounting Kit - **7436128,** LR410 Laser Receivers- **7436330 (Qty.2)**	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
96" & 108" HD Grader	Laser Mounting Kit - **7436129,** LR410 Laser Receivers- **7436330 (Qty.2)**	Consult SITECH dealer for Earthworks componenets	Consult SITECH dealer for Earthworks componenets	Consult SITECH dealer for Earthworks componenets	Sonic Tracer & Slope Sensor Package - **7023454** Sonic Tracer & Slope Mounting Kit - **7211624**	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D
HD Box Blade	Laser Mounting Kit - **7436108,** LR410 Laser Receivers- **7436330 (Qty.2)**	Earthworks coming soon	Earthworks coming soon	Earthworks coming soon	Not Compatible	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D
Tripod - 6688806 **Laser Transmitter Dual Slope - 7275232**	Needed for all **Laser** guidance systems if customer does not have these items					

Grapple, Farm/Utility
Bobcat Loader Attachment



Grapple with Bucket

Grapple with Forks

Quick Specs

	32" Utility	*32"*	*55" Util C/I*	*55" Util GP*
Operating Weight	157 lbs	157 lbs	243 lbs	180 lbs
Grapple Width	32"	32"	55"	55"
# of Grapple Tines	3	3	4	4

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
6728117	**Grapple, 32" Utility** (Fits Current 36", 48" & 54" Utility Forks and 36" & 44" Utility Buckets)	**$1,810.00**	**24%**	**$1,375.60**	**$102.00**	**$150.00**	**$412.50**	**$2,040.10**
7125370	**Grapple, 32"** (Fits Current 36" – 50" General Purpose buckets) (If bucket is equipped with a 6 hole step, must order a replacement 4 hole step, P/N 7103163)	**$1,792.00**	**24%**	**$1,361.92**	**$102.00**	**$0.00**	**$412.50**	**$1,876.42**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
7176977	**Grapple, 55" Utility – C/I** (Fits 62", 68", 74" and 80" Roundback Low Profile and Construction/Industrial Buckets and 60", 66", 72", and 80" Utility Forks) (Will not fit Heavy Duty Construction/Industrial Buckets)	**$2,222.00**	**24%**	**$1,688.72**	**$101.00**	**$50.00**	**$412.50**	**$2,252.22**
(S130, S150, S160, S175, S185) (S510, S530, S550, S570) (S62, S64)								
7176783	**Grapple, 55" Utility - GP** (Fits 62", 68" and 74" General Purpose buckets)	**$2,194.00**	**24%**	**$1,667.44**	**$96.00**	**$50.00**	**$412.50**	**$2,225.94**

Note: It is recommended that a port relief is installed for use with the Farm & Utility Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.

6684646 - Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
6684645 - Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
6678574 - Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Grapple, Industrial
Bobcat Loader Attachment

Industrial Bucket Grapple



Industrial Fork Grapple

Quick Specs

36" Bkt.	*48" Bkt.*	*62" Bkt.*	*68" Bkt.*

Operating Weight	365 lbs	448 lbs	884 lbs	922 lbs
Overall Grapple Width	36.0"	48.0"	62"	68"
# of Teeth - Factory	N/A	N/A	N/A	N/A
# of Teeth - Possible	N/A	N/A	N/A	N/A

	66" Fork	*74" Bkt.*	*78" Fork*	*80" Bkt.*
Operating Weight	937 lbs	960 lbs	1218 lbs	1101 lbs
Overall Grapple Width	66.9"	74"	78.8"	80"
# of Teeth - Factory	7	N/A	8	N/A
# of Teeth - Possible	13	N/A	15	N/A

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT52, MT55, MT85, MT100) (S70) (L23, L28)								
7135737	**36" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$2,634.00**	**24%**	**$2,001.84**	**$101.00**	**$50.00**	**$0.00**	**$2,152.84**
(S100) (T110)								
7140888	**48" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$2,893.00**	**24%**	**$2,198.68**	**$116.00**	**$50.00**	**$0.00**	**$2,364.68**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64)								
7168342	**62" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$4,708.00**	**24%**	**$3,578.08**	**$232.00**	**$50.00**	**$412.50**	**$4,272.58**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
7168340	**68" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$4,896.00**	**24%**	**$3,720.96**	**$239.00**	**$50.00**	**$0.00**	**$4,009.96**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
7168344	**66" Industrial Fork Grapple, with 7 teeth** (Bolt-On Cutting Edge included)	**$5,658.00**	**24%**	**$4,300.08**	**$242.00**	**$50.00**	**$412.50**	**$5,004.58**
(S630, S650, S740, S750, S770) (S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
7168290	**74" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$5,276.00**	**24%**	**$4,009.76**	**$247.00**	**$50.00**	**$412.50**	**$4,719.26**
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)								
7166624	**78" Industrial Fork Grapple, with 8 teeth**	**$6,792.00**	**24%**	**$5,161.92**	**$301.00**	**$50.00**	**$412.50**	**$5,925.42**
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)								
7168339	**80" Industrial Bucket Grapple** (Bolt-On Cutting Edge included)	**$5,842.00**	**24%**	**$4,439.92**	**$276.00**	**$50.00**	**$412.50**	**$5,178.42**

Note: It is recommended that a port relief be installed for use with the Industrial Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.

6684646 - Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
6684645 - Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
6678574 - Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Grapple, Root
Bobcat Loader Attachment

Quick Specs

	36"	*48"*	*66"*	*72"*	*80"*	*86"*
Operating Weight	316 lbs	395 lbs	999 lbs	1049 lbs	1164 lbs	1181 lbs
Height (closed)	29.8"	29.8"	34.4"	34.4"	34.4"	34.4"
Height (open)	42.9"	42.9"	51.7"	51.7"	51.7"	51.7"
Length	31.9"	31.9"	42.1"	42.1"	42.1"	42.1"
Width	36"	48"	67.1"	73.1"	80.4"	86.4"
Teeth	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Maximum Tooth Opening	28.3"	28.3"	36.8"	36.8"	36.8"	36.8"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT52, MT55, MT85, MT100) (S70) (L23, L28)								
7134179	**36" Root Grapple**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
(S100) (T110)								
7140902	**48" Root Grapple**	**$3,350.00**	**24%**	**$2,546.00**	**$116.00**	**$50.00**	**$0.00**	**$2,712.00**
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)								
7168343	**66" Root Grapple**	**$4,673.00**	**24%**	**$3,551.48**	**$248.00**	**$50.00**	**$412.50**	**$4,261.98**
(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)								
7165486	**72" Root Grapple**	**$5,020.00**	**24%**	**$3,815.20**	**$262.00**	**$50.00**	**$0.00**	**$4,127.20**
(S175, S185, S205) (S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86)								
7168338	**82" Root Grapple**	**$5,559.00**	**24%**	**$4,224.84**	**$284.00**	**$50.00**	**$412.50**	**$4,971.34**
(S650, S740, S770, S850)(A770)(S76, S86) (T650, T740, T770, T870) (T76, T86)								
###	**86" Root Grapple**	**$5,976.00**	**24%**	**$4,541.76**	**$302.00**	**$50.00**	**$0.00**	**$4,893.76**

Note: It is recommended that a port relief be installed for use with the Root Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.

6684646 - Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
6684645 - Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
6678574 - Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Log Grapple
Bobcat Loader Attachment



Quick Specs

Weight	335 lbs.
Grapple opening	56"
Tree pusher	11"
Rope bollard	2.85"
Rotation	Manual

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT85, MT100) (L23, L28)								
7401254	**Log Grapple** (Must order SAL hose extention for use on L23 and L28)	**$3,942.00**	**24%**	**$2,995.92**	**$92.00**	**$50.00**	**$0.00**	**$3,137.92**

Landplane
Bobcat Loader Attachment



Quick Specs

	48" Deluxe	*72" Deluxe*	*78" Deluxe*
Operating Weight	390 lbs	680 lbs	700 lbs.
Length	46.6"	51.5"	51.5"
Width	48"	73"	79"
Height	20.6"	20.9"	20.9"
Working Depth-Scarifier	3"	3.5"	3.5"
Cutting Edge	0.5" x 4"	0.5" x 6"	0.5" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (S70, S100) (T110) (L23, L28)								
6907173	**48" Deluxe Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$1,677.00**	**24%**	**$1,274.52**	**$144.00**	**$50.00**	**$0.00**	**$1,468.52**
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
6906150	**72" Deluxe Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$2,942.00**	**24%**	**$2,235.92**	**$164.00**	**$50.00**	**$0.00**	**$2,449.92**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)								
6906115	**78" Deluxe Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$3,222.00**	**24%**	**$2,448.72**	**$179.00**	**$50.00**	**$0.00**	**$2,677.72**

Landscape Rake
Bobcat Loader Attachment



Quick Specs

	5B	*6B*
Operating Weight	1109 lbs	1237 lbs
Working Width	60"	72"
Overall Width	66.6"	78.6"
# of Tooth Bars	12	12
# of Teeth (total)	384	456
Bucket Capacity	12.1 cu. ft.	14.3 cu. ft.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
6709107	**5B Landscape Rake**	**$10,756.00**	**24%**	**$8,174.56**	**$276.00**	**$50.00**	**$0.00**	**$8,500.56**
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)								
6710630	**6B Landscape Rake**	**$11,277.00**	**24%**	**$8,570.52**	**$313.00**	**$50.00**	**$0.00**	**$8,933.52**

Note: Also order Inline Restrictor P/N 6631698 and Adapter P/N 1312113 from Bobcat Parts when installing a Landscape Rake on a 40 series loader.

Mower
Bobcat Loader Attachment



Quick Specs

	72" Mower	90" Mower
Operating Weight	880 lbs	990 lbs
Cutting Width	71.5"	89.5"
Overall Width	76"	94"
Overall Length	68"	75"
Cutting Height Range (adjustable in ½ inch increments)	2"—5.5"	2"—5.5"
Flow Range	15—22 gpm	15—22 gpm
Number of Blades	3	3
Shut-off Travel	8.5"	8.5"
Blade Tip Speeds	11,251 ft/min @ 15 GPM 15,002 ft/min @ 20 GPM 16,502 ft/min @ 22 GPM Rear Discharge	11,026 ft/min @ 15 GPM 14,702 ft/min @ 20 GPM 16,172 ft/min @ 22 GPM Rear Discharge

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T750, T770) (T62, T64, T66, T76)							
7144850	**72" Mower**	**$7,510.00**	**24%**	**$5,707.60**	**$186.00**	**$50.00**	**$0.00**	**$5,943.60**
	(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7143993	**90" Mower**	**$8,217.00**	**24%**	**$6,244.92**	**$235.00**	**$50.00**	**$0.00**	**$6,529.92**

Packer Wheel
Bobcat Loader Attachment



Quick Specs

Operating Weight	386 lbs
Width	11"
Length	40.5"
Wheel Assembly	2
Wheel Diameter	30"
Compaction Depth	36.7"
Sheepfoot (hollow tube)	18 (9 per wheel)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
6806644	**Packer Wheel** (Must also order loader x-change mounting frame p/n 7141800)	**$2,919.00**	**24%**	**$2,218.44**	**$101.00**	**$50.00**	**$0.00**	**$2,369.44**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7141800	**Loader X-Change Mounting Frame**	**$1,650.00**	**24%**	**$1,254.00**	**$116.00**	**$0.00**	**$0.00**	**$1,370.00**

Pallet Forks, Standard
Bobcat Loader Attachment

Standard Pallet Fork Teeth and Frame

Bale Forks and Frame

Quick Specs

Frames	*Frame Weight*	*Capacity*	*Width*	*Height*
MT/S70	105 lbs	1,350 lbs	36.8"	32"
Standard Duty	122 lbs	2,500 lbs	45.1"	34.3"
Heavy Duty	153lbs	4,000 lbs	45.1"	34.3"
Severe Duty	229 lbs	5,500 lbs	51.5"	34.3"/43.2"

Teeth	*Weight Set 2*	*Length*	*Width*	*Height*
MT/S70	147 lbs	36"	4"	21"
Standard Duty	150 lbs	42"	4"	21"
Heavy Duty	164-184 lbs	42"/48"	4"	21"
Severe Duty	215-238 lbs	42"/48"	4"	21"
Bale Fork	119 lbs	43.8"	1.4"	21"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)							
6809716	**Bob-tach Pallet Fork Frame, less teeth**	**$621.00**	**24%**	**$471.96**	**$34.00**	**$0.00**	**$41.25**	**$547.21**
7276448	**Pallet Fork Frame CII, MT85, MT100**	**$593.00**	**24%**	**$450.68**	**$95.00**	**$0.00**	**$41.25**	**$586.93**
6540184	**36" Pallet Fork Teeth, Set of 2**	**$418.00**	**24%**	**$317.68**	**$0.00**	**$0.00**	**$0.00**	**$317.68**

Pallet Forks

A new ordering method will be required for bundles of buckets and pallet forks. Instead of ordering a different part number for a bundled product, you will simply use the single part number and the 'Change Quantity' box in OSS to order the quantity that meets the requirement for a bundle discount. The OSS order system will help step you through it and alert you if the product you are ordering can be bundled, what quantity needs to be ordered to get the discount, and what the discounted price will be.

Pallet Frames

	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L23, L28)							
7297499	**2.5K Standard Duty Pallet Fork Frame, Less Teeth** (Quantity discounts will be given on invoice to PN 7297499 when ordered in multiples of 10)	**$499.00**	**24%**	**$379.24**	**$34.00**	**$0.00**	**$41.25**	**$454.49**
7294305	**4K Heavy Duty Pallet Fork Frame, Less Teeth** (Quantity discounts will be given on invoice to PN 7294305 when ordered in multiples of 10)	**$606.00**	**24%**	**$460.56**	**$39.00**	**$0.00**	**$0.00**	**$499.56**
7294332	**5.5K Severe Duty Pallet Fork Frame, Less Teeth**	**$967.00**	**24%**	**$734.92**	**$54.00**	**$0.00**	**$41.25**	**$830.17**

(Quantity discounts will be given on invoice to PN 7294332 when ordered in multiples of 10)

Pallet Teeth

7308798	**42", 2.5K Standard Duty Pallet Fork Teeth, Set of 2**	**$387.00**	**24%**	**$294.12**	**$43.00**	**$0.00**	**$0.00**	**$337.12**
	(Quantity discounts will be given on invoice to PN 7308798 when ordered in multiples of 10 pairs)							
6540183	**42", 4K Heavy Duty Pallet Fork Teeth, Set of 2**	**$438.00**	**24%**	**$332.88**	**$47.00**	**$0.00**	**$0.00**	**$379.88**
	(Quantity discounts will be given on invoice to PN 6540183 when ordered in multiples of 10 pairs)							
6540182	**48", 4K Heavy Duty Pallet Fork Teeth, Set of 2**	**$448.00**	**24%**	**$340.48**	**$47.00**	**$0.00**	**$0.00**	**$387.48**
	(Quantity discounts will be given on invoice to PN 6540182 when ordered in multiples of 10 pairs)							
6541521	**42", 5.5K Severe Duty Pallet Fork Teeth, Set of 2**	**$592.00**	**24%**	**$449.92**	**$50.00**	**$0.00**	**$0.00**	**$499.92**
	(Quantity discounts will be given on invoice to PN 6541521 when ordered in multiples of 10 pairs)							
6541518	**48", 5.5K Severe Duty Pallet Fork Teeth, Set of 2**	**$667.00**	**24%**	**$506.92**	**$50.00**	**$0.00**	**$0.00**	**$556.92**
	(Quantity discounts will be given on invoice to PN 6541518 when ordered in multiples of 10 pairs)							

Bale Forks

(Standard Duty, Heavy Duty, Severe Duty)

6815781	**Bale Forks, Set of 2**	**$991.00**	**24%**	**$753.16**	**$84.00**	**$50.00**	**$0.00**	**$887.16**

Pallet Forks, Hydraulic
Bobcat Loader Attachment



Quick Specs

Ship Weight (Frame & Forks)..... 565 lbs
Fork Width..... 4"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
6905425	**48" Hydraulic Pallet Fork**	**$3,732.00**	**24%**	**$2,836.32**	**$179.00**	**$50.00**	**$0.00**	**$3,065.32**
	(Includes back frame and 2 hydraulically adjustable 48" teeth)							

Planer
Bobcat Loader Attachment



Quick Specs

	14" Std. Flow	*18" HF*	*24" HF*	*24" SuF*	*40" HF/SuF*	*1" SuF*
Operating Weight.....	1107 lbs.*	1191 lbs.*	1254 lbs.*	2204 lbs.	2300 lbs.	524 lbs.
Drum Width.....	14"	18"	24"	23.6"	40"	47.2"
Cutting Depth-Flat Planing.....	0 – 6"	0 – 6"	0 – 6"	0-6"	0 – 5"	0-5"
Sideshift.....	29.8"	29.8"	29.8"	25.6"	25.6"	25.6"
# of Bits.....	*	*	*	54	78	90
Hydraulic Oscillation.....	N/A	N/A	N/A	± 7.5°	± 8°	± 8°
Maximum Cutting Angle.....	± 15°	± 15°	± 15°	± 7.5°	± 8°	± 8°

*** Does not include drum, dependent upon which drum is installed.**

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740H, T750, T770) (T62, T64, T66, T76, T86)								
M7019	**14" Planer, Standard Flow**	**$12,689.00**	**24%**	**$9,643.64**	**$386.00**	**$100.00**	**$0.00**	**$10,129.64**
	(Includes manual depth adjust, hydraulic sideshift and hoses) (Must also order drum option) (Attachment Control Kit is not required)							
	MUST order one of the following drum options with the 14" Planer, Standard Flow							
M7019-R01-C03	**14" All Purpose Drum**	**$3,240.00**	**24%**	**$2,462.40**	**$0.00**	**$0.00**	**$0.00**	**$2,462.40**
	(With 46 bits) (Ship Weight 277 lbs.)							
M7019-R01-C07	**No Drum Factory Installed**	**$0.00**	**24%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.00**
(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740 H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)								
M7018	**18" Planer, High Flow**	**$19,047.00**	**24%**	**$14,475.72**	**$415.00**	**$100.00**	**$0.00**	**$14,990.72**
	(Includes hydraulic depth adjust, hydraulic sideshift, and hoses) (Must also order drum option) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit , a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)							
	MUST order one of the following drum options with the 18" Planer, High Flow							
M7018-R01-C10	**18" Fast Cut All Purpose Drum**	**$4,116.00**	**24%**	**$3,128.16**	**$0.00**	**$0.00**	**$0.00**	**$3,128.16**
	(With 47 bits) (Ship Weight 288 lbs.)							
M7018-R01-C11	**18" Smooth Cut All Purpose Drum**	**$5,257.00**	**24%**	**$3,995.32**	**$0.00**	**$0.00**	**$0.00**	**$3,995.32**
	(With 84 bits) (Ship Weight 340 lbs.)							
M7018-R01-C12	**No Drum Factory Installed**	**$0.00**	**24%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.00**
(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)								
M7017	**24" Planer, High Flow**	**$23,067.00**	**24%**	**$17,530.92**	**$449.00**	**$100.00**	**$0.00**	**$18,079.92**
	(Includes hydraulic depth adjust, hydraulic sideshift, and hoses) (Must also order drum option) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit , a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)							
	MUST order one of the following drum options with the 24" Planer, High Flow							
M7017-R01-C04	**24" Fast Cut All Purpose Drum**	**$5,580.00**	**24%**	**$4,240.80**	**$0.00**	**$0.00**	**$0.00**	**$4,240.80**
	(With 57 bits) (Ship Weight 359 lbs.)							
M7017-R01-C12	**24" Smooth Cut All Purpose Drum**	**$7,006.00**	**24%**	**$5,324.56**	**$0.00**	**$0.00**	**$0.00**	**$5,324.56**
	(With 124 bits) (Ship Weight 453 lbs.)							
M7017-R01-C13	**No Drum Factory Installed**	**$0.00**	**24%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.00**
(S750H, S770H, S850H) (S86H, S86 SuF) (A770H) (T750H, T770H, T870H) (T86H, T86 SuF)								
6726632	**40" Planer, High Flow**	**$36,499.00**	**24%**	**$27,739.24**	**$627.00**	**$100.00**	**$0.00**	**$28,466.24**
	(Includes hydraulic depth adjust, 40" drum, hydraulic sideshift, hydraulic oscillation & 1/2" couplers and hoses) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)							
(S86 SuF) (T86 SuF)								
7430052	**24" Planer, Super Flow**	**$29,992.00**	**24%**	**$22,793.92**	**$449.00**	**$100.00**	**$0.00**	**$23,342.92**
	(Includes hydraulic depth adjust, 24" drum, hydraulic sideshift, hydraulic oscillation & 3/4" couplers and hoses) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a							

14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S86 SuF) (T86 SuF)								
7430053	48" Planer, Super Flow (Includes hydraulic depth adjust, 48" drum, hydraulic sideshift, hydraulic oscillation & 3/4" couplers and hoses) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)	$39,746.00	24%	$30,206.96	$677.00	$100.00	$0.00	$30,983.96

***963 loader requires a Case Drain P/N 6806348 and an Attachment Control Kit for use with 18" and 24" Planers – see page 1. Order Case Drain Kit from Bobcat Parts.**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Water Kit							
	Note: Water Kits are available for use with the Planer attachments – see Water Kit page for details.							
	Dealer Installed Drums for 14" – 24" Planers							
6905178	2 ½" Slot Cutting Drum (For use in 14", 18" and 24" Planers) (With 21 bits) (Weight 89 lbs.)	$2,215.00	24%	$1,683.40	$84.00	$0.00	$0.00	$1,767.40
6958406	4" Slot Cut Drum (For use in 14", 18" and 24" Planers) (With 24 bits)(Weight 111 lbs.)	$2,157.00	24%	$1,639.32	$88.00	$0.00	$0.00	$1,727.32
6661408	6" All Purpose Drum (For use in 14", 18" and 24" Planers) (With 34 bits) (Weight 150 lbs.)	$1,636.00	24%	$1,243.36	$99.00	$0.00	$0.00	$1,342.36
7165473	8" All Purpose Drum (For use in 14", 18" and 24" Planers) (With 34 bits) (Weight 161 lbs.)	$2,735.00	24%	$2,078.60	$91.00	$0.00	$0.00	$2,169.60
7165485	12" All Purpose Drum (For use in 14", 18" and 24" Planers) (With 40 bits) (Weight 200 lbs.)	$3,531.00	24%	$2,683.56	$97.00	$0.00	$0.00	$2,780.56
6905404	14" All Purpose Drum (For use in 14", 18" and 24" Planers) (With 46 bits) (Weight 257 lbs.)	$3,727.00	24%	$2,832.52	$122.00	$0.00	$0.00	$2,954.52
6906320	16" Surface Drum (For use in 18" and 24" Planers) (With 184 bits) (Weight 265 lbs.)	$8,216.00	24%	$6,244.16	$149.00	$0.00	$0.00	$6,393.16
7165503	16" Fast Cut All Purpose Drum (For use in 18" and 24" Planers) (With 47 bits) (Weight 249 lbs.)	$4,647.00	24%	$3,531.72	$108.00	$0.00	$0.00	$3,639.72
7165502	16" Smooth Cut All Purpose Drum (For use in 18" and 24" Planers) (With 84 bits) (Weight 301 lbs.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7165505	18" Fast Cut All Purpose Drum (For use in 18" and 24" Planers) (With 47 bits) (Weight 268 lbs.)	$4,737.00	24%	$3,600.12	$137.00	$0.00	$0.00	$3,737.12
7165506	18" Smooth Cut All Purpose Drum (For use in 18" and 24" Planers) (With 84 bits) (Weight 320 lbs.)	$6,048.00	24%	$4,596.48	$144.00	$0.00	$0.00	$4,740.48
6958266	24" Fast Cut All Purpose Drum (For use in 24" Planer) (With 57 bits) (Weight 339 lbs.)	$6,421.00	24%	$4,879.96	$158.00	$0.00	$0.00	$5,037.96
7165544	24" Smooth Cut All Purpose Drum (For use in 24" Planer) (With 124 bits) (Weight 433 lbs.)	$8,061.00	24%	$6,126.36	$162.00	$0.00	$0.00	$6,288.36

Rock Bucket
Bobcat Loader Attachment



Quick Specs

	62"	68"	74"	82"
Operating Weight	558 lbs	605 lbs	652 lbs	700 lbs
Overall Width	61.9"	68.6"	75.4"	82.1"
Overall Height	20.8"	20.8"	20.8"	20.8"
Overall Length (Bucket Lip or Bottom of Bucket)	43.6"	43.6"	43.6"	43.6"
Tine Spacing	3"	3"	3"	3"
Number of Tines	17	19	21	23

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
7185941	62" Rock Bucket	$2,464.00	24%	$1,872.64	$141.00	$0.00	$0.00	$2,013.64
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
7185943	68" Rock Bucket	$2,576.00	24%	$1,957.76	$149.00	$0.00	$0.00	$2,106.76
	(S630, S650, S740, S750, S770, S850) (S76) (A770) (T630, T650, T740, T750, T770, T870) (T66, T76)							
7185945	74" Rock Bucket	$2,691.00	24%	$2,045.16	$156.00	$0.00	$0.00	$2,201.16
	(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)							
7185947	82" Rock Bucket	$2,978.00	24%	$2,263.28	$162.00	$0.00	$0.00	$2,425.28

Scarifier
Bobcat Loader Attachment

Quick Specs

Ship Weight	350 lbs
# of Teeth	5 (7 without depth guides)
Maximum Dig Depth	Approx. 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86)(A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
6563526	Front Scarifier (Includes 2 Depth Guides and 5 Teeth)	$2,018.00	24%	$1,533.68	$101.00	$0.00	$82.50	$1,717.18

Scraper
Bobcat Loader Attachment



Quick Specs

Operating Weight	172 lbs
Height	19"
Width	45"
Length	55"
Disk Diameter	22"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6675211	Scraper	$1,578.00	24%	$1,199.28	$96.00	$50.00	$0.00	$1,345.28

Seeder
Bobcat Loader Attachment



Quick Specs

Weight (empty)	1,300 lbs
Weight (full)	1,425 lbs
Height	44.0"
Overall Width	88.0"
Working Width	72.0"
Length	43.0"
Hopper Capacity	4.0 bushels

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7167712	Seeder, 72", 3PT Mounting (Must also order Bob-Tach adapter)	$9,381.00	24%	$7,129.56	$298.00	$50.00	$0.00	$7,477.56

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7167758	Bob-Tach Adapter (Allows Seeder to mount on Bob-Tach equipped machines)	$997.00	24%	$757.72	$38.00	$0.00	$0.00	$795.72

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7167759	Bob-Tach Adapter (Allows Seeder to mount on Bob-Tach equipped machines)	$876.00	24%	$665.76	$96.00	$0.00	$0.00	$761.76

Silt Fence Installer
Bobcat Loader Attachment



Quick Specs

	Rigid Frame	3-PT Rigid Frame	72" Side Shift*	84" Side Shift*
Operating Weight	775 lbs	985 lbs	1120 lbs	1165 lbs
Height	70"	70"	70"	70"
Width	45.5"	45.5"	72"	84"
Length	72.8"	86.7"	98"	98"

**weight includes 3-Point to Loader adapter*

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7137320	Silt Fence Installer (Must also order mounting frame)	$6,618.00	24%	$5,029.68	$260.00	$50.00	$0.00	$5,339.68

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7137333	Loader Rigid Mounting Frame	$1,738.00	24%	$1,320.88	$67.00	$0.00	$0.00	$1,387.88
7139171	3-Point Rigid Mounting Frame (Must also order Adapter p/n 7137334)	$1,599.00	24%	$1,215.24	$61.00	$0.00	$0.00	$1,276.24
7137332	3-Point Mounting Frame, 72" Side-Shift (Must also order Adapter p/n 7137334)	$3,400.00	24%	$2,584.00	$130.00	$0.00	$0.00	$2,714.00
7137331	3-Point Mounting Frame, 84" Side-Shift (Must also order Adapter p/n 7137334)	$3,588.00	24%	$2,726.88	$137.00	$0.00	$0.00	$2,863.88

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7137334	Adapter, 3-Point to Loader	$975.00	24%	$741.00	$116.00	$0.00	$0.00	$857.00
7137759	Hydraulic Top Link (Recommended for use on tractor with 3-point)	$471.00	24%	$357.96	$42.00	$0.00	$0.00	$399.96

Snow Blade
Bobcat Loader Attachment



Quick Specs

	54"	60"	72"	84"
Operating Weight	310 lbs	580 lbs	590 lbs	620 lbs
Width	54"	60"	72"	84"
Height	21.9"	28"	28"	28"
Working Width (Fully Angled)	46.8"	52"	63"	73"
Steel Cutting Edge	.38" x 4"	.375" x 6"	.375" x 6"	.375" x 6"
Cylinders	1	2	2	2
Trip Springs	2	4	4	4
Optional Rubber Cutting Edge	1" x 5"	1" x 6"	1" x 6"	1" x 6"

	96"	86" HD	96" HD	108" HD
Operating Weight	660 lbs	809 lbs	867 lbs	948 lbs
Width	96"	86"	96"	108"
Height	28"	28.4"	28.4"	28.4"
Working Width (Fully Angled)	83"	75"	83"	93"
Steel Cutting Edge	.375" x 6"	.5" x 6"	.5" x 6"	.5" x 6"
Cylinders	2	1	1	1
Trip Springs	4	4	4	4
Optional Rubber Cutting Edge	1" x 6"	1" x 6"	1" x 6"	1" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70)							
7196165	**54" Utility Blade (with hydraulic angle)** (To be used as either a Snow Blade or a Dozer Blade)	**$2,444.00**	**24%**	**$1,857.44**	**$105.00**	**$50.00**	**$41.25**	**$2,053.69**
	(S100, S130, S150, S160) (T110) (S450, S510, S530, S550, S570, S590, S595) (T450) (L23, L28)							
6906107	**60" Snow Blade (with hydraulic angle)**	**$3,550.00**	**24%**	**$2,698.00**	**$145.00**	**$50.00**	**$41.25**	**$2,934.25**
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T110) (T450)							
6905156	**72" Snow Blade (with hydraulic angle)**	**$3,716.00**	**24%**	**$2,824.16**	**$157.00**	**$50.00**	**$41.25**	**$3,072.41**
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T450)							
6716836	**84" Snow Blade (with hydraulic angle)**	**$3,965.00**	**24%**	**$3,013.40**	**$164.00**	**$50.00**	**$41.25**	**$3,268.65**
	(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)(S62, S64, S66, S76, S86) (A770) (T450)							
6716838	**96" Snow Blade (with hydraulic angle)**	**$4,298.00**	**24%**	**$3,266.48**	**$170.00**	**$50.00**	**$41.25**	**$3,527.73**
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76, T86)							
7207861	**86" Snow Blade – Heavy Duty (with hydraulic angle)**	**$5,327.00**	**24%**	**$4,048.52**	**$182.00**	**$50.00**	**$41.25**	**$4,321.77**
	(S130, S150, S160, S175, S185, S205)(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)							
7207862	**96" Snow Blade – Heavy Duty (with hydraulic angle)**	**$5,645.00**	**24%**	**$4,290.20**	**$192.00**	**$50.00**	**$41.25**	**$4,573.45**
	(S150, S160, S175, S185, S205)(S630, S650, S740, S750, S770, S850)(S76, S86)(A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86)							
7207863	**108" Snow Blade – Heavy Duty (with hydraulic angle)**	**$6,055.00**	**24%**	**$4,601.80**	**$207.00**	**$50.00**	**$41.25**	**$4,900.05**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6716834	**End Wing Kit** (Converts 84" & 96" Snow Blades in to Snow Pushers) (Not for use on 60" or 72" Snow Blades) (Not for use on Heavy Duty Snow Blades) (Ship Weight 95 lbs.)	**$662.00**	**24%**	**$503.12**	**$54.00**	**$0.00**	**$41.25**	**$598.37**

Snow Pusher
Bobcat Loader Attachment



Quick Specs

	96"	120"
Operating Weight	1122 lbs	1256 lbs
Overall Width	102"	128"
Working Width	94.6"	121"
Length	56.2"	56.2"
Height	37.8"	37.8"
Cutting Edge	1.5" x 8" Rubber	1.5" x 8" Rubber
Skid Shoes	.75" x 5" AR400	.75" x 5" AR400
Color	Orange	Orange
Float		
Vertical	2.3"	2.3"
Tilt	12 degrees	12 degrees
Oscillation	+/- 4.5 degrees	+/- 4.5 degrees

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7113767	**96" Snow Pusher**	**$4,427.00**	**24%**	**$3,364.52**	**$233.00**	**$50.00**	**$0.00**	**$3,647.52**
	(S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7116164	**120" Snow Pusher**	**$4,872.00**	**24%**	**$3,702.72**	**$250.00**	**$50.00**	**$0.00**	**$4,002.72**

Snow Pusher Pro

Bobcat Loader Attachment



Quick Specs

	72"	96"
Operating Weight	1272 lbs	1473 lbs
Overall Width	80"	104"
Working Width	72"	96"
Length (includes interface)	70.7"	75.8"
Height	40"	40"
Cutting Edge (High Carbon Steel)	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly)	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs	4	4
Color	Orange	Orange
Float		
Tilt	35 degrees	35 degrees
Oscillation	+/- 6 degrees	+/- 6 degrees

	108"	120"
Operating Weight	1529 lbs	1589 lbs
Overall Width	116"	128"
Working Width	108"	120"
Length (includes interface)	75.8"	75.8"
Height	40"	40"
Cutting Edge (High Carbon Steel)	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly)	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs	4	4
Color	Orange	Orange
Float		
Tilt	35 degrees	35 degrees
Oscillation	+/- 6 degrees	+/- 6 degrees

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S450*, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140) (T450*, T550, T590, T595) (T62, T64, T66) (L23*, L28*)							
7406869	**72" Snow Pusher Pro**	**$9,788.00**	**24%**	**$7,438.88**	**$390.00**	**$50.00**	**$0.00**	**$7,878.88**
	(S150, S160, S175, S185, S205) (S510*, S530*, S550*, S570*, S590*, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T550*, T590*, T595, T630, T650, T740, T770, T870) (T62, T64, T66, T76, T86)							
7385513	**96" Snow Pusher Pro**	**$10,349.00**	**24%**	**$7,865.24**	**$390.00**	**$50.00**	**$0.00**	**$8,305.24**
	(S175, S185, S205) (S590*, S595, S630, S650, S740, S750, S770, S850) (S64, S66, S76, S86) (A770) (T140, T180, T190) (T590*, T595 T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7385514	**108" Snow Pusher Pro**	**$10,518.00**	**24%**	**$7,993.68**	**$390.00**	**$50.00**	**$0.00**	**$8,433.68**
	(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86)							
7385515	**120" Snow Pusher Pro**	**$10,687.00**	**24%**	**$8,122.12**	**$390.00**	**$50.00**	**$0.00**	**$8,562.12**

***Weight kit recommended**

Snow V-Blade
Bobcat Loader Attachment

Blade in "V" Configuration



Blade in "Scoop" Configuration

ade in "Angled" Configurat

Quick Specs

	60"	72"	84"	96"	108"
Operating Weight	660 lbs	738 lbs	779 lbs	824 lbs	868 lbs
Operating Weight with Oscillating kit	N/A	972 lbs	1013 lbs	1058 lbs	1102 lbs
Width:					
V-Configuration	54"	64.5"	75"	85.5"	96"
Scoop-Configuration	53"	63"	74"	84"	95"
30° Angle-Configuration	54"	64"	75"	85"	95"
Straight-Configuration	62"	74"	86"	98"	110"
Height with Blade Extension	28.5"	32.8"	32.8"	32.8"	32.8"
Length	40"	47.3"	47.3"	47.3"	47.3"
Oscillation (with flotation kit)	N/A	+/- 10	+/- 10	+/- 10	+/- 10

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100) (S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64) (T110, T140) (T450) (L23, L28)							
7104861	**60" Snow V-Blade, 7-Pin**	**$6,095.00**	**24%**	**$4,632.20**	**$153.00**	**$50.00**	**$0.00**	**$4,835.20**
	(Loader must be equipped with an Attachment Control Kit – see Page 1) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1) (Blade is equipped with fingertip 7-Pin Control. Adjustable blade width from 53-60 inches.)							
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)							
6958576	**72" Snow V-Blade**	**$6,406.00**	**24%**	**$4,868.56**	**$189.00**	**$50.00**	**$0.00**	**$5,107.56**
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)							
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)							
6958577	**84" Snow V-Blade**	**$6,714.00**	**24%**	**$5,102.64**	**$194.00**	**$50.00**	**$0.00**	**$5,346.64**
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)							
	(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)							
6958578	**96" Snow V-Blade**	**$7,022.00**	**24%**	**$5,336.72**	**$202.00**	**$50.00**	**$0.00**	**$5,588.72**
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)							
	(S630, S650, S740, S750, S770) (S76, S86) (A770) (T630, T650, T740, T750, T770) (T76, T86)							

6958579	**108" Snow V-Blade**	**$7,330.00**	**24%**	**$5,570.80**	**$209.00**	**$50.00**	**$0.00**	**$5,829.80**

(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7102603	**Blade Flotation Kit**	**$993.00**	**24%**	**$754.68**	**$94.00**	**$0.00**	**$247.50**	**$1,096.18**

(Allows blade to oscillate +/- 10 degrees, includes pin to lock in place at 0 degrees) (Approved for use with 72", 84", 96" and 108" Snow V-Blades) (The frame flotation mounts between the existing frame and blade and will extend the overall blade length eight-inches from the Bob-Tach.) (Shipping weight 254 lbs.) (Estimated install time 1.5 hrs)

Snowblower
Bobcat Loader Attachment



Quick Specs

	SB26 x 36"	*SB26 x 48"*	*SB26 x 56"*	*SB32 x 60"*	*B32 x 68*
Chute Rotation	270°	270°	270°	270°	270°
Deflector Control	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance	Up to 25'	Up to 25'	Up to 25'	Up to 40'	Up to 40'
Flow Range	8-17 GPM	8-17 GPM	8-17 GPM	13-31 GPM	3-31 GPM
Fan Diameter	15"	15"	15"	19.5"	19.5"
Auger Diameter	14"	14"	14"	20"	20"
Length	36"	48"	56"	61.5"	69.5"
Width	38.5"	38.5"	38.5"	45"	45"
Intake Height	26.5"	26.5"	26.5"	33"	33"
Max Pressure	3000 psi	3000 psi	3000 psi	3400 psi	3400 psi
Operating Weight	620 lbs	672 lbs	700 lbs	920 lbs	941 lbs

	SB32 x 74"	*SB32 x 80"*	*SB32 x 86"*	*SB36 x 86"*	*B36 x 96*
Chute Rotation	270°	270°	270°	270°	270°
Deflector Control	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance	Up to 40'	Up to 40'	Up to 40'	Up to 40'	Up to 40'
Flow Range	13-31 GPM	13-31 GPM	13-31 GPM	36-45 GPM	6-45 GPM
Fan Diameter	19.5"	19.5"	19.5"	24"	24"
Auger Diameter	20"	20"	20"	24"	24"
Length	75.5"	81.5"	87"	87.5"	97.5"
Width	45"	45"	45"	51"	51"
Intake Height	33"	33"	33"	37"	37"
Max Pressure	3400 psi	3400 psi	3400 psi	4000 psi	4000 psi
Operating Weight	981 lbs	1016 lbs	1041 lbs	1396 lbs	1457 lbs

SB26 Hydraulic Motor Packages

Must order a Hydraulic Motor Package with the SB26 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

OMPX 50cc Motor Package ..... 8-12 gpm

SB32 Hydraulic Motor Packages

Must order a Hydraulic Motor Package with the SB32 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

80cc Motor Package ..... 13-17 gpm
100cc Motor Package ..... 17-21 gpm
130cc Motor Package ..... 22-25 gpm
160cc Motor Package ..... 26-31 gpm

SB36 Hydraulic Motor Packages

Must order this Hydraulic Motor Package with the SB36 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

OMPX 315cc Motor Package ..... 36-45 gpm

Part Number	SB26 Snowblower Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Must order a hydraulic motor package with the SB26 Snowblowers ***Loader must be equipped with a 14-pin Attachment Control Kit*** ***Loader must be equipped with Case Drain***							
(MT55, MT85, MT100)								
M7052	**SB26 x 36"**	**$5,696.00**	**24%**	**$4,328.96**	**$173.00**	**$50.00**	**$0.00**	**$4,551.96**
M7052-R01-C01	OMPX 50cc Motor Package	**$764.00**	**24%**	**$580.64**	**$0.00**	**$0.00**	**$0.00**	**$580.64**
(MT55, MT85, MT100) (L23, L28)								
M7053	**SB26 x 48"**	**$6,046.00**	**24%**	**$4,594.96**	**$181.00**	**$50.00**	**$0.00**	**$4,825.96**
M7053-R01-C01	OMPX 50cc Motor Package	**$764.00**	**24%**	**$580.64**	**$0.00**	**$0.00**	**$0.00**	**$580.64**
(MT55, MT85, MT100) (L23, L28)								
M7054	**SB26 x 56"**	**$6,406.00**	**24%**	**$4,868.56**	**$194.00**	**$50.00**	**$0.00**	**$5,112.56**
M7054-R01-C01	OMPX 50cc Motor Package (MT55, MT85, MT100) (L23, L28)	**$764.00**	**24%**	**$580.64**	**$0.00**	**$0.00**	**$0.00**	**$580.64**

Part Number	SB32 Snowblower Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Must order a hydraulic motor package with the SB32 Snowblowers ***Loader must be equipped with a 14-pin Attachment Control Kit***							
(S450) (T450)								
M7046	**SB32 x 60" Snowblower**	**$6,982.00**	**24%**	**$5,306.32**	**$200.00**	**$50.00**	**$0.00**	**$5,556.32**
M7046-R01-C01	80cc Motor Package (S450, T450)	**$1,043.00**	**24%**	**$792.68**	**$0.00**	**$0.00**	**$0.00**	**$792.68**
M7046-R01-C02	100cc Motor Package (S450, T450)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
(S450, S550, S550H, S570, S570H, S590, S590H, S595) (S62, S62H, S64, S64H, S66, S66H) (T450, T550, T550H, T590, T590H, T595, T595H) (T62, T62H, T64, T64H, T66, T66H)								
M7047	**SB32 x 68" Snowblower**	**$7,154.00**	**24%**	**$5,437.04**	**$205.00**	**$50.00**	**$0.00**	**$5,692.04**
M7047-R01-C01	80cc Motor Package (S450, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66)	**$1,043.00**	**24%**	**$792.68**	**$0.00**	**$0.00**	**$0.00**	**$792.68**
M7047-R01-C02	100cc Motor Package (S450, S550, S570, S590, S595) (T450, T550, T590, T595)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
M7047-R01-C03	130cc Motor Package	**$1,094.00**	**24%**	**$831.44**	**$0.00**	**$0.00**	**$0.00**	**$831.44**

	(S550H, S570H, S590H) (T550H, T590H)							
M7047-R01-C04	160cc Motor Package	$1,124.00	24%	$854.24	$0.00	$0.00	$0.00	$854.24
	(S550H, S570H, S590H) (S62H, S64H, S66H) (T550H, T590H, T595H) (T62H, T64H, T66H)							
(S450, S550, S550H, S570, S570H, S590, S590H, S595, S630, S630H, S650, S650H, S740, S750, S770) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T740) (T62, T62H, T64,T64H, T66, T66H, T76, T76H)								
M7045	**SB32 x 74" Snowblower**	**$7,427.00**	**24%**	**$5,644.52**	**$223.00**	**$50.00**	**$0.00**	**$5,917.52**
M7045-R01-C01	80cc Motor Package	$1,043.00	24%	$792.68	$0.00	$0.00	$0.00	$792.68
	(S450, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66)							
M7045-R01-C02	100cc Motor Package	$1,048.00	24%	$796.48	$0.00	$0.00	$0.00	$796.48
	(S450, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66)							
M7045-R01-C03	130cc Motor Package	$1,094.00	24%	$831.44	$0.00	$0.00	$0.00	$831.44
	(S550H, S570H, S590H, S630, S650, S740, S750, S770) (S76) (T550H, T590H, T630) (T76)							
M7045-R01-C04	160cc Motor Package	$1,124.00	24%	$854.24	$0.00	$0.00	$0.00	$854.24
	(S550H, S570H, S590H, S630H, S650H) (S62H, S64H, S66H, S76, S76H) (T550H, T590H, T595H, T630H) (T62H, T64H, T66H, T76, T76H)							
(S450, S550, S550H, S570, S570H, S590, S590H, S595, S630, S630H, S650, S650H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770) (T450, T550, T550H, T590, T590H, T595, T595H, T630H, T740H, T770) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)								
M7048	**SB32 x 80" Snowblower**	**$7,639.00**	**24%**	**$5,805.64**	**$262.00**	**$50.00**	**$0.00**	**$6,117.64**
M7048-R01-C01	80cc Motor Package	$1,043.00	24%	$792.68	$0.00	$0.00	$0.00	$792.68
	(S450, S550, S595) (S62, S64, S66) (T450, T595) (T62, T64, T66)							
M7048-R01-C02	100cc Motor Package	$1,048.00	24%	$796.48	$0.00	$0.00	$0.00	$796.48
	(S550, S570, S590, S595) (T550, T590, T595)							
M7048-R01-C03	130cc Motor Package	$1,094.00	24%	$831.44	$0.00	$0.00	$0.00	$831.44
	(S550H, S570H, S590H, S630, S650, S740, S750, S770, S850) (S76) (A770) (T550H, T590H, T630, T740, T770) (T76)							
M7048-R01-C04	160cc Motor Package	$1,124.00	24%	$854.24	$0.00	$0.00	$0.00	$854.24
	(S550H, S570H, S590H, S630H, S650H) (S62H, S64H, S66H, S76H) (T550H, T590H, T595H, T630H, T740H) (T62H, T64H, T66H, T76H)							
(S595, S630, S630H, S650, S650H, S740, S750, S770, S850)(S76, S76H, S86) (A770) (T595, T595H, T630, T630H, T740, T740H, T770, T870) (T76, T76H, T86)								
M7049	**SB32 x 86" Snowblower**	**$8,507.00**	**24%**	**$6,465.32**	**$266.00**	**$50.00**	**$0.00**	**$6,781.32**
M7049-R01-C02	100cc Motor Package	$1,048.00	24%	$796.48	$0.00	$0.00	$0.00	$796.48
	(S595) (T595)							
M7049-R01-C03	130cc Motor Package	$1,094.00	24%	$831.44	$0.00	$0.00	$0.00	$831.44
	(S630, S650, S740, S750, S770, S850) (S76) (A770) (T630, T740, T770, T870) (T76)							
M7049-R01-C04	160cc Motor Package	$1,124.00	24%	$854.24	$0.00	$0.00	$0.00	$854.24
	(S630H, S650H) (S76H) (T595H, T630H, T740H) (T76H)							

Part Number	Description	SB36 Snowblower	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		Must order 315cc Motor Package with the SB36 Snowblowers ***Loader must be equipped with a 14-pin Attachment Control Kit***							
(S770H) (A770H) (T770H, T870H) (T86, S86)									
M7050	**SB36 x 86" Snowblower**		**$10,673.00**	**24%**	**$8,111.48**	**$339.00**	**$50.00**	**$0.00**	**$8,500.48**
M7050-R01-C01	OMPX 315cc Motor Package		$2,314.00	24%	$1,758.64	$0.00	$0.00	$0.00	$1,758.64
(S770H) (A770H) (T770H, T870H) (T86, S86)									
M7051	**SB36 x 96" Snowblower**		**$11,249.00**	**24%**	**$8,549.24**	**$347.00**	**$50.00**	**$0.00**	**$8,946.24**
M7051-R01-C01	OMPX 315cc Motor Package		$2,314.00	24%	$1,758.64	$0.00	$0.00	$0.00	$1,758.64

Sod Layer
Bobcat Loader Attachment



Quick Specs

Operating Weight	596 lbs
Length	49.1"
Width (maximum overall)	73.0"
Height	31.0"
Sod Roll Widths	24.0" – 48.0"
Maximum Diameter Sod Roll	50.0"
Arm Cylinders (2)	2.0" X 1.0" X 18.5" Stroke
Relief Valve Setting	400 psi

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)									
6906783	**Sod Layer**		**$5,321.00**	**24%**	**$4,043.96**	**$174.00**	**$50.00**	**$0.00**	**$4,267.96**

Soil and Asphalt Spreader
Bobcat Loader Attachment

Quick Specs

	SAS200
Standard Width	74.8"
Optional Width	77"
Ashault Thickness	0"-4"
Side Shift	Hydraulic
Weight	1488 lbs.
Ave. working speed (ft/min)	165-396
Min. required hydraulic flow	12 GPM
Transverse Tilt	5°

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S450, S740, S770, S850) (S62, S64, S66, S76, S86) (T450, T740, T770, T870) (T62, T64, T66, T76, T86)									
7396290	**Soil and Asphalt Spreader**		**$14,848.00**	**24%**	**$11,284.48**	**$368.00**	**$0.00**	**$0.00**	**$11,652.48**

Soil Conditioner
Bobcat Loader Attachment



72-in



84-in

Quick Specs

	48-in Man.	*72-in Man.*	*72-in Hyd.*
Overall Length	57.9"	67.9"	67.9"
Overall Width	60.6"	86.2"	86.2"
Working Width – Fully Angled	46.0"	65.0"	65.0"
Degree of Angle Left or Right	25°	25°	25°
Number of Teeth	81	121	121
Operating Weight	636 lbs.	1110 lbs.	1110 lbs.
Hydraulic Requirements	10-18 gpm	13-37 gpm	13-37 gpm
Tires	Pneumatic	Pneumatic	Foam-Filled
Float or Lock Position	Lock	Both	Both
Depth Adjustment	Manual	Manual	Hydraulic
Angle Adjustment	Manual	Manual	Hydraulic

	72-in HF	*84-in Hyd.*	*84-in HF*
Overall Length	67.9"	67.9"	67.9"
Overall Width	86.2"	98.2"	98.2"
Working Width – Fully Angled	65.0"	76.0"	76.0"
Degree of Angle Left or Right	25°	25°	25°
Number of Teeth	121	141	141
Operating Weight	1110 lbs.	1268 lbs.	1268 lbs.
Hydraulic Requirements	25-37 gpm	18-37 gpm	30-37 gpm
Tires	Foam-Filled	Foam-Filled	Foam-Filled
Float or Lock Position	Both	Both	Both
Depth Adjustment	Hydraulic	Hydraulic	Hydraulic
Angle Adjustment	Hydraulic	Hydraulic	Hydraulic

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70, S100) (T110) (L23, L28)							
6958310	**48" Soil Conditioner, Manual Angle**	**$9,200.00**	**24%**	**$6,992.00**	**$208.00**	**$50.00**	**$41.25**	**$7,291.25**
	(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86H) (A770, A770H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740H, T770, T770H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H)							
6906513	**72" Soil Conditioner, Manual Angle**	**$11,295.00**	**24%**	**$8,584.20**	**$268.00**	**$50.00**	**$41.25**	**$8,943.45**
7135945	**72" Soil Conditioner, Hydraulic Angle and Depth**	**$12,920.00**	**24%**	**$9,819.20**	**$265.00**	**$50.00**	**$0.00**	**$10,134.20**
	(Loader must be equipped with an Attachment Control Kit)							
	(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H, T86H)							
7135944	**72" Soil Conditioner, High Flow Hydraulic Angle and Depth**	**$13,366.00**	**24%**	**$10,158.16**	**$268.00**	**$50.00**	**$0.00**	**$10,476.16**
	(Loader must be equipped with an Attachment Control Kit)							
	(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H)							
7135946	**84" Soil Conditioner, Hydraulic Angle and depth**	**$13,663.00**	**24%**	**$10,383.88**	**$315.00**	**$50.00**	**$0.00**	**$10,748.88**
	(Loader must be equipped with an Attachment Control Kit)							
	(S630H, S650H, S740H, S750H, S770H, S850H) (S76H) (A770H) (T630H, T650H, T740H, T750H, T770H, T870H) (S86) (T76H, T86H)							
7135947	**84" Soil Conditioner, High Flow Hydraulic Angle and Depth**	**$14,522.00**	**24%**	**$11,036.72**	**$315.00**	**$50.00**	**$0.00**	**$11,401.72**
	(Loader must be equipped with an Attachment Control Kit)							

HS8 Spreader
Bobcat Loader Attachment

Quick Specs

Operating Weight with Loader Mount (empty)	387 lbs
Height	40.9"
Width	54.4"
Hopper Capacity	
Top of Hopper	9.6 Cu. ft.
Bottom of Grate	7.6 Cu. ft.
Spreading Pattern	18.4 @ 1500 RPM
	22.6 @ 2000 RPM
	28.4 @ 2500 RPM
Speed Control	Dial control
Motor	Hydraulic
Spinner Wheel	18" diameter
Maximum Hydraulic Flow	22 GPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)							
7157284	**HS8 Spreader**	**$4,796.00**	**24%**	**$3,644.96**	**$144.00**	**$100.00**	**$0.00**	**$3,888.96**

Steel Tracks
Bobcat Loader Attachment

Attachment

Part Number	Tire Size	# of Pads	Machine width with tracks	Wheel Spacers (incl.)	Ship Wgt.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
Complete Track Package												
Each part number includes a set of tracks, web binder, hardware, and if required, wheel spacers and lift arm stops.												
(S175, S185)												
7111882	**10.00-16.5**	**34**	**69"**	**none**	**920**	**$4,036.00**	**24%**	**$3,067.36**	**$235.00**	**$0.00**	**$330.00**	**$3,632.36**
Note: Tracks will not work with 773, S175, S185 with 60" offset rims.												
(S510, S530, S550, S570)												
7222581	**10.00-16.5**	**34**	**72"**	**2"**	**913**	**$5,124.53**	**24%**	**$3,894.64**	**$234.00**	**$0.00**	**$330.00**	**$4,458.64**
Note: Order p/n 7233132 if loader is equipped with 31-12-16.5 tires.												
(S510, S530, S550, S570, S590, S595)												
7233132	**31-12-16.5**	**34**	**76"**	**none**	**963**	**$5,030.76**	**24%**	**$3,823.38**	**$203.00**	**$0.00**	**$330.00**	**$4,356.38**
Note: Requires rims to be reversed for proper spacing. Flange nuts included for securing the rim. Order p/n 7222581 if loader is equipped with 10-16.5 tires. Bucket will be narrower than the 76"over the track width.												
(S630, S650)												
7178955	**12.00-16.5**	**38**	**79"**	**2"**	**1197**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
(S740, S750, S770)												
7191754	**12.00-16.5**	**38**	**79"**	**2"**	**1201**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
(S850)												
7191757	**14.00-17.5**	**42**	**86"**	**2"**	**1366**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Note on use of poly fill tires and other non-pneumatic tires with steel tracks

Only pneumatic tires and tires with Superflex formula poly fill manufactured by Arnco are permitted for use inside steel tracks. Bobcat factory poly-filled tires meet this requirement. All other tires including Bobcat Solid Tires (Twin Flex, Smooth Flex, Smooth Solid, etc.) are considered non-approved. The use of non-approved tires will void the loader and track warranties. For more information, see service letter #5010 dated 15 July 2002.

Dealer Installed Accessories - Order From Sales

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
Replacement Track Sets								
Each part number includes a set of tracks and web binder.								
Additional hardware, wheel spacers and lift-arm stops are not included.								
(S150, S160, S175, S185)								
7111882	**Tracks**..... (Fits 10.0-16.5 tires) (Ship Weight 918 lbs.)	**$4,036.00**	**24%**	**$3,067.36**	**$235.00**	**$0.00**	**$330.00**	**$3,632.36**
(S590, S595)								
7233132	**Tracks**..... (Fits 31-12x16.5 tires) (Ship Weight 963 lbs.) (Includes flange nuts) (Rims must be reversed for proper spacing)	**$5,030.76**	**24%**	**$3,823.38**	**$203.00**	**$0.00**	**$330.00**	**$4,356.38**

Stump Grinder
Bobcat Loader Attachment



SG30 Stump Grinder



SG60 and SGX60 Stump Grinder

Quick Specs

	SG30	***SG60***	***SGX60***
Operating Weight.....	460 lbs	980 lbs	995 lbs
Flow Range.....	10-14 gpm	17-32 gpm*	25-40 gpm*
Overall Length.....	46.3"	45"	45"
Overall Transport Length.....	39.5"	65.8"	65.8"
Overall Height.....	33.5"	59.4"	59.4"
Wheel Diameter.....	18"	27"	27"
Number of Teeth.....	16	32	32
Grinder Reach @ Ground Level.....	46.3"	74"	74"
Maximum Cutting Height.....	11"	32"	32"
Maximum Cutting Depth.....	11"	15"	15"
Maximum Cutting Arc.....	90°	80°	80°

Attachment

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
7100641	**SG30 Stump Grinder**..... (Loader must be equipped with a 14-Pin Attachment Control Kit – See Page 3-6)	**$7,043.00**	**24%**	**$5,352.68**	**$141.00**	**$50.00**	**$0.00**	**$5,543.68**
(S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S750, S770, S850) (S62, S62H, S64, S64H, S66, S66H, S76H, S86H) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T750, T770, T870) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H)								
6808034	**SG60 Stump Grinder**..... *Not approved for use with 37 GPM High Flow Loaders (Loader must be equipped with an Attachment Control Kit – See Page 3-6) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 6)	**$12,406.00**	**24%**	**$9,428.56**	**$247.00**	**$50.00**	**$0.00**	**$9,725.56**
(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)								
7112201	**SGX60 Stump Grinder**..... (Loader must be equipped with an Attachment Control Kit – See Page 3-6) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 6)	**$12,839.00**	**24%**	**$9,757.64**	**$256.00**	**$50.00**	**$0.00**	**$10,063.64**

Sweeper
Bobcat Loader Attachment

Quick Specs

	44"	54"	60"
Operating Weight	573 lbs	654 lbs	888 lbs
Sweep Width	44"	54"	60"
Overall Attachment Width	49.9"	59.7"	65.7
Bucket Capacity	3.0 cu. ft.	3.7 cu. ft.	8.7 cu. Ft.
Broom Diameter	24"	24"	26.3"
Bristle Sections (Included)	21	26	30
Bristle Material	Replaceable Polypropylene sections (steel sections available)		
Cutting Edge (Repl. Steel)	5/8" x 6"	5/8" x 6"	5/8" x 6"
Broom RPM @ 12 GPM	182	182	258
Hydraulic Flow Range	9.5-19.0 GPM	9.5-19.0 GPM	16.0-23.0 GPM
Travel	Frwd/Rev	Frwd/Rev	Frwd/Rev

	72"	84"
Operating Weight	1004 lbs	1122 lbs
Sweep Width	72"	84"
Overall Attachment Width	77.7"	89.7"
Bucket Capacity	10.4 cu. ft.	12.2 cu. ft.
Broom Diameter	26.3"	26.3"
Bristle Sections (Included)	36	42
Bristle Material	Replaceable Polypropylene sections (steel sections available)	
Cutting Edge (Repl. Steel)	5/8" x 6"	5/8" x 6"
Broom RPM @ 12 GPM	258	258
Hydraulic Flow Range	16.0-23.0 GPM	16.0-23.0 GPM
Travel	Frwd/Rev	Frwd/Rev

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT55, MT85, MT100) (S70) (L23, L28)							
7418344	**44" Sweeper**	**$5,519.00**	**24%**	**$4,194.44**	**$119.00**	**$50.00**	**$0.00**	**$4,363.44**
	(MT100) (S100, S130) (T110) (S450) (T450) (L23, L28)							
7418340	**54" Sweeper**	**$6,022.00**	**24%**	**$4,576.72**	**$124.00**	**$50.00**	**$0.00**	**$4,750.72**
	(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)							
7418328	**60" Sweeper**	**$6,537.00**	**24%**	**$4,968.12**	**$141.00**	**$50.00**	**$41.25**	**$5,200.37**
	(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)							
7405171	**72" Sweeper**	**$7,223.00**	**24%**	**$5,489.48**	**$151.00**	**$50.00**	**$0.00**	**$5,690.48**
	(S630, S650, S740, S750, S770, S850) (S76) (A770) (T630, T650, T740, T750, T770) (T76)							
7418178	**84" Sweeper**	**$8,085.00**	**24%**	**$6,144.60**	**$162.00**	**$50.00**	**$0.00**	**$6,356.60**

Part Number	Dealer Installed Accessories - Order From Sales & Parts Description							
7419388	**Gutter Brush** (Add-on to the 60", 72", and 84" Sweepers) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 150 lbs.)	**$2,714.00**	**24%**	**$2,062.64**	**$63.00**	**$0.00**	**$330.00**	**$2,455.64**

Three-Point Hitch Adapter
Bobcat Loader Attachment

Quick Specs

Operating Weight	272 lbs
Mounting Frame	Mounts to category "I and II" Three-Point Hitch Implements that meet the ASAE standard for quick hitch.
Overall Width	46"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) 62, S64, S66, S72, S76, S86)(A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T77 (T62, T64, T66, T72, T76, T86)							
7110394	**Three-Point Hitch Adapter, Category "I and II"** (Quick-tach connection to Three-Point Hitch implements to convert to Bob-Tach™) (Includes 2" receiver for moving trailers)	**$1,284.00**	**24%**	**$975.84**	**$116.00**	**$0.00**	**$0.00**	**$1,091.84**

Tiller
Bobcat Loader Attachment

Quick Specs

	40"	62"	76"
Operating Weight	475 lbs	660 lbs	749 lbs
Working Width	40.6"	62.1"	75.4"
Overall Width	48"	70.8"	84.4"
Tines	24	36	44
Working Depth	6" maximum	6" maximum	6" maximum
Tine Rotation	Bi-rotational	Bi-rotational	Bi-rotational
Drive	Direct Drive	Direct Drive	Direct Drive
Travel Direction	Forward/Reverse	Forward/Reverse	Forward/Reverse
Flow Range	9-18 GPM	17-40 GPM	17-40 GPM
Skid Shoe	Optional	Optional	Optional

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (S70, S100) (T110) (L23, L28)							
7196028	**40" Rotary Tiller**	**$5,496.00**	**24%**	**$4,176.96**	**$143.00**	**$50.00**	**$0.00**	**$4,369.96**
	(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)							
7104371	**62" Rotary Tiller**	**$6,366.00**	**24%**	**$4,838.16**	**$206.00**	**$50.00**	**$0.00**	**$5,094.16**
	(S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (S62, S62H, S64, S64H, S66, S66H, S76,							

S76H, S86H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H)								
7102125	**76" Rotary Tiller**	**$7,514.00**	**24%**	**$5,710.64**	**$224.00**	**$50.00**	**$0.00**	**$5,984.64**

Tilt Tatch
Bobcat Loader Attachment



Quick Specs

Operating Weight..... 320 lbs
Height..... 20.4"
Width..... 48"
Length..... 4.3"
Oscillation..... ± 15°
Cylinders..... 1

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)								
7101600	**Tilt-Tatch**	**$3,333.00**	**24%**	**$2,533.08**	**$116.00**	**$50.00**	**$0.00**	**$2,699.08**
	(Interface between the Loader's Bob-Tach and non hydraulic attachments)							

Note: Use of Tilt-Tatch will reduce Operating Capacity and Tip Load by approximately 20%.
See the Tilt-Tatch Operators Manual for New Load Ratings.
Note: Tilt-Tatch can be used with non-hydraulic attachments only.

Tree Spade
Bobcat Loader Attachment



Quick Specs

		32"	36"	44"
Spande Weight	*Cone 30°*	1590 lbs.	1640 lbs.	2150 lbs.
	Modified 25°	1525 lbs.	1580 lbs.	2145 lbs.
Width	*Cone 30°*	91.8 in.	95.6 in.	85.1 in.
	Modified 25°	76.0 in.	79.8 in.	77.7 in.
Height	*Cone 30°*	64.2 in.	64.2 in.	64.2 in.
	Modified 25°	58.7 in.	58.7 in.	66.6 in.
Length	*Cone 30°*	83.3 in.	87.5 in.	85.1 in.
	Modified 25°	74.2 in.	78.4 in.	78.5 in.
Max Digging Depth	*Cone 30°*	31.2 in.	32.9 in.	33.3 in.
	Modified 25°	25.9 in.	29.4 in.	31.0 in.
Bottom Opening Radius	*Cone 30°*	0.8 in.	2.2 in.	5.6 in.
	Modified 25°	5.6 in.	6.2 in.	9.4 in.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Convertible Tree Spades							
	Convertible Tree Spades can be equipped with either a pendant style (rocker switch) control panel or a 7-pin ACD control kit. Convertible Tree Spades for competitor loaders G-series and older require pendant control to be ordered and installed. 44" Tree Spade requires pendant control kit p/n 7152664 for competitive loaders G-series and older.							
(S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
7149485	**32" Convertible Tree Spade, Cone**	**$17,085.00**	**24%**	**$12,984.60**	**$348.00**	**$100.00**	**$0.00**	**$13,432.60**
7149442	**32" Convertible Tree Spade, Modified**	**$17,085.00**	**24%**	**$12,984.60**	**$348.00**	**$0.00**	**$0.00**	**$13,332.60**
(S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T76, T86)								
7149488	**36" Convertible Tree Spade, Cone**	**$17,912.00**	**24%**	**$13,613.12**	**$368.00**	**$100.00**	**$0.00**	**$14,081.12**
7149445	**36" Convertible Tree Spade, Modified**	**$17,912.00**	**24%**	**$13,613.12**	**$368.00**	**$100.00**	**$0.00**	**$14,081.12**
(S740, S750, S770, S850) (S86) (A770) (T650, T740, T750, T770, T870) (T76, T86)								
7149491	**44" Convertible Tree Spade, Cone**	**$24,490.00**	**24%**	**$18,612.40**	**$461.00**	**$100.00**	**$0.00**	**$19,173.40**
7149306	**44" Convertible Tree Spade, Modified**	**$24,490.00**	**24%**	**$18,612.40**	**$461.00**	**$100.00**	**$0.00**	**$19,173.40**
	*Competitive loaders G-series and older require/must also order pendant control kit P/N 7152664							

Note: Rear Stabilizers are required and counterweights are recommended when using the tree spade.
See Stabilizer price page for more information.

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(All Loader Series)								
7152662	**ACD Conversion Kit, 7-Pin**	**$454.00**	**24%**	**$345.04**	**$22.00**	**$0.00**	**$41.25**	**$408.29**
7152663	**Pendant Control Kit, 3-Blade**	**$913.00**	**24%**	**$693.88**	**$51.00**	**$0.00**	**$41.25**	**$786.13**
	(For 24" through 36" Convertible Tree Spades) (No additional Control Kits needed.)							
7152664	**Pendant Control Kit, 4-Blade**	**$1,029.00**	**24%**	**$782.04**	**$42.00**	**$0.00**	**$41.25**	**$865.29**
	(For 44" Convertible Tree Spades) (No additional Control Kits needed.) (Will operate 4-Blade convertible Tree Spades)							

Trench Compactor
Bobcat Loader Attachment



Quick Specs

Quick Specs

Operating Weight..... 1400 lbs
Height..... 59"
Length..... 57"
Width..... 48"

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)								
6905277	**Trench Compactor**..... (Comes standard with a 4 ½" Pad and compacts trenches up to 8" wide) (Wheel-type vibratory compactor)	**$12,897.00**	**24%**	**$9,801.72**	**$314.00**	**$50.00**	**$0.00**	**$10,165.72**

Trencher
Bobcat Loader Attachment



Quick Specs

	LT112	*LT113*	*LT213*	*LT313 3' depth*
Operating Weight (without teeth).....	613 lbs	638 lbs	725 lbs	955 lbs
Flow Range.....	9-15 gpm	9-15 gpm	11-18 gpm	15-23 gpm
Maximum Operating Pressure.....	3000 psi	3000 psi	3300 psi	3300 psi
Frame Width (std. equipment).....	36"	36"	56"	56"
Trenching Widths Available.....	4" to 8"	4" to 8"	4" to 8"	6" to 12"
Side Shift Travel.....	16.1"	16.1"	23.1"	23.1"
Auger Diameter.....	12" *	**12"**	**12"**	**14"**
Auger Clearance.....	13.8-15.8"	13.8-15.8"	13.8-15.8"	24-27"
Dig Depth @ 60 degrees.....	2'	3'	3'	3'
Overall Length.....	60.7"	74"	74"	79.5"
Standard Boom Length.....	39.4"	52.5"	52.5"	55.5"

	LT313 4' depth	*LT414 4' depth*	*LT414 5' depth*	*LT405*
Operating Weight (without teeth).....	980 lbs	1181 lbs	1218 lbs	1520 lbs
Flow Range.....	15-23 gpm	26-40 gpm	26-40 gpm	26-40 gpm
Maximum Operating Pressure.....	3300 psi	3300 psi	3300 psi	3300 psi
Frame Width (std. equipment).....	56"	56.25"	56.25"	65"
Trenching Widths Available.....	6" to 12"	6" to 12"	6" to 8"	6" to 12"
Side Shift Travel.....	23.1"	21.8"	21.8"	26"
Auger Diameter.....	**14"**	12 to 14.25"	12 to 14.25"	12" *
Auger Clearance.....	24-27"	23.4-26.4"	23.4-26.4"	19"
Dig Depth @ 60 degrees.....	4'	50"	62"	4'-5'
Overall Length.....	89.5"	90"	104"	105"
Standard Boom Length.....	65.5"	65"	79"	63"

Single Removable Auger Tapered Removable Auger * Dual Augers

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT112 Trencher Attachment							
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
M7011	**LT112 Trencher**..... (Includes mounting frame, hoses, couplers, 2' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)	**$5,298.00**	**24%**	**$4,026.48**	**$191.00**	**$50.00**	**$0.00**	**$4,267.48**
	2' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)							
M7011-R01-C01	**2' x 4" Cup Teeth, Double Standard Pattern**.....	**$759.00**	**24%**	**$576.84**	**$0.00**	**$0.00**	**$0.00**	**$576.84**
M7011-R01-C02	**2' x 4" Cup Teeth, Single Standard pattern**.....	**$623.00**	**24%**	**$473.48**	**$0.00**	**$0.00**	**$0.00**	**$473.48**
M7011-R01-C03	**2' x 4" Cup & Carbide Teeth, Double Standard pattern**.....	**$1,360.00**	**24%**	**$1,033.60**	**$0.00**	**$0.00**	**$0.00**	**$1,033.60**
M7011-R01-C05	**2' x 4" Shark/Cup Teeth in Double Standard Pattern**.....	**$922.00**	**24%**	**$700.72**	**$0.00**	**$0.00**	**$0.00**	**$700.72**
M7011-R01-C06	**2' x 6" Shark/Cup Teeth in Double Standard Pattern**.....	**$1,161.00**	**24%**	**$882.36**	**$0.00**	**$0.00**	**$0.00**	**$882.36**

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Dealer Installed Accessories - Order From Sales							
	LT112 Chain Configuration Accessories (Replacement Chain - Dealer Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
6959315	**2' x 4" Cup Teeth, Single Standard Pattern**..... (Ship Weight 76 lbs.)	**$684.00**	**24%**	**$519.84**	**$97.00**	**$0.00**	**$0.00**	**$616.84**
6959323	**2' x 4" Cup Teeth, Double Standard Pattern**..... (Ship Weight 85 lbs.)	**$859.00**	**24%**	**$652.84**	**$111.00**	**$0.00**	**$0.00**	**$763.84**
6959333	**2' x 4" Cup & Carbide Teeth, Double Standard Pattern**..... (Ship Weight 91 lbs.)	**$1,625.00**	**24%**	**$1,235.00**	**$111.00**	**$0.00**	**$0.00**	**$1,346.00**
7209862	**2' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern**.....	**$947.00**	**24%**	**$719.72**	**$111.00**	**$0.00**	**$0.00**	**$830.72**
7209863	**2' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern**.....	**$1,050.00**	**24%**	**$798.00**	**$92.00**	**$0.00**	**$0.00**	**$890.00**
6959317	**3' x 4" Cup Teeth, Single Standard Pattern**..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	**$813.00**	**24%**	**$617.88**	**$101.00**	**$0.00**	**$0.00**	**$718.88**
6959335	**3' x 6" Cup Teeth, Single Standard Pattern**..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	**$859.00**	**24%**	**$652.84**	**$116.00**	**$0.00**	**$0.00**	**$768.84**
6959321	**3' x 4" Cup Teeth, Double Standard Pattern**..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	**$910.00**	**24%**	**$691.60**	**$116.00**	**$0.00**	**$0.00**	**$807.60**
6959319	**3' x 4" Cup & Carbide Teeth, Double Standard Pattern**..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	**$1,768.00**	**24%**	**$1,343.68**	**$116.00**	**$0.00**	**$0.00**	**$1,459.68**

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT113 Trencher Attachment							
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28)								
M7014	**LT113 Trencher**..... (Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)	**$5,525.00**	**24%**	**$4,199.00**	**$206.00**	**$50.00**	**$0.00**	**$4,455.00**
	3' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)							
M7014-R01-C01	**3' x 4" Cup Teeth, Double Standard Pattern**.....	**$684.00**	**24%**	**$519.84**	**$0.00**	**$0.00**	**$0.00**	**$519.84**
M7014-R01-C02	**3' x 4" Cup Teeth, Single Standard Pattern**.....	**$601.00**	**24%**	**$456.76**	**$0.00**	**$0.00**	**$0.00**	**$456.76**
M7014-R01-C03	**3' x 4" Cup & Carbide Teeth, Double Standard Pattern**.....	**$1,400.00**	**24%**	**$1,064.00**	**$0.00**	**$0.00**	**$0.00**	**$1,064.00**
M7014-R01-C04	**3' x 6" Cup Teeth, Single Standard Pattern**.....	**$641.00**	**24%**	**$487.16**	**$0.00**	**$0.00**	**$0.00**	**$487.16**
M7014-R01-C06	**3' x 4" Shark/Cup Teeth in Double Standard Pattern**.....	**$1,126.00**	**24%**	**$855.76**	**$0.00**	**$0.00**	**$0.00**	**$855.76**
M7014-R01-C07	**3' x 6" Shark/Cup Teeth in Double Standard Pattern**.....	**$1,407.00**	**24%**	**$1,069.32**	**$0.00**	**$0.00**	**$0.00**	**$1,069.32**
M7040	**Trencher LT113 CII, MT55, MT85, MT100**..... (Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)	**$5,525.00**	**24%**	**$4,199.00**	**$206.00**	**$50.00**	**$0.00**	**$4,455.00**
	3' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)							
M7040-R01-C01	**3' x 4" Cup Teeth, Double Standard Pattern**.....	**$684.00**	**24%**	**$519.84**	**$0.00**	**$0.00**	**$0.00**	**$519.84**
M7040-R01-C02	**3' x 4" Cup Teeth, Single Standard Pattern**.....	**$601.00**	**24%**	**$456.76**	**$0.00**	**$0.00**	**$0.00**	**$456.76**
M7040-R01-C03	**3' x 4" Cup & Carbide Teeth, Double Standard Pattern**.....	**$1,400.00**	**24%**	**$1,064.00**	**$0.00**	**$0.00**	**$0.00**	**$1,064.00**

M7040-R01-C04	3' x 6" Cup Teeth, Single Standard Pattern	$641.00	24%	$487.16	$0.00	$0.00	$0.00	$487.16
M7040-R01-C06	3' x 4" Shark/Cup Teeth in Double Standard Pattern	$1,126.00	24%	$855.76	$0.00	$0.00	$0.00	$855.76
M7040-R01-C07	3' x 6" Shark/Cup Teeth in Double Standard Pattern	$1,407.00	24%	$1,069.32	$0.00	$0.00	$0.00	$1,069.32

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT113 Chain Configuration Accessories (Replacement Chain - Dealer Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
6959317	3' x 4" Cup Teeth, Single Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	$813.00	24%	$617.88	$101.00	$0.00	$0.00	$718.88
6959335	3' x 6" Cup Teeth, Single Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	$859.00	24%	$652.84	$116.00	$0.00	$0.00	$768.84
6959321	3' x 4" Cup Teeth, Double Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	$910.00	24%	$691.60	$116.00	$0.00	$0.00	$807.60
6959319	3' x 4" Cup & Carbide Teeth, Double Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	$1,768.00	24%	$1,343.68	$116.00	$0.00	$0.00	$1,459.68
7209864	3' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,191.00	24%	$905.16	$96.00	$0.00	$0.00	$1,001.16
7209865	3' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,391.00	24%	$1,057.16	$116.00	$0.00	$0.00	$1,173.16

Part Number	LT213 Trencher Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S100, S130) (T110, T140) (S450) (T450)								
M7013	LT213 Trencher (Includes 3' depth, manual sideshift, and 4" trench cleaner) (Can only order one factory installed chain option per trencher model)	$5,558.00	24%	$4,224.08	$215.00	$50.00	$0.00	$4,489.08
	Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)							
M7013-R01-C01	3' x 4" Cup Teeth, Double Standard Pattern	$684.00	24%	$519.84	$0.00	$0.00	$0.00	$519.84
M7013-R01-C02	3' x 4" Cup Teeth, Single Standard Pattern	$601.00	24%	$456.76	$0.00	$0.00	$0.00	$456.76
M7013-R01-C03	3' x 4" Cup & Carbide Teeth, Double Standard Pattern	$1,400.00	24%	$1,064.00	$0.00	$0.00	$0.00	$1,064.00
M7013-R01-C04	3' x 6" Cup Teeth, Single Standard Pattern	$641.00	24%	$487.16	$0.00	$0.00	$0.00	$487.16
M7013-R01-C06	3' x 4" Shark/Cup Teeth in Double Standard Pattern	$1,126.00	24%	$855.76	$0.00	$0.00	$0.00	$855.76
M7013-R01-C07	3' x 6" Shark/Cup Teeth in Double Standard Pattern	$1,310.00	24%	$995.60	$0.00	$0.00	$0.00	$995.60

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT213 Chain Configuration Accessories (Replacement Chain - Dealer Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
6959317	3' x 4" Cup Teeth, Single Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	$813.00	24%	$617.88	$101.00	$0.00	$0.00	$718.88
6959335	3' x 6" Cup Teeth, Single Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	$859.00	24%	$652.84	$116.00	$0.00	$0.00	$768.84
6959321	3' x 4" Cup Teeth, Double Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	$910.00	24%	$691.60	$116.00	$0.00	$0.00	$807.60
6959319	3' x 4" Cup & Carbide Teeth, Double Standard Pattern (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	$1,768.00	24%	$1,343.68	$116.00	$0.00	$0.00	$1,459.68
7209864	3' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,191.00	24%	$905.16	$96.00	$0.00	$0.00	$1,001.16
7209865	3' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,391.00	24%	$1,057.16	$116.00	$0.00	$0.00	$1,173.16
7274348	Hydraulic Side Shift Kit (Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)	$1,119.00	24%	$850.44	$116.00	$0.00	$247.50	$1,213.94

Part Number	LT313 Trencher Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76, T86)								
M7015	LT313 Trencher (Includes 3' depth, manual sideshift, 6" trench cleaner) (Can only order one factory installed chain option per trencher model)	$6,707.00	24%	$5,097.32	$256.00	$50.00	$0.00	$5,403.32
	All chains are 2.0" Double Standard (DS) Anti-Back Flex (ABF)							
M7015-R01-C13	No Chain Option	$0.00	24%	$0.00	$0.00	$0.00	$0.00	$0.00
M7015-R01-C02	3' x 6" Cup Teeth in Single Standard Pattern	$848.00	24%	$644.48	$0.00	$0.00	$0.00	$644.48
M7015-R01-C05	3' x 8" Cup Teeth in Single Standard Pattern	$895.00	24%	$680.20	$0.00	$0.00	$0.00	$680.20
M7015-R01-C01	3' x 6" Cup Teeth in Double Standard Pattern	$1,407.00	24%	$1,069.32	$0.00	$0.00	$0.00	$1,069.32
M7015-R01-C04	3' x 6" Shark/Cup Teeth in Double Standard Pattern	$1,420.00	24%	$1,079.20	$0.00	$0.00	$0.00	$1,079.20
M7015-R01-C03	3' x 6" Cup & Carbide Teeth in Double Standard Pattern	$2,301.00	24%	$1,748.76	$0.00	$0.00	$0.00	$1,748.76
M7015-R01-C06	3' x 8" Cup & Carbide Teeth in Double Standard Pattern	$2,356.00	24%	$1,790.56	$0.00	$0.00	$0.00	$1,790.56
M7015-R01-C14	3' x 8" Shark/Cup Teeth in Double Standard Pattern	$1,715.00	24%	$1,303.40	$0.00	$0.00	$0.00	$1,303.40
	The LT313 is assembled as a 4' dig depth when ordering the 4' chain option ***(Boom Guide included with 4' factory installed chain)***							
M7015-R01-C08	4' x 6" Cup Teeth in Single Standard Pattern	$1,046.00	24%	$794.96	$0.00	$0.00	$0.00	$794.96
M7015-R01-C11	4' x 8" Cup Teeth in Single Standard Pattern	$1,174.00	24%	$892.24	$0.00	$0.00	$0.00	$892.24
M7015-R01-C07	4' x 6" Cup Teeth in Double Standard Pattern	$1,291.00	24%	$981.16	$0.00	$0.00	$0.00	$981.16
M7015-R01-C10	4' x 6" Shark/Cup Teeth in Double Standard Pattern	$1,667.00	24%	$1,266.92	$0.00	$0.00	$0.00	$1,266.92
M7015-R01-C09	4' x 6" Cup & Carbide Teeth in Double Standard Pattern	$2,582.00	24%	$1,962.32	$0.00	$0.00	$0.00	$1,962.32
M7015-R01-C12	4' x 8" Cup & Carbide Teeth in Double Standard Pattern	$2,759.00	24%	$2,096.84	$0.00	$0.00	$0.00	$2,096.84
M7015-R01-C15	4' x 8" Shark/Cup Teeth in Double Standard Pattern	$1,891.00	24%	$1,437.16	$0.00	$0.00	$0.00	$1,437.16

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT313 Chain Configuration Accessories (Replacement Chain - Dealer Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
6970056	3' x 6" Cup Teeth in Single Standard Pattern (Ship Weight 143 lbs.)	$991.00	24%	$753.16	$97.00	$0.00	$0.00	$850.16
6970057	3' x 8" Cup Teeth in Single Standard Pattern (Ship Weight 151 lbs.)	$991.00	24%	$753.16	$80.00	$0.00	$0.00	$833.16
6959240	3' x 6" Cup Teeth in Double Standard Pattern (Ship Weight 195 lbs.)	$1,625.00	24%	$1,235.00	$116.00	$0.00	$0.00	$1,351.00
6970058	3' x 6" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 228 lbs.)	$2,677.00	24%	$2,034.52	$111.00	$0.00	$0.00	$2,145.52
7100638	3' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern (Ship Weight 153 lbs.)	$1,688.00	24%	$1,282.88	$111.00	$0.00	$0.00	$1,393.88
6970059	3' x 8" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 236 lbs.)	$2,676.00	24%	$2,033.76	$84.00	$0.00	$0.00	$2,117.76
7209866	3' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,475.00	24%	$1,121.00	$80.00	$0.00	$0.00	$1,201.00
6808242	4' x 6" Cup Teeth in Single Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	$1,207.00	24%	$917.32	$101.00	$0.00	$0.00	$1,018.32
6808243	4' x 8" Cup Teeth in Single Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	$1,190.00	24%	$904.40	$97.00	$0.00	$0.00	$1,001.40
6959238	4' x 6" Cup Teeth in Double Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	$1,671.00	24%	$1,269.96	$113.00	$0.00	$0.00	$1,382.96
7100628	4' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	$2,034.00	24%	$1,545.84	$116.00	$0.00	$0.00	$1,661.84
6808244	4' x 6" Cup & Carbide Teeth in Double Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 268 lbs.)	$2,967.00	24%	$2,254.92	$116.00	$0.00	$0.00	$2,370.92
6808245	4' x 8" Cup & Carbide Teeth in Double Standard Pattern (Must also order Boom Guide Assembly) (Ship Weight 278 lbs.)	$3,017.00	24%	$2,292.92	$111.00	$0.00	$0.00	$2,403.92
7209867	4' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,894.00	24%	$1,439.44	$92.00	$0.00	$0.00	$1,531.44
7274348	Hydraulic Side Shift Kit (Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)	$1,119.00	24%	$850.44	$116.00	$0.00	$247.50	$1,213.94

Part Number	LT414 Trencher Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H, T86)

4' Depth

(S630H, S650H, S740H, S750H, S770H) (S76H, S86) (A770H) (T630H, T650H, T740H, T750H, T770H) (T76H, T86H)

5' Depth

M7016	LT414 Trencher	$10,003.00	24%	$7,602.28	$339.00	$50.00	$0.00	$7,991.28

(Includes 4' or 5' depth, hydraulic sideshift, and 6" trench cleaner) (Can only order one factory installed chain option per trencher model) (Loader must be equipped with High Flow auxiliary hydraulics)

Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)

M7016-R01-C13	No Chain Option	$0.00	24%	$0.00	$0.00	$0.00	$0.00	$0.00
M7016-R01-C08	4' x 6" Cup Teeth, Single Standard Pattern	$1,079.00	24%	$820.04	$0.00	$0.00	$0.00	$820.04
M7016-R01-C07	4' x 6" Cup Teeth, Double Standard Pattern	$1,242.00	24%	$943.92	$0.00	$0.00	$0.00	$943.92
M7016-R01-C09	4' x 6" Cup & Carbide Teeth, Double Standard Pattern	$2,582.00	24%	$1,962.32	$0.00	$0.00	$0.00	$1,962.32
M7016-R01-C10	4' x 6" Shark/Cup Teeth in Double Standard Pattern	$2,137.00	24%	$1,624.12	$0.00	$0.00	$0.00	$1,624.12
M7016-R01-C11	4' x 8" Cup Teeth, Single Standard Pattern	$1,168.00	24%	$887.68	$0.00	$0.00	$0.00	$887.68
M7016-R01-C12	4' x 8" Cup & Carbide Teeth in Double Standard Pattern	$2,684.00	24%	$2,039.84	$0.00	$0.00	$0.00	$2,039.84
M7016-R01-C14	4' x 8" Shark/Cup Teeth in Double Standard Pattern	$1,981.00	24%	$1,505.56	$0.00	$0.00	$0.00	$1,505.56
M7016-R01-C04	5' x 6" Cup Teeth, Single Standard Pattern	$1,284.00	24%	$975.84	$0.00	$0.00	$0.00	$975.84
M7016-R01-C01	5' x 6" Cup Teeth, Double Standard Pattern	$1,469.00	24%	$1,116.44	$0.00	$0.00	$0.00	$1,116.44
M7016-R01-C03	5' x 6" Cup & Carbide Teeth, Double Standard Pattern	$3,057.00	24%	$2,323.32	$0.00	$0.00	$0.00	$2,323.32
M7016-R01-C02	5' x 6" Shark/Cup Teeth in Double Standard Pattern	$2,438.00	24%	$1,852.88	$0.00	$0.00	$0.00	$1,852.88
M7016-R01-C06	5' x 8" Cup Teeth, Single Standard Pattern	$1,339.00	24%	$1,017.64	$0.00	$0.00	$0.00	$1,017.64
M7016-R01-C05	5' x 8" Cup & Carbide Teeth in Double Standard Pattern	$3,346.00	24%	$2,542.96	$0.00	$0.00	$0.00	$2,542.96

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT414 Chain Configuration Accessories (Replacement Chain - Dealer Installed)							
	Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)							
6808242	4' x 6" Cup Teeth in Single Standard Pattern (Ship Weight 168 lbs.)	$1,207.00	24%	$917.32	$101.00	$0.00	$0.00	$1,018.32
6808243	4' x 8" Cup Teeth in Single Standard Pattern (Ship Weight 178 lbs.)	$1,190.00	24%	$904.40	$97.00	$0.00	$0.00	$1,001.40
6959238	4' x 6" Cup Teeth in Double Standard Pattern (Ship Weight 178 lbs.)	$1,671.00	24%	$1,269.96	$113.00	$0.00	$0.00	$1,382.96
7100628	4' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern (Ship Weight 168 lbs.)	$2,034.00	24%	$1,545.84	$116.00	$0.00	$0.00	$1,661.84
6808244	4' x 6" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 268 lbs.)	$2,967.00	24%	$2,254.92	$116.00	$0.00	$0.00	$2,370.92
6808245	4' x 8" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 278 lbs.)	$3,017.00	24%	$2,292.92	$111.00	$0.00	$0.00	$2,403.92
7209867	4' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern	$1,894.00	24%	$1,439.44	$92.00	$0.00	$0.00	$1,531.44
7109030	5' x 6" Cup Teeth in Single Standard Pattern (Ship Weight 155 lbs.)	$1,085.00	24%	$824.60	$90.00	$0.00	$0.00	$914.60
7109031	5' x 6" Cup Teeth in Double Standard Pattern (Ship Weight 182 lbs.)	$1,342.00	24%	$1,019.92	$111.00	$0.00	$0.00	$1,130.92
7109029	5' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern (Ship Weight 175 lbs.)	$2,600.00	24%	$1,976.00	$90.00	$0.00	$0.00	$2,066.00
7109022	5' x 6" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 274 lbs.)	$3,762.00	24%	$2,859.12	$97.00	$0.00	$0.00	$2,956.12
7109041	5' x 8" Cup & Carbide Teeth in Double Standard Pattern (Ship Weight 292 lbs.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Part Number	LT405 Trencher Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H)							
6906100	LT405 Trencher (Includes 3' – 4' adjustable boom setup at 4', double standard ABF chain, Hydraulic Sideshift, 6" trench cleaner, hoses and couplers) (Includes 4' X 6' Cup teeth in Double Standard Pattern)	$14,640.00	24%	$11,126.40	$339.00	$100.00	$0.00	$11,565.40

LT405 Chain, Tooth and Spacer Configurations

Width	*Depth*	*Kits Needed for Single Standard Pattern*
6"	3', 4', 5'	1 Cup Tooth Kit
6" Carbide	3', 4', 5'	1 Carbide Tooth Kit
8" or 12"	3' or 4'	1 Cup Tooth Kit, 1 Spacer Kit

Vibratory Plow
Bobcat Loader Attachment



Quick Specs

Operating Weight	520 lbs
Overall Width	36.0"
Overall Height	31.1"
Overall Length	36.6"
Hydraulic Flow Range	10-14 gpm

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(MT50, MT52, MT55, MT85, MT100) (L23, L28)							
7100484	VP12 Vibratory Plow (Includes blade mounting pins) (Must also order blade)	$11,754.00	24%	$8,933.04	$143.00	$75.00	$0.00	$9,151.04
7100491	3/8" Blade, 6-12" depth with 1" Clevis (0.375 inches thick) (The blade is used to pull the cable pull, pipe pull, or bullet option) (Recommended for soft/loose soils only)	$341.00	24%	$259.16	$22.00	$0.00	$0.00	$281.16
7100493	3/8" Blade, 12-18" depth with 1" Clevis (0.375 inches thick) (The blade is used to pull the cable pull, pipe pull, or bullet option) (Recommended for soft/loose soils only)	$362.00	24%	$275.12	$22.00	$0.00	$0.00	$297.12
7100495	1/2" Chute Blade, 6-12" depth (0.5 inches thick) (The blade with chute is used for laying cables. Feed the cable through the opening in the top of the chute and out the bottom of the blade. The cable can be either positioned on the ground next to where it will be buried or a spool of cable can be put on the reel mount) (Recommended for soft/loose soils only)	$567.00	24%	$430.92	$51.00	$0.00	$0.00	$481.92
7100497	1/2" Chute Blade, 12-18" depth (0.5 inches thick) (The blade with chute is used for laying cables. Feed the cable through the opening in the top of the chute and out the bottom of the blade. The cable can be either positioned on the ground next to where it will be buried or a spool of cable can be put on the reel mount) (Recommended for soft/loose soils only)	$610.00	24%	$463.60	$51.00	$0.00	$0.00	$514.60

Vibratory Roller
Bobcat Loader Attachment



Quick Specs

	48"	73"	80"
Operating Weight (Padded/Smooth)	1778 lbs./1788 lbs.	2189 lbs./2208 lbs.	2320 lbs.
Drum Width	48"	73"	80"
Overall Width	60.5"	79.0"	86.0"
Drum Offset	9" to right	Centered	Centered
Covers Right Side Tires on	66" wide loaders	72" wide loaders	' wide loa
Drum Diameter (Padded/Smooth)	25.4"/26.0"	25.4"/26.0"	26.0"
Number of Pads (Padded Drum)	78	102	0
Drum Oscillation	± 12°	± 7.5°	± 7.5°
Dynamic Force	10519 lbs. @ 17 gpm	9905 lbs. @ 20 gpm	
	14244 lbs. @ 20 gpm	14263 lbs. @ 24 gpm	
Frequency	2448 vpm @ 17 gpm	2401 vpm @ 20 gpm	
	2879 vpm @ 20 gpm	2882 vpm @ 24 gpm	

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(S130*, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)								
7165403	**48" Vibratory Roller with Padded Drum**	**$11,857.00**	**24%**	**$9,011.32**	**$308.00**	**$50.00**	**$0.00**	**$9,369.32**
7165404	**48" Vibratory Roller with Smooth Drum**	**$11,857.00**	**24%**	**$9,011.32**	**$368.00**	**$50.00**	**$0.00**	**$9,429.32**
(S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
7165401	**73" Vibratory Roller with Padded Drum**	**$13,932.00**	**24%**	**$10,588.32**	**$498.00**	**$50.00**	**$0.00**	**$11,136.32**
7165402	**73" Vibratory Roller with Smooth Drum**	**$13,552.00**	**24%**	**$10,299.52**	**$498.00**	**$50.00**	**$0.00**	**$10,847.52**
(S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)								
7165400	**80" Vibratory Roller with Smooth Drum**	**$14,955.00**	**24%**	**$11,365.80**	**$526.00**	**$50.00**	**$0.00**	**$11,941.80**

Wheel Saw
Bobcat Loader Attachment



Quick Specs

	WS18	WS24
Overall Width	68.5"	68.5"
Overall Length	74.8"	83.9"
Overall Height	65.0"	76.0"
Weight (less Wheel and Trench Cleaner)	1567 lbs	1865 lbs
Hydraulic Side Shift	25.6"	25.6"
Hydraulic Flow Required	25-40 GPM	25-40 GPM
Trenching Depth	6.0 – 18.0"	8.0 – 24.0"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	18" Wheel Saw with 3" Wheel							
	(Must order the two part numbers listed below—18" Wheel Saw and 3" Wheel)							
	(Must also order Attachment Control Kit—See Page 1)							
(S185H, S205H)(S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H)(S76H, S86) (A770H)(T180H, T190H)(T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H) (T62H, T64H, T66H, T76H, T86)								
6729537	**WS18 Wheel Saw**	**$20,680.00**	**24%**	**$15,716.80**	**$435.00**	**$100.00**	**$0.00**	**$16,251.80**
6729544	**3" Wheel**	**$5,876.00**	**24%**	**$4,465.76**	**$190.00**	**$0.00**	**$0.00**	**$4,655.76**
	(Weight 650 lbs. Wheel Width 3.13")							
	Note: There is no Trench Cleaner available with the 3" Wheel.							
	18" Wheel Saw with 6" Wheel and 6" Trench Cleaner							
	(Must order the three part numbers listed below—18" Wheel Saw, 6" Wheel and 6" Trench Cleaner)							
	(Must also order Attachment Control Kit—See Page 1)							
(S185H, S205H) (S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H) (S86) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H) (T62H, T64H, T66H, T76H, T86)								
6729537	**WS18 Wheel Saw**	**$20,680.00**	**24%**	**$15,716.80**	**$435.00**	**$100.00**	**$0.00**	**$16,251.80**
6729546	**6" Wheel**	**$6,319.00**	**24%**	**$4,802.44**	**$204.00**	**$0.00**	**$0.00**	**$5,006.44**
	(Weight 395 lbs., Wheel Width 6.25")							
6729550	**6" Trench Cleaner**	**$2,140.00**	**24%**	**$1,626.40**	**$69.00**	**$0.00**	**$0.00**	**$1,695.40**
	(Weight 95 lbs.)							
	24" Wheel Saw with 8" Wheel and 8" Trench Cleaner							
	(Must order the three part numbers listed below—24" Wheel Saw, 8" Wheel and 8" Trench Cleaner)							
	(Must also order Attachment Control Kit—See Page 1)							
(S650H, S740H, S750H, S770H, S850, S850H) (S76H, S86) (A770H) (T650H, T740H, T750H, T770H, T870, T870H) (T76H, T86)								
6729566	**WS24 Wheel Saw**	**$23,415.00**	**24%**	**$17,795.40**	**$501.00**	**$100.00**	**$0.00**	**$18,396.40**
6729573	**6" Wheel**	**$6,545.00**	**24%**	**$4,974.20**	**$241.00**	**$0.00**	**$0.00**	**$5,215.20**
	(Weight 585 lbs., Wheel Width 6.25")							
6729577	**6" Trench Cleaner**	**$2,150.00**	**24%**	**$1,634.00**	**$80.00**	**$0.00**	**$0.00**	**$1,714.00**
	(Weight 130 lbs.)							
	24" Wheel Saw with 8" Wheel and 8" Trench Cleaner							
	(Must order the three part numbers listed below—24" Wheel Saw, 8" Wheel and 8" Trench Cleaner)							
	(Must also order Attachment Control Kit—See Page 1)							
(S650H, S740H, S750H, S770H, S850, S850H) (S76H, S86) (A770H) (T650H, T740H, T750H, T770H, T870, T870H) (T76H, T86)								
6729566	**WS24 Wheel Saw**	**$23,415.00**	**24%**	**$17,795.40**	**$501.00**	**$100.00**	**$0.00**	**$18,396.40**
6729575	**8" Wheel**	**$7,593.00**	**24%**	**$5,770.68**	**$280.00**	**$0.00**	**$0.00**	**$6,050.68**
	(Weight 618 lbs., Wheel Width 7.88")							
6729579	**8" Trench Cleaner**	**$2,300.00**	**24%**	**$1,748.00**	**$85.00**	**$0.00**	**$0.00**	**$1,833.00**
	(Weight 148 lbs.)							

Landplane
Bobcat Loader Attachment



Quick Specs

	48"	72"	78"	86"
Operating Weight	390 lbs	680 lbs	700 lbs.	830 lbs
Length	46.6"	51.5"	51.5"	51.6"
Width	48"	73"	79"	86"
Height	20.6"	20.9"	20.9"	20.8"
Working Depth-Scarifier	3"	3.5"	3.5"	3.5"
Cutting Edge	0.5" x 4"	0.5" x 6"	0.5" x 6"	0.5" x 6"

Attachment

Part Number	Description							
(MT50, MT52, MT55, MT85, MT100) (S70, S100) (T110) (L23, L28)								
6907173	**48" Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$1,677.00**	**24%**	**$1,274.52**	**$144.00**	**$50.00**	**$0.00**	**$1,468.52**
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770), (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)								
6906150	**72" Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$2,942.00**	**24%**	**$2,235.92**	**$164.00**	**$50.00**	**$0.00**	**$2,449.92**
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)								
6906115	**78" Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$3,222.00**	**24%**	**$2,448.72**	**$179.00**	**$50.00**	**$0.00**	**$2,677.72**
(S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)								
7488435	**86" Landplane** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$3,619.00**	**24%**	**$2,750.44**	**$190.00**	**$50.00**	**$0.00**	**$2,990.44**

August 1, 2024
BOBCAT SLP Pages

L65 / L85 / L95
Bobcat Compact Wheel Loader



Standard Equipment

- 2" Retractable Seat Belt
- 2.4L Turbocharged Bobcat engine with integrated Diesel Oxidation Catalyst (DOC)
- Advanced Attachment Mode (Remote Engine Speed Control)
- Articulation Lock Bar
- Automatic Park Brake with Slope Assist
- Auxiliary Hydraulics with pressure release couplers
- Back-up Alarm
- Battery Disconnect Switch
- Bobcat Standard 5" Display w/ Jog Shuttle
- Bucket Level Indicator
- Cup Holders
- Differential Lock
- Dual Quick Charge USB / 12 V power outlet
- Engine and Hydraulics Systems De-rate
- Front Horn
- Glow Plugs
- Inching Pedal
- Instrumentation: Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
- Interior Storage Compartments
- Keyless Ignition
- Lift Arm Support
- Machine IQ Ready (device is an accessory)
- Mudguards
- Multi Function Joystick w/ Direction Control
- Operator Canopy: Roll Over Protective Structure (ROPS) meets ISO 3471; Falling Object Protective Structure (FOPS) meets ISO 3449 Level II
- Power Bob-Tach
- Retrieval Pin
- Road Lights - Halogen (Front)
- Side Rear View Mirrors
- Spark Arrester Muffler
- Tie Down Points
- Tilt and Telescoping Steering Column
- Two Speed Travel
- Vinyl Suspension Seat
- Work lights - LED (2 front & 2 rear)
- Z-Bar Mechanical Self Leveling

L65 only
- Standard Flow Auxiliary Hydraulics
- Standard 365/70 R18 Tires

L85 only
- High Flow Auxiliary Hydraulics
- Standard 405/70 R18 Tires

L95 only
- High Flow Auxiliary Hydraulics
- Standard 405/70 R20 Tires
- 2-Speed High Speed Gearbox

L65 / L85 / L95
Bobcat Compact Wheel Loader

Quick Specs (Preliminary)

	L65	L85	L95
Bucket - Rated Operating Capacity Straight - 50% of Tip Load	3,133 lbs.	3,974 lbs.	3,981 lbs.
Bucket - Rated Operating Capacity Articulated- 50% of Tip Load	2,618 lbs.	3,257 lbs.	3,335 lbs.
Bucket - Tip Load Straight	6,266 lbs.	7,947 lbs.	7,962 lbs.
Engine Model	2.4L Bobcat Engine		
Engine Fuel/Cooling	Diesel/Liquid		
Horsepower	55	68	74
Standard Flow Auxiliary	19.9 GPM	19.9 GPM	19.9 GPM
Standard Flow System Relief	2,973 PSI	2,973 PSI	2,973 PSI
High Flow Auxiliary	N/A	27.3 GPM	27.3 GPM
High Flow System Relief	N/A	3,263 PSI	3,263 PSI
Travel Speed W/ Standard Tires	15.1 MPH	16.3 MPH	24.3 MPH
Operating Weight with Cab	10,169 lbs.	11,433 lbs.	11,993 lbs.
Operating Weight with Canopy	9,944 lbs.	11,164 lbs.	11,768 lbs.
Cab Height	98.3 in	99.3 in	99.3 in
Width (w/out Attachment)	70.9 in	70.9 in	70.9 in
Width with Bucket	74.8 in	74.8 in	74.8 in
Length with Bucket	218.0 in	220.0 in	219.3 in
Wheel Base	82.7 in	82.7 in	82.7 in

Reach - Fully Raised	30.0 in	30.8 in	29.8 in
Height to Hinge Pin - Fully Raised	127.0 in	127.9 in	128.9 in

Part Number	Compact Wheel Loader Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0701	L65 Compact Wheel Loader (Canopy)	**$80,673.00**	**$80,673.00**	**24%**	**$61,311.48**	**$1,850.00**	**$200.00**	**$0.00**	**$63,361.48**
M0703	L85 Compact Wheel Loader (Canopy)	**$95,663.00**	**$95,663.00**	**24%**	**$72,703.88**	**$2,500.00**	**$200.00**	**$0.00**	**$75,403.88**
M0705	L95 Compact Wheel Loader (Canopy)	**#########**	**#########**	**24%**	**$76,702.24**	**$2,500.00**	**$200.00**	**$0.00**	**$79,402.24**

Part Number	Cab Packages Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M0703-P01-C02	L65 / L85 Cab Comfort Package	**$8,651.00**	**$8,651.00**	**24%**	**$6,574.76**	**$0.00**	**$0.00**	**$0.00**	**$6,574.76**
M0701-P01-C02	Enclosed Cab with HVAC, Rear defrost, Front and rear wiper / washer, Dome light, Automatic Ride Control, Attachment Control Device (7 pin connector), Radio Ready, and Cloth suspension Seat	**$8,651.00**	**$8,651.00**	**24%**	**$6,574.76**	**$0.00**	**$0.00**	**$0.00**	**$6,574.76**
M0705-P01-C02	L95 Cab Comfort Package Enclosed Cab with HVAC, Rear defrost, Front and rear wiper / washer, Dome light, Automatic Ride Control, Radio Ready, and Air Ride Cloth Suspension Seat	**$11,394.00**	**$11,394.00**	**24%**	**$8,659.44**	**$0.00**	**$0.00**	**$0.00**	**$8,659.44**

August 1, 2024
BOBCAT SLP Pages

Angle Broom
Bobcat Wheel Loader Attachment



Quick Specs

	84"
Operating Weight	944 lbs.
Sweep Width Straight	84"
Sweep Width Fully Angled	77" @ 25°
Broom Angling	Hydraulic Cylinder
Drive System	Hydraulic Motor - Direct Drive
Flow Range	15-28 GPM
Broom Bristle Diameter	32"
Bristle Material	Poly Orange HD
Number of Bristle Sections	44 Zig-Zag 2 Straight
Electrical	7-Pin ACD, Standard

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7337715	**84" Angle Broom** (Loader must be equipped with an Attachment Control Kit)	$8,904.00	24%	$6,767.04	$249.00	$50.00	$0.00	$7,066.04

Auger- Planetary Drive
Bobcat Wheel Loader Attachment



Auger Drive Unit

Planetary Drive Auger Quick Specs

	Model 14PH	Model 20PH	Model 25PH
Ship Weight (Auger Drive)	140 lbs.	140 lbs.	140 lbs.
Ship Weight (Mtg. Frame)	118 lbs	118 lbs	118 lbs
Operating Weight (less bit)	258 lbs	258 lbs	258 lbs
Digging Depth (without extensions)	56"	56"	56"
Shaft Diameter - Round	-	-	-
Shaft Diameter - Hex	2.0"	2.0"	2.0"
RPM			
@ 12 gpm (45 L/min.)	48 rpm	-	-
@ 17 gpm (64 L/min.)	71 rpm	49 rpm	-
@ 21 gpm (70 L/min.)	48 rpm	48 rpm	-
@ 23 gpm (87 L/min.)	90 rpm	61 rpm	49 rpm
@ 30 gpm (114 L/min.)	98 rpm	67 rpm	53 rpm
@ 37 gpm (140 L/min.)	-	-	-
Torque			
@ 2000 psi (19,788 kPa)	911 ft.lb (1,235 Nm)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)
@ 2400 psi (16,547 kPa)	1,208 ft.lb (1,638 Nm)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)
@ 2700 psi (18,616 kPa)	1,359 ft.lb (1,843 Nm)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)
@ 3000 psi (20,684 kPa)	1,465 ft.lb (1,986 Nm)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)
@ 3300 psi (22,753 kPa)	1,662 ft.lb (2,253 Nm)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)
@ 3500 psi (24,132 kPa)	1,762 ft.lb (2,389 Nm)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7501034	**Model 14PH Auger Drive Unit** (Must also order Mounting Frame forLoader and Bit)(Auger Drive is not compatible with mounting from for 15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,195.00	24%	$1,668.20	$65.00	$50.00	$82.50	$1,865.70
7501035	**Model 20PH Auger Drive Unit** (Must also order Mounting Frame forLoader and Bit)(Auger Drive is not compatible with mounting from for 15C/H or	$2,280.00	24%	$1,732.80	$65.00	$50.00	$82.50	$1,930.30

30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)

7501036	**Model 25PH Auger Drive Unit** (Must also order Mounting Frame forLoader and Bit)(Auger Drive is not compatible with mounting from for 15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,409.00**	**24%**	**$1,830.84**	**$65.00**	**$50.00**	**$82.50**	**$2,028.34**

Part Number	Dealer Installed Auger Frames - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) **7508119**	**12PH/14PH/20PH/25PH Mounting Frame** (Includes Mounting Hardware to attach auger drive)	**$720.00**	**24%**	**$547.20**	**$65.00**	**$0.00**	**$82.50**	**$694.70**

Part Number	Dealer Installed Auger Bits - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Auger Drive & Bit Recommendations

12PH/14PH Augers—Recommended bit size 6" – 18"
20PH/25PH—Recommended bit size 6" – 30"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Auger- Direct Drive
Bobcat Wheel Loader Attachment



Auger Drive Unit

Direct Drive Auger Quick Specs

	Model 15C	Model 15H	Model 30C	Model 30H
Ship Weight (Auger Drive)	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight (Mtg. Frame)	193lbs	193 lbs	193 lbs	193 lbs
Operating Weight (less bit)	358 lbs	354 lbs	376 lbs	370 lbs
Digging Depth (without extensions)	62"	62"	62"	62"
Shaft Diameter - Round	2.5"	-	2.5"	-
Shaft Diameter - Hex	2.0"	2.0"	2.0"	2.0"
RPM				
@ 12 gpm (45 L/min.)	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.)	80 rpm	80 rpm	41 rpm	41 rpm
@ 21 gpm (70 L/min.)	99 rpm	99 rpm	51 rpm	51 rpm
@ 23 gpm (87 L/min.)	109 rpm	109 rpm	56 rpm	56 rpm
@ 30 gpm (114 L/min.)	-	-	70 rpm	70 rpm
@ 37 gpm (140 L/min.)	-	-	90 rpm	90 rpm
Torque				
@ 2000 psi (19,788 kPa)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2700 psi (18,616 kPa)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3300 psi (22,753 kPa)	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)
@ 3500 psi (24,132 kPa)	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) **6809442**	**Model 15C Auger Drive Unit** (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
7145345	**Model 15H Hex Shaft Auger Drive Unit** (Must also order Mounting Frame and Bit)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
6809445	**Model 30C Auger Drive Unit** (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
7138264	**Model 30H Hex Shaft Auger Drive Unit** (Must also order Mounting Frame and Bit)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Part Number	Dealer Installed Auger Frames - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) **6812980**	**Auger 15 C/H, 30 C/H Mounting Frame** (Includes mounting hardware) (Includes bumper kit p/n 7172609)	**$703.00**	**24%**	**$534.28**	**$64.00**	**$0.00**	**$0.00**	**$598.28**

Combination Bucket
Bobcat Wheel Loader Attachment

Quick Specs

	74" (L65)	74" (L85)
Operating Weight	432 lbs.	487 lbs.
Overall Width	74"	74"
Overall Length	28.2"	34.5"
Overall Height	34.6"	34.6"
Clamshel Max Height	19.2"	19.2"
ISO-Struck Capacity	.54 cu/yd (14.6 cu/ft)	.689 cu/yd (18.6 cu/ft)
ISO-Heaped Capacity	.737 cu/yd (19.9 cu/ft)	.907 cu/yd (24.5 cu/ft)
Number of Teeth	9	9

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65) ###	74" Combination Bucket - L65 (Bolt-on Teeth are available from Bobcat Parts)	$7,756.00	24%	$5,894.56	$206.00	$0.00	$0.00	$6,100.56
(L85) ###	74" Combination Bucket - L85 (Bolt-on Teeth are available from Bobcat Parts)	$9,874.00	24%	$7,504.24	$259.00	$0.00	$0.00	$7,763.24

General Purpose Bucket
Bobcat Wheel Loader Attachment

Quick Specs

	74" (L65)	74" (L85)
Operating Weight	556 lbs.	642 lbs.
Overall Width	74.8"	74.8"
Overall Length	30.6"	33.4"
Overall Height	28.2"	31.3"
ISO-Struck Capacity	.722 cu/yd (19.5 cu/ft)	.893 cu/yd (24.1 cu/ft)
ISO-Heaped Capacity	.86 cu/yd (23.2 cu/ft)	1.05 cu/yd (28.5 cu/ft)
Number of teeth	9	9

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65) 7427816	74" General Purpose Bucket - L65	$3,711.00	24%	$2,820.36	$103.00	$0.00	$0.00	$2,923.36
(L85) 7427815	74" General Purpose Bucket - L85	$3,998.00	24%	$3,038.48	$103.00	$0.00	$0.00	$3,141.48

Light Material Bucket
Bobcat Wheel Loader Attachment



Quick Specs

	74" (L65)	74" (L85)
Operating Weight	710 lbs.	765 lbs.
Overall Width	74.8"	74.8"
Overall Length	40.4"	44.5"
Overall Height	34.2"	37"
ISO-Struck Capacity	1.17 cu/yd (31.5 cu/ft)	1.38 cu/yd (37.2 cu/ft)
ISO-Heaped Capacity	1.38 cu/yd (37.2 cu/ft)	1.63 cu/yd (44.1 cu/ft)
Number of teeth	9	9

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65) 7352444	74" Light Material Bucket - L65	$3,457.00	24%	$2,627.32	$103.00	$0.00	$0.00	$2,730.32
(L85) 7352445	74" Light Material Bucket - L85	$4,657.00	24%	$3,539.32	$103.00	$0.00	$0.00	$3,642.32

Rock Bucket
Bobcat Wheel Loader Attachment



Quick Specs

	74"
Operating Weight	652 lbs
Overall Width	75.4"
Overall Height	20.8"
Overall Length (Bucket Lip or Bottom of Bucket)	43.6"
Tine Spacing	3"
Number of Tines	21

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) 7185945	74" Rock Bucket	$2,691.00	24%	$2,045.16	$156.00	$0.00	$0.00	$2,201.16

Industrial Bucket Grapple
Bobcat Wheel Loader Attachment



Quick Specs

	74" Bkt.
Operating Weight	960 lbs
Overall Grapple Width	74"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) 7168290	74" Industrial Bucket Grapple (Bolt-On Cutting Edge included)	$5,276.00	24%	$4,009.76	$247.00	$50.00	$412.50	$4,719.26

Landplane
Bobcat Wheel Loader Attachment



Quick Specs

	72" Deluxe
Operating Weight	680 lbs
Length	51.5"
Width	73"
Height	20.9"
Working Depth-Scarifier	3.5"
Cutting Edge	0.5" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85) 6906150	72" Deluxe Landplane (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	$2,942.00	24%	$2,235.92	$164.00	$50.00	$0.00	$2,449.92

Pallet Fork

Bobcat Wheel Loader Attachment

Quick Specs

Frame Weight	230 lbs.
Frame Capacity	6400 lbs.
Frame Width	53.5"
Frame Height	26.6"
Teeth Weight	256 lbs.
Teeth Length	47.2"
Teeth Width	4"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7353072	Pallet Fork Frame	$1,307.00	24%	$993.32	$103.00	$0.00	$0.00	$1,096.32
7353061	Pallet Fork Tines, set of 2	$1,251.00	24%	$950.76	$46.00	$0.00	$0.00	$996.76

Snow Blade
Bobcat Wheel Loader Attachment



Quick Specs

	84"
Operating Weight	620 lbs
Width	84"
Height	28"
Working Width (Fully Angled)	73"
Steel Cutting Edge	.375" x 6"
Cylinders	2
Trip Springs	4
Optional Rubber Cutting Edge	1" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
6716836	84" Snow Blade (with hydraulic angle)	$3,965.00	24%	$3,013.40	$164.00	$50.00	$41.25	$3,268.65

Part Number	Dealer Installed Accessories - Order From Sales Description							
6716834	End Wing Kit (Converts 84" Snow Blade in to Snow Pushers) (Ship Weight 95 lbs.)	$662.00	24%	$503.12	$54.00	$0.00	$41.25	$598.37

Snow Pusher
Bobcat Wheel Loader Attachment



Quick Specs

	96"	120"
Operating Weight	1122 lbs	1256 lbs
Overall Width	102"	128"
Working Width	94.6"	121"
Length	56.2"	56.2"
Height	37.8"	37.8"
Cutting Edge	1.5" x 8" Rubber	1.5" x 8" Rubber
Skid Shoes	.75" x 5" AR400	.75" x 5" AR400
Color	Orange	Orange

Float		
Vertical	2.3"	2.3"
Tilt	12 degrees	12 degrees
Oscillation	+/- 4.5 degrees	+/- 4.5 degrees

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7113767	**96" Snow Pusher**	**$4,427.00**	**24%**	**$3,364.52**	**$233.00**	**$50.00**	**$0.00**	**$3,647.52**
7116164	**120" Snow Pusher**	**$4,872.00**	**24%**	**$3,702.72**	**$250.00**	**$50.00**	**$0.00**	**$4,002.72**

Snow Pusher Pro
Bobcat Wheel Loader Attachment

Quick Specs

	96"
Operating Weight	1473 lbs
Overall Width	104"
Working Width	96"
Length (includes interface)	75.8"
Height	40"
Cutting Edge (High Carbon Steel)	5/8" x 6"
Skid Shoes (Poly)	.36" x 9.75" x 1.5"
Number of Trip Springs	4
Color	Orange
Float	
Tilt	35 degrees
Oscillation	+/- 6 degrees

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7385513	**96" Snow Pusher Pro**	**$10,349.00**	**24%**	**$7,865.24**	**$390.00**	**$50.00**	**$0.00**	**$8,305.24**

Tiller
Bobcat Wheel Loader Attachment



Quick Specs

	76"
Operating Weight	749 lbs
Working Width	75.4"
Overall Width	84.4"
Tines	44
Working Depth	6" maximum
Tine Rotation	Bi-rotational
Drive	Direct Drive
Travel Direction	Forward/Reverse
Flow Range	17-40 GPM
Skid Shoe	Optional

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(L65, L85)								
7102125	**76" Rotary Tiller**	**$7,514.00**	**24%**	**$5,710.64**	**$224.00**	**$50.00**	**$0.00**	**$5,984.64**

August 1, 2024
BOBCAT SLP Pages

Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

B760
Bobcat BackhoeLoader

Standard Equipment

12 Volt power socket
2" Retractable Seat Belt
3.4L Turbocharged Bobcat engine with integrated Selective Catalytic Reduction (SCR) System
Accelerator Pedal
Auto Throttle
Back-up Alarm
Battery Disconnect Switch
Bobcat Standard 5" Display
Differential Lock
USB Charger with Type A & C
Engine and Hydraulics Systems De-rate
Four Wheel Drive
Front Horn
Glow Plugs
Instrumentation: Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
Interior and Exterior Mirrors
Interior Storage Compartments
Keyless Ignition
Rotating Beacon
Tie Down Points
Tilt Steering Column
Travel Direction Control Lever w/Four Gear selection
Vinyl Suspension Seat
Work lights - (2 front & 2 rear)
Operator Canopy: Roll Over Protective Structure (ROPS) meets ISO 3471; Falling Object Protective Structure (FOPS) meets ISO 3449 Level II

Backhoe Workgroup

Backhoe Auxiliary Hydraulics
Extendable Arm
Fold Down Backhoe Stabilizers
Foot Control activated Backhoe Auxiliary/Exentedable Arm Control
Pilot Backhoe controls w/Auxiliary Hydraulic and Exentable Arm selector
Pin On Buckets

Loader Workgroup

Mechanical Self Leveling Loader
Button, Loader Aux Control, and Differential Lock Button
Pin On Buckets
Return to Dig function
Ride Control
Lift Arm Support
Loader Auxiliary Hydrualics

B760
Bobcat BackhoeLoader

Quick Specs

	B760
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	96
Operating Weight - Cab w/attachments	19,274 lbs.
Width w/ Stabilizers Up (w/out Attachment)	89"
Width w/Stabilzers Down	142.4"
Length, Transport(w/Bucket)	293"
Transport Height	147.4"

Cab Height w/beacon	118.9"
Wheel Base	87.4"
Travel Speed	22.6 mph
Loader Rated Operating Capacity	7,985 lbs.
Loader Height to Hinge Pin	136"
Backhoe Dig Depth	221.4"
Backhoe Reach at Ground Level from Swing Pivot	265.2"

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Backhoe Loader							
M4816	B760 Backhoe Loader	**$112,317.00**	**24%**	**$85,360.92**	**$3,300.00**	**$300.00**	**$0.00**	**$88,961.16**
	Backhoe Loader							
M4816-R01-C01	B760 Backhoe Loader(Canopy)	**$0.00**	**24%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.24**
	Cab Packages							
M4816-R01-C02	B760 Backhoe Loader(Cab w/HVAC) Enclosed Cab with HVAC, Front and rear wiper / washer, and Cloth suspension Seat	**$9,450.00**	**24%**	**$7,182.00**	**$0.00**	**$0.00**	**$0.00**	**$7,182.24**
	Buckets							
	Must select One Loader & One Backhoe Bucket							
M4816-R04-C01	B760 General Purpose Bucket - Loader 90" General Purpose Bucket	**$3,500.00**	**24%**	**$2,660.00**	**$0.00**	**$0.00**	**$0.00**	**$2,660.24**
M4816-R04-C02	B760 Combination Bucket - Loader 90" Combination Bucket. Comes with required hydrualic components for operation.	**$6,000.00**	**24%**	**$4,560.00**	**$0.00**	**$0.00**	**$0.00**	**$4,560.24**
M4816-R05-C01	24" Backhoe Bucket	**$1,450.00**	**24%**	**$1,102.00**	**$0.00**	**$0.00**	**$0.00**	**$1,102.24**
M4816-R05-C02	32" Backhoe Bucket	**$1,500.00**	**24%**	**$1,140.00**	**$0.00**	**$0.00**	**$0.00**	**$1,140.24**

August 1, 2024
BOBCAT SLP Pages

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

General Purpose Bucket
Bobcat BackhoeLoader Attachment

Quick Specs

	B760
Operating Weight.....	1320 lbs.
Overall Width.....	90"
Overall Length.....	32.1"
Overall Height.....	39.9"
Heaped Capacity.....	1.31 cu/yd (35.3 cu/ft)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(B760)								
###	General Purpose Bucket B760.....	$3,500.00	24%	$2,660.00	$90.00	$0.00	$0.00	$2,750.24

Multi-Purpose Bucket
Bobcat BackhoeLoader Attachment



Quick Specs

	B760
Operating Weight.....	1551 lbs.
Overall Width.....	90"
Overall Length.....	32.1"
Overall Height.....	39.9"
Heaped Capacity.....	1.31 cu/yd (35.3 cu/ft)

Part Number	Attachment Description	SLP in US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(B760)									
###	Multi-Purpose Bucket B760		$6,000.00	24%	$4,560.00	$90.00	$0.00	$0.00	$4,650.24

Pallet Forks
Bobcat BackhoeLoader Attachment

Quick Specs

	B760
Operating Weight	440 lbs.
Fork Length	45"
Max Lift Capacity	4400 lbs.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(B760)								
###	Pallet Forks B760	$2,650.00	24%	$2,014.00	$90.00	$0.00	$0.00	$2,104.24

Backhoe Buckets
Bobcat BackhoeLoader Attachment

Quick Specs

	24"	32"
Operating Weight	462 lbs.	572 lbs.
Overall Height	30"	30"
Overall Length	27.7"	27.7"
Overall Width	24"	32"
Heaped Capacity	0.24 cu/yd (6.4 cu/ft).	0.34 cu/yd (9.2 cu/ft).
Number of Teeth	4	5

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(B760)								
###	24" Backhoe Bucket	$1,450.00	24%	$1,102.00	$90.00	$0.00	$0.00	$1,192.24

(B760)								
###	32" Backhoe Bucket	$1,500.00	24%	$1,140.00	$90.00	$0.00	$0.00	$1,230.24

Breaker, Hydraulic
Bobcat Loader Attachment



Quick Specs

	HB1180	HB1380
Operating Weight (nail point/loader frame)	939 lbs	1129 lbs
Operating Weight (nail point/Loader X-Change frame)	N/A	N/A
Impact Energy Class	750 ft. lb	850 ft. lb
CIMA Tool Energy Rating	384 ft. lb	515 ft. lb
Blows per Minute	1280 @ 26 gpm	1230 @ 32 gpm
Flow Requirements	15-26 gpm	17-32 gpm
Tool Working Length	16.0"	17.0"
Tool Diameter	3.0"	3.4"
Estimated Breaker Performance with Concrete		
Recommended Working Thickness	8 - 16"	10 - 18"
Demolished Volume per Hour		
Non-Reinforced Concrete	6 - 15 cu. yd	8 – 18 cu. yd
Reinforced Concrete	2 - 7 cu. yd	3 – 8 cu. yd

Part Number	Description	HB1180 Breaker	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
B760									
###	HB1180 Breaker		$14,552.00	24%	$11,059.52	$283.00	$50.00	$0.00	$11,392.76

(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector)
(Must also order Mounting Cap and Hose Kit)

Part Number	Description	HB1380 Breaker	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
B760									
###	HB1380 Breaker		$18,322.00	24%	$13,924.72	$350.00	$50.00	$0.00	$14,324.96

(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)

August 1, 2024
BOBCAT SLP Pages

E10E



Standard Equipment

2-Speed Travel
Adjustable Hydraulic Joystick Controls
Auxiliary Hydraulics
- W/Boom Mounted Flush Face Quick Couplers

Charging Cable (NEMA 5-15)
Control Console Locks
Dozer Blade with Extensions
Hydraulically Retractable Undercarriage
Electric Control Pattern Selector Valve (ISO/STD)
Hydraulically Retractable Undercarriage
LCD Display
Bystander Awareness
- Beacon, Horn, Motion Alarm, LED Work Lights

Operator Guard – Fold Down
- Includes: Retractable Seat Belt, Power Port
- Tip Over Protective Structure (TOPS)
- Meets Requirements of ISO 12117-2: 2000

Rubber Tracks
2 5.76 kWh Batteries (11.52 kWh Total)
- Electric Motor Powering Gear Pumps
- w/ Open Center Valve

Work Light (Halogen)
Zero Tail Swing
Battery Warranty: 2 years, or 2000 hours
Machine Warranty: 2 years, or 2000 hours

Quick Specs

	E10e
Battery Nominal Capacity	11.52 kWh
Battery Nominal Voltage	51.8 V
Auxiliary Hydraulics Flow	5.3 GPM
Travel Speed (Maximum)	1.8 MPH
Operating Weight*	2,648 lbs.
Operator Guard Height	87"
Width	28"- 43.3"
Length, Transport	110"
Dig Depth	6'
Reach at Ground Level	10' 2"
Dump Height	6'
Arm Length	31.2”
Boom Swing (Left)	70°
Boom Swing (Right)	70°
Bucket Breakout Force	1865 lbf.
Arm Breakout Force	1248 lbf.
Tail Swing Overhang (UC Expanded)	0.0”

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5557	E10e Compact Excavator	$59,868.00	0%	$59,868.00	$525.00	$150.00	$0.00	$60,543.00

E19E



Standard Equipment

Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics
- W/Boom Mounted Flush Face Quick Couplers

Canopy
- Includes: Cup Holder, Retractable Seat Belt
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Fingertip Auxiliary Hydraulic/Boom Swing Control
Hydraulic Joystick Controls
Hydraulically Retractable Undercarriage
LCD Display
Long Arm

- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Guard Structure (FOGS) – Meets Requirements of ISO 10262

Battery/Hydraulic Monitor with Shutdown

Bystander Awareness

- Beacon, Horn, Motion Alarm, LED Work Lights

Rubber Tracks

3 5.76 kWh Batteries (17.28 kWh Total)

- Electric Motor Powering Gear Pumps

Work Light (LED)

Battery Warranty: 2 years, or 2000 hours

Machine Warranty: 2 years, or 2000 hours

Quick Specs

	E19e
Battery Nominal Capacity	17.28 kWh
Battery Nominal Voltage	51.8 V
Auxiliary Hydraulics Flow	6.4 GMP
Travel Speed (Maximum)	2.2 MPH
Operating Weight*	4225 lbs.
Cab Height	90.5"
Width	38.6" - 53.5"
Length, Transport	150"
Dig Depth	7' 10"
Reach at Ground Level	13' 5"
Dump Height	8' 5"
Arm Length	50"
Boom Swing (Left)	80°
Boom Swing (Right)	60°
Bucket Breakout Force	4684 lbf.
Arm Breakout Force	2086 lbf.
Tail Swing Overhang (UC Expanded)	12.6"

*Operating Weight includes canopy, long arm, long blade, rubber tracks, applicable counterweight, basic seat, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5585	E19e Compact Excavator	$79,605.00	0%	$79,605.00	$875.00	$150.00	$0.00	$80,630.00

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5585-A10-C83	Mechanical Pin-Grabber and Hydraulic Clamp Includes Clamp, Mechanical Pin-Grabber, and one [1] set of non-hardened pins to be used on the attachment. Additional pin kits available through aftermarket parts.	$3,138.00	0%	$3,138.00	$0.00	$0.00	$0.00	$3,138.00

E32E

Standard Equipment

Auto-Idle

Auto-Shift, 2-Speed Travel

Auxiliary Hydraulics with Selectable Flow

- W/ Arm Mounted Flush Face Quick Couplers

Canopy

- Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262:1998

Battery/Hydraulic Monitor with Shutdown

Bystander Awareness

- Beacon, Horn, Motion Alarm, LED Work Lights

Bobcat 5" Display

Control Console Locks

Control Pattern Selector Valve (ISO/STD)

Dozer Blade with Float

Fingertip Auxiliary Hydraulic/Boom Swing Control

Hydraulic Joystick Controls

Charging Cable (J1772 EVSE w/ NEMA 14-50 Connection)

Rubber Tracks

45 kWh Battery

- Electric Motor Powering Variable Displacement Piston Pump

X-Change™ Attachment Mounting System

Battery Warranty: 2 years, or 2000 hours

Machine Warranty: 2 years, or 2000 hours

Quick Specs

	E32e Std Arm
Battery Nominal Capacity	45.4 kWh
Battery Nominal Voltage	310.8 V
Rated Speed-RPM	2200
Auxiliary Hydraulics Flow	16.9 GPM
Travel Speed (Maximum)	2.9 MPH

Operating Weight*	7340 lbs.
Shipping Weight	6952 lbs.
Cab Height	96.2"
Width	61"
Length, Transport	184"
Dig Depth	10' 3"
Reach at Ground Level	16' 4"
Dump Height	11' 0"
Arm Length	52.2"
Boom Swing (Left)	75°
Boom Swing (Right)	55°
Bucket Breakout Force	6968 lbf.
Arm Breakout Force	4859 lbf.
Tail Swing Overhang	13.8"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3408	E32e Compact Excavator	$135,526.00	0%	$135,526.00	$1,250.00	$200.00	$0.00	$136,976.00

Part Number	Dealer Installed Accessories - Order From Sales Description							
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) For use with Depth Check. Mounting Kit (7246898) must also be purchased from Parts. Estimated Installation Time: 0.25 hr.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

August 1, 2024
BOBCAT SLP Pages

E10
Bobcat Compact Excavator



Standard Equipment

Adjustable Hydraulic Joystick Controls
Auxiliary Hydraulics –
- W/Boom Mounted Flush Face Quick Couplers

Operator Guard – Fold Down
- Includes: Retractable Seat Belt, Power Port
- Tip Over Protective Structure (TOPS)
  Meets Requirements of ISO 12117-2: 2000

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Dozer Blade with Extensions
Horn
Hydraulically Retractable Undercarriage
Keyed Ignition
Long Arm
Rubber Tracks
Spark Arrestor Muffler
Tier 4 Diesel Engine, Non DPF
2-Speed Travel
Work Light
Zero Tail Swing

Quick Specs

	E10
Engine Model (Tier 4)	D722
Horsepower	10.2
Auxiliary Hydraulics Flow	5.3 GPM
Travel Speed (Maximum)	1.7 MPH
Operating Weight*	2,593 lbs.
Operator Guard Height	87"
Width	28"- 43.3"
Length, Transport	110"
Dig Depth	6'
Reach at Ground Level	10' 2"
Dump Height	6'
Arm Length	31.2"
Boom Swing (Left)	70°
Boom Swing (Right)	70°
Bucket Breakout Force	1865 lbf.
Arm Breakout Force	1248 lbf.
Tail Swing Overhang (UC Expanded)	0.0"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Description	Compact Excavator	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5545	E10 Compact Excavator		$28,924.00	28%	$20,825.28	$525.00	$150.00	$0.00	$21,500.28

E20
Bobcat Compact Excavator

Standard Equipment

Auxiliary Hydraulics – W/ Boom Mounted Flush Face Quick Couplers
Canopy
- Includes: Cup Holder, Retractable Seat Belt
- Roll Over Protective Structure (ROPS) –
  Meets Requirements of ISO 12117-2: 2008

Horn
Hydraulic Joystick Controls
Hydraulically Retractable Undercarriage
Keyed Ignition
Long Arm

- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Guard Structure (FOGS) – Meets Requirements of ISO 10262

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Dozer Blade with Extensions
Engine/Hydraulic Monitor w/ Shutdown
Rubber Tracks
Spark Arrestor Muffler
Standard Instrument Panel
Tier 4 Diesel Engine, Non DPF
2-Speed Travel
Vandalism Protection
Warranty - 12 months
Work Light

Quick Specs

	E20
Engine Model (Tier 4)	3TNV74F
Horsepower	15
Auxiliary Hydraulics Flow	7.9 GPM
Travel Speed (Maximum)	2.6 MPH
Operating Weight*	4306 lbs.
Shipping Weight	4231 lbs.
Operator Guard Height	90.4"
Width	38.6" - 53.5"
Length, Transport	145.2"
Dig Depth	8' 5"
Reach at Ground Level	14'
Dump Height	9' 1"
Arm Length	50.0"
Boom Swing (Left)	80°
Boom Swing (Right)	60°
Bucket Breakout Force	4684 lbf.
Arm Breakout Force	2086 lbf.
Tail Swing Overhang (UC Expanded)	0.0"

*Operating Weight includes canopy, long arm, long blade, rubber tracks, applicable counterweight, basic seat, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5559	E20 Compact Excavator Includes basic (foot pedal) auxiliary hydraulics and boom swing controls, manual 2-Speed travel.	$38,786.00	28%	$27,925.92	$875.00	$200.00	$0.00	$29,000.92

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5559-A02-C01	Bobcat Canopy Basic Controls Includes foot controls for auxiliary hydraulics, boom swing control and manual shift travel system.	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M5559-A02-C04	Bobcat Canopy Enhanced Controls Includes finger-tip auxiliary hydraulics, boom swing control and auto-shift travel system.	$549.00	28%	$395.28	$0.00	$0.00	$0.00	$395.28
M5559-A02-C05	Bobcat Cab Enhanced Controls Includes enclosed ROPS/TOPS cab with heater, finger-tip auxiliary hydraulics, boom swing control and auto-shift travel system.	$4,699.00	28%	$3,383.28	$0.00	$0.00	$0.00	$3,383.28

E26 R-Series
Bobcat Compact Excavator

Standard Equipment

3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
Auto-Idle
Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics – W/ Boom Mounted Flush Face Quick Couplers
Boom Swing
Canopy
- Includes: Cup Holder, Retractable Seat Belt
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) - Meets Requirements of ISO 10262

Dozer Blade with Float
Engine/Hydraulic Monitor with Shutdown
Fingertip Auxiliary Hydraulic Control
Fingertip Boom Swing Control
Horn
Hydraulic Joystick Controls
Keyed Ignition
Long Arm
Minimal tail swing
Rubber Tracks
Spark Arrestor Muffler
Standard Instrument Panel
Tier 4 Diesel Engine, Non DPF
Vandalism Protection

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Work Lights - Halogen
X- Change™ Attachment Mounting System

Quick Specs

	E26 Long Arm
Engine Model (Tier 4)	D1305
Horsepower	24.8
Auxiliary Hydraulics Flow	14.2 GPM
Travel Speed (Maximum)	3.2 MPH
Operating Weight*	6489 lbs.
Shipping Weight	6324 lbs.
Cab Height	96"
Width	61"
Length, Transport	170"
Dig Depth	9' 6"
Reach at Ground Level	16'
Dump Height	10' 5"
Arm Length	55.1"
Boom Swing (Left)	70°
Boom Swing (Right)	55°
Bucket Breakout Force	5652 lbf.
Arm Breakout Force	3547 lbf.
Tail Swing Overhang	3.5"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M5555	E26 T4 Bobcat Compact Excavator	$46,706.00	28%	$33,628.32	$1,375.00	$200.00	$0.00	$35,203.32

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M5555-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$227.00	28%	$163.44	$0.00	$0.00	$0.00	$163.44
M5555-P11-C03	Canopy Plus Package Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat	$1,103.00	28%	$794.16	$0.00	$0.00	$0.00	$794.16
M5555-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,114.00	28%	$5,122.08	$0.00	$0.00	$0.00	$5,122.08
M5555-P11-C07	Cab Plus Package Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio	$8,180.00	28%	$5,889.60	$0.00	$0.00	$0.00	$5,889.60

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M5555-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Clamp							
M5555-A10-C48	Hydraulic Clamp (Class III)	$2,716.00	28%	$1,955.52	$0.00	$0.00	$0.00	$1,955.52

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81

E32 R2-Series
Bobcat Compact Excavator

Standard Equipment

3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
Auto-Idle
Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics with Selectable Flow
Dozer Blade with Float
Engine/Hydraulic Monitor with Shutdown
Fingertip Auxiliary Hydraulic Control
Fingertip Boom Swing Control
Horn

- W/ Arm Mounted Flush Face Quick Couplers

Canopy
- Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  Roll Over Protective Structure (ROPS) – Meets
- Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets
  Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) – Meets
  Requirements of ISO 10262:1998

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Conventional Tail Swing

Hydraulic Joystick Controls
Keyed Ignition
LED Work Lights
Lift Eye
Rubber Tracks
Standard Arm
Spark Arrestor Exhaust System
Standard Instrument Panel
Tier 4 Diesel Engine, Non DPF
Vandalism Protection
X-Change™ Attachment Mounting System
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E32R2		
	Std Arm	**Long Arm**	**Ext Arm**
Engine Model (Tier 4)	D1703	D1703	D1703
Horsepower	24.8	24.8	24.8
Rated Speed-RPM	2200	2200	2200
Auxiliary Hydraulics Flow	16.9 GPM	16.9 GPM	16.9 GPM
Travel Speed (Maximum)	2.9 MPH	2.9 MPH	2.9 MPH
Operating Weight*	7,403 lbs.	8,269 lbs.	8,497 lbs.
Shipping Weight	6,981 lbs.	7,847 lbs.	8,075 lbs.
Cab Height	96.2"	96.2"	96.2"
Width	61.8"	61.8"	61.8"
Length, Transport	184"	187"	188"
Dig Depth	10' 1"	11' 1"	12' 9"
Reach at Ground Level	16' 3"	17' 2"	18' 9"
Dump Height	11' 5"	12"	12' 11"
Arm Length	52.2"	64.0"	54.1" - 84.3"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	55°	55°	55°
Bucket Breakout Force	7,284 lbf.	7,284 lbf.	7,284 lbf.
Arm Breakout Force	4,690 lbf.	4,074 lbf.	4,592 lbf.
Tail Swing Overhang	13.4"	16.9"	16.9"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3407	E32 R2 Compact Excavator	$54,270.00	28%	$39,074.40	$1,250.00	$200.00	$0.00	$40,524.40

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3407-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M3407-P11-C11	Canopy Deluxe Package Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
M3407-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,450.00	28%	$5,364.00	$0.00	$0.00	$0.00	$5,364.00
M3407-P11-C12	Cab Deluxe Package Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm	$10,931.00	28%	$7,870.32	$0.00	$0.00	$0.00	$7,870.32

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3407-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight Increases operating weight by 866 lbs.	$1,786.00	28%	$1,285.92	$0.00	$0.00	$0.00	$1,285.92
M3407-R03-C03	Arm Option - Extendable Arm w/ Heavy Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases operating weight by 1094 lbs. Second Auxiliary Hydraulics (M3411-R07-C03, $1230 SLP) will be automatically added.	$5,084.00	28%	$3,660.48	$0.00	$0.00	$0.00	$3,660.48
	Attachment Coupler							
M3407-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3407-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3407-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Clamp							
M3407-R08-C31	Hydraulic Clamp (Class III) w/ Diverter Valve - Standard Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3407-R08-C15	Hydraulic Clamp (Class III) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$4,605.00	28%	$3,315.60	$0.00	$0.00	$0.00	$3,315.60
M3407-R08-C33	Hydraulic Clamp (Class III) - Ext Arm Diverter Valve not available for Extendable Arm.	$2,808.00	28%	$2,021.76	$0.00	$0.00	$0.00	$2,021.76

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E35 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
  - W/ Arm Mounted Flush Face Quick Couplers
- Canopy
  - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  - Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
  - Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
  - Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262:1998
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade with Float
- Engine/Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyed Ignition
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Standard Arm
- Spark Arrestor Exhaust System
- Standard Instrument Panel
- Tier System (Non-DPF)
- Vandalism Protection
- X-Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first
- Zero Tail Swing

Quick Specs

	E35R2 - 25HP		
	Std Arm	Long Arm	Ext Arm
Engine Model (Tier 4)	D1703	D1703	D1703
Turbocharged Diesel (Yes/No)	No	No	No
Horsepower	25	25	24.8
Rated Speed-RPM	###	###	2200
Auxiliary Hydraulics Flow	16.9 GPM	16.9 GPM	16.9 GPM
Travel Speed (Maximum)	2.9 MPH	2.9 MPH	2.9 MPH
Operating Weight*	###	###	8590
Shipping Weight	###	###	8167
Cab Height	96.2"	96.2"	96.2"
Width	69.7"	69.7"	69.7"
Length, Transport	190"	190.1"	190.4"
Dig Depth	10' 1"	11' 1"	12' 9"
Reach at Ground Level	17'	18'	19' 7"
Dump Height	11' 5"	12'	12' 11"
Arm Length	52.2"	64"	54.1" - 84.3"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	55°	55°	55°
Bucket Breakout Force	7,284 lbf.	7,284 lbf.	7,284 lbf.
Arm Breakout Force	4,690 lbf.	4,074 lbf.	4,592 lbf.
Tail Swing Overhang	0"	3.2"	3.2"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3409	E35 R2 Compact Excavator	$54,270.00	28%	$39,074.40	$1,275.00	$200.00	$0.00	$40,549.40

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

ORDERING PATH:
1) REQUIRED: SELECT ONE BOBCAT PACKAGE
2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)

M3409-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00

M3409-P11-C11	Canopy Deluxe Package Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
M3409-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,450.00	28%	$5,364.00	$0.00	$0.00	$0.00	$5,364.00
M3409-P11-C12	Cab Deluxe Package Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm	$10,931.00	28%	$7,870.32	$0.00	$0.00	$0.00	$7,870.32

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3409-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight Increases operating weight by 703 lbs.	$1,786.00	28%	$1,285.92	$0.00	$0.00	$0.00	$1,285.92
M3409-R03-C03	Arm Option - Extendable Arm w/ Heavy Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases operating weight by 931 lbs. Second Auxiliary Hydraulics (M3409-R07-C03, $1230 SLP) will be automatically added.	$5,084.00	28%	$3,660.48	$0.00	$0.00	$0.00	$3,660.48
	Attachment Coupler							
M3409-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3409-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3409-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3409-R12-C02	Hydraulic Angle Blade	$3,249.00	28%	$2,339.28	$0.00	$0.00	$0.00	$2,339.28
	Clamp							
M3409-R08-C31	Hydraulic Clamp (Class III) w/ Diverter Valve - Standard Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3409-R08-C15	Hydraulic Clamp (Class III) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3409-R08-C33	Hydraulic Clamp (Class III) - Extendable Arm Diverter Valve not available for Extendable Arm.	$2,808.00	28%	$2,021.76	$0.00	$0.00	$0.00	$2,021.76

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E38 R2-Series
Bobcat Compact Excavator

Standard Equipment

3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
Auto-Idle
Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics with Selectable Flow
- W/ Arm Mounted Flush Face Quick Couplers

Canopy
- Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262:1998

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Dozer Blade with Float
Engine/Hydraulic Monitor with Shutdown
Fingertip Auxiliary Hydraulic Control
Fingertip Boom Swing Control
Horn
Hydraulic Joystick Controls
Keyed Ignition
LED Work Lights
Lift Eye
Rubber Tracks
Standard Arm
Spark Arrestor Exhaust System
Standard Instrument Panel
Tier 4 Dic System (Non-DPF)
Vandalism Protection
X-Change™ Attachment Mounting System
Warranty: 2 years, or 2000 hours whichever occurs first
Zero Tail Swing

Quick Specs

	E38 R2		
	Std Arm	**Long Arm**	**Ext Arm**
Engine Model (Tier 4)	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Turbocharged Diesel (Yes/No)	Yes	Yes	Yes
Horsepower	33	33	33.2
Rated Speed-RPM	###	###	2500
Auxiliary Hydraulics Flow	16.9 GPM	16.9 GPM	16.9 GPM
Travel Speed (Maximum)	2.9 MPH	2.9 MPH	2.9 MPH
Operating Weight*	###	###	8824
Shipping Weight	###	###	8400
Cab Height	96.2"	96.2"	96.2"
Width	69.7"	69.7"	69.7"
Length, Transport	190"	190.4"	190.4"
Dig Depth	10' 1"	11' 1"	12' 9"
Reach at Ground Level	17'	18'	19' 7"
Dump Height	11' 5"	12'	12' 11"
Arm Length	52.2"	64"	54.1" - 84.3"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	55°	55°	55°
Bucket Breakout Force	7,284 lbf.	7,284 lbf.	7,284 lbf.
Arm Breakout Force	4,690 lbf.	4,074 lbf.	4,592 lbf.
Tail Swing Overhang	0"	3.2"	3.2"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3414	E38 R2 T4 Compact Excavator	$66,012.00	28%	$47,528.64	$1,275.00	$200.00	$0.00	$49,003.64

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3414-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M3414-P11-C11	Canopy Deluxe Package Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
M3414-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,450.00	28%	$5,364.00	$0.00	$0.00	$0.00	$5,364.00
M3414-P11-C12	Cab Deluxe Package Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm	$10,931.00	28%	$7,870.32	$0.00	$0.00	$0.00	$7,870.32

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3414-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight Increases operating weight by 703 lbs.	$1,786.00	28%	$1,285.92	$0.00	$0.00	$0.00	$1,285.92
M3414-R03-C03	Arm Option - Extendable Arm w/ Heavy Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases operating weight by 931 lbs. Second Auxiliary Hydraulics (M3414-R07-C03, $1230 SLP) will be automatically added.	$5,084.00	28%	$3,660.48	$0.00	$0.00	$0.00	$3,660.48
	Attachment Coupler							
M3414-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3414-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3414-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3414-R12-C02	Hydraulic Angle Blade	$3,249.00	28%	$2,339.28	$0.00	$0.00	$0.00	$2,339.28
	Clamp							
M3414-R08-C31	Hydraulic Clamp (Class III) w/ Diverter Valve - Standard Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3414-R08-C15	Hydraulic Clamp (Class III) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3414-R08-C33	Hydraulic Clamp (Class III) - Extendable Arm Diverter Valve not available for Extendable Arm.	$2,808.00	28%	$2,021.76	$0.00	$0.00	$0.00	$2,021.76

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E40 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
  - W/ Arm Mounted Flush Face Quick Couplers
- Canopy
  - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  - Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
  - Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
  - Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262:1998
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade with Float
- Engine/Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyed Ignition
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Long Arm
- Spark Arrestor Exhaust System
- Standard Instrument Panel
- Turbocharged Tier 4 Diesel Engine, Non DPF
- Vandalism Protection
- X-Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first
- Minimal Tail Swing

Quick Specs

	E40 R2 Long Arm
Engine Model (Tier 4)	Bobcat 1.8L
Horsepower	40.4
Rated Speed-RPM	2400
Auxiliary Hydraulics Flow	16.9 GPM
Travel Speed (Maximum)	3.2 MPH
Operating Weight*	9345 lbs.
Shipping Weight	8937 lbs.
Cab Height	98.7"
Width	72.8"
Length, Transport	192.3"
Dig Depth	10' 10"
Reach at Ground Level	17' 11"
Dump Height	12' 3"
Arm Length	64"
Boom Swing (Left)	75°
Boom Swing (Right)	55°
Bucket Breakout Force	7284 lbf.
Arm Breakout Force	4074 lbf.
Tail Swing Overhang	1.6"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3415	E40 R2-Series Compact Excavator	$63,670.00	28%	$45,842.40	$1,500.00	$200.00	$0.00	$47,542.40

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3415-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M3415-P11-C03	Canopy Plus Package Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat	$877.00	28%	$631.44	$0.00	$0.00	$0.00	$631.44
M3415-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,450.00	28%	$5,364.00	$0.00	$0.00	$0.00	$5,364.00
M3415-P11-C07	Cab Plus Package Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio	$8,517.00	28%	$6,132.24	$0.00	$0.00	$0.00	$6,132.24

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3415-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight	Standard	#N/A	#VALUE!	#N/A	#N/A	#N/A	Standard
	Attachment Coupler							
M3415-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3415-R12-C02	Hydraulic Angle Blade	$3,249.00	28%	$2,339.28	$0.00	$0.00	$0.00	$2,339.28
	Clamp							
M3415-R08-C15	Hydraulic Clamp (Class III) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E48 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
  - W/ Arm Mounted Flush Face Quick Couplers
- Canopy
  - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  - Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
  - Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
  - Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade with Float
- Engine/Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyless Start
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Standard Arm
- Spark Arrestor
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Vandalism Protection
- X- Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E48 R2 Std Arm	Long Arm	Ext Arm
Engine Model (Tier 4)	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Horsepower	42.6	42.6	42.6
Rated Speed-RPM	2200	2200	2200
Auxiliary Hydraulics Flow	20.0 GPM	20.0 GPM	20.0 GPM
Travel Speed (Maximum)	3.3 MPH	3.3 MPH	3.3 MPH
Operating Weight*	9830 lbs.	10,425 lbs.	10,666 lbs.
Shipping Weight	9609 lbs.	10,204 lbs.	10,445 lbs.
Cab Height	99.1"	99.1"	99.1"
Width	72.8"	72.8"	72.8"
Length, Transport	201.7"	201.7"	201.7"
Dig Depth	124.5"	136.3"	148.4"
Reach at Ground Level	212.8"	223.8"	234.6"
Dump Height	148.1"	155.3"	161.2"
Arm Length	55.1"	66.9"	55.1" - 79.0"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	50°	50°	50°
Bucket Breakout Force	9601 lbf.	9601 lbf.	9601 lbf.
Arm Breakout Force	5820 lbf.	5083 lbf.	5852 lbf.
Tail Swing Overhang	12.0"	12.8"	12.8"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3417	E48 R2 Compact Excavator	$70,466.00	28%	$50,735.52	$1,625.00	$200.00	$0.00	$52,560.52

Part	REQUIRED - Bobcat Packages	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Number	Description							
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3417-P11-C03	Canopy Plus Package	**$314.00**	**28%**	**$226.08**	**$0.00**	**$0.00**	**$0.00**	**$226.08**
	Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat							
M3417-P11-C11	Canopy Deluxe Package	**$2,806.00**	**28%**	**$2,020.32**	**$0.00**	**$0.00**	**$0.00**	**$2,020.32**
	Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm							
M3417-P11-C07	Cab Plus Package	**$8,516.00**	**28%**	**$6,131.52**	**$0.00**	**$0.00**	**$0.00**	**$6,131.52**
	Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio							
M3417-P11-C12	Cab Deluxe Package	**$11,860.00**	**28%**	**$8,539.20**	**$0.00**	**$0.00**	**$0.00**	**$8,539.20**
	Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm							

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3417-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight	**$2,350.00**	**28%**	**$1,692.00**	**$0.00**	**$0.00**	**$0.00**	**$1,692.00**
	Increases operating weight by 595 lbs.							
M3417-R03-C03	Arm Option- Extendable Arm w/ Heavy Counterweight	**$7,552.00**	**28%**	**$5,437.44**	**$0.00**	**$0.00**	**$0.00**	**$5,437.44**
	ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE Increases operating weight by 836 lbs. Second Auxiliary Hydraulics (M3417-R07-C03, $1712 SLP) will be automatically added.							
	Attachment Coupler							
M3417-R06-C03	Hydraulic X-Change - Standard Arm	**$2,458.00**	**28%**	**$1,769.76**	**$0.00**	**$0.00**	**$0.00**	**$1,769.76**
M3417-R06-C04	Hydraulic X-Change- Long Arm	**$2,458.00**	**28%**	**$1,769.76**	**$0.00**	**$0.00**	**$0.00**	**$1,769.76**
M3417-R06-C08	Hydraulic X-Change - Extendable Arm	**$2,458.00**	**28%**	**$1,769.76**	**$0.00**	**$0.00**	**$0.00**	**$1,769.76**
	Blade							
M3417-R12-C02	Hydraulic Angle Blade	**$3,249.00**	**28%**	**$2,339.28**	**$0.00**	**$0.00**	**$0.00**	**$2,339.28**
	Clamp							
M3417-R08-C28	Hydraulic Clamp (Class IV) w/ Diverter Valve - Standard Arm	**$4,652.00**	**28%**	**$3,349.44**	**$0.00**	**$0.00**	**$0.00**	**$3,349.44**
	Includes arm mounted Diverter Valve and wrench.							
M3417-R08-C29	Hydraulic Clamp (Class IV) w/ Diverter Valve - Long Arm	**$4,652.00**	**28%**	**$3,349.44**	**$0.00**	**$0.00**	**$0.00**	**$3,349.44**
	Includes arm mounted Diverter Valve and wrench.							
M3417-R08-C33	Hydraulic Clamp (Class IV) - Ext Arm	**$3,184.00**	**28%**	**$2,292.48**	**$0.00**	**$0.00**	**$0.00**	**$2,292.48**
	Diverter Valve not available for Extendable Arm.							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511	**$1,156.00**	**24%**	**$878.56**	**$25.00**	**$0.00**	**$41.25**	**$944.81**
	Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.							
7160486	Laser Receiver, BLR2 (For use with Depth Check)	**$2,911.00**	**24%**	**$2,212.36**	**$56.00**	**$0.00**	**$0.00**	**$2,268.36**
	No longer available for order.							
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check)	**$3,985.00**	**24%**	**$3,028.60**	**$71.00**	**$0.00**	**$0.00**	**$3,099.60**
	Dual Slope. Includes CR700 Receiver.							
6688806	Tripod for Laser Transmitter Beacon	**$397.00**	**24%**	**$301.72**	**$22.00**	**$0.00**	**$0.00**	**$323.72**
	For use with GL422N laser transmitter.							

E55 R2-Series
Bobcat Compact Excavator

Standard Equipment

3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
Auto-Idle
Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics with Selectable Flow
- W/ Arm Mounted Flush Face Quick Couplers

Dozer Blade with Float
Engine/Hydraulic Monitor with Shutdown
Fingertip Auxiliary Hydraulic Control
Fingertip Boom Swing Control
Horn
Hydraulic Joystick Controls

Canopy
- Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Keyless Start
LED Work Lights
Lift Eye
Rubber Tracks
Standard Arm
Spark Arrestor
Standard Deluxe Display
Turbocharged Diesel Engine, Tier 4, Non DPF
Vandalism Protection
X- Change™ Attachment Mounting System
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E55 R2	
	Std Arm	**Long Arm**
Engine Model (Tier 4)	Bobcat 1.8L	Bobcat 1.8L
Horsepower	49.7	49.7
Rated Speed-RPM	2200	2200
Auxiliary Hydraulics Flow	20.0 GPM	20.0 GPM
Travel Speed (Maximum)	2.8 MPH	2.8 MPH
Operating Weight*	11,357 lbs.	11,876 lbs.
Shipping Weight	11,054 lbs.	11,573 lbs.
Cab Height	100.2"	100.2"
Width	77.2"	77.2"
Length, Transport	221.6"	221.6"
Dig Depth	136.9"	152.7"
Reach at Ground Level	231.9"	247.2"
Dump Height	154.1"	164.2"
Arm Length	60.0"	75.8"
Boom Swing (Left)	75°	75°
Boom Swing (Right)	50°	50°
Bucket Breakout Force	9511 lbf.	9511 lbf.
Arm Breakout Force	6987 lbf.	5962 lbf.
Tail Swing Overhang	0.6"	3.3"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, and fluids full.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3419	E55 R2-Series Compact Excavator	$83,595.00	28%	$60,188.40	$1,950.00	$200.00	$0.00	$62,338.40

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3419-P11-C03	Canopy Plus Package	$314.00	28%	$226.08	$0.00	$0.00	$0.00	$226.08
	Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat							
M3419-P11-C11	Canopy Deluxe Package	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
	Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm							
M3419-P11-C07	Cab Plus Package	$8,515.00	28%	$6,130.80	$0.00	$0.00	$0.00	$6,130.80
	Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio							
M3419-P11-C12	Cab Deluxe Package	$11,860.00	28%	$8,539.20	$0.00	$0.00	$0.00	$8,539.20
	Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm							

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3419-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight	$2,350.00	28%	$1,692.00	$0.00	$0.00	$0.00	$1,692.00
	Increases operating weight by 519 lbs.							
	Attachment Coupler							
M3419-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3419-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3419-R12-C02	Hydraulic Angle Blade	$3,679.00	28%	$2,648.88	$0.00	$0.00	$0.00	$2,648.88
	Clamp							
M3419-R08-C31	Hydraulic Clamp (Class IV) w/ Diverter Valve - Standard Arm	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
	Includes arm mounted Diverter Valve and wrench.							
M3419-R08-C15	Hydraulic Clamp (Class IV) w/ Diverter Valve - Long Arm	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
	Includes arm mounted Diverter Valve and wrench.							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
	Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.							
7160486	Laser Receiver, BLR2 (For use with Depth Check)	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36

	No longer available for order.							
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check)	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
	Dual Slope. Includes CR700 Receiver.							
6688806	Tripod for Laser Transmitter Beacon	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72
	For use with GL422N laser transmitter.							

E60 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
  - W/ Arm Mounted Flush Face Quick Couplers
- Canopy
  - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  - Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
  - Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
  - Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade with Float
- Engine/Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyless Start
- LED Work Lights
- Lift Eye
- Long Arm
- Rubber Tracks
- Spark Arrestor
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Vandalism Protection
- X- Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E60 Long Arm	E60 Ext Arm
Engine Model (Tier 4)	Bobcat 2.4L	Bobcat 2.4L
Horsepower	55.7	55.7
Rated Speed-RPM	2200	2200
Auxiliary Hydraulics Flow	20.0 GPM	20.0 GPM
Travel Speed (Maximum)	2.8 MPH	2.8 MPH
Operating Weight*	12,315 lbs.	12,646 lbs.
Cab Height	100.1"	100.1"
Width	77.2"	77.2"
Length, Transport	218.3"	218.3"
Dig Depth	156.7"	177.0"
Reach at Ground Level	246.3"	265.5"
Dump Height	171.1"	182.8"
Arm Length	75.8"	96.0"
Boom Swing (Left)	75°	75°
Boom Swing (Right)	50°	50°
Bucket Breakout Force	10,261 lbf.	10,261 lbf.
Arm Breakout Force	6446 lbf.	7104 lbf.
Tail Swing Overhang**	11.1"	11.1"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.
**Does not include Add-On Counterweight (Add-On Ctw increases tail swing by 2.8" (71 mm))

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3321	E60 R2-Series Compact Excavator	$91,019.00	28%	$65,533.68	$2,000.00	$250.00	$0.00	$67,783.68

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3321-P11-C03	Canopy Plus Package	$314.00	28%	$226.08	$0.00	$0.00	$0.00	$226.08
	Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat							
M3321-P11-C11	Canopy Deluxe Package	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
	Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm							
M3321-P11-C07	Cab Plus Package	$9,975.00	28%	$7,182.00	$0.00	$0.00	$0.00	$7,182.00
	Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio							
M3321-P11-C12	Cab Deluxe Package	$13,389.00	28%	$9,640.08	$0.00	$0.00	$0.00	$9,640.08
	Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm							

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm & Additional Counterweight							
M3321-R03-C09	Long Arm w/ Heavy Counterweight + Add-on Counterweight Increases weight of machine by 528 lbs. Increases tail swing by 2.8"	$1,783.00	28%	$1,283.76	$0.00	$0.00	$0.00	$1,283.76
M3321-R03-C03	Extendable Arm w/ Heavy Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases operating weight by 331 lbs.	$7,818.00	28%	$5,628.96	$0.00	$0.00	$0.00	$5,628.96
M3321-R03-C10	Extendable Arm w/ Heavy Counterweight + Add-on Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases weight of machine by 528 lbs. Increases tail swing by 2.8". Second Auxiliary Hydraulics (M3321-R07-C03, $1712 SLP) will be automatically added.	$9,601.00	28%	$6,912.72	$0.00	$0.00	$0.00	$6,912.72
	Attachment Coupler							
M3321-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3321-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3321-R12-C02	Hydraulic Angle Blade	$3,679.00	28%	$2,648.88	$0.00	$0.00	$0.00	$2,648.88
	Clamp							
M3321-R08-C15	Hydraulic Clamp (Class IV) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$3,987.00	28%	$2,870.64	$0.00	$0.00	$0.00	$2,870.64
M3321-R08-C33	Hydraulic Clamp (Class IV) - Ext Arm Diverter Valve not available for Extendable Arm.	$3,157.00	28%	$2,273.04	$0.00	$0.00	$0.00	$2,273.04

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7387821	Laser Receiver, CR700 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E88 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- 65.4 HP Turbocharged, Tier 4, Non DPF
- Auto-Idle
- Auto-Shift, Two Speed Travel
- Auxiliary Hydraulics - w/ Arm Mounted Quick Couplers & Selectable Flow Rates
- Cab, Enclosed with HVAC - ROPS/TOPS & Level 1 FOPS
- Includes: Radio Ready, Cup Holder, Retractable Seat Belt, Deluxe Cloth Suspension Seat
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade - w/ Float
- Engine/Hydraulic Monitor with Engine Idle
- Fingertip Auxiliary Hydraulics
- Fingertip Boom Swing Control
- Horn
- Integrated Bucket Link Lift Point
- Keyless Start
- LED Work Lights - 2 front facing cab mounted, 1 under boom
- Lift Eye
- Long Arm
- Mirrors - Left and Right Side
- Pin-On Attachment Mounting System
- Rubber Tracks
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E88R2 Long Arm
Engine Model (Tier 4)	Bobcat 2.4L
Horsepower	65.4
Rated speed-RPM	2100
Auxiliary Hydraulics Flow	25.1 GPM
Travel Speed (Maximum)	2.9 MPH
Operating Weight	19,600 lbs.
Shipping Weight†	18,419 lbs.
Cab Height	100"

Width	86.6"
Length, Transport	20' 10"
Dig Depth	15' 2"
Reach at Ground Level	23' 6"
Dump Height	16' 6"
Arm Length	85.8"
Boom Swing (Left)	64°
Boom Swing (Right)	61°
Bucket Breakout Force	15,130 lbf.
Arm Breakout Force	8,620 lbf.
Tail Swing Overhang	13"

†Shipping Weight does not include standard size bucket (24") and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3327	E88 R2-Series Bobcat Compact Excavator	$126,470.00	28%	$91,058.40	$3,100.00	$300.00	$0.00	$94,458.40

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3327-P11-C07	Cab Plus Package Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio	$817.00	28%	$588.24	$0.00	$0.00	$0.00	$588.24
M3327-P11-C12	Cab Deluxe Package *MUST SELECT HYDRAULIC PIN-GRABBER READY OR HYDRAULIC PIN-GRABBER* Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm	$3,794.00	28%	$2,731.68	$0.00	$0.00	$0.00	$2,731.68

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm & Additional Counterweight							
M3327-R03-C02	Long Arm w/ Heavy Counterweight	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
M3327-R03-C09	Long Arm w/ Heavy Counterweight + Add-on Counterweight Increases weight of machine by 897 lbs.	$2,229.00	28%	$1,604.88	$0.00	$0.00	$0.00	$1,604.88
	Attachment Coupler							
M3327-R06-C19	Hydraulic Pin-Grabber Ready Includes control circuit and hydraulic supply system for activating Geith hydraulic pin grabber. Compatible with Geith hydraulic activated pin grabbers only. DOES NOT INCLUDE PIN GRABBER. To dealer install hydraulic pin grabber, order 7350524 from PARTS.	$2,415.00	28%	$1,738.80	$0.00	$0.00	$0.00	$1,738.80
M3327-R06-C17	Hydraulic Pin-Grabber *ONLY AVAILABLE WITH CAB DELUXE PACKAGE* Machine ordered with hydraulic pin-grabber. Includes one pair of attachment pins. Must order attachment pin kit PN 7328360 from PARTS for each additional attachment. Compatible with 55mm attachment pins only.	$6,907.00	28%	$4,973.04	$0.00	$0.00	$0.00	$4,973.04
	Blade							
M3327-R12-C02	Hydraulic Angle Blade	$6,415.00	28%	$4,618.80	$0.00	$0.00	$0.00	$4,618.80
	Clamp							
M3327-R08-C15	Hydraulic Clamp (Class VI) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$5,724.00	28%	$4,121.28	$0.00	$0.00	$0.00	$4,121.28

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Other							
M3327-R13-C03	Load Holding Valves, w/ Alarm *ONLY AVAILABLE WITH CAB DELUXE PACKAGE* Includes load hold valve circuitry on boom cylinder and on arm cylinder. Includes audible alarm to alert operator of lifting conditions. Provides additional security when using work group to lift and place items.*Cannot be ordered with Steel or Segmented Rubber Tracks. Must order Add-on Counterweight, Hydraulic Clamp and Hydraulic Pin Grabber.	$3,206.00	28%	$2,308.32	$0.00	$0.00	$0.00	$2,308.32
M3327-R02-C02	Steel Tracks *ONLY AVAILABLE WITH CAB DELUXE PACKAGE* Must order Add-on Counterweight, Hydraulic Clamp and Hydraulic Pin Grabber. *Cannot be ordered with Load Holding Valves.	$2,624.00	28%	$1,889.28	$0.00	$0.00	$0.00	$1,889.28
M3327-R02-C04	Segmented Tracks *ONLY AVAILABLE WITH CAB DELUXE PACKAGE* Must order Add-on Counterweight, Hydraulic Clamp and Hydraulic Pin Grabber. *Cannot be ordered with Load Holding Valves.	$9,018.00	28%	$6,492.96	$0.00	$0.00	$0.00	$6,492.96

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81

7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E145
Bobcat Large Excavator

Standard Equipment

- 3.0m Long Arm
- 4.6m Mono Fixed Boom
- Auto-Idle
- Auto Shift, 2 Speed Travel
- Auto Shut-off
- Auxiliary Hydraulics with Selectable Flow
- Battery Disconnect
- Cab, Enclosed with Auto HVAC - ROPS
  - Includes: Adjustable Arm Rests, Cup Holder, Heated and Cooled Artificial Leather Air Suspension Seat, Radio (DAB) with Bluetooth Connectivity and USB, Retractable Seat Belt
- Camera: Around View Monitoring
- Control Lock-Out, disabling all machine functionality
- Control Pattern Selector Valve (ISO/STD)
- Display, 8" Touch Screen with Jog Shuttle
  - Password protection
- Emergency Stop Switch
- Engine/Hydraulic Monitor with Shutdown
- Engine Restart Prevention System
- Fingertip Auxiliary Hydraulic Control
- Foot Pedal Attachment Control
- Fine Swing
- Horn (joystick mounted)
- Hydraulic Joystick Controls
- Hydraulic Pin Grabber Quick Coupler Ready
- Lift Eye
- Mirrors, Left, and Right
- Motion Alarm
- Pin-On Attachment Mounting System
- Power Boost
- Power Modes: Power+, Power, Standard, Economy
- Self-Diagnostics System
- Smart Key
- Smart Power Control (SPC)
- Steel Tracks - 600 mm Triple Grouser
- Telematics - Machine IQ
- Turbocharged Diesel, Tier 4, Non DPF
- Two Way Piping with Pedal and Fingertip Control
- USB Charger Port
- Vandalism Protection (Locking Panels & Fuel Cap)
- Warranty: 2 years or 2000 hours, whichever occurs first
- Water Seperator with Fuel Heater
- Work Lights LED: Boom (2), Front (1), LH Side (1), RH Side (1) and Rear (1)
- Work Modes: Dig, Lift, One Way Flow, Two Way Flow
- 12 Volt Power Port
- 24 Volt Power Port

Quick Specs

	E145
Engine Model (Tier 4)	Bobcat V2 3.4L
Horsepower	115
Auxiliary Hydraulics Flow	30.1 GPM
Travel Speed (Maximum)	2.9 MPH
Operating Weight*	34,946 lbs.
Cab Height	113
Width	102"
Length, Transport	26' 3"
Dig Depth	19' 7"
Reach at Ground Level	28'
Dump Height	23' 3"
Arm Length	118"
Bucket Breakout Force	24,471 lbf.
Arm Breakout Force	13,228 lbf.
Tail Swing Overhang	9"

*Operating Weight includes HVAC Cab, steel tracks, counterweight, 36" bucket, 4.6m fixed boom, and 3.0m arm

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3331	E145 Excavator	$213,917.00	24%	$162,576.92	$5,300.00	$300.00	$0.00	$168,176.92

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3331-R01-C02	Dozer Blade Increases operating weight 1638 lbs.	$10,509.00	24%	$7,986.84	$0.00	$0.00	$0.00	$7,986.84
M3331-R02-C02	Segmented Rubber Tracks 500mm track width. Decreases operating weight by 662 lbs.	$14,882.00	24%	$11,310.32	$0.00	$0.00	$0.00	$11,310.32
M3331-R03-C02	Hydraulic Activated Pin-Grabber Attachment Quick Coupler Increases operating weight 460 lbs.	$8,809.00	24%	$6,694.84	$0.00	$0.00	$0.00	$6,694.84
M3331-R04-C02	Hydraulic Clamp, 24" Bucket, Pin-on Attachment For use with 24" Bucket and Pin-on Attachment Interface.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00
M3331-R04-C03	Hydraulic Clamp, 36" Bucket, Pin-on Attachment For use with 36" Bucket and Pin-on Attachment Interface.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00
M3331-R04-C04	Hydraulic Clamp, 42" Bucket, Pin-on Attachment For use with 42" Bucket and Pin-on Attachment Interface.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00
M3331-R04-C05	Hydraulic Clamp, 24" Bucket, Hydraulic Pin-Grabber For use with 24" Bucket and Hydraulic Pin-Grabber.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00

M3331-R04-C06	Hydraulic Clamp, 36" Bucket, Hydraulic Pin-Grabber For use with 36" Bucket and Hydraulic Pin-Grabber.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00
M3331-R04-C07	Hydraulic Clamp, 42" Bucket, Hydraulic Pin-Grabber For use with 42" Bucket and Hydraulic Pin-Grabber.	$9,925.00	24%	$7,543.00	$0.00	$0.00	$0.00	$7,543.00
M3331-R04-C08	Pro-Link Clamp, 24" Bucket, Hydraulic Pin-Grabber For use with 24" Bucket and Hydraulic Pin-Grabber.	$12,839.00	24%	$9,757.64	$0.00	$0.00	$0.00	$9,757.64
M3331-R04-C09	Pro-Link Clamp, 36" Bucket, Hydraulic Pin-Grabber For use with 36" Bucket and Hydraulic Pin-Grabber.	$12,839.00	24%	$9,757.64	$0.00	$0.00	$0.00	$9,757.64
M3331-R04-C10	Pro-Link Clamp, 42" Bucket, Hydraulic Pin-Grabber For use with 42" Bucket and Hydraulic Pin-Grabber.	$12,839.00	24%	$9,757.64	$0.00	$0.00	$0.00	$9,757.64
M3331-A01-C01	24" Trenching Bucket Bucket Capacity: 0.42 CU. YD.	$4,579.00	24%	$3,480.04	$0.00	$0.00	$0.00	$3,480.04
M3331-A01-C02	36" Trenching Bucket Bucket Capacity: 0.71 CU. YD.	$5,530.00	24%	$4,202.80	$0.00	$0.00	$0.00	$4,202.80
M3331-A01-C03	42" Trenching Bucket Bucket Capacity: 0.85 CU. YD.	$6,130.00	24%	$4,658.80	$0.00	$0.00	$0.00	$4,658.80
M3331-A01-C04	60" Grading Bucket Bucket Capacity: 1.39 CU. YD.	$6,379.00	24%	$4,848.04	$0.00	$0.00	$0.00	$4,848.04

E165
Bobcat Large Excavator

Standard Equipment

Auto-Idle
Auto Shift, 2 Speed Travel
Auto Shutoff
Auxiliary Hydraulics with Selectable Flow
Battery Disconnect
Cab, Enclosed with Auto HVAC - ROPS
- Includes: Adjustable Arm Rests, Cup Holder, Heated Air Suspension Seat, AM/FM Stereo with CD Player & MP3 Port, Retractable Seat Belt

Camera: Rear and Side
Control Lock-Out, disabling all machine functionality
Control Pattern Selector Valve (ISO/STD)
Display, 7" LCD
- Password protected

Emergency Stop Switch
Engine/Hydraulic Monitor with Shutdown
Engine Restart Prevention System
Fingertip Auxiliary Hydraulic Control
Foot Pedal Attachment Control
Horn (joystick mounted)
Hydraulic Joystick Controls
Mirrors, Left, and Right
Pin-On Attachment Mounting System
Hydraulic Pin Grabber Quick Coupler Ready
Power Boost
Power Modes: Power+, Power, Standard, Economy
Self-Diagnostics System
Smart Power Control (SPC)
Steel Tracks
Telematics - Machine IQ
Travel Motion & Swing Alarm
Turbocharged Diesel, Tier 4, Non DPF
Two-Way Piping with Pedal and Fingertip Control
Vandalism Protection
- Includes: Locking Access Panels and Locking Fuel Cap

Work Lights: Boom (2), House (1), and Rear (1)
Work Modes: Dig, Lift, Breaker (single directional aux flow), & Shear (dual directional aux flow)
12 Volt Power Port

Quick Specs

	E165
Engine Model (Tier 4)	Perkins 1204F
Horsepower	131
Auxiliary Hydraulics Flow	80.4 GPM
Travel Speed (Maximum)	3.1 MPH
Operating Weight*	38,376 lbs.
Cab Height	115"
Width	102"
Length, Transport	325"
Dig Depth	20'
Reach at Ground Level	28' 10"
Dump Height	21' 4"
Arm Length	98"
Bucket Breakout Force	25,794 lbf.
Arm Breakout Force	18.077 lbf.
Tail Swing Overhang	36"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3332	E165 Excavator	$218,133.00	24%	$165,781.08	$5,300.00	$300.00	$0.00	$171,381.08

Part Number	Individual Factory Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3332-A01-C02	36" Trenching Bucket	$5,679.00	24%	$4,316.04	$0.00	$0.00	$0.00	$4,316.04
M3332-A01-C03	42" Trenching Bucket	$6,343.00	24%	$4,820.68	$0.00	$0.00	$0.00	$4,820.68
M3332-A01-C05	48" Trenching Bucket	$6,952.00	24%	$5,283.52	$0.00	$0.00	$0.00	$5,283.52
M3332-A01-C04	60" Ditching Bucket	$7,477.00	24%	$5,682.52	$0.00	$0.00	$0.00	$5,682.52

M3332-R03-C02	Hydraulic Activated Pin Grabber Attachment Quick Coupler	$9,003.00	24%	$6,842.28	$0.00	$0.00	$0.00	$6,842.28
M3332-R04-C03	Hydraulic Clamp, for 36"/42" Pin On Bucket	$10,532.00	24%	$8,004.32	$0.00	$0.00	$0.00	$8,004.32
M3332-R04-C02	Hydraulic Clamp, for 36"/42" Bucket and Hydraulic Pin Grabber	$10,532.00	24%	$8,004.32	$0.00	$0.00	$0.00	$8,004.32
M3332-R04-C04	Pro-Link Clamp, for 36"/42" Bucket and Hydraulic Pin Grabber	$12,885.00	24%	$9,792.60	$0.00	$0.00	$0.00	$9,792.60

Discontinued Models

E35 - 33HP
Bobcat Compact Excavator

Standard Equipment

3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
Auto-Idle
Auto-Shift, 2-Speed Travel
Auxiliary Hydraulics with Selectable Flow
- W/ Arm Mounted Flush Face Quick Couplers

Canopy
- Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
- Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
- Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
- Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262:1998

Control Console Locks
Control Pattern Selector Valve (ISO/STD)
Dozer Blade with Float
Engine/Hydraulic Monitor with Shutdown
Fingertip Auxiliary Hydraulic Control
Fingertip Boom Swing Control
Horn
Hydraulic Joystick Controls
Keyed Ignition
LED Work Lights
Lift Eye
Rubber Tracks
Standard Arm
Spark Arrestor Exhaust System
Standard Instrument Panel
Tier 4 Dic System (Non-DPF)
Vandalism Protection
X-Change™ Attachment Mounting System
Warranty: 2 years, or 2000 hours whichever occurs first
Zero Tail Swing

Quick Specs

	E35R2 - 33HP		
	Std Arm	Long Arm	Ext Arm
Engine Model (Tier 4)	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Turbocharged Diesel (Yes/No)	Yes	Yes	Yes
Horsepower	33	33	33.2
Rated Speed-RPM	###	###	2500
Auxiliary Hydraulics Flow	16.9 GPM	16.9 GPM	16.9 GPM
Travel Speed (Maximum)	2.9 MPH	2.9 MPH	2.9 MPH
Operating Weight*	###	###	8824
Shipping Weight	###	###	8400
Cab Height	96.2"	96.2"	96.2"
Width	69.7"	69.7"	69.7"
Length, Transport	190"	190.4"	190.4"
Dig Depth	10' 1"	11' 1"	12' 9"
Reach at Ground Level	17'	18'	19' 7"
Dump Height	11' 5"	12'	12' 11"
Arm Length	52.2"	64"	54.1" - 84.3"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	55°	55°	55°
Bucket Breakout Force	7,284 lbf.	7,284 lbf.	7,284 lbf.
Arm Breakout Force	4,690 lbf.	4,074 lbf.	4,592 lbf.
Tail Swing Overhang	0"	3.2"	3.2"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Compact Excavator							
M3411	E35 R2 T4 Compact Excavator	$65,358.00	28%	$47,057.76	$1,275.00	$200.00	$0.00	$48,532.76

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	REQUIRED - Bobcat Packages							
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3411-P11-C01	Base Package Includes: Open Canopy, Standard Instrument Panel, Keyed Ignition, Vinyl Suspension Seat	$0.00	28%	$0.00	$0.00	$0.00	$0.00	$0.00
M3411-P11-C11	Canopy Deluxe Package Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
M3411-P11-C05	Cab Package Includes: Enclosed Cab with HVAC, Standard Instrument Panel, Keyed Ignition, Cloth Suspension Seat, Travel Motion Alarm	$7,450.00	28%	$5,364.00	$0.00	$0.00	$0.00	$5,364.00
M3411-P11-C12	Cab Deluxe Package Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm	$10,931.00	28%	$7,870.32	$0.00	$0.00	$0.00	$7,870.32

Part	OPTIONAL Selection - Factory Installed	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Number	Description							
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3411-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight Increases operating weight by 703 lbs.	$1,786.00	28%	$1,285.92	$0.00	$0.00	$0.00	$1,285.92
M3411-R03-C03	Arm Option - Extendable Arm w/ Heavy Counterweight *ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE* Increases operating weight by 931 lbs. Second Auxiliary Hydraulics (M3411-R07-C03, $1230 SLP) will be automatically added.	$5,084.00	28%	$3,660.48	$0.00	$0.00	$0.00	$3,660.48
	Attachment Coupler							
M3411-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3411-R06-C04	Hydraulic X-Change - Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3411-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3411-R12-C02	Hydraulic Angle Blade	$3,249.00	28%	$2,339.28	$0.00	$0.00	$0.00	$2,339.28
	Clamp							
M3411-R08-C31	Hydraulic Clamp (Class III) w/ Diverter Valve - Standard Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3411-R08-C15	Hydraulic Clamp (Class III) w/ Diverter Valve - Long Arm Includes arm mounted Diverter Valve and wrench.	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
M3411-R08-C33	Hydraulic Clamp (Class III) - Extendable Arm Diverter Valve not available for Extendable Arm.	$2,808.00	28%	$2,021.76	$0.00	$0.00	$0.00	$2,021.76

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511 Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
7160486	Laser Receiver, BLR2 (For use with Depth Check) No longer available for order.	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check) Dual Slope. Includes CR700 Receiver.	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
6688806	Tripod for Laser Transmitter Beacon For use with GL422N laser transmitter.	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72

E42 R2-Series
Bobcat Compact Excavator

Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
  - W/ Arm Mounted Flush Face Quick Couplers
- Canopy
  - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
  - Roll Over Protective Structure (ROPS) – Meets Requirements of ISO 12117-2: 2008
  - Tip Over Protective Structure (TOPS) – Meets Requirements of ISO 12117: 2000
  - Falling Object Protective Structure (FOPS) – Meets Requirements of ISO 10262
- Control Console Locks
- Control Pattern Selector Valve (ISO/STD)
- Dozer Blade with Float
- Engine/Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyless Start
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Standard Arm
- Spark Arrestor
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Vandalism Protection
- X- Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E42		
	Std Arm	**Long Arm**	**Ext Arm**
Engine Model (Tier 4)	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Horsepower	42.6	42.6	42.6
Rated Speed-RPM	2200	2200	2200
Auxiliary Hydraulics Flow	20.0 GPM	20.0 GPM	20.0 GPM
Travel Speed (Maximum)	3.3 MPH	3.3 MPH	3.3 MPH
Operating Weight*	9830 lbs.	10,425 lbs.	10,666 lbs.
Shipping Weight	9609 lbs.	10,204 lbs.	10,445 lbs.

Cab Height	99.1"	99.1"	99.1"
Width	72.8"	72.8"	72.8"
Length, Transport	201.7"	201.7"	201.7"
Dig Depth	124.5"	136.3"	148.4"
Reach at Ground Level	212.8"	223.8"	234.6"
Dump Height	148.1"	155.3"	161.2"
Arm Length	55.1"	66.9"	55.1" - 79.0"
Boom Swing (Left)	75°	75°	75°
Boom Swing (Right)	50°	50°	50°
Bucket Breakout Force	9601 lbf.	9601 lbf.	9601 lbf.
Arm Breakout Force	5820 lbf.	5083 lbf.	5852 lbf.
Tail Swing Overhang	12.0"	12.8"	12.8"

*Operating Weight includes canopy, rubber tracks, applicable counterweight, standard bucket, fluids full and 165 lb. (75KG) operator.

Part Number	Compact Excavator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M3315	E42 R2-Series Compact Excavator	$66,402.00	28%	$47,809.44	$1,625.00	$200.00	$0.00	$49,634.44

Part Number	REQUIRED - Bobcat Packages Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	ORDERING PATH: **1) REQUIRED: SELECT ONE BOBCAT PACKAGE** **2) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM ADDED)**							
M3315-P11-C03	Canopy Plus Package	$314.00	28%	$226.08	$0.00	$0.00	$0.00	$226.08
	Includes: Open Canopy, Deluxe Instrument Panel with Keyless Start, Travel Motion Alarm, Vinyl Suspension Seat							
M3315-P11-C11	Canopy Deluxe Package	$2,806.00	28%	$2,020.32	$0.00	$0.00	$0.00	$2,020.32
	Includes: Open Canopy, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm							
M3315-P11-C07	Cab Plus Package	$8,516.00	28%	$6,131.52	$0.00	$0.00	$0.00	$6,131.52
	Includes: Enclosed Cab with HVAC, Deluxe Instrument Panel with Keyless Start, Cloth Suspension Seat, Travel Motion Alarm, Radio							
M3315-P11-C12	Cab Deluxe Package	$11,860.00	28%	$8,539.20	$0.00	$0.00	$0.00	$8,539.20
	Includes: Enclosed Cab with Auto HVAC, 3yr Machine IQ Health & Security Subscription, Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Heated High Back Cloth Suspension Seat, Travel Motion Alarm							

Part Number	OPTIONAL Selection - Factory Installed Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)							
	Arm							
M3315-R03-C02	Arm Option - Long Arm w/ Heavy Counterweight	$2,350.00	28%	$1,692.00	$0.00	$0.00	$0.00	$1,692.00
	Increases operating weight by 595 lbs.							
M3315-R03-C03	Arm Option- Extendable Arm w/ Heavy Counterweight	$7,552.00	28%	$5,437.44	$0.00	$0.00	$0.00	$5,437.44
	ONLY AVAILABLE WITH THE CAB DELUXE PACKAGE Increases operating weight by 836 lbs. Second Auxiliary Hydraulics (M3315-R07-C03, $1712 SLP) will be automatically added.							
	Attachment Coupler							
M3315-R06-C03	Hydraulic X-Change - Standard Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3315-R06-C04	Hydraulic X-Change- Long Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
M3315-R06-C08	Hydraulic X-Change - Extendable Arm	$2,458.00	28%	$1,769.76	$0.00	$0.00	$0.00	$1,769.76
	Blade							
M3315-R12-C02	Hydraulic Angle Blade	$3,249.00	28%	$2,339.28	$0.00	$0.00	$0.00	$2,339.28
	Clamp							
M3315-R08-C28	Hydraulic Clamp (Class IV) w/ Diverter Valve - Standard Arm	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
	Includes arm mounted Diverter Valve and wrench.							
M3315-R08-C29	Hydraulic Clamp (Class IV) w/ Diverter Valve - Long Arm	$4,652.00	28%	$3,349.44	$0.00	$0.00	$0.00	$3,349.44
	Includes arm mounted Diverter Valve and wrench.							
M3315-R08-C33	Hydraulic Clamp (Class IV) - Ext Arm	$3,184.00	28%	$2,292.48	$0.00	$0.00	$0.00	$2,292.48
	Diverter Valve not available for Extendable Arm.							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7457286	Laser Receiver, 511	$1,156.00	24%	$878.56	$25.00	$0.00	$41.25	$944.81
	Can be used as handheld, machine, or re-mounted laser receiver. Includes magnetic mount for machines and clamp for rod mount.							
7160486	Laser Receiver, BLR2 (For use with Depth Check)	$2,911.00	24%	$2,212.36	$56.00	$0.00	$0.00	$2,268.36
	No longer available for order.							
7275232	Laser Transmitter Beacon, GL422N - (For use with Depth Check)	$3,985.00	24%	$3,028.60	$71.00	$0.00	$0.00	$3,099.60
	Dual Slope. Includes CR700 Receiver.							
6688806	Tripod for Laser Transmitter Beacon	$397.00	24%	$301.72	$22.00	$0.00	$0.00	$323.72
	For use with GL422N laser transmitter.							

August 1, 2024
BOBCAT SLP Pages

Auger- Planetary Drive
Bobcat Excavator Attachment

Auger Interface

CMC TAG style Interface

Auger Drive Unit

Planetary Drive Auger Quick Specs

	Model 12PH	Model 14PH	Model 20PH	Model 25PH	Model 35PH	Model 50PH
Ship Wgt (Auger Drive)	140 lbs.	140 lbs.	140 lbs.	141 lbs.	#REF!	325 lbs.
Ship Weight (Coupler & Interface)	TBD when Auger Cap is Released				111 lbs.	111 lbs.
Operating Wgt (less bit)					376 lbs.	376 lbs.
Digging Depth						
(without extensions)	56"	56"	56"	56"	72"	72"
Shaft Diameter - Round	-	-	-	-	-	-
Shaft Diameter - Hex	2.0"	2.0"	2.0"	2.0"	2.5"	2.5"
RPM						
@ 8 gpm (30 L/min.)	39 rpm	-	-	-	-	-
@ 12 gpm (45 L/min.)	60 rpm	48 rpm	-	-	-	-
@ 17 gpm (64 L/min.)	86 rpm	71 rpm	49 rpm	-	-	-
@ 18 gpm (68 L/min.)	-	75 rpm	52 rpm	-	46 rpm	36 rpm
@ 21 gpm (70 L/min.)	-	48 rpm	48 rpm	-	-	-
@ 22 gpm (83 L/min.)	-	90 rpm	61 rpm	49 rpm	56 rpm	45 rpm
@ 23 gpm (87 L/min.)	-	94 rpm	64 rpm	51 rpm	-	-
@ 26 gpm (98 L/min.)	-	98 rpm	67 rpm	53 rpm	67 rpm	53 rpm
@ 30 gpm (114 L/min.)	-	-	-	-	77 rpm	61 rpm
@ 32 gpm (121 L/min.)	-	-	-	-	82 rpm	65 rpm
@ 34 gpm (129 L/min.)	-	-	-	-	87 rpm	69 rpm
@ 36 gpm (136 L/min.)	-	-	-	-	92 rpm	73 rpm
@ 37 gpm (140 L/min.)	-	-	-	-	-	-
@ 38 gpm (144 L/min.)	-	-	-	-	98 rpm	77 rpm
Torque						
@ 2000 psi (19,788 kPa)	782 ft.lb (1,060 Nm)	911 ft.lb (1,235 Nm)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)	2,387 ft.lb. (3,237 Nm)	3,023 ft.lb. (4,100 Nm)
@ 2400 psi (16,547 kPa)	1,039 ft.lb (1,409 Nm)	1,208 ft.lb (1,638 Nm)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)	2,864 ft.lb. (3,884 Nm)	3,628 ft.lb. (4,920 Nm)
@ 2600 psi (17,926 kPa)	1,126 ft.lb (1,526 Nm)	1,309 ft.lb (1,775 Nm)	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)	3,103 ft.lb (4,208 Nm)	3,931 ft.lb. (5,330 Nm)
@ 2800 psi (18,616 kPa)	1,169 ft.lb (1,585 Nm)	1,359 ft.lb (1,843 Nm)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)	3,342 ft. lb. (4,531 Nm)	4,233 ft. lb. (5,740 Nm)
@ 3000 psi (20,684 kPa)	1,261 ft.lb (1,709 Nm)	1,465 ft.lb (1,986 Nm)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)	3,580 ft. lb. (4,855 Nm)	4,535 ft. lb. (6,150 Nm)
@ 3200 psi (22,753 kPa)	1,386 ft.lb (1,879 Nm)	1,611 ft.lb (2,184 Nm)	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)	3,819 ft.lb. (5,179 Nm)	4,838 ft.lb. (6,560 Nm)
@ 3300 psi (22,753 kPa)	1,429 ft.lb (1,937 Nm)	1,662 ft.lb (2,253 Nm)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)	-	-
@ 3500 psi (24,132 kPa)	1,516 ft.lb (2,055 Nm)	1,762 ft.lb (2,389 Nm)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)	4,177 ft.lb. (5,664 Nm)	5,291 ft.lb. (7,175 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E20, E26)								
7501033	**Model 12PH Auger Drive Unit** (Must also order Mounting Frame for MEX along with Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,115.00	24%	$1,607.40	$65.00	$50.00	$82.50	$1,804.90
(E26, E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E42R2, E50R2, E60R2)								
7501034	**Model 14PH Auger Drive Unit** (Must also order Mounting Frame for MEX along with Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,195.00	24%	$1,668.20	$65.00	$50.00	$82.50	$1,865.70
(E32, E35, E42, E45, E50, E55, E63) (E32R2, E35R2, E42R2, E50R2, E60R2, E88R2)								
7501035	**Model 20PH Auger Drive Unit** (Must also order Mounting Frame for MEX along with Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,280.00	24%	$1,732.80	$65.00	$50.00	$82.50	$1,930.30
(E42, E45, E50, E55, E63) (E42R2, E50R2, E60R2, E88R2)								
7501036	**Model 25PH Auger Drive Unit** (Must also order Mounting Frame for MEX along with Bit)(Auger Drive is not compatible with mounting from for Model 10 or 15C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,409.00	24%	$1,830.84	$65.00	$50.00	$82.50	$2,028.34
(E42, E45, E50, E55, E63, E80, E85)(E42R2, E50R2, E60R2, E88R2)								
7220280	**Model 35PH Auger Drive Unit** (Must order Bit and interface from accessories listed below) (Auger Drive units is shipped with bit retention pin)	$4,911.00	24%	$3,732.36	$130.00	$50.00	$82.50	$3,994.86
7227984	**Model 50PH Auger Drive Unit** (Must order Bit and interface from accessories listed below) (Auger Drive units is shipped with bit retention pin)	$5,620.00	24%	$4,271.20	$130.00	$50.00	$82.50	$4,533.70

Part Number	Dealer Installed Accessories - Order From Sales Description

Frames for 12PH, 14PH, 20PH & 25PH Coming Soon

Part Number	Dealer Installed Auger Bits - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Auger Drive & Bit Recommendations

12PH/14PH Augers—Recommended bit size 6" – 18"
20PH/25PH—Recommended bit size 6" – 30"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Auger- Direct Drive
Bobcat Excavator Attachment

Auger Interface

Coupler - Hyd. Style Interface



Auger Drive Unit

Direct Drive Auger Quick Specs

	Model 10	Model 15C	Model 15H	Model 30C	Model 30H
Ship Wgt (Auger Drive)	191 lbs.	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight (Coupler & Interface)	111 lbs.	111 lbs.	111 lbs.	111 lbs.	111 lbs.
Operating Wgt (less bit)	242 lbs.	296 lbs.	292 lbs.	314 lbs.	308 lbs.
Digging Depth					
(without extensions)	58"	62"	62"	62"	62"
Shaft Diameter - Round	2.5"	2.5"	-	2.5"	-
Shaft Diameter - Hex	-	2.0"	2.0"	2.0"	2.0"
RPM					
@ 8 gpm (30 L/min.)	48 rpm	-	-	-	-
@ 12 gpm (45 L/min.)	72 rpm	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.)	102 rpm	80 rpm	80 rpm	41 rpm	41 rpm
@ 18 gpm (68 L/min.)	-	-	-	-	-
@ 21 gpm (70 L/min.)	-	99 rpm	99 rpm	51 rpm	51 rpm
@ 22 gpm (83 L/min.)	-	-	-	-	-
@ 23 gpm (87 L/min.)	-	109 rpm	109 rpm	56 rpm	56 rpm
@ 26 gpm (98 L/min.)	-	-	-	-	-
@ 30 gpm (114 L/min.)	-	-	-	70 rpm	70 rpm
@ 32 gpm (121 L/min.)	-	-	-	-	-
@ 34 gpm (129 L/min.)	-	-	-	-	-
@ 36 gpm (136 L/min.)	-	-	-	-	-
@ 37 gpm (140 L/min.)	-	-	-	90 rpm	90 rpm
@ 38 gpm (144 L/min.)	-	-	-	-	-
Torque					
@ 2000 psi (19,788 kPa)	1,021 ft.lb. (1,523 Nm)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa)	1,225 ft.lb. (1,661 Nm)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2600 psi (17,926 kPa)	-	-	-	-	-
@ 2800 psi (18,616 kPa)	1,378 ft.lb. (1,868 Nm)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa)	1,532 ft.lb. (2,077 Nm)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3200 psi (22,753 kPa)	-	-	-	-	-
@ 3300 psi (22,753 kPa)	-	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)
@ 3500 psi (24,132 kPa)	-	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(322, 323, 324, 325, 328, 425) (E20, E26)								
6808799	**Model 10 Auger Drive Unit** (If installing on a 322-324 or E20 must order all three of the following: bit, Bolt-On X-Change and X-Change Auger Interface listed below.) (If installing on a 325, 328 or E26 equipped with X-Change, must order bit and X-Change Auger Interface listed below.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435) (E26, E32, E35, E42, E45, E50, E55, E63) (E80, E85) (E32R2, E35R2, E42R2, E50R2, E60R2, E88R2)								
6809442	**Model 15C Auger Drive Unit** (Must order Bit and interface from accessories listed below) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7145345	**Model 15H Hex Shaft Auger Drive Unit** (Must order Bit and interface from accessories listed below)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
6809445	**Model 30C Auger Drive Unit** (Must order Bit and interface from accessories listed below) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7138264	**Model 30H Hex Shaft Auger Drive Unit** (Must order Bit and interface from accessories listed below)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
NOTES:	1) Extendable Arm must be pinned in the retracted position to use hydraulic attachments. 2) Must order Hose Kit P/N 7214499 (Qty. 2) for E42 Long Arm, E45 long Arm, E50 Long Arm, E55 and E55 Extendable Arm							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6727180	**Bolt-On X-Change, 322 - 324, E20** (Must also order PN 6817100)	$398.00	24%	$302.48	$101.00	$0.00	$0.00	$403.48
6817100	**X-Change Auger Interface. 322 - 435, E26 - E63**	$577.00	24%	$438.52	$101.00	$0.00	$0.00	$539.52
7169329	**Mounting Frame, E80, E85**	$1,129.00	24%	$858.04	$101.00	$0.00	$0.00	$959.04
7307176	**Pin-On Mounting Cap, E85 R-Series/E88R2 Series** (Mounting cap uses 55mm pins)	$1,290.00	24%	$980.40	$42.00	$0.00	$0.00	$1,022.40

7387139	**CAP AUGER 1/8YD CIMC (Common Industry Mechanical Coupler)** CIMC "TAG" style 1/8 yd coupler for use on Model 10, 15C/H, 20C/H, & 35/50PH Augers	**$642.00**	**24%**	**$487.92**	**$59.00**	**$0.00**	**$0.00**	**$546.92**
7387140	**CAP AUGER 1/4YD CIMC (Common Industry Mechanical Coupler)** CIMC "TAG" style 1/4 yd coupler for use on Model 35/50PH Augers	**$1,130.00**	**24%**	**$858.80**	**$64.00**	**$0.00**	**$0.00**	**$922.80**

Auger Drive & Bit Recommendations

Model 10 Augers on a 322 - 324, E20 Excavator - Recommended bit size 6" - 18"
Model 10 Augers on a 325/328, E26 Excavators - Recommended bit size 6" - 36"
Model 15C/H & 30C/H Augers on 325 - 435, E26 - E63 Excavators - Recommended bit size 6" - 36"
Auger bit combinations should be used as a guidline. Recommendations are based upon average digging conditions.

Breaker, Hydraulic
Bobcat Excavator Attachment



Quick Specs

	HB280	*HB680*	*HB880*	*HB980*
Operating Weight (nail point & cap)	147 lbs.	392 lbs.	542 lbs.	617 lbs.
Impact Energy Class	60 ft. lb.	150 ft. lb.	300 ft. lb.	500 ft. lb.
CIMA Tool Energy Rating	59 ft. lb.	143 ft. lb.	207 ft. lb.	282 ft. lb.
Blows per Minute	1,290 @ 6 gpm	1,340 @ 13 gpm	1,310 @ 17 gpm	1,450 @ 21 gpm
Flow Requirements	3 - 6 gpm	7 - 13 gpm	8 - 17 gpm	12 - 21 gpm
Tool Working Length	10.6"	13.0"	13.0"	14.0"
Tool Diameter	1.5"	2.2"	2.6"	2.8"
Estimated Breaker Performance with Concrete				
Recommended Working Thickness	1 - 4"	2 - 4"	4 - 10"	6 - 14"
Demolished Volume per Hour				
Non-Reinforced Concrete	1 - 2 cu. yds.	1 - 4 cu. yds.	4 - 12 cu. yds.	5 - 15 cu. yds.
Reinforced Concrete	1 - 2 cu. yds.	1 - 3 cu. yds.	1 - 4 cu. yds.	2 - 6 cu. yds.

	HB1180	*HB1380*	*HB2380*
Operating Weight (nail point & cap)	774 lbs.	1,000 lbs.	1,039 lbs.
Impact Energy Class	750 ft. lb.	850 ft. lb.	1,000 ft. lb.
CIMA Tool Energy Rating	384 ft. lb.	515 ft. lb.	700 ft. lb.
Blows per Minute	1,280 @ 26 gpm	1,230 @ 32 gpm	910 @ 33 gpm
Flow Requirements	15 - 26 gpm	17 - 32 gpm	20 - 33 gpm
Tool Working Length	16.0"	17.0"	18.0"
Tool Diameter	3.0"	3.4"	3.8"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	8 - 16"	10 - 18"	12 - 20"
Demolished Volume per Hour			
Non-Reinforced Concrete	6 - 15 cu. yds.	8 - 18 cu. yds.	10 - 20 cu. yds.
Reinforced Concrete	2 - 7 cu. yds.	3 - 8 cu. yds.	4 - 9 cu. yds.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E10, 418)								
7133202	**HB280 Breaker** (Includes Nail Point, gauge tool, retainer clip and hose protector) (Must also order hose kit and mounting cap) (If used on 316 excavator, must also order temperature warning kit p/n 7140103 and coupler kit p/n 7170567)	**$6,385.00**	**24%**	**$4,852.60**	**$109.00**	**$50.00**	**$0.00**	**$5,011.60**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Accessories - HB280							
7170566	**Hose Kit for 316 & 418**	**$301.00**	**24%**	**$228.76**	**$0.00**	**$0.00**	**$0.00**	**$228.76**
7160677	**Pin-On Mounting Cap - 418**	**$151.00**	**24%**	**$114.76**	**$29.00**	**$0.00**	**$0.00**	**$143.76**

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(322, 323, 325, 328, 425) (E20, E26)								
7113419	**HB680 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)	**$6,328.00**	**24%**	**$4,809.28**	**$141.00**	**$50.00**	**$0.00**	**$5,000.28**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB680							
7117752	**Pin-On Mounting Cap - E20** (Must also order appropriate hose kit, P/N 7117823 or 7117832)	**$469.00**	**24%**	**$356.44**	**$46.00**	**$0.00**	**$0.00**	**$402.44**
7113656	**X-Change Mounting Cap - 325, 328, 425, E26** (Must also order appropriate hose kit, P/N 7117823 or 7117832)	**$769.00**	**24%**	**$584.44**	**$116.00**	**$0.00**	**$0.00**	**$700.44**
7387135	**CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)** (For use with HB680/NB140 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)	**$609.00**	**24%**	**$462.84**	**$59.00**	**$0.00**	**$0.00**	**$521.84**
	Accessories - HB680							
7117832	**Hose Kit - E20 Long Arm** (Includes hoses and quick couplers)	**$327.00**	**24%**	**$248.52**	**$11.00**	**$0.00**	**$0.00**	**$259.52**
7117823	**Hose Kit - 320, 322, 323, 325, 328, E26** (Includes hoses and quick couplers)	**$327.00**	**24%**	**$248.52**	**$11.00**	**$0.00**	**$0.00**	**$259.52**
7114762	**Hose Kit - E26 Long Arm** (Includes hoses and quick couplers)	**$327.00**	**24%**	**$248.52**	**$11.00**	**$0.00**	**$0.00**	**$259.52**

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(325, 328, 329, 331, 331E, 334, 425, 430) (E26, E32, E35) (E32R2, E35R2)								
7113420	**HB880 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit) (Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)	**$8,836.00**	**24%**	**$6,715.36**	**$171.00**	**$50.00**	**$0.00**	**$6,936.36**

NOTE: Approved for use with E60 s/n AGSZ11320 & below
Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB880							
7113657	X-Change Mounting Cap..... (Must also order a hose kit)	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)	$606.00	24%	$460.56	$60.00	$0.00	$0.00	$520.56
	Accessories - HB880							
7117834	Hose Kit - 331, 331E, 425, 430, 430 Extendable Arm..... (Includes hoses and quick couplers)	$278.00	24%	$211.28	$11.00	$0.00	$0.00	$222.28
6728963	Hose Kit - E32, E35..... (Includes hoses and quick couplers)	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
7114762	Hose Kit - E26 Long Arm..... (Includes hoses and quick couplers)	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
7180019	Hose Kit - E32 Long Arm, E35 Long Arm, E32R2/E35R2 Ext. Arm..... (Includes hoses and quick couplers)	$394.00	24%	$299.44	$0.00	$0.00	$0.00	$299.44
7175244	Hose Kit - E32/E35 Ext. Arm, R2-Series..... (Includes hoses and quick couplers)	$420.00	24%	$319.20	$0.00	$0.00	$0.00	$319.20

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(329, 331, 331E, 334, 335, 337, 341, 430, 435) (E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E42R2, E50R2, E60R2)								
7113421	HB980 Breaker..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit) (Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)	$11,068.00	24%	$8,411.68	$215.00	$50.00	$0.00	$8,676.68

NOTE: Approved for use with E60 s/n AGSZ11320 & below
Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB980							
7113657	X-Change Mounting Cap..... (Must also order a hose kit)	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)	$606.00	24%	$460.56	$60.00	$0.00	$0.00	$520.56
	Accessories - HB980							
7117834	Hose Kit - 331, 331E, 425, 430, 430 Extendable Arm..... (Includes hoses and quick couplers)	$278.00	24%	$211.28	$11.00	$0.00	$0.00	$222.28
6728967	Hose Kit - E50 WITH LONG ARM; E55; E60 R2 Ext. Arm - All ARMS..... (Includes hoses and quick couplers)	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
6728963	Hose Kit - E32, E35..... (Includes hoses and quick couplers)	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
7180019	Hose Kit - E32, E32R2, E35, E35R2, E42, E45 - ALL WITH LONG ARM..... (Includes hoses and quick couplers)	$394.00	24%	$299.44	$0.00	$0.00	$0.00	$299.44
7114762	Hose Kit - 337, E42, E45, E50..... (Includes hoses and quick couplers)	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
7175244	Hose Kit - R2-Series E32/E35/E42/E50/E60 All Arm Configurations..... (Includes hoses and quick couplers)	$420.00	24%	$319.20	$0.00	$0.00	$0.00	$319.20

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(335, 337, 341, 435, 442) (E42, E45, E50, E55, E60*, E63, E80, E85) (E42R2, E50R2, E60R2, E88R2)								
7115923	HB1180 Breaker..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)	$14,552.00	24%	$11,059.52	$283.00	$50.00	$0.00	$11,392.52

* Approved for use with E60 s/n AGSZ11321 & above

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB1180							
(335, 337, 341, 435) (E42, E45, E50, E55, E60, E63)								
7117325	X-Change Mounting Cap..... (Must also order a hose kit)	$930.00	24%	$706.80	$116.00	$0.00	$0.00	$822.80
(E80, E85)								
7168502	Pin-On Mounting Cap..... (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	$1,206.00	24%	$916.56	$116.00	$0.00	$0.00	$1,032.56
(E85 R-Series, E88R2 Series)								
7307177	Pin-On Mounting Cap..... (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	$1,189.00	24%	$903.64	$116.00	$0.00	$0.00	$1,019.64
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	$997.00	24%	$757.72	$63.00	$0.00	$0.00	$820.72
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	$997.00	24%	$757.72	$70.00	$0.00	$0.00	$827.72
	Accessories - HB1180							
7175244	Hose Kit - R2-Series E32/E35/E42/E50/E60 All Arm Configurations..... (Includes hoses and quick couplers)	$420.00	24%	$319.20	$0.00	$0.00	$0.00	$319.20
7114762	Hose Kit - 337, E42, E45, E50.....	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
6728967	Hose Kit - E50 WITH LONG ARM; E55; E60 R2 Ext. Arm - All ARMS.....	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
7130290	Hose Kit - 442.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7180019	Hose Kit - E42, E42 R2 Ext. Arm, E45 - ALL WITH LONG ARM.....	$394.00	24%	$299.44	$0.00	$0.00	$0.00	$299.44
7176608	Hose Kit - E60, E63, E80, E85.....	$461.00	24%	$350.36	$0.00	$0.00	$0.00	$350.36

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(442) (E60*, E63, E80, E85) (E88R2 Series)								
7157576	HB1380 Breaker..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)	$18,322.00	24%	$13,924.72	$350.00	$50.00	$0.00	$14,324.72

* Approved for use with E60 s/n AGSZ11321 & above

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB1380							
(442)								
7145372	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7130290)	**$1,022.00**	**24%**	**$776.72**	**$116.00**	**$0.00**	**$0.00**	**$892.72**
(E60, E63)								
7117325	**X-Change Mounting Cap** (Must also order a hose kit, P/N 7176608)	**$930.00**	**24%**	**$706.80**	**$116.00**	**$0.00**	**$0.00**	**$822.80**
(E80, E85)								
7168502	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	**$1,206.00**	**24%**	**$916.56**	**$116.00**	**$0.00**	**$0.00**	**$1,032.56**
(E85 R-Series)(E88R2 Series)								
7307177	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	**$1,189.00**	**24%**	**$903.64**	**$116.00**	**$0.00**	**$0.00**	**$1,019.64**
7387138	**CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)** (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	**$997.00**	**24%**	**$757.72**	**$63.00**	**$0.00**	**$0.00**	**$820.72**
7387137	**CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler)** (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	**$997.00**	**24%**	**$757.72**	**$70.00**	**$0.00**	**$0.00**	**$827.72**
	Accessories - HB1380							
7130290	**Hose Kit - 442** (Includes hoses and quick couplers)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
7176608	**Hose Kit - E60, E63, E80, E85** (Includes hoses and quick couplers)	**$461.00**	**24%**	**$350.36**	**$0.00**	**$0.00**	**$0.00**	**$350.36**

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(442) (E80, E85) (E88R2)								
7133203	**HB2380 Breaker** (Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Mounting Cap and Hose Kit)	**$22,191.00**	**24%**	**$16,865.16**	**$431.00**	**$50.00**	**$0.00**	**$17,346.16**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - HB2380							
(442)								
7145372	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7130290)	**$1,022.00**	**24%**	**$776.72**	**$116.00**	**$0.00**	**$0.00**	**$892.72**
(E80, E85)								
7168502	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	**$1,206.00**	**24%**	**$916.56**	**$116.00**	**$0.00**	**$0.00**	**$1,032.56**
(E85 R-Series)(E88R2)								
7307177	**Pin-On Mounting Cap** (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	**$1,189.00**	**24%**	**$903.64**	**$116.00**	**$0.00**	**$0.00**	**$1,019.64**
7387138	**CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)** (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	**$997.00**	**24%**	**$757.72**	**$63.00**	**$0.00**	**$0.00**	**$820.72**
7387137	**CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler)** (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	**$997.00**	**24%**	**$757.72**	**$70.00**	**$0.00**	**$0.00**	**$827.72**
	Accessories - HB2380							
7141851	**Auto-Grease Kit**	**$2,299.00**	**24%**	**$1,747.24**	**$84.00**	**$0.00**	**$165.00**	**$1,996.24**
7130290	**Hose Kit - 442** (Includes hoses and quick couplers)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
7176608	**Hose Kit - E80, E85** (Includes hoses and quick couplers)	**$461.00**	**24%**	**$350.36**	**$0.00**	**$0.00**	**$0.00**	**$350.36**

Breaker, Nitrogen
Bobcat Excavator Attachment



Quick Specs

	NB110	***NB140***	***NB150***
Operating Weight (nail point & cap)	160 lbs.	419 lbs.	556 lbs.
Impact Energy Class	150 ft. lb.	350 ft. lb.	550 ft. lb.
AEM Tool Energy Rating	81 ft. lb.	243 ft. lb.	303 ft. lb.
Blows per Minute	1,300 @ 7.9 gpm	1,022 @ 13.2 gpm	1,075 @ 20.4 gpm
Flow Requirements	3 - 8 gpm	7 - 13 gpm	13 - 20 gpm
Tool Working Length	11.2"	14.6"	13.0"
Tool Diameter	1.7"	2.2"	2.6"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	1 - 5"	4 - 12"	6 - 15"
Demolished Volume per Hour			
Non-Reinforced Concrete	1 - 3 cu. yds.	1 - 4 cu. yds.	4 - 15 cu. yds.
Reinforced Concrete	1 - 3 cu. yds.	1 - 4 cu. yds.	1 - 6 cu. yds.

	NB160	***NB170***	***NB180***
Operating Weight (nail point & cap)	773 lbs.	1,146 lbs.	1,251 lbs.
Impact Energy Class	900 ft. lb.	1,200 ft. lb.	1,500 ft. lb.
AEM Tool Energy Rating	592 ft. lb.	759 ft. lb.	996 ft. lb.
Blows per Minute	979 @ 23.3 gpm	965 @ 21.9 gpm	1,000 @ 29 gpm
Flow Requirements	13 - 24 gpm	11 - 24 gpm	15 - 30 gpm
Tool Working Length	18.4"	21.9"	22.7"
Tool Diameter	2.8"	3.2"	3.7"
Estimated Breaker Performance with Concrete			
Recommended Working Thickness	10 - 20"	12 - 22"	14 - 24"
Demolished Volume per Hour			
Non-Reinforced Concrete	6 - 20 cu. yds.	8 - 20 cu. yds.	11 - 25 cu. yds.
Reinforced Concrete	3 - 8 cu. yds.	4 - 10 cu. yds.	5 - 16 cu. yds.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

(E10, 418)

7355660	NB110 Breaker	$5,106.00	24%	$3,880.56	$116.00	$50.00	$0.00	$4,046.56
	(Includes Nail Point) (Must also order hose kit and mounting cap)							
	(If used on 316 excavator, must also order temperature warning kit p/n 7140103 and coupler kit p/n 7170567)							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Accessories - NB110							
7170566	Hose Kit for 316 & 418	$301.00	24%	$228.76	$0.00	$0.00	$0.00	$228.76
7160677	Pin-On Mounting Cap - 418	$151.00	24%	$114.76	$29.00	$0.00	$0.00	$143.76

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E20, E26)								
7355666	NB140 Breaker	$5,059.00	24%	$3,844.84	$141.00	$50.00	$0.00	$4,035.84
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - NB140							
7117752	Pin-On Mounting Cap - E20	$469.00	24%	$356.44	$46.00	$0.00	$0.00	$402.44
	Pin-On Mounting Cap - E20							
7113656	X-Change Mounting Cap - E26	$769.00	24%	$584.44	$116.00	$0.00	$0.00	$700.44
	(Must also order appropriate hose kit, P/N 7117823)							
7387135	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)	$609.00	24%	$462.84	$59.00	$0.00	$0.00	$521.84
	(For use with HB680/NB140 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)							
	Accessories - NB140							
7117832	Hose Kit - E20 Long Arm	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
	(Includes hoses and quick couplers)							
7117823	Hose Kit - 320, 322, 323, 325, 328, E26	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
	(Includes hoses and quick couplers)							
7114762	Hose Kit - E26 Long Arm	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
	(Includes hoses and quick couplers)							

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E26, E32, E35) (E32R2, E35R2)								
7234534	NB150 Breaker	$6,625.00	24%	$5,035.00	$141.00	$50.00	$0.00	$5,226.00
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)							

NOTE: **Extendable Arm must be pinned in the retracted position to use hydraulic attachments.**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - NB150							
7113657	X-Change Mounting Cap	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
	(Must also order a hose kit)							
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)	$606.00	24%	$460.56	$60.00	$0.00	$0.00	$520.56
	(For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also							
	Accessories - NB150							
7114762	Hose Kit - E26 Long Arm	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
	(Includes hoses and quick couplers)							
6728963	Hose Kit - E32, E35	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
	(Includes hoses and quick couplers)							
7180019	Hose Kit - E32 Long Arm, E35 Long Arm, E32R2/E35R2 Ext. Arm	$394.00	24%	$299.44	$0.00	$0.00	$0.00	$299.44
	(Includes hoses and quick couplers)							
7175244	Hose Kit - E32/E35 Ext. Arm, R2-Series	$420.00	24%	$319.20	$0.00	$0.00	$0.00	$319.20
	(Includes hoses and quick couplers)							

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E42R2, E50R2, E60R2)								
7234536	NB160 Breaker	$8,298.00	24%	$6,306.48	$160.00	$50.00	$0.00	$6,516.48
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)							

NOTE: **Extendable Arm must be pinned in the retracted position to use hydraulic attachments.**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frames - NB160							
7113657	X-Change Mounting Cap	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96
	(Must also order a hose kit)							
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)	$606.00	24%	$460.56	$60.00	$0.00	$0.00	$520.56
	(For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also							
	Accessories - NB160							
7175244	Hose Kit - R2-Series E32/E35/E42/E50/E60 All Arm Configurations	$420.00	24%	$319.20	$0.00	$0.00	$0.00	$319.20
	(Includes hoses and quick couplers)							
6728967	Hose Kit - E50 WITH LONG ARM; E55; E60 R2 Ext. Arm - All ARMS	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
	(Includes hoses and quick couplers)							
6728963	Hose Kit - E32, E35	$327.00	24%	$248.52	$0.00	$0.00	$0.00	$248.52
	(Includes hoses and quick couplers)							
7180019	Hose Kit - E32, E32R2, E35, E35R2, E42, E45 - ALL WITH LONG ARM	$394.00	24%	$299.44	$0.00	$0.00	$0.00	$299.44
	(Includes hoses and quick couplers)							
7114762	Hose Kit - 337, E42, E45, E50	$327.00	24%	$248.52	$11.00	$0.00	$0.00	$259.52
	(Includes hoses and quick couplers)							

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E63, E80, E85)(E88R2)								
7355672	NB170 Breaker	$12,634.00	24%	$9,601.84	$195.00	$50.00	$0.00	$9,846.84
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)							

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Mounting Frames - NB170

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E63)								
7117325	X-Change Mounting Cap (Must also order a hose kit, P/N 7176608)	$930.00	24%	$706.80	$116.00	$0.00	$0.00	$822.80
(E80, E85)								
7168502	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	$1,206.00	24%	$916.56	$116.00	$0.00	$0.00	$1,032.56
(E85 R-Series)(E88R2 Series)								
7307177	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	$1,189.00	24%	$903.64	$116.00	$0.00	$0.00	$1,019.64
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	$997.00	24%	$757.72	$63.00	$0.00	$0.00	$820.72
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	$997.00	24%	$757.72	$70.00	$0.00	$0.00	$827.72

Accessories - NB170

7176608	Hose Kit - E60, E63, E80, E85 (Includes hoses and quick couplers)	$461.00	24%	$350.36	$0.00	$0.00	$0.00	$350.36

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E80, E85)(E88R2)								
7355674	NB180 Breaker (Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Pin-On Mounting Cap and Hose Kit)	$14,417.00	24%	$10,956.92	$203.00	$50.00	$0.00	$11,209.92

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Mounting Frames - NB180

(E85)								
7168502	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	$1,206.00	24%	$916.56	$116.00	$0.00	$0.00	$1,032.56
(E85 R-Series)(E88R2 Series)								
7307177	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	$1,189.00	24%	$903.64	$116.00	$0.00	$0.00	$1,019.64
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	$997.00	24%	$757.72	$63.00	$0.00	$0.00	$820.72
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	$997.00	24%	$757.72	$70.00	$0.00	$0.00	$827.72

Accessories - NB180

7176608	Hose Kit - E80, E85 (Includes hoses and quick couplers)	$461.00	24%	$350.36	$0.00	$0.00	$0.00	$350.36

Bucket
Bobcat Excavator Attachments

Part Number	Buckets Description	ISO Heaped Capacity (FT^3)	Ship. WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Buckets & Grading Blade Current

Class 0 Buckets										
(418 Pin-On Style) (E10)										
7157626	8" Trenching Bucket with Teeth	0.31	29	$579.00	24%	$440.04	$62.00	$0.00	$0.00	$502.04
7140493	12" Trenching Bucket with Teeth	0.54	37	$635.00	24%	$482.60	$62.00	$0.00	$0.00	$544.60
7140489	16" Trenching Bucket with Teeth	0.79	43	$656.00	24%	$498.56	$62.00	$0.00	$0.00	$560.56
7150275	31" Grading Bucket, Smooth Lip	1.5	58	$787.00	24%	$598.12	$62.00	$0.00	$0.00	$660.12
Class I Buckets										
(320, 322, 323, 324 Pin-On Style) (E20)										
6715495	9" Trenching Bucket, 2 Bolt-On Teeth	0.5	53	$642.00	24%	$487.92	$47.00	$0.00	$0.00	$534.92
6715496	12" Trenching Bucket, 3 Bolt-On Teeth	0.7	63	$710.00	24%	$539.60	$47.00	$0.00	$0.00	$586.60
6715497	16" Trenching Bucket , 3 Bolt-On Teeth	1.1	75	$778.00	24%	$591.28	$47.00	$0.00	$0.00	$638.28
7109522	18" Trenching Bucket, 4 Bolt-On-Teeth	1.3	90	$802.00	24%	$609.52	$47.00	$0.00	$0.00	$656.52
6715498	20" Trenching Bucket, 4 Bolt-On Teeth	1.4	85	$847.00	24%	$643.72	$47.00	$0.00	$0.00	$690.72
6715499	39" Grading Bucket, Smooth Lip	3.1	146	$893.00	24%	$678.68	$104.00	$0.00	$0.00	$782.68
Class II Buckets										
(325, 328, 425 X-Change™ Style) (E26)										
*Class II includes weld-on shank with replaceable teeth										
*Class II Smooth Lip includes Bolt On Cutting Edge										
7333229	12" Trenching Bucket, Smooth Lip (Not compatible with hydraulic clamp)	1.33	167	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333230	12" Trenching Bucket, 3 Weld-On Shanks (Not compatible with hydraulic clamp)	1.33	173	$992.00	24%	$753.92	$95.00	$0.00	$0.00	$848.92
7333244	16" Trenching Bucket, Smooth Lip	1.92	192	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333245	16" Trenching Bucket, 4 Weld-On Shanks	1.92	195	$1,038.00	24%	$788.88	$96.00	$0.00	$0.00	$884.88
7333254	20" Trenching Bucket, Smooth Lip	2.53	226	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
7333255	20" Trenching Bucket, 4 Weld-On Shanks	2.53	230	$1,105.00	24%	$839.80	$99.00	$0.00	$0.00	$938.80
7333259	24" Trenching Bucket, Smooth Lip	3.14	254	$1,205.00	24%	$915.80	$100.00	$0.00	$0.00	$1,015.80
7333260	24" Trenching Bucket, 4 Weld-On Shanks	3.14	255	$1,205.00	24%	$915.80	$100.00	$0.00	$0.00	$1,015.80
7333978	36" Grading Bucket, Bolt On Cutting Edge	5.19	279	$1,542.00	24%	$1,171.92	$102.00	$0.00	$0.00	$1,273.92
7333979	48" Grading Bucket, Bolt On Cutting Edge	7.12	328	$1,865.00	24%	$1,417.40	$105.00	$0.00	$0.00	$1,522.40

NOTE: THESE BUCKETS ARE THE SAME BUCKETS AS USED WITH THE 607 BACKHOES.

6817096	55" Grading Blade	N/A	320	$1,296.00	24%	$984.96	$101.00	$0.00	$0.00	$1,085.96

Part Number	Buckets Description	ISO Heaped Capacity (FT^3)	Ship. WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Buckets & Grading Blade Current

Class III Buckets										
(329, 331, 331E, 334, 430 X-Change™ Style) (E32, E35) (E32R2, E35R2)										
*Class III includes weld-on shank with replaceable teeth										
*Class III Smooth Lip includes Bolt On Cutting Edge										
7323832	12" Trenching Bucket, Smooth Lip	1.6	178	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7323833	12" Trenching Bucket, 3 Weld-On Shanks	1.6	184	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7457562	12" SD Trenching Bucket, 3 Weld-On Esco Shanks	1.6	185	$1,526.00	24%	$1,159.76	$0.00	$0.00	$0.00	$1,159.76

7324829	16" Trenching Bucket, Smooth Lip	2.31	206	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7324830	16" Trenching Bucket, 4 Weld-On Shanks	2.31	208	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7457565	16" SD Trenching Bucket, 4 Weld-On Esco Shanks	2.31	207	$1,570.00	24%	$1,193.20	$0.00	$0.00	$0.00	$1,193.20
7323841	18" Trenching Bucket, Smooth Lip	2.68	226	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7323842	18" Trenching Bucket, 4 Weld-On Shanks	2.68	231	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7457568	18" SD Trenching Bucket, 4 Weld-On Esco Shanks	2.68	232	$1,720.00	24%	$1,307.20	$0.00	$0.00	$0.00	$1,307.20
7323820	20" Trenching Bucket, Smooth Lip	3.05	241	$1,558.00	24%	$1,184.08	$101.00	$0.00	$0.00	$1,285.08
7323821	20" Trenching Bucket, 4 Weld-On Shanks	3.05	244	$1,558.00	24%	$1,184.08	$101.00	$0.00	$0.00	$1,285.08
7457571	20" SD Trenching Bucket, 4 Weld-On Esco Shanks	3.05	245	$1,792.00	24%	$1,361.92	$88.00	$0.00	$0.00	$1,449.92
7323529	24" Trenching Bucket, Smooth Lip	3.8	238	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7323530	24" Trenching Bucket, 4 Weld-On Shanks	3.8	274	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7457574	24" SD Trenching Bucket, 4 Weld-On Esco Shanks	3.8	274	$1,852.00	24%	$1,407.52	$0.00	$0.00	$0.00	$1,407.52
7323822	30" Trenching Bucket, Smooth Lip	4.91	319	$1,794.00	24%	$1,363.44	$105.00	$0.00	$0.00	$1,468.44
7323823	30" Trenching Bucket, 5-Weld-On Shanks	4.91	325	$1,794.00	24%	$1,363.44	$105.00	$0.00	$0.00	$1,468.44
7457577	30" SD Trenching Bucket, 5 Weld-On Esco Shanks	4.9	319	$2,062.00	24%	$1,567.12	$92.00	$0.00	$0.00	$1,659.12
7323824	36" Trenching Bucket, Smooth Lip	6.02	365	$1,953.00	24%	$1,484.28	$109.00	$0.00	$0.00	$1,593.28
7323825	36" Trenching Bucket, 6 Weld-On Shanks	6.02	365	$1,953.00	24%	$1,484.28	$109.00	$0.00	$0.00	$1,593.28
7333978	36" Grading Bucket, Bolt On Cutting Edge	5.19	279	$1,542.00	24%	$1,171.92	$102.00	$0.00	$0.00	$1,273.92
7457580	36" SD Trenching Bucket, 6 Weld-On Esco Shanks	6.02	364	$2,247.00	24%	$1,707.72	$109.00	$0.00	$0.00	$1,816.72
7333979	48" Grading Bucket, Bolt On Cutting Edge	7.12	328	$1,865.00	24%	$1,417.40	$105.00	$0.00	$0.00	$1,522.40

NOTE: THESE BUCKETS ARE THE SAME BUCKETS AS USED WITH THE 709, 8709, 811 & 8811 BACKHOES.

6817096	55" Grading Blade	N/A	320	$1,296.00	24%	$984.96	$101.00	$0.00	$0.00	$1,085.96

Class III Buckets
(E42 "Standard" Buckets)
*Class III includes weld-on shank with replaceable teeth
*Class III Smooth Lip includes Bolt On Cutting Edge

7323832	12" Trenching Bucket, Smooth Lip	1.6	178	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7323833	12" Trenching Bucket, 3 Weld-On Shanks	1.6	184	$1,327.00	24%	$1,008.52	$97.00	$0.00	$0.00	$1,105.52
7457562	12" SD Trenching Bucket, 3 Weld-On Esco Shanks	1.6	185	$1,526.00	24%	$1,159.76	$0.00	$0.00	$0.00	$1,159.76
7324829	16" Trenching Bucket, Smooth Lip	2.31	206	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7324830	16" Trenching Bucket, 4 Weld-On Shanks	2.31	208	$1,365.00	24%	$1,037.40	$99.00	$0.00	$0.00	$1,136.40
7457565	16" SD Trenching Bucket, 4 Weld-On Esco Shanks	2.31	207	$1,570.00	24%	$1,193.20	$0.00	$0.00	$0.00	$1,193.20
7323841	18" Trenching Bucket, Smooth Lip	2.68	226	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7323842	18" Trenching Bucket, 4 Weld-On Shanks	2.68	231	$1,496.00	24%	$1,136.96	$100.00	$0.00	$0.00	$1,236.96
7457568	18" SD Trenching Bucket, 4 Weld-On Esco Shanks	2.68	232	$1,720.00	24%	$1,307.20	$0.00	$0.00	$0.00	$1,307.20
7323529	24" Trenching Bucket, Smooth Lip	3.8	238	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7323530	24" Trenching Bucket, 4 Weld-On Shanks	3.8	274	$1,611.00	24%	$1,224.36	$102.00	$0.00	$0.00	$1,326.36
7457574	24" SD Trenching Bucket, 4 Weld-On Esco Shanks	3.8	274	$1,852.00	24%	$1,407.52	$0.00	$0.00	$0.00	$1,407.52

Buckets

Part Number	Description	ISO Heaped Capacity (FT^3)	Ship. WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Class IV Buckets
(335, 337, 341 & 435 X-CHANGE™ STYLE) (E42, E45, E50, E55, E60, E63) (E42R2, E50R2, E60R2)
*Class IV includes weld-on shank with replaceable teeth
*Class IV Smooth Lip includes Bolt On Cutting Edge

7321975	12" Trenching Bucket, Smooth Lip	2.19	225	$1,419.00	24%	$1,078.44	$100.00	$0.00	$0.00	$1,178.44
7321974	12" Trenching Bucket, 3 Weld-On Shanks	2.19	225	$1,419.00	24%	$1,078.44	$100.00	$0.00	$0.00	$1,178.44
7457583	12" SD Trenching Bucket, 3 Weld-On Esco Shanks	2.19	233	$1,632.00	24%	$1,240.32	$0.00	$0.00	$0.00	$1,240.32
7322080	18" Trenching Bucket, Smooth Lip	3.69	285	$1,648.00	24%	$1,252.48	$103.00	$0.00	$0.00	$1,355.48
7322082	18" Trenching Bucket, 4 Weld-On Shanks	3.69	285	$1,648.00	24%	$1,252.48	$107.00	$0.00	$0.00	$1,359.48
7457586	18" SD Trenching Bucket, 4 Weld-On Esco Shanks	3.69	295	$1,895.00	24%	$1,440.20	$0.00	$0.00	$0.00	$1,440.20
7311869	24" Trenching Bucket, Smooth Lip	5.27	346	$1,901.00	24%	$1,444.76	$107.00	$0.00	$0.00	$1,551.76
7311868	24" Trenching Bucket, 4 Weld-On Shanks	5.27	341	$1,901.00	24%	$1,444.76	$103.00	$0.00	$0.00	$1,547.76
7457592	24" SD Trenching Bucket, 4 Weld-On Esco Shanks	5.27	361	$2,187.00	24%	$1,662.12	$0.00	$0.00	$0.00	$1,662.12
7322087	30" Trenching Bucket, Smooth Lip	6.86	404	$2,144.00	24%	$1,629.44	$111.00	$0.00	$0.00	$1,740.44
7322088	30" Trenching Bucket, 5-Weld-On Shanks	6.86	405	$2,144.00	24%	$1,629.44	$111.00	$0.00	$0.00	$1,740.44
7457595	30" SD Trenching Bucket, 5 Weld-On Esco Shanks	6.86	410	$2,465.00	24%	$1,873.40	$111.00	$0.00	$0.00	$1,984.40
7322090	36" Trenching Bucket, Smooth Lip	8.46	461	$2,312.00	24%	$1,757.12	$116.00	$0.00	$0.00	$1,873.12
7322091	36" Trenching Bucket, 6 Weld-On Shanks	8.46	458	$2,312.00	24%	$1,757.12	$116.00	$0.00	$0.00	$1,873.12
7333657	36" Grading Bucket, Bolt On Cutting Edge	6.33	355	$1,849.00	24%	$1,405.24	$108.00	$0.00	$0.00	$1,513.24
7457598	36" SD Trenching Bucket, 6 Weld-On Esco Shanks	8.46	471	$2,659.00	24%	$2,020.84	$119.00	$0.00	$0.00	$2,139.84
7333658	48" Grading Bucket, Bolt On Cutting Edge	8.69	444	$2,271.00	24%	$1,725.96	$114.00	$0.00	$0.00	$1,839.96
7333659	60" Grading Bucket, Bolt On Cutting Edge	11.05	355	$2,684.00	24%	$2,039.84	$124.00	$0.00	$0.00	$2,163.84

(APPROVED FOR 335, 337, 341, & 435 X-CHANGE STYLE. NOT APPROVED FOR E42-E63)

6817096	55" Grading Blade	N/A	320	$1,296.00	24%	$984.96	$101.00	$0.00	$0.00	$1,085.96

Class V Buckets
(E55, E63) (E60R2)
*Class V includes weld-on shank with replaceable teeth
*Class V Smooth Lip includes Bolt On Cutting Edge

7333363	18" Trenching Bucket, Smooth Lip	4.36	335	$1,705.00	24%	$1,295.80	$110.00	$0.00	$0.00	$1,405.80
7333364	18" Trenching Bucket, 4 Weld-On Shanks	4.36	332	$1,705.00	24%	$1,295.80	$110.00	$0.00	$0.00	$1,405.80
7457601	18" SD Trenching Bucket, 4 Weld-On Esco Shanks	4.36	342	$1,961.00	24%	$1,490.36	$110.00	$0.00	$0.00	$1,600.36
7333373	24" Trenching Bucket, Smooth Lip	6.24	402	$1,965.00	24%	$1,493.40	$113.00	$0.00	$0.00	$1,606.40
7333374	24" Trenching Bucket, 4 Weld-On Shanks	6.24	383	$1,965.00	24%	$1,493.40	$113.00	$0.00	$0.00	$1,606.40
7457604	24" SD Trenching Bucket, 4 Weld-On Esco Shanks	6.24	401	$2,260.00	24%	$1,717.60	$118.00	$0.00	$0.00	$1,835.60
7333378	30" Trenching Bucket, Smooth Lip	8.16	465	$2,215.00	24%	$1,683.40	$109.00	$0.00	$0.00	$1,792.40
7333379	30" Trenching Bucket, 5-Weld-On Shanks	8.16	460	$2,215.00	24%	$1,683.40	$113.00	$0.00	$0.00	$1,796.40
7457607	30" SD Trenching Bucket, 5 Weld-On Esco Shanks	8.16	466	$2,547.00	24%	$1,935.72	$113.00	$0.00	$0.00	$2,048.72
7333383	36" Trenching Bucket, Smooth Lip	10.09	529	$2,388.00	24%	$1,814.88	$124.00	$0.00	$0.00	$1,938.88
7333384	36" Trenching Bucket, 6 Weld-On Shanks	10.09	516	$2,388.00	24%	$1,814.88	$124.00	$0.00	$0.00	$1,938.88
7457610	36" SD Trenching Bucket, 6 Weld-On Esco Shanks	10.09	530	$2,746.00	24%	$2,086.96	$126.00	$0.00	$0.00	$2,212.96
7333658	48" Grading Bucket, Bolt On Cutting Edge	8.69	444	$2,271.00	24%	$1,725.96	$114.00	$0.00	$0.00	$1,839.96
7333659	60" Grading Bucket, Bolt On Cutting Edge	11.05	355	$2,684.00	24%	$2,039.84	$124.00	$0.00	$0.00	$2,163.84

Buckets

Part Number	Description	ISO Heaped Capacity (FT^3)	Ship. WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Class VI Buckets

E80, E85 M-SERIES PIN-ON BUCKETS*

(E80, E85) *Not compatible R-Series E85

7171895	18" Trenching Bucket, 3 Weld-On Shanks	6.6	342	$2,237.00	24%	$1,700.12	$110.00	$0.00	$0.00	$1,810.12
7171893	24" Trenching Bucket, 4 Weld-On Shanks	9.5	414	$2,500.00	24%	$1,900.00	$113.00	$0.00	$0.00	$2,013.00
7171897	36" Trenching Bucket, 5 Weld-On Shanks	15	617	$3,027.00	24%	$2,300.52	$126.00	$0.00	$0.00	$2,426.52
7171899	54" Grading Bucket, Smooth Lip	14.1	620	$3,158.00	24%	$2,400.08	$144.00	$0.00	$0.00	$2,544.08

E85 R-Series Pin-On Buckets*

(E85R)(E88R2) *Not compatible with M-Series E80, E85

7322125	18" Trenching Bucket, 3 Weld-On Shanks	5.69	486	$1,804.00	24%	$1,371.04	$118.00	$0.00	$0.00	$1,489.04

7457613	18" Trenching Bucket, 3 Weld-On Esco Shanks	5.69	521	$2,388.00	24%	$1,814.88	$126.00	$0.00	$0.00	$1,940.88
7322123	24" Trenching Bucket, 4 Weld-On Shanks	8.14	561	$2,064.00	24%	$1,568.64	$127.00	$0.00	$0.00	$1,695.64
7457616	24" Trenching Bucket, 4 Weld-On Esco Shanks	8.14	590	$2,583.00	24%	$1,963.08	$132.00	$0.00	$0.00	$2,095.08
7322126	36" Trenching Bucket, 5 Weld-On Shanks	13.27	704	$2,450.00	24%	$1,862.00	$142.00	$0.00	$0.00	$2,004.00
7457619	36" Trenching Bucket, 5 Weld-On Esco Shanks	13.27	756	$3,185.00	24%	$2,420.60	$152.00	$0.00	$0.00	$2,572.60
7334506	60" Grading Bucket, Bolt On Cutting Edge	15.51	668	$3,076.00	24%	$2,337.76	$125.00	$0.00	$0.00	$2,462.76
	E145 Pin-On Buckets									
(E145)										
7382549	24" Trenching Bucket, Includes Wear Shrouds	11.34	878	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7382550	36" Trenching Bucket, Includes Wear Shrouds	19.17	1147	$4,919.00	24%	$3,738.44	$272.00	$0.00	$0.00	$4,010.44
7382551	42" Trenching Bucket, Includes Wear Shrouds	22.95	1253	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7382900	60" Grading Bucket, Smooth Lip	37.53	1548	$6,284.00	24%	$4,775.84	$187.00	$0.00	$0.00	$4,962.84
	E165 Pin-On Buckets									
(E165)										
7401685	36" Trenching Bucket, Includes Wear Shrouds	21.6	1483	$6,297.00	24%	$4,785.72	$272.00	$0.00	$0.00	$5,057.72
7401686	42" Trenching Bucket, Includes Wear Shrouds	26.1	1641	$7,080.00	24%	$5,380.80	$272.00	$0.00	$0.00	$5,652.80
7401687	48" Trenching Bucket, Includes Wear Shrouds	30.5	1775	$7,614.00	24%	$5,786.64	$322.00	$0.00	$0.00	$6,108.64
7401688	60" Grading Bucket, Smooth Lip	44.28	2009	$8,417.00	24%	$6,396.92	$0.00	$0.00	$0.00	$6,396.92
	442 Pin-On Buckets									
(442)										
7125310	18" Trenching Bucket, 3 Weld-On Shanks	5.2	342	$2,237.00	24%	$1,700.12	$96.00	$0.00	$0.00	$1,796.12
7125308	24" Trenching Bucket, 4 Weld-On Shanks	7.3	414	$2,500.00	24%	$1,900.00	$101.00	$0.00	$0.00	$2,001.00
7125312	36" Trenching Bucket, 5 Weld-On Shanks	9.9	617	$3,027.00	24%	$2,300.52	$101.00	$0.00	$0.00	$2,401.52
7125306	54" Grading Bucket, Smooth Lip	9.5	406	$4,419.00	24%	$3,358.44	$138.00	$0.00	$0.00	$3,496.44

CIMC (Common Industry Mechanical Coupler) Buckets and Couplers
Bobcat Excavator Attachments

Part Number	Description	ISO Heaped Capacity (FT^3)	Ship. WGT.	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Buckets									
Class 2 CIMC Buckets										
7343707	12" Trenching Bucket	1.1	105	$596.00	24%	$452.96	$45.00	$0.00	$0.00	$497.96
7343709	18" Trenching Bucket	1.8	142	$759.00	24%	$576.84	$50.00	$0.00	$0.00	$626.84
7343710	24" Trenching Bucket	2.6	173	$915.00	24%	$695.40	$53.00	$0.00	$0.00	$748.40
Class 3 CIMC Buckets										
7343711	12" Trenching Bucket	1.8	125	$646.00	24%	$490.96	$47.00	$0.00	$0.00	$537.96
7343713	18" Trenching Bucket	2.5	170	$778.00	24%	$591.28	$52.00	$0.00	$0.00	$643.28
7343714	24" Trenching Bucket	3.6	207	$938.00	24%	$712.88	$56.00	$0.00	$0.00	$768.88
Class 4 CIMC Buckets										
7343719	12" Trenching Bucket	1.8	157	$696.00	24%	$528.96	$51.00	$0.00	$0.00	$579.96
7343721	18" Trenching Bucket	2.3	211	$838.00	24%	$636.88	$57.00	$0.00	$0.00	$693.88
7343722	24" Trenching Bucket	4.4	259	$1,011.00	24%	$768.36	$62.00	$0.00	$0.00	$830.36
Class 6 CIMC Buckets										
7343729	24" Trenching Bucket	8.5	430	$1,187.00	24%	$902.12	$83.00	$0.00	$0.00	$985.12

Clamp, Hydraulic
Bobcat Excavator Attachment

Quick Specs

	E20	*E26-E35*	*E42*	*E42-E63*	*E85*
Operating Weight	50 lbs.	126 lbs.	171 lbs.	218 lbs.	449 lbs.
Clamp Width	5.5"	13.0"	14.4"	15.0"	16.5"
Tooth Radius	19.8"	27.2"	27.2"	32.0"	41.0"
Tooth Thickness	1/2"	3/4"	3/4"	1"	1"
Class	I	III	III	IV	V

	322-334	*325-430*	*335-435*	*442*
Operating Weight	70 lbs.	176 lbs.	299 lbs.	265 lbs.
Clamp Width	5.5"	13.0"	14.4"	16.0"
Tooth Radius	21.5"	27.2"	30.7"	31.3"
Tooth Thickness	1/2"	3/4"	1"	1"
Class	I	III	IV	V

Pro Clamp™ System

	E32i-E35	*E42-E55*
Operating Weight	121 lbs.	215 lbs.
Clamp Width	12"	14"
Class	III	IV

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
	Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers							
(E20)								
7258209	Hydraulic Clamp (Includes Clamp, cylinder, hoses, hose bracket, & pins) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)	$1,396.00	24%	$1,060.96	$101.00	$50.00	$165.00	$1,376.96
(322, 323, 324)								
7110207	Hydraulic Clamp (Includes Clamp, cylinder, port relief, cylinder bracket, hoses & pins) (Use with a Trenching Bucket) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)	$2,040.00	24%	$1,550.40	$91.00	$50.00	$330.00	$2,021.40
(325*, 328, 329, 331*, 334, 425, 430) CLASS II/III								
7104321	Hydraulic Clamp (Includes cylinder, hoses & pins, and port relief) (For excavators with long arm option must also order hose extension P/N 6714741 (Qty. 2) from Parts)	$2,554.00	24%	$1,941.04	$123.00	$50.00	$412.50	$2,526.54

(329 excavator must also order Auxiliary Hydraulics p/n 7126596)
(The Hydraulic Clamp is NOT approved for use with the extendable arm option)
(Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)

(For non-current excavators refer to Bobcat Parts for correct Port Relief, Port Relief Block and Clamp Cylinder Bracket.)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E26) Class III								
7206504	**Hydraulic Clamp, Standard Arm** (Includes cylinder, hoses & pins)	$2,554.00	24%	$1,941.04	$129.00	$0.00	$0.00	$2,070.04
7206505	**Hydraulic Clamp, Long Arm** (Includes cylinder, hoses & pins)	$2,554.00	24%	$1,941.04	$129.00	$50.00	$330.00	$2,450.04
(E32R2,E35R2) Class III								
7435277	**Hydraulic Clamp, Standard and Long Arm** (Includes cylinder hoses & pins)	$2,746.00	24%	$2,086.96	$129.00	$50.00	$330.00	$2,595.96
7203200	**Hydraulic Clamp, Extendable Arm** (The Hydraulic Clamp is approved for use with the extendable arm extended) (Includes cylinder, hoses & pins)	$2,746.00	24%	$2,086.96	$129.00	$50.00	$330.00	$2,595.96
(E32, E35) Class III								
7171388	**Hydraulic Clamp, Standard Arm** (Includes cylinder, hoses & pins)	$2,746.00	24%	$2,086.96	$129.00	$50.00	$330.00	$2,595.96
7171389	**Hydraulic Clamp, Long Arm** (Includes cylinder, hoses & pins)	$2,746.00	24%	$2,086.96	$129.00	$50.00	$330.00	$2,595.96
7203200	**Hydraulic Clamp, Extendable Arm** (The Hydraulic Clamp is approved for use with the extendable arm extended) (Includes cylinder, hoses & pins)	$2,746.00	24%	$2,086.96	$129.00	$50.00	$330.00	$2,595.96
(E42) Class III								
7182692	**Hydraulic Clamp, Standard Arm** (For use with Class III Buckets) (Includes cylinder, hoses & pins)	$2,891.00	24%	$2,197.16	$141.00	$0.00	$0.00	$2,338.16
7182693	**Hydraulic Clamp, Long Arm** (For use with Class III Buckets) (Includes cylinder, hoses & pins)	$2,891.00	24%	$2,197.16	$141.00	$0.00	$0.00	$2,338.16
(E42R2) Class III								
7419577	**Hydraulic Clamp, Long and Standard Arm** (For use with Class III Buckets) (Includes cylinder, hoses & pins)	$3,100.00	24%	$2,356.00	$141.00	$50.00	$0.00	$2,547.00
(337, 341) CLASS IV								
7131930	**Hydraulic Clamp** (Includes cylinder, hoses & pins, but for 337 with long arm must also order hose extension P/N 6808278 (Qty. 2) from Parts) (Use with a Trenching Bucket or 3-Tine Grapple)	$3,955.00	24%	$3,005.80	$126.00	$50.00	$247.50	$3,429.30
(335, 435) CLASS IV								
7131931	**Hydraulic Clamp** (Includes cylinder, hoses & pins) (Use with a Trenching Bucket or 3-Tine Grapple) (If using with 435 equipped with Long Arm must also order hose extensions p/n 6808278, qty 2)	$3,333.00	24%	$2,533.08	$126.00	$50.00	$247.50	$2,956.58

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E42, E45) CLASS IV								
7186614	**Hydraulic Clamp, Standard Arm** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,333.00	24%	$2,533.08	$144.00	$50.00	$165.00	$2,892.08
7186615	**Hydraulic Clamp, Long Arm** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,333.00	24%	$2,533.08	$144.00	$0.00	$247.50	$2,924.58
7269969	**Hydraulic Clamp, Extendable Arm** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,334.00	24%	$2,533.84	$141.00	$0.00	$0.00	$2,674.84
(E50) CLASS IV								
7182661	**Hydraulic Clamp, Standard Arm** (Includes cylinder, hoses & pins)	$3,475.00	24%	$2,641.00	$144.00	$0.00	$0.00	$2,785.00
7182663	**Hydraulic Clamp, Long Arm** (Includes cylinder, hoses & pins)	$3,475.00	24%	$2,641.00	$144.00	$0.00	$0.00	$2,785.00
(E55) CLASS IV								
7182663	**Hydraulic Clamp** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,475.00	24%	$2,641.00	$144.00	$0.00	$0.00	$2,785.00
7269968	**Hydraulic Clamp, Extendable Arm** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,476.00	24%	$2,641.76	$141.00	$0.00	$0.00	$2,782.76
(E42R2, E50R2, E60R2) CLASS IV								
7419569	**Hydraulic Clamp, Long and Standard Arm (E42R2, E50R2, E60R2)** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,727.00	24%	$2,832.52	$141.00	$50.00	$0.00	$3,023.52
7434998	**Hydraulic Clamp, Extendable Arm** (For use with Class IV Buckets) (Includes cylinder, hoses & pins)	$3,727.00	24%	$2,832.52	$141.00	$50.00	$0.00	$3,023.52
(E60, E63)								
7187919	**Hydraulic Clamp** (Includes cylinder, hoses & pins)	$3,876.00	24%	$2,945.76	$144.00	$50.00	$165.00	$3,304.76
(E80, E85)								
7171909	**Hydraulic Clamp** (Includes cylinder, hoses & 45mm pins)	$5,572.00	24%	$4,234.72	$182.00	$50.00	$330.00	$4,796.72
(E85 R-Series)(E88R2)								
7333391	**Hydraulic Clamp** (Includes cylinder, hoses & 55mm pins)	$5,490.00	24%	$4,172.40	$182.00	$0.00	$330.00	$4,684.40

Flail Mower
Bobcat Excavator Attachment

Quick Specs

	30FM	***40FM***	***40FMR***
Weight (with X-Change Mount)	649 lbs.	736 lbs.	881 lbs.
Weight (with Pin-On Mount)	N/A	708 lbs.	876 lbs.
Working Width	30"	40"	40"
Overall Width	50.4"	60.4"	60.4"
Cutting Capacity	Up to 4" (Only up to 1.5" on E32i, E35i)	Up to 4"	Up to 4"
Hydraulic Flow	12.2-19.5 GPM	14-22.4 GPM	18.4-31.7 GPM
Number of Knives	27	36	36
Mount Options	X-Change	X-Change, Pin-On	X-Change, Pin-On

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E32, E35) (E32i*, E35i*) (E32R2, E35R2)								
7225484	**30" Flail Mower - 30FM** (Approved only for excavator models equipped with an enclosed cab) (Approved on Long and Extendable Arm – must have extendable arm retracted during flail mower use.) (Must also order case drain kit, hose kit and mounting cap)	$10,003.00	24%	$7,602.28	$197.00	$100.00	$0.00	$7,899.28

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E42, E45, E50, E55) (E42R2, E50R2, E60R2)								
7225485	**40" Flail Mower - 40FM** (Approved only for excavator models equipped with an enclosed cab) (Approved on Long and Extendable Arm – must have extendable arm retracted during flail mower use.) (Must also order case drain kit, hose kit and mounting cap)	$11,240.00	24%	$8,542.40	$221.00	$100.00	$0.00	$8,863.40
(E63, E80, E85) (E88R2)								
7225486	**40" Reinforced Flail Mower - 40FMR** (Approved only for excavator models equipped with an enclosed cab) (Must also order case drain kit, hose kit and mounting cap)	$12,482.00	24%	$9,486.32	$263.00	$100.00	$0.00	$9,849.32

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Factory Installed Accessories							
	Accessories - 30" Flail Mower - 30FM							
7245468	**Hoses for E32, E32i, E32R2, E35, E35i, E35R2** (Includes hoses and quick couplers) (Must order 7245617 and 7238337)	$307.00	24%	$233.32	$25.00	$0.00	$0.00	$258.32
7238337	**X-Change Mounting Cap - E32, E32i, E35, E35i.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	$1,183.00	24%	$899.08	$45.00	$0.00	$0.00	$944.08
	Accessories - 40" Flail Mower - 40FM							
7245468	**Hoses for R2-Series E42/E50/E60 All Arm Configurations** (Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	$307.00	24%	$233.32	$25.00	$0.00	$0.00	$258.32
7245468	**Hoses for Std. Arm E42, E45, E50 and Ext Arm E42, E45.** (Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	$307.00	24%	$233.32	$25.00	$0.00	$0.00	$258.32
7245459	**Hoses for Std Arm E42, E45, E50, E55, and E55 Ext Arm.** (Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	$345.00	24%	$262.20	$25.00	$0.00	$0.00	$287.20
7238337	**X-Change Mounting Cap - E42, E45, E50, E55, E60.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	$1,183.00	24%	$899.08	$45.00	$0.00	$0.00	$944.08
7246964	**Pin-On Mounting Cap - E42, E45, E50, E55.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	$1,107.00	24%	$841.32	$43.00	$0.00	$0.00	$884.32
	Accessories - 40" Reinforced Flail Mower - 40FMR							
7260182	**Hoses for 40FMR on E63, E80, E85 and E88R2.** (Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	$346.00	24%	$262.96	$25.00	$0.00	$0.00	$287.96
7238337	**X-Change Mounting Cap - E63.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	$1,183.00	24%	$899.08	$45.00	$0.00	$0.00	$944.08
7238338	**Pin-On Mounting Cap - E80, E85.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit, mounting cap uses 45 mm pins)	$1,490.00	24%	$1,132.40	$57.00	$0.00	$0.00	$1,189.40
7307134	**Pin-On Mounting Cap - E85 R-Series, E88 R2-Series.** (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit, mounting cap uses 55 mm pins)	$1,468.00	24%	$1,115.68	$116.00	$0.00	$0.00	$1,231.68

Grapple, 3-Tine
Bobcat Excavator Attachment

Quick Specs

	Grapple, Class III	*Grapple, Class IV*
Operating Weight	200 lbs.	225 lbs.
Grapple Width	20.5"	20.5"
Tine Radius	27.0"	33.0"
Tine Thickness	0.75"	0.75"

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
(325, 328, 329, 331, 334, 425, 430) (E26, E32, E35)								
7102977	**3-Tine Grapple, Class III** (X-Change System Required) (Hydraulic Clamp is recommended when using 3-Tine Grapple)	$1,011.00	24%	$768.36	$101.00	$0.00	$0.00	$869.36
(335, 337, 341, 435) (E42, E45, E50, E55, E60, E63)(E42R2, E50R2, E60R2)								
6817104	**3-Tine Grapple, Class IV** (X-Change System Required) (Hydraulic Clamp is recommended when using 3-Tine Grapple)	$1,282.00	24%	$974.32	$101.00	$0.00	$0.00	$1,075.32

Hydra-Tilt
Bobcat Excavator Attachment



Quick Specs

Operating Weight	250 lbs.
Width	17.5"
Length	31"
Side-to-Side Rotation	60º
Output Torque	3,210 ft-lbs. @ 3000 psi

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Attachment							
(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435) (E26, E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E42R2, E50R2, E60R2)								
6728578	**Hydra-Tilt** (Must also order Hose Kit below) (Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator) (Not compatible with E42-E55 Pro ClampTM)	$2,835.00	24%	$2,154.60	$101.00	$50.00	$82.50	$2,388.10

NOTE: **Extendable Arm must be pinned in the retracted position to use hydraulic attachments.**

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Dealer Installed Accessories - Order From Sales							

(325, 329, 331, 331E, 425, 430) (E26, E32, E35, E60, E63) (R2-Series E32/E35/E42/E50/E60)								
6729174	**Excavator Hose Kit** (This hose kit must be used on above excavators when using a Hydra-Tilt)	**$345.00**	**24%**	**$262.20**	**$0.00**	**$0.00**	**$0.00**	**$262.20**
(328, 334, 335, 337, 430 Long Arm, 435) (E42, E45, E50) **(E26, E32, E35, E42 E45 – All with Long Arm)**								
6729175	**Excavator Hose Kit** (This hose kit must be used on above excavators when using a Hydra-Tilt)	**$363.00**	**24%**	**$275.88**	**$0.00**	**$0.00**	**$0.00**	**$275.88**
(341 Long Arm, 435 Long Arm, E50 Long Arm, E55)								
6729176	**Excavator Hose Kit** (This hose kit must be used on above excavators when using a Hydra-Tilt)	**$382.00**	**24%**	**$290.32**	**$0.00**	**$0.00**	**$0.00**	**$290.32**

Laser Equipment
Bobcat Excavator Attachment

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(322, 323, 325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435, 442) **(E26, E32, E35, E42, E45, E50, E55, E60, E63, E80, E85)**								
7387821	**Laser Receiver, CR700** (Can be used as handheld, machine, or rod-mounted laser receiver) (Includes magnetic mount for machines and clamp mount for grader rod)	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
7275232	**Laser Transmitter, Dual Slope** (Trimble GL422; Includes CR700 Receiver)	**$3,985.00**	**24%**	**$3,028.60**	**$71.00**	**$0.00**	**$0.00**	**$3,099.60**
6688806	**Tripod**	**$397.00**	**24%**	**$301.72**	**$22.00**	**$0.00**	**$0.00**	**$323.72**

Packer Wheel
Bobcat Excavator Attachment



Quick Specs

Operating Weight	386 lbs.
Width	11.0"
Length	39.8"
Wheel Assembly	2
Wheel Diameter	30.0"
Sheepfoot (hollow tube)	18 (9 per wheel)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435) **(E26, E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E42R2, E50R2, E60R2)**								
6806644	**Packer Wheel**	**$2,919.00**	**24%**	**$2,218.44**	**$101.00**	**$50.00**	**$0.00**	**$2,369.44**

Plate Compactor
Bobcat Excavator Attachment

Quick Specs

	PCF34	*PCF64*
Operating Weight	478 lbs.	856 lbs.
Width	18.75"	23.5"
Length	26.0"	34.2"
Dynamic Force	3400 lbs.	6400 lbs.
Frequency	2100 VPM	2000 VPM
Minimum Flow	12 GPM	12 GPM
Maximum Flow	28 GPM	28 GPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E42R2, E50R2, E60R2)								
7211623	**PCF34 Plate Compactor** (Must also order X-Change Mounting Cap and Hose Kit)	**$6,829.00**	**24%**	**$5,190.04**	**$209.00**	**$50.00**	**$247.50**	**$5,696.54**
(E55, E60, E63, E80, E85) (E60R2, E88R2)								
7210256	**PCF64 Plate Compactor** (Must also order Mounting Cap and Hose Kit)	**$7,882.00**	**24%**	**$5,990.32**	**$303.00**	**$50.00**	**$247.50**	**$6,590.82**

NOTE: **Extendable Arm must be pinned in the retracted position to use hydraulic attachments.**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Mounting Frame - PCF34							
7113656	**X-Change Mounting Cap - E32, E35, E42, E45, E50, E55, E60, E63** (Must also order a hose kit)	**$769.00**	**24%**	**$584.44**	**$116.00**	**$0.00**	**$0.00**	**$700.44**
	Mounting Frame - PCF64							
7210254	**Mounting Cap - E80, E85 M-Series** (Must also order a hose kit, mounting caps uses 45mm pins)	**$958.00**	**24%**	**$728.08**	**$116.00**	**$0.00**	**$0.00**	**$844.08**
7307178	**Mounting Cap - E85 R-Series** (Must also order a hose kit, mounting caps uses 55mm pins)	**$913.00**	**24%**	**$693.88**	**$116.00**	**$0.00**	**$0.00**	**$809.88**

7113657	X-Change Mounting Cap - E55, E60, E63 (Must also order a hose kit)	$796.00	24%	$604.96	$116.00	$0.00	$0.00	$720.96

Hose Kits- PCF34, PCF64

7217834	Hose Kit - for (E32/35 R1, E42/45/50 M, Long Arm) (E55M All Arms) (E60R2 EXT Arm) (Includes hoses and quick couplers)	$316.00	24%	$240.16	$0.00	$0.00	$0.00	$240.16
7217835	Hose Kit -for (E32/35 R1, E42/45/50 M, STD/EXT) (E32/35/42 R2, All Arms) (50/60 R2, STD/LONG) (Includes hoses and quick couplers)	$292.00	24%	$221.92	$0.00	$0.00	$0.00	$221.92
7217836	Hose Kit - for E63, E80, E85, E88R2	$413.00	24%	$313.88	$0.00	$0.00	$0.00	$313.88

Power Tilt®
Bobcat Excavator Attachment



Qui

	PTX3	PTX4
Operating Weight	170 lbs.	285 lbs.
Width	11"	11"
Length	25"	25"
Output Torque	2100 ft. lbs. @ 3000 psi	3250 ft. lbs. @ 3000 psi
Side-to-Side Rotation	178°	180°

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(325, 328, 329, 331, 331E, 334, 425, 430) (E26, E32, E35) (E32R2, E35R2)							
7319636	PTX3 (Includes hoses and quick couplers) (Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)	$6,522.00	24%	$4,956.72	$128.00	$50.00	$0.00	$5,134.72

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

	(335, 337, 341, 435) (E42, E45, E50, E55, E60, E63)(E42R2, E50R2, E60R2)							
7319637	PTX4 (Includes hoses and quick couplers) (Must also order Hose Kit below)	$8,651.00	24%	$6,574.76	$170.00	$50.00	$0.00	$6,794.76

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(R2-Seres E50 All Arms) (R2-Series E32/E35/E42/E60 Std and Long Arm) (325, 425) (E63/E26 Std Arm)							
7331054	Excavator Hose Kit (This hose kit must be used on above excavators when using a Power Tilt)	$281.00	24%	$213.56	$0.00	$0.00	$0.00	$213.56
	(329, 331, 331E, 430, 328, 335, 435) (R1-Series E32/35 Std and Ext Arm) (M-Series E42/E45 Std and Ext Arm) (E26 Long Arm) (R2-Series E32/E35/E42 Ext Arm)							
7331055	Excavator Hose Kit (This hose kit must be used on above excavators when using a Power Tilt)	$281.00	24%	$213.56	$0.00	$0.00	$0.00	$213.56
	(334, 337, 430 Long Arm) (M-Series E50 Std, E55 Ext, E42/45 Long) (R1-Series E32/35 Long) (R2-Series E60 Ext)							
7331056	Excavator Hose Kit (This hose kit must be used on above excavators when using a Power Tilt)	$285.00	24%	$216.60	$0.00	$0.00	$0.00	$216.60
	(341 Long Arm, 435 Long Arm) (M-Series E55 Std Arm, E50 Long Arm)							
7331057	Excavator Hose Kit (This hose kit must be used on above excavators when using a Power Tilt)	$285.00	24%	$216.60	$0.00	$0.00	$0.00	$216.60

Ripper
Bobcat Excavator Attachment

Rip e Mount

R Mount

Quick Specs

	Ripper with X-Change	Ripper with Pin-On
Operating Weight	270 lbs.	255 lbs.
Tooth Radius	36"	36"
Shank Thickness	1.5"	1.5"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	(E32, E35)							
7328289	Ripper, 35 mm Pins	$1,439.00	24%	$1,093.64	$84.00	$0.00	$0.00	$1,177.64
	(E42, E45, E50, E55, E60, E63)							
7328290	Ripper, 45 mm Pins	$1,439.00	24%	$1,093.64	$96.00	$0.00	$0.00	$1,189.64
	(E32, E35, E42, E45, E50, E55, E60, E63) with X-Change system							
7328288	Ripper, X-Change	$1,459.00	24%	$1,108.84	$101.00	$0.00	$0.00	$1,209.84
	(E80, E85 M-Series)							
7328287	Ripper 45 mm Pin 8T	$1,961.00	24%	$1,490.36	$116.00	$0.00	$0.00	$1,606.36
	(E85 R-Series) (E88 R2-Series)							

7328286	Ripper 55 mm Pin 8T	$1,933.00	24%	$1,469.08	$116.00	$0.00	$0.00	$1,585.08

If using a pin grabber couple order pin kits from below:

Tilt Bucket
Bobcat Excavator Attachment



Quick Specs

	P/N 7171901	P/N 7325612
Ship Weight	656 lbs.	831 lbs.
Mounting	Pin-On (45mm)	Pin-On (55mm)
Tilt	(+/-) 45 degrees	(+/-) 45 degrees
SAE Heaped Capacity	12.5 ft³	9.99 ft³

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(E80, E85)								
7171901	48" Tilting Grade Bucket, Smooth Lip	$8,730.00	24%	$6,634.80	$193.00	$50.00	$0.00	$6,877.80
	*Not compatible with R-Series E85							
(E85R, E88R2)								
7325612	48" Tilting Grade Bucket, Smooth Lip	$8,905.00	24%	$6,767.80	$158.00	$0.00	$0.00	$6,925.80

Trencher
Bobcat Excavator Attachment



Operating Weight (without teeth)	570 lbs.
Flow Range	13-20 gpm
Maximum Operating Pressure	3000 psi
Overall Width	30.6"
Overall Length	68.2"
Side Shift Travel	N/A
Auger Diameter	12"
Dig Depth	2'
Standard Boom Length	39.4"
Trenching Widths Available	4" to 8"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(331, 331E, 334, 335, 337, 341, 430, 435) (E42, E45, E50, E55) (E42R2, E50R2, E60R2)								
M7012	MX112 Trencher (Includes X-Change mounting frame, hoses, couplers, 2' depth, no sideshift) (Can only order one chain option per trencher model)	$6,158.00	24%	$4,680.08	$191.00	$50.00	$0.00	$4,921.08

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

MX112 Chain Configuration Options (Factory Installed)
Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)

M7012-R01-C01	2' x 4" Cup Teeth, Single Standard Pattern	$709.00	24%	$538.84	$0.00	$0.00	$0.00	$538.84
M7012-R01-C02	2' x 4" Cup Teeth, Double Standard Pattern	$582.00	24%	$442.32	$0.00	$0.00	$0.00	$442.32
M7012-R01-C03	2' x 4" Cup & Carbide Teeth, Double Standard Pattern	$1,298.00	24%	$986.48	$0.00	$0.00	$0.00	$986.48

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	MX112 Chain Configuration Accessories (Replacement Chain - Dealer Installed) **Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)**							
6959315	2' x 4" Cup Teeth, Single Standard Pattern (Ship Weight 76 lbs.)	$684.00	24%	$519.84	$97.00	$0.00	$0.00	$616.84
6959323	2' x 4" Cup Teeth, Double Standard Pattern (Ship Weight 85 lbs.)	$859.00	24%	$652.84	$111.00	$0.00	$0.00	$763.84
6959333	2' x 4" Cup & Carbide Teeth, Double Standard Pattern (Ship Weight 91 lbs.)	$1,625.00	24%	$1,235.00	$111.00	$0.00	$0.00	$1,346.00

August 1, 2024
BOBCAT SLP Pages

UW56
Utility Work Machine



Standard Equipment

Engine
- 61HP 2.4L Bobcat Engine
- Automatically Activated Glow Plugs

Drive System
- Limited Slip Transaxle
- Two-Speed Transmission
- Parking Brake, automatic
- Full-time Four-Wheel Drive
- All-Wheel Steer
- Horsepower Management
- Speed Management

Steering & Suspenson
Suspension, 4-wheel independent
Power Steering with Tilt Steering Wheel

Operator Comfort
- Enclosed cab with HVAC
- Front Windshield Wiper
- Adjustable Driver Seat
- Seat Belts, Shoulder Harness
- Beverage Holders
- Cruise Control

Front Work Group
- Bob-Tach™ Mounting System
- Auxiliary Hydraulics: Variable Flow with dual direction detent
- Boom Float
- Lift Arm Support

Tires
- Tires: 27 x 10.5-15 (8 ply), Lug Tread

Electrical
- LED Front Work Lights
- Combo Type A and Type C USB charging port
- Dome Light
- Toolcat Interlock Control System (TICS)™
-

Instrumentation
- 5" Display with Jog Shuttle
- Following are shown in display: Hourmeter, Speedometer, Tachometer, Fuel Gauge, Engine Temperature Gauge, Service and Error Codes
- Engine and Hydraulic Monitor with Shutdown

Frame & Cargo Box
- Rear Receiver Hitch
- Hydraulic Dump Box
- Cargo Box Support
- Radiator Screen
- Lower Engine Cover

Warranty
- Machine Warranty: 12 Months, Unlimited Hours
- Bobcat Engine Warranty: Additional 12 months or total of 2000 hours after initial 12 month warranty

Roll Over Protective Structure (ROPS) – Meets Requirements of SAE-J1040 & ISO 3471
Falling Object Protective Structure (FOPS) – Meets Requirements of SAE-J1043 & ISO3449, Level I

UW56
Utility Work Machine

Quick Specs

Engine Model	2.4L Bobcat Engine
Horsepower	61
Engine Fuel/Cooling	Diesel/Liquid
Hydraulic Flow-Attachment	18.9 GPM
Hydraulic Flow-Attachment/High Flow	27.9 GPM
Hydraulic Pressure	3000 PSI
Travel Speed (Low)	0-8 MPH
Travel Speed (High)	0-17 MPH
Travel Speed (Reverse)	0-8 MPH
Operating Weight	5680 lbs.
Fuel Capacity	20 gal.
Dimensions (Length x Width x Height)-27 in. Tires	145 in. x 60 in. x 81in.
Dimensions (Length x Width x Height)- 29 in. Tires	145 in. x 64 in. x 82 in.
Ground Clearance – with 27 in. tires	8 in.
Ground Clearance – with 29 in. tires	9 in.
Cargo Box Specifications	
Inside Dimensions (Length x Width x Height)	56 in. x 51 in. x 10 in.

Bed Height from Ground	38 in.
Cargo Box Maximum Load	2000 lbs.
Turning Diameter-outside in AWS mode	17.5 ft.
Lift Height	83 in.
Maximum Reach	45 in.
Loader Rated Operating Capacity	1500 lbs.
Tow Rating	4000 lbs.
Machine Rated Capacity ##	2200 lbs.
Total Rated Capacity ##	4200 lbs.

Part Number	Utility Work Machine Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1225	**UW56 Utility Work Machine**	**$80,580.00**	**20%**	**$64,464.00**	**$1,400.00**	**$150.00**	**$0.00**	**$66,014.00**

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Individual Options							
M1225-R08-C02	**Attachment Control**	**$255.00**	**20%**	**$204.00**	**$0.00**	**$0.00**	**$0.00**	**$204.00**
M1225-P01-C01	**Deluxe Road Package** Includes back-up alarm, turn signals, flashers, taillights, brake lights, rear view mirror, side mirrors, horn, rear work light, and headlights *Allows Work Machine to meet most regulations for driving on local roadways. Check with local DMV to confirm all requirements for off-highway machinery on your local roads. Toolcat machines are not "automobiles" and thus do not need to be licensed to drive on local roads, but usually require lighting and mirrors included in this package.*	**$2,955.00**	**20%**	**$2,364.00**	**$0.00**	**$0.00**	**$0.00**	**$2,364.00**
M1225-R07-C02	**Heavy Duty Battery**	**$100.00**	**20%**	**$80.00**	**$0.00**	**$0.00**	**$0.00**	**$80.00**
M1225-R03-C02	**High Flow Package** Includes high flow valve, larger auxiliary hoses, and high flow switch in cab; Provides 27.9 GPM for attachment operation; Must also order 7-Pin Attachment Control	**$1,736.00**	**20%**	**$1,388.80**	**$0.00**	**$0.00**	**$0.00**	**$1,388.80**
M1225-A01-C04	**Interior Trim** Insulation for left and right-side panels of center console	**$215.00**	**20%**	**$172.00**	**$0.00**	**$0.00**	**$0.00**	**$172.00**
M1225-R14-C03	**Power Bob-Tach® Attachment Mounting System**	**$1,150.00**	**20%**	**$920.00**	**$0.00**	**$0.00**	**$0.00**	**$920.00**
M1225-R15-C02	**Radio Option** Features Aux mini jack for MP-3, Weatherproof design, NOAA Weather Bands, 6 AM &5 FM presets, Time & Date, Job Clock, Backlit display, 3.5 mm headphone jack, 12volt DC power outlet	**$565.00**	**20%**	**$452.00**	**$0.00**	**$0.00**	**$0.00**	**$452.00**
M1225-R16-C02	**Traction Control** Senses wheel speed variation during limited traction, applies breaking to increase torque to wheels in traction, Includes switch in cab for system deactivation	**$605.00**	**20%**	**$484.00**	**$0.00**	**$0.00**	**$0.00**	**$484.00**
M1225-R20-C01	**Rearview Camera** Rearview camera mounted on the back of the cab	**$375.00**	**20%**	**$300.00**	**$0.00**	**$0.00**	**$0.00**	**$300.00**
M1225-A01-C02	**Block Heater**	**$145.00**	**20%**	**$116.00**	**$0.00**	**$0.00**	**$0.00**	**$116.00**
	Tire Options Set of 4 Tires							
	Set of 4 Tires– In Place of Base Equipment							
M1225-R05-C04	**29 x 10.5, 10 PR, Trac Tires** Work Machine Width – 60"	**$575.00**	**20%**	**$460.00**	**$0.00**	**$0.00**	**$0.00**	**$460.00**
M1225-R05-C05	**29 x 12.5, 8 PR, Turf Tires** Work Machine Width – 64"; Includes wide fenders	**$860.00**	**20%**	**$688.00**	**$0.00**	**$0.00**	**$0.00**	**$688.00**

UW53

Utility Work Machine

Standard Equipment

Engine
- 61HP 2.4L Bobcat Engine
- Automatically Activated Glow Plugs

Drive System
- Limited Slip Transaxle
- Two-Speed Transmission
- Parking Brake, automatic
- Full-time Four-Wheel Drive
- All-Wheel Steer
- Horsepower Management
- Speed Management

Steering & Suspenson
Suspension, 4-wheel independent
Power Steering with Tilt Steering Wheel

Operator Comfort
- Enclosed cab with HVAC
- Radio W/Aux Input & Headphone Jack
- Front Windshield Wiper
- Driver Adjustable Vinyl Seats
- Seat Belts, Shoulder Harness
- Beverage Holders
- Cruise Control
- Deluxe Road Package: Backup alarm, turn signals, flashers, tail lights, brake lights, and
- Interior Trim

Front Work Group
- Power Bob-Tach™ Mounting System
- Auxiliary High Flow Hydraulics: Variable Flow with dual direction detent
- Attachment Control Kit
- Boom Float
- Lift Arm Support

Tires
- Tires: 27 x 10.5-15 (8 ply), Lug Tread

Electrical
- LED Front Work Lights
- Combo Type A and Type C USB charging port
- Dome Light
- Toolcat Interlock Control System (TICS)™

Instrumentation
- 5" Display with Jog Shuttle
- Following are shown in display: Hourmeter, Speedometer, Tachometer, Fuel Gauge, Engine Temperature Gauge, Service and Error Codes
- Engine and Hydraulic Monitor with Shutdown

Frame & Rear
- Rear Receiver Hitch
- Rear PTO- 540 PTO, PTO Shield, PTO Tachometer
- Rear Remote Package: One set of poppet-style couplers, (for use with
- Radiator Screen
- Lower Engine Cover
- Three-Point Hitch Package: Category 1 Three-Point, Depth Position Gauge

Warranty
- Machine Warranty: 12 Months, Unlimited Hours
- Bobcat Engine Warranty: Additional 12 months or total of 2000 hours after initial 12 month warranty

Roll Over Protective Structure (ROPS) – Meets Requirements of SAE-J1040 & ISO 3471

Falling Object Protective Structure (FOPS) – Meets Requirements of SAE-J1043 & ISO3449, Level I

UW53
Utility Work Machine

Quick Specs

Engine Model	2.4L Bobcat Engine
Horsepower	61
Engine Fuel/Cooling	Diesel/Liquid
Hydraulic Flow-Attachment	18.9 GPM
Hydraulic Flow-Attachment/High Flow	27.9 GPM
Hydraulic Pressure	3000 PSI
PTO Horsepower	25 HP
PTO RPM	540
Travel Speed (Low)	0-8 MPH
Travel Speed (High)	0-17 MPH
Travel Speed (Reverse)	0-8 MPH
Operating Weight	5710 lbs.
Fuel Capacity	20 gal.
Dimensions (Length x Width x Height)-27 in. Tires	154 in. x 60 in. x 81in.
Dimensions (Length x Width x Height)- 29 in. Tires	154 in. x 64 in. x 82 in.
Ground Clearance – with 27 in. tires	8 in.
Ground Clearance – with 29 in. tires	9 in.
Turning Diameter-outside in AWS mode	17.5 ft.
Lift Height	83 in.
Maximum Reach	45 in.
Loader Rated Operating Capacity	1500 lbs.
Three-Point Hitch Lift Capacity at 24 inches behind lift point with loader bucket	1775 lbs
Tow Rating	4000 lbs.
Machine Rated Capacity (combined weight of load on lift-arm, three-point, operator and passenger, and storage bins)	2200 lbs.
Total Rated Capacity (combined weight of load on lift-arm, three point, storage bins, operator and passenger, and tow weight)	4200 lbs.

Part Number	Utility Work Machine Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1227	**UW53 Utility Work Machine**	**$95,040.00**	**20%**	**$76,032.00**	**$975.00**	**$150.00**	**$0.00**	**$77,157.00**

Part	Factory Installed Options

Number	Description							
M1227-R20-C01	**Rearview Camera**.....	$375.00	20%	$300.00	$0.00	$0.00	$0.00	$300.00
	Rearview camera mounted on the back of the cab							

August 1, 2024
BOBCAT SLP Pages

Angle Broom
Bobcat Work Machine Attachment



Quick Specs

	68"	84"
Operating Weight	860 lbs.	944 lbs.
Sweep Width Straight	68"	84"
Sweep Width Fully Angled	63" @ 25°	77" @ 25°
Broom Angling	Hydraulic Cylinder	Hydraulic Cylinder
Oscillation	Fixed	Fixed
Drive System	Hyd. Direct Drive	Hyd. Direct Drive
Flow Range	15-28 GPM	15-28 GPM
Broom Bristle Diameter	32"	32"
Bristle Material	Poly Orange HD	Poly Orange HD
Number of Bristle Sections	36 Zig-Zag 2 Straight	44 Zig-Zag 2 Straight
Electrical	14 Pin Standard	14 Pin Standard

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7337703	**68" Angle Broom** (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)	**$7,794.00**	**24%**	**$5,923.44**	**$219.00**	**$50.00**	**$0.00**	**$6,192.44**
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
7337715	**84" Angle Broom** (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)	**$8,904.00**	**24%**	**$6,767.04**	**$249.00**	**$50.00**	**$0.00**	**$7,066.04**

Auger- Planetary Drive
Bobcat Work Machine Attachment



Auger Drive Unit

Planetary Drive Auger Quick Specs

	Model 14PH	Model 20PH
Ship Weight (Auger Drive)	140 lbs.	140 lbs.
Ship Weight (Mtg. Frame)	118 lbs	118 lbs
Operating Weight (less bit)	258 lbs	258 lbs
Digging Depth (without extensions)	56"	56"
Torque	Low	Medium
Speed	Medium	Medium
Shaft Diameter - Round	-	-
Shaft Diameter - Hex	2.0"	2.0"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7501034	**Model 14PH Auger Drive Unit** (Operate in Standard Flow only) (Must also order Mounting Frame Loader and Bit)(Auger Drive is not compatible with mounting from for 15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,195.00**	**24%**	**$1,668.20**	**$65.00**	**$50.00**	**$82.50**	**$1,865.70**
7501035	**Model 20PH Auger Drive Unit** (Operate in Standard Flow only) (Must also order Mounting Frame Loader and Bit)(Auger Drive is not compatible with mounting from for 15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	**$2,280.00**	**24%**	**$1,732.80**	**$65.00**	**$50.00**	**$82.50**	**$1,930.30**

Part Number	Dealer Installed Auger Frames - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7508119	12PH/14PH/20PH/25PH Mounting Frame..... (Includes Mounting Hardware to attach auger drive)	$720.00	24%	$547.20	$65.00	$0.00	$82.50	$694.70

Part Number	Dealer Installed Auger Bits - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

14PH Augers—Recommended bit size 6" – 18"
20PH—Recommended bit size 6" – 30"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Light Duty Auger Bits

Approved for 12PH, 14PH, 20PH and 25PH augers
Black color, Semi-Flight unless noted.
48" Length. Shaft Diameter- 2" Hex
Not compatible with Model 10, 15C, 30C, 35PH or 50PH augers
Retaining Pin ships with auger

7500735	6" Semi-Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$469.00	24%	$356.44	$55.00	$0.00	$0.00	$411.44
7500736	9" Semi-Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$544.00	24%	$413.44	$55.00	$0.00	$0.00	$468.44
7500737	12" Semi-Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$618.00	24%	$469.68	$55.00	$0.00	$0.00	$524.68
7500738	15" Semi-Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$770.00	24%	$585.20	$65.00	$0.00	$0.00	$650.20
7500739	18" Semi-Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$850.00	24%	$646.00	$65.00	$0.00	$0.00	$711.00
7500740	24" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$995.00	24%	$756.20	$65.00	$0.00	$0.00	$821.20
7500746	30" Double Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,670.00	24%	$1,269.20	$65.00	$0.00	$0.00	$1,334.20

Standard Duty Auger Bits

Approved for 12PH, 14PH, 20PH and 25PH augers
Black color, Single Flight unless noted.
48" Length. Shaft Diameter- 2" Hex
Not compatible with Model 10, 15C, 30C, 35PH or 50PH augers
Retaining Pin ships with auger

7500763	6" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$488.00	24%	$370.88	$55.00	$0.00	$0.00	$425.88
7500765	9" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$680.00	24%	$516.80	$55.00	$0.00	$0.00	$571.80
7500767	12" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$791.00	24%	$601.16	$55.00	$0.00	$0.00	$656.16
7500768	15" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$912.00	24%	$693.12	$65.00	$0.00	$0.00	$758.12
7500769	18" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,041.00	24%	$791.16	$65.00	$0.00	$0.00	$856.16
7500771	24" Single Flight (2" Hex)..... (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,309.00	24%	$994.84	$65.00	$0.00	$0.00	$1,059.84

Auger- Direct Drive
Bobcat Work Machine Attachment



Auger Drive Unit

Direct Drive Auger Quick Specs

	Model 15C	*Model 15H*	*Model 30C*	*Model 30H*
Ship Weight (Auger Drive).....	245 lbs.	246 lbs.	263 lbs.	257 lbs.
Ship Weight (Mtg. Frame).....	193lbs	193 lbs	193 lbs	193 lbs
Operating Weight (less bit).....	345 lbs.	358 lbs.	376 lbs.	370 lbs.
Digging Depth (without extensions).....	62"	62"	62"	62"
Torque.....	Medium	Medium	High	High
Speed.....	Medium	Medium	Low	Low
Shaft Diameter - Round.....	2.5"	-	2.5"	-

Shaft Diameter - Hex..... 2.0" 2.0" 2.0" 2.0"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6809442	**Model 15C Auger Drive Unit**..... (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7145345	**Model 15H Auger Drive Unit**..... (Must also order Mounting Frame and Bit)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
(5600H, 5610) (UW56H, UW53)								
6809445	**Model 30C Auger Drive Unit**..... (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7138264	**Model 30H Hex Shaft Auger Drive Unit**..... (Must also order Mounting Frame and Bit)	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Part Number	Dealer Installed Auger Frames - Order From Sales Description							
6812980	**Mounting Frame**..... (Includes Mounting Hardware)	$703.00	24%	$534.28	$64.00	$0.00	$0.00	$598.28

Bale Forks
Bobcat Work Machine Attachment



Bale Forks with Pallet Fork Frame

Quick Specs

Operating Weight..... 100 lbs
Operating Capacity..... 1,500 lbs.
Length of Fork..... 40.8"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6815781	**Bale Forks, Set of 2**..... (Must also order pallet fork frame p/n 6712927, 7297499, 7294305, or 7294332)	$991.00	24%	$753.16	$84.00	$50.00	$0.00	$887.16

Box Blade
Bobcat Work Machine Attachment



Quick Specs

Operating Weight..... 980 lbs. (445 kg)
Height..... 32.0" (813 mm)
Width..... 85.5" (2173 mm)
Moldboard Width..... 84.0" (2134 mm)
Moldboard Cutting Edge (Reversible)..... ½" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6906574	**84" Box Blade**..... (Used for rough grading and landscaping)	$5,946.00	24%	$4,518.96	$236.00	$50.00	$41.25	$4,846.21

Brushcat™ Rotary Cutter
Bobcat Work Machine Attachment



Quick Specs

	RC66	RC66HF	RC72	RC72HF
Operating Weight	1437 lbs	1437 lbs	1500 lbs	1500 lbs
Hydraulic Flow Range	15-24 gpm	24-36 gpm	15-26 gpm	!4-40 gpr
Blade Tip Speed (Minimum Flow / ft./min)	11,399	11,394	9,922	9,922
Blade Tip Speed (Maximum Flow / ft./min)	18,238	17,064	17,197	16,536
Cutting Width	66"	66"	72"	72"
Cutting Height	3"	3"	3"	3"
Deck Length	61.1"	61.1"	64.3"	64.3"
Vertical Travel	8"	8"	8"	8"
Overall Width	70.3"	70.3"	76.3"	76.3"
Overall Height	26.5"	26.5"	26.5"	26.5"
Overall Length	67.2"	67.2"	70.4"	70.4"
Cutting Capacity	Brush material up to 3 in. in diameter for all models			

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7234049	**RC66 Brushcat Rotary Cutter** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above, 5610 B2LH11001 & above) (Comes with 3" Offset Blades and Front Discs) (Cutting height of 3")	$9,037.00	24%	$6,868.12	$285.00	$50.00	$0.00	$7,203.12
7218087	**RC72 Brushcat Rotary Cutter** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above, 5610 B2LH11001 & above) (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")	$9,492.00	24%	$7,213.92	$300.00	$50.00	$0.00	$7,563.92
(5600H, 5610) (UW56H, UW53)								
7233014	**RC66HF Brushcat Rotary Cutter** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00311001 & above, 5600 s/n A0W111001, & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above, 5610 B2LH11001 & above) (Comes with 3" Offset Blades and Front Discs) (Cutting height of 3")	$10,584.00	24%	$8,043.84	$285.00	$50.00	$0.00	$8,378.84
7233002	**RC72HF Brushcat Rotary Cutter** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00311001 & above, 5600 s/n A0W111001, & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above, 5610 B2LH11001 & above) (Comes with 3" Offset Blades and Front Discs) (Cutting height of 3")	$10,855.00	24%	$8,249.80	$300.00	$50.00	$0.00	$8,599.80

Bucket
Bobcat Work Machine Attachment



Backhoe Buckets - Order From Sales

Part Number	Description	SAE Capacity (FT³) Struck	Heaped	Ship WGT. (lbs.)	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)											
Standard Duty											
7272771	**68" Standard Duty Bucket**	9.8	13.3	354	$1,216.00	24%	$924.16	$80.00	$0.00	$0.00	$1,004.16
7272768	**74" Standard Duty Bucket**	10.7	14.5	373	$1,294.00	24%	$983.44	$80.00	$0.00	$0.00	$1,063.44
Heavy Duty											
7272678	**62" Heavy Duty Bucket** (62" HD Bucket will not cover width of ToolCat equipped with Wide Tires (64"))	11.3	15.3	476	$1,552.00	24%	$1,179.52	$107.00	$0.00	$0.00	$1,286.52
7272679	**68" Heavy Duty Bucket**	12.4	16.9	508	$1,712.00	24%	$1,301.12	$110.00	$0.00	$0.00	$1,411.12
Light Material											
7279100	**68" Light Material Bucket**	19.1	24.9	589	$1,924.00	24%	$1,462.24	$89.00	$0.00	$0.00	$1,551.24
7279101	**74" Light Material Bucket**	20.8	27.3	632	$2,036.00	24%	$1,547.36	$89.00	$0.00	$0.00	$1,636.36
7279102	**80" Light Material Bucket**	22.5	29.7	669	$2,231.00	24%	$1,695.56	$89.00	$0.00	$0.00	$1,784.56

Chipper
Bobcat Work Machine Attachment





5A Chipper *8B Chipper*

Quick Specs

	5A	8B
Operating Weight	1145 lbs	1660 lbs
Feeder Opening	5"	9.2"
Continuous Chipping Size	Up to 3" diameter material	Up to 5" diameter material
Feed Table Height	23.5"	25.4"
Discharge Chute Height	92"	93.3"
Blades	4 reversible tool steel blades	4 reversible tool steel blades
Dual Mounting Locations	Front or right side of loader	Front or right side of loader
Discharge Chute (Incl. End Deflector)	Rotates 360°	Rotates 360°

Both chippers have automatic hydraulic feed, which includes speed control and load sensing system.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6719129	**5A Chipper** (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (Work Machines serial number 520512159 and below require version 27 or newer software to be installed on machine.)	**$14,840.00**	**24%**	**$11,278.40**	**$308.00**	**$50.00**	**$41.25**	**$11,677.65**
(5600H, 5610) (UW56H, UW53)								
7117662	**8B Chipper** (Work machine must be equipped with an 7-Pin Attachment Control Kit – See Page 1) (Approved for use with 5600 s/n 424711001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above)	**$18,056.00**	**24%**	**$13,722.56**	**$364.00**	**$50.00**	**$41.25**	**$14,177.81**

Combination Bucket
Bobcat Work Machine Attachment



Quick Specs

	62" Combo Bucket
Operating Weight	807 lbs
Overall Width	62.5"
SAE Capacity Heaped	10.7 ft3
Number of Teeth	7 bolt-on
Max Clamping Force	8590 lbs

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7167310	**62" Combination Bucket** (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above) (Bolt-on Teeth are available from Bobcat Parts)	**$4,183.00**	**24%**	**$3,179.08**	**$189.00**	**$50.00**	**$0.00**	**$3,418.08**

Note: Combination Buckets are not approved for use with the Tilt-Tatch.

Dozer Blade
Bobcat Work Machine Attachment



Quick Specs

	80" Dozer
Operating Weight	950 lbs
Width	80"
Width (Fully Angled)	69.3"
Blade Height	24.1"
Overall Height	24.9"
Length	33.0"
Oscillation	± 8°
Angle	± 30°
Cutting Edge (reversible)	0.5" x 6"
Cylinders	3
Skid Shoes	Adjustable

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6905884	**80" Dozer Blade, 6-WAY** (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is	**$7,458.00**	**24%**	**$5,668.08**	**$217.00**	**$50.00**	**$82.50**	**$6,017.58**

required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)

Dumping Hopper
Bobcat Work Machine Attachment



Quick Specs

	Model 10
Operating Weight	665 lbs
Height	40"
Length	83"
Width	36"
Capacity - Struck	25.7 cu. ft.
Capacity - Heaped	29.7 cu. ft.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6727275	**Model 10 Dumping Hopper** (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above) (Must also order mounting frame bracket p/n 6729483) (Includes 8.5 x 12 Bobcat Heavy Duty Tire. Tire is not installed on Dumping Hopper.)	**$4,303.00**	**24%**	**$3,270.28**	**$203.00**	**$50.00**	**$82.50**	**$3,605.78**

Flail Cutter
Bobcat Work Machine Attachment



Quick Specs

Operating Weight	1,640 lbs
Cutting Width	78"
Cutting Height	1.5" – 3"
Overall Width	91"
Flow	17 – 40 gpm
Hammers	21
Cutting Capacity	Brush material up to 3" in diameter
Blade Tip Speed	8200 ft./min. @ 2000 RPM 9000 ft./min. @ 2200 RPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
7101894	**FC200 Flail Cutter**	**$16,773.00**	**24%**	**$12,747.48**	**$368.00**	**$100.00**	**$0.00**	**$13,215.48**

Grader
Bobcat Work Machine Attachment



Quick Specs

	84" Grader
Operating Weight	1375 lbs
Width of Moldboard	84"
Width of Moldboard Fully Angled	76.1"
Moldboard Angle (Right or Left)	± 25°
Blade Offset (Right or Left)	± 12"(manual)
Bolster Oscillation	± 25°
Grader Control Valve	3 spool electric solenoid control

Moldboard Cutting Edge (reversible)..... ½" x 6"
Cylinders..... 3

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6906480	**Grader, 84"**..... (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)	**$13,271.00**	**24%**	**$10,085.96**	**$335.00**	**$100.00**	**$41.25**	**$10,562.21**

Grapple, Industrial
Bobcat Work Machine Attachment



Industrial Bucket Grapple

Industrial Fork Grapple

Quick Specs

	62" Bkt.	*68" Bkt.*	*66" Fork*
Operating Weight.....	884 lbs	922 lbs	937 lbs
Grapple Width.....	62"	68"	66.9"
# of Teeth - Factory.....	N/A	N/A	7
# of Teeth - Possible.....	N/A	N/A	13

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7168342	**62" Industrial Bucket Grapple**..... (Bolt-On Cutting Edge included)	**$4,708.00**	**24%**	**$3,578.08**	**$232.00**	**$50.00**	**$412.50**	**$4,272.58**
7168340	**68" Industrial Bucket Grapple**..... (Bolt-On Cutting Edge included)	**$4,896.00**	**24%**	**$3,720.96**	**$239.00**	**$50.00**	**$0.00**	**$4,009.96**
7168344	**66" Industrial Fork Grapple, with 7 teeth**.....	**$5,658.00**	**24%**	**$4,300.08**	**$242.00**	**$50.00**	**$412.50**	**$5,004.58**

Grapple, Utility
Bobcat Work Machine Attachment



Utility Grapple with Bucket



Utility Grapple with Forks

Quick Specs

	55" Utility - C/I	*55" Utility - GP*
Operating Weight.....	243 lbs	180 lbs
Grapple Width.....	55"	55"
# of Tines - Factory.....	4	4
# of Tines - Possible.....	8	8

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7176977	**Grapple, 55" Utility – C/I**..... (Fits 60 – 72" Utility Forks)	**$2,222.00**	**24%**	**$1,688.72**	**$101.00**	**$50.00**	**$412.50**	**$2,252.22**
7176783	**Grapple, 55" Utility - GP**..... (Fits 62", 68" and 74" General Purpose buckets) (Must also order Grapple stop kit, p/n 7120201 or 6818369)	**$2,194.00**	**24%**	**$1,667.44**	**$96.00**	**$50.00**	**$412.50**	**$2,225.94**

Landplane
Bobcat Work Machine Attachment



Quick Specs

	72" Deluxe
Operating Weight.....	680 lbs
Length.....	51.5"
Width.....	73"
Height.....	20.9"
Working Depth-Scarifier.....	3.5"
Cutting Edge.....	0.5" x 6"

Part	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted

Number	Description							Price
(5600, 5610) (UW56, UW53)								
6906150	**72" Deluxe Landplane Leveling Attachment** (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	**$2,942.00**	**24%**	**$2,235.92**	**$164.00**	**$50.00**	**$0.00**	**$2,449.92**

Landscape Rake
Bobcat Work Machine Attachment



Quick Specs

Operating Weight	1109 lbs
Working Width	60"
Overall Width	66.6"
# of Tooth Bars	12
# of Teeth (total)	384
Bucket Capacity	12.1 cu. ft.

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6709107	**5B Landscape Rake** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above)	**$10,756.00**	**24%**	**$8,174.56**	**$276.00**	**$50.00**	**$0.00**	**$8,500.56**

Mower
Bobcat Work Machine Attachment



Quick Specs

	72" Mower	*90" Mower*
Operating Weight	880 lbs	990 lbs
Cutting Width	71.5"	89.5"
Overall Width	76"	94"
Overall Length	68"	75"
Cutting Height Range	2"—5.5"	2"—5.5"
Flow Range	15—22 gpm	15—22 gpm
Number of Blades	3	3
Shut-off Travel	8.5"	8.5"
Blade Tip Speeds	11,251 ft/min @ 15 GPM 15,002 ft/min @ 20 GPM 16,502 ft/min @ 22 GPM	11,026 ft/min @ 15 GPM 14,702 ft/min @ 20 GPM 16,172 ft/min @ 22 GPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7144850	**72" Mower**	**$7,510.00**	**24%**	**$5,707.60**	**$186.00**	**$50.00**	**$0.00**	**$5,943.60**
7143993	**90" Mower**	**$8,217.00**	**24%**	**$6,244.92**	**$235.00**	**$50.00**	**$0.00**	**$6,529.92**

Pallet Fork, Hydraulic
Bobcat Work Machine Attachment



Quick Specs

	48"
Ship Weight (Frame & Forks)	565 lbs
Fork Width	4"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6905425	**48" Hydraulic Pallet Fork**	**$3,732.00**	**24%**	**$2,836.32**	**$179.00**	**$50.00**	**$0.00**	**$3,065.32**

(Includes back frame and 2 hydraulically adjustable 48" teeth)

Pallet Fork, Standard
Bobcat Work Machine Attachment



Standard Pallet Fork Teeth and Frame



Bale Forks and Frame

Quick Specs

Frames	***Frame Weight***	***Capacity***	***Width***	***Height***
MT/S70	#N/A	#N/A	#N/A	#N/A
Standard Duty	#N/A	#N/A	#N/A	#N/A
Heavy Duty	153 lbs	#N/A	#N/A	#N/A
Severe Duty	#N/A	#N/A	#N/A	#N/A

Teeth	***Weight Set 2***	***Length***	***Width***	***Height***
MT/S70	#N/A	#N/A	#N/A	#N/A
Standard Duty	#N/A	#N/A	#N/A	#N/A
Heavy Duty	#N/A	#N/A	#N/A	#N/A
Severe Duty	#N/A	#N/A	#N/A	#N/A
Bale Fork	#N/A	#N/A	#N/A	#N/A

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

A new ordering method will be required for bundles of buckets and pallet forks. Instead of ordering a different part number for a bundled product, you will simply use the single part number and the 'Change Quantity' box in OSS to order the quantity that meets the requirement for a bundle discount. The OSS order system will help step you through it and alert you if the product you are ordering can be bundled, what quantity needs to be ordered to get the discount, and what the discounted price will be.

Pallet Frames

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76) (A770) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76) (L23, L28)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7297499	**2.5K Standard Duty Pallet Fork Frame, Less Teeth** (Quantity discounts will be given on invoice to PN 7297499 when ordered in multiples of 10)	$499.00	24%	$379.24	$34.00	$0.00	$41.25	$454.49
7294305	**4K Heavy Duty Pallet Fork Frame, Less Teeth** (Quantity discounts will be given on invoice to PN 7294305 when ordered in multiples of 10)	$606.00	24%	$460.56	$39.00	$0.00	$0.00	$499.56
7294332	**5.5K Severe Duty Pallet Fork Frame, Less Teeth** (Quantity discounts will be given on invoice to PN 7294332 when ordered in multiples of 10)	$967.00	24%	$734.92	$54.00	$0.00	$41.25	$830.17

Pallet Teeth

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7308798	**42", 2.5K Standard Duty Pallet Fork Teeth, Set of 2** (Quantity discounts will be given on invoice to PN 7308798 when ordered in multiples of 10 pairs)	$387.00	24%	$294.12	$43.00	$0.00	$0.00	$337.12
6540183	**42", 4K Heavy Duty Pallet Fork Teeth, Set of 2** (Quantity discounts will be given on invoice to PN 6540183 when ordered in multiples of 10 pairs)	$438.00	24%	$332.88	$47.00	$0.00	$0.00	$379.88
6540182	## (Quantity discounts will be given on invoice to PN 6540182 when ordered in multiples of 10 pairs)	$448.00	24%	$340.48	$47.00	$0.00	$0.00	$387.48
6541521	**42", 5.5K Severe Duty Pallet Fork Teeth, Set of 2** (Quantity discounts will be given on invoice to PN 6541521 when ordered in multiples of 10 pairs)	$592.00	24%	$449.92	$50.00	$0.00	$0.00	$499.92
6541518	**48", 5.5K Severe Duty Pallet Fork Teeth, Set of 2** (Quantity discounts will be given on invoice to PN 6541518 when ordered in multiples of 10 pairs)	$667.00	24%	$506.92	$50.00	$0.00	$0.00	$556.92

Bale Forks

(Standard Duty, Heavy Duty, Severe Duty)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6815781	**Bale Forks, Set of 2**	$991.00	24%	$753.16	$84.00	$50.00	$0.00	$887.16

Part Number	Attachment Accessories Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(Standard Duty, Heavy Duty, Severe Duty)								
7306978	**Brick-Guard Center** (Quantity orders only on PN 7306978 in multiples of 5 only) (Compatible with Standard, Heavy and Severe Duty Frames)	$160.00	24%	$121.60	$18.00	$0.00	$41.25	$180.85
(Severe Duty)								
7306981	**Brick-Guard Extension**	$300.00	24%	$228.00	$19.00	$0.00	$41.25	$288.25

Rock Bucket
Bobcat Work Machine Attachment

Quick Specs

	62"	68"
Operating Weight	558 lbs	605 lbs
Overall Width	61.9"	68.6"
Overall Height	20.8"	20.8"
##	43.6"	43.6"
Tine Spacing	3"	3"
Number of Tines	17	19

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7185941	**62" Rock Bucket**	**$2,464.00**	**24%**	**$1,872.64**	**$141.00**	**$0.00**	**$0.00**	**$2,013.64**
7185943	**68" Rock Bucket**	**$2,576.00**	**24%**	**$1,957.76**	**$149.00**	**$0.00**	**$0.00**	**$2,106.76**

Sand/Salt Spreader
Bobcat Work Machine Attachment



Quick Specs

Operating Weight (empty)	212 lbs
Operating Weight	1292 lbs
Height	34"
Width	38"
Length	52.75"
Hopper Capacity	13.45 cu. ft.
Spreading Pattern	up to 30'
Speed Control	Variable Speed Control Dial
Spinner Wheel	12"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(UW56)								
7453395	**SP13 Sand/Salt Spreader**	**$6,620.00**	**24%**	**$5,031.20**	**$137.00**	**$100.00**	**$660.00**	**$5,928.20**
	(Includes controller, wire harness and all necessary mounting hardware)							
	(Box Pocket brackets (7190021 x 2) and instructions (6989620ENUS) are required for installation)							

Scraper
Bobcat Work Machine Attachment



Quick Specs

Operating Weight	172 lbs
Height	19"
Width	45"
Length	55"
Disk Diameter	22"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6675211	**Scraper**	**$1,578.00**	**24%**	**$1,199.28**	**$96.00**	**$50.00**	**$0.00**	**$1,345.28**

Seeder
Bobcat Work Machine Attachment



Quick Specs

Weight (empty)	1,300 lbs
Weight (full)	1,425 lbs

Height..... 44.0"
Overall Width..... 88.0"
Working Width..... 72.0"
Length..... 43.0"
Hopper Capacity..... 4.0 bushels

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7167712	**Seeder, 72", 3PT Mounting** (Must also order Bob-Tach adapter if used on front of Work Machine equipped with a Bob-Tach)	**$9,381.00**	**24%**	**$7,129.56**	**$298.00**	**$50.00**	**$0.00**	**$7,477.56**

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7167758	**Bob-Tach Adapter** (Allows Seeder to mount on Bob-Tach equipped machines)	**$997.00**	**24%**	**$757.72**	**$38.00**	**$0.00**	**$0.00**	**$795.72**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7167759	**Bob-Tach Adapter** (Allows Seeder to mount on Bob-Tach equipped machines)	**$876.00**	**24%**	**$665.76**	**$96.00**	**$0.00**	**$0.00**	**$761.76**

Snow Blade
Bobcat Work Machine Attachment



Quick Specs

	72"	*84"*	*96"*	*86" HD*	*96" HD*
Operating Weight.....	590 lbs	620 lbs	660 lbs	809 lbs	867 lbs
Width.....	72"	84"	96"	86"	96"
Height.....	28"	28"	28"	28.4"	28.4"
Working Width (Fully Angled).....	63"	73"	83"	75"	83"
Steel Cutting Edge.....	.375" x 6"	.375" x 6"	.375" x 6"	.5" x 6"	.5" x 6"
Cylinders.....	2	2	2	1	1
Trip Springs.....	4	4	4	4	4
Optional Rubber Cutting Edge.....	1" x 6"	1" x 6"	1" x 6"	1" x 6"	1" x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6905156	**72" Snow Blade (with hydraulic angle)**	**$3,716.00**	**24%**	**$2,824.16**	**$157.00**	**$50.00**	**$41.25**	**$3,072.41**
6716836	**84" Snow Blade (with hydraulic angle)**	**$3,965.00**	**24%**	**$3,013.40**	**$164.00**	**$50.00**	**$41.25**	**$3,268.65**
6716838	**96" Snow Blade (with hydraulic angle)**	**$4,298.00**	**24%**	**$3,266.48**	**$170.00**	**$50.00**	**$41.25**	**$3,527.73**
7207861	**86" Snow Blade – Heavy Duty (with hydraulic angle)**	**$5,327.00**	**24%**	**$4,048.52**	**$182.00**	**$50.00**	**$41.25**	**$4,321.77**
7207862	**96" Snow Blade – Heavy Duty (with hydraulic angle)**	**$5,645.00**	**24%**	**$4,290.20**	**$192.00**	**$50.00**	**$41.25**	**$4,573.45**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
6716834	**End Wing Kit** (Converts 84" & 96" Snow Blades into Snow Pushers) (Does not fit 72" Snow Blade) (Ship Weight 95 lbs.)	**$662.00**	**24%**	**$503.12**	**$54.00**	**$0.00**	**$41.25**	**$598.37**

Snow Pusher
Bobcat Work Machine Attachment



Quick Specs

	8 Foot
Operating Weight.....	1122 lbs
Overall Width.....	102"
Working Width.....	94.6"
Length.....	56.2"
Height.....	37.8"
Cutting Edge.....	1.5" x 8" Rubber
Skid Shoes.....	.75" x 5" AR400
Color.....	Orange
Float	
Vertical.....	2.3"
Tilt.....	12 degrees

Oscillation..... +/- 4.5 degrees

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)									
7113767	**Snow Pusher, 8'**		**$4,427.00**	**24%**	**$3,364.52**	**$233.00**	**$50.00**	**$0.00**	**$3,647.52**

Snow Pusher Pro
Bobcat Work Machine Attachment



Quick Specs

	72"
Operating Weight.....	1272 lbs
Overall Width.....	80"
Working Width.....	72"
Length (includes interface).....	70.7"
Height.....	40"
Cutting Edge (High Carbon Steel).....	5/8" x 6"
Skid Shoes (Poly).....	.36" x 9.75" x 1.5"
Number of Trip Springs.....	4
Color.....	Orange
Float	
Tilt.....	35 degrees
Oscillation.....	+/- 6 degrees

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)									
7406869	**72" Snow Pusher Pro**		**$9,788.00**	**24%**	**$7,438.88**	**$390.00**	**$50.00**	**$0.00**	**$7,878.88**

Snow V-Blade
Bobcat Work Machine Attachment

Blade in "V" Configuration



Blade in "Scoop" Configuration

Blade in "Angled" Configuration

Quick Specs

	60"	***72"***	***84"***	***96"***
Operating Weight.....	660 lbs	738 lbs	779 lbs	824 lbs
Operating Weight with Oscillating kit.....	N/A	972 lbs	1013 lbs	1058 lbs
Width:				
V-Configuration.....	54"	64.5"	75"	85.5"
Scoop-Configuration.....	53"	63"	74"	84"
30° Angle-Configuration.....	54"	64"	75"	85"
Straight-Configuration.....	62"	74"	86"	98"
Height with Blade Extension.....	28.5"	32.8"	32.8"	32.8"
Length.....	40"	47.3"	47.3"	47.3"
Oscillation (with flotation kit).....	N/A	+/- 10	+/- 10	+/- 10

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)									
7104861	**60" Snow V-Blade**		**$6,095.00**	**24%**	**$4,632.20**	**$153.00**	**$50.00**	**$0.00**	**$4,835.20**
	(Work Machine must be equipped with a 7-Pin Attachment Control Kit) (Blade is equipped with fingertip 7-Pin Control) (Adjustable blade width from 53-60 inches)								
6958576	**72" Snow V-Blade**		**$6,406.00**	**24%**	**$4,868.56**	**$189.00**	**$50.00**	**$0.00**	**$5,107.56**
	(Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)								
6958577	**84" Snow V-Blade**		**$6,714.00**	**24%**	**$5,102.64**	**$194.00**	**$50.00**	**$0.00**	**$5,346.64**
	(Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)								
6958578	**96" Snow V-Blade**		**$7,022.00**	**24%**	**$5,336.72**	**$202.00**	**$50.00**	**$0.00**	**$5,588.72**
	(Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)								

Snowblower
Bobcat Work Machine Attachment



Quick Specs

	SB32 x 60"	SB32 x 68"	SB32 x 74"	SB32 x 80"
Chute Rotation	270°	270°	270°	270°
Deflector Control	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance	Up to 40'	Up to 40'	Up to 40'	Up to 40'
Flow Range	13-31 GPM	13-31 GPM	13-31 GPM	13-31 GPM
Fan Diameter	19.5"	19.5"	19.5"	19.5"
Auger Diameter	20"	20"	20"	20"
Length	61.5"	69.5"	75.5"	81.5"
Width	45"	45"	45"	45"
Intake Height	33"	33"	33"	33"
Max Pressure	3400 psi	3400 psi	3400 psi	3400 psi
Operating Weight	920 lbs	941 lbs	981 lbs	1016 lbs

SB32 Hydraulic Motor Packages

100cc Motor Package..... 17-21 gpm
160cc Motor Package..... 26-31 gpm

Part Number	SB32 Snowblower Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Work Machine must be equipped with a 14-pin Attachment Control Kit.							
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
M7046	**SB32 x 60" Snowblower**	**$6,982.00**	**24%**	**$5,306.32**	**$200.00**	**$50.00**	**$0.00**	**$5,556.32**
M7046-R01-C02	100cc Motor Package (5600)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
M7046-R01-C04	160cc Motor Package (5600H, 5610)	**$1,124.00**	**24%**	**$854.24**	**$0.00**	**$0.00**	**$0.00**	**$854.24**
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
M7047	**SB32 x 68" Snowblower**	**$7,154.00**	**24%**	**$5,437.04**	**$205.00**	**$50.00**	**$0.00**	**$5,692.04**
M7047-R01-C02	100cc Motor Package (5600)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
M7047-R01-C04	160cc Motor Package (5600H, 5610)	**$1,124.00**	**24%**	**$854.24**	**$0.00**	**$0.00**	**$0.00**	**$854.24**
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
M7045	**SB32 x 74" Snowblower**	**$7,427.00**	**24%**	**$5,644.52**	**$223.00**	**$50.00**	**$0.00**	**$5,917.52**
M7045-R01-C02	100cc Motor Package (5600)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
M7045-R01-C04	160cc Motor Package (5600H, 5610)	**$1,124.00**	**24%**	**$854.24**	**$0.00**	**$0.00**	**$0.00**	**$854.24**
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
M7048	**SB32 x 80" Snowblower**	**$7,639.00**	**24%**	**$5,805.64**	**$262.00**	**$50.00**	**$0.00**	**$6,117.64**
M7048-R01-C02	100cc Motor Package (5600)	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**
M7048-R01-C04	160cc Motor Package (5600H, 5610)	**$1,124.00**	**24%**	**$854.24**	**$0.00**	**$0.00**	**$0.00**	**$854.24**

Sod Layer
Bobcat Work Machine Attachment



Quick Specs

Operating Weight..... 596 lbs
Length..... 49.1"
Width (maximum overall)..... 73.0"
Height..... 31.0"
Sod Roll Widths..... 24.0" – 48.0"
Maximum Diameter Sod Roll..... 50.0"
Arm Cylinders (2)..... 2.0" X 1.0" X 18.5" Stroke
Relief Vaule Setting..... 400 psi

Part	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted

Number	Description							Price
(5600, 5610) (UW56, UW53)								
6906783	**Sod Layer**..... (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above)	**$5,321.00**	**24%**	**$4,043.96**	**$174.00**	**$50.00**	**$0.00**	**$4,267.96**

Soil Conditioner
Bobcat Work Machine Attachment



Quick Specs

	72-in Man.	*72-in Hyd.*	*72-in HF.*	*84-in Hyd.*	*84-in HF.*
Overall Length.....	67.9"	67.9"	67.9"	67.9"	67.9"
Overall Width.....	86.2"	86.2"	86.2"	98.2"	98.2"
Working Width – Fully Angled.....	65.0"	65.0"	65.0"	76.0"	76.0"
Degree of Angle Left or Right.....	25°	25°	25°	25°	25°
Number of Teeth.....	121	121	121	141	##
Operating Weight.....	1110 lbs.	1110 lbs.	1110 lbs.	1268 lbs.	1269 lbs.
Hydraulic Requirements.....	13-37 gpm	13-37 gpm	25-37 gpm	18-37 gpm	30-37 gpm
Tires.....	Pneumatic	Foam-Filled	Foam-Filled	Foam-filled	Foam-filled
Float or Lock Position.....	Both	Both	Both	Both	Both
Depth Adjustment.....	Manual	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Angle Adjustment.....	Manual	Hydraulic	Hydraulic	Hydraulic	Hydraulic

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5600H, 5610) (UW56, UW56H, UW53)									
6906513	**72" Soil Conditioner, Manual Angle**.....		**$11,295.00**	**24%**	**$8,584.20**	**$268.00**	**$50.00**	**$41.25**	**$8,943.45**
7135945	**72" Soil Conditioner, Hydraulic Angle and Depth**..... (Loader must be equipped with an Attachment Control Kit)		**$12,920.00**	**24%**	**$9,819.20**	**$265.00**	**$50.00**	**$0.00**	**$10,134.20**
7135946	**84" Soil Conditioner, Hydraulic Angle**..... (Loader must be equipped with an Attachment Control Kit)		**$13,663.00**	**24%**	**$10,383.88**	**$315.00**	**$50.00**	**$0.00**	**$10,748.88**
(5600H, 5610) (UW56, UW56H, UW53)									
7135944	**72" Soil Conditioner, High Flow Hydraulic Angle and Depth**..... (Loader must be equipped with an Attachment Control Kit)		**$13,366.00**	**24%**	**$10,158.16**	**$268.00**	**$50.00**	**$0.00**	**$10,476.16**
7135947	**84" Soil Conditioner, High Flow Hydraulic Angle and Depth**..... (Loader must be equipped with an Attachment Control Kit)		**$14,522.00**	**24%**	**$11,036.72**	**$315.00**	**$50.00**	**$0.00**	**$11,401.72**

Spreader
Bobcat Work Machine Attachment

Quick Specs

Operating Weight with Loader Mount (empty)..... 387 lbs
Height..... 40.9"
Width..... 54.4"

Hopper Capacity

Top of Hopper..... 9.6 Cu. ft.
Bottom of Grate..... 7.6 Cu. ft.
Spreading Pattern..... 18.4 @ 1500 RPM
Spreading Pattern..... 22.6 @ 2000 RPM
Spreading Pattern..... 28.4 @ 2500 RPM
Speed Control..... Dial control
Motor..... Hydraulic
Spinner Wheel..... 18" diameter
Maximum Hydraulic Flow..... 22 GPM

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)									
7157284	**HS8 Spreader**.....		**$4,796.00**	**24%**	**$3,644.96**	**$144.00**	**$100.00**	**$0.00**	**$3,888.96**

Stump Grinder
Bobcat Work Machine Attachment



Quick Specs

	SG60
Operating Weight	980 lbs
Flow Range	17-32 gpm
Overall Length	45"
Overall Transport Length	65.8"
Overall Height	59.4"
Wheel Diameter	27"
Number of Teeth	32
Grinder Reach @ Ground Level	74"
Maximum Cutting Height	32"
Maximum Cutting Depth	15"
Maximum Cutting Arc	80°

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
6808034	**SG60 Stump Grinder** (Work Machine must be equipped with a 7-Pin Attachment Control Kit) (A 14-Pin T-Harness Kit is required when used on work machine equipped with a 14-Pin Attachment Control Kit – See Page 1)	**$12,406.00**	**24%**	**$9,428.56**	**$247.00**	**$50.00**	**$0.00**	**$9,725.56**

Sweeper
Bobcat Work Machine Attachment

Quick Specs

Operating Weight	888 lbs
Sweep Width	60”
Overall Attachment Width	66
Bucket Capacity	8.7 cu. Ft.
Broom Diameter	26.3”
Bristle Sections (Included)	30
Bristle Material	Replaceable Polypropylene sections (steel available)
Cutting Edge (Repl. Steel)	5/8" x 6"
Broom RPM @ 12 GPM	##
Hydraulic Flow Range	16.0-23.0 GPM
Travel	Forward/Reverse

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7418328	**60" Sweeper** (Not approved for A-Series or B-Series) (Approved for use with 5600 s/n A00211001 & above, 5600 s/n A00311001 & above, 5600 s/n A0W111001 & above, 5600 s/n A94Y11001 & above, 5610 A7Y711001 & above and 5610 APFB11001 & above)	**$6,537.00**	**24%**	**$4,968.12**	**$141.00**	**$50.00**	**$41.25**	**$5,200.37**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7419388	**Gutter Brush** (Add-on to the 60" Sweepers) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 150 lbs.)	**$2,714.00**	**24%**	**$2,062.64**	**$63.00**	**$0.00**	**$330.00**	**$2,455.64**

Three-Point Hitch Adapter
Bobcat Work Machine Attachment

Quick Specs

Operating Weight	272 lbs
Mounting Frame	Mounts to category "I and II" Three-Point Hitch Implements that meet the ASAE standard for quick hitch.
Overall Width	46"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7110394	**Three-Point Hitch Adapter, Category "I and II"** (Quick-tach connection to Three-Point Hitch implements to convert to Bob-Tach™) (Includes 2" receiver for moving trailers)	**$1,284.00**	**24%**	**$975.84**	**$116.00**	**$0.00**	**$0.00**	**$1,091.84**

Tiller
Bobcat Work Machine Attachment

Quick Specs

	62"	76"
Operating Weight	660 lbs	749 lbs
Working Width	62.1"	75.4"
Overall Width	70.8"	84.4"
Tines	36	44
Working Depth	6" maximum	6" maximum
Tine Rotation	Bi-rotational	Bi-rotational
Drive	Direct Drive	Direct Drive
Travel Direction	Forward/Reverse	Forward/Reverse
Flow Range	17-40 GPM	17-40 GPM
Skid Shoe	Optional	Optional

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5600H, 5610) (UW56, UW56H, UW53)								
7104371	**62" Rotary Tiller**	**$6,366.00**	**24%**	**$4,838.16**	**$206.00**	**$50.00**	**$0.00**	**$5,094.16**
(5600*, 5600H, 5610) (UW56, UW56H, UW53)								
7102125	**76" Rotary Tiller** (*Not approved on A-Series 5600, s/n prefix 5205)	**$7,514.00**	**24%**	**$5,710.64**	**$224.00**	**$50.00**	**$0.00**	**$5,984.64**

Tilt-Tatch
Bobcat Work Machine Attachment



Quick Specs

Operating Weight	320 lbs
Height	20.4"
Width	48"
Length	4.3"
Oscillation	± 15°
Cylinders	1

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
7101600	**Tilt-Tatch** (Interface between the work machine's Bob-Tach and non-hydraulic attachments)	**$3,333.00**	**24%**	**$2,533.08**	**$116.00**	**$50.00**	**$0.00**	**$2,699.08**

Note: **Use of Tilt-Tatch will reduce Operating Capacity and Tip Load by approximately 20%. See the Tilt-Tatch Operator's Manual for New Load Ratings.**

Note: **Tilt-Tatch can be used with non-hydraulic attachments only.**

Trencher
Bobcat Work Machine Attachment



Quick Specs

	LT213
Operating Weight (without teeth)	725 lbs
Flow Range	11-18 gpm
Maximum Operating Pressure	3300 psi
Frame Width (std. equipment)	56"
Trenching Widths Available	4" to 8"
Side Shift Travel	23.1"
Auger Diameter	12"

Auger Clearance..... 13.8-15.8"
Dig Depth @ 60 degrees..... 3'
Overall Length..... 74"
Standard Boom Length..... 52.5"

Part Number	LT213 Trencher Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
M7013	**LT213 Trencher**..... (Includes 3' depth, manual sideshift, trench cleaner) (Can only order one factory installed chain option per trencher model)	**$5,558.00**	**24%**	**$4,224.08**	**$215.00**	**$50.00**	**$0.00**	**$4,489.08**
	LT213 Chain Configuration Options (Factory Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
M7013-R01-C02	**3' x 4" Cup Teeth, Single Standard Pattern**.....	**$601.00**	**24%**	**$456.76**	**$0.00**	**$0.00**	**$0.00**	**$456.76**
M7013-R01-C04	**3' x 6" Cup Teeth, Single Standard Pattern**.....	**$641.00**	**24%**	**$487.16**	**$0.00**	**$0.00**	**$0.00**	**$487.16**
M7013-R01-C01	**3' x 4" Cup Teeth, Double Standard Pattern**.....	**$684.00**	**24%**	**$519.84**	**$0.00**	**$0.00**	**$0.00**	**$519.84**
M7013-R01-C03	**3' x 4" Cup & Carbide Teeth, Double Standard Pattern**.....	**$1,400.00**	**24%**	**$1,064.00**	**$0.00**	**$0.00**	**$0.00**	**$1,064.00**
M7013-R01-C06	**3' x 4" Shark/Cup Teeth in Double Standard Pattern**.....	**$1,126.00**	**24%**	**$855.76**	**$0.00**	**$0.00**	**$0.00**	**$855.76**
M7013-R01-C07	**3' x 6" Shark/Cup Teeth in Double Standard Pattern**.....	**$1,310.00**	**24%**	**$995.60**	**$0.00**	**$0.00**	**$0.00**	**$995.60**

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	LT213 Chain Configuration Accessories (Replacement Chain - Dealer Installed) ***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***							
6959317	**3' x 4" Cup Teeth, Single Standard Pattern**..... (Ship Weight 100 lbs.)	**$813.00**	**24%**	**$617.88**	**$101.00**	**$0.00**	**$0.00**	**$718.88**
6959335	**3' x 6" Cup Teeth, Single Standard Pattern**..... (Ship Weight 113 lbs.)	**$859.00**	**24%**	**$652.84**	**$116.00**	**$0.00**	**$0.00**	**$768.84**
6959321	**3' x 4" Cup Teeth, Double Standard Pattern**..... (Ship Weight 115 lbs.)	**$910.00**	**24%**	**$691.60**	**$116.00**	**$0.00**	**$0.00**	**$807.60**
6959319	**3' x 4" Cup & Carbide Teeth, Double Standard Pattern**..... (Ship Weight 115 lbs.)	**$1,768.00**	**24%**	**$1,343.68**	**$116.00**	**$0.00**	**$0.00**	**$1,459.68**
7209864	**3' x 4" Shark/Cup Teeth, Double Standard Pattern**.....	**$1,191.00**	**24%**	**$905.16**	**$96.00**	**$0.00**	**$0.00**	**$1,001.16**
7209865	**3' x 6" Shark/Cup Teeth, Double Standard Pattern**.....	**$1,391.00**	**24%**	**$1,057.16**	**$116.00**	**$0.00**	**$0.00**	**$1,173.16**

Utility Forks
Bobcat Work Machine Attachment



Quick Specs

	60"	*66"*	*72"*
Operating Weight.....	304 lbs	330 lbs	356 lbs
Number of teeth shipped.....	8	9	10
max number of teeth.....	15	17	19

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5600, 5610) (UW56, UW53)								
6725178	**60" Utility fork, with 8 Teeth**..... (Use with Farm/Utility grapple P/N 7176977)	**$1,625.00**	**24%**	**$1,235.00**	**$102.00**	**$0.00**	**$0.00**	**$1,337.00**
6725179	**66" Utility fork, with 9 Teeth**..... (Use with Farm/Utility grapple P/N 7176977)	**$1,902.00**	**24%**	**$1,445.52**	**$108.00**	**$0.00**	**$0.00**	**$1,553.52**
6725180	**72" Utility fork, with 10 Teeth**..... (Use with Farm/Utility grapple P/N 7176977)	**$2,002.00**	**24%**	**$1,521.52**	**$112.00**	**$0.00**	**$0.00**	**$1,633.52**

Utility Frame
Bobcat Work Machine Attachment



Quick Specs

Ship Weight..... 46 lbs
Overall Width..... 45.2"
Overall Height..... 19.0"

Angle Blade
Bobcat Work Machine Attachment



Quick Specs

	AB72	AB84
Moldboard (Working) Width	72"	84"
Moldboard Thickness	0.25"	0.25"
Moldboard (Blade) Height	15"	15"
Cutting Edge Height	6"	6"
Cutting Edge (thickness)	.5" reversible	.5" reversible
Operating Weight	332 lbs.	348 lbs.
Overall Height	38"	38"
Overall Length	40"	40"
Storage Stand	Yes	Yes
Blade Positions Forward	5	5
Blade Positions Rearward	5	5
3pt. Hitch Size	Category 1	Category 1

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7365493	**3 Pt. Angle Blade 72", 3AB72**		**$1,067.00**	**24%**	**$810.92**	**$96.00**	**$50.00**	**$0.00**	**$956.92**
7366558	**3 Pt. Angle Blade 84", 3AB84**		**$1,179.00**	**24%**	**$896.04**	**$108.00**	**$50.00**	**$0.00**	**$1,054.04**

Auger
Bobcat Work Machine Attachment

Quick Specs

	Auger 3PT
Drive Type	Gearbox
Tractor PTO Speed	540 RPM
Three-Point Hitch	Category 1
Auger Shaft Diameter	2"
Tractor PTO Horsepower (max)	60
Drive Line Protection	Shear Bolt

Auger Bit Diameter	6 in.	9 in.	12 in.
Cutting Diameter[1]	7.5 in.	10.5 in.	13.5 in.

[1]Standard cutting diameter, auger teeth are positioned at a 40° angle for general purpose cutting

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7365497	**3 Pt. Auger, 3PT**		**$1,217.00**	**24%**	**$924.92**	**$96.00**	**$0.00**	**$0.00**	**$1,020.92**
	(Includes drive units, drive shaft, and frame) (Auger bits must be orderd from parts)								

Box Blade
Bobcat Work Machine Attachment



Quick Specs

	BB60	BB72
Working Width	61.5"	73.5"
Total Height	33"	33"

Cutting Edge Height	6"	6"
Cutting Edge Thickness	3/8"	3/8"
Number of Cutting Edges	Two (reversible)	Two (reversible)
Number of Digging Shanks	5	6
Scarifying Shank Penetration (Max)	1-4"	1-4"
Shank Depth Adjustment	Manual	Manual
Operating Weight	395 lbs	445 lbs
3pt. Hitch Size	Category 1	Category 2

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7365525	**3 Pt. Box Blade 60", 3BB60**		**$1,210.00**	**24%**	**$919.60**	**$120.00**	**$0.00**	**$0.00**	**$1,039.60**
7365527	**3 Pt. Box Blade 72", 3BB72**		**$1,498.00**	**24%**	**$1,138.48**	**$143.00**	**$0.00**	**$0.00**	**$1,281.48**

Finish Mower
Bobcat Work Machine Attachment



Quick Specs

	FM60	***FM72***
Cutting Width	60"	72"
Overall Width	62"	74"
Overall Length	43"	43"
Cutting Height Range	1-4.5"	1-4.5"
Number of Blades	3	3
Discharge	Rear	Rear
Tractor Requirements (PTO)	23-32 hp	32-45 hp
Gear Box	Closed (540 RPM)	Closed (540 RPM)
3pt. Hitch Size	Cat 1	Cat 1
Weight	440 lbs	500 lbs

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7366574	**3 Pt. Mower 60", FM60**		**$3,369.00**	**24%**	**$2,560.44**	**$150.00**	**$0.00**	**$0.00**	**$2,710.44**
	-Used with three-point hitch and rear PTO								
7366578	**3 Pt. Mower 72", FM72**		**$4,119.00**	**24%**	**$3,130.44**	**$179.00**	**$0.00**	**$0.00**	**$3,309.44**
	-Used with three-point hitch and rear PTO								

Quick Hitch
Bobcat Work Machine Attachment

Quick Specs

Overall Width	30.25"
Overall Height	23"
Overall Depth	8.25"
Empty Weight	73 lbs
Maximum PTO HP	50
Three-Point Hitch	Category 1

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7376709	**Quick Hitch**		**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Rear Ballast
Bobcat Work Machine Attachment



Quick Specs

Quick Specs

Overall Width	35.5"
Overall Height	29"
Empty Weight	230 lbs.
Maximum Weight – Full	880 lbs.
Three-Point Hitch	Category 1

Part Number	Implement Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)								
7366584	**Rear Ballast Box**	**$701.00**	**24%**	**$532.76**	**$96.00**	**$0.00**	**$0.00**	**$628.76**

Rotary Cutter
Bobcat Work Machine Attachment

Quick Specs

	RC60	***RC72***
Cutting Width	60"	72"
Overall Width	63"	75"
Overall Length	86"	93"
Cutting Height	1.5" - 9"	1.5" - 9"
Deck Type	Single	Single
Deck Thickness	12 ga.	12 ga.
Number of Blades	2	2
Blade Tip Speed	12,478 FPM	14,974 FPM
Discharge	Rear	Rear
Weight	530 lbs.	623 lbs.
Tractor PTO Requirements	20-50 hp 540 RPM	25-65 hp 540 RPM
3pt. Hitch Size	Category 1	Category 1
Drive Line Protection	Shear bolt	Shear bolt

Part Number	Implement Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)								
7365545	**3 Pt. Rotary Cutter 60", (3RC60)** *It is recommended to operate RC with front-end loader installed for stability.	**$2,316.00**	**24%**	**$1,760.16**	**$179.00**	**$50.00**	**$0.00**	**$1,989.16**
7365693	**3 Pt. Rotary Cutter 72", (3RC72)** *It is recommended to operate RC with front-end loader installed for stability.	**$2,602.00**	**24%**	**$1,977.52**	**$209.00**	**$50.00**	**$0.00**	**$2,236.52**

Tiller
Bobcat Work Machine Attachment



Quick Specs

	Tiller 3PT 60
Tilling Width	60"
Overall Width	64"
Working Depth	1"- 7" Adjustable
Operating Weight	638 lbs.
Drive Type	Gear Driven Oil-Bath
Blades Per Flange	6
Total Blades	42
Tractor PTO Requirements	25-50 540 RPM
Three-Point Hitch	Category 1
Drive Line Protection	Slip-Clutch
Storage Stand	Yes
Skid Shoes	Adjustable/Replaceable

Part Number	Implement Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)								
7365793	**3 Pt. Tiller 60"**	**$3,077.00**	**24%**	**$2,338.52**	**$209.00**	**$50.00**	**$0.00**	**$2,597.52**

Tine Rake
Bobcat Work Machine Attachment



Quick Specs

	3TR72	3TR84
Working/Overall Width	72"	84"
Overall Length	42"	42"
Overall Height	39"	39"
Operating Weight	272 lbs.	287 lbs.
Rake Positions Forward	5	5
Rake Positions Rearward	5	5
3pt. Hitch Size	Category 1	Category 1

Part Number	Description	Implement	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(5610) (UW53)									
7365541	**3 Pt. Tine Rake 72", 3TR72**		**$1,235.00**	**24%**	**$938.60**	**$96.00**	**$0.00**	**$0.00**	**$1,034.60**
7366562	**3 Pt. Tine Rake 84", 3TR84**		**$1,339.00**	**24%**	**$1,017.64**	**$108.00**	**$0.00**	**$0.00**	**$1,125.64**

August 1, 2024
BOBCAT SLP Pages

TL519 Telehandler



Standard Equipment

74 HP Tier 4 V2 Non DPF Turbocharged Engine
Attachment Control Device (7 pin)
Automatic Parking Brake with Slope Assist
Auxiliary Hydraulics w/ Coupler Release Block
Back-up Alarm
Bobcat Standard 5" Display
Boom Float
Boom Stop
Eco Mode
Enclosed Cab With;

Heat/Air Conditioning: Parking Brake; Front, Rear, and Roof Washer/Wipers; Dome Light; Phone Holder; Power Port; Mechanical Suspension Seat; Retractable Seat Belt; Tilt and Telescoping Steering; Radio Ready; Sun Visor; Fixed Armrest; ACD Keypad

Front/Four-Wheel/Crab/Semi-Crab Steering
Hydrostatic Transmission with 2-Speed, Advanced Attachment Control, & Flex Drive (Engine Speed Lever)

Hitch: Rear Pin Type
Instrumentation: Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
LED Work Lights
Road Lights (Halogen):
Headlights, Turn Signals, Flashers, Tail Lights, Reverse Light (RH side), Rear Fog Light (LH side)
Mechanical Suspension Seat
Mirrors: Right & Left Side
Multi Function Joystick w/ Direction Control
Power Bob-Tach® Attachment Mounting System
Reversible Cooling Fan With Manual And Automatic Control
Rotating Beacon
Smart Handling System
Spark Arrestor Exhaust System
Tires: 12-16.5
Wheel Fenders
Warranty: 24 Months Or Total Of 2000 Hours

1) Roll Over Protective Structure (ROPS) - ISO 3471 & Falling Object Protective Structure (FOPS) level II – ISO 3449

Quick Specs

	TL519
Max Rated Lift Capacity	5512 lbs
Lift Capacity to Max Height	3968 lbs
Engine Make	Bobcat® Engine
Engine Model	D24 (Turbo)
Engine Fuel/Cooling	Diesel/Liquid
Engine Tier (EPA)	Tier 4
Horsepower	74 HP
Displacement	146.0 cu in.
Travel Speed I (High/Low)	17.0 / 4.3 MPH
Operating Weight	9,898 lbs
Cab Height	76.0"
Width (without attachment)	72.1"
Length (Fork Face to Rear Hitch)	157.0"
Wheelbase	92.9"
Lift Height	232.7"
Auxiliary Flow/Relief Pressure	21.1 GPM/3626 PSI

Part Number	Description	Telehandler	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M2702	TL519 Telehandler		$102,564.00	24%	$77,948.64	$2,125.00	$300.00	$0.00	$80,373.64

TL619 Telehandler



Standard Equipment

74 Hp Tier 4 V2 Non Dpf Turbocharged Engine
Attachment Control Device (7 pin)
Automatic Parking Brake with Slope Assist
Auxiliary Hydraulics W/ Coupler Release Block
Back-up Alarm
Bobcat Standard 5" Display
Bob-Tach® Attachment Mounting System
Boom Float
Boom Stop
Eco Mode
Enclosed Cab With;
Heat/Air Conditioning; Front, Rear, And Roof Washer/Wipers; Dome Light; Power Port; mechanical Suspension Seat; Retractable Seat Belt; Tilt And Telescoping Steering; Radio Ready; Sun Visor; Fixed Armrest; ACD Keypad

Front/Crab/Four-Wheel Steering
Hitch, Rear Pin Type

Hydrostatic Transmission
2-Speed, Advanced Attachment Control, & Flex Drive
Instrumentation: Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
LED Work Lights
Road Lights (Halogen):
Headlights, Turn Signals, Flashers, Tail Lights, Reverse Light (RH side), Rear Fog Light (LH side)
Mechanical Suspension Seat
Mirrors: Right & Left Side
Reversible Cooling Fan With Manual And Automatic Control
Right Hand Mirror
Rotating Beacon
Smart Handling System
Spark Arrestor Exhaust System
Tires: 405/70 – 20
Wheel Fenders
Warranty: 24 Months Or Total Of 2000 Hours

1) Roll Over Protective Structure (ROPS) - ISO 3471 & Falling Object Protective Structure (FOPS) level II – ISO 3449

Quick Specs

	TL619
Max Rated Lift Capacity	5512 lbs
Lift Capacity to Max Height	5512 lbs

Engine Make	Bobcat® Engine
Engine Model	D34 (Turbo)
Engine Fuel/Cooling	Diesel/Liquid
Engine Tier (EPA)	Tier 4
Horsepower	74 HP
Displacement	208.0 cu in.
Travel Speed I (High/Low)	18.3 / 4.7 MPH
Operating Weight	11,089 lbs
Cab Height	90.2"
Width (without attachment)	82.7"
Length (Fork Face to Rear Hitch)	175.3"
Wheelbase	111.0"
Lift Height	230.0"
Auxiliary Flow/Relief Pressure	21.1 GPM/3626 PSI

Part Number	Description	Telehandler	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M2770	TL619 Telehandler		$107,754.00	24%	$81,893.04	$2,125.00	$300.00	$0.00	$84,318.04

TL623 Telehandler



Standard Equipment

74 Hp Tier 4 Non DPF Turbocharged Engine
Attachment Control Device (7 pin)
Automatic Parking Brake with Slope Assist
Auxiliary Hydraulics W/ Coupler Release Block
Back-up Alarm
Bobcat Standard 5" Display
Power Bob-Tach® Attachment Mounting System
Auto Boom Suspension
Boom Stop
Eco Mode
Enclosed Cab With;
Heat/Air Conditioning; Front, Rear, And Roof Washer/Wipers; Dome Light; Power Port; Air Ride Suspension Seat; Retractable Seat Belt; Tilt And Telescoping Steering; Radio Ready; Sun Visor; Fixed Armrest; ACD Keypad
Front/Crab/Four-Wheel Steering
Hitch, Rear Pin Type

Hydrostatic Transmission
2-Speed, Advanced Attachment Control, & Flex Drive
Instrumentation: Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
LED Work Lights
Road Lights (Halogen):
Headlights, Turn Signals, Flashers, Tail Lights, Reverse Light (RH side), Rear Fog Light (LH side)
Mirrors: Right & Left Side
Reversible Cooling Fan With Manual And Automatic Control
Rotating Beacon
Smart Handling System
Spark Arrestor Exhaust System
Tires: 405/70 – 20
Wheel Fenders
rant

1) Roll Over Protective Structure (ROPS) - ISO 3471 & Falling Object Protective Structure (FOPS) level II – ISO 3449

Quick Specs

	TL623
Max Rated Lift Capacity	6,000 lbs.
Lift Capacity to Max Height	4,400 lbs.
Engine Make	Bobcat® Engine
Engine Model	D34 (Turbo)
Engine Fuel/Cooling	Diesel/Liquid
Engine Tier (EPA)	Tier 4
Horsepower	74 HP
Displacement	208.0 cu in.
Travel Speed I (High/Low)	18.3 / 4.7 MPH
Operating Weight	12,191 lbs.
Cab Height w/Beacon	90.2"
Width (without attachment)	82.7"
Length (Fork Face to Rear Hitch)	196.7"
Wheelbase	111.0"
Lift Height	264.2"
Auxiliary Flow/Relief Pressure	21.1 GPM/3626 PSI

Part Number	Description	Telehandler SLP in US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M2771	TL623 Telehandler		$116,398.00	24%	$88,462.48	$2,200.00	$300.00	$0.00	$90,962.48

TL723 Telehandler

Standard Equipment

100 HP Tier 4 Non DPF Turbocharged Engine
Attachment Control Device (7 Pin)
Auto Boom Suspension & Boom Float
Automatic Parking Brake With Slope Assist
Auxiliary Hydraulics W/ Coupler Release Block
Back-Up Alarm
Bobcat Standard 5" Display
Bobcat TLS Hydraulic Coupler Attachment Mounting System

Hydrostatic Transmission:
With Electronic Gearbox, 4 speeds, Advanced Attachment Control, & Flex Drive (Engine Speed Lever)
Instrumentation:
Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
LED Work Lights
Road Lights (Halogen):

Boom Stop
Eco Mode
Enclosed Cab With;
Heat/Air Conditioning; Front, Rear, And Roof Washer/Wipers; Dome Light; Power Port; Air Suspension Seat; Retractable Seat Belt; Tilt And Telescoping Steering; Radio Ready; Sun Visor; Fixed Armrest; Acd Keypad
Exhaust System: Diesel Oxidation Catalyst (DOC/SCR) With; Spark Arrestor
Front/Four-Wheel/Crab/Semi-Crab Steering
Hitch: Rear Pin Type

Headlights, Turn Signals, Flashers, Tail Lights, Reverse Light (RH side), Rear Fog Light (LH side)
Mirrors: Right & Left Side
Multi Function Joystick w/ Direction Control
Reversible Cooling Fan With Manual And Automatic Control
Rotating Beacon
Smart Handling System
Tires: 400/80 – 24
Wheel Fenders
Warranty: 24 Months Or Total Of 2000 Hours

1) Roll Over Protective Structure (ROPS) - ISO 3471 & Falling Object Protective Structure (FOPS) level II – ISO 3449

Quick Specs

	TL723
Max Rated Lift Capacity	7718 lbs
Lift Capacity to Max Height	7718 lbs
Engine Make	Bobcat® Engine
Engine Model	D34 (Turbo)
Engine Fuel/Cooling	Diesel/Liquid
Engine Tier (EPA)	Tier 4
Horsepower	100 HP
Travel Speed I (High/Low)	6.8 / 3.7 MPH
Travel Speed II (High/Low)	18.6 / 9.9 MPH
Operating Weight	15,545 lbs.
Cab Height	96.7"
Width (without attachment)	90.6"
Length (Fork Face to Rear Hitch)	191.7"
Wheelbase	113.0"
Lift Height	273.9"
Auxiliary Flow/Relief Pressure	26.4 GPM/3626 PSI

Part Number	Description	Telehandler	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M2840	TL723 Telehandler		$134,454.00	24%	$102,185.04	$3,075.00	$300.00	$0.00	$105,560.04

TL923 Telehandler

Standard Equipment

135 HP Tier 4 Non DPF Turbocharged Engine
Attachment Control Device (7 pin)
Auto Boom Suspension & Boom Float
Automatic Parking Brake with Slope Assist
Auxiliary Hydraulics w/ Coupler Release Block
Back-up Alarm
Bobcat Standard 5" Display
Bobcat TLS Hydraulic Coupler Attachment Mounting System
Boom Stop
Eco Mode
Enclosed Cab With;
Heat/Air Conditioning; Front, Rear, And Roof Washer/Wipers; Dome Light; Power Port; Heated Air Suspension Seat; ACD Keypad; Retractable Seat Belt; Tilt And Telescoping Steering; Radio Ready; Sun Visor
Exhaust System: Diesel Oxidation Catalyst (DOC/SCR) With; Spark Arrestor
High flow hydraulics with Load Sensing Hydraulic Pump
Hitch: Rear Pin Type

Hydrostatic Transmission:
With Electronic Gearbox, 4 speeds, Advanced Attachment Control, & Flex Drive (Engine Speed Lever)
Instrumentation:
Hourmeter, RPM, System Voltage; Engine Temperature and Fuel Gauges; Warning Lights
LED Work Lights
Road Lights (Halogen):
Headlights, Turn Signals, Flashers, Tail Lights, Reverse Light (RH side), Rear Fog Light (LH side)
Mirrors: Right & Left Side
Reversible Cooling Fan With Manual And Automatic Control
Rotating Beacon
Seat Mounted Multi Function Joystick w/ Direction Control
Smart Handling System
Tires: 400/80 – 24
Wheel Fenders
Warranty: 24 Months Or Total Of 2000 Hours

1) Roll Over Protective Structure (ROPS) - ISO 3471 & Falling Object Protective Structure (FOPS) level II – ISO 3449

Quick Specs

	TL923
Max Rated Lift Capacity	9041 lbs
Lift Capacity to Max Height	7056 lbs
Engine Make	Bobcat® Engine
Engine Model	D34 (Turbo)
Engine Fuel/Cooling	Diesel/Liquid
Engine Tier (EPA)	Tier 4
Horsepower	135 HP
Travel Speed I (High/Low)	7.4 / 3.7 MPH
Travel Speed II (High/Low)	24.8 / 11.1 MPH
Operating Weight	18,158 lbs
Cab Height	96.7"
Width (without attachment)	90.6"
Length (Fork Face to Rear Hitch)	195.9"
Wheelbase	113.0"
Lift Height	295.5"
Auxiliary Flow/Relief Pressure	39.6 GPM/3699 PSI

Part Number	Description	Telehandler	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M2841	TL923 Telehandler		$147,679.00	24%	$112,236.04	$3,800.00	$300.00	$0.00	$116,336.04

August 1, 2024
BOBCAT SLP Pages

Adapter Frame
Telehandler Attachments



Quick Specs

Operating Weight..... 225 lbs.

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V723, V923) (TL723, TL923)									
6812846	Bobcat telehandler Adapter Frame		$1,745.00	24%	$1,326.20	$101.00	$0.00	$0.00	$1,427.20

Angle Broom
Telehandler Attachments



Quick Specs

	84"
Operating Weight	944 lbs.
Sweep Width Straight	84"
Sweep Width Fully Angled	77" @ 25°
Broom Angling	Hydraulic Cylinder
Oscillation	Fixed
Drive System	Hydraulic MotorDirect Drive
Flow Range	15-28 GPM
Broom Bristle Diameter	32"
Bristle Material	Poly Orange HD
Number of Bristle Sections	44 Zig-Zag, 2 Straight

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)									
7337715	84" Angle Broom		$8,904.00	24%	$6,767.04	$249.00	$50.00	$0.00	$7,066.04

(TeleHandler must be equipped with Attachment Control Kit to operate Angle Broom)

Auger- Planetary Drive
Telehandler Attachments

Planetary Drive Auger Quick Specs

	Model 20PH	Model 25PH
Ship Weight (Auger Drive)	140 lbs.	141 lbs.
Ship Weight (Mtg. Frame)	118 lbs	118 lbs
Operating Weight (less bit)	258 lbs	259 lbs
Digging Depth (without extensions)	56"	56"
Shaft Diameter - Round	-	-
Shaft Diameter - Hex	2.0"	2.0"
RPM		
@ 12 gpm (45 L/min.)	-	-
@ 17 gpm (64 L/min.)	49 rpm	-
@ 18 gpm (68 L/min.)	52 rpm	-
@ 21 gpm (70 L/min.)	48 rpm	-
@ 22 gpm (83 L/min.)	61 rpm	49 rpm
@ 23 gpm (87 L/min.)	64 rpm	51 rpm
@ 26 gpm (98 L/min.)	67 rpm	53 rpm
@ 30 gpm (114 L/min.)	-	-
@ 32 gpm (121 L/min.)	-	-
@ 34 gpm (129 L/min.)	-	-
@ 36 gpm (136 L/min.)	-	-
@ 37 gpm (140 L/min.)	-	-
@ 38 gpm (144 L/min.)	-	-
Torque		
@ 2000 psi (19,788 kPa)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)
@ 2400 psi (16,547 kPa)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)
@ 2600 psi (17,926 kPa)	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)
@ 2700 psi (18,616 kPa)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)
@ 3000 psi (20,684 kPa)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)
@ 3200 psi (22,753 kPa)	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)

@ 3300 psi (22,753 kPa)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)
@ 3500 psi (24,132 kPa)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7501035	**Model 20PH Auger Drive Unit** (Must also order loader frame for Model 20PH and Bit)(Auger Drive is not compatible with mounting from for15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,280.00	24%	$1,732.80	$65.00	$50.00	$82.50	$1,930.30
7501036	**Model 25PH Auger Drive Unit** (Must also order loader frame for Model 20PH and Bit)(Auger Drive is not compatible with mounting from for15C/H or 30C/H Augers.) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)	$2,409.00	24%	$1,830.84	$65.00	$50.00	$82.50	$2,028.34
7220280	**Model 35PH Auger Drive Unit** (Must also order Mounting Frame and Bit)	$4,911.00	24%	$3,732.36	$130.00	$50.00	$82.50	$3,994.86

Part Number	Dealer Installed Auger Frames - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Must Order Mounting Frame or Adapter Frame							
(V519) (TL619)								
7508119	**12PH/14PH/20PH/25PH Mounting Frame** (Includes Mounting Hardware to attach auger drive)	$720.00	24%	$547.20	$65.00	$0.00	$82.50	$694.70
7223507	**35PH Mounting Frame** (Includes Mounting Hardware)	$799.00	24%	$607.24	$91.00	$0.00	$0.00	$698.24

Part Number	Dealer Installed Auger Bits - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Auger Drive & Bit Recommendations							
	20PH/25PH—Recommended bit size 6" – 30"							
	Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.							
	Light Duty Auger Bits							
	Approved for 12PH, 14PH, 20PH and 25PH augers Black color, Semi-Flight unless noted. 48" Length. Shaft Diameter- 2" Hex Not compatible with Model 10, 15C, 30C, 35PH or 50PH augers Retaining Pin ships with auger							
7500735	**6" Semi-Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$469.00	24%	$356.44	$55.00	$0.00	$0.00	$411.44
7500736	**9" Semi-Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$544.00	24%	$413.44	$55.00	$0.00	$0.00	$468.44
7500737	**12" Semi-Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$618.00	24%	$469.68	$55.00	$0.00	$0.00	$524.68
7500738	**15" Semi-Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$770.00	24%	$585.20	$65.00	$0.00	$0.00	$650.20
7500739	**18" Semi-Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$850.00	24%	$646.00	$65.00	$0.00	$0.00	$711.00
7500740	**24" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$995.00	24%	$756.20	$65.00	$0.00	$0.00	$821.20
7500746	**30" Double Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,670.00	24%	$1,269.20	$65.00	$0.00	$0.00	$1,334.20
	Standard Duty Auger Bits							
	Approved for 12PH, 14PH, 20PH and 25PH augers Black color, Single Flight unless noted. 48" Length. Shaft Diameter- 2" Hex Not compatible with Model 10, 15C, 30C, 35PH or 50PH augers Retaining Pin ships with auger							
7500763	**6" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$488.00	24%	$370.88	$55.00	$0.00	$0.00	$425.88
7500765	**9" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$680.00	24%	$516.80	$55.00	$0.00	$0.00	$571.80
7500767	**12" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$791.00	24%	$601.16	$55.00	$0.00	$0.00	$656.16
7500768	**15" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$912.00	24%	$693.12	$65.00	$0.00	$0.00	$758.12
7500769	**18" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,041.00	24%	$791.16	$65.00	$0.00	$0.00	$856.16
7500771	**24" Single Flight (2" Hex)** (For use with 12PH/14PH/20PH/25PH augers or 15H/30H augers)	$1,309.00	24%	$994.84	$65.00	$0.00	$0.00	$1,059.84

Auger- Direct Drive
Telehandler Attachments

Direct Drive Auger Quick Specs

	Model 15C	Model 15H	Model 30C	Model 30H	Model 35PH
Ship Weight (Auger Drive)	245 lbs.	241 lbs.	263 lbs.	257 lbs.	325 lbs.
Ship Weight (Mtg. Frame)	189 lbs.	189 lbs.	189 lbs.	189 lbs.	189 lbs.
Operating Weight (less bit)	374 lbs.	370 lbs.	392 lbs.	386 lbs.	454 lbs.
Digging Depth (without extensions)	62"	62"	62"	62"	72"
Shaft Diameter - Round	2.5"	-	2.5"	-	-
Shaft Diameter - Hex	2.0"	2.0"	2.0"	2.0"	2.5"

RPM					
@ 12 gpm (45 L/min.)	57 rpm	57 rpm	-	-	-
@ 17 gpm (64 L/min.)	80 rpm	80 rpm	41 rpm	41 rpm	-
@ 18 gpm (68 L/min.)	-	-	-	-	46 rpm
@ 21 gpm (70 L/min.)	99 rpm	99 rpm	51 rpm	51 rpm	-
@ 22 gpm (83 L/min.)	-	-	-	-	56 rpm
@ 23 gpm (87 L/min.)	109 rpm	109 rpm	56 rpm	56 rpm	-
@ 26 gpm (98 L/min.)	-	-	-	-	64 rpm
@ 30 gpm (114 L/min.)	-	-	70 rpm	70 rpm	77 rpm
@ 32 gpm (121 L/min.)	-	-	-	-	82 rpm
@ 34 gpm (129 L/min.)	-	-	-	-	87 rpm
@ 36 gpm (136 L/min.)	-	-	-	-	92 rpm
@ 37 gpm (140 L/min.)	-	-	90 rpm	90 rpm	-
@ 38 gpm (144 L/min.)	-	-	-	-	98 rpm
Torque					
@ 2000 psi (19,788 kPa)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)	2,438 ft.lb. (3,237 Nm)
@ 2400 psi (16,547 kPa)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)	2,864 ft.lb. (3,884 Nm)
@ 2600 psi (17,926 kPa)	-	-	-	-	3,102 ft.lb. (4,208 Nm)
@ 2700 psi (18,616 kPa)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)	-
@ 3000 psi (20,684 kPa)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)	-
@ 3200 psi (22,753 kPa)	-	-	-	-	3,819 ft.lb. (5,179 Nm)
@ 3300 psi (22,753 kPa)	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)	-
@ 3500 psi (24,132 kPa)	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)	4,177 ft.lb. (5,664 Nm)

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)									
6809442	**Model 15C Auger Drive Unit** (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7145345	**Model 15H Hex Shaft Auger Drive Unit** (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
6809445	**Model 30C Auger Drive Unit** (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7138264	**Model 30H Hex Shaft Auger Drive Unit** (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Part Number	Description	Dealer Installed Auger Frames - Order From Sales	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		Must Order Mounting Frame or Adapter Frame							
(V519) (TL619)									
6809442	**Model 15C Auger Drive Unit** (Must also order Mounting Frame and Bit)		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Bucket
Telehandler Attachments



Part Number	Description	Attachment	SAE Heaped Capacity (cu. yd.)	Oper. WGT. (lbs.)	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)											
7326128	**86" Severe Duty Bucket (•)**		**0.92**	**849**	**$2,813.00**	**24%**	**$2,137.88**	**$156.00**	**$0.00**	**$0.00**	**$2,293.88**
7326127	**92" Severe Duty Bucket (•)**		**1.00**	**892**	**$2,986.00**	**24%**	**$2,269.36**	**$150.00**	**$0.00**	**$0.00**	**$2,419.36**
7279105	**98" Light Material Bucket (••)**		**2.00**	**914**	**$3,100.00**	**24%**	**$2,356.00**	**$96.00**	**$0.00**	**$0.00**	**$2,452.00**
(V723, V923) (TL723, TL923)											
7329888	**93" General Purpose Bucket**		**1.0**	**919**	**$3,744.00**	**24%**	**$2,845.44**	**$187.00**	**$0.00**	**$0.00**	**$3,032.44**
7338655	**96" Light Material Bucket (•••)**		**2.5**	**1,554**	**$4,518.00**	**24%**	**$3,433.68**	**$233.00**	**$0.00**	**$0.00**	**$3,666.68**
7338662	**96" Light Material XL Bucket (•••)**		**3.2**	**1,753**	**$5,884.00**	**24%**	**$4,471.84**	**$282.00**	**$0.00**	**$0.00**	**$4,753.84**

(•) Buckets have holes predrilled to accept bolt-on teeth
(••) Bucket has holes predrilled to accept bolt-on cutting edges
(•••) Bucket has bolt-on cutting edge

Combination Bucket
Telehandler Attachments



Quick Specs

	84"
Operating Weight	1,109 lbs.
Overall Width	85.4"
SAE Capacity Heaped	19.3 ft3
Number of Teeth	9 bolt-on
Max Clamping Force	6,835 lbs.

Part Number	Description	Attachment	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)									
7167314	**84" Combination Bucket**		**$6,282.00**	**24%**	**$4,774.32**	**$235.00**	**$50.00**	**$0.00**	**$5,059.32**

Flail Cutter
Telehandler Attachments



Quick Specs

Operating Weight	1,640 lbs.
Cutting Width	79"
Cutting Height	1.5" - 3"
Overall Width	91"
Flow	17 - 40 gpm
Hammers	21
Cutting Capacity	Brush material up to 3" in diameter
Blade Tip Speed	8,200 ft./min. @ 2,000 RPM 9,000 ft./min. @ 2,200 RPM

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7101894	FC200 Flail Cutter	$16,773.00	24%	$12,747.48	$368.00	$100.00	$0.00	$13,215.48

Grapple, AG & Industrial
Telehandler Attachments

Ag Grapple



Industrial Fork Grapple

Quick Specs

	96" Ag Bkt.	78" Fork
Operating Weight	1,728 lbs.	1,218 lbs.
Overall Grapple Width	96.45"	78.8"
# of Teeth - Factory	N/A	8
# of Teeth - Possible	N/A	15

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7166624	78" Industrial Fork Grapple, With 8 Teeth	$6,792.00	24%	$5,161.92	$301.00	$50.00	$412.50	$5,925.42
(V723, V923) (TL723, TL923)								
7339833	96" Ag Bucket Grapple	$9,464.00	24%	$7,192.64	$0.00	$0.00	$0.00	$7,192.64

Grapple Root
Telehandler Attachments



Quick Specs

	82"
Operating Weight	1,130 lbs.
Height (closed)	34.2"
Height (open)	51.8"
Length	42.8"
Width	82.5"
Teeth	11

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7168338	82" Root Grapple	$5,559.00	24%	$4,224.84	$284.00	$50.00	$412.50	$4,971.34

Pallet Fork (Fixed)
Telehandler Attachments

Pallet Fork Teeth and Frame

Bale Forks (2) and Frame

Quick Specs

	V519/TL619			TL723/V723	
Frame	**Fixed**			**Fixed**	**Fixed/SS**
Weight	358 lbs.			717 lbs.	893 lbs.
Forks	**42"**	**48"**	**Bale Forks**	**Single**	42.7 lbs.
Ship Weight (set of 2)	215 lbs.	238 lbs.	119 lbs.	included	included
Fork Width	4"	4"		4"	4"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7294332	**Pallet Fork Frame, Severe Duty, Less Teeth**	**$967.00**	**24%**	**$734.92**	**$54.00**	**$0.00**	**$41.25**	**$830.17**
	Bale Forks							
6815781	**Bale Forks, Set of 2**	**$991.00**	**24%**	**$753.16**	**$84.00**	**$50.00**	**$0.00**	**$887.16**
	Pallet Forks							
6541521	**42" Pallet Fork Teeth, Set of 2**	**$592.00**	**24%**	**$449.92**	**$50.00**	**$0.00**	**$0.00**	**$499.92**
6541518	**48" Pallet Fork Teeth, Set of 2**	**$667.00**	**24%**	**$506.92**	**$50.00**	**$0.00**	**$0.00**	**$556.92**
(V723, V923) (TL723, TL923)								
7329891	**Pallet Fork Frame, with 47" Teeth**	**$2,034.00**	**24%**	**$1,545.84**	**$157.00**	**$0.00**	**$0.00**	**$1,702.84**
7328474	**Pallet Fork Frame, with 47" Teeth and Sideshift**	**$4,705.00**	**24%**	**$3,575.80**	**$184.00**	**$0.00**	**$0.00**	**$3,759.80**
	Bale Fork							

Pallet Fork (Floating) Telehandler Attachments



A – Lowback Forks will float and pivot up

B – Highback Forks will float only

Quick Specs

Pallet Frames	**48" Pallet Fork Frame**	**44" Frame**	**60" Frame**
Operating Weight	492 lbs.	617 lbs.	662 lbs.
Frame Width	49.9"	44.1"	60"
Frame Height	51.7"	-	-

Pallet Forks	**Lowback Forks**	**Highback Forks**
Operating Weight (set of 2)	272 lbs.	316 lbs.
Fork Width	4"	4"
Fork Back Height	26"	39"
Fork Length	48"	48"
Float up/down	3"	-
Rotation	144°	-

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7140717	**48" Pallet Fork Frame, Less Teeth**	**$2,290.00**	**24%**	**$1,740.40**	**$144.00**	**$0.00**	**$0.00**	**$1,884.40**
6810302	**48" Lowback Pallet Fork Teeth, set of 2**	**$1,453.00**	**24%**	**$1,104.28**	**$116.00**	**$0.00**	**$0.00**	**$1,220.28**
6810301	**48" Highback Pallet Fork Teeth, set of 2**	**$1,869.00**	**24%**	**$1,420.44**	**$116.00**	**$50.00**	**$0.00**	**$1,586.44**
(TL723) (V723)								
7329892	**44" Pallet Fork Frame, with 2 Low Back Forks**	**$2,250.00**	**24%**	**$1,710.00**	**$141.00**	**$0.00**	**$0.00**	**$1,851.00**
(V723, V923) (TL723, TL923)								
7369521	**60" Pallet Fork Frame, with 2 Low Back Forks**	**$2,519.00**	**24%**	**$1,914.44**	**$165.00**	**$0.00**	**$0.00**	**$2,079.44**

Rock Bucket Telehandler Attachments

Quick Specs	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

	82"
Operating Weight	700 lbs.
Overall Width	82.1"
Overall Height	20.8"
Overall Length (Bucket Lip or Bottom of Bucket	43.57"
Tine Spacing	3"
Number of Tines	23

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								

7185947	**82" Rock Bucket**	**$2,978.00**	**24%**	**$2,263.28**	**$162.00**	**$0.00**	**$0.00**	**$2,425.28**

Snowblower
Telehandler Attachments



Quick Specs

	SB32 x 86"
Chute Rotation	270°
Deflector Control	Hydraulic
Throw Distance	Up to 40'
Flow Range	13-31 GPM
Fan Diameter	19.5"
Auger Diameter	20"
Length	87"
Width	45"
Intake Height	33"
Max Pressure	3400 psi
Operating Weight	1041 lbs

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(TL619)								
M7049	**SB32 x 86" Snowblower**	**$8,507.00**	**24%**	**$6,465.32**	**$266.00**	**$50.00**	**$0.00**	**$6,781.32**
M7049-R01-C02	**100cc Motor Package**	**$1,048.00**	**24%**	**$796.48**	**$0.00**	**$0.00**	**$0.00**	**$796.48**

Snow Blade
Telehandler Attachments



Quick Specs

	108" HD
Operating Weight	948 lbs.
Width	108"
Height	28.5"
Working Width (Fully Angled)	94"
Steel Cutting Edge	.5" x 6"
Cylinders	1
Trip Springs	6
Optional Rubber Cutting Edge	1"x 6"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7207863	**108" Snow Blade - Heavy Duty (With Hydraulic Angle)**	**$6,055.00**	**24%**	**$4,601.80**	**$207.00**	**$50.00**	**$41.25**	**$4,900.05**

Snow Pusher Pro
Telehandler Attachments



Quick Specs

	96"	108"	120"
Operating Weight	1473 lbs	1529 lbs	1589 lbs
Overall Width	104"	116"	128"
Working Width	96"	108"	120"
Length (includes interface)	75.8"	75.8"	75.8"
Height	40"	40"	40"
Cutting Edge (High Carbon Steel)	5/8" x 6"	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly)	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs	4	4	4
Color	Orange	Orange	Orange
Float			
Tilt	35 degrees	35 degrees	35 degrees

Oscillation	+/- 6 degrees	+/- 6 degrees	+/- 6 degrees

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7385513	96" Snow Pusher Pro	$10,349.00	24%	$7,865.24	$390.00	$50.00	$0.00	$8,305.24
7385514	108" Snow Pusher Pro	$10,518.00	24%	$7,993.68	$390.00	$50.00	$0.00	$8,433.68
7385515	120" Snow Pusher Pro	$10,687.00	24%	$8,122.12	$390.00	$50.00	$0.00	$8,562.12

Soil Conditioner
Telehandler Attachments



Quick Specs

	84" Hydraulic
Overall Length	67.9"
Overall Width	98.2"
Working Width (Fully Angled)	76.0"
Degree of Angle - Left or Right	25 deg.
Number of Teeth	141
Operating Weight	1,268 lbs.
Hydraulic Requirements	18-37 gpm
Tires	Foam-Filled
Float or Lock Position	Both
Depth Adjustment	Hydraulic

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7135946	84" Soil Conditioner, Hydraulic Angle	$13,663.00	24%	$10,383.88	$315.00	$50.00	$0.00	$10,748.88

Sweeper
Telehandler Attachments

Quick Specs

	84"
Operating Weight	1,122 lbs.
Sweep Width	84"
Overall Attachment Width	89.7"
Bucket Capacity	12.2 cu. ft.
Broom Diameter	26.3"
Bristle Sections (Included)	42
Bristle Material	Replaceable Polypropylene sections (steel sections available)
Cutting Edge (Repl. Steel)	5/8" x 6"
Broom RPM @ 23 GPM	258
Hydraulic Flow Range	16-23 GPM
Travel	Forward/Reverse

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7418178	84" Sweeper	$8,085.00	24%	$6,144.60	$162.00	$50.00	$0.00	$6,356.60

Part Number	Dealer Installed Accessories - Order From Sales Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7419388		$2,714.00	24%	$2,062.64	$63.00	$0.00	$330.00	$2,455.64



Quick Specs

Boom Weight	558 lbs.
Boom Height	19.3"
Boom Length	146"

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
(V519) (TL619)								
7140714	12' Truss Boom	$2,506.00	24%	$1,904.56	$216.00	$0.00	$0.00	$2,120.56

(Truss Boom is outfitted with Bob-Tach® Mounting system tabs to prevent use on any carrier other than the V417 or V519)

August 1, 2024
BOBCAT SLP Pages

Bobcat

CT1021/CT1025
Compact Tractor

Standard Equipment

Breaks, Wet Multi Disc
Cupholder
Draw Bar, Fixed
Electric Key Shutoff
Four Wheel Drive
Glow Plug Engine Pre-Heat
Horn
Hydraulic Three-Point Lift Position Control System
Hydrostatic Power Steering
Instrumentation: Hourmeter, Tachometer, Engine
- Termperature, Fuel Gauge, and Warning Lights
Light Rod - Turnbuckle
Lights: Headlights, Tail Lights, Brake lights, Hazard
- Flashers, and Turn Signals
Mid PTO
Parking Break
PTO Shield
Rear Differential Lock
Rear PTO
ROPS: Two-Post, Foldable*
Saftey Interlock System
Three-Point Hitch, Category 1 Limited
Std. Tires: Carlisle WT300 Industrial (GP)
- 18x8.5-10 - Front; 26x12-12 - Rear
Vinyl Seat, w/ Retracktable Seat Belt

****The CT10xx platform does not come standard with rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of SAE-J1194 and OSHA 29 CFR Part 1928 Subpart C

Quick Specs

	CT1021	CT1025
Engine - Tier III Compliant	3C100LWH-U2	3C100LFH-U1
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	21.0 hp	24.5 hp
Engine Displacement	61.5 cu. in.	61.5 cu. in.
PTO Horsepower	16.3 hp	18.8 hp
PTO RPM	540	540
Mid-PTO RPM (optional)	2200	2200
Alternator Capacity	50 amp	50 amp
Travel Speed (Forward) w/ R-4 Ind Tires	11 mph	11 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	7.5 mph	7.5 mph
Operating Weight	1521 lbs.	1521 lbs
Height - Top of Structure w/ R-4 Ind Tires	87.6 in	87.6 in
Transmission	Hydrostatic	Hydrostatic
Width w/ R-4 Ind Tires	45.7 in	45.7 in
Width w/ Ag Tires	45.5 in	45.5 in
Width w/Turf Tires	45.5 in	45.5 in
Length w/ 3 Pt. Hitch (no weight bracket)	99.3 in.	99.3 in.
Wheelbase	55.1 in	55.1 in.
Min. Ground Clearance w/ R-4 Ind Tires	6.3 in	6.3 in
Inside Turning Radius	100.0 in	100.0 in
Fuel Tank Capacity	6.7 gal.	7.1 gal.
3Pt Hitch Lift Cap(24" bhnd lift pt w/ ldr)	700 lbs. *	700 lbs. *
Hydraulic Pump Flow	6.4 gpm	6.4 gpm
Implement Flow	4.6 gpm	4.6 gpm
Steering Flow	1.8 gpm	1.8 gpm

* With front end loader installed (used as front ballast)

CT1021/CT1025
Compact Tractor

Part Number	Compact Utility Tractor Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1623	CT1021HST Compact Tractor	$13,985.00	22%	$10,908.30	$0.00	$150.00	$0.00	$11,058.30
M1624	CT1025HST Compact Tractor	$15,929.00	22%	$12,424.62	$0.00	$150.00	$0.00	$12,574.62

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Tires

Set of 4 Tires in Place of Base Equipment

Machine Width 45.5 in.
Machine Width 45.5 in.

Note:

Front End Loader - Bob-Tach

Includes quick attach front-end loader, hose kit, grill guard, mounting kit, jöystick and valve Bob-Tach and 48" Bob-Tach bucket.
(For maximum lift capacity, equip with rear ballast box)

M1623-A01-C0	FL6 Factory Installed	$3,474.00	22%	$2,709.72	$0.00	$0.00	$0.00	$2,709.72

Front end loader is factory installed. (Reference page 24 for freight and assembly charges, freight and assembly changes for factory or dealer installed.

FEL Specs

	FL6
Maximum Lift Height to Bucket Pivot Pin	72"
Clearance with Level Bucket at Maximum Lift Height	66"
Clearance with Bucket Dumped at Maximum Lift Height	53"
Reach at Maximum Lift Height	23"
Tractor Length with Front End Loader & 3 Pt Hitch	136.6"
Bucket Dump Angle at Maximum Lift Height	59 degrees
Maximum Rollback Angle	28 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	608 lbs.
Loader Weight	606 lbs
Breakout Force at Pivot Pin	1554 lbs
Standard Bucket Width	48"
Reach with Bucket on the Ground	52"

CT2025/CT2035/CT2040
Compact Tractor

Standard Equipment

- Breaks, Wet Multi Disc
- Cupholder
- Draw Bar, Adjustable
- Electric Key Shutoff
- Floor Mat
- Four Wheel Drive
- Fuel Heater (excluded CT2025)
- Glow Plug Engine Pre-Heat
- Horn
- Hydraulic Three-Point Lift Position Control System
- Hydrostatic Power Steering
- Instrumentation: Hourmeter, Tachometer, Engine
  - Termperature, Fuel Gauge, and Warning Lights
- Lift Rod - Turnbuckle
- Lights: Headlights, Tail Lights, Brake lights, Hazard
  - Flashers, and Turn Signals
- Loader Joystick & Valve
- Parking Break
- PTO Shield
- Rear Differential Lock
- Rear PTO
- ROPS: Two-Post, Foldable*
- Saftey Interlock System
- Three-Point Hitch, Category 1
- Std. Tires: Carlisle Trac Chief Industrial (GP)
  - 25X8.5-14, Front; 15-19, Rear
- Vinyl Suspension Seat, w/ Retracktable Seat Belt

****The CT20xx platform does not come standard with rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of SAE-J1194 and OSHA 29 CFR Part 1928 Subpart C

Quick Specs

	CT2025 HST	CT2025 MST	CT2035 HST	CT2035 MST	CT2040 HST
Eng(CT2025 T-III, CT2035/40 T-IV)	3A165LWH-U	3A165LWM-U	3H-TH4A	3H-TM4A	3H-TH4A
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	24.5 hp	24.5 hp	34.9 hp	34.9 hp	39.6 hp
Engine Displacement	100 cu. in.	100 cu. in.	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.
PTO Horsepower	21.8 hp	22.2 hp	29.4 hp	30.8 hp	31.9 hp
PTO RPM	540	540	540	540	540
Mid-PTO RPM (optional)	1976	1976	1988	1988	1988
Alternator Capacity	75 amps	75 amps	75 amps	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires	9.5 mph	9 mph	14 mph	14 mph	14 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	8.5 mph	6 mph	12 mph	9 mph	12 mph
Operating Weight	2634 lbs.	2634 lbs.	3005 lbs.	3005 lbs.	3005 lbs.
Height - Top of Structure w/ R-4 Ind Tires	91.5 in	91.5 in	91.5 in	91.5 in	91.5 in
Width w/ R-4 Ind Tires	63.4 in	63.4 in	63.4 in	63.4 in	63.4 in
Width w/ Ag Tires	59.9 in	59.9 in	59.9 in	59.9 in	59.9 in
Width w/Turf Tires	64 in	64 in	64 in	64 in	64 in
Length w/ 3 Pt. Hitch (no weight bracket)	120.9 in.	120.9 in.	120.9 in.	120.9 in.	120.9 in.
Wheelbase	65.7 in.	65.7 in.	65.7 in.	65.7 in.	65.7 in.
Min. Ground Clearance w/ R-4 Ind Tires	11.5 in	11.5 in	11.5 in	11.5 in	11.5 in
Inside Turning Radius	96.5 in.	96.5 in.	96.5 in.	96.5 in.	96.5 in.
Fuel Tank Capacity	9.0 gal.	9.0 gal.	9.0 gal.	9.0 gal.	9.0 gal.
3Pt Hitch Lift Cap(24" bhnd lift pt w/ ldr)	1631 lbs. *	1631 lbs. *	1631 lbs. *	1631 lbs. *	1631 lbs. *
Hydraulic Pump Flow	11.4 gpm	11.4 gpm	11.4 gpm	11.4 gpm	11.4 gpm
Implement Flow	6.9 gpm	6.9 gpm	6.9 gpm	6.9 gpm	6.9 gpm
Steering Flow	4.5 gpm	4.5 gpm	4.5 gpm	4.5 gpm	4.5 gpm

* With front end loader installed (used as front ballast)

CT2025/CT2035/CT2040
Compact Tractor

Part Number	Compact Utility Tractor Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1603	CT2025HST Compact Tractor	$20,612.00	22%	$16,077.36	$0.00	$150.00	$0.00	$16,227.36
M1604	CT2025MST Compact Tractor	$19,023.00	22%	$14,837.94	$0.00	$150.00	$0.00	$14,987.94
M1605	CT2035HST Compact Tractor	$26,134.00	22%	$20,384.52	$0.00	$150.00	$0.00	$20,534.52
M1606	CT2035MST Compact Tractor	$24,485.00	22%	$19,098.30	$0.00	$150.00	$0.00	$19,248.30
M1607	CT2040HST Compact Tractor	$26,820.00	22%	$20,919.60	$0.00	$150.00	$0.00	$21,069.60
M1608	CT2040MST Compact Tractor	$25,142.00	22%	$19,610.76	$0.00	$150.00	$0.00	$19,760.76

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Tires							
	Set of 4 Tires in Place of Base Equipment							
	Machine Width 59.9 in.							
	Machine Width 64.0 in.							
	Front End Loader - Bob-Tach							
	Includes quick attach front-end loader, hose kit, bucket level indicator, grill guard, mounting kit, jöystick an valve Bob-Tach and 60" Bob-Tach bucket. (For maximum lift capacity, equip with rear ballast box)							
M1603-A01-C0	FL7 Factory Installed (CT2025 Only)	$4,595.00	22%	$3,584.10	$0.00	$0.00	$0.00	$3,584.10
	Front end loader is factory installed. (Reference page 19 for freight and assembly charges, freight and assembly changes for factory or dealer installed.							
M1603-A01-C0	FL8 Factory Installed	$4,595.00	22%	$3,584.10	$0.00	$0.00	$0.00	$3,584.10
	Front end loader is factory installed. (Reference page 19 for freight and assembly charges, freight and assembly changes for factory or dealer installed.							

FEL Specs

	FL7	FL8
Maximum Lift Height to Bucket Pivot Pin	95"	100"
Clearance with Level Bucket at Maximum Lift Height	87"	91"
Clearance with Bucket Dumped at Maximum Lift Height	73"	74"
Length with Front End Loader & 3 Pt Hitch	157.5"	162.3"
Reach at Maximum Lift Height	11"	10"
Bucket Dump Angle at Maximum Lift Height	48 degrees	52 degrees
Maximum Rollback Angle	36 degrees	32 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	1369 lbs.	1389 lbs.
Loader Weight	915 lbs	1070 lbs
Breakout Force at Pivot Pin	2575 lbs	3285 lbs
Standard Bucket Width	60"	60"
Reach with Bucket on the Ground	59"	62"

CT2535/CT2540
Compact Tractor

Standard Equipment

Brakes, Wet Multi Disc
Cab – Heat/Air
Cruise Control
Cupholder
Draw Bar, Adjustable
Dual Air Cleaner
Dual Arm Rest
Dual Remote Valves (4 port)
Electric Key Shutoff
Floor-mat
Four Wheel Drive
Front Work light
Fuel Heater Kit
Glow Plug Engine Pre-Heat
Horn
Hydraulic Three-Point Lift Position Control System
Hydrostatic Power Steering, Tilt Steering
Instrumentation: Hourmeter, Tachometer, Engine
- Temperature, Fuel Gauge, and Warning Lights
Lift rod – Turnbuckle
Lights: Headlights, Tail Lights, Brake Lights, Hazard
- Flashers, and Turn Signals
Loader Joystick & Valve
Parking Brake
PTO Shield
Rear Differential Lock
Rear PTO
Rear Three-Point Hitch Return to Position
Rear View Mirror
Rear Window Wiper/Defrost
Rear Work Light
Safety Interlock System
Side View Mirror
Sun-visor
Telescopic Stabilizer & Lower Link
Three-Point Hitch, Category I
Std. Tires: Carlisle Trac Chief Industrial (GP)
- 25X8.5-14, Front; 15-19, Rear
Tool Box
Vinyl Suspension Seat, w/ Retracktable Seat Belt

****The CT25xx platform comes standard with 2 pair (4 ports) of rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of SAE-J1194 and OSHA 29 CFR Part 1928 Subpart C

CT2535/CT2540
Compact Tractor

Quick Specs

	CT2535 HST	CT2540 HST
Engine - Tier IV Compliant	3H-TH4B	3H-TH4B
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	34.9 hp	37.6 hp
Engine Displacement	111.4 cu. in.	111.4 cu. in.
PTO Horsepower	29.4 hp	31.9 hp
PTO RPM	540	540
Alternator Capacity	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires	14 mph	14 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	10 mph	10 mph
Operating Weight	3585 lbs.	3585 lbs.
Height - Top of Structure w/ R-4 Ind Tires	91.0 in	91.0 in
Transmission	Hydrostatic	Hydrostatic
Width w/ R-4 Ind Tires	63.0 in	63.0 in
Width w/ Ag Tires	59.6 in	59.6 in
Width w/Turf Tires	63.7 in	63.7 in
Length w/ 3 Pt. Hitch (no weight bracket)	120.9 in.	120.9 in.
Length with Front End Loader & 3 Pt Hitch	162.3 in.	162.3 in.
Wheelbase	65.7 in.	65.7 in.
Min. Ground Clearance w/ R-4 Ind Tires	12.3 in	12.3 in
Inside Turning Radius	106.3 in.	106.3 in.
Fuel Tank Capacity	9.0 gal.	9.0 gal.
3Pt Hitch Lift Cap(24" bhnd lift pt w/ ldr)	1631 lbs. *	1631 lbs. *
Hydraulic Pump Flow	11.4 gpm	11.4 gpm
Implement Flow	6.9 gpm	6.9 gpm
Steering Flow	4.5 gpm	4.5 gpm

* With front end loader installed (used as front ballast)

CT2535/CT2540
Compact Tractor

Part Number	Compact Utility Tractor Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1609	CT2535HST Compact Tractor	$38,100.00	22%	$29,718.00	$0.00	$150.00	$0.00	$29,868.00
M1611	CT2540HST Compact Tractor	$40,017.00	22%	$31,213.26	$0.00	$150.00	$0.00	$31,363.26

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Tires							
	Set of 4 Tires in Place of Base Equipment							
	Machine Width 59.6 in.							
	Machine Width 63.7 in.							
	Front End Loader - Bob-Tach							
	Includes quick attach front-end loader, hose kit, bucket level indicator, grill guard, mounting kit, joystick an valve Bob-Tach and 60" Bob-Tach bucket. (For maximum lift capacity, equip with rear ballast box)							
M1609-A01-C0	FL8 Factory Installed	$5,348.00	22%	$4,171.44	$0.00	$0.00	$0.00	$4,171.44
	Front end loader is factory installed. (Reference page 19 for freight and assembly charges, freight and assembly changes for factory or dealer installed.							

FEL Specs

	FL8
Maximum Lift Height to Bucket Pivot Pin	100"
Clearance with Level Bucket at Maximum Lift Height	91"
Clearance with Bucket Dumped at Maximum Lift Height	74"
Reach at Maximum Lift Height	10"
Length with Front End Loader & 3 Pt Hitch	162.3"
Bucket Dump Angle at Maximum Lift Height	52 degrees
Maximum Rollback Angle	32 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	1389 lbs.

Loader Weight	1070 lbs
Breakout Force at Pivot Pin	3285 lbs
Standard Bucket Width	60"
Reach with Bucket on the Ground	62"

CT4045/CT4050/CT4055/CT4058
Compact Tractor

Standard Equipment

- Brakes, Wet Multi Disc
- Cupholder
- Draw Bar, Adjustable
- Electric Key Shutoff
- Floor Mat
- Four Wheel Drive
- Fuel Heater
- Glow Plug Engine Pre-Heat
- Horn
- Hydraulic Three-Point Lift Position Control System
- Hydrostatic Power Steering
- Instrumentation: Hourmeter, Tachometer, Engine
  - Temperature, Fuel Gauge, and Warning Lights
- Lift rod – Turnbuckle
- Lights: Headlights, Tail Lights, Brake Lights, Hazard
  - Flashers, and Turn Signals
- Parking Brake
- PTO Shield
- Rear Differential Lock
- Rear PTO
- Rear Three-Point Hitch Return to Position
- ROPS – two-post, Foldable *
- Safety Interlock System
- Three-Point Hitch, Category 1, II
- Std. Tires: Carlisle Trac Chief & Xtra Grip Industrial (GP)
  - 10–16.5 – Front; 17.5-24 – Rear
- Toolbox
- Vinyl Suspension Seat, w/ Retracktable Seat Belt

****The HST models of the CT40xx platform come standard with 1 pair (2 ports) of detent rear remote hydraulics. The SST have none standard.****

* Roll Over Protective Structure (ROPS) - Meets Requirements of SAE-J1194 and OSHA 29 CFR Part 1928 Subpart C

Quick Specs

	CT4045 HST	CT4045 SST	CT4050 HST	CT4050 SST	CT4055 SST
Engine - Tier IV Compliant	3HT-TH4C	3HT-TM4B	3HT-TH4C	3HT-TM4B	3HT-TM4B
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	44.9 hp	44.9 hp	50.3 hp	50.3 hp	50.3 hp
Engine Displacement	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.
PTO Horsepower	32.8 hp	41.6 hp	39.3 hp	45.6 hp	49.6 hp
PTO RPM	540	540	540	540	540
Alternator Capacity	75 amps	75 amps	75 amps	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires	18.5 mph	17.5 mph	18.5 mph	17.5 mph	17.5 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	12.5 mph	17 mph	12.5 mph	17 mph	17 mph
Operating Weight	3745 lbs.	3745 lbs.	3745 lbs.	3745 lbs.	3745 lbs.
Height - Top of Structure w/ R-4 Ind Tires	97.4 in	97.4 in	97.4 in.	97.4 in.	97.4 in.
Width w/ R-4 Ind Tires	69.8 in	69.8 in	69.8 in.	69.8 in.	69.8 in.
Width w/ Ag Tires	67 in	67 in	67 in	67 in	67 in
Width w/Turf Tires	72.2 in	72.2 in	72.2 in	72.2 in	72.2 in
Length w/ 3 Pt. Hitch (no weight bracket)	125.5 in.	125.5 in.	125.5 in.	125.5 in.	125.5 in.
Wheelbase	71.2 in.	71.2 in.	71.2 in.	71.2 in.	71.2 in.
Min. Ground Clearance w/ R-4 Ind Tires	15.3 in	15.3 in	15.3 in.	15.3 in.	15.3 in.
Inside Turning Radius	103.5 in.	103.5 in.	103.5 in.	103.5 in.	103.5 in.
Fuel Tank Capacity	12.7 gal.	11.9 gal.	12.7 gal.	11.9 gal.	11.9 gal.
3Pt Hitch Lift Cap(24" bhnd lift pt w/ ldr)	2716 lbs. *	2716 lbs. *	2716 lbs. *	2716 lbs. *	2716 lbs. *
Hydraulic Pump Flow	16.5 gpm	14.1 gpm	16.5 gpm	16.5 gpm	14.1 gpm
Implement Flow	9.6 gpm	9.6 gpm	9.6 gpm	9.6 gpm	9.6 gpm
Steering Flow	6.9 gpm	4.5 gpm	6.9 gpm	4.5 gpm	4.5 gpm

* With front end loader installed (used as front ballast)

CT4045/CT4050/CT4055/CT4058
Compact Tractor

Part Number	Compact Utility Tractor Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1613	CT4045HST Compact Tractor	$32,103.00	22%	$25,040.34	$0.00	$150.00	$0.00	$25,190.34
M1614	CT4045SST Compact Tractor	$28,977.00	22%	$22,602.06	$0.00	$150.00	$0.00	$22,752.06
M1615	CT4050HST Compact Tractor	$35,845.00	22%	$27,959.10	$0.00	$150.00	$0.00	$28,109.10
M1616	CT4050SST Compact Tractor	$30,459.00	22%	$23,758.02	$0.00	$150.00	$0.00	$23,908.02
M1617	CT4055SST Compact Tractor	$31,941.00	22%	$24,913.98	$0.00	$150.00	$0.00	$25,063.98
M1618	CT4058HST Compact Tractor	$38,202.00	22%	$29,797.56	$0.00	$150.00	$0.00	$29,947.56

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Tires							
	Set of 4 Tires in Place of Base Equipment							
	Machine Width 67.0 in.							
	Machine Width 72.2 in.							
	Front End Loader - Bob-Tach							
	Includes quick attach front-end loader, hose kit, bucket level indicator, grill guard, mounting kit, joystick an valve Bob-Tach and 66" Bob-Tach bucket. (For maximum lift capacity, equip with rear ballast box)							
M1613-A01-C(	FL9 Factory Installed	$7,192.00	22%	$5,609.76	$0.00	$0.00	$0.00	$5,609.76
	Front end loader is factory installed. (Reference page 19 for freight and assembly charges, freight and assembly changes for factory or dealer installed.							

FEL Specs

	FL9
Maximum Lift Height to Bucket Pivot Pin	105"
Clearance with Level Bucket at Maximum Lift Height	95"
Clearance with Bucket Dumped at Maximum Lift Height	77"
Reach at Maximum Lift Height	11"
Length with Front End Loader & 3 Pt Hitch	174.3"
Bucket Dump Angle at Maximum Lift Height	51 degrees
Maximum Rollback Angle	36 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	1795 lbs.
Loader Weight	1202 lbs
Breakout Force at Pivot Pin	4136 lbs
Standard Bucket Width	66"
Reach with Bucket on the Ground	68"

CT5545/CT5550/CT5555/CT5558
Compact Tractor

Standard Equipment

7-pin Socket	Linked Pedal
Brakes, Wet Multi Disc	Loader Joystick & Valve
Cab – Heat/Air	Parking Brake
Cruise Control	PTO Cruise
Cupholder	PTO Shield
Electric Key Shutoff	Rear Differential Lock
Floor Mat	Rear PTO
Four Wheel Drive	Rear Three-Point Hitch Return to Position
Fuel Heater	Right Arm Rest
Glow Plug Engine Pre-Heat	Safety Interlock System
Horn	Side View Mirror
Hydraulic Three-Point Lift Position Control System	Sunshade
Hydrostatic Power Steering	Telescopic stabilizer and lower link
Instrumentation: Hourmeter, Tachometer, Engine	Three-Point Hitch, Category 1
- Temperature, Fuel Gauge, and Warning Lights	Std. Tires: Carlisle Trac Chief & Xtra Grip Industrial (GP)
Lifting Rod – Beveled Gear Type	- 10–16.5 – Front; 17.5-24 – Rear
Lights: Headlights, Tail Lights, Brake Lights, Hazard	Tool Box
- Flashers, and Turn Signals	Vinyl Suspension Seat, w/ Retractable Seat Belt

****The CT55xx platform comes standard with 1 pair (2 ports) of spring rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of SAE-J1194 and OSHA 29 CFR Part 1928 Subpart C

CT5545/CT5550/CT5555/CT5558
Compact Tractor

Quick Specs

	CT5545 E-HST	CT5550 E-HST	CT5555 E-HST	CT5558 E-HST
Engine - Tier IV Compliant	3HT-TH4D	3HT-TH4D	3HT-TH4D	3HT-TH4D
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	45 hp	50 hp	55 hp	57.7 hp
Engine Displacement	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.	111.4 cu. in.
PTO Horsepower	33.9 hp	38.9 hp	43.1 hp	48.3 hp
PTO RPM	540	540	540	540
Alternator Capacity	75 amps	75 amps	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires	17.5 mph	17.5 mph	17.5 mph	17.5 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	17.5 mph	17.5 mph	17.5 mph	17.5 mph
Operating Weight	4685 lbs.	4685 lbs.	4685 lbs.	4685 lbs.
Height - Top of Structure w/ R-4 Ind Tires	94.2 in.	94.2 in.	94.2 in.	94.2 in.
Transmission	E-Hydrostatic	E-Hydrostatic	E-Hydrostatic	E-Hydrostatic
Width w/ R-4 Ind Tires	74.8 in.	74.8 in.	74.8 in.	74.8 in.
Width w/ Ag Tires	71.2 in	71.2 in	71.2 in	71.2 in
Width w/Turf Tires	75.4	75.4	75.4	75
Length w/ 3 Pt. Hitch (no weight bracket)	139.6 in.	139.6 in.	139.6 in.	139.6 in.
Wheelbase	75.6 in.	75.6 in.	75.6 in.	75.6 in.
Min. Ground Clearance w/ R-4 Ind Tires	13.0 in.	13.0 in.	13.0 in.	13.0 in.
Inside Turning Radius	117.6 in.	117.6 in.	117.6 in.	117.6 in.
Fuel Tank Capacity	14.8 gal.	14.8 gal.	14.8 gal.	14.8 gal.
3Pt Hitch Lift Cap(24" bhnd lift pt w/ ldr)	3117 lbs. *	3177 lbs. *	3177 lbs. *	3177 lbs. *
Hydraulic Pump Flow	17.8 gpm	17.8 gpm	17.8 gpm	17.8 gpm
Implement Flow	9.6 gpm	9.6 gpm	9.6 gpm	9.6 gpm
Steering Flow	8.2 gpm	8.2 gpm	8.2 gpm	8.2 gpm

* With front end loader installed (used as front ballast)

CT5545/CT5550/CT5555/CT5558
Compact Tractor

Part Number	Compact Utility Tractor Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1619	CT5545E-HST Compact Tractor	$43,559.00	22%	$33,976.02	$0.00	$150.00	$0.00	$34,126.02
M1620	CT5550E-HST Compact Tractor	$46,244.00	22%	$36,070.32	$0.00	$150.00	$0.00	$36,220.32
M1621	CT5555E-HST Compact Tractor	$48,650.00	22%	$37,947.00	$0.00	$150.00	$0.00	$38,097.00
M1622	CT5558E-HST Compact Tractor	$52,186.00	22%	$40,705.08	$0.00	$150.00	$0.00	$40,855.08

Part Number	Factory Installed Options Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Tires

Set of 4 Tires in Place of Base Equipment

Machine Width 71.2 in.

Machine Width 71.8 in.

Front End Loader - Bob-Tach

Includes quick attach front-end loader, hose kit, bucket level indicator, grill guard, mounting kit, joystick an valve Bob-Tach and 72" Bob-Tach bucket. (For maximum lift capacity, equip with rear ballast box)

M1619-A01-C0	FL9-5 Factory Installed	$7,736.00	22%	$6,034.08	$0.00	$0.00	$0.00	$6,034.08

Front end loader is factory installed. (Reference page 19 for freight and assembly charges, freight and assembly changes for factory or dealer installed.

FEL Specs

	FL9-5
Maximum Lift Height to Bucket Pivot Pin	109"
Clearance with Level Bucket at Maximum Lift Height	101"
Clearance with Bucket Dumped at Maximum Lift Height	81"
Reach at Maximum Lift Height	10"
Length with Front End Loader & 3 Pt Hitch	178.6"
Bucket Dump Angle at Maximum Lift Height	59 degrees
Maximum Rollback Angle	37 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	2346 lbs.
Loader Weight	1400 lbs
Breakout Force at Pivot Pin	4524 lbs
Standard Bucket Width	72"
Reach with Bucket on the Ground	71"

UT6066/UT6566/UT6573
Utility Tractor

Standard Equipment

- 7-pin Socket
- Brakes, Wet Multi Disc
- Cab – Heat/Air (Cab only)
- Cruise Control
- Cupholder
- Electric Key Shutoff
- Floor Mat
- Electronic Four Wheel Drive
- Fuel Heater
- Glow Plug Engine Pre-Heat
- Horn
- Hydraulic Three-Point Lift Position Control System
- Hydraulic Power Steering
- Instrumentation: Hourmeter, Tachometer, Engine
  - Temperature, Fuel Gauge, and Warning Lights
- Lifting Rod – Beveled Gear Type
- LED Lights: Headlights, Tail Lights, Brake Lights, Hazard
  - Flashers, and Turn Signals
- Clevis
- Loader Joystick & Valve
- Parking Brake
- PTO Cruise
- PTO Shield
- Rear Differential Lock
- Rear PTO
- Rear Three-Point Hitch Return to Position
- Right Arm Rest (Cab Only)
- Safety Interlock System
- Side View Mirror
- Sun-visor (Cab Only)
- Telescopic stabilizer and lower link
- Three-Point Hitch, Category 2
- Std. Tires (Industrial):
  - 12.5/80-18 – Front; 18.4-24– Rear

****The UT6xxx platform comes standard with 1 pair (2 ports) of spring rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of OECD Code 4

UT6066/UT6566/UT6573
Utility Tractor

Quick Specs

	UT6066 PST	UT6566 PST	UT6573 PST
Engine - Tier IV Compliant	4HT-TP4A	4HT-TP4A	4HT-TP4A
Engine Fuel/Cooling	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid
Gross Horsepower	66.4 hp	66.4 hp	73.1 hp
Engine Displacement	148.6 cu. In.	148.6 cu. In.	148.6 cu. In.
PTO Horsepower	53.6 hp	51.1 hp	56.3 hp
PTO RPM	540	540	540
Alternator Capacity	75 amps	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires	19.8 mph	19.8 mph	19.9 mph
Travel Speed (Reverse) w/ R-4 Ind Tires	19.5 mph	19.5 mph	19.6 mph
Operating Weight	5440 lbs.	5830 lbs.	5960 lbs.
Height - Top of Structure w/ R-4 Ind Tires	102.1 in.	99.3 in.	101.1 in.
Transmission	Powershuttle	Powershuttle	Powershuttle

Width w/ R-4 Ind Tires	77.2 in.	77.2 in.	83.5 in.
Width w/ Ag Tires	72.6 in.	72.6 in.	76.5 in.
Width w/Multi-Use Tires	77.7 in.	77.7 in.	84.0 in.
Length w/ 3 Pt. Hitch (no weight bracket)	148.8 in.	18.8 in.	150.0 in.
Wheelbase	82.7 in.	82.7 in.	83.9 in.
Min. Ground Clearance w/ R-4 Ind Tires	12.3 in.	12.3 in.	12.3 in.
Inside Turning Radius	147 in.	147 in.	154 in.
Fuel Tank Capacity	22.5 gal.	25.1 gal.	25.1 gal.
3Pt Hitch Lift Cap (24" behind lift point with FEL)	3898 lbs. *	3898 lbs. *	3898 lbs. *
Hydraulic Pump Flow	17.9gpm	19.2 gpm	19.2 gpm
Implement Flow	11.0 gpm	11.0 gpm	11.0 gpm
Steering Flow	6.9 gpm	8.2 gpm	8.2 gpm

* With front end loader installed (used as front ballast)

UT6066/UT6566/UT6573
Utility Tractor

Part Number	Description	Compact Utility Tractor	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1642	UT6066 PST Utility Tractor		**$44,866.00**	**22%**	**$34,995.48**	**$0.00**	**$150.00**	**$0.00**	**$35,145.48**
M1643	UT6566 PST Utility Tractor		**$54,354.00**	**22%**	**$42,396.12**	**$0.00**	**$150.00**	**$0.00**	**$42,546.12**
M1644	UT6573 PST Utility Tractor		**$56,843.00**	**22%**	**$44,337.54**	**$0.00**	**$150.00**	**$0.00**	**$44,487.54**

Part Number	Description	Factory Installed Options	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		Tires *Set of 4 Tires in Place of Base Equipment*							
M1642-R02-C0	Ag Tire: 9.5-24, Front; 16.9-30, Rear (UT6066 and UT6566)		**$0.00**	**22%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.00**
M1642-R02-C0	Ag Tire:11.2-24, Front; 16.9-30, Rear (UT6573)		**$0.00**	**22%**	**$0.00**	**$0.00**	**$0.00**	**$0.00**	**$0.00**
M1642-R02-C0	Multi-Use (Radials): 340/80R18, Front; 480/80R26, Rear		**$2,632.00**	**22%**	**$2,052.96**	**$0.00**	**$0.00**	**$0.00**	**$2,052.96**
		Front End Loader - Bob-Tach Includes quick attach front-end loader, hose kit, bucket level indicator, grille guard, mounting kit, 82" Bob-Tach bucket. (For maximum lift capacity, equip with rear ballast box)							
M1642-A01-C0	FL10 Factory Installed		**$8,200.00**	**22%**	**$6,396.00**	**$0.00**	**$0.00**	**$0.00**	**$6,396.00**

FEL Specs (With Industrial Tires)	FL10
Maximum Lift Height to Bucket Pivot Pin	129"
Clearance with Level Bucket at Maximum Lift Height	120.7"
Clearance with Bucket Dumped at Maximum Lift Height	99.7"
Reach at Maximum Lift Height	17.5"
Length with Front End Loader & 3 Pt Hitch	198.7"* / 199.9"**
Bucket Dump Angle at Maximum Lift Height	51 degrees
Maximum Rollback Angle	47 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins	3017 lbs.* / 3212 lbs.**
Loader Weight	1690 lbs
Breakout Force at Pivot Pin	4558 lbs * / 4628 lbs **
Standard Bucket Width	82"
Reach with Bucket on the Ground	78"

August 1, 2024
BOBCAT SLP Pages

Compact Tractor Front Snowblowers (FSB)
Bobcat Front Mounted Compact Tractor Implements



Quick Specs

	FSB49	FSB62	FSB72
Overall Width	51.4"	64.4"	74"
Inside Cutting Width	49"	62"	72"
Cutting Height (blower on ground)	21"	21"	24.4"
Auger Diameter	12"	12"	14"
Fan Diameter	14"	14"	20"
Chute Rotation (Hydraulic)	227°	227°	230°
Deflector Adjustment (Manual)	90°	90°	90°
Weight	353 lbs.	405 lbs.	625 lbs.
Drive	Mid-PTO	Mid-PTO	Mid-PTO
Drive Line Protection	Shear Bolt	Shear Bolt	Shear Bolt
Cutting Edge Design	Reversible/Replaceable		
Cutting Edge Dimensions	.25" x 4.5" Steel		.5" x 4" Steel
Skid Shoes	Adjustable/Replaceable 3/8" Steel		
Blower Design	Two Stage		

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Front Mount Implement							
(CT1021, CT1025)								
7419157	**Front Mount Snowblower, 49" (Model # FSB49)** (Includes hydraulic chute rotator & manual chute deflector) (Tractor must be equipped with loader valve) (Lift kit & PTO driveline kit are required (See kit on page 2)) (Snow blower is compatible with tractor loader mounts, 3pt. implements & tractor cabs)	$4,697.00	24%	$3,569.72	$179.00	$50.00	$330.00	$4,128.72
(CT2025, CT2035, CT2535)								
7419164	**Front Mount Snowblower, 62" (Model # FSB62)** (Includes hydraulic chute rotator & manual chute deflector) (Tractor must be equipped with loader valve) (Lift kit & PTO driveline kit are required (See kit on page 2)) (Requires Mid-PTO kit to be installed on tractor (See compact tractor price pages for appropriate kit)) (Snow blower is compatible with tractor loader mounts, 3pt. implements,backhoe, & tractor cabs)	$5,961.00	24%	$4,530.36	$209.00	$50.00	$330.00	$5,119.36
(CT4045 HST, CT4050 HST, CT4058 HST, CT5545, CT5550, CT5555, CT5558)								
7419173	**Front Mount Snowblower, 72" (Model # FSB72)** (Includes hydraulic chute rotator & manual chute deflector) (Tractor must be equipped with Mid-PTO and loader valve) (Lift kit & PTO driveline kit are required (See kit on page 2)) (Snow blower is not compatible with tractor loader, tractor grille guard, mid-mount mower or mounts, or the suitcase weight mounting kit) (Snow blower is compatible with tractor loader mounts, 3pt. implements,backhoe, & tractor cabs) (Not compatible with CT40 SST models)	$9,109.00	24%	$6,922.84	$234.00	$50.00	$330.00	$7,536.84

***Required with FSB49 -CT10 Lift Kit (7403555), CT10 PTO Driveline Kit (7405905)**
***Required with FSB62 -CT20 Lift Kit (7403362), CT20 PTO Driveline Kit (7422195), CT Mid PTO kit**
***Required with FSB72 -CT40 Lift Kit (7440356), CT40 PTO Driveline Kit (7405750), CT Mid PTO kit**
***Required with FSB72 -CT55 Lift Kit (7403924), CT55 PTO Driveline Kit (7420034), CT Mid PTO kit**

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Lift Kits - Front Mount Implement							
7403555	**CT10 Lift Kit (CT1021, CT1025)** (Includes lift kit & mount. Functions to raise & lower the front mount implement and attach it to the tractor. Tractor must be equipped with Loader Valve)	$1,587.00	24%	$1,206.12	$62.00	$0.00	$165.00	$1,433.12
7403362	**CT2 Lift Kit (CT2025, CT2035, CT2535)** (Includes lift kit & mount. Functions to raise & lower the front mount implement and attach it to the tractor. Tractor must be equipped with Loader Valve)	$1,745.00	24%	$1,326.20	$68.00	$0.00	$165.00	$1,559.20
7440356	**CT40 Lift Kit (CT4045, CT4050, CT4058)** (Includes lift kit & mount. Functions to raise & lower the front mount implement and attach it to the tractor. Tractor must be equipped with Loader Valve)	$2,079.00	24%	$1,580.04	$82.00	$0.00	$165.00	$1,827.04
7403924	**CT50 Lift Kit (CT5545, CT5550, CT5555, CT5558)** (Includes lift kit & mount. Functions to raise & lower the front mount implement and attach it to the tractor. Tractor must be equipped with Loader Valve)	$2,079.00	24%	$1,580.04	$82.00	$0.00	$165.00	$1,827.04

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	PTO Kits - Front Mount Implement							
7405905	**CT10 PTO Driveline Kit (CT1021, CT1025)** (Includes Mid PTO driveline shaft and mount)	$868.00	24%	$659.68	$34.00	$0.00	$82.50	$776.18
7422195	**CT20 PTO Driveline Kit (CT2025, CT2035, CT2535)** (Includes Mid PTO driveline shaft and mount) (Must have mid-PTO installed on tractor)	$941.00	24%	$715.16	$37.00	$0.00	$82.50	$834.66
7405750	**CT40 PTO Kit (CT4045, CT4050, CT4058)** (Includes Mid PTO driveline shaft and mount) (Must have mid-PTO installed on tractor)	$1,065.00	24%	$809.40	$42.00	$0.00	$82.50	$933.90
7420034	**CT55 PTO Kit (CT5545, CT5550, CT5555, CT5558)** (Includes Mid PTO driveline shaft and mount) (Must have mid-PTO installed on tractor)	$1,065.00	24%	$809.40	$42.00	$0.00	$82.50	$933.90

Backhoe
Bobcat Compact Tractor



Quick Specs

	BH66	BH76	BH86
Digging Depth (2' flat bottom)	73"	90"	96"
Reach from center line of Swing Pivot	100"	122"	126"
Loading Height (bucket at 60°)	55"	74"	80"
Maximum Level Angling	8°	8°	8°
Swing Arc	180°	180°	180°
Transport Height (maximum)	70"	83.5"	93"
Bucket Rotation	152°	180°	180°
Stabilizer Spread (down position)	62"	75"	75"
Stabilizer Spread (up position)	60 "	65"	70"
Bucket Digging Force	2240 lbs/ft	3075 lbs/ft	3748 lbs/ft
Dipperstick Digging Force	1171 lbs/ft	1955 lbs/ft	2343 lbs/ft
Operating Pressure	1885 psi	2466 psi	2466 psi
Shipping Weight (without bucket)	657 lbs	880 lbs	1102 lbs

Implement

Part Number	Description						
(CT1021, CT1025)							
7363011	**BH66** (includes mounting kit for CT102X, hose kit, and 13" bucket) (*Must order Reversible seat kit (7380126)) (It is recommended to operate BH with front-end loader installed for stability)	**$8,595.00**	**24%**	**$6,532.20**	**$179.00**	**$50.00**	**$660.00**	**$7,421.20**
(CT2025, CT2035, CT2040, CT2535, CT2540)							
7366339	**BH76** (includes mounting kit for CT2XXX series, hose kit, and 13" bucket) (It is recommended to operate BH with front-end loader installed for stability)	**$9,935.00**	**24%**	**$7,550.60**	**$215.00**	**$50.00**	**$660.00**	**$8,475.60**
(CT4045, CT4050, CT4055, CT4058)							
7366343	**BH86** (includes mounting kit for CT40XX series, hose kit, and 13" bucket) (It is recommended to operate BH with front-end loader installed for stability)	**$10,608.00**	**24%**	**$8,062.08**	**$250.00**	**$50.00**	**$660.00**	**$9,022.08**
(CT5545, CT5550, CT5555, CT5558)							
7375394	**BH86 (BH86-5)** (includes mounting kit for CT55XX series, hose kit, and 13" bucket) (It is recommended to operate BH with front-end loader installed for stability)	**$10,608.00**	**24%**	**$8,062.08**	**$250.00**	**$50.00**	**$660.00**	**$9,022.08**

Front End Loader
Bobcat Compact Tractor



Quick Specs

	FL6	FL7	FL8	FL9	FL9-5
Maximum Lift Height to Bucket Pivot Pin	72"	95"	100"	105"	109"
Clearance with Level Bucket at Maximum Lift Height	66"	87"	91"	95"	101"
Clearance with Bucket Dumped at Maximum Lift Height	53"	73"	74"	77"	81"
Reach at Maximum Lift Height	23"	11"	10"	11"	10"
Bucket Dump Angle at Maximum Lift Height	59°	48°	52°	51°	59°
Maximum Rollback Angle	28°	36°	32°	36°	37°
Lift Capacity to Max. Height at Bucket Pivot Pins	608 lbs.	1369 lbs.	1389 lbs.	1795 lbs.	2346 lbs.
Loader Weight	606 lbs.	915 lbs.	1070 lbs.	1202 lbs.	1400 lbs.
Breakout Force at Pivot Pin	1554 lbs.	2575 lbs.	3285 lbs.	4136 lbs.	4524 lbs.
Bucket Widths (standard)	48"	60"	60"	66"	72"
Reach with Bucket on the Ground	52"	59"	62"	68"	71"

Attachment

Part Number	Description						
(CT1021, CT1025)							
7362893	**FL6** (Includes quick-attach front end loader, loader valve, hose kit, grill guard, mounting kit, and 48" quick-attach bucket) (For maximum lift capacity, equip w/ rear ballast box)	**$3,474.00**	**22%**	**$2,709.72**	**$0.00**	**$0.00**	**$0.00**	**$2,709.72**
(CT2025)							
7366318	**FL7** (Includes quick-attach front end loader, hose kit, hose kit, grill guard, mounting kit, and 60" quick-attach bucket) (For maximum lift capacity, equip w/ rear ballast box)	**$4,595.00**	**24%**	**$3,492.20**	**$532.00**	**$0.00**	**$825.00**	**$4,849.20**
(CT2035, CT2040, CT2535, CT2540)							
7366326	**FL8** (Includes quick-attach front end loader, hose kit, hose kit, grill guard, mounting kit, and 60" quick-attach bucket) (For maximum lift capacity, equip w/ rear ballast box)	**$5,348.00**	**24%**	**$4,064.48**	**$532.00**	**$0.00**	**$825.00**	**$5,421.48**
(CT4045, CT4050, CT4055, CT4058)							
7366333	**FL9** (Includes quick-attach front end loader, loader valve, hose kit, bucket level indicator, grill guard, mounting kit, and 66" quick-attach bucket) (For maximum lift capacity, equip w/ rear ballast box)	**$7,192.00**	**24%**	**$5,465.92**	**$560.00**	**$0.00**	**$1,485.00**	**$7,510.92**
(CT5545, CT5550, CT5555, CT5558)							
7367078	**FL9-5** (Includes quick-attach front end loader, hose kit, bucket level indicator, grill guard, mounting kit, and 72" quick-attach bucket) (For maximum lift capacity, equip w/ rear ballast box)	**$7,735.00**	**24%**	**$5,878.60**	**$588.00**	**$0.00**	**$825.00**	**$7,291.60**

Utility Grapple
Bobcat Compact Tractor



Quick Specs

Operating Weight	180 lbs.
Grapple Width	55"
# of Grapple Tines	4

Part Number	Description	Attachment						
(FL7, FL8, FL9, FL9-5)								
7176977	**Grapple, 55" Utility**	**$2,222.00**	**24%**	**$1,688.72**	**$101.00**	**$50.00**	**$412.50**	**$2,252.22**
	(Fits 60", 66", 72" Utility Forks) (Compact tractor must be equipped with 3rd function kit on the front end loader)							

Pallet Forks
Bobcat Compact Tractor



Standard Pallet Fork Teeth and Frame

Quick Specs

Frames	*Frame Weight*	*Capacity*	*Width*	*Height*
Standard Duty	122 lbs	2,500 lbs	45.1"	34.3"
Heavy Duty	153 lbs	4,000 lbs	45.1"	34.3"

Teeth	*Weight Set 2*	*Length*	*Capacity*	*Capacity*
Standard Duty	150 lbs	42"	4"	21"
Heavy Duty	164-184 lbs	42"/48"	4"	21"
Bale Fork	119 lbs	43.8"	1.4"	21"

Part Number	Description	Attachment						
		Pallet Frames						
(FL7, FL8, FL9, FL9-5)								
7297499	**2.5K Standard Duty Pallet Fork Frame, Less Teeth**	**$499.00**	**24%**	**$379.24**	**$34.00**	**$0.00**	**$41.25**	**$454.49**
(FL9, FL9-5)								
7294305	**4K Heavy Duty Pallet Fork Frame, Less Teeth**	**$606.00**	**24%**	**$460.56**	**$39.00**	**$0.00**	**$0.00**	**$499.56**
		Pallet Teeth						
7308798	**42", 2.5K Standard Duty Pallet Fork Teeth, Set of 2**	**$387.00**	**24%**	**$294.12**	**$43.00**	**$0.00**	**$0.00**	**$337.12**
	(Use with PN 7297499)							
6540183	**42", 4K Heavy Duty Pallet Fork Teeth, Set of 2**	**$438.00**	**24%**	**$332.88**	**$47.00**	**$0.00**	**$0.00**	**$379.88**
	(Use with PN 7294305)							
6540182	**48", 4K Heavy Duty Pallet Fork Teeth, Set of 2**	**$448.00**	**24%**	**$340.48**	**$47.00**	**$0.00**	**$0.00**	**$387.48**
	(Use with PN 7294305)							
		Bale Forks						
(Standard Duty, Heavy Duty, Severe Duty)								
6815781	**Bale Forks, Set of 2**	**$991.00**	**24%**	**$753.16**	**$84.00**	**$50.00**	**$0.00**	**$887.16**

Rock Bucket
Bobcat Compact Tractor



Quick Specs

	62"	*68"*	*74"*
Operating Weight	558 lbs	605 lbs	652 lbs
Overall Width	61.9"	68.6"	75.4"
Overall Height	20.8"	20.8"	20.8"
Overall Length (Bucket Lip or Bottom of Bucket)	43.6"	43.6"	43.6"
Tine Spacing	3"	3"	3"
Number of Tines	17	19	21

Part Number	Description	Attachment						
(FL7, FL8)								
7185941	**62" Rock Bucket**	**$2,464.00**	**24%**	**$1,872.64**	**$141.00**	**$0.00**	**$0.00**	**$2,013.64**

(FL8, FL9, FL9-5) 7185943	68" Rock Bucket	$2,576.00	24%	$1,957.76	$149.00	$0.00	$0.00	$2,106.76
(FL9, FL9-5) 7185945	74" Rock Bucket	$2,691.00	24%	$2,045.16	$156.00	$0.00	$0.00	$2,201.16

Snow Blade
Bobcat Compact Tractor



Quick Specs

	72"	84"
Operating Weight	590 lbs	620 lbs
Width	72"	84"
Height	28"	28"
Working Width (Fully Angled)	63"	73"
Steel Cutting Edge	.375" x 6"	.375" x 6"
Cylinders	2	2
Trip Springs	4	4
Optional Rubber Cutting Edge	1" x 6"	1" x 6"

Attachment

Part Number	Description							
(FL8) 6905156	72" Snow Blade (with hydraulic angle) (Compact tractor must be equipped with 3rd function kit on the front end loader)	$3,716.00	24%	$2,824.16	$157.00	$50.00	$41.25	$3,072.41
(FL9, FL9-5) 6716836	84" Snow Blade (with hydraulic angle) (Compact tractor must be equipped with 3rd function kit on the front end loader)	$3,965.00	24%	$3,013.40	$164.00	$50.00	$41.25	$3,268.65

Dealer Installed Accessories - Order From Sales

Part Number	Description							
6716834	End Wing Kit (Converts 84" Snow Blades into Snow Pushers) (Not for use on 72" Snow Blade) (Ship Weight 95 lbs.)	$662.00	24%	$503.12	$54.00	$0.00	$41.25	$598.37

Utility Forks
Bobcat Compact Tractor



Quick Specs

	60"	66"	72"
Operating Weight	304 lbs	330 lbs	356 lbs
Number of teeth shipped	8	9	10
max number of teeth	15	17	19

Attachment

Part Number	Description							
(FL6, FL7, FL8) 6725178	60" Utility fork, with 8 Teeth (Use with Farm/Utility grapple P/N 7176977*not approved on FL6) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624)	$1,625.00	24%	$1,235.00	$102.00	$0.00	$0.00	$1,337.00
(FL7, FL8) 6725179	66" Utility fork, with 9 Teeth (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624)	$1,902.00	24%	$1,445.52	$108.00	$0.00	$0.00	$1,553.52
(FL8, FL9, FL9-5) 6725180	72" Utility fork, with 10 Teeth (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624)	$2,002.00	24%	$1,521.52	$112.00	$0.00	$0.00	$1,633.52

Angle Blade
Bobcat Compact Tractor Implement



Quick Specs

	AB60	AB72	AB84
Molding (Working) Width	60"	72"	84"
Moldboard Thickness	0.25"	0.25"	0.25"
Moldboard (Blade) Height	15"	15"	15"
Cutting Edge Height	6"	6"	6"
Cutting Edge (thickness)	.5" reversible	.5" reversible	.5" reversible
Operating Weight	308 lbs.	332 lbs.	348 lbs.
Overall Height	38"	38"	38"
Overall Length	40"	40"	40"
Storage Stand	Yes	Yes	Yes
Blade Positions Forward	5	5	5
Blade Positions Rearward	5	5	5
3pt. Hitch Size	Category 1	Category 1	Category 1

Part Number	Description	Implement						
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540)								
7365479	**3 Pt. Angle Blade 60", 3AB60**	**$899.00**	**24%**	**$683.24**	**$84.00**	**$50.00**	**$0.00**	**$817.24**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365493	**3 Pt. Angle Blade 72", 3AB72**	**$1,067.00**	**24%**	**$810.92**	**$96.00**	**$50.00**	**$0.00**	**$956.92**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7366558	**3 Pt. Angle Blade 84", 3AB84**	**$1,179.00**	**24%**	**$896.04**	**$108.00**	**$50.00**	**$0.00**	**$1,054.04**

Auger
Bobcat Compact Tractor Implement



Quick Specs

	Auger 3PT
Drive Type	Gearbox
Tractor PTO Speed	540 RPM
Three-Point Hitch	Category 1
Auger Shaft Diameter	2"
Tractor PTO Horsepower (max)	60
Drive Line Protection	Shear Bolt

Auger Bit Diameter	6 in.	9 in.	12 in.
Cutting Diameter[1]	7.5 in.	10.5 in.	13.5 in.

[1]Standard cutting diameter, auger teeth are positioned at a 40° angle for general purpose cutting

Part Number	Description	Implement						
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365497	**3 Pt. Auger, 3PT**	**$1,217.00**	**24%**	**$924.92**	**$96.00**	**$0.00**	**$0.00**	**$1,020.92**
	(Includes drive units, drive shaft, and frame) (Auger bits must be orderd from parts)							

Box Blade
Bobcat Compact Tractor Implement



Quick Specs

	BB48	BB60	BB72
Working Width	49.5"	61.5"	73.5"
Total Height	32"	33"	33"
Cutting Edge Height	6"	6"	6"
Cutting Edge Thickness	3/8"	3/8"	3/8"
Number of Cutting Edges	Two (reversible)	Two (reversible)	Two (reversible)
Number of Digging Shanks	4	5	6
Scarifying Shank Penetration (Max)	1-4"	1-4"	1-4"
Shank Depth Adjustment	Manual	Manual	Manual
Operating Weight	270 lbs	395 lbs	445 lbs
3pt. Hitch Size	Category 1	Category 1	Category 1

Part Number	Description	Implement						
(CT1021, CT1025)								
7365520	**3 Pt. Box Blade 48", 3BB48**	**$1,089.00**	**24%**	**$827.64**	**$96.00**	**$0.00**	**$0.00**	**$923.64**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058)								
7365525	**3 Pt. Box Blade 60", 3BB60**	**$1,210.00**	**24%**	**$919.60**	**$120.00**	**$0.00**	**$0.00**	**$1,039.60**

(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)							
7365527	**3 Pt. Box Blade 72", 3BB72**	**$1,498.00**	**24%**	**$1,138.48**	**$143.00**	**$0.00**	**$0.00**	**$1,281.48**

Finish Mower
Bobcat Compact Tractor Implement



Quick Specs

	FM60	***FM72***
Cutting Width	60"	72"
Overall Width	62"	74"
Overall Length	43"	43"
Cutting Height Range	1-4.5"	1-4.5"
Number of Blades	3	3
Discharge	Rear	Rear
Tractor Requirements (PTO)	23-32 hp	32-45 hp
Gear Box	Closed (540 RPM)	Closed (540 RPM)
3pt. Hitch Size	Cat 1	Cat 1
Weight	440 lbs	500 lbs

Part Number	Description	Implement						
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540)								
7366574	**3 Pt. Mower 60", FM60**	**$3,369.00**	**24%**	**$2,560.44**	**$150.00**	**$0.00**	**$0.00**	**$2,710.44**
	-Used with three-point hitch and rear PTO							
(CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7366578	**3 Pt. Mower 72", FM72**	**$4,119.00**	**24%**	**$3,130.44**	**$179.00**	**$0.00**	**$0.00**	**$3,309.44**
	-Used with three-point hitch and rear PTO							

Mid-Mount Mower
Bobcat Compact Tractor Implement



Quick Specs

	M60	***M60-5***
Cutting Width	60"	60"
Overall Width	74.1"	77.5"
Overall Length	42.6"	39.2"
Cutting Height Range	1" – 4"	1" – 4"
Number of Blades	3	3
Blade Tip Speed (Ft/minute.)	15,394 FPM	16,280 FPM
Discharge	Side	Side
Tractor PTO Speed	2000 RPM	2000 RPM
Weight (without linkage)	244 lbs.	244 lbs.

Part Number	Description	Implement						
(CT1021, CT1025)								
7363024	**60" Mid-Mount Mower, M60**	**$3,104.00**	**24%**	**$2,359.04**	**$132.00**	**$0.00**	**$0.00**	**$2,491.04**
	(Mounted under center of tractor using mid-PTO) (Must have mid-PTO installed on tractor (standard on CT1021 and CT1025))							
(CT2025)								
7373006	**60" Mid-Mount Mower, M60-5**	**$3,260.00**	**24%**	**$2,477.60**	**$132.00**	**$0.00**	**$0.00**	**$2,609.60**
	(Mounted under center of tractor using mid-PTO) (Must have mid-PTO installed on tractor (*If not equipped- must order Mid-PTO kit 7378612))							

Quick Hitch
Bobcat Compact Tractor Implement

Quick Specs

Overall Width	30.25"
Overall Height	23"
Overall Depth	8.25"
Empty Weight	73 lbs
Maximum PTO HP	50
Three-Point Hitch	Category 1

Part Number	Description	Implement						
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7500264	**Quick Hitch**	**$390.00**	**24%**	**$296.40**	**$100.00**	**$0.00**	**$0.00**	**$396.40**

Rear Ballast
Bobcat Compact Tractor Implement



Quick Specs

Overall Width	35.5"
Overall Height	29"
Empty Weight	230 lbs.
Maximum Weight – Full	880 lbs.
Three-Point Hitch	Category 1

Part Number	Description	Implement						
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7366584	**Rear Ballast Box**	**$701.00**	**24%**	**$532.76**	**$96.00**	**$0.00**	**$0.00**	**$628.76**

Rotary Cutter
Bobcat Compact Tractor Implement

Quick Specs

	RC48	***RC60***	***RC72***
Cutting Width	48"	60"	72"
Overall Width	51"	63"	75"
Overall Length	77"	86"	93"
Cutting Height	1.5" - 9"	1.5" - 9"	1.5" - 9"
Deck Type	Single	Single	Single
Deck Thickness	12 ga.	12 ga.	12 ga.
Number of Blades	2	2	2
Blade Tip Speed	9,982 FPM	12,478 FPM	14,974 FPM
Discharge	Rear	Rear	Rear
Weight	463 lbs.	530 lbs.	623 lbs.
Tractor PTO Requirements	18-45 hp 540 RPM	20-50 hp 540 RPM	25-65 hp 540 RPM
3pt. Hitch Size	Category 1	Category 1	Category 1
Drive Line Protection	Shear bolt	Shear bolt	Shear bolt

Part Number	Description	Implement						
(CT1021, CT1025)								
7365689	**3 Pt. Rotary Cutter 48", (3RC48)**	**$2,005.00**	**24%**	**$1,523.80**	**$150.00**	**$50.00**	**$0.00**	**$1,723.80**
	*It is recommended to operate RC with front-end loader installed for stability.							
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050)								
7365545	**3 Pt. Rotary Cutter 60", (3RC60)**	**$2,316.00**	**24%**	**$1,760.16**	**$179.00**	**$50.00**	**$0.00**	**$1,989.16**
	*It is recommended to operate RC with front-end loader installed for stability.							
(CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365693	**3 Pt. Rotary Cutter 72", (3RC72)**	**$2,602.00**	**24%**	**$1,977.52**	**$209.00**	**$50.00**	**$0.00**	**$2,236.52**
	*It is recommended to operate RC with front-end loader installed for stability.							

Seeder
Bobcat Compact Tractor Implement



Quick Specs

Weight (empty)	1,300 lbs
Weight (full)	1,425 lbs
Height	44.0"
Overall Width	88.0"

Working Width..... 72.0"
Length..... 43.0"
Hopper Capacity..... 4.0 bushels

Part Number	Description	Implement						
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7167712	**Seeder 72", 3PT Mounting** (Tractor must be equipped with a front end loader or front ballast)	**$9,381.00**	**24%**	**$7,129.56**	**$298.00**	**$50.00**	**$0.00**	**$7,477.56**

Snowblower
Bobcat Compact Tractor Implement



Quick Specs

	SB50	***SB60***	***SB66***	***SB74***
Cutting Width	50"	60"	66"	74"
Snow Intake Height	22"	22"	22"	22"
Auger Diameter	14"	14"	14"	14"
Fan Diameter	19"	19"	19"	19"
Max Chute Rotation	230°	230°	230°	230°
Chute Rotation Design (Optional)	Manual	Manual (Hydraulic)	Manual (Hydraulic)	Manual (Hydraulic)
Skid Shoes	Adjustable	Adjustable	Adjustable	Adjustable
Operating Weight	493 lbs.	529 lbs.	593 lbs.	629 lbs.
Tractor PTO Speed	540	540	540	540
3pt. Hitch Size	Category 1	Category 1	Category 1	Category 1
Drive Line Protection	Shear Bolt	Shear Bolt	Shear Bolt	Shear Bolt

Part Number	Description	Implement						
(CT1021, CT1025)								
7366570	**3 Pt. Snow Blower 50", SB50** (Includes manual chute rotator) (CT1021/CT1025 tractors must be equipped with front-end loader)	**$3,848.00**	**24%**	**$2,924.48**	**$150.00**	**$0.00**	**$0.00**	**$3,074.48**
(CT2025, CT2035, CT2040, CT2535, CT2540)								
7366566	**3 Pt. Snow Blower 60", SB60** (Includes manual chute rotator) (Hydraulic Chute rotator is available as a dealer installed accessory) (CT2025-CT2540 tractors must be equipped with front-end loader)	**$4,182.00**	**24%**	**$3,178.32**	**$179.00**	**$0.00**	**$0.00**	**$3,357.32**
(CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365785	**3 Pt. Snow Blower 66", SB66** (Includes manual chute rotator) (Hydraulic Chute rotator is available as a dealer installed accessory)	**$4,686.00**	**24%**	**$3,561.36**	**$179.00**	**$0.00**	**$0.00**	**$3,740.36**
(CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365781	**3 Pt. Snow Blower 74", SB74** (Includes manual chute rotator) (Hydraulic Chute rotator is available as a dealer installed accessory)	**$5,183.00**	**24%**	**$3,939.08**	**$209.00**	**$50.00**	**$0.00**	**$4,198.08**

Tiller
Bobcat Compact Tractor Implement



Quick Specs

	Tiller 3PT 48 LD	***Tiller 3PT 60***	***Tiller 3PT 72***
Tilling Width	48"	60"	72"
Overall Width	51.5"	64"	76"
Working Depth	1"- 7" Adjustable	1"- 7" Adjustable	1"- 7" Adjustable
Operating Weight	470 lbs.	638 lbs.	718 lbs
Drive Type	Gear Driven Oil-Bath	Gear Driven Oil-Bath	Gear Driven Oil-Bath
Blades Per Flange	4	6	6
Total Blades	24	42	54
Tractor PTO Requirements	15-35 hp 540 RPM	25-50 540 RPM	30-55 540 RPM
Three-Point Hitch	Category 1	Category 1	Category 1
Drive Line Protection	Slip-Clutch	Slip-Clutch	Slip-Clutch
Storage Stand	Yes	Yes	Yes
Skid Shoes	Adjustable/Replaceable	Adjustable/Replaceable	Adjustable/Replaceable

Part Number	Description	Implement						
(CT1021*, CT1025*)								
7430860	**3 Pt. Tiller 48" LD**	**$2,734.00**	**24%**	**$2,077.84**	**$171.00**	**$50.00**	**$0.00**	**$2,298.84**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055)								
7365793	**3 Pt. Tiller 60"**	**$3,077.00**	**24%**	**$2,338.52**	**$209.00**	**$50.00**	**$0.00**	**$2,597.52**
(CT2040, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365797	**3 Pt. Tiller 72"**	**$3,714.00**	**24%**	**$2,822.64**	**$233.00**	**$50.00**	**$0.00**	**$3,105.64**

* It is recommended to operate Tiller with front-end loader installed for stability.

Tine Rake
Bobcat Compact Tractor Implement



Quick Specs

	3TR60	3TR72	3TR84
Working/Overall Width	60"	72"	84"
Overall Length	42"	42"	42"
Overall Height	39"	39"	39"
Operating Weight	248 lbs.	272 lbs.	287 lbs.
Rake Positions Forward	5	5	5
Rake Positions Rearward	5	5	5
3pt. Hitch Size	Category 1	Category 1	Category 1

Implement

v Number	Description							
(CT1021, CT1025, CT2025, CT2035, CT2040, CT2535, CT2540)								
7365535	**3 Pt. Tine Rake 60", 3TR60**	**$1,081.00**	**24%**	**$821.56**	**$84.00**	**$0.00**	**$0.00**	**$905.56**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7365541	**3 Pt. Tine Rake 72", 3TR72**	**$1,235.00**	**24%**	**$938.60**	**$96.00**	**$0.00**	**$0.00**	**$1,034.60**
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4055, CT4058, CT5545, CT5550, CT5555, CT5558)								
7366562	**3 Pt. Tine Rake 84", 3TR84**	**$1,339.00**	**24%**	**$1,017.64**	**$108.00**	**$0.00**	**$0.00**	**$1,125.64**

August 1, 2024
BOBCAT SLP Pages

Commercial ZT Mowers
ZT6000e

Standard Equipment

Battery:
- 58V
- 20.4 kWh

Deck:
- AirFX™ Cutting System
  - Air-Gap Baffles
  - XL Grass Discharge Chute
    - Front bull-nose designed
    - Deep profile
    - Adjustable front lips
- High pressure die cast aluminum spindle housing
- 3 x (3 kW) deck motors

Battery Compartment:
- Rear Battery Guard
- Rear Bumper

Tires:
- Drive Tires: 24 x 10.5 - 12
- Caster Tires: 15 x 6 - 6

Drive System:
- HD Planetary Gearbox w/ integrated parking brake
- 2 x (3 kW) wheel drive motors

Operator Platform:
- Instrumentation: Display, Start Switch and PTO
- 4.3-Inch Touch Display
  - Drive Response Mode
  - Blade Speed Selection
  - Battery Life
- Dual USB-A & USB-C Charger
- High Back Full Mechanical Suspension Seat
  - Fore/Aft Adjustment
- Seat Belt
- Roll Over Protective Structure (ROPS) meets ISO 21299
- Meets standard ANSI/OPEI B71.4
- Rotating Foot Plate

Operator Controls:
- Hand Deck Lift Assist
- Adjustable Foot Deck Lift Assist
- Height of Cut Tethered Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 2,000 hours whichever occurs first

Quick Specs

	ZT6000e	ZT6000e
Model Number	M6216-P01-C01	M6216-P01-C02
Configuration	Electric Riding Mower	Electric Riding Mower
Battery Type	Lithium Ion	Lithium Ion
System Voltage	58V	58V
Gross Battery Capacity	20.4 kWh	20.4 kWh
Runtime	4-8 hrs*	4-8 hrs*
Mowable Acres	16.4-20.5*	19.0-23.8*
On-Board Charge Time - 120 V	12.6 hr	12.6 hr
On-Board Charge Time - 240 V	6.3 hr	6.3 hr
Charger Type	level 2 EVSE	level 2 EVSE
Charge Cord Description	J1772 EVSE	J1772 EVSE
Forward Speed - High	10.9 mph	10.9 mph
Forward Speed - Medium	9.0 mph	9.0 mph
Forward Speed - Low	7.0 mph	7.0 mph
Reverse Speed - High	4.1 mph	4.1 mph
Reverse Speed - Medium	3.4 mph	3.4 mph
Reverse Speed - Low	3.1 mph	3.1 mph
Blade Tip Speed - High	18500 ft/min	18500 ft/min
Blade Tip Speed - Low	16999 ft/min	16999 ft/min
Weight	1446 lb	1459 lb
Length (ROPS Up)	82.3 in	83.2 in
Width (Chute Up)	56.0 in	64.6 in
Width (Chute Down)	67.9 in	76.6 in
Height (ROPS Up)	75.4 in	75.4 in
Height (ROPS Folded)	49.8 in	49.8 in
Wheelbase (Left)	54.1 in	55.0 in
Wheelbase (Right)	53.0 in	53.1 in
Cutting Height Range	1.0-5.5 in	1.0-5.5 in
Cutting Width	52.5 in	61 in

**"Times and acreage will vary depending on conditions."*

Commercial ZT Mowers
ZT6000e

Part Number	Description	U.S. Models SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6216			$39,199.00	0%	$39,199.00	$382.00	$50.00	$0.00	$39,631.00
M6216-P01-C01	ZT6000e - 52" Deck Package..... 52" Side Discharge Mower Deck		$0.00	0%	$0.00	$0.00	$0.00	$0.00	$0.00
M6216-P01-C02	ZT6000e - 61" Deck Package..... 61" Side Discharge Mower Deck		$300.00	0%	$300.00	$0.00	$0.00	$0.00	$300.00

August 1, 2024
BOBCAT SLP Pages

Consumer ZT Mowers
ZT2000

Standard Equipment

Kawasaki FR651V Gas Engine - 9992001/9992002
Kawasaki FR691V Gas Engine - 9992003

Deck:
- TufDeck™ Cutting System
  - Double-Wave™ Baffles
- Steel Fabricated Spindle Assemblies

Engine Compartment:
- Rear Engine Guard

Tires:
- Drive Tires: 20 x 8.0 - 10 - 9992001
  - 20 x 10.0 - 10 - 9992002/9992003
- Caster Tires: 11 x 6.0 - 5 OTR

Transmission:
- HG ZT-2800 Hydrostatic Transaxles

Operator Platform:
- Instrumentation: Fuel Gauge, Hourmeter & PTO
- Throttle and Choke Cables
- Key Switch
- High Back Seat with Spring Suspension
  - Fore/Aft Adjustment
- Meets standard ANSI/OPEI B71.1

Operator Controls:
- Foot Deck Lift Assist
- Height of Cut Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 500 hours whichever occurs first

Quick Specs

	ZT2000	ZT2000	ZT2000
Model Number	9992001	9992002	9992003
Configuration	Riding Mower	Riding Mower	Riding Mower
Engine Model	Kaw FR651V	Kaw FR651V	Kaw FR691V
Engine CC	726 cc	726 cc	726 cc
Engine Fuel	Gasoline	Gasoline	Gasoline
Fuel Capacity	3.8 gal.	3.8 gal.	3.8 gal.
Engine Cooling	Air	Air	Air
Engine Oil Capacity	2.1 qt	2.1 qt	2.1 qt
Engine Air Filter	Dual Element	Dual Element	Dual Element
Charging Systems	15 amps	15 amps	15 amps
Clutch	105 ft. lb.	105 ft. lb.	105 ft. lb.
Transmission Oil Capacity	4 qt.	4 qt.	4 qt.
Transmission Pump Displacement	10 cc	10 cc	10 cc
Travel Speed - Forward	0–7 mph	0–7 mph	0–7 mph
Travel Speed -Reverse	0–3 mph	0–3 mph	0–3 mph
Operating Weight	684 lb	736 lb	752 lb
Overall Width (Chute Up)	43.25 in	48.87 in	54.38 in
Overall Length	76.0 in	76.0 in	76.0 in
Wheelbase	48.02 in	48.02 in	48.02 in
Blade Tip Speed	18809 fpm @ 3550 rpm	17365 fpm @ 3550 rpm	18142 fpm @ 3550 rpm
Cutting Height Range	1.5–4.6 in.	1.5–4.6 in.	1.5–4.6 in.
Cutting Width	42 in.	48 in.	52 in.

Consumer ZT Mowers
ZT2000

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9992001	ZT2000 FR651V KAW 42SD		$5,419.00	22%	$4,226.82	$175.00	$50.00	$0.00	$4,451.82
9992002	ZT2000 FR651V KAW 48SD		$5,579.00	22%	$4,351.62	$175.00	$50.00	$0.00	$4,576.62
9992003	ZT2000 FR691V KAW 52SD		$5,799.00	22%	$4,523.22	$175.00	$50.00	$0.00	$4,748.22

Consumer ZT Mowers
ZT3000

Standard Equipment

Kawasaki FT651V Gas Engine - 9993001
Kawasaki FT691V Gas Engine - 9993002
Kawasaki FT730V Gas Engine - 9993003

Deck:
- TufDeck Pro™ Cutting System
  - Double-Wave™ Baffles
- Cast Aluminum or Steel Fabricated Spindle Assemblies

Engine Compartment:
- Rear Engine Guard

Tires:
- Drive Tires: 22 x 11.0 - 10
- Caster Tires: 13 x 6.5 - 6

Transmission:
- HG ZT-3100 Hydrostatic Transaxle

Operator Platform:
- Instrumentation: Fuel Gauge, Hourmeter & PTO
- Throttle and Choke Cables
- 12 V Plug Outlet
- Key Switch
- High Back Seat with Spring Suspension and EVC material
  - Fore/Aft Adjustment
  - Padded Arm Rests
- Meets standard ANSI/OPEI B71.4

Operator Controls:
- Foot Deck Lift Assist
- Height of Cut Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 1,000 hours whichever occurs first

Quick Specs

	ZT3000	ZT3000	ZT3000
Model Number	9993001	9993002	9993003
Configuration	Riding Mower	Riding Mower	Riding Mower
Engine Model	Kaw FT651V	Kaw FT691V	Kaw FT730V
Engine CC	726 cc	726 cc	726 cc
Engine Fuel	Gasoline	Gasoline	Gasoline
Fuel Capacity	3.8 gal.	3.8 gal.	3.8 gal.

Engine Cooling	Air	Air	Air
Engine Oil Capacity	2.1 qt	2.1 qt	2.1 qt
Engine Air Filter	Dual Element	Dual Element	Dual Element
Charging Systems	15 amps	15 amps	15 amps
Clutch	125 ft. lb.	125 ft. lb.	125 ft. lb.
Transmission Oil Capacity	4 qt.	4 qt.	4 qt.
Transmission Pump Displacement	10 cc	10 cc	10 cc
Travel Speed - Forward	0–8 mph	0–8 mph	0–8 mph
Travel Speed -Reverse	0–3.5 mph	0–3.5 mph	0–3.5 mph
Operating Weight	758 lb	774 lb	817 lb
Overall Width (Chute Up)	48.87 in	54.38 in	63 in
Overall Length	76.0 in	76.0 in	76.0 in
Wheelbase	48.02 in	48.02 in	48.02 in
Blade Tip Speed	17365 fpm @ 3550 rpm	18142 fpm @ 3550 rpm	18809 fpm @ 3550 rpm
Cutting Height Range	1.5–4.8 in.	1.5–4.8 in.	1.5–4.8 in.
Cutting Width	48 in.	52 in.	61 in.

Consumer ZT Mowers
ZT3000

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9993001	ZT3000 FT651V KAW 48SD		$7,429.00	22%	$5,794.62	$233.00	$50.00	$0.00	$6,077.62
9993002	ZT3000 FT691V KAW 52SD		$7,659.00	22%	$5,974.02	$233.00	$50.00	$0.00	$6,257.02
9993003	ZT3000 FT730V KAW 61SD		$7,999.00	22%	$6,239.22	$233.00	$50.00	$0.00	$6,522.22

Commercial ZT Mowers
ZT3500

Standard Equipment

Kawasaki FX651V Gas Engine - 9993501
Kawasaki FX691V Gas Engine - 9993502
Kawasaki FX730V Gas Engine - 9993503

Deck:
- TufDeck Pro™ Cutting System
  - Double-Wave™ Baffles
- Cast Aluminum or Steel Fabricated Spindle Assemblies

Engine Compartment:
- Rear Engine Guard

Tires:
- Drive Tires: 23 x 10.5 - 12
- Caster Tires: 13 x 6.5 - 6

Transmission:
- HG ZT-3400 Hydrostatic Transaxles

Operator Platform:
- Instrumentation: Fuel Gauges, Hourmeter & PTO
- Throttle and Choke Cables
- 12 V Plug Outlet
- Key Switch
- High Back Full Mechanical Suspension Seat
  - Fore/Aft Adjustment
- Seat Belt
- Meets standard ANSI/OPEI B71.4

Operator Controls:
- Foot Deck Lift Assist
- Height of Cut Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 1,000 hours whichever occurs first

Quick Specs

	ZT3500	ZT3500	ZT3500
Model Number	9993501	9993502	9993503
Configuration	Riding Mower	Riding Mower	Riding Mower
Engine Model	Kaw FX651V	Kaw FX691V	Kaw FX730V
Engine CC	726 cc	726 cc	726 cc
Engine Fuel	Gasoline	Gasoline	Gasoline
Fuel Capacity	7.8 gal.	7.8 gal.	7.8 gal.
Engine Cooling	Air	Air	Air
Engine Oil Capacity	2.2 qt	2.2 qt	2.2 qt
Engine Air Filter	Dual-Stage Canister	Dual-Stage Canister	Dual-Stage Canister
Charging Systems	15 amps	15 amps	15 amps
Clutch	125 ft. lb.	125 ft. lb.	125 ft. lb.
Transmission Oil Capacity	4 qt.	4 qt.	4 qt.
Transmission Pump Displacement	12 cc	12 cc	12 cc
Travel Speed - Forward	0–10 mph	0–10 mph	0–10 mph
Travel Speed -Reverse	0–3.5 mph	0–3.5 mph	0–3.5 mph
Operating Weight	773 lb	789 lb	832 lb
Overall ROPS Height - Up	68.21 in	68.21 in	68.21 in
Overall ROPS Height - Down	46.82 in	46.82 in	46.82 in
Overall Width (Chute Up)	48.87 in	54.38 in	63 in
Overall Length	76.0 in	76.0 in	79.0 in
Wheelbase	48.02 in	48.02 in	48.02 in
Blade Tip Speed	17365 fpm @ 3550 rpm	18142 fpm @ 3550 rpm	18809 fpm @ 3550 rpm
Cutting Height Range	1.5–4.8 in.	1.5–4.8 in.	1.5–4.8 in.
Cutting Width	48 in.	52 in.	61 in.

Commercial ZT Mowers
ZT3500

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9993501	ZT3500 FX651V KAW 48SD		$9,319.00	22%	$7,268.82	$298.00	$50.00	$0.00	$7,616.82
9993502	ZT3500 FX691V KAW 52SD		$9,549.00	22%	$7,448.22	$298.00	$50.00	$0.00	$7,796.22
9993503	ZT3500 FX730V KAW 61SD		$9,919.00	22%	$7,736.82	$298.00	$50.00	$0.00	$8,084.82

ZT2000, ZT3000, ZT3500, ZS4000, ZT6000, ZT6100, ZT7000

Commercial ZS Mowers
ZS4000

Standard Equipment

Kawasaki FX600V Gas Engine - 9994001
Kawasaki FX651V Gas Engine - 9994002
Kawasaki FT730V EFI Gas Engine - 9994003/9994004

Deck:
- AirFX™ Cutting System*
  - Air-Gap Baffles
  - XL Grass Discharge Chute
    - Front bull-nose designed
    - Deep profile
    - Adjustable front lips
- Steel Fabricated Spindle Assemblies*

Tires:
- Drive Tires: 20 x 8.0 - 10 - 9994001
  23 x 8.5 - 12 - 9994002
  23 x 10.5 - 12 - 9994003/9994004
- Caster Tires: 11 x 6.0 - 5 - 9994001
  13 x 6.5 - 6 - 9994002/9994003/9994004

Transmission:
- HG ZT-3100 Hydrostatic Transaxles -9994001
- HG ZT-3400 Hydrostatic Transaxles -9994002/9994003/9994004

Operator Platform:
- Instrumentation: Fuel Gauge*, Hourmeter & PTO
- Throttle and Choke Cables
- Key Switch
- Wide Platform
  - Anti-Vibration
  - Flip-Up Operator Platform
- Meets standard ANSI/OPEI B71.4

Operator Controls:
- Hand Deck Lift Assist
- Height of Cut Tethered Pin
- Tool-Free Adjustable Tracking Controls
- Tool-Free Adjustable Front Point of Reference Bar

Warranty: 36 months, or 2,000 hours whichever occurs first

*48-61in decks; Fuel Reserve Switch on 36in deck

Quick Specs

	ZS4000	ZS4000	ZS4000	ZS4000
Model Number	9994001	9994002	9994003	9994004
Configuration	Stand on	Stand on	Stand on	Stand on
Engine Model	Kaw FX600V	Kaw FX651V	Kaw FT730 EFI	Kaw FT730 EFI
Engine CC	603 cc	726 cc	726 cc	726 cc
Engine Fuel	Gasoline	Gasoline	Gasoline	Gasoline
Fuel Capacity	5.1 gal.	6.5 gal.	6.5 gal.	6.5 gal.
Engine Cooling	Air	Air	Air	Air
Engine Oil Capacity	1.8 qt	2.2 qt	2.2 qt	2.2 qt
Engine Air Filter	Dual Element	Dual Element	Dual Element	Dual Element
Charging Systems	15 amps	15 amps	15 amps	15 amps
Clutch	125 ft. lb.	200 ft. lb.	200 ft. lb.	200 ft. lb.
Transmission Oil Capacity	4 qt.	4 qt.	4 qt. each	4 qt. each
Transmission Pump Displacement	10 cc	12 cc	12 cc	12 cc
Travel Speed - Forward	0–9 mph	0–10.5 mph	0–10.5 mph	0–10.5 mph
Travel Speed -Reverse	0–3.5 mph	0–3.5 mph	0–3.5 mph	0–3.5 mph
Operating Weight	800 lb	961 lb	991 lb	1,028 lb
Tower Height	40.9 in	41.8 in	41.8 in	41.8 in
Overall Width (Chute Up)	35.35 in	49.3 in	54.48 in	63.4 in
Overall Length	64.0 in	64.0 in	64.0 in	64.0 in
Wheelbase	34.18 in	44.67 in	49.79 in	49.79 in
Blade Tip Speed	17600 fpm @ 3550 rpm	17800 fpm @ 3550 rpm	18586 fpm @ 3550 rpm	18500 fpm @ 3550 rpm
Cutting Height Range	1.5–4.5 in.	1.5–4.5 in.	1.5–4.5 in.	1.5–4.5 in.
Cutting Width	36 in.	48 in.	52 in.	61 in.

Commercial ZS Mowers
ZS4000

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9994001	ZS4000 FX600V KAW 36SD		$9,699.00	22%	$7,565.22	$298.00	$50.00	$0.00	$7,913.22
9994002	ZS4000 FX651V KAW 48SD		$10,349.00	22%	$8,072.22	$298.00	$50.00	$0.00	$8,420.22
9994003	ZS4000 FT730 EFI KAW 52SD		$11,409.00	22%	$8,899.02	$298.00	$50.00	$0.00	$9,247.02
9994004	ZS4000 FT730 EFI KAW 61SD		$11,749.00	22%	$9,164.22	$298.00	$50.00	$0.00	$9,512.22

Commercial ZT Mowers
ZT6000

Standard Equipment

Kawasaki FX801V Gas Engine - 9996010/9996011

Deck:
- AirFX™ Cutting System
  - Air-Gap Baffles
  - XL Grass Discharge Chute
    - Front bull-nose designed
    - Deep profile
    - Adjustable front lips
- Steel fabricated spindle assemblies

Engine Compartment:
- Rear Engine Guard
- Rear Bumper

Tires:
- Drive Tires: 24 x 10.5 - 12
- Caster Tires: 13 x 6.5 - 6

Transmission:
- HG ZT-4400 Hydrostatic Transaxle

Operator Platform:
- Instrumentation: Fuel Gauges, Hourmeter & PTO
- Throttle and Choke Cables
- 12 V Plug Outlet
- Key Switch
- High Back Full Mechanical Suspension Seat
  - Fore/Aft Adjustment
- Seat Belt
- Roll Over Protective Structure (ROPS) meets OSHA 1928.51 & 1928.52
- Meets standard ANSI/OPEI B71.4
- Rotating Foot Plate

Operator Controls:
- Hand Deck Lift Assist
- Adjustable Foot Deck Lift Assist
- Height of Cut Tethered Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 2,000 hours whichever occurs first

Quick Specs

	ZT6000	ZT6000
Model Number	9996010	9996011
Configuration	Riding Mower	Riding Mower
Engine Model	Kaw FX801V	Kaw FX801V
Engine CC	852 cc	852 cc
Engine Fuel	Gasoline	Gasoline
Fuel Capacity	15 gal.	15 gal.
Engine Cooling	Air	Air
Engine Oil Capacity	2.4 qt	2.4 qt
Engine Air Filter	Canister Air Filter	Canister Air Filter
Charging Systems	15 amps	15 amps
Clutch	225 ft. lb.	225 ft. lb.
Transmission Oil Capacity	4.5 qt. each	4.5 qt. each
Transmission Pump Displacement	12 cc	12 cc
Travel Speed - Forward	0–12 mph	0–12 mph
Travel Speed -Reverse	0–4 mph	0–4 mph
Operating Weight	1,371 lb	1,421 lb
Overall ROPS Height - Up	70.1 in	70.1 in

Overall ROPS Height - Down	45.2 in	45.2 in
Overall Width (Chute Up)	54.3 in	63 in
Overall Length	83.0 in	83.0 in
Wheelbase	52.8 in	52.8 in
Blade Tip Speed	18586 fpm @ 3550 rpm	18500 fpm @ 3550 rpm
Cutting Height Range	1–5.5 in.	1–5.5 in.
Cutting Width	52 in.	61 in.

Commercial ZT Mowers
ZT6000

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9996010	ZT6000 FX801V KAW 52SD		$12,399.00	22%	$9,671.22	$382.00	$50.00	$0.00	$10,103.22
9996011	ZT6000 FX801V KAW 61SD		$12,789.00	22%	$9,975.42	$382.00	$50.00	$0.00	$10,407.42

Commercial ZT Mowers
ZT6100

Standard Equipment

Kawasaki FX850V EFI Gas Engine - 9996013

Deck:
- AirFX™ Cutting System
  - Air-Gap Baffles
  - XL Grass Discharge Chute
    - Front bull-nose designed
    - Deep profile
    - Adjustable front lips
- Steel fabricated spindle assemblies

Engine Compartment:
- Rotating rear bumper
- 2 inch hitch receiver

Tires:
- Drive Tires: 24 x 12 - 12
- Caster Tires: 13 x 6.5 - 6

Transmission:
- HG ZT-4400 Hydrostatic Transaxle

Operator Platform:
- Instrumentation: Fuel Gauges, Hourmeter & PTO
- Throttle and Choke Cables
- 12 V Plug Outlet
- Key Switch
- High Back Full Mechanical Suspension Seat
  - Fore/Aft Adjustment
- Seat Belt
- Roll Over Protective Structure (ROPS) meets OSHA 1928.51 & 1928.52
- Meets standard ANSI/OPEI B71.4
- Rotating Foot Plate

Operator Controls:
- Hand Deck Lift Assist
- Adjustable Foot Deck Lift Assist
- Height of Cut Tethered Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 2,000 hours whichever occurs first

Quick Specs

	ZT6100
Model Number	9996013
Configuration	Riding Mower
Engine Model	Kaw FX850V EFI
Engine CC	852 cc
Engine Fuel	Gasoline
Fuel Capacity	15 gal.
Engine Cooling	Air
Engine Oil Capacity	2.4 qt
Engine Air Filter	Canister Air Filter
Charging Systems	15 amps
Clutch	225 ft. lb.
Transmission Oil Capacity	4.5 qt. each
Transmission Pump Displacement	12 cc
Travel Speed - Forward	0–12 mph
Travel Speed -Reverse	0–4 mph
Operating Weight	1,464 lb
Overall ROPS Height - Up	70.1 in
Overall ROPS Height - Down	45.2 in
Overall Width (Chute Up)	63 in
Overall Length	83.0 in
Wheelbase	53.6 in
Blade Tip Speed	18500 fpm @ 3550 rpm
Cutting Height Range	1–5.5 in.
Cutting Width	61 in.

Commercial ZT Mowers
ZT6100

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9996013	ZT6100 FX850V EFI KAW 61SD		$14,199.00	22%	$11,075.22	$382.00	$50.00	$0.00	$11,507.22

Commercial ZT Mowers
ZT7000

Standard Equipment

Kawasaki FX1000V Gas Engine - 9997010/9997011
Kawasaki FX1000 EFI Gas Engine - 9997064/9997065

Deck:
- AirFX™ Cutting System
  - Air-Gap Baffles
  - XL Grass Discharge Chute
    - Front bull-nose designed
    - Deep profile
    - Adjustable front lips
- Steel fabricated spindle assemblies

Engine Compartment:
- Rotating rear bumper
- 2 inch hitch receiver

Tires:
- Drive Tires: 26 x 12 - 12

Operator Platform:
- Instrumentation: Fuel Gauges, Hourmeter & PTO
- Throttle and Choke Cables
- 12 V Plug Outlet
- Key Switch
- Front Mounted Light
- Extra High Back Full Mechanical Suspension Seat
  - Padded Arm Rest
  - Fore/Aft Adjustment
- Seat Belt
- Roll Over Protective Structure (ROPS) meets OSHA 1928.51 & 1928.52
- Meets standard ANSI/OPEI B71.4
- Anti-Vibration Foot Plate

Operator Controls:

- Caster Tires: 15 x 6.5 - 6, Semi-Pneumatic

Transmission:

- Hydro-Gear ZT-5400 2-Speed Hydrostatic Transaxle

- Hand Deck Lift Assist
- Adjustable Foot Deck Lift Assist
- Height of Cut Tethered Pin
- Adjustable Control Levers
  - Fore/Aft/Up/Down

Warranty: 36 months, or 2,000 hours whichever occurs first

Quick Specs

	ZT7000	ZT7000	ZT7000	ZT7000
Model Number	9997010	9997011	9997064	9997065
Configuration	Riding Mower	Riding Mower	Riding Mower	Riding Mower
Engine Model	Kaw FX1000V	Kaw FX1000V	Kaw FX1000 EFI	Kaw FX1000 EFI
Engine CC	999 cc	999 cc	999 cc	999 cc
Engine Fuel	Gasoline	Gasoline	Gasoline	Gasoline
Fuel Capacity	15 gal.	15 gal.	15 gal.	15 gal.
Engine Cooling	Air	Air	Air	Air
Engine Oil Capacity	2 qt	2 qt	2.2 qt	2.2 qt
Engine Air Filter	Canister Air Filter	Canister Air Filter	Canister Air Filter	Canister Air Filter
Charging Systems	15 amps	15 amps	15 amps	15 amps
Clutch	250 ft. lb.	250 ft. lb.	250 ft. lb.	250 ft. lb.
Transmission Oil Capacity	5.9 qt. each	5.9 qt. each	5.9 qt	5.9 qt
Transmission Pump Displacement	16 cc	16 cc	16 cc	16 cc
Travel Speed - Forward	0–19 mph	0–19 mph	0-19 mph	0-19 mph
Travel Speed -Reverse	0–7.5 mph	0–7.5 mph	0-7.5 mph	0-7.5 mph
Operating Weight	1,500 lb	1,541 lb	1,500 lb	1,541 lb
Overall ROPS Height - Up	71.3 in	71.3 in	71.3 in	71.3 in
Overall ROPS Height - Down	46.4 in	46.4 in	46.4 in	46.4 in
Overall Width (Chute Up)	63 in	73.4 in	63 in	73.4 in
Overall Length	87.0 in	87.0 in	87.0 in	87.0 in
Wheelbase	56.4 in	56.4 in	56.4 in	56.4 in
Blade Tip Speed	18500 fpm @ 3550 rpm	18152 fpm @ 3550 rpm	18500 fpm @ 3550 rpm	18152 fpm @ 3550 rpm
Cutting Height Range	1–5.5	1–5.5	1-5.5 in	1-5.5 in
Cutting Width	61 in.	72 in.	61 in.	72 in.

Commercial ZT Mowers
ZT7000

Part Number	Description	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
9997010	ZT7000 FX1000V Kaw 61SD		$15,449.00	22%	$12,050.22	$453.00	$50.00	$0.00	$12,553.22
9997011	ZT7000 FX1000V Kaw 72SD		$16,689.00	22%	$13,017.42	$453.00	$50.00	$0.00	$13,520.42
9997064	ZT7000 FX1000V KAW EFI 61SD		$16,519.00	22%	$12,884.82	$453.00	$50.00	$0.00	$13,387.82
9997065	ZT7000 FX1000V KAW EFI 72SD		$17,639.00	22%	$13,758.42	$453.00	$50.00	$0.00	$14,261.42

Commercial Midsize Walk-Behind Mowers
Hydro-Drive Models

Standard Equipment

Kawasaki FS481V Gas Engine -9990701
Kawasaki FS541V Gas Engine - 9990702
Kawasaki FS600V Gas Engine - 9990703

Deck:

- TufDeck™ Cutting System
  - Double-Wave™ Baffles
- Steel Fabricated Spindle Assemblies

Tires:

- Drive Tires: 20 x 6.5 - 9990701
- Drive Tires: 20 x 8.0 - 9990702, 9990703

  Caster Tires: 11 x 6.0, Semi-Pneumatic

Transmission:

- HG ZT-2800 Hydrostatic Transaxles

Operator Panel:

- Instrumentation: Hourmeter & PTO
- Throttle and Choke Cables
- Electric start
- Key switch
- Meets standard ANSI/OPEI B71.4

Operator Controls:

- Park Brake/Speed Setting Lever
- Height of Cut Pins
- Neutral Thumb Latches
- Operator presence
- Speed Control Levers
- Tracking Control Knob
- Hydraulic By-Pass Levers
- Tracking Control Knob

Warranty: 3 years, or 2,000 hours whichever occurs first

Quick Specs

Model Number	9990701	9990702	9990703
Configuration	Walk-Behind Mower	Walk-Behind Mower	Walk-Behind Mower
Engine Model	Kaw FS481V	Kaw FS541V	Kaw FS600V
Engine CC	603 cc	603 cc	603 cc
Engine Fuel	Gasoline	Gasoline	Gasoline
Fuel Capacity	5 gal	5 gal	5 gal
Engine Cooling	Air	Air	Air
Engine Oil Capacity	1.8 qt.	1.8 qt.	1.8 qt.
Engine Air Filter	Dual Element	Dual Element	Dual Element
Charging Systems	15 amps	15 amps	15 amps
Clutch	105 ft. lb.	105 ft. lb.	105 ft. lb.
Travel Speed - Forward	0-6.5 mph	0-6.5 mph	0-6.5 mph
Travel Speed -Reverse	0–3 mph	0-3 mph	0-3 mph
Operating Weight	645 lb	675 lb	690 lb
Overall Width (Chute Up)	36.3 in	48.3 in	52.3 in
Overall Length	78.0 in	78.0 in	78.0 in
Blade Tip Speed	18645 fpm @ 3600 rpm	16832 fpm @ 3600 rpm	18645 fpm @ 3600 rpm
Cutting Height Range	1.5-4.5 in	1.5-4.5 in	1.5-4.5 in
Cutting Width	36 in	48 in	52 in

Commercial Midsize Walk-Behind Mowers
Hydro-Drive Models

Part	U.S. Models	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Number	Description							
9990701	WB700-36IN HYDRO DRIVE, FS481 ELECTRIC	**$7,419.00**	**22%**	**$5,786.82**	**$175.00**	**$50.00**	**$0.00**	**$6,011.82**
9990702	WB700-48IN HYDRO DRIVE, FS541 ELECTRIC	**$7,999.00**	**22%**	**$6,239.22**	**$175.00**	**$50.00**	**$0.00**	**$6,464.22**
9990703	WB700-52IN HYDRO DRIVE, FS600 ELECTRIC	**$8,569.00**	**22%**	**$6,683.82**	**$175.00**	**$50.00**	**$0.00**	**$6,908.82**

WB700

August 1, 2024
BOBCAT SLP Pages

UV34
Bobcat Utility Vehicle

Standard Equipment

Engine
- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter

Drive System
- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ dual-bore front calipers
- CV Joints on Drive and Half Shafts
- CV Guards, Front
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)

Steering & Suspenson
- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering

Operator Comfort
- 3 Occupant Bench Seating (40/60 Split)
- 3-PT Seat Belts w/Shoulder Comfort Strap
- 12v Power Ports
- USB Charging Ports & Battery Charing Port
- Beverage holders (6)
- Storage; Upper Dash, Lower Dash, & Underseat
- Sealed Glove Box Storage

Tires & Wheels
- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6

Electrical
- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories

Instrumentation
- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode, Service Reminder, Service Codes, and Gear Position
- Indcator Lights; Glow Plugs, Seatbelts, High Beam, Check Engine, Low Oil Pressure, & High Engine Temp

Frame & Cargo Box
- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Chassis Skid Plates
- 2" Rear Reciever
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate

Warranty
- 1 Year/ 1000 HRS

Quick Specs

	Diesel	Gas
Engine Displacement	989 cc	999 cc
Horsepower	23.5 HP	40 hp
Fuel Delivery	Indirect Injection	Electronic Fuel Injectio
Travel Speed Forward (High/Low)	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits)	35 MPH (25, & 15)	15-35 MPH (40)
Shipping Weight	1695 lbs	1665 lbs
Vehicle Dimensions (Length x Width x Height)	123x62x76 in.	123x62x76 in.
Turning Radius	9.2 ft.	9.2 ft.
Ground Clearance	11.7 in.	11.7 in.

UV34
Bobcat Utility Vehicle

Quick Specs - Cont.

	Diesel	Gas
Fuel Capacity	11.5 gal	11.5 gal
Cargo Box Volume	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH)	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height	38 in.	38 in.
Vehicle Rated Capacity		
- Combined weight of passangers, cargo box, and accessories	1900 lbs	1900 lbs
- Towing Capacity	2500 lbs	2500 lbs
- Tongue Weight	250 lbs	250 lbs
- Cargo Box Capacity	1250 lbs	1250 lbs

Part Number	Utility Vehicle Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1501	UV34 Diesel Base Package EPS	$20,924.00	20%	$16,739.20	$1,420.00	$100.00	$0.00	$18,259.20
M1503	UV34 Gas Base Package EPS	$19,262.00	20%	$15,409.60	$1,420.00	$100.00	$0.00	$16,929.60
M1509	UV34 Gas California Base Package EPS	$19,637.00	20%	$15,709.60	$1,420.00	$100.00	$0.00	$17,229.60

Part Number	Factory installed Cab & Heat Description							
M1501-P01-C03	UV34 Diesel Cab & Heat Package Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors, windshield wipers, and deluxe heater w/defrost.	$8,400.00	20%	$6,720.00	$0.00	$0.00	$0.00	$6,720.00
M1503-P01-C03	UV34 Gas Cab & Heat Package Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors, windshield wipers, and deluxe heater w/defrost.	$8,400.00	20%	$6,720.00	$0.00	$0.00	$0.00	$6,720.00

Dealer Installed Accessories for the UV34 are located after the UV34XL Utility Vehicle section

UV34
Bobcat Utility Vehicle

Standard Equipment

Engine
- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter

Drive System
- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ duel piston front calipers
- CV Joint on Drive and Half Shafts
- CV Guards, Front & Rear
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)

Steering & Suspenson
- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering

Operator Comfort
- 6 Occupant Bench Seating (40/60 Split)
- 6-PT Seat Belts w/Shoulder Comfort Strap
- 2-12v Power Ports
- USB Charging Ports & Battery Charing Port
- Beverage holders (8)
- Storage; Upper Dash, Lower Dash, & Underseats
- Sealed Glove Box Storage

Tires & Wheels
- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6

Electrical
- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories

Instrumentation
- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode, Service Reminder, Service Codes, and Gear Position
- Indcator Lights; Glow Plugs, Seatbelts, High Beam, Check-Engine, Low Oil Pressure, & High Engine Temp

Frame & Cargo Box
- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Full Chassis Skid Plates
- 2" Rear Reciever
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate

Warranty
- 1 Year/ 1000 HRS

Quick Specs

	Diesel	Gas
Engine Displacement	989 cc	999 cc
Horsepower	23.5 HP	40 hp
Fuel Delivery	Indirect Injection	Electronic Fuel Injectio
Travel Speed Forward (High/Low)	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits)	35 MPH (25, & 15)	15-35 MPH (40)
Shipping Weight	2165 lbs	1925 lbs
Vehicle Dimensions (Length x Width x Height)	155x62x76 in.	155x62x76 in.
Turning Radius	12.8 ft.	12.8 ft.

UV34
Bobcat Utility Vehicle

Quick Specs - Cont.

	Diesel	Gas
Ground Clearance	11.7 in.	11.7 in.
Fuel Capacity	11.5 gal	11.5 gal
Cargo Box Volume	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH)	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height	38 in.	38 in.
Vehicle Rated Capacity		
- Combined weight of passangers, cargo box, and accessories	2075 lbs	2075 lbs
- Towing Capacity	2500 lbs	2500 lbs
- Tongue Weight	250 lbs	250 lbs
- Cargo Box Capacity	1250 lbs	1250 lbs

Part Number	Utility Vehicle Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M1505	**UV34XL Diesel Base Package EPS**	**$21,387.00**	**20%**	**$17,109.60**	**$1,520.00**	**$100.00**	**$0.00**	**$18,729.60**
M1507	**UV34XL Gas Base Package EPS**	**$20,349.00**	**20%**	**$16,279.20**	**$1,520.00**	**$100.00**	**$0.00**	**$17,899.20**
M1511	**UV34XL Gas California Base Package EPS**	**$20,724.00**	**20%**	**$16,579.20**	**$1,520.00**	**$100.00**	**$0.00**	**$18,199.20**

Part Number	Factory installed Cab & Heat Description							
M1505-P01-C03	**UV34XL Diesel Cab & Heat Package** Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors(front and rear), windshield wipers, and deluxe heater w/defrost.	**$12,300.00**	**20%**	**$9,840.00**	**$0.00**	**$0.00**	**$0.00**	**$9,840.00**
M1507-P01-C03	**UV34XL Gas Cab & Heat Package**	**$12,300.00**	**20%**	**$9,840.00**	**$0.00**	**$0.00**	**$0.00**	**$9,840.00**

Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors(front and rear), windshield wipers, and deluxe heater w/defrost.

August 1, 2024
BOBCAT SLP Pages

Walk-Behind Aerators

Quick Specs

	LA IV EST	LA V EST
Honda® Engine	Honda® GX120; 4-cycle; recoil start; dual element air filter; on/off switch;	
Honda® Displacement	7.2 cu in (118 cc)	
Honda® Fuel Capacity	0.53 gal (2 L)	
Honda® Oil Capacity	0.59 qt (0.56 L)	
Briggs & Stratton® Engine	Briggs & Stratton® Vanguard™ 200 Model 12V3; 4-cycle; recoil start; cyclonic air cleaner; TransportGuard® integrated fuel valve/engine switch;	
B&S® Displacement	12.4 cu in (203cc)	
B&S® Fuel Capacity	0.84 gal (3.3 L)	
B&S® Oil Capacity	0.63 qt (0.6 L)	
Clutch	Belt tightener	
Drive	Primary: 4L section V-Belt Tine & Drum: Single #40 nickel-plated chain	
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened alloy steel	
Number of Tines	30	42
Aeration Depth	Up to 2.75 in (70mm)	
Aerating Width	19 in (483 mm)	26.5 in (673 mm)
Aeration Pattern	3.75 in x 7 in (95 mm x 178 mm)	
Productivity	Up to 29,000 sq ft/hr (2,694 m²/hr)	Up to 40,000 sq ft/hr (3,176 m²/hr)
Tires	(2) 8 x 2.25 semi-pneumatic w/ball bearings	
Weight: Wet w/o Weights	222 lb (101 kg)	250 lb (113 kg)
Weight: Wet w/Weights	260 lbs (118 kg)	292 lb (132 kg)
Weight: Wet w/Weights & Water in Drum	295 lbs (134 kg)	357 lb (162 kg)
Width	28 in (711 mm)	35.5 in (902 mm)
Length	53.5 in (1,359 mm)	53.5 in (1,359 mm)
Height	48.8 in (1,240 mm)	48.5 in (1,232 mm)

Walk-Behind Aerators

Part Number	Walk-Behind Aerators Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
554913C	RYAN-LAWNAIRE IV-EST, HONDA GX120, 4.0HP*.....	$3,529.00	16%	$2,964.36	$91.00	$0.00	$0.00	$3,055.36
554910C	RYAN-LAWNAIRE V-EST, HONDA GX120, 4.0HP*.....	$3,979.00	16%	$3,342.36	$91.00	$0.00	$0.00	$3,433.36
554914E	RYAN LAWNAIRE IV EST B&S VNGRD, 6.5HP*.....	$3,529.00	16%	$2,964.36	$91.00	$0.00	$0.00	$3,055.36
554916E	RYAN LAWNAIRE V EST B&S VNGRD, 6.5HP*.....	$3,979.00	16%	$3,342.36	$91.00	$0.00	$0.00	$3,433.36

Stand-On Aerator

Quick Specs

	RYAN-LAWNAIRE, ZTS, 15.0HP*
Engine	Kawasaki® FS541V; 4-cycle; electric start; dual element air filtration system;
Displacement	30.8 cu in. (603 cc)
Fuel Capacity	5 gal (18.9 L)
Transmission	Hydro-Gear® ZT3200™

Hydraulic Oil Capacity	7 qt (6.6 L)
Tines	0.75 in (19 mm) formed from .08 in (2 mm) hardened chrome molybdenum alloy steel
Total	48
Down Pressure	Up to 700 lbs (318 kg)
Aeration Depth	Up to 5 in (127 mm)
Aeration Width	30 in (762 mm)
Aeration Pattern	3.75 in x 8 in (95 mm x 203 mm)
Ground Speed	
Forward	Up to 7.4 mph (11.9 kmh)
Reverse	Up to 3.1 mph (5.6 kmh)
Productivity	Up to 97,800 ft^2/hr (9,086 m^2/hr)
Drive tires and wheels	18 x 6.50-8, pneumatic
Front caster tires and wheels	13 x 5.00-6, pneumatic
Width	47.25 in (1200 mm)
Length: Platform Up	60.5 in (1537 mm)
Length: Platform Down	69.5 in (1765 mm)
Height	48 in (1219 mm)
Curb Weight	1,235 lbs (560 kg)
Warranty	2-year Limited Warranty

Stand-On Aerator

Part Number	Stand-On Aerators Description							
554930A	RYAN-LAWNAIRE, ZTS, 15.0HP*.....	$12,999.00	16%	$10,919.16	$246.00	$0.00	$0.00	$11,165.16

Part Number	Dealer Installed Accessories - Order From Factory Description							
	Kits							
970640	KIT-SPREADER, STAND-ON AERATOR.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
970595	KIT-ZTS LIGHT KIT.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Tow-Behind Aerator

Quick Specs

	RYAN-LAWNAIRE TOW 36"	RYAN-RENOVAIRE TOW 72"
Power	Tractor Draw	Tractor Draw
Hitch	Clevis and pin type	Clevis and pin type
Axle: Aerating Wheel	1.25 in (32 mm) diameter	1.25 in (32 mm) diameter
Axle: Transport Wheel	0.75 in (19 mm) diameter	frame
Aerating Wheels	Cast iron w/sintered bushing; pressure lubrication fitting; grooved for mounting aerating tines on both sides; each wheel weighs 75 lb (34 kg)	
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened alloy steel	
Total	48 standard, 96 optional	96 standard, 192 optional
Per Wheel	8 standard, 16 optional	8 standard, 16 optional
Aeration Depth	Up to 5 in (127 mm)	Up to 5 in (127 mm)
Aeration Width	36 in (914 mm)	72 in (1,829 mm)
Aeration Pattern		
Standard	6 in x 6 in (152 mm x 152 mm)	6 in x 6 in (152 mm x 152 mm)
Optional Double Tines	3 in x 3 in (76 mm x 76 mm)	3 in x 3 in (76 mm x 76 mm)
Towing Speed	10 mph (16 km/hr) max	Up to 10 mph (16 km/hr)
Productivity	Up to 1.5 acres/hr (0.6 ha/hr) at 4 mph (6 km/hr)	(16 km/hr)
Transport Tires	bearings	16 x 4.80-8, 6-ply
Transport Lift	using removable lever or 700 psi hydraulic lift	Hydraulic cylinder
Dealer/customer installed options	Hydraulic, electric or manual lift	Manual hydraulic pump
Weight	500 lb (227 kg)	1518 lb (689 kg)
Width	46 in (1,168 mm)	96 in (2,438 mm)
Length	68.5 in (1,740 mm)	60 in (1,524 mm)
Height	31 in (787 mm)	36 in (914 mm)

Tow-Behind Aerator

Tow-Behind Aerator

Part Number	Tow-Behind Aerators Description							
544860A	RYAN-LAWNAIRE TOW 36"	$3,839.00	16%	$3,224.76	$111.00	$0.00	$0.00	$3,335.76
544317A	RYAN-RENOVAIRE TOW 72"	$9,999.00	16%	$8,399.16	$168.00	$0.00	$0.00	$8,567.16

Part Number	Dealer Installed Accessories - Order From Factory Description							
	Kits							
	Requires one of the following kits							
545711	RYAN Hydraulic Lift Available for the Lawnaire 36" Tow-Behind	$699.00	16%	$587.16	$18.00	$0.00	$0.00	$605.16
545654	RYAN Manual Lift Available for the Lawnaire 36" Tow-Behind	$529.00	16%	$444.36	$18.00	$0.00	$0.00	$462.36
4131949	RYAN Electric Lift Kit Available for the Lawnaire 36" Tow-Behind	$1,099.00	16%	$923.16	$35.00	$0.00	$0.00	$958.16
970315	RYAN ZT Hitch Kit Available for the Lawnaire 36" Tow-Behind	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
545370	RYAN-Man Hydraulic Pump Kit Available for the Renovaire 72" Tow-Behind	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Three-Point Aerators

Quick Specs

RYAN-TRACAIRE,72

Power	Tractor Mounted
Hitch	Category "1"
Axle: Aerating Wheel	1.25 in (32 mm) diameter
Aerating Wheels	Cast iron w/sintered bushing; pressure lubrication fitting; grooved for mounting aerating tines on both sides; each wheel weighs 75 lb (34 kg)
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened alloy steel
Total	96 standard, 192 optional
Per Wheel	8 standard, 16 optional
Aeration Depth	Up to 5 in (127 mm)
Aeration Width	72 in (1,829 mm)
Aeration Pattern	
Standard	6 in x 6 in (152 mm x 152 mm)
Optional Double Tines	3 in x 3 in (76 mm x 76 mm)
Productivity	Up to 3 acres/hr (1.2 ha/hr) at 4 mph (16 km/hr)
Weight	1,052 lb (477 kg)
Width	78 in (1,981 mm)
Length	48 in (1,219 mm)
Height	24 in (610 mm)

Three-Point Aerators

Part Number	Three-Point Aerators Description							
544423A	RYAN-TRACAIRE, 3PT, 72, CAT 1	$5,879.00	16%	$4,938.36	$168.00	$0.00	$0.00	$5,106.36

Power Rakes

Quick Specs

RYAN Mataway Dethatcher

Honda® Engine	Honda® GX390; 4-cycle; recoil start; dual element air filter; on/off switch;

Honda® Displacement	23.7 cu in (389 cc)
Honda® Fuel Capacity	1.6 gal (6.1 L)
Honda® Oil Capacity	1.16 qt (1.1 L)
Clutch	Spring-loaded belt tightener
Drive	4L-section V-belt to front wheels by gear box and sealed roller chain; triple 3V-section V-belts engine to reel
Lubrication	Oil splash in gear case, grease fittings elsewhere
Blade	
Adjustment	Micrometer screw; adjustable up to 1.25" (32 mm) for blade wear
Flail Reel Type	Hardened high-carbon steel blades: • 1/8 in (3 mm) at 1 in (25 mm) spacing
Fixed Reel Type	Hardened high-carbon steel blades: • 1/32 in (1 mm) at 1/2 in (13 mm) spacing • 1/32 in (1 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1-1/2 in (38 mm) spacing
Slicing Depth	
Flail Blade	NA
Fixed Blade	Up to 0.25 in (6 mm) below ground
Slicing Width	19 in (483 mm)
Productivity	Single Pass: 80%; 18,700 sq ft/hr; Double Pass: 80%; 9,400 sq ft/hr
Tires	Front: (2) 4.10/3.50 x 4, 2-ply pneumatic, knob tread; Rear: (2) 4.10/3.50-4, 2-ply pneumatic, sawtooth tread
Weight: Wet	376 lb (171 kg) w/o reel
Width	35.5 in (902 mm)
Length	50 in (1,270 mm)
Height	44 in (1,118 mm)

Power Rakes

Part Number	Power Rakes Description							
544283D	RYAN-MATAWAY, HONDA GX390, 11.7HP*	$5,999.00	16%	$5,039.16	$111.00	$0.00	$0.00	$5,150.16

Part Number	Dealer Installed Accessories - Order From Factory Description							
	Kits							
	Requires one of the following reels - Includes bearings, shaft and pulley							
544260A	RYAN-1/32" BLADES, 1/2" SP.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544261A	RYAN-1/32" BLADES, 1" SP.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544262A	RYAN-1/16" BLADES, 1" SP.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544265A	RYAN-1/16" BLADES, 1 1/2" SP.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544269A	RYAN-1/8" FLAIL BLADES, 1" SP.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Overseeder

Quick Specs

Mataway Overseeder

Engine	Honda® GX390; 4-cycle; recoil start; dual element air filter; on/off switch;
Displacement	23.7 cu in (389 cc)
Fuel Capacity	1.6 gal (6.1 L)
Oil Capacity	1.1 qt (1.1 L)
Clutch	Spring loaded belt tightener
Drive	4L-section V-belt to front wheels by gear box and nickel-plated roller chain, triple 3V-section V-belts engine to reel
Lubrication	Oil splash in gear case, pressure grease fitting elsewhere
Blade	
Adjustment	Micrometer screw; adjustable up to 1.25" (32 mm) for blade wear
Seeding Reel Type	(10) 8 point high-carbon, heat treated blades at 2 in (51 mm) spacing
Flail Reel Type	Hardened high-carbon steel blades: • 1/8 in (3 mm) at 1 in (25 mm) spacing Hardened high-carbon steel blades: • 1/32 in (1 mm) at 1/2 in (13 mm) spacing

Fixed Reel Type	• 1/32 in (1 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1-1/2 in (38 mm) spacing
Slicing Depth	
Seeding Blade	Up to 0.25 in (6 mm) below ground
Flail Blade	NA
Fixed Blade	Up to 0.25 in (6 mm) below ground
Slicing Width	19 in (483 mm)
Productivity:	Single Pass: 80%, 18700 sq ft/hr (1737 m²/hr); Double Pass: 80%, 9400 sq ft/hr (873 m²/hr)
Tires:	Front: (2) 4.10/3.50 x 4, 2-ply pneumatic, knob tread; Rear: (2) 4.10/3.50 x 4, 2-ply pneumatic, sawtooth tread
Weight	453 lb (205 kg) w/o reel
Width	35.5 in (902 mm)
Length	50in (1270 mm)
Height	44 in (1118 mm)

Overseeder

Part Number	Overseeder Description							
544873D	RYAN-MATAWAY OVSDR, HONDA GX390, 11.7HP*	$9,399.00	16%	$7,895.16	$168.00	$0.00	$0.00	$8,063.16

Ren-O-Thin

Quick Specs

Ren-O-Thin Power Rake

Honda® Engine	Honda® GX160; 4-cycle; recoil start; dual element air filter; on/off switch;
Honda® Displacement	9.9 cu in (163 cc)
Honda® Fuel Capacity	0.82 gal (3.1 L)
Honda® Oil Capacity	0.61 qt (0.58 L)
Clutch	Spring-loaded belt tightener
Drive	A-section V-belt from engine to reel
Blade	
Adjustment	Micrometer screw; adjustable up to 1.25" (32 mm) for blade wear
Material	Hardened, high-carbon steel
Flail Reel Type	1/8 in (3 mm) at 1 in (25 mm) spacing
Fixed Reel Type	1/8 in (3 mm) at 1 in (25 mm) spacing
Spring Tine Type	0.109 in (2.76 mm) at 0.75 in (19 mm) spacing
Slicing Depth	
Flail Blade	NA
Fixed Blade	Up to 0.25 in (6 mm) below ground
Spring Tine	NA
Slicing Width	18 in (457 mm)
Tires	(4) 8 x 1.75 semi-pneumatic, smooth tread
Optional Seed Box: Capacity	0.76 cu ft (21.5 L), or 0.61 bu
Optional Seed Box: Weight	30 lb (14 kg)
Weight: Wet	131 lb (60 kg)
Width	27 in (686 mm)
Length	55.5 in (1,410 mm)
Height	39.0 in (991 mm)

Ren-O-Thin

Part Number	Renothin Description							
554871	RENOTHIN V HONDA FLAIL, 5.5HP*	$2,109.00	16%	$1,771.56	$111.00	$0.00	$0.00	$1,882.56
554873	RENOTHIN V HONDA SPRING TINE, 5.5HP*	$2,109.00	16%	$1,771.56	$111.00	$0.00	$0.00	$1,882.56
554875	RENOTHIN V HONDA FIXED BLADE, 5.5HP*	$2,109.00	16%	$1,771.56	$111.00	$0.00	$0.00	$1,882.56

Part Number	Dealer Installed Accessories - Order From Factory Description							
	Kits							
970524	KIT-RENOTHIN SEEDBOX.....	$769.00	16%	$645.96	$35.00	$0.00	$0.00	$680.96
970962	KIT-FLAIL REEL-RENOTHIN.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

970964	KIT-SPRING TINE REEL-RENOTHIN	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
970959	KIT-FIXED REEL-RENOTHIN	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Sod Cutters

Quick Specs

	Jr. Sod Cutter	Jr. Sod Cutter- Hydro
Honda® Engine	Honda® GX160; 4-cycle; recoil start; dual element air filter; on/off switch;	
Honda® Displacement	9.9 cu in (163 cc)	
Honda® Fuel Capacity	0.82 gal (3.1 L)	
Honda® Oil Capacity	0.61 qt (0.58 L)	
Briggs & Stratton® Engine	Briggs & Stratton® Vanguard™ 200 Model 12V3; 4-cycle; recoil start; cyclonic air cleaner; TransportGuard® integrated fuel valve/engine switch;	
B&S® Displacement	12.4 cu in (203 cc)	
B&S® Fuel Capacity	0.82 gal (3.1 L)	
B&S® Oil Capacity	0.63 qt (0.6 L)	
Clutch	Spring-loaded belt tightener	NA
Drive	• V-belt engine to gear case • Double roller chain to blade shaft • Gears and roller chain to traction wheels • (2) dog clutches toggle traction drive and blade drive separately	• A-section belt engine to hydrostat • Power transfered through enclosed oil lubricated gearcase • Chain reduction to the drive wheels and blade
Transmission	NA	Hydro-Gear® BDU-10S-127™
Lubrication	Oil splash in gear case; grease fittings elsewhere	
Cutting Thickness	Up to 2.5 in (64 mm), adjustable	
Cutting Width	12 in (305 mm) or 18 in (457 mm)	18 in (457 mm) or 24 in (610 mm)
Forward Speed	Up to 135 ft/min (41 m/min)	Up to 352 ft/min (107 m/min)
Reverse Speed	NA	Up to 176 ft/min (54 m/min)
Drive Wheel	Two 8 in (203 mm) diameter, knob tread; rubber-vulcanized to cast-iron hubs	
Tires	Rear: 9 x 3.50-4 with sealed ball bearings	
Weight: Wet	12 in Model; 333 lb (151 kg); 18 in Model (373 lb (169 kg)	18 in Model 380 lb (172 kg); 24 in Model 398 lb (181 kg)
Width	25 in (635 mm)	25 in (635 mm)
Length	52.5 in (1,331 mm)	52.5 in (1,331 mm)
Height	39.5 in (1,003 mm)	40.25 in (1022 mm)

Sod Cutters

Part Number	Sod Cutters Description							
544953C	RYAN-JR SODCTR 12, HONDA GX160, 5.5HP*	$5,539.00	16%	$4,652.76	$111.00	$0.00	$0.00	$4,763.76
544954C	RYAN-JR SODCTR 18, HONDA GX160, 5.5HP*	$5,669.00	16%	$4,761.96	$111.00	$0.00	$0.00	$4,872.96
544952J	RYAN-JR SODCTR 18, B&S VNGD, 6.5HP*	$5,669.00	16%	$4,761.96	$111.00	$0.00	$0.00	$4,872.96
544961	RYAN-HYDRO-JR 18, HONDA	$6,549.00	16%	$5,501.16	$111.00	$0.00	$0.00	$5,612.16
544962	RYAN-HYDRO-JR 24, HONDA	$7,239.00	16%	$6,080.76	$111.00	$0.00	$0.00	$6,191.76

August 1, 2024
BOBCAT SLP Pages

Forward Plate Compactor
Bobcat Light Compaction

Quick Specs

Dimensions	***FP10.33***	***FP15.40***	***FP15.50***
Machine Weight (lb.)	119	176	185
Machine Length (in.)	25.8	27.6	27.6
Ground Contact Length (in.)	13.4	13.9	13.9
Machine Height (in.)	20	26.3	26.3
Machine Width (in.)	13	15.7	19.7
Travel Speed (mph)	0 - 0.8	0 - 1	0 - 0.9
Gradeability	30%	30%	0.3
Max. Incline	20°	20°	20°
Engine			
Engine Make	Honda GX 120	Honda GX 120	Honda GX 120
Horsepower	3.5	3.5	3.5
Fuel Type	Gas	Gas	Gas
Fuel Capacity (gal)	0.5	0.5	0.5
Fuel Consumption (gal/hr)	0.3	0.3	0.3
Compaction Forces			
Surface Capacity (ft^2/hr.)	4689	6975	7750
Max. Vibration Frequency (Hz)	100	100	100
Max. Centrifugal Force (lbf.)	2360	3372	3372
Surface Pressure (lbf./in.^{2})	13.5	15.5	12.4
Hand-Arm Vibration on Handle (ft./s^2)	36	<8.2	<8.2
Amplitude (mm)	1.3	1.4	1.2

Part Number	Attachment Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7473195	**FP10.33** (Comes standard with Water Sprinkling System)	$2,099.00	0%	$2,099.00	$92.00	$100.00	$0.00	$2,291.00
7473242	**FP15.40** (Comes standard with Water Sprinkling System)	$2,495.00	0%	$2,495.00	$135.00	$100.00	$0.00	$2,730.00
7473243	**FP15.50** (Comes standard with Water Sprinkling System)	$2,783.00	0%	$2,783.00	$142.00	$100.00	$0.00	$3,025.00

Rammer
Bobcat Light Compaction

Quick Specs

Dimensions	***R60P***	***R68P***
Machine Weight (lb.)	137	150
Foot Length (in.)	13.4	13.4
Foot Width (in.)	11	11
Handle Length (in.)	28	28
Machine Height (in.)	40.2	40.2
Handle Width (in.)	14	14
Travel Speed (mph)	0.5	0.5
Engine		
Engine manufacturer	Honda GXR 120	Honda GXR 120
Horsepower (hp)	3.6	3.6
Fuel Tank Capacity (gal.)	0.8	0.8
Fuel Consumption (gal./hr)	0.3	0.3
Fuel Type	Gas	Gas
Compaction Forces		
Percussion Rate (Hz)	11.3	11.3
Stroke Height (in.)	2.6	2.6
Max. Centrifugal Force (lbf.)	2585	2923
Surface Capacity (ft^2/hr.)	2441	2441
Max. Compaction* (in.)	17.7	19.7
(depends on ground conditions)		

Part Number	Attachment Description							
7473240	**R60P**	$3,645.00	0%	$3,645.00	$105.00	$100.00	$0.00	$3,850.00

7473241	**R68P**	**$3,851.00**	**0%**	**$3,851.00**	**$115.00**	**$100.00**	**$0.00**	**$4,066.00**

Reversible Plate Compactor
Bobcat Light Compaction

Quick Specs

Dimensions	***RP22.41***	***RP30.51***	***RP49.20D***
Machine Weight (lb.)	220	439	950
Machine Height Not Including Handle (in)	24.6	30.1	32.2
Machine Length (in.)	23.6	27.6	35.4
Machine Width (in.)	15.7	19.7	17.7
Base Plate Length (in.)	10	13	17.7
Travel Speed Forward (mph)	0-0.8	0-1	0-1.3
Gradeability	35%	35%	30%
Max. Incline	20°	20°	25°
Engine			
Engine Make	Honda GX 160	Honda GX 270	Hatz 1B50 E
Horsepower	4.8	8	8.8
Fuel Type	Gas	Gas	Diesel
Fuel Capacity (gal)	0.8	1.4	1.3
Fuel Consumption (gal/hr)	0.4	0.6	0.4
Compaction Forces			
Surface Capacity (ft^2/hr.)	5,683	8,396	16,953
Max. Vibration Frequency (Hz)	98	90	65
Max. Centrifugal Force (lbf.)	5,171	7,194	11,016
Surface Pressure (lbf./in.^{2})	33	28	35
Hand-Arm Vibration on Handle (ft./s^2)	<8.2	<8.2	<8.2
Amplitude (mm)	1	1	2

Part Number	Description	Attachment						
7473244	**RP22.40**	**$5,302.00**	**0%**	**$5,302.00**	**$169.00**	**$100.00**	**$0.00**	**$5,571.00**
7473245	**RP30.50**	**$6,817.00**	**0%**	**$6,817.00**	**$202.00**	**$100.00**	**$0.00**	**$7,119.00**
7473252	**RP49.20D**	**$14,202.00**	**0%**	**$14,202.00**	**$275.00**	**$100.00**	**$0.00**	**$14,577.00**

Trench Roller
Bobcat Light Compaction

Quick Specs

Dimensions	***TR75***	***Engine***	***TR75***
Machine Weight (lb.)	3197	Manufacturer	Yanmar 3TNV80F
Machine Length (in.)	78	Horsepower	19.6 hp
Machine Height (in.)	51.9	Fuel Type	Diesel
Machine Width (in.)	23.7	Fuel Consumption (gal/hr)	0.8
Drum Width (in.)	33.5	Fuel Capacity (gal)	7.4
Oscilation Angle	± 7°		
Working Speed (mph)	0.9	***Compaction Forces***	
Travel Speed (mph)	1.7	Max. Vibration Frequency (Hz)	40
Gradeability	30%	Amplitude	(1.1 / 0.6 mm)
Inside Turning Radius (in.)	56.7	Centrifugal Force I (lbf.)	16860
Outside Turning Radius (in.)	90.2	Centrifugal Force II (lbf.)	8093.1

Part Number	Description	Attachment						
7475188	**TR75**	**$39,826.00**	**0%**	**$39,826.00**	**$761.00**	**$100.00**	**$0.00**	**$40,687.00**

August 1, 2024
BOBCAT SLP Pages

Bobcat

AWD Power Unit
AT450 Bobcat Articulating Tractor

Standard Equipment

Engines
32.5 HP Kubota® WG972 gas, Liquid-cooled, 962 cc
24.8 HP Kubota® D902 Diesel, Liquid-cooled, 898 cc

Standard Tire options
Field Trac / 22x12-10 (All Terrain)

Transaxles
(2) Peerless® 2600 dual-range

Brakes
Single, mechanical disc

F/R Hand control & Foot Pedal Control

Weight Transfer
Hydraulic (on the fly adjustments)

Hitch
Front - Quick-Hitch System
Rear - Standard 2" receiver hitch

Frame
Oscillating
Articulating

Additional Features
Parking Break
Dual LED headlights and Taillights
High-Back bucket seat
Storage compartment
Cup Holder
Front and rear Skid Plates
ROPS Bar
12 Volt outlet, 15 amp
Battery disconnect
(4) 50lb weights
Front Fenders
Foot Pegs
Engine Overheat Protection Kit

Warranty - 2 Years

Quick Specs

	M6001 - Kubota Gas	I6001 - Kubota Dies
Unit weight	1860 lbs.	1865 lbs.
Shipping weight	2075 lbs.	2080 lbs.
Hydraulic Pump Cap. - Standard Flow	6 gpm @ 3600 rpm	
Lift, steering aux pressure	1750 PSI	
Hydraulic oil capacity	5.25 US Gallons	
Speed Hi Range (Fwd. / Rev)	9.5 mph / 7 mph	
Speed Low Range (Fwd. / Rev)	6 mph / 4.5 mph	
Width Standard	44.5"	
Width W/ 3" Extensions	50.5"	
Width W/ Dual Wheel Kit	66.5"	
Overall Length (ROPS Up)	80.5"	
Height W/ ROPS Up	73.5"	
Height W/ ROPS Folded	55"	
Wheelbase	43.5"	
Frame Oscillation	9"	
Turning Radius	43.5"	
Slope Rating- Single Tires (std)	20° Max	
Slope Rating- 3" Wheel Extensions	25°	
Slope Raiting- Dual Wheel Tires	30° Max	
Slope Rating w/ Cab	10°	
Fuel Tank Capacity	7 US Gallons	

AWD Power Unit
AT450

Part Number	Description	AT450 Tractor	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6001		AT450 Articulating & Oscillating Tractor	$28,049.00	20%	$22,439.20	$401.00	$150.00	$0.00	$22,990.20
		Est. Set up Time: 1.5 - 2 hours							

Part Number	Description	AT450 Engines (Must Select 1 option)	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6001-R01-C02		32.5 HP Kubota® WG972 gas, Liquid-cooled, 962 cc	$3,400.00	20%	$2,720.00	$0.00	$0.00	$0.00	$2,720.00
M6001-R01-C03		24.8 HP Kubota® D902 Diesel, Liquid Cooled, 898 cc	$3,200.00	20%	$2,560.00	$0.00	$0.00	$0.00	$2,560.00

Bar and Turf Tire options can be ordered through parts:

Bar Tire Wheel Assembly: 4167166 (2x)
4167167 (2x)

Turf Tire Wheel Assembly: 4175290 (4x)

*The Rims on these options will be white

AT450 Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71326	**Dual Wheels - Field Tracs, DW326** Available on the AT450 Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,449.00**	**16%**	**$1,217.16**	**$111.00**	**$0.00**	**$330.00**	**$1,658.16**
75-71327	**Dual Wheels - Bar Tread, DW327** Available on the AT450 Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,399.00**	**16%**	**$1,175.16**	**$111.00**	**$0.00**	**$330.00**	**$1,616.16**
75-71328	**Dual Wheels - Turf, DW328** Available on the AT450 Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,399.00**	**16%**	**$1,175.16**	**$111.00**	**$0.00**	**$330.00**	**$1,616.16**
75-71206	**Wheel Spacer Kit - 3", WS200** Available on the AT450 Optional Kit for added stability and traction when working on slopes 25° or less. Not compatible with the Dual Wheel Kit. Est. install time: 1 hour	**$309.00**	**16%**	**$259.56**	**$18.00**	**$0.00**	**$165.00**	**$442.56**
75-71204	**WB201 - Weight Kit** Available on the AT450 (4) 50 Lb. weights included (Weights only) Est. install time: 0.25 hours	**$499.00**	**16%**	**$419.16**	**$111.00**	**$0.00**	**$41.25**	**$571.41**

AT450 Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71211	**Treadle Pedal Kit** Available on the AT450 Optional kit for improving control and making directional changes easier Est. install time: 0.5 - 1 hour	**$54.00**	**20%**	**$43.20**	**$18.00**	**$0.00**	**$165.00**	**$226.20**
75-71214	**Engine Overheat Protection System**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on the AT450
Optional kit for protecting the engine against overheating.

Est. install time: 1 hour

75-71316	**Power Outlet Kit - Front**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on the AT450

Optional kit that provides an on/off switch as well as a momentary reversing switch and directional control of certain attachments.

Est. install time: 1.5 - 2 hours

75-71322	**Power Outlet Kit - Rear**	**$219.00**	**16%**	**$183.96**	**$18.00**	**$0.00**	**$330.00**	**$531.96**

Available on the AT450

Optional kit that provides an on/off switch as well as a momentary reversing switch and directional control of certain attachments.

Est. install time: 1.5 - 2 hours

75-71228	**Slope Meter Kit**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on the AT450

Optional kit that mounts on top of the tractor to indicate the degree of a slope

Est. install time: 0.25 hours

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
970649	**ROPS Canopy Kit**	**$449.00**	**16%**	**$377.16**	**$18.00**	**$0.00**	**$82.50**	**$477.66**

Available on the AT450
Optional hard top canopy to protect against the sun and rain

Est. install time: 0.25 - 0.5 hour

AT450 Deluxe Cab

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7535981	**Kit - Deluxe Cab**	**$6,999.00**	**20%**	**$5,599.20**	**$111.00**	**$0.00**	**$1,485.00**	**$7,195.20**

Available on the AT450
Tempered glass windows shield the operator from wind, snow, dust and rain. Windows can be vented or removed.

Est. install time: 8 - 10 hours

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71221	**Water Heater Kit**	**$699.00**	**16%**	**$587.16**	**$35.00**	**$0.00**	**$495.00**	**$1,117.16**

Available on the AT450
Optional kit that provides heat to the interior of the cab.

Est. install time: 2 - 3 hours (Reduced if installed at same time as cab)

75-71229	**Quick Disconnect Heater Hose Kit**	**$259.00**	**16%**	**$217.56**	**$18.00**	**$0.00**	**$82.50**	**$318.06**

Available on the Deluxe Cab

Optional kit that assists in removing water heater kit for easier removal of cab

Est. install time: .25 - .5 hours (Reduced if installed at same time as cab)

75-71309	**Deluxe Cab LED Light Kit - Front**	**$249.00**	**16%**	**$209.16**	**$18.00**	**$0.00**	**$330.00**	**$557.16**

Available on the Deluxe Cab
Optional kit which provides two front LED work lights

Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)

75-71310	**Deluxe Cab LED Light Kit - Rear**	**$219.00**	**16%**	**$183.96**	**$18.00**	**$0.00**	**$330.00**	**$531.96**

Available on the Deluxe Cab
Optional kit which provides one Rear LED work light

Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)

AT450 Deluxe Cab

Part Number	Dealer Installed Cab Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71223	**Safety Beacon Light Kit**	**$219.00**	**16%**	**$183.96**	**$18.00**	**$0.00**	**$330.00**	**$531.96**

Available on the Deluxe Cab

Optional kit that Increases visibility of the tractor in low light and low visibility situations

Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)

75-71224	**Circulating Fan**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on the Deluxe Cab

Optional kit that helps circulate air to help keep the operator cool inside the cab

Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)

75-71225	**Two Side Exterior Mirror Kit**	**$259.00**	**16%**	**$217.56**	**$18.00**	**$0.00**	**$165.00**	**$400.56**

Available on the Deluxe Cab
Optional kit that provides an exterior mirror on each side of the cab

Est. install time: 0.5 - 1 hour (Reduced if installed at same time as cab)

75-71226	**Interior Mirror**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on the Deluxe Cab
Optional kit that provides a mirror inside of the cab

Est. install time: 0.5 - 1 hour (Reduced if installed at same time as cab)

Bucket - General Purpose

Quick Specs	
	SS248
Overall width	52"

Overall height	15.25"
Overall length	33"
Width of bucket	48"
Bucket capacity	4 1/2 cubic ft.
Dumping	Hydraulic
Scarifier teeth	6 - 1" wide (optional)
Weight	170 lbs.

Part Number	Bucket - General Purpose Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7448570	**Bucket - General Purpose**	**$2,249.00**	**16%**	**$1,889.16**	**$111.00**	**$0.00**	**$412.50**	**$2,412.66**

Available on the AT450

Easily move, lift or haul we and dry material. Also ideal for excavating small areas.

*Part number is same as 7526583

Est. install time: 1.5 - 2.5 hours

Finish Mower Decks
61" & 72" AirFX

Quick Specs

	61" AirFX™	72" AirFX™
Overall Width	76.5 " (194.3 cm) w/ discharge chute	86.9" (220.8 cm) w/
Cutting Width	61" (155.5 cm)	71.5" (181 cm)
Cutting Height	1" to 5"	1" to 5"
Spindle Drive	Single "V" belt	Single "V" belt
Spindles	Deep groove double sealed assemblies	Deep grove double sealed
Blades	3 Blades, 21"	3 blades, 24.5"
Discharge	Side	Side
Caster Wheels	11" x 6" Semi Pneumatic	11" x 6" Semi Pneumatic
Weight	540 lbs	600 lbs
Hydraulic Flip-up	Standard	Standard
Drive:	Shaft to PTO Belt	Shaft to PTO Belt

Part Number	Finish Mower Decks Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526579	**AirFX™ Finish Mower - 61"**	**$5,199.00**	**16%**	**$4,367.16**	**$168.00**	**$0.00**	**$165.00**	**$4,700.16**

Available on the AT450

Rotary finish mower with AirFX™ technology which includes the bolt on baffles and Air-Gap baffle system which allows for exceptional quality of cut while maintaining a clean deck. Standard with hydraulic flip up and a striping roller.

Required PTO Belt: 4174756

Est. install time: 1 hour

7526575	**AirFX™ Finish Mower - 72"**	**$5,499.00**	**16%**	**$4,619.16**	**$168.00**	**$0.00**	**$165.00**	**$4,952.16**

Available on the AT450

Rotary finish mower with AirFX™ technology which includes the bolt on baffles and Air-Gap baffle system which allows for exceptional quality of cut while maintaining a clean deck. Standard with hydraulic flip up and a striping roller.

Required PTO Belt: 4174756

Est. install time: 1 hour

Finish Mower Decks
61" & 72" AirFX

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
970567	**Kit - ECO plate, 61"**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
	Available on the 61" AirFX™ Deck							
	Tool-less installation of the ECO plate restricts the discharge chute from dispersing clippings.							
	Est. install time: 0.25 hours							
970634	**Kit - ECO plate, 72"**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**
	Available on the 72" AirFX™ Deck							
	Tool-less installation of the ECO plate restricts the discharge chute from dispersing clippings.							
	Est. install time: 0.25 hours							
970588	**Kit - Mulch 61"**	**$279.00**	**16%**	**$234.36**	**$0.00**	**$0.00**	**$165.00**	**$399.36**
	Available on the 61" AirFX™ Deck							
	Optional kit that closes off discharge chute and mulches clippings							
	Est. install time: 1 hours							

Rough Cut Mower

Quick Specs

	Rough Cut
Overall width	73" (deck 76" with skids)
Cutting width	72"
Cutting height	3 3/4" - 6"
Drive	Shaft to PTO belt
Spindles	Cast-iron, sealed ball bearings
Blades	3 blades, 24"
Discharge	Rear discharge - flexible front and rear shields
Skid Shoe	2 skid shoes that allow deck to evenly cut all types of terrain without damaging the mower or the ground
Weight	515 lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Rough Cut Mower							
7527214	**Rough Cut Mower**	**$4,669.00**	**16%**	**$3,921.96**	**$168.00**	**$0.00**	**$165.00**	**$4,254.96**
	Available on the AT450							
	Tackles overgrown brush and bramble up to 1 1/2" in diameter. Requires (4) rear weights							
	Required PTO Belt: 4169475							
	Est. install time: 0.5 - 1 hour							

Part	Optional - Dealer Installed Accessories - Order From Factory	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

Number	Description							
75-71302	Counter Clockwise Blade Rotation Kit.....	$549.00	16%	$461.16	$35.00	$0.00	$495.00	$991.16

Available on the Rough Cut

Optional kit for creating finer sizing of cut material

Est. install time: 2 - 3 hours

Flail Cutter

Quick Specs

	Flail
Overall width.....	78.7"
Overall Length.....	41.6"
Overall Height.....	16.1"
Maximum working width.....	72"
Number of Knives.....	
"Y" Knives.....	72
"Scoop" Knives.....	36
Height of Cut.....	1" - 3"
Height of cut Adjustment Increments.....	1/2"
Striping roller.....	Yes
Tie Down Points.....	4
Weight.....	490 Lbs.

Part Number	Description	Flail Cutter	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7450787	Flail Cutter.....		$8,299.00	16%	$6,971.16	$168.00	$0.00	$82.50	$7,221.66

Available on the AT450

Effectively cuts through tall, heavy grass and brush up to 3/4" diameter with the "Y" blades and provides a great finish cut with the optional "Scoop blades."

*Part number is same as 7526587

Required PTO Belt: 81-BX44

Est. install time: 0.5 Hours

Part Number	Description	Optional - Dealer Installed Accessories - Order From Factory	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7462681	Kit Flail 72 Finish Blades.....		$329.00	16%	$276.36	$18.00	$0.00	$123.75	$418.11

Available on 7450787

36 Finish cut blades provides a clean finish cut

Est. install time: 0.75 Hours

Straight Blades
48", 60" & 72"

Quick Specs

	SB48	SB60
0° Blade Width	48"	60"
30° Angled Blade Width	44.2	54.6
Overall length	32.5"	32.5"
Blade height from cutting edge	19.2	19.2
Weight	205 lbs.	225 lbs.
Hydraulic Angling	30° left and right	
Skid shoe	Adjustable - .25" increment	
Forward tilt	Mechanical On/Off - Spring trip	
Reversible cutting edge	3/8" x 4" through hardened steel	

Part Number	Straight Blades Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7453805	**SB48 - Straight Blade - 48"**	**$1,695.00**	**24%**	**$1,288.20**	**$111.00**	**$50.00**	**$82.50**	**$1,531.70**
	Available on the AT450 Hydraulically angle the blade up to 30° left or right for efficient move material such as dirt or snow Est. install time: 1 hour							
7453799	**SB60 - Straight Blade - 60"**	**$1,795.00**	**24%**	**$1,364.20**	**$111.00**	**$50.00**	**$82.50**	**$1,607.70**
	Available on the AT450 Hydraulically angle the blade up to 30° left or right for efficient move material such as dirt or snow Est. install time: 1 hour							

Straight Blades
48", 60" & 72"

Part Number	Straight Blades Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7453804	**SB72 - Straight Blade - 72"**	**$1,895.00**	**24%**	**$1,440.20**	**$111.00**	**$50.00**	**$82.50**	**$1,683.70**
	Available on the AT450 Hydraulically angle the blade up to 30° left or right for efficient move material such as dirt or snow Est. install time: 1 hour							

V-Blade
BD358

Quick Specs

	BD358
Overall width	69 1/4"
Cutting width	
- Straight	58"
- Scoop	49"
- V-Blade	53"
Overall height	21"
Overall length	31"
Blade height from cutting edge	21"
Angling	30° left and right, front and back
Skid shoes	Adjustable
Forward tilt	Spring-loaded
Cutting edge, 2 position	3/8" x 4" hardened
Weight	248 lbs.

Part Number	Description	V-Blade	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526607	BD358 - Blade, V-Blade		$3,599.00	16%	$3,023.16	$111.00	$0.00	$165.00	$3,299.16

Available on the AT450

Quickly move between 4 different angled positions to move snow quickly and efficiently. Requires Front Power Outlet Kit.

Est. install time: 0.5 - 1 hour

Angle Broom
52AAB

Quick Specs

	52AAB
Overall width	63"
Overall height	28.5"
Overall length	60"
Brush width	52"
Brush diameter	26"
Working width	52"
Hydraulic angling (Left or Right)	25˚
Speed of brush	47 "
Ground clearance	Replaceable Polypropylene
Drive	Variable-speed, hydraulic
Weight	395 lbs.
Brush Rotation	Forward and reverse

Part Number	Description	Angle Broom	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7481124	52AAB - Angle Broom		$6,699.00	24%	$5,091.24	$168.00	$100.00	$165.00	$5,524.24

Available on the AT450

Efficiently remove debris such as dirt, snow or grass from sidewalks, driveways and paved areas.

Est. install time: 1 hour

Flex Deck Mower
FD800



Quick Specs

	FD800
Overall Cutting Width:	80"
Transport Width:	70" (with trim side deck raised)
Deck Configuration:	4 decks with four 21" high-lift blades (1" overlap between decks)
Trim Side Deck:	20" offset with hydraulic lift
Spindles:	Cast steel with sealed ball bearings
Height of Cut:	1.0" – 4.5" in 1/4 inch increments
Deck Articulation:	10 degrees up and down from horizontal, 20 degrees total per deck;
Construction:	7-gauge steel top and skirts on center deck and 11-gauge on outer

Caster Wheels:.....	5 front, 2 rear suspension wheels, 9 x 3.5 no-flat, semi-pneumatic tires with tapered roller bearings and greaseable hubs
Blades:.....	High-lift blades standard, low-lift or mulching blades available
Side Discharge:.....	Optional mulching kit available
Weight.....	760 lbs

Part Number	Description	Flex Deck Mower	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526591	FD800 - Flex Deck Mower - 80".....		$11,999.00	16%	$10,079.16	$168.00	$0.00	$165.00	$10,412.16

Available on the AT450

Mow uneven turf and undulating terrain without scalping and give level playing fields a smooth, professional cut. Great around sand traps, tee boxes and pond banks. Requires (4) rear weights

Required PTO Belt: 4174756

Est. install time: 2 - 3 hours

Part Number	Description	Optional - Dealer Installed Accessories - Order From Factory	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71313	KIT - Mulching Baffle.....		$109.00	24%	$82.84	$0.00	$0.00	$165.00	$247.84

Available on the Flex Deck

Optional kit that closes off discharge chute and creates a mulching effect and rear discharge.

Est. install time: 0.5 - 1 hour

Commercial Snow Blower
SB648

Quick Specs

	SB648
Overall width:.....	48"
Overall length:.....	44"
Opening size:.....	27" high x 48" wide
Serrated auger:.....	16" diameter, open center
Blower:.....	18" diameter, 4 blades, 7" depth
Width of cut:	
Standard.....	48"
With optional extension wings.....	52"
Auger speed:.....	140 RPM
Blower speed:.....	700 RPM
Chute:.....	Approximately 7" diameter, 223° rotation
Height of cut:.....	Adjustable skid shoes, 0" to 3/4"
Weight:.....	450 lbs

Part Number	Description	Commercial Snow Blower	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526595	SB648 - 48" Professional Snow Blower.....		$5,499.00	16%	$4,619.16	$168.00	$0.00	$495.00	$5,282.16

Available on the AT450

Quickly clear the heaviest snow in tough conditions. Works great for commercial or residential applications.

Required PTO Belt: 4165834

Est. install time: 2 - 3 hours

Part Number	Description	Optional - Dealer Installed Accessories - Order From Factory	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price

75-71234A	SB648 - Electric Chute Deflector.....	$399.00	16%	$335.16	$18.00	$0.00	$330.00	$683.16

Available on SB648

Optional kit that allows the chute deflector to be operator from the operator's seat. Requires Front Power Outlet Kit

Est. install time: 1 - 2 hours

Commercial Snow Blower
SB648

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
75-71235	SB648 - Drift Cutters (1 Set).....	$129.00	24%	$98.04	$0.00	$0.00	$82.50	$180.54

Available on SB648

Optional kit that helps to cut into snow banks that are taller than the auger.

Est. install time: 0.25 - 0.5 hours

75-71236	SB648 - Extension Wings (4" total, 2" side, 1 set).....	$259.00	16%	$217.56	$18.00	$0.00	$82.50	$318.06

Available on SB648

Optional kit that widens the swath of the snow blower from 48" to 52" (2" wider on each side)

Est. install time: 0.25 - 0.5 hours

Aerator
AE60

Quick Specs

	AE60
Overall width.....	66.81"
Working Width.....	60"
Overall Height.....	31.5"
Overall Length.....	62"
Total Tine Wheels.....	12
Tines/Wheel.....	6
Aeration Pattern.....	1.75" x 4.78"
Maximum Aeration Depth.....	3.5"
Weight.....	750 lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Aerator							
7495996	AE60 - Aerator - 60".....	$4,499.00	24%	$3,419.24	$168.00	$100.00	$41.25	$3,728.49

Available on the AT450

Core aerator with72 total tines providing an aeration patern of 1.75 in. x 4.78 in.

Est. install time: 1 hour

Turbine Blower
PB200

Quick Specs

	PB200
Overall width	27"
Overall height	33"
Overall length	67"
Air flow	8000 cfm
Wind Speed	114 mph
Wind speed (deflected to front)	78 mph
Sound level (while in operator seat)	91 dBA
Weight	235 lbs.
Weight on Casters	195 lbs.

Part Number	Description	Turbine Blower	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526599	PB200 - Blower, Power Turbine		$6,799.00	16%	$5,711.16	$111.00	$0.00	$165.00	$5,987.16

Available on the AT450

Powerful axial-flow turbine design runs quietly and produces wind speeds of 114 MPH.
Hydraulically rotate the nozzle 360°.

Required PTO Belt: 81-B041

Est. install time: 0.5 - 1 hour

August 1, 2024
BOBCAT SLP Pages

Bobcat

AWD Power Unit
450-25 / 450-32 / 450-37

AWD Power Unit
450-25 / 450-32 / 450-37

Standard Equipment

Engine
24.8 HP Kubota® D902 Diesel, Liquid-cooled, 898 cc
32.5 HP Kubota® WG972 gas, Liquid-cooled, 962 cc
37 HP Vanguard® M61 EFI gas, Air-cooled, 993 cc

Tire option
Field Trac / 22x12-10 (All Terrain)

Transaxles
(2) Peerless® 2600 dual-range

Brakes
Single, mechanical disc

Foot Pedal Control

Weight Transfer
Hydraulic (on the fly adjustments)

Hitch
Front - Steiner® Quick-Hitch System
Rear - Standard 2" receiver hitch

Frame
Oscillating
Articulating

Additional Features
Parking Break
Dual LED headlights and Taillights
High-Back bucket seat
Storage compartment
Cup Holder
Front and rear Skid Plates
ROPS Bar
12 Volt outlet, 15 amp
Battery disconnect
Weight Kit (4) 50 lb weights
Front Fenders
Foot Pegs
F/R Hand Control

Warranty - 2 Years

Quick Specs

	450-25	450-32	450-37
Unit weight	1865 lbs.	1860 lbs.	1775 lbs.
Shipping weight	2045 lbs.	2075 lbs.	1984 lbs.
Hydraulic Pump Cap. - Standard Flow		6 gpm @ 3600 rpm	
Lift, steering aux pressure		1750 PSI	
Hydraulic oil capacity		5.25 US Gallons	
Speed Hi Range (Fwd. / Rev)		9.5 mph / 7 mph	
Speed Low Range (Fwd. / Rev)		6 mph / 4.5 mph	
Width Standard		44.5"	
Width W/ 3" Extensions		50.5"	
Width W/ Dual Wheel Kit		66.5"	
Overall Length (ROPS Up)		80.5"	
Height W/ ROPS Up		73.5"	
Height W/ ROPS Folded		55"	
Wheelbase		43.5"	
Frame Oscillation		9"	
Turning Radius		43.5"	
Slope Rating- Single Tires (std)		20° Max	
Slope Rating- 3" Wheel Extensions		25°	
Slope Raiting- Dual Wheel Tires		30° Max	
Slope Rating w/ Cab		10°	
Fuel Tank Capacity		7 US Gallons	

AWD Power Unit
450-25 / 450-32 / 450-37

Part Number	Description	450 Tractors	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
Kubota® Diesel - Liquid Cooled									
M6001*7659817	450-25 KDL FLD TRX		**$31,249.00**	**16%**	**$26,249.16**	**$401.00**	**$0.00**	**$330.00**	**$26,980.16**
Kubota® Gas - Liquid Cooled									
M6001*7659819	450-32 KGL FLD TRX		**$31,449.00**	**16%**	**$26,417.16**	**$401.00**	**$0.00**	**$330.00**	**$27,148.16**
Briggs & Stratton Vanguard® EFI - Air Cooled									
M6001*7659821	450-37 HP EFI FLD TRX		**$28,049.00**	**16%**	**$23,561.16**	**$401.00**	**$0.00**	**$330.00**	**$24,292.16**

Est. Set up Time: 1.5 - 2 hours

Bar and Turf Tire options can be ordered through parts:

Bar Tire Wheel Assembly: 4167166 (2x)
4167167 (2x)

Turf Tire Wheel Assembly: 4175290 (4x)

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71326	**DW326-DUAL WHEELS-FLD TRX** Available on 440, 450 and 450DX Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,449.00**	**16%**	**$1,217.16**	**$111.00**	**$0.00**	**$330.00**	**$1,658.16**
75-71327	**DW327-DUAL WHEELS-BAR TRD** Available on 440, 450 and 450DX Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,399.00**	**16%**	**$1,175.16**	**$111.00**	**$0.00**	**$330.00**	**$1,616.16**
75-71328	**DW328-DUAL WHEELS-TURF** Available on 440, 450 and 450DX Optional Kit for work on 30° slopes, added floatation, stability and traction Est. install time: 1.5 - 2 hours	**$1,399.00**	**16%**	**$1,175.16**	**$111.00**	**$0.00**	**$330.00**	**$1,616.16**
75-71206	**WS200 - 3" Wheel Spacer Kit** Available on 440, 450 and 450DX Optional Kit for added stability and traction when working on slopes 25° or less. Not compatible with the Dual Wheel Kit. Est. install time: 1 hour	**$309.00**	**16%**	**$259.56**	**$18.00**	**$0.00**	**$165.00**	**$442.56**
75-71203	**WB200 - Weight Bar, Front** Available on 440, 450 and 450DX Optional kit that provides additional stability when towing or using 3-pt hitch. Est. install time: 0.25 hours	**$269.00**	**16%**	**$225.96**	**$35.00**	**$0.00**	**$41.25**	**$302.21**
75-71204	**WB201 - Weight Kit** Available on previous 450 and 450DX models. Standard on 7659817, 7659819, 7659821 (4) 50 Lb. weights included (Weights only) Est. install time: 0.25 hours	**$499.00**	**16%**	**$419.16**	**$111.00**	**$0.00**	**$41.25**	**$571.41**

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71312	**KIT - 450 Fender** Available on previous 450 and 450DX models. Standard on 7659817, 7659819, 7659821 Optional kit that helps protect the operator from mud and debris that is kicked up by the front tires. Est. install time: 1 -2 hours	**$279.00**	**16%**	**$234.36**	**$18.00**	**$0.00**	**$247.50**	**$499.86**
75-71325	**Kit - Foot Pegs, 450**	**$134.00**	**16%**	**$112.56**	**$18.00**	**$0.00**	**$41.25**	**$171.81**

Available on previous 450 and 450DX models. Standard on 7659817, 7659819, 7659821

Optional kit that provides additional comfort and support. Not compatible with deluxe cab

Est. install time: 0.25 hours

75-71308	**Suspension Seat**	**$779.00**	**16%**	**$654.36**	**$35.00**	**$0.00**	**$247.50**	**$936.86**

Available on 450 and 450DX
Optional kit that provides additional comfort while operating the tractor

Est. install time: 1 - 1.5 hours

75-71324	**Kit - HC450 - Hand Control 450**	**$189.00**	**16%**	**$158.76**	**$18.00**	**$0.00**	**$825.00**	**$1,001.76**

Available on previous 450 and 450DX models. Standard on 7659817, 7659819, 7659821

Optional kit that provides added stability and more finite control. For all NEW production tractors. See Note 1

Est. install time: 3 - 5 hours

75-71306B	**Kit - HC450 - Hand Control**	**$199.00**	**16%**	**$167.16**	**$18.00**	**$0.00**	**$825.00**	**$1,010.16**

Available on 440, 450 and 450DX

Optional kit that provides added stability and more finite control. See Note 2

Est. install time: 3 - 5 hours

Serial Number Breaks

Note 1 450 Diesel: 75-75025XX - 461+ / 450 Gas: 75-75032XX - 292+ / 450 Briggs: 75-75037XX - 341+ / 450DX Briggs: 75-75125FT - 166+

Note 2 450 Diesel: 75-75025XX - 272-460 / 450 Gas: 75-75032XX - 180-291 / 450 Briggs: 75-75037XX - 196-340 / 450DX: 75-75125FT - 0-165 / 440 Tractors: All

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71311	**KIT - 450 Low Seat Plate**	**$129.00**	**16%**	**$108.36**	**$18.00**	**$0.00**	**$247.50**	**$373.86**

Available on 450
Optional kit that lowers seat by approximately 1"

Est. install time: 1 - 1.5 hours

75-71211	**Treadle Pedal Kit**	**$54.00**	**20%**	**$43.20**	**$18.00**	**$0.00**	**$165.00**	**$226.20**

Available on 440, 450 and 450DX
Optional kit for improving control and making directional changes easier

Est. install time: 0.5 - 1 hour

75-71214	**Engine Overheat Protection System**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on 440 and 450 (Kubota Engines only)
Optional kit for protecting the engine against overheating.

Est. install time: 1 hour

75-71316	**KIT - Power Outlet, Front**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**	**#N/A**

Available on 450 and 450DX

Optional kit that provides an on/off switch as well as a momentary reversing switch and directional control of certain attachments.

Est. install time: 1.5 - 2 hours

75-71322	**Kit - Power Outlet, Rear**	**$219.00**	**16%**	**$183.96**	**$18.00**	**$0.00**	**$330.00**	**$531.96**

Available on 450 and 450DX

Optional kit that provides an on/off switch as well as a momentary reversing switch and directional control of certain attachments.

Est. install time: 1.5 - 2 hours

75-71228	Slope Meter Kit	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Available on 440, 450 and 450DX

Optional kit that mounts on top of the tractor to indicate the degree of a slope

Est. install time: 0.25 hours

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71315	Kit - Back up Beeper, 450	$199.00	16%	$167.16	$18.00	$0.00	$330.00	$515.16

Available on 450 and 450DX
Optional kit that provides an audible signal when moving in reverse

Est. install time: 1 - 2 hours

970649	Kit - ROPS Canopy	$449.00	16%	$377.16	$18.00	$0.00	$82.50	$477.66

Available on 235, 440, 450 and 450DX
Optional hard top canopy to protect against the sun and rain

Est. install time: 0.25 - 0.5 hour

75-71209A	3-Point Hitch - Cat-1	$839.00	16%	$704.76	$35.00	$0.00	$1,650.00	$2,389.76

Available on 440, 450 and 450DX

(Cat-1) 3-pt hitch. (Requires Front & Rear Aux. Hydraulics Kit 75-71323)

Est. install time: 10 hours

75-71323	Kit - Front & Rear Aux. Hydraulics	$899.00	16%	$755.16	$35.00	$0.00	$660.00	$1,450.16

Available on 450 and 450DX

Optional kit that allows for the mounting of a second set of hydraulic couplers in the front and a single set of couplers in the rear of the tractor. (Required to operate the 3-point hitch)

Est. install time: 3 - 4 hours

75-71205A	QH200 - 3-Point Quick Hitch/Weight Bar	$349.00	16%	$293.16	$35.00	$0.00	$330.00	$658.16

Available on 440, 450 and 450DX

Allows for the use of Quick-Hitch™ attachments to be run off the back of the tractor. Requires 3-pt hitch.

Est. install time: 1-2 hours

Tractor Accessories

Part Number	Dealer Installed Accessories - Order From Parts Description

Kits

450 Deluxe Cab

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71215B	All Weather Deluxe Cab Enclosure	$6,999.00	16%	$5,879.16	$111.00	$0.00	$1,485.00	$7,475.16

Available on 440, 450 and 450DX

Tempered glass windows shield the operator from wind, snow, dust and rain. Windows can be vented or removed.

Est. install time: 8 - 10 hours

Part Number	Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71221	**Water Heater Kit**.....	$699.00	16%	$587.16	$35.00	$0.00	$495.00	$1,117.16
	Available with liquid cooled engines only Optional kit that provides heat to the interior of the cab. Est. install time: 2 - 3 hours (Reduced if installed at same time as cab)							
75-71229	**Quick Disconnect Heater Hose Kit**.....	$259.00	16%	$217.56	$18.00	$0.00	$82.50	$318.06
	Available on the Deluxe Cab Optional kit that assists in removing water heater kit for easier removal of cab Est. install time: .25 - .5 hours (Reduced if installed at same time as cab)							
75-71309	**KIT - LED Light - Deluxe Cab - Front**.....	$249.00	16%	$209.16	$18.00	$0.00	$330.00	$557.16
	Available on the Deluxe Cab Optional kit which provides two front LED work lights Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)							
75-71310	**KIT - LED Light - Deluxe Cab - Rear**.....	$219.00	16%	$183.96	$18.00	$0.00	$330.00	$531.96
	Available on the Deluxe Cab Optional kit which provides one Rear LED work light Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)							

450 Deluxe Cab

Part Number	Dealer Installed Cab Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71223	**Safety Beacon Light Kit**	$219.00	16%	$183.96	$18.00	$0.00	$330.00	$531.96
	Available on the Deluxe Cab Optional kit that Increases visibility of the tractor in low light and low visibility situations Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)							
75-71224	**Circulating Fan**	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Available on the Deluxe Cab Optional kit that helps circulate air to help keep the operator cool inside the cab Est. install time: 1 - 2 hours (Reduced if installed at same time as cab)							
75-71225	**Two Side Exterior Mirror Kit**	$259.00	16%	$217.56	$18.00	$0.00	$165.00	$400.56
	Available on the Deluxe Cab Optional kit that provides an exterior mirror on each side of the cab Est. install time: 0.5 - 1 hour (Reduced if installed at same time as cab)							
75-71226	**Interior Mirror**	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Available on the Deluxe Cab Optional kit that provides a mirror inside of the cab Est. install time: 0.5 - 1 hour (Reduced if installed at same time as cab)							

Bucket - General Purpose

Quick Specs

	SS248
Overall width	52"
Overall height	15.25"
Overall length	33"
Width of bucket	48"
Bucket capacity	4 1/2 cubic ft.
Dumping	Hydraulic
Scarifier teeth	6 - 1" wide (optional)
Weight	170 lbs.

Part Number	Bucket - General Purpose Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7448570	**Bucket - General Purpose**	$2,249.00	16%	$1,889.16	$111.00	$0.00	$412.50	$2,412.66

Available on 235, 430, 440, 450 and 450DX

Easily move, lift or haul we and dry material. Also ideal for excavating small areas. Requires (4) rear weights if operating on a 430 tractor

Est. install time: 1.5 - 2.5 hours

Finish Mower Decks
61" & 72" AirFX

Quick Specs

	61" AirFX™	72" AirFX™
Overall Width	76.5 " (194.3 cm) w/ discharge chute	86.9" (220.8 cm) w/
Cutting Width	61" (155.5 cm)	71.5" (181 cm)
Cutting Height	1" to 5"	1" to 5"
Spindle Drive	Single "V" belt	Single "V" belt
Spindles	Deep groove double sealed assemblies	Deep grove double sealed
Blades	3 Blades, 21"	3 blades, 24.5"
Discharge	Side	Side
Caster Wheels	11" x 6" Semi Pneumatic	11" x 6" Semi Pneumatic
Weight	540 lbs	600 lbs
Hydraulic Flip-up	Standard	Standard
Drive:	Shaft to PTO Belt	Shaft to PTO Belt

Part Number	Finish Mower Decks Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526579	**AirFX™ Finish Mower - 61"**	$5,199.00	16%	$4,367.16	$168.00	$0.00	$165.00	$4,700.16

Available on 440, 450 and 450DX

Rotary finish mower with AirFX™ technology which includes the bolt on baffles and Air-Gap baffle system which allows for exceptional quality of cut while maintaining a clean deck. Standard with hydraulic flip up and a striping roller.

Required PTO Belt: 4174756

Est. install time: 1 hour

7526575	**AirFX™ Finish Mower - 72"**	$5,499.00	16%	$4,619.16	$168.00	$0.00	$165.00	$4,952.16

Available on 440, 450 and 450DX

Rotary finish mower with AirFX™ technology which includes the bolt on baffles and Air-Gap baffle system which allows for exceptional quality of cut while maintaining a clean deck. Standard with hydraulic flip up and a striping roller.

Required PTO Belt: 4174756

Est. install time: 1 hour

Finish Mower Decks

61" & 72" AirFX

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
970567	**Kit - ECO plate, 61"**	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Available on the 61" AirFX™ Deck Tool-less installation of the ECO plate restricts the discharge chute from dispersing clippings. Est. install time: 0.25 hours							
970634	**Kit - ECO plate, 72"**	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Available on the 72" AirFX™ Deck Tool-less installation of the ECO plate restricts the discharge chute from dispersing clippings. Est. install time: 0.25 hours							
970588	**Kit - Mulch 61"**	$279.00	16%	$234.36	$0.00	$0.00	$165.00	$399.36
	Available on the 61" AirFX™ Deck Optional kit that closes off discharge chute and mulches clippings Est. install time: 1 hours							

Rough Cut Mower

Quick Specs

	Rough Cut
Overall width	73" (deck 76" with skids)
Cutting Width	72"
Cutting height	3 3/4" - 6"
Drive	Shaft to PTO belt
Spindles	Cast-iron, sealed ball bearings
Blades	3 blades, 24"
Discharge	Rear discharge - flexible front and rear shields
Skid Shoe	2 skid shoes that allow deck to evenly cut all types of terrain without damaging the mower or the ground
Weight	515 lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Rough Cut Mower							
7436122	**BrushCat Mower**	$4,899.00	16%	$4,115.16	$168.00	$0.00	$495.00	$4,778.16
	Available on 440, 450 and 450DX Tackles overgrown brush and bramble up to 1 1/2" in diameter. Requires (4) rear weights Required PTO Belt: 4169475 Est. install time: 0.5 - 1 hour							
	Optional - Dealer Installed Accessories - Order From Factory							
75-71302	**Counter Clockwise Blade Rotation Kit**	$549.00	16%	$461.16	$35.00	$0.00	$495.00	$991.16
	Available on the Rough Cut Optional kit for creating finer sizing of cut material Est. install time: 2 - 3 hours							

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
75-71302	**Counter Clockwise Blade Rotation Kit.....**	**$549.00**	**16%**	**$461.16**	**$35.00**	**$0.00**	**$495.00**	**$991.16**

Available on the Rough Cut

Optional kit for creating finer sizing of cut material

Est. install time: 2 - 3 hours

Flail Cutter



Quick Specs

	Flail
Overall width.....	78.7"
Overall Length.....	41.6"
Overall Height.....	16.1"
Maximum working width.....	72"
Number of Knives.....	
"Y" Knives.....	72
"Scoop" Knives.....	36
Height of Cut.....	1" - 3"
Height of cut Adjustment Increments.....	1/2"
Striping roller.....	Yes
Tie Down Points.....	4
Weight.....	490 Lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Flail Cutter							
7450787	**Flail Cutter.....**	**$8,299.00**	**16%**	**$6,971.16**	**$168.00**	**$0.00**	**$82.50**	**$7,221.66**

Available on 440, 450 and 450DX

Effectively cuts through tall, heavy grass and brush up to 3/4" diameter with the "Y" blades and provides a great finish cut with the optional "Scoop blades."

Required PTO Belt: 81-BX44

Est. install time: 0.5 Hours

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
7462681	**Kit Flail 72 Finish Blades.....**	**$329.00**	**16%**	**$276.36**	**$18.00**	**$0.00**	**$123.75**	**$418.11**

Available on 7450787

36 Finish cut blades provides a clean finish cut

Est. install time: 0.75 Hours

Flex Deck Mower
FD800

Quick Specs

	FD800
Overall Cutting Width:.....	80"

Transport Width:.....	70" (with trim side deck raised)
Deck Configuration:.....	4 decks with four 21" high-lift blades (1" overlap between
Trim Side Deck:.....	20" offset with hydraulic lift
Spindles:.....	Cast steel with sealed ball bearings
Height of Cut:.....	1.0" – 4.5" in 1/4 inch increments
Deck Articulation:.....	10 degrees up and down from horizontal, 20 degrees total per deck;
Construction:.....	7-gauge steel top and skirts on center deck and 11-gauge on
Caster Wheels:.....	5 front, 2 rear suspension wheels, 9 x 3.5 no-flat, semi-pneumatic tires with tapered roller bearings and greaseable hubs
Blades:.....	High-lift blades standard, low-lift or mulching blades available
Side Discharge:.....	Optional mulching kit available
Weight.....	760 lbs

Part Number	Flex Deck Mower Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526591	**FD800 - Flex Deck Mower - 80"**.....	**$11,999.00**	**16%**	**$10,079.16**	**$168.00**	**$0.00**	**$165.00**	**$10,412.16**

Available on 440, 450 (Not recommended on 25hp Diesel)

Mow uneven turf and undulating terrain without scalping and give level playing fields a smooth, professional cut. Great around sand traps, tee boxes and pond banks. Requires (4) rear weights

Required PTO Belt: 4174756

Est. install time: 2 - 3 hours

Part Number	Optional - Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-71313	**KIT - Mulching Baffle**.....	**$109.00**	**24%**	**$82.84**	**$0.00**	**$0.00**	**$165.00**	**$247.84**

Available on the Flex Deck

Optional kit that closes off discharge chute and creates a mulching effect and rear discharge.

Est. install time: 0.5 - 1 hour

Commercial Snow Blower
SB648

Quick Specs

	SB648
Overall width:.....	48"
Overall length:.....	44"
Opening size:.....	27" high x 48" wide
Serrated auger:.....	16" diameter, open center
Blower:.....	18" diameter, 4 blades, 7" depth
Width of cut:	
Standard.....	48"
With optional extension wings.....	52"
Auger speed:.....	140 RPM
Blower speed:.....	700 RPM
Chute:.....	Approximately 7" diameter, 223° rotation
Height of cut:.....	Adjustable skid shoes, 0" to 3/4"
Weight:.....	450 lbs

Part Number	Commercial Snow Blower Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7526595	**SB648 - 48" Professional Snow Blower**.....	**$5,499.00**	**16%**	**$4,619.16**	**$168.00**	**$0.00**	**$495.00**	**$5,282.16**

Available on 430, 440, 450 and 450DX

Quickly clear the heaviest snow in tough conditions. Works great for commercial or residential applications. (Belt and hose modifications necessary when operating on a 430 tractor)

Required PTO Belt: 4165834

Est. install time: 2 - 3 hours

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
75-71234A	**SB648 - Electric Chute Deflector**	**$399.00**	**16%**	**$335.16**	**$18.00**	**$0.00**	**$330.00**	**$683.16**

Available on SB648

Optional kit that allows the chute deflector to be operator from the operator's seat. Requires Front Power Outlet Kit

Est. install time: 1 - 2 hours

Commercial Snow Blower
SB648

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
75-71235	**SB648 - Drift Cutters (1 Set)**	**$129.00**	**24%**	**$98.04**	**$0.00**	**$0.00**	**$82.50**	**$180.54**

Available on SB648

Optional kit that helps to cut into snow banks that are taller than the auger.

Est. install time: 0.25 - 0.5 hours

75-71236	**SB648 - Extension Wings (4" total, 2" side, 1 set)**	**$259.00**	**16%**	**$217.56**	**$18.00**	**$0.00**	**$82.50**	**$318.06**

Available on SB648

Optional kit that widens the swath of the snow blower from 48" to 52" (2" wider on each side)

Est. install time: 0.25 - 0.5 hours

Turbine Blower
PB200

Quick Specs

	PB200
Overall width	27"
Overall height	33"
Overall length	67"
Air flow	8000 cfm
Wind Speed	114 mph
Wind speed (deflected to front)	78 mph
Sound level (while in operator seat)	91 dBA
Weight	235 lbs.
Weight on Casters	195 lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Turbine Blower							
7526599	**PB200 - Blower, Power Turbine**	**$6,799.00**	**16%**	**$5,711.16**	**$111.00**	**$0.00**	**$165.00**	**$5,987.16**

Available on 235, 430, 440, 450 and 450DX

Powerful axial-flow turbine design runs quietly and produces wind speeds of 114 MPH. Hydraulically rotate the nozzle 360°. Requires (4) rear weights if operating on a 430 tractor

Required PTO Belt: 81-B041

Est. install time: 0.5 - 1 hour

Dozer Blade
BD260

Quick Specs

	BD260
Blade width	60"
30° Angled width	48"
Overall height	19"
Overall length	32"
Blade height from cutting edge	19"
Weight	195 lbs.
Hydraulic Angling	30°left and right
Skid shoe	Adjustable
Forward tilt	Spring-loaded
Reversible cutting edge	3" hardened
Scarifier teeth	3/8" x 4" through hardened steel
Scarifier pitch	2" sawtooth edge

Part Number	Dozer Blades Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-70527	**BD260 - Blade, Dozer 60" with Power Angle Hitch**	$1,795.00	16%	$1,507.80	$111.00	$0.00	$247.50	$1,866.30

Available on 235, 430, 440, 450 and 450DX

Hydraulically angle the blade up to 30° left or right for efficient move material such as dirt or snow

Est. install time: 1 - 1.5 hours

Part Number	Optional - Dealer Installed Accessories - Order From Factory Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-70510	**Gauge Wheel Kit**	$499.00	16%	$419.16	$35.00	$0.00	$165.00	$619.16

Available on BD Blades

Optional adjustable gauge wheels (2) that help regulate the depth the blade will go and skim along the surface.

Est. install time: 0.5 - 1 hour

970421	**Poly Blade Edge 60 in. Kit**	$259.00	16%	$217.56	$18.00	$0.00	$165.00	$400.56

Available on BD260

Optional kit with a poly edge that helps decrease damage to the surface.

Est. install time: 0.5 - 1 hour

V-Blade
BD358

Quick Specs

	BD358
Overall width	69 1/4"
Cutting width	
- Straight	58"
- Scoop	49"
- V-Blade	53"
Overall height	21"
Overall length	31"
Blade height from cutting edge	21"
Angling	30° left and right, front and back
Skid shoes	Adjustable
Forward tilt	Spring-loaded
Cutting edge, 2 position	3/8" x 4" hardened
Weight	248 lbs.

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	V-Blade							
7526607	**BD358 - Blade, V-Blade.....**	**$3,599.00**	**16%**	**$3,023.16**	**$111.00**	**$0.00**	**$165.00**	**$3,299.16**

Available on 235, 430, 440, 450 and 450DX

Quickly move between 4 different angled positions to move snow quickly and efficiently.
Requires Front Power Outlet Kit.

Est. install time: 0.5 - 1 hour

Rotary Sweepers
RS350

Quick Specs

	RS350
Overall width.....	61"
Overall height.....	18"
Overall length.....	44"
Brush width.....	54"
Brush diameter.....	15"
Working width.....	54"
Hydraulic angling (Left or Right).....	30˚
Speed of brush.....	300 rpm @ 3200 engine rpm
Ground clearance.....	-
Drive.....	PTO - Gear Box
Weight.....	170 lbs.
Brush Rotation.....	Forward

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Rotary Sweeper							
75-70585B	**RS350 - 54" Rotary Sweeper.....**	**$3,759.25**	**16%**	**$3,157.77**	**$111.00**	**$0.00**	**$247.50**	**$3,516.27**

Available on 235, 430, 440, 450 and 450DX

Gauge Wheels now standard. Efficiently remove debris such as dirt, snow or grass from sidewalks, driveways and paved areas.

Required PTO Belt: 81-B041

Est. install time: 1.5 hours

Rotary Sweepers
RS350

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Optional - Dealer Installed Accessories - Order From Factory							
75-70590	**Gauge Wheel Option.....**	**$399.00**	**16%**	**$335.16**	**$18.00**	**$0.00**	**$165.00**	**$518.16**

Available on RS350

Allows the operator to set ground height to bristles and follow the contour of the surface.
(Standard on units with serial number ending with 2246 and above)

Est. install time: 0.5 - 1 hour

Aerator
AE60

Quick Specs

	AE60
Overall width	66.81"
Working Width	60"
Overall Height	31.5"
Overall Length	62"
Total Tine Wheels	12
Tines/Wheel	6
Aeration Pattern	1.75" x 4.78"
Maximum Aeration Depth	3.5"
Weight	750 lbs.

Part Number	Aerator Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7495996	**AE60 - Aerator - 60"**	$4,499.00	24%	$3,419.24	$168.00	$100.00	$41.25	$3,728.49

Available on the AT450
#N/A

Est. install time: 1 hour

Core aerator with independent 3/4" tine assemblies providing 6 1/2" by 7" coring pattern.

Est. install time: 1 - 1.5 hours

Stump Cutter
SC101

Quick Specs

	SC101
Overall Width	34.5"
Overall Height	18"
Overall Length	37"
Cutterhead	24 carbide teeth
Cutterhead Diameter	16"
Cutterhead Width	3.25"
Cutterhead speed	1600 rpm
Cutting depth below ground level	5"
Max. recommended cutting height above ground level	5"
weight	250 lbs

Part Number	Stump Cutter Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
75-70895	**SC101 - Stump Cutter**	$4,729.00	16%	$3,972.36	$111.00	$0.00	$330.00	$4,413.36

Available on 430, 440, 450 and 450DX

16" diameter wheel powered by PTO belt driven off a right-angle gearbox. Carbide tipped cutters grind both side-to-side and from the top down

Required PTO Belt: 81-B044

Est. install time: 1 - 2 hours

Angle Broom
52AAB

Quick Specs

	52AAB
Overall width	63"
Overall height	28.5"
Overall length	60"
Brush width	52"
Brush diameter	26"
Working width	52"
Hydraulic angling (Left or Right)	25˚
Speed of brush	47 "
Ground clearance	Replaceable Polypropylene
Drive	Variable-speed, hydraulic
Weight	395 lbs.
Brush Rotation	Forward and reverse

Part Number	Angle Broom Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7481124	**52AAB - Angle Broom**	**$6,699.00**	**24%**	**$5,091.24**	**$168.00**	**$100.00**	**$165.00**	**$5,524.24**

August 1, 2024

BOBCAT COMPANY PRICE PAGES

NA Turf Renovation Equipment

Please note the following when using Turf Renovation Price Pages:

- All prices are shown in U.S. dollars.
- Prices and specifications are subject to change without notice.
- Not applicable for European CE countries

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

*Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

Prices and Specifications — Turf Renov. — North America Suggested List Prices

Quick Specs	
Honda® Engine	Honda® GX120
Honda® Power	3.2 hp (2.4 kW)
Honda® Displacement	7.2 cu in (118 cc)
Honda® Fuel Capacity	0.53 gal (2 L)
Honda® Oil Capacity	0.59 qt (0.56 L)
Briggs & Stratton® Engine	Briggs & Stratton® Vanguard™ 200
B&S® Power	6.5 hp (4.8 kW)
B&S® Displacement	12.4 cu in (203cc)
B&S® Fuel Capacity	0.84 gal (3.3 L)
B&S® Oil Capacity	0.63 qt (0.6 L)
Drive	• 4L section V-Belt to jackshaft • #40 nickel-plated chain to tines & drum
Clutch	Belt tightener
Gearbox	6:1 reduction
Travel Speed	Up to 3.6 mph (5.8 kph)
Aeration Speed	Up to 3.5 mph (5.6 kph)
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened alloy
Aeration Width	19 in (483 mm)
Aeration Depth	Up to 2.75 in (70mm)
Number of Tines	30
Aeration Pattern	3.75 in x 7 in (95 mm x 178 mm)
Tine Engagement	Transport lift lever
Productivity	Up to 29,000 sq ft/hr (2,694 m²/hr)
Weight Configuration	• (2) 18 lbs (8 kg) removable weights • 4.5 gal (17.0 L) capacity water drum weighing an additional 36 lbs (16.3 kg) at capacity
Frame	• Welded 7-gauge steel • 11-gauge steel tubing
Drum	11 in (279 mm) diameter water-fillable drum
Wheels	(2) 8 in x 2.25 in semi-pneumatic transport wheels
Length	53.5 in (1,359 mm)
Width	28 in (711 mm)
Height	48.8 in (1,240 mm)
Weight	260 lbs (118 kg)
Weight: Water in Drum	295 lbs (134 kg)

Part Number	Walk-Behind Aerators Description	MSRP SLP In US $	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6100	NA AE19 Walk-Behind Aerator, Honda GX120..... M6100 with M6100-P01-C01 engine package	$3,799.00	16%	$3,191.16	$91.00	$0.00	$0.00	$3,282.16
M6100	NA AE19 Walk-Behind Aerator, B&S Vanguard 200..... M6100 with M6100-P01-C02 engine package	$3,799.00	16%	$3,191.16	$91.00	$0.00	$0.00	$3,282.16

Quick Specs	
Honda® Engine	Honda® GX120
Honda® Power	3.2 hp (2.4 kW)
Honda® Displacement	7.2 cu in (118 cc)
Honda® Fuel Capacity	0.53 gal (2 L)
Honda® Oil Capacity	0.59 qt (0.56 L)
Briggs & Stratton® Engine	Briggs & Stratton® Vanguard™ 200
B&S® Power	6.5 hp (4.8 kW)
B&S® Displacement	12.4 cu in (203cc)
B&S® Fuel Capacity	0.84 gal (3.3 L)
B&S® Oil Capacity	0.63 qt (0.6 L)
Drive	• 4L section V-Belt to jackshaft • #40 nickel-plated chain to tines & drum
Clutch	Belt tightener
Gearbox	6:1 reduction
Travel Speed	Up to 3.6 mph (5.8 kph)
Aeration Speed	Up to 3.5 mph (5.6 kph)
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened alloy
Aeration Width	26.5 in (673 mm)
Aeration Depth	Up to 2.75 in (70mm)
Number of Tines	42
Aeration Pattern	3.75 in x 7 in (95 mm x 178 mm)
Tine Engagement	Transport lift lever
Productivity	Up to 40,000 sq ft/hr (3,176 m²/hr)
Weight Configuration	• (2) 18 lbs (8 kg) removable weights • 7.9 gal (19.7 L) capacity water drum weighing an additional 66 lbs (30 kg) at capacity
Frame	• Welded 7-gauge steel • 11-gauge steel tubing
Drum	11 in (279 mm) diameter water-fillable drum
Wheels	(2) 8 x 2.25 semi-pneumatic w/ball
Length	53.5 in (1,359 mm)
Width	35.5 in (902 mm)
Height	48.5 in (1,232 mm)
Weight	292 lb (132 kg)
Weight: Water in Drum	357 lb (162 kg)

Part Number	Walk-Behind Aerators Description	SLP In US $ MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6101	NA AE26 Walk-Behind Aerator, Honda GX120..... M6101 with M6101-P01-C01 engine package	**$4,299.00**	**16%**	**$3,611.16**	**$91.00**	**$0.00**	**$0.00**	**$3,702.16**
M6101	NA AE26 Walk-Behind Aerator, B&S Vanguard 200..... M6101 with M6101-P01-C02 engine package	**$4,299.00**	**16%**	**$3,611.16**	**$91.00**	**$0.00**	**$0.00**	**$3,702.16**

Quick Specs	
Engine	Kawasaki® FS541V
Power	15 hp (11.2 kW)
Displacement	30.8 cu in. (603 cc)
Fuel Capacity	5 gal (18.9 L)
Drive	• Belt from engine to hydrostat input shafts; • Hydrostatic drive to jackshaft via auto-tensioned #50 chain • Jackshaft to wheels and tines via (2) #50 chains
Transmission	• Hydro-Gear® ZT-3200™ transaxles • Hydraulic cooler
Hydraulic Oil Capacity	7 qt (6.6 L)
Forward Speed	Up to 7.4 mph (11.9 kph)
Aeration Speed	Up to 3.5 mph (5.6 kph)
Tines	0.75 in (19 mm) formed from .08 in (2 mm) hardened chrome molybdenum alloy steel
Aeration Width	30 in (762 mm)
Aeration Depth	Up to 5 in (127 mm)
Number of Tines	48
Aeration Pattern	3.75 in x 8 in (95 mm x 203 mm)
Tine Engagement	Thumb-operated tine lift switch
Down Pressure	Up to 700 lbs (318 kg)

Depth Adjustment	• Hydraulic pressure control • (2) depth stop pins on either side of machine in 0.5" increments
Productivity	Up to 97,800 ft²/hr (9,086 m²/hr)
Frame	• Welded 7-gauge steel • 0.25 in wall steel
Front Wheels	(2) 13 in x 5 in - 6 in smooth-tread pneumatic caster
Rear Wheels	(2) 18 in x 6.5 in - 8 in turf-tread pneumatic drive wheels
Length: Platform Up	60.5 in (1537 mm)
Length: Platform Down	69.5 in (1765 mm)
Width	47.25 in (1200 mm)
Height	48 in (1219 mm)
Weight	1,235 lbs (560 kg)

Part Number	Walk-Behind Aerators Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7523793	AE30S Stand-On Aerator, Kawasaki FS541V.....		$12,999.00	16%	$10,919.16	$246.00	$0.00	$0.00	$11,165.16

Part Number	Dealer Installed Accessories - Order From Factory Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Kits								
7528423	Kit, AE30S Light.....		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
970640	Kit, Spreader, Stand-on Aerator.....		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Quick Specs

	AE36	
Power	Tractor Draw	
Hitch	Clevis and pin type	
	Tractor Draw	
	Clevis and pin type	
Aerating Wheels	Cast iron w/sintered bushing; pressure lubrication fitting; grooved for mounting aerating tines on both sides; each wheel weighs 75 lb (34 kg)	
Tines	0.75 in (19 mm) diameter coring tines formed from 0.08 in (2 mm) hollow hardened	
Total	48 standard, 96 optional	96 standard, 192
Aeration Depth	Up to 5 in (127 mm)	
Aeration Width	36 in (914 mm)	
	Up to 5 in (127 mm)	
	72 in (1,829 mm)	
Aeration Pattern		
Standard	6 in x 6 in (152 mm x 152 mm)	
Optional Double Tines	3 in x 3 in (76 mm x 76 mm)	
	6 in x 6 in (152 mm x 152 mm)	
	3 in x 3 in (76 mm x 76 mm)	
Product	Up to 1.5 acres/hr (0.6 ha/hr) at 4 mph (6 km/hr)	Up to 3 acres/hr (1.2 ha/hr) at 4 mph (16 km/hr)
Length	68.5 in (1,740 mm)	
Width	46 in (1,168 mm)	
Height	31 in (787 mm)	
	60 in (1,524 mm)	
	96 in (2,438 mm)	
	36 in (914 mm)	
Weight	500 lb (227 kg)	1518 lb (689 kg)

Part Number	Tow-Behind Aerators Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7523792	AE36 Tow-Behind Aerator.....		$4,199.00	16%	$3,527.16	$111.00	$0.00	$0.00	$3,638.16

Part Number	Dealer Installed Accessories - Order From Factory Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Lift Kits								

Requires one of the following kits

7531297	Kit, Hydraulic Lift AE36	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7531295	Kit, Manual Lift AE36	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
7531296	Kit, Electric Lift AE36	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Kits

970315	Kit, ZT Hitch	#N/A	#N/A	#REF!	#N/A	#N/A	#N/A	#REF!

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Tow-Behind Aerators (SLP In US $)							
7523791	AE72 Tow-Behind Aerator	$10,499.00	16%	$8,819.16	$168.00	$0.00	$0.00	$8,987.16

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Dealer Installed Accessories - Order From Factory (SLP In US $)							
	Kits							
545370	Kit, Manual Hydraulic Pump, AE72	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Quick Specs

	SC12
Honda® Engine	Honda® GX160
Honda® Power	4.8 hp (3.5 kW)
Honda® Displacement	9.9 cu in (163 cc)
Honda® Fuel Capacity	0.82 gal (3.1 L)
Honda® Oil Capacity	0.61 qt (0.58 L)
Briggs & Stratton® Engine	–
B&S® Power	–
B&S® Displacement	–
B&S® Fuel Capacity	–
B&S® Oil Capacity	–
	Briggs & Stratton® Vanguard™ 200
	6.5 hp (4.8 kW)
	12.4 cu in (203 cc)
	0.82 gal (3.1 L)
	0.63 qt (0.6 L)
	• V-belt engine to gear case • Double roller chain to blade shaft • Gears and roller chain
	Spring-loaded belt tightener
	0.25 in (6 mm) thick
	Up to 1.5 mph (2.4 kph)
Drive	
Clutch	
Gearbox	
Forward Speed	
Blade	Heat-treated steel
Cutting Width	12 in (305 mm) / 18 in (457 mm)
Cutting Depth	Adju
Blade Speed	
Depth Adjustment	Locking lever releases to desired depth
Front Wheel(s)	
Rear Wheel(s)	
	(2) 8 in (203 mm) vulcanized knob tread cast
	(1) 9 in x 3.5 in -
Length	52.5 in (1,331 mm)
Width	25 in (635 mm)
Height	39.5 in (1,003 mm)
Weight	333 lb (151 kg) / 373 lb (169 kg)

Part Number	Description	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Sod Cutters (SLP In US $)							
M6131	NA SC12 Sod Cutter, Honda GX160	$5,999.00	16%	$5,039.16	$111.00	$0.00	$0.00	$5,150.16
	M6131 with M6101-P01-C01 engine/blade package							
M6131	NA SC18 Sod Cutter, Honda GX160	$5,999.00	16%	$5,039.16	$111.00	$0.00	$0.00	$5,150.16
M6131-P01-C02	M6131-P01-C02 engine/blade package	$200.00	16%	$168.00	$0.00	$0.00	$0.00	$168.00
M6131	NA SC18 Sod Cutter, B&S Vanguard 200	$5,999.00	16%	$5,039.16	$111.00	$0.00	$0.00	$5,150.16
M6131-P01-C03	M6131-P01-C03 engine/blade package	$200.00	16%	$168.00	$0.00	$0.00	$0.00	$168.00

Quick Specs

	SC18H
Honda® Engine	Honda® GX160
Honda® Power	4.8 hp (3.5 kW)
Honda® Displacement	9.9 cu in (163 cc)
Honda® Fuel Capacity	0.82 gal (3.1 L)
Honda® Oil Capacity	0.61 qt (0.58 L)

Drive	• A-section belt engine to hydrostat • Power transfered through enclosed oil lubricated gearcase • Chain reduction to the drive wheels and blade
Transmission	Hydro-Gear® BDU-10S-127™
Gearbox	0.25 in (6 mm) thick cast iron housing
Forward Speed	Up to 4 mph (6.4 kph)
Reverse Speed	Up to 2 mph (3.2 kph)
Blade	Heat-treated steel
Cutting Width	18 in (457 mm) 24 in (610 mm)
Cutting Depth	Adju
Blade Speed	
Depth Adjustment	Locking lever releases to desired depth
Front Wheel(s)	
Rear Wheel(s)	
	(2) 8 in (203 mm) vulcanized knob tread cast
	(1) 9 in x 3.5 in -
Length	52.5 in (1,331 mm)
Width	25 in (635 mm)
Height	40.25 in (1022 mm)
Weight	380 lb (172 kg) 398 lb (181 kg)

Part Number	Sod Cutters Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6132	NA SC18H Sod Cutter, Honda GX160.....		$6,999.00	16%	$5,879.16	$111.00	$0.00	$0.00	$5,990.16
	M6132 with M6132-P01-C01 blade package								
M6132	NA SC24H Sod Cutter, Honda GX160.....		$6,999.00	16%	$5,879.16	$111.00	$0.00	$0.00	$5,990.16
M6132-P01-C02	M6132-P01-C02 blade package		$500.00	16%	$420.00	$0.00	$0.00	$0.00	$420.00

Quick Specs	
Engine	Honda® GX160
Displacement	9.9 cu in (163 cc)
Fuel Capacity	0.82 gal (3.1 L)
Oil Capacity	0.61 qt (0.58 L)
Drive	A-section V-belt from engine to reel
Clutch	Spring-loaded belt tightener
Blade	
Flail Blade Reel	Hardened, high-carbon steel 1/8 in (3 mm) blades at 1 in (25 mm) spacing
Fixed Blade Reel	Hardened, high-carbon steel 1/8 in (3 mm) blades at 1 in (25 mm) spacing
Spring Tine Reel	0.109 in (2.76 mm) at 0.75 in (19 mm) spacing
Operating Width	18 in (457 mm)
Slicing Depth	Fixed Blade: Up to 0.25 in (6 mm) below ground
Reel Speed	2700 RPM
Reel Height Adjustment	Micrometer screw; adjustable up to 1.25 in (32 mm) for blade wear
Frame	Welded 12-gauge steel
Front Wheel(s)	(2) 8 in x 1.75 in smooth semi-pneumatic
Rear Wheel(s)	(2) 8 in x 1.75 in smooth semi-pneumatic
Optional Seed Box: Capacity	
Optional Seed Box: Weight	
	0.76 cu ft
	30 lb (14 kg)
Length	
Width	
Height	
	55.5 in (1410 mm)
	27 in (686 mm)
	39.0 in (991 mm)
Weight	131 lb (60 kg)

Part Number	Dethatchers Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
M6171	NA DT18 Walk-Behind Dethatcher, Honda GX160, Flail Blade.....		$2,109.00	16%	$1,771.56	$91.00	$0.00	$0.00	$1,862.56
	M6171 with M6171-P01-C01 reel package								
M6171	NA DT18 Walk-Behind Dethatcher, Honda GX160, Spring Tine.....		$2,109.00	16%	$1,771.56	$91.00	$0.00	$0.00	$1,862.56
	M6171 with M6171-P01-C02 reel package								
M6171	NA DT18 Walk-Behind Dethatcher, Honda GX160, Fixed Blade.....		$2,109.00	16%	$1,771.56	$91.00	$0.00	$0.00	$1,862.56
	M6171 with M6171-P01-C03 reel package								

Part Number	Dealer Installed Accessories - Order From Factory Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Kits								
7525720	Kit, DT18 Seedbox.....		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

970962	Kit, Flail Reel, DT18	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
970964	Kit, Spring Tine Reel, DT18	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
970959	Kit, Fixed Reel, DT18	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Quick Specs

Engine	Honda® GX390
Power	11.7 hp (8.6 kW)
Displacement	23.7 cu in (389 cc)
Fuel Capacity	1.6 gal (6.1 L)
Oil Capacity	1.16 qt (1.1 L)
Drive	• 4L-section V-belt to front wheels by gear box and sealed roller chain • Triple 3V-section V-belts engine to reel
Clutch	Spring-loaded belt tightener
Gearbox	22:1 reduction
Blade	
Flail Blade Reel	Hardened high-carbon steel blades:
Fixed Blade Reel	Hardened high-carbon steel blades: • 1/32 in (1 mm) at 1/2 in (13 mm) spacing • 1/32 in (1 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1-1/2 in (38 mm) spacing
Operating Width	19 in (483 mm)
Slicing Depth	Fixed Blade: Up to 0.25 in (6 mm) below ground
Reel Speed	3200 RPM
Reel Height Adjustment	Micrometer screw; adjustable up to 1.25 in (32 mm) for blade wear
Frame	Welded 7-gauge steel
Front Wheel(s)	(2) 4.10/3.50 - 4 turf-tread pneumatic drive wheels
Rear Wheel(s)	(2) 4.10/3.50 - 4 sawtooth-tread pneumatic
Length	50 in (1270 mm)
Width	35.5 in (902 mm)
Height	44 in (1118 mm)
Weight	376 lb (171 kg) (without reel)

Part Number	Dethatchers Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7523790	DT19 Walk-Behind Dethatcher, Honda GX390		$6,599.00	16%	$5,543.16	$111.00	$0.00	$0.00	$5,654.16

Part Number	Dealer Installed Accessories - Order From Factory Description	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
	Kits *Requires one of the following kits*								
544260A	Kit, 1/32" Blades, 1/2" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544261A	Kit, 1/32" Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544262A	Kit, 1/16" Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544265A	Kit, 1/16" Blades, 1 1/2" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544269A	Kit, 1/8" Flail Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

Quick Specs

Engine	Honda® GX390
Power	11.7 hp (8.6 kW)
Displacement	23.7 cu in (389 cc)
Fuel Capacity	1.6 gal (6.1 L)
Oil Capacity	1.1 qt (1.1 L)
Drive	• 4L-section V-belt to front wheels by gear box and sealed roller chain • Triple 3V-section V-belts engine to reel
Clutch	Spring loaded belt tightener
Gearbox	22:1 reduction
Seeding System	Seed is dropped directly into soil slits via seed delivery tube and covered in soil by disc system
Seeding Blade Reel	(10) 8-point high-carbon, heat treated blades at 2 in (51 mm) spacing
Seed Hopper Capacity	40 lb (18.1 kg)
Operating Width	19 in (483 mm)
Slicing Depth	Up to 0.25 in (6 mm) below ground
Reel Speed	3200 RPM
Reel Height Adjustment	Micrometer screw; adjustable up to 1.25 in (32 mm) for blade wear
Optional Flail Blade Reel	Hardened high-carbon steel blades: • 1/8 in (3 mm) at 1 in (25 mm) spacing
Optional Fixed Blade Reel	Hardened high-carbon steel blades: • 1/32 in (1 mm) at 1/2 in (13 mm) spacing • 1/32 in (1 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1 in (25 mm) spacing • 1/16 in (2 mm) at 1-1/2 in (38 mm) spacing
Productivity	• Single Pass: 80%, 18700 sq ft/hr (1737 m²/hr) • Double Pass: 80%, 9400 sq ft/hr (873 m²/hr)

Frame	Welded 7-gauge steel
Front Wheel(s)	(2) 4.10/3.50 - 4 turf-tread pneumatic drive wheels
Rear Wheel(s)	(2) 4.10/3.50 - 4 sawtooth-tread pneumatic
Length	50 in (1270 mm)
Width	35.5 in (902 mm)
Height	44 in (1118 mm)
Weight	453 lb (205 kg)

Part Number	Description	Dethatchers	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
7524472		DT20 Walk-Behind Overseeder, Honda GX390		$9,999.00	16%	$8,399.16	$168.00	$0.00	$0.00	$8,567.16

Part Number	Description	Dealer Installed Accessories - Order From Factory	SLP In US $	MSRP	Discount	Unit Price	Freight	PDI	Assembly	Discounted Price
		Kits								
544260A		Kit, 1/32" Blades, 1/2" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544261A		Kit, 1/32" Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544262A		Kit, 1/16" Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544265A		Kit, 1/16" Blades, 1 1/2" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
544269A		Kit, 1/8" Flail Blades, 1" Spacing		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A

North America Destination Charges

Part Number	Description	Freight Cost
M6100	AE19 Walk-Behind Aerator	$91
M6101	AE26 Walk-Behind Aerator	$91
M6131	Sod Cutter, Mechanical Drive	$111
M6132	Sod Cutter, Hydraulic Drive	$111
M6171	DT18 Walk-Behind Dethatcher	$111
7523793	AE30S Stand-On Aerator, Kawasaki FS541V	$246
7523790	DT19 Walk-Behind Dethatcher, Honda GX390	$111
7524472	DT20 Walk-Behind Overseeder, Honda GX390	$168
7523792	AE36 Tow-Behind Aerator	$111
7523791	AE72 Tow-Behind Aerator	$168

970315	Kit, ZT Hitch	$18
545370	Kit, Manual Hydraulic Pump, AE72	$18
970640	Kit, Spreader, Stand-on Aerator	$100
544260A	Kit, 1/32" Blades, 1/2" Spacing	$35
544261A	Kit, 1/32" Blades, 1" Spacing	$35
544262A	Kit, 1/16" Blades, 1" Spacing	$35
544265A	Kit, 1/16" Blades, 1 1/2" Spacing	$35
544269A	Kit, 1/8" Flail Blades, 1" Spacing	$35
970962	Kit, Flail Reel, DT18	$35
970964	Kit, Spring Tine Reel, DT18	$35
970959	Kit, Fixed Reel, DT18	$35
7525720	Kit, DT18 Seedbox	$35
7528423	Kit, AE30S Light	$35
7531297	Kit, Hydraulic Lift AE36	$18
7531295	Kit, Manual Lift AE36	$18
7531296	Kit, Electric Lift AE36	$35

For Shipments outside of North America, Please contact Customer Service for Freight Charges

STATE OF MICHIGAN

Contractl No. 250000000221

Agricultural, Grounds, Turf, Earth Moving, and Roadside Maintenance Equipment

SCHEDULE B
SPECIFICATION PRICING

1. The Contractor must provide a pricing schedule for the proposed Contract Activities using Microsoft Excel. The pricing schedule should be submitted in a modifiable format (e.g.. Microsoft Word or Excel); however, you may also submit an additional pricing schedule in a non-modifiable format (e.g., PDF). Failure to complete the pricing schedule as requested may result in disqualification of your proposal.

2. Price proposals must include all costs, including but not limited to, any one-time or set-up charges, fees, and potential costs that Contractor may charge the State (e.g., shipping and handling, per piece pricing, and palletizing).

3. The Contractor is encouraged to offer quick payment terms. The number of days must not include processing time for payment to be received by the Contractor's financial institution.

   Quick payment terms: _____ % discount off invoice if paid within _____ days after receipt of invoice.

4. By submitting its proposal, the Contractor certifies that the prices were arrived at independently, and without consultation, communication, or agreement with any other Contractor.

5. All items below for PURCHASE shall be evaluated based on a single purchase at each prosperity region (13 single purchases). If delivery pricing is per mile, the delivery cost shall be calculated from the nearest dealer location to the estimated central location of each region. Mileage is calculated one way.

a). (Purchase price **x** 13) **+** (Delivery cost at all 13 prosperity regions) **+** (13 Hours of training) or

b). (Purchase price **x** 13) **+** (Mileage rate **x** mileage from nearest dealer to each estimated central prosperity region) **+** (13 Hours of training)

6. All items below for RENTAL shall be evaluated based on a combination of a single daily, weekly, and a monthly rental in each prosperity region. Delivery and pickup shall be calculated for each single rental (13 x 3 = 39 single purchases). If delivery/pickup pricing is per mile, the delivery/pickup cost shall be calculated from the nearest dealer location to the estimated central location of each region. Mileage is calculated one way for each pickup and delivery.

a). (Daily rental price **x** 13) **+** (Delivery and pickup cost at all 13 prosperity regions) **+** (Weekly rental price x 13) + (Delivery and pickup cost at all 13 prosperity regions) + (Monthly rental price x 13) + (Delivery and pickup cost at all 13 prosperity regions) or

b). (Daily rental price **x** 13) **+** (Delivery and pickup mileage rate **x** mileage to and from nearest dealer to each estimated central prosperity region) **+** (Weekly rental price **x** 13) + (Delivery and pickup mileage rate **x** mileage to and from nearest dealer to each estimated central prosperity region) **+** (Monthly rental price **x** 13) **+** (Delivery and pickup mileage rate **x** mileage to and from nearest dealer to each estimated central prosperity region)

7. ***Refer to "Standard Contract Terms", section 7, regarding administration fee.***

	SPEC SECTION	PURCHASE UNIT DESCRIPTION	PURCHASE PRICE	RENTAL UNIT DESCRIPTION	RENTAL PRICE	PARTS, MAINTENANCE & REPAIR
4	**C38-0101 CTL-23 Skid Steer Track Loader**					Hourly Rate
A.	**EQUIPMENT MAKE & MODEL:**	Each	**$94,139.27**	Hourly		**$169.00**
	Bobcat T86			Daily		% Discount on Parts
				Weekly		
				Monthly		0
B.	**DELIVERY:**					
	Per mile (one way) from Contractor's nearest dealer location and/or	per mile		per mile		
	Lump sum cost per region (provide delivery cost for each region per Schedule D, Prosperity Regional Map)					
	1a. Western UP	Lump sum	**$1,500.00**	Lump sum		
	1b. Central UP	Lump sum	**$1,500.00**	Lump sum		
	1c. Eastern UP	Lump sum	**$1,500.00**	Lump sum		

	2. Northwest	Lump sum	$1,500.00	Lump sum		
	3. Northeast	Lump sum	$1,500.00	Lump sum		
	4a. West Central	Lump sum	$1,500.00	Lump sum		
	4b. West Michigan	Lump sum	$1,500.00	Lump sum		
	5. East Central	Lump sum	$1,500.00	Lump sum		
	6. East	Lump sum	$1,500.00	Lump sum		
	7. South Central	Lump sum	$1,500.00	Lump sum		
	8. Southwest	Lump sum	$1,500.00	Lump sum		
	9. Southeast	Lump sum	$1,500.00	Lump sum		
	10. Detroit Metro	Lump sum	$1,500.00	Lump sum		
C.	MULTI UNIT DISCOUNT (Provide % discount on total cost of purchase for X additional item)					
		1 Additional	0			
		2 Additional	1%			
		3 Additional	2%			
		4 Additional	3%			
D.	TRAINING (per Schedule A, Statement of Work, section 3.3)	Hourly	$169.00			

	SPEC SECTION	PURCHASE		RENTAL		PARTS, MAINTENANCE & REPAIR
		UNIT DESCRIPTION	PRICE	UNIT DESCRIPTION	PRICE	
4	C38-0101 CTL-23 Skid Steer Track Loader					Hourly Rate
A.	EQUIPMENT MAKE & MODEL:	Each	$75,852.06	Hourly		$169.00
	Bobcat T770			Daily		% Discount on Parts
				Weekly		
				Monthly		0
B.	DELIVERY:					
	Per mile (one way) from Contractor's nearest dealer location and/or	per mile		per mile		
	Lump sum cost per region (provide delivery cost for each region per Schedule D, Prosperity Regional Map)					
	1a. Western UP	Lump sum	$1,350.00	Lump sum		
	1b. Central UP	Lump sum	$1,350.00	Lump sum		
	1c. Eastern UP	Lump sum	$1,350.00	Lump sum		
	2. Northwest	Lump sum	$1,350.00	Lump sum		
	3. Northeast	Lump sum	$1,350.00	Lump sum		
	4a. West Central	Lump sum	$1,350.00	Lump sum		
	4b. West Michigan	Lump sum	$1,350.00	Lump sum		
	5. East Central	Lump sum	$1,350.00	Lump sum		
	6. East	Lump sum	$1,350.00	Lump sum		
	7. South Central	Lump sum	$1,350.00	Lump sum		
	8. Southwest	Lump sum	$1,350.00	Lump sum		
	9. Southeast	Lump sum	$1,350.00	Lump sum		
	10. Detroit Metro	Lump sum	$1,350.00	Lump sum		
C.	MULTI UNIT DISCOUNT (Provide % discount on total cost of purchase for X additional item)					
		1 Additional	0			
		2 Additional	1%			
		3 Additional	2%			
		4 Additional	3%			
D.	TRAINING (per Schedule A, Statement of Work, section 3.3)	Hourly	$169.00			

	SPEC SECTION	PURCHASE		RENTAL		PARTS, MAINTENANCE & REPAIR
		UNIT DESCRIPTION	PRICE	UNIT DESCRIPTION	PRICE	
7	C38-0501LP-23 Fork Lift, Propane, 6,000 Lbs Capacity					Hourly Rate
A.	EQUIPMENT MAKE & MODEL:	Each	$28,685.12	Hourly		$169.00
	Doosan G30E-7 6000lbs			Daily		% Discount on Parts
				Weekly		
				Monthly		0
B.	DELIVERY:					

	Per mile (one way) from Contractor's nearest dealer location and/or	per mile		per mile		
	Lump sum cost per region (provide delivery cost for each region per Schedule D, Prosperity Regional Map)					
	1a. Western UP	Lump sum	$2,095.00	Lump sum		
	1b. Central UP	Lump sum	$2,095.00	Lump sum		
	1c. Eastern UP	Lump sum	$2,095.00	Lump sum		
	2. Northwest	Lump sum	$2,095.00	Lump sum		
	3. Northeast	Lump sum	$2,095.00	Lump sum		
	4a. West Central	Lump sum	$2,095.00	Lump sum		
	4b. West Michigan	Lump sum	$2,095.00	Lump sum		
	5. East Central	Lump sum	$2,095.00	Lump sum		
	6. East	Lump sum	$2,095.00	Lump sum		
	7. South Central	Lump sum	$2,095.00	Lump sum		
	8. Southwest	Lump sum	$2,095.00	Lump sum		
	9. Southeast	Lump sum	$2,095.00	Lump sum		
	10. Detroit Metro	Lump sum	$2,095.00	Lump sum		
C.	MULTI UNIT DISCOUNT (Provide % discount on total cost of purchase for X additional item)					
		1 Additional				
		2 Additional				
		3 Additional				
		4 Additional				
D.	TRAINING (per Schedule A, Statement of Work, section 3.3)	Hourly	$169.00			

	SPEC SECTION	PURCHASE UNIT DESCRIPTION	PURCHASE PRICE	RENTAL UNIT DESCRIPTION	RENTAL PRICE	PARTS, MAINTENANCE & REPAIR
15	C06-1002-23 Utility Vehicle 4 wheel drive					Hourly Rate
A.	EQUIPMENT MAKE & MODEL:	Each	$16,259.50	Hourly		$169.00
	UV34 Gas Utility Vehicle			Daily		% Discount on Parts
				Weekly		
				Monthly		0
B.	DELIVERY:					
	Per mile (one way) from Contractor's nearest dealer location and/or	per mile	6	per mile		
	Lump sum cost per region (provide delivery cost for each region per Schedule D, Prosperity Regional Map)					
	1a. Western UP	Lump sum	$1,420.00	Lump sum		
	1b. Central UP	Lump sum	$1,420.00	Lump sum		
	1c. Eastern UP	Lump sum	$1,420.00	Lump sum		
	2. Northwest	Lump sum	$1,420.00	Lump sum		
	3. Northeast	Lump sum	$1,420.00	Lump sum		
	4a. West Central	Lump sum	$1,420.00	Lump sum		
	4b. West Michigan	Lump sum	$1,420.00	Lump sum		
	5. East Central	Lump sum	$1,420.00	Lump sum		
	6. East	Lump sum	$1,420.00	Lump sum		
	7. South Central	Lump sum	$1,420.00	Lump sum		
	8. Southwest	Lump sum	$1,420.00	Lump sum		
	9. Southeast	Lump sum	$1,420.00	Lump sum		
	10. Detroit Metro	Lump sum	$1,420.00	Lump sum		
C.	MULTI UNIT DISCOUNT (Provide % discount on total cost of purchase for X additional item)					
		1 Additional				
		2 Additional				
		3 Additional				
		4 Additional				
D.	TRAINING (per Schedule A, Statement of Work, section 3.3)	Hourly	$169.00			

SPEC SECTION	PURCHASE UNIT DESCRIPTION	PURCHASE PRICE	RENTAL UNIT DESCRIPTION	RENTAL PRICE	PARTS, MAINTENANCE & REPAIR

20	38-0501D-23 Fork Lift, Diesel, 8000 lbs. Capacity					Hourly Rate
A.	EQUIPMENT MAKE & MODEL:	Each	$49,804.18	Hourly		$169.00
	Doosan D35S-9 ODB 8000lbs			Daily		% Discount on Parts
				Weekly		
				Monthly		0
B.	DELIVERY:					
	Per mile (one way) from Contractor's nearest dealer location and/or	per mile		per mile		
	Lump sum cost per region (provide delivery cost for each region per Schedule D, Prosperity Regional Map)					
	1a. Western UP	Lump sum	$3,370.00	Lump sum		
	1b. Central UP	Lump sum	$3,370.00	Lump sum		
	1c. Eastern UP	Lump sum	$3,370.00	Lump sum		
	2. Northwest	Lump sum	$3,370.00	Lump sum		
	3. Northeast	Lump sum	$3,370.00	Lump sum		
	4a. West Central	Lump sum	$3,370.00	Lump sum		
	4b. West Michigan	Lump sum	$3,370.00	Lump sum		
	5. East Central	Lump sum	$3,370.00	Lump sum		
	6. East	Lump sum	$3,370.00	Lump sum		
	7. South Central	Lump sum	$3,370.00	Lump sum		
	8. Southwest	Lump sum	$3,370.00	Lump sum		
	9. Southeast	Lump sum	$3,370.00	Lump sum		
	10. Detroit Metro	Lump sum	$3,370.00	Lump sum		
C.	MULTI UNIT DISCOUNT (Provide % discount on total cost of purchase for X additional item)					
		1 Additional				
		2 Additional				
		3 Additional				
		4 Additional				
D.	TRAINING (per Schedule A, Statement of Work, section 3.3)	Hourly	$169.00			

DOOSAN BOBCAT NORTH AMERICA, INC

SCHEDULE C - INSURANCE REQUIREMENTS

Request For Proposal No. 240000002925
Agricultural, Grounds, Turf, Earth Moving, and Roadside, Maintenance Equipment

1. **General Requirements.** Contractor, at its sole expense, must maintain the insurance coverage as specified herein for the duration of the Term. Minimum limits may be satisfied by any combination of primary liability, umbrella or excess liability, and self-insurance coverage. To the extent damages are covered by any required insurance, Contractor waives all rights against the State for such damages. Failure to maintain required insurance does not limit this waiver.
2. **Qualification of Insurers.** Except for self-insured coverage, all policies must be written by an insurer with an A.M. Best rating of A- VII or higher unless otherwise approved by DTMB Enterprise Risk Management.
3. **Primary and Non-Contributory Coverage.** All policies for which the State of Michigan is required to be named as an additional insured must be on a primary and non-contributory basis.
4. **Claims-Made Coverage.** If any required policies provide claims-made coverage, Contractor must:
   - **a.** Maintain coverage and provide evidence of coverage for at least 3 years after the later of the expiration or termination of the Contract or the completion of all its duties under the Contract;
   - **b.** Purchase extended reporting coverage for a minimum of 3 years after completion of work if coverage is cancelled or not renewed, and not replaced with another claims-made policy form with a retroactive date prior to the Effective Date of this Contract.
5. **Proof of Insurance.**
   - **a.** Insurance certificates showing evidence of coverage as required herein must be submitted to DTMB-RiskManagement@michigan.gov within 10 days of the contract execution date.
   - **b.** Renewal insurance certificates must be provided on annual basis or as otherwise commensurate with the effective dates of coverage for any insurance required herein.
   - **c.** Insurance certificates must be in the form of a standard ACORD Insurance Certificate unless otherwise approved by DTMB Enterprise Risk Management.
   - **d.** All insurance certificates must clearly identify the Contract Number (e.g., notated under the Description of Operations on an ACORD form).

e. The State may require additional proofs of insurance or solvency, including but not limited to policy declarations, policy endorsements, policy schedules, self-insured certification/authorization, and balance sheets.

f. In the event any required coverage is cancelled or not renewed, Contractor must provide written notice to DTMB Enterprise Risk Management no later than 5 business days following such cancellation or nonrenewal.

6. **Subcontractors.** Contractor is responsible for ensuring its subcontractors carry and maintain insurance coverage.

7. **Limits of Coverage & Specific Endorsements.**

Required Limits	Additional Requirements
Commercial General Liability Insurance	
Minimum Limits: $1,000,000 Each Occurrence $1,000,000 Personal & Advertising Injury $2,000,000 Products/Completed Operations $2,000,000 General Aggregate	Contractor must have their policy endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds using endorsement CG 20 10 11 85, or both CG 20 10 12 19 and CG 20 37 12 19.
Umbrella or Excess Liability Insurance	
Minimum Limits: $5,000,000 General Aggregate	Contractor must have their policy follow form.
Automobile Liability Insurance	
Minimum Limits: $1,000,000 Per Accident	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Hired and Non-Owned Automobile coverage.

Required Limits	Additional Requirements
Workers' Compensation Insurance	
Minimum Limits: Coverage according to applicable laws governing work activities.	Waiver of subrogation, except where waiver is prohibited by law.
Employers Liability Insurance	
Minimum Limits: $500,000 Each Accident $500,000 Each Employee by Disease $500,000 Aggregate Disease	
Garagekeepers Liability Insurance	
Minimal Limits: $100,000 Per Occurrence	Contractor must have their policy: (1) endorsed to add "the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees, and agents" as additional insureds; and (2) include Garage Keepers Legal Liability coverage.

8. **Non-Waiver.** This Schedule C is not intended to and is not to be construed in any manner as waiving, restricting or limiting the liability of either party for any obligations under this Contract, including any provisions hereof requiring Contractor to indemnify, defend and hold harmless the State.

State of Michigan, DTMB - Enterprise

Risk Management (ERM)

_____
Authorized ERM Signature

_____
Authorized ERM Agent (Print or Type)

_____
Date

STATE OF MICHIGAN

Contract **No. 250000000221**
Agricultural, Grounds, Turf, Earth Moving, and Roadside Maintenance Equipment

SCHEDULE D
SPECIFICATIONS

	Equipment - Purchase, Rent, and/or Lease		**(Bidder must**		
	SPEC SECTION	**PAGE**	**BID**	**NO BID**	
1	**C03-2001CD-23 Dump Body**	1		x	RENTAL ONLY
2	**C03-2001SP-23 Snow Plow**	4		x	RENTAL ONLY
3	**C05-1601-23 Backhoe**	5		x	RENTAL ONLY
4	**C38-0101 CTL-23 Skid Steer Track Loader**	7	x		
5	**C38-0101-23 Skid Steer Loader**	8		x	
6	**C38-0101AWS-23 Skid Steer Loader**	9		x	
7	**C38-0501LP-23 Fork Lift, Propane, 6,000 Lbs Capacity**	10	x		
8	**C54-0001-23 Concrete Saw**	11		x	RENTAL ONLY
9	**C67-008T-23 Trailer**	12		x	RENTAL ONLY
10	**C67-20T LP-23 Trailer**	13		x	RENTAL ONLY
11	**C70-0001-23 Welder-Generator**	13		x	RENTAL ONLY
12	**C60-2001-16 Sand-Salt Spreader**	14		x	RENTAL ONLY
13	**C05-1003-23 Zero Turn 60-72 in deck**	15		x	RENTAL ONLY
14	**C06-1001-23 Utility Vehicle 6x4**	16		x	
15	**C06-1002-23 Utility Vehicle 4 Wheel Drive**	16	x		
16	**C-62-0101RB-23 Loader, 4 Wheel drive 2.25 Cubic Yard Minimum Capacity**	17		x	RENTAL ONLY
17	**38-0201HD.23 Loader, 4 Wheel drive, Articulated, 3.0 Cubic Yard Minimum Capacity**	19		x	RENTAL ONLY
18	**05-00051.23 Crawler Dozer (30hp & up)**	22		x	RENTAL ONLY
19	**30-00LT23 Light Tower, Trailer Mounted Diesel Engine**	29		x	RENTAL ONLY
20	**38-0501D-23 Fork Lift, Diesel Engine, 8,000 Lbs Capacity**	30	x		

The specifications below are considered to be samples of the type of equipment needed. Please be as specific as possible as to the specifications of your equipment offering. Make sure to include Make and Model and to list ALL deviations with sample specifications. The State must approve any deviations to this specification. Bidders must bid on at least one spec (multiple specs is preferred).

4. - Spec. No. C 38-0101CTL-23		**Bidder Response**
LOADER – SKID STEER-COMPACT TRACK LOADER		**(Indicate acceptance**
1.1	Engine: Diesel, 107 HP Tier 4 Diesel. **(The acceptable engine HP for the size of this unit shall be aproximately 100hp (+/-))**	Accept
1.2	Cooling: Liquid	Accept
1.3	Transmission: 2-Speed.	Accept
1.4	Air Cleaner: Dry type, replaceable element, with pre-cleaner.	Accept
1.5	Oil Filter: Full-flow, replaceable element.	Accept
1.6	Electrical System: 12 volt, manufacturer's standard size battery and alternator.	Accept
1.7	Steering and Drive: Hydraulic servo-actuated with steering, braking, forward and reverse controlled by operation of hand lever or levers.	Accept
1.8	Cab Enclosure with heat and AC	Accept
1.9	Bucket: Dirt type, 84" width.	80" Width
1.10	Hydraulic System: Provide auxiliary hydraulics for operation of cold planer or other attachments, Variable Flow, pump size 36.6 gpm min., factory installed. Provide replaceable element filter.	Accept
1.11	Operating characteristics:	Accept
	a. Rated operating capacity: 3,325 lbs. min.	Accept
	b. Tipping load, SAE rated: 9300 lbs. min.	Accept
	c. Min. Height to Raised Bucket Pin: 132"	Accept
	d. Dump Height: 94" min.	Accept

	e. Travel Speed: 8.4 mph. approx.	Accept
1.12	Wheelbase: Approximately 48".	Accept
1.13	Overall Length with Bucket: 151" approx.	Accept
1.14	Operating Weight: **12,925 lbs**. approx. with bucket, without operator.	Accept
1.15	Tracks: Rubber 17 inches.	Accept
1.16	Backup alarm	Accept
1.17	Foot and hand throttle	Accept
1.18	ROPS with enclosed cab.	Accept
1.19	Hour meter	Accept
1.20	Fuel gauge	Accept
1.21	Locking fuel and hydraulic oil reservoir caps	Accept
1.22	Horn	Accept
1.23	Cold start kit and block heater	Accept
1.24	Adjustable seat with suspension	Accept
1.25	Seat belt	Accept
1.26	Parking brake	Accept
1.27	Front working lights (2)	Accept
1.28	Rear working lights (2)	Accept
1.29	Beacon light	Accept
1.30	Lift arm stops	Accept
1.31	ROPS mounted warning light monitoring system for:	Accept
	a. Audible alarm for low engine oil pressure,	Accept
	b. Transmission temperature,	Accept
	c. Water temperature,	Accept
	d. Alternator, battery voltage	Accept
	e. Seat belt reminder	Accept
	LOADER – SKID STEER-COMPACT TRACK LOADER	
Make Offered:		Bobcat
Model Offered:		T86

7. - SPEC NO. C38-0501LP-23		**Bidder Response**
FORKLIFT, PROPANE FUELED, 6,000 POUND CAPACITY		**(Indicate acceptance**
1.1	Engine shall be:	Accept
	a. propane fueled	Accept
	b. 4 cylinder	Accept
	c. 60hp minimum	Accept
	d. water cooled	Accept
1.2	Forklifts shall have:	Accept
	a. Headlights	Accept
	b. Turn signals, front and rear	Accept
	c. Back up alarm of 95dba minimum	Accept
	d. Keyed ignition switch	Accept
	e. Hour meter to operate only when engine is running	Accept
	f. Horn	Accept
	g. Fuel gauge	Accept
	h. Coolant temperature gauge	Accept
	i. Low oil pressure warning light	Accept
	j. Battery charge indicator light	Accept
	k. Tail lights	Accept
	l. Back up lights	Accept
	m. Transmission temperature gauge	Accept
	n. Anti restart ignition	Accept
	o. Strobe lights	Accept
	p. Rear work lighting package	Accept
1.3	Travel speed shall be within the range of 9 to 11 mph depending on the load	Accept
1.4	Lift speed shall range from 114 to 120 fpm minimum	Accept
1.5	Forklift weight shall be 9,000 pound minimum	Accept
1.6	Rated load capacity at 24 inch load center shall be 6,000 pound minimum	Accept

1.7	Mast height lowered shall be approximately 86 inches	Accept
1.8	High load backrest shall be 48 inches high minimum	Accept
1.9	Mast shall be three (3) stage, wide view, full type	Accept
1.10	Maximum mast height at rated load shall be 183 inches minimum	Accept
1.11	Mast shall have a free lift of 5.5 inches	Accept
1.12	Mast tilting angles shall be a minimum 6° forward and 10° rearward	6 forward x 5 rearward
1.13	Side-shift attachment with 4 inch travel in each direction and a total of 8 inches travel minimum shall be provided	Accept
1.14	Minimum outside turning radius shall be approximately 94 inches	Accept
1.15	Forks shall be a minimum:	Accept
	a. 48 inches long	Accept
	b. 4.9 inches wide	Accept
	c. 1-¾ inches thick	Accept
	d. adjustable ,full width of carriage	Accept
1.16	Tires shall be pneumatic type sizes:	Accept
	a. drive –DUAL, 750X16	Accept
	b. steer – 6.5 x 10-12PR	Accept
1.17	Fenders: Extended to cover dual drive tires	Accept
1.18	Carriage: 57 inches wide	Accept
1.19	Ground clearance shall be 7 inch minimum	Accept
1.20	Wheelbase shall be 67 inches maximum	Accept
1.21	Service brakes shall be foot operated hydraulic type	Accept
1.22	Parking brakes shall be hand operated	Accept
1.23	Vendor shall supply two (2) L.P. fuel tanks to fit tank rack, one tank shipped loose, both tanks to be full on delivery	Accept
1.24	Overhead guard height shall be approximately 86 inches	Accept
1.25	Operator's seat shall be padded vinyl with seat belt	Accept
1.26	Operator's compartment shall be full-floating hydraulic suspension type	Accept
1.27	Draw bar pin shall be furnished	Accept
1.28	Draw bar pull weight shall be 4,600 pound minimum	Accept
1.29	Forklift shall have a hydraulic oil cooler	Accept
1.30	Forklift shall have fully hydrostatic power steering	Accept
1.31	Steering column shall be tilting	Accept
1.32	Forklift shall have load check valve	Accept
1.33	Forklifts shall be painted manufacturers standard color	Accept
1.34	Transmission shall:	Accept
	a. be "power shift" type	Accept
	b. have an in-line 125 mesh and 35 micron oil filters and aan oil cooler	Accept
	c. have an inching pedal	Accept
	FORKLIFT, PROPANE FUELED, 6,000 POUND CAPACITY	
Make Offered:		Doosan Bobcat
Model Offered:		G30E-7

15. - Specification # C06-1002.23		**Bidder Response (Indicate acceptance and/or provide alternate)**
4x4 UTILITY VEHICLE		
1.1	Engine shall be 4 cycle gasoline, rated at 15.7 SAE horse power minimum	Accept
1.2	Engine lubrication shall be pressurized	Accept
1.3	Engine oil filter shall be spin on, full flow type	Accept
1.4	Liquid cooled engine	Accept
1.5	Engine shall have mechanical governor	Software Controlled
1.6	Air cleaner shall be dry type, replaceable with foam pre cleaner	Accept
1.7	Choke speed controls, separate levers	EFI
1.8	Fuel capacity shall be 5.3 gallons minimum	Accept
1.9	Key start switch shall be provided	Accept
1.10	Electrical system shall be 12volt	Accept
1.11	Batteries 12 v 340 CCA	Accept

1.12	Charging System, Flywheel alternator, regulated, 20 amp	Accept
1.13	Provide indicators, gauges, or lights for the following:	Accept
	a. Engine hour meter	Accept
	b. Engine oil pressure	Engine Temp
	c. Fuel level	Accepted
1.14	Steering shall be manual two wheel steer	Accepted
1.15	Front suspension independent McPherson Strut	Dual A-Arm
1.16	Rear suspension coil over shock	Accept
1.17	Transmission, continuously variable transmission (CVT)	Accept
1.18	Final drive, two speed oil bath	Accept
1.19	Forward speed 0 - 25 mph	Accept
1.20	Reverse Speed 0 - 12 mph	Accept
1.21	Brakes shall be disk	Accept
1.22	Parking brake, disk	Accept
1.21	Front tires two 24x9.5-10	26x10-12
1.22	Rear tires two 24 x 10.5-10	26x10-12
1.23	Bucket Seats	Bench
1.24	Cup holders, Glovebox	Accept
1.25	Paint shall be manufacturer's standard color	Accept
1.26	Safety meets ANSI standard	Accept
1.27	Meets Outdoor Power Equipment Institute (OPEI) standard	Accept
1.29	Warranty 1 year / 1000 hour bumper to bumper	Accept
1.30	2 - Parts manual	Accept
1.31	2 - Service manual	Accept
1.32	2 - Safety & training video	Accept
	4x4 UTILITY VEHICLE	
Make Offered:		Bobcat
Model Offered:		UV34

20. - Spec. No. C38-0501D-23		**Bidder Response (Indicate acceptance and/or provide alternate)**
FORKLIFT, DIESEL FUELED, 8,000 POUND CAPACITY		
1.1	Engine shall be:	
	a. Diesel fueled	Accept
	b. 4 cylinder	Accept
	c. 100hp minimum	92.5hp
	d. water cooled	Accept
1.2	Electrical:	
	Forklifts shall have:	
	a. Headlights	Accept
	b. Turn signals, front and rear	Accept
	c. Back up alarm of 95dba minimum	Accept
	d. Keyed ignition switch	Accept
	e. Hour meter to operate only when engine is running	Accept
	f. Horn	Accept
	g. Fuel gauge	Accept
	h. Coolant temperature gauge	Accept
	i. Low oil pressure warning light	Accept
	j. Battery charge indicator light	Accept
	k. Tail lights	Accept
	l. Back up lights	Accept
	m. Transmission temperature gauge	Accept
	n. Anti restart ignition	Accept
	o. Strobe lights	Accept
	p. Rear work lighting package	Accept
1.3	Travel speed shall be within the range of 9 to 11 mph	Accept
1.4	Lift speed shall range from 114 to 120 fpm minimum	Accept
1.5	Forklift weight shall be 12,500 pound minimum	Accept

1.6	Rated load capacity at 24 inch load center shall be 8,000 pounds minimum	Accept
1.7	Mast height lowered shall be approximately 86 inches	Accept
1.8	High load backrest shall be 48 inches high minimum	Accept
1.9	Mast shall be three (3) stage, wide view, full type	Accept
1.10	Maximum mast height at rated load Shall be 183 inches minimum	Accept
1.11	Mast shall have a free lift of 5.5 inches	Accept
1.12	Mast tilting angles shall be a minimum 6° Forward and 10° rearward	8 x 8
1.13	Side-shift attachment with 4 inch travel in each direction and a total of 8 inches travel minimum shall be provided	Accept
1.14	Minimum outside turning radius shall be approximately 94 inches	110"
1.15	Forks shall be a minimum:	
	a. 48 inches long	Accept
	b. 4.9 inches wide	Accept
	c. 1-¾ inches thick	Accept
	d. adjustable ,full width of carriage	Accept
1.16	Tires shall be pneumatic type sizes:	
	a. drive - 250 x 15 - 20 Ply	Accept
	b. steer – 7.00 x 12 - 14 Ply	Accept
1.17	Fenders: Extended to cover dual drive tires (dual tires only)	Accept
1.18	Carriage: 57 inches wide	Accept
1.19	Ground clearance shall be 7 inch minimum	Accept
1.20	Wheelbase shall be 67 inches maximum	Accept
1.21	Service brakes shall be foot operated hydraulic type	Accept
1.22	Parking brakes shall be hand operated	Accept
1.23	Overhead guard height shall be approximately 86 inches	Accept
1.24	Operator's seat shall be padded vinyl with seat belt	Accept
1.25	Operator's compartment shall be full-floating hydraulic suspension type	Accept
1.26	Draw bar pin shall be furnished	Accept
1.27	Draw bar pull weight shall be 4,600 pound minimum	Accept
1.28	Forklift shall have a hydraulic oil cooler	Accept
1.29	Forklift shall have fully hydrostatic power steering	Accept
1.30	Steering column shall be tilting	Accept
1.31	Forklift shall have load check valve	Accept
1.32	Forklifts shall be painted manufacturers standard color	Accept
1.33	Transmission shall:	Accept
	a. be "power shift" type	Accept
	b. have an in-line 125 mesh and 35 micron oil filter and oil cooler system	Accept
	c. have an inching pedal	Accept
1.34	2 - Parts manual	Accept
1.35	2- Service manual	Accept
1.36	2 - Safety & training video	Do not meet
FORKLIFT, DIESEL, 8,000 POUND CAPACITY		
Make Offered:		Doosan Bobcat
Model Offered:		D35S-9

State of Michigan Prosperity Regions





MDOT
Michigan Department of Transportation

(Use Std J560 Connector)

All Non-Tractor/Trailer Non-ABS Truck-End (Viewed from Wire Side of Plug)

Rev Date: 03/04/2015