



MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
DRINKING WATER AND ENVIRONMENTAL HEALTH DIVISION

WATER QUALITY PARAMETER (WQP) WITHOUT CORROSION CONTROL DATA REPORT

Authorized under the administrative rules promulgated by the
Michigan Safe Drinking Water Act, 1976 PA 399, as amended.

System Name: _____ WSSN: _____

ENTRY POINT TO THE DISTRIBUTION SYSTEM (PLANT TAP)

Sample Location	Date	pH	Alk. (mg/L)	Inhibitor (mg/L) Orthophosphate (PO ₄)	Inhibitor (mg/L) Ca (CaCO ₃)	Inhibitor (mg/L) Silica (Si)	Chloride (mg/L)	Sulfate (mg/L)	Cond. (umhos/cm)	Temp (°C)

DISTRIBUTION SYSTEM

Sample Location	Date	pH	Alk. (mg/L)	Inhibitor (mg/L) Orthophosphate (PO ₄)	Inhibitor (mg/L) Ca (CaCO ₃)	Inhibitor (mg/L) Silica (Si)	Chloride (mg/L)	Sulfate (mg/L)	Cond. (umhos/cm)	Temp (°C)

INSTRUCTIONS:

WQP SAMPLING LOCATIONS:

- Entry Point to the Distribution System (EPTDS) sampling locations: Each EPTDS location is a required sampling point for WQPs. Exceptions can be made for wells that are offline or standby or for consecutive connections without additional treatment. Review your supply's monitoring schedule for specific requirements.
- Distribution sampling locations: Distribution sampling locations should be representative locations throughout the distribution system. Established bacteriological sampling locations can be used for WQP sampling.

WQP SAMPLING:

Sampling procedure: WQP sampling requirements are a combination of analytes and test codes. Double check your monitoring schedule and check with your certified laboratory to make sure you have the correct bottle types, number of bottles, or appropriate field test kits to have your water analyzed for all required WQP analytes.

Note: Unlike lead and copper sampling, WQP sampling does not need to be within a home, does not require a stagnation period, and does not need to be a first draw sample.

EGLE LABORATORY TEST CODES FOR WQP SAMPLES:

Automated Partial Chemistry	Chloride and Sulfate	\$18	32,33	R	48 hours	Yes
Corrosion	Conductivity, Alkalinity, Orthophosphate, and Calcium	\$51	33	CORR	48 hours	Yes
Field tests (at the time of sample collection)	pH and Temperature	N/A	N/A	N/A	N/A	N/A

WATER QUALITY PARAMETER REPORTING:

Enter the water system name, Water Supply Serial Number (WSSN), and corresponding related information from the WQP monitoring carried out, if applicable. Indicate the street address of the sampling point (and the site code for EPTDS sampling points), date of sample collection, and the results of chemical analyses. Dosages for corrosion control inhibitors (orthophosphate, silicates, and alkalinity) must be reported on your Monthly Operational Report, due to your local district office on the 10th of the following month. Note: alkalinity and calcium analyses should be reported as mg/l as CaCO₃; conductivity should be reported in umhos/cm; temperature in degrees Celsius; and where applicable, phosphate as PO₄ and Silica as Si.

People with disabilities may request this material in an alternate format by emailing EGLE-Accessibility@Michigan.gov or calling 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.