



**WATER WELL EQUIPMENT APPROVED LIST \***

**Pitless Well Adapters and Units<sup>1</sup>**

**DICKEN MANUFACTURING COMPANY (MAASS, MANUFACTURING)**

KLEAR-KASE CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING (Out of Production)

**DUPLEX (WHITEWATER MANUFACTURING COMPANY)**

TYPE 1060 SUB THREAD-ON UNIT - SUBMERSIBLE - 4"-6" CASING

TYPE 2015 SUB THREAD-ON UNIT - SUBMERSIBLE - 4"-6" CASING (Out of Production)

TYPE 1060 SW THREAD-ON UNIT - SHALLOW WELL JET - 2" CASING

TYPE 1060 J4C THREAD-ON UNIT - DEEP WELL JET - 4" CASING (Out of Production)

TYPE 1060 PJ-C THREAD-ON UNIT - DEEP WELL SINGLE PIPE PACKER - 2"-3" CASING  
(3" Out of Production)

TYPE 2000 PJ2-C THREAD-ON UNIT - BACKTAPPED-DEEP WELL SINGLE PIPE PACKER  
- 2" CASING (Out of Production)

TYPE 2000 SW THREAD-ON UNIT - BACKTAPPED - SHALLOW WELL JET - 2" CASING  
(Out of Production)

**MAASS, MANUFACTURING**

MODEL B WELD-ON ADAPTER - SUBMERSIBLE - 4"-8" CASING

MODEL BX THREAD-ON UNIT - SUBMERSIBLE - 4"-8" CASING

MODEL CD THREAD-ON UNIT - BACKTAPPED - DEEP WELL SINGLE PIPE PACKER JET  
- 2" CASING (Out of Production)

MODEL CS THREAD-ON UNIT - BACKTAPPED - SHALLOW WELL JET - 2" CASING  
(Out of Production)

MODEL J WELD-ON ADAPTER - SUBMERSIBLE - 4"-18" CASING<sup>2</sup>

MODEL JC CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-7" CASING<sup>2</sup>

MODEL MB WELD OR THREAD-ON UNIT - SUBMERSIBLE - 8"-26" CASING<sup>2</sup>

**MARTINSON MANUFACTURING COMPANY, INC. (MONITOR, BAKER MANUFACTURING COMPANY/CAMPBELL MANUFACTURING CO.)**

C-SERIES CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING (Out of Production)

**MERRILL MANUFACTURING**

SP THREAD-ON UNIT - SUBMERSIBLE - 4"-8" CASING<sup>2</sup>

SDP W/CONCENTRIC COUPLING THREAD-ON UNIT - SHALLOW WELL JET - 4"-8"  
CASING (Out of Production)

SPK CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-10" CASING<sup>2</sup>

MCK CLAMP-ON ADAPTER - N.L.B., S.S. - SUBMERSIBLE - 4"-6" CASING<sup>2</sup>

**MONITOR, BAKER MANUFACTURING COMPANY**

FIBERLOC POLYMER CAMPSITES PITLESS KIT - 4"-5" CASING (Out of Production)

PS THREAD-ON UNIT - SUBMERSIBLE - 4"-10" CASING<sup>2</sup>

PS WELD-ON UNIT - SUBMERSIBLE 12"-26" CASING<sup>2</sup>

PJ CONCENTRIC THREAD-ON UNIT - SHALLOW WELL JET - 2"-3" casing<sup>2</sup>

PJ THREAD-ON UNIT - DEEP WELL SINGLE PIPE PACKER JET - 2"-3" CASING

PJ THREAD-ON UNIT - TWO-PIPE DEEP WELL JET - 4"-6" CASING (Out of Production)

PR THREAD-ON UNIT - RECIPROCATING (ROD) PUMP - 3"-6" CASING (Out of Production)

PL SNAPPY CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING<sup>2</sup>

PL SNAPPY WELD-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING (Out of Production)

6123BEZ WELD-ON ADAPTER – SUBMERSIBLE – 5”, 6” I.D., AND 7” O.D. CASING<sup>2</sup>  
8123BEZ WELD-ON ADAPTER – SUBMERSIBLE – 8”, 10” AND 12” I.D. CASING<sup>2</sup>

**PAULUS PLASTIC COMPANY**

PAULUS PLASTIC PITLESS ADAPTER - 4"-5" CASING<sup>2</sup>

**WELLS, INC.**

SAFETY-SEAL SERIES A (LF) LEAD FREE BRASS CLAMP-ON ADAPTER - SUBMERSIBLE  
- 4"-6" CASING<sup>2</sup>

SAFETY-SEAL SERIES AB (LF) LEAD FREE BRASS CLAMP-ON ADAPTER –  
SUBMERSIBLE - 4"-6" CASING<sup>2</sup>

SAFETY-SEAL SERIES ABP CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING<sup>2</sup>

JA 4-1 3/4X 1C CLAMP-ON ADAPTER - TWO PIPE DEEP WELL JET - 4" CASING

**WHITEWATER MANUFACTURING COMPANY**

MODEL 52 SU WELD OR THREAD-ON UNIT - SUBMERSIBLE - 4"-20" CASING

MODEL 1J2 CONCENTRIC WELD-ON UNIT-DEEP WELL SINGLE PIPE PACKER JET  
- 2" CASING

MODEL 2J CONCENTRIC WELD OR THREAD-ON UNIT - TWO PIPE DEEP WELL JET  
- 4"-6" CASING (Out of Production)

ACE WELD-ON ADAPTER - SUBMERSIBLE - 4"-8" CASING (Out of Production)

QUICKY CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING (Out of Production)

MODEL 51-C SUBURBAN CLAMP-ON ADAPTER - SUBMERSIBLE - 4"-6" CASING  
(Out of Production)

ACE CLAMP-ON ADAPTER - 4"-6" CASING (Out of Production)

<sup>1</sup>Advance Pump Equipment Company, Boscott, Inc., Dayton Precision Manufacturing Company, Flow-Rite Products Company, Sears, Roebuck & Company, and Williams Products Division pitless adapters are no longer available. EGLE removed these products from the Water Well Equipment Approved List on 8/13/2018. If approved model information is needed regarding these manufacturers, please contact EGLE-Source Water Unit.

<sup>2</sup>As of 7/20/2018, company listed products as “Lead Free” as defined within Section 1417 of the Federal Safe Drinking Water Act.

**Well Caps**

The following well caps/seals meet the requirements set forth in R325.1657A of Part 127, Act 368 PA 1978 Administrative Rules. Caps and venting requirements became effective May 1, 1985. Vents must be installed on all wells except those having deep well, single pipe, packer jet installations or on flowing wells.

<p><b><u>A &amp; B DIE CASTING</u></b> 6" Only</p>	<p><b><u>FLOW-RITE</u></b> WATERTIGHT CAP</p>	<p><b><u>MONITOR (BAKER)</u></b> 3" CAP* (FOR 2" SWJ PITLESS UNIT) TURTLE 4"-7" CAP WATERTIGHT CAP<sup>3</sup></p>
<p><b><u>BOSCOTT, INC.</u></b> 4"-6"</p>	<p><b><u>HARVARD</u></b> WTC<sup>3</sup></p>	<p><b><u>PAULUS</u></b> PLASTIC WELL CLOSURE 4"-5"</p>
<p><b><u>BROTHERS CASTING</u></b> WATERTIGHT 6"</p>	<p><b><u>LUNDE FOUNDRY, INC.</u></b> L-04 L-05 L-06</p>	<p><b><u>W.D.B., Inc</u></b> WTC Well Cap</p>
<p><b><u>CAMPBELL</u></b> WTC</p>	<p><b><u>MAASS<sup>4</sup></u></b> 4"-12"WT</p>	<p><b><u>WELLS</u></b> WT, WTP WC SC, SCP, SCPT</p>
<p><b><u>CAMPBELL-MARTINSON</u></b> LX41 LX51 LX61</p>	<p><b><u>MERRILL</u></b> WC 4"-8" WCA 4"-6" WCB 4"-10" WCD 4"-6" WCM 6" WCO 4"-6" WCP 5"-6"</p>	<p><b><u>WHITEWATER</u></b> MODEL 100 (Out of Production) MODEL 200 (Out of Production) MODEL 300</p>
<p><b><u>DAYTON</u></b> WATERTIGHT CAP</p>	<p><b><u>MIDWEST-DICKEN<sup>4</sup></u></b> WTCC 4"-8" 359 WELL SEAL 2" 459SW CABLE SEAL with VENT CAP<sup>3</sup></p>	<p><b><u>WILLIAMS</u></b> WTV</p>
<p><b><u>DUPLEX</u></b> 3" CAP FOR 2" SWJ PITLESS UNIT (Out of Production)</p>		

<sup>3</sup>Caps have separate vents which must be threaded into cap.

<sup>4</sup>These companies are now called MAASS Midwest.

**Hand Pumps**

The hand pumps listed below meet the requirements of Rule 153 of Part 127, Act 368 PA of 1978 and may be used on public or private water supplies. These hand pumps have a closed spout, directed downward, and a pump rod that operates through a stuffing box and packing nut.

**DEEP WELL HAND PUMPS** (LIFT CYLINDER REQUIRED)

BISON PUMPS MODEL BPH-125: 5", 6" AND 8"; ALL OFFSET MOUNTED  
 COLUMBIANA FIGURE 80<sup>5</sup>, SINGLE ACTING FORCE PUMP (Out of Production)  
 DEMPSTER MODEL 210F AND 226F FORCE PUMP; MODEL 23F AND MODEL 40F  
 HELLER-ALLER (SEE HITZER INC)  
 HITZER INC MODEL 50-L<sup>5</sup>, 50-A<sup>5</sup>, AND ASB FORCE PUMP (FORMERLY "HELLER-ALLER")  
 MONITOR BAKER MODEL 11HD, 11HDS<sup>6</sup>, 12HD, AND 12HDS<sup>6</sup> FORCE PUMP STAND  
 MONITOR BAKER MODEL 1DFHC, 1DFHCS<sup>6</sup>, 1DFHF, AND 11 DFHFS<sup>6</sup> DRINKING  
 FOUNTAIN STAND  
 ROBBINS & MYERS MODELS 1V12, 2V12 ROTARY HAND<sup>7</sup>

**SHALLOW WELL HAND PUMPS** (LIFT CYLINDER BUILT INTO PUMP)

COLUMBIANA FIGURE 55-3 HOUSE FORCE PUMP  
 HELLER-ALLER (SEE HITZER INC)  
 HITZER INC FIGURE PHB HOUSE FORCE PUMP (FORMERLY "HELLER-ALLER")

<sup>5</sup>These hand pumps use the drop pipe into the well as the pump base or may be threaded onto a 2" well casing by using a 2" x 1.25" reducer. If the drop pipe is used as a pump base, the opening between the drop pipe and well casing is sealed using the manufacturer's well cap base and a vented sanitary well seal.

<sup>6</sup>These hand pumps include a shroud which provides additional sanitary protection by enclosing the pump rod and packing nut.

<sup>7</sup>This pump operates with a rotating pump rod and has a hand operated gear box rather than a lever fulcrum type handle operating a reciprocating pump rod through a packing nut.

**Yard Hydrants**

The following frost-proof yard hydrants do not use a stop-and-waste valve and are approved for installation on any water supply. Yard hydrants with buried stop-and-waste valve are prohibited on all types of water supplies, under Section 608.8 of Chapter 6 of the Michigan Plumbing Code, R325.1674A of Part 127, Act 368 PA 1978 Administrative Rules, and Rule 1108(3) of Act 399, PA 1976.

**CAMPBELL** – SANITARY YARD HYDRANT (SYH)

**HIDE-DRANT CORPORATION** – HIDE-DRANT MODEL 99 YARD HYDRANT (model number change, see below)

HIDE 7501-7503

HIDE SS2750

HIDE 104-108

**HOEPTNER PERFECTED PRODUCTS** – FREEZE FLOW SANITARY YARD HYDRANT  
 STANDARD FREEZE FLOW SANITARY YARD HYDRANT  
 EXECUTIVE FREEZE FLOW SANITARY YARD HYDRANT

**MERRILL MFG. CO.** – H-3000 SERIES WITH HEATING CABLE AND NO DRAIN HOLE

**MURDOCK, INC.** – EXPELO - SANITARY POST WATER HYDRANT

**SIMMONS MANUFACTURING COMPANY** – SIMMONS SANITARY YARD HYDRANT

**WHITEWATER MFG. CO.** – MODEL 256 FREEZE-PROOF/POLLUTION-PROOF YARD HYDRANT (Out of Production)

**WOODFORD MFG. CO.** – MODEL S1 FREEZE-PROOF/POLLUTION-PROOF YARD HYDRANT (Out of Production)

MODEL S2 SANITARY HYDRANT (Out of Production)

MODEL S3 SANITARY HYDRANT

MODEL S4H SANITARY HYDRANT

**Buried Pressure Tanks**

<b><u>ADVANCE-MORRISON</u></b> HORIZONTAL UNDERGROUND PRESSURE TANK	
BWS-116-120 BWS-116-220 BWS-116-315	BWS-116-500 BWS-116-1000 BWS-116-1500
<b><u>AMTROL, INC.</u></b> WELL-X-TROL UG SERIES WX-200UG WX-202UG WX-250UG WX-251UG	TITAN SERIES TC-14 TC-20 TC-32 TC-44 TC-62 TC-86 TC-119
<b><u>CLAYTON MARK</u></b> PRECHARGED UNDERGROUND TANK	
<b><u>FLEXCON INDUSTRIES</u></b> WELL-RITE BG SERIES WR 60BG WR 100BG WR 140BG	FLEX-LITE PRESSURE TANKS FL5 FL7 FL7BG FL12 FL13SQ FL14 FL17 FL17BG FL22 FL28 FL30 FL40
<b><u>IN-WELL TECHNOLOGIES</u></b> Fits into 4-inch, 5-inch, 6-inch, or larger wells NT-30SS 3 5/8-inch dia. 102-inch length (Out of Production) NT-40SS 4 1/2-inch dia. 48-inch length (Out of Production)	
<b><u>MEDALIST MFG. CO.</u></b> PERMA PRESSURE II AVU-H TUVM	
<b><u>MERRILL MFG. CO.</u></b> ULTIMATE BURIED TANK - POLYURETHANE FOAM ENCASED (Out of Production)	
<b><u>MONITOR (BAKER MFG. CO.)</u></b> TUVWF TUVWM (Out of Production)	

<b>PENTAIR WATER TREATMENT</b> <i>WELL-MATE, ProSource</i>		
WM-4 LP (Out of Production)	WM-14WB	+PSC-14-4
WM-6 UG (Out of Production)	WM-4	+PSC-30-9
WM-9 UG (Out of Production)	WM-6	+PSC-48-14
WM-12 UG (Out of Production)	WM-9	+PSC-80-23
WM-10LP	WM-12	+PSC-119-35
WM-6LP	WM-23	+PSC-85-25
WM-35WB		+PSC-60-20
WM-25WB		+PSC-35-10
WM-20WB		+PSC-20-6
<b>STA-RITE INDUSTRIES</b>		
<i>FIBERWOUND</i>		
SR20-6S – 20 GALLONS		SR60-18 – 60 GALLONS
SR35-10S – 35 GALLONS		SR85-25 – 85 GALLONS
SR48-14S – 48 GALLONS		SR119-35 – 119 GALLONS
<b>THE AMERICAN GRANBY CO.</b>		
HARVARD CHAMPION UG SERIES (UNDERGROUND TANK)		
<b>TITAN INDUSTRIES, INC.</b>		
Combo Tank		
<b>WHITEWATER MFG. CO.</b>		
PAT (PITLESS ADAPTER TANK) 60 – 1,500 GALLONS		

**\* – The approval and listing of a product do not ensure compliance with the requirements of the Michigan Safe Drinking Water Act, 1976 PA 399, as amended, and the Administrative Rules.**

If you need this information in an alternate format, contact [EGLE-Accessibility@Michigan.gov](mailto:EGLE-Accessibility@Michigan.gov) or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations. Questions or concerns should be directed to the Nondiscrimination Compliance Coordinator at [EGLE-NondiscriminationCC@Michigan.gov](mailto:EGLE-NondiscriminationCC@Michigan.gov) or 517-249-0906.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.