



**OWNER CONSENT FOR SETBACK EXCEPTIONS
FOR SURFACE FACILITIES ASSOCIATED WITH H2S WELLS**

Required pursuant to Part 615, 1994 PA 451, as amended. Falsification of this information may result in fines and/or imprisonment.

A. SURFACE FACILITY INFORMATION

Surface Facility Name _____ Surface Facility Operator _____
H2S Well Class _____ Section _____ Town _____ Range _____ Township _____ County _____
Enclose an 8 1/2 x 11" large-scale map (e.g., 1"=1,000'), that identifies the proposed surface facility and the distances and directions of all buildings, public roads, water wells, and other man-made features within 600 feet from the proposed surface facility.

B. EGLE REGULATION

Rule 324.1106(2) requires that surface facilities associated with new Hydrogen Sulfide (H2S) wells be located not less than 600 feet from existing water wells, existing structures used for public or private occupancy, existing areas maintained for public recreation, or the edge of the travelled portion of an existing interstate, United States, or state highway. Since the potential for negative impacts associated with H2S is reduced for lower concentration wells, the supervisor may grant an exception to the surface facilities setback distances of not less than 450 feet for Class II H2S wells and not less than 300 feet for Class III and Class IV wells. To allow this setback exception, consent must be provided by the owner or owners of the existing water wells, existing structures, and existing areas maintained for public recreation that are less than 600 feet from the surface facility.

C. OWNERS CONSENT (attach additional owner signatures if necessary)

"I, the undersigned owner, have reviewed the enclosed map and the proposed staked location for the surface facility detailed above. I attest that I am an owner of the surface features detailed below and identified on the enclosed map. I do hereby consent to approving the surface facility location shown on the enclosed map as an exception to the setback requirements of 600 feet as described in Rule 324.1106(2)."

Name of owner (printed or typed) Signature of owner Date

Street Address City State Zip

Surface feature involved that is less than 600 feet from the surface facility (check all that apply).

Water Well Structure Area Maintained for Public Recreation

Name of owner (printed or typed) Signature of owner Date

Street Address City State Zip

Surface feature involved that is less than 600 feet from the surface facility (check all that apply).

Water Well Structure Area Maintained for Public Recreation

Name of owner (printed or typed) Signature of owner Date

Street Address City State Zip

Surface feature involved that is less than 600 feet from the surface facility (check all that apply).

Water Well Structure Area Maintained for Public Recreation

D. OPERATORS CERTIFICATION

"The undersigned states that I am authorized by operator to prepare this form and the facts stated herein are true, accurate, and complete to the best of my knowledge."

Name and title (printed or typed) Authorized Signature Date

Attach map and *Surface Facility Location and Environmental Impact Assessment* (EQP 7200-22; if applicable, for new facilities) Submit to the OGMD Area Geologist and appropriate District Office email.

Cadillac: EGLE-OGMD-Records-Cadillac@michigan.gov

Gaylord: EGLE-OGMD-Records-Gaylord@michigan.gov

Kalamazoo: EGLE-OGMD-Records-Kalamazoo@michigan.gov

Lansing: EGLE-OGMD-Records-Lansing@michigan.gov

Saginaw Bay: EGLE-OGMD-Records-SaginawBay@michigan.gov

SE Michigan: EGLE-OGMD-Records-SEMichigan@michigan.gov

If you need this information in an alternate format, contact EGLE-Accessibility@Michigan.gov or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations. Questions or concerns should be directed to the Nondiscrimination Compliance Coordinator at EGLE-NondiscriminationCC@Michigan.gov or 517-249-0906.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.